

Q
1
53
Sec. A
vol. 63-67
Index
F-K
NIC

Section A of Science Abstracts

SECTION A, PHYSICS; SECTION B, ELECTRICAL ENGINEERING

Abstracts //

Physics Abstracts

Cumulative Author Index

1960-1964 : Part II

(VOLUMES 63-67).

Published by THE INSTITUTION OF ELECTRICAL ENGINEERS
Savoy Place, London, W.C. 2

In association with The Institute of Physics and the Physical Society
and The American Physical Society

FOREWORD

For the sake of simplicity and uniformity, all names beginning with articles or prepositions are listed as if written as single words, regardless of nationality (e.g. Van Vleck is listed as if written Vanvleck). Cross-references are included in appropriate places. Compound names are generally listed under the last component, unless hyphenated; exceptions to this rule are approximately cross-referenced.

All names are reproduced in the abstracts and the index with the same spelling as in the original articles; in the case of articles printed in Cyrillic characters, a letter-by-letter transliteration is given, in accordance with the scheme given on page iv. Russian authors' names may appear in Latin-alphabet publications in various forms, due to the use of different transliteration schemes; these names are reproduced as printed in the articles abstracted.

The numbers printed after the entries are the serial numbers of the abstracts, and the respective volumes are indicated by the initial number, giving the last digit of the year; thus "3=1234" means "Abstract 1234 of the 1963 volume"; "0=3456" means "Abstract 3456 of the 1960 volume".

June 1965

D. S. Hopper
Director, Science Abstracts

PHYSICS ABSTRACTS CUMULATIVE AUTHOR INDEX

for 1960-64 is published in four parts:

Part I Letters A—E

Part II Letters F—K

Part III Letters L—R

Part IV Letters S—Z

Erratum

There are alphabetical errors occurring on the following pages:—

948-949 and 1035-1036

THE TRANSLITERATION OF RUSSIAN FOR BIBLIOGRAPHICAL PURPOSES

English Letters	Languages	Cyrillic Letters	English Letters	Languages	Cyrillic Letters
a	R S B	А а	p	R S B	П п
b	R S B	Б б	r	R S B	Р р
ch	R S B	Ч ч	s	R S B	С с
d	R S B	Д д	sh	R S B	Ш ш
e	R S B	Е е	shch	R	Щ щ
ë	R	Ё ё	sht	B	Ъ ъ
é	R	Э э	t	R S B	Т т
ê	R B	Ѣ ѣ	t'	R B	Ѥ ѥ
f	R S B	Ф ф	t'	S	Ѧ ѧ
g	R S B	Г г	th	R	Ѩ ѩ
i	R S B	И и	ts	R S B	Ц ц
ī	R	І і	t-s	R S B	Ѣ ѣ
ĩ	R B	Й й	u	R S B	У у
j	S	Ј ј	ũ	B	Ѧ ѧ
j'	S	Ѓ ѣ	ū	B	Ѩ ѩ
k	R S B	К к	v	R S B	В в
kh	R S B	Х х	y	S	Ј ј
l	R S B	Л л	ȳ	R	Ы ы
l'	R B	Љ љ	ÿ	R	Ѧ ѧ
l'	S	Љ љ	ya	R B	Ј ј
m	R S B	М м	yu	R B	Ю ю
n	R S B	Н н	z	R S B	З з
n'	R B	Њ ѣ	zh	R S B	Ж ж
n'	S	Њ ѣ	'	R	Ѧ ѧ
o	R S B	О о	'	R B	Ѧ ѧ

The use of l', n' and t' in Russian and Bulgarian (where they are not transliterations of a single letter, but merely l, n or t followed by the soft sign) is included to emphasize the fact that they are used for single letters only in Serbian.

Shch and sht invariably represent the letter Ш in Russian and Bulgarian respectively, since the pairs of letters (Щщ in Russian and Шт in Bulgarian) seem never to occur consecutively in the respective languages.

The above table is reproduced, by permission, from the pamphlet "The Transliteration of Russian, Serbian and Bulgarian for Bibliographical Purposes" published by The Royal Society, Burlington House, London, W.1 (February, 1953, price 1s. 0d.). It represents the system at present in use in "Science Abstracts" for the transliteration of the names of journals and the names of authors of articles abstracted.

- Fa Yueh Wu. See Yueh Wu, Fa.,
- Fa Yueh Wu and Feenberg, E. Ground state of liquid helium (mass 4), 1=6590
- Fa Yueh Wu and Feenberg, E. Theory of the Fermion liquid, 3=77
- Fabbri, O. See Baldo Ceolin, M., 1=551
- Fabbri, O. See Ely, P.P., 2=22613
- Fabbri, O. See Ely, R.P., 2=18173
- Fabelinskii, I. L. A new method of determining the anisotropy relaxation time and modulation of light from a Kerr cell, 4=11371
- Fabelinskii, I. L. See Ablekov, V.K., 0=19360
- Fabelinskii, I. L. See Pesin, M.S., 0=127
- Fabelinskii, I. L. See Pesin, M.S., 0=5011
- Fabelinskii, I. L. See Pesin, M.S., 1=8183
- Fabelinskii, I. L. See Pesin, M.S., 1=10570
- Fabelinskii, I. L. Some results of the experimental study of the fine structure of Rayleigh scattering lines in liquids of various viscosities, 3=18814
- Faber, M. and Zweifel, P.F. The age of U^{233} fission neutrons in water, 0=15628
- Faber, M. P. See Faber, R. J., 4=10334
- Faber, R. J. and Faber, M. P. Anisotropic g-tensor in polycrystalline derivatives of tetrachlorosemiquinone, 4=10334
- Faber, T. E. The intermediate state in superconducting plates, 0=10840
- Faber, T. E. Nuclear quadrupole interaction in liquid gallium, 3=23915
- Faber, T. E. See Bradley, C.C., 3=143
- Fabian, B. N., Place, R. L., Riley, W. A., Sims, W. H. and Kenney, V. P. Density of particle tracks in the hydrogen bubble chamber, 3=14836
- Fabiani, F., Fidecaro, M., Finocchiaro, G., Giacomelli, G., Harting, D., Lipman, N. H. and Torelli, G. Positron-electron annihilation in flight between 2 and 10 GeV, 2=20319
- Fabiani, F., Fidecaro, M., Finocchiaro, G., Giacomelli, G., Harting, D., Lipman, N. H. and Torelli, G. A measurement of the total cross-section for the annihilation in flight of positrons between 2 and 10 GeV, 2=22491
- Fabianiski, B. Z. The phase jump at the focal point in the case of electromagnetic waves, 4=19219
- Fabre, D. and Damay, H. Preparation of thin films varying linearly in thickness in a given direction, 1=16095
- Fabre, D. and Kieffer, J. Ultraviolet absorption of some fluorides, 4=7131
- Fabre, D. and Romand, J. Absorption index $[k]$ of evaporated films of magnesium fluoride in the far ultraviolet, 0=7994
- Fabre, D., Romand, J. and Vodar, B. A contribution to the study of the optical properties of thin films in the far ultraviolet, 2=7377
- Fabre de la Ripelle, M. A relationship between the parameters of the singlet even potential of Gammel and Thaler, 0=15502
- Fabre de la Ripelle, M. Excitation of collective motion of the photo-nuclear giant resonance by protons, 2=20621
- Fabre, D., Romand, J. and Vodar, B. Method for determining the optical constants of thin, evaporated films in the far ultraviolet region, 1=12994
- Fabre, D., Romand, J. and Vodar, B. Thickness dependence of reflection coefficient of vacuum deposited thin surface films, 4=13004
- Fabre, D., Romand, J. and Vodar, B. The optical constants and reflecting power of thin fluoride films in the far ultraviolet, 4=22820
- Fabre, E. and Herman, L. Measurement of the temperature and the conductivity in the column of a spark, 3=1948
- Fabre, E., Séguier, J. and Herman, L. Broadening of infrared argon lines in a plasma jet, 4=9635
- Fabre, J. The processes of magnetohydrodynamic conversion, 4=16419
- Fabre, R. See Dupouy, G., 1=7096
- Fabre de la Ripelle, M. Collective motion in photonuclear giant resonance, 1=13767
- Fabre de la Ripelle, M. Collective motion in giant photonuclear resonance. I. Resonance energy of spherical nuclei and splitting of deformed nuclei, 1=19334
- Fabre de la Ripelle, M. Mixed symmetry state in H^3 and He^3 , 4=16979
- Fabri, E. The logical foundations of invariance principles in physics. I, 0=4927
- Fabri, E. and Fiorio, G. Charge superselection arising from random electromagnetic interactions, 3=12399
- Fabri, E. See Abate, E., 0=1464
- Fabri, E. See Barsella, B., 2=13742
- Fabri, E. See Barsella, B., 3=72
- Fabri, E. See Caracciolo, A., 0=3398
- Fabri, G., Gatti, E. and Svelto, V. Spectrum expander for semiconductor detector spectroscopy, 2=20200
- Fabri, G., Gatti, E. and Svelto, V. Energy for electron-hole pair generation in silicon by α -particles, 3=17677
- Fabri, G. and Germagnoli, E. Positron annihilation in neutron-damaged anthracene, 2=9827
- Fabri, G., Germagnoli, E., Poletti, G. and Randone, G. A simple method for measuring the probability of three-quantum annihilation, 3=24709
- Fabri, G., Germagnoli, E., Quercia, I. F. and Turrisi, E. Positronium decay in the ice-water system, 4=3393
- Fabri, G., Germagnoli, E. and Randone, G. Decay of positronium in teflon, 3=4380
- Fabri, G., Germagnoli, E. and Randone, G. Positronium decay in teflon. Influence of lattice transitions, 3=10636
- Fabri, G., Poletti, G. and Randone, G. Magnetic quenching of positronium decay in water, 4=21844
- Fabri, G. and Redaelli, G. Construction of silicon surface barrier detectors with deep sensitive volume, 4=24950
- Fabri, G. See Cavalleri, G., 3=12374
- Fabri, G. See Cottini, C., 0=5549
- Fabri, G. See Cottini, C., 1=17524
- Fabri, G. See Imre, L., 2=12150
- Fabricand, B. P. and Goldberg, S. Proton resonance shifts in alkali halide solutions, 1=8143
- Fabricand, B. P., Goldberg, S. S., Leifer, R. and Ungar, S. G. Proton relaxation times in alkali halide solutions, 4=18217
- Fabricius, E. D. Diffusion of impurities in a thin semiconductor slab, 2=8238
- Fabricius, E. D. Photoeffect in Au-CdS and Cu-CdS photovoltaic cells, 2=10542
- Fabricius, H. See Bethge, K., 2=13544
- Fabrikant, V. A. Negative absorption coefficients in discharges in gas mixtures, 1=18772
- Fabrikant, V. A. Negative absorption coefficients in discharges in gas mixtures, 2=22165
- Fabrikov, V. A., Gushchina, Z. M. and Kudryavtsev, V. D. Ferrites with high saturation magnetization and a narrow resonance absorption line at microwave frequencies, 3=8687
- Fabrikov, V. A., Kozlov, V. I., Kadeev, V. T. and Kudryavtsev, V. D. Experimental investigation of the effects in yttrium ferrite single crystals associated with nutational oscillations of the magnetization of the material under conditions of ferromagnetic resonance, 3=6738
- Fabrikant, W. A. Regarding Bouguer's law, 3=9597
- Facaros, G. and Aspden, R. G. Textured 6.5% silicon-iron alloy, 2=12701
- Facchini, A., Garroni, A. and Gervasio, V. Stability problems in a gas-graphite reactor using self-regulating neutron absorbers, 2=12244
- Facchini, A. See Corno, S., 2=12245
- Facchini, U. The ionization detectors, 0=17135
- Facchini, U. Nuclear reactions at medium energies, 1=17067
- Facchini, U. Recent results on nuclear reactions, 3=12647
- Facchini, U. Nuclear evaporation, 3=12652
- Facchini, U., Gatti, E. and Pellegrini, F. A new method for track angle measurement in a gridded ionization chamber, 0=19966
- Facchini, U., Iori, I. and Menichella, E. Statistical emission of nucleons in reactions produced by 14 MeV neutrons, 0=15593
- Facchini, U., Marazzan, M. G., Merzari, F. and Tonolini, F. (n, α) reactions in heavy elements, 2=14118
- Facchini, U., Menichella, E. S. and Tonolini, F. Statistical emission and Ericson fluctuations in (p, α) and (d, α) reactions, 2=16409
- Facchini, U., Saetta-Menichella, E., Tonolini, F. and Tonolini, L. Statistical model calculations of (n, α) cross-sections induced by 14 MeV neutrons, 3=10365
- Facchini, U., Saetta-Menichella, E., Tonolini, F. and Tonolini, L. Statistical model analysis of (n, α) reactions. II. Cross-sections of (n, α) reactions induced by 14 MeV neutrons, 4=15221
- Facchini, U. See Colli, L., 2=14117
- Facchini, U. See Colli, L., 3=2473
- Facchini, U. See Erba, E., 2=5875
- Facchini, U. See Erba, E., 2=12128
- Facchini, U. See Erba, E., 3=2426
- Facchini, U. See Erba, E., 4=3713
- Facer, G. H. J. and Thompson, H. W. Intensities of Raman vibration bands. II. Effects of solvent and solute structure, 2=15597
- Facetti, J., Trabal, E., McClin, R. and Torres, S. A new isotope, Pt^{201} , 2=20540
- Facchi, J. Emission spectrum of HeNe, 3=12822
- Fackler, O. See Sodickson, L., 4=21913

- Facy, L., Merlivat, L., Nief, G. and Roth, E. The study of the formation of a hailstone by means of isotopic analysis, 3=25885
- Facy, L. See Brun, E. A., 3=5458
- Faddeev, I. P. The determination of the velocity of a drop of condensate of average size in a flow of saturated steam, 2=9294
- Faddeev, L. D. Scattering theory for a three-particle system, 1=19144
- Faddeev, L. D. The structure of the resolvent operator for a Schrödinger system of three particles with a two-body interaction, 1=19145
- Faddeev, L. D. The construction of the resolvent of the Schrödinger operator for a three-particle system, and the scattering problem, 3=21244
- Faddeev, L. D. Distinguishing interaction and radiation effects by means of perturbation theory, 4=5064
- Faddeev, L. D. See Minlos, R. A., 2=4934
- Faddeev, L. D. See Minlos, R. A., 2=4936
- Faddeev, L. D. See Minlos, R. A., 2=11283
- Faddeev, L. D. See Minlos, R. A., 3=3751
- Faddeyev, L. D. The inverse problem in the quantum theory of scattering, 1=10849
- Faddeyev, L. D. The inverse problem in the quantum theory of scattering, 3=7123
- Fadeev, V. I. See Bochagov, B. A., 4=6398
- Fadeev, V. I. See Komar, A. P., 3=8143
- Fadeev, V. I. See Komar, A. P., 4=9577
- Fadeev, V. M. See Komarov, N. N., 1=18837
- Fadeev, V. M. See Komarov, N. N., 2=22209
- Fadeev, V. M. See Komarov, N. N., 2=22215
- Fadeev, V. M. See Korepanov, V. D., 0=12428
- Fadeeva, L. A. See Nakhariya, N. F., 4=7798
- Fadeeva, M. S. See Ryazanova, E. F., 2=14749
- Fadeeva, N. A. See Makarov, V. I., 1=18513
- Fadin, V. P. and Panin, V. E. Theory of the ordering kinetics of Cu-Al solid solutions, 4=7484
- Fadin, V. P. and Panin, V. E. On the problem of the kinetics of variation of short-range order in copper-aluminium solid solutions, 4=17747
- Fadin, V. P., Panin, V. E. and Dudarev, E. F. Nature of the change in the constitution of Cu-Al solid solutions as a result of heat treatment, 3=20868
- Fadin, V. P., Panin, V. E. and Dudarev, E. F. The nature of ordering in solid solutions of Cu-Al, 4=1987
- Fadin, V. P. See Panin, V. E., 2=23882
- Fadin, V. P. See Panin, V. E., 3=5132
- Fadin, V. P. See Panin, V. E., 3=18349
- Fadin, V. P. See Panin, V. E., 4=1984
- Fadin, V. P. See Panin, V. E., 4=1985
- Fadin, V. P. See Panin, V. E., 4=1986
- Fadin, V. P. See Panin, V. E., 4=15723
- Faelens, P. A. and Tavernier, B. H. On the mechanism of the anti-fogging and sensitizing action of noble metal salts on photographic emulsion, 3=11952
- Faerman, G. P. See Popova, K. B., 4=13914
- Faessler, A. A new treatment of the theory of the Sternheimer effect, 2=9997
- Faessler, A. The bond character of silicon carbide and the isoelectronic compounds with semiconductor properties, 3=2688
- Faessler, A. and Greiner, W. Rotation-vibration interaction in deformed gg nuclei, 2=16294
- Faessler, A. and Greiner, W. Potential energy of the γ -oscillations in deformed even-even nuclei, 2=22704
- Faessler, A. and Greiner, W. Comparison of the Davydov theory with the axisymmetric top model with rotation-vibration interaction for deformed even-even nuclei, 4=6198
- Faessler, A. and Greiner, W. Collective g -factor of deformed nuclei, 4=21988
- Faessler, A., Greiner, W. and Sheline, R. K. Nuclear models and the osmium isotopes, 4=25321
- Faessler, A. and Krämer, H. On the existence of the oxidation products Si_2O , SiO , and Si_2O_3 of silicon, 0=1970
- Faeth, P. A. and Clifford, A. F. Decreasing sorption effect with increasing pressure, 4=23601
- Fafarman, A. See Knauer, W., 4=5797
- Fafiotte, M. See Barbier, D., 3=5223
- Fagegaltier, J. L. See Vergnoux, A. M., 1=1144
- Fagel, J. E. Elimination of a glow discharge in an induction-heated vacuum furnace, 1=6985
- Fagen, E. A. See Marshall, S. A., 4=3972
- Fägerquist, N. See Holm, G. B., 4=3609
- Fägerquist, U. See Astner, G., 3=19798
- Faget, J. Application of electron waves to a method of electron interference microscopy, 2=5384
- Faget, J., Fagot, M., Ferré, J. and Fert, C. Phase contrast in the electron microscope, 3=19349
- Faget, J., Ferre, J. and Fert, C. Phase contrast in electron microscopy, 0=19752
- Faget, J. See Fert, C., 3=440
- Faget, J. See Marchand, N., 0=14842
- Faggiani, S. Observations on the microcalorimetric calibration of a radium source, 2=12149
- Faggiani, S. Experimental study of saturated boiling. I. Effect of surface treatments on the specific thermal flux, 4=2894
- Faggiani, S. An experimental study of saturated boiling. II. Some particularities of the nucleation and heat transfer on chemically treated nickel surfaces, 4=11422
- Faggiani, S. A criterion of the investigation of heterogeneous boiling, 4=29804
- Faggiani, S., Spinedi, P. and Verdini, B. An experimental study of saturated boiling. III. Study of the influence of some surface treatments on the boiling phenomenon, with particular reference to controlled oxidation, 4=11423
- Fagioli, O. A high-resolution nuclear magnetic spectrometer, 4=24873
- Fagot, B., Colombie, N. and Fert, C. Coefficients of secondary emission of monocrystalline targets of copper under ionic bombardment, 4=21565
- Fagot, B. and Fert, C. Secondary electron emission from a monocrystal of copper as a function of the direction of the incident beam of ions, 4=14754
- Fagot, B. and Santouil, R. Some observations on image contrast in secondary-emission electron microscopy under ion bombardment, 2=13600
- Fagot, B. See Durandau, P., 0=19745
- Fagot, J. See Nifenecker, H., 3=19892
- Fagot, M., Ferré, J. and Fert, C. Some observations on the Fagot, M. and Fert, C. Defocusing contrast in coherent illumination, in the case of a periodic object in the electron microscope, 0=7160
- Fagot, M. See Faget, J., 3=19349
- Fagot, M. See Fert, C., 3=440
- Fagundes, H. V. See Castilho Alcarás, J. A., 4=15123
- Fahl, C. See Burkhardt, G., 1=2986
- Fahlenbrach, H. Heat-treatment of a 50% nickel-iron alloy with and without magnetic field at temperatures below 400°C, 2=10649
- Fahlenbrach, H. Magnetic after-effect at high temperatures of soft magnetic materials and its relation with the magnetic heat treatment, 4=17636
- Fahlenbrach, H. and Baran, W. Observations of the Vicalloy-problem, 4=23010
- Fahlenbrach, H. See Baran, W., 1=6343
- Fahleson, U. See Angerth, B., 3=12118
- Fahleson, U. V. Experiments with plasma moving through neutral gas, 1=2980
- Fahlman, A. and Hagström, S. Determination of atomic energy levels in the elements ^{93}Ta to ^{83}Bi by the photo electron method, 4=19965
- Fahlman, A., Hörnfeldt, O. and Nordling, C. Photo electron measurements of L levels in the elements strontium ($Z=38$) to palladium ($Z=46$), 3=2590
- Fahlman, A. See Hörnfeldt, O., 3=2592
- Fahlman, A. See Siegbahn, K., 4=25066
- Fahmy, F. See Sedra, R. N., 0=18469
- Fahmy, H. See El Nadi, M., 3=12659
- Fahrenfort, J. See van Panthaleon van Eck, C. L., 0=8666
- Fahrig, R. H. Growth of cadmium oxide crystals, 3=11227
- Fährmann, K. See Albert, D., 3=25018
- Fahy, E. F. The clock paradox in relativity, 0=8541
- Fahy, E. F. Aberration of plane waves, 1=1689
- Fahy, E. F. On the tight packing of equal spheres and associated problems in flat n -dimensional space, 1=15388
- Faidish, A. N. See Korsunskii, V. M., 4=1788
- Faidysh, A. N. The luminescence and photoconductivity of anthracene crystals, 2=14744
- Faidysh, A. N. See Zima, V. L., 3=20533
- Faidysh, O. M. and Chechik, L. Yu. Approximate calculation of reabsorption in the equation of exciton diffusion, 1=11399
- Faidysh, O. M. See Korsunskiy, V. M., 4=4312
- Faier, H. See Brown, L. M., 4=19585
- Faile, S. P. See Datta, R. K., 4=23615
- Failla, G. See Shonka, F. R., 4=24523

- Failovszky, L. Application of a differential method and of compensation calculations to the fine correction of optical systems, 3=14318
- Fain, J. See Avan, M., 1=8750
- Fain, J. See Avan, L., 2=22372
- Fain, V. M. Spontaneous radiation of a paramagnetic in a magnetic field, 0=2435
- Fain, V. M. Contribution to the theory of coherent spontaneous radiation, 0=5531
- Fain, V. M. Quantum theory of relaxation processes, 2=13270
- Fain, V. M. Quantum theory of relaxation processes, 3=5372
- Fain, V. M. Susceptibility of ferro- and antiferromagnetic chains, 3=11040
- Fain, V. M. Time correlations of quantities described by kinetic equations, 4=75
- Fain, V. M. Principle of entropy increase and quantum theory of relaxation, 4=8091
- Fain, V. M. Principle of entropy increase and quantum theory of relaxation, 4=29566
- Fain, V. M. and Khanin, Ya. I. Self-excitation conditions of a laser, 2=3162
- Fain, V. M. and Khanin, Ya. I. Self-excitation conditions of a laser, 3=2141
- Fain, V. M., Khanin, Ya. I. and Yashchin, E. G. The nonlinear properties of three-level systems, 2=1587
- Fain, V. M., Khanin, Ya. I. and Yashchin, E. G. The nonlinear properties of three-level systems, 2=22329
- Fain, V. M. and Yashchin, E. G. Theory of induced Raman radiation, 4=16686
- Fain, V. M. See Bulaevskii, L. N., 0=21033
- Fain, V. M. See Fajn, V. M.,
- Fain, V. M. See Genkin, V. N., 2=4244
- Fain, V. M. See Genkin, V. N., 3=3161
- Fain, V. M. See Ginzburg, V. L., 0=2519
- Fain, V. M. See Ginzburg, V. L., 0=20703
- Fain, V. M. See Ginzburg, V. L., 2=732
- Fain, V. M. See Ginzburg, V. L., 2=8142
- Fain, V. M. See Ginzburg, V. L., 3=6445
- Fainberg, E. A. See Grechanik, L. A., 2=18648
- Fainberg, J. See Cassidy, E. S., 0=12698
- Fainberg, V. Ya. Analytic properties of causal commutators, 0=9253
- Fainberg, V. Ya. Application of the dispersion-relations method in quantum electrodynamics, 0=9257
- Fainberg, V. Ya. The causality conditions in quantum theory, 1=19088
- Fainberg, V. Ya. The causality conditions in quantum theory, 3=4314
- Fainberg, V. Ya. See Kirzhnits, D. A., 0=5529
- Fainberg, V. Ya. See Malakhov, V. V., 1=4777
- Fainberg, Ya. B. Variable-phase focusing in linear accelerators, 0=9115
- Fainberg, Ya. B. Non-linear theory of slow plasma waves, 1=9626
- Fainberg, Ya. B., Kurilko, V. I. and Shapiro, V. D. Instabilities in the interaction of charged particle beams with plasmas, 2=11647
- Fainberg, Ya. B. The interaction of charged particle beams with plasma, 3=9779
- Fainberg, Ya. B. and Gorbatenko, M. F. Electromagnetic waves in a plasma situated in a magnetic field, 0=9055
- Fainberg, Ya. B. and Kurilko, V. I. Electromagnetic pressure on a charge moving in a magnetic field, 0=11022
- Fainberg, Ya. B. and Nekrashevych, O. M. Modulation of heavy-particle linear accelerators by means of slow electrons, 1=13139
- Fainberg, Ya. B. and Tkulich, V. S. The reflection of an electromagnetic wave from a plasma moving through a dielectric in a constant magnetic field, 0=9057
- Fainberg, Ya. B. See Berezin, A. K., 3=9780
- Fainberg, Ya. B. See Berezin, A. K., 4=14640
- Fainberg, Ya. B. See Berezin, A. K., 4=16507
- Fainberg, Ya. B. See Kharchenko, I. F., 0=12619
- Fainberg, Ya. B. See Kharchenko, I. F., 2=11665
- Fainberg, Ya. B. See Kharchenko, I. F., 4=24690
- Fainberg, Ya. B. See Kharchenko, I. F., 4=8782
- Fainberg, Ya. B. See Suprunenko, V. A., 4=510
- Fainberg, Ya. B. See Suprunenko, V. A., 4=16477
- Fainberg, Ya. B. See Zagorodnov, O. G., 0=5410
- Fainberg, Ya. B. See Zagorodnov, O. G., 2=237
- Fainberg, Ya. B. See Zagorodnov, O. G., 2=5342
- Fainberh, Ya. B., Khyzhnyak, N. A., Sylenok, H. A., Berezin, A. K. and Nekrashevych, A. M. Investigation of a helical waveguide with an artificially anisotropic dielectric. I, 1=19037
- Fainberh, Ya. B. See Berezin, A. K., 1=19038
- Faini, G., Fuortes, A. and Svelto, O. A nuclear magnetometer, 1=7114
- Faini, G. and Svelto, O. Signal-to-noise considerations in a nuclear magnetometer, 2=11747
- Faini, G. See Bisi, A., 0=17908
- Fainshtein, S. M. See Trekhtenberg, A. D., 0=1580
- Fainzil'ber, A. M. New similarity integrals in heat and mass transfer processes, 3=1847
- Fairall, A. P. Further applications and verifications of Bode's rule, 4=4884
- Fairbairn, A. R. Temperature measurements of C₂ and CN radicals generated in a shock tube. II. Detonation, 4=7757
- Fairbairn, W. M. The inelastic scattering of deuterons from ¹²C, 0=7572
- Fairbairn, W. M. The isobaric triplets in the nuclear 2p-shell and the charge independence of nuclear forces, 1=8617
- Fairbairn, W. M. The Coulomb energies of the lower excited levels in the light mirror nuclei, 3=22284
- Fairbairn, W. M., Fulton, T. and Klink, W. H. Finite and disconnected subgroups of SU₃ and their application to the elementary-particle spectrum, 4=27756
- Fairbairn, W. M. See Bell, G. M., 1=20036
- Fairbairn, W. M. See Bell, G. M., 2=3809
- Fairbairn, W. M. See Bell, G. M., 3=6450
- Fairbank, H. A. Properties of He³ at pressure near the minimum in the melting curve, 3=314
- Fairbank, H. A. Properties of He³ below 1°K, 4=29820
- Fairbank, H. A. and Elliott, S. D., Jr. The velocity of second sound in liquid ³He-⁴He mixtures under pressure, 0=8885
- Fairbank, H. A. See Crooks, M. J., 4=18525
- Fairbank, H. A. See Lee, D. M., 0=225
- Fairbank, H. A. See Lee, D. M., 0=3701
- Fairbank, H. A. See Lee, D. M., 1=4524
- Fairbank, H. A. See Strongin, M., 1=8277
- Fairbank, H. A. See Strongin, M., 3=5564
- Fairbank, H. A. See Strongin, M., 4=14483
- Fairbank, H. A. See Vignos, J. H., 1=8280
- Fairbank, H. A. See Vignos, J. H., 4=14484
- Fairbank, H. A. See Walker, E. J., 0=12549
- Fairbank, H. A. See Walker, E. J., 0=19545
- Fairbank, W. M. The nature of the λ -transition in liquid helium, 4=21370
- Fairbank, W. M. and Adams, E. D. Nuclear alignment in solid ³He, 0=8883
- Fairbank, W. M., Leitner, J., Block, M. M. and Harth, E. M. A liquid helium bubble chamber, 0=315
- Fairbank, W. M., Pierce, J. M. and Wilson, P. B. High-power superconducting cavities for accelerators, 4=14777
- Fairbank, W. M. See Deaver, B. S. Jr., 1=13042
- Fairbank, W. M. See Deaver, B. S. Jr., 4=16382
- Fairbank, W. M. See Goodkind, J. M., 0=12554
- Fairbank, W. M. See Goodkind, J. M., 4=14479
- Fairbank, W. M. See Kidder, J. N., 2=19797
- Fairbanks, G. See Bell, D. W., 4=4979
- Fairbanks, H. V. Effect of insonation during the precipitation-Fairbrother, E. M. See Field, E. C., 2=11802
- Fairchild, C. E. and Clark, K. C. Oscillator strengths for the 3s ⁴P-(2p)³S transitions in atomic nitrogen, 2=22909
- Fairchild, C. E., Prag, A. B. and Clark, K. C. Ultraviolet spectra of the nitrogen pink afterglow, 3=22485
- Fairchild, C. E. See Clark, K. C., 4=24611
- Fairchild, W. W. See Coxell, H., 3=19717
- Fairfield, D. H. Ionosphere current patterns in high latitudes, 4=2275
- Fairhall, A. W., Schell, W. R. and Takashima, Y. Apparatus for methane synthesis for radiocarbon dating, 1=7914
- Fairhall, A. W. See Bouchard, G. H., Jr., 0=1420
- Fairhall, A. W. See Coleman, J. A., 4=9589
- Fairhall, A. W. See Gudiksen, P. H., 4=11849
- Fairhall, A. W. See Hower, C. O., 3=2048
- Fairhall, A. W. See Jensen, R. C., 0=9710
- Fairhall, A. W. See Neuzil, E. F., 3=10398
- Fairlie, D. B. The Fredholm solution as the limit for a sum of separable potentials, 0=7301
- Fairlie, D. B. On the Ruijgrok-Van Hove model, 1=8427
- Fairlie, D. B. An inequality in Feynman integrands, 3=4343
- Fairlie, D. B. Acnodes on unphysical sheets, 3=17205

- Fairlie, D. B. The formulation of quantum mechanics in terms of phase space functions, 4=24059
- Fairlie, D. B., Landshoff, P. V., Nuttall, J. and Polkinghorne, J. C. Singularities of the second type, 2=19424
- Fairlie, D. B., Landshoff, P. V., Nuttall, J. and Polkinghorne, J. C. Physical sheet properties of second type singularities, 3=4351
- Fairlie, D. B. and Polkinghorne, J. C. Unstable states and the separable potential model, 0=5643
- Fairstein, E. Noise and discriminator bias, 3=16891
- Fairweather, I. L. See Connor, R. D., 0=5700
- Faissler, W. L. See Blumenthal, R. B., 4=9473
- Faissner, H. Polarized nucleons. I. Polarization by scattering, 1=3175
- Faissner, H., Ferero, F., Gerber, H. J., Reinharz, M. and Stein, J. Elastic charge exchange and η production by negative pions of 4 GeV/c, 4=30252
- Faissner, H., Ferrero, F., Ghani, A., Heer, E., Krienien, F., Muratori, G., Novey, T. B., Reinharz, M. and Salmeron, R. A. The CERN neutrino spark chamber, 3=24690
- Faissner, H., Ferrero, F., Ghani, A., Krienien, F., Novey, T. B. and Reinharz, M. Spark chamber efficiency for electron shower detection, 3=17141
- Faissner, H., Ferrero, F., Ghani, A. and Reinharz, M. Performance of large liquid scintillation counters, 3=17100
- Faissner, H., Ferrero, F., Ghani, A. and Reinharz, M. New scintillation liquids, 3=21380
- Faissner, H. and Schneider, H. Direct processes and collective effects in high energy proton induced fission, 1=2249
- Faissner, H. and Wildermuth, K. Evidence for large clusters from the level structure of heavy nuclei, 1=16955
- Faissner, H. and Wildermuth, K. Some predictions of the cluster model of nuclear fission, 3=687
- Faissner, H. See Ackermann, H., 2=3231
- Fairstein, E. Considerations in the design of pulse amplifiers for use with solid state radiation detectors, 1=2937
- Faivilevich, G. A. See Ravdel', M. P., 3=3315
- Faivre, J. C. See Barloutaud-Crut, M., 3=24864
- Faivre, J. C. See Barloutaud-Crut, M., 4=19660
- Faivre, J. C. See Bruge, G., 4=17194
- Faivre, R. See Bigot, R., 3=7371
- Faivre, R. See Collot, C., 3=8888
- Faivre, R. See Collot, C., 3=8894
- Faivre, R. See Collot, C., 3=16100
- Faivre, R. See Darrou-Collignon, M., 4=1925
- Faivre, R. See Degois, M., 3=6858
- Faivre, R. See Hilger, J. - P., 4=7519
- Faivusovich, S. A. See Bashuk, R. P., 1=14996
- Faizi, N. Kh. See Levshin, V. L., 0=16077
- Faizullaev, Sh. F. See Atakhodzhaev, A. K., 4=25700
- Faizullov, F. S. and Sobolev, N. N. Determination of the effective cross-section for collisions of excited barium ions with argon atoms, 2=10223
- Faizullov, F. S., Sobolev, N. N. and Kudryavtsev, E. M. Temperature of nitrogen and air behind a shock wave, 0=102
- Faizullov, F. S., Sobolev, N. N. and Kudryavtsev, E. M. A spectroscopic investigation of the state of gas behind a shock wave. II, 0=19212
- Faizullov, F. S., Sobolev, N. N. and Kudryavtsev, E. M. A spectroscopic investigation of the state of gas behind a shock wave. III, 0=19213
- Faizullov, F. S. See Krindach, N. I., 3=19987
- Faizullov, F. S. See Sobolev, N. N., 0=973
- Faizullov, F. S. See Sobolev, N. N., 0=8852
- Faizullov, F. S. See Sobolev, N. N., 0=8853
- Fajans, J. Diffraction of thermal waves in liquid helium II by a spherical mirror, 0=2282
- Fajans, J. See Neidhardt, W. J., 3=312
- Fajans, K. Discontinuous change of binding type in the series of monohydrides, 4=17281
- Fajardo, E. R. See Klute, C. H., 4=27331
- Fajn [Fain], V. M. Quantum phenomena in the radio wave region, 0=293
- Fakan, J. C. See Schrader, E. R., 4=21627
- Fakidov, I. G. and Afanas'ev, A. Ya. Electrical conductivity of the antiferromagnetic compound CrSb, 0=1612
- Fakidov, I. G. and Krasovskii, V. P. The galvanomagnetic properties of the phosphides of manganese, 0=1674
- Fakidov, I. G. and Krasovskii, V. P. The magnetization and magnetocaloric effect of manganese phosphide, 0=10106
- Fakidov, I. G. and Novogrudskii, V. N. Hall effect in the inter-metallic compound MnAu₂, 1=10029
- Fakidov, I. G. and Zavadskii, E. A. An induction method of measuring the Hall effect in strong pulsed magnetic fields, 0=7044
- Fakidov, I. G. and Zavadskii, E. A. Oscillation of the electrical resistance of n-type germanium in strong pulsed magnetic fields, 0=2881
- Fakidov, I. G. and Zavadskii, E. A. Generation of very strong pulsed magnetic fields, 1=7117
- Fakidov, I. G. and Znamenskii, B. V. Magnetic properties of the polycrystalline alloy Cu + 22.8 at% Mn, 1=20046
- Fakidov, I. G. and Znamenskii, B. V. Magnetic properties of the polycrystalline alloy Cu + 22.8 at. % Mn, 3=4997
- Fakidov, I. G. See Davidenko, N. I., 2=2125
- Fakidov, I. G. See Davidenko, N. I., 2=3995
- Fakidov, I. G. See Davidenko, N. I., 2=8293
- Fakidov, I. G. See Davidenko, N. I., 3=25532
- Fakidov, I. G. See Gaidukov, L. G., 0=14065
- Fakidov, I. G. See Gaidukov, L. G., 1=20068
- Fakidov, I. G. See Krasovskii, B. P., 2=8607
- Fakidov, I. G. See Krasovskii, V. P., 0=10008
- Fakidov, I. G. See Krasovskii, V. P., 1=3897
- Fakidov, I. G. See Krasovskii, V. P., 2=8172
- Fakidov, I. G. See Krasovskii, V. P., 2=23073
- Fakidov, I. G. See Krasovskii, V. P., 2=23647
- Fakidov, I. G. See Levina, S. S., 3=13028
- Fakidov, I. G. See Levina, S. S., 3=15775
- Fakidov, I. G. See Levina, S. S., 4=4119
- Fakidov, I. G. See Margolin, S. D., 1=11424
- Fakidov, I. G. See Novogrudskii, V. N., 1=10173
- Fakidov, I. G. See Novogrudskii, V. N., 1=14386
- Fakidov, I. G. See Novogrudskii, V. N., 2=8291
- Fakidov, I. G. See Novogrudskii, V. N., 2=10441
- Fakidov, I. G. See Novogrudskii, V. N., 4=20515
- Fakidov, I. G. See Novogrudskii, V. N., 4=26053
- Fakidov, I. G. See Rustamov, A. G., 3=20336
- Fakidov, I. G. See Samokhvalov, A. A., 0=15890
- Fakidov, I. G. See Samokhvalov, A. A., 0=6148
- Fakidov, I. G. See Samokhvalov, A. A., 1=2476
- Fakidov, I. G. See Samokhvalov, A. A., 1=5036
- Fakidov, I. G. See Vasil'eva, I. N., 0=566
- Fakidov, I. G. See Zavadskii, E. A., 1=10041
- Fakidov, I. G. See Zavadskii, E. A., 2=635
- Fakidov, I. G. See Zavadskii, E. A., 2=8323
- Fakidov, I. G. See Zavadskii, E. A., 2=8324
- Fakidov, I. G. See Zavadskii, E. A., 2=21136
- Fakidov, I. G. See Zavadskii, E. A., 2=23335
- Fakidov, I. G. See Zavadskii, E. A., 3=2887
- Fakidov, I. G. See Zavadskii, E. A., 3=3136
- Fakidov, I. G. See Zavadskii, E. A., 3=6581
- Fakidov, I. G. See Zavadskii, E. A., 3=17958
- Fakidov, I. G. See Zavadskii, E. A., 4=30663
- Fakidov, I. G. See Znamenskii, B. V., 3=8694
- Fakidov, I. G. See Znamenskii, B. V., 3=13031
- Fakidov, I. G. See Znamenskii, B. V., 3=25506
- Fakidov, N. G. and Tsiovkin, Yu. N. Magnetic properties of the compound Mn₂Ge₂, 0=6220
- Fakir, M. See Kask, N. E., 4=1884
- Fakiris, A. See Buchet, G., 2=19928
- Fakiris, A. See Buchet, G., 2=19912
- Falaleev, G. A. and Lapkin, N. I. The effect of neutron irradiation on the magnetic properties of cores of the alloy 79 NM, 2=23674
- Falaleev, G. A. See Lapkin, N. I., 1=6359
- Falaleev, G. A. See Zaikova, V. A., 3=11077
- Falaleev, L. V. See Tseitlin, A. B., 2=21953
- Falchenko, V. M. See Herzriken, S. D., 2=6413
- Falciani, R. See Rigutti, M., 4=29459
- Falckenberg, H. R. and Schumacher, B. W. The possibilities for gas density gauging by single scattering of electrons, 3=3820
- Falckenberg, H. R. See Schumacher, B. W., 4=11263
- Falconer, T. W. See Hatcher, C. R., 0=3959
- Falconer, W. E., Morton, J. R. and Streng, A. G. Electron spin resonance spectrum of KrF₄, 4=26872
- Falconer, W. E., Rabinovitch, B. S. and Cvetanović, R. J. Unimolecular decomposition of chemically activated propyl radicals. Normal intermolecular secondary kinetic isotope effect, 3=20993
- Falconer, W. E. See Cvetanović, R. J., 1=20753
- Falconer, W. E. See Morton, J. R., 3=25136
- Falcoz, A. See Beurtey, R., 3=10374
- Falcoz, A. See Beurtey, R., 4=3495
- Falcoz, A. See Beurtey, R., 4=19602

- Faldum, B. Determination of the spin of the Hg^{203} ground state, 4=3540
- Falge, R.L., Jr. Superconductivity of titanium, 4=5528
- Faler, K.T. and Rasmussen, J.O. New neutron-deficient isotopes of tantalum, 0=9605
- Faler, K.T. and Tromp, R.L. Variation in U^{235} mass yields at neutron energies below 0.5 eV, 3=22437
- Faleschini, B. See Bortone, G., 2=16204
- Falge, R.L. Jr. See Hein, R.A., 0=9931
- Falge, R.L. Jr. See Hein, R.A., 1=10640
- Falgoutrettes, J., Galigne, J. L. and Lapasset, J. Crystallographic calculation programmes realized on the I. B. M. 1620 computer, 4=20754
- Falicov, L.M. The theory of photon packets and the Lennuier effect, 0=14780
- Falicov, L.M. The velocity and effective charge of the particles near the Fermi surface, 1=17437
- Falicov, L.M. The band structure and Fermi surface of magnesium, 3=781
- Falicov, L.M. and Cohen, M.H. Spin-orbit coupling in the band structure of magnesium and other hexagonal-close-packed metals, 3=10626
- Falicov, L.M. and Heine, V. The many-body theory of electrons in metal or has a metal really got a Fermi surface? 1=19743
- Falicov, L. M. and Sievert, P. R. Magnetoresistance and magnetic breakdown, 4=26000
- Falicov, L.M. See Cohen, M.H., 1=2384
- Falicov, L.M. See Cohen, M.H., 2=675
- Falicov, L.M. See Cohen, M.H., 2=15847
- Falicov, L. M. See Cohen, M. H., 4=18560
- Falicov, L.M. See Gibbons, D.F., 3=10623
- Falicov, L.M. See Pascual, P., 3=14051
- Falicov, L.M. See Priestley, M.G., 3=20155
- Falk, D.S. Green's function approximation method. I. The nucleon, 0=331
- Falk, D.S. Green's function approximation method. II. The polaron, 0=332
- Falk, D.S. Effect of the lattice on dielectric properties of an electron gas, 0=10009
- Falk, D.S. Equivalence of the Brysk approximation and the determinantal method, 3=11702
- Falk, D.S. Superconductors with plane boundaries, 4=2919
- Falk, D.S. and Ruijgrok, T.W. On the energy gap of the dilute Fermi gas for negative two body scattering length, 0=17269
- Falk, D.S. and Wilets, L. Nuclear compressibility and symmetry energy, 2=1772
- Falk, F. See Thun, J. E., 4=12189
- Falk, G. The role of axiomatics in physics, illustrated by the example of thermodynamics, 0=863
- Falk, H. Peierls variational theorem, 4=5091
- Falk, H. Variational treatment of the Heisenberg anti-ferromagnet, 4=13256
- Falk, H. Variational property of free energy perturbation theory, 4=14071
- Falk, H. Erratum: variational property of free-energy perturbation theory, 4=24084
- Falk, H. and Ruijgrok, T.W. Antiferromagnetic chain, 1=20151
- Falk, K. See Tove, P.A., 2=5529
- Falk, K. See Tove, P. A., 4=30112
- Falk, M. and Whalley, E. Infrared spectra of methanol and deuterated methanols in gas, liquid, and solid phases, 1=8836
- Falk, M. See Whalley, E., 1=8837
- Falk, R.B. and Hooper, G.D. Elongated iron-cobalt ferrite: a new lightweight, permanent magnet material, 1=6354
- Falk, R.B. and Hooper, G.D. Properties of single-domain particles of cobalt-nickel, 2=2284
- Falk, R.B., Hooper, G.D. and Studders, R.J. Recent developments in the field of elongated single-domain iron and iron-cobalt permanent magnets, 0=3036
- Falk, T.J. and Turcotte, D.L. Current-layer diffusion in a one-dimensional pinch, 3=1989
- Falk, T.J. and Turcotte, D.L. Reply to comments by Probst and Fay, 3=14588
- Falk, T.K. See Berkovich, S.L., 0=3633
- Falk, W.R. and Katz, L. Fluorescence decay time measurements of organic scintillators, 2=16862
- Falk-Vairant, P. and Valladas, G. Partial cross-sections near the higher resonances, 1=16865
- Falk-Vairant, P. See Amblard, B., 4=21770
- Falk-Vairant, P. See Borgeaud, P., 4=21905
- Falk-Vairant, P. See Brisson, J.C., 0=2412
- Falk-Vairant, P. See Brisson, J.C., 0=3989
- Falk-Vairant, P. See Brisson, J.C., 1=5770
- Falk-Vairant, P. See Brisson, J.C., 2=22567
- Falk-Vairant, P. See Cremieu-Alcan, E. [Eds.], 2=3291
- Falk-Variant, P. See Cremieu-Alcan, E. [Eds.], 2=3292
- Falkenhagen, H. and Ebeling, W. Kinetic theory of weakly ionized plasmas in a magnetic field, 4=492
- Falkenhagen, H. and Ebeling, W. The basic equations of the theory of homogeneous electrolyte solutions, 4=13732
- Falkenhagen, H. and Hoffmann, H.J. A new method for measuring the complex dielectric constant of aqueous ionic solutions in the decimeter wave region, 2=13352
- Fal'kevich, E.S. See Grikit, I.A., 2=19173
- Fal'ko, V. L. See Kaner, E. A., 4=20210
- Falkoff, D.L. See Mathews, P.M., 0=18982
- Fal'kovich, S.V. Plane transonic gas flows with singularities on the sonic line, 3=161
- Fal'kovskii, L.A. See Abrikosov, A.A., 1=14614
- Falkovskii, L.A. See Abrikosov, A.A., 3=2746
- Fal'kovskii, L. A. Propagation of magneto-plasma waves in a bismuth plate, 4=20255
- Fal'kovskii, L. A. See Khaikin, M.S., 4=9927
- Falkovsky, L. A. Theory of electron spectra of bismuth-type metals in a magnetic field, 4=1432
- Falkowitz, Y. See Shafer, H.J., 2=17123
- Falkowski, K. See Gajewski, W., 3=19853
- Fal'kovskii, K. See Gajewski, W., 4=28028
- Falkvik, I. Method of measuring the dielectric constant at microwave frequencies by means of the perturbation method, 4=18629
- Falla, D. See K⁻-collaboration, 0=1308
- Fallah, E. and Coelho, R. Contribution to the study of the electrical properties of irradiated polythene, 3=10866
- Faller, J. G. and Skolnick, L. P. Atomic arrangements in the C14 Laves phase $\text{Zr}(\text{VCo})_2$, 4=7651
- Fallier, C.N., Jr. Simple wet-string crystal cutter, 1=7850
- Fallieros, S. Centre-of-mass invariance and the energy shift in the nuclear dipole state, 1=16978
- Fallieros, S. and Ferrell, R.A. Collective enhancement of E2 matrix elements in light nuclei, 0=2617
- Fallieros, S., Ferrell, R.A. and Pal, M.K. Excitation of the nuclear giant-dipole resonance by inelastic electron scattering, 0=7593
- Fallon, R.J., Mason, E.A. and Vanderslice, J.T. Energies of various interactions between hydrogen and helium atoms and ions, 0=7716
- Fallon, R.J., Tobias, I. and Vanderslice, J.T. Potential energy curves for OH, 1=3529
- Fallon, R.J., Vanderslice, J.T. and Cloney, R.D. Potential curves and rotational perturbations of CN, 2=20798
- Fallon, R.J., Vanderslice, J.T. and Mason, E.A. Potential energy curves of hydrogen fluoride, 0=5982
- Fallon, R.J., Vanderslice, J.T. and Mason, E.A. Potential energy curves for lithium hydride, 0=11525
- Fallon, R.J., Vanderslice, J.T. and Mason, E.A. Erratum: Potential curves for HF and LiH, 0=17733
- Fallon, R.J. See Ho, L.T., 1=11785
- Fallon, R.J. See Ho, L.T., 1=11789
- Fallon, R.J. See Tobias, I., 1=2333
- Fallon, R.J. See Vanderslice, J.T., 2=5066
- Fallona, J.P., Ferguson, H.I.S. and Nicholls, R.W. An f/6 Littrow grating spectrograph, 1=4460
- Falnes, J. Hybrid modes of a circular cylindrical cavity containing a unidirectionally conducting coaxial sheet, 4=3132
- Falnes, J. See Bakken, J.A., 3=19238
- Falnes, J. See Bakken, J.A., 4=18334
- Falomkin, I.V., Filippov, A.I., Kulyukin, M.M., Pontecorvo, B., Scherbakov, Yu.A., Sulyaev, R.M., Tsupko-Sitnikov, V.M. and Zaimidoroga, O.A. Measurement of the $\mu^- + \text{He}^3 \rightarrow \text{H}^3 + \nu$ reaction rate, 2=20381
- Falomkin, I.V., Filippov, A.I., Kulyukin, M.M., Pontecorvo, B., Scherbakov, Yu.A., Sulyaev, R.M., Tsupko-Sitnikov, V.M. and Zaimidoroga, O.A. Measurement of the $\mu^- + \text{He}^3 \rightarrow \text{H}^3 + \nu$ reaction rate: Final results, 3=7881
- Falomkin, I.V. See Lyapidevskii, V.K., 3=16044
- Falomkin, I.V. See Zaimidoroga, O.A., 3=7883
- Falomkin, I.V. See Zaimidoroga, O.A., 3=24770
- Falomkin, I.V. See Zaimidoroga, O.A., 4=3436
- Falomkin, I. V. See Zaimidoroga, O. A., 4=3437
- Falomkin, I.V. See Zaimidoroga, O.A., 4=9322
- Falqui, M. T. The crystal structure of mercuric orthotellurite (Hg_3TeO_6), 4=4613
- Falta, W. Some new developments in instrument accessories for molecular spectroscopy, 3=18990

- Fälthammar, C.G. Stationary state of a high-temperature gas-insulated plasma column, 1=11929
- Fälthammar, C.G. Experiments on magnetohydrodynamic co-rotation in mercury, 2=1575
- Fälthammar, C.G. Electromagnetic properties of an expanding stream of magnetized plasma, 2=17238
- Fälthammar, C.G. Acceleration of cosmic-ray particles by magnetic pumping, 4=26941
- Fälthammar, C.G. See Alfven, H., 3=12198
- Faltin, H. The temperature function of molar heat, 1=15956
- Faltin, P. See Becker, G., 4=5390
- Falvey, T. See Karlsons, D., 4=5856
- Fam Zui Khien [Pham Zuy Hien], Shapiro, V.G. and Shpinel, V.S. Resonance scattering of γ -quanta in Te^{129} , 2=13973
- Fam Zui Khien [Pham Zuy Hien], Shapiro, V.G. and Shpinel, V.S. Resonance scattering of γ -quanta in Te^{129} , 3=6145
- Fam Zui Khien [Pham Zuy Hien] and Shpinel, V.S. Dependence of the γ -quantum resonance absorption spectrum on crystal temperature, 3=22628
- Fam Zui Khien [Pham Zuy Hien], Shpinel, V.S., Viskov, A.S. and Venetsev, Yu.N. Resonance absorption of γ -quanta in barium, strontium and calcium stannites, 4=1350
- Fam Zui Khien, Viskov, A.S., Shpinel, V.S. and Venetsev, Yu.N. Discontinuous change of probability in the Mössbauer effect on phase transitions in ferroelectrics, 4=4212
- Fam Zui Khien. See Alekseevskii, N.E., 3=2700
- Fam Zui Khien. See Bykov, G.A., 3=2701
- Fam Zui Khien. See Mitrofanov, K.P., 4=15658
- Fan, C.Y. Detection of scintillation photons with photo-diodes, 4=9011
- Fan, C.Y., Meyer, P. and Simpson, J.A. Preliminary results from the space probe Pioneer V, 0=17453
- Fan, C.Y., Meyer, P. and Simpson, J.A. Rapid reduction of cosmic-radiation intensity measured in interplanetary space, 0=20295
- Fan, C.Y., Meyer, P. and Simpson, J.A. Experiments on the eleven-year changes of cosmic-ray intensity using a space probe, 0=20296
- Fan, C.Y., Meyer, P. and Simpson, J.A. Dynamics and structure of the outer radiation belt, 1=21077
- Fan, C.Y., Simpson, J.A. and Stone, E.C. Magnetospheric cutoff for 1.5 MeV extraterrestrial protons, 4=25240
- Fan, C.Y. See Hess, W.N., 1=21076
- Fan, C.Y. See Hughes, R.H., 1=7435
- Fan, C.Y. See Hughes, R.H., 1=15944
- Fan, C.Y. See Roesler, F.L., 0=1494
- Fan, C.Y. See Simpson, J.A., 2=12050
- Fan, C.Y. See Simpson, J.A., 2=17209
- Fan, C.Y. See Tuzzolino, A.J., 2=2195
- Fan' Chin-Fên. See Fan' Chzhi-Fÿn', 2=24223
- Fan' Chzhi-Fÿn. See Epaneshnikov, M.M., 2=24223
- Fan, G.J.Y. Analysis of a practical perpendicular head for digital purposes, 0=12665
- Fan, H.V. See Gobel, G.W., 0=13684
- Fan, H.Y. and Ramdas, A.K. Infrared absorption in irradiated silicon, 2=23570
- Fan, H.Y. See Becker, W.M., 1=17753
- Fan, H.Y. See Fisher, P., 0=18124
- Fan, H.Y. See Habegger, M.A., 4=17529
- Fan, H.Y. See Johnson, E.H., 3=10948
- Fan, H.Y. See Kravchenko, A.F., 3=10817
- Fan, H.Y. See Kravchenko, A.F., 4=1601
- Fan, H.Y. See Laff, R.A., 1=1076
- Fan, H.Y. See Nisenoff, M., 3=2849
- Fan, H.Y. See Ramdas, A.K., 3=23076
- Fan, H.Y. See Ray, R.K., 1=3759
- Fan, H.Y. See Tanaka, S., 4=4172
- Fan, L.-T. and Ahn, Y.-K. Axial dispersion of solids in rotary solid flow systems, 2=15163
- Fan Liang-Tseng. See Hwang, Ching-Lai, 4=5773
- Fan Shou-syan', [Fang Shou-hsien']. The choice of the spiral shape in F.F.A.G. cyclotrons, 4=626
- Fan Shou-syan'. See Fang Shou-hsien.
- Fan Tsun-I. See Ming Nay-ben., 4=2030
- Fanaki, F.H. See Hay, D.R., 3=13687
- Fanchenko, C.D. See Demidov, B.A., 3=16913
- Fanchenko, S.A. See Demidov, B.A., 1=3374
- Fanchenko, S.D. Problems in the accurate measurement of time, and investigations of processes of ultra-short duration. (A review), 1=10474
- Fanchenko, S.D. New variant of electron-optical chronography, 2=1501
- Fanchenko, S.D., Demidov, B.A., Yelagin, N.I. and Ryutov, D.D. Energy absorption due to two-stream instability of the plasma in a toroidal system, 4=16493
- Fanchenko, S.D. See Demidov, B.A., 1=18790
- Fanchenko, S.D. See Demidov, B.A., 4=431
- Fand, R.M. Mechanism of interaction between vibrations and heat transfer, 3=5545
- Fand, R.M. and Cheng, P. The influence of sound on heat transfer from a cylinder in crossflow, 3=21582
- Fand, R.M. and Kaye, J. Acoustic streaming near a heated cylinder, 0=8755
- Fane, R.W. Some electrical and surface properties of sintered nickel matrix cathodes, 0=19715
- Fane, R.W. and Goss, A.J. The diffusion of tin and selenium in gallium arsenide, 3=22809
- Fanelli, R.V. See Meisner, H., 4=22672
- Faneuff, C.E. See McLean, E.A., 1=291
- Fang an Lee. Scattering of a cylindrical wave of sound by an elastic cylinder, 4=5321
- Fang, F. and Triebwasser, S. Effect of surface scattering on electron mobility in an inversion layer on p-type silicon, 4=20401
- Fang, F.F. and Howard, W.E. Effect of crystal orientation on Ge-GaAs heterojunctions, 4=12927
- Fang, F.F. See Howard, W.E., 4=5871
- Fang, J. See Nomura, S., 4=28854
- Fang, J.H. See Newnham, R.E., 4=13586
- Fang Li-Zhi and Gu Shi-Jie. Inelastic scattering of neutrons in ferromagnetics with imperfections, 4=10252
- Fang Li-zhi. See Li Yin-yuan, 4=4336
- Fang, P. See Bertaut, F., 3=13119
- Fang, P.H. A dispersion function of paramagnetic relaxation, 0=8031
- Fang, P.H. On the electrical conductivity of polar semiconductors at high frequencies, 1=1029
- Fang, P.H. Complex conductivity of some plasmas and semiconductors, 1=16306
- Fang, P.H. The relaxation times of some paramagnetic dispersions, 1=20055
- Fang, P.H. Size-dependent spin relaxation time, 3=8720
- Fang, P.H. The spin lattice relaxation time of some paramagnetic dispersions, 3=23241
- Fang, P.H. On the temperature dependence of the breakdown field of BaTiO_3 , 4=10111
- Fang, P.H. Symmetry relation in relaxation dispersions, 4=14016
- Fang, P.H. and Brower, W.S. Dielectric constant of Cr_2O_3 crystals, 3=8548
- Fang, P.H. and Brower, W.S. A note on domain conversions of BaTiO_3 , 3=13115
- Fang, P.H. and Fatuzzo, E. Switching properties in ferroelectrics of the family $\text{Bi}_4\text{Ba}_{m-2}\text{Ti}_{m+1}\text{O}_3$ ($m+2$), 2=8467
- Fang, P.H., Robbins, C. and Forrat, F. Ferroelectric properties of mixed titanates in the system $\text{Bi}_4\text{Ti}_3\text{O}_{12-n}\text{BaTiO}_3$, 1=8972
- Fang, P.H., Robbins, C.R. and Aurivillius, B. Ferroelectricity in the compound $\text{Bi}_4\text{Ti}_3\text{O}_{12}$, 2=12569
- Fang, P.H. and Roth, R.S. Ferroelectric and ferrimagnetic properties of $(\text{Ba}_{1-x}\text{R}_{2x})(\text{Nb}_{1-x}\text{Fe}_{1+x})\text{O}_{30}$, 0=11190
- Fang, P.H. and Stegun, I.A. Ferroelectric switching and the Sievert integral, 3=10875
- Fang, P.H. See Aurivillius, B., 2=12570
- Fang, Pao-Hsien, Roth, R.S. and Forrat, F. Ferroelectric properties of $\text{Ba}_6\text{Nb}_{28/3}\text{Ni}_{2/3}\text{O}_{30}$, 2=666
- Fang, S.H. See Givens, W.W., 3=24862
- Fang Shou-hsiang and Sun Sung-lan. Approximate solution of the Hill equation for an isochronous cyclotron, 4=19142
- Fang Shou-hsien and Ch'ai K'ai-yüeh. Non-isochronous effect in the isochronous cyclotron, 4=3070
- Fanguin, R. See Raoult, G., 0=667
- Fanguin, R. See Raoult, G., 1=3061
- Fanguin, R. See Raoult, G., 3=24473
- Faninger, G. and Trey, F. The magnetic field in the vicinity of obliquely magnetized cylindrical bodies, 2=9678
- Fankuchen, I. Fine angle adjustments. A new use of the Weissenburg goniometer, 4=2056
- Fankuchen, I. See Williamson, R.S., 0=3194
- Fankuchen, I. See Sauro, J., 4=3078
- Fankuchen, I. See Yakel, H.L., 3=3285
- Fann, H. See Ayres, R., 2=5787
- Fannin, B.M. See Law, P.F., 1=20902
- Fanning, L.E. See Baxter, J.A., 4=22058
- Fano, G. Canonical transformation and perturbation expansion in the theory of Fermi gas, 0=14536

- Fano, G., Savoia, M. and Tomasini, A. Hard-core effects on the energy gap in nuclear matter, 1=19339
- Fano, G. and Sawicki, J. The higher random phase approximation and the stability of the energy spectrum of the nuclear shell model, 2=18230
- Fano, G. and Sawicki, J. A note on the second random-phase approximation for the superconducting state. I, 3=12024
- Fano, G., Sawicki, J. and Tomasini, A. Pairing energies in spherical and deformed nuclei, 3=22263
- Fano, G. and Tomasini, A. Energy gap in the spectrum of free quasi-particles in nuclear matter, 1=5689
- Fano, R.M. The statistical theory of information, 0=2120
- Fano, U. High-frequency limit of bremsstrahlung in the Sauter approximation, 0=2514
- Fano, U. Normal modes of a lattice of oscillators with many resonance and dipolar coupling, 0=9841
- Fano, U. Real representations of coordinate rotations, 0=16610
- Fano, U. Quantum theory of interference effects in the mixing of light from phase-independent sources, 1=10598
- Fano, U. Effect of configuration interaction on intensities and phase shifts, 2=1952
- Fano, U. Pressure broadening as a prototype of relaxation, 3=16663
- Fano, U. Precession equation of a spinning particle in nonuniform fields, 4=8065
- Fano, U. Exclusion of parity unfavored transitions in forward scattering collisions, 4=27074
- Fano, U., McVoy, K.W. and Albers, J.R. Sauter theory of the photoelectric effect, 0=2513
- Fano, U., McVoy, K.W. and Albers, J.R. Interference of orbital and spin currents in bremsstrahlung and photoelectric effect, 0=2515
- Fano, U., Prats, F. and Goldschmidt, Z. Interaction matrix element in a shell model, 3=10210
- Fano, U. See Cooper, J.W., 3=19928
- Fano, U. See McVoy, K.W., 0=2516
- Fano, U. See Prats, F., 4=24544
- Fano, U. See Simpson, J.A., 4=3810
- Fanslau, G. and Lindner, W. The principles of a resonance-fluorescence magnetometer, 4=8887
- Fanslau, G. See Böhme, A., 3=18527
- Fantz, R.L. The origin of form perception, 2=15435
- Fanucci, J.B. See Kijewski, L.J., 4=11503
- Fanucci, J.B. See Ness, N., 3=21776
- Fant, G. Acoustic analysis and synthesis of speech with applications to Swedish, 1=1601
- Fant, G. The International speech communication seminar review, 4=15972
- Fant, G., Fintoft, K., Liljencrants, J., Lindblom, B. and Mártony, J. Formant-amplitude measurements, 4=4968
- Fante, R. Kinetic equations for a plasma including radiation in the presence of an external magnetic field, 4=24632
- Fantechi, R. See Bertolini, G., 4=27828
- Fanti, F. and Nuovo, M. Bordoni peak in aluminium, 4=12634
- Fanti, F. See Barone, A., 1=18532
- Fantechi, R. See Bertolini, G., 4=27830
- Fânzeres de Castro Fernandes, M.L. See Briand, J., 1=18783
- Fara, H.D. and Scheidegger, A.E. Statistical geometry of porous media, 2=2419
- Faracci, H. See Barloutaud-Crut, M., 3=24864
- Farach, H.A. See Christie, D.R., 4=30237
- Farach, H.A. See Daniels, J.M., 0=4510
- Faraday, B.J., Rabin, H. and Compton, W.D. Evidence for the double F model of the M center, 1=14541
- Faraday, B.J. See Wallis, R.F., 4=12807
- Faraday, B.P. See Brown, D.C., 0=17157
- Farag, M.S. On the X-ray diffuse scattering by 1-3-5-triphenylbenzene, 0=21206
- Farag, N. See El Nadi, 0=959
- Farag, N. See El Nadi, A.F., 1=16273
- Faraggi, H. and Garin, A. Hypersensitization of Ilford nuclear emulsions by triethanolamine, 0=19984
- Faraggi, H. See Barloutaud, R., 1=13527
- Faraggi, H. See Barloutaud-Crut, M., 4=19660
- Faraggi, H. See Beurtey, R., 0=4092
- Faraggi, H. See Beurtey, R., 1=9883
- Faraggi, H. See Beurtey, R., 1=13853
- Faraggi, H. See Bruge, G., 4=17194
- Faraggi, H. See Chaminade, R., 2=494
- Faraggi, H. See Garin, A., 0=9446
- Faraggi, H. See Garin, A., 1=13256
- Faraggi, H. See Rosen, L., 2=16400
- Faraggi, H. See Saudinos, J., 1=7402
- Faraggi, H. See Saudinos, J., 1=7403
- Faraggi, H. See Saudinos, J., 1=13858
- Faragi, N. See El Nadi, M., 1=15946
- Farago, P.S. Electron spin rotation and beam focusing, 2=20029
- Farago, P.S. Focusing of electron beams in crossed static electric and magnetic fields, 2=22263
- Farago, P.S., Gardiner, R.B., Muir, J. and Rae, A.G.A. Direct measurement of the g-factor anomaly of free electrons, 3=24691
- Farago, P.S. See Bay, Z., 3=21512
- Farash, A.E. See Mladenović, 4=12171
- Farazmand, B. Study of electric breakdown of liquid dielectrics using Schlieren optical techniques, 1=6869
- Farber, A.S. Sampling oscilloscope for millimicrosecond pulses at a 30 Mc repetition rate, 0=3710
- Farber, E.A. See Kronsbein, J., 0=42
- Farber, M. Heat of formation and entropy of the trimer of boron oxyfluoride, 2=4536
- Farber, M. Heat of formation of BOF, 2=12957
- Farber, M. See Blauer, J., 3=23538
- Farber, M. See Blauer, J., 4=15837
- Farber, W.A., Kruse, P.W. and Saur, W.D. Improvement in infrared detector performance through use of antireflection film, 1=6502
- Farbshtein, I.I. See Parfen'ev, P.V., 1=3773
- Farbshtein, I.I. See Parfen'ev, R.V., 1=17623
- Farbshtein, I.I. See Parfen'ev, R.V., 2=3990
- Farbshtein, I.I. See Parfen'ev, R.V., 3=22953
- Farfaletti Casali, F. See Caglioti, G., 3=2281
- Farge, Y. and Lambert, M. Optical study at 77°K of the mono-crystals of lithium fluoride irradiated by thermal neutrons at the same temperature, 4=28694
- Farhan, F.M. See Flood, E.A., 3=20937
- Farhat, N.H. Electron temperature dependence of the recombination coefficient in neon, 3=24222
- Faria, S. See Goldberg, P., 0=11790
- Faria, S. See Kremheller, A., 1=1380
- Farina, F. See Baldo Ceolin, M., 1=551
- Farinelli, U., Ferrero, F. and Malvano, R. Measurement and automatic control of the energy of a 31 MeV betatron, 0=19862
- Farinelli, U. and Martini, M. Measurement of (n, γ) cross-sections of Na²² and Co⁵⁸, 4=9533
- Farini, F. See Baldo-Ceolin, M., 1=10926
- Farini, F. See Ely, R.P., 2=18173
- Farini, F. See Ely, P.P., 2=22613
- Farkas, E. Transit of pressure waves through New Zealand from the Soviet 50 megaton bomb explosion, 2=21613
- Farkas, I.F. Relativistic equation of motion for a charged particle with spin and magnetic moment. I. Translational equation of motion, 3=5913
- Farkas, I.F. Relativistic equation of motion for a charged particle with spin and magnetic moment. II. Equation of motion of spin, 3=5914
- Farley, D.T., Jr. A theory of electrostatic fields in a horizontally stratified ionosphere subject to a vertical magnetic field, 0=10412
- Farley, D.T., Jr. A theory of electrostatic fields in the ionosphere at nonpolar geomagnetic latitudes, 0=14204
- Farley, D.T., Jr. Discussion of paper by John R. Spreiter and Benjamin R. Briggs on "Theory of electrostatic fields in the ionosphere at polar and middle geomagnetic latitudes", 2=6945
- Farley, D.T., Jr. Artificial heating of the electrons in the F-region of the ionosphere, 3=11442
- Farley, D.T., Jr. Two-stream plasma instability as a source of irregularities in the ionosphere, 3=23608
- Farley, D.T., Jr. A plasma instability resulting in field-aligned irregularities in the ionosphere, 4=10751
- Farley, D.T., Barron, D.W. and Dougherty, J.P. A theory of incoherent scattering of radio waves by a plasma. II. Scattering in a magnetic field, 1=16314
- Farley, D.T. See Dougherty, J.P., 0=19931
- Farley, D.T., Jr. See Dougherty, J.P., 4=5623
- Farley, D.T., Jr. See Ochs, G.R., 3=16226
- Farley, E.J.M. Excited nucleon interpretation of high energy nuclear interactions, 0=9456
- Farley, F.J.M. Excited nucleon interpretation of high energy nuclear interactions, 0=15339
- Farley, F.J.M. A fast trigger circuit, 0=17196
- Farley, F.J.M. [Ed.]. Instrumentation for high-energy physics, 3=12363
- Farley, F.J.M. and Carter, B.S. Background radiation in an enclosure following a short burst from a pulsed accelerator, 4=30109

- Farley, F.J.M. See Charpak, G., 1=5742
 Farley, F.J.M. See Charpak, G., 2=1700
 Farley, F.J.M. See Charpak, G., 2=3367
 Farley, F.J.M. See Charpak, G., 2=13832
 Farley, F.J.M. See Citron, A., 2=5703
 Farley, T.A. Half-period of Th^{234} , 0=17526
 Farley, T.A. The growth of our knowledge of the earth's outer radiation belt, 3=16283
 Farley, T.A. and Rosen, A. Charged-particle variations in the outer Van Allen zone during a geomagnetic storm, 1=15334
 Farley, T.A. and Sanders, N.L. Pitch angle distributions and mirror point densities in the outer radiation zone, 2=19254
 Farley, T.A. See Rosen, A., 1=21070
 Farmer, B.J. and Class, C.M. Alpha spectra from the decays of Li^8 and B^8 , 0=9555
 Farmer, B.J. See Cramer, J.G., Jr., 3=580
 Farmer, C. B. and Todd, S. J. Absolute solar spectra 3.5-5.5 microns. I. Experimental spectra for altitude range 0-15 km, 4=20920
 Farmer, C. B. See Bradford, W. R., 4=20921
 Farmer, E. G. See Clayton, B. R., 4=2635
 Farmer, E. G. See Dedow, H. R. A., 4=14114
 Farmer, J. B., Gardner, C. L. and McDowell, C. A. Energy transfer between triplet states detected by electron spin resonance spectroscopy, 1=7502
 Farmery, B. W. See Barnfield, R. W., 2=11734
 Farmery, B. W. See Thompson, M. W., 2=17900
 Farnell, G. C. and Chanter, J. B. The quantum sensitivity of photographic emulsion grains, 1=16125
 Farnell, G. C. and Chanter, J. B. Latent-image distribution and development rate in the solarization and re-reversal regions, 3=14383
 Farnell, G. C. and Flint, R. B. Structural disorder in photolytic silver, 3=20199
 Farnell, G. C., Flint, R. B. and Pitts, E. Observations on lattice rotations in tubular silver bromide grains, 2=602
 Farnell, G. C. and Howarth, M. E. F. Reciprocity-failure characteristics of the internal latent image, 4=333
 Farnell, G. C. and Powell, P. G. The factors determining photographic response, 3=11944
 Farnell, G. C. See Powell, P. G., 3=9630
 Farnell, G. W. Elastic waves in trigonal crystals, 1=3602
 Farnell, G. W. See Lee, L., 1=4720
 Farnell, G. W. See Simons, J. H., 4=16349
 Farnell, G. W. See Taylor, A. L., 4=20598
 Farnoux, B. See Cribier, D., 2=20922
 Farnoux, B. See Cribier, D., 4=18591
 Farnoux, F. C. Calculation of a lower bound to the energy by means of an anti-symmetrized wave-function, 2=22882
 Farnoux, F. C. On the evaluation of certain integrals occurring in the calculation of a lower limit on atomic energy levels, 4=22286
 Farnsworth, H. E. Comments on the paper by Scheibner, Germer and Hartman: "Apparatus for direct observation of low energy electron diffraction patterns", 0=16295
 Farnsworth, H. E. The formation of Ni_3O in single crystals, 3=18264
 Farnsworth, H. E. and Madden, H. H. Jr. Mechanism of chemisorption, place exchange, and oxidation on a (100) nickel surface, 1=20687
 Farnsworth, H. E., Marsh, J. B. and Toots, J. Surface structures of atomically clean diamond and cleaved (111) germanium, 3=11312
 Farnsworth, H. E. See Madden, H. H., 1=6563
 Farnsworth, H. E. See Margoninski, Y., 1=11295
 Farnsworth, H. E. See Marsh, J. B., 4=26704
 Farnsworth, H. E. See Marsh, J. B., 4=30877
 Farnsworth, H. E. See Park, R. L., 4=7702
 Farnsworth, H. E. See Park, R. L., 4=20820
 Farnsworth, H. E. See Park, R. L., 4=23556
 Farnsworth, H. E. See Shooter, D., 2=6871
 Farnsworth, H. E. See Shooter, D., 2=10962
 Farone, W. A., Kerker, M. and Matijević, E. Scattering by infinite cylinders at perpendicular incidence, 4=14395
 Farone, W. A. See Kerker, M., 3=19447
 Farouk, M. A. See El-Behey, A. Z., 4=28057
 Farquhar, I. E. The present state of ergodic theory, 1=10431
 Farquharson, J. Precise automatic inexpensive buret reader, 0=14361
 Farr, J. P. G. See Brownword, R., 3=1271
 Farr, J. P. G. See Brownword, R., 4=23323
 Farr, J. P. G. See Brownword, R., 4=29154
 Farr, J. P. G. See Cliffe, D. R., 4=23346
 Farrall, G. A. Cranberg hypothesis of vacuum breakdown as applied to impulse voltages, 2=1412
 Farrall, G. A. and Reiling, G. H. Experimental study of arc stability. II. An investigation of mercury arc stability, 1=11917
 Farrall, G. A. See Cobine, J. D., 1=1899
 Farrand, W. B. and Gagnon, G. E. Monitor-synchronizer for rotating mirror cameras, 0=3665
 Farrands, J. L. See Cawsey, G. F., 0=8307
 Farrar, H., Dasgupta, A. K. and Tomlinson, R. H. Half-life of Cs^{137} , 1=7134
 Farrar, H., Fickel, H. R. and Tomlinson, R. H. Cumulative yields of light fragments in U^{235} thermal neutron fission, 2=18366
 Farrar, H. and Tomlinson, R. H. Cumulative yields of the heavy fragments in U^{235} thermal neutron fission, 2=14157
 Farrar, H. and Tomlinson, R. H. Structure in the mass-yield distribution for U^{235} fission, 2=18365
 Farrar, P. A. and Margolin, H. A reinvestigation of the chromium-rich region of the titanium-chromium system, 4=13504
 Farrar, P. A. See Silver, M. D., 4=7471
 Farrar, R. A comparison of different methods of particle size analysis, 3=23825
 Farrar, W. C. See Brumberger, H., 4=16113
 Farrell, G. See Stuckes, A. D., 4=22706
 Farrell, J. S. See LeBlanc, L. J., 4=22877
 Farrell, W. R. See Cavanaugh, W. J., 2=9355
 Farren, J. See Barber, M., 3=21441
 Farren, J. See Barber, M., 3=21902
 Farrow, E., Gauld, C. F., McCusker, C. B. A., Malos, J., Nishikawa, K., Peak, L. S. and van Loon, L. G. Nuclear interactions of the secondary particles of high-energy cosmic-ray "jets", 3=19724
 Farrow, E. F. and Hay, H. J. Search for a low lying $\frac{1}{2}^+$ level in B^9 , 4=25289
 Farrow, G. and Preston, D. Measurement of crystallinity in drawn polyethylene terephthalate fibres by X-ray diffraction, 0=14052
 Farrow, G. and Preston, D. Simple continuous chart and integrating device for a Joyce-Loebel microdensitometer Mk I, 0=14782
 Farrow, G. and Preston, D. Simple high temperature X-ray camera, 0=16289
 Farrow, G. and Ward, I. M. Comparison of X-ray and nuclear magnetic resonance measurements of crystallinity in polyethylene terephthalate, 1=1444
 Faruk, M. A. See Endzsheets, G., 3=13020
 Faruk, M. A. See Molchanov, V. A., 4=12828
 Farvis, W. E. J. See Davidson, C. W., 2=19918
 Farwell, G. W. Systematics of octupole states in nuclei, 2=1789
 Farwell, G. W. See Blair, J. S., 0=17608
 Farwell, G. W. See Hendrie, D. L., 4=22031
 Farwell, G. W. See McDaniels, D. K., 0=20469
 Farwell, G. W. See McDaniels, D. K., 2=9938
 Farztdinov, M. M. Effect of g-factor anisotropy on the properties of ferromagnetics, 3=8659
 Fasana, A. Technique for measuring β radiation longitudinal polarization and γ radiation circular polarization, 0=5677
 Fasana, A. See Bisi, A., 0=7325
 Fasana, A. See Bisi, A., 0=15543
 Fasana, A. See Bisi, A., 1=8901
 Fasana, A. See Bisi, A., 1=19754
 Fasana, A. See Bisi, A., 1=19918
 Fasana, A. See Bisi, A., 2=18097
 Fasana, A. See Bisi, A., 3=22101
 Fasching, G. M. and Hofmann, H. The stationary magnetic field in anisotropic iron sheets and its measurement, 4=7264
 Fasching, G. M. and Hofmann, H. The field vectors B and H of weak magnetic fields in anisotropic iron plates, 4=28807
 Fasold, W. See Kraak, W., 0=14744
 Fasoli, U., Manduchi, C. and Zannoni, G. Measurement of the L/K-capture ratio in Cr^{51} decay, 2=12169
 Fasoli, U. and Napoli, G. Study of rate of crystallisation as the combination of the phenomena of transport of matter and of heat, 4=26584
 Fasoli, U., Toniolo, D. and Zago, G. The $\text{Li}^6(\text{p}, \text{He}^3)\text{He}^4$ reaction in the energy range 3-5.6 MeV, 4=12218
 Fasoli, U. and Zago, G. Scattering of neutrons by α -particles at 14.1 MeV, 4=6057
 Fasoli, U. See Careri, G., 0=8901
 Fasoli, U. See Careri, G., 0=14915
 Fassett, D. W. See Jackson, J. E., 2=7063
 Fassett, J. R. See Klaassen, F. M., 2=8431
 Fast, E. See Scoville, J. J., 4=17150
 Fast, G. and Hagedorn, R. Large-angle elastic scattering at high energies treated by a statistical model, 3=7794

- Fast, G., Hagedorn, P. and Jones, L.W. A statistical interpretation of large-angle elastic scattering, 3=7909
- Fast, J.D. and Verrijp, M.B. Internal friction in lightly deformed pure iron wires, 1=14854
- Fast, J.D. See Casimir, H.B.G., 0=13742
- Fast, J.D. See van Ooijen, D.J., 3=10721
- Fast, J.F. See Blasse, G., 4=13266
- Fast, J.F. See Casimir, H.B.G., 0=13742
- Fast, J.F. See Enz, U., 3=11050
- Fast, R.W., Flournoy, P.A., Tickle, R.S. and Whitehead, W.D. Photoneutron cross sections of Li, N, and A, 0=9660
- Fastie, W.G. The possibility of using absorption lines as a primary length standard, 0=16660
- Fastie, W.G. Instrumentation for far-ultraviolet rocket spectrophotometry, 4=10940
- Fastie, W.G., Crosswhite, H.M. and Markham, P. Far ultraviolet auroral spectra with a rocket Ebert spectrophotometer, 2=916
- Fastie, W.G. See Crosswhite, H.M., 2=15258
- Fastie, W.G. See Zipf, E.C., Jr., 4=13824
- Fastov, N.S. Features of the thermodynamics of solid solutions, 0=731
- Fastov, N.S. The thermodynamics of irreversible processes of plastic deformation, 0=6301
- Fastov, N.S. Relaxation of stress and creep as processes of viscous flow, 0=6309
- Fastov, N.S. Creation of high temperatures by internal friction, 1=14852
- Fastov, N.S. Creation of high temperatures by internal friction, 1=20311
- Fastov, N.S. Peculiarities in the thermodynamics of interstitial solid solutions with body-centred cubic lattice, 1=20613
- Fastov, N.S. Thermodynamics of interstitial solid solutions in body-centred cubic lattices, 2=8862
- Fastov, N.S. The thermodynamics of interstitial solid solutions with a body-centred cubic lattice, 2=23893
- Fastov, N.S. Thermodynamics of the irreversible processes of elastic deformation, 3=3207
- Fastov, N.S. and Finkel'shtein, B.N. Relaxation theory of electric polarization, 0=1091
- Fastov, N.S. See Lyubov, B.Ya., 1=14293
- Fastrup, B. An experimental method for determining the epithermal neutron spectrum inside a reactor, 3=25026
- Fataghi, H. See Chaminade, R., 2=1923
- Fateev, A.P. Free motion of particles in accelerators with constant field and strong focusing, 1=5522
- Fateev, A.P. Theory of the ring cyclotron, 2=9663
- Fateev, A.P. and Yablokov, B.N. A ring cyclotron with a vertically increasing magnetic field, 1=13141
- Fateev, A.P. Free motion of particles in accelerators with constant field and strong focusing, 1=11989
- Fateev, A.P. and Yablokov, B.N. A ring cyclotron with a vertically increasing magnetic field, 0=17057
- Fateev, A.P. See Kanunnikov, V.N., 0=9117
- Fateev, A.P. See Kolomenskii, A.A., 2=5416
- Fateeva, L.N. See Dmitriev, I.S., 1=9358
- Fateeva, L.N. See Dmitriev, I.S., 2=9535
- Fateeva, L.N. See Dmitriev, L.S., 2=15892
- Fateeva, L.N. See Dmitriev, I.S., 3=712
- Fateeva, L.N. See Nikolaev, V.S., 1=18779
- Fateeva, L.N. See Nikolaev, V.S., 1=18940
- Fateeva, L.N. See Nikolaev, V.S., 2=163
- Fateeva, L.N. See Nikolaev, V.S., 2=22168
- Fateeva, L.N. See Nikolaev, V.S., 4=8852
- Fateeva, L.N. See Teplova, Ya.A., 2=7674
- Fateeva, L.N. See Teplova, Ya.A., 3=5722
- Fateeva, N.S., Vereshagin, L.F. and Kolotygin, V.S. Optical method for determining the melting point of graphite as a function of pressure up to 3000 at, 4=8500
- Fateeva, N.S. See Vereshchagin, L.F., 4=14618
- Fatehally, R. The Mössbauer effect in solid state physics, 3=25170
- Fáthy, F. and Bukovszky, F. Elementary method for the calculation of the lattice energies of the NaCl crystal. I, 0=11562
- Fáthy, F. and Bukovszky, F. Elementary method for the calculation of the lattice energies of the NaCl crystal. II, 0=11563
- Fatmi, H.A. A new thermionic generator with ion injection, 3=7421
- Fatt, I. A modified diffusion time-lag, 2=21055
- Fattore, V.G. See Peterson, D.T., 2=2405
- Fatuzzo, E. The mechanism of the reversal of the spontaneous polarization in $\text{LiH}_2(\text{SeO}_4)$, single crystals, 0=7975
- Fatuzzo, E. Bias in ferroelectric colemanite, 0=11743
- Fatuzzo, E. The reversal of the spontaneous polarization in guanidine aluminium sulfate hexahydrate [gash], 0=18097
- Fatuzzo, E. Switching properties of tetramethyl-ammonium-trichloromercurate, 1=3807
- Fatuzzo, E. Increase in dielectric constant during switching in lithium selenite and triglycine sulfate, 1=11338
- Fatuzzo, E. Increase in dielectric constant during switching in barium titanate and triglycine sulfate, 2=16783
- Fatuzzo, E. Theoretical considerations on the switching transient in ferroelectrics, 2=21213
- Fatuzzo, E., Harbeck, G., Merz, W.J., Nitsche, R., Roetschi, H. and Ruppel, W. Ferroelectricity in SbSi_3 , 2=21214
- Fatuzzo, E. and Merz, W.J. Switching mechanism in triglycine sulfate and other ferroelectrics, 0=1694
- Fatuzzo, E. and Merz, W.J. Surface layer in BaTiO_3 single crystals, 1=14561
- Fatuzzo, E. and Nitsche, R. Ferroelectric properties of mixed crystals of triclycine sulfate/selenate, 0=4380
- Fatuzzo, E. and Nitsche, R. Ferroelectricity in tetramethyl-ammonium-trichloro-mercurate, 0=6155
- Fatuzzo, E., Nitsche, R., Roetschi, H. and Zingg, S. New ferroelectrics of the tetramethylammonium-trihalo-mercurate family, 2=4093
- Fatuzzo, E. See Callaby, D.R., 4=26111
- Fatuzzo, E. See Fang, P.H., 2=8467
- Faucher, G.A. A study of air flow in a large-ion chamber, 0=949
- Faucher, G.A., Procunier, R.W. and Sherman, F.S. Upper-atmosphere density obtained from measurements of drag on a falling sphere, 4=2217
- Faucher, J.A. Extension of the Eyring-Ree theory of non-Newtonian flow [to polymers], 1=18367
- Faucher, J.A. On an integral equation in the theory of dispersion curves of whistlers, 2=19205
- Faucher, J.A. Some integrals occurring in the theory of rubber viscosity, 3=11166
- Faucher, J.A. and Kegeles, G. Flotation equilibrium in the ultracentrifuge, 3=6932
- Faucitano, A., Maxia, V., Rollier, M. A. and Rosenstein, A. Low gamma and neutron fluxes chemical dosimetry, 4=25119
- Faudrowicz, A. See Ambroży, B., 1=16995
- Faudrowicz, A. See Ambroży, B., 2=1821
- Faugeras, P. E., Lasry, J. and Véron, D. Coaxial gun, 4=21548
- Faugeras, P. E., Papoular, R. and Zanfagna, B. New millimetre and submillimetre techniques applied to microwave diagnostics in dense plasma machines, 4=18906
- Faughn, G.S. See Brunhart, G., 4=3465
- Faughnan, B.W. and Strandberg, M.W.P. The role of phonons in paramagnetic relaxation, 1=20209
- Faughnan, B.W. See Baicker, J.A., 3=912
- Faughnan, B.W. See Dousmanis, G.C., 3=10773
- Faulders, C.R. The speed of propagation of magnetodynamically driven shock wave, 2=16005
- Faulhaber, M. E. and Schnelle, P. D. Cube-root coordinate color-difference computer, 4=27286
- Faulkner, C.R. Effect of upper atmosphere wind on the rotation of satellite 195801, 0=18483
- Faulkner, C.R. Observations of satellite 19601, 1, and a comparison with satellite 1958 1, 0=10402
- Faulkner, C.R. See Notni, P., 1=9301
- Faulkner, D.J. and Muggleston, D. Medium-strong line theory of solar atmospheric abundances: oxygen abundance, 2=17273
- Faulkner, E.A. Quadrupole anti-shielding factor in copper, 0=3143
- Faulkner, E.A. Calculation of stored energy from broadening of X-ray diffraction lines, 0=20799
- Faulkner, E.A. Strain-broadening of nuclear magnetic resonance lines in copper, 0=21083
- Faulkner, E.A. Improved circuit for an electron spin resonance spectrometer, 2=16080
- Faulkner, E.A. Automatic frequency control for klystrons and a calibrator for microwave spectrometers, 4=18644
- Faulkner, E.A. and Ham, R.K. Nuclear magnetic resonance, stored energy, and the density of dislocations in deformed aluminium, 2=6349
- Faulkner, E.A. and Holman, A. A variable-coupling cavity for electron spin resonance measurements, 3=9959
- Faulkner, E.A. and Lomer, J.N. Electron spin resonance in electron-irradiated diamond, 3=6746
- Faulkner, E.A., Mitchell, E.W.J. and Whippley, P.W. Electron spin resonance in neutron irradiated diamond, 4=7324

- Faulkner, E.A. See Anderson, J.S., 0=6130
- Faulkner, J., Griffiths, K. and Hoyle, F. On the Hayashi effect in the early phases of gravitational contraction of the sun, 3=21104
- Faulkner, J.S. Constructing the spin Hamiltonian for an N-electron system, 2=22877
- Faulkner, J.S. Electronic states of a Kronig-Penney crystal with random atomic positions, 4=22520
- Faulkner, J.S. and J.Korringa, J. Electron energy bands of one-dimensional random alloys, 1=7550
- Faulkner, J.S. See Nordling, J.O., 4=14050
- Faulring, G.M. See McKinsey, C.R., 0=3221
- Fauquignon, C. See Valentin, P., 2=13542
- Fauquignon, C. See Valentin, P., 2=19624
- Faure, A., Nedelec, O. and Pebay-Peyroula, J.C. Magnetic depolarization of the light emitted by the electronic bombardment of helium 4, 4=1221
- Faure, C. See Servant, R., 2=2200
- Fauré, J. Study of forced convection by an optical pyrometry method, 1=18657
- Fauré, J. Rotational and vibrational relaxation in gases. I, 2=15649
- Fauré, J. Rotational and vibrational relaxation phenomena in gases. II, 2=17512
- Fauré, J. and Leroux, J.P. The experimental choice of specific parameters for a fluid in heat exchange by convection, 0=14870
- Fauré, M.M. See Beurtey, R., 3=10374
- Fauré, J. See Bory, C., 0=5207
- Faure, P. Theoretical model of reverberation noise, 4=8359
- Faure, R. Certain periodic solutions of non-linear differential equations with periodic coefficients, 1=5385
- Fauska, H., Orth, J.W. and Schmidt, F.H. Fixed frequency cyclotron operation with a regulator for dee voltage stabilization, 2=3113
- Fauske, H.K. A theory for predicting pressure gradients for two-phase critical flow, 4=2632
- Faust, J.W. See Nicholson, H., 4=7569
- Faust, J.W., Jr. Dislocations and the nucleation of oxidation of Ge, 3=25276
- Faust, J.W., Jr and John, H.F. A comparison of etching and fracturing techniques for studying twin structures in Ge, Si and III-V intermetallic compounds, 0=13965
- Faust, J.W., Jr and John, H.F. Twin structures in silver dendrites, 1=5088
- Faust, J.W. Jr. and John, H.F. Germanium dendrite studies. I. Studies of twin structures and the seeding mechanism, 1=15007
- Faust, J.W. Jr. and John, H.F. Germanium dendrite studies. II. Lateral growth processes, 1=15008
- Faust, J.W. Jr. and John, H.F. Germanium dendrite studies. III. Dislocations, 1=15009
- Faust, J.W., Jr and John, H.F. Growth facets on III-V intermetallic compounds, 2=19053
- Faust, J.W., Jr and John, H.F. Growth twins in the F.C.C. metals, 4=2013
- Faust, J.W., Jr and Sagar, A. Effect of the polarity of the III-V intermetallic compounds on etching, 0=6339
- Faust, J.W., Jr, Sagar, A. and John, H.F. Molten metal etches for the orientation of semiconductors by optical techniques, 3=3263
- Faust, J.W., Jr. See Armstrong, R.W., 0=21202
- Faust, P. L. and Lawless, G. W. Modifications of a vacuum metallizing unit, 4=2745
- Faust, W., McDermott, M. and Lichten, W. Hyperfine structure of the metastable 3P_2 state of Cd^{111} and Cd^{113} , 0=17664
- Faust, W.L. and Chow Chiu, L.Y. Hyperfine structure of the metastable $(4p)^5(5s)^3P_2$ state of ^{81}Kr , 3=8186
- Faust, W.L. and McDermott, M.N. Hyperfine structure of the $(5p)^5(6s)^3P_2$ state of ^{129}Xe and ^{131}Xe , 1=11065
- Faust, W. L. and McFarlane, R. A. Line strengths for noble-gas maser transitions; calculations of gain/inversion at various wavelengths, 4=27676
- Faust, W.L., McFarlane, R.A., Patel, C.K.N. and Garrett, C.G.B. Gas maser spectroscopy in the infrared, 3=17075
- Faust, W. L., McFarlane, R. A., Patel, C. K. N. and Garrett, C. G. B. Noble gas optical maser lines at wavelengths between 2 and 35 μ , 4=11820
- Faust, W.L. See Bennett, W.R., 2=22908
- Faust, W.L. See McFarlane, R.A., 3=6258
- Faust, W.L. See McFarlane, R.A., 3=14806
- Faust, W. L. See McFarlane, R. A., 4=27689
- Faust, W.L. See Patel, C.K.N., 3=9507
- Faust, W.L. See Patel, C.K.N., 3=17074
- Faust, W. L. See Patel, C. K. N., 4=11820
- Faust, W. L. See Patel, C. K. N., 4=11823
- Faust, W. L. See Patel, C. K. N., 4=11828
- Faust, W. L. See Patel, C. K. N., 4=30086
- Faust, W.R. and Anderson, A.D. Penetration and diffusion of a beam of radiation, 3=81
- Faust, W.R. and Harris, E.G. Energy distribution of neutrons produced by a thermonuclear reaction, 1=17180
- Faust, W.R. See Beach, L.A., 0=12960
- Faust, W.R. See Kolb, A.C., 2=17840
- Faust, W.R. See Kolb, A.C., 3=12159
- Faustov, R.N. See Arbuzov, B.A., 1=16639
- Faustov, R.N. See Arbuzov, B.A., 1=19083
- Faustov, R.N. See Arbuzov, B.A., 2=13888
- Faustov, R.N. See Arbuzov, B.A., 2=22450
- Faustov, R.N. See Arbuzov, B.A., 3=4347
- Faustov, R.N. See Arbuzov, B.A., 3=6086
- Faustov, R.N. See Arbuzov, B.A., 3=14891
- Faustov, R.N. See Arbuzov, B.A., 4=11909
- Faustov, R.N. See Arbuzov, B.A., 3=22087
- Faustov, R.N. See Arbuzov, B.A., 3=22193
- Faustov, R. N. See Nguyen Van-Hieu, 4=19360
- Fava, G. See Nardelli, M., 1=15064
- Fava, L., Sanguist, V., Vigliano, E. and Terrani, S. Optimum thickness of Dy foils for thermal neutrons detection in graphite, 4=30240
- Fava, G. See Cavalca, L., 0=6367
- Favalier, J. Study of certain instabilities in the direct-current discharge in a rare gas at low pressure, 4=21472
- Favaro, G. See Foffani, A., 0=15740
- Favella, L. On the connection between S-matrix and the Neumann series expansion of the wave function, 4=11941
- Favella, L. and Predazzi, E. On the Coulomb scattering by a spherical charge distribution, 1=5697
- Favella, L. and Reineri, M.T. Properties of the S-matrix as a function of the complex angular momentum for the many-channel case and for the Dirac equation, 2=9794
- Favero, P. and Baker, J.G. Anomalous Stark effects in the millimetre wave spectrum of formyl fluoride, 0=20628
- Favero, P., Giacometti, G., Nordio, P.L. and Rigatti, G. Electron spin resonance spectra of negative radical ions of benzophenone and benzoylpyridine, 2=16551
- Favero, P., Mirri, A.M. and Baker, J.G. Centrifugal effects in millimetre wave spectra: formyl fluoride, 0=20629
- Favero, P. See Mirri, A.M., 1=8833
- Favero, P. See Mirri, A.M., 2=18467
- Favero, P. G. and Mirri, M. Millimeter wave spectra and centrifugal distortion constants of $CHCl_3$ and $CFCl_3$, 4=6616
- Favier, J. See Berger, J., 1=15192
- Favier, J. See Charpak, G., 4=9032
- Favin, S. See Walker, R.E., 2=2764
- Favorin, V.N. and Kozina, G.S. Electroluminescence of $ZnS:Cu:Mn$ powders in a constant electric field, 1=10123
- Favorin, V.N., Kozina, G.S. and Anisimova, I.D. Investigation of the electroluminescence of $ZnS:Cu$ and $ZnS:Cu, Mn$ phosphor layers with excitation by d.c. and pulse voltages, 2=16870
- Favorin, V.N., Kozina, G.S. and Tikhonova, L.K. Spectral characteristics of electroluminescence of certain phosphors under the conditions of simultaneous action of direct and alternating fields, 0=10081
- Favorin, V.N. and Poskacheeva, L.P. Dependence of the electroluminescence spectra of certain phosphors on the alternating-field intensity, 0=10082
- Favorin, V.N. See Bakumenko, V. L., 4=13087
- Favorin, V.N. See Kozina, G.S., 0=16112
- Favre, C. J. and Geneux, E. A generalisation of the Hanle effect: resonance induced by a radiofrequency field parallel to the static field, 4=15276
- Favre, H. Theoretical study of the influence of interior reflections on the path of a light ray passing through a thin transparent plate subject to forces in its mean plane, 0=5171
- Favre, H., Schumann, W. and Stromer, E. A photoelectric interferometric technique for the determination of plane states of strain, 0=19435
- Favre, R.L. Electronic pulse scalars I. Rationalization of counting circuits, 0=17172
- Favre, R.L. Electronic pulse scalars. II. High frequency scalars, 0=17173
- Favre, R.L. A fast discriminator, 2=7540
- Favre, R.L. High resolution scalar, 2=11591

- Favret, A. G. and Meister, R. Nuclear magnetic resonance relaxation in associated liquids, 4=27202
- Favro, L.D. Theory of the rotational Brownian motion of a free rigid body, 0=12377
- Favstov, Yu.K. The effect of heat treatment and plastic deformation on internal friction in metals, 0=1849
- Fawcett, B. C., Gabriel, A. H., Griffin, W. G., Jones, B. B. and Wilson, R. Observations of the Zeta spectrum in the wavelength range 16 Å-400 Å, 4=19065
- Fawcett, B. C., Gabriel, A. H., Jones, B. B. and Peacock, N. J. Grazing incidence spectra of highly ionized atoms from laboratory plasmas, 4=25490
- Fawcett, B. C., Jones, B. B. and Wilson, R. Vacuum ultraviolet spectra of multiply ionized inert gases, 2=1201
- Fawcett, E. Cyclotron resonance in aluminum, 1=17486
- Fawcett, E. Anomalous skin effect in aluminum, 1=17596
- Fawcett, E. The Fermi surface areas of magnesium, zinc and cadmium, 1=19745
- Fawcett, E. Fermi surface topology of even-valent metals from their magnetoresistance anisotropy, 1=19746
- Fawcett, E. Magnetoresistance of transition metals in the high-field limit, 2=3992
- Fawcett, E. Magnetoresistance of molybdenum and tungsten, 2=3249
- Fawcett, E. and Griffiths, D. The Fermi surface areas of chromium, molybdenum and tungsten, 3=2757
- Fawcett, E. and Reed, W. A. Multiple connectivity of the Fermi surface of nickel from its magnetoresistance anisotropy, 3=4842
- Fawcett, E. and Reed, W. A. Effects of compensation on the galvanomagnetic properties of nonmagnetic and ferromagnetic metals, 3=25330
- Fawcett, E. and Reed, W. A. High-field magnetoresistance of molybdenum and tungsten, 4=17476
- Fawcett, E. and Walsh, W. M., Jr. Cyclotron resonance in tungsten, 3=2777
- Fawcett, E. See Reed, W. A., 4=12694
- Fawcett, E. See Walsh, W. M., Jr., 3=22692
- Fawcett, S. and Brown, G. The general design of the experimental advanced gas-cooled reactor, 4=6432
- Fawcett, W. The electric field in crystals. II. The refractivities of anatase and brookite, 3=20052
- Fawcett, W. See Bolton, H. C., 2=16585
- Fáy, G., Fényes, I. and Törös, R. On the quantum-mechanically possible physical states, 0=8552
- Fáy, G. and Tábori, G. Discussion of the timewise progress of thermodynamic processes, 0=7011
- Fay, H. and Hintz, E. Transient phenomena connected with the operation of large low inductance capacitor banks, 3=12046
- Fay, H. See Beerwald, H., 2=15909
- Fay, H. See Beerwald, H., 3=12164
- Fay, J. A. Comments on "Convective flexure of a plasma conductor", 4=18817
- Fay, J. A. and Hogan, W. T. Heat transfer to cold electrodes in a flowing ionized gas, 2=20131
- Fay, J. A. See Probst, R. F., 3=14587
- Fay, J. W. J. and Ashford, J. R. Size distribution of airborne dust samples from British coalmines, 0=6422
- Fay, J. W. J. and Ashford, J. R. Inter-observer checks on standards of performance in evaluating thermal precipitator slides, 0=8327
- Fay, M. See Mueller, W. M., 4=7575
- Fay, R. D. Corrected analysis of plane finite waves, 2=21972
- Fay, T. H. Jr. See Curry, E. T., 0=16507
- Fay, W. J. See Heritage, J. L., 0=10413
- Fay, W. J. See Heritage, J. L., 2=11803
- Fayard, M. and Béhot, F. Observation of dissociated dislocations in an iron-nickel alloy, 3=17767
- Fayard, M. See Calvayrac, Y., 4=25944
- Fayers, F. J. See Rymer, T. B., 0=272
- Faynot, J. M. The observation of travelling disturbances in the topside and bottomside of the ionosphere, 4=26847
- Fayolle, J. C. See Morand, M., 1=7179
- Fayyazuddin. Preliminary analysis of photoproduction of K mesons in the Mandelstam representation, 1=12112
- Fayyazuddin. Photoproduction of K mesons at low energy, 4=15101
- Fayyazuddin and Riazuddin, K* and leptonic decays of K meson and Λ hyperon, 2=11994
- Fayyazuddin. See Riazuddin, 2=9915
- Fayyazuddin. See Riazuddin, 3=10165
- Fayyazuddin. See Riazuddin, 4=901
- Fayyazuddin. See Riazuddin, 4=25186
- Fazekas, E. I. The creation and maintenance of clean liquid metal surfaces, 2=7993
- Fazio, G. G. and Hafner, E. M. Directional high energy gamma-ray counter, 1=10816
- Fazio, G. G. and Ritson, D. M. Search for anomalous lifetime values in sea-level cosmic radiation, 0=2613
- Fazio, G. G. and Widgoff, M. Sea-level cosmic-ray mass spectrum in the interval 30 m_e -2000 m_e , 0=2612
- Fazio, G. G. See Duthie, J. G., 3=17363
- Fazio, G. G. See Mellissinos, A. C., 2=5710
- Fazio, G. G. See Mellissinos, A. C., 3=6034
- Fazio, G. G. See Pollack, J. B., 4=2383
- Fazio, M. See Colli, L., 1=561
- Fazzini, T., Fidecaro, G. and Paul, H. A synchro-cyclotron pulse simulator for testing electronic circuits, 0=19858
- Fazzini, T. See Amaldi, U., 2=22516
- Fazzini, T. See Amaldi, U., Jr., 3=24717
- Fazzini, T. See Amaldi, U., Jr., 4=6054
- Fazzini, T. See Ashkin, J., 0=367
- Fazzini, T. See Ashkin, J., 0=13005
- Fazzini, T. See Ashkin, J., 0=15389
- Fazzini, T. See Cocconi, V. T., 0=17582
- Fazzini, T. See Cocconi, V. T., 1=19241
- Fea, G. and Gazzola, A. Transport and large-scale diffusion phenomena in the troposphere demonstrated by radioactive tracers, 3=1431
- Fea, G. See Cialdea, R., 3=1518
- Fea, K. Samos II (1961 alpha), 2=11191
- Fea, K. Explorer nine and Midas three, 3=3631
- Fea, K. Astronautics in school, 3=11660
- Fea, K. and Newton, A. C. A method for producing fine transparent slits, 4=14000
- Fea, K. and Newton, A. C. A photo-electric method for the observation of artificial satellites adapted for use with a 24 inch reflecting telescope, 4=20961
- Fead, P. M. G. Versatile amplifier for precise radiometry, 4=21351
- Feakes, F. and Torney, F. L., Jr. The performance characteristics of three types of extreme high-vacuum gauges, 4=18280
- Feakes, F. See Torney, F. L., Jr., 3=23951
- Fearn, D. G., Cooper, J. and Pain, H. J. The conduction of electricity between electrodes in shock-heated argon, 4=11586
- Fearon, J. H. See Stanford, E. G., 1=9238
- Fearon, J. H. See Stanford, E. G., 1=21155
- Fearon, J. H. See Stanford, E. G., 4=13621
- Fearson, J. H. See Stanford, E. G., 1=11667
- Fearon, J. H. See Stanford, E. G. [Eds], 1=9239
- Fest, M. W. Line weakening and metal deficiency in Mira type variables, 3=11567
- Feates, F. S. Magnetically operated shutters for use in vacuum systems, 2=69
- Feates, F. S. The rapid routine separation and analysis of ^{14}CO and $^{14}\text{CO}_2$ in mixtures of low activity, 4=30914
- Feates, F. S. and Knight, B. The effects of radiation on the tantalum-tantalum oxide electrode, 2=3969
- Feather, N. A history of neutrons and nuclei. I, 0=20144
- Feather, N. A history of neutrons and nuclei. II, 0=20145
- Feather, N. Spontaneous fission rates and role of the "excess" neutrons in heavy nuclei, 2=20685
- Feather, N. The emission of long-range alpha particles in fission, 4=25448
- Feather, N. See Schmitt, H. W., 4=17212
- Featherston, F. H. and Neighbours, J. R. Elastic constants of tantalum, tungsten, and molybdenum, 3=13325
- Feautrier, P. Construction of model stellar atmospheres in the non-grey case, 2=2543
- Feautrier, P. The determination of surface temperatures of atmosphere models, 2=9092
- Feautrier, P. Constant flux solutions to the transport equations, 4=14083
- Feautrier, P. The numerical solution of the equation of transfer, 4=20897
- Febel, A. and Knop, G. Angular dependence of the Bremsstrahlung energy loss of 1 MeV electrons, 3=17699
- Feborus, H. A. See Arkypova, K. K., 4=1681
- Fechner, B. On the statistics of spin waves by the Bethe method, 1=11416
- Fechner, B. On the high temperature susceptibility of ferrimagnetics and antiferrimagnetics, 1=20148

- Fechner, B. The temperature-dependence of the paramagnetic susceptibility of ferri- and antiferromagnetic systems, 2=18922
- Fechner, B. Paramagnetic susceptibility of ferrimagnetic and antiferromagnetic systems. I. General part, 3=20562
- Fechner, B. Paramagnetic susceptibility of ferrimagnetic and antiferromagnetic systems. II. Discussion, 4=26272
- Fechter, H. and Sztankay, Z. Bubble chamber control and alarm circuits using solid state elements, 2=20207
- Fedash, G.M. and Surovova, V.I. Investigation of the thermo-electromotive force generated in a circuit formed by deformed and undeformed regions of a metal, 1=7676
- Fedash, G.M. and Surovova, V.I. Effect of Ni and Si on the physical properties of α -iron, 4=13184
- Fedchenko, E.D. See Timoshevskii, G.F., 4=9497
- Fedchenko, E.D. See Vanetsian, R.A., 1=3445
- Fedchenko, E.D. See Vanetsian, R.A., 1=17093
- Fedchenko, K.K. Index of cosmic ray activity and its connection with magnetic, ionospheric and solar activity, 1=3356
- Fedchenko, R.H. See Dekhtyar, I.Ya., 2=6404
- Fedchenko, Ye.D. See Vanetsian, R.A., 2=20610
- Fedders, H., Hunger, M. and Lüthy, F. A comprehensive study of a simple photoconductive phosphor, 2=10535
- Fedele, D. Spectroscopic determination of precipitable water, 3=1434
- Fedeli, R.P. See Barbetta, M.G., 1=5804
- Feder, D.P. Automatic lens design with a high-speed computer, 2=2866
- Feder, D.P. Automatic optical design, 4=24339
- Feder, D.P. See Hopkins, R.E., 4=24340
- Feder, H.M. See Cafasso, F.A., 2=19551
- Feder, H.M. See Cafasso, F.A., 3=13237
- Feder, H.M. See Veleckis, E., 2=6822
- Feder, R. and Cahn, R.W. Kinetics of ordering in Fe_3Al , 0=20866
- Feder, R., Thornton, P.H. and Cahn, R.W. The high temperature electrical resistance of iron-aluminum alloys, 1=19828
- Feder, R. See Cahn, R.W., 0=20867
- Feder, R. See Cahn, R.W., 2=10830
- Feder, R. See D'Heurle, F.A., 3=22739
- Federbush, P. Haag's theorem in a finite volume, 0=15226
- Federbush, P. A note on quasi-elastic photon-deuteron scattering, 0=15315
- Federbush, P. A two-dimensional relativistic field theory, 1=3105
- Federbush, P. Minimal electromagnetic coupling for spin two particles, 1=5641
- Federbush, P.G. Operator equations in two field theory models, 2=3265
- Federbush, P.G. and Grisaru, M.T. The high energy behavior of scattering amplitudes in perturbation theory. I, 3=17227
- Federbush, P.G. and Grisaru, M.T. The high energy behavior of scattering amplitudes in perturbation theory. II, 3=17228
- Federbush, P.G., Grisaru, M.T. and Tausner, M. The higher resonances in pion-nucleon scattering, 2=11986
- Federbush, P.G. and Johnson, K.A. Uniqueness property of the twofold vacuum expectation value, 1=2009
- Federer, B. Ice nucleability of zinc selenide, 4=5457
- Federer, J.I. and Lundy, T.S. Diffusion of Zr^{95} and Ce^{137} in B.C.C. zirconium, 4=6881
- Federici, M. The telemetric characteristics of a passive receiving apparatus for measuring the distance of a sound source, 1=12953
- Federighi, F.D. See Calame, G.P., 2=5658
- Federighi, F.D. See Calame, G.P., 2=6018
- Federighi, F.D. See Goldman, D.T., 3=19908
- Federighi, F.D. See Ombrellaro, P.A., 3=25003
- Federighi, T. A possible determination of the activation energy for self-diffusion in aluminium, 0=20843
- Federighi, T. The concept of ideal pre-precipitation in supersaturated solid solutions, 3=8910
- Federighi, T. and Ceresara, S. Enhanced pre-precipitation rate in Al-Zn 10% alloy by plastic deformation at 78°K, 3=20896
- Federighi, T. and Passari, L. Anomalous increase of resistivity during ageing of aluminium-silver alloys, 0=17994
- Federighi, T. and Thomas, G. The interaction between vacancies and zones and the kinetics of pre-precipitation in Al-rich alloys, 2=6314
- Federighi, T. See Ceresara, S., 4=1560
- Federighi, T. See Ceresara, S., 4=4091
- Federighi, T. See Gelli, D., 3=4868
- Federighi, T. Panseri, C., 1=1426
- Federighi, T. See Panseri, C., 3=15976
- Federighi, T. See Panseri, C., 3=20167
- Federighi, T. See Panseri, C., 4=4037
- Federighi, U. See Brocchieri, F.B., 3=21137
- Fedorov, F.I. and Konstantinova, A.F. Passage of light through plates of uniaxial optically active crystals belonging to axial classes. I. General solution, 2=19731
- Fedorov, G.A. See Stolyarova, E.L., 2=18141
- Fedin, E.I. and Kitaigorodskii, A.I. Nuclear quadrupole resonance studies of solid solutions of some organic compounds, 1=20281
- Fedin, E.I. and Semin, G.K. A nuclear quadrupole radiospectrometer, 1=3072
- Fedin, E.I. See Kitaigorodskii, A.I., 0=21088
- Fedin, E.I. See Uo, Dzh.S. [Waugh, J.S.], 3=15417
- Fedonin, G.K. See Gershtein, G.M., 2=19823
- Fedorchenko, A.M. Exact solution of Schrödinger's equation for a motion of arbitrary spin in a non-stationary magnetic field, 2=5567
- Fedorchenko, A.M. A dynamical method for increasing stability of a rapidly rotating symmetrical gyroscopes, 2=19490
- Fedorchenko, A.M. Conversion of a transverse electromagnetic wave into a longitudinal wave at a dielectric-plasma boundary, 3=9956
- Fedorchenko, A.M. Excitation of longitudinal waves in a plasma by radiowaves, 4=2981
- Fedorchenko, I.M. See Raichenko, A.I., 1=10028
- Fedorchenko, V.D., Muratov, V.I. and Rutkevich, B.N. On the high-frequency oscillations of a plasma in a magnetic field, 4=18991
- Fedorchenko, V.D., Muratov, V.I. and Rutkevich, B.N. The investigation of high-frequency oscillations of a plasma in a magnetic field by probing with a beam, 4=18992
- Fedorchenko, V.D., Rutkevich, B.N. and Chernyi, B.M. Motion of an electron in a spatially periodic magnetic field, 0=9154
- Fedorchenko, V.D., Rutkevich, B.N., Muratov, V.I. and Chernyi, B.M. Low frequency oscillations of plasma in a magnetic field, 3=9823
- Fedorchenko, V.D. See Sinel'nikov, K.D., 0=10954
- Fedorchenko, V.D. See Sinel'nikov, K.D., 0=10955
- Fedorenko, A.I. See Palatnik, L.S., 3=8895
- Fedorenko, A.I. See Strel'nikov, P.I., 0=10958
- Fedorenko, A.I. See Strel'nikov, P.I., 2=217
- Fedorenko, N.V. Ionization in collisions between ions and atoms, 1=4557
- Fedorenko, N.V. and Belyaev, V.A. On the maximum non-resonance charge-transfer cross-section, 0=12589
- Fedorenko, N.V., Filippenko, L.G. and Flax, I.P. Scattering of multiply-charged ions, linked with electron capture, 0=12590
- Fedorenko, N.V., Flaks, I.P. and Filippenko, L.G. Ionization of inert gases by multicharged ions, 0=12578
- Fedorenko, N.V., Il'in, R.N. and Solov'ev, E.S. Ionization of molecular hydrogen by fast hydrogen atoms, 3=7427
- Fedorenko, N.V. See Afrosimov, V.V., 1=9602
- Fedorenko, N.V. See Afrosimov, V.V., 1=9608
- Fedorenko, N.V. See Afrosimov, V.V., 1=9609
- Fedorenko, N.V. See Afrosimov, V.V., 2=153
- Fedorenko, N.V. See Afrosimov, V.V., 3=365
- Fedorenko, N.V. See Afrosimov, V.V., 4=8701
- Fedorenko, N.V. See Afrosimov, V.V., 4=12399
- Fedorenko, N.V. See Flaks, I.P., 2=154
- Fedorenko, N.V. See Flaks, I.P., 2=3718
- Fedorenko, N.V. See Flaks, I.P., 3=366
- Fedorenko, N.V. See Flaks, I.P., 3=2583
- Fedorenko, N.V. See Flaks, I.P., 3=7426
- Fedorenko, N.V. See Ilyin, R.N., 4=20118
- Fedorenko, N.V. See Solov'ev, E.S., 2=13540
- Fedorenko, N.V. See Solov'ev, E.S., 3=5620
- Fedorenko, N.V. See Solov'ev, E.S., 4=2944
- Fedorenko, N.V. See Solov'ev, E.S., 4=24566
- Fedorenkova, N.R. See Sanina, T.A., 1=4573
- Fedorets, V.A. See Barabashov, N.P., 0=18695
- Fedorov, A.A. See Sokolov, M.M., 0=12121
- Fedorov, A.F. and Samokhin, G.V. Gamma-field intensity over sea surface, 2=13012
- Fedorov, A.I. See Sobolev, N.N., 0=8853
- Fedorov, E.K. The influence of atomic explosions on meteorological processes, 0=4820
- Fedorov, E.P. and Yatskiv, Ya.S. The cause of the spurious "bifurcation" of the period of free nutation, 4=29250
- Fedorov, F.I. Optics of absorbing crystals. III. Crystals of lower symmetry. The optic axes, 0=179

- Fedorov, F.I. Optics of absorbing crystals. IV. Classification, 0=2936
- Fedorov, F.I. Certain general rules regarding the reflection of light from crystals, 0=12497
- Fedorov, F.I. Theory of quasi-transverse elastic waves in crystals, 3=17655
- Fedorov, F.I. The theory of elastic waves in crystals. Comparison with isotropic medium, 4=1910
- Fedorov, F.I. An approximate theory of quasi-longitudinal waves in crystals, 4=11281
- Fedorov, F.I. A general approximate theory of elastic waves in crystals, 4=23093
- Fedorov, F.I., Bokut', B.V. and Konstantinova, A.F. Optical activity of crystals of the planar classes of the middle groups, 3=20447
- Fedorov, F.I. and Goncharenko, A.M. Propagation of light along the circular optic axes of absorbing crystals, 3=15648
- Fedorov, F.I. and Konstantinova, A.F. The passage of light through plates of uniaxial optically active crystals. II. Plates cut parallel to the optic axis, 2=22066
- Fedorov, F.I. and Kotyash, T.L. Transmission of light through a transparent uniaxial crystal plate, 2=15750
- Fedorov, F.I. and Petrov, N.S. Special case of nonuniform electromagnetic waves in transparent crystals, 3=15645
- Fedorov, F.I. See Bokut', B.V., 0=19452
- Fedorov, F.I. See Bokut', B.V., 1=15002
- Fedorov, F.I. See Bokut', B.V., 4=20441
- Fedorov, F.I. See Goncharenko, A.M., 0=13673
- Fedorov, F.I. See Goncharenko, A.M., 3=15649
- Fedorov, F.I. See Goncharenko, A.M., 3=23031
- Fedorov, F.I. See Grum-Grzhimailo, S.V., 2=4129
- Fedorov, F.I. See Moroz, L.G., 0=20074
- Fedorov, F.I. See Petrov, N.S., 4=20440
- Fedorov, F.I. See Sotskii, B.A., 0=8765
- Fedorov, F.I. See Tomil'chik, L.M., 0=3651
- Fedorov, F.I. See Tomil'chik, L.M., 0=3652
- Fedorov, F.I. See Tomil'chik, L.M., 0=13727
- Fedorov, G.C. See Volkenshtein, N.V., 0=18398
- Fedorov, G.V. See Komar, A.P., 0=1619
- Fedorov, G.V. See Palatnik, L.S., 2=8876
- Fedorov, G.V. See Palatnik, L.S., 2=23800
- Fedorov, G.V. See Palatnik, L.S., 3=1366
- Fedorov, G.V. See Palatnik, L.S., 3=8895
- Fedorov, G.V. See Volkenshtein, N.V., 0=6075
- Fedorov, G.V. See Volkenshtein, N.V., 2=8290
- Fedorov, G.V. See Volkenshtein, N.V., 3=841
- Fedorov, M.B. See Vlasov, M.F., 2=5537
- Fedorov, N.D. Phase relationships in the cyclotron, 0=7177
- Fedorov, N.D. See Afanas'ev, I.I., 3=4206
- Fedorov, N.D. See Babichev, A.P., 2=22286
- Fedorov, N.D. See Babichev, A.P., 3=21913
- Fedorov, N.D. See Babichev, A.P., 4=14786
- Fedorov, N.D. See Bud'yansky, G.M., 1=9655
- Fedorov, N.D. See Zavenyagin, Yu.A., 0=9119
- Fedorov, N.O. See Afanasev, I.I., 3=21892
- Fedorov, O.P. See Brilliantov, N.A., 2=2364
- Fedorov, S.A. Determination of the curve temperature of ferro-electric BiFeO_3 , 2=4090
- Fedorov, V.B. See Arefyev, A.V., 4=6109
- Fedorov, V.B. See Gasanov, E.M., 4=30730
- Fedorov, V.B. See Prokhorov, A.M., 3=18117
- Fedorov, V.B. See Prokhorov, A.M., 4=26407
- Fedorov, V.B. See Prokhorov, A.M., 4=4390
- Fedorov, V.M. See Vavilov, Yu.M., 3=22239
- Fedorov, V.V. See Klepikov, N.P., 1=19260
- Fedorov, V.V. See Klepikov, N.P., 2=22590
- Fedorov, V.V. See Klepikov, N.P., 3=14928
- Fedorova, E.O. See Koslov, V.P., 2=107
- Fedorova, E.O. See Kozlov, V.P., 3=18509
- Fedorova, E.O. See Sholokhova, E.D., 3=18510
- Fedorova, G.A. See Lyubin, V.M., 1=6178
- Fedorova, G.A. See Lyubin, V.M., 3=15629
- Fedorova, M.F. Adsorption isotherms of gases on Bau charcoal at low temperatures in the pressure range of 10^{-9} - 10^{-2} mm Hg. I. Adsorption isotherms of hydrogen and deuterium, 4=7726
- Fedorova, M.F. See Lazarev, B.G., 0=8721
- Fedorova, M.F. See Lazarev, B.G., 0=16741
- Fedorova, M.F. See Lazarev, B.G., 1=4384
- Fedorova, M.F. See Lazarev, B.G., 2=5079
- Fedorova, M.P. See Gaevskaya, G.N., 3=21609
- Fedorova, M.P. See Gaevskaya, G.N., 4=5441
- Fedorova, M.P. See Kondrat'ev, K.Ya., 3=23567
- Fedorova, M.R. See Kondrat'ev, K.Ya., 3=23569
- Fedorova, N.I. On emission λ 10830 Å in aurorae, 1=15314
- Fedorova, N.I. Twilight fluorescence of helium emission λ 10830 Å, 3=3510
- Fedorova, N.I. See Krassovsky, V.I., 0=4808
- Fedorova, N.M. See Mikhailov, I.G., 4=160
- Fedorova, N.N. See Goryunova, N.A., 0=729
- Fedorovich, N.A. See Boltaks, B.I., 2=18606
- Fedorovich, N.A. See Boltaks, B.I., 3=20219
- Fedorovich, N.A. See Boltaks, B.I., 4=1507
- Fedorovich, P.D. Cold electron emission from CdS films, 4=21556
- Fedorovich, R.D. See Borzyak, P.G., 0=16056
- Fedorovich, R.D. See Borzyak, P.G., 1=17872
- Fedorovich, R.D. See Borzyak, P.G., 2=2213
- Fedorovich, Yu.V. Water as acceptor on a surface of germanium, 2=2143
- Fedorovich, Yu.V. Water as acceptor on a surface of germanium, 2=8325
- Fedorovich, Yu.V. Procedural methods for investigation of surface conductivity and surface potential in semiconductors, 2=21116
- Fedorovskii, A.E. See Semerchan, A.A., 3=23831
- Fedorus, A.G. See Kucherenko, E.T., 0=1164
- Fedorus, G.A. See Gol'ynnaya, G.I., 4=17536
- Fedorus, G.A. See Marchenko, A.I., 1=19899
- Fedorus, G.A. See Marchenko, A.I., 2=4061
- Fedorus, G.A. See Sal'kov, E.A., 1=7668
- Fedorus, G.A. See Trofimenko, A.P., 0=18037
- Fedorus, G.A. See Trofimenko, A.P., 1=19901
- Fedorus, G.A. See Trofimenko, A.P., 4=1596
- Fedorus, H.A. and Fursenko, V.D. Effect of Cu impurities on the photoelectric properties of CdS single crystals, 2=18740
- Fedorus, H.A. See Hol'ynna, H.I., 1=14511
- Fedorus, H.A. See Salkov, Ye.A., 1=19902
- Fedorus, H.A. See Trofimenko, A.P., 1=12459
- Fedorus, H.A. See Trofimenko, A.P., 1=14463
- Fedorus, Z.P. See Gabovich, M.D., 0=14985
- Fedorus, Z.P. See Habovych, M.D., 1=11979
- Fedoseev, L.I. See Zelinskaya, M.R., 0=18650
- Fedoseeva, E.G. See Zakharov, L.N., 4=14276
- Fedoseeva, L.A. and Granovskii, V.L. Cooling of the electron gas in a decaying mercury plasma, 2=5921
- Fedoseeva, N.P. See Pletneva, N.A., 4=1521
- Fedoseeva, O.P. See Gliberman, A.Ya., 1=1109
- Fedotov, A.P. See Gobov, G.V., 3=18043
- Fedotov, G.M. See Strel'tsov, N.S., 4=14796
- Fedotov, I.D. See Pavlov, V.A., 0=1847
- Fedotov, I.I. See Malov, N.N., 1=2673
- Fedotov, L.N., Popova, V.P. and Molotilov, B.V. Effect of mechanical factors on the magnetic structure and properties of alloys, 3=8634
- Fedotov, P.I. Application of the potential barrier criterion to a study of disintegrations in nuclear emulsions, 0=11399
- Fedotov, P.I. See Jdanov, A.P., 0=12738
- Fedotov, P.I. See Zhdanov, A.P., 0=5463
- Fedotov, P.I. See Zhdanov, A.P., 0=9624
- Fedotov, P.I. See Zhdanov, A.P., 1=3089
- Fedotov, P.I. See Zhdanov, A.P., 2=5921
- Fedotov, P.I. See Zhdanov, A.P., 3=2462
- Fedotov, P.I. See Zhdanov, A.P., 3=4643
- Fedotov, P.I. See Zhdanov, A.P., 4=3656
- Fedotov, S.G. and Belousov, O.K. The elastic properties of alloys of titanium with molybdenum, vanadium, and niobium, 4=1964
- Fedotov, S.G. and Belousov, O.K. Elastic constants of alloys of the titanium-niobium system, 4=26531
- Fedotov, S.G. and Mikheev, V.S. A mutual connection between impression hardness and normal elasticity modulus of titanium alloys on increase of temperature, 0=4552
- Fedotov, Yu.V. See Nedochotov, V.S., 4=15680
- Fedotov, V.N., Garif'yanov, N.S. and Koz'yrev, B.M. Electron paramagnetic resonance in Nb^4 , 3=15946
- Fedotov, V.N. See Garif'yanov, N.S., 2=15617
- Fedotov, V.N. See Garif'yanov, N.S., 2=17483
- Fedotov, V.N. See Garif'yanov, N.S., 3=1711
- Fedotov, V.N. See Garif'yanov, N.S., 3=21407
- Fedotova, A.Z. See Paleolog, E.N., 0=8310
- Fedotova, K.V. See Mokeeva, V.I., 3=23461
- Fedrighini, A. See Amerighi, M.C., 0=12776
- Fedrighini, A. See Baldassarre, F., 1=16862
- Fedrighini, A. See Baldassarre, F., 2=2562
- Fedrighini, A. See Escoubès, B., 3=19630

- Fedrichini, A. See Evans, D., 1=19267
 Fedrichini, C.A. See Jones, B.D., 1=8500
 Fedulov, S.A. Determination of the Curie temperature of ferroelectric BiFeO_3 , 2=2205
 Fedulov, S.A. and Venetsev, Yu.N. Investigations of the structure and dielectric properties of solid solutions of $(\text{PbZr})(\text{TiZr})\text{O}_3$, 2=8863
 Fedulov, S.A. and Venetsev, Yu.N. Investigations of the structure and dielectric properties of solid solutions of $(\text{PbZr})(\text{TiZr})\text{O}_3$, 2=15071
 Fedulov, M.V. Dependence of the number of defects in a single crystal on the direction of bombardment, 3=20250
 Fedulov, S.A. and Venetsev, Yu.N. Concerning the problem of the transition region between the ferroelectric and the paraelectric phases of $(\text{Pb}, \text{Ba})(\text{Ti}, \text{Zr})\text{O}_3$ solid solutions, 4=15739
 Fedulov, S.A., Venetsev, Yu.N. and Dzhmukhadze, D.F. An X-ray and electrical study of the PbTiO_3 - LaAlO_3 system, 3=20767
 Fedulov, S.A., Venetsev, Yu.N., Zhdanov, G.S. and Dzhmukhadze, D.F. X-ray diffraction and electrical investigation of the PbTiO_3 - LaFeO_3 system, 3=20852
 Fedulov, S.A., Venetsev, Yu.N., Zhdanov, G.S. and Rez, I.S. X-ray and electrical investigation of samples in the system PbTiO_3 , 3=13481
 Fedulov, S.A., Venetsev, Yu.N., Zhdanov, G.S. and Smazhevskaya, E.G. X-ray and electrical investigation of solid solutions in the system PbTiO_3 - SrSnO_3 , 1=20575
 Fedulov, S.A., Venetsev, Yu.N., Zhdanov, G.S. and Smazhevskaya, E.G. High-temperature X-ray and thermal-analysis results for bismuth ferrite, 3=20770
 Fedulov, S.A., Venetsev, Yu.N., Zhdanov, G.S., Smazhevskaya, E.G. and Rez, I.S. X-ray and electrical studies of the PbTiO_3 - BiFeO_3 system, 3=13116
 Fedulov, S.A. See Venetsev, Yu.N., 1=15018
 Fedyaevskii, K.K. and Ginevskii, A.S. Nonstationary turbulent boundary layer on a wing profile and on a figure of rotation, 0=10685
 Fedyakin, N.N. See Deryagin, B.V., 3=7195
 Fedyanin, O.I. See Bobyrev, N.A., 2=17798
 Fedyanin, O.I. See Bobyrev, N.A., 2=17814
 Fedyanin, O.I. See Bobyrev, N.A., 3=7513
 Fedyanin, O.I. See Bobyrev, N.A., 4=24712
 Fedyanin, V.K. Dispersion relations for Compton effect in nucleons, 1=16729
 Fedyanin, V.K. Dispersion relations for Compton effect in nucleons, 2=7838
 Fedyanin, V.K. Compton effect on proton in the dipole approximation, 2=13757
 Fedyanin, V.K. Compton effect on a proton in the dipole approximation, 3=5975
 Fedyanin, V.K. Application of dispersion relations to the Compton effect on the proton, 3=24674
 Fedushin, B.T. Effect of an electric field on the γ -luminescence of ZnS single crystals, 3=8629
 Fedushin, B.T. See Ryzhkov, V.A., 3=11013
 Feely, H.W. Strontium-90 content of the stratosphere, 0=8432
 Feely, H.W. and Spar, J. Tungsten-185 from nuclear bomb tests as a tracer for stratospheric meteorology, 1=6597
 Feenberg, E. Orbit to the sun, 0=6634
 Feenberg, E. Inertia of energy, 0=16563
 Feenberg, E. See Fa Yueh Wu, 1=6990
 Feenberg, E. See Fa Yueh Wu, 3=77
 Feenberg, E. See Jackson, H.W., 1=15736
 Feenberg, E. See Jackson, H.W., 3=5566
 Feeney, J. See Boden, N., 4=30480
 Feeney, M.B. See Blackstock, A.W., 4=8014
 Fefer, A.M. See Borisov, N.D., 2=16626
 Fefilov, B.V. See Polikanov, S.M., 3=24984
 Feher, E. See Weger, M., 4=26414
 Feher, E. R. Effect of uniaxial stresses on the paramagnetic spectrum of Mn^{3+} and Fe^{3+} in MgO , 4=30736
 Fehér, F., Hirschfeld, D. and Linke, K.H. The crystal structure of sodium hypochlorite, $\text{NaClO}_3 \cdot 5\text{H}_2\text{O}$, 3=3300
 Feher, G. Electron nuclear double resonance (ENDOR) experiments, 0=10242
 Feher, G. Applications of the technique of electronic and nuclear double resonance (ENDOR) to donors in silicon, 0=16174
 Feher, G. Paramagnetic resonance experiments on shallow impurities in silicon and germanium, 2=23705
 Feher, G., Hensel, J.C. and Gere, E.A. Paramagnetic resonance absorption from acceptors in silicon, 1=1266
 Feher, G., Prepost, R. and Sachs, A.M. Muonium formation in semiconductors, 1=2074
 Feher, G. See Clark, W.G., 4=22462
 Feher, G. See Hensel, J.C., 0=20785
 Feher, G. See Hensel, J.C., 3=8415
 Feher, G. See Wilson, D.K., 1=20232
 Feher, K. Measurements of the velocity distribution on plates and membranes, 0=19313
 Feher, K. and Schmidt, W. Investigations on ceramic electrostrictive materials with respect to their polarization state, 2=21210
 Fehlhäber, L. Effect of extraterrestrial corpuscular streams on the earth's magnetic field, 3=18568
 Fehlhäber, L. See Bean, B.R., 3=513
 Fehlkamm, G. A programme for the evaluation of astrophysics tests using the Jena co-ordinometer, 3=11489
 Fehlmann, M., Ghose, S. and Finney, J.J. Direct determination of the crystal structure of corneite, $\text{Cu}_3\text{PO}_4(\text{OH})_3$, by the Monte Carlo method, 4=30847
 Fehlnert, T.P. and Koski, W.S. The fragmentation of some boron hydrides by electron impact, 4=21460
 Fehr, G.A. See Greener, E.H., 3=8527
 Fehrenbach, C. Some research into the gradual development of electronic photography, 0=18592
 Fehrenbach, C. See Dossin, F., 2=6694
 Fehrenbach, C. The spectrum of comet Ikeya (1963 a), 3=18624
 Fehrenbach, C. and Guérin, P. Anomalous behaviour of NH_3 bands in the spectrum of the planet Jupiter, 4=29428
 Fehrenbach, C. See Swings, P., 3=3554
 Fehrentz, D. and Daniel, H. Effect of source thickness on the measured shape of a beta spectrum, 2=3509
 Fehsenfeld, F. See Harrison, H., 3=10090
 Fehsenfeld, F.C. Cyclotron resonance in slightly ionized gases, 4=461
 Feibelman, W.A. Note on auroral motion, 0=12192
 Feibelman, W.A. Aurora of May 4-5, 1959 (No. 24), 0=12193
 Feibelman, W.A. Apparent solar prominences caused by jet planes crossing the solar limb, 0=18757
 Feibelman, W.A. Area-intensity integrator for solar flares, 1=2621
 Feibelman, W.A. Evaporated selenium films for use in $\text{H}\alpha$ photography, 1=9491
 Feibelman, W.A. Low sun phenomena, 3=11547
 Feibelman, W.A. See Kanter, H., 3=1177
 Feibelman, W.A. See Skorinko, G., 3=14643
 Feichtinger, H., Bächtold, H. and Brauner, K. Precise gas analysis in metals by means of gas chromatography, 2=21603
 Feid, K. An improved micro-melting point method and its application to the determination of the cryoscopic constant of camphor, 4=362
 Feidler, J. and Herrmann, G. Prediction of the most likely nuclear charge of primary fission products by means of the equal charge displacement rule and of a new mass formula, 3=24994
 Feige, Y., Strop, J. and Alterovitz, S. Fluorescence escape from a gamma dosimeter plate, 4=3378
 Feigelson, E.M. Origination and development of stratus clouds, 2=21633
 Feigl'son, E.M. Effect of diffusion on the attenuation of searchlight beams, 3=3467
 Feigl'son, E.M. and Dobrova, O.N. Light scattering in a stratiform cloud, 3=9043
 Feigin, L.A. Lattice distortion of graphite during mechanical dispersion, 0=1911
 Feil, D. and Jeffrey, G.A. The polyhedral clathrate hydrates. II. Structure of the hydrate of tetra isoamyl ammonium fluoride, 1=20569
 Fein, A.E. Simple nomogram for radioactive interchange factors, 0=19491
 Fein, A.E. See Carr, W.J., Jr., 1=17481
 Fein, A.E. See Gourary, B.S., 2=3874
 Fein, A.E. See Maradudin, A.A., 3=2718
 Fein, A.E. See Maradudin, A.A., 3=4822
 Fein, A.E. See Miller, R.C., 2=14589
 Fein, A.E. See Williams, J.B., 4=15114
 Fein, H. Transistor switch stimulus isolator, 0=21400
 Feinberg, E.L. Theory of multiple production of particles at high energy interaction, 0=9264
 Feinberg, E.L. Electromagnetic processes accompanying multiple particle production, 3=19593
 Feinberg, E.L. On the "special role" of the electromagnetic potentials in quantum mechanics, 4=11882
 Feinberg, E.L. and Chernavskii, D.S. Regge narrowing of the diffraction cone and the role of multimeson interactions, 4=6050

- Feinberg, E.L. See Chernavsky, D.S., 3=19571
 Feinberg, E.L. See Dobrotin, N.A., 4=16818
 Feinberg, G. Invariance under antiunitary operators, 0=17235
 Feinberg, G. Conservation of hypercharge, 2=3262
 Feinberg, G. Decay products of vector mesons, 2=16238
 Feinberg, G. Mass and interactions of the W meson, 4=21886
 Feinberg, G. and Goldhaber, M. Microscopic tests of symmetry principles, 0=5518
 Feinberg, G. and Gürsey, F. Approximate symmetries in the two-neutrino theory, 3=538
 Feinberg, G., Gürsey, F. and Pais, A. Lepton pairings in the two-neutrino theory, 2=265
 Feinberg, G., Kabir, P. and Weinberg, S. Transformation of muons into electrons, 0=2561
 Feinberg, G. and Mani, H.S. Three-pion and four-pion decays of the intermediate boson, 4=9087
 Feinberg, G. and Pais, A. Properties and effects of ζ decays, 2=13865
 Feinberg, G. and Pais, A. Electromagnetic effects on decays of G eigenstates, 2=20277
 Feinberg, G. and Pais, A. A field theory of weak interactions. I, 3=24620
 Feinberg, G. and Pais, A. A field theory of weak interactions. II, 4=9107
 Feinberg, G. and Weinberg, S. On the phase factors in inversions, 0=1238
 Feinberg, G. and Weinberg, S. Law of conservation of muons, 1=8467
 Feinberg, G. and Weinberg, S. Conversion of muonium into antimuonium, 1=12094
 Feinberg, G. See Bander, M., 0=15377
 Feinberg, G. See Bernstein, J., 2=7815
 Feinberg, G. See Bernstein, J., 2=22409
 Feinberg, G. See Bernstein, J., 4=3382
 Feinberg, R. Rise and decay of intensity of luminescence of short-persistence phosphors, 0=659
 Feinberg, R. and Rhead, G.E. Photovoltaic response of selenium barrier layer cells to X-radiation in the energy range of 15-40 keV, 1=14516
 Feinberg, R., and Roberts, M.E. The spectral distribution of some optical radiation phenomena in arc conduction pulses in low pressure inert gases, 2=9551
 Feinberg, R. and Roberts, M.E. Cold cathode arc characteristics of argon and neon at pulsed current loading, 3=4077
 Feinberg, R. and Roberts, M.E. Some optical radiation phenomena in the arcs of low-pressure inert gases, 3=4078
 Feinberg, R. and Roberts, M.E. An optical radiation quenching effect following a current pulse superimposed on a background arc plasma in a low-pressure mercury vapour valve, 3=19223
 Feinberg, R. and Roberts, M.E. Electron and ion density hysteresis effects in a low-pressure mercury-vapour plasma carrying a current of varying instantaneous value, 3=24287
 Feinberg, R. and Roberts, M.E. Plasma disturbance following a short-duration current pulse, 4=19036
 Feinberg, R.M. See Camac, M., 2=22090
 Feinberg, S.M. A hypothesis for the trajectory of a quantum particle, 4=11062
 Feinberg, S.M., Konobeevskii, S.T., Dollezhal', N.A., Emel'ianov, I.Y., Tsikanov, V.A., Bulkin, Y.M., Zhirnov, A.D., Filippov, A.G., Shchipakin, O.L., Perfil'ev, V.P., Samoilov, A.G. and Ageenov, V.I. The 50 MW research reactor, S.M., 3=10421
 Feiner, F. See Wright, W.B., 0=15629
 Feinleib, J., Groves, S., Paul, W. and Zallen, R. Effect of pressure on the spontaneous and stimulated emission from GaAs, 3=25495
 Feinleib, J. See Adler, D., 4=25993
 Feinleib, M. The effect of carbon in cathode metals on residual gases in electron tubes, 4=21203
 Feinstein, L. See Taimuty, S.I., 4=26140
 Feisel, D.H. and Armstrong, R.W. A volume-fluctuation model for self-diffusion in crystalline solids, 4=22604
 Feist, W.M., Wade, G. and Merrill, R.P. Beam characteristics for electron emission from a narrow energy band of a semiconductor, 4=27563
 Feiten, J.B. See Hays, D.F., 4=8150
 Feiter, L.D. See de Feiter, L.D.
 Feitknecht, J., Herr, W. and Hoffmeister, W. Isotope composition of ruthenium in meteorites, 2=24106
 Feitknecht, W. See Bernal, J.D., 0=6337
 Feix, G. Improving "minimum detectable signal" in radio-astronomy, 4=7987
 Feix, M. Propagation of a double stream instability in a plasma, 3=9775
 Feix, M. Excitation level of plasma oscillations, 4=21531
 Feix, M. and Schram, P. Correlation function in a plasma outside equilibrium, 4=11566
 Feix, M. See Combe, R., 0=15147
 Feix, M. See Eldridge, O.C., 2=20111
 Feix, M. See Eldridge, O., 3=4115
 Feix, M. See Eldridge, O.C., 3=9770
 Feix, M. See Engelmann, F., 2=3058
 Feix, M. See Engelmann, F., 3=9817
 Feix, M. See Engelmann, F., 4=8679
 Feix, M.R. Quantum mechanical treatment of correlations in a plasma, 4=11565
 Fejer, J.A. Electrodynamical stability of a vertically drifting ionospheric layer, 0=12155
 Fejer, J.A. Hydromagnetic wave propagation in the ionosphere, 0=16438
 Fejer, J.A. Scattering of radio waves by an ionized gas in thermal equilibrium, 0=17108
 Fejer, J.A. Scattering of radio waves by an ionized gas in thermal equilibrium in the presence of a uniform magnetic field, 1=9689
 Fejer, J.A. Radio-wave scattering by an ionized gas in thermal equilibrium, 1=16584
 Fejer, J.A. The effects of energetic trapped particles on magnetospheric motions and ionospheric currents, 2=888
 Fejer, J.A. The absorption of short radio waves in the ionospheric D and E regions, 3=5880
 Fejer, J.A. Hydromagnetic reflection and refraction at a fluid velocity discontinuity, 3=12304
 Fejer, J.A. Theory of auroral electrojets, 3=18560
 Fejer, J.A. Scattering of electromagnetic waves by a plasma cylinder, 4=14667
 Fejer, J.A. Hydromagnetic stability at a fluid velocity discontinuity between compressible fluids, 4=16639
 Fejer, J.A. Atmospheric tides and associated magnetic effects, 4=23774
 Fejer, J.A. and Vice, R.W. An investigation of the ionospheric D-region, 0=14228
 Fejer, J.A. and Vice, R.W. The use of full-wave solutions in the interpretation of ionospheric absorption measurements, 0=15168
 Fejer, J.A. See Axford, W.I., 2=15270
 Fejer, J.A. See Dessler, A.J., 3=23651
 Fekete, J.M. See Bennett, A.I., 2=21486
 Fel, S.S. See Levinson, I.B., 4=8945
 Felber, H. The efficiency of a C^{14} dating apparatus, 2=22751
 Felber, H. and Vychtyl, P. An apparatus for the measurement of weak, low energy beta-radiation, in particular for age determinations by the radioactive-carbon method, 3=7829
 Felbinger, K., Häufelböckner, H., Niemann, J. and Scheer, M. Angular dependence of the X-ray bremsstrahlung spectrum from thick targets at 29 MeV, 0=7327
 Felbinger, K., Kulenkampff, H., Scheer, M. and Schröder, E. A magnetic Compton-spectrometer for the investigation of high energy bremsstrahlung, 2=3309
 Felcher, G.P., Cable, J.W. and Wilkinson, M.K. The magnetic moment distribution in Cu_2MnAl , 4=15644
 Felcher, G.P., Gazzarrini, F. and Poletti, G. A fission chamber for monitoring a collimated neutron beam from a reactor, 2=3670
 Felcher, G.P., Germagnoli, E. and Musci, M. Absolute calibration of a Ra-Be neutron source, 0=5570
 Felcher, G.P., Germagnoli, E., Musci, M. and Poletti, G. On some intercomparisons between calibrated neutron sources, 1=7253
 Felcher, G.P. and Koehler, W.C. Magnetic structure of rare-earth iridium compounds RIr_2 , 3=23185
 Felcher, G.P. and Koehler, W.C. Magnetic structure of RIr_2 —rare earths—iridium, 4=28829
 Felcher, G.P. and Musci, M. Study of the lattice dynamics of solid and of liquid media by slow neutron spectroscopy, 1=7525
 Felcher, G.P. See Antonini, B., 4=28794
 Feld, B.T. Violation of isotopic spin conservation in the decay of excited mesonic states, 2=22605
 Feld, B.T. Erratum: Violation of isotopic spin conservation in the decay of excited mesonic states, 3=6022
 Feld, B.T. and Iso, C. On the "Quasi-elastic diffraction" scattering of high-energy protons, 1=13413
 Feld, B.T. and Lichtenberg, D.B. A possible means to obtain evidence concerning the spin of the K^0 -meson, 2=3401

- Feld, B.T., Maglič, B.C. and Parks, J. Use of a nuclear emulsion as an analyser of proton polarization: application to the polarization of protons in the photoisintegration of the deuteron. 1=13419
- Feld, B.T. See Costa, G., 0=11208
- Feld, B.T. See Maglič, B.C., 1=12105
- Fel'd, Ya.N. and Benenson, L.S. Calculation of the phase velocities of waves in an artificial metal dielectric, 1=4719
- Felderhof, B.U. Properties of the master equation, 2=2635
- Felderhof, B.U. Theory of transverse waves in Vlasov-plasmas. I. No external fields; isotropic equilibrium, 3=14581
- Felderhof, B.U. Theory of transverse waves in Vlasov-plasmas. II. External magnetic field; anisotropic equilibrium, 3=14582
- Felderhof, B.U. Theory of transverse waves in Vlasov-plasmas. III. Reflection of electromagnetic waves by a plasma half-space, 3=19253
- Felderhof, B.U. A theory of fluctuations in plasmas, 4=29902
- Feld, E.J., Meriwether, J.R., Choppin, G.R. and Fox, J.D. A scattering chamber using junction counters, 3=17095
- Feld, E.J., Weiss, P.B. and Davis, R.H. A target chamber for precision angular distribution measurements, 4=30100
- Feldman, A.S. See Zwislöck, J., 3=9293
- Feldman, C. Range of 1-10 KeV electrons in solids, 0=5547
- Feldman, C. Apparent loss of efficiency in multilayer cathodoluminescent films, 0=11789
- Feldman, C. Temperature dependence of resistance of thin metal films, 3=15544
- Feldman, C. and Hacksaylo, M. Temperature characteristics of vacuum deposited dielectric films, 3=8555
- Feldman, C. and Hacksaylo, M. Polarized thermal emission of light from thin metal films, 3=17980
- Feldman, C. See Bryla, S.M., 2=8268
- Feldman, C. See Hacksaylo, M., 2=23493
- Feldman, C.L. See Rona, T.P., 0=2262
- Feldman, D. See Hwa, R.C., 2=11978
- Feldman, D. See Hwa, R.C., 3=12483
- Feldman, D. See Kowalski, K.L., 1=10884
- Feldman, D. See Kowalski, K.L., 3=10108
- Feldman, D. See Kowalski, K.L., 3=14975
- Feldman, D. See Okubo, S., 0=3922
- Feldman, D. See Okubo, S., 0=3923
- Feldman, D. See Saperstein, A.M., 0=1400
- Feldman, D.W. Nuclear resonance oscillator stabilized by a magnetic field, 0=5432
- Feldman, D.W. and McAvoy, B.R. A 100 dB microwave semiconductor switch, 1=4547
- Feldman, D.W., Warren, R.W. and Castle, J.G., Jr. Spin-lattice relaxation of F centers in KCl: isolated F centers, 4=26421
- Feldman, D.W. See Castle, J.G., Jr., 1=5073
- Feldman, D.W. See Castle, J.G., Jr., 3=13009
- Feldman, D.W. See Klemens, P.G., 4=17341
- Feldman, D.W. See Klemens, P.G., 4=28387
- Feldman, D.W. See McAvoy, B.R., 1=14333
- Fel'dman, E.P. See Pastur, L.A., 3=17716
- Feldman, G., Fulton, T. and Wali, K.C. Some consequences of the decay modes and production of the new heavy bosons, 2=11865
- Feldman, G. and Matthews, P.T. Massive electrodynamics, 3=14855
- Feldman, G. and Matthews, P.T. Two-field couplings with especial reference to photon-neutral meson interaction, 4=822
- Feldman, G., Matthews, P.T. and Salam, A. The inelastic scattering of elementary particles. II, 0=15284
- Feldman, G., Matthews, P.T. and Salam, A. Nonleptonic decay modes of the hyperons, 1=547
- Feldman, G. See De Celles, P., 0=5494
- Feldman, G. See Evans, L., 1=12043
- Feldman, G. See Wali, K.C., 1=12123
- Feldman, H.R. See Commins, E.D., 3=19945
- Feldman, J.H. Study of the number of particles in the quasi-particle approximation, 3=23789
- Feldman, J.L. The relation between ϵ (elastic) and ϵ (calorimetric) near $T = 0^\circ\text{K}$, 4=28343
- Feldman, J.L. and Horton, G.K. Interpretation of Debye-Waller factors, 4=3982
- Feldman, J.M. and Williams, E.M. Electrode sputtering in high pressure electric discharges, 3=14533
- Feldman, J.M. See Brandewie, R.A., 4=8995
- Feldman, J.M. See Haswell, W.T., III., 4=14949
- Feldman, M. Photomultiplier transit times, 4=29966
- Feldman, M., Highland, V., DeWire, J.W. and Littaver, R.M. Double pion photoproduction, 1=2092
- Feldman, M. See Berkelman, K., 3=14958
- Feldman, M. See Berkelman, K., 3=24673
- Feldman, M. See DeWire, J.W., 2=1671
- Feldman, M. See Streitwieser, A., Jr., 4=25620
- Fel'dman, M.R. Stability of orthotropic plates with a stepwise changing rigidity, 1=15988
- Feldman, P. and Novick, R. Autoionizing states in the alkali atoms with microsecond lifetimes, 4=3783
- Feldman, P. and Novick, R. Observations on the $(1s2s2p)^4P_{5/2}$ metastable state in lithium, 4=25538
- Feldman, P. See Swartz, C.E., 2=15973
- Feldman, S. On hypersonic wakes in the atmosphere, 0=14679
- Feldman, S. Stabilization of Taylor instability by a shearing flow, 1=5262
- Feldman, U. and Folman, M. Dielectric absorption of adsorbed NH_3 in the microwave region, 4=17293
- Feldman, U., Schonfeld, Ch. and Folman, M. Influence of solid adsorbent on the inversion vibration of NH_3 , 4=6582
- Feldman, U. See Alexander, E., 3=8593
- Feldman, U. See Alexander, E., 3=25476
- Feldmane, E. See Shvarts, K., 4=28451
- Feldmann, T. and Treinin, A. Dihalide ions trapped in glasses, 4=4707
- Feldmann, W.L. See Chynoweth, A.G., 1=5779
- Feldmann, W.L. See Chynoweth, A.G., 1=17834
- Feldstein, Ya.I. The aurora australis during July 1959 at the geomagnetic pole, 2=914
- Feldstein, J.I. Magnetic disturbances and aurorae in the near-polar region of the northern hemisphere, 2=19237
- Feldstein, J.I., Khorosheva, O.V. and Lebedinsky, A.I. Investigations of auroral planetary distribution, 2=15256
- Feldstein, J.I. and Solomatina, E.K. Geographical distribution of aurorae in the southern hemisphere, 2=19236
- Feldstein, S. See Jaffe, J., 4=26985
- Feldstein, Y.I. Auroral morphology. I. The location of the auroral zone, 4=30939
- Feldstein, Y.I. Auroral morphology. II. Auroral and geomagnetic disturbances, 4=30940
- Feldtkeller, E. Structure and resistance of very strongly disordered Cu films at low temperatures, 0=3283
- Feldtkeller, E. An illustrative account of coherent magnetization rotations in thin ferromagnetic films, 0=11856
- Feldtkeller, E. Field induced and incidence angle anisotropy in nickel-iron films, 1=10158
- Feldtkeller, E. The remagnetization of anisotropic nickel-iron films in the difficult direction. II. Hysteresis and domain behaviour, 1=10164
- Feldtkeller, E. Bloch lines in thin nickel-iron films, 3=15809
- Feldtkeller, E. The field strength for wall movement in anisotropic nickel-iron films, 3=18090
- Feldtkeller, E. Ripple hysteresis in thin magnetic films, 3=23172
- Feldtkeller, E. Anisotropy magnitude of thin magnetic films, 4=7248
- Feldtkeller, E. Susceptibility measurements on anisotropic nickel-iron films, 4=7279
- Feldtkeller, E. Review of the magnetic properties of thin films, 4=22973
- Feldtkeller, E. and Liesk, W. 360° walls in magnetic films, 2=12782
- Feldtkeller, R. and Oettinger, R. The audibility thresholds of pulses of different durations, 0=18533
- Felenbok, P. Calculation of Franck-Condon factors for electronic transitions $[B^2\Sigma^+-A^2\Sigma^+]$ of the OH molecule, 3=12827
- Felenbok, P. Contribution to the study of the molecular spectra of radicals OH and OD, 4=3866
- Felenbok, P. and Czarny, J. Identification of the system $C^2\Sigma^+-X^2\Pi_1$ of OH and OD in the vacuum ultraviolet, 4=30439
- Felenbok, P. See Herman, L., 1=14014
- Felenbok, P. See Herman, L., 3=10514
- Felenbok, P. See Herman, L., 4=3922
- Felici, C. See Ageno, M., 2=22140
- Felici, C. See Ageno, M., 3=24174
- Felici, N. The influence of water on the conductivity of dielectric liquids, 1=2767
- Felici, N. Obtaining liquids of high dielectric permittivity and of high resistivity, 0=2172
- Felici, N. Possibility of liquids with high dielectric constant and low conductivity, 0=5023
- Felici, N. Influence of water on the conductivity of dielectric liquids, 0=19136

- Félici, N. Singularities of electric fields in an ionized medium, 3=4110
- Felici, N. Singular and regular solutions of the equation of ionized electric fields, 3=9772
- Félici, N. Boundary conditions and determination of regular solutions of the ionized electric field equation, 3=19168
- Felici, N. See Belmont, J. L., 4=3052
- Felici, N. See David, J. E., 1=18953
- Félici, N. J. Simple method of calculation for electrostatic lenses, 0=19747
- Felici, N. J. The de-ionization of strongly polar liquids, 4=23663
- Felici, S. See Gualandi, M. P., 4=6438
- Feliu, S. and Castro, G. A method of obtaining etch spirals and their relation with dislocations in silicon iron, 2=14933
- Felix, D. See Henderson, D., 2=19534
- Fell, J. H. See Entwistle, K. M., 3=6796
- Fellenzer, H. Measurement of the reduced plasma loss in lithium in transmission, 2=6309
- Feller, H. G. Dimensional changes in zircaloy-2 and zirconium-10 wt % niobium alloy during annealing in a temperature gradient, 4=20691
- Feller, H. G. and Heumann, T. Electrolytic transfer in silver-zinc-alloys, 3=11354
- Feller, H. G. and Wever, H. Thermal diffusion in high temperature phases of zirconium and titanium, 3=22828
- Feller, H. G., Wever, H. and Wilk, C. Thermal diffusion in binary metallic mixed phases. II. Measurements in several phases of the system copper-tin, 4=9984
- Fellgett, P. A contribution to the theory of the multiplex interferometric spectrometer, 0=16832
- Fellgett, P. A multiplex interferometric spectrometer for infrared measurements on stars, 0=16839
- Fellgett, P. On the interpretation of solar granulation, 0=18740
- Fellgett, P., Jones, R. C. and Twiss, R. Q. Fluctuations on photon streams, 0=5123
- Fellgett, P. B. On the relevance of photon noise and of informational assessment in scientific photography, 3=14389
- Fellows, E. C. and Bumford, B. A. The terminal electronic circuits of a pulsed 2 MeV electrostatic accelerator, 3=16995
- Fellows, E. C. See Hunt, S. E., 3=456
- Fells, I. See Essenhig, R. H., 1=11639
- Felmlee, W. J. See Diesen, R. W., 4=4691
- Felsen, L. B. Comments on a paper "The scattering of electromagnetic waves by a corrugated sheet" by T. B. A. Senior, 0=5405
- Felsen, L. B. High-frequency diffraction by a wedge with a linearly varying surface impedance, 2=5472
- Felsen, L. B. Propagation and diffraction in uniaxially anisotropic regions. I. Theory, 4=14883
- Felsen, L. B. Propagation and diffraction in uniaxially anisotropic regions. II. Applications, 4=14884
- Felsen, L. B. A reciprocity theorem for the interaction of electromagnetic plane waves with a one-dimensional inhomogeneous slab, 4=21652
- Felsen, L. B. Focusing by an anisotropic plasma interface, 4=29924
- Felsen, L. B. and Hessel, A. A network approach to the analysis of Čerenkov radiation problems. Comment on the paper "on the theory of some Čerenkovian effects" by G. Toraldo Di Francia, 1=10870
- Felsen, L. B. and Marcinkowski, C. J. Diffraction by a cylinder with a variable surface impedance, 2=11792
- Felsen, L. B. and Siegel, K. M. Diffraction and scattering, 2=7402
- Felsen, L. B. and Weston, V. H. Classical diffraction and scattering, 4=30051
- Felsen, L. B. See Arbel, E., 4=721
- Felsen, L. B. See Arbel, E., 4=722
- Felsen, L. B. See Marcinkowski, C. J., 3=7700
- Felsen, L. B. See Marcinkowski, C. J., 3=7701
- Felsner, G. Coulomb corrections to internal Bremsstrahlung, 3=15130
- Felsner, G. and Rose, M. E. Electron polarization in allowed beta-transitions with Coulomb corrections, 1=636
- Felsner, G. and Rose, M. E. Effect of inelastic scattering on polarization asymmetry, 1=12259
- Felst, R. See Siemssen, R. H., 4=15232
- Fel'stan, P. F. See Zapischii, I. P., 2=18424
- Felsteiner, J. See Daniels, J. M., 4=28317
- Felt, J. W. Comment on "significance of the Mach principle", 2=13288
- Felten, J. E. and Morrison, P. Recoil photons from scattering of starlight by relativistic electrons, 3=19723
- Feltham, P. The flow stress of metals at low temperatures, 1=5083
- Feltham, P. Creep and stress relaxation in alpha-brass at low temperatures, 1=6463
- Feltham, P. Stress relaxation in alpha-iron at low temperatures, 1=20318
- Feltham, P. On the creep of metals at very low temperatures, 2=2326
- Feltham, P. Cross-slip and fatigue in metals at low temperatures, 2=6756
- Feltham, P. Creep of metals, 2=18997
- Feltham, P. High temperature metallography, 2=23861
- Feltham, P. Stress relaxation and dynamic recovery in cobalt at low temperatures, 3=18172
- Feltham, P. Stress relaxation in magnesium at low temperatures, 3=23310
- Feltham, P. A simple camera for high temperature microscopy, 4=11377
- Feltham, P. On the formation of point defects in metals by plastic deformation, 4=25924
- Feltham, P. On the formation of point defects by plastic deformation in ionic crystals, 4=28916
- Feltham, P. and Copley, G. J. Creep in face-centred metals and solid solutions with special reference to α -brasses, 0=21105
- Feltham, P. and Meakin, J. D. Creep in face-centred cubic metals with special reference to copper, 0=18256
- Feltham, P. and Meakin, J. D. On the activation energy of high temperature creep, 2=4327
- Feltham, P. and Myers, T. Energy barriers controlling creep processes in metals with special reference to β -cobalt, 3=11162
- Feltham, P. and Sinclair, R. A. Dislocation configuration in copper after high-temperature creep, 3=12978
- Feltham, P. See Kovács, I., 4=7389
- Feltham, P. See Kovács, I., 4=22682
- Feltham, P. J. and Copley, G. J. Yielding and work-hardening in alpha-brasses, 1=3968
- Fel'tin'sh, I. Investigations of the Hall effect and thermoelectric properties of gallium arsenoselenide, 0=11712
- Fel'tin'sh, I. Properties of arsenoselenides of gallium at high temperatures, 1=3766
- Fel'tin'sh, I. A. Semiconductors and their applications in electrical engineering. I. New semiconductor materials - solid solutions of GaAs-Ga₂Se₃, 1=19877
- Fel'tin'sh, I. A. See Nasledov, D. N., 0=15955
- Feltman, A. V. and Cottingham, J. G. Torque reversing drive for light d. c. target motor, 4=21610
- Feltner, C. E. Dislocation arrangements in aluminium deformed by repeated tensile stresses, 3=20754
- Feltner, C. E. Comment on "Cross-slip and fatigue in metals at low temperatures", 4=7387
- Feltner, C. E. Cyclic stress-induced ductility in cadmium, 4=10372
- Feltner, C. E. Dislocation debris in aluminium fatigued at 78°K, 4=12751
- Feltner, C. E. and Jackobs, J. Automatic area compensator for constant stress-cycling, 4=7371
- Feltner, C. E. and Laughhunn, D. J. On the activation energy for polygonization, 2=16651
- Felton, A. and Hill, J. J. The calibration of d. c. resistance standards by an a. c. method, 3=21673
- Fel'tyn', I. and Ėrtelis, U. On the influence of dislocations on diffusion of certain elements in germanium, 4=25961
- Fel'tynowski, A. Observation of electron biprism interferences in the electron microscope, 3=21883
- Fel'tynowski, A. and Górski, L. Electron microscopical investigation of cleavage faces of indium antimonide single crystals, 0=3285
- Fel'tynowski, A. and Górski, L. Electron microscopical investigation of cleavage faces of InSb single crystals, 0=11997
- Feminò, S., Jannelli, S. and Mezzanares, F. π^- -N interactions at 4.5 GeV, 4=9242
- Femino, S. See Baldoni, B., 3=5998
- Fén Shao-sun [Fēng Shao-sung] Reflection of waves of finite amplitude, 1=4412
- Fender, B. E. F. Potential parameters of krypton, 2=10288
- Fender, B. E. F. and Halsey, G. D., Jr. Second virial coefficients of argon, krypton, and argon-krypton mixtures at low temperatures, 2=11413
- Fender, D. H. and Mayne, S. Visibility of a fine line in intermittent illumination, 0=18548
- Fendler, H. G., Knörzer, G. and Preusch, H. Comparison of two- and three-group calculations with measurement, 3=17511

- Fendler, H.G., Preusch, H. and Sellen, L. Shielding calculations for a boiling water reactor, 2=8041
- Fendley, J.J. Jr. See Harnqvist, K.G., 3=9848
- Fendley, J.R., Jr. Integration of current through getter-ion pumps, 1=5302
- Fendley, J.R., Jr. Continuous pumping of cesium vapour devices, 4=24543
- Feneberg, W. Transport properties of a partially ionized plasma in a magnetic field, 4=11588
- Feneberg, W. See Haug, A., 0=16944
- Fenech, H. See Joanou, G.D., 4=9532
- Fen'esh, I. Analogy between the mechanical and thermodynamical equations of motion and the Onsager reciprocity relation, 0=3465
- Feneuille, S. Theoretical study of the optical absorption spectrum of ruby, 4=22885
- Feng, S.Y. and Bloembergen, N. Relaxation time measurements in ruby by a d.c. magnetization technique, 3=13306
- Feng Shao-sung. See Fén Shao-sun, 1=4412
- Fengel, D., Balser, K. and Jayme, G. Electron optical colour photographs, 3=25799
- Fengel, D., Balser, K. and Jayme, G. Colour photographs in the electron microscope and their evaluation, 4=2101
- Fengler, C. The reflection of a pulse at an Epstein profile [of the ionosphere], 3=16251
- Fengler, H. An extension of the kinematic theory for the description of electron interference in crystals, 2=6800
- Fengler, H. Theoretical description of "Umweganregung" for electron interference in crystals, 2=8816
- Fenici, P. See Cristofori, F., 4=300
- Fenimore, C.P. Comment on the paper "thermal decomposition of nitrous oxide", 2=4529
- Fenimore, C.P. and Jones, G.W. Destruction of acetylene in flames with oxygen, 4=2153
- Fenimore, C.P. and Jones, G.W. Rate of destruction of acetylene in flame gases, 4=30897
- Fenimore, C.P. See Gardiner, W.C., Jr., 4=23655
- Fenin, Yu.I. See Popov, Yu.P., 3=17479
- Fenkart, R. See Becker, W., 3=9252
- Fenkart, R.P. Revolving half-plate [halbblende], an additional apparatus of the iris diaphragm plane photometer, 2=6973
- Fenn, J.B. See Deckers, J., 3=8316
- Fenn, J.B. See Maise, G., 4=27206
- Fenn, J.B. See Reis, V.H., 4=5222
- Fenn, R.H., Oldham, J.W.H. and Phillips, D.C. Crystal structure of $(\text{CH}_3)_3\text{S.HgI}$, and the configuration of the HgI ion, 3=16087
- Fenn, R.W. and Weickmann, H.K. Atmospheric net radiation flux during winter in the Thule area, Greenland, 1=15230
- Fenn, R.W., Jr. See Bragg, R.H., 4=20704
- Fennema, J.W.R. On the degree of polarisation of Lyman- α radiation emitted by hydrogen atoms excited by impact, 4=12350
- Fennema, J.W.R. On the impact parameter treatment of excitation, ionization and charge transfer processes, 4=24547
- Fenner, G.E. Effect of hydrostatic pressure on the emission from gallium arsenide lasers, 3=25445
- Fenner, G.E. Pressure effect on resistivity of $\text{Ga}(\text{As}_{1-x}\text{P}_x)$, 4=17487
- Fenner, G.E. and Kingsley, J.D. Spatial distribution of radiation from GaAs lasers, 4=2826
- Fenner, G.E. See Fulton, T.A., 4=12934
- Fenner, G.E. See Hall, R.N., 3=4966
- Fenner, N.C. A method of increasing the production of uranium ions in a mass spectrometer source, 4=8860
- Fenner, N.C. and Ridley, R.G. A mass spectrometer detector using two semi-conductor magnetic electron multipliers, 4=11725
- Fenning, F.W. and Hutber, F.W. Core physics and kinetic studies, 3=24997
- Fenrick, W.J. See Muirhead, J.C., 4=21009
- Fensham, P.J. See Cotton, J.D., 3=25781
- Fensham, P.J. See Cotton, J.D., 4=23596
- Fenster, S. An investigation of Coulomb scattering amplitudes in the complex angular momentum plane, 3=2212
- Fenster, S. See Byers, N., 3=22204
- Fenster, S.J. and Heyman, R.J. Heat transfer in dissociated air with variable heat of dissociation, 4=5242
- Fenton, A.G., Jacklyn, R.M. and Taylor, R.B. Cosmic ray observations at 42 m w.e. underground at Hobart, Tasmania, 2=3447
- Fenton, A.G. See Edwards, P.J., 3=6191
- Fenton, D.G. and Russek, A. Diatomic molecular orbitals for small internuclear separations, 2=18443
- Fenton, E.W., Rogers, J.S. and Woods, S.B. Lorenz numbers of pure aluminium, silver, and gold at low temperatures, 4=6919
- Fenton, K.B. Comments on Fermi's statistical theory of high energy nuclear events, 1=16824
- Fenton, K.B. See Edwards, P.J., 3=6191
- Fen'vesh, É. See Bozoki, G., 2=336
- Fen'vesh, É. See Bozoki, G., 2=22684
- Fen'vesh, E. See Bozoki, G., 4=27926
- Fenwick, R.B. and Villard, O.G., Jr. The effect of magnetic storms on around-the-world high-frequency propagation, 4=3185
- Fenwick, R.B. and Villard, O.G., Jr. A test of the importance of ionosphere-ionosphere reflections in long distance and around-the-world high-frequency propagation, 4=7910
- Fenwick, R.B. See Croft, T.A., 4=3187
- Fényes, I. The axiomatic foundation of thermodynamics. II, 0=16928
- Fényes, I. See Fáy, G., 0=8552
- Fényes, T. Measurement of the energy of the weak group in the α -spectrum of Po^{210} , 0=11342
- Fényes, T. and Bödy, Z. Expected α -decay data of the rare earth nuclides on the basis of different systematics, 4=25336
- Fenyves, E. Investigation of a high energy electron-photon cascade in emulsion, 0=9462
- Fenyves, E., Frenkel, A., Telbisz, F., Perneger, J., Petržilka, V., Sedlák, J. and Vrána, J. Investigation of a high energy electron-photon cascade in emulsion, 0=13096
- Fenyves, E. See Betev, B., 0=20273
- Fenyves, E. See Biczó, G., 1=13592
- Fenyves, E. See Bozoki, G., 0=2603
- Fenyves, E. See Bozoki, G., 0=11240
- Fenyves, E. See Bozoki, G., 1=8460
- Fenyves, E. See Bozoki, G., 1=12190
- Fenyves, E. See Bozoki, G., 2=11981
- Fenyves, E. See Bozoki, G., 2=18123
- Fenyves, E. See Bozoki, G., 3=7898
- Fenyves, E. See Bozoki, G., 4=25140
- Fenyves, E. See Bozoki, G., 4=25141
- Fenyves, E. See Hofmoki, T., 3=12488
- Fenyves, E. See Hofmoki, T., 4=25152
- Feofilov, P.P. The orientation of centres of luminescence lines in X-ray irradiated LiF crystals, 0=1749
- Feofilov, P.P. Orientation of luminescence centres in uranium-activated lithium fluoride crystals, 0=10060
- Feofilov, P.P. The nature of elementary oscillators of the uranium ion, 0=18137
- Feofilov, P.P. The spectra and kinetics of luminescence of $\text{CaF}_2:\text{Tb}$, 1=12503
- Feofilov, P.P. Phototransfer of an electron in MeF_2 ; Eu, Sm monocrystals, 3=951
- Feofilov, P.P. S.I. Vavilov, the founder of the Soviet School of Luminescence, 3=16483
- Feofilov, P.P. Line luminescence of activated crystals (rare-earth ions in MeF , single crystals), 3=18021
- Feofilov, P.P. and Kaplyanskii, A.A. Latent optical anisotropy of cubic crystals containing local centres, and the methods of investigating it, 2=18785
- Feofilov, P.P. and Kaplyanskii, A.A. Spectra of divalent rare earth ions in crystals of alkaline earth fluorides. I. Samarium, 2=21242
- Feofilov, P.P. and Tolstoi, M.N. Kinetics of the luminescence of bivalent samarium in monocrystals of strontium fluoride and barium fluoride, 3=4986
- Feofilov, P.P. See Belyaev, L.M., 2=14732
- Feofilov, P.P. See Bonch-Bruevich, A.M., 4=5852
- Feofilov, P.P. See Galkin, L.N., 0=10066
- Feofilov, P.P. See Kaplyanskii, A.A., 3=3000
- Feofilov, P.P. See Kaplyanskii, A.A., 3=25452
- Feofilov, P.P. See Kaplyanskii, A.A., 4=22887
- Feofilov, P.P. See Kaplyanskii, A.A., 4=28731
- Feofilov, P.P. See Karapetyan, V.E., 3=23079
- Feofilov, P.P. See Kariss, Ya.E., 3=20482
- Feofilov, P.P. See Kariss, Ya.E., 4=13038
- Feofilov, P.P. See Tolstoi, M.N., 4=22918
- Feofilov, P.P. See Vasil'eva, M.A., 2=21280
- Feoktistov, A.I. See Dzhelepov, B.S., 3=24910
- Feoktistova, E.A. Experimental demonstration of Mach-reflection of detonation waves in solid V.V., 1=15942
- Feoktistova, N.N. See Ablova, M.S., 3=18217
- Feoktistova, N.N. See Ablova, M.S., 4=30778
- Fer, F. Decoupling of the oscillations about a central trajectory in an electromagnetic field. Application to circular accelerators, 0=9116

- Fer, F. Stability and isochronism in cyclotrons with star-shaped magnetic fields, 0=15095
- Fer, F. Relations between dynamical systems with limit cycles and linear differential systems with eigenvalues, 2=19426
- Fer, F. Analytical theory of betatronic stability in sector-focused accelerators, 3=5759
- Fer, F. Remarks on Boltzmann's thermodynamic system and adiabatic invariants, 3=9361
- Fer, F. Study of the stability of motion of the radiating electron in the linear approximation. Application to storage rings. I., 4=8907
- Fer, F. Study of the motional stability of a radiating electron in the linear approximation: Application to storage rings. II, 4=16630
- Fer, F. Some reflections on the present evolution of particle accelerators, 4=19149
- Fer, F. and Delcroix, C. Influence of space charge on beam stability in synchrotrons and storage rings, 3=24406
- Fer, F. and Delcroix, C. Further observations on the influence of space charge on beam stability in synchrotrons and storage rings, 3=24407
- Fer, F. and Lapostolle, P. Alternate focusing by fields of crossed gradients in a linear accelerator, 3=24399
- Fer, F. See Andrade e Silva, J., 1=2705
- Fer, F. See Andrade e Silva, J., 1=5214
- Fer, F. See Andrade e Silva, J., 1=5215
- Fer, F. See Andrade e Silva, J., 1=15690
- Fer, F. See Andrade e Silva, J., 2=11243
- Ferbel, T., Sandweiss, J., Taft, H.D., Gailloud, M., Kalogeropoulos, T.E., Morris, T.W. and Lea, R.M. Production of anti-isobar, isobar pairs in $\bar{p}p$ collisions, 3=4395
- Ferbel, T. and Taft, H. Inelastic interactions of 11.4 GeV/c π^- -mesons in hydrogen, 3=19674
- Ferbert, H. See Harder, D., 4=22122
- Ferchmin, A.R. Influence of quadrupolar moments on the dielectric constant of a polar liquid, 0=16698
- Ferchmin, A.R. Influence of the boundary surface of the crystal lattice on the spin-wave resonance in a ferrimagnetic medium, 1=20147
- Ferchmin, A.R. On the quantum theory of spin-wave resonance in a finite ferromagnetic linear chain, 2=4240
- Ferchmin, A.R. A quantum theory of spin-wave resonance in cubic ferromagnets, 2=18932
- Ferder, L. See Bhaumik, M.L., 4=28754
- Ferebee, F.S. See McGuire, T.R., 3=15891
- Ferebee, S.F. See Davis, C.M., Jr, 0=3064
- Ferenets, V. Ya. See Lozinskiy, M.G., 4=23195
- Ferero, F. See Faissner, H., 4=30252
- Ferguson, J.L. See Hansen, J.R., 4=29750
- Ferguson, L.A., Seizinger, D.E. and McBride, C.H. The determination of hydrogen in uranium by mass spectrometry, 2=4582
- Ferguson, A.F. Resonance charge transfer between $H(1s)$ and H^+ calculated by means of an approximation based on an expansion in molecular eigenfunctions, 1=19607
- Ferguson, A.F. and Moiseiwitsch, B.L. Double charge transfer and the mobility of He^{2+} ions in helium, 0=5279
- Ferguson, A.F. and Parkinson, D. The hydroxyl bands in the nightglow, 3=23628
- Ferguson, A.J. Phase-shift analysis of proton scattering by nitrogen, 0=1410
- Ferguson, A.J., Clarke, R.L. and Gove, H.E. Elastic scattering of protons by nitrogen, 0=1411
- Ferguson, A.J., Gove, H.E., Litherland, A.E. and Batchelor, R. (dn stripping studies on B^{10} and B^{11} , 1=8756
- Ferguson, A.J. See Batchelor, R., 0=11383
- Ferguson, A.J. See Bromley, D.A., 0=1398
- Ferguson, A.J. See Gove, H.E., 2=1814
- Ferguson, A.J. See Litherland, A.E., 1=3465
- Ferguson, A.J. See Litherland, A.E., 1=9846
- Ferguson, A.T.G., Grace, M.A. and Newton, J.O. Lifetime measurements on the first excited states of Mg^{25} and Al^{25} , 0=17553
- Ferguson, A.T.G., Grace, M.A. and Newton, J.O. The decay of the 136 keV level in Fe^{57} , 0=17561
- Ferguson, A.T.G. and Paul, E.B. The capture cross-section of ^{197}Au for fast neutrons, 1=702
- Ferguson, A.T.G. and White, R.E. Polarization in neutron-deuteron elastic scattering below 1.0 MeV, 2=16199
- Ferguson, A.T.G. See Brown, D., 1=13807
- Ferguson, A.T.G. See Dearnaley, G., 2=1806
- Ferguson, A.T.G. See Dearnaley, G., 2=9864
- Ferguson, A.T.G. See Dearnaley, G., 2=11964
- Ferguson, A.T.G. See Dearnaley, G., 2=18135
- Ferguson, A.T.G. See Dearnaley, G., 2=18339
- Ferguson, A.T.G. See Gale, N.H., 3=22296
- Ferguson, A.T.G. See James, A.N., 1=12211
- Ferguson, A.T.G. See McCallum, G.J., 0=11440
- Ferguson, A.T.G. See McCallum, G.J., 0=17504
- Ferguson, A.T.G. See Mani, G.S., 1=701
- Ferguson, A.T.G. See Morrison, G.C., 1=19506
- Ferguson, A.T.G. See Phillips, G.C., 0=19773
- Ferguson, E. and Schlüter, H. Stark broadening of balmer lines at low electron densities, 3=19926
- Ferguson, E. See Bergstedt, K., 3=4069
- Ferguson, E.E. Considerations on helium emission λ 10830 Å in aurorae, 2=21671
- Ferguson, E.E. Calculation of cross-sections for zero activation energy processes by simple collision models with emphasis on the Penning effect, 2=22895
- Ferguson, E.E. Infrared spectroscopy of weak charge-transfer complexes, 4=25603
- Ferguson, E.E. and Broida, H.P. Charge-transfer absorption spectra of NO in Kr and CH_3OH solutions, 4=21136
- Ferguson, E.E. and Chang, I.Y. Intensities of infrared bands of some I_2 -alkylbenzene charge-transfer complexes, 1=6015
- Ferguson, E.E. and Schlüter, H. Metastable helium atom concentrations in the earth's atmosphere, 3=3483
- Ferguson, E.E. See Benton, E.E., 2=22894
- Ferguson, E.T. Orientation superstructures of Fe-Co alloys, 0=13767
- Ferguson, G. and Sim, G.A. X-ray studies of molecular overcrowding. I. Some crystallographic data, 0=3249
- Ferguson, G.A., Jr and Sáenz, A.W. Scattering of polarized neutrons by spin waves in magnetite, 2=10667
- Ferguson, G.A., Jr and Vogt, R.H. Neutron diffractometer measurement of the slow neutron spectrum from a modified split reactor core, 3=6334
- Ferguson, G.J. High-volume sampler for atmospheric carbon dioxide, 3=13690
- Ferguson, H.I.S. See Fallona, J.P., 1=4460
- Ferguson, H.I.S. See Herman, L., 1=9927
- Ferguson, H.I.S. See Stevens, A.E., 3=8269
- Ferguson, H.I.S. See Watson, M.D., 3=24276
- Ferguson, I.F. Routine measurement of crystallite size and strain in uranium dioxide from X-ray line breadths, 2=23831
- Ferguson, I.F. and Street, R.S. High temperature X-ray diffraction studies. IV. The thermal expansion of U_3O_8 , 3=15445
- Ferguson, I.F. See Bowler, M., 3=11254
- Ferguson, J. Crystal spectra of metal coordination compounds. I. Tetrahedral Cobalt(II), 0=4413
- Ferguson, J. Crystal spectra of metal coordination compounds. II. Violet form of $CoPy_2Cl_2$ and $CoCl_2 \cdot 6H_2O$, 0=4414
- Ferguson, J. Crystal spectra of metal coordination compounds. III. Nickel complexes with salicylaldehyde and its imines, 1=5047
- Ferguson, J. Crystal spectra of metal coordination compounds. IV. Bis-acetylacetonato-copper (II), 1=8987
- Ferguson, J. Crystal spectra of metal coordination compounds. V. The five-coordinated salicylaldehyde-ethylenediamine copper (II) complex, 1=11373
- Ferguson, J. Crystal spectra of metal coordination compounds. VI. Bis-salicylaldiminato-copper (II) and bis-n-methyl-salicylaldiminato-copper (II), 1=19975
- Ferguson, J. Crystal-field spectra of $d^3, ^7$ ions. I. Electronic absorption spectrum of $CoCl_4^-$ in three crystalline environments, 3=20472
- Ferguson, J. Electronic absorption spectrum and structure of $CuCl_4^-$, 4=28682
- Ferguson, J., Belford, R.L. and Piper, T.S. Crystal spectrum of copper acetylacetonate, 3=3027
- Ferguson, J., Guggenheim, H.J., Johnson, L.F. and Kamimura, H. Magnetic dipole character of the $^3A_2 \leftrightarrow ^3T_2$ transition in octahedral nickel (II) compounds, 3=19993
- Ferguson, J., Guggenheim, H.J. and Wood, D.L. Optical absorption of magnetic domains in NiF_2 , 4=7269
- Ferguson, J., Guggenheim, H.J. and Wood, D.L. Electronic absorption spectrum of Ni II in cubic perovskite fluorides. I., 4=12574
- Ferguson, J., Knox, K. and Wood, D.L. Effect of next nearest neighbor ions on the crystal field splitting of transition metal ions in crystals, 2=3812
- Ferguson, J., Knox, K. and Wood, D.L. Erratum: Effect of next-nearest neighbour ions on the crystal field splitting of transition metal ions in crystals. 2=16583

- Ferguson, J., Wood, D. L. and Knox, K. Crystal-field spectra of d^3 , d^7 ions. II. $KCoF_4$, $CoCl_2$, $CoBr_2$, and $CoWO_4$, 3=25453
- Ferguson, J. See Hunt, G. R., 4=17579
- Ferguson, J. See Wood, D. L., 3=25454
- Ferguson, J. M. Isomeric level in Y^{90} , 1=19375
- Ferguson, J. M. and Thompson, W. E. Cross sections for the $(n, 2n)$ reaction in N^{14} , P^{31} , Cu^{63} and Pr^{141} , 0=9680
- Ferguson, J. M. and Tomnovec, F. M. Gamma-ray spectrum of Te^{131} , 1=13757
- Ferguson, J. M. See Hurley, J. P., 1=17057
- Ferguson, R. C. and Marquardt, D. W. Computer analysis of n.m.r. spectra: magnetic equivalence factoring, 4=30073
- Ferguson, R. L. See Troutner, D. E., 3=12708
- Ferguson, R. L. See Troutner, D. E., 4=19843
- Ferguson, R. L. See Wahl, A. C., 2=12236
- Ferguson, T. R. and Duncan, R. H. Charged cylindrical tube, 1=10659
- Ferguson, W. H., Jr., Giessen, B. C. and Grant, N. J. The constitution diagram tantalum-iridium, 4=13502
- Ferguson, W. S. and Gullikson, C. W. A microcell for ultraviolet absorption studies, 2=15732
- Ferguson, G. J. Upper tropospheric carbon 14 levels during spring 1962, 3=25911
- Ferilli, A. See Baldassarre, F., 1=16862
- Ferilli, A. See Baldassarre, F., 2=22562
- Ferilla, A. See Baldo Ceolin, M., 1=551
- Ferilli, A. See Baldo Ceolin, M., 1=10926
- Ferilli, A., See Caforio, A., 1=5780
- Feroli, C. See Castelli, J. P., 1=6595
- Ferlenghi, E. See Amman, F., 4=16582
- Ferlin-Guion, B. See Barbier, J. C., 2=12705
- Fernald, R. A. See Cranberg, L., 2=5407
- Fernandes, J. C. See Bemski, G., 4=1346
- Fernández, A. The effect of super-voltages on the directional effect in the electric breakdown of KCl, 1=2810
- Fernández, A. and Muñoz, E. Preparation of monocrystals of potassium iodide activated by thallium, 3=20795
- Fernández, A. and Riveros, H. A method of obtaining single crystals of LiF , 4=29056
- Fernandez, A. See Broadbent, T. E., 0=3744
- Fernandez, A. See Cooper, R., 2=6528
- Fernandez, B. See Souchere, G., 4=17164
- Fernández, C., Butler, R., Konishi, T., Honrubia, V. and Tasaki, I. Cochlear potentials in the rhesus and squirrel monkey, 3=3684
- Fernandez, C. See Konishi, T., 1=6664
- Fernandez, C. G. Solid hyperangle in the theory of special relativity, 4=34
- Fernández, C. Graef. See Graef Fernández, C.
- Fernandez, J. See Chan, S. I., 1=2322
- Fernández Biarge, J., Herranz, J. and Morcillo, J. On the interpretation of infrared intensities in gases, 2=6155
- Fernández Biarge, J. See Morcillo, J., 1=872
- Fernández Ferrer, J. and De Rafael Cavallé, E. Stationary field with cylindrical symmetry in non-linear electro-dynamics of Born and Infeld, 1=16505
- Fernando, P. C. B., Rochester, G. K. and Smith, K. F. The spin of ^{124}Sb and the spin and moments of ^{125}Sb , 1=3388
- Fernando, P. C. B., Rochester, G. K., Spalding, I. J. and Smith, K. F. The hyperfine structure of ^{121}Sb and ^{123}Sb , 1=2294
- Fernando, P. C. B. See Dahanayake, C., 3=19722
- Fernie, J. D. The degree of twilight in which photoelectric photometry is possible, 1=15404
- Fernie, J. D. Interstellar absorption in the galactic neighborhood of the sun, 2=13097
- Fernie, J. D. A new photographic developer for astronomical use, 3=5542
- Fernie, J. D. Distance to the galactic center from globular clusters, 3=7038
- Fernie, J. D. Intrinsic colors of supergiants, 4=13891
- Fernie, J. D. A short method for determining the apparent distance moduli of classical cepheids, 4=29360
- Fernie, J. D. and Marlborough, J. M. The variation of the total to selective absorption ratio with galactic longitude, 3=11553
- Fernie, J. D. and Marlborough, J. M. Temperature effects in photo multipliers [used in astronomy], 4=10804
- Fernie, J. D. and Rosenberg, W. J. Some photometric characteristics of the Cape Victoria refractors, 1=4184
- Fernie, J. D. and Rosenberg, W. J. The effects of unresolved binaries in three-color photometry, 2=4819
- Fernish, G. C. See Owe Berg, T. G., 3=14131
- Fernish, G. C. See Owe Berg, T. G., 4=23683
- Ferrand, E. F., Jr. Polyethylene cill technique in infrared spectroscopy, 2=15731
- Ferrandon, J. Propagation of discontinuity waves in ionized fluids, 2=20113
- Ferrarese, G. On the finite deformation of a tubular solid of curved axis, 0=8578
- Ferrarese, G. On the Einstein gravitational field generated by a rotating spherical mass, 3=16503
- Ferrarese, G. Motion of a particle with respect to a fluid frame of reference: analogy between classical mechanics and general relativity. I, 4=8051
- Ferrarese, G. Motion of a particle with respect to a fluid frame of reference: analogy between classical mechanics and general relativity. II, 4=8052
- Ferraresso, G. See Bettinali, C., 2=8597
- Ferraresso, G. See Bettinali, C., 2=16876
- Ferrari, A., Braibanti, A. and Bigliardi, G. Refinement of the crystal structure of $NiCl_2$ and of unit-cell parameters of some anhydrous chlorides of divalent metals, 4=4616
- Ferrari, A., Braibanti, A. and Tiripicchio, A. The calculation of [X-ray] absorption for highly absorbing crystals with rectangular cross-sections, 2=12901
- Ferrari, A., Braibanti, A. and Tiripicchio, A. Some expressions for the calculation of the absorption of X-rays in crystals, 3=23436
- Ferrari, A. M. R. and Borkowski, C. J. Air alpha proportional counter insensitive to atmospheric humidity, 3=2149
- Ferrari, C. and Clarke, J. H. One-dimensional unsteady flow of a gas in the presence of ionizing radiation. General equations, 4=11223
- Ferrari, E. Considerations on the cross section for pion production in proton-proton collisions, 0=2587
- Ferrari, E. Simple models for associated production in proton-proton collisions, 0=15454
- Ferrari, E. Associated production in proton-proton collisions, 0=20131
- Ferrari, E. Treiman-Yang criterion and peripheral nucleon-nucleon collisions, 2=22509
- Ferrari, E. Peripheral analysis of double-pion production in proton-proton collisions, 4=3404
- Ferrari, E. On the production of the $F^{7/2}$ pion-nucleon isobar in peripheral proton-proton collisions, 4=19507
- Ferrari, E. and Jona-Lasinio, G. Remarks on the appearance of ghost states in relativistic field theories, 0=15249
- Ferrari, E. and Selleri, F. Off-shell pion-nucleon scattering and dispersion relations, 1=19253
- Ferrari, E. and Selleri, F. Pionic form factors effects in peripheral nucleon-nucleon collisions, 2=3331
- Ferrari, E. and Selleri, F., Peripheral model for inelastic processes, 3=10052
- Ferrari, E. and Selleri, F. An approach to the theory of single pion production in nucleon-nucleon collisions, 3=10146
- Ferrari, E. See Cabibbo, N., 1=5777
- Ferrari, E. See Cabibbo, N., 2=16121
- Ferrari, E. See De Tollis, B., 1=521
- Ferrari, F., Frye, G. and Pusterla, M. Effect of the pion-pion resonance on K^-p scattering, 0=15437
- Ferrari, F., Frye, G. and Pusterla, M. Long-range interaction in K^- -nucleon and K^- -nucleon elastic amplitudes, 1=10929
- Ferrari, F., Frye, G. and Pusterla, M. Energy dependence of the slow-energy K^- -proton and K^+ -proton cross sections, 1=10930
- Ferrari, F., Nitti, L., Paccanoni, F. and Pusterla, M. Inelasticity effects on the low energy pion-nucleon scattering phase shifts, 4=25144
- Ferrari, F., Paccanoni, F. and Pusterla, M. Possible relationships between the \bar{K} nucleon interactions and the hyperonic resonant states, 3=7922
- Ferrari, F. See Costa, G., 1=13504
- Ferrari, F. See Costa, G., 2=1667
- Ferrari, H. M. Nitrogen release from UO_2 pellets at elevated temperatures, 4=12323
- Ferrari, H. M. Diffusion of nitrogen in uranium dioxide, 4=28493
- Ferrari, H. M. See Danko, J. C., 2=10547
- Ferrari, I. A uniqueness theorem for the field of an alternating current in a wire in the neighbourhood of a conducting medium, 0=5379
- Ferrari, I. A uniqueness theorem for the equations of magnetohydrodynamics, 1=7127
- Ferrari, R. L. Wave propagation and electron beam interaction in plasma filled waveguides, 3=7707
- Ferrari, R. L. An electron beam-plasma amplifier at microwave frequencies, 4=30044

- Ferrari, R.L. and Reddish, A. Propagation in a plasma-filled waveguide, 3=5850
- Ferrari d'Occhieppo, K. Early documents (relating to) Peuerbach's opinion of the comet of 1456, together with remarks on the chronicle of the summer comet of 1457, 2=1114
- Ferraris, G. See Calleri, M., 4=23388
- Ferraris, G. See Calleri, M., 4=23477
- Ferraro, A.J. Multislab concept applied to radio-wave propagation in the ionosphere and its limit to the continuous ionosphere, 3=9952
- Ferraro, A.J. and Gibbons, J.J. Polarization computations by means of the multislab approximation, 0=15165
- Ferraro, A.J., Lee, H.S. and Weisbrod, S. Phase interaction: A new tool for D-region studies, 3=16269
- Ferraro, A.J. and Tou, C.P. Identification of sporadic E from low frequency sweep polarization records, 2=9001
- Ferraro, D. See Baldassarre, F., 1=16862
- Ferraro, D. See Baldassarre, F., 2=22562
- Ferraro, D. See Evans, D., 2=22492
- Ferraro, D. See Caforio, A., 1=5780
- Ferraro, D. See Caforio, A., 4=21891
- Ferraro, J.R., Ziomek, J.S. and Puckett, K. Low temperature Raman cell, 4=29755
- Ferraro, J.R. See Ziomek, J.S., 2=12330
- Ferraro, V. General theory of plasma, 0=2357
- Ferraro, V.C.A. Theory of sudden commencements and of the first phase of a magnetic storm, 1=6655
- Ferraro, V.C.A. An approximate method of estimating the size and shape of the stationary hollow carved out in a neutral ionized stream of corpuscles impinging on the geomagnetic field, 1=15257
- Ferraro, V.C.A. Diffusion in the ionosphere: A review of some recent work, 2=898
- Ferraro, V.C.A. Plasma and the interstellar magnetic field, 4=23887
- Ferraro, V.C.A., Gliddon, J.E.C. and Kendall, P.C. Effects of diffusion of electrons near the magnetic equator, 1=6624
- Ferraro, V.C.A., Gliddon, J.E.C. and Kendall, P.C. Solar-eclipse and solar-flare effects in the F2-region, 3=13757
- Ferraro, V.C.A. and Özdoğan, I. The effect of diffusion on the vertical distribution of ionization in a quiet F-region, 0=2020
- Ferraro, V.C.A. and Willis, D.M. On the Bennett-Hulburt hypothesis of the origin of magnetic storms and aurorae, 2=19264
- Ferraro, V.C.A. See Ashour, A.A., 3=9073
- Ferraro, V.C.A. See Ashour, A.A., 4=23800
- Ferraro, V.C.A. See Cullwick, E.G., 1=9667
- Ferre, J. See Faget, J., 0=19752
- Ferré, J. See Faget, J., 3=19349
- Ferré, J. See Faget, M., 1=16415
- Ferré, J. See Fert, C., 3=440
- Ferreira, D. See Jones, B.D., 1=8500
- Ferreira, E.M. K^+ -deuteron scattering in the impulse approximation, 0=1309
- Ferreira, E.M. On the inelastic scattering of mesons by deuterons, 2=1698
- Ferreira, E.M. Analysis of the K^+ -deuteron experiments, 2=5738
- Ferreira, E.M., de Oliveira, C.G. and Srivastava, P.P. The influence of K^+ and pion resonances and hyperon parities on K -nucleon scattering, 3=6070
- Ferreira, E.F. Pion production in pion-nucleon collisions at energies in vicinity of 1 BeV, 4=21890
- Ferreira, E.P. See Allen, J.E., 0=20185
- Ferreira, E.P. See Allen, J.E., 1=17136
- Ferreira, E.P. See Alles-Borelli, V., 0=1303
- Ferreira, E.Perez. See Perez Ferreira, E.
- Ferreira, J.G. See Salgueiro, L., 1=9845
- Ferreira, J.G. See Salgueiro, L., 4=15595
- Ferreira, R. Permanent dipole moments of saturated hydrocarbons, 1=12334
- Ferreira, R. A zeroth-order approximation for bond energies, hybridization states, and bond ionicities. I. Diatomic molecules and A^1-B^1 crystals, 4=30148
- Ferreira-Salgueiro, L. See Ferreira, J.G., 1=13704
- Ferrell, R.A. Knight shift in superconductors, 0=1075
- Ferrell, R.A. Electron-nucleus hyperfine interaction in atoms, 0=7711
- Ferrell, R.A. Auger effect in mesonic atoms, 0=11489
- Ferrell, R.A. Anomalous lattice specific heat of superconductors, 1=10645
- Ferrell, R.A. Single-nucleon damping of collective vibrations, 4=25292
- Ferrell, R.A., Lee, Y.C. and Pal, M.K. Magnetic quenching of hyperfine depolarization of positive muons, 0=9396
- Ferrell, R.A. and Prange, R.E. Self-field limiting of Josephson tunnelling of superconducting electron pairs, 3=21659
- Ferrell, R.A. and Stern, E.A. Plasma resonance in the electro-dynamics of metal films, 2=23126
- Ferrell, R.A. and Stern, E.A. Plasma resonance in the electro-dynamics of metal films, 3=8407
- Ferrell, R.A. See Fallieros, S., 0=2617
- Ferrell, R.A. See Fallieros, S., 0=7593
- Ferrell, R.A. See Fulde, P., 3=24136
- Ferrell, R.A. See Fulde, P., 4=24493
- Ferrell, R.A. See Glaser, V., 1=2079
- Ferrell, R.A. See Glick, A.J., 1=7560
- Ferrell, R.A. See Quinn, J.J., 1=9993
- Ferrell, R.A. See Stern, E.A., 0=17906
- Ferrell, R.A. See Warren, J.L., 0=6070
- Ferrer, L. See Durelli, A.J., 4=7365
- Ferrero, F., Ferroni, S., Malvano, R., Menardi, S. and Silva, E. (γ , np) reactions in S^{32} , Ca^{40} , Ge^{70} , 0=7599
- Ferrero, F. See Borello, O., 1=17049
- Ferrero, F. See Borello, O., 2=10084
- Ferrero, F. See Costa, S., 4=12200
- Ferrero, F. See Faissner, H., 3=17100
- Ferrero, F. See Faissner, H., 3=17141
- Ferrero, F. See Faissner, H., 3=21380
- Ferrero, F. See Faissner, H., 3=24690
- Ferrero, F. See Farinelli, U., 0=19862
- Ferrero, G. Magnetohydrodynamic equilibrium of a gravitating spherical gaseous mass in non-uniform rotation, 2=11764
- Ferrero, G.M. The flow of a viscous incompressible, weakly conducting fluid round the outside of a magnetized sphere, 3=17035
- Ferrero, G.M. Equilibrium of a plasma magnetically contained in a torus of elliptical cross-section, 3=19258
- Ferrero, M.A. and Sacerdote, G.G. Measurement of acoustic impedance in a resonant spherical enclosure, 0=16786
- Ferrero, M.A. and Sacerdote, G.G. Resonant absorbing metallic structures, 0=16805
- Ferrero, M.A. and Sacerdote, G.G. The acoustic impedance of thin layers of porous material, 1=18541
- Ferrero, M.I., Garelli, C.M., Chiesa, A.M. and Vigone, M. Inelastic two-prong interactions of 18 GeV/c pions in propane bubble chamber, 3=10150
- Ferrero, M.I. See Argan, P.E., 3=4425
- Ferrero, M.I. See Bellière, J., 3=24775
- Ferrero, M.I. See Bellini, G., 2=22573
- Ferrero, M.I. See Bisi, V., 4=21928
- Ferrero, M.I. See Di Corato, M., 2=22627
- Ferrero, M.I. See Marzari-Chiesa, A., 3=19695
- Ferretti, A., Arnott, R.J., Delaney, E. and Wold, A. Cobalt ferrite single crystals, 1=7846
- Ferretti, A., Kunmann, W. and Wold, A. Growth of ferrous-free cobalt ferrite single crystals, 3=11230
- Ferretti, A., Wickham, D.G. and Wold, A. Induction heated pressure vessel for growing oxide single crystals, 1=9117
- Ferretti, A. See Kunmann, W., 3=16043
- Ferretti, A. See Kunmann, W., 4=15757
- Ferretti, B. On pion production in a coulomb field, 1=8487
- Ferretti, B. On the possibility of a macroscopically causal quantum-relativistic theory, 3=11686
- Ferretti, B. A comment on the neutrino theory of light, 4=30202
- Ferretti, B. See Bassi, P., 2=14111
- Ferretti, B. See Bassi, P., 3=17480
- Ferrier, A. Calculation of the heat fusion of iron from the phase diagrams of various binary systems, 2=7479
- Ferrier, A. Solution calorimeter for measuring heats of formation between 20 and 80°C, 4=355
- Ferrier, A. and Olette, M. Measurement of the heat capacity of iron between 940 and 1937°C, 2=12383
- Ferrier, A. and Olette, M. Contribution to the study of the enthalpy of corundum at high temperatures, 2=20934
- Ferrier, A., Ubelacker, E. and Wachtel, E. Study of the iron-niobium diagram between 0 and 12 at. % of niobium in the interval 1200°-1535°C, 4=26556
- Ferrier, A. See Geoffroy, H., 3=8359
- Ferrier, R.P. and Iball, J. The structure of methyl 1:2-benzanthraquinones. I. Crystal data, 0=10318
- Ferrier, R.P., Iball, J. and MacKay, K.J.H. The unit cells and space groups of the cis- and trans-isomers of dimethyl-9:10-dihydroanthracene-9:10-dicarboxylate, 0=8243
- Ferrier, R.P. See Shull, C.G., 3=18057

- Ferriera, J.G., Gonçalves, M.T., and Ferreira-Salgueiro, L. The branching ratio of thorium C (Bi^{212}), 1=13704
- Ferrieu, J. and Rocard, Y. Measurement of the total electric current yield of a nuclear explosion, 2=5991
- Ferrieux, L. See Eschenbrenner, S., 1=1582
- Ferris, D. Four-electrode electronic bridge for electrolyte impedance determinations, 3=11353
- Ferris, F.L., Jr. Testing for physics achievement, 0=4917
- Ferris, G.A.J. See Price, A.T., 3=9075
- Ferris, H. G. Farfield radiation pattern of a noise source from nearfield measurements, 4=27273
- Ferris, R.W., Shepard, M.L. and Smith J.F. Elastic constants of thallium single crystals in the temperature range 4.2°-300°K, 3=11134
- Ferriso, C.C. High-temperature spectral absorption of the 4.3-micron CO_2 band, 3=1731
- Ferriso, C.C. A simple grating spectrometer fore-prism drive, 3=11915
- Ferriso, C.C. A liquid nitrogen Dewar attachment for infrared detectors, 3=24102
- Ferriso, C.C. and Hornig, D.F. Absolute infrared intensities of the ammonium ion in crystals, 0=6181
- Ferriso, C. C. and Ludwig, C. B. Spectral emissivities and integrated intensities of the 2.7 μ H_2O band between 530° and 2200°K, 4=12483
- Ferriso, C.C. and Ludwig, C.B. Spectral emissivities and integrated intensities of the 2.7- μ CO_2 band between 1200° and 1800°K, 4=17290
- Ferriso, C. C. and Ludwig, C. B. Spectral emissivities and integrated intensities of the 1.87-, 1.38-, and 1.14- μ H_2O bands between 1000° and 2200°K, 4=28219
- Ferriso, C.C. See Breeze, J.C., 4=3871
- Ferriso, C. C. See Breeze, J. C., 4=12475
- Ferriso, C. C. See Breeze, J. C., 4=24298
- Ferro, A., Mazzetti, P. and Montalenti, G. Experiments on magnetic viscosity due to different solute atom pairs in iron alloys, 2=8627
- Ferro, A. and Montalenti, G. Fatigue of pure iron and of iron containing a small quantity of carbon after strain ageing, 3=8783
- Ferro, A. and Montalenti, G. Further experiments on radiation damage due to fast-neutron bombardment in pure iron of very-high permeability, 3=23179
- Ferro, A., Sari, C. and Venturello, G. Experimental evidence of boundary migration, 0=20828
- Ferro, A. See Antonione, C., 3=23301
- Ferro, A. See Biorci, G., 0=1803
- Ferro, A. See Biorci, G., 0=18189
- Ferro, A. See Biorci, G., 0=13781
- Ferro, A. See Biorci, G., 0=13820
- Ferro, A. See Biorci, G., 1=1216
- Ferro, A. See Biorci, G., 1=1226
- Ferro, A. See Biorci, G., 1=9033
- Ferro, A. See Biorci, G., 1=14730
- Ferro, A. See Bonfiglioli, G., 0=8172
- Ferro, A. See Bonfiglioli, G., 2=2107
- Ferro, R. A modification of the logarithmic charts for the interpretation of powder photographs, 2=10846
- Ferro-Luzzi, M., Miller, D.H., Murray, J.J., Rosenfeld, A.H. and Tripp, R.D. Analysis of 1347 τ^- decays, 2=5728
- Ferro-Luzzi, M. and Pizzella, G. Results of cross-section measurements for the reaction $p + D \rightarrow \text{He}^3 + \pi^0$ at 600 MeV, 1=5722
- Ferro-Luzzi, M., Tripp, R.D. and Watson, M.B. Excited hyperon of mass 1520 MeV, 2=5741
- Ferro-Luzzi, M. See Aston, M.H., 1=16866
- Ferro-Luzzi, M. See Alvarez, L.W., 3=15039
- Ferro-Luzzi, M. See Amaldi, E., 0=5561
- Ferro-Luzzi, M. See Baroni, G., 0=12924
- Ferro-Luzzi, M. See Bastien, P., 1=12104
- Ferro-Luzzi, M. See Bastien, P.L., 2=22608
- Ferro-Luzzi, M. See Berge, J.P., 1=1093z
- Ferro-Luzzi, M. See Castagnoli, C., 0=17164
- Ferro-Luzzi, M. See Lynch, G. R., 4=25181
- Ferro-Luzzi, M. See Murray, J. J., Jr., 4=9268
- Ferro-Luzzi, M. See Tripp, R.D., 2=18192
- Ferro-Luzzi, M. See Tripp, R.D., 2=20432
- Ferro-Luzzi, M. See Watson, M.B., 3=24793
- Ferron, J.R. See Ember, G., 2=19609
- Ferroni, F. and Wataghin, V. On the reaction $n + d \rightarrow 2n + p$ and the nucleon-nucleon interaction, 3=19619
- Ferroni, S. See Barnardini, M., 0=2640
- Ferroni, S. See Bonazzola, G., 2=9861
- Ferroni, S. See Bonazzola, G., 2=16390
- Ferroni, S. See Costa, S., 3=4623
- Ferroni, S. See Costa, S., 4=3635
- Ferroni, S. See Costa, S., 4=12200
- Ferroni, S. See Ferrero, F., 0=7599
- Ferry, G. V. See Good, R. J., 4=11170
- Ferry, J. A. See Skofronick, J. G., 4=28030
- Ferry, J.D. See Birnboim, M.H., 1=18349
- Ferry, J. D. See Frederick, J. E., 4=27158
- Ferry, J.D. See Morton, S.D., 0=76
- Ferry, J.D. See Morton, S.D. 2=23979
- Ferry, J. D. See Stratton, R. A., 4=10400
- Fert, A. The structure of some oxides of rare earth metals, 3=5105
- Fert, A. and Averbuch, P. Knight shift of hydrogen absorbed in palladium, 4=26451
- Fert, C., Faget, J., Fagot, M. and Ferre, J. Diffraction and interference effects in electron images; image formation in electron optics, 3=440
- Fert, C. and Laffitte, A. Fresnel diffraction at the edge of a screen: case of a small error in focusing in electron microscopy, 1=16414
- Fert, C. See Dugas, J., 2=9643
- Fert, C. See Faget, J., 0=19752
- Fert, C. See Faget, J., 3=19349
- Fert, C. See Fagot, M., 0=7160
- Fert, C. See Fagot, M., 1=16415
- Fert, C. See Fagot, B., 4=14754
- Fert, C. See Fagot, B., 4=21565
- Fert, C. See Marchand, N., 0=14842
- Ferwerda, H.A. On a convergent model of quantum electrodynamics, 3=24586
- Ferwerda, H.A. On a convergent model of quantum electrodynamics. II, 4=16793
- Ferziger, J.H. Resonance absorption of neutrons in lumps with nonuniform temperature distributions, 3=6323
- Ferziger, J.H. and Leonard, A. Multiple scattering of neutrons in the static approximation, 3=6013
- Ferziger, J.H. and Leonard, A. Energy-dependent neutron transport theory. I. Constant cross sections, 3=15258
- Ferziger, J.H., Wang, G.S.C. and Zweifel, P.E. Diffusion lengths in heterogeneous media, 2=5660
- Ferziger, J.H. See Case, K.M., 2=6022
- Ferziger, J.H. See Zweifel, P.F., 2=6023
- Fesenko, A.I. See Ivanov, Yu.M., 0=2565
- Fesenko, A.I. See Ivanov, Yu.M., 1=16836
- Fesenko, E.G. and Kolesova, R.V. Interpreting Z-ray rotation patterns of twinned tetragonal crystals, 2=4366
- Fesenko, E.G. and Prokopalo, O.I. Some data on the phase
- Fesenko, E. G. See Dantsiger, A. Ya., 4=22779
- Fesenko, E.G. See Filip'ev, V.S., 1=15099
- Fesenko, E.G. See Filip'ev, V.S., 3=16077
- Fesenko, E. G. See Filip'ev, V. S., 4=23448
- Fesenko, E.G. See Komarov, V.D., 2=14633
- Fesenko, E.G. See Kupriyanov, M.F., 3=18226
- Fesenko, E.G. See Kupriyanov, M.F., 3=20773
- Fesenko, E.G. See Novosil'tsev, N.S., 0=708
- Fesenko, E.G. See Rumanov, E.N., 2=6519
- Fesenko, E.G. See Sholokhov, M.L., 2=14951
- Fesenko, V. V. Determination of the surface tension by the method of the maximum pressure in a bubble for nonwetting systems, 4=11168
- Fesenko, V. V., Eremenko, V. N. and Vasilii, M. I. Surface tension of copper-nickel alloys, 4=8185
- Fesenko, V. V. See Eremenko, V. N., 4=8145
- Fesenko, V. V. See Naidich, Yu. V., 4=8187
- Fesenzov, V.G. The optical state of the earth's atmosphere under twilight illumination, 0=3360
- Fesenzov, V.G. A two-channel polarimeter and its applications in atmospheric optics and astrophysics, 0=18590
- Fesenzov, V.G. Investigation of atmospheric ozone by photometry of lunar eclipses, 1=1506
- Fesenzov, V.G. The presence of elliptical polarization in the light of the day sky, 2=876
- Fesenzov, V.G. The polarization of emission lines in the spectrum of the night sky, 2=911
- Fesenzov, V.G. Photometric peculiarities of the moon, 2=942
- Fesenzov, V.G. On the cometary nature of the Tunguska meteorite, 2=4749
- Fesenzov, V.G. The density of meteor matter in interplanetary space and the possible existence of a dust cloud around the earth, 2=13117

- Fesenkov, V.G. The density of meteor matter in interplanetary space and the possible existence of a dust cloud around the earth, 2=17236
- Fesenkov, V.G. The nature and origin of comets, 3=5249
- Fesenkov, V.G. Reduction of photometric observations of zodiacal light for the effect of tropospheric scattering, 3=11530
- Fesenkov, V.G. Table for the reduction of photometric observations of zodiacal light for the effect of tropospheric scattering, 4=10890
- Feshbach, H. A unified theory of nuclear reactions. II, 2=20579
- Feshbach, H. Do strange particles obey parastatistics? 3=12506
- Feshbach, H. and Lomon, E. L. The boundary condition model of strong interactions, 4=30179
- Feshbach, H., Lomon, E. and Tubis, A. Proton-proton interaction, 1=12086
- Feshbach, H. and Yennie, D.R. Radiation of low energy quanta in nuclear reactions, 2=20602
- Feshbach, H. See Blin-Stoyle, R.J., 1=19288
- Feshbach, H. See Block, B., 3=22259
- Feshbach, H. See Estrada, L., 3=22362
- Feshbach, H. See Villars, F., 3=18536
- Feshchenko, G.A. See Kornienko, L.C., 3=13230
- Feshchenko, G.A. See Kornienko, L.S., 3=23230
- Fessel, R. See Alvarez, R., 4=25161
- Fessel, R. See Alvarez, R., 4=25162
- Fessenden, F. P. See Duclos, D. P., 4=5642
- Fessenden, P. and Maxson, D.R. First excited state of He^+ , 4=9390
- Fessenden, R.W. Second-order splittings in the E.S.R. spectra of organic radicals, 2=20860
- Fessenden, R.W. Measurement of short radical lifetimes by electron spin resonance methods¹, 4=25721
- Fessenden, R.W. and Schuler, R.H. E.P.R. conservation of steady-state ethyl radical concentration in radiolysis of liquid ethane, 0=18439
- Fessenden, R.W. and Schuler, R.H. E.S.R. spectrum of cyclohexadienyl radical, 3=12859
- Fessenden, R.W. and Schuler, R.H. Electron spin resonance studies of transient alkyl radicals, 4=3925
- Fessenden, R.W. and Waugh, J.S. Strong coupling in nuclear resonance spectra. II. Field dependence of some unsymmetrical three-spin spectra, 0=1507
- Fessenden, R.W. and Waugh, J.S. Temperature dependence of spin-spin splitting in the hindered rotator $\text{CHCl}_3\text{-CF}_3\text{Cl}$, 2=22999
- Fessenden, R.W. See McConnell, H.M., 0=5968
- Fessenden, R.W. See McConnell, H.M., 0=13571
- Fessenden, R. W. See Ogawa, S., 4=28278
- Fessenden, T. Particles orbit studies, 4=19167
- Fessenkov, V.G. Star chains and dark filaments in galactic nebulae, 0=10516
- Fessenkov, V.G. On the nature of zodiacal light and its probable connection with asteroids and periodic comets, 0=18721
- Fessler, H. and Lewin, B.H. A study of large strains and the effect of different values of Poisson's ratio, 0=12385
- Fessler, H., Newton, E. A. A. and Wilson, R. W. On the effect of layer thickness in photoelastic reflection techniques, 4=8125
- Fessler, H. and Roberts, E.A. Bending stresses in a shift with a transverse hole, 1=11721
- Fessler, H. See Bettany, C.P., 3=25440
- Fessler, H. See Clyne, G., 1=1713
- Fetcher, H. and Foss, M. Electromagnetic inflector for synchrotron injection, 3=12279
- Fessler, R.E. and Vincent, J.S. An external beam bunch selector for a 60-inch cyclotron, 2=11739
- Fetheroff, C.W. See Saltzer, C., 0=12335
- Fetisov, D.V. and Kabanov, A.N. Armoured high-voltage lead-in, 3=3697
- Fetisov, D.V., Pochtarev, B.L. and Kabanov, A.N. Vacuum system selector valve with one control knob, 3=1738
- Fetisov, D.V. See Kabanov, A.N., 3=2039
- Fetisov, D.V. See Kushnir, Yu.M., 3=2035
- Fetisov, D.V. See Pochtarev, B.L., 2=16880
- Fetisov, D.V. See Sbitnikova, I.S., 2=1509
- Fetisov, D.V. See Spivak, G.V., 3=2034
- Fetisov, E. P. Interaction between an electromagnetic wave and a bounded plasma, 4=8714
- Fetisov, E. P. Radiation of the solar corona in the spectral region shorter than 10 Å, 4=23925
- Fetisov, E. P. Solar coronal emission in the soft x-ray region, 4=26957
- Fetisov, E.P. See Silin, V.P., 2=1424
- Fetisov, E.P. See Silin, V.P., 2=3887
- Fetisov, E.P. See Silin, V.P., 2=22216
- Fetisov, E.P. See Silin, V.P., 4=6772
- Fetisov, E.P. See Van Si-fu, 0=19424
- Fetisov, I.K. Wall probe in a magnetic field, 0=15036
- Fetisov, I.K. and Firsov, O.B. Resonance charge exchange of doubly-charged ions in slow collisions, 0=8999
- Fetisov, I.N. See Elpidinskii, A.V., 1=10808
- Fetisov, I.N. See Elpidinskii, A.V., 2=20443
- Fetisov, I.N. See Elpidinskii, A.V., 3=455
- Fetisov, N.I. Energy spectra of neutrons inelastically scattered by U^{238} , 0=7621
- Fetisov, V.N. Quasi alpha-particle mechanism of photo-disintegration of carbon, 4=9474
- Fetisov, V. N. An analysis of photodisintegration of H^3 by taking into account the rigid core of the nucleon, 4=19609
- Fetisov, V.N. See Balashov, V.V., 1=19441
- Fetisov, V. N. See Balashov, V. V., 4=3634
- Fetisov, V. N. See Balashov, V. V., 4=6320
- Fetiveau, M., Eyraud, L. and Turlier, P. Dielectric permittivity and field factor of ceramics of barium and strontium titanate, 2=670
- Fetiveau, M. See Eyraud, L., 2=20933
- Fetiveau, M. See Richard, M., 3=8792
- Fetkovich, J. See Deahl, J., 2=1712
- Fetkovich, J.G., Fields, T.H. and McIlwain, R.L. Absorption of negative muons in C^{12} leading to production of bound B^{12} , 0=9695
- Fetkovich, J.G., Fields, T.H., Yodh, G.B. and Derrick, M. Formation of μ -mesonic molecules in H-D mixtures, 0=13460
- Fetkovich, J.G. and Pewitt, E.G. Experimental study of the cascade time of negative mesons in a liquid helium bubble chamber, 4=3466
- Fetkovich, J.G. See Derrick, M., 0=20187
- Fetkovich, J.G. See Fields, T.H., 0=20207
- Fetkovich, J.G. See McIlwain, R.L., 2=16190
- Fetkovich, J.G. See Pewitt, E.G., 3=22179
- Fett, W. Recoil radiation in proportional counter tubes, 3=9999
- Fette, K. See Brömer, H.H., 2=15898
- Fetter, A.L. Vortex rings and the critical velocity in helium II, 3=19092
- Fettweis, P. Cross-section ratios for the production of the three isomers of In^{116} by thermal neutron capture, 3=8114
- Fettweis, P. and Vervier, J. Decay schemes of In^{116} (13 sec): A O'level in Sn^{116} , 3=4568
- Fettweis, P. and Vervier, J. Decay scheme of Rh^{104} (42 sec), 4=17094
- Fettweis, P.F. Study of some isomeric states in the rare earth region and of some double isomeric nuclei, 1=8600
- Fettweis, P.F. Isomerism of Ir^{194} , 3=2393
- Fettweis, P.F. and Campbell, E.C. Nuclear isomers produced by reactor neutrons, 2=18275
- Fettweiss, P.F. See Campbell, E.C., 0=5783
- Fettweis, P.F. See Campbell, E.C., 2=10002
- Fetz, H., Diener, A. and Meyer, E. Electron ejection by low-energy ions from gas-covered metal surfaces, 2=11704
- Fetz, H. and Oechsner, H. The investigation of high frequency plasmas with a d.c. probe, 0=14980
- Fetz, H. and Oechsner, H. Mass dependence of sputtering by low-energy bombardment, 4=19124
- Fetz, H. See Bemerl, W., 0=1123
- Fetz, H. See Bemerl, W., 0=1124
- Fetzmann, O.R. The two meson approximation for a static model of the Λ and Σ hyperons, 4=3486
- Feucht, D. L. and Woodford, J.B., Jr. Superconductor-transition switching time measurements using a superconductive radio-frequency mixer, 1=16193
- Feucht, D. L. See Holmes, D. A., 4=12880
- Feucht, D. L. See Holmes, D. A., 4=22696
- Feucht, D. L. See Holmes, D. A., 4=28689
- Feucht, W. The b.a.m. strain transfer device, designed by Feucht; a new ancillary unit for the b.a.m. pfeuder extensometer system, 1=12580
- Feuchtwang, T.E. Hyperfine interaction constants of the F centre electron with the lattice in alkali halides (with NaCl structure), 2=14474
- Feuchtwang, T.E. Electron-nuclear double resonance spectrum of an F-centre electron in alkali halides (with NaCl structure), 2=14475
- Feuchtwang, T. E. The electron nuclear double resonance spectrum of an F-center in alkali halides, 4=26447

- Feuchtwang, T. E. The electric field gradient seen by nuclei in the first few shells about the vacancy associated with an F-center in alkali halides, 4=26448
- Feuer, P. Theory of the thermal accommodation coefficients of a diatomic gas, 3=23928
- Feuer, P. See Allen, R. T., 4=19987
- Feuerriegel, T. New spectrographic lens system, 3=11884
- Feuerstein, S., Rice, L. and Conrad, H. Tensile behaviour of Mo polycrystals under ultrahigh vacuum, 4=20672
- Feuerstein, S. See Galligan, J. M., 1=1309
- Feuillade, G. Study of the preparation of n-p junctions by the diffusion of boron and phosphorous into silicon, 0=597
- Feuillade, G. Contribution to the study of electrode potentials of semiconductors in solution, 1=7915
- Feuillade, G. A contribution to the study of electrode potential in silicon, 1=20744
- Feuillade, G. Theory of a multimetallic electrode in an electro-active medium of any kind, 3=13609
- Feuillade, G. Impedance of a gas electrode, 3=16166
- Feuvrais, L. The odd A and odd Z nuclei in the region of $A = 190$, 0=13142
- Feuvrais, L. See Bloom, S., 4=15081
- Feuvrais, L. See Charpak, G., 2=22357
- Feuvrais, L. See Dick, L., 2=22490
- Feuvrais, L. See Dick, L., 3=10100
- Feuvrais, L. See Dick, L., 4=6027
- Feuvrais, L. See Dick, L., 4=25069
- Feuvrais, L. See Yuasa, T., 0=7527
- Feuvrais, L. See Yuasa, T., 0=7528
- Feverstein, S. Device for rapid, low-loss pouring of liquid gases from pressure cylinders, 4=29815
- Fey, R. L., Milton, J. B. and Morgan, A. H. Remote phase control of radio station WWVL, 2=16012
- Feyerabend, P. K. Professor Landé on the reduction of the wave packet, 0=8550
- Feynman, R. P. Excitations in liquid helium, 0=8875
- Feynman, R. P. Conclusions of the conference, 3=4362
- Feynman, R. P., Hellwarth, R. W., Iddings, C. K. and Platzman, P. M. Mobility of slow electrons in a polar crystal, 2=18557
- Feynman, R. P. and Vernon, F. L., Jr. The theory of a general quantum system interacting with a linear dissipative system, 4=5055
- Fiala, J. The influence of compression on the absorption of AgBr single crystals, 2=10591
- Fiala, J. See Štrajblova, J., 4=17518
- Fiala, W. T. and Hilliard, J. K. High-intensity sound reverberation chamber and loudspeaker noise generator, 0=10738
- Fiala, W. T. See Hilliard, J. K., 4=5307
- Fialko, E. I. Distribution of meteor radio echoes by duration. I. Reflection from stable trails, 0=18679
- Fialko, E. I. A method for studying the mass distribution of meteoric bodies, 0=18706
- Fialko, E. I. An approximate estimation of the probability of meteoric ionization, 0=18716
- Fialko, E. I. Mean hourly rate of meteors recorded by radar. I. Meteor stream, 0=18717
- Fialko, E. I. The duration distribution of meteor radio echoes. II. Reflections from unstable trails, 1=18173
- Fialko, E. I. The dependence of the mean hourly rates of recorded meteors on the parameters of meteoroids, the atmosphere, and the radar system, 2=905
- Fialko, E. I. The velocity distribution of meteoroids, 2=954
- Fialkov, A. S., Davidovich, Ya. G., Kononova, K. V. and Yurkovskii, I. M. Amorphous state of natural graphite powders, 4=10624
- Fialkovskii, O. V. Infrared absorption spectrum of germanium with iron impurity, 2=18848
- Fialovskiy, L. Application of a differential balancing method to the automatic improvement of the aberration correction of optical systems, 4=11329
- Fiamberti, M. See De Alfaro, V., 4=3335
- Fiat, D., Folman, M. and Garbatski, U. Dielectric properties of the adsorbate at low surface coverages, 1=20678
- Fiat, D. N. See Connick, R. E., 4=207
- Fichera, E. Determinations of the right ascension of the planet Venus, 2=17257
- Fichtel, C. E. The heavy component of the primary cosmic radiation during solar maximum, 1=8523
- Fichtel, C. E. Very high-energy cosmic rays, 3=24814
- Fichtel, C. E. and Guss, D. E. Heavy nuclei in solar cosmic rays, 1=10938
- Fichtel, C. E. and Guss, D. E. Heavy nuclei in solar cosmic rays, 2=12029
- Fichtel, C. E., Kniffen, D. A. and Ogilvie, K. W. September 26th, 1960, solar cosmic-ray event, 3=10189
- Fichtel, C. E., Guss, D. E., Stevenson, G. R. and Waddington, C. J. Cosmic-ray hydrogen and helium nuclei during a solar quiet time in July 1961, 4=9329
- Fichtel, C. E. See Biswas, S., 3=4482
- Fichtel, C. E. See Biswas, S., 3=22227
- Fichtel, C. E. See Biswas, S., 4=25228
- Fichtel, C. E. See Davis, L. R., 1=10937
- Fichtel, C. E. See Davis, L. R., 2=16259
- Fichtel, C. E. See Engler, A., 1=8522
- Fichter, R. Application of the light microscope in metallurgy, 2=23900
- Fick, E. Quantum statistics of a gas with different orbit and spin temperatures, 0=2139
- Fick, E. The second law of thermodynamics of a system with different lattice and spin temperatures, 1=11142
- Fick, E. Fundamental thermodynamics of a system with different orbital and spin temperatures. I, 1=15739
- Fick, E. Theory of the electron-phonon interaction in paramagnetic salts, 2=18527
- Fick, E. and Engelmann, F. Quantum theory of time measurement, 3=21242
- Fick, E. and Mikeska, H. J. A possibility of an experimental separation of the para- and dia-magnetism of conduction electrons, 1=11410
- Fick, E. See Engelmann, F., 4=18070
- Fickel, H. R. See Farrar, H., 2=18366
- Fickelscher, H. and Zukale, W. Infrared absorption of cuprous oxide, 1=5049
- Ficker, J. See Reimer, L., 1=10741
- Ficker, J. See Reimer, L., 3=18089
- Fickett, W. Calculation of the detonation properties of condensed explosives, 3=20992
- Fickett, W. and Wood, W. W. Shock Hugoniot for liquid argon, 0=8653
- Fickett, W. See Wood, W. W., 3=16700
- Fickinger, W. See Stonehill, D., 1=12102
- Fickinger, W. J., Mowat, J. G. and Shephard, W. D. Production of two charged pions in 871 MeV π -p interactions, 4=16938
- Fickinger, W. J., Pickup, E., Robinson, D. K. and Salant, E. O. One-pion exchange in p-p collisions at 2 BeV, 1=19193
- Fickinger, W. J., Pickup, E., Robinson, D. K. and Salant, E. O. p-p interaction at 2 BeV. I. Single-pion production, 2=9838
- Fickinger, W. J., Pickup, E., Robinson, D. K. and Salant, E. O. One-pion exchange in p-p collisions at 2 BeV, 2=22505
- Fickinger, W. J., Robinson, D. K. and Salant, E. O. Evidence for a two-pion decay mode of the ω meson, 3=19692
- Fickinger, W. J. See Baltay, C., 1=16906
- Fickinger, W. J. See Vittitoe, C. N., 4=21899
- Fickler, S. I. See Arnowitz, R. L., 2=20275
- Fickri, A. See Antoufiev, Y., 4=1074
- Fidcaro, G. The high frequency properties of a coaxial cable and the distortion of fast pulses, 0=15217
- Fidcaro, G. The electron decay mode of the pion, 1=8475
- Fidcaro, G. See Amaldi, U., 2=22516
- Fidcaro, G. See Amaldi, U., Jr., 3=24717
- Fidcaro, G. See Amaldi, U., Jr., 4=6054
- Fidcaro, G. See Ashkin, J., 0=367
- Fidcaro, G. See Ashkin, J., 0=13005
- Fidcaro, G. See Ashkin, J., 0=15389
- Fidcaro, G. See Cocconi, V. T., 0=17582
- Fidcaro, G. See Cocconi, V. T., 1=19241
- Fidcaro, G. See Fazzini, T., 0=19858
- Fidcaro, M., Finocchiaro, G., Gatti, G., Giacomelli, G., Middelkoop, W. C. and Yamagata, T. Photon production in proton-proton collisions at 23.1 GeV, 2=9840
- Fidcaro, M., Finocchiaro, G., Gatti, G., Giacomelli, G., Middelkoop, W. C. and Yamagata, T. Photon production in proton-proton collisions at 23.1 GeV, 2=22506
- Fidcaro, M., Finocchiaro, G. and Giacomelli, G. Search for magnetic monopoles, 2=3293
- Fidcaro, M., Finocchiaro, G. and Giacomelli, G. Absorption of 10 and 13.5 GeV photons, 2=9814
- Fidcaro, M., Gatti, G., Giacomelli, G., Love, W. A., Middelkoop, W. C. and Yamagata, T. Experimental investigation of a neutral beam from the CERN 25 GeV proton synchrotron, 1=5518
- Fidcaro, M. See Buhler, A., 4=9232
- Fidcaro, M. See Fabiani, F., 2=20319
- Fidcaro, M. See Fabiani, F., 2=22491

- Fidiam, J. F. See Smith, V. N., 4=29246
- Fidleris, V. and Whitmore, R. L. Measurement of the falling velocity of particles in opaque fluids, 0=3491
- Fidleris, V. and Whitmore, R. L. Experimental determination of the wall effect for spheres falling axially in cylindrical vessels, 1=15786
- Fidone, I. Correlation of the electric field in a plasma, 1=18823
- Fidone, I. Relation between Bremsstrahlung and friction in a plasma, 2=13557
- Fidone, I. A note on wave-propagation in a plasma, 4=11606
- Fidone, I. See Cano, R., 4=18781
- Fidone, I. See Caviglia, C., 0=2710
- Fiebig, R. Recent work on the van Allen radiation belts, 4=7898
- Fiebig, R. On the penetration of the earth's magnetic field quadrupole component through ionosphere and magnetosphere, 4=26874
- Fiebig, R. and Voelcker, H. Ring currents in the region of the Van Allen radiation belts, 1=21072
- Fiebig, R. and Voelcker, H. Origin of ring currents in the region of the Van Allen radiation belt, 2=6957
- Fiebig, N. F. See Kane, W. R., 2=10119
- Fiedelley, H. and Fourie, D. Efficiency of field ionization at a metal surface, 0=7071
- Fiedelley, H. and Frahn, W. E. Complex potential model for low-energy neutron scattering, 2=3579
- Fiedelley, H. and Frahn, W. E. P-wave neutron strength function, 2=22697
- Fiedelley, H. and Frahn, W. E. Surface absorption of low-energy neutrons, 3=2349
- Fiedler, H. C. Requirements for developing cube-on-edge texture in 4-mil-thick silicon-iron, 4=13655
- Fiedler, H. C. The effectiveness of inclusions in promoting the secondary recrystallization of silicon-iron, 4=15760
- Fiedler, H. C. and Pry, R. H. Effect of magnetic annealing on the properties of (100) [001] oriented $3\frac{1}{4}\%$ silicon-iron strip, 0=3024
- Fiegel, L. J. See Mohanty, G. P., 3=5111
- Fiegel, L. J. See Mohanty, G. P., 4=13500
- Fiegel, L. J. See Mohanty, G. P., 4=26660
- Fiehrer, M. and Goldwasser, M. The control of the enetra 110, 3=4306
- Fiehrer, M. See Coulareau, E., 3=3975
- Field, E. C. On geomagnetic fluctuations in regions remote from high-altitude nuclear bursts, 3=23646
- Field, E. C. and Tamarkin, P. V. L. F. ionospheric reflection coefficients - derivation from impedance concepts and values for some model ionospheres, 1=19045
- Field, E. C., Tamarkin, P. and Fairbrother, E. M. An extension to v.l.f. reflection coefficients, 2=11802
- Field, F. H. See Dahler, J. S., 2=16569
- Field, F. H. See Munson, M. S. B., 3=3387
- Field, F. H. See Munson, M. S. B., 4=452
- Field, G. See Razavy, M., 2=3451
- Field, G. B. The source of radiation from Jupiter at decimeter wavelengths, 0=8471
- Field, G. B. The source of radiation from Jupiter at decimeter wavelengths. II. Cyclotron radiation by trapped electrons, 0=14383
- Field, G. B. Radio continuum emission by spiral arms, 1=4220
- Field, G. B. The source of radiation from Jupiter at decimeter wavelengths. III. Time dependence of cyclotron radiation, 1=18171
- Field, G. B. Absorption by intergalactic hydrogen, 2=15297
- Field, G. B. Thermal instabilities in the interstellar medium, 4=13906
- Field, G. B. and Partridge, R. B. Stimulated emission of the 3.04 cm fine-structure line of hydrogen in diffuse nebulae, 2=4856
- Field, G. B. See Burgess, A., 0=12250
- Field, G. J. and Watts, H. Distribution of pressure for flow of gas through porous media, 2=9297
- Field, L. M. See Boyd, G. D., 2=5341
- Field, S. B. and Martin, D. H. The skeletal modes of long-chain molecules, 1=19626
- Fieldier, G. Observations related to the impact of Lunik II, 0=4914
- Fieldier, G. Selected lunar observations made at the Pic-du-Midi observatory in 1956 and 1959, 1=10375
- Fieldier, G. On the origin of lunar rays, 1=15419
- Fieldier, G. Small-scale explosion craters, impact craters, and the physical structure of the moon's surface, 1=18035
- Fieldier, G. Stresses in the moon, 2=4739
- Fieldier, G. Origin of the mare imbrum, 2=9056
- Fieldier, G. The contraction and expansion of the moon, 2=6987
- Fieldier, G. Lunar domes, 2=13103
- Fieldier, G. Ray elements and secondary-impact craters on the Moon, 2=15307
- Fieldier, G. The depths of small lunar craters, 2=21697
- Fieldier, G. Zones of plasticity around lunar craters, 3=9171
- Fieldier, G. The measurement of lunar altitudes by photography. I. Estimating the true lengths of shadows, 3=9172
- Fieldier, G. The measurement of lunar altitudes by photography. II. Some measurements on the lunar straight wall, 3=9173
- Fieldier, G. Determination of relative ages of lunar craters by albedo and polarization measurements, 3=11513
- Fieldier, G. Topography and tectonics of the lunar straight wall, 3=23673
- Fieldier, G. Erosion and deposition on the moon, 4=7976
- Fieldier, G. and Jordan, C. Selenological implications drawn from the distortions of craters in the Hipparchus region of the Moon, 2=9057
- Fieldier, G. and Kiang, T. The segmental structure of wrinkle ridges and the lunar grid system, 2=15308
- Fieldier, G. and Waidelich, W. The measurement of X-ray absorption curves by a double-beam method, 3=9897
- Fieldier, G. and Warner, B. Stress systems in the vicinity of lunar craters, 2=9058
- Fieldier, G. See Chapman, R. G., 4=23893
- Fieldier, G. See Warner, B., 2=17242
- Fieldhouse, P., Hughes, E. B. and Marsden, P. L. Multiple neutron production in an I. G. Y. neutron monitor, 2=13913
- Fieldhouse, P. See Mather, D. S., 4=12285
- Fielding, P. E. and MacKay, A. G. Electrical and optical properties of the phthalocyanines, 3=20495
- Fielding, P. E. See Bryant, F. J., 1=2422
- Fieldmann, W. L. See Chynoweth, A. G., 0=9961
- Fields, H. and Bekefi, G. Relaxation rate of electrons to equilibrium, 4=11590
- Fields, H., Bekefi, G. and Brown, S. C. Microwave measurements of the radiation temperature of a plasma in a magnetic field, 3=4121
- Fields, H., Bekefi, G. and Brown, S. C. Microwave emission from non-Maxwellian plasmas, 3=5657
- Fields, P. R., Friedman, A. M., Lerner, J., Metta, D. and Sjoblom, R. Possible existence of curium in nature. II., 3=19825
- Fields, P. R., Friedman, A. M., Milsted, J., Atteling, H., Forsling, W., Holm, L. W. and Åström, B. On the production of element 102, 0=7498
- Fields, P. R., Pyle, G. L. and Bentley, W. C. The neutron fissionability of U-239 and Th-233, 0=13300
- Fields, P. R. See Carnall, W. T., 4=30381
- Fields, P. R. See Diamond, H., 0=17512
- Fields, P. R. See Friedman, A. M., 3=19896
- Fields, S. A. See Naumann, R. J., 3=23716
- Fields, T. See Deahl, J., 2=1712
- Fields, T. H. High magnetic fields, 3=21931
- Fields, T. H. and Findley, R. W. Accumulating digitizer system, 1=2583
- Fields, T. H., Yodh, G. B., Derrick, M. and Fetkovich, J. G. Cascade time of π^- in liquid hydrogen, 0=20207
- Fields, T. H. See Derrick, M., 0=20187
- Fields, T. H. See Fetkovich, J. G., 0=9695
- Fields, T. H. See Fetkovich, J. G., 0=13460
- Fields, T. H. See McIlwain, R. L., 2=16190
- Fields, T. H. See Pewitt, E. G., 3=22179
- Fiermans, L. Direct observation of dislocations in silicon single crystals using a white X-ray radiation technique, 4=25945
- Fiermans, L. See Jacobs, G., 1=8990
- Fierz, M. The attraction of conducting planes in a vacuum, 1=12003
- Fierz, M. Example of a soluble field theory, 3=5331
- Fierz, M. See Amati, D., 0=5502
- Fies, W. See Janusz, T., 4=3020
- Fieschi, R. Onsager's relations for vectorial phenomena, 0=16644
- Fieschi, R. Some problems in the field of the luminescence of solids, 4=17588
- Fieschi, R., Nardelli, G. F. and Chiarotti, A. R. Self-diffusion coefficient in solid argon, 1=11223
- Fieschi, R., Oggioni, R. and Spinolo, G. Thermoluminescence in plastically deformed KBr, 3=23130
- Fieschi, R. and Spinolo, G. Luminescence of KI under X-ray irradiation, 2=10617

- Fieschi, R. and Terzi, N. Quantum effects in the liquid state by means of a phenomenological cell model: the vapour pressure ratio of Ne and Ar isotopes, 1=9385
- Fieschi, R. See Baldini, G., 1=17580
- Fieschi, R. See Beltrami, M., 4=25991
- Fieschi, R. See Boata, G., 1=17436
- Fieschi, R. See Bucci, C., 4=12955
- Fieschi, R. See Cappelletti, R., 3=22846
- Fieschi, R. See Casanova, G., 1=6067
- Fifer, S. See Flinn, D. J., 4=15337
- Figel's'ki, T. R. See Belyayev, A. D., 4=12673
- Figgins, B. F. The specific heats of solid argon and an equimolar argon-krypton mixture, 1=911
- Figgins, B. F., Huzan, E. and Jones, G. O. Thermal expansion of solids at low temperatures, 0=8844
- Figgins, B. F., Shepherd, T. A. and Snowman, J. W. Superconducting level gauges: vanadium and 'tinned' constantan, 4=24471
- Figgins, B. F. and Smith, B. L. Density and expansivity of solid krypton, 0=9839
- Figgis, B. N. Magnetic properties of transition metal ions in asymmetric ligand fields. I. Cubic field A and E terms, 1=20038
- Figgis, B. N. The magnetic properties of transition metal ions in asymmetric ligand fields. II. Cubic T_2 terms, 2=4199
- Figgis, B. N. The magnetic properties of transition metal ions in asymmetric ligand fields. III. The behaviour of some t_{2g} complexes, 2=4200
- Figgis, B. N., Gerloch, M. and Mason, R. A least-squares refinement of the crystal structure of tricaesium pentachlorocobalt (II), Cs_3CoCl_5 , 4=23426
- Figgis, B. N., Kidd, R. G. and Nyholm, R. S. Oxygen-17-nuclear magnetic resonance of inorganic compounds, 3=148
- Figgis, B. N., Lewis, J., Nyholm, R. S. and Peacock, R. D. The magnetic properties of some d^2 , d^4 and d^6 configurations, 0=21022
- Figielski, T. Electron-lattice interaction and its effect on the energy gap in semiconductors, 4=4014
- Figielski, T. Photostriction effect in germanium, 2=2214
- Figielski, T. Electronic processes at intercrystalline barriers in germanium, 1=12432
- Figielski, T. Theory of carrier recombination at dislocations in germanium, 4=28395
- Figielski, T. and Torun, A. On the origin of light emitted from reverse biased p-n junctions, 3=10845
- Figielski, T. and Wieckowska, Z. Variation of the injected carrier mobility with pressure in near-intrinsic germanium, 2=16702
- Figielski, T. and Więckowska, Z. A simple photoelectric bridge method for determining the lifetime of injected current carriers in semiconductors, 4=22699
- Figuera, A. S., Armstrong, J. C. and Marion, J. B. Interference between Coulomb excitation and resonance inelastic scattering in $Na^{23} + p$, 3=24929
- Figuera, A. S. See Bologna, G., 2=5610
- Figuera, A. S. See Diambrini, G., 0=15099
- Figuera, A. S. See Roush, M. L., 4=6082
- Figuera, G. See Diambrini, G., 1=5524
- Figueras, E. A geometrical interpretation of the electromagnetic field, 1=16497
- Figueras, E. A geometrical interpretation of the electromagnetic field, 1=16498
- Figueras, H. Differential geometry of the trajectories of charged particles, 0=10977
- Figyushkin, I. V. See Doroshenko, G. G., 4=16917
- Fijuwara, T. See Izui, K., 0=4703
- Fikhtengol'ts, I. G. Geodesics in Friedman-Lobachevsky space, 0=12349
- Fikhtengol'ts, I. G. The coordinate conditions in Einstein's theory of gravitation, II, 1=4242
- Fikhtengol'ts, I. G. Einstein's four-tensor, 3=21223
- Fikri, A. See Antuf'iev, Yu. P., 4=17128
- Fiks, V. B. The entrainment of ions by electrons in semiconductors, 0=6090
- Fiks, V. B. The mechanism of thermal diffusion in liquids, 1=15853
- Fiks, V. B. The influence of a magnetic field on the electric transport of ions in liquid metals, 2=2730
- Fiks, V. B. The influence of a magnetic field on the electric transport of ions in liquid metals, 2=11387
- Fiks, V. B. Effect of a magnetic field on ionic conduction in semiconductors, 2=23293
- Fiks, V. B. Effect of a magnetic field on ionic conduction in semiconductors, 3=6570
- Fiks, V. B. Transfer of momentum from a scattered electron to the lattice, 4=1385
- Fiks, V. B. Electron drag and thermal diffusion in metals, 4=25958
- Fiks, V. B. and Pikus, G. E. Electrokinetic effects and electronic viscosity in liquid metals. II, 0=4997
- Fiks, V. B. and Pikus, G. E. Electrokinetic effects in liquid semiconductors, 0=6096
- Fiks, V. B. and Pikus, G. E. Analysis for trace impurities with the aid of the magnetic resonance mass spectrometer, 0=14157
- Fiks, V. B. See Pikus, G. E., 0=5268
- Fiks, V. B. See Pikus, G. E., 1=12682
- Filaretova, G. M. See Dorin, V. A., 0=16259
- Filaretova, G. M. See Dorin, V. A., 1=10230
- Filatov, A. I. See Dmitriyev, A. B., 0=5451
- Filatov, V. V. See Bolotov, V. N., 3=14496
- Filatova, L. I. See Baradzei, L. T., 0=11271
- Filatova, L. V. See Mal'ysheva, T. V., 3=8051
- Filatova, T. M. See Demirkhanov, R. A., 2=9584
- Filatova, T. M. See Demirkhanov, R. A., 3=5670
- Filby, J. D. and Martin, D. L. The electronic specific heat of silver, 2=18532
- Filby, J. D. and Martin, D. L. Probable annealing in sodium metal near 5°K, 3=8445
- Filby, J. D. and Martin, L. The specific heats below 30°K of lithium metal of various isotopic compositions and of sodium metal, 4=6745
- Filby, J. D. and Pratt, J. N. A vapour pressure study of the thermodynamic properties of the α , β , γ , and ϵ silver-cadmium phases, 3=13522
- Filby, J. D. See A'fred, A. T., 0=13472
- Filchenkov, V. V. See Dzhelepov, V. P., 4=25205
- Fil'chenkov, V. V. See Dzhelepov, V. P., 4=27909
- File, J. and Mills, R. G. Observation of persistent current in a superconducting solenoid, 3=9685
- Fileva, N. See Andreichin, R., 4=28650
- Filimoniv, A. I. See Tkachenko, V. K., 3=12013
- Filimonov, A. I. See Peshkov, V. P., 0=10856
- Filimonov, A. A. See Zheludev, I. S., 3=13111
- Filimonov, S. S., Khrustalev, B. A. and Adrianov, V. N. Theoretical foundations of the method of two radiometers, 0=19497
- Filimonov, V. A. On the depth of the potential well for Λ -particles in heavy hypernuclei, 0=13156
- Filimonov, V. A. Saturation in a hyperon system, 0=15526
- Filimonov, V. A. Decays of the hypernucleus Σ^+p , 4=9299
- Filimonov, V. A. See Ivanenko, D. D., 1=2165
- Filimonov, V. A. See Lyul'ka, V. A., 0=9538
- Filimonov, V. N. Changes in the infrared absorption of certain semiconducting adsorbates on illumination with ultraviolet light, 0=18118
- Filimonov, V. N. Induced absorption of infrared radiation by molecules, 1=3544
- Filimonov, Yu. I. See Golenetskii, S. V., 0=2633
- Filimonov, Yu. I. See Golenetskii, S. V., 0=11339
- Filimonov, Yu. I. See Rusinov, L. L., 1=17013
- Filimonova, T. N. and Shmygov, A. M. A 15 MeV electron linear accelerator, 3=19385
- Filinski, I. See Johnson, E. H., 3=10948
- Filip, A., Grancha, I. and Ionescu, E. On the activation of the cooling water in the first contour of the VVR-S reactor of the IAF (Institute of Atomic Physics) in Bucharest (Bucharest), 2=6047
- Filip, A., Gyrly, I. and Păpuranu, V. Small-diameter fission chambers, 3=24540
- Filip, A. and Roşescu, T. Measurement of the flux around horizontal canals, in order to produce the optimum protection in the reactor V. V. R.-S, 2=6057
- Filip, A. and Roşescu, T. Measurements of fluxes near the horizontal channels of the VVR-S reactor for the selection of the best shield, 2=6049
- Filipczak, W. Nuclear reactor start-up simulator, 2=6032
- Filipczak, W. and Sztajnkoier, M. Nuclear reactor kinetics simulator, 1=759
- Filipczyński, L. Transients and the equivalent electrical circuit of the piezoelectric transducer, 1=8200
- Filipczyński, L. The field of elastic waves radiated into a semi-space by a compressional source, 3=18891
- Filipczyński, L. Propagation of ultrasonic waves in spirals, 3=21499
- Filipczyński, L. Propagation of ultrasonic waves in spirals, 4=14282
- Filipczyński, L. Measurements of mode conversion of ultrasonic waves on a solid-solid boundary, 4=16183

- Filipczyński, L. and Lin Dzon-Mou. Measurement of internal losses in material at high-amplitude vibrations and ultrasonic frequencies, 4=4442
- Filipescu, N., Kagan, M.R., McAvoy, N. and Serafin, F.A. Fluorescent properties of rare earth chelates in vinyllic hosts, 3=4990
- Filipescu, N. See McAvoy, N., 4=22906
- Filip'ev, V.S. and Fesenko, E.G. Unit cells of some compounds of $A_2B^IIO_6$ types, 3=16077
- Filip'ev, V.S., Kupriyanov, M. F. and Fesenko, E. G. Preparation and examination of compounds of $A_2B^IIO_6$ type, 4=23448
- Filip'ev, V.S., Smolyaninov, N.P., Fesenko, E.G. and Belyaev, I.N. Synthesis of $BiFeO_3$ and determination of the unit cell, 1=15099
- Filip'ev, V.S. See Kupriyanov, M. F., 4=9963
- Filipkovskii, A. See Bunyatov, S.A., 0=2597
- Filipkowski, A., Marquit, E., Skrzypczak, E. and Wroblewski, A. On Λ^0 hyperons produced in K^- interactions with emulsion nuclei, 2=16247
- Filipkowski, A. See Bogdanowicz, 1=12122
- Filipkowski, A. See Hofmoki, T., 3=12488
- Filipkowski, A. See Hofmoki, T., 4=25152
- Filipov, A.T. See Arbuzov, B.A., 3=4347
- Filipov, A.T. See Arbuzov, B.A., 3=14891
- Filipov, P.I. See Medvedev, M.N., 2=1485
- Filipovich, V.N. Theory of X-ray scattering by distorted crystals. I. Theory without atomic factors, 0=12022
- Filipovich, V.N. Theory of X-ray scattering by distorted crystals. II. Theory with atomic factors, 0=12023
- Filipovich, V.N. Theory of X-ray scattering in distorted polycrystals composed of three-dimensional crystal particles, 2=2375
- Filipovich, V.N. Theory of X-ray scattering in distorted polycrystals of composed two-dimensional crystal particles, 2=2376
- Filipovich, V.N. Theory of X-ray scattering in distorted polycrystals composed of one-dimensional crystal particles, 2=10834
- Filipovich, V.N. Theory of X-ray scattering by oriented polymers and other systems with macroscopic axial isotropy, 3=16088
- Filippas, T. A. and Fox, J. G. Velocity of gamma rays from a moving source, 4=27043
- Filippas, T. A., Palit, P., Siegal, R. T. and Welsh, R. E. Negative muon capture rates in high-Z elements, 4=924
- Filippas, T. A. See Eckhause, M., 2=13837
- Filippas, T. A. See Eckhause, M., 4=1096
- Filippenko, L.G. Analysis of systematic errors in investigations of small-angle scattering, 0=15311
- Filippenko, L.G. Features of the ionization process in heavy atoms and ions, 2=22166
- Filippenko, L.G. See Fedorenko, N.V., 0=12578
- Filippenko, L.G. See Fedorenko, N.V., 0=12590
- Filippenko, L.G. See Flaks, I.P., 0=8998
- Filippi, C. See Ely, P.P., 2=22613
- Filippi, C. See Ely, R.P., 2=18173
- Filippi, F. See Lennuier, R., 1=236
- Filippi-Filosof, C. See Aubert, B., 4=25175
- Filippov, A.G. See Feinberg, S.M., 3=10421
- Filippov, A.I. See Falomkin, I.V., 2=20381
- Filippov, A.I. See Falomkin, I.V., 3=7881
- Filippov, A.I. See Kozodaev, M.S., 0=9697
- Filippov, A.I. See Kozodaev, M.S., 0=12933
- Filippov, A.I. See Kozodaev, M.S., 1=19073
- Filippov, A.I. See Kozodaev, M.S., 1=19296
- Filippov, A.I. See Vasilenko, A.T., 4=16763
- Filippov, A.I. See Voloshchuk, V.I., 4=16765
- Filippov, A.I. See Zaimidoroga, O.A., 2=3369
- Filippov, A.I. See Zaimidoroga, O.A., 3=7883
- Filippov, A.I. See Zaimidoroga, O.A., 4=1233
- Filippov, A.I. See Zaimidoroga, O.A., 4=3436
- Filippov, A.I. See Zaimidoroga, O.A., 4=3437
- Filippov, A.I. See Zaimidoroga, O.A., 4=9322
- Filippov, A.J. See Zaimidoroga, O.A., 3=24770
- Filippov, A.L. See Zaimidoroga, O.A., 3=4417
- Filippov, A.T. On the elimination of divergences in the quasi-potential equations, 4=16790
- Filippov, A.T. See Arbuzov, B.A., 4=11909
- Filippov, A.T. See Arbuzov, B.A., 4=14048
- Filippov, A.T. See Arbuzov, B.A., 4=19434
- Filippov, B. N. Theory of absorption and dispersion of ultrasound in metals placed in a magnetic field, 4=12625
- Filippov, B.N. See Vlasov, K.B., 3=25606
- Filippov, B.N. See Vlasov, K. B., 4=12629
- Filippov, B. N. See Vlasov, K. B., 4=12635
- Filippov, B. N. See Vlasov, K. B., 4=13367
- Filippov, B. V. Kinetic equation for an adsorptive monolayer, 4=7714
- Filippov, E.S. See Vertman, A. A., 4=18184
- Filippov, G.F. The equilibrium shape of atomic nuclei, 0=13124
- Filippov, G.F. See Davýdov, A.S., 0=9503
- Filippov, G.F. See Davýdov, A.S., 0=15521
- Filippov, G.F. See Romanov, Yu. A., 1=16353
- Filippov, I.G. The motion of a vortex below the surface of a liquid, 2=17423
- Filippov, I.G. Theory of diffraction of weak shock waves round contours of arbitrary shape, 3=23972
- Filippov, I. G. The theory of linear three-dimensional unsteady problems of diffraction and certain nonlinear problems, 4=14257
- Filippov, I. G. On the theory of diffraction of plane elastic and electromagnetic waves, 4=24290
- Filippov, I.I. See Butslov, M.M., 2=20305
- Filippov, L.P. Relative methods of measuring thermal properties of liquids and gases, 2=9418
- Filippov, L. P., Tugareva, N. A. and Markina, L. I. Methods for determining small pulsations of high temperature and their application to determining metal heat capacities, 4=29793
- Filippov, L.P. See Pervushin, I.I., 2=1239
- Filippov, L.P. See Pervushin, I.I., 2=7312
- Filippov, L. P. See Yurchak, R. P., 4=25959
- Filippov, M. Effective magnetic permeability of a ferromagnetic-medium fluidized bed, 2=20104
- Filippov, M. Pressure drop and expansion of an air-magnetite fluidized system in a magnetic field, 2=20115
- Filippov, M. Fluidization of magnetites in a magnetic field, 2=20116
- Filippov, M.V. See Kirko, I.M., 0=21047
- Filippov, N.V. Investigation of pressures in a powerful pulsed gas discharge, using a piezoelectric measuring device, 1=7043
- Filippov, N.V., Filippova, T.I. and Vinogradov, V.P. Dense, high-temperature plasma in a noncylindrical z-pinch compression, 3=12162
- Filippov, N.V. See Artsimovich, L.A., 0=5317
- Filippov, N.V. See Artsimovich, L.A., 0=5320
- Filippov, N.V. See Filippova, T.I., 2=198
- Filippov, O. K. and Pivovarov, V. M. Radiation of a PRK-4 lamp in the far-infrared region, 4=24650
- Filippov, O. K. and Yaroslavskii, N. G. Transmission of long-wave-length infrared radiation (40-200 μ) by heated crystalline and fused quartz, 4=13053
- Filippov, V. V. See Nikolaev, M.N., 4=9522
- Filippov, V. V. See Nikolaev, M. N., 4=28040
- Filippov, Yu. E. See Kapitsa, M. L., 2=13586
- Filippov, Yu. F. Absorption of waves with finite amplitude in a conducting medium, 2=5460
- Filippova, G.P. and Ishkin, I.P. The viscosity of air nitrogen and argon at low temperatures and pressures to 150 atm, 2=5031
- Filippova, G.P. and Ishkin, I.P. Calculation of the viscosity of compressed gases by the similarity method, 2=9291
- Filippova, K.V. Investigation of the electric and optical properties of polymers forming electrets, 0=1705
- Filippova, K.V. See Guseva, L.I., 0=11429
- Filippova, K.V. See Volkov, V.V., 0=9649
- Filippova, T.F. See Lazareva, L.V., 3=3375
- Filippova, T.I., Filippov, N.V., Hurin, V.V. and Vinogradov, V.P. Measurement of the plasma electron temperature in a strong shock wave, 2=198
- Filippova, T.I. See Filippov, N.V., 3=12162
- Filippova, V. A. See Chirkov, N. P., 4=27923
- Fil'kin, V. Ya. See Borodich, V.D., 3=21667
- Filkin, V. Ya. See Borodich, V.D., 4=16364
- Fillard, J. P. See Bougnot, J., 4=7010
- Fillatre, A. See Rappeneau, J., 4=20226
- Fillenbaum, S. and Wiesen, R. Contextual constraints and disruptions in reading with delayed auditory feedback, 2=7056
- Filler, A.S. Primary aberrations of mirrors, 1=12970
- Filler, A. S. Stigmatic Ebert-type plane grating mounting, 4=16237
- Filler, A.S. Apodization and interpolation in Fourier-transform spectroscopy, 4=18398
- Filler, A.S. and Indyk, L. Calibration of infrared prism spectrometers, 1=9475
- Filler, W.S. Measurements on the blast wave in a conical tube, 0=10725

- Filler, W.S. Propagation of shock waves in a hydrodynamic conical shock tube, 4=18321
- Fillers, L. and Ludloff, H.F. Stability analysis and integration of the viscous equations of motion, 1=18356
- Fillio, D.N. See Lobdell, A. J., 4=13365
- Fillius, R.W. and McIlwain, C.E. Anomalous energy spectrum of protons in the earth's radiation belt, 4=29320
- Fillmore, F.L. Evaluation of $\ln E_1/E_2$ for resonance neutrons in uranium lattices, 0=12950
- Filonov, B.O. See Pavlyuchenko, M. M., 4=484
- Filosof, G. See Donnet, J.B., 3=3925
- Filosofo, I. See Bernardini, G., 1=5702
- Filov, R.A. See Ostroumov, V.I., 0=9620
- Filov, R.A. See Ostroumov, V.I., 0=20433
- Filov, R.A. See Perfilov, N.A., 1=5944
- Filov, R.A. See Perfilov, N.A., 1=11042
- Filov, R.A. See Perfilov, N.A., 2=508
- Filov, R.A. See Perfilov, N.A., 2=22858
- Filov, R.A. See Perfilov, N.A., 4=1115
- Filov, R.A. See Perfilov, N.A., 4=6395
- Filov, R.A. See Perfilov, H.A., 4=28073
- Filov, R.A. See Solov'eva, Z.I., 3=15240
- Filson, D.H. Low-temperature ultrasonic attenuation in tin and aluminum, 0=1568
- Filson, D.H. See Neighbours, J.R., 2=2941
- Filthuth, F. See Budde, R., 0=2465
- Filthuth, H. See Amato, G., 3=17001
- Filthuth, H. See Aubert, B., 3=17333
- Filthuth, H. See Bartke, J., 1=8513
- Filthuth, H. See Bartke, J., 2=13883
- Filthuth, H. See Bartke, J., 3=22206
- Filthuth, H. See Cooper, W. A., 4=15104
- Filthuth, H. See Courant, H., 3=17346
- Filz, R. and Fukui, K. Emission of carbon-group heavy nuclei from a 3^+ solar flare, 1=12134
- Filz, R. See Yagoda, H., 2=13901
- Finagin, B.A. Investigation of the spectra forms of vibration of the surface of piezo-plates, 0=19255
- Finagin, B.A. Degenerated vibrations and doublet splitting of eigen-frequencies of piezoradiators, 2=2809
- Finagin, B.A. Degenerated vibrations and doublet splitting of eigen-frequencies of piezoradiators, 2=7273
- Finagin, B.A. Oscillations of a piezoelectric resonator at an even harmonic of the thickness resonance oscillations, 3=14233
- Finagin, B.A. Static deformation of a piezoelectric plate vibrating at its natural frequency, 3=16678
- Finaz, A. See Béné, G., 3=20021
- Finaz, A. See Béné, G. J., 4=3915
- Finch, A.C.M. Improvement of the thermostat control given by a Tecam tempunit and a Shandon circotherm, 3=19054
- Finch, A.C.M. Improvements to a commercial electric melting point apparatus, 3=21615
- Finch, H.F. See Laurie, P.S., 1=1643
- Finch, R. D., Kagiwada, R., Barmatz, M. and Rudnick, I. Cavitation in liquid helium, 4=18520
- Finch, R.H., Queisser, H.J., Thomas, G. and Washburn, J. Structure and origin of stacking faults in epitaxial silicon, 3=10680
- Finch, R.H. See Goetzberger, A., 4=22742
- Finch, R.H. See Goetzberger, A., 4=22744
- Finch, R.H. See Queisser, H.J., 2=10404
- Finck, A. Low-frequency pure tone masking, 1=12715
- Fincke, H.E. Bispherical surfaces as aids to aberration correction in photographic optics, 1=1808
- Finckh, E. and Hegel, U. Measurement of photoprotons from argon and oxygen, 1=7366
- Finckh, E., Kosiek, R., Lindenberger, K.H., Maier, K., Meyer-Berkhout, U., Schechter, M. and Zimmerer, J. Photoprotons from carbon, nitrogen, oxygen and neon, 3=17451
- Finckh, E., Kosiek, R., Lindenberger, K.H., Meyer-Berkhout, U., Nücker, N. and Schlüpmann, K. On the reaction $\text{He}^3(\nu, p)\text{D}$, 4=6147
- Finckh, E., Kosiek, R. and Schlüpmann, K. Photoprotons from N^{15} , 3=17452
- Finckh, E. See Hegel, U., 1=7369
- Findlay, A.W. See Landecker, K., 2=16762
- Findlay, D. and Finlayson, D.M. A small diameter radiation shield system for magnetic experiments at low temperatures, 4=14861
- Findlay, F. D. See Gebbie, H. A., 4=21682
- Findlay, F. D. See Gebbie, H. A., 4=24904
- Findlay, J.R. and Laing, T.F. The diffusion of fission products from graphite, 3=10427
- Findlay, J.W. Protecting the science of radio astronomy, 3=3615
- Findlay, J.W. See Struve, O., 1=3292
- Findley, R.W., Reiter, R.A. and Romanowski, T.A. A precision clock for measuring time intervals, 1=18342
- Findley, R.W. See Fields, T.H., 1=2583
- Fine, J. See Scheer, M.D., 2=6087
- Fine, J. See Scheer, M.D., 2=7463
- Fine, J. See Scheer, M.D., 2=17073
- Fine, J. See Scheer, M.D., 3=8930
- Fine, J. See Scheer, M.D., 4=2129
- Fine, M.E. Temperature dependence of the strength of zone hardened aluminium-silver alloys, 0=21139
- Fine, M.E. Precipitate and dispersion hardening of crystalline solids, 4=28948
- Fine, M.E. See Ben Israel, D.H., 3=25755
- Fine, M.E. See Byrne, J.G., 1=20602
- Fine, M.E. See Cohen, J.B., 3=8905
- Fine, M.E. See Cohen, J.B., 4=4499
- Fine, M.E. See Dawance, M. M., 4=23189
- Fine, M.E. See Freise, E.J., 1=3660
- Fine, M.E. See Greener, E.H., 1=6163
- Fine, M.E. See Herman, H., 3=8881
- Fine, M.E. See Koppenaal, T.J., 1=12848
- Fine, M.E. See Makkay, R.W., 2=6714
- Fine, M.E. See Makkay, R.W., 2=10493
- Fine, M.E. See Wimmer, F.T., 3=15993
- Fine, M.E. See Wolfson, R.G., 0=18307
- Fine, S. See Derr, V. E., 4=26980
- Finegold, H. N.m.r. studies of asymmetric ethanolic rotators: 1,2-disubstituted propanes, 4=28266
- Finegold, L. See Dobbs, E.R., 0=19132
- Finegold, L.X. See Paul, W., 3=10833
- Fineman, J. See Chase, C.E., 0=10819
- Fineman, J.C. and Chase, C.E. Energy of a vortex ring in a tube and critical velocities in liquid helium II, 3=3938
- Fineman, J.C. and Chase, C.E. Energy of a vortex ring in a tube and critical velocities in liquid He II, 4=14496
- Fineman, M.A. and Petrocelli, A.W. Electron impact study of CO using a Lozier apparatus, 2=1385
- Fineman, M.A. and Petrocelli, A.W. Molecular studies with a Lozier electron impact apparatus, 2=3788
- Finfgeld, C. and Machlup, S. Well-informed heat engine: efficiency and maximum power, 0=5227
- Finger, F.G. See Harris, M.F., 2=17129
- Finger, G. See Reik, H.G., 1=1059
- Finger, M. See Malý, L., 4=25358
- Fingerland, A. Method of moments in analysis of X-ray diffraction lines, 1=7861
- Fingerland, A. On practical calculations with reflection curves for perfect crystals, 2=14986
- Fingerland, A. and Cervinka, L. The use of germanium dendrites for the monochromatization of X-rays, 4=24777
- Fingerland, A. See Bubáková, R., 1=9134
- Fingerland, A. See Bubáková, R., 1=15030
- Fingerland, A. See Bubáková, R., 1=15069
- Fingerland, A. See Bubáková, R., 2=21511
- Fingerland, A. See Bubáková, R., 3=5097
- Fink, C.R. See Harvey, D. G., 4=2476
- Fink, H. and Shaltiel, D. Nuclear frequency pulling in a Dzialoshinskii-Moriya-type weak ferromagnet: MnCO_3 , 4=30737
- Fink, H.J. A new absolute noise thermometer at low temperatures, 0=1086
- Fink, H.J. Radio-frequency susceptibilities of weak ferromagnets: MnCO_3 and NiF_2 , 3=11051
- Fink, H. J. Resonance line shapes of weak ferromagnets of the $\alpha\text{-Fe}_2\text{O}_3$ and NiF_2 type, 4=13283
- Fink, H. J. High-frequency properties of epitaxial silicon p-n junctions at low temperatures, 4=22743
- Fink, H. J. Vortex wave spectrum of a type II superconductor, 4=24491
- Fink, H.J. and Shaltiel, D. High-frequency resonance of a weak ferromagnet: MnCO_3 , 3=13290
- Fink, H. J. and Zacharias, A. Current fluctuations in a superconducting circuit carrying a circulating current, 4=21416
- Fink, H. J. See Shaltiel, D., 4=13347
- Fink, M., Jost, K. and Kessler, J. A simple apparatus for the analysis of the geometrical properties of charged-particle beams, 3=12256
- Fink, M. and Kessler, J. Experiments on the electron optics of electrostatic accelerators, 3=16984
- Fink, R.D. See Coryell, C.D., 1=9892
- Fink, R.D. See Kaplan, M., 4=15242

- Fink, R.D. See Kaplan, M., 4=22233
- Fink, R.D. See Odell, A., 4=26753
- Fink, R.W., Andersson, G. and Kantele, J. Nuclear spectroscopy of mass-separated neutron-deficient tellurium isotopes, 2=1851
- Fink, R.W. See Bramlitt, E.T., 2=3597
- Fink, R.W. See Bramlitt, E.T., 3=24952
- Fink, R.W. See Chittenden, D.M., II, 1=7390
- Fink, R.W. See Kantele, J., 2=5606
- Fink, R.W. See Kantele, J., 2=13765
- Fink, R.W. See Kantele, J., 3=15151
- Fink, R.W. See Kumabe, I., 0=7610
- Fink, R.W. See Kumabe, I., 0=9682
- Fink, R.W. See Moler, R.B., 3=19813
- Fink, R.W. See Poulikas, A., 0=456
- Fink, R.W. See Preiss, I.L., 0=7612
- Fink, R.W. See Robinson, B.L., 0=5707
- Fink, R.W. See Scobie, J., 0=2641
- Fink, R.W. See Wille, R.G., 0=9672
- Fink, U., Rank, D.H. and Wiggins, T.A. Abundance of methane in the earth's atmosphere, 4=17878
- Fink, U. See Rank, D.H., 4=25640
- Finke, B. See Wurtele, M.G., 2=8948
- Finkel', A.G., Prokof'eva, N.I. and Sverdlov, L.M. Experimental and theoretical investigation of absolute intensities in the infrared spectra of hydrocarbons in the gas phase. I. Cyclopentane and cyclohexane, 4=6619
- Finkel, J. On the Faraday effect in O_2 , 3=5468
- Finkel, J. Faraday rotation in a spin system, 3=22489
- Finkel, J. Optical Faraday rotation in the atmosphere, 4=17897
- Finkel', V.A. See Amonenko, V.M., 0=3677
- Finkel', V.A. See Amonenko, V.M., 1=12593
- Finkel', V.A. See Amonenko, V.M., 3=3297
- Finkel', V.A. See Amonenko, V.M., 3=18278
- Finkel', V.A. See Amonenko, V.M., 3=20908
- Finkel', V.A. See Amonenko, V.M., 3=25272
- Finkel', V.A. See Amonenko, V.M., 4=23489
- Finkel', V.A. See Amonenko, V.M., 4=26498
- Finkel', V.A. See Palatnik, L.S., 0=14025
- Finkel', V.A. See Papirov, I.I., 4=23254
- Finkel', V.A. See Smirnov, Yu. N., 4=20700
- Finkel', V.A. See Smirnov, Yu. N., 4=29104
- Finkel', V.A. See Vasyutinskii, B.M., 3=5100
- Finkel', V.A. See Vasyutinskii, B.M., 4=10483
- Finkel', V.O. See Vasyutyn'skii, B.M., 2=23847
- Finkel', V.M. and Berezovskii, V.N. Study of the form and size of the X-ray interference spots on elastically deformed transformer steel, 15188
- Finkel', V.M. and Krotenok, P.I. The problem of plastic deformation in brittle fracture surfaces, 2=21442
- Finkel', V.M. and Kutkin, I.A. The fracture of high-strength hardened glass, 2=8747
- Finkel', V.M. and Kutkin, I.A. Reversibility of cracks in glass, 2=12867
- Finkel', V.M. and Kutkin, I.A. The frequency of high-strength hardened glass, 2=14907
- Finkel', V.M. and Kutkin, I.A. Reversibility of cracks in glass, 2=19013
- Finkel', V.M. and Kutkin, I.A. Investigation of the growth of cracks in dynamic fracture of glass, 2=21445
- Finkel', V.M. and Kutkin, I.A. Crack propagation in carbon steels, 2=23788
- Finkel', V.M. and Kutkin, I.O. Investigation of the propagation of cracks in steel, 3=3242
- Finkel', V.M. and Kutkin, I.A. Investigation of the growth of cracks in dynamic fracture of glass, 3=3243
- Finkel', V.M. and Kutkin, I.A. Influence of testing and heat treatment on the growth of cracks in certain steels, 4=10385
- Finkel', V.M., Kutkin, I.A., Save'ev, A.M., Zraichenko, V.A., Zuev, L.B. and Kositsina, V.K. Study of the kinetics of the growth of cracks in bismuth single crystals, 4=20648
- Finkel'berg, V.M. Virial analysis in the problem of electrostatic polarization in a many-body system, 4=2932
- Finkelberg, V.M. Mean field strength in an inhomogeneous medium, 4=16624
- Finkel'berg, V.M. The dielectric constant of mixtures, 4=17514
- Finkel'shtein, A.I. Optical study of the molecular structure of s-triazene derivatives. VII. Electronic spectra of the aqueous solutions of the cyameluric acid derivatives at different pH, 2=17466
- Finkel'shtein, A.I. Relation between the symmetric and antisymmetric frequencies of groups of the type XH_2 , 3=17558
- Finkel'shtein, A.I. Expression of molecular anharmonicity constants in terms of the constants of Badger's formula, 4=1242
- Finkel'shtein, A.I. See Mushkin, Yu.I., 3=4764
- Finkel'shtein, B.N. and Khait, Yu.L. Theory of defects arising in solids by atomic recoil from gamma-emission, 2=21007
- Finkel'shtein, B.N. and Khait, Yu.L. Theory of defects arising in solids by atomic recoil from gamma-emission, 2=23166
- Finkel'shtein, B.N. See Fastov, N.S., 0=1091
- Finkel'shtein, B.N. See Malyuchkov, O.T., 2=14850
- Finkel'shtein, B.N. See Malyuchkov, O.T., 2=14858
- Finkel'shtein, B.N. See Pavlovskaya, V.S., 1=6540
- Finkel'shtein, B.N. See Suris, R.A., 0=20951
- Finkel'shtein, B.N. See Verner, V.D., 2=8711
- Finkel'shtein, B.N. See Verner, V.D., 2=10737
- Finkel'shtein, G.B. See Kasatochkin, V.L., 3=18256
- Finkel'shtein, I.B. See Voloshina, L.A., 3=2814
- Finkel'shtein, L.D. and Nemnonov, S.A. Correlation between the variation in the intensity of K_{α} line and the magnitude of the initial region of absorption in some cobalt compounds, 4=7127
- Finkel'shtein, L.D. See Nemnonov, S.A., 0=18399
- Finkel'shtein, L.D. See Nemnonov, S.A., 1=891
- Finkel'shtein, L.D. See Nemnonov, S.A., 1=14616
- Finkel'shtein, L.D. See Nemnonov, S.A., 3=10974
- Finkel'shtein, L.D. See Nemnonov, S.A., 4=6679
- Finkel'shtein, S.D., Kudryavtsev, I.P. and Druzhinin, V.V. Crystallographic texture in hot-rolled transformer steel, 4=20785
- Finkel'shtein, V.E. and Starunov, N.G. A spectropyrrometer for temperature measurements with respect to monochromatic infrared radiation, 4=16277
- Finkelstein, D. Dynamics of plasma, 3=7538
- Finkelstein, D., Jauch, J.M., Schiminovich, S. and Speiser, D. Foundations of quaternion quantum mechanics, 2=9192
- Finkelstein, D., Jauch, J.M., Schiminovich, S. and Speiser, D. Some physical consequences of general Q-covariance, 2=22399
- Finkelstein, D., Jauch, J.M., Schiminovich, S. and Speiser, D. Principles of general Q covariance, 3=16524
- Finkelstein, D., Jauch, J.M. and Speiser, D. Quaternionic representations of compact groups, 3=7089
- Finkelstein, D. and Rubinstein, J. Ball lightning, 4=26800
- Finkelstein, D. See Schmidt, G., 2=13571
- Finkelstein, D. See Wetstone, D.M., 0=15032
- Finkelstein, L. See Pekeris, C.L., 3=5466
- Finkelstein, N.P. See Butement, F.D.S., 0=15088
- Finkelstein, R. Spacetime of the elementary particles, 0=17236
- Finkelstein, R. Spinor fields in spaces with torsion, 1=7190
- Finkelstein, R. Elementary interactions in spaces with torsion, 1=15701
- Finkelstein, R. and Ramsay, W. The strong couplings in a space with torsion, 2=9774
- Finkelstein, R. and Ramsay, W. The weak and the strong couplings and general covariance, 3=10032
- Finkelstein, R.J. Electromagnetic interactions of a Yang-Mills field, 4=19375
- Finkenrath, H. On the relation between the optical absorption and dispersion and the conduction mechanism of thin cadmium oxide layers, 0=11752
- Finkenrath, H. The effect of free electrons on the optical self-absorption of cadmium oxide, 0=11758
- Finkenrath, H. The optical constants of cadmium oxide in the region of intrinsic absorption, 4=10165
- Finkenrath, H. The influence of bandgap and band occupancy on the dielectric constant of semiconductors, 4=28557
- Finkenrath, H. and Volkmann, M. Optical absorption and dispersion by conduction electrons in cadmium oxide films, 2=16811
- Finlay, E.A. A proposal for linear regenerative extraction from the Birmingham radial-ridge cyclotron, 3=5785
- Finlay, E.A. See Doran, G.A., 1=1945
- Finlay, G.C. Secondary school physics: The Physical Science Study Committee, 0=6636
- Finlay, R.W. and Owen, G.E. Angular distributions for the $F^{19}(d,n)Ne^{20}$ reaction, 3=6288
- Finlay, R.W. See Castle, R.T., 4=19732
- Finlay-Freundlich, E. The empirical foundation of the general theory of relativity, 0=31
- Finlay-Freundlich, E. The determination of the gravitational deflection of light, 0=8544
- Finlay-Freundlich, E. General red-shift of the Fraunhofer lines, 2=11130

- Finlay-Freundlich, E. and Forbes, E.G. On the red shift of the solar lines. III, 0=18778
- Finlayson, D.M., Llewellyn, J.P. and Smith, T. The magnetic susceptibility of iron ditelluride II, 0=4482
- Finlayson, D.M., Robertson, I.S., Smith, T. and Stevenson, R.W.H. The optical absorption in manganese zinc fluoride single crystals near the Néel temperature, 1=1162
- Finlayson, D.M., Robertson, I.S., Smith, T. and Stevenson, R.W.H. The magnetic susceptibility of manganese zinc fluoride solid solutions, 1=20168
- Finlayson, D.M. and Smith, T. The effect of added titanium on the magnetic behaviour of haematite, 0=21061
- Finlayson, D.M. See Findlay, D., 4=14861
- Finn, A.C. Application of dispersion relations to meson-nucleon scattering, 0=17386
- Finn, A.C. Theorem on the shrinking of diffraction peaks, 4=844
- Finn, C.B.P., Orbach, R. and Wolf, W.P. Spin-lattice relaxation in cerium magnesium nitrate at liquid helium temperature: a new process, 1=6423
- Finn, C.B.P., Orbach, R. and Wolf, W.P. Spin-lattice relaxation in cerium magnesium nitrate at helium temperatures; a new process, 1=14808
- Finn, C.B.P. See Cooke, A.H., 0=8040
- Finn, C.B.P. See Cooke, A.H., 1=14809
- Finn, C.B.P. See Cooke, A.H., 3=1056
- Finn, C.B.P. See Cooke, A.H., 3=1194
- Finn, D. See Mixon, F.O., 4=11427
- Finn, D. See Sliepcevic, C.M., 4=5481
- Finn, D. See Sliepcevic, C.M., 4=29543
- Finn, E.J. Vibrational energy levels of ionic molecules bound by classical forces, 4=3861
- Finn, E.J. and Beckel, C.L. Power series expansions of vibrational potentials. II. Two classical potentials for ionic molecules, 1=5994
- Finn, M.C. See Gatos, H.C., 1=14284
- Finn, M.C. See Hanneman, R.E., 3=3219
- Finn, M.C. See Lavine, M.C., 2=8777
- Finn, R. On the Stokes paradox and related questions, 3=18777
- Finn, R.J. See Crouchley, J., 1=10309
- Finne, R.M. See Sullivan, M.V., 3=23501
- Finnemore, D. Developments in superconductivity, 4=27407
- Finnemore, D.K., Mapother, D.E. and Shaw, R.W. Critical field curve of superconducting mercury, 0=8935
- Finnemore, D.K. See Leslie, J.D., 4=14522
- Finney, J.J. and Araki, T. Refinement of the crystal structure of antlerite $[\text{Cu}_3(\text{SO}_4)(\text{OH})_4]$, 3=8866
- Finney, J.J. See Fehlmann, M., 4=30847
- Finney, J.M. Notched and unnotched fatigue characteristics of an aluminium-zinc-magnesium alloy of unusual strength, 4=7406
- Finney, J.M. The effects of rate of cycling on the unusual fatigue behaviour of two high-strength aluminium alloys, 4=26493
- Finney, J.M. See Segall, R.L., 3=20739
- Finney, J.W. See Bateman, R., 0=9222
- Finney, J.W. See Smith, E.K., Jr, 0=14229
- Finney, P.J., Major, J.V. and Parkhouse, P.G.J.T. The interactions of π^- -mesons with complex nuclei in the energy range 100-800 MeV. III. The interaction lengths and elastic scattering of 300 MeV π^- -mesons in G5 emulsion, 2=5717
- Finnie, I. and Curl, R.L. Physics in a toy boat, 3=9638
- Finnier, T.C. See Davies, P.W., 3=13361
- Finnimore, D.K. and Mapother, D.E. Absence of an isotope effect in superconducting ruthenium, 3=3963
- Finniston, H.M. The nuclear fuel element: an exercise in metallurgy, 4=30361
- Finocchiaro, G., Finzi, R. and Mezzetti, L. How much do wave length shifters used for Cerenkov counters scintillate, 0=12724
- Finocchiaro, G. See Beneventano, M., 0=17398
- Finocchiaro, G. See Beneventano, M., 2=22558
- Finocchiaro, G. See Fabiani, F., 2=20319
- Finocchiaro, G. See Fabiani, F., 2=22491
- Finocchiaro, G. See Fidecaro, M., 2=3293
- Finocchiaro, G. See Fidecaro, M., 2=9814
- Finocchiaro, G. See Fidecaro, M., 2=9840
- Finocchiaro, G. See Fidecaro, M., 2=22506
- Finsen, W.S. The role of the interferometer in double-star astronomy, 2=9047
- Finsen, W.S. Interferometer observation of binary stars, 4=23836
- Finston, M. Free convection past a vertical plate, 0=19484
- Fintelmann, D. and Hartung, J. Investigations on a gas-flow point counter tube, 4=19325
- Fintoft, K. See Fant, G., 4=4968
- Fintz, P. See Gorodetzky, S., 0=11321
- Fintz, P. See Gorodetzky, S., 0=11322
- Fintz, P. See Gorodetzky, S., 0=17597
- Fintz, P. See Gorodetzky, S., 1=7326
- Fintz, P. See Gorodetzky, S., 1=13844
- Fintz, P. See Gorodetzky, S., 2=484
- Fintz, P. See Gorodetzky, S., 2=485
- Fintz, P. See Gorodetzky, S., 2=22840
- Fintz, P. See Gorodetzky, S., 3=4664
- Finzburg, V.L. and Kirzhnits, D.A. Superconductivity of electrons occupying levels on the surface [of solids], 4=14516
- Finzi, A. A possible test of the expansion of the universe from luminosity curves of distant supernovae, 1=15405
- Finzi, A. Dimensionless quantities, spacelike intervals and proper time in general relativity, 1=15642
- Finzi, A. Test of possible variations of the gravitational constant by the observation of white dwarfs within galactic clusters, 3=5336
- Finzi, A. Question of the validity of Newton's law at cosmic distances, 3=23659
- Finzi, A. On the validity of Newton's law at a long distance, 4=8033
- Finzi, A. On the hypothesis of the variation of the gravitational constant, and on some of its consequences, 4=17961
- Finzi, A. The possible test of the expansion of the universe from the observation of the explosions of galaxies, 4=17967
- Finzi, R. See Beneventano, M., 0=17398
- Finzi, R. See Beneventano, M., 2=22558
- Finzi, R. See Beneventano, M., 3=19669
- Finzi, R. See Finocchiaro, G., 0=12724
- Fiocco, G. and Smullin, L.D. Detection of scattering layers in the upper atmosphere (60-140 km) by optical radar, 4=13814
- Fiocco, G. and Thompson, E. Thomson scattering of optical radiation from an electron beam, 3=16803
- Fiocco, G. See Smullin, L.D., 2=21699
- Fiocco, G. See Smullin, L.D., 2=22015
- Fiocco, G. See Thompson, E., 4=18883
- Fiorani, M. and Oleari, L. Thermodynamical investigations on metallic systems. XII. Determination of the miscibility gap by calculation, using the thermodynamical functions, for the ternary system Zn-Sn-Pb, 1=6529
- Fiorani, M. See Oleari, L., 1=142
- Fiorani, M. See Oleari, L., 1=5284
- Fiore, N.F. and Bauer, C.L. Dislocation damping in dilute Cu-Ce alloys, 4=23150
- Fiorentini, A. Dynamic characteristics of visual processes, 1=18551
- Fiorentini, A. Optics in Italy, 2=13428
- Fiorentini, A. and Bittini, M. Time course of monocular sensitivity during contralateral stimulation, 3=9304
- Fiorentini, A. and Radici, T. A binocular contrast effect, 1=21138
- Fiorentini, A. See Bittini, M., 0=8449
- Fiorentini, A. See Bisi, A., 3=5992
- Fiorentini, A. See Bisi, A., 3=20148
- Fiorentini, A. See Bisi, A., 4=15465
- Fiorentini, A. See Ercoles, A.M., 3=11631
- Fiorini, E. and Ratti, S. An optical-mechanical method for stereoscopic reconstruction, 0=15198
- Fiorini, E. See Abate, E., 2=5920
- Fiorini, E. See Bellini, G., 2=22573
- Fiorini, E. See Bellini, G., 3=7899
- Fiorini, E. See Bellini, G., 3=15011
- Fiorini, E. See Bellini, G., 4=1097
- Fiorini, E. See Bellini, G., 4=6114
- Fiorini, E. See Bellini, G., 4=21894
- Fiorini, E. See Block, M.M., 2=9883
- Fiorini, E. See Dell'antonio, G.F., 1=17018
- Fiorini, E. See Fretter, W.B., 3=2301
- Fiorini, E. See Veillet, J.J., 3=10163
- Fiorini, E. See Veillet, J.J., 3=17313
- Fiorini, F. and Ratti, S. Some data on the interactions of high-energy protons in light nuclei (C,O), 0=11171
- Fiorio, G. See Beltrametti, E.G., 1=13467
- Fiorio, G. See Fabri, E., 3=12399
- Fiquet-Fayard, F. Remarks on multiple ionization of argon by electron impact from 0 to 500 volts, 2=22171
- Fiquet-Fayard, F. and Guyon, P.M. Isotopic effects in the dissociation of triatomic molecules by electron impact, 4=3924

- Fiquet-Fayard, F. and Lahmani, M. The Auger effect in the multiple ionization of argon, potassium and calcium by electron impact, 3=12069
- Fiquet-Fayard, F. and Ziesel, J. P. Multiple ionization of zinc by electron impact from 0 to 500 V, 4=465
- Fiquet-Fayard, F. and Ziesel, J. P. Formation of multiply charged ions by the Auger effect in some monatomic vapours, 4=11520
- Fireman, E. L. The distribution of helium-3 in the Grant meteorite and a determination of the original mass, 1=5142
- Fireman, E. L. The Ehole meteorite, its acquisition and its radioactivity, 2=21708
- Fireman, E. L. Density of the solar flare plasma, 3=11546
- Fireman, E. L. and DeFelice, J. Argon 37, Argon 39, and tritium in meteorites and the spatial constancy of cosmic rays, 1=15437
- Fireman, E. L. and DeFelice, J. Tritium, argon 37, and argon 39 in the Bruderheim meteorite, 2=2529
- Fireman, E. L., DeFelice, J. and Tilles, D. Solar flare tritium in a recovered satellite, 1=12754
- Fireman, E. L. and Fisher, D. E. Uranium in the Sikhote-Alin meteorite and its relation to the lead method of age determination, 2=4588
- Fireman, E. L. and Rowland, F. S. An additional measurement of the tritium content of atmospheric hydrogen of 1949, 2=4614
- Fireman, E. L. See Whipple, F. L., 0=10496
- Firestein, F. and Vine, J. Properties of two-cylinder electron lenses, 3=19344
- Firk, F. W. K. Energy spectra of photoneutrons from the reactions $O^{16}(\gamma, n)$, $S^{32}(\gamma, n)$ and $Ca^{40}(\gamma, n)$, 4=17116
- Firk, F. W. K. and Lokan, K. H. Energy spectrum of photoneutrons from the reaction $O^{16}(\gamma, n)O^{15}$, 2=14078
- Firk, F. W. K., Reid, G. W. and Gallagher, J. F. High resolution neutron time-of-flight experiments using the Harwell 15 MeV linear electron accelerator, 0=17350
- Firk, F. W. K., Slaughter, G. G. and Ginther, R. J. An improved Li^6 -loaded glass scintillator for neutron detection, 2=5687
- Firk, F. W. K., Lynn, J. E. and Moxon, M. C. Parameters of neutron resonances in $U^{238} + n$ up to 1.8 keV, 1=8741
- Firk, F. W. K., Lynn, J. E. and Moxon, M. C. Resonance parameters of the neutron cross-section of U^{238} , 3=10357
- Firk, F. W. K., Lynn, J. E. and Moxon, M. C. Resonances in the neutron cross section of bismuth, 3=17486
- Firk, F. W. K., Lynn, J. E. and Moxon, M. C. Analysis and interpretation of the neutron cross-section of vanadium below 25 keV, 3=24955
- Firk, F. W. K., Whittaker, J. K., Bowey, E. M., Lokan, K. H. and Rae, E. R. A nanosecond neutron time-of-flight system for the Harwell 30 MeV electron linac, 3=19655
- Firk, F. W. K. See Bird, J. R., 0=4074
- Firk, F. W. K. See Rae, E. R., 0=17352
- Firkowicz, S. Comments on the admissible current load of the oxide cathode, 1=16367
- Firkowicz, S. Contribution to the analysis of the admissible load of oxide cathodes, 1=16368
- Firkowicz, S. The influence of choice of the alkaline earth metal carbonates on the emission properties of oxide-coated cathodes, 1=18911
- Firkowski, R., Gawin, J., Maze, R. and Zawadzki, A. New evidence for the existence of large air showers attributable to primary photons, 3=2337
- Firkowski, R., Gawin, J., Zawadzki, A. and Maze, R. The possible existence of photo initiated EAS, 2=12065
- Firkowski, R., Gawin, J., Zawadzki, A. and Maze, R. Evidence for the existence of high-energy photon initiated E.A.S., 3=22236
- Firkowski, R., Gawin, J., Zawadzki, A. and Maze, R. New indications of the existence of photon-initiated e.a.s., 3=10188
- Firkowski, R. and Zawadzki, A. Analysis of methods of measuring the γ coefficient of extensive cosmic-ray showers, 0=15470
- Firor, J. The quiet sun at 88 cm wavelengths, 0=18632
- Firor, J. See Christiansen, W. N., 0=18732
- Firor, J. Solar radio bright spots at 88 cm wavelength, 1=2644
- Firor, J. and Zirin, H. Observations of five ionization stages of iron in the solar corona, 2=4782
- Firor, J. W. See Burke, B. F., 1=18011
- Firor, J. W. See Kundu, M. R., 1=15543
- Firsanov, I. A. See Krishtal, M. A., 4=15721
- Firsoff, V. A. A note on the "effective greysphere temperature" and "effective bolometric albedo" of planetary bodies, 0=8489
- Firsoff, V. A. Dissipation of planetary atmospheres, 1=6701
- Firsoff, V. A. Density of the lunar atmosphere, 1=6703
- Firsoff, V. A. On carbon dioxide in the atmosphere of Venus, 1=15425
- Firsoff, V. A. Selenological implications of the South-Australian ring structures, 3=16333
- Firsov, E. I. See Pisarevskii, A. N., 3=2168
- Firsov, E. I. See Vyazemskii, V. O., 2=1353
- Firsov, E. I. See Vyazemskii, V. O., 2=1367
- Firsov, E. P., Pivovarov, S. P. and Latyshev, G. D. Magnetic field gradient meter employing a superregenerator controlled by nuclear precession, 4=637
- Firsov, F. G. A powerful γ -source with automatic control, 0=7494
- Firsov, O. B. A qualitative interpretation of the mean electron excitation energy in atomic collisions, 0=9750
- Firsov, O. B. A plasma in a "magnetic grid", 1=7066
- Firsov, O. B. Repulsion of a charged particle from regions where the magnetic field is strong, 1=10767
- Firsov, O. B. Kinetics of exothermic reactions between molecules and molecular ions, 2=16570
- Firsov, O. B. Kinetics of exothermic reactions between molecules and molecular ions, 3=6438
- Firsov, O. B. and Chibisov, M. I. Bremsstrahlung of slow electrons decelerated by neutral atoms, 1=17087
- Firsov, O. B. See Fetisov, I. K., 0=8999
- Firsov, O. B. See Martynenko, Yu. V., 3=22507
- Firsov, O. B. See Mordvinov, Yu. P., 1=2301
- Firsov, O. B. See Smirnov, B. M., 4=25582
- Firsov, Yu. A. Cyclotron resonance in semiconductors with complex equipotential surfaces, 0=537
- Firsov, Yu. A. A comment on "Cyclotron resonance in semiconductors with complex equipotential surfaces", 0=6093
- Firsov, Yu. A. Theory of the Hall effect in semiconductors with low mobility, 4=1568
- Firsov, Yu. A. and Gurevich, V. L. Theory of electric conductivity of semiconductors in a magnetic field. II, 2=4009
- Firsov, Yu. A. and Gurevich, V. L. Theory of electric conductivity of semiconductors in a magnetic field. II, 2=23301
- Firsov, Yu. A., Gurevich, V. L., Parfeniev, R. V. and Shalyt, S. S. Investigation of a new type of oscillations in the magnetoresistance, 4=26049
- Firsov, Yu. A. See Gurevich, V. L., 1=14418
- Firsov, Yu. A. See Gurevich, V. L., 2=188
- Firsov, Yu. A. See Gurevich, V. L., 2=564
- Firsov, Yu. A. See Gurevich, V. L., 2=11552
- Firsov, Yu. A. See Gurevich, V. L., 2=13502
- Firsov, Yu. A. See Gurevich, V. L., 2=21119
- Firsov, Yu. A. See Gurevich, V. L., 2=21202
- Firsov, Yu. A. See Gurevich, V. L., 2=21235
- Firsov, Yu. A. See Gurevich, V. L., 2=23542
- Firsov, Yu. A. See Gurevich, V. L., 3=403
- Firsov, Yu. A. See Gurevich, V. L., 3=6569
- Firsov, Yu. A. See Gurevich, V. L., 4=28553
- Firsov, Yu. A. See Kudinov, E. K., 4=28396
- Firsov, Yu. A. See Lang, I. G., 3=15557
- Firsov, Yu. A. See Lang, I. G., 4=6807
- Firsov, Yu. A. See Lang, I. G., 4=9924
- Firsova, M. M. See Zhdanov, G. S., 0=11967
- Firsova, M. M. See Zubov, V. G., 3=18009
- Firsova, M. M. See Zubov, V. G., 3=25392
- Firth, D. R. Exchange reaction of 90 MeV protons on deuterons, 0=3967
- Firth, D. R. Bright field photography in a hydrogen bubble chamber, 4=5913
- Firth, D. R. See Chretien, M., 2=22610
- Firth, D. R. See Chrétien, M., 3=17129
- Firth, D. R. See Chrétien, M., 3=24787
- Firth, F. See Mash, D. H., 4=10470
- Firth, I. M. Nutations of spin magnetization in two-level maser oscillators, 3=24507
- Firth, I. M. and Bijl, D. Detection of spin magnetization variation in a two level maser oscillator, 2=3163
- Firth, I. M. and Bijl, D. Phonon-bath bottleneck in neutron irradiated MgO, 3=817
- Firth, K. See Cooper, P. N., 1=10894
- Firth, K. See Cooper, P. N., 2=10179
- Firth, K. See Cooper, P. N., 2=16457
- Firth, K. See Rout, V. M., 2=5535
- Fiscella, B. See Colombino, P., 3=7835
- Fiscella, B. See Colombino, P., 4=12718
- Fisch, U. See Ruben, R. J., 2=7069
- Fischbach, D. B. High-temperature creep of graphite, 0=16218

- Fischbach, D.B. Diamagnetic susceptibility of pyrolytic graphite, 1=12514
- Fischbach, D.B. The Zener relaxation and a new magnetic relaxation effect in Fe-rich Fe-Al alloys, 2=21401
- Fischbach, D.B. Kinetics of high-temperature structural transformation in pyrolytic carbons, 4=7476
- Fischbach, F.F. See Jones, L.M., 2=24001
- Fischbeck, H.J. Energy degeneracy of the lattice electrons in a magnetic field, 3=17686
- Fischbeck, H.J. Symmetry properties of the Bloch electron in a magnetic field, 4=6769
- Fischbeck, H.J. and Greenberg, W.M. Determination of nuclear matrix elements in the decay of Sb^{124} including finite nuclear size effects, 4=22072
- Fischbeck, H.J. and Newsome, R.W., Jr. Beta-gamma directional correlation measurement in As^{76} , 3=10289
- Fischbeck, H.J. and Wilkinson, R.G. Beta-gamma directional correlation in Rb^{86} and Eu^{152} , 1=659
- Fischbeck, H.J. See Newsome, R.W., Jr., 4=9452
- Fischbeck, K.H., Jackson, W.D. and Gottschalk, W.M. Experimental study of induction-coupled magneto-plasma dynamic channel flow, 4=18822
- Fischel, D. On the influence of the chemical composition on the structure and metal index of stellar atmospheres, 4=29382
- Fischell, R.E. and Meehan, S.J. Magnetic recording head with d.c. response, 0=2424
- Fischer, A.G. Preparation and properties of ZnS-type crystals from the melt, 0=8163
- Fischer, A.G. Electroluminescent lines in ZnS powder particles. I. Embedding media and basic observations, 3=11012
- Fischer, A.G. Electroluminescent lines in ZnS powder particles. II. Models and comparison with experience, 4=1782
- Fischer, A.G. and Mason, A.S. Properties on an As-S-Br glass, 2=14647
- Fischer, A.G. and Moss, H.I. Tunnel-injection electroluminescence, 3=23121
- Fischer, A.G. and Paff, R.J. Solubility of ZnSe and ZnTe in CdS, 3=4886
- Fischer, A.G. See Wang, C.C., 4=26178
- Fischer, B. and Menzel, E. Transmission functions and partially coherent illumination and spherical aberration, 4=16209
- Fischer, C.R. and Rawitscher, G.H. Electron and muon scattering from nuclear charge distributions at incident momenta between 50 and 183 MeV/c, 4=25378
- Fischer, C.R. See Rawitscher, G.H., 1=8702
- Fischer, C.R. See de Wit, M., 0=1278
- Fischer, D.L. See Wolfe, B., 0=13375
- Fischer, D.L. See Wolfe, B., 0=13376
- Fischer, D.W. See Baun, W.L., 2=166
- Fischer, E. See Hadley, C.P., 0=2913
- Fischer, E. See Paul, W., 0=9106
- Fischer, E. See Uhlenbusch, J., 1=18996
- Fischer, E.W. Thermodynamic interpretation of the long period in crystalline high polymers, 0=520
- Fischer, E.W. See Dauscher, R., 0=14053
- Fischer, E.W. See Peterlin, A., 0=14054
- Fischer, E.W. See Peterlin, A., 2=23801
- Fischer, E.W. See Reinhold, C., 4=7660
- Fischer, F. Exciton spectrum of alkali halides, 0=17916
- Fischer, F. Thermoluminescence of KCl and NaCl after X-ray and u.v. irradiation at helium temperatures, 1=14663
- Fischer, F. Electroluminescence, 2=12635
- Fischer, F. and Hilsch, R. The structure of exciton bands in alkali halides, 0=6036
- Fischer, F. and Hilsch, R. Exciton spectra of LiI and its hydrates, 0=7874
- Fischer, F. and Hilsch, R. A fast recording LiF-monochromator for the wavelength interval from 1600 to 6000 Å, 4=5387
- Fischer, F.A. Ideal forms of electro-acoustic transducers and the properties of circuits constructed from them, 0=5087
- Fischer, F.A. Equivalent electrical circuits for non-quasistationary-vibrating, materially-active electro-mechanical transducers (piezoelectric, electrostrictive, magnetostrictive), 1=2814
- Fischer, G. Galvanomagnetic effects in three-band semiconductors - experiments with p-type InSb, 0=18044
- Fischer, G. The electrical resistivity of solid and liquid triiodides or antimony and bismuth, 2=3997
- Fischer, G. Speculation on the band structure of the layer compounds GaS and GaSe, 3=20330
- Fischer, G. Microwave surface impedance of superconductors of the second kind, 4=27419
- Fischer, G. Microwave surface impedance of a periodic medium, 4=27641
- Fischer, G. and Brebner, J.L. Electrical resistivity and Hall effect of single crystals of GaTe and GaSe, 3=2913
- Fischer, G., Greig, D. and Mooser, E. Apparatus for the measurement of galvanomagnetic effects in high-resistance semiconductors, 1=11290
- Fischer, G. and Hedgcock, F.T. Magnetic susceptibility and galvanomagnetic effects in pure and p-type tellurium, 1=20050
- Fischer, G. See Barron, T.H.K., 0=20717
- Fischer, G. See Brebner, J.L., 3=3007
- Fischer, G. See Brebner, J.L., 3=10946
- Fischer, G. See Brebner, J.L., 3=10950
- Fischer, G. See Cardona, M., 4=14521
- Fischer, G. See Datars, W.R., 3=13308
- Fischer, G.E. and Jenkins, E.W. Scattering of 3.7-25 MeV positive pions by hydrogen, 0=2578
- Fischer, G.E. Electron beam profile measurements, 4=27569
- Fischer, G.J. Neutron energy spectrum measurements in unmoderated assemblies, 1=13899
- Fischer, H. Millimicrosecond light source with increased brightness, 1=8232
- Fischer, H. Spin-densities in the cyclohexadienyl radical, 2=18493
- Fischer, H. Spin densities in the cyclohexadienyl free radical, 2=20884
- Fischer, H. The formation of cyclohexadienyl radicals by the addition of hydrogen atoms to solid benzene, 3=1388
- Fischer, H. Erratum: Spin densities in the cyclohexadienyl free radical, 3=12875
- Fischer, H. E.S.R. studies of short-lived radicals in the redox-polymerization of certain monomers, 4=9786
- Fischer, H. E.S.R. detection of short-lived radicals which occur in the redoxpolymerization of a monomer. Splitting parameter for monomer radicals, 4=22437
- Fischer, H. E.S.R. studies of transient radicals during the redox polymerization of some monomers, 4=28275
- Fischer, H. and Hellwege, K.H. E.S.R. studies of irradiated single crystals of ϵ -caprolactam, 4=4400
- Fischer, H. and Nillius, O. The calibration of I.R. spectrometers with the help of rotating sectors, 2=9392
- Fischer, H. and Nillius, O. Use of rotating sectors in infrared spectroscopy, 3=249
- Fischer, H. and Rose, H. Nanosecond time responses of different indium antimonide photodetectors, 4=8497
- Fischer, H. and Rüppel, W.B. Afterglow-tails and stability of high density nanosecond arc channels, 4=11558
- Fischer, H. and Rüppel, W.B. Afterglow tails and stability of high-density nanosecond arc channels, 4=21491
- Fischer, H. and Schaerf, C. Nonsaturating quantometer for very high intensity gamma-ray monitoring, 4=19472
- Fischer, H. and von Thuena, P. Nanosecond time response of the indium antimonide p.e.m. infrared detector, 2=15799
- Fischer, H. See Althoff, K., 3=22165
- Fischer, H. See Dunken, H., 2=5153
- Fischer, H. See König, E., 3=20020
- Fischer, H. See Kuhl, W., 0=1031
- Fischer, H. See Waniek, R.W., 1=13095
- Fischer, H. See Zeil, W., 0=5021
- Fischer, H.J. See Mühleisen, R., 0=4785
- Fischer, I. Parallax of the moon in terms of a world geodetic system, 2=19278
- Fischer, J. Remarks on the use of units, 2=1039
- Fischer, J. Critical shear stress of single crystals of copper and gold irradiated by neutrons, 3=1238
- Fischer, J. High voltage pulse probe of fast rise time for spark chambers, 4=16776
- Fischer, J. Scattering of pions on pions in threshold region, 4=19561
- Fischer, J., Leontic, B., Lundby, A., Meunier, R. and Stroot, J.P. Measurement of μ^+ lifetime, 0=1291
- Fischer, J. and Lundby, A. Time-to-pulse height converter to wide range, 0=2471
- Fischer, J. and Zorn, G.T. Observations on pulsed spark chambers, 1=9700
- Fischer, J. and Zorn, G.T. Reduction of delay between particle passage and spark chamber spark, 2=18050
- Fischer, J. and Zorn, G.T. Spark-chamber labelling of tracks in a bubble chamber, 3=17339
- Fischer, J. See Ciulli, S., 0=883
- Fischer, J. See Ciulli, S., 1=8458
- Fischer, J. See Ciulli, I., 2=15490
- Fischer, J. See Fisher, Ya., 1=4771
- Fischer, J. See Fisher, Ya., 1=19123

- Fischer, J. See Fisher, Ya., 1=19259
 Fischer, J. See Fisher, Ya., 2=22602
 Fischer, J. See Van Zhun, 1=16751
 Fischer, K. The temperature dependence of the structure of point defects in cubic crystal, 0=9895
 Fischer, K. Scattering of conduction electrons by point defects in metals using the pseudopotential method, 4=6771
 Fischer, K. and Hahn, H. Change in the Laue-Bragg reflection and in the volume of a crystal by statistically distributed point defects, 3=8829
 Fischer, K. See Allan, J., 4=21903
 Fischer, K. See Budde, J., 2=7182
 Fischer, K. See Ringfelf, H., 4=7537
 Fischer, L. See Bothe, H.K., 3=3225
 Fischer, P. See Stoll, E., 4=29121
 Fischer, P. H. H., Hauser, K. H. and Staab, H. A. Electron spin resonance of the hexa-m-phenylene radical anion, 4=25731
 Fischer, R. Energy distribution of electrons emitted in external field emission from semiconductors, 2=20016
 Fischer, R. Effect of the effective mass on the energy distribution of electrons emitted by field emission from semiconductors, 3=2014
 Fischer, R. Field emission from silicon, 3=24332
 Fischer, R. Instrument for display of "subjective spectrum" and of loudness of interference noise, 4=5332
 Fischer, R., Neumann, H. and Kleint, C. On the theory of field emission from semiconductors, 1=17649
 Fischer, R. See Kleint, C., 0=1145
 Fischer, R. See Kleint, C., 1=17650
 Fischer, R.B. The "Ballas" form of diamond, 1=5087
 Fischer, R.B. See Vratny, F., 0=13687
 Fischer, R.F. See Boeck, A.H., 0=2420
 Fischer, T. See Busch, G., 0=3782
 Fischer, T. See Busch, G., 3=12231
 Fischer, T. See Busch, G., 4=3021
 Fischer, V.K. See Chrétien, M., 3=24787
 Fischer, W. The quadrupole moments of the copper isotopes and the hyperfine structure of the $3d^4s^2m^2D-3d^{10}4p^2P$ transition in the copper - I spectrum, 1=9902
 Fischer, W. The quadrupole moments of the copper isotopes and the hyperfine structure of the $3d^4s^2m^2D-3d^{10}4p^2P$ transition in the copper-I spectrum, 1=9903
 Fischer, W., Heininger, K., Herzog, W. and Klemm, A. The temperature dependence of the mobility of thallium isotope in molten $TiCl_3$, 3=5433
 Fischer, W. and Klemm, A. Isotope separation in molecular pumps, 0=4161
 Fischer, W. See Elbel, M., 2=6094
 Fischer, W. See Elbel, M., 2=10211
 Fischer, W. See Elbel, M., 4=9640
 Fischer, W. A. and Dietrich, H. On the kinetics of the inclusion of equal and lower-valency impurities in the chromium (III) oxide and their effect on the electrical properties, 4=28612
 Fischer, W. A. and Dietrich, H. Kinetics of foreign substances of higher valence in chromium (III) oxide, 4=30535
 Fischer-Colbrrie, H. See Parker, W., 4=17867
 Fischer-Hjalmar, I. Note on some possible metastable states of H_2^- , 2=3752
 Fischer-Hjalmar, I. Different MO approximations applied to aniline, 2=10275
 Fischer-Hjalmar, I. Potential curves for H_2^- , 2=20806
 Fischhoff, E., Prevot, F. and Sledziewski, Z. Vacuum and ultra-vacuum in an ion-injection magnetic mirror device, 3=185
 Fischhoff, E. See Bottiglioni, F., 3=7528
 Fischler, A.S. Galvanomagnetic properties of n-type $CdAs_2$, 1=7645
 Fischler, A.S. See Turner, W.J., 1=2416
 Fischler, A.S. See Turner, W.J., 1=17670
 Fischler, A.S. See Turner, W.J., 2=23373
 Fischler, J. See Dattner, J., 3=25071
 Fischler, J. See Pelah, I., 3=21904
 Fischler, S. Correlation between maximum solid solubility and distribution coefficient for impurities in Ge and Si, 2=17054
 Fischler, S. Rapid-freeze method for growth of bismuth single crystals, 4=23332
 Fischler, S. See Harman, T.C., 4=14472
 Fischler, S. See Harman, T.C., 4=22704
 Fischmeister, H. Electrical conductivity of some palladium sulfides and of silver palladium sulfide, 0=18001
 Fischmeister, H. and Drott, J. Reaction rate and growth forms of reaction product in the system $Ag-H_2S$, 0=16257
 Fischmeister, H.F. A quickly adjustable vertical Guinier camera, 1=20454
 Fischmeister, H.F. Kinetics of metal-gas reactions exhibiting particulate product growth, 3=18431
 Fischmeister, H.F. and Rönquist, A. X-ray measurements of the thermal expansion of $KLiSO_4$ and $K_3Na(SO_4)_2$ (low and high temperature modifications), 0=18361
 Fissenne, I.M. See Hallden, N.A., 4=9425
 Fissenne, I.M. See Harley, J.H., 2=5515
 Fish, B.R. See Karioris, F.G., 2=8936
 Fish, C.V. See Chace, W.G., 3=11957
 Fish, I.P.S. Method for rapid determination of vacuum outgassing rates, 0=2192
 Fish, R.A. A mass-potential-energy relationship in elliptical galaxies and some inferences concerning the formation and evolution of galaxies, 4=10852
 Fish, R.A. and Goles, G.G. Ambient xenon: A key to the history of meteorites, 3=11525
 Fish, R.A., Goles, G.G. and Anders, E. The record in the meteorites. III. On the development of meteorites in asteroidal bodies, 1=2607
 Fish, R.A. See Johnson, F.S., 0=8413
 Fish, R.A. See Zisk, S.H., 3=7013
 Fishburne, E.S. and Edse, R. Shock-tube study of nitrous oxide decomposition, 4=29216
 Fishburne, E.S. and Petrie, S.L. Comments on "excitation of nitrogen by metastable argon atoms", 4=6572
 Fisher, B. and Rudman, P.S. X-ray diffraction study of interdiffusion in Cu-Ni powder compacts, 1=11225
 Fisher, C. See Cole, M., 1=16411
 Fisher, C. See Duthie, J., 1=3258
 Fisher, C.M., Gibson, W.M., Mason, A., Venus, W.A. and Evans, D. On the measurement of momentum transfer in nuclear interactions, 3=8060
 Fisher, C.M. See Aly, H.H., 0=15390
 Fisher, C.M. See Aly, H.H., 0=20186
 Fisher, C.M. See Aly, H.H., 3=19733
 Fisher, C.M. See Baldassarre, F., 2=22562
 Fisher, C.M. See Bellière, P., 4=3493
 Fisher, C.M. See Caforio, A., 4=21891
 Fisher, C.M. See Duthie, J., 1=3257
 Fisher, C.M. See Duthie, J.G., 1=3364
 Fisher, C.M. See Duthie, J.G., 1=3365
 Fisher, C.M. See Evans, D., 2=22492
 Fisher, C.M. See Jauneau, L., 3=19708
 Fisher, D.E. Origin of stone and iron meteorites, 1=9258
 Fisher, D.E. Cosmogenic rare gas ratios in iron meteorites, 2=4759
 Fisher, D.E. Cosmic ray ages of the Treysa and Sikhote-Alin meteorites, 1=2265
 Fisher, D.E. Space erosion of the grant meteorite, 1=18059
 Fisher, D.E. "Ages" of the Sikhote Alin iron meteorite, 3=11528
 Fisher, D.E. See Fireman, E.L., 2=4588
 Fisher, D.E. See Schaeffer, O.A., 1=9263
 Fisher, D.J. Modified coaxial powder X-ray camera, 1=2531
 Fisher, D.L., Green, T.S. and Niblett, G.B.F. An experimental and numerical study of radial hydromagnetic oscillations, 3=2004
 Fisher, D.L. See Niblett, G.B.F., 3=413
 Fisher, E. See Zhuravlev, A.A., 3=24404
 Fisher, E.I. See Rustgi, O.P., 4=19958
 Fisher, E. L. and Caplan, P. An experiment in numerical prediction of fog and stratus, 4=7837
 Fisher, E.M.R. See Peirson, D.H., 0=11331
 Fisher, E.S. and McSkimin, H.J. Low-temperature phase transition in alpha uranium, 1=15135
 Fisher, E.S. and Renken, C.J. Adiabatic elastic moduli of single crystal alpha zirconium, 2=4306
 Fisher, E.S. and Renken, C.J. Coupling cements for ultrasonic-wave velocity measurements at high temperatures, 3=18936
 Fisher, E.S. and Renken, C.J. Single-crystal elastic moduli and the h.c.p. \rightarrow b.c.c. transformation in Ti, Zr and Hf, 4=26530
 Fisher, E.S. See McSkimin, H.J., 0=16204
 Fisher, F.H. and Spiess, F.N. Flip-floating instrument platform, 4=4748
 Fisher, I.Z. The extrinsic conductivity in liquid and amorphous semiconductors, 0=578
 Fisher, I.Z. and Kopelovich, B.L. A more precise form of the superposition approximation in the theory of liquids, 0=19091
 Fisher, I.Z. Temperature dependence of the velocity of sound in dense gases, 0=19205

- Fisher, I. Z. Applications of the Monte Carlo method in statistical physics, 1=5219
- Fisher, I. Z. Localized excitons in a liquid, 3=21403
- Fisher, I. Z. Present state of the theory of liquids, 4=150
- Fisher, I. Z. The theory of diffusion near the critical point, 4=21113
- Fisher, I. Z. and Kopeliovich, B. L. A more precise form of the superposition approximation in the theory of liquids, 1=5268
- Fisher, I. Z. and Smolik, Ch. K. The temperature dependence of the energy of ionization of impurity centres in a covalent crystal, 0=15864
- Fisher, I. Z., Soshina, N. V. and Zaitseva, A. M. Microfluctuations in the density of simple liquids, 4=24183
- Fisher, I. Z. See Kacharskaya, L. V., 4=24205
- Fisher, I. Z. See Komarov, L. I., 3=14166
- Fisher, I. Z. See Komarov, L. I., 4=21094
- Fisher, I. Z. See Prokhorenko, V. K., 0=12543
- Fisher, I. Z. See Shirokov, M. F., 3=23662
- Fisher, I. Z. See Zaitseva, A. M., 4=21101
- Fisher, J. See Chulli, S., 1=16775
- Fisher, J. See Chulli, S., 2=22498
- Fisher, J. C. Alternative superconducting ground states, 0=19551
- Fisher, J. C. Particle-hole inversion in the Fermi surface: a symmetry operation for collective excitations, 2=3872
- Fisher, J. C. Elementary particle classification based upon a massless Dirac field, 3=7772
- Fisher, J. C. and Giaever, I. Tunneling through thin insulating layers, 1=3731
- Fisher, K. J. See Herb, R. G., 4=18270
- Fisher, L., Milford, S. N. and Pomilla, F. R. Born cross sections for inelastic scattering of electrons by hydrogen atoms. II. 4s, 4p, 4d, 4f states, 0=13404
- Fisher, L. H. See DeBitetto, D. J., 0=10886
- Fisher, L. H. See Freely, J. B., 4=8622
- Fisher, L. H. See Golden, D. E., 1=11909
- Fisher, L. H. See Golden, D. E., 3=4011
- Fisher, L. H. See Lessin, I., 1=18811
- Fisher, M. E. Lattice statistics in a magnetic field. I. A two-dimensional super-exchange antiferromagnet, 0=10183
- Fisher, M. E. The susceptibility of the plane Ising model, 0=11816
- Fisher, M. E. Lattice statistics in a magnetic field. II. Order and correlations of a two-dimensional super-exchange antiferromagnet, 1=1245
- Fisher, M. E. The perpendicular susceptibility of an anisotropic antiferromagnetic, 1=10175
- Fisher, M. E. Critical probabilities for cluster size and percolation problems, 1=10427
- Fisher, M. E. Statistical mechanics of dimers on a plane lattice, 2=1071
- Fisher, M. E. Solution of a combinatorial problem — intermediate statistics, 2=2587
- Fisher, M. E. On the theory of critical point density fluctuations, 2=5218
- Fisher, M. E. Relation between the specific heat and susceptibility of an antiferromagnet, 3=3142
- Fisher, M. E. Perpendicular susceptibility of the Ising model, 3=8327
- Fisher, M. E. Lattice statistics — a review and an exact isotherm for a plane lattice gas, 3=12910
- Fisher, M. E. Magnetism in one-dimensional systems — the Heisenberg model for infinite spin, 4=20522
- Fisher, M. E. Correlation functions and the critical region of simple fluids, 4=24441
- Fisher, M. E. and Essam, J. W. Some cluster size and percolation problems, 1=10426
- Fisher, M. E. and Gaunt, D. S. Ising model and self-avoiding walks on hypercubic lattices and "high-density" expansions, 4=9806
- Fisher, M. E. and Hiley, B. J. Configuration and free energy of a polymer molecule with solvent interaction, 1=7504
- Fisher, M. E. and Stephenson, J. Statistical mechanics of dimers on a plane lattice. II. Dimer correlations and monomers, 4=2584
- Fisher, M. E. and Sykes, M. F. Antiferromagnetic susceptibilities of the simple cubic and body-centered cubic Ising lattices, 2=21345
- Fisher, M. E. and Temperley, H. N. V. Association problem in statistical mechanics — critique of the treatment of H. S. Green and R. Leipnik, 1=8058
- Fisher, M. E. and Zucker, I. J. On a non-linear differential equation for the zero-point energies of the rare gas solids, 1=3583
- Fisher, M. E. See Bonner, J. C., 2=18928
- Fisher, M. E. See Bonner, J. C., 4=26279
- Fisher, M. E. See Essam, J. W., 3=11041
- Fisher, M. E. See Sykes, M. F., 2=21344
- Fisher, M. E. See Temperley, H. N. V., 2=35
- Fisher, M. G. The measurement of information in practical photographic systems, 2=15752
- Fisher, M. J. See Davies, P. O. A. L., 4=24403
- Fisher, P. The effect of chemical-splitting on the Lyman series of antimony impurity in germanium, 3=939
- Fisher, P. and Fan, H. Y. Absorption spectra and Zeeman effect of copper and zinc impurities in germanium, 0=18124
- Fisher, P. See Ramdas, A. K., 4=4127
- Fisher, P. See Reuszer, J. H., 4=28337
- Fisher, P. A. See Walker, E. A., 3=25763
- Fisher, P. C. and Engle, L. B. Delayed gammas from fast-neutron fission of Th^{232} , U^{233} , U^{235} , and Pu^{239} , 3=19842
- Fisher, P. C. and Meyerott, A. J. Stellar X-ray emission, 4=10830
- Fisher, P. C. See Meyerott, A. J., 4=19465
- Fisher, P. S., Measday, D. F., Nikolaev, F. A., Kalmykov, A. and Clegg, A. B. The $^{12}\text{C}(p, \gamma)$ reaction from 10 to 50 MeV, 3=19846
- Fisher, P. S. See Cohen, S. G., 0=1434
- Fisher, P. S. See Cohen, S. G., 1=2213
- Fisher, P. S. See Measday, D. F., 3=19838
- Fisher, P. S. See Newton, D., 2=3568
- Fisher, P. S. See Rowe, D. J., 3=2451
- Fisher, P. S. See Salmon, G. L., 2=3565
- Fisher, R. A. and Hornung, E. W. Correlation of magnetothermodynamic data with a theoretical model. Powdered $\text{CoSO}_4 \cdot 7\text{H}_2\text{O}$ over the range 0 to 100 kG above 1.2°K, 3=25504
- Fisher, R. A. See Chon, H., 2=8889
- Fisher, R. A. See Giaque, W. F., 3=6689
- Fisher, R. A. See Giaque, W. F., 4=8886
- Fisher, R. A., Jr. See Aston, J. G., 4=26721
- Fisher, R. D. The influence of residual stress on the magnetic characteristics of electrodeposited nickel and cobalt, 2=16916
- Fisher, R. D. and Haber, H. E. Maximum dispersion of the easy axis in electrodeposited thin permalloy films, 3=15808
- Fisher, R. D. and Haber, H. E. Chemically reduced nickel substrate for the development of uniaxial anisotropy in electrodeposited thin films, 4=7283
- Fisher, R. M. Specimen holder for controlled deformation in the Elmiskop, 0=3288
- Fisher, R. M. and Marcinkowski, M. J. Direct observation of antiphase boundaries in the AuCu superlattice, 1=20594
- Fisher, R. M. See Leslie, W. C., 0=16325
- Fisher, R. M. See Marcinkowski, M. J., 0=13531
- Fisher, R. M. See Marcinkowski, M. J., 0=18403
- Fisher, R. M. See Marcinkowski, M. J., 3=23319
- Fisher, S. See Babetski, Ya. S., 2=331
- Fisher, S. See Babetski, Ya. S., 2=22675
- Fisher, T. A. See Jerrard, H. G., 0=12421
- Fisher, T. R. Half-lives of N^{12} and B^{12} , 3=15139
- Fisher, T. R. and Whaling, W. Reaction $\text{Na}^{23}(p, \alpha)\text{Ne}^{20}$ for proton bombarding energies from 100 to 450 keV, 3=22380
- Fisher, T. R. and Whaling, W. Q value for the $\text{B}^{10}(\text{He}^3, \text{N}^{12})n$ reaction by magnetic analysis, 4=12275
- Fisher, Ya. [Fischer, J.] and Chulli, S. [Ciulli, S.] Recurrent construction of angular operators. I, 1=4771
- Fisher, Ya. [Fischer, J.] and Chulli, S. [Ciulli, S.] Recurrent construction of angular operators. II. Introduction of an integral spin and an arbitrary orbital momentum, 1=19123
- Fisher, Ya. [Fischer, J.] and Chulli, S. [Ciulli, S.] Integral equations for $\pi\pi$ -scattering and problems related to convergence of the amplitude expansion, 1=19259
- Fisher, Ya. [Fischer, J.] and Chulli, S. [Ciulli, S.] Integral equation for $\pi\pi$ -scattering and problems related to convergence of the amplitude expansion, 2=22602
- Fisher, Ya. See Van Zhun, 1=16751
- Fishkova, L. M. and Markova, G. V. Variations in the intensity of the 6562 Å H I line in the spectrum of the nightglow of the sky, 1=12700
- Fishkova, L. M. and Megrelishvili, T. G. Some results of the night and twilight airglow observations received in Abastumani in July 1959, 1=21026
- Fishkova, T. J. See Dymnikov, A. D., 4=16538
- Fishkova, T. Ya., Shpak, E. V. and Yavor, S. Ya. Study of the loss of charged particles from a discharge with reflected electrons, 4=14587
- Fishkova, T. Ya. See Kel'man, V. M., 0=10983

- Fishman, E. A very high temperature infrared cell for pure liquids or solutions, 2=17625
- Fishman, F.J. and Petschek, H. Flow model for large radius-ratio magnetic annular shock-tube operation, 2=13363
- Fishman, F.J. and Petschek, H.E. Deviation of magnetic annular shock-tube operation from one-dimensional model, 3=2100
- Fishman, F.J., Petschek, H.E. and Kantrowitz, A. Magnetohydrodynamic shock wave in a collision-free plasma, 1=5453
- Fishman, I.S. Relationship between the self-absorption of spectral lines and their total intensities, and the b values for several lines excited in the vapour jet of a spark discharge, 3=10440
- Fishman, I.S. Relation between self-absorption of spark lines and their integral intensity, 4=2171
- Fishman, I.S. and Il'in, G. G. The applicability of the linear absorption method to inhomogeneous light sources, 4=11348
- Fishman, I.S., Shaimanov, I. Sh. and Il'in, G. G. Some experimental relations to the integral characteristics of radiation in an arc, 4=16457
- Fishman, Yu. M. See Indenbaum, G. V., 4=20278
- Fishman, Yu. M. See Indenbaum, G. V., 4=26590
- Fishtine, S. H. Reliable latent heats of vaporization, 3=16840
- Fisk, H. E. and Prowse, D. J. Inelastic scattering of a Σ^- hyperon with an emulsion nucleus, 1=3244
- Fisk, H. E. and Prowse, D. J. The sign of the Σ^+ -hyperon nuclear potential, 2=1727
- Fisk, H. E. See Bacon, T. C., 4=21854
- Fiske, M. D. Temperature and magnetic field dependences of the Josephson tunneling current, 4=18561
- Fiskin, J. M. See Roberts, C. A., 0=16775
- Fiskin, J. M. See Sisco, W. B., 2=3032
- Fisser, H. and Schlüter, J. A comparison between numerical calculations of a linear z -pinch discharge and measurements by magnetic probes, 3=12161
- Fisson, F. See Corcuff, Y., 4=2287
- Fister, F. and Hertz, H. G. Chemical shift of the Li^{7-} , Na^{23-} and Rb^{87-} resonance in the presence of paramagnetic ions in aqueous solution, 4=16128
- Fistul', V. I. and Andrianov, D. G. Change of the surface conductivity of germanium due to adsorption, 0=9959
- Fistul', V. I. and Cherkas, K. V. Thermo-e.m.f. of heavily doped n -type germanium, 3=15631
- Fistul', V. I. and Gubenko, A. Ya. Resistivity of heavily doped germanium, 1=10042
- Fistul', V. I. and Gubenko, A. Ya. Resistivity of heavily doped germanium, 1=17688
- Fistul', V. I., Iglitsyn, M. I. and Omel'yanovskii, É. M. Mobility of electrons in germanium heavily doped with arsenic, 2=23336
- Fistul', V. I., Mil'vidski, M. G., Omel'yanovskii, É. M. and Grishina, S. P. The form of impurities in heavily alloyed single crystals of n -type germanium and silicon, 3=17861
- Fistul', V. I. and Omel'yanovskii, É. M. The electrical conductivity of germanium, strongly doped with phosphorus, 2=21133
- Fistul', V. I. and Omel'yanovskii, É. M. The electrical conductivity of germanium, strongly doped with phosphorus, 2=23338
- Fistul', V. I. and Orzhevskii, O. B. Conductivity in electron-hole junctions in reverse direction, 0=20880
- Fistul', V. I. and Orzhevskii, O. B. Conductivity in electron-hole junctions in reverse direction, 1=6141
- Fistul', V. I. and Orzhevskii, O. B. The temperature dependence of the conductivity of p - n junctions in the blocking direction, 1=19890
- Fistul', V. I. and Shvarts, N. Z. Tunnel diodes, 3=15604
- Fistul', V. I. and Švarc [Shvarts, N. Z.]. Tunnel diodes, 4=7016
- Fistul', V. I. See Adrianov, D. G., 3=20314
- Fistul', V. I. See Cherkas, K. V., 4=30669
- Fistul', V. I. See Domanskaya, L. I., 4=6961
- Fistul', V. I. See Iglitsyn, M. I., 3=17910
- Fistul', V. I. See Ioselevich, M. L., 1=14454
- Fistul', V. I. See Omel'yanovskii, É. M., 3=25347
- Fistul', V. I. See Rashevskaya, E. P., 3=22930
- Fistul', V. I. See Rubinshtein, E. N., 1=20780
- Fisun, A. N. See Grishaev, I. A., 0=11146
- Fisun, A. N. See Grizhko, V. M., 0=20472
- Fitan, J., Schune-Boisblé, D. and Tsai-Chu. Calculations of the multiple scattering of electron tracks in nuclear emulsions, by means of the centre-of-gravity method and the sum method, 3=24587
- Fitan, J. See Schune-Boisblé, D., 4=27858
- Fitan, J. See Tsai-Chu, 3=7752
- Fitan, J. See Tsai-Chu, 3=7753
- Fitch, A. H. Observation of elastic-pulse propagation in axially symmetric and nonaxially symmetric longitudinal modes of hollow cylinders, 3=14242
- Fitch, A. H. Synthesis of dispersive delay characteristics by thickness tapering in ultrasonic strip delay lines, 3=14259
- Fitch, J. L. See Patton, B. J., 2=6671
- Fitch, R. A. Rapid heating for controlled fusion research, 0=4155
- Fitch, R. A. See Bodin, H. A. B., 1=9589
- Fitch, R. K. and Young, M. A. The influence of barium and magnesium getters on the activation of mixed alkaline-earth oxide-coated cathodes, 4=21561
- Fitch, R. K. See Bull, C. S., 1=16396
- Fitch, R. K. See Cotterhill, R. W., 2=2691
- Fitch, R. K. See Coutts, P. W., 3=21867
- Fitch, R. K. See Davies, D. E., 0=5329
- Fitch, R. K. See Mee, C. H. B., 2=17882
- Fitch, S. H. and Morris, J. W. Precision nondestructive testing of thermoelectric materials, 4=7090
- Fitch, V. L. Recent advances in counter techniques, 3=17105
- Fitch, V. L., Meyer, S. L. and Piroué, P. A. Particle production at large angles by 30 and 33 BeV protons incident on aluminum and beryllium, 2=14095
- Fitch, V. L., Piroué, P. A. and Perkins, R. B. Mass difference of neutral K -mesons, 2=5733
- Fitchen, D. B. Four-window cell and cryostat for high pressure studies at liquid helium temperature, 3=19081
- Fitchen, D. B. F-band shape in the CsCl structure under pressure, 4=20313
- Fitchen, D. B., Silsbee, R. H., Fulton, T. A. and Wolf, E. L. Zero-phonon transitions of colour centers in alkali halides, 4=6886
- Fitchen, D. B. See Fulton, T. A., 4=12934
- Fitchen, D. B. See Neuman, C. H., 2=10408
- Fitchen, D. B. See Silsbee, R. H., 4=20442
- Fitchen, F. See Polk, C., 2=16066
- Fitches, H. J. M. and Williams, J. L. Techniques involved in the study of different nuclei by high resolution nuclear magnetic resonance, 1=12027
- Fite, W. L. Charge transfer and ion-atom interchange collisions above thermal energies, 4=15306
- Fite, W. L. and Brackmann, R. T. Electron collisions with atomic and molecular oxygen, 4=11537
- Fite, W. L. and Brackmann, R. T. Scattering of hydrogen atoms by deuterium molecules, 4=25780
- Fite, W. L., Brackmann, R. T., Hummer, D. G. and Stebbings, R. F. Lifetime of the $2S$ state of atomic hydrogen, 0=1467
- Fite, W. L., Rutherford, J. A., Snow, W. R. and van Lint, V. A. J. Ion-neutral collisions in afterglows, 3=5642
- Fite, W. L., Smith, A. C. H. and Stebbings, R. F. Charge transfer in collisions involving symmetric and asymmetric resonance, 2=16492
- Fite, W. L., Smith, A. C. H., Stebbings, R. F. and Rutherford, J. A. Collisions between He^+ and O_2 , 3=21707
- Fite, W. L., Stebbings, R. F. and Brackmann, R. T. Collisions of electrons with hydrogen atoms. IV. Excitation of Lyman- α radiation near threshold, 0=1475
- Fite, W. L., Stebbings, R. F., Hummer, D. G. and Brackmann, R. T. Ionization and charge transfer in proton-hydrogen atom collisions, 0=13408
- Fite, W. L. See Brackmann, R. T., 1=8838
- Fite, W. L. See Gilbody, H. B., 1=2299
- Fite, W. L. See Harrison, H., 3=10090
- Fite, W. L. See Hummer, D. G., 0=13409
- Fite, W. L. See Smith, J. N., Jr., 2=20876
- Fite, W. L. See Stebbings, R. F., 0=17689
- Fite, W. L. See Stebbings, R. F., 0=20579
- Fiti, M. Acetylene reactions catalysed by cations adsorbed on ion-exchange resins, 4=7759
- Fitts, D. D. Rate of cooling in a magnetic field, 2=125
- Fitts, D. D. See Kirkwood, J. G., 0=18964
- Fitts, D. D. See Orloff, M. K., 3=17599
- Fitts, D. D. See Orloff, M. K., 4=6546
- Fitz Osborne, F. J. A multiple-probe microwave system for plasma studies, 3=4153
- Fitzer, E., Gebauhr, W. and Nedopil, E. The impurities in nuclearly pure graphite and their influence on the absorption cross-section for thermal neutrons, 2=12272
- Fitzgerald, A. G., Ripper, V. and Yoffe, A. D. Decomposition of single crystals of cadmium hydroxide in the electron microscope, 4=12830
- Fitzgerald, A. G. See Chadderton, L. T., 3=8444
- Fitzgerald, A. G. See Chadderton, L. T., 3=17769

- Fitzgerald, A.G. See Chadderton, L.T., 3=20207
 Fitzgerald, A.G. See Chadderton, L.T., 4=20290
 Fitzgerald, A.G. See Chapman, D., 4=15545
 Fitzgerald, D.J. See Greener, E.H., 3=13108
 Fitzgerald, D.R. and Byers, H.R. Aircraft observations of convective cloud electrification, 0=21391
 Fitzgerald, E.R. Crystalline transitions and mechanical resonance dispersion in vinyl and ethyl stearate, 0=6299
 Fitzgerald, E.R. Mechanical resonance dispersion and plastic flow in crystalline solids, 0=18252
 Fitzgerald, E.R. Dynamic mechanical properties of stretched natural rubber, 1=14861
 Fitzgerald, E.R. and Watson, M.T. Dynamic mechanical properties of polyethylene from 25° to 150°C, 0=8110
 Fitzgerald, E.R. See Broadhurst, M.G., 0=13647
 Fitzgerald, E.R. See Broadhurst, M.G., 1=11334
 Fitzgerald, J.V. and Matusik, F.J. Nonlinear resonance device for measuring uniform force fields, 3=14091
 Fitzgerald, L.M. Measurement of hardness at very high temperatures, 1=1350
 Fitzgerald, L.M. Wind-induced stresses on water surfaces. A wind-tunnel study, 4=8155
 Fitzgerald, L.M. The effect of wave-damping on the surface velocity of water in a wind tunnel, 4=18154
 Fitzgerald, T. and Truell, R. Radiation effects in natural quartz. Phonon-phonon interaction changes and annealing out of defects, 2=20987
 Fitzgerald, T.M., Chick, B.B. and Truell, R. Use of the interaction of thermal and ultrasonic waves to study radiation-induced defects in quartz, 4=20263
 Fitzgerald, T.M., Chick, B.B. and Truell, R. Ultrasonic attenuation in Al_2O_3 at ultrahigh frequencies and low temperatures, 4=28363
 Fitzmaurice, J.A. Simplification of the Chapman function for atmospheric attenuation, 4=23760
 Fitzpatrick, H.M. Impedance seen by a small hydrophone in a pipe, 3=9554
 Fitzpatrick, J.P. See Andrew, A., 1=9560
 Fitzpatrick, R.L. See Cutler, M., 3=10628
 Fitzpatrick, R.L. See Cutler, M., 4=10047
 Fitzpatrick, R.L. See Kurnick, S.W., 1=12419
 Fitzroy, D. Classrooms in use, 3=14298
 Fitzsimmons, R.V. and Bair, E.J. Distribution and relaxation of vibrationally excited oxygen in flash photolysis of ozone, 4=10648
 Fitzwater, D.R. Anisotropic structure factor calculations, 1=20452
 Fitzwater, D.R. X-ray absorption factors for ellipsoidal crystals, 1=20476
 Fitzwater, D.R. See Vossos, P.H., 3=25719
 Fiuciuc, N. and Potoceanu, C. Observations on the mass spectrum of σ mesons, 1=535
 Fiutak, J. The multipole expansion in quantum theory, 3=7110
 Fiutak, J. and Frackowiak, M. The HgA Van Der Waals molecule, 4=1266
 Fiutak, J. and Van Kranendonk, J. Impact theory of Raman line broadening, 2=20783
 Fiutak, J. and Van Kranendonk, J. Theory of the impact broadening of Raman lines due to anisotropic intermolecular forces, 3=8226
 Fiutak, J. and Wolniewicz, L. Vibrational excitation of diatomic molecules due to nuclear recoil, 1=19618
 Fivaz, R. Universal instrument for the measurement of the galvanomagnetic effects in semiconductors, 4=12879
 Fiveiskii, Yu.D. Deceleration of antiprotons in matter, 2=13803
 Fiveiskii, Yu.D. Deceleration of antiprotons in matter, 3=6008
 Fiveiskii, Yu.D. See Nemirovskii, P.E., 0=20430
 Fivel, D.I. Analytic properties of off-energy shell potential scattering amplitudes, 1=19136
 Fivel, D.I. New formulation of dispersion relations for potential scattering, 2=3284
 Fivel, D.I. and Klein, A. On the analytic properties of partial wave amplitudes in Yukawa potential scattering, 0=17253
 Fivel, D.I. See Brown, L., 3=24636
 Fixman, M. Osmotic pressure of moderately concentrated polymer solutions, 0=14641
 Fixman, M. Density correlations, critical opalescence, and the free energy of nonuniform fluids, 0=19093
 Fixman, M. Ultrasonic attenuation in the critical region, 0=19135
 Fixman, M. Vibrational relaxation in liquids, 1=4322
 Fixman, M. Theory of proton magnetic shielding, 1=12301
 Fixman, M. General theory of polymer solutions, 1=12875
 Fixman, M. Viscosity of critical mixtures, 2=2681
 Fixman, M. Radius of gyration of polymer chains, 2=3803
 Fixman, M. Heat capacity of critical mixtures, 2=13325
 Fixman, M. Correlations at the critical point, 2=13326
 Fixman, M. Absorption and dispersion of sound in critical mixtures, 2=13336
 Fixman, M. Radius of gyration of polymer chains. II. Segment density and excluded volume effects, 2=16575
 Fixman, M. Electron mobility in crystals, 4=1422
 Fixman, M. See Botch, W., 2=17419
 Fixman, M. See Peterson, J.M., 4=2661
 Fixman, M. See Pyun, C.W., 4=27157
 Fizzotti, C. See Craik, R.L., 2=17033
 Fjortoft, R. A numerical method of solving certain partial differential equations of second order, 2=17136
 Flack, F.C. and Johnson, J.E. The gamma radiation from $^{212}Po(ThC')$, 2=3534
 Flack, F.C. See Pagden, I.M.H., 4=6290
 Flagg, R.F. Stagnation point radiative heat transfer measurements at supersatellite velocities, 4=14260
 Flagg, S.R. See Jeppesen, M.A., 4=4112
 Flahaut, J., Domange, L., Guittard, M., Pardo, M.P. and Patrie, M. New results relating to the crystallographic study of the sulphides, selenides and tellurides of the rare earths, yttrium and scandium (LaX_3), 4=4625
 Flaks, I.P. The ionization of inert gases by singly-charged ions and atoms of neon and krypton, 2=155
 Flaks, I.P. and Filippenko, L.G. Electron capture by triply charged Ne^{3+} and Kr^{3+} ions in neon and krypton, 0=8998
 Flaks, I.P. and Ogurtsov, G.N. Charge-exchange and ionization processes occurring during the collision of nitrogen atoms and ions with hydrogen molecules, 4=8628
 Flaks, I.P., Ogurtsov, G.N. and Fedorenko, N.V. Slow ions produced in gases upon passage of fast atom- and ion-beams, 2=154
 Flaks, I.P., Ogurtsov, G.N. and Fedorenko, N.V. Ionization in the collisions of Ne^{n+} with Xe atoms and of Xe^{n+} with Ne atoms ($n = 0, 1, 2, 3, 4$), 2=3718
 Flaks, I.P., Ogurtsov, G.N. and Fedorenko, N.V. Slow ions produced in gases upon passage of fast atom- and ion-beams, 3=366
 Flaks, I.P., Ogurtsov, G.N. and Fedorenko, N.V. Ionization in the collisions of Ne^{n+} with Xe atoms and of Xe^{n+} with Ne atoms ($n = 0, 1, 2, 3, 4$), 3=2583
 Flaks, I.P., Ogurtsov, G.N. and Fedorenko, N.V. Ionization in collisions of Ne^{n+} ions with Xe atoms and of Xe^{n+} ions with Ne atoms, 3=7426
 Flaks, I.P. See Fedorenko, N.V., 0=12578
 Flaks, I.P. See Ogurtsov, G.N., 2=15891
 Flaks, I.P. See Ogurtsov, G.N., 3=5630
 Flamand, G. and Ford, K.W. Muon capture by C^{12} and beta decay of B^{12} , 0=4130
 Flamand, G. See Bouchiat, C., 2=11942
 Flamant, F. Influence of colour on dazzle, 4=8000
 Flamant, F. See Arnulf, A., 1=1617
 Flamant, Y. See Barjon, R., 2=9866
 Flamant, Y. See Barjon, R., 2=18329
 Flamant, Y. See Barjon, R., 3=19145
 Flamant, Y. See Barjon, R., 4=16916
 Flambard, A. and Reyssat, M. Electromagnetic waves and satellites. High-frequency echoes from ionized trails of satellites, 0=15
 Flamm, D. The electronic decay of Λ^0 derived indirectly by K-meson couplings, 0=15449
 Flamm, D. The contribution of indirect processes to Λ_e -decay, 1=19272
 Flamm, D. Regge trajectories for a class of weak short-range potentials, 4=3332
 Flamm, D. and Freund, P.G.O. Parity nonconservation induced by the universal Fermi interactions into the pion-nucleon vertex, 2=1717
 Flamm, D. and Freund, P.G.O. Requirements of self-consistency in quantum field theories, 4=19350
 Flamm, D. and Kummer, W. Possible resonant enhancement of the two-photon exchange in electron-proton scattering, 3=12442
 Flamm, D. and Kummer, W. Exchange of two photons in electron-proton scattering, 4=3387
 Flamm, E. and Asaro, F. Perturbation of alpha particle-gamma ray angular correlations in Am^{241} , Am^{243} and Cm^{243} , 3=4607
 Flamm, E., Levinson, C.A. and Meshkov, S. Nuclear vibrations, rotations and the shell model. I, 3=4553
 Flamm, E.J. and Lingenfelter, R.E. Neutron and proton dosages in the upper atmosphere from solar flare radiation, 4=26813
 Flamm, E.J. See Lingenfelter, R.E., 4=23769
 Flammersfeld, A. See Frevert, L., 3=22333

- Flammersfeld, A. See Gubernator, K., 0=8023
 Flammersfeld, A. See Gubernator, K., 0=2399
 Flammersfeld, A. See Heckmann, P.H., 1=5057
 Flammersfeld, A. See Heckmann, P.H., 1=13692
 Flammersfeld, A. See Heckmann, P.H., 2=727
 Flammersfeld, A. See Hennies, H.H., 0=7510
 Flammersfeld, A. See Hennies, H.H., 1=12172
 Flammersfeld, A. See Hoffmann, K.W., 0=414
 Flammersfeld, A. See Hoffmann, K.W., 0=17524
 Flammersfeld, A. See Kienzle, W.F., 2=726
 Flammersfeld, A. See Kilian, P., 2=18301
 Flammersfeld, A. See Krause, I.Y., 0=2658
 Flammersfeld, A. See Langhoff, H., 2=1841
 Flammersfeld, A. See Langhoff, H., 2=1850
 Flammersfeld, A. See Langhoff, H., 3=12445
 Flammersfeld, A. See Schmidt-Ott, W.D., 0=5716
 Flammersfeld, A. See Schmidt-Ott, W.D., 1=7359
 Flammersfeld, A. See Schumacher, M., 4=13093
 Flammersfeld, A. See Weigmann, H., 3=22111
 Flammersfeld, A. See Zimmerli, T., 4=6477
 Flanagan, C. and Pierce, L. Microwave spectrum, structure, and quadrupole coupling constant tensor of ethyl bromide, 3=17597
 Flanagan, C.E. See Stephenson, C.V., 1=12423
 Flanagan, J.L. Analog measurements of sound radiation from the mouth, 1=1602
 Flanagan, J.L. Audibility of periodic pulses and a model for the threshold, 1=21117
 Flanagan, J.L. Computational model for basilar-membrane displacement, 3=3659
 Flanagan, J.L. and Bird, C.M. Minimum phase responses for the basilar membrane, 2=4897
 Flanagan, J.L. and Guttman, N. Pitch of periodic pulses without fundamental component, 0=18535
 Flanagan, J.L. and Guttman, N. On the pitch of periodic pulses, 0=18543
 Flanagan, J.L. and Guttman, N. Estimating Noise Hazard with the sound-level meter, 4=29722
 Flanagan, J.L. See Guttman, N., 4=20971
 Flanagan, J.L. See Harris, G.G., 3=16448
 Flanagan, T.P. See Anderson, D.G., 0=15192
 Flanagan, T.P. See Bennett, J.A., 0=8288
 Flanders, P.J. and Doyle, W.D. Motor driven magnetometer for thin magnetic films, 2=20092
 Flanders, P.J. and Shtrikman, S. Experimental determination of the anisotropy distribution in ferromagnetic powders, 2=2276
 Flanders, P.J. and Shtrikman, S. Remanent torque studies in polycrystalline $\text{BaFe}_{12}\text{O}_{19}$, 2=12723
 Flanders, P.J. See Berkowitz, A.E., 0=2993
 Flanagan, T.B. See Carson, A.W., 0=236
 Flanagan, T.B. See Maeland, A., 4=26720
 Flanders, P.J., Prutton, M. and Doyle, W.D. Relationship between uniaxial, inverted, and rotatable initial susceptibility Permalloy films, 3=15836
 Flanders, P.J. and Shtrikman, S. Magnetic method for the determination of the anisotropy distribution in ferromagnetic powders, 3=1092
 Flanders, P.J. and Schoening, F.R.L. Precipitation in gold-nickel single crystals, 1=6542
 Flanders, P.J. and Schuele, W.J. Anisotropy in the basal plane of hematite single crystals, 4=13191
 Flanders, P.J. See Schoening, F.R.L., 3=5138
 Flanick, A.P. and Ainsworth, J.E. Vacuum gauge calibration system (10^{-2} to 10^1 mm Hg), 1=8169
 Flanick, A.P. and Ainsworth, J.E. Thermistor pressure gauge design, 1=10471
 Flann, B.C. See Cloutier, J.A.R., 1=20762
 Flannery, M.R. and Stewart, A.L. The dipole polarizability of members of the lithium sequence, 3=22483
 Flannery, M.R. and Stewart, A.L. Oscillator strengths for lithium and other three-electron systems, 4=6476
 Flannery, W. See Matcovicz, T.J., 4=11751
 Flaschen, S.S., Pearson, A.D. and Northover, W.R. Low melting sulfide-halogen inorganic glasses, 0=1923
 Flaschen, S.S., Pearson, A.D. and Kalnins, I.L. Improvement of semiconductor surfaces by low melting glasses, possibly functioning as ion getters, 0=6105
 Flaschen, S.S. See Gnaedinger, R.J., Jr. 2=21175
 Flatley, D. See Becke, H., 4=22614
 Flatt, H.P. See Blue, E., 1=13885
 Flauger, W. and Schneider, H. Lifetime measurements on Cs^{133} , 4=6230
 Flauger, W. and Schneider, H. Measurement of the lifetime of the 37 keV level in Br^{80} , 4=25310
 Flautt, T.J. Simple r.f. phase detector for n.m.r. spectrometers, 2=9726
 Flavell, R.G. Further radio-meteorological analysis using potential refractive index, 4=10697
 Flavell, R.G. and Lane, J.A. The application of potential refractive index in tropospheric wave propagation, 2=5482
 Flavin, J.N. Thermo-elastic Rayleigh waves in a prestressed medium, 2=15678
 Flavin, J.N. and Green, A.E. Plane thermo-elastic waves in an initially stressed medium, 1=16005
 Flavin, R.K. See Meyerand, R.G., Jr. 4=25570
 Flax, I.P. See Fedorenko, N.V., 0=12590
 Flax, L. See Brown, G.V., 4=24785
 Flaxen, D.W. See Bagguley, D.M.S., 2=14422
 Fleagle, R.G. and Busing, J.A. An introduction to atmospheric physics, 4=10695
 Flechon, J. and Ormancey, G. Conductivity of nickel-phosphorus, 2=14497
 Flechon, J. and Ormancey, G. Conductivity of metallic heterogeneous films, 3=10725
 Fléchon, J. and Voiriot, F. Structure and conductivity of nickel-boron, 4=15742
 Flechsig, W. The optical and electrical properties of metals on basis of measurements on thin evaporated films. II. Influence of the expansion of the substrate on the optical absorption of noncohesive films of monovalent noble metals, 3=6649
 Flechsig, W. The optical and electrical properties of metals on basis of measurements on thin evaporated films. III. Theory of optical absorption due to electrical conductivity in thin metal films, 4=10153
 Fleck, H.G. See Rome, M., 4=21563
 Fleck, J.A., Jr. The influence of pressure on boiling water reactor dynamic behavior at atmospheric pressure, 2=6010
 Fleck, J.A., Jr. Linewidth and conditions for steady oscillation in single and multiple-element lasers, 3=24522
 Fleck, P.L. See Abel, W.G., 2=9113
 Flecken, F. See Reich, G., 1=18944
 Flecken, F.A. Gaede's influence on the development of mechanical vacuum pumps, 4=8267
 Flechsig, W. On the optical and electrical properties of metals on the basis of measurements on very thin evaporated layers. I. Behaviour of the optical absorption of copper, silver and gold in the range 0.3-5.5 eV for different conditions of evaporation, 1=10097
 Fleet, S.G. and Megaw, H.D. The crystal structure of yoderite, 2=17024
 Fleet, S.G. and Ribbe, P.H. An electron-microscope investigation of a moonstone, 3=20975
 Flegenheimer, J. and Marcus, Y. Nucleonics data sheet, No. 46 - Induced radioactivity. Specific activity after intermittent irradiation, 2=18273
 Fleischer, A.A. See Draper, J.E., 0=2470
 Fleischer, A.A. See Draper, J.E., 0=5724
 Fleischer, A.A. See Draper, J.E., 1=8746
 Fleischer, A.A. See Draper, J.E., 1=16740
 Fleischer, R. Variations in 18 Mc/s solar and cosmic noise, 1=6729
 Fleischer, R.L. Solution hardening by interaction of impurity gradients and dislocations, 0=15851
 Fleischer, R.L. Absolute grain boundary energies in copper, 0=17949
 Fleischer, R.L. Effects of non-uniformities on the hardening of crystals, 1=2514
 Fleischer, R.L. Easy glide of lead single crystals, 1=20359
 Fleischer, R.L. Solute "dislocations" and long range pinning of dislocations, 2=3918
 Fleischer, R.L. Solution hardening by tetragonal distortions: application to irradiation hardening in f.c.c. crystals, 2=21437
 Fleischer, R.L. Rapid solution hardening, dislocation mobility, and the flow stress of crystals, 3=5070
 Fleischer, R.L. The elastic energy of superconducting filaments in imperfect crystals, 3=5582
 Fleischer, R.L. Substitutional solution hardening, 3=11186
 Fleischer, R.L. and Hibbard, W.R., Jr. Solution hardening, 4=26482
 Fleischer, R.L. and Price, P.B. Charged particle tracks in glass, 3=22850
 Fleischer, R.L. and Price, P.B. Tracks of charged particles in high polymers, 4=3260
 Fleischer, R.L. and Price, P.B. Decay constant for spontaneous fission of U^{238} , 4=9576
 Fleischer, R.L., Price, P.B. and Walker, R.M. Method of forming fine holes of near atomic dimensions, 3=16468

- Fleischer, R. L., Price, P. B., Walker, R. M. and Hubbard, E. L. Track registration in various solid-state nuclear track detectors, 4=11866
- Fleischer, R. L. See Hosford, W. F., 0=17933
- Fleischer, R. L. See Hosford, W. F., Jr., 0=18253
- Fleischer, R. L. See Johnston, W. G., 3=23364
- Fleischer, R. L. See Price, P. B., 4=22244
- Fleischer, R. L. See Walker, R. M., 3=24752
- Fleischer, V. G., See Badenko, I. I., 3=10286
- Fleischman, O. Gauge invariance, the vertex function, and the magnitude of the renormalization constants of quantum electrodynamics, 4=3278
- Fleischmann, H. The theory of multiple scattering through small angles, 1=4774
- Fleischmann, H. Multiple scattering of 8 MeV α -particles in lead, 1=5938
- Fleischmann, H. Thermal conductivity, thermoelectric power and electrical conductivity of semiconducting mixed crystal of the form $(A_{1-x}^{IV}B_x^{IV}C_{1-x}^{IV})D^{VI}$, 1=19868
- Fleischmann, H., Folberth, O. G. and Pfister, H. Semiconducting mixed crystals of the type $(A_{1-x}^{IV}B_x^{IV}C_{1-x}^{IV})D^{VI}$, 0=4646
- Fleischmann, H., Luy, H. and Rupprecht, J. New investigations with semiconducting IV, VI-IV, VI₂ mixed crystals, 4=4239
- Fleischmann, H. H. Relativistic corrections to the small angle theory of multiple scattering, 3=6363
- Fleischmann, H. H. Nuclear resonance fluorescence in the MeV-region by means of neutron capture radiation, 4=6349
- Fleischmann, H. H. and Stanek, F. W. Radiation parameter of a 6.12 MeV level of Pr^{141} , 3=24869
- Fleischmann, H. H. and Stanek, F. W. Resonance scattering of a 7.28 MeV γ -line in Pb^{208} , 4=12197
- Fleischmann, M., Rajagopalan, K. S. and Thirsk, H. R. Kinetics of electrocrystallization of thin films of cadmium hydroxide, hydroxide, 3=16170
- Fleischmann, R. Sources of polarized ions (for protons and similar particles), 2=5641
- Fleischmann, R. Investigations on thin alkali-metal films. I. Vector dependent absorption of thin films of potassium, rubidium and caesium, 3=18385
- Fleischmann, R. Investigations on thin alkali metal films, 3=20466
- Fleischmann, R. and Lohmann, A. Variable phase-contrast arrangement for the measurement of absolute light phase, 0=14814
- Fleischmann, R. and Witt, R. Study of the state of polarization of a disturbance in the rarer medium in total internal reflection, using scattering particles, 0=14856
- Fleischmann, R. See Brünig, M., 3=18387
- Fleischmann, R. See Junge, W., 3=18386
- Fleischmann, R. See v. Issendorff, H., 2=7639
- Fleischmann, R. See Zehender, O., 4=12245
- Fleisher, A. See Saltzman, B., 0=14189
- Fleisher, A. See Saltzman, B., 2=17139
- Fleisher, V. G. Determining the efficiency of electron multipliers without measuring small fluxes of particles, 3=14640
- Fleisher, V. G. See Berlovich, E. E., 0=9586
- Fleisher, V. G. See Berlovich, E. E., 0=11303
- Fleishman, D. G., Burovina, I. V. and Nesterov, V. P. Half-life of Cs^{137} , 4=1047
- Fleishman, D. G. and Glazunov, V. V. Determination of the β -decay constant of K^{40} , 2=20544
- Fleishman, D. G. and Glazunov, V. V. The use of an external standard for the determination of the efficiency and background of liquid scintillation counters, 3=2159
- Fleishman, D. G. See Kolenko, E. A., 0=3731
- Fleishman, H., Einbinder, H. and Wu, C. S. Scintillations from liquid helium, 0=5030
- Fleishman, M. R. and Soodak, H. Methods and cross sections for calculating the fast effect, 1=13887
- Fleming, D. M. See Myers, I. T., 1=13379
- Fleming, G. N. Recoupling effects in the isobar model. I. General formalism for three-pion scattering, 4=25142
- Fleming, J. D., Boland, P. and Harris, J. N. Porosity measurements by air displacement, 3=13548
- Fleming, J. E. and Lynton, H. A preliminary study of the crystal structure of low tridymite, 1=15090
- Fleming, L. Frequency-dividing networks, 3=23981
- Fleming, L. Feedback vibrometer, 4=29683
- Fleming, R. J. Diffusion of non-interacting particles in cylindrical geometry, 4=6025
- Fleming, R. J. Diffusion of non-interacting particles between cylindrical absorbing boundaries, 4=19489
- Fleming, R. J. and Higginson, G. S. Resonance in elastic scattering of electrons by helium atoms, 3=15300
- Fleming, R. J. and Higginson, G. S. Critique and extension of the Maler-Leibnitz experiment, 4=19984
- Fleming, W. H. See Ajdačić, V. S., 3=22452
- Flengas, S. N. See Bell, M. C., 4=24235
- Flengas, S. N. See Bell, M. C., 4=24236
- Flengas, S. N. See Bland, J. A., 1=10263
- Flerov, N. N. and Tamanov, E. A. The production of intense ion pulses of less than 5×10^{-10} sec duration, 0=9100
- Flerov, G. N., Donets, E. D. and Druin, V. A. Spontaneous fission and the production of far transuranium elements, 4=3708
- Flerov, G. N., Donets, E. D. and Druin, V. A. Spontaneous fission and the production of far transuranium elements, 4=22239
- Flerov, G. N., Karnaukhov, V. A., Ter-Akop'yan, G. M., Petrov, L. A. and Subbotin, V. G. Proton decay of radioactive nuclei, 4=30319
- Flerov, G. N., Polikanov, S. N., Karamyan, A. S., Pasyuk, A. S., Parfanovich, D. M., Tarantin, N. I., Karnaukhov, V. A., Druin, V. A., Volkov, V. V., Semchinova, A. M., Oganessian, Yu. Ts., Khalizev, V. I., Khlebnikov, G. I., Myasoedov, B. F. and Gavrilov, K. A. Experiments on production of the 102-nd element, 0=7497
- Flerov, G. N., Polikanov, S. M., Gavrilov, K. A., Mikhchev, V. L., Perelygin, V. P. and Pleve, A. A. Formation of a spontaneously fissioning isomer in reactions involving α -particles and deuterons, 4=6392
- Flerov, G. N., Volkov, V. V., Pomorski, L. and Tys, Ya. Production of the nuclei N^{17} by bombardment of some elements with heavy ions, 2=3629
- Flerov, G. N., Volkov, V. V., Pomorski, L. and Tys, Ya. Production of the nuclei N^{17} by bombardment of some elements with heavy ions, 3=2501
- Flerov, G. N. See Karnaukhov, V. A., 0=9552
- Flerov, G. N. See Korneev, E. I., 0=9701
- Flerov, G. N. See Mikhchev, V. L., 0=11465
- Flerov, G. N. See Oganessian, Yu. Ts., 3=24986
- Flerov, G. N. See Perelygin, V. P., 0=7592
- Flerov, G. N. See Petrzak, K. A., 4=3707
- Flerov, G. N. See Petrzak, K. A., 2=8012
- Flerov, G. N. See Volkov, V. V., 2=12226
- Flerov, G. N. See Volkov, V. V., 3=2502
- Flerov, G. N. See Volkov, V. V., 3=6302
- Flerov, N. N., Berezin, A. A. and Chelnokov, I. E. The 14.6 MeV U^{238} fission cross-section, 1=19546
- Flerov, N. N. and Talyzin, V. M. Inelastic collision cross-sections of various elements for 14.5 MeV neutrons, 0=7603
- Flerov, N. N. and Talizin, V. M. The average number of neutrons $\bar{\nu}$ from the fission of U^{235} and U^{238} by 14 MeV neutrons, 1=17168
- Flerov, N. N. and Talizin, K. M. 14 MeV (n,2n) cross-sections for Be, Pb and Bi, 1=19488
- Flerov, N. N. and Talizin, V. M. Average number of neutrons ν and η in the 14 MeV neutron-induced fission of U^{235} and Pu^{239} , 4=9578
- Flerov, N. N. and Tamanov, E. A. The average number of neutrons $\bar{\nu}$ from the fission of U^{235} by 14 MeV neutrons, 1=19545
- Flerov, N. N. See Voronkov, R. M., 3=5727
- Flerov, N. N. See Voronkov, R. M., 4=622
- Flesch, G. D. and Svec, H. J. Model of a mass spectrometer which simultaneously collects positive and negative ions, 3=21905
- Fletcher, D. E. See Brown, J. L., 0=18553
- Fletcher, E. D. and Parbrook, H. D. Some aspects of the acoustic interferometer, 4=16188
- Fletcher, E. R., Lemonne, J., Renard, P., Sacton, J., O'Sullivan, D., Shah, T. P., Thompson, A., Allen, P., Beniston, M. J., Garbutt, D. A., Allen, J. E., Jr., Heeran, M., Montwill, A., Kumar, R. C., March, P. V., Pniwski, T. and Zakrewski, J. Production of hyperfragments from the interactions of 1.3 GeV/c and 1.5 GeV/c K^- mesons with emulsion nuclei, 3=10232
- Fletcher, E. R. See Danysz, M., 3=22276
- Fletcher, E. R. See Danysz, M., 4=9364
- Fletcher, E. S. Model independent correlation of stars and neutral hydrogen, 4=2374
- Fletcher, F. J. See Cundall, R. B., 4=13739
- Fletcher, G. C. The thermal expansion of solids, 0=4270
- Fletcher, G. C. Magnetic properties of nickel, 1=14692
- Fletcher, G. C. Anharmonicity and the thermal expansion of solids, 2=3844
- Fletcher, H., Blackham, E. D. and Stratton, R. Quality of piano tones, 2=13413
- Fletcher, H. Normal vibration frequencies of a stiff piano string, 4=8285

- Fletcher, H. Errata: normal vibration frequencies of a stiff pinao string, 4=21249
- Fletcher, H., Blackham, E.D. and Christensen, D.A. Quality of organ tones, 3=9563
- Fletcher, J. and Davies, D.E. Ionization coefficients in hydrogen, helium and neon, 4=18681
- Fletcher, J.E. See Struble, R.A., 2=7
- Fletcher, J.G. Local conservation laws in generally covariant theories, 0=8556
- Fletcher, J.G. Initial value data for poisson brackets in general relativity, 1=8048
- Fletcher, J.G. Re-entrant motion in special relativity, 4=2534
- Fletcher, J.L. Reflex response of middle-ear muscles: protection of the ear from noise, 2=13211
- Fletcher, J.L. and Loeb, M. Free-field threshold shift and temporary threshold shift reduction as measures of efficiency of ear protective devices, 3=1557
- Fletcher, J.L. and Riopelle, A.J. Protective effect of the acoustic reflex for impulsive noises, 0=6507
- Fletcher, J.L. See Loeb, M., 1=21119
- Fletcher, N.H. Nucleation and growth of ice crystals upon crystalline substrates, 1=1369
- Fletcher, N.H. Ice crystal nucleation by aerosol particles, 1=11628
- Fletcher, N.H. Freezing nuclei, meteors, and rainfall, 1=20808
- Fletcher, N.H. Surface structure of water and ice, 2=5001
- Fletcher, N.H. Nucleation by crystalline particles, 3=7394
- Fletcher, N.H. Surface structure of water and ice — a reply and a correction, 3=21307
- Fletcher, N.H. Crystal interfaces, 4=6697
- Fletcher, N.H. Some molecular aspects of ice crystal nucleation, 4=13537
- Fletcher, N.H. See Creagh, D.C., 3=9748
- Fletcher, N.R., Tilley, D.R. and Williamson, R.M. C^{12} (d, p) γ proton-gamma angular correlations, 3=679
- Fletcher, N.R. See Seaborn, J.B., 3=10391
- Fletcher, O. See Powell, F.X., 3=7350
- Fletcher, P.C. and Kittel, C. Considerations on the propagation and generation of magnetostatic waves and spin waves, 1=1234
- Fletcher, P.C. and Silence, N. Subsidiary absorption above ferrimagnetic resonance, 1=9049
- Fletcher, P.C. and Solt, I.H., Jr. Coupling of the magnetostatic modes, 0=3121
- Fletcher, P.C. See Bhaumik, M.L., 3=11001
- Fletcher, P.C. See Brennan, D., 0=9779
- Fletcher, P.C. See Solt, I.H., Jr., 0=10203
- Fletcher, R.C., LeCraw, R.C. and Spencer, E.G. Electron spin relaxation in ferromagnetic insulators, 0=6258
- Fletcher, R.C. and Seidel, H. Limitations of elementary mode considerations in ferrite loaded wave guide, 0=2449
- Fletcher, R.C. See LeCraw, R.C., 0=10220
- Fletcher, R.C. See Suh, H., 1=2490
- Fletcher, R.O.W. and Steeple, H. Dimorphism in methyl ammonium alum, 3=1342
- Fletcher, R.O.W. and Steeple, H. The crystal structure of the low-temperature phase of methylammonium alum, 4=13616
- Fletcher, W.E. See Swets, J.A., 2=17319
- Fletcher, W.H. and Brown, F.B. Vibrational spectra and the inversion phenomenon in cyanamide and deuterated cyanamide, 4=3872
- Fletcher, W.H. See Begun, G.M., 0=13436
- Fletcher, W.H. See Begun, G.M., 0=20712
- Fletcher, W.H.W. See Medford, R.D., 2=1450
- Fletcher, W.H.W. See Medford, R.D., 3=7277
- Fleury, J., Perrin, P., Boge, M. and Laugier, J. The CsI (Tl) scintillation α spectrometer, 1=13534
- Fleury, J. See Bouchez, R., 1=13791
- Fleury, J. See Bouchez, R., 1=13796
- Fleury, J. See Duclos, J., 1=2927
- Fleury, J. See Duclos, J., 1=18740
- Fleury, P., Arnulf, A. and Maréchal, A. A survey of the work of the Institute of Optics [Paris], 1=1803
- Fleury, P. See Bruyat, F., 4=21915
- Fleury, P.A. See Alers, G.A., 3=8356
- Fleury, P.A. See Alers, G.A., 4=26466
- Fleury, P.A. See Carome, E.F., 1=16029
- Fleury, P.A. See Carome, E.F., 4=5174
- Flevy, P. See Brandt, S., 3=17324
- Flicker, H. Response of semiconductor detectors to fission fragments, 3=24556
- Flicker, H. and Loferski, J.J. Distribution of electron bombardment-induced radiation defects with depth in silicon, 3=22858
- Flicker, H., Loferski, J.J. and Scott-Monck, J. Radiation defect introduction rates in n- and p-type silicon in the vicinity of the radiation damage threshold, 3=6551
- Flicker, H. See Atkins, K.R., 0=2281
- Flicker, H. See Baicker, J.A., 3=13023
- Flicker, M. See Herring, C., 4=19990
- Flietner, H. Surface-conditional corrections to the mobility for small band distortions, 2=2136
- Flietner, H. Properties of ordinary semiconductor surfaces, 2=10449
- Flietner, H. and Hundt, G. Study of the temperature dependence of the fast states on germanium in dry oxygen atmospheres, 3=6586
- Flietner, H. and Krotter, W. A simple apparatus for the preparation of high-purity indium by distillation, 3=20332
- Flinchbaugh, D.E. See Russek, A., 2=10197
- Flinn, D.J., Spindler, R.J., Fifer, S. and Kelly, M. Franck-Condon factors for the β and γ bands of the NO molecule based on realistic potential functions, 4=15337
- Flinn, E.A. Exact transient solution of some elementary problems of elastic wave propagation, 1=6921
- Flinn, I. and Emmony, D.C. Surface measurements on N-type gallium arsenide, 4=1602
- Flinn, P.A. Velocity servo drive for a high precision Mössbauer spectrometer, 4=6689
- Flinn, P.A. and McManus, G.M. Monte Carlo calculation of the order-disorder transformation in the body-centered cubic lattice, 1=20590
- Flinn, P.A. and McManus, G.M. Lattice vibrations and Debye temperatures of aluminium, 4=6706
- Flinn, P.A., McManus, G.M. and Rayne, J.A. Effective X-ray and calorimetric Debye temperature for copper, 1=11165
- Flinn, P.A., McManus, G.M. and Rayne, J.A. Elastic constants of ordered and disordered Cu_3Au from 4.2 to 300°K, 1=20294
- Flinn, P.A. and Maradudin, A.A. Distortion of crystals by point defects, 2=12429
- Flinn, P.A. and Maradudin, A.A. Anharmonic contributions to vibrational thermodynamic properties of solids. III. The low temperature limit, 3=17640
- Flinn, P.A. and Ruby, S.L. Local magnetic fields in Fe-Al alloys, 1=14687
- Flinn, P.A. and Ruby, S.L. Local magnetic fields in Fe-Al alloys, 4=12564
- Flinn, P.A. See Chandrasekhar, B.S., 3=5136
- Flinn, P.A. See Cox, D.E., 4=4394
- Flinn, P.A. See Maradudin, A.A., 2=568
- Flinn, P.A. See Maradudin, A.A., 2=569
- Flinn, P.A. See Maradudin, A.A., 2=10301
- Flinn, P.A. See Maradudin, A.A., 2=14366
- Flinn, P.A. See Maradudin, A.A., 3=8827
- Flinn, P.A. See Maradudin, A.A., 4=12577
- Flinn, P.A. See Maradudin, A.A., 4=12611
- Flinn, P.A. See Shirane, G., 3=15733
- Flinn, P.A. See Shirane, G., 3=17632
- Flint, R.B. See Farnell, G.C., 2=602
- Flint, R.B. See Farnell, G.C., 3=20199
- Flinta, J. Pulsed high-intensity ion source. I, 0=19775
- Flinta, J. See Pauli, R., 0=19776
- Flipot, A. J. See Gilissen, R., 4=21165
- Flippen, R.B. Applications of miniature coil, pulsed-field techniques to studies of magnetic phase transitions, 3=17022
- Flippen, R.B. Changes in magnetization of single-crystal dysprosium, erbium, and holmium in high magnetic fields, 4=13109
- Flippen, R.B. and Darnell, F.J. Entropy changes of ferromagnetic-antiferromagnetic transitions from magnetic measurements, 3=15750
- Flippen, R.B. and Friedberg, S.A. Magnetic susceptibilities of single crystals $\text{NiCl}_2 \cdot 6\text{H}_2\text{O}$ and $\text{CoCl}_2 \cdot 6\text{H}_2\text{O}$ at low temperatures, 0=11921
- Flippen, R.B. and Friedberg, S.A. Low-temperature magnetic susceptibilities of the hydrated acetates of Ni^{++} , Co^{++} and Mn^{++} , 1=6258
- Flippen, R.B. and Friedberg, S.A. Low-temperature magnetic susceptibilities of some hydrated formates of Cu^{++} and Mn^{++} , 3=18056
- Flippen, R.B. See Bierstedt, P.E., 2=6677
- Flitcroft, N. and Kaesz, H.D. Proton magnetic resonance in stannane, the methylstannanes and related compounds, 3=22602

- Flitman, L.M. On the motion of a rigid strip-mass lying on an elastic half-space and excited by a seismic wave, 3=18770
- Flitman, L.M. Waves caused by a sudden crack in a continuous elastic medium, 4=14251
- Flock, A., Kimura, R., Lundquist, P.G. and Wersäll, J. Morphological basis of directional sensitivity of the outer hair cells in the organ of Corti, 3=3656
- Flock, W.L., Belon, A.G. and Heacock, R.R. Geomagnetic agitation and overhead aurora, 3=13832
- Flock, W.L. and Elliott, R.S. The radiation pattern of a micro-wave horn and a plasma layer, 2=13687
- Flodmark, S. Notes on a besk programme for molecular one-electron two-center integrals and some diagrams showing the dependence of these integrals on the orbital exponents, 0=17787
- Flodmark, S. A solid state spd-MOLCAO treatment of cubic-octahedral CaB_6 with variation of the d orbital exponent, 1=4960
- Flodmark, S. Symmetry reduction of secular matrices for crystals, 2=6298
- Flodmark, S. Theory of symmetry projections in applied quantum mechanics, 4=2567
- Flodmark, S. Theoretical investigation of the electronic energy bands for zirconium-oxygen crystals. I. Methods of investigation and discussion of results, 4=15459
- Flohn, H. Some remarks on the exchange between troposphere and stratosphere, 3=25873
- Flom, D.G. Rolling friction of polymeric materials. I. Elastomers, 0=4572
- Flom, D.G. Rolling friction of polymeric materials, II. Thermoplastics, 1=11526
- Flom, D.G. and Bueche, A.M. Theory of rolling friction for spheres, 0=3478
- Flom, M.C., Weymouth, F.W. and Kahneman, D. Visual resolution and contour interaction, 3=21171
- Flood, E.A. and Farhan, F.M. Stresses and strains in adsorbent-adsorbate systems. V. Thermodynamic theory of adsorption-extension phenomena, 3=20937
- Flood, E.A. See Kuroda, H., 0=18056
- Flood, J.J. See Francombe, M.H., 4=4665
- Flood, W. See Renau, J., 1=19041
- Flood, W.A. Simultaneous V.H.F. auroral backscatter measurements, 0=16467
- Flood, W.J. See Owe Berg, T.G., 4=23683
- Florance, E.T. See King, J.I.F., 4=10824
- Florczak, J. See Tietz, T., 4=12337
- Floreen, S. and Scott, T.E. The effect of work hardening on the stress dependence of dislocation velocity, 4=22580
- Florent, R. See Maillet, R., 0=2412
- Flores, J. See Mello, P.A., 3=24874
- Flores, J.M. Excitation function of the $\text{Al}^{27}(\text{d}, \text{p})\text{Al}^{28}$ reaction between 2.2 and 12.6 MeV, 2=18351
- Flores, J.M. Determination of the quantum numbers for the levels of the 5461 Å line in Hg., 3=10458
- Flores, J.M. Simple technique for making an electric contact on silicon, 4=12951
- Flores, J.M. See Messier, J., 4=15542
- Flores Maldonado, V. Effect of a repulsive core in a statistical model of heavy nuclei, 1=9803
- Florescu, N.A. On the conductance of systems for molecular flow of gases, 0=19173
- Florescu, N.A. Design of glass oil-vapour vacuum pumps, 0=976
- Florescu, N.A. The adhesion of aluminium films on glass after ionic bombardment, 0=18413
- Florescu, N.A. Standard unit of pressure in vacuum physics, 0=19222
- Florescu, N.A. New thermionic ionization gauge, 1=11798
- Florescu, N.A. The theoretical development of the vapour
- Florescu, N.A. Improvement in operation with McLeod gauge, 1=18486
- Florescu, N.A. Increase in performance of the vapour vacuum pump, 3=1735
- Florescu, N.A. High vacuum side versus forepressure side leak detection, 3=1741
- Florescu, N.A. Critical survey on the physics of the high vacuum vapour pump, 4=8266
- Florescu, N.A. Speed of sorption for nitrogen activated by electron impact, 4=18295
- Florescu, N.A.; Bigg, P.H. Standard unit of pressure in vacuum physics, 1=9425
- Florides, P.S. Applications of Møller's theory on energy and its localization in general relativity, 2=2618
- Florides, P.S. The electromagnetic energy and the gravitational mass of a charged particle in general relativity, 2=2619
- Florides, P.S. and Synge, J.L. Notes on the Schwarzschild line-element, 2=11263
- Florides, P.S. and Synge, J.L. The gravitational field of a rotating fluid mass in general relativity, 3=1600
- Florides, P.S. and Synge, J.L. Stationary gravitational fields due to single bodies, 4=24027
- Florides, P.S. See Das, A., 1=15604
- Florin, R.E., Brown, D.W. and Wall, L.A. γ -irradiation of small molecules at 4 and 77°K, 3=12874
- Florinskaya, V.A. and Pechenkina, R.S. Application of infrared spectroscopy to the study of polycrystalline substances, 2=4124
- Florio, J.V. Retarding-field technique for measuring sublimation from dispenser and oxide cathodes, 3=9830
- Florkowski, T. Some bremsstrahlung sources in thickness gauges, 2=9227
- Florkowski, T. See Czubek, J., 2=3305
- Florman, E.F. Proposed use of earth satellite signals to measure propagation velocity of electromagnetic waves, 4=8930
- Florov, G.N., Pomorski, L., Tys, J. and Volkov, V.V. Investigations of the transfer reactions in the bombardment of nuclei with heavy ions by means of delayed neutron detection, 2=10146
- Flory, D.A. High-dose N_2O dosimeter, 4=11859
- Flory, L.E. See Luedicke, E., 4=23834
- Flory, P.J. Elasticity of polymer networks cross-linked in states of strain, 1=14867
- Flory, P.J. On the morphology of the crystalline state in polymers, 2=23860
- Flory, P.J. See Pollack, S.S., 2=4504
- Flory, W.S.Jr. See Singleton, W.R., 1=15369
- Flossmann, R. See Emschermann, H.H., 1=11720
- Flotow, H.E. and Osborne, D.W. Heat capacities and thermodynamic functions of ZrH_2 and ZrD_2 from 5 to 350°K and the hydrogen vibration frequency in ZrH_2^* , 1=7538
- Flotow, H.E., Osborne, D.W. and Otto, K. Heat capacities and thermodynamic functions of YH_2 and YD_2 from 5° to 350°K and the hydrogen vibration frequencies, 2=6278
- Flotow, H.E., Osborne, D.W., Otto, K. and Abraham, M. YH_3 and YD_3 : heat capacities and thermodynamic functions from 15° to 350°K and infrared absorption spectra, 3=17658
- Flournoy, J.M. Thermal decomposition of gaseous dimethylnitramine, 2=10976
- Flournoy, J.M. Thermal decomposition of gaseous, 2,2-dinitropropane, 2=10977
- Flournoy, J.M., Baum, L.H. and Siegel, S. Temperature control method for use between 4.2° and 77°K, 0=19522
- Flournoy, J.M., Baum, L.H. and Siegel, S. Disappearance of trapped hydrogen atoms in gamma-irradiated ice, 2=14479
- Flournoy, J.M. See Judeikis, H.S., 3=2669
- Flournoy, J.M. See Siegel, S., 0=7796
- Flournoy, J.M. See Siegel, S., 1=8861
- Flournoy, P.A. Applications of attenuated-total-reflection spectroscopy to absolute intensity measurements, 4=5382
- Flournoy, P.A., Tickle, R.S. and Whitehead, W.D. Photoneutron cross sections of cobalt and manganese, 0=20478
- Flournoy, P.A. See Fast, R.W., 0=9660
- Flower, M. and March, N.H. Transitions to metallic states in ionic crystals, with particular reference to cesium iodide, 2=6761
- Flower, M., March, N.H. and Murray, A.M. Metallic transitions in ionic crystals: some group theoretical results, 0=15802
- Flower, M. See Claussen, B.H., 4=4277
- Flowerday, T.W. An instrument for measuring ion composition of the upper atmosphere, 4=26814
- Flowers, B.H. Pairing correlations in nuclei, 2=1758
- Flowers, B.H. and Irvine, J.M. Pairing correlations in finite systems, 4=15129
- Flowers, B.H., Irvine, J.M. and Johnstone, I.P. Pairing correlations in finite systems. II. Simplified wave functions and moments of inertia of nuclei, 4=21937
- Flowers, B.H. and Szpikowski, S. A generalized quasi-spin formalism, 4=27109
- Flowers, B.H. and Vujčić, M. Charge-independent pairing correlations, 4=9346
- Flowers, D.H. and Wilmore, D. Even parity levels of mass 18 nuclei, 4=19676
- Flowers, M., Batt, L. and Benson, S.W. HCl-catalyzed decomposition of di-tertiary butyl peroxide in the gas phase, 3=5164
- Flowers, M.C. and Benson, S.W. Kinetics of the gas-phase reaction of CH_3I with HI , 3=11339
- Floyd, J.J. See Dugan, F.A., 2=16459

- Floyd, R.L. See Dyke, W.P., 0=9068
- Flubacher, P., Leadbetter, A.J. and Morrison, J.A. The heat capacity of pure silicon and germanium and properties of their vibrational frequency spectra, 0=15812
- Flubacher, P., Leadbetter, A.J. and Morrison, J.A. The limiting low-temperature behaviour of the heat capacity of graphite, 0=17892
- Flubacher, P., Leadbetter, A.J. and Morrison, J.A. Heat capacity of ice at low temperatures, 1=2379
- Flubacher, P., Leadbetter, A.J. and Morrison, J.A. A low temperature adiabatic calorimeter for condensed substances. Thermodynamic properties of argon, 2=6269
- Flubacher, P., Leadbetter, A.J., Morrison, J.A. and Stoicheff, B.P. The low-temperature heat capacity and the Raman and Brillouin spectra of vitreous silica, 0=11581
- Flubacher, P. See Clusius, K., 0=12416
- Flubacher, P. See Cupp, C.R., 2=21073
- Fluck, E. See Kerler, W., 3=12894
- Fluck, E. See Kerler, W., 3=22629
- Flude, M.J.C., Habel, K.J. and Jackson, A. Recording refractometer for measuring refractive indices of optical glasses over a wide range of wavelengths, 1=18587
- Flueckinger, A.F. See Dannhauser, W., 3=7216
- Fluegge, R.A. See Hunt, W.W., Jr., 4=8864
- Flügel-Kahler, E. Crystal structure of dolerophanite, $\text{Cu}_2\text{O}(\text{SO}_4)$, 3=25718
- Flügge, S. and Schröder, U. Theory of the $\text{pp}\mu$ molecular ion, 1=4959
- Flügge, S. and Weiguny, A. Quantum mechanical three-body problem. II. Nonlinear triatomic molecules, 1=4923
- Flügge, S. and Weiguny, A. Boundary transition to rigid bodies for the quantum-mechanical three body problem, 3=1617
- Flügge, S. See Borik, H., 4=25208
- Flügge, S. See Diehl, H., 1=4922
- Flügge, S. See Diehl, H., 1=4924
- Flügge, S. See Ernst, G., 1=8519
- Fluharty, R.G. See Evans, J.E., 1=17162
- Fluit, J.M. and Datz, S. Surface structure or ionically bombarded copper single crystals, 4=13671
- Fluit, J.M., Friedman, L., Boerboom, A.J.H. and Kistemaker, J. Isotopic fractionation of lithium in sputtering, 2=227
- Fluit, J.M., Friedman, L., van Eck, J., Snoek, C. and Kistemaker, J. Photons and metastable atoms produced in sputtering experiments (5-20keV), 3=4217
- Fluit, J.M., Kistemaker, J. and Snoek, C. The emission of fast secondary atoms from ionically bombarded copper ("reflections"), 4=17457
- Fluit, J.M., Rol, P.K. and Kistemaker, J. Angular-dependent sputtering of copper single crystals, 3=10705
- Fluit, J.M., Sanders, J.B. and Snoek, C. Sputtering of copper by ion bombardment at target temperatures between 40° and 900°K , 4=20320
- Fluit, J.M., Snoek, C. and Kistemaker, J. Sputtering of copper by 20 keV noble gas ions at low temperatures, 4=10018
- Fluit, J.M. and Sol, P.K. Angular dependent sputtering of copper single crystals by 20 keV noble gas ions, 4=17459
- Fluit, J.M. See Heymann, D., 3=1516
- Fluit, J.M. See Rol, P.K., 1=8363
- Fluit, J.M. See Rol, P.K., 1=11987
- Fluit, J.M. See Sanders, J.B., 4=10017
- Flunkert, H. On the mechanism of optical imaging of the ferroelectric domains in Rochelle salt crystals, 0=16010
- Flur, B.L. and Riseman, J. Preparation of uniaxial permalloy films by cathodic sputtering on glass and metal substrates, 4=13676
- Flyagin, V.B. See Budagov, Yu.A., 3=17131
- Flyagin, V.B. See Kiselev, V.S., 0=2550
- Flyants, N.N. See Arifov, U.A., 2=13604
- Flyants, N.N. See Arifov, U.A., 2=17892
- Flyants, N.N. See Arifov, U.A., 4=8844
- Flygare, W.H. Bent chemical bonds, 4=3847
- Flygare, W.H. Molecular rotation in the solid state. Theory of rotation of trapped molecules in rare-gas lattices, 4=3837
- Flygare, W.H. Experimental determination of the field gradient at the deuteron in formaldehyde, 4=25705
- Flygare, W.H. Spin-rotation interaction and magnetic shielding in molecules, 4=25734
- Flygare, W.H. and Gwinn, W.D. Electron distribution in the C-Cl bonds of CH_2Cl_2 and derivation of matrix elements off-diagonal in J for two quadrupolar nuclei in an asymmetric rotor, 2=6206
- Flygare, W.H. and Howe, J.A. Microwave spectrum and quadrupole interaction in cis-1,2-dichloroethylene, 2=3741
- Flygare, W.H., Narath, A. and Gwinn, W.D. Microwave spectrum, structure, quadrupole interaction, dipole moment, and bent C-Cl bonds in 1,1-dichlorocyclopropane, 2=1993
- Flygare, W.H. See Howe, J.A., 2=6136
- Flygare, W.H. See Lowe, J.T., 4=30462
- Flynn, C.P. Vacancies and complexes in the noble metals, 2=3904
- Flynn, C.P. The correction of signals distorted by linear apparatus, 2=4907
- Flynn, C.P. Linde's law and the scattering power of associated point defects, 2=12419
- Flynn, C.P. The residual resistivity due to defect pairs, 3=8486
- Flynn, C.P. Monodetector annealing kinetics, 4=6826
- Flynn, C.P. Plasma property of liquid metals, 4=18174
- Flynn, C.P. Thermal equilibrium kinetics of interacting point defects, 4=12723
- Flynn, C.P. and Odle, R.L. Long range electron density oscillations at non-zero temperatures, 3=9371
- Flynn, C.P. and Seymour, E.F.W. Nuclear magnetic resonance in bismuth, 0=5038
- Flynn, C.P. and Seymour, E.F.W. The correction of spectral line shapes for instrumental and other broadening, 0=8796
- Flynn, C.P. and Seymour, E.F.W. The correction of magnetic and pure quadrupole resonance line shapes for instrumental broadening, 2=16081
- Flynn, C.P. and Seymour, E.F.W. Nuclear quadrupole coupling with conduction electrons in cubic alloys, 1=1410
- Flynn, C.P. and Seymour, E.F.W. Knight shift of the nuclear magnetic resonance in liquid indium, 1=4357
- Flynn, C.P. and Seymour, E.F.W. Diffusion narrowing of nuclear magnetic resonance in aluminium and copper, 1=10190
- Flynn, D.R. A radial-flow apparatus for determining the thermal conductivity of loose-fill insulations to high temperatures, 3=21584
- Flynn, E.R. and Bendt, P.J. Liquid hydrogen bubble chamber for low energy nuclear physics, 2=7802
- Flynn, E.R. and Bendt, P.J. n-p differential scattering cross section at 22.5 MeV , 3=2268
- Flynn, E.R. See Bryant, H.C., 4=19824
- Flynn, G.P., Hanks, R.V., Lemaire, N.A. and Ross, J. Viscosity of nitrogen, helium, neon and argon from -78.5° to 100°C below 200 atmospheres, 3=7223
- Flynn, G.P. See Barua, A.K., 4=24264
- Flynn, G.W. and Baldeschwieler, J.D. N.M.R. and double resonance spectra of CH_2F_2 and CH_3CHF_2 in the gas phase, 3=6420
- Flynn, G.W. and Baldeschwieler, J.D. N.M.R. spectrum of 1,1-difluoroethylene in the gas phase, 3=8298
- Flynn, G.W., Matsushima, M., Baldeschwieler, J.D. and Craig, N.C. N.m.r. spectra of cis and trans 1,2-difluoroethylene in the gas phase, 3=15385
- Flynn, J.T. See Damon, E.K., 3=9984
- Flynn, K.F. and Glendenin, L.E. Half-life and beta spectrum of Rb^{87} , 0=1387
- Flynn, K.F. See Engelkemeir, D.W., 2=14036
- Flynn, T.M., Hinnah, H. and Newell, D.E. An improved cryogenic thermometer, 4=14473
- Foà, L. See Bellettini, G., 3=6076
- Foà, L. See Bellettini, G., 3=9839
- Foà, L. See Bellettini, G., 4=6095
- Foà, L. See Bocciolini, M., 0=17563
- Focardi, S. See Baldoni, B., 3=5998
- Focardi, S. See Bassi, P., 1=13243
- Focardi, S. See Cadwell, D.O., 4=15091
- Focardi, S. See Conforto, G., 3=4795
- Focardi, S. See Conforto, G., 4=28296
- Focas, J.F. Preliminary results concerning the atmospheric activity of Jupiter and Saturn, 3=18614
- Focas, J.H. Seasonal evolution of the fine structure of the dark areas of Mars, 2=19285
- Focas, J.H. and Banos, C.J. Photometric study of the atmospheric activity on the planet Jupiter and peculiar activity in its equatorial area, 4=15930
- Focella, A. See Ippolito, F., 1=7412
- Foch, A. Theoretical and experimental mechanics. Vol. Statistics and strength of materials, 2=15503
- Fochs, P.D. An improved method of growing CdS crystals from the vapor phase, 0=18313
- Fochs, P.D. and Lunn, B. Improved techniques for studying the growth of CdS crystals, 3=16041
- Fochtman, E.G. See Langdon, W.M., 4=18260
- Fock, M.V. Electroluminescence, 3=18046

- Fock, V. The principles of relativity and of equivalence in the Einsteinian gravitation theory. I, 4=24041
- Fock, V. The principles of relativity and of equivalence in the Einsteinian gravitation theory. II, 4=24042
- Fock, V. and Wainstein, L. On the transverse diffusion of short waves diffracted by a convex cylinder, 4=690
- Fock, V. A. See Fok, V. A.
- Fock, V. A. See Fok, V. A., 0=6649
- Fock, W. See Barker, J. A., 4=18240
- Focke, J. Freedom from coma and the isoplanatism condition, 2=91
- Focks, U. F., Nakada, Y., and Ramaswami, B. Compression testing of f. c. c. crystals, 4=30764
- Foderaro, A. An iteration method for the specification of multigroup bucklings, 1=778
- Foderaro, A. and Garabedian, H. L. A new method for the solution of group diffusion equations, 1=17200
- Foderaro, A. and Garabedian, H. L. Two group reactor kinetics, 2=22871
- Fodiman, N. M. See Slonim, I. Ya., 0=19446
- Fodor, G. Definition and calculation methods of the amplification factor of neutron amplifiers, 1=16792
- Fodor, G. The characteristics of homogeneous neutron amplifiers, 1=16793
- Fodor, G. Activity calculations of samples irradiated at intermittent operation of the reactor, 2=20711
- Fodor, G. See Purika, I., 3=25011
- Fodor, G. See Purika [Purika], I., 4=1033
- Fodor, I. See Berkes, I., 2=11826
- Fodor, I. See Berkes, I., 3=6242
- Fodor, I. See Berkes, I., 3=15193
- Fodor, I. See Berkesh, I., 4=9510
- Fodor, I. See Keszthelyi, L., 1=5896
- Fodor, I. See Keszthelyi, L., 2=5518
- Fodor, I. See Keszthelyi, L., 2=5910
- Fodor, I. See Keszthelyi, L., 4=876
- Fodor, J. Testing for defects produced by the working of steel, with the help of autoradiography, 3=5143
- Fodor, L., Kövesy, Zs and Marx, G. Interstellar neutrino density and cosmogony, 4=20906
- Fodor, T. See Weissman, E., 2=9393
- Foelsche, H., Fowler, E. C., Kraybill, H. L., Sanford, J. R. and Stonehill, D. Properties of the η meson, 3=7913
- Foelsche, H. W. J. and Kraybill, H. L. Multiple pion production in interactions of positive pions with protons near 1 BeV, 4=19548
- Foerster, G. V. Triplet phosphorescence and electron spin resonance absorption of some organic molecules in glassy solutions, 4=7198
- Foerster, H. Von. See Von Foerster, H.
- Foex, M. Comments on the determination of the [physical] properties of substances heated to high temperatures by means of solar furnaces, 0=14896
- Foffani, A., Pecile, C. and Pietra, F. Solvent effect on the intensity of CN stretching vibration for some nitriles, 0=490
- Foffani, A., Pignataro, S., Cantone, B. and Grasso, F. Mass spectra of diazocarbonyl compounds. I. Diazocarbonyl compounds, 4=1291
- Foffani, A., Zanon, I., Giacometti, G., Mazzucato, U., Favaro, G. and Semeraro, G. On the electronic spectrum of formyl fluoride, 0=15740
- Fofonoff, N. P. Precision of oceanographic data for sound speed calculations, 3=18487
- Fog, J. Extinction coefficient at zero concentration, 2=11374
- Fogarassy, B. Interaction between electrons and coherent [electromagnetic] fields, 0=5544
- Fogarassy, B. On the solution of the Boltzmann transport equation, 3=25226
- Fogarassy, B. On the solution of the Boltzmann transport equation with relaxation time approximation, 4=6768
- Fogarassy, B. and Németh, G. A new [empirical] potential function for diatomic molecules, 0=15688
- Fogel', A. See Angelescu, D., 2=22375
- Fogel', A. A. See Guts, Z. A., 3=19115
- Fogel', K. G. See Dahlblom, T., 4=27938
- Fogel', N. Ya. See Borovik, E. S., 4=4115
- Fogel', P. See Solov'ev, V. G., 4=12125
- Fogel', V. O. and Alekseev, P. G. A new method for the simultaneous determination of the thermophysical characteristics of polymers, 2=17676
- Fogel' Ya. M. The production of negative ions in atomic collisions, 1=9526
- Fogel' Ya. M., Ankudinov, V. A. and Pilipenko, D. V. Electron capture and loss in collisions of fast helium, boron and fluorine atoms with gas molecules, 0=7079
- Fogel' Ya. M., Koval', A. G. and Levchenko, Yu. Z. Ionization of gases by negative ions, 0=12579
- Fogel' Ya. M., Koval', A. G. and Levchenko, Yu. Z. Formation of slow negative ions in single collisions between fast negative hydrogen and oxygen ions and gas molecules, 1=16269
- Fogel' Ya. M., Koval', A. G., Levchenko, Yu. Z. and Khodyachikh, A. F. The composition of slow ions produced during ionization of gases by negative ions, 1=4558
- Fogel' Ya. M., Koval', A. G. and Tomofeev, A. D. A negative ion source, 0=12640
- Fogel' Ya. M., Kozlov, V. F. and Kalmýkov, A. A. The existence of the negative nitrogen ion, 0=10877
- Fogel' Ya. M., Kozlov, V. F., Kalmýkov, A. A. and Muratov, V. I. Direct proof of the applicability of the Massey adiabatic criterion to processes of double charge exchange, 0=14978
- Fogel' Ya. M., Kozlov, V. F. and Polyakova, G. N. Double charge exchange of alkali metal ions, 1=18780
- Fogel' Ya. M., Rekova, L. P. and Kolot, V. Ya. The ion thermionic emission of metals in an atmosphere of various gases, 3=14663
- Fogel' Ya. M., Slabospitskii, R. P. and Karnaukhov, I. M. Mass spectrometer investigation of secondary positive and negative ionic emission, excited by the bombardment of a molybdenum surface by positive ions, 0=17044
- Fogel' Ya. M., Slabospitskii, R. P. and Karnaukhov, I. M. Mass spectrometer investigation of secondary positive and negative ionic emission, excited by the bombardment of a molybdenum surface by positive ions, 1=4652
- Fogel' Ya. M., Slabospitskii, R. P. and Rastrepin, A. B. The emission of charged particles from the surfaces of metals bombarded with positive ions, 0=9078
- Fogel' Ya. M., Slabospitskii, R. P. and Slavnyi, A. A. Mass-spectrometric investigation of the secondary ionic emission when platinum is bombarded by argon ions, 3=24373
- Fogel, Ya. M. See Kozlov, V. F., 4=464
- Fogel', Ya. M. See Pilipenko, D. V., 2=14182
- Fogel', Ya. M. See Pilipenko, D. V., 4=463
- Fogel', Ya. M. See Pilipenko, D. V., 3=6342
- Fogel', Ya. M. See Polyakova, G. N., 3=15338
- Fogel'son, R. L. The diffusion equation, 0=13557
- Fogel'son, R. L. The first diffusion equation, 3=15503
- Foggi, C. See Casini, G., 3=2519
- Fogle, B. Noctilucent clouds in Alaska during 1962, 3=9095
- Foglio, A. and Bettoni, M. M. K-conversion coefficients of some E2 transitions, 3=12638
- Foglio, M. E. and Pryce, M. H. L. Spin-orbit coupling constant and $\langle r^{-3} \rangle$ in transuranic ions, 1=19574
- Foitzick, J. See Schwab, G. M., 3=6591
- Foitzik, L. and Lenz, K. Influence of aerosols on the polarization of sky light, 1=20839
- Foitzik, L. and Lenz, K. Recent researches on the polarization of sky light, 2=877
- Foitzik, L. and Lenz, K. New studies of the polarization of sky light, 3=1447
- Foitzik, L. and Spänkuch, D. Characteristic anomalies in the polarization of sky-light on account of vertical vapour stratification, 2=8970
- Foitzik, L. and Spänkuch, D. Calculation of the polarization of sky-light with different model atmospheres, 3=1445
- Fok, M. V. The relation between the blue and green bands in the electro-luminescence of ZnS:Cu phosphors, 2=6643
- Fok, M. V. Electroluminescence, 2=14757
- Fok, M. V. Forbidden band width and effective charge in crystal lattice of ZnS, 3=10621
- Fok, M. V. An ideal thermal light source, 3=11904
- Fok, M. V. and Fridman, S. A. Relation between the rate of decay and the luminescence yield under strong excitation, 3=18015
- Fok, M. V. See Antonov-Romanovskii, V. V., 0=13713
- Fok, M. V. See Antonov-Romanovskii, V. V., 4=22927
- Fok, M. V. See Bukke, E. E., 4=26251
- Fok, M. V. See Georgobiani, A. N., 1=5058
- Fok, M. V. See Georgobiani, A. N., 1=20031
- Fok, M. V. See Georgobiani, A. N., 2=6642
- Fok, M. V. See Georgobiani, A. N., 3=8630
- Fok, M. V. See Georgobiani, A. N., 4=7173
- Fok, M. V. See Georgobiani, A. N., 4=7174
- Fok, M. V. See Vinokurov, L. A., 0=4428
- Fok, M. V. See Vinokurov, L. A., 1=17915
- Fok, M. V. See Vinokurov, L. A., 2=717
- Fok, M. V. See Vinokurov, L. A., 3=3052

- Fok, M. V. See Voznesenskaya, T. I., 4=7194
- Fok, N. V. See Bubnov, N. N., 2=6686
- Fok, V. A. [Fock]. Comparison of different coordinate conditions in Einstein's gravitation theory, 0=6649
- Fok, V. A. The Einsteinian statics in conformal space, 1=56
- Fok, V. A. Criticism of an attempt to disprove the uncertainty relation between time and energy, 2=15480
- Fok, V. A. Criticism of an attempt to disprove the uncertainty relation between time and energy, 5=5356
- Fok, V. A. Kinematical and gravitational effects on the reading of a clock in free motion, 3=7109
- Fok[Fock], V. A. Kinematical and gravitational effects on the reading of a clock in free motion, 4=2541
- Fok, V. A. and Kuni, F. M. Introduction of "damping" functions into [the theory of] scattering correlations, 0=9319
- Fok, V. A. See Kapitsa, P. L., 0=8975
- Fok, V. A. See Kapitsa, P. L., 0=9206
- Fok, V. M. Forbidden bandwidth and effective change of ions in the crystal lattice of ZnS, 3=20344
- Fokin, L. R. Critical parameters of alkali metals, 4=21366
- Fokin, L. R. See Agapova, N. I., 4=8246
- Fokkens, K., Taconis, K. W. and de Bruyn Ouboter, R. The heat conductivity of gaseous ^3He and ^4He between 0.4° and 3.0°K , 4=16145
- Fokkens, K. See Staas, F. A., 1=6991
- Fokker, A. D. The clock paradox in so-called relativity theory, 0=14499
- Fokker, A. D. Polarization behaviour of enhanced solar radio-emission at 200 MHz, 1=18156
- Fokker, A. D. Some notes on noise storms, 1=18157
- Fokker, A. D. Results of continuous 24-hour solar radio patrol, especially in connection with the occurrence of type IV solar radio [emission] events, 1=20951
- Fokker, A. D. Time and space in the events, 2=2608
- Fokker, A. D. See Boischot, A., 1=18163
- Fokker, A. D. See Cohen, M. H., 1=18162
- Fokker, A. D. See de Feiter, L. D., 0=4898
- Fokker, A. D. See de Feiter, L. D., 1=10341
- Foland, W. D. Contribution to the electrostatic self-energy of a charged liquid drop, 0=5646
- Folberth, O. G. Chemical binding in crystals with the DO_2 -(BiF_3)-structure, 1=1387
- Folberth, O. G. Bonding in crystals with "normal valency" with special reference to ZnS and wurtzite structures, 1=2365
- Folberth, O. G. An interpretation of the ΔE value [forbidden band width] in [semiconductors with] ZnS structure, 1=3760
- Folberth, O. G. and Pfister, H. The crystal structure of ZnSnAs_2 , 0=8224
- Folberth, O. G. See Fleischmann, H., 0=4646
- Földi, I. Highly accurate stabilisation of magnetic fields in nuclear installations, 2=22295
- Foldy, L. L. Relativistic particle systems with interaction, 1=7200
- Foldy, L. L. A method for expanding the phase-stable regime in synchronous accelerators, 1=8367
- Foldy, L. L. Charged boson gas, 1=18309
- Foldy, L. L. Antisymmetric functions and Slater determinants, 2=13237
- Foldy, L. L. Optical theorem and off-diagonal elements of the T matrix, 4=11942
- Foldy, L. L. and Peierls, R. F. Isotopic spin of exchanged systems, 3=14914
- Foldy, L. L. See Amati, D., 4=21781
- Foldy, L. L. See Bassichis, W. H., 4=8105
- Foldy, L. L. See Bilhorn, D. E., 4=16033
- Foldy, L. L. See Eck, T. G., 3=17526
- Foldy, L. L. See Hockensmith, D. A., 4=12342
- Foldy, L. L. See Rose, M. E., 3=2402
- Foldvik, A. Two-dimensional mountain waves — a method for the rapid computation of lee wavelengths and vertical velocities, 2=21630
- Fołdzińska, A. and Malinowski, J. Application of the Gutzeit method to radiochemical determination of arsenic. I. Determination of arsenic in zinc "free from arsenic", 3=1399
- Folen, V. J. Influence of ionic order on the magneto-crystalline anisotropy and crystalline field parameters in lithium ferrite monocrystals, 0=10124
- Folen, V. J. "Forbidden" transitions in the paramagnetic resonance of Mn^{++} in Al_2O_3 , 2=6690
- Folen, V. J. Crystalline electric fields in spinel-type crystals, 2=12645
- Folen, V. J., Rado, G. T. and Stalder, E. W. Anisotropy of the magnetoelectric effect in Cr_2O_3 , 1=14369
- Folen, V. J. See Kelly, W. H., 1=14745
- Folen, V. J. See Rado, G. T., 0=1809
- Folen, V. J. See Rado, G. T., 2=2124
- Folen, V. J. See Rado, G. T., 2=12665
- Folen, V. J. See Rado, G. T., 3=834
- Folen, V. J. See Schnitzler, A. D., 0=11927
- Folen, V. J. See Schnitzler, A. D., 2=12803
- Foley, E. L. See Crowell, A. D., 4=251
- Foley, H. M. See Byron, F. W., Jr., 4=17240
- Foley, H. M. See Greenberg, D. A., 1=801
- Foley, H. M. See Traub, J., 0=2713
- Foley, J. H., Cahn, R. W. and Raynor, G. V. Stacking fault densities in the copper-germanium, copper-silicon and copper-germanium-silicon alloys, 3=12986
- Foley, J. H. and Raynor, G. V. Lattice spacings in the system copper + germanium + silicon, 1=2538
- Foley, J. M. Desarguesian property in visual space, 4=20980
- Foley, K., Lindenbaum, S., Love, W. A., Ozaki, S., Russell, J. J. and Yuan, L. C. L. Antiproton and kaon elastic scattering at high energies, 4=9202
- Foley, K. J., Clegg, A. B. and Salmon, G. L. Gamma-radiation from the medium energy proton bombardment of sodium, magnesium, aluminium, silicon, phosphorus and sulphur, 2=20615
- Foley, K. J., Lindenbaum, S. J., Love, W. A., Ozaki, S., Russell, J. J. and Yuan, L. C. L. 7 to 20 BeV/c $\pi^- + p$ and $p + p$ elastic scattering and Regge pole predictions, 3=17323
- Foley, K. J., Lindenbaum, S. J., Love, W. A., Ozaki, S., Russell, J. J. and Yuan, L. C. L. Elastic $\pi^+ + p$ scattering from 7 to 17 BeV/c, 3=19688
- Foley, K. J., Lindenbaum, S. J., Love, W. A., Ozaki, S., Russell, J. J. and Yuan, L. C. L. Small-angle elastic scattering of protons and pions, 7-20 BeV/c, 4=9194
- Foley, K. J., Salmon, G. L. and Clegg, A. B. Gamma radiation from the bombardment of ^{16}O and ^{19}F nuclei with 150 MeV protons, 2=10109
- Foley, K. J. See Austin, S. M., 2=1870
- Foley, K. J. See Austin, S. M., 2=18318
- Foley, K. J. See Clegg, A. B., 1=19473
- Foley, K. J. See Clegg, A. B., 2=5802
- Foley, K. J. See Newton, D., 2=3568
- Foley, K. J. See Salmon, G. L., 2=3565
- Foley, K. J. See Salmon, G. L., 3=10350
- Foley, P. J. Interrelationships of background area, target area, and target luminance in their effect on the critical flicker frequency of the human fovea, 1=10350
- Foley, P. J. Stimulus orientation and retinal summation, 2=11221
- Foley, P. J. Critical flicker frequency and phased surrounds, 3=13967
- Foley, P. J. Light time fraction and surround luminance in flicker, 3=18679
- Foley, P. J. and Kazdan, J. Area-intensity relations within the fovea for flickering white and part-spectrum targets, 4=15991
- Foley, W. T. On electrodeposited thallic oxide, 2=10935
- Folk, R. See Dietrich, K., 1=19349
- Folk, R. See Dietrich, K., 4=9365
- Foley, R. T. See Halpert, G., 4=26774
- Foley, W. T. and Reid, L. E. Interdiffusion in thallium amalgams, 3=21332
- Folkierski, A. Report on high-speed photography, 0=19463
- Folkierski, A., Frayne, P. G. and Latham, R. End effects in a linear pinched discharge, 3=12170
- Folkierski, A. and Latham, R. Shock waves in a pinched discharge, 4=11649
- Folkierski, A. and Latham, R. Shock-waves in a pinched discharge, 4=18836
- Folkierski, A. See Curzon, F. L., 0=19655
- Folkierski, A. See Latham, R., 0=15012
- Follen, V. J. Paramagnetic resonance of Fe^{3+} in spinel-type single crystals, 4=26404
- Follett, E. A. C. See Dawson, I. M., 0=10343
- Follett, E. A. C. See Dawson, I. M., 3=20985
- Follenius, M. Application of an interferometric method in polarized white light to the study of crystal growth, 1=6495
- Follinsbee, R. E. See Baadsgaard, H., 2=4755
- Folman, M. Infrared studies of NH_3 adsorption on chlorinated porous Vycor glass, 2=6858
- Folman, M. See Feldman, U., 4=6582
- Folman, M. See Feldman, U., 4=17293
- Folman, M. See Fiat, D., 1=20678
- Folman, M. See Kozirovski, Y., 3=6897
- Folman, M. See Kozirovsky, Y., 4=29198
- Folman, M. See Ron, A., 2=15100
- Folmer, O. F., Jr. See Perkins, G., Jr., 4=4700

- Folomeshkin, V.N. See Gershtein, S.S., 4=16869
- Folting, K. See Simpson, P.G., 4=4602
- Foltz, J.R., Abraham, L. and Strominger, D. Preparing U^{233} fuel for a.e.t.r. critical experiments, 3=15267
- Foltz, J. V. and Rank, D. H. Intensity of the 4-0 quadrupole band of molecular hydrogen, 4=9703
- Foltz, J. V. See Rank, D. H., 4=25640
- Folweiler, R.C. Creep behavior of pore-free polycrystalline aluminum oxide, 1=7820
- Folweiler, R.C. and Brotzen, F.R. The effect of quenched-in vacancies on the elastic modulus of aluminum, 0=16202
- Fomenko, A.A. The dispersion of mechanisms in lithium ferrite, 1=12538
- Fomenko, B.D. Properties of m-type corpuscular streams, found from analysis of their effect on the troposphere, 3=23589
- Fomenko, B. D., Bonelis, I. V. and Kubyshkin, V. V. The latitude and height dependence of atmospheric disturbances due to type M solar corpuscular streams, 4=4790
- Fomenko, L.A. The mechanisms of the formation of separate dispersion regions in the permeability spectra of ferromagnetic semiconductors, 1=3912
- Fomenko, L.A. Magnetic spectra of a mixed nickel, zinc and copper ferrite in the state of remanent magnetization at various temperatures, 1=14742
- Fomenko, L.A. Magnetic spectrum of nickel-zinc ferrites at various temperatures, 2=8656
- Fomenko, L.A. The magnetic spectra of nickel-zinc ferrites at different temperatures, 2=23677
- Fomenko, L.A., Shchelkotunov, V.A. and Sochivko, V.L. Thermal conductivity of nickel-zinc ferrites in the 20°-400°C temperature range, 3=25214
- Fomenko, L.N. See Kunin, V. Ya., 2=18647
- Fomenko, L.N. See Kunin, V. Ya., 2=21209
- Fomenko, V.C. See Paderno, Yu. B., 4=3050
- Fomenko, V.S. See Marchenko, V. I., 4=14744
- Fomenko, V.S. See Paderno, Yu. B., 1=5005
- Fomenko, V.S. See Rakitin, S. P., 4=14743
- Fomenko, V. S. See Samsonov, G. V., 4=3027
- Fomichev, E.N. See Kantor, P.B., 2=6277
- Fomichev, N.N. Application of the fast automatic BDSF-1 spectro-photometer for the investigation of crystals, 2=17613
- Fomichev, N.N. See Grum-Grzhimailo, S.V., 2=4129
- Fomichev, V. A., Gvozdev, B. A. and Bredel, V. V. Ratio of the cross sections for formation of the isomer pair $Sc^{44,44m}$ in reactions of direct interaction with heavy ions, 4=28070
- Fomichev, V. A. See Bredel, V. V., 4=6382
- Fomichev, V.A. See Karayman, A.S., 0=11335
- Fomichev, V.A. See Polikanov, S.M., 2=16442
- Fomichev, V.A. See Polikanov, S.M., 3=6315
- Fomichev, V.N. See Bresler, S.E., 4=2138
- Fomichov, Ye.M. See Kantor, P.B., 2=18529
- Fomin, A.A. A sphere in the field of a current loop, 4=19168
- Fomin, G.A. See Tolstoi, N.A., 2=23461
- Fomin, G.A. See Tolstoi, N.A., 3=6630
- Fomin, I.A. Regge poles in the problem of the quasi-classical potential well at energies below the well bottom, 4=11947
- Fomin, L.P. See Zeitlenok, G.A., 0=9114
- Fomin, N.V. Absorption of infrared radiation by semiconductors in an electric field, 0=13682
- Fomin, N.V. Theory of screening in the case of the many-valley electron energy spectrum, 2=2133
- Fomin, O. K., Tikhomirov, M. V. and Tunitskii, N. N. The mass-spectra of organic ions formed in the residual gases of a mass spectrometer on heated oxidized molybdenum, 4=29999
- Fomin, P.I. Asymptotic representations of the Green's functions and vertex function in quantum electrodynamics, 3=14857
- Fomin, P.I. Field mass of an electron in classical electrodynamics, 3=21944
- Fomin, P.I. See Guzenko, S.Ya., 0=9346
- Fomin, P.I. See Guzenko, S.Ya., 3=24587
- Fomin, P.I. See Zazunov, L. G., 4=19479
- Fomin, V.G. and Bogorodskii, O.V. Study of microsegregation in the crystallization of germanium-silicon alloys, 1=20607
- Fomin, V.G., Ovodova, A.V., Bogorodskii, O.V. and Shil'stein, S.Sh. Some aspects of the crystallization of germanium-silicon alloys during zone melting, 2=2363
- Fomin, V.G., Popov, N.G., Bykov, P.N. and Gurevich, M.A. X-ray camera for the study of structural defects in single crystals of semiconductor materials, 3=25693
- Fomin, V.V., Kartushova, R.E. and Rudenko, T.I. Decomposition of the oxalates of plutonium under the action of its own α -radiation, 0=4735
- Fomin, Yu. A. and Khristiansen, G.B. Size distribution of extensive air showers, 3=22241
- Fomin, Yu. A. and Khristiansen, G.B. The energy spectrum and composition of cosmic rays of galactic and metagalactic origin, 4=27917
- Fomin, Yu. A., See Syrovatskii, S.I., 4=6159
- Fomin, Yu. See Vernov, S.N., 2=20462
- Fomina, I.A. See Biberman, L.M., 0=12732
- Fomina, V.I. A study of induced conductivity in thin layers of Sb_2S_3 and Sb_2Se_3 , 2=639
- Fomina, V.I. See Didenko, A.A., 0=15968
- Fomina, V. I. See Lyubin, V. M., 4=26133
- Fominenko, V.P. See Komar, A.P., 0=17061
- Fominenko, V.P. See Komar, A.P., 1=4683
- Fominenko, V.P. See Komar, A.P., 2=13618
- Fominykh, V.I. See Konstantinov, A.A., 4=19522
- Fomushkin, E. F. See Glazunov, Yu. Ya., 4=22118
- Fomushkin, E.F. See Vasil'ev, Yu.A., 0=11181
- Fomushkin, E.F. See Vasil'ev, Yu.A., 0=13305
- Fomushkin, E.F. See Vasil'ev, Yu.A., 3=12715
- Fomyn, P. Y. See Rozhkov, V. V., 4=3279
- Fonarev, G. A. See Rokitskiy, I. I., 4=26869
- Fonda, L. Resonance reactions and continuous channels, 1=7196
- Fonda, L. Inelastic collisions and threshold effects, 2=3281
- Fonda, L. Bound states embedded in the continuum and the formal theory of scattering, 3=14900
- Fonda, L. and Ghirardi, G. C. Properties of the bound states embedded in the continuum, 4=11064
- Fonda, L., Ghirardi, G. C. and Rimini, A. Interpretation of the normalizable state in the Lee model with form factor, 4=9073
- Fonda, L. and Newton, R.G. K-hyperon production threshold phenomena, 0=5610
- Fonda, L. and Newton, R.G. Threshold effects in three-body channels, 0=15287
- Fonda, L. and Newton, R.G. Theory of resonance reactions, 0=17567
- Fonda, L., Radicati, L.A. and Regge, T. Mandelstam representation for the non-relativistic many channel problem, 1=5675
- Fonda, L. See Budini, P., 1=8490
- Fonda, L. See Newton, R.G., 0=11117
- Foner, S. High field antiferro-, ferro- and paramagnetic resonance at millimeter wavelengths, 0=13863
- Foner, S. Antiferromagnetic resonance on $(Cr_2O_3)_{1-x}(Al_2O_3)_x$ single crystals, 1=6412
- Foner, S. High field magnetic resonance experiments, 3=1158
- Foner, S. High-field antiferromagnetic resonance in Cr_2O_3 , 3=11107
- Foner, S. Stabilization and control of d.c. magnetic fields with superconducting solenoids, 3=14723
- Foner, S. Antiferromagnetic and ferrimagnetic resonance, 4=23036
- Foner, S. and Hanabusa, M. Magnetolectric effects in Cr_2O_3 and $(Cr_2O_3)_{0.8}(Al_2O_3)_{0.2}$, 3=15740
- Foner, S. and Hou, S.-L. Pulsed critical field measurements in magnetic systems, 2=12802
- Foner, S. and Low, W. Pulsed field measurements of large zero-field splittings: V^{3+} in Al_2O_3 , 1=1270
- Foner, S., Meyer, H. and Kleiner, W.H. Low temperature paramagnetic resonance of trapped O_2 , 1=19664
- Foner, S. and Momo, L.R. CW millimeter wave maser using Fe^{3+} in TiO_2 , 0=9194
- Foner, S. and Thompson, E.D. Test of spin-wave theory with precision magnetization measurements, 0=2985
- Foner, S. See Artman, J.O., 0=13795
- Foner, S. See Carr, P.H., 0=11799
- Foner, S. See Momo, L.R., 0=9195
- Foner, S.N., Cochran, E.L., Bowers, V.A. and Jen, C.K. Multiple trapping sites for hydrogen atoms in rare gas matrices, 0=7889
- Foner, S.N. and Hudson, R.L. Ionization and dissociation of hydrogen peroxide by electron impact, 2=13537
- Foner, S.N. and Hudson, R.L. Mass spectrometry of the HO_2 free radical, 2=15131
- Foner, S.N. and Hudson, R.L. Mass spectrometric studies of metastable nitrogen atoms and molecules in active nitrogen, 3=2571
- Foner, S.N. and Nall, B.H. Structure in the ionization near threshold of rare gases by electron impact, 1=7025

- Foner, S.N. See Jen, C.K., 2=14823
- Foner-Cohen, A. The thermal conductivity of monoisotopic ionic crystals (sodium fluoride and cesium iodide) at low temperatures, 0=9867
- Fonfara, H. The diffusion of antimony and silver, 1=979
- Fong Duan, Ming Nay-ben and Li Chi. Dislocation lines and networks in molybdenum crystals as revealed by etching, 4=1493
- Fong Duan, Ming Nay-ben and Li Chi. A study of etch-figures of dislocation lines in molybdenum crystals, 4=25947
- Fong Duan, Ming Nay-ben, Li Chi and Lin Tian-nan. Experimental evidence for the existence of dislocations with Burgers vector $\langle 100 \rangle$ in molybdenum crystals, 4=1492
- Fong Duan. See Ming Nay-ben, 4=2030
- Fong, F.K. Dielectric behavior of nonrigid molecules. I. The simultaneous relaxation mechanisms of diphenyl ethers and analogous compounds, 4=12422
- Fong, F.K. Gamma-induced divalent dysprosium in calcium fluoride, 4=23679
- Fong, F.K. and Yocom, P.N. Crystal growth and color centers of alkaline-earth halides, 4=28494
- Fong, F.K. and Smyth, C.P. Microwave absorption and molecular structure in liquids. LVII. Interpretation of the parameters for the dielectric relaxations of 2,6-dimethylanisole and 3,5-dimethylanisole and dipole moments of 17 aromatic compounds, 4=18212
- Fong, P. Possibility of a fission chain reaction in supernova type I, 0=12331
- Fong, P. Creation of the heavy elements by neutron capture on a fast time scale, 0=20485
- Fong, P. Mechanism of fission of heavy nuclei, 1=8795
- Fong, P. Statistical theory of nuclear fission and prompt neutron distribution, 1=8796
- Fong, P. Nuclear models and nuclear fission, 1=8797
- Fong, P. Representation of the commutation relation, 2=2626
- Fong, P. Kinetic energy and prompt neutron distributions in fission, 4=3709
- Fong, P. Semipermeable membrane and the Gibbs paradox, 4=11426
- Fong, P. Reformulation of the second law of thermodynamics, 4=21367
- Fong, P. Fission dynamics and the statistical theory, 4=28071
- Fong, R. On the definition of scattering in relativistic quantum field theory, 4=30185
- Fong, R. and Sucher, J. Rotational invariance and the S matrix in nonrelativistic quantum mechanics, 3=10056
- Fong, R. and Sucher, J. Relativistic particle dynamics and the S matrix, 4=16854
- Font, R. See Aguilar, J., 1=16796
- Font, R. See Catala, J., 0=12766
- Font, R. See Catala, J., 1=19554
- Font, R. See Catala, J., 2=1642
- Font, R. See Catala, J., 2=3343
- Font, R. See Senent, F., 1=411
- Fontaine, F. The crystalline structure of calcium platino-cyanide pentahydrate and calcium palladocyanide pentahydrate, 4=29101
- Fontaine, G. Effects of the anisotropy of elastic constants on dislocations in the ferroelectric phase of barium titanate, 4=20279
- Fontaine, G. See Taurel, L., 1=11389
- Fontaine, H. and Brochard, J. The electric field in a hollow-Fontaine, J. See Lebrun, A., 3=22984
- Fontaine, R. and Pauthenet, R. Magnetic properties of the alloys Mn_2Ge_3 and Mn_3Ge_2 , 2=8604
- Fontan, J., Blanc, D., Bonnafous, M. and Bouville, A. Radon and thoron dosages in the atmosphere and their application to the study of radioactive equilibrium between these gases and their descendants, 2=4610
- Fontan, J., Blanc, D., Bonnafous, M. and Bouville, A. Method for the direct radon and thoron dosages in the atmosphere. Application to the study of the radioactive equilibrium between these gases and their descendants, 2=13011
- Fontan, J., Blanc, D. and Bouville, A. Use of a coincidence system in the selective estimation of atmospheric radon and thoron, 2=18274
- Fontan, J., Blanc, D., Bouville, A. and Lacaze, J. Meteorological conditions dependence of radon concentration in the air above the Atlantic Ocean, 3=9052
- Fontan, J., Blanc, D., Bouville, A. and Lambert, G. Concentration of radon and thoron in the atmosphere above the Atlantic Ocean. Radioactive equilibrium between these gases and their descendants, 3=21042
- Fontan, J. See Blanc, D., 0=15528
- Fontan, J. See Blanc, D., 0=16498
- Fontan, J. See Blanc, D., 1=15242
- Fontan, J. See Blanc, D., 1=15243
- Fontan, J. See Blanc, D., 4=5561
- Fontan, J. See Bouville, A., 4=9424
- Fontan, J. See Bouville, A., 4=28076
- Fontan, J. See Maille, C., 4=16130
- Fontan, J. See Maille, C., 4=26768
- Fontana, J.R. and Pantell, R.H. Theoretical considerations on millimeter wave generation by optical frequency mixing, 2=20143
- Fontana, J.R., Pantell, R.H. and Smith, R.G. Parametric effects in a two-level electric-dipole system, 2=13674
- Fontana, P.R. Theory of long-range interatomic forces. I. Dispersion energies between unexcited atoms, 1=12264
- Fontana, P.R. Theory of long-range interatomic forces. II. First-order interaction energies in the uncoupled representation, 1=12265
- Fontana, P.R. Symmetric expansion of one- and two-center coulomb potentials, 2=147
- Fontana, P.R. Spin-orbit and spin-spin interactions in diatomic molecules. I. Fine structure of H_2 , 2=3762
- Fontana, P.R. Theory of long-range interatomic forces. III. First order interaction energies in the coupled representation, 2=6109
- Fontana, P.R. Factors affecting the long range interatomic potential and scattering cross section, 4=25580
- Fontana, P.R. and Bernstein, R.B. Dipole-quadrupole and retardation effects in low-energy atom-atom scattering, 4=28152
- Fontanel, M. See Asch, G., 3=20654
- Fontanella, E.L. Thin mica for electron microscopy, 4=10571
- Fontanella, E.L. and Deblois, R.W. Techniques for handling metallic whiskers, 0=3185
- Fontell, A. Characteristics of a high frequency ion source in the ionization of hydrogen and helium, 3=12252
- Fontell, L. See Kurki-Suonio, K., 4=7581
- Fontenille, J. See Longequeue, J.P., 3=11319
- Fontijn, A. and Baughman, G.L. Chemi-ionization in the room-temperature reaction of oxygen atoms with acetylene, 3=16904
- Fontijn, A., Meyer, C.B. and Schiff, H.I. Absolute quantum yield measurements of the $\text{NO}-\text{O}$ reaction and its use as a standard for chemiluminescent reactions, 4=13720
- Fonton, S.S. Investigation of the initial magnetic susceptibility of a crystal of nickeliferous iron, 1=6292
- Fonton, S.S. Magnetostriction of a single crystal of nickeliferous iron of low nickel content, 1=11443
- Fonton, S.S. Measurement of reversible magnetic susceptibility in the principal crystallographic directions of a nickel-iron crystal, 1=12532
- Fonton, S.S. See Zaleskii, A.C., 1=20111
- Fonzari, R. Refractometer measurements of some medicinal substances, 1=9469
- Fookes, R.A., Watt, J.S. and Warburton, J.A. A radioisotope technique for tracing air movements in clear air and in clouds, 3=18503
- Fooks, G.F. The fading of radio waves reflected vertically from the ionosphere during magnetic storms, 1=20939
- Fooks, G.F. Irregularities in the E_s layer of the ionosphere, 1=20980
- Fooks, G.F. Ionospheric irregularities and the phase paths of radio waves, 3=3497
- Fooks, G.F. Ionospheric irregularities and the phase paths of radio waves, 3=13723
- Fooks, G.F. and Jones, I.L. Correlation analysis of the fading of radio waves reflected vertically from the ionosphere, 1=20930
- Fooks, G.F. See King, J.W., 4=29332
- Foot, J.H., Chamberlain, O., Rogers, E.H. and Steiner, H.M. π^+-p elastic scattering at 310 MeV: phase-shift analysis, 1=7280
- Foot, J.H., Chamberlain, O., Rogers, E.H., Steiner, H.M., Wiegand, C. and Ypsilantis, T. π^+-p scattering and phase-shift analysis at 310 MeV, 0=5590
- Foot, J.H., Chamberlain, O., Rogers, E.H., Steiner, H.M., Wiegand, C.E., and Ypsilantis, T. π^+-p elastic scattering at 310 MeV: recoil-nucleon polarization, 1=7279
- Foot, J.H. See Damm, C.C., 3=16969
- Foot, J.H. See Rogers, E.H., 1=16876
- Foot, R.S. and Johnson, D. High speed decade pulse counting, 4=27724
- Foot, V.S., Jr. See Chapuk, J.M., 4=8727

- Füßpl, L. Plane elastic stress in complex representation, 2=15514
- Forafontov, N.V. See Bădescu, A., 1=13694
- Foraboschi, F. P. and Di Federico, I. Heat transfer in laminar flow of non-Newtonian heat-generating fluids, 4=14419
- Forafontov, N.V., Shpinel, V.S. and Vasilev, Ts. Study of Ce^{144} decay scheme by coincidence method, 2=14022
- Forafontov, N.V. See Kryukova, L. N., 4=12176
- Forbat, N. Sufficient condition of stability of motion of a non-linear system, 3=9526
- Forbes, E.G. On the red shift of the solar lines. IV, 3=5254
- Forbes, E.G. Some observational features of the solar limb effect, 3=9199
- Forbes, E.G. The asymmetry and shift in oxygen line profiles, 4=4912
- Forbes, E.G. See Finlay-Freundlich, E., 0=18778
- Forbes, F.F. See Hobbie, R.K., 2=14143
- Forbes, H. L., III and Lynch, D.W. Ionic conductivity of KI colored with I_2 , 4=28618
- Forbes, J.E. See Henyey, L.G., 4=10812
- Forbes, J.E. See Wood, D.B., 3=16394
- Forbes, J.W. See Dannenberg, H., 0=6925
- Forbes, R.F.S. See Harrison, J.C., 3=13637
- Forbes, S.T. See Jones, R.V., 2=17406
- Forbes, S.T. See Jones, R.V., 3=9060
- Forbes, V.M. See McPherson, A.I., 0=13090
- Forbush, S.E., Pizzella, G. and Venkatesan, D. The morphology and temporal variations of the Van Allen radiation belt, October 1959 to December 1960, 3=9116
- Forbush, S.E. and Venkatesan, D. Diurnal variation in cosmic-ray intensity, 1937-1959, at Cheltenham (Fredericksburg), Huancayo, and Christchurch, 0=17446
- Forbush, S.E., Venkatesan, D. and McIlwain, C.E. Intensity variations in outer Van Allen radiation belt, 1=21073
- Force, R.C.La., Ravitz, S.F. and Day, G.F. Nuclear magnetic resonance spectra of ferromagnetic alloys, 3=1200
- Force, R.C.La. See La Force, R.C.
- Forch, K. See Heumann, T., 2=7187
- Forchioni, A. See Marchand, A., 3=1120
- Forchioni, A. See Marchand, A., 3=11023
- Ford, A. See White, C.T., 0=14346
- Ford, F. The calculation of the electromagnetic field in an alvarez type linear, 0=15090
- Ford, F.C. See Post, R.F., 0=7122
- Ford, G.C. and Vail, V.W. Power supply and control circuit for ion-getter pumps, 3=5471
- Ford, G.P. Analysis of the two-mode-of-fission hypothesis, 0=11453
- Ford, G.P. See Leachman, R.B., 1=2250
- Ford, G.W. Electromagnetic radiation from a source in a plasma, 2=1436
- Ford, G.W. and Meecham, W.C. Scattering of sound by isotropic turbulence of large Reynolds number, 1=1799
- Ford, H.W., Doyle, G.J. and Endow, N. Rate constants at low concentrations. V. Mechanism of reaction of ozone with photolyzing nitrogen dioxide in presence of excess oxygen, 0=8315
- Ford, H.W. and Jaffe, S. Photolysis of nitrogen dioxide at 3660 and 4047 Å at 25°C, 3=18456
- Ford, H.W. See Marte, J.E., 4=7752
- Ford, J. Equipartition of energy for nonlinear systems, 1=6807
- Ford, J. and Waters, J. Computer studies of energy sharing and ergodicity for nonlinear oscillator systems, 4=82
- Ford, J. L. C., Jr, Bair, J. K., Robinson, R. L. and Willard, H. B. A search for interference effects between nuclear resonance and Coulomb excitation in the $Na^{23}(p, p')$ reaction, 4=25389
- Ford, J. L. C., Jr. See Powers, D., 4=22181
- Ford, K.W. Possible mechanism of very-high-energy resonances, 2=13723
- Ford, K.W., Hughes, V.W. and Wills, J.G. Theoretical values for magnetic moments of μ -mesonic atoms, 1=13979
- Ford, K.W., Hughes, V.W. and Wills, J.G. Theoretical values for magnetic moments of mu-mesonic atoms, 3=4730
- Ford, K.W. and Wills, J.G. Calculated properties of μ -mesonic atoms, 2=14229
- Ford, K.W. See Baker, G.A., Jr, 0=911
- Ford, K.W. See Flamand, G., 0=4130
- Ford, K.W. See Goto, E., 4=964
- Ford, K.W. See Meyer-Berkhout, U., 0=404
- Ford, L.H. Stability of some reactance standards, 1=262
- Ford, L.H. See Rayner, G.H., 4=11431
- Ford, N.C., Jr. Domain wall velocities in thin iron-nickel films, 0=11864
- Ford, N.C., Jr and Pugh, E.W. Barkhausen effect in nickel-iron films, 0=3026
- Ford, P.W. New ray tracing scheme, 0=8768
- Ford, P.W. Aberration coefficients and optical design, 3=16734
- Ford, R.A., Kauer, E., Rabenau, A. and Brown, D.A. The electronic states of octahedral and tetrahedral Mn^{2+} in α , β and γ manganous sulphide, 3=20072
- Ford, S.D. See Dugdale, R.A., 2=23782
- Ford, S.D. See Dugdale, R.A., 4=30779
- Ford, W.F. Level inversion in Li^6 , 2=20494
- Ford, W.F. Anomalous behavior of the Coulomb T matrix, 4=11089
- Ford, W.T. See Butler, W.A., 4=30697
- Fordemwalt, J.N. See Person, W.B., 1=14029
- Forel, M.T., Fuson, N. and Josien, M.L. Infrared band assignments for the 2900 cm^{-1} region methyl group vibrations in $XC_6H_4COOCH_3$, $XC_6H_4CH_3$, and $XC_6H_4COCH_3$ molecules, 1=845
- Forel, M.T. See Lascombe, J., 4=25695
- Foreman, A.J.E. Anharmonic specific heat of solids, 2=14378
- Foreman, A.J.E. Elastic relaxation at a vacancy in solid argon, 3=20100
- Foreman, A.J.E. and Lidiard, A.B. Vacancy contribution to the specific heat of solid argon, 3=8364
- Foreman, A.J.E. See Greenwood, G.W., 0=9903
- Foreman, B.M. See Miller, G.L., 1=3088
- Foreman, B.M.Jr. Excitation functions for the (α , α_n) and (α , 2pn) reactions on Ce^{142} , 1=8777
- Foreman, B.M., Jr. Excitation functions for the (p, pn) and (p, 2p) reactions on Ce^{142} , 0.37 to 2.85 BeV, 4=3662
- Foreman, B.M., Jr, Gibson, W.M., Glass, R.A. and Seaborg, G.T. Spallation-fission competition in heavy-element reactions: $Th^{232} + He^4$ and $U^{233} + d$, 0=1450
- Foreman, H., Roberts, M.B. and Lilly, E.H. Radioactivity in cervidae antlers, 1=19377
- Foreman, H. See Ott, D.G., 0=3889
- Foreman, P.H. See Thumwood, R.F., 3=19325
- Foreman, W.T. Streaming birefringence and optical relaxation time of vanadium pentoxide sols, 0=3333
- Forest, A.E. The effect of shell closure on the angular distribution of elastically scattered particles, 4=6191
- Forest, A.E. See García, A., 3=15221
- Forest, A.E. See Squires, E.J., 3=15051
- Forest, E. See Clemett, C.J., 4=18211
- Forester, D.W. See Cochran, L.W., 2=13381
- Forestier, H. See Daire, M., 3=20982
- Forestier, H. See Verot, J.L., 1=20628
- Forestieri, A.F. and Girifalco, L.A. The effect of plastic [compressive] deformation of self-diffusion in silver, 0=2828
- Forgacs, R.L. Improvements in the sing-around technique for ultrasonic velocity measurements, 1=1788
- Forgacs, R.L. See Runge, E.F., 3=5522
- Forgeng, W.D. See Dragsdorf, R.D., 2=15044
- Forgie, C.D. See Forgie, J.W., 0=809
- Forgie, J.W. and Forgie, C.D. Results obtained from a vowel recognition computer program, 0=809
- Forino, A., Fuschini, E., Maroni, C. and Veronesi, P. Parity conservation in high-energy pion photoproduction, 2=20386
- Fork, R. L. Dielectric susceptibility tensor for an atomic vapor, 4=8255
- Fork, R. L. and Bradley, L. C., III. Dispersion in the vicinity of an optical resonance, 4=11365
- Fork, R. L., Hargrove, L. E. and Pollack, M. A. Locking of He-Ne laser modes induced by synchronous intracavity modulation, 4=24900
- Fork, R. L., Hargrove, L. E. and Pollack, M. A. Induced atomic cascade processes, 4=25541
- Fork, R.L. and Patel, C.K.N. "Negative" tensor susceptibility in media exhibiting population inversion, 3=8202
- Fork, R.L. and Patel, C.K.N. Broadband magnetic field tuning of optical masers, 3=17076
- Fork, R.L. and Patel, C.K.N. Magnetic field tuning of gaseous laser oscillators, 4=16691
- Fork, R. L. See Hargrove, L. E., 4=24897
- Forkel, W. An adaptable weighing apparatus for the investigation of thermal reactions, 2=853
- Forkman, B. The photodeuteron yield from 30 MeV bremsstrahlung irradiation, 1=5897
- Forkman, B. and Johansson, S.A.E. Angular distributions in photofission of uranium, 1=2248
- Forkman, B. and Johansson, S.A.E. A method of identifying charged particles, 1=19081

- Forkman, B. and Wahlström, I. Photoprotons from fluorine, 1=7368
- Forkman, B. See Johansson, S.A.E., 2=18315
- Forkman, B. See Wahlström, I., 1=5895
- Forkner, J. See Berg, S., 0=6524
- Forlani, F. and Gondi, P. Direct observation of lattice defects in silicon by means of transmission electron microscopy, 2=21043
- Forlani, F. and Minnaja, N. Thickness influence in breakdown phenomena of thin dielectric films, 4=12959
- Forlani, F. and Minnaja, N. Rectification by means of metal-dielectric-metal sandwiches, 4=15565
- Forlani, F. and Minnaja, N. Relaxation effects on the image force in electron field emission from semiconductors, 4=19079
- Forlani, F. and Minnaja, N. Conduction phenomena in Si-SiO₂-Al structures, 4=20393
- Form, G.W. See Spitzig, W.A., 4=15719
- Forman, A., Murrell, J.N. and Orgel, L.E. Sign of the electron spin density of methyl protons in aromatic molecules, 0=2743
- Forman, A. and Orgel, L.E. The Jahn-Teller effect in manganic acetylanetonate, 0=20636
- Forman, P.F. A note on possible errors due to thickness variations in testing nominally parallel, 4=21286
- Forman, P.R. See Boley, F.I., 3=19291
- Forman, P.R. See Boley, F.I., 4=19025
- Forman, R. Properties of cleaned germanium surfaces, 0=4344
- Forman, R. Electrical conduction and breakdown in high-pressure rare gases, 1=11919
- Forman, R. Theory of negative resistance characteristics in irradiated gas thermionic diodes, 3=2025
- Forman, R. Theory of space-charge-limited emission in high-pressure gas diodes, 3=21869
- Forman, R. Onset of breakdown at voltages below ionization potential in high-pressure thermionic diodes, 4=11715
- Forman, R. Electrical conduction and breakdown in high-pressure (0.25-500 mm) rare gases, 1=13075
- Forman, R. Space-charge limited current relation in high-pressure gas diodes, 1=13124
- Forman, R. and Ghormley, J.A. Space-charge neutralization and negative resistance in thermionic diodes containing radioactive krypton, 2=22257
- Forman, R. and Ghormley, J.A. Effect of daughter Rb⁸⁵ on the characteristics of a thermionic diode containing Kr⁸⁵, 3=24335
- Forman, R., Ghormley, J.A. and Reiss, J.R. Electrical conduction through radiation-produced plasmas in inert gas thermionic diodes, 3=2026
- Forman, R. See Eckstein, B.H., 2=2448
- Forman, R.A. Nitrogen n.m.r. chemical shifts in the azide ion, 4=7355
- Forman, R.A. and Lide, D.R., Jr. Quadrupole coupling constants from the microwave spectrum of hydrazoic acid, 4=3873
- Forman, S.M. Harmonic generation in low-field nuclear induction, 3=24500
- Formánek, J. On the Úhla-Petráš wave equation, 1=16656
- Formánková, H. See Kratochvíl, P., 2=2359
- Formato, D. and Gilardini, A. Propagation characteristics of magneto-ionic plasma columns, 3=501
- Formato, D. and Gilardini, A. Microwave determinations of the G factor in nitrogen and oxygen, 3=4152
- Fornaca, G., Ciampi, M. and Reinhartz, M. Some interactions between centimetre waves and electrons in an ionized gas, 1=16311
- Forneris, R. See Person, W.B., 1=14029
- Fornerod, R.C. See Secrétan, B., 3=11138
- Forrat, E.F. See Yakel, H.L., 3=25722
- Forrat, F., Jansen, R. and Trévoux, P. The crystallogenes and optical properties of AlLaO₃, 3=15670
- Forrat, F. See Bertaut, E.F., 1=2535
- Forrat, F. See Bertaut, E.F., 2=6814
- Forrat, F. See Bertaut, E.F., 2=12662
- Forrat, F. See Bertaut, E.F., 3=3139
- Forrat, F. See Bertaut, E.F., 3=3320
- Forrat, F. See Bertaut, E.F., 3=13119
- Forrat, F. See Couture, L., 3=15702
- Forrat, F. See Fang, P.H., 1=8972
- Forrat, F. See Pao-Hsien Fang, 2=666
- Forrer, R. and Maechler, P. Analyser for paramagnetic substances, 3=9903
- Forrest, J.S., Howard, P.R. and Little, D.J. [Eds.]. Gas discharges and the electricity supply industry, 3=7450
- Forrest, M.J. See Bradley, D.J., 4=3219
- Forrest, F.G. and Hopkin, L.M.T. The influence of nitrogen and carbon on the fatigue and creep behaviour in high purity iron and iron alloys, 4=28957
- Forrest, W.W. Measurement of pressure in vacuum systems, 1=5299
- Forrest, W.W. Calorimeter for the continuous study of the heat production of microbial systems, 1=5371
- Forrester, A.T. Photoelectric mixing as a spectroscopic tool, 1=4454
- Forrester, J.D. X-ray diffraction data from single crystals at 20°K, 1=6510
- Forrester, J.D., Senko, M.E., Zalkin, A. and Templeton, D.H. Crystal structure of KH₂F₃ and geometry of the H₂F₃⁻ ion, 3=8847
- Forrester, J.D. See Templeton, D.H., 3=16075
- Forrester, J.D. See Zalkin, A., 4=7611
- Forrester, P.A. and Hempstead, C.F. Paramagnetic resonance of Tb³⁺ ions in CaWO₄ and CaF₂, 2=12817
- Forrester, P.A. and Mims, W.B. Seesaw maser operation, 1=3055
- Forrez, G. See van Itterbeek, A., 0=216
- Forrez, G. See van Itterbeek, A., 1=140
- Forrez, G. See van Itterbeek, A., 1=7777
- Forrez, G. See van Itterbeek, A., 1=14769
- Forrez, G. See van Itterbeek, A., 3=13559
- Forrez, G. See van Itterbeek, A., 3=23205
- Forsberg, H.G. See Westermarck, T., 2=7088
- Forsblom, I. See Simons, L., 3=12674
- Forsblom, I. See Simons, L., 4=9513
- Forsblom, I. See Simons, L., 4=25398
- Forsen, H.K. See Ohkawa, T., 3=19247
- Forsen, H.K. See Schupp, A.A., 3=21814
- Forsen, H.K. See Ware, A.A., 2=3045
- Forsén, S. and Hoffman, R.A. Study of moderately rapid chemical exchange reactions by means of nuclear magnetic double resonance, 4=7750
- Forsén, S. and Hoffman, R.A. Exchange rates by nuclear magnetic multiple resonance. III. Exchange reactions in systems with several nonequivalent sites, 4=13702
- Forsen, S. and Rupprecht, A. Increasing the intensity of C¹³ n.m.r. signals by a flowing sample method, 1=7161
- Forsén, S. and Rydberg, J. End-window proportional flow counter tube, 1=392
- Forsén, S. See Forslind, E., 1=13909
- Forsen, S. See Hoffman, R.A., 4=3199
- Forsén, S. See Hoffman, R.A., 4=24869
- Forsén, S. See Hoffman, A., 4=25736
- Forsgren, K.F. See Perez-Albuérne, E.A., 4=10518
- Forshkov, V.K. See Ivanov, R.N., 0=11455
- Forslind, E., Forsén, S. and Rupprecht, A. An electronic computer (B.E.S.K.) program for one-electron two-centre integrals of Hartree-Fock self-consistent field functions in analytical form, 1=13909
- Forslind, E. See Andersson, L.O., 3=18152
- Forsling, W. Alpha radioactivities from nuclides in the atomic number region 80-83, 2=392
- Forsling, W. and Alvåger, T. Mass number assignments and alpha activities of light polonium isotopes, 2=395
- Forsling, W., Alvåger, T., Holm, L.W., Melin, O., Uhler, J. and Åström, B. Alpha activities and mass number assignments of light astatine isotopes produced by heavy ion reactions, 1=19386
- Forsling, W. See Atterling, H., 0=7589
- Forsling, W. See Atterling, H., 0=7591
- Forsling, W. See Fields, P.R., 0=7498
- Forsling, W. See Uhler, J., 3=12644
- Forsman, W.C. and Hughes, R.E. Radii of gyration for random-flight chains, 3=15403
- Forsman, W.C. and Hughes, R.E. Configurational properties of random-flight chains in solution and in an interface, 3=15404
- Forsman, W.C. and Hughes, R.E. Adsorption theory for flexible linear polymer molecules, 3=15405
- Forss, L. Some factors influencing the properties of sintered iron, 4=10388
- Forst, G. On the energy distribution of ions from a high-frequency ion source, 0=12641
- Forst, G. Ion interference in gases, 3=21901
- Forst, G. See Boersch, H., 2=20049
- Forst, G. See Boersch, H., 3=19186
- Forst, G. See Boersch, H., 4=3818
- Forstat, H. A length effect in the heat transport in helium II, 0=8911
- Forstat, H. and McNeely, D.R. Heat capacity of LiCuCl₂. 2H₂O, 1=19716

- Forstat, H. and Taylor, G.O. Heat capacities of two manganese salts, 1=14179
- Forstat, H., Taylor, G. and King, B.R. Low-temperature heat capacity of azurite, 0=1559
- Forstat, E., Taylor, G.O. and King, B.R. Heat capacity of a single crystal of $\text{MnCl}_2 \cdot 4\text{H}_2\text{O}$, 1=12356
- Forstat, H., Taylor, G. and Spence, R.D. Evidence for antiferromagnetism in $\text{CoBr}_2 \cdot 6\text{H}_2\text{O}$, 0=3099
- Forstat, H. See Spence, R.D., 3=1205
- Förste, J. Diffraction of plane waves of constant amplitude at apertures in a plane screen and its wave-mechanical interpretation, 3=17
- Förste, J. Diffraction of a material wave of the type proposed by J. Picht, 3=1582
- Forste, J. Relationship with the electromagnetic field of a uniformly moving electron of the matter wave:

$$\Psi = \left[\frac{x-vt}{\sqrt{1-\beta^2}} \right]^2 + y^2 + z^2 \exp \left[\frac{2\pi i \nu_0}{\sqrt{1-\beta^2}} \left(t - \frac{v}{c} x \right) \right]$$
, 3=10089
- Forster, C.F. and Rickard, E.F. Phosphorescence in plastics, 3=15715
- Forster, E.O. Electric conduction in liquid hydrocarbons. I. Benzene, 2=21922
- Forster, E.O. Electric conductance in liquid hydrocarbons. II. Methyl-substituted benzenes, 4=11213
- Forster, H.H., Devins, D.W. and Gigas, G.G. Inelastic scattering of 31 MeV protons from Ni^{60} , 1=19458
- Forster, H.H. and Sanders, N.L. The circular polarization of the gamma ray following the β decay of Fe-59 , 0=7532
- Forster, H.H. See Bernstein, H., 1=9833
- Forster, H.H. See Bunch, S.M., 4=19514
- Forster, H.H. See Devins, D.W., 2=16404
- Forster, H.H. See Devins, D.W., 4=19776
- Forster, J. Ion-chamber systems, 2=12264
- Forster, K.E. Growth of a vapor-filled cavity near a heating surface and some related questions, 1=5575
- Forster, L.M., Gillespie, A.S., Jr., Jack, T.H. and Hill, W.W. Hydrogen in aluminium-tritium autoradiography, 4=2106
- Forster, L.S. and De Armond, K. Luminescence of chromium (III) complexes, 1=14630
- Forster, L.S. and Dudley, D. The luminescence of fluorescein dyes, 2=15608
- Forster, L.S. See Armendarez, P.X., 4=10170
- Förster, S. Viscosity measurements in liquid neon, argon and nitrogen, 4=5161
- Förster, T. Intermolecular transfer of excited electron energy, 1=1771
- Förster, T. Transfer mechanisms of electronic excitation (10th Spiers Memorial Lecture), 1=11076
- Förster, T. and Selinger, B. Concentration transition of the fluorescence of aromatic hydrocarbons in micelle-colloidal solution, 4=14176
- Forster-Brown, A.D. and Cayless, M.A. Cathode emission measurements in low pressure discharges, 0=5334
- Förstner, A. and Köhler, H. The contrast transmission function for field-glasses, 1=6950
- Försvoll, K. and Holwech, I. Sondheimer oscillations in aluminium, 3=4908
- Försvoll, K. and Holwech, I. Electrical size effect in aluminium, 3=22890
- Forsyth, D.M. Use of a Fourier model in describing the fusion of complex visual stimuli, 0=6519
- Forsyth, D.M. and Brown, C.R. Nonlinear property of the visual system at fusion, 1=21137
- Forsyth, J.B. and d'Alte da Veiga, L.M. The structure of the μ -phase Co_7Mo_8 , 2=15045
- Forsyth, J.B. and d'Alte da Veiga, L.M. The structure of the σ -phase Co_2Mo_3 , 3=18333
- Forsyth, J.B. See Black, P.J., 0=4612
- Forsyth, J.B. See Calder, R.S., 3=9701
- Forsyth, J.B. See Collins, M.F., 3=18098
- Forsyth, J.B. See Hume-Rothery, W., 0=515
- Forsyth, P.A. On the geometry of radio reflections from aurora, 0=10439
- Forsyth, P.A. On the association of radio reflections with optical aurora, 2=2514
- Forsyth, P.A. Reflection mechanisms for radio aurora, 3=13793
- Forsyth, P.A., Green, F.D. and Mah, W. The distribution of radio-aurora in central Canada, 0=12199
- Forsyth, P.A. and Paulson, K.V. Radio-star scintillations and the auroral zone, 1=9195
- Forsyth, P.A. See Collins, C., 0=6480
- Forsyth, P.A. See Kelly, P.E., 2=917
- Forsyth, P.A. See Hector, F., 1=21045
- Forsyth, P.A. See Lyon, G.F., 2=17191
- Forsyth, P.A. See Moorcroft, D.R., 3=11603
- Forsyth, P.A. See Moorcroft, D.R., 4=4953
- Forsyth, P.A. See Rice, D.W., 3=13924
- Forsyth, P.A. See Ziauddin, S., 1=21064
- Forsyth, P.D., Barros, F. de S., Jaffe, A.A., Taylor, I.J. and Ramavataram, S. An investigation of some ($^3\text{He}, d$) reactions in light nuclei at 5.2 MeV, 0=5754
- Forsyth, P.D. See Barnard, A.C.L., 2=1795
- Forsyth, P.D. See Barros, F. de S., 1=8785
- Forsyth, P.D. See Barros, F. de S., 1=9887
- Forsyth, P.D. See Cassagnou, Y., 2=16408
- Forsyth, P.D. See Jaffe, A.A., 0=17495
- Forsyth, P.D. See Jaffe, A.A., 1=731
- Forsyth, P.D. See Mani, G.A., 4=17026
- Forsyth, P.D. See Mani, G.S., 3=19770
- Forsyth, P.D. See Taylor, I.J., 0=11422
- Forsyth, P.J.E., Partridge, P.G. and Ryder, D.A. Surface growths and whiskers on an aluminium-magnesium alloy, 0=21168
- Forsyth, P.J.E., Stubbington, C.A. and Clark, D. Cleavage facets observed on fatigue-fracture surfaces in an aluminium alloy, 2=12869
- Forsyth, P.J.E. Fatigue damage and crack growth in aluminium alloys, 3=20741
- Forsyth, P.J.E. and Wilson, R.N. The deformation and fracture of aluminium and aged aluminium-4% copper foils, 4=4458
- Forsyth, P.J.E. See Wilson, R.N., 1=10005
- Forsyth, W.J. See Spooner, R.C., 4=17841
- Fort, A. See Benes, J., 3=3899
- Fort, E. and Thouvenin, P. Variation of the (n, α) reaction cross-section for natural silicon between 13.6 and 15 MeV, 4=17162
- Fort, E. See Blanc, D., 1=8287
- Fort, E. See Blanc, D., 1=16205
- Fort, E. See Didier, D., 3=8108
- Fort, R.J. and Sheldon, R.P. Apparatus for the testing of low-strength adhesives, 3=13979
- Fort, T., Jr. Adsorption and boundary friction on polymer surfaces, 2=21455
- Fort, T., Jr. and Patterson, H.T. A simple method for measuring solid-liquid contact angles, 3=11774
- Fort, B. On the stress-strain relation in the formal theory of anelasticity, 2=12846
- Forten, J. and Johnson, E.R. The radiation induced decomposition of potassium nitrate, 1=15202
- Fortescue, P., Nicholl, D., Rickard, C. and Rose, D. HTGR — Underlying principles and design, 0=5820
- Forth, H. See Bächler, W., 4=18259
- Forti, P. See Colli, L., 4=22021
- Fortin, E. and Weichman, F.L. Photoconductivity in cuprous oxide single crystals, 3=4954
- Fortin, E. and Weichman, F.L. Photoconductivity in Ag_2O , 4=22806
- Fortini, A. Effect of surface recombination on the law of decrease of excess minority carriers in a semiconductor, 2=18665
- Fortini, A., Gouskov, L. and Teboul, M. Time variation of the number of excess minority carriers in a semiconductor of finite dimensions subject initially to a uniform excitation, 1=17654
- Fortini, A., Gouskov, L. and Teboul, M. Effect of surface recombination on the decay law of minority carriers in a semiconductor, 1=17655
- Fortini, A. and Le Bourgeois, A. Measurement of Hall mobility of the Corbino disk method, 3=9691
- Fortini, A. and Saint-Martin, J.P. Photomagneto-electric effect in graded-gap semiconductors, 3=17951
- Fortini, T. The loop prominence and sprays of July 1, 1960, 3=11550
- Fortini, T. Similar ionospheric responses of some recurring flares, 3=23612
- Fortmann, J. and Buckel, W. Hall effect of quenched condensed films of the Sn-Cu system, 1=3725
- Fortson, E.N., Kleppner, D. and Ramsey, N.F. Stark shift of the hydrogen hyperfine separation, 4=30374
- Fortuin, J.M.H. and Prop, J.M.G. Determination of the distribution of particle sizes in powders by means of a photo-sedimentograph, 3=16570
- Fortunatova, N.M. See Hlinchuk, K.D., 1=11299
- Fortunatova, N.N. See Glinchuk, K.D., 0=6107
- Fortunatova, N.N. See Vasilevskaya, V.N., 3=18281
- Fortune, R.D. See Ballario, C., 1=8407
- Fortus, M.L. Practical realization of the statistical extrapolation of meteorological fields, 3=3451

- Forty, A.J. Observations of the decomposition of crystals of lead iodide in the electron microscope, 0-21175
- Forty, A.J. Helical dislocation in crystals of lead iodide, 1-11203
- Forty, A.J. The precipitation of lead during decomposition of lead iodide by electron irradiation, 1-17589
- Forty, A.J. The chemical effects of ionizing radiation on non-metallic crystals, 3-8975
- Forty, A.J. The microscopy of metals in transmitted ultra-violet light, 3-23523
- Forty, A. J., Dawood, R. I. and Tubbs, M. R. Image recording in lead iodide, 4-21323
- Forty, A. J. and Forwood, C. T. The healing of cleavage cracks in alkali halide crystals, 4-23116
- Forty, A. J. and Humble, P. The influence of surface tarnish on the stress-corrosion of α -brass, 3-11190
- Forty, A.J. See Bassett, G.A., 3-17808
- Forty, A.J. See Dawood, R.I., 3-2921
- Forty, A.J. See Dawood, R.I., 3-17960
- Forty, A.J. See Edeleanu, C., 0-21148
- Forty, A.J. See Tubbs, M.R., 2-23222
- Forward, H. Wave phenomena in compressed-air ducts, 1-9412
- Forward, R.L. General relativity for the experimenter, 1-15625
- Forward, R.L. Guidelines to antigravity, 3-11678
- Forward, R.L., Zipoy, D., Weber, J., Smith, S. and Benioff, H. Upper limit for interstellar millicycle gravitational radiation, 1-8040
- Forward, R.L. Antigravity, 2-13245
- Forwood, C. T. See Forty, A. J., 4-23116
- Forzani, R. See Caldero, J.C., 2-11592
- Fosdick, L.D. Calculation of order parameters in a binary alloy by the Monte Carlo method, 0-3217
- Fosdick, L.D. Numerical estimation of the partition function in quantum statistics, 3-5376
- Fosdick, L.D. See Ehrman, J.R., 1-5064
- Fosque, H.S. and Miller, G. Electromagnetic support arrangement with three-dimensional control. II. Experimental, 0-2426
- Foss, D. See Bratsberg, H.G., 3-20803
- Foss, M. See Fetcher, H., 3-12279
- Foss, R.P. See Moore, W.M., 0-14130
- Fossan, D. B., Chalmers, R. A., Chase, L. F., Jr and Salisbury, S. R. Levels in N^{16} from the total neutron cross section of N^{15} , 4-27961
- Fossan, D. B. and Herskind, B. Rotational-state life-times, 2-20527
- Fossan, D. B. and Herskind, B. Half-lives of first excited 2^+ states ($150 < A < 190$), 3-8003
- Fossan, D. B. and Walt, M. Small angle elastic scattering of neutrons and the electric polarizability of the
- Fossan, D. B., Walter, R. L., Wilson, W. E. and Barschall, H. H. Neutron total cross sections of Be, B^{10} , B, C, and O, 1-11020
- Fossan, D. B. See Cindro, N., 4-9498
- Fossan, D. B. See Herskind, B., 3-8009
- Fossan, D. B. See Wilson, W. E., 1-19294
- Fossati, F. See Bollini, D., 2-20069
- Fossheim, K. and Olsen, T. Magnetoacoustic studies of the fermi surface of aluminium, 4-30547
- Foster, A.D. Converting the G45, 16 mm aircraft gun camera for time lapse photography, 2-22073
- Foster, D.G., Jr. Age of Na-Be neutrons in water and kerosene, 1-16802
- Foster, E.L. See Bertram, R., 1-1005
- Foster, E. O. Electrical conduction in liquid hydrocarbons. III. Comparison of saturated and unsaturated hydrocarbons, 4-11214
- Foster, E.W. Measurement of transition probabilities in the visible spectra of OI and CI and estimation of vacuum ultra-violet radiation standards, 2-3704
- Foster, E.W. Measurement of transition probabilities in the CI I, II and CI spectra, 3-702
- Foster, E. W. The measurement of oscillator strengths in atomic spectra, 4-25475
- Foster, F. and Debenedetti, A. Composition and energy spectra of the heavy primary cosmic radiation, 3-19721
- Foster, F. and Hargreaves, A. The use of moments of X-ray intensity in space-group determination. I. Derivation of theoretical moments, 4-4574
- Foster, F. and Hargreaves, A. The use of moments of X-ray intensity in space-group determination. II. Practical application, 4-4575
- Foster, F. and Mulvey, J.H. ^3He nuclei in the primary cosmic radiation, 3-7945
- Foster, F. See Engler, A., 1-13544
- Foster, G.M. Supercurrent dissipation, 3-24144
- Foster, H. See Chesnut, D.B., 1-9056
- Foster, H. See Conder, P.C., 1-5311
- Foster, J.M. and Boys, S.F. Canonical configurational interaction procedure, 0-17824
- Foster, J.M. and Boys, S.F. A quantum variational calculation for HCHO , 0-17825
- Foster, J.M. and Boys, S.F. Quantum variational calculations for a range of CH_2 configurations, 0-17826
- Foster, J.S. Notes on a photograph of the Stark effect, 0-5875
- Foster, K. and Kramer, J.J., Effect of directional orientation on the magnetic properties of cube-oriented magnetic sheets, 0-10104
- Foster, K., Kramer, J.J. and Wiener, G.W. Growth rates of surface energy controlled secondary grains in 3%Si-Fe sheets, 3-16108
- Foster, K. and Pavlovic, D. Magnetic properties of oriented 3% aluminum iron sheets, 3-15855
- Foster, K. See Pavlovic, D., 0-10131
- Foster, K.W. and Milnes, M.V. Diffusion of copper in polycrystalline silver selenide, 2-12459
- Foster, M. D. and Marsh, K. J. A portable instrument for measuring the electrical conductivity of aviation fuels, 4-18215
- Foster, M.S., Weaver, D.L. and Voigt, A.F. Photoproduction of calcium-47, 2-7970
- Foster, M.R. See Roberts, E.M., 2-20804
- Foster, N.F. Diffusion-layer ultrasonic transducer, 3-9566
- Foster, P.K. Hydrogen diffusion in mild steels, 1-990
- Foster, P.K. See McNabb, A., 4-6873
- Foster, W.W. Attenuation of light by wood smoke, 0-5131
- Foster, W.W. Deposition of unipolar charged aerosol particles by mutual repulsion, 0-8324
- Fotchenkov, A.A. Dependence of the monoclinic piezoelectric constants of Rochelle salt on the degree of its unipolarity at different temperatures, 1-3806
- Fotchenkov, A.A. and Zaitseva, M.P. The inverse piezoelectric effect in triglycine sulphate, 3-20391
- Fotchenkov, A. A., Zaitseva, M. P. and Zhrebtsova, L. I. Electrostriction in triglycine sulphate, 4-20426
- Fotchenkov, A.A., Zheludev, I.S. and Zaitseva, M.P. Electrostriction in Rochelle salt single crystals, 3-13121
- Fotčenko, A. A. See Brežina, B., 4-12968
- Fotchenkov, A.A. See Zheludev, I.S., 0-11750
- Fothergill, N.O. See Macpherson, J.D., 2-17557
- Fóti, E. See Gimeysi, Z., 3-25010
- Foti, M. Transmission of impact noises by floating floors, 0-5120
- Fotino, M. Low-energy π mesons in the cosmic radiation, 0-4009
- Fotland, R.A. Some electrical properties of amorphous selenium films, 0-15991
- Fotland, R.A. Photoconductivity and photolysis in cadmium iodide, 0-18066
- Fouad, M. See Wedler, G., 4-17477
- Fouad, M. See Wedler, G., 4-17847
- Foucaud, A. and Person, H. On the infra-red absorption of the disubstituted 3-cyano 2,5-pyrrolidiones, 4-15603
- Fouché, K. F. See Williams, C. S., 4-22414
- Foucher, R. Relative intensities of some γ -transitions of Ac^{227} , 0-7529
- Foucher, R. Internal conversion coefficient of the 92 keV radiation from Pa^{234} , 0-15552
- Foucher, R. Nuclear transitions of radon nuclei, 0-20356
- Foucher, R. Approximate values of some electric quadrupole moments of nuclei of mass $A > 218$, 1-2161
- Foucher, R. Probabilities of $\gamma(M_2)$ transition in certain heavy nuclei, 1-12178
- Foucher, R. Quadrupole moments of some heavy nuclei and collective models, 1-13624
- Foucher, R. and De Pinho, A.G. Magnetic quadrupole (M_2) γ -transitions, 2-414
- Foucher, R. and De Pinho, A. Classes of magnetic quadrupole γ -transitions, 2-10069
- Foucher, R., Dick, L., Perrin, N. and Vartapetian, H. Scintillation spectrometer for coincidence work on α , β , and γ rays, 0-5675
- Foucher, R., Merins, J., de Pinho, A. and Valadares, M. The γ -rays emitted in the transition of thorium 234 (uranium X_1) to metastable protactinium 234 (uranium X_2), 2-22766
- Foucher, R., Mérisin, J., de Pinho, A. and Valadares, M. Scheme of excited levels of Pa^{234} , 3-2395

- Foucher, R., Mérisin, J., de Pinho, A. and Valadarés, M. Interpretation of schemes of excited levels of Pa^{234} an odd-odd nucleus, 3-22312
- Foucher, R. See Abou-Leila, H., 4-17066
- Foucher, R. See Abou-leila, H., 4-17106
- Foucher, R. See Adamson, A.M., 3-7998
- Foucher, R. See Braganca Gil, F., 1-13754
- Fougere, P.F. Spherical harmonic analysis [applied to earth's magnetic field]. I. A new method and its verification, 3-13824
- Fouilloux, P. See Renouf, J.P., 3-20215
- Foulke, L.R. See Hansson, P.T., 4-12304
- Foulkes, J.D. Computer identification of vowel types, 1-2578
- Foulks, R.E. See Lynch, G.R., 3-19633
- Fountain, C.W. See Shang Yi Ch'en, 4-15290
- Fourdeux, A. and Bergezan, A. On the origin of dislocations in solids. Some aspects of the sources encountered in metals, 1-8906
- Fourdeux, A. and Bergezan, A. Observation by transmission electron microscopy of stacking faults in a body-centred cubic metal: Niobium, 2-598
- Fourdeux, A., Bergezan, A. and Webb, W.W. Stacking faults in zinc, 0-7887
- Fourdeux, A. and Wronski, A. New electrolytic method for cutting and shaping metal specimens, 3-11649
- Fourdeux, A. and Wronski, A. The effect of strain rate on the room temperature yield stress of "flash-annealed" niobium, 4-4481
- Fourdeux, A. See Bergezan, A., 0-1859
- Fourès-Bruhat, Y. Mechanics of relativistic fluids, 0-14504
- Fouré, R. Study of the scattering of X-rays by a crystal of antimony, 4-9826
- Fouré, R. and Guillemard, R. Production of d.c. voltage in a low pressure tube excited by a high frequency electric field, 1-2951
- Fourétiér, G. Precision dynamometry, 1-11734
- Fourez, G. Second order effects in infrared absorption and Raman scattering in crystals, 4-7099
- Fourie, D. See Fiedeldey, H., 0-7071
- Fourie, D.J. and van der Walt, C.M. Contribution to the crystallization process of Se, 0-10282
- Fourie, D.J. and van der Walt, C.M. Further work on the crystallization process in selenium, 2-21477
- Fourie, J.T. The life history of individual slip lines during the plastic deformation of α -brass single crystals, 0-16219
- Fourie, J.T., Herbstein, F.H. and Murphy, R.J. Non-crystalline excrescences from heated silica, 2-23907
- Fourie, J.T. and Murphy, R.J. Wide stacking faults in high purity copper crystals, 2-599
- Fourie, J.T. and Murphy, R.J. Elongated dislocation loops and the stress-strain properties of copper single crystals, 3-2805
- Fourie, J.T., Weinberg, F. and Boswell, F.W.C. Preparation of tin single crystals for transmission electron microscopy, 0-12090
- Fourie, J.T. and Wilsdorf, H.G.F. Production of dislocation loops by a combined climb and glide mechanism, 1-2389
- Fournaux, J., Demers, J. and Demers, P. Production and study of the properties of nuclear track emulsions, 1-1997
- Fournaux, J. See Beets, C., 0-12794
- Fournet, G. Curie temperature prediction for several lattice species, 0-2988
- Fournet, G. Thermodynamic behaviour of nuclear reactors, 0-20529
- Fournet, G. and Mailfert, A. Optimum design of the electrical conductors of cryostats. Case of perfect thermal exchange, 4-11439
- Fournet, G. and Mailfert, A. Determination of optimum conditions for electrical conductors in cryostats. Case of general heat exchange, 4-16309
- Fournet, G. See Mailfert, A., 4-8580
- Fournet, G. See Mailfert, A., 4-16381
- Fournet, G. See Taupin, D., 0-13763
- Fournet, M. Phenomena arising from intense current pulses in resistive conductors, 1-9537
- Fournet, M. Kinetic measurement of temperatures, 2-11524
- Fournier, See Taglang, P., 1-15132
- Fournier, H. Description of the equipment of a station for recording very fast changes in the earth's magnetic field, 1-1581
- Fournier, H. Some aspects of the first high-frequency geomagnetic recordings obtained at Garchy, 1-6649
- Fournier D'Albe, E.M. See Galindo Estrada, I.G., 1-15220
- Fourny, J. See Martinuzzi, S., 4-22857
- Fourrier, C. See Colin, Y., 2-18698
- Fousek, J. A method of measuring the complex permittivity and non-linear properties of dielectrics in the decimetre wave band, 0-2302
- Fousek, J. On the problem of the permittivity dispersion of barium titanate, 0-2922
- Fousek, J. and Březina, B. Irreversible motions of a 90° domain in BaTiO_3 , 0-4382
- Fousek, J. and Březina, B. The movement of single 90° domain walls of BaTiO_3 in an alternating electric field, 1-14559
- Fousek, J. and Březina, B. A contribution to the statics of 90° wedge-shaped domains in BaTiO_3 crystals, 1-17841
- Fousek, J. and Březina, B. The motion of 90° wedge domains in BaTiO_3 in an alternating electric field, 1-17842
- Fousek, J. and Březina, B. Relaxation of 90° domain walls of BaTiO_3 and their equation of motion, 4-28626
- Fousek, J., Málek, Z., Salim, A.J. and Al Ali, N.S. On the anomalous increase of the permittivity during slow switching processes on triglycine sulphate, 3-2960
- Fousek, J. See Březina, B., 1-20081
- Fousek, J. See Malek, Z., 4-4217
- Fousek, Ya. See Brzhezina, B., 2-21218
- Fousek, Ya. See Brzhezina, B., 3-2952
- Fousková, A. and Janoušek, V. Permittivity of Rochelle salt during switching, 2-18771
- Fouskova, A. See Janoušek, V., 4-1665
- Fousse, H. and Grange, J. Contribution to the experimental study of refractivities, 0-8777
- Fousse, H. and Grange, J. Experimental study of refractivities, 1-14075
- Fousse, H. and Roizen-Dossier, B. Determination of the phase change ψ_r undergone by light on traversing thin metallic films for application to apodisation, 4-22840
- Fousse, H. See Grange, J., 0-10788
- Fousse, H. See Grange, J., 1-14076
- Fousse, H. See Grange, J., 2-11372
- Foux, A. On general stress-strain relations in elasticity, 4-14097
- Fowkes, F.M. Ideal two-dimensional solutions. II. A new isotherm for soluble and "gaseous" monolayers, 2-9270
- Fowkes, F.M. Determination of interfacial tensions, contact angles and dispersion forces in surfaces by assuming additivity of intermolecular interactions in surfaces, 2-11342
- Fowkes, F.M. Additivity of intermolecular forces at interfaces. I. Determination of the contribution to surface and interfacial tensions of dispersion forces in various liquids, 4-8191
- Fowler, A.B. Photo-Hall effect in CdSe sintered photoconductors, 2-8409
- Fowler, A.B. Quenching of gallium-arsenide injection lasers, 3-22015
- Fowler, A.B. Cooperative effect in GaAs lasers, 4-27699
- Fowler, A.B., Howard, W.E. and Brock, G.E. Optical properties of heavily doped compensated germanium, 3-2988
- Fowler, A.B. and Waker, E.J. Modification of the near-field pattern of a GaAs laser by a magnetic field, 4-14945
- Fowler, A.B. See Morehead, F.F., 3-910
- Fowler, A.B. See Nathan, M.I., 3-24523
- Fowler, C.A. Jr., Fryer, E.M., Brandt, B.L. and Isaacson, R.A. Magnetic domains in orthoferrites by the Kerr effect, 3-18103
- Fowler, C.A., Jr., Fryer, E.M. and Treves, D. Observation of domains in iron whiskers under high fields, 1-2478
- Fowler, C.A. Jr., Fryer, E.M. and Treves, D. Domain structures in iron whiskers as observed by the Kerr method, 1-6303
- Fowler, C.M., Garn, W.B. and Caird, R.S. Production of very high magnetic fields by implosion, 0-9144
- Fowler, C.M. See Caird, R.S., 4-11744
- Fowler, C.M. See Zukas, E.G., 4-7497
- Fowler, E. See Smith, G.A., 1-3222
- Fowler, E.C., Crawford, F.S., Jr., Lloyd, L.J., Grossman, R.A. and Price, L. Experimental determination of the branching ratio $\Gamma(\eta \rightarrow \pi^+ \pi^- \gamma) / \Gamma(\eta \rightarrow \pi^+ \pi^- \pi^0)$, 3-12496
- Fowler, E.C. See Baltay, C., 1-16906
- Fowler, E.C. See Biedenharn, L.C., 4-30161
- Fowler, E.C. See Brown, H.N., 2-12013
- Fowler, E.C. See Crawford, F.S., Jr., 3-19691
- Fowler, E.C. See Crawford, F.S., Jr., 4-9258
- Fowler, E.C. See Dowell, J.D., 0-1280
- Fowler, E.C. See Foelsche, H., 3-7913
- Fowler, E.C. See Hannum, W.H., 0-9402
- Fowler, E.C. See Smith, G.A., 1-13415
- Fowler, E.C. See Stonehill, D., 1-12102

- Fowler, E.P. A new reactor period meter used for fast period protection, 2=20728
- Fowler, E.P. Design criteria for pulse transformers used in neutron detector pulse counting channels, 4=9228
- Fowler, E.P. and Levell, R.W. The use of the current fluctuations from a neutron detector with logarithmic amplifiers as a measure of neutron flux levels, 4=27868
- Fowler, G.N. Multi-nucleon capture of K^- mesons in complex nuclei, 4=28051
- Fowler, G.N. and Crossland, A.D. The capture of K^- mesons by complex nuclei, 3=12697
- Fowler, G.N. and Preist, T.W. Note on the α^- particle energy spectrum in Li^8 decay, 1=5857
- Fowler, G.N. See Crossland, A.D., 4=19545
- Fowler, H.A. Kikuchi pattern from a silicon wedge, 4=23470
- Fowler, H.A., Marton, L., Simpson, J.A. and Suddeth, J.A. Electron interferometer studies of iron whiskers, 1=11548
- Fowler, H.A. See Marton, L., 2=10366
- Fowler, I.L. Very large boron trifluoride proportional counters, 3=19504
- Fowler, J.F. The fundamental limits of information content in solid state image intensifying panels compared with other intensifying systems, 0=19407
- Fowler, J.F. See Moses, V., 0=12721
- Fowler, J.L. and Campbell, E.C. Total neutron cross section of Pb^{208} , 2=20634
- Fowler, J.L., Corman, E.G. and Campbell, E.C. Neutron scattering from closed shell nuclei, 1=8737
- Fowler, J.M., Warren, W. and Lambe, E.D. Lecture demonstration of electron diffraction, 3=4201
- Fowler, M., Landshoff, P.V. and Lardner, R.W. Some properties of single loop diagrams in perturbation theory, 0=20080
- Fowler, M. Conditions for bound states with a given set of interaction poles in Chew-Mandelstam theory, 1=12805
- Fowler, M. The left-hand cut and phase-equivalent potentials, 2=5577
- Fowler, M. Introduction to momentum space integration techniques in perturbation theory, 2=21823
- Fowler, M. Second-type singularities in perturbation theory, 3=7814
- Fowler, M. Non-Landau singularities in perturbation theory, 4=9059
- Fowler, P. Superconducting niobium films by vacuum deposition, 4=5522
- Fowler, P. See Bowler, M., 3=4537
- Fowler, P. See Harris, L., 1=3844
- Fowler, P.H. Decay of lithium-7 hypernucleus, 0=417
- Fowler, P.H. and Perkins, D.H. The possibility of therapeutic applications of beams of negative π^- mesons, 1=10343
- Fowler, P.H. and Perkins, D.H. Nuclear interactions from 30 to 10^8 GeV, 4=16882
- Fowler, P.H., Perkins, D.H. and Pinkau, K. Observation of the suppression effect on bremsstrahlung, 0=20101
- Fowler, P.H., Perkins, D.H. and Pinkau, K. Energy determination of electromagnetic cascades, 1=3301
- Fowler, P.H., Perkins, D.H. and Pinkau, K. Observation of the suppression effect on Bremsstrahlung, 1=5803
- Fowler, P.H. See Bowler, M.G., 3=4536
- Fowler, P.H. See Bowler, M.G., 3=6112
- Fowler, P.H. See Duthie, J., 1=3257
- Fowler, P.H. See Duthie, J., 1=3258
- Fowler, P.H. See Duthie, J., 2=12102
- Fowler, P.H. See Duthie, J.G., 1=3364
- Fowler, P.H. See Duthie, J.G., 1=3365
- Fowler, R.G. Answer to comments by H.D. Weymann, 2=5045
- Fowler, R.G. Linearization of the equations for ambipolar diffusion, 2=22187
- Fowler, R.G. Origin of the driving force in electromagnetic shock tubes, 3=11859
- Fowler, R.G. Possible hydrodynamical character of moving and stationary striations, 3=19211
- Fowler, R.G. Possible electron-driven expansion of planetary nebulae, 4=2371
- Fowler, R.G. and Fried, B.D. Theory of electron driven shock waves, 1=10540
- Fowler, R.G. and Hood, J.D., Jr. Very fast dynamical wave phenomenon, 3=1955
- Fowler, R.G. and Jones, L.W. Investigations on constriction of the positive column using glow discharges of limited duration, 3=14549
- Fowler, R.G., Paxton, G.W. and Hughes, H.G. Electrons as a shock driver gas, 1=2785
- Fowler, R.G. and Turner, E.B. Magnetically insulated shock tube, 1=6890
- Fowler, R.G. See Jeffries, R.A., 4=29701
- Fowler, R.G. See Lin, C.C., 1=19597
- Fowler, R.G. See McIntyre, R.G., 1=8086
- Fowler, R.G. See Paxton, G.W., 3=1956
- Fowler, R.G. See St John, R.M., 0=465
- Fowler, R.G. See St John, R.M., 1=9915
- Fowler, R.G. See Sakuntala, M., 0=1129
- Fowler, R.G. See Sakuntala, M., 0=12586
- Fowler, R.G. See Seay, G.E., 1=18764
- Fowler, T.B. See Tobias, M., 3=10123
- Fowler, T.K. Stability of plasmas against electrostatic perturbations, 1=18875
- Fowler, T.K. Theoretically stable and confined plasma, 2=5352
- Fowler, T.K. On integrating the Vlasov equation, 3=7511
- Fowler, T.K. Lyapunov's stability criteria for plasmas, 3=12117
- Fowler, T.K. Bounds on plasma instability growth rates, 4=11675
- Fowler, T.K. and Good, W.M. A theory of obtaining short bursts of ions from a beam of ions, 1=1925
- Fowler, T.K. and Rankin, M. Plasma potential and energy distributions in high-energy injection machines, 3=1998
- Fowler, T.K. and Watson, K.M. The quasi-elastic scattering of fast particles by atomic nuclei, 0=4085
- Fowler, V.J., Buhner, C.F. and Bloom, L.R. Electro-optic light beam deflector, 4=16226
- Fowler, V.J. See Buhner, C.F., 2=22067
- Fowler, V.J. See Conwell, E.M., 2=23314
- Fowler, V.J. See Zucker, J., 2=4024
- Fowler, W.A. Completion of the proton-proton reaction chain and the possibility of energetic neutrino emission by hot stars, 0=848
- Fowler, W.A. Rutherford and nuclear cosmochronology, 2=2520
- Fowler, W.A. Experimental and theoretical results on nuclear reactions in stars. II, 2=4792
- Fowler, W.A. Nuclear clues to the early history of the solar system, 2=11106
- Fowler, W.A. Formation of light nuclei, 4=7967
- Fowler, W.A. Massive stars, relativistic polytropes, and gravitational radiation, 4=23843
- Fowler, W.A., Greenstein, J.L. and Hoyle, F. Deuteronomy. Synthesis of deuterons and the light nuclei during the early history of the solar system, 1=10373
- Fowler, W.A., Greenstein, J.L. and Hoyle, F. Nucleosynthesis during the early history of the solar system, 2=11107
- Fowler, W.A. and Hoyle, F. Nuclear cosmochronology, 0=14394
- Fowler, W.A. See Bahcall, J.N., 3=13879
- Fowler, W.A. See Bardin, R.K., 1=645
- Fowler, W.A. See Bardin, R.K., 2=18290
- Fowler, W.A. See Becker, R.A., 0=844
- Fowler, W.A. See Caughlan, G.R., 3=3588
- Fowler, W.A. See Caughlan, G.R., 4=29376
- Fowler, W.A. See Clayton, D.D., 1=7389
- Fowler, W.A. See Clayton, D.D., 2=2548
- Fowler, W.A. See Hoyle, F., 1=2638
- Fowler, W.A. See Hoyle, F., 3=9255
- Fowler, W.A. See Hoyle, F., 3=9258
- Fowler, W.A. See Hoyle, F., 4=23821
- Fowler, W.A. See Parker, P.D., 4=17976
- Fowler, W.A. See Wasserburg, G.J., 0=5684
- Fowler, W.B. Electronic band structure and Wannier exciton states in solid krypton, 4=4018
- Fowler, W.B. Relaxation of the excited F center, 4=28498
- Fowler, W.B., Birge, R.W., Eberhard, P., Ely, R., Good, M.L., Powell, W.M. and Ticho, H.K. Ξ^- production by K^- mesons, 1=5788
- Fowler, W.B. and Dexter, D.L. Critique of the Pekar theory of the F-center, 2=16669
- Fowler, W.B. and Dexter, D.L. Relation between absorption and emission probabilities in luminescent centers in ionic solids, 3=6666
- Fowler, W. Beall and Dexter, D.L. On the Pekar and Perlin calculation of F-center lifetimes, 4=4084
- Fowler, W.B. See Agnew, L.E., Jr., 0=11172
- Fowler, W.B. See Baltay, C., 3=22209
- Fowler, W.B. See Baltay, C., 3=24805
- Fowler, W.B. See Balty, C., 4=3484
- Fowler, W.B. See Barnes, V.E., 4=16969
- Fowler, W.B. See Birge, R.W., 0=17330
- Fowler, W.B. See Brown, H.N., 2=12013
- Fowler, W.B. See Dunkelman, L., 3=14306
- Fowler, W.B. See Good, R.H., 2=317
- Fowler, W.B. See Good, R.H., 2=22628
- Fowler, W.B. See Muller, F., 0=11220

- Fowles, G.R. Attenuation of the shock wave produced in a solid by a flying plate, 0=8742
- Fowles, G.R. Shock wave compression of hardened and annealed 2024 aluminum, 1=11167
- Fowles, G.R. Solution of the Schrödinger equation for the hydrogen atom in rectangular coordinates, 2=10195
- Fowles, G.R. Quantum dynamical description of atoms and radiative processes, 3=12747
- Fox, A.C. See Rand, M.H., 2=23172
- Fox, A.C. See Wait, E., 3=10699
- Fox, A.G. Principles of ferrite reactance amplification, 0=3854
- Fox, A.G. and Li, T. Resonant modes in a maser interferometer, 1=7143
- Fox, A.G., Tingye Li and Morgan, S.P. On diffraction losses in laser interferometers, 3=24045
- Fox, A. G. See Boyd, G. D., 4=5848
- Fox, A. H. See Karle, I. L., 4=29151
- Fox, D. and Hexter, R. M. Crystal shape dependence of exciton states in molecular crystals, 4=28424
- Fox, D. and Kahn, P. B. Higher order spacing distributions for a class of unitary ensembles, 4=18083
- Fox, D. F. See Ainsworth, J. E., 2=2496
- Fox, D. W. See Bazley, N. W., 1=15686
- Fox, D. W. See Bazley, N. W., 2=13236
- Fox, D. W. See Bazley, N. W., 3=25084
- Fox, G. R. Ambient-noise directivity measurements, 4=29264
- Fox, J. Velocity correlations in weak turbulent shear flow, 4=18072
- Fox, J. D., Moore, C. F. and Robson, D. Excitation of isobaric analog states in ^{88}Y and ^{90}Zr , 4=17057
- Fox, J. D. See Adams, H. S., 2=1878
- Fox, J. D. See Becker, J. A., 3=15192
- Fox, J. D. See Choppin, G. R., 3=24992
- Fox, J. D. See Feld, E. J., 3=17095
- Fox, J. G. See De Bouard, X., 4=19669
- Fox, J. G. See Filippas, T. A., 4=27043
- Fox, J. D. See Kane, W. R., 2=10119
- Fox, J. G. Experimental evidence for the second postulate of special relativity, 2=9161
- Fox, J. G. See Tatischeff, B., 4=12212
- Fox, J. G. See Tatischeff, B., 4=19764
- Fox, J. K., Gilley, L. W. and Marable, J. H. Critical parameters of a proton-moderated and proton-reflected slab of U^{235} , 0=13323
- Fox, J. N. See McLaren, T. I., 4=2773
- Fox, J. N. See McLaren, T. I., 4=18823
- Fox, J. N. See McLaren, T. I., 4=18896
- Fox, J. N. See Tanaka, T., 2=5054
- Fox, J. W. and Smith, A. C. H. Viscosity of mixtures of hydrogen and water vapor at 295°K, 0=16721
- Fox, J. W. See Browning, R., 4=14207
- Fox, J. W. See Buckingham, R. A., 2=9292
- Fox, K. Vibration-rotation interactions in infrared active overtone levels of spherical top molecules; $2\nu_3$ and $4\nu_4$ of CH_4 , $2\nu_3$ of CD_4 , 3=6413
- Fox, K., Hecht, K. T., Meredith, R. E. and Peters, C. W. Infrared absorption spectrum of CD_4 at 4500 cm^{-1} , 2=16544
- Fox, L. Mathematical tables. Volume 4. Tables of Weber parabolic cylinder functions and other functions for large arguments, 1=5
- Fox, L. See Cohen, M., 1=3551
- Fox, M. D. and Weinberg, F. J. Optical methods for the study of flames in turbulent pre-mixed gas streams, 0=12536
- Fox, M. E. and Mulay, L. N. Simple method of growing small single crystals (10-300 mg), 2=6779
- Fox, M. E. See Mulay, L. N., 3=8639
- Fox, P. G. and Esdaile, R. J. The influence of oxygen on the vapour pressure of solid silver, 4=5471
- Fox, P. G. See Den Besten, I. E., 2=10980
- Fox, R. Gamma and neutron heating in and about a homogeneous reactor, 0=13361
- Fox, R. Simulator for high density ion guns, 1=4660
- Fox, R. The high-energy electrostatic plasma gun, 1=18891
- Fox, R. Measurement of nuclear transitions with 10^{-30} sec half-lives and the scattering cross sections of unstable particles by proximity scattering, 2=3537
- Fox, R. Study of the long-range nuclear potential by small angle neutron scattering, 3=15070
- Fox, R. and Albert, R. D. Evidence for compound nucleus formation using (p, p') and (α, p) scattering in nickel, 1=2214
- Fox, R. and Albert, R. D. Method to obtain the energy dependence of reaction cross sections when a compound nucleus is formed, 1=4854
- Fox, R. and Ramsey, N. F. Low-energy proton production by 160 MeV protons, 2=5905
- Fox, R. E. Threshold ionization of HCl by electron impact, 0=3737
- Fox, R. E. Negative ion formation in NO_2 by electron attachment, 0=3739
- Fox, R. E. Multiple ionization in argon and krypton by electron impact, 0=14965
- Fox, R. E. Ionization cross sections near threshold by electron impact, 1=16257
- Fox, R. E. and Curran, R. K. Ionization processes in CCl_4 and SF_6 by electron beams, 1=8309
- Fox, R. E., Malmberg, P. R. and Gosser, R. B. Electronegative gas detector, 1=12684
- Fox, R. E. See Curran, R. K., 1=8307
- Fox, R. E. See Riemersma, H., 1=15977
- Fox, R. J. and Borkowski, C. J. Silicon surface barrier detectors with high reverse breakdown voltages, 2=18024
- Fox, R. J. and Borkowski, C. J. Use of guard-ring silicon surface barrier detectors in beta spectrometry, 2=22487
- Fox, T. G. and Allen, V. R. Dependence of the zero shear melt viscosity and the related friction coefficient and critical chain length on measurable characteristics of chain polymers, 4=25799
- Fox, T. G. See Allen, V. R., 4=25798
- Fox, T. G. See Coleman, B. D., 3=11343
- Fox, W. E. Recent observations of Jupiter, 2=15315
- Fox, W. N. and Series, G. W. Hyperfine structure of the level $5^2\text{P}_{1/2}$ of potassium 39, 1=11064
- Fox, W. N. See Day, D. H., 3=22149
- Fox, W. N. See Dodd, J. N., 0=9743
- Fox, W. N. See Series, G. W., 0=17656
- Foxall, R. A. See Mitchell, T. E., 4=7443
- Foy, J. E. and Parker, R. J. Permanent magnet leakage permeance evaluation based on polar radiation analogy, 0=9143
- Foy, P. W. See Batdorf, R. L., 0=11703
- Foy, P. W. See Gershenzon, M., 4=13077
- Foy, P. W. See Logan, R. A., 4=22741
- Foz, R. Improved gamma detector using gamma moderation, 0=11136
- Fozard, J. L., Bacon, W. E. and Small, A. M., Jr. Masked thresholds for octave band noise, 0=3365
- Fraade, D. J. Devices for moisture measurement. I, 3=1573
- Fraade, D. J. Devices for moisture measurement. II, 3=1574
- Fraas, A. P. Boiling potassium reactor for space, 4=12322
- Fracassini, M. The solution of the Van De Hulst's integral equations for computing electron density of the solar corona, 3=18635
- Fracassini, M. and Hack, M. Intensities, polarization and electron density of the solar corona from photographs taken during the total solar eclipse of 1961, 3=9218
- Fracassini, M. and Hack, M. Intensities, polarization and electron density of the solar corona during the total solar eclipse of 1961, February 15: (final results). II, 4=7986
- Fracassini, M., Hack, M. and Pasinetti, L. E. Project for a system for the automation of stellar quantitative spectrography, 2=11124
- Fracassini, M., Hack, M. and Pasinetti, L. E. Project for a system for the automation of stellar quantitative spectrography, 2=17297
- Fracassini, M. See Hack, M., 1=15484
- Fracastoro, M. G. On an eleven-year variation of the mean height of the chromosphere, 0=8505
- Fracastoro, M. G. Total solar eclipse of 15 February 1961, 3=9192
- Fracastoro, M. G. Astronomical and laboratory photometry, 4=20968
- Fracastoro, M. G., Campisi, R., Catalano, M., Torrisi, S. and Turiano, A. A preliminary study of the present cycle of solar activity, 1=18081
- Frackiewicz, B. See Epstein, D. J., 0=3092
- Frackiewicz, B. See Epstein, D. J., 1=6366
- Frackowiak, D. and Koltun, S. Absorption anisotropy of some organophosphors, 3=20492
- Frackowiak, D. and Marszałek, T. Yield of fluorescence and spectra of chlorophyll in viscous media, 1=6863
- Frackowiak, D. and Marszałek, T. Yield of anti-Stokes fluorescence of chlorophyll, 1=8399
- Frackowiak, M. The investigation of an organic phosphor in the pre-excited state, 1=2451
- Frackowiak, M. and Heldt, J. Investigation of an organophosphor in the preexcited state, 0=13719

- Frackowiak, M. and Taczanowski, A. A method for measurement of the temperature distribution over the surface of the plane thermionic cathodes of very small dimensions, 1=16366
- Frackowiak, M. and Waleryś, H. Decay of phosphorescence of tryptaflavine in gelatine, 1=6866
- Frackowiak, M. See Douglas, A.E., 2=16520
- Frackowiak, M. See Fiutak, J., 4=1266
- Fradkin, D. M. Scattering solutions of the Biedenharn symmetric Dirac-Hamiltonian, 4=27072
- Fradkin, D.M. and Good, R.H.Jr. Electron polarization operators, 1=18273
- Fradkin, D.M. and Good, R.H., Jr. Tensor operator for electron polarization, 1=19097
- Fradkin, D. M., Weber, T. A. and Hammer, C. L. Coulomb scattering of Dirac particles, 4=21791
- Fradkin, D. M. See Weber, T. A., 4=21018
- Fradkin, E.E. Isotopic shift of spectral lines and the compressibility of deformed nuclei, 2=13978
- Fradkin, E.E. Isotopic shift of spectral lines and the compressibility of deformed nuclei, 3=6159
- Fradkin, E.E. and Chaika, M.P. Continuous radiation of a three-level quantum generator with optical pumping, 3=19479
- Fradkin, E.E. See Chaika, M.P., 0=12483
- Fradkin, E.E. See Kaliteevskii, N.I., 0=13123
- Fradkin, E.E. See Kaliteevskii, N.I., 0=13420
- Fradkin, E.E. See Kaliteevskii, N.I., 1=19345
- Fradkin, E.E. See Kaliteevskii, N.I., 2=16298
- Fradkin, E.E. See Kaliteevskii, N.I., 3=12562
- Fradkin, E.E. See Malyshev, G.M., 0=10774
- Fradkin, E.E. See Semenov, R.I., 0=10775
- Fradkin, E.S. Some general relationships in statistical quantum electrodynamics, 0=5473
- Fradkin, E.S. A refinement of the Thomas-Fermi model at small distances [from the nucleus], 0=9725
- Fradkin, E.S. The Green's functions method in quantum statistics, 0=10606
- Fradkin, E.S. Application of functional methods in quantum field theory and quantum statistics. I. Divergence-free field theory with local non-linear interaction, 4=9048
- Fradkin, E.S. See Babak, V.G., 4=16808
- Fradkin, E.S. See Kirzhnits, D.A., 0=5529
- Fradkin, E.S. See Milekhin, G.A., 4=9056
- Fradkin, M.I. See Dragun, G.S., 2=17314
- Fradkin, M.I. See Ginzburg, V.L., 2=15266
- Fradkin, M.I. See Ginzburg, V.L., 2=19249
- Fradkin, M.I. See Ginzburg, V.L., 3=9119
- Fradkin, M.I. See Ginzburg, V.L., 4=6153
- Fradkin, M.I. See Kurnosova, L.V., 2=7917
- Fradkin, M.I. See Kurnosova, L.V., 2=9947
- Fradkin, M.I. See Kurnosova, L.V., 2=9948
- Fradkin, M.I. See Kurnosova, L.V., 2=11085
- Fradkin, M.I. See Kurnosova, L.V., 2=12090
- Fradkin, M.I. See Kurnosova, L.V., 2=16273
- Fradkin, M.I. See Kurnosova, L.V., 2=1674
- Fradkin, M.I. See Kurnosova, L.V., 3=2333
- Fradkin, M.I. See Kurnosova, L.V., 3=2343
- Fradkin, M.I. See Kurnosova, L.V., 3=22229
- Fradkin, M.I. See Kurnosova, L.V., 3=22230
- Fradkin, M.I. See Kurnosova, L.V., 4=6155
- Fradkin, M.I. See Kurnosova, L.V., 4=15117
- Fradkin, M.I. See Veprik, Ya.M., 2=19360
- Fradkina, E.M. and Kozyukov, A.V. Turbulent flow of a conducting liquid under the action of electromagnetic forces, 2=3139
- Fradkov, A.B. A helium cryostat without liquid nitrogen cooling, 0=19571
- Fradkov, A.B. A helium cryostat without liquid nitrogen cooling, 1=5384
- Fradkov, A.B. Containers for storing and transporting liquid helium, 2=2945
- Fradkov, A.B. Helium and hydrogen cryostats without additional cooling by liquid nitrogen, 2=19792
- Fradkov, A.B. An apparatus for low-temperature testing with transported liquid helium, 4=16321
- Fradkov, A. B. The production and use of liquid neon on a laboratory scale, 4=21368
- Fradkov, A.B. and Shal'nikov, A.I. A liquid-helium level indicator for metallic containers, 4=16320
- Fradkov, A.B. See Malkov, M.P., 1=4916
- Fradkov, A.B. See Lotkova, E.N., 2=7484
- Fradlin, B.N. and Shakhnovskii, S.M. Derivation of Green's tensor for the equilibrium problem of a shell with small double curvatures, 0=12388
- Fraenkel, B.S. Possible solid-state effect on the degree of ionization obtained in a vacuum spark, 2=15900
- Fraenkel, B.S. See Alexander, E., 3=9593
- Fraenkel, B.S. See Alexander, E., 3=21546
- Fraenkel, B.S. See Alexander, E., 4=4258
- Fraenkel, B.S. See Alexander, E., 4=25476
- Fraenkel, B.S. See Brafman, O., 4=22807
- Fraenkel, B.S. See Cohen, L., 4=7652
- Fraenkel, G. Site of protonation in methyl formate, 1=11120
- Fraenkel, G. Structure of the ion pairs of anilinium salts in solution determined by n.m.r., 4=2714
- Fraenkel, G. See Franconi, C., 1=12308
- Fraenkel, G.K. See Barton, B.L., 4=25728
- Fraenkel, G.K. See Barton, B.L., 4=28256
- Fraenkel, G.K. See Bernal, I., 2=23007
- Fraenkel, G.K. See Bolton, J.R., 4=22385
- Fraenkel, G.K. See Bolton, J.R., 4=28252
- Fraenkel, G.K. See Dehl, R., 4=1305
- Fraenkel, G.K. See Freed, J.H., 3=2653
- Fraenkel, G.K. See Freed, J.H., 3=4776
- Fraenkel, G.K. See Freed, J.H., 3=17610
- Fraenkel, G.K. See Freed, J.H., 3=23911
- Fraenkel, G.K. See Freed, J.H., 4=25729
- Fraenkel, G.K. See Gendell, J., 3=6415
- Fraenkel, G.K. See Gendell, J., 4=28253
- Fraenkel, G.K. See Karplus, M., 1=17344
- Fraenkel, G.K. See Rieger, P.H., 3=6428
- Fraenkel, G.K. See Rieger, P.H., 3=6429
- Fraenkel, G.K. See Rieger, P.H., 3=22593
- Fraenkel, G.K. See Schreurs, J.W.H., 0=15756
- Fraenkel, G.K. See Schreurs, J.W.H., 1=6041
- Fraenkel, G.K. See Steinberger, N., 4=12513
- Fraenkel, G.K. See Stephen, M.J., 0=11534
- Fraenkel, G.K. See Strauss, H.L., 1=19663
- Fraenkel, G.K. See Vincow, G., 1=7482
- Fraenkel, G.K. See Freed, J.H., 4=17310
- Fraenkel, L.E. Laminar flow in symmetrical channels with slightly curved walls. I. On the Jeffery-Hamel solutions for flow between plane walls, 2=9237
- Fraenkel, Z. On the multi-nucleon capture of K-mesons in complex nuclei, 3=15217
- Fraenkel, Z. Pion capture in complex nuclei, 3=15218
- Fraenkel, Z. The interactions of unstable particles, 4=6136
- Fraenkel, Z. See Dostrovsky, I., 0=1397
- Fraenkel, Z. See Dostrovsky, I., 0=13217
- Fraenkel, Z. See Dostrovsky, I., 0=13218
- Fraenkel, Z. See Dostrovsky, I., 1=12198
- Fraga, A.R. See Moreno, A.M., 3=18521
- Fraga, E. See Nachtrieb, N.H., 4=5169
- Fraga, S. and Birss, F.W. Self-consistent-field theory. II. The L.C.A.O. approximation, 4=22272
- Fraga, S. and Birss, F.W. Self-consistent-field theory. IV. L.C.A.O. treatment for excited states, 4=22273
- Fraga, S. and Mulliken, R.S. Role of coulomb energy in the valence-bond theory, 0=17818
- Fraga, S. and Ransil, B.J. Studies in molecular structure. III. Populations analyses for selected first-row diatomic molecules, 1=6036
- Fraga, S. and Ransil, B.J. Studies in molecular structure. V. Computed spectroscopic constants for selected diatomic molecules of the first row, 1=12300
- Fraga, S. and Ransil, B.J. Studies in molecular structure. VI. Potential curve for the interaction of two hydrogen atoms in the LCAO MO SCF approximation, 2=2010
- Fraga, S. and Ransil, B.J. Studies in molecular structure. VII. Limited configuration interaction for selected first-row diatomics, 2=6196
- Fraga, S. and Ransil, B.J. Studies in molecular structure. VIII. He₂⁺⁺ in the single- and many-configuration LCAO MO SCF approximation, 2=20810
- Fraga, S. See Birss, F.W., 3=17563
- Fraga, S. See Birss, F.W., 4=22274
- Fragstein, C. von. See von Fragstein, C.
- Frahm, J. and Gustavs, A. On the interpretation of isomeric displacement in Fe⁵⁷, 3=7972
- Frahn, W.E., Rautenbach, W.L. and Wahlin, L. The electromagnetic isotope separator in Pretoria, 1=2303
- Frahn, W.E. and Venter, R.H. Strong absorption model for elastic nuclear scattering. I., 4=6300

- Frahn, W. E. and Venter, R. H. Strong absorption model for elastic nuclear scattering and polarization of spin- $\frac{1}{2}$ particles. I, 4=19741
- Frahn, W. E. See Fiedeldej, H., 2=3579
- Frahn, W. E. See Fiedeldej, H., 2=22697
- Frahn, W. E. See Fiedeldej, H., 3=2349
- Frahn, W. E. See Lemmer, R. H., 0=9295
- Frahn, W. E. See Venter, R. H., 4=22083
- Frahn, W. E. See Venter, R. H., 4=22084
- Fraidenraich, N., McGrath, I. A., Medin, S. A. and Thring, M. W. A theoretical analysis of the thermodynamics of the strained layer magnetohydrodynamic system, 4=5544
- Fraiman, B. S. See Bronshtein, I. M., 1=4637
- Fraiman, B. S. See Bronshtein, I. M., 1=10/34
- Fraiman, B. S. See Bronshtein, I. M., 2=1492
- Fraiman, B. S. See Bronshtein, I. M., 2=1493
- Fraiman, B. S. See Bronshtein, I. M., 2=5376
- Fraiman, B. S. See Bronshtein, I. M., 2=7656
- Fraiman, B. S. See Bronshtein, I. M., 2=7657
- Fraissard, J. and Imelik, B. The structure and calcination of silica gels, 2=19172
- Fraissard, J., Solomon, I., Caillat, R., Elston, J. and Imelik, B. Application of nuclear magnetic resonance to the study of the water contained in silica gels, 4=4720
- Frait, Z. On the origin of the width of the ferromagnetic resonance curve, 0=6250
- Frait, Z. The use of high frequency modulation in studying ferromagnetic resonance, 0=11063
- Frait, Z. Ferromagnetic resonance on cobalt whiskers, 1=20176
- Frait, Z. Ferromagnetic resonance in thin cobalt films, 1=20177
- Frait, Z. Determination of parameters in equation for ferromagnetic resonance of ferrites, 1=20179
- Frait, Z. On the spin-wave resonance in bulk ferromagnetic conductors, 3=23207
- Frait, Z. Thin ferromagnetic films. V. (8). Ferromagnetic resonance, 3=23174
- Frait, Z. Spin-wave resonance in thin permalloy films at 366 Hz, 4=7307
- Frait, Z. and Heinrich, B. The measurement of magnetic fields in the surface layer of a ferromagnet by the method of paramagnetic resonance, 3=25519
- Frait, Z. and Heinrich, B. Intrinsic ferromagnetic resonance linewidth in metal single crystals, 4=13287
- Frait, Z., Heinrich, B. and Ondris, M. The ferromagnetic resonance linewidth in bulk silicon iron single crystals, 3=8700
- Frait, Z., Kamberský, V., Málek, Z. and Ondris, M. Local variations of uniaxial anisotropy in thin films, 1=17962
- Frait, Z., Kamberský, V., Ondris, M. and Málek, Z. On the effective magnetization and uniaxial anisotropy of permalloy films, 3=20596
- Frait, Z. and Ondris, M. The spin-wave resonance and saturation magnetization of thin cobalt films, 2=18912
- Frait, Z. and Ondris, M. A note on ferromagnetic resonance in Gorter's normal field, 2=23694
- Frait, Z. and Ondris, M. Spin-wave resonance in iron, 3=3155
- Frait, Z. See Andrä, W., 2=10657
- Frait, Z. See Kaczér, J., 3=1062
- Frait, Z. See Kamberský, V., 1=14718
- Frait, Z. See Ondris, M., 2=10685
- Fraitová, D. On the theory of the ferromagnetic resonance of thin films, 0=16150
- Fraitová, D. The influence of demagnetization, anisotropy and stress on the resonance condition of spin-wave resonance, 1=20172
- Fraitová, D. and Zentková, A. Normal vibrations of SrTiO₃ lattice, 4=6717
- Fräki, R., Leimdörfer, M. and Malmskog, S. The energy variation of the sensitivity of a polyethylene moderated BF₃ proportional counter, 3=24539
- Fraley, P. E., Brim, W. W. and Narahari Rao, K. Vibration-rotation bands of N₂¹⁴O¹⁶ at 4.5 μ , 3=6404
- Fraley, P. E. See Narahari Rao, K., 4=2834
- Fraley, P. E. See Spanbauer, R., 4=8406
- Frame, J. P., Rhodes, E. and Ubbelohde, A. R. Melting and crystal structure. Tests of the association complex theory for some low-melting salts, 0=13466
- Frána, J. and Janáček, F. Some of the luminescent properties of AgBr with an admixture of Ag₂S, 0=4449
- Frána, J. and Řezanka, I. Radioactive decay of Ni⁶³, 4=19720
- Frána, J., Řezanka, I., Vobecký, M. and Hušák, V. Neutron deficient isotopes of terbium with half-life of 18 hr, 1=17051
- Frana, J. See Řezanka, I., 1=19413
- Frána, J. See Řezanka, I., 1=20021
- Frána, J. See Řezanka, I., 2=9824
- Frána, J. See Řezanka, I., 2=20566
- Frana, Ya. See Rzhazanka, I., 3=8010
- Francavilla, T. L. See Hunter, J. L., 4=2677
- France, J. See Sheriff, N., 3=16817
- France, P. W. See Kim, Y. W., 3=15371
- France, W. L. See Burch, D. E., 3=23933
- Francès, A. See Decaux, B., 3=9945
- Francés, A. See Decaux, B., 3=9951
- Francès, A. See Decaux, B., 3=24481
- Franceschetti, F. See Latmiral, G., 3=19451
- Franceschetti, G. An approach to tropospheric duct propagation, 4=15873
- Franceschetti, G. See Latmiral, G., 4=3155
- Franceschetti, M. O. See Bassani, G., 3=2584
- Franceschetti, M. O. See Colli, L., 2=22922
- Franceschi, G. De. See Cabibbo, N., 3=572
- Francescon, S. The Winfrith DSN programme, 3=22144
- Francescon, S. and Pull, I. C. The calculation of cell-averaged diffusion coefficients, 4=22258
- Francey, J. L. A. Ambipolar diffusion in meteor trails, 4=10912
- Francey, J. L. A. Diffusion of meteor trails in the earth's magnetic field, 4=30978
- Franchetti, S. Considerations on the helium film in non-static conditions, 0=8896
- Franchetti, S. Some remarks on the theory of the liquid helium film, 0=16936
- Franchetti, S. On the structure of liquid ⁴He from the elastic scattering of neutrons, 2=1324
- Franchetti, S. On the theory of helium film, 4=21372
- Franchetti, S. On the flowing helium film, 4=24476
- Franchetti, S. and Mazza, A. On the lowering of the λ -point of liquid helium in thin films and narrow channels, 3=5561
- Francia, G. Toraldo Di. See Toraldo Di Francia, G.
- Francis, A. B. and Carlson, A. I. Cadmium sulfide infrared optical material, 0=2236
- Francis, A. B. and Jepsen, R. L. Interactions between ionizing discharges and getter films, 4=21202
- Francis, E. E. See Pimbley, W. T., 1=13098
- Francis, G. W. and Stoudenheimer, R. G. Phosphor efficiency at very low excitation current densities, 1=6237
- Francis, J. E. See McNally, J. R., Jr., 3=14556
- Francis, N. C., Goldman, D. T. and Guth, E. Photoneutron disintegration below the giant resonance: beryllium-9 and carbon-13, 1=673
- Francis, N. C., Storm, M. L. and Zweifel, P. F. Neutron age in diphenyl, 0=12979
- Francis, N. C. See Bohl, L. S., 0=13343
- Francis, N. C. See Goldman, D. T., 1=8693
- Francis, N. C. See Guth, E., 1=19440
- Francis, P. G. and Luckhurst, G. R. Joule-Thomson coefficients and the principle of corresponding states, 3=14211
- Francis, R. N. See Ashburn, E. V., 3=23650
- Francis, S. A. See Lassetre, E. N., 4=12394
- Francis, W. E., Green, M. I. and Dessler, A. J. Hydromagnetic propagation of sudden commencements of magnetic storms, 0=21312
- Francis, W. E. and Karplus, R. Hydromagnetic waves in the ionosphere, 1=15256
- Francis, W. E. See Dessler, A. J., 1=15348
- Francis, W. E. See Karplus, R., 3=9074
- Francis, W. E. See Rapp, D., 3=4026
- Franck, J. P. Specific heat of solid He⁴, 4=29825
- Franck, E. U., Savolainen, J. E. and Marshall, W. L. Electrical conductance cell assembly for use with aqueous solutions up to 800°C and 4000 bars, 2=4547
- Franck, E. U. See Hensel, F., 4=16124
- Franck, E. U. See Mangold, K., 2=17509
- Franck, E. U. See Tödeheide, K., 4=8508
- Franck, J. P. Beta-gamma phase transformation in solid He³, 2=7493
- Franck, J. P. Beta-gamma phase transformation in solid He³, 2=15842
- Franck, J. P., Manchester, F. D. and Martin, D. L. The specific heat of pure copper and of some dilute copper + iron alloys showing a minimum in the electrical resistance at low temperatures, 1=17413
- Franck, J. P. and Martin, D. L. The superconducting transition temperature of lead, 1=18717
- Franck, J. P. See Dugdale, J. S., 4=29816

- Franck, J.V., Hough, P.C.V. and Powell, B.W. Realisation of HPD systems at three laboratories, 3=24561
 Franck, L.A. See O'Brien, B.J., 2=17200
 Franck, R. See Lecomte, J., 4=1716
 Francken, J.C. and van der Waal, J. Residual gases in picture tubes, 1=18492
 Franco, H. See Seibel, G., 1=20785
 Franco, H. Measurement of transistor high-frequency current gain, 4=10085
 Franco, J.P. Modern methods of optical system control, 2=19685
 Franco, J.P. Modern methods for the control of optical systems. II. Methods using scanning, interference, measurement of wavefront aberrations, correlation, visual means etc., 3=244
 François, B. See Bel, A., 0=8464
 François, B. See Bel, A., 2=834
 François, G. See Siegman, A.E., 4=24899
 François, J. and Verriest, G. On acquired deficiency of colour vision, with special reference to its detection and classification, 2=22992
 François, P. See Julg, A., 2=22992
 Francombe, M.H. Structure-cell data and expansion coefficients of bismuth telluride, 0=4632
 Francombe, M.H. The relation between structure and ferroelectricity in lead barium and barium strontium niobates, 0=8217
 Francombe, M.H. Preparation and properties of sputtered films, 4=20798
 Francombe, M.H., Flood, J.J. and Turner, G.L'E. Single-crystal films of semiconductor compounds by cathodic sputtering, 4=4665
 Francombe, M.H. and Noreika, A.J. Some properties of uniaxial permalloy films prepared by cathodic sputtering, 1=6324
 Francombe, M.H. and Noreika, A.J. Magnetic anisotropy and structure of sputtered Permalloy films, 3=15819
 Francombe, M.H., Rudisill, J.E. and Coren, R.L. Faraday rotation and hysteresis properties of ferrite thin films, 3=15655
 Francombe, M.H. See Chopra, K.L., 3=15543
 Francombe, M.H. See Coren, R.L., 4=22879
 Francombe, M.H. See Noreika, A.J., 2=12660
 Françon, M. Interference microscopes based on polarization, 2=22054
 Françon, M. Polarization interference microscopes, 4=29744
 Françon, M. and Soulié, A. Improvement of the precision of the visual or photographic setting of two wave interference fringes, 4=11358
 Françon, M. and Yamamoto, T. New and very simple interference system suitable for a microscope, 3=3887
 Françon, M. See Cagnet, M., 3=257
 Françon, M. See Elias, C., 0=14824
 Françon, M. See Neves e Castro, M., 0=14805
 Franconi, C., Ogg, R.A., Jr. and Fraenkel, G. Nuclear magnetic resonance of amides, 1=12308
 Francz, I. See Hulubei, H., 4=9491
 Francz, J. See Hulubei, H., 4=1076
 Frandon, P. and Hoffmann, J.C. Variation, with applied alternating potential, of the capacitance of a biased junction, 4=17499
 Frandon, P. and Hoffman, J.C. Variation of effective capacity of a reverse-biased junction under the action of an alternating voltage, 4=28581
 Frandsen, W.H. See Langenecker, B., 3=6828
 Franeau, J., Grard, F. and Libert, R. The plateau slope of geiger counters with argon and ethyl alcohol, 0=11070
 Franeau, J. See Danguy, L., 1=9749
 Franeau, J. See Quivy, R., 1=13383
 Franeau, J. See Point, J.J., 4=25063
 Frank, A.G. See Grebenshikov, S.E., 2=1577
 Frank, A.G. See Raiser, M.D., 4=24646
 Frank, A.G. See Raizer, M.D., 4=11548
 Frank, A.L., Arakawa, E.T. and Birkhoff, R.D. Optical emission from irradiated foils, II, 2=14752
 Frank, D. Statistics of the localized and nonlocalized spin deviations in the spin wave theory, 2=6659
 Frank, D. and Meier, K. The statistics of spin-waves, 2=21305
 Frank, D. and Meier, K. The statistics of spin-waves, 3=11048
 Frank, D., Pfirsch, D. and Friess, S. Kinetic equations and multi-time-scale formalism in weak coupling theory, 4=11122
 Frank, F., Herziger, G. and Weber, H. The optimum reflectivity of a laser oscillator, 4=19291
 Frank, F. and Weber, H. Determination of the optimum reflectivity for a ruby laser, 4=27709
 Frank, F.C. X-ray diffraction spikes of diamond, 1=20525
 Frank, F.C. and Ives, M.B. Orientation-dependent dissolution of germanium, 0=21174
 Frank, F.C., Keller, A. and O'Connor, A. Observations on single crystals of an isotactic polyolefin: morphology and chain packing in poly-4-methyl-pentene-1, 0=16333
 Frank, F.C. and King, A.R. Observation by X-ray diffraction of dislocations in a diamond, 0=17929
 Frank, F.C. and Tosi, M. On the theory of polymer crystallization, 1=20425
 Frank, F.C. See Agar, A.W., 0=16340
 Frank, F.C. See Bassett, D.C., 0=4667
 Frank, F.C. See Bassett, D.C., 4=4517
 Frank, F.C. See Bassett, D.C., 4=4518
 Frank, F.C. See Bilby, B.A., 1=1406
 Frank, F.C. See Hirth, J.P., 0=551
 Frank, F.C. See Parasnis, A.S., 3=25280
 Frank, G.R., Jr., Robinson, D.L. and Thomas, G. Precipitation sites in aluminium alloys, 1=12650
 Frank, H. On the multiple scattering and back diffusion of fast electrons on passing through thick films, 0=275
 Frank, H. A four-electrode probe with mercury contacts for determining the resistivity of silicon [plates], 0=3707
 Frank, H. The influence of the extraction of minority charge carriers on the conductivity measurements on inhomogeneous semiconductor crystals, 3=2886
 Frank, H.S. Covalency in the hydrogen bond and the properties of water and ice, 0=8662
 Frank, H.S. and Quist, A.S. Pauling's model and the thermodynamic properties of water, 1=4326
 Frank, H.S. and Thompson, P.T. Fluctuations and the limit of validity of the Debye-Hückel theory, 0=938
 Frank, I.M. On the role of group velocity of light emitted in a refractive medium, 0=5125
 Frank, I.M. Optics of light sources moving in refractive media, 0=7326
 Frank, I.M. The critical velocity for emission of light in optically anisotropic media, 1=4424
 Frank, I.M. Transition radiation and the Cherenkov effect, 3=17239
 Frank, I.M. See Benetskiĭ, B.A., 3=24944
 Frank, I.M. See Levshin, V.L., 3=16479
 Frank, L.A. Efficiency of a Geiger-Müller tube for non-penetrating electrons, 2=16086
 Frank, L.A. and Van Allen, J.A. Intensity of electrons in the earth's inner radiation zone, 3=13814
 Frank, L.A., Van Allen, J.A. and Hills, H.K. Mariner II: preliminary reports on measurements of Venus: charged particles, 3=18616
 Frank, L.A., Van Allen, J.A. and Macagno, E. Charged-particle observations in the earth's outer magnetosphere, 4=2246
 Frank, L.A., Van Allen, J.A., Whelpley, W.A. and Craven, J.D. Absolute intensities of geomagnetically trapped particles with Explorer 14, 3=13816
 Frank, L.A. See O'Brien, B.J., 2=11087
 Frank, L.A. See Pieper, G.F., 3=16287
 Frank, L.A. See Rosser, W.G.V., 3=9115
 Frank, L.A. See Van Allen, J.A., 0=12189
 Frank, L.A. See Van Allen, J.A., 3=11616
 Frank, L.A. See Van Allen, J.A., 3=13809
 Frank, M. Automatic γ -ray spectrometer, 0=1264
 Frank, M. and Herforth, L. Beta and gamma-ray dosimetry using the ultrasonic rays from irradiated crystals phosphors, 2=1631
 Frank, M. See Herforth, L., 3=17116
 Frank, P.J. See Anderson, D.H., 0=4218
 Frank, R.B. Liquid scintillation counter design parameters, 2=17996
 Frank, R.C. Some observations regarding the present status of measurements of the diffusion coefficients of hydrogen in iron and mild steel, 0=11641
 Frank, R.C., Swets, D.E. and Lee, R.W. Diffusion of neon isotopes in fused quartz, 1=17558
 Frank, R.C. and Thomas, J.E., Jr. Germanium crystals grown from hollow cylindrical seeds, 0=18311
 Frank, R.C. and Thomas, J.E., Jr. The diffusion of hydrogen in single-crystal germanium, 1=7597
 Frank, R.C. See Lee, R.W., 2=6366
 Frank, R.C. See Swets, D.E., 1=3685
 Frank, R.C. See Swets, D.E., 1=11783
 Frank, S.G.F. See Chen, K.W., 4=9172
 Frank, S.G.F. See Edwards, D.N., 0=3991
 Frank, V. Energy moment method applied to nuclear quadrupole splitting of nuclear magnetic resonance lines, 2=16936

- Frank, V. On the penetration of a static homogeneous field in an anisotropic medium into an ellipsoidal inclusion consisting of another anisotropic medium, 4=3100
- Frank, V.R. See Bean, B.R., 4=3182
- Frank, W. and Trigg, G.L. Momentum and conservation laws in Newtonian and canonical formalisms, 0=4923
- Frank, W.M. Chew-Low formalism for two nucleon-meson systems, 2=7851
- Frank, W.M. Convergence of perturbation expansions in cutoff meson theories, 2=9789
- Frank, W.M. Convergence of Yukawa theories with a finite number of interacting boson modes, 4=11925
- Frank, W.M., Goldberg, I. and Rockmore, R.M. Determination of (Σ , K) relative parity, 0=7418
- Frank, W.M., Hellman, W.S. and Mullen, G.H. The almost conserved current hypothesis and pseudo-scalar meson theory, 3=7795
- Frank, W.M. and Licht, A.L. The nature of perturbation expansion in regularized field theories, 4=21726
- Frank, W.M. and Padgett, D.W. Exchange magnetic moment in three body nuclei, 4=15050
- Frank, W.M. and Spriggs, T.E. Multiple scattering of low energy pions in deuterium, 2=13858
- Frank, W.M. and Tubis, A. Integral equation for static nuclear potential, 2=7852
- Frank, W.M. See Bialynicki-Birula, I., 2=3260
- Frank, W.M. See Bialynicki-Birula, I., 2=9790
- Frank, W.M. See Coury, F.M., 4=3521
- Frank, W.M. See Fried, Z., 3=7302
- Frank-Kamenetskii, A.D. Application of Monte-Carlo method to reactor multi-group calculations, 4=17215
- Frank-Kamenetskii, A.D. Use of Monte-Carlo method for solution of the transport equation, 4=19528
- Frank-Kamenetskii, D.A. Magnetic sound in a three-component plasma, 0=19694
- Frank-Kamenetskii, D.A. Magneto-acoustic resonance in a plasma, 0=19695
- Frank-Kamenetskii, D.A. The origin of the chemical elements, 1=4211
- Frank-Kamenetskii, D.A. Free oscillations of a bounded plasma, 1=4621
- Frank-Kamenetskii, D.A. Magnetic sound in a three-component plasma, 1=4627
- Frank-Kamenetskii, D.A. Magneto-acoustic resonance in a plasma, 1=4629
- Frank-Kamenetskii, D.A. (p, n) and (p, 2n) reactions and the origin of bypassed nuclei, 2=446
- Frank-Kamenetskii, D.A. Kinetics of "neutronization" at super-high densities, 2=13976
- Frank-Kamenetskii, D.A. The multiple formation of nucleon pairs and supernova outbursts, 2=15375
- Frank-Kamenetskii, D.A. The multiple formation of nucleon pairs and supernova outbursts, 2=19331
- Frank-Kamenetskii, D.A. Multiple production of nucleon pairs by thermal photons in the open cosmological model, 2=20333
- Frank-Kamenetskii, D.A. Multiple production of nucleon pairs by thermal photons in the open cosmological model, 2=22500
- Frank-Kamenetskii, D.A. Kinetics of "neutronization" at super-high densities, 3=6149
- Frank-Kamenetskii, D.A. Radiative transfer in the continuous spectrum in the absence of thermal equilibrium, 3=14562
- Frank-Kamenetskii, D.A. Plasma phenomena and supernovae outbursts, 4=2367
- Frank-Kamenetskii, D.A. See Akhmatov, A.P., 1=4628
- Frank-Kamenetskii, D.A. See Bartov, A.V., 1=18859
- Frank-Kamenetskii, D.A. See Bartov, A.V., 2=22222
- Frank-Kamenetskii, D.A. See Bartov, A.V., 4=8778
- Frank-Kamenetskii, D.A. See Borodin, A.V., 1=18886
- Frank-Kamenetskii, D.A. See Borodin, A.V., 2=22223
- Frank-Kamenetzky, D.A. See Borodin, A.V., 3=21831
- Frank-Kamenetskii, D.A. See Demidov, V.D., 3=14612
- Frank-Kamenetskii, D.A. See Demidov, V.P., 3=24327
- Frank-Kamenetskii, D.A. See Demidov, V.P., 4=8718
- Frank-Kamenetskii, D.A. See Demidov, V.P., 4=11629
- Frank-Kamenetsky, D.A. See Kolesnik, I.G., 4=13892
- Frank-Kamenetskii, D.A. See Kovan, I.A., 2=19953
- Frank-Kamenetskii, D.A. See Kovan, I.A., 3=7544
- Frank-Kamenetskii, D.A. See Kuznetsova, T.D., 2=19932
- Frank-Kamenetskii, D.A. See Nadezhin, D.K., 3=9229
- Frank-Kamenetskii, D.A. See Patrushev, B.I., 1=18905
- Frank-Kamenetskii, D.A. See Rusanov, V.D., 1=18858
- Frank-Kamenetskii, D.A. See Sedunov, B.I., 4=13980
- Frank-Kamenetskii, D.A. See Zavoiskii, E.K., 2=3063
- Frank-Kamenetskii, V.A. Manifestation of microisomorphism in quartz, 1=15084
- Frank-Kamenetskii, V.A. and Shafronovskii, I.I. The law of crystallographic limits and the principle of closest packing, 3=13427
- Frank-Kamenetskii, V.A. See Afanas'eva, N.A., 0=14021
- Frank-Kamenetskii, V.A. See Komkov, A.I., 0=13998
- Franke, F. Approximate calculation of roots by ratios of polynomials, 1=7967
- Franke, F. Ray-tracing through a lens system by means of line coordinates, 1=8213
- Franke, G. Contrast transmission function and image quality, 0=19365
- Franke, G. Resolving power and image quality, 1=9494
- Franke, G. Critical discussion of the contrast transmission function, 1=18562
- Franke, G. and Huster, E. Propagation of the discharge in self-discharging counter tubes. III, 2=17983
- Franke, H. See Böttger, O., 4=16589
- Franke, H.G. A simple cylindrical wire-grid, 4=23995
- Franke, H.G. and Krafft, O. An easily exchangeable lead-in electrode used in high vacuum technique, 3=23952
- Franke, K.H. See Broser, I., 3=11371
- Franke, K.H. See Gobrecht, H., 2=9492
- Franke, V.A. Application of the Mandelstam method to the computation of scattering amplitudes with anomalous singularities, 1=16712
- Franke, V.A. See Kuni, F.M., 4=30192
- Franke, W. The time dependence of the light emission from a gas discharge, 0=2330
- Franke, W. See Kohler, V.K., 4=30843
- Frankel, S., Frati, W., Halpern, J., Holloway, L., Wales, W., Betz, F.W. and Chamberlain, O. Search for $\mu \rightarrow e + e + e$ 3=310134
- Frankel, S., Frati, W., Halpern, J., Holloway, L., Wales, W. and Chamberlain, O. A search for the decay $\mu \rightarrow e + \gamma$, 3=7876
- Frankel, S., Hagopian, V., Halpern, J. and Whetstone, A.L. Further search for the decay $\mu^+ \rightarrow e^+ + \gamma$, 0=9389
- Frankel, S., Halpern, J., Holloway, L., Wales, W., Yearlian, M., Chamberlain, O., Lemonick, A. and Pipkin, F.M. New limits on the $e + \gamma$ decay mode of the muon, 2=13831
- Frankel, S. See Caspari, M.E., 0=11883
- Frankel, S. See Caspari, M.E., 1=9039
- Frankel, S. See Caspari, M.E., 2=12647
- Frankel, S. See Caspari, M.E., 2=20908
- Frankel, S.P. and Mysels, K.G. "Dimpling" during the approach of two interfaces, 2=9252
- Franken, A.J.J. See Verster, N.F., 3=5740
- Franken, B. and van den Berg, G.J. The Hall effect of Cu and Ag and of some of their diluted alloys at low temperatures, 1=7622
- Franken, B. See van den Berg, G.J., 0=1611
- Franken, P. See Liebes, S., Jr., 0=2537
- Franken, P.A. Input impedances of simple cylindrical structures, 0=6851
- Franken, P.A. Interference effects in the resonance fluorescence of "crossed" excited atomic states, 1=2285
- Franken, P.A. Generation of sound in cavities by flow rate changes, 1=12937
- Franken, P.A. Comments on "base pressure fluctuations", 1=12952
- Franken, P.A. Sound-induced vibrations of cylindrical vehicles, 2=9335
- Franken, P.A. On transonic pressure fluctuations, 3=23923
- Franken, P.A., Hill, A.E., Peters, C.W. and Weinreich, G. Generation of optical harmonics, 1=18556
- Franken, P.A. and Ward, J.F. Optical harmonics and non-linear phenomena, 3=21505
- Franken, P.A. See Bass, M., 2=9388
- Franken, P.A. See Bass, M., 3=5537
- Franken, P.A. See Bies, D.A., 1=6931
- Franken, P.A. See Bies, D.A., 1=12955
- Franken, P.A. See Boyne, H.S., 1=10886
- Franken, P.A. See Colegrove, F.D., 0=2732
- Franken, P.A. See Colegrove, F.D., 0=13415
- Franken, P.A. See Ward, J.F., 4=10185
- Frankena, H.J. Transient phenomena associated with Sommerfeld's horizontal dipole problem, 1=16548
- Frankena, H.J. See de Hoop, A.T., 1=16549
- Frankenfeld, K. See Becker, G.W., 1=9354
- Frankevich, D.P. See Gladyshevskii, E.I., 4=23421
- Frankevich, E.L. and Tal'roze, V.L. Thermostimulated e.m.f. appearing in irradiated hydrocarbons under a temperature gradient, 1=17642

- Frankevich, E.L. See Balabanov, E.I., 1=3728
 Frankevich, E.L. See Tal'roze, V.L., 4=16563
 Frankiss, S. See Ebsworth, E.A.V., 4=17315
 Frankl, D.R. Effects of copper on fast surface states of etched germanium, 2=10469
 Frankl, D.R. Hysteresis in the large-signal field effect in semiconductor surfaces, 2=18667
 Frankl, D.R. See Greene, R.F., 0=9955
 Frankl, D.R. See Levinger, B., 0=17917
 Frankl, D.R. See Levinger, B.W., 2=2147
 Frankl, D.R. Surface space-charge calculations for semiconductors, 0=18006
 Frankl, D.R. Surface states due to copper on germanium, 3=6585
 Frankl, D.R. Power and efficiency considerations in continuous laser operation, 3=12349
 Frankl, D.R. Electron extinction distance in silicon, 4=7644
 Frankl, D.R. Transmission electron microscopy of cleaved silicon, 4=7676
 Frankl', F.I. Potential steady relativistic gas flows, 0=94
 Frankl', F.I. A possible set of [simultaneous] equations in the relativistic dynamics of gases, taking into account emission and absorption of light, 0=953
 Frankl', F.I. The existence of a weak solution of the direct problem in the theory of sonic flow past a profile in the first approximation, 1=2776
 Franklin, A. See Berkelman, K., 3=7914
 Franklin, A.D. Relaxation modes for trapped crystal point defects, 3=25267
 Franklin, A.R. and Newman, R. Shaped electroluminescent GaAs diodes, 4=15548
 Franklin, C.A. See Tyas, J.P.I., 0=4847
 Franklin, C.A. See Molozzi, A.R., 1=15570
 Franklin, E.W. and Lang, S.M. A high-temperature X-ray diffractometer furnace utilizing high-frequency heating, 4=10514
 Franklin, F.A. See Cook, A.F., 4=13920
 Franklin, J., King, R.C. and Tuan, S.F. Possible theoretical interpretations of the excited hyperons, 2=1724
 Franklin, J. and Tuan, S.F. Σ^* and Σ^+ in strong interactions, 1=13522
 Franklin, J.L. See Dahler, J.S., 2=16569
 Franklin, J.L. See Munson, M.S.B., 3=3387
 Franklin, J.L. See Munson, M.S.B., 4=452
 Franklin, R.G. and Birk, D.L. A study of natural electromagnetic phenomena for space navigation, 0=12690
 Franklin, R.N. Space-charge neutralization and thermionic emission, 1=5499
 Franklin, R.N. The plasma-sheath boundary at low pressures, 2=13558
 Franklin, R.N. Number density distributions at low pressures, 4=18701
 Franklin, R.N. Radio reflections from meteor trails, 4=20938
 Franklin, R.N. See Bryant, G.H., 3=9790
 Franklin, R.N. See Bryant, G.H., 3=9791
 Franklin, R.N. See Robinson, F.N.H., 1=11971
 Franklin, R.N. See von Engel, A., 1=18828
 Franklin, W.M. and Wagner, J.B., Jr. Dislocations and glide in lead sulfide as a function of deviations from stoichiometry and doping additions, 3=25266
 Frankowski, K. See Pekeris, C.L., 3=5466
 Frankowski, W. Methods of choosing the characteristics of a materials testing reactor, 1=760
 Frankowski, W. "Anna" the critical assembly of the second Polish experimental reactor, 3=691
 Frankowski, W. "Anna": The critical assembly of the second Polish experimental reactor, 3=25013
 Frankowski, W., Kmiolek, E., Mika, J., Strupczewski, A. and Zmysłowski, A. Determination of the geometry of technological channels for the second Polish research reactor, 2=3652
 Franks, A. Analysis of the lighter elements by total reflexion of their characteristic X-ray lengths, 0=8344
 Franks, A. Symposium on the electron probe X-ray microanalyser, 2=23925
 Franks, A. Electron probe microanalysis of the light elements, 4=23689
 Franks, A. Optical techniques applied to the study of X-ray wavelengths, 4=27597
 Franks, A. and Hale, K.F. Optical demonstration of Bragg's law, 2=7403
 Franks, A. and Revell, R.S.M. (Conf. rep.). Summarized proceedings of a conference on precipitation in alloys and on metal structures — London, November 1958, 0=4678
 Franks, J. and Keating, P.N. The measurements of defect states in CdS, 2=8207
 Franks, J. See Marshall, R., 4=7192
 Franks, J. See Presland, M.J., 4=15618
 Franks, J. See Presland, M.J., 4=26250
 Franks, L.A. Effects of simultaneous heating and gamma radiation on a lead flint glass, 4=22861
 Franse, J.J.M. See Veerman, J., 3=20581
 Franshevitch, I.N. and Lavrenko, V.A. Recombination of hydrogen atoms on the surface of platinum, 3=20987
 Franssen, M.V. The mechanism of the human voice and wind instruments, 4=10944
 Franssen, P.J.M. See van Loef, J.J., 4=12591
 Franta, E. See Benoit, H., 4=5179
 Frants, I. See Khulubei, Kh., 2=16403
 Frants, I. See Khulubei, Kh., 3=6240
 Frants, Zh. See Hulubei, H., 4=9489
 Frantschi, S.C. See Chew, G.F., 1=4765
 Frantesson, A.V. See Atsarkin, V.A., 3=15939
 Frantesson, A.V. See Atsarkin, V.A., 3=21992
 Frantsevich, I.N., Kalinovich, D.F., Kovensky, I.I. and Smolin, M.D. Some quantitative relationships of the process of donor-acceptor interaction in metallic alloys, 0=732
 Frantsevich, I.N., Kalinovich, D.F., Kovenskii, I.I. and Smolin, M.D. Relative and total transport of matter in metals under the action of a constant electric field, 3=20235
 Frantsevich, I.N., Kalinovich, D.F., Kovenskii, I.I. and Smolin, M.D. Determination of the degree of ionization of components of a molybdenum-tungsten alloy, 3=20237
 Frantsevich, I.N., Kalinovich, D.F., Kovensky, I.I. and Smolin, M.D. Study of the diffusion of the components of a molybdenum-tungsten alloy over a wide temperature range, 4=6875
 Frantsevich, I.N. and Shiyonovskaya, I.E. Investigation of the fine structure of deformed rhenium, 2=15109
 Frantsevich, I.N. and Shiyonovskaya, I.E. Investigation of the fine structure of deformed rhenium, 2=16664
 Frantsevich, I.N., Shiyonovskaya, I.E. and Lavrenko, V.A. Work-hardening and recovery of high purity-tungsten and molybdenum [deformed] under the conditions of non-uniform triaxial compression, 1=1334
 Frantsevich, I.N. See Kalinovich, D.F., 1=7596
 Frantsevich, I.N. See Kalinovich, D.F., 2=6372
 Frantsevich, I.N. See Lavrenko, V.A., 4=13721
 Frantsevich, I.N. See Smolin, M.D., 1=4882
 Frantsevich, I.N. See Smolin, M.D., 1=11222
 Frantsevich, I.N. See Smolin, M.D., 2=10407
 Frantsevich, V.M. and Fridman, L.A. An instrument for rapid determination of static hysteresis loops, 4=26294
 Frantsevich, V.M. See Fridman, L.A., 4=11741
 Frantsevych, I.N., Kalynovych, D.F., Kovens'kii, I.I. and Pen'kov's'kii, V.V. The migration of solid-metal solution components in a direct-current field. I, 1=12655
 Frantsevych, I.N., Kalynovych, D.F., Kovens'kii, I.I. and Pen'kov's'kii, V.V. The migration of solid metal solution components in a direct-current field. II, 1=12656
 Frantsevych, I.N., Kalynovych, D.F., Kovens'kii, I.I. and Pen'kov's'kii, V.V. The migration of solid metal solution components in a direct current field. III, 1=12657
 Frantsuzov, A.A. The magnetic properties of brass, 3=18061
 Frantsuzov, A.A. See Mamyrin, B.A., 3=4221
 Frantz, F.S., Jr and Wyckoff, H.O. Attenuation of scattered cesium-137 gamma rays, 0=3946
 Frantz, F.S., Jr. See Palowitch, B.L., 3=12688
 Frantz, F.S. See Volpe, J.J., 0=13344
 Franz, J. See Hulubei, H., 2=5903
 Frantz, J. See Hulubei, H., 2=14092
 Frantz, L.M. and Mills, R.L. Many-body basis for the optical model, 0=5645
 Frantz, L.M. and Nodvik, J.S. Theory of pulse propagation in a laser amplifier, 3=23053
 Frantz, L.M. Dynamics of the giant pulse Laser, 4=14929
 Frantz, L.M. High-intensity quantum electrodynamics. I. Intensity dependences for Feynman diagrams, 4=21736
 Frantzevich, I.N. See Lavrenko, V.A., 3=25780
 Franyuk, V.A. See Galenko, P.P., 4=28460
 Franz, A. Concentration of electron beams of low potential and high current density using an electric field in helium, 0=270
 Franz, F.A. High-intensity cesium lamp for optical pumping, 3=16761
 Franz, F.A., Luscher, E. and Smith, D.W. Pressure-shift of the atomic nitrogen hyperfine structure, 3=19941
 Franz, F.A. and Luscher, E. Spin relaxation of optically pumped caesium, 4=6498

- Franz, F. A. and Lüscher, E. Spin relaxation of optically pumped cesium, 4=25537
- Franz, G. and Teepe, W. Contribution to the photoelastic investigation of shells, 1=11722
- Franz, J. See Hulubei, H., 3=6233
- Fränzl, K. and Mann, P. A. The conductance of dipoles of arbitrary size and shape, 0=5416
- Fränzl, K. and Müller, K. L. Dependence of line widths of scintillation counters with NaI(Tl)-crystals on integration time constant, 3=14822
- Fränzl, K. and Riedl, A. Analytical extension of the aerial impedances $Z(\nu + j\omega)$ from the imaginary axis into the positive half-plane $\nu > 0$, 2=20155
- Franz, O. G. See Lenham, A. P., 1=4208
- Franz, W. Integral equations for the determination of the mobility in semiconductors, 0=11671
- Franz, W. Effective density of states in the tunnel effect, 1=10646
- Franz, W. Influence of an electric field on an optical band edge, 1=17880
- Franz, W. Calculation of the mobility of hot electrons in many-valley semiconductors by means of iterative quadratures. I. Description of the iteration procedure, in particular for germanium, 2=2140
- Franz, W. Non-observation of Stark ladders with Zener emission, 2=4051
- Franz, W. Calculation of mobility of multi-valley semiconductors in medium fields, 3=845
- Franz, W. Calculation of the mobility of hot electrons in many-valley semiconductors by means of iterative quadratures. II. Following through the calculation for germanium, 3=22926
- Franzak, E. and Bailyn, M. Multiphonon processes occurring in first-order perturbation theory, 2=16676
- Franzen, J. The acceleration of positive and negative ions in the alternating field of a high frequency vacuum arc after Dempster, 4=24624
- Franzen, J. and Hebeda, E. The Schwartzschild index of Ilford Q plates for ions of medium mass, 2=19734
- Franzen, J. and Hintenberger, H. Polyatomic molecular ions in the high frequency spark between electrodes of the elements Be, C, Mg, Al, Ti, Fe and Cu, 2=9533
- Franzen, J. and Hintenberger, H. The generation of ions in a vacuum-high frequency spark, 4=607
- Franzen, J. See Hintenberger, H., 4=16447
- Franzen, J. See Schuy, K. D., 4=20842
- Franzen, V. See Hausser, K. H., 4=12514
- Franzen, W. Spin relaxation of optically aligned rubidium vapor, 0=482
- Franzen, W. Generation of uniform magnetic fields by means of air-core coils, 2=20097
- Franzen, W. Nonisothermal superconducting bolometer: theory of operation, 3=11997
- Franzen, W. and Alam, M. Magnetic resonance of coupled spins, 4=11812
- Franzinetti, C. See Bartke, J., 1=8515
- Franzinetti, C. See Bartke, J., 2=13883
- Franzinetti, C. See Bartke, J., 3=22206
- Franzinetti, C. See Brautti, G., 1=9758
- Franzini, P. Tunnel diode nanosecond coincidence circuit, 2=1365
- Franzini, P. and Gaillard, J. M. Recoil proton polarization in π -p elastic scattering at 600 MeV, 1=6763
- Franzini, P. and Zanello, D. On the validity of the $|\Delta I| = \frac{1}{2}$ selection rule in Σ -decay, 3=22212
- Franzini, P. and Radicati, L. A. On the validity of the super-multiplet model, 4=3529
- Franzini, P. and Steinberger, J. Lepton decay of a Σ^- hyperon, 1=8512
- Franzini, P. See Bardon, M., 2=13833
- Franzini, P. See Bertanza, L., 0=11214
- Franzini, P. See Bertanza, L., 1=5765
- Franzini, P. See Bertanza, L., 1=7265
- Franzini, P. See Bertanza, L., 1=19075
- Franzini, P. See Brandon, M., 1=12093
- Franzini, P. See Cabibbo, N., 3=7932
- Franzini, P. See Courant, H., 3=17343
- Franzini, P. See Eisler, F., 1=16889
- Franzini, P. See Kirsch, L., 4=30269
- Franzosini, P. Construction of an apparatus for molar heat measurements of solids: the atomic heat of gold between 70 and 273°K, 3=21607
- Franzosini, P. Miscibility gaps in binary systems of carbon disulphide and aliphatic primary alcohols, 3=23875
- Franzosini, P. and Clusius, K. Results of low temperature investigations. XLI. Atomic heat and entropy of gold between 12°K and 273°K, 4=17364
- Franzosini, P. and Sinistri, C. Heat and entropy of fusion of lithium, sodium and potassium nitrates, 3=21617
- Franzosini, P. and Sinistri, C. Thermodynamic properties of mixing of fused salt binary systems. II. Liquidus curves of the systems (Na + Tl)NO₃, (K + Ag)NO₃, (Ag + Tl)NO₃, and (Li, Na, K, Ag, Tl + 1/2pB)NO₃, 3=21619
- Franzosini, P. See Clusius, K., 0=1561
- Franzosini, P. See Clusius, K., 0=20752
- Franzosini, P. See Sinistri, C., 3=21618
- Franzosini, P. See Sinistri, C., 3=21620
- Frapard, C. See Laures, P., 4=30084
- Frasco, D. L. Infrared spectra of ammonium carbamate and deuteroammonium carbamate, 4=30675
- Fraser, B. J. Geomagnetic micropulsations from the high altitude nuclear explosion above Johnston Island, 3=23647
- Fraser, B. J. See Ellyett, C. D., 4=10773
- Fraser, D. A. The resistance of a plasma for a thermionic converter, 3=4155
- Fraser, D. A. and Isaacs, G. G. Thermionic generators, 2=11601
- Fraser, D. B. and LeCraw, R. C. Novel method of measuring elastic and anelastic properties of solids, 4=28911
- Fraser, D. M. See Bradford, H. M., 0=253
- Fraser, E. C. See Pasternak, R. A., 3=7379
- Fraser, J. C. See Duncan, G. I., 0=14987
- Fraser, J. S. and Milton, J. C. D. Automatic-recording apparatus for fission-fragment time-of-flight measurements, 0=17629
- Fraser, J. S., Milton, J. C. D., Bowman, H. R. and Thompson, S. G. Precise kinetic energy measurements and fine structure in the spontaneous fission of C²⁵², 4=6389
- Fraser, J. S. and Schwartz, R. B. Spins of neutron resonances in Pu²³⁹ from scattering measurements, 2=7992
- Fraser, J. S. See Milton, J. C. D., 1=12232
- Fraser, J. S. See Milton, J. C. D., 3=4677
- Fraser, J. S. See Milton, J. C. D., 3=17503
- Fraser, J. T. Some consequences of a linear vector theory of inertial fields, 2=4928
- Fraser, M. Apparatus for the rapid measurement of Seebeck coefficient, 2=11610
- Fraser, M. C., Last, G. A. and Bush, S. H. Dimensional stability of uranium-chromium alloys, 0=14070
- Fraser, M. J. Method for measuring the free energy of a solid surface, 1=6559
- Fraser, M. J., Gold, R. E. and Mullins, W. W. Grain boundary mobility in bismuth, 2=4399
- Fraser, M. J. and Weart, H. W. Apparatus for measuring dew points below -86° C, 1=5380
- Fraser, P. A. The scattering of low-energy orthopositronium by hydrogen atoms, 1=13403
- Fraser, P. A. The scattering of low-energy ortho-positronium by helium atoms, 2=9829
- Fraser, P. A. See Doughty, N. A., 4=25482
- Fraser, P. A. See McEachran, R. P., 0=7335
- Fraser, P. A. See McEachran, R. P., 4=6503
- Fraser, P. A. See Nicholls, R. W., 0=11518
- Fraser, P. A. See Smith, K., 2=3713
- Fraser, R. D. B., MacRae, T. P. and Miller, A. The Fourier transform of an assembly of helices, 4=23232
- Fraser, R. P. and Dombrowski, N. The selection of a photographic technique for the study of movement, 2=15764
- Fraser, R. S. Apparent contrast of objects on the earth's surface as seen from above the earth's atmosphere, 4=17892
- Fraser, R. S. Computed intensity and polarization of light scattered outwards from the earth and an overlying aerosol, 4=17893
- Fraser, V. M. See Peabody, C. O., 3=17118
- Frassetto, R. See Lomask, M., 0=14755
- Frasson, E., Grubisich, C. and Panattoni, C. Automation of crystallographic computing: Programmes for electronic computers Elea 9000, 2=10855
- Frasson, E., Panattoni, C. and Zannetti, R. X-ray studies on the metal complexes with the glyoximes. II. Structure of the Pt-dimethyl-glyoxime, 0=3252
- Frasson, E. See Panattoni, C., 1=10246
- Frasson, E. See Panattoni, C., 2=10854
- Frasson, E. See Panattoni, C., 3=3294
- Frasson, E. See Panattoni, C., 3=13445
- Frasson, E. See Panattoni, C., 4=2050
- Frater, R. H. Accurate wideband multiplier-square-law detector, 4=23935
- Frati, W. and Rainwater, J. μ -mesonic atom studies of Ti, Fe, Cu, Zn, Tl, Pb, and Bi, 3=6370

- Frati, W. See Frankel, S., 3=7876
 Frati, W. See Frankel, S., 3=10134
 Fratiello, A. and Douglass, D. C. N.M.R. shift and diffusion study of electrolytes in 50% dioxane-water mixtures, 4=203
 Fratiello, A. and Douglass, D. C. Nuclear magnetic resonance study of solid perfluorocyclohexane, 4=30743
 Fratiello, A. See Douglass, D. C., 4=8888
 Fratkina, G. P. See Chulanovskii, V. M., 4=4697
 Frattali, S. D. See Clinton, W. L., 4=6548
 Fraude, A. Theoretical study of the reactivity measurement of a reactor with a reflector using a pulsed neutron source, 2=14168
 Fraude, A. Solution of the kinetic equations for periodic reactivity variations, 4=1131
 Fraude, A. Influence of a prompt negative temperature coefficient on the behaviour of a fast reactor after a reactivity step, 4=12315
 Frauenfelder, H. Electron and photon polarization, 1=8447
 Frauenfelder, H., Cochran, D. R. F., Nagle, D. E. and Taylor, R. D. Internal conversion from resonance absorption, 1=8569
 Frauenfelder, H., Nagle, D. E., Taylor, R. D., Cochran, D. R. F. and Visscher, W. M. Elliptical polarization of Fe^{57} gamma rays, 2=12125
 Frauenfelder, H. See Backenstoss, G. K., 0=15337
 Frauenfelder, H. See Blake, B., 2=22773
 Frauenfelder, H. See DePasquale, G., 0=7465
 Frauenfelder, H. See Lewis, H. R., 0=5232
 Frauenfelder, H. See Margulies, S., 3=12566
 Frauenfelder, H. See Nagle, D. E., 1=1210
 Frauenfelder, H. See Pipkorn, D. N., 4=28327
 Frauenfelder, H. See Sherwin, C. W., 0=10569
 Frauenfelder, H. See Ullman, J. D., 1=7225
 Frauenfelder, R., Heer, W. and Heinrich, F. Nuclear resonance fluorescence of V^{51} and Cd^{111} , 2=7955
 Fraunberger, F. On a proposal for the measurement of phase changes at high pressures, 0=1926
 Fraunberger, F. A new method for determining the Curie point, 3=23152
 Fraunberger, F. Alternating field permeability [measurements] at high frequencies as a means of solving magnetic and metallurgical problems, 4=22943
 Fraunberger, F. and Klockenkämper, R. Dependence of homogenization rate on the surface condition of the grains in the sintering of nickel-copper mixtures, 4=10593
 Frautschi, S. C. Some feasible tests of quantum electrodynamics at small distances, 0=11077
 Frautschi, S. C. Nucleon-antinucleon annihilation products, 0=17327
 Frautschi, S. C. Sensitivity of low-energy pion-nucleon scattering to a pion-pion resonance, 0=17387
 Frautschi, S. C. A lower limit on the π^0 lifetime, 0=20182
 Frautschi, S. C. Inconsistency among the properties of renormalizability, analyticity, and regularity at zero charge, 0=20027
 Frautschi, S. C. Strong damping of large momentum transfers, and its consequences for high-energy inelastic processes, 3=14897
 Frautschi, S. C. Broken symmetry and resonance poles, 4=15006
 Frautschi, S. C. Regge poles and S-matrix theory, 4=15030
 Frautschi, S. C., Gell-Mann, M. and Zachariasen, F. Experimental consequences of the hypothesis of Regge poles, 2=16165
 Frautschi, S. C., Kaus, P. E. and Zachariasen, F. Method for the self-consistent determination of Regge pole parameters, 4=11949
 Frautschi, S. C. and Walecka, J. D. Pion-nucleon scattering in the Mandelstam representation, 0=20198
 Frautschi, S. C. See Bahcall, J. N., 4=26962
 Frautschi, S. C. See Chew, G. F., 1=12054
 Frautschi, S. C. See Chew, G. F., 1=16702
 Frautschi, S. C. See Chew, G. F., 2=3270
 Frautschi, S. C. See Chew, G. F., 2=7816
 Frautschi, S. C. See Chew, G. F., 2=11991
 Frautschi, S. C. See Contogouris, A. P., 3=5952
 Frautschi, S. C. See Dashen, R. F., 4=27797
 Frautschi, S. C. See Yennie, D. R., 1=12044
 Frawley, J. J. See Wolff, G. A., 4=10460
 Fray, A. F. and Nielsen, S. Clean glass substrates for permalloy films, 1=20672
 Fray, S. J., Goodwin, A. R., Johnson, F. A. and Quarrington, J. E. An absolute method of determining transmission and reflection coefficients, 3=18961
 Fray, S. J., Johnson, F. A. and Jones, R. H. Lattice absorption bands in indium antimonide, 1=1159
 Fray, S. J., Johnson, F. A., Quarrington, J. E. and Williams, N. The optical absorption of gallium arsenide in the reststrahlen band, 1=6212
 Fray, S. J. See Cochran, W., 1=17898
 Fray, S. J. See Johnson, F. A., 2=23572
 Frayne, P. G. See Folkierski, A., 3=12170
 Frayse, G. and Prosdociimi, A. Measurement of fission cross-sections for Pu^{239} , 4=17209
 Frazer, B. C. Neutron diffraction studies of ferroelectrics, 3=899
 Frazer, B. C. and Brown, P. J. Antiferromagnetic structure of $CrVO_3$ and the anhydrous sulfates of divalent Fe, Ni, and Co, 2=6679
 Frazer, B. C. and Ueda, R. The disordered structure of $NaNO_2$ at 185°C, 2=10894
 Frazer, B. C. See Almodovar, I., 4=29102
 Frazer, B. C. See Boutin, H., 4=7050
 Frazer, B. C. See Brown, P. J., 3=8695
 Frazer, B. C. See Kay, M. I., 3=1336
 Frazer, B. C. See Kay, M. I., 4=10533
 Frazer, B. C. See Langdon, F., 0=3196
 Frazer, B. C. See Takei, W. J., 0=11850
 Frazer, J. W. See Catalano, E., 3=15346
 Frazer, W. R. Proposal for determining the electromagnetic form factor of the pion, 0=1293
 Frazer, W. R. Applications of conformal mapping to the phenomenological representation of scattering amplitudes, 1=13331
 Frazer, W. R. Some experimental consequences of Regge poles, 3=17213
 Frazer, W. R. and Fulco, J. R. Effect of a pion-pion scattering resonance on nucleon structure. II, 0=7341
 Frazer, W. R. and Fulco, J. R. Partial-wave dispersion relations for the process $\pi + \pi \rightarrow N + N$, 0=7404
 Frazer, W. R. and Fulco, J. R. Partial-wave dispersion relations for pion-nucleon scattering, 0=15404
 Frazer, W. R. and Hendry, A. W. S-matrix poles close to threshold, 4=21802
 Frazer, W. R., Patil, S. H. and Nguyen-Huu Xuong. Are the f^0 and B mesons two decay modes of the same particle?, 4=16957
 Frazer, W. R., Patil, S. and Watson, H. L. Relation between the width of the omega and the reaction $\pi + \pi \rightarrow \pi + \omega$, 4=6127
 Frazer, W. R. and Wong, D. Y. Width of three-pion resonances, 3=2312
 Frazer, W. R. See Ball, J. S., 1=16864
 Frazer, W. R. See Ball, J. S., 3=562
 Frazier, L. See Elliott, D. N., 4=20970
 Frazier, L. See Riach, W. D., 4=23973
 Frechette, V. D. Experimental techniques for micro-structure investigation, 4=23511
 Frechette, V. D. See Smith, D. K., 3=1320
 Freck, D. V. On the electrical conductivity of seeded air combustion products, 4=11251
 Freck, D. V. and Wakefield, J. Gamma-ray spectrum obtained with a lithium-drifted p-i-n junction in germanium, 2=10073
 Freck, D. V. See Hunt, S. E., 1=690
 Freck, D. V. See Pope, R. A., 1=9859
 Fred, M. and van Kleef, T. A. M. Slater parameters for the Hf III spectrum, 3=703
 Fred, M. See Bauche, J., 4=1213
 Fred, M. See Bauche, J., 4=3798
 Fred, M. See Blaise, J., 3=6354
 Fred, M. See Champeau, R. J., 4=1214
 Fred, M. See Tomkins, F. S., 0=16853
 Fred, M. See Tomkins, F. S., 3=18984
 Fred, M. See Van Kleef, T. A. M., 3=15286
 Freden, S. C., Gilbert, F. C. and White, R. S. High-energy K^- -meson interactions and decays, 0=9434
 Freden, S. C., Kornblum, H. N. and White, R. S. Lifetimes, branching ratios, and asymmetries in Σ^- -hyperon decays, 0=15446
 Freden, S. C. and White, R. S. Particle fluxes in the inner radiation belt, 0=14268
 Freden, S. C. and White, R. S. Trapped proton and cosmic-ray albedo neutron fluxes, 2=9031
 Freden, S. C. See Mozer, F. S., 3=16288
 Frederick, C. L. and Worlton, D. C. Ultrasonic thickness measurements with Lamb waves, 2=13300
 Frederick, D. E. Polarization of neutrons from the photo-disintegration of deuterium, 3=15044
 Frederick, D. E. and Smith, J. H. Photoelectric triggering of flash photography of a low pressure helium cloud chamber, 3=2172

- Frederick, J. E., Tschoegl, N. W. and Ferry, J. D. Dynamic mechanical properties of dilute polystyrene solutions; dependence on molecular weight, concentration, and solvent, 4=27158
- Frederick, J. R. and Ludema, K. C. Adhesion of vapor-deposited aluminum to line-soda glass, 4=10596
- Frederick, N. V. A vibrating sample magnetometer, 1=11996
- Frederick, S. See Conrad, H., 2=23747
- Fredericks, W. J. and Cook, C. J. Interaction of slow electrons with insulating crystals. II. Comparison of electron and photon absorption coefficients for KCl and KBr, 1=11189
- Fredericks, W. J. and Cook, C. J. Interaction of low-energy electrons with insulating crystals, 3=22694
- Fredericks, W. J. See Cook, C. J., 1=7573
- Fredericks, W. J. See Cook, C. J., 2=6394
- Fredericks, W. J. See Keneshea, F. J., Jr., 3=15510
- Fredericks, W. J. See Sancier, K. M., 2=18854
- Fredericks, W. J. See Sancier, K. M., 2=18855
- Fredericks, W. J. See Sancier, K. M., 2=18856
- Fredericks, W. J. See Scott, A. B., 3=22758
- Frederickson, L. D., Jr and Hausen, D. M. Infrared spectra-structure correlation study of vanadium-oxygen compounds, 3=22574
- Frederikse, H. P. R. Recent studies on rutile (TiO_2), 1=17758
- Frederikse, H. P. R., Hosler, W. R. and Becker, J. H. Electronic conduction in rutile (TiO_2), 2=23413
- Frederikse, H. P. R., Thurber, W. R. and Hosler, E. R. Electronic transport in strontium titanate, 4=15559
- Frederikse, H. P. R. See Becker, J. H., 2=4011
- Frederikse, H. P. R. See Mielczarek, E. V., 0=547
- Frederikse, H. P. R. See Yahia, J., 1=11310
- Frederking, T. and Grassmann, P. Film boiling of liquefied gases especially of liquid helium I, 0=3696
- Frederking, T. H. K. Laminar two-phase boundary layers in natural convection film boiling, 4=8515
- Frederking, T. H. K. Peak heat flux and temperature difference in nucleate boiling of liquefied gases, 4=11420
- Fredga, K. A sunspot group of high activity in July 1961, 3=11539
- Fredga, K. Visual observations of contrast variation of filaments with solar limb distance, 1=15475
- Fredga, K. Photographic measurements of the brightness of prominences, 2=4787
- Fredkin, D. R. Asymptotic form of the proper self-energy function in many-particle systems, 3=14049
- Fredkin, D. R. and Suhl, H. A note on the short-range order at the ferromagnetic Curie point, 3=11042
- Fredkin, D. R. and Wannier, G. H. Theory of electron tunneling in semiconductor junctions, 3=6608
- Fredkin, D. R. See Suhl, H., 2=19812
- Fredkin, D. R. See Suhl, H., 3=20136
- Fredkin, D. R. See Suhl, H., 4=24495
- Fredkin, D. R. See Wannier, G. H., 2=10349
- Fredrick, L. W. Observations of ϵ Aurigae, 0=12329
- Fredrick, L. W. Parallax and mass-ratio of the visual binary Ho 581 from photographs taken with the Sproul 24-inch refractor, 0=18801
- Fredrick, L. W. The system of ν cephei, 1=1651
- Fredricks, R. W. Diffraction of an elastic pulse in a loaded half-space, 1=2811
- Fredricks, R. W. Traveling wave analysis of a class of parametric amplifiers based upon the hill equation, 1=7147
- Fredricks, R. W. and Knopoff, L. The reflection of Rayleigh waves by a high impedance obstacle on a half-space, 1=1781
- Fredricks, R. W. and Mastrup, F. Ambipolar diffusion of a plasma in a weak magnetic field, 3=7603
- Fredriksen, A. and Dyce, R. B. Ionospheric absorption investigations at Hawaii and Johnston Island, 0=14207
- Fredriksen, A. and Dyce, R. B. Ionospheric absorption investigations at Hawaii and Johnston Island, 3=5859
- Fredriksen, A. See Leadabrand, R. L., 0=16526
- Fredriksen, A. See Leadabrand, R. L., 1=15556
- Fredrickson, W. R. See Ginsburg, N., 1=1840
- Free, J. and Korpel, A. Laser emission from a moving ruby rod, 4=14951
- Free, J. M., Moffat, M. E. B. and Walker, G. B. Dielectric properties of titania ceramics at microwave frequencies, 3=13112
- Freebrey, P. D. See Turner, P. C. R., 4=19707
- Freed, C. See Bellisio, J. A., 4=11822
- Freed, D. See Mesler, R. B., 2=5995
- Freed, J. H. On the theory of spin relaxation of gas molecules: the strong-collision limit, 4=25740
- Freed, J. H. Anisotropic rotational diffusion and electron spin resonance linewidths, 4=30470
- Freed, J. H. and Fraenkel, G. K. Anomalous alternating line-widths in E.S.R. spectra, 3=2653
- Freed, J. H. and Fraenkel, G. K. Intramolecular bonding in ESR spectra, 3=17610
- Freed, J. H. and Fraenkel, G. K. Theory of linewidths in electron-spin resonance spectra, 3=23911
- Freed, J. H. and Fraenkel, G. K. Linewidth studies in electron spin resonance spectra: the para and ortho dinitrobenzene anions, 4=17310
- Freed, J. H. and Fraenkel, G. K. Alternating linewidths and related phenomena in the electron spin resonance spectra of nitro-substituted benzene anions, 4=25729
- Freed, J. H., Rieger, P. H. and Fraenkel, G. K. Alternating line-widths in the e.s.r. spectra of dinitrobenzene anion radicals, 3=4776
- Freed, J. H. See Gendell, J., 3=6415
- Freed, J. H. See Gendell, J., 4=28253
- Freed, N. and Kisslinger, L. S. Magnetic dipole moments of odd-mass nuclei in the spherical region, 1=13620
- Freedhof, H. S. See Bruce, W. R., 4=871
- Freedman, A. Sound field of a rectangular piston, 0=2205
- Freedman, A. A mechanism of acoustic echo formation, 2=13411
- Freedman, A. The high frequency echo structure of some simple body shapes, 2=13412
- Freedman, A. Errata: "A mechanism of acoustic echo formation", 3=5501
- Freedman, A. An experimental examination of acoustic echo structure, 4=14286
- Freedman, E. and Daiber, J. W. Decomposition rate of nitric oxide between 3000 and 4300°K, 1=7904
- Freedman, J. F. Stress effects on the magnetic properties of evaporated single-crystal nickel films, 2=12673
- Freedman, J. F. Residual stress in single-crystal nickel films, 3=13344
- Freedman, J. F. and Robertson, W. D. Electrical resistivity of liquid sodium, liquid lithium, and dilute liquid sodium solutions, 1=5283
- Freedman, J. F. See Pomerantz, M., 2=12678
- Freedman, J. F. See Alessandrini, E. L., 3=8835
- Freedman, J. F. See Pugh, E. W., 0=10127
- Freedman, M. S., Wagner, F. Jr., Porter, F. T., Terandy, J. and Day, P. P. Iron-free toroidal beta-beta coincidence spectrometer, 1=13399
- Freedman, N. S. See Schrader, E. R., 4=21627
- Freedman, S. J. and Kaye, J. Simultaneous heat and mass transfer in the compressible laminar boundary layer of a dissociating gas, 3=18854
- Freedman, S. J. and Juretschke, H. J. Galvanomagnetic effects and the band structure of antimony, 1=19833
- Freeland, P. E. See Trumbore, F. A., 1=14456
- Freeland, P. E. See Trumbore, F. A., 2=19102
- Freely, J. B. and Fisher, L. H. Ionization, attachment, and breakdown studies in oxygen, 4=8622
- Freeman, A. J. X-ray incoherent scattering functions for non-spherical charge distribution: N^- , O^- , O^+ , O^{+2} , O^{+3} , F^- , Si^{+4} , Si^{+3} , Si , and Ge , 0=4620
- Freeman, A. J. A study of the Compton scattering of X-rays. II. Li^+ , Be , Na , Na^+ , Al^+ , Al^{+3} , K^+ , Cl^- , Ca , Ca^+ and Ca^{+2} , 0=8196
- Freeman, A. J. On the role of the equivalence restriction in molecular calculations, 0=17809
- Freeman, A. J. Localized magnetic moments in metals, 3=12908
- Freeman, A. J., Nesbet, R. K. and Watson, R. E. Two-electron Heisenberg exchange interaction between neighbouring atoms, 2=10294
- Freeman, A. J. and Watson, R. E. Effect of crystalline fields on charge densities and magnetic form factors, 0=9886
- Freeman, A. J. and Watson, R. E. Effect of crystalline fields on magnetic-form factors, 0=11801
- Freeman, A. J. and Watson, R. E. Calculation of the crystalline field strength: chrome alum, 0=20720
- Freeman, A. J. and Watson, R. E. Contribution of the Fermi contact term to the magnetic field at the nucleus in ferromagnets, 1=3629
- Freeman, A. J. and Watson, R. E. Origin of the F^{10} hyperfine structure in transition element fluorides, 1=90/1
- Freeman, A. J. and Watson, R. E. Hartree-Fock atomic scattering factors for the neutral atom iron transition series, 1=19606
- Freeman, A. J. and Watson, R. E. Theory of direct exchange in ferromagnetism, 1=20057

- Freeman, A.J. and Watson, R.E. Compton incoherent scattering functions for ions of the first transition series, 2=14984
- Freeman, A.J. and Watson, R.E. Theoretical investigation of some magnetic and spectroscopic properties of rare-earth ions, 2=21295
- Freeman, A.J. and Watson, R.E. Exchange polarization and the magnetic behavior of transition metal and rare earth, 3=977
- Freeman, A.J. and Watson, R.E. Contribution of spin polarization to transferred hyperfine effects in iron-series fluorides, 3=15955
- Freeman, A.J. and Watson, R.E. Antishielding of magnetic and electric hyperfine interactions in open shell ions, 3=25038
- Freeman, A.J. and Watson, R.E. Electric quadrupole interactions in rare-earth ions, 4=1215
- Freeman, A.J. and Watson, R.E. Hyperfine fields in magnetic materials: Survey, 4=12563
- Freeman, A.J. and Watson, R.E. A theoretical investigation of some spectroscopic and magnetic properties of rare earth ions, 4=30504
- Freeman, A.J. and Weiss, R.J. Electron distribution in transition metals, 1=3639
- Freeman, A.J. See Bessis, N., 4=25507
- Freeman, A.J. See Blume, M., 2=12711
- Freeman, A.J. See Blume, M., 2=23675
- Freeman, A.J. See Blume, M., 4=15270
- Freeman, A.J. See Blume, M., 4=28781
- Freeman, A.J. See Pollara, L.Z., 2=4520
- Freeman, A.J. See Watson, R.E., 0=20769
- Freeman, A.J. See Watson, R.E., 0=20770
- Freeman, A.J. See Watson, R.E., 1=6269
- Freeman, A.J. See Watson, R.E., 1=7524
- Freeman, A.J. See Watson, R.E., 1=11060
- Freeman, A.J. See Watson, R.E., 1=14665
- Freeman, A.J. See Watson, R.E., 1=20518
- Freeman, A.J. See Watson, R.E., 2=516
- Freeman, A.J. See Watson, R.E., 2=12646
- Freeman, A.J. See Watson, R.E., 3=981
- Freeman, A.J. See Watson, R.E., 3=17518
- Freeman, A.J. See Watson, R.E., 3=22607
- Freeman, A.J. See Watson, R.E., 4=12567
- Freeman, A.J. See Watson, R.E., 4=20151
- Freeman, A.J. See Watson, R.E., 4=28312
- Freeman, A.J. See Weiss, R.J., 0=12028
- Freeman, D.C., Jr. and Stamires, D.N. Electrical conductivity of synthetic crystalline zeolites, 1=14394
- Freeman, D.E. The ultraviolet emission spectrum of naphthalene vapor, 1=7476
- Freeman, D.E. A comment on redundant coordinates, 3=8233
- Freeman, D.E. and Klemperer, W. Dipole moments of excited electronic states of molecules: the 1A_2 state of formaldehyde, 4=12504
- Freeman, D.E., Rhee, K.H. and Wilson, M.K. Infrared spectra of the germyl halides, 4=6593
- Freeman, D.E. and Wilson, M.K. The inclusion of intramolecular tension in certain simple valence force fields, 3=17551
- Freeman, D.E. See Illinger, K.H., 2=22945
- Freeman, D.H. Thermodynamics of binary ion-exchange systems, 1=11609
- Freeman, D.H. Measurement of microscope magnification, 4=29739
- Freeman, D.Z. Model for the nucleon and baryon Regge trajectories, 4=16944
- Freeman, E.S. See Zirkind, P., 4=4200
- Freeman, E.S. See Zirkind, P., 4=28617
- Freeman, F.E. and Lloyd, E.A. The measurement of liquid borne ultrasonic power, 4=14302
- Freeman, G.R. Radiolysis of cyclohexane. I. Pure liquid cyclohexane and cyclohexane-benzene solutions, 0=14134
- Freeman, G.R. Energy transfer in liquid hydrocarbons excited by γ rays, 0=18442
- Freeman, G.R. Radiolysis of methylcyclohexane. I. Liquid phase, 2=8928
- Freeman, G.R. Radiolysis of methylcyclohexane. II. Liquid phase inhibition by benzene, 2=8929
- Freeman, G.R. Radiolysis of cyclohexane. II. Cyclohexane-cyclohexene solutions and pure cyclohexene, 1=9175
- Freeman, G.R. Gamma-radiation-induced conductance in liquid hydrocarbons, 3=11804
- Freeman, G.R. Yield of "free ions" in gamma-irradiated liquid saturated hydrocarbons, 4=2167
- Freeman, G.R. Effect of electric field strength on the gamma-radiation-induced conductance of liquid alkanes, 4=5205
- Freeman, G.R. Comment on the photon beam intensity dependence of induced conductivity in solid insulators and semiconductors, 4=10118
- Freeman, G.R. Gamma-radiation induced conductance of liquid hydrocarbons at low voltages, 4=14181
- Freeman, G.R. Comment on an article by Pierre Curie: "Conductivity of dielectric liquids under the influence of radium and X-rays", 4=27191
- Freeman, G.R. See Ramaradhy, J.M., 1=9176
- Freeman, I.M. Mass differences of charged and neutral states of elementary particles, 1=13369
- Freeman, I.M. Experimental deduction of the law of centripetal force, 2=13289
- Freeman, J.H. A new ion source for electromagnetic isotope separators, 3=16990
- Freeman, J.H. and Bell, W.A. Factors affecting focus in electromagnetic isotope separators, 3=16991
- Freeman, J.J. A systematic error in underwater acoustic direction-finding, 0=14779
- Freeman, J.J. Range-error compensation for a troposphere with exponentially varying refractivity, 3=5857
- Freeman, J.J., Crosby, G.A. and Lawson, K.E. The effect of deuterium on the luminescence decay times of solvated rare earth chlorides, 4=30698
- Freeman, J.M. Energy levels of Ne^{21} and Ne^{23} , 0=20351
- Freeman, J.M. The levels of Ne^{21} and Ne^{23} and their interpretation, 1=8579
- Freeman, J.M., Montague, J.H., Murray, G., White, R.E. and Burcham, W.E. The Ft values for Cl^{34} and Co^{54} and the magnitude of the polar vector coupling constant, 4=12175
- Freeman, J.M., Montague, J.H., West, D. and White, R.E. The ft value for Al^{28*} and the universal Fermi interaction, 3=6200
- Freeman, J.W., Van Allen, J.A. and Cahill, L.J. Explorer 12 observations of the magnetospheric boundary and the associated solar plasma on September 13, 1961, 3=18573
- Freeman, J.M. and West, D. Measurement of (p,n) reaction Q -values of interest in β -decay theory, 1=19464
- Freeman, J.M. and West, D. Studies of (p,n) reactions with a He^3 ion chamber and some new levels in Ne^{19} , 3=668
- Freeman, J.R., Kallmann, H.P. and Silver, M. Persistent internal polarization, 2=4089
- Freeman, J.W. Detection of an intense flux of low-energy protons or ions trapped in the inner radiation zone, 2=13060
- Freeman, M.P. The quantum mechanical corrections for the high temperature Van der Waals interaction of light gases and surfaces. A new method of determining surface area, 0=14147
- Freeman, M.P. and Katz, S. Determination of the radial distribution of brightness in a cylindrical luminous medium with self-absorption, 0=14786
- Freeman, M.P. and Katz, S. Determination of a radiance-coefficient profile from the observed asymmetric radiance distribution of an optically thin radiating medium, 3=24004
- Freeman, M.P. and Kolb, K. High temperature physical adsorption of homologous series of gases on heterogeneous surfaces, 3=20935
- Freeman, M.P., Li, S.U. and Von Jaskowsky, W. Velocity of propagation and nature of luminosity fluctuations in a plasma jet, 2=19990
- Freeman, M.W., Arrott, A. and Watson, J.H.L. Magnetism in medicine, 0=12214
- Freeman, N.J. The decay of ^{144}Ce , 0=5698
- Freeman, N.L. See Kabara, J.J., 4=15179
- Freeman, P.I. See Benson, G.C., 3=25768
- Freeman, R. Measurement of magnetic field contours, 1=1153
- Freeman, R. Spin decoupling in high resolution proton magnetic resonance, 1=16606
- Freeman, R. The relative signs of n.m.r. spin coupling constants from double irradiation experiments, 1=19666
- Freeman, R. Spin decoupling of high resolution n.m.r. spectra of the type AKX_2 , 2=20864
- Freeman, R. N.M.R. of isotopically substituted molecules. A complete analysis of the spectrum of acrylonitrile, 4=22424
- Freeman, R. and Anderson, W.A. Use of weak perturbing radio-frequency fields in nuclear magnetic double resonance, 3=2658
- Freeman, R. and Anderson, W.A. Indirect detection of weak or hidden nuclear magnetic resonance signals, 3=2259+
- Freeman, R. and Bhacca, N.S. Relative signs of nuclear spin coupling constants: A refinement of the double-irradiation experiment, 3=10548
- Freeman, R., Bhacca, N.S. and Reilly, C.A. Analysis of weakly coupled nuclear magnetic resonance spectra: methyl salicylate, 3=830z

- Freeman, R., Gasser, R.P.H. and Richards, R.E. Thallium nuclear resonance spectra. II, 1-155
- Freeman, R., Gasser, R.P.H., Richards, R.E. and Wheeler, D.H. Chemical shifts of thallium resonance spectra in solutions of thallous salts, 1-154
- Freeman, R., Jeronimo, J.M.F., Mani, G.S. and Sadeghi, A. Excited levels of Na^{23} from the alpha particle induced reactions on F^{19} , 4-17041
- Freeman, R., Jeronimo, J.M.F., Mani, G.S. and Sadeghi, A. (d,p) and (d,d) reactions with C^{12} , 3-17185
- Freeman, R., McLauchlan, K.A., Musher, J.I. and Pachler, K.G.R. The relative signs of geminal and vicinal proton spin coupling constants, 3-736
- Freeman, R. and Mani, G.S. A method for analysing gamma spectra using a computer, 4-16854
- Freeman, R. and Mani, G.S. Study of Be^8 levels, 4-17021
- Freeman, R. and Pound, R.V. High-resolution N.M.R. spectrometer with the radio-frequency controlled by the magnetic field, 0-5431
- Freeman, R. and Whiffen, D.H. Determination of the relative signs of proton spin coupling constants by double irradiation, 1-19665
- Freeman, R. and Whiffen, D.H. The effect of a second radiofrequency field on high resolution proton magnetic resonance spectra, 2-10284
- Freeman, R. See Anderson, W.A., 2-16555
- Freeman, R. See Anderson, W.A., 4-1315
- Freeman, R. See Cohen, A.D., 4-5838
- Freeman, R. See Diehl, P., 1-15609
- Freeman, R. See Pound, R.V., 0-3868
- Freeman, R.M. The magnetic moment of the second excited state of F^{19} , 1-13621
- Freeman, R.M. Gamma-ray transitions in C^{11} from the $\text{B}^{10}(\text{d}, \text{n}_\gamma)\text{C}^{11}$ reaction, 2-20511
- Freeman, R.M. and Mani, G.S. Levels in Na^{23} from the alpha bombardment of F^{19} , 4-15153
- Freeman, T.S. See Wray, K.L., 4-18341
- Freere, R.H. The microscope in petrology, 4-30923
- Freeston, I.L. See Crawford, F.W., 4-11543
- Freehey, F.E. See Thompson, M.C., Jr, 0-14568
- Frei, E.H., Schieber, M. and Shtrikman, S. Hexagonal ferromagnetic compound containing fluorine, 0-10181
- Frei, E.H., Shtrikman, S. and Treves, D. The bistable behaviour of the magnetic transducer, 0-3853
- Frei, E.H. See Aharoni, A., 0-1785
- Frei, E.H. See Aharoni, A., 0-3004
- Frei, E.H. See Aharoni, A., 1-14749
- Frei, E.H. See Aharoni, A., 2-16900
- Frei, E.H. See Aharoni, A., 3-20979
- Frei, K. and Bernstein, H.J. Method for determining magnetic susceptibilities by n.m.r., 3-4241
- Frei, K. and Bernstein, H.J. Carbon-carbon spin-coupling constants in characteristic CC-bond types, 3-10498
- Frei, K. and Günthard, H.H. Distortion of spectral line shapes by recording instruments, 1-2868
- Frei, V., Matyáš, M., Velický, B., Závětová, M. and Škacha, J. Investigations on the band structure of CdSb, 3-10811
- Frei, V. and Velitski, B. Comments on the paper "Investigation of the symmetry of energy zones of CdSb and ZnSb compounds", by V.E. Khartsiev, 4-4142
- Frei, V. See Velický, B., 4-6559
- Freiberg, E. and Soergel, V. The spin of the F^{20} ground state, 1-5819
- Freidenfeld, E.Zh. See Fritsberg, V.Ya., 2-14632
- Freidman, G.I. Reflection of electromagnetic waves in gyrotropic media from a magnetic field wave, 1-19042
- Freidman, G.I. Reflection of electromagnetic waves in gyrotropic media from a magnetic field wave, 2-22347
- Freidman, G.I. See Bulaevskii, L.N., 0-21033
- Freidman, G.I. See Daame, É.Ya., 3-4269
- Freier, G. Conductivity of the air in thunderstorms, 3-9034
- Freier, G. A theoretical study of the conductivity of air in thunderstorms, 4-2207
- Freier, G.D. The earth's electric field during an eclipse of the sun, 1-15215
- Freier, G.D. The electric field of a large dust devil, 1-20844
- Freier, G.D. Auroral effects on the earth's electric field, 1-20846
- Freier, P. Emulsion measurements of solar alpha particles and protons, 3-17362
- Freier, P., Ney, E.P., Winckler, J.R. and Kellogg, P.J. Observations of solar cosmic rays, 1-2147
- Freier, P.S. The measurement of the cutoff rigidity at Minneapolis using solar protons and α particles from July 10, 1959, flare, 2-22671
- Freier, P.S., Ney, E.P. and Winckler, J.R. Balloon observation of solar cosmic rays on March 26, 1958, 0-9482
- Freier, P.S., Ney, E.P. and Winckler, J.R. Balloon observations of solar cosmic rays on March 26, 1958. I, 1-7298
- Freier, P.S., Ney, E.P. and Winckler, J.R. Balloon observations of solar cosmic rays on March 26, 1958. II, 1-7299
- Freier, P.S. and Waddington, C.J. Modulation of heavy nuclei in the primary cosmic radiation, 4-25237
- Freier, P.S. and Webber, W.R. Exponential rigidity spectrums for solar-flare cosmic rays, 3-15065
- Freier, P.S. See Biswas, S., 1-16932
- Freier, P.S. See Biswas, S., 2-7913
- Freier, P.S. See Webber, W.R., 4-13847
- Freier, S., Greenshpan, M., Hillman, P. and Shechter, H. The anti-ferromagnetic Curie point in $\alpha\text{-Fe}_2\text{O}_3$, 2-23630
- Freiheits, J. See Palmer, T.M., 2-17923
- Freiling, E.C. and Ballou, N.E. Nature of nuclear debris in sea water, 3-6190
- Freiman, B.S. See Bronshtein, I.M., 1-17495
- Freiman, B.S. See Bronshtein, I.M., 1-18925
- Freindl, L., Niewodniczański, H., Nurzyński, J., Slapa, M. and Strzałkowski, A. Elastic scattering of 13 MeV deuterons on some light nuclei, 2-1911
- Freindl, L., Niewodniczański, H., Nurzyński, J., Slapa, M. and Strzałkowski, A. Elastic scattering of 12.8 MeV deuterons on some light nuclei, 3-22412
- Freindl, L. See Budzanowski, A., 4-9558
- Freire, A.M. See Wataghin, A., 1-7367
- Freise, E.J., Fine, M.E. and Kelly, A. The effect of electropolishing on the retention of vacancies during quenching in Al and Al alloys, 1-3660
- Freise, E.J. and Kelly, A. Twinning in graphite, 1-20405
- Freise, E.J. and Kelly, A. The deformation of graphite crystals and the production of the rhombohedral form, 3-25627
- Freise, V. See Sauer, F., 2-17417
- Freiser, M.J. Thermal variation of the pitch of helical spin configurations, 1-14753
- Freiser, M.J., Seiden, P.E. and Teaney, D.T. Field-independent longitudinal antiferromagnetic resonance, 3-18123
- Freiser, M.J. See Calhoun, B.A., 2-12716
- Freiser, M.J. See Calhoun, B.A., 3-15787
- Freiser, M.J. See Overmeyer, J., 4-26398
- Freiser, M.J. See Teaney, D.T., 3-3144
- Freiser, M.J. See Teaney, D.T., 3-15928
- Freitag, C., Freytag, D., Lübelmeyer, K. and Paul, W. Photo-production of positive pions on hydrogen between 200 and 450 MeV. I. Range-telescope method, 3-22164
- Freitag, E.H. The friction of solids, 2-17381
- Freitag, E.H. See Bowden, F.P., 0-8138
- Freitag, W. and Martin, H.J. Results from the construction of an electronic ultrasonic image converter, 0-19322
- Freitag, W., Martin, H.J. and Schellbach, G. Descriptions and results of investigations of an electronic ultrasonic image converter, 1-8194
- Freitag, W. and Schellbach, G. Description and investigation results of an electronic ultrasonic image converter, 2-11477
- Freitag, W. See Hachenberg, O., 4-4946
- Freitas, L.G. and Mascarenhas, S. Influence of crystallographic orientation on the separation of charges during phase change (Costa Ribeiro effect), 1-1119
- Freitas, L.G. See Mascarenhas, S., 0-16005
- Freitas Mourao, R.R.de. See de Freitas Mourao, R.R.
- Freiwald, H. See Koch, B., 4-27522
- Frelikh, Kh. [Fröhlich, H.]. Breakdown in non-polar semiconductors, 1-14434
- Freller, H. See Günther, K.G., 1-19882
- Fremd, V.M. Strong-motion piezoelectric seismic detector, 3-3435
- Fremderman, L.O. See Luzhinskaya, M.G., 0-18187
- Fremlin, Dzh.[J]. See Lozhkin, O.V., 0-20434
- Fremlin, Dzh.G. [J.N.] and Lille, Dzh.S. [Lilley, J.S.]. Nuclear reactions induced by heavy ions, 0-13248
- Fremlin, J.H. An alternative deduction from the Michelson-Morley experiment, 3-5345
- Fremlin, J.H., Beard, D.B. and Whipple, F.L. The dust cloud about the earth, 1-20816
- Fremlin, J.H., Hardy, W. and Shaylor, H.R. Use of electric-current shims in the cyclotron, 0-3820
- Fremlin, J.H. and Reasbeck, P. Radiative capture of heavy ions, 3-19890
- Fremlin, J.H. See Chalkin, L.P., 0-14966

- Fremlin, J.H. See Dyson, N.A., 2=5597
- French, A.P. and Tessman, J.R. Displacement currents and magnetic fields, 3=12293
- French, B.R. See Awunor-Renner, E.R.T., 0=15497
- French, B.R. See Dodd, P., 2=22508
- French, B.R. See Goldsack, S.J., 2=9888
- French, H. Some notes on the origin of the colour of the Martian deserts, 0=8493
- French, I.M. Simple device for digitalizing oscilloscope recordings on to punched tape, 2=5263
- French, I.P., Cloutier, G.G. and Bachynski, M.P. The absorptivity spectrum of a uniform anisotropic plasma slab, 1=18857
- French, J.B. Symplectic symmetry in the nuclear shell model, 0=7450
- French, J.B. Isobaric-spin relationships between nuclear spectra, 1=13618
- French, J.B. Direct interaction processes, 2=1853
- French, J.B. Nuclear models and nuclear data, 2=3457
- French, J.B., Iwao, S. and Vogt, E. Reduced widths and isotopic spin impurity of the $\frac{1}{2}^+$ states of N^{15} , 1=8580
- French, J.B., Iwao, S. and Vogt, E. Reduced widths and isotopic spin impurities of $\frac{1}{2}^+$ states of N^{15} , 1=8624
- French, J.B. and Macfarlane, M.H. Isobaric-spin splitting of single-particle resonances, 1=13619
- French, J.B. and Macfarlane, M.H. Monopole (pn) excitations and isobaric-spin splitting of single-particle and single-hole states, 3=677
- French, J.B. See Alford, W.P., 1=5861
- French, J.B. See Bansal, R.K., 4=30310
- French, J.B. See Bilaniuk, O.M., 0=17492
- French, J.B. See Ginnocchio, J.N., 4=6209
- French, J.B. See Macfarlane, M.H., 0=20454
- French, J.C. See Schafft, H.A., 2=14573
- French, J.D. See Trehan, P.N., 3=24903
- French, P.R.J. A vector diagram for reactor channel temperatures, 0=5830
- French, R.J. Foam viscometer, 0=14576
- French, R.L. Calculating gamma spectra from reactors, 0=9718
- French, R.L. A first-last collision model of the air/ground interface effects on fast-neutron distributions, 4=21861
- French, R.L. and Eggen, J.B. Fast-neutron and gamma spectra for B.S.R., 0=9719
- French, W.R., Jr and Chasson, R.L. Atmospheric effects on the hard component of cosmic radiation near sea level, 0=7438
- Frenkel, A. Semi-classical description of high-energy electron scattering on heavy nuclei, 2=3557
- Frenkel, A. Phenomenological considerations on the π - π interaction, 2=9895
- Frenkel', A. On the choice of invariant variables for the amplitudes of particle production processes, 4=24967
- Frenkel, A. See Bozoki, G., 0=2603
- Frenkel, A. See Bozoki, G., 2=11981
- Frenkel, A. See Bozoki, G., 3=7898
- Frenkel, A. See Bozoki, G., 4=25140
- Frenkel, A. See Bozoki, G., 4=25141
- Frenkel, A. See Fenyes, E., 0=13096
- Frenkel', A.S. See Vishnevskii, I.I., 4=9868
- Frenkel, L. Apparatus for the detection of piezoelectric coupling, 3=24504
- Frenkel, L. On the measurement of dielectric losses and surface conductivity of dielectrics in parallel plane test capacitors, 4=22787
- Frenkel, L. See Ruthberg, S., 4=21149
- Frenkel', V.Ya. Thermal calculations for anodes of electron tubes cooled by radiation in a vacuum, 0=10944
- Frenkel, V.Ya. See Bukhvostov, A.P., 3=2231
- Frenkel', V.Ya. See Bukhvostov, A.P., 3=19049
- Frenkel', V.Ya. See Volchok, B.A., 2=10799
- Frenkiel, J. Thin walls in acoustic insulation, 0=1014
- Frenkiel, P. See Salmona, A., 0=15673
- Frenkin, A.R. Determination of isobaric states in models with a fixed nucleon, 3=17191
- Frenkin, A.R. Green's functions in the theory of strong coupling, 3=24605
- Frenkin, A.R. See Kukin, V.D., 0=15277
- Frenkin, A.R. See Kukin, V.D., 1=5654
- Frenkin, A.R. See Kukin, V.D., 1=19130
- Frenkin, A.R. See Kukin, V.D., 2=3275
- Frenkin, A.R. See Kukin, V.D., 3=4309
- Frennet, A. See Coekelbergs, R., 3=23544
- Frentress, Z., Young, L.C. and Edwards, H.D. Field photometer with nine-element filter wheel, 4=11322
- Frentress, Z. See Cooksey, M.M., 4=17917
- Frentzel, G. See Döhne, S., 2=862
- Frensdorff, H.K. and Pariser, R. Copolymerization as a Markov chain, 4=3947
- Frenzel, D. New measurements for the determination of transmission properties of objectives from the standpoint of television techniques, 1=12974
- Frenzen, P. On the origin of certain symmetrical patterns of atmospheric convection, 2=15188
- Freon, A. Recurrent variations of cosmic rays during solar maxima and their relation with optical activity: sunspots and corona, 1=3355
- Freon, A. Phase changes in the 27-day types of intensity variation of primary cosmic rays from January 1955 to January 1961, 2=13906
- Fréon, A., Legrand, J.P. and Trellis, M. Relations between the variations in the intensity of cosmic rays and the structure of solar activity, 0=9481
- Freon, A. and McCracken, K.G. A note on the vertical cutoff rigidities of cosmic rays in the geomagnetic field, 2=12100
- Fréon, A. See De Feiter, L.D., 2=5764
- Freon, A. See Lepechinsky, D., 3=5873
- Fréon, A. See McCracken, K.G., 2=16253
- Frèrajacque, D. and Benaksas, D. A thin foil secondary emission monitor, 4=21602
- Frère, R. A statistical theory of hot atom chemistry. II, 2=23971
- Frère, R. Assisted focusing collisions in f.c.c. lattices at small angles, 3=8465
- Frère, R. Remarks on classical scattering theory and "hard sphere" type models, 3=12783
- Frère, R. Theory of focusing collision chains. I, 3=22882
- Frère, R. Theory of focusing collision chains. II, 3=22883
- Frère, R. Theory of focusing collision chains. III, 3=22884
- Frère, R. Theory of focused collision sequences, IV, 4=6894
- Frerichs, R. Superconductive films made by protected sputtering of tantalum or niobium, 2=17720
- Frerichs, R. and Kircher, C.J. Properties of superconducting niobium films made by asymmetric a.c. sputtering, 4=5523
- Frerichs, R. and Kircher, C.T. Superconductive films of the transition metals: niobium, titanium and vanadium made by "protected sputtering", 4=18587
- Frerichs, R. and Liberman, I. Electroluminescence at point contacts in cuprous oxide and the mobility of Cu^+ ions at room temperature, 0=1766
- Frerichs, R. and Liberman, I. Surface mobility of copper ions on cuprous oxide, 1=3765
- Frerichs, R. See Dinklage, J., 3=23437
- Frerichs, R. See Mully, E.C., 4=16445
- Fresa, A. Photoelectric photometry of the penumbra during the partial lunar eclipse of 24 March 1959, 1=5137
- Fretter, W.B. and Hansen, L.F. Analysis of jets from carbon, 1=2266
- Fretter, W.B., Hoang, T.F., Bellini, G., Fiorini, E., Herz, A.J., Negri, P., Ratti, S., Baglin, C., Bingham, H., Bloch, M., Drijand, D., Lagarrigue, A., Mittner, P., Orbin-Lecourtois, A., Raçon, P., Rousset, A., de Raad, B., Salmeron, R. and Voss, R. Analysis of low-multiplicity jets produced by high-energy pions, 3=2301
- Fretter, W.B. See Aggson, T., 2=11613
- Fretter, W.B. See Bellini, G., 2=22573
- Fretter, W.B. See Hansen, L.F., 0=9491
- Fretter, W.B. See Huson, F.R., 4=25135
- Fretwurst, E. See Bormann, M., 3=15210
- Freudenthal, A.M. Thermal stress analysis and Grueneisen's relation, 0=8574
- Freudenthal, A.M. Prediction of fatigue life, 1=1339
- Freudenthal, A.M. Thermoelastic equations and Grueneisen's relation, 1=13009
- Freudenthal, A.M. Aspects of fatigue damage accumulation at elevated temperatures, 3=20745
- Freudenthal, A.M. and Spillers, W.R. Solutions for the infinite layer and the half-space for quasi-static consolidating elastic and viscoelastic media, 2=19482
- Freudenthal, A.M. See Bieniek, M.P., 2=15518
- Freund, H.G. See Box, H.C., 3=15942
- Freund, H.G. See Box, H.C., 4=13310
- Freund, L. See Varoqui, R., 2=11359
- Freund, P.G.O. About the concept of particle in quantum field theory, 0=2490
- Freund, P.G.O. Wave equations invariant under discontinuous groups and the problem of nuclear forces, 1=7216
- Freund, P.G.O. A composite model for the photon, 2=3297
- Freund, P.G.O. "Universality" and high energy total cross sections, 2=22448

- Freund, P.G.O. Regge poles and the validity of the Rosenbluth formula, 3=2207
- Freund, P.G.O. How different is the Regge trajectory of the ρ -meson from a straight line? 3=6078
- Freund, P.G.O. N/D calculation of the Pomeranchuk- and ρ -Regge trajectories, 3=15019
- Freund, P.G.O. The real parts of the high energy π^+p forward-scattering amplitudes, 3=22186
- Freund, P.G.O. Singularities on unphysical Riemann sheets, 4=9119
- Freund, P.G.O. Octet-octet mixing, 4=19583
- Freund, P.G.O. and Fujii, A. Inelastic Δ -p scattering, 2=9927
- Freund, P.G.O. and Hegedüs, I. The group-theoretical foundations of quantum mechanics. I, 0=18942
- Freund, P.G.O. and Hegedüs, I. The group theoretical foundations of quantum mechanics. II, 0=18943
- Freund, P.G.O. and Karplus, R. A natural boundary of the scattering amplitude on an unphysical sheet, 1=16698
- Freund, P.G.O. and Karplus, R. Anomalous thresholds of reaction amplitudes, 1=16700
- Freund, P.G.O. and Karplus, R. The analytic structure of scattering and reaction amplitudes in unphysical Riemann sheets, 2=22419
- Freund, P.G.O. and Kummer, W. The phases of the protons' electro-magnetic form factors in the time-like region, 2=13793
- Freund, P.G.O., Longoni, A.M. and Predazzi, E. About the pion-hyperon resonance, 1=15479
- Freund, P.G.O., Morales, A., Reugg, H. and Speiser, D. Experimental tests of higher symmetry schemes, 2=22421
- Freund, P.G.O. and Nambu, Y. Broken $SU(3) \times SU(3) \times SU(3)$ symmetry of strong interactions, 4=24987
- Freund, P.G.O. and Oehme, R. Lower bound for the leading Regge trajectory, 3=10045
- Freund, P.G.O. and Oehme, R. Vector mesons and the pomeranchuk trajectory, 3=17295
- Freund, P.G.O. and Oehme, R. Diffraction scattering, 3=17321
- Freund, P.G.O. and Oehme, R. Shrinking and non-shrinking diffraction peaks, 3=22121
- Freund, P.G.O. and Oehme, R. Vector mesons as Regge poles in perturbation theory, 3=22153
- Freund, P.G.O., Ruegg, H., Speiser, D. and Morales, A. Meson-baryon scattering in higher symmetry schemes, 2=18144
- Freund, P.G.O. See Balachandran, A.P., 4=16886
- Freund, P.G.O. See Baumann, K., 1=5747
- Freund, P.G.O. See Flamm, D., 2=1717
- Freund, P.G.O. See Flamm, D., 4=19350
- Freund, R.B. See Diliberto, S.P., 1=6745
- Freundlich, H.F. See Wells, P.N.T., 4=29719
- Freundlich, J.J. See Duga, J.J., 2=8394
- Freundlich, M.M. Microbalance for measuring evaporation rates in vacuum, 4=29805
- Frevel, L.K. The determination of axial ratios from powder diffraction patterns, 4=23415
- Frevert, L. Branching ratios and maximum β^+ energy in the decay of Ag^{108} , 2=20555
- Frevert, L., Heckmann, P.H. and Flammersfeld, A. Branching ratios of Ag^{110} ($T_{1/2} = 24.4$ sec), 3=22333
- Frey, D.A. and Mizushima, M. Hyperfine structure of the hydrogen molecule in its metastable $^3\Pi$ state, 3=4745
- Frey, D.A. and Weaver, H.E. N.M.R. measurements of the Knight shift in conducting PbO_2 , 1=3950
- Frey, H.M. See Harrington, R.E., 0=21274
- Frey, T. Field strength due to a plane layer of charge distribution, 1=16244
- Frey, W.F., Hamilton, J.H. and Hultberg, S. Experimental studies of E2 conversion coefficients, 2=10062
- Frey, W.F., Hamilton, J.H. and Hultberg, S. Angular distributions of photoelectrons ejected from uranium by 158 keV and 208 keV gamma rays, 3=22366
- Frey, W.F. See Hamilton, J.H., 2=20523
- Freyceonon, J. A magnetometer for measuring the earth's field using nuclear paramagnetic resonance with dynamic nuclear polarization. II. Construction and use, 2=4690
- Freyceonon, J. Harmonic analysis of the instantaneous counting rate of a sampled flow of random pulses. Determination of errors due to the sampling process and to statistical fluctuations. Application to studies of reactor dynamics, 4=28089
- Freyceonon, J. and Solomon, I. A magnetometer for measuring the earth's field using nuclear paramagnetic resonance with dynamic nuclear polarization. I. Theoretical background, 2=4689
- Freyer, K. See Herrmann, W., 3=6189
- Freyman, M., Freyman, R. and Geissner-Prettre, C. 1. High resolution N.M.R. studies of intra- and inter-molecular interactions. 2. Pyridine derivatives; the effect of paramagnetic salts on ethanol and pyridine, 1=12903
- Freyman, M., Freyman, M.R. and Jaffrain, M. Debye dipolar absorption and phase changes of frozen organic liquids, 3=22987
- Freyman, M. and Mavel, G. Dielectric properties of some organic phosphites, phosphates, phosphonates and thionophosphonates, 3=18825
- Freyman, M. See Freyman, R., 0=505
- Freyman, M.R. See Freyman, M., 3=22987
- Freyman, R., Freyman, M., Koehlin, M., Martin, M. and Mavel, G. Nuclear magnetic resonance study of intra and inter-molecular interactions: hydrogen bonds - the π effect, 0=505
- Freyman, R. See de Kowalewski, D.G., 1=15911
- Freyman, R. See Freyman, M., 1=12903
- Freyman, P. and Sauerbrey, G. Annealing of radiation damage in quartz crystals, 3=6555
- Freyman, H.S., Jr. Response of windows to random noise, 3=16721
- Freytag, D. See Freitag, C., 3=22164
- Freytag, E. Temperature dependence of the absorption edge of CaF_2 , 3=3002
- Freytag, E. The ultraviolet OH absorption band in NaF, 1=14594
- Freytag, E. A vacuum spectrograph for the region 6 to 265 nm, 3=14350
- Freytag, E. and Schreiber, G. Problems in the growth from the melt of LiF single crystals for use in the short-wave ultraviolet, 2=14949
- Freytag, J.P. Use of a test diode as a means of control for the materials used in the construction of electron tubes, 1=18488
- Freytag, E. Absorption measurements in coloured LiF crystals in the wavelength range 1100 to 6000 Å, 4=1738
- Freytag, E. Absorption measurements on OH doped NaF crystals in the vacuum ultraviolet, 4=7159
- Freytag, J.P. and Schram, A. Realization of a Bayard-Alpert gauge, 4=21195
- Freytag, J.P. and Shroff, A.M. Preparation of pure tungsten and molybdenum by two different vacuum electron bombardment methods, 4=23349
- Friar, E.M. See Branner, G.R., 3=12185
- Friauf, J.B. Thermodynamics of thermally regenerated fuel cells, 1=8304
- Friauf, R. Correlation effects for diffusion in ionic crystals, 2=3931
- Friauf, R.J. Vacuum-tight sample holder for high temperature conductivity measurements, 0=19585
- Friauf, R.J. Ionic conductivity of thallium chloride, 1=19838
- Friauf, R.J. Ionic transport processes in silver halides, 3=13007
- Friauf, R.J. See Conklin, G.E., 3=25304
- Friauf, R.J. See Pilcher, F., 4=15501
- Friauf, R.J. See Pretzel, F.E., 2=14473
- Friberg, R. See Berlin, S., 2=1241
- Fric, C. The realization of a self-oscillator of the maser type in a strong field, 0=294
- Fric, C. Study of the frequency shift and amplitude of oscillations of a [N.M.R.] self-oscillator of the flowing liquid maser type, 0=11065
- Fric, C. Some applications of a maser oscillator functioning at high fields, 1=15172
- Fric, C. The effect of flow in a nuclear resonance maser at high field strengths, 1=16553
- Fric, C. and Hahn, H. A transistor [nuclear magnetic resonance] spectrometer with frequency modulation, 0=11064
- Frick, G., Gallmann, A., Alburger, D.E., Wilkinson, D.H. and Coffin, J.P. Positron radioactivities of O^{14} , Ne^{18} , Si^{26} , and S^{30} , 4=6272
- Frick, G. See Gorodetzky, S., 2=486
- Frick, G. See Gorodetzky, S., 4=17032
- Fricke, G., Kopfermann, H. and Penselin, S. Measurement of the hyperfine structure splittings of the two yttrium ground states $^2D_{3/2}$ and $^2D_{5/2}$ with the atomic beam resonance method, 0=1485
- Fricke, G., Kopfermann, H., Penselin, S. and Schlüpmann, K. Determination of the hyperfine structure splittings of the Sc ground states $^2D_{3/2}$ and $^2D_{5/2}$ and of the quadrupole moment of Sc^{45} , 0=401
- Fricke, G., Penselin, S. and Recknagel, E. The hyperfine splitting of the $^2S_{1/2}$ ground state, and the nuclear magnetic dipole moment of Au^{197} , 0=9517

- Fricke, G. See Artus, H., 4=12202
- Fricke, G. See Barber, W.C., 1=681
- Fricke, G. See von Ehrenstein, D., 0=288
- Fricke, G. See v. Ehrenstein, D., 0=15671
- Fricke, H. and Phillips, D.L. Application of a high-speed electronic computer in diffusion kinetics. II. Depletion effect in the spherical one-radical one-solute model. 0=6421
- Fricke, H. and Phillips, D.L. High-speed computations in diffusion kinetics. III. Solute depletion in the cylindrical one radical-one solute model. 1=5274
- Fricke, H.W. Modern photographic recording arrangements for electron beam oscillographs. I. 3=9852
- Fricke, H.W. Modern photographic recording devices for electron beam oscillographs. II. 3=16980
- Fricke, K. Münnich, F., 3=17440
- Fricke, K., Münnich, F. and Wellner, U. γ - γ angular correlation spectrometer with four detectors, 4=6011
- Fricke, K. and Nitschke, J. A transistorized spectrum stabiliser, 4=25057
- Fricke, P. See Kleber, W., 4=26593
- Fricke, W. The system of fundamental stars in the southern hemisphere, 0=12293
- Fricker, S.J., Ingalls, R.P., Mason, W.C., Stone, M.L. and Swift, D.W. Computation and measurement of the fading rate of moon-reflected u.h.f. signals, 2=4840
- Frid, E. S., Miroshnikov, G. V., Slozhenikin, N. I. and Barchugov, V. V. A neutron dosimeter based on a long counter, 4=21882
- Fridberg, I.D. See Aleksandrov, L.A., 0=13645
- Fridberg, I.D. See Bogoroditskii, N.P., 1=14537
- Fridberg, I.D. See Bogoroditskii, N.P., 3=17931
- Fridberg, P. S. and Shugurov, V. K. Unrestricted Hartree-Fock method for configurations with equal azimuthal quantum numbers, 4=1184
- Fridberg, P. S. and Shugurov, V. K. Unrestricted Fock calculations for atoms like Li and B, 4=1207
- Fridberg, P. Sh. and Shugurov, V. K. The problem of calculating the diamagnetic susceptibility of helium, 3=19929
- Fridberg, P. Sh. See Éringis, K.K., 2=8058
- Fridberg, P. Sh. See Levinson, I. B., 4=8945
- Fridel', I. and Kholuyanov, G. F. Electron emission from p-n junctions in SiC made by diffusion of gold, 4=569
- Fridel, J., Lengart, P. and Leman, G. Study of spin-orbit coupling in transition metals. Application to platinum, 4=28412
- Fridenberg, A.E. See Volkov, V. L., 3=11089
- Fridge, D.L. Aberration synthesizer, 0=1029
- Fridkin, V.M. On the theory of formation of latent electro-photographic images on photoelectrets, 0=10021
- Fridkin, V.M. The photoelectret state and the luminescent afterglow in ZnS, 0=10023
- Fridkin, V.M. Some effects observed in an investigation of the luminescence of electrets made of ZnS, 0=16092
- Fridkin, V.M. On the luminescence of charged polycrystalline ZnS layers under the action of d.c. electric fields, 2=6644
- Fridkin, V.M. Iso-opacity in electrophotography, 2=17671
- Fridkin, V.M. Iso-opacity in electrophotography, 2=19732
- Fridkin, V.M. Symposium on physical fundamentals of the electrophotographic process, 3=16815
- Fridkin, V.M. Characteristics of longitudinal photoconductivity in crystals having strong absorption, 3=17952
- Fridkin, V. M. and Abdulgamidov, S. A. Photoactivation and the photoelectret state of potassium bichromate single crystals, 4=30665
- Fridkin, V.M. and Barulin, Yu. I. Two mechanisms for the formation of the latent electrophotographic image, 3=5544
- Fridkin, V.M. and Barulin, Yu. N. Nonlinear nature of the photopolarization (photodepolarization) in amorphous selenium layers, 3=20417
- Fridkin, V.M. and Barulin, Yu. N. The iso-opacity of amorphous selenium films containing sulphur impurities, 3=23006
- Fridkin, V.M. and Belikova, G.S. Photodepolarization of some aromatic hydrocarbon crystals, 3=17908
- Fridkin, V.M., Bogatyrev, A. N. and Brakhaman, É. V. A parallel study of depolarization and electroluminescence of ZnS photoelectrets, 1=2463
- Fridkin, V.M., Bogatyrev, A. N. and Brakhaman, É. V. A parallel study of depolarization and electroluminescence of ZnS photo-electrets, 1=6241
- Fridkin, V. M. and Bugrienko, V. I. Electronic mechanism of deviations from the law of interchangeability in silver halide crystals, 4=23670
- Fridkin, V.M. and Zheludev, I.S. (translated from the Russian by Tybulewicz, A.) Photoelectrets and the electrophotographic process, 3=15622
- Fridkin, V.M. See Abdulgamidov, S.A., 4=30666
- Fridkin, V.M. See Adirovich, É. I., 2=2212
- Fridkin, V.M. See Belavtseva, E.M., 2=15116
- Fridkin, V.M. See Belavtseva, E.M., 2=12953
- Fridkin, V.M. See Beliaev, L.M., 0=13660
- Fridkin, V.M. See Belikova, G.S., 3=20399
- Fridkin, V.M. See Bugrienko, V. I., 4=1688
- Fridkin, V.M. See Golobin, B.M., 0=2924
- Fridkin, V.M. See Golovin, B.M., 0=10001
- Fridkin, V.M. See Golovin, B.M., 0=13661
- Fridkin, V.M. See Gul', V. E., 3=25409
- Fridkin, V.M. See Tikhomirova, N. A., 4=10136
- Fridkin, V.M. See Zheludev, I.S., 0=11747
- Fridkin, V.M. See Zheludev, I.S., 3=23004
- Fridlander, E. See Bozoki, G., 2=336
- Fridlander, E. See Bozoki, G., 2=2684
- Fridlender, E. Scattering of slow particles in nuclear emulsions, 2=445
- Fridlender, E. See Al'per, Z., 1=13262
- Fridlender, E. See Khulubei, Kh., 2=9884
- Fridlender, E. See Khulubei, Kh., 3=6029
- Fridlender, É. M. Investigation of azimuthal effects in meson showers produced by 9 BeV protons, 1=19194
- Fridman, A. See Cooper, W. A., 4=15104
- Fridman, A. M. Concerning the effects of critical magnetic field and anomalous diffusion in weakly ionized plasmas, 4=18815
- Fridman, B. M. See Kotlyarskii, L. B., 4=24312
- Fridman, E.M. See Narbutt, K.I., 3=4235
- Fridman, L. A., Frantsevich, V. M. and Mochalova, G. L. A ferro-probe magnetometer with a self-compensating magnetic amplifier, 4=11741
- Fridman, L.A. See Drozhzhina, V.I., 1=16479
- Fridman, L. A. See Frantsevich, V. M., 4=26294
- Fridman, L.A. See Tabachnik, V.P., 4=17644
- Fridman, Sh. D. See Balyasn'yí, N. D., 4=2182
- Fridman, S.A. See Fok, M.V., 3=18015
- Fridman, S.A. See Levshin, V.L., 3=3057
- Fridman, S.A. See Vavilov, V.S., 0=10867
- Fridman, V.M. and Novitsky, B. G. Production of high-intensity acoustic vibrations by means of hydrodynamic transducers, 4=14273
- Fridman, V. Ya. and Shpunt, A.A. Tensile tests on crystal fragments ("Cleavage whiskers"), 3=25640
- Fridman, V. Ya. and Shpunt, A.A. Investigation of the strength of lithium fluoride crystal fragments, 3=25641
- Fridman, Ya. B. and Morozov, E.M. Use of the Hamilton-Ostrogradsky principle for investigation of laws concerning the fracture of solids, 2=21446
- Fridman, Ya. B. and Morozov, E.M. Use of the Hamilton-Ostrogradsky principle for investigation of laws concerning destruction of hard substances, 2=23787
- Fridman, Ya. B. See Morozov, E.M., 1=14914
- Fridman, Ya. B. See Morozov, E.M., 1=20382
- Fridman, Ya. B. See Morozov, E. M., 4=23109
- Fridrichsons, J. and Mathieson, A. McL. Image-seeking. A brief study of its scope and comments on certain limitations, 3=1317
- Fridrichsons, J. and Mathieson, A. McL. Simple device for growing single crystals by the hot-wire method, 4=7542
- Fridrikhov, S.A. On secondary electron emission and elastic reflection of slow electrons from monocrystalline NaCl, 0=9077
- Fridrikhov, S. A., Ivanov, V. N., Serebrov, L. A. and Shevtsov, A. A. Investigation of the secondary electron emission of positively charged dielectric layers, 4=29967
- Fridrikhov, S.A. and Schul'man, A.R. Investigation of the secondary electron emission of alkali halide monocrystals for low-energy primary electrons, 0=2382
- Fridrikhov, S.A. and Shul'man, A.R. Investigation of the secondary electron emission from some dielectrics in the region of low primary energies, 0=7145
- Fridrikhov, S.A. See Bazhanova, H.P., 2=7653
- Fridrikhov, S.A. See Bazhanova, N.P., 2=1489
- Fridrikhov, S.A. See Bazhanova, N.P., 2=1498
- Fridrikhov, S.A. See Bazhanova, N.P., 2=7654
- Fridrikhov, S. A. See Butusov, M. M., 4=14765
- Fridrikhov, S.A. See Kapitsa, M.L., 0=10941
- Frie, W. On the a.c. resistance of electric arcs, 1=8536
- Frie, W. Thermodynamics of irreversible processes and the force equation of Schlüter, 1=8542

- Frie, W. Separation effects in mixtures of ionized atomic gases, 3=5626
- Frie, W. The evaluation of Abel's integral equation, 4=2612
- Frie, W. and Maecker, H. Mass separation by diffusion of reacting gases, 1=9416
- Frie, W. and Maecker, H. Dynamics of reacting gases, 2=12958
- Frie, W., Maecker, H., Michel, A., Motschmann, H. and Schindler, H. On investigations of linear impulse discharges, 1=13071
- Frie, W. and Michel, A. Experimental and theoretical investigations of the current-onset in linear pulse, 3=12090
- Friebolin, H. and Maier, W. Proton resonance investigation for the determination of the intramolecular hindering potential in cyclic peroxides, 1=17359
- Fried, B.D. Elementary dynamics of the nonadiabatic transverse pinch, 0=1104
- Fried, B.D. and Culler, G.J. Plasma oscillations in an external electric field, 3=21826
- Fried, B.D., Gell-Mann, M., Jackson, J.D. and Wyld, H.W. Longitudinal plasma oscillations in an electric field, 1=9628
- Fried, B.D. and Wyld, H.W., Jr. Solution for the two-electron correlation function in a plasma, 1=7073
- Fried, B.D. See Culler, G.J., 2=15848
- Fried, B.D. See Fowler, R.G., 1=10540
- Fried, B.D. See Wyld, H.W., Jr., 4=2587
- Fried, D.C. See Evett, A.A., 0=19356
- Fried, D.L., Read, W.S. and Pollock, D.B. An interferometric optical modulator, 4=24386
- Fried, D.L. and Sartori, L. Magnetic moment of a Lee particle, 3=4323
- Fried, H.M. Structure theorem for the photon propagator, 0=323
- Fried, H.M. Example of a soluble field theory with finite charge renormalization, 0=11080
- Fried, H.M. Formal paradox in quantum electrodynamics, 0=12820
- Fried, H.M. Axiomatic perturbation theory for retarded functions, 3=5910
- Fried, H.M. Axiomatic perturbation theory. II. Partial sum formalism, 3=12385
- Fried, H.M. Crossed graphs in the Feinberg-Pais theory of weak interactions, 4=11920
- Fried, H.M. and Plebanski, J. A remark on the theory of fermions with higher order derivatives, 1=5686
- Fried, H.M. and Pursey, D.L. On the proof of parametric dispersion relations, 2=264
- Fried, H.M. and Taylor, J.G. Propagator ghosts and Regge poles, 3=17201
- Fried, H.M. and Yennie, D.R. Higher order terms in the Lamb shift calculation, 0=15648
- Fried, S.M. See Diamond, H., 0=17512
- Fried, R.D. and Gould, R.W. Longitudinal ion oscillations in a hot plasma, 1=2985
- Fried, Z. A note on non-linear effects in electrodynamics, 2=9767
- Fried, Z. Photon scattering in the low frequency high intensity limit, 3=10075
- Fried, Z. and Cha, M.H. Spectroscopy of $0 \leftrightarrow 0$ transitions, 2=18404
- Fried, Z. and Frank, W.M. Generation of "beats" from a microscopic viewpoint, 3=7302
- Fried, Z. and Martin, A.D. Center-of-mass effect on electromagnetic transition rates in mesic atoms, 4=3821
- Friedberg, R. Experimental consequences of the Majorana theory of muon's neutrino, 3=10682
- Friedberg, R. Radiative decay of intermediate boson, 3=14881
- Friedberg, S.A. Heat conduction in some ferrimagnetic crystals at low temperatures, 0=2798
- Friedberg, S.A., Cohen, A.F. and Schelleng, J.H. The specific heat of $\text{FeCl}_2 \cdot 4\text{H}_2\text{O}$ between 1.15° and 20°K, 2=23072
- Friedberg, S.A. and Douthett, D. The influence of a magnetic field on the low temperature thermal conductivity of ferrimagnetic crystals, 0=9866
- Friedberg, S.A. and Harris, E.D. Heat transport by magnons at low temperatures, 4=17381
- Friedberg, S.A. and Schriempf, J.T. Magnetic susceptibilities of several salts at liquid-He³ temperatures, 4=13114
- Friedberg, S.A. See Berger, L., 4=4393
- Friedberg, S.A. See Berger, L., 4=30703
- Friedberg, S.A. See Cohen, A.F., 4=28769
- Friedberg, S.A. See Douthett, D., 1=4972
- Friedberg, S.A. See Flippen, R.B., 0=11921
- Friedberg, S.A. See Flippen, R.B., 1=6258
- Friedberg, S.A. See Flippen, R.B., 3=18056
- Friedberg, S.A. See Pierce, R.D., 1=6385
- Friedberg, S.A. See Robinson, W.K., 0=4266
- Friedberg, S.A. See Schelleng, J.H., 3=15908
- Friedberg, S.A. See Schriempf, J.T., 4=10249
- Friedberg, S.A. See Swanson, M.L., 1=19829
- Friedberg, S.A. See Skalyo, J., Jr., 4=30519
- Friedberg, S.A. See Wagner, G.R., 4=17671
- Friedburg, H. See Kuiper, H., 1=13927
- Friedburg, H. See Schafer, E.U., 4=1872
- Friedel, J. Electronic structure and magnetic properties of transition metals and alloys, 3=2755
- Friedel, J. Concept of a virtual bound level, 3=8392
- Friedel, J. Nuclear resonance and electronic structure of metals and alloys, 3=23245
- Friedel, J. Point defects in metals, 4=1452
- Friedel, J. On the possible impact of quantum mechanics on physical metallurgy, 4=23244
- Friedel, J. On amplitude dependent internal friction, 4=26464
- Friedel, J. Introductory lectures on crystalline defects, 4=28439
- Friedel, J. and de Gennes, P.G. Origin of the line width in the nuclear resonance of ferromagnetic metals, 1=3945
- Friedel, J., Gennes de, P.G. and Matricon, J. Nature of the driving force in flux creep phenomena, 3=16861
- Friedel, J. and Guinier, A. [Edited by]. Metallic solid solutions, 4=10407
- Friedel, J., Leman, G. and Olszewski, S. On the nature of the magnetic couplings in transitional metals, 1=7738
- Friedel, J. and Mullins, W.W. The effect of interface curvature on the partitioning of solute between two dilute interstitial solid solutions, 4=26540
- Friedel, J. See Asdente, M., 0=4318
- Friedel, J. See Asdente, M., 1=17446
- Friedel, J. See Asdente, M., 2=14407
- Friedel, J. See Béal, M.T., 4=25998
- Friedel, J. See Blandin, A., 0=13847
- Friedel, J. See Blandin, A., 0=16186
- Friedel, J. See Blandin, A., 1=960
- Friedel, J. See Blandin, A., 1=9075
- Friedel, J. See Blandin, A., 1=20630
- Friedel, J. See Blandin, A., 3=22757
- Friedel, J. See Bosvieux, C., 2=12970
- Friedel, J. See Daniel, E., 4=15443
- Friedel, J. See Leman, G., 2=3868
- Friedel, J. See Leman, G., 3=22622
- Friedel, J. See Rocher, Y.A., 1=20622
- Friedel, J. See Rocher, Y.A., 2=7197
- Friedel, R.A. The use of infrared spectra of chars in coal structure research, 4=4722
- Frieden, B.R. Microscopic observation of film cross sections having steep contours, 4=15817
- Friederich, A., Hellwege, K.H. and Lämmermann, H. Further analysis of the spectrum of trivalent samarium in single crystals of different symmetry, 0=10047
- Friederich, A., Hellwege, K.H. and Lämmermann, H. Absorption spectrum and Zeeman effect of samarium magnesium nitrate, 1=2443
- Friedes, J.L. and Brussel, M.K. Proton spectra from p + D reaction for 5-10 MeV incident protons, 3=19711
- Friedes, J.L. and Chrien, R.E. Design of He³-filled fast proportional counters, 4=15079
- Friedewold, H. See Jacquemin, J., 2=12258
- Friedl, W. Krypton-Xenon bands, 0=4182
- Friedl, W. The excitation and radiation mechanism of rare gases and rare gas mixtures under bombardment with slow electrons, 0=15657
- Friedlaender, F.J. and Gassaway, J.D. Magnetoresistance measurements of Ni-Fe thin films and strips, 4=28534
- Friedlaender, F.J. and Ogborn, L.L. Small-signal behavior of 50% Ni-Fe tape cores, 3=25528
- Friedlaender, F.J. See Elfant, R.F., 2=13638
- Friedlaender, F.J. See Elfant, R.F., 3=1084
- Friedlaender, F.J. See Leliakov, I., 1=7751
- Friedlaender, F.J. See Sass, A.R., 4=18545
- Friedland, E. and Lemmer, H.R. Directional correlation for nuclear resonance fluorescence and lifetime of the 412 keV level of Hg¹⁹⁹, 3=19796
- Friedland, S.S., Mayer, J.W., Denney, J.M. and Keywell, F. Room temperature operated p-n junctions as charged particle detectors, 0=5630
- Friedland, S.S., Mayer, J.W. and Wiggins, J.S. Tiny semiconductor is fast, linear detector, 0=9237
- Friedland, S.S., Mayer, J.W. and Wiggins, J.S. The solid-state ionization chamber, 1=3081

- Friedland, S.S., Ziemba, F.P., Olson, R.M. and DeLyser, H. Application of nuclear semiconductor detectors for space spectrometry, 2=18198
- Friedländer, E. Investigations on the identification of unstopped particles in nuclear emulsions. II. On residual ionization range estimation from gap measurements in nuclear emulsions, 1=403
- Friedländer, E. The transition effect for cosmic radiation in combined absorbers, 1=19298
- Friedländer, E., Marcu, M. and Spîrchez, M. The angular and multiplicity distribution of secondaries from 9 BeV proton collisions with light nuclei, 2=5917
- Friedländer, E. and Ruckenstein, E. The utilization of large area sources of β -spectrometers with integral recording, 1=488
- Friedländer, E. See Alper, S., 1=402
- Friedländer, E. See Alper, S., 1=572
- Friedländer, E. See Balea, E., 0=20270
- Friedländer, E. See Balea, E., 0=20307
- Friedländer, E. See Balea, E., 1=570
- Friedländer, E. See Balea, E., 1=573
- Friedländer, E. See Balea, O., 1=13566
- Friedländer, E. See Fridlander, E., 2=9884
- Friedländer, E. See Khulubei, K., 3=6029
- Friedländer, E.M. Multiple meson production by 9 GeV protons on emulsion nuclei, 0=2558
- Friedländer, E.M. Possible evidence for the radiative decay of the Σ^+ hyperon, 0=13064
- Friedländer, E.M., Pion cloud effects and the two-center model of cosmic ray jets, 0=20269
- Friedländer, E.M. Remarks on the energy distribution of mesons created in high-energy nuclear collisions, 1=3201
- Friedländer, E.M. On a consequence of the two-centre model of cosmic ray jets, 1=9784
- Friedländer, E.M. On the interpretation of double-maximum angular distributions in high-energy nucleon interactions, 2=7853
- Friedländer, E.M. Peripheral collisions at accelerator energies and the $\pi-\pi$ interaction, 2=16167
- Friedländer, E.M. Production of very slow pions by 9 GeV protons on emulsion nuclei, 3=596
- Friedländer, E.M. Statistical analysis of meson jets, 3=7872
- Friedländer, E.M., Gombosi, E., Marcu, M. and Spîrchez, M. Energy spectrum of γ -rays from high energy nuclear collisions. Estimation of photon energies, 2=11918
- Friedländer, E.M., Gombosi, E., Marcu, M. and Spîrchez, M. Energy spectrum of γ -rays from high-energy nuclear collisions. II, 3=8102
- Friedländer, E.M., Marcu, M. and Spîrchez, M. Central and peripheral interactions of 7.3 GeV negative pions in emulsions, 1=5758
- Friedländer, E.M., Marcu, M. and Spîrchez, M. Relative inelasticity and anisotropy of proton interactions at 9 and 23.5 GeV, 1=12087
- Friedländer, E.M., Marcu, M. and Spîrchez, M. The angular and multiplicity distributions of secondaries from 9 GeV proton collisions with light nuclei, 2=12196
- Friedländer, E.M. and Mayer, M.E. An estimation of the spectrum of true multiplicities in antinucleon annihilations, 1=19189
- Friedländer, E.M. and Visky, T. A new possibility in the kinematical analysis of high-energy interactions, 4=21814
- Friedländer, E.M. See Balea, E., 1=569
- Friedländer, E.M. See Balea, E., 2=18325
- Friedländer, E.M. See Balea, E., 2=20479
- Friedländer, E.M. See Khulubei, K., 3=10142
- Friedlander, F.G. Sound pulses in a conducting medium, 0=5392
- Friedlander, F.G. On the radiation field of pulse solutions of the wave equation, 2=17362
- Friedlander, F.G. On the radiation field of pulse solutions of the wave equation. II, 4=24024
- Friedlander, G., Friedman, L., Gordon, B. and Yaffe, L. Excitation functions and nuclear charge dispersion in the fission of uranium by 0.1 to 6.2 GeV protons, 3=8147
- Friedlander, G. and Yaffe, L. Cross sections for the production of Cl, K, Ca, and Sc isotopes in the bombardment of Pb and U with 3.0 BeV protons, 0=5747
- Friedlander, G. and Yaffe, L. Electron capture to positron ratios in the decay of Cs^{125} and Cs^{127} , 2=22769
- Friedlander, G. See Cumming, J.B., 2=10107
- Friedlander, G. See Cumming, J.B., 2=18326
- Friedlander, G. See Dostrovsky, I., 0=1397
- Friedlander, G. See Hudis, J., 3=4641
- Friedlander, J. Absorption curve of the $\gamma^{90}\beta$ -radiation in light elements, 1=15396
- Friedlander, M. M., Smith, T. J. B., and Powell, A. Experiments on the Rijke-tube phenomenon, 4=29709
- Friedlander, M.W. Primary cosmic-ray α -particles over North America, 2=18200
- Friedlander, M. W., Neelakantan, K. A. and Tokunaga, S., Stevenson, G. R. and Waddington, C. J. The fragmentation of heavy cosmic ray nuclei in light elements, 4=3512
- Friedlander, M.W. and Spring, C.T. Primary cosmic-ray alpha particles. III, 3=6101
- Friedlander, M.W. See Engler, A., 1=8522
- Friedlander, S.K. On the particle size spectrum of a condensing vapor, 0=16736
- Friedlander, S.K. Theoretical considerations for the particle size spectrum of the stratospheric aerosol, 2=8965
- Friedlander, S.K. and Litt, M. Rapid chemical reaction in a laminar boundary layer, 0=6397
- Friedman, A.H. See Schoonmaker, R.C., 0=3566
- Friedman, A.M., Meadows, J.W., Smith, A.B., Fields, P.R., Milsted, J. and Whalen, J.E. Fission fragment kinetic energies of Cf^{248} , Cf^{249} , and Cf^{250} , 3=19896
- Friedman, A.M., Milsted, J. and Skilbreid, O. Nuclear properties of Eu^{145} , Eu^{146} , Eu^{147} , Gd^{146} and Gd^{147} , 3=8005
- Friedman, A.M. and Milsted, J. Alpha decay of Cf^{248} , 3=19826
- Friedman, A.M. and Mohr, W.C. Gas entrainment recoil target assembly, 3=2064
- Friedman, A.M. See Fields, P.R., 0=7498
- Friedman, A.M. See Fields, P.R., 3=19825
- Friedman, A.N. and Koenig, S.H. Size effects for conduction in thin bismuth crystals, 0=9927
- Friedman, A.S. See Haar, L., 1=5418
- Friedman, A.S. See Oppenheim, I., 1=10455
- Friedman, B. Propagation in a non-homogeneous medium, 2=7762
- Friedman, E. A new method for measuring thermalization parameters, 3=10125
- Friedman, E. Studies of neutron thermalization in H_2O by the pulsed source and "non 1/v" absorbers method, 4=21877
- Friedman, E. and Low, W. Paramagnetic resonance spectrum of Mn^{2+} in $\text{ZnSiF}_6 \cdot 6\text{H}_2\text{O}$, $\Delta m = \pm 1$ transition, 0=18220
- Friedman, E. and Low, W. Effect of thermal treatment of paramagnetic resonance spectra of rare earth impurities in calcium fluoride, 1=1259
- Friedman, E.A. and Nicholson, W.J. Internal magnetic fields and the saturation magnetization of iron-aluminum alloys, 3=15734
- Friedman, G. On the way to open-ended experiments for physics majors, 3=23725
- Friedman, H. Rocket astronomy, 0=10531
- Friedman, H. Rocket astronomy, 0=10532
- Friedman, H. Recent experiments from rockets and satellites, 0=14469
- Friedman, H. Electromagnetic radiation from extra-terrestrial sources, 0=16538
- Friedman, H. Lyman- α radiation, 1=21018
- Friedman, H. N.R.L. equipment and planes, 2=13126
- Friedman, H. Solar observations obtained from vertical sounding, 2=13129
- Friedman, H. Space spectroscopy at the U.S. naval research laboratory-photoelectric photometry, 3=11481
- Friedman, H. Ionospheric constitution and ionizing radiations, 3=13739
- Friedman, H. Summary: Ionospheric constitution and ionizing radiations, 3=13740
- Friedman, H. See Bellemans, A., 4=18175
- Friedman, H. See Blake, R.L., 3=9206
- Friedman, H. See Bowyer, S., 4=23869
- Friedman, H. See Byram, E.T., 1=21031
- Friedman, H. See Byram, E.T., 2=15367
- Friedman, H. See Chubb, T.A., 0=16539
- Friedman, H. See Chubb, T.A., 2=15248
- Friedman, H. See Chubb, T.A., 2=15338
- Friedman, H. See Chubb, T.A., 2=15339
- Friedman, H. See Kreplin, R.W., 2=11072
- Friedman, H. See Kreplin, R.W., 2=19314
- Friedman, H. See Kupperian, J.E., Jr, 0=4805
- Friedman, H. See Kupperian, J.E., Jr, 0=14199
- Friedman, H. See Kupperian, J.E., Jr., 1=6629
- Friedman, H.L. Mayer's ionic solution theory applied to electrolyte mixtures, 0=6783
- Friedman, H.L. Thermodynamic excess functions for electrolyte solutions, 0=10656
- Friedman, H.L. On Mayer's ionic solution theory, 1=136
- Friedman, H.L. Density expansions of correlation functions for equilibrium systems, 1=4270

- Friedman, H. L. A cluster expansion for the electrical conductance of solutions, 4=14185
- Friedman, H. L. On the limiting law for electrical conductance in ionic solutions, 4=14186
- Friedman, H. L. See Jepsen, D. W., 3=10552
- Friedman, I., Long, W. and Smith, R. L. Viscosity and water content of rhyolite glass, 4=11189
- Friedman, I., Machta, L. and Soller, R. Water-vapor exchange between a water droplet and its environment, 3=294
- Friedman, I., Redfield, A. C., Schoen, B. and Harris, J. The variation of the deuterium content of natural waters in the hydrologic cycle, 3=25898
- Friedman, I. See Bainbridge, A. E., 2=2466
- Friedman, I. See Begemann, F., 0=2040
- Friedman, I. See Gonsior, B., 3=13663
- Friedman, I. See Gonsior, B., 3=25893
- Friedman, J. I. Application of sum rules to electron-deuteron scattering, 0=2530
- Friedman, J. I. and Kendall, H. W. Determination of the deuteron form factor from coherent π^0 photoproduction, 3=10178
- Friedman, J. I., Kendall, H. W. and Gram, P. A. M. Experimental study of the magnetic structure of the neutron, 0=20147
- Friedman, J. I. See de Pagter, J. K., 4=25371
- Friedman, J. I. See Kendal, H. W., 2=325
- Friedman, J. I. See Maloy, J. O., 1=8483
- Friedman, L. Hall effect in the polaron-band regime, 3=25255
- Friedman, L. Transport properties of organic semiconductors, 4=12920
- Friedman, L. Question of size corrections to the steady diamagnetic susceptibility of small systems, 4=15622
- Friedman, L. Density matrix formulation of small-polaron motion, 4=22544
- Friedman, L. and Holstein, T. Studies of polaron motion. III. The Hall mobility of the small polaron, 3=12950
- Friedman, L. and Irsa, A. P. Collision-induced dissociation of N_2O^+ , 2=9525
- Friedman, L. See Fluit, J. M., 2=227
- Friedman, L. See Fluit, J. M., 3=4217
- Friedman, L. See Friedlander, G., 3=8147
- Friedman, L. See Irsa, A. P., 1=7495
- Friedman, L. See Klein, F. S., 4=29205
- Friedman, L. See Moran, T. F., 4=4694
- Friedman, L. See Moran, T. F., 4=12455
- Friedman, L. See Rueben, B. G., 3=2677
- Friedman, L. See Von Koch, H., 3=11342
- Friedman, L. B., Dobrott, R. D. and Lipscomb, W. N. Preparation and structure of a new boron hydride $B_{20}H_{16}$, 4=7748
- Friedman, N. See Hirsch, A. A., 3=1087
- Friedman, N. See Hirsch, A. A., 3=15847
- Friedman, N. See Hirsch, A. A., 4=12861
- Friedman, N. See Hirsch, A. A., 4=12844
- Friedman, R. M., Rawcliffe, R. D. and Meloy, G. E. Radiance of the upper atmosphere in the middle ultraviolet, 4=13816
- Friedman, R. M. See Rawcliffe, R. D., 4=13780
- Friedman, R. M. See Sharp, R. D., 2=450
- Friedmann, G. and Vidal, R. Modification to an inexpensive interferometer, 2=17642
- Friedmann, H. A movable universal detector for atomic beams, 0=5859
- Friedmann, H. Polarization and focusing of molecular beams by dipole field, 1=886
- Friedmann, H. Magnetometer for the measurement of the inhomogeneities in the earth's magnetic field, 4=20877
- Friedmann, H. Molecular theory of isotopic condensed systems, 4=22332
- Friedmann, H. and Steele, W. A. Relation between self-diffusion coefficients and quantum equilibrium properties, 4=21114
- Friedmann, H. See Ben-Reuven, A., 3=17607
- Friedmann, H. See Jaffe, J. H., 4=1264
- Friedmann, M. See Avni, A., 4=30304
- Friedmann, M. See Eisenberg, Y., 0=20219
- Friedmann, M. See Eisenberg, Y., 2=319
- Friedmann, W. M. See Nowitzky, B. G., 4=5306
- Friedrich, H. Experiments on the edge luminescence of CdS single crystals, 3=13202
- Friedrich, H. The luminescence of CdS single crystals, 2=6600
- Friedrich, H. The luminescence of single crystals of cadmium sulphide, 2=12617
- Friedrich, H. Temperature dependence of the spectrum of the "blue" luminescence of CdS crystals between 65° K and 300° K, 4=22916
- Friedrich, H. B. and Person, W. B. Absolute infrared intensities in some crystalline hydrogen halides, 3=25460
- Friedrich, J. Theory of plasma in the presence of magnetic fields, 1=296
- Friedrich, J., Schirmer, H. and Stober, I. The transport phenomena in cylindrical discharges in the presence of magnetic fields, 0=2368
- Friedrich, K. Emission of light from crystal phosphors stimulated by ultrasound after irradiation with ultraviolet light and β -rays, 1=5056
- Friedrich, K. Absolute activity determination of electron capture radiation with an excess-pressure proportional counter, 4=6255
- Friedrich, K. and Herforth, L. Expulsion of light from crystal phosphors by ultrasound for measuring ultraviolet light and β -radiation, 2=8556
- Friedrichs, K. O. Remarks on the interpretation of functionals in Hilbert space, 0=7267
- Friedrichs, K. O. Pinch buckling, 1=5469
- Friel, D. D. See Greenewalt, C. H., 0=16870
- Friel, E. New pigment-mixture diagram and color system, 0=188
- Friel, E. New pigment-mixture data, 0=14857
- Friel, E. Graphic expression of lightness in the Friel system, 1=10611
- Frieman, E. A kinetic equation for spatially inhomogeneous systems with weak coupling, 3=11728
- Frieman, E., Bodner, S. and Rutherford, P. Some new results on the quasi-linear theory of plasma instabilities, 3=21827
- Frieman, E. and Pytte, A. Electrostatic instabilities in slightly inhomogeneous plasmas, 1=11641
- Frieman, E. and Rotenberg, M. On hydromagnetic stability of stationary equilibria, 1=5563
- Frieman, E. and Rutherford, P. Kinetic theory of a weakly unstable plasma, 4=21494
- Frieman, E. A. Basic plasma theory—kinetics, 3=9765
- Frieman, E. A. On a new method in the theory of irreversible processes, 3=11720
- Frieman, E. A. and Book, D. L. Convergent classical kinetic equation for a plasma, 4=5595
- Frieman, E. A., Goldberger, M. L., Watson, K. M., Weinberg, S. and Rosenbluth, M. N. Two-stream instability in finite beams, 2=5358
- Frieman, E. A. See Bernstein, I. B., 0=7118
- Frieman, E. A. See Bodner, S. E., 4=16502
- Frieman, E. A. See Rutherford, P. H., 3=21766
- Fries, B. A. Gas flow measurements by the total-count method, 3=155
- Fries, D. See Citron, A., 2=13841
- Fries, D. See Citron, A., 2=20658
- Fries, R. J. Vaporization behavior of niobium carbide, 2=19782
- Fries, R. J. and Kempter, C. P. Dimolybdenum carbide, 1=5096
- Fries, R. J. See Kempter, C. P., 0=10315
- Fries, R. J. See Kempter, C. P., 1=6515
- Fries, R. J. See Kempter, C. P., 1=10260
- Friese, T. Portable pulse generator for testing purposes, 2=5287
- Friese, T. Automatic dead-time correction for radiation measuring equipment, 2=13700
- Friese, W. See Lippert, W., 3=21884
- Friesen, W. J. See Leonard, B. R. Jr., 0=13282
- Frieser, H. Some recent results concerning the theory of development, 0=12505
- Frieser, H. The total photographic effect of electrons. Granulation after exposure to electrons, 0=12730
- Frieser, H. Limits and possibilities of the photographic process, 2=1286
- Frieser, H. The modulation transfer function in photography, 4=14411
- Frieser, H. and Biedermann, K. Picture quality and modulation transmission function, 3=7360
- Frieser, H., Graf, A. and Eschrich, D. Investigations on the temperature dependence of spectral sensitization, hypersensitization and desensitization of photographic layers, 2=9412
- Frieser, H. and Metz, H. J. The connection between blackening and exposure in a photographic layer, 3=11956
- Frieser, H. and Ranz, E. Sulphur sensitizing mechanism in photographic emulsions, 3=11946
- Frigerio, G., Gerevini, T. The dependence upon the irradiation dose of the apparent diffusion rates of xenon in uranium dioxide, 4=6879
- Frigerio, G. See Colli, L., 2=22922
- Frigerio, G. See Colombo, R., 2=14926
- Frigerio, G. E. See Bassani, G., 3=2584
- Frigerio, G. E. See Colli, L., 3=4717

- Frigerio, G. E. See Cristofori, F., 4=300
 Frigerio, G. E. See Cristofori, F., 4=11523
 Frigerio, N. A. Fabricating thin neutron foils, 2=11966
 Frigge, K. and Pfeifer, H. A new method for the measurement of long longitudinal relaxation times, 2=5501
 Frihagen, J. A study of small-scale irregularities in the ionosphere by satellite techniques, 3=13715
 Frihagen, J. and Trøim, J. Scintillations of the 20 Mc/s signal from the earth satellite 1958 Π , 1=1543
 Frihagen, J. and Trøim, J. On the large scale regions of irregularities producing scintillation of signals transmitted from earth satellites, 1=20928
 Friichtenicht, J. F. Two-million-volt electrostatic accelerator hypervelocity research, 2=7685
 Friichtenicht, J. F. See August, L. S., 1=648
 Friis-Møller, K. See Bryrup, E., 0=9714
 Friis-Møller, K. See Bryrup, E., 0=9715
 Friis-Møller, K. See Bryrup, E., 0=9716
 Frikkee, E. and van den Handel, J. The magnetic behaviour of azurite, 2=10639
 Frikkee, E., van der Lugt, W. and van den Handel, J. Magnetic properties of azurite, 4=17668
 Frilley, M. γ spectrography using crystalline diffraction, 1=13229
 Frimerman, L. Ya. Stability of the magnetization of ferromagnets as a function of the magnetizing process, 3=11060
 Friml, M. Experimental investigation on the angular distribution of electrons from μ -meson decay, 0=3980
 Friml, M. and Mazur, A. To the question of electron angular distribution at μ -meson decay, 1=16828
 Friml, M. See Dzhelepov, V. P., 4=25205
 Friml, M. See Dzhelepov, V. P., 4=27909
 Frind, G. The decay of arc discharges. I. Theoretical consideration, 0=10893
 Frind, G. The decay of arc discharges. II. Proof of theory by experimental investigation, 1=2956
 Frindt, R. D. The optical properties of single crystals of WSe_2 and MoTe_2 , 3=25466
 Frindt, R. F. and Yoffe, A. D. Physical properties of layer structures: optical properties and photoconductivity of thin crystals of molybdenum disulphide, 3=10957
 Frings, H. and Frings, M. Pest control with sound. I. Possibilities with invertebrates, 3=16441
 Frings, H. and Frings, M. Pest control with sound. II. The problem with vertebrates, 3=16442
 Frings, M. See Frings, H., 3=16441
 Frings, M. See Frings, H., 3=16442
 Frinken, I. and Kappler, E. I. The elastic behaviour of metals
 Frisby, H. See Bisson, A., 2=4517
 Frisch, D. See Sodickson, L., 4=9280
 Frisch, D. See Sodickson, L., 4=21913
 Frisch, D. L. Some predictions from a composite model of baryons, 0=15306
 Frisch, D. H. and Smith, J. H. Measurement of the relativistic time dilation using μ -mesons, 3=11680
 Frisch, D. H. See Ely, R. P., 0=3983
 Frisch, D. H. See Hill, D. A., 1=4747
 Frisch, D. H. See O'Donnell, R. M., 4=16743
 Frisch, D. H. See von Dardel, G., 1=2053
 Frisch, D. H. See Wahlig, M. A., 2=11849
 Frisch, H. L. Time lag in the thermalization of a fast ion in a plasma, 1=11927
 Frisch, H. L. Time lag in transport theory, 2=2653
 Frisch, H. L. Locally Maxwellian solutions for a "positronium" plasma, 2=15910
 Frisch, H. L. Anomalous polymer-penetrant permeation, 3=1679
 Frisch, H. L. and Brady, G. W. On small-angle critical scattering, 3=52
 Frisch, H. L., Hammersley, J. M. and Welsh, D. J. A. Monte Carlo estimates of percolation probabilities for various lattices, 2=12447
 Frisch, H. L. and Helfand, E. Conditions imposed by gross properties on the intermolecular potential, 0=4243
 Frisch, H. L. and Lebowitz, J. L. Electron transport at high temperatures in the presence of impurities, 1=12413
 Frisch, H. L. and Lloyd, S. P. Electron levels in a one-dimensional random lattice, 0=20773
 Frisch, H. L. and Morrison, J. A. High field magnetoresistance of inhomogeneous semi-conductors and plasmas—the stratified medium, 4=12866
 Frisch, H. L. and Rogers, C. E. Quantum isotope effect in permeation, 4=18116
 Frisch, H. L., Sonnenblick, E., Vyssotsky, V. A. and Hammersley, J. M. Critical percolation probabilities (site problem), 1=17385
 Frisch, H. L. and Stillinger, F. H. Contribution to the statistical geometric basis of radiation scattering, 3=14041
 Frisch, H. L. See Brady, G. W., 2=9269
 Frisch, H. L. See Dransfeld, K., 2=8891
 Frisch, E. L. See Helfand, E., 0=19095
 Frisch, H. L. See Helfand, E., 1=5220
 Frisch, H. L. See Lebowitz, J. L., 0=10650
 Frisch, H. L. See Morrison, J. A., 0=15871
 Frisch, H. L. See Reiss, H., 0=3507
 Frisch, H. L. See Rice, S. A., 0=7862
 Frisch, H. L. See Stillinger, F. H. Jr., 1=18671
 Frisch, H. L. See Vyssotsky, V. A., 1=12346
 Frisch, I. T. and Kim, W. H. Properties of 2-semi-isomorphic graphs and their applications; active network analysis, 1=10655
 Frisch, I. T. A stability criterion for tunnel diodes, 4=30638
 Frisch, O. R. Notes on coherent bremsstrahlung, 0=345
 Frisch, O. R. Molecular beams, 0=2757
 Frisch, O. R. Are the laws of nature symmetrical? 0=17209
 Frisch, O. R. Parity nonconservation in weak interactions. I, 0=20032
 Frisch, O. R. Time and relativity. I, 2=19401
 Frisch, O. R. Time and relativity. II, 2=19402
 Frisch, O. R. and Oxley, A. J. A semi-automatic analyser for bubble chamber photographs, 1=16630
 Frisch, O. R. [Ed.]. Progress in nuclear physics. Vol. 6, 0=19958
 Frisch, S. E. Works on atomic spectroscopy in the U.S.S.R., 0=9757
 Frisch, S. E. and Bochkova, O. P. The inversion of the population of levels of sodium in the glow discharge of the mixture of vapours of sodium and mercury, 2=22912
 Frisch, S. E. See Bochkova, O. P., 2=11627
 Frisch, U. Coupling of magnetodynamic waves in a stratified media, 4=29911
 Frisch-Fay, R. Non-linear bending of a cantilever under several concentrated loads, 0=14555
 Frisch-Fay, R. Experimental results in intermittent motion, 2=13295
 Frisch-Fay, R. Discontinuous nature of stress-strain relationship, 4=10355
 Frischleder, H. Investigations on a Pound-Freeman field stabilized oscillator, 4=753
 Frisco, L. J. and Callinan, T. D. [Ed.]. Digest of literature on dielectrics. Volume 23. 1959, 1=1882
 Frischmuth-Hoffmann, G., Gürlich, P. and Hora, H. Special features of the temperature dependence of photoemission of multialkali cathodes, 1=13112
 Frischmuth-Hoffmann, G., Gürlich, P., Hora, H., Heimann, W. and Marseille, H. Measurements on mixed alkali [metal] photo-cathodes, 0=19721
 Frischmuth-Hoffmann, G. and Gürlich, P. Temperature dependence of efficiency ratios of polarized light for Cs_3Sb photo-cathodes, 2=5374
 Frisco, L. J., Muhlbaum, A. M. and Szymkowiak, E. A. Some effects of simulated space environment of the electrical properties of dielectrics, 4=17511
 Frisco, L. J. See Soderman, R. A. (Eds.), 0=2300
 Frish, M. S. and Startsev, G. P. Some studies of the spectroscopic characteristics of the plasmatron, 4=29959
 Frish, O. R. [consulting editor]. The nuclear handbook, 3=4285
 Frish, S. E. Work on atomic spectroscopy in the U.S.S.R., 1=3499
 Frish, S. E. and Bochkova, O. P. The inversion of the population of levels of sodium in the glow discharge of the mixture of vapours of sodium and mercury, 3=8177
 Frish, S. E. and Revald, V. F. Effective cross-sections for the direct and stepwise excitation of neon atoms, 4=19977
 Frish, S. E. and Yakhontova, V. E. New data on excitation functions of helium lines, 0=5854
 Frish, S. E. See Bogdanova, I. P., 4=22294
 Frish, S. E. See Sobolev, N. N., 0=8854
 Frishberg, A. A. and Oreshonkova, T. I. Measurement of the temperature of samples and the significance of heating of electrodes where chemical reactions in the crater are concerned, 3=24257
 Frishkopf, L. S. and Goldstein, M. H., Jr. Responses to acoustic stimuli from single units in the eighth nerve of the bullfrog, 3=21170
 Frishman, I. G. Recording of auroral spectra using a photo-electric spectrometer, 0=8791

- Frishman, I.G. Rapid-response electrophotometer for measuring the intensity of the aurora borealis, 1=6634
- Frishman, Y. and Katz, A. Does zero bare mass for the electron entail finite mass for the photon? 4=30203
- Frisius, F. See Bodenstedt, E., 0=7540
- Frisius, F. See Bodenstedt, E., 0=17481
- Frisius, J., Ehmert, A. and Stratmann, D. Effects of distant high-altitude nuclear tests on v.l.f. propagation, 4=17944
- Frisk, A. Evidence for a Σ hyperon-pion resonance at 1404 MeV with narrow width, 3=12509
- Frisk, A. and Ekspong, A.G. Production of Σ hyperon pion pairs, 3=6089
- Frisk, A., Nilsson, S., Ronne, B.E. and Schneider, W. Interaction of 560 MeV negative π -mesons with emulsion nuclei, 2=1711
- Frisk, A. See Ekspong, A.G., 1=5728
- Friskén, W.R. See Barton, R., 4=6275
- Friskén, W.R. See Dowell, J.D., 0=1281
- Friskén, W.R. See Dowell, J.D., 0=7443
- Friskén, W.R. See Dowell, J.D., 1=408
- Friskén, W.R. See Dowell, J.D., 1=5724
- Friskén, W.R. See Martelli, G., 1=16770
- Friskopp, K.G. and Sandström, A.E. The education of physicists in Sweden, 1=4230
- Frisman, E.V. and Arkhipova, E.N. Determination of the optical anisotropy of macromolecules in a system exhibiting the shape effect, 0=12498
- Frisman, E. V., Davivanyan, A. K. and Dyuzhev, G. A. On the problem of the determination of the optical anisotropy of macromolecules, 4=22444
- Frisman, E. V., Davivanyan, A. K., Dyuzhev, G. A. and Kamenov, Yu. G. Dependence of optical anisotropy of macromolecules on the properties of the solvent, 4=25768
- Frisman, E.V., Garmonova, G.I. and Bychkova, V.E. Dynamic double refraction of solutions of low molecular weight fractions of polystyrene in butanone. II, 0=12499
- Frisman, E.V. and Syuñ Mao. Optical properties of polymer solutions near the critical mixing temperature, 3=21352
- Frisman, E.V. and Tsvetkov, V.N. Dynamic double refraction due to the shape of macromolecules in a solution under conditions of different concentrations and shear stresses. III, 0=12500
- Frith, R. Ozone in the earth's atmosphere, 2=24000
- Frith, R., Harrison, E.R. and de Turville, C.M. Terrestrial accretion from the solar wind, 1=20806
- Fritsberg, V.Ya., Freidenfel'd, E.Zh. and Kruchan, Ya.Ya. Dielectric properties and structure of PbTiO_3 - SrTiO_3 - $''\text{Bi}_2\text{TiO}_3''$ solid solution, 2=14632
- Fritsberg, V. Polarization mechanism in solid solutions of strontium titanate and bismuth titanate, 2=12568
- Fritsch, A. Vibrating reed potentiometer for the measurement and recording of the surface potentials of monomolecular films, 2=5251
- Fritsch, A.R. and Levy, B. Distribution and elution of fission products upon ThO_2 - UO_3 slurry at simulated reactor conditions, 0=13373
- Fritsch, F. Computational methods for use with β -spectrometers, 1=13400
- Fritsch, F.N. See Bastiansen, O., 4=20035
- Fritsch, F.N. See Iwasaki, M., 4=20035
- Fritsch, P.C. A free-space method of measuring radar cross section in the laboratory, 4=3144
- Fritsch, V. Propagation of radiofrequency electromagnetic fields in geological conductors, 3=9944
- Fritsche, L. Precision measurement of the classical sound absorption with the help of the cylindrical resonator. I, 1=8186
- Fritsche, L. Theory of the acoustic cylindrical resonator taking the excitation of sound into account. II, 1=8187
- Fritsche, L. On the molecular sound absorption in fluid mixtures, 4=16148
- Fritsche, L. and Seufert, H. Gas adsorption behaviour, Hall effect and structure of bismuth films, 4=7709
- Fritsche, L., Wolf, F. and Schaber, A. The structure and formation of black evaporated layers of bismuth, 1=15178
- Fritschen, L.J. Construction and calibration details of the thermal-transducer-type net radiometer, 0=14185
- Fritz, B. Anion vacancies and interstitial ions in alkali-halide-alkali-hydride mixed crystals, 2=14433
- Fritz, B., Lüty, F. and Anger, J. Effect of OH^- ions on the absorption spectrum and ion conductivity of KCl single crystals, 3=18005
- Fritz, J.F. See Clark, J.J., 0=2990
- Fritz, J.J., Maria, H.J. and Aston, J.G. Nuclear cooling with metallic copper, 1=10630
- Fritz, J.J., Maria, H.J. and Aston, J.G. Concerning the feasibility of nuclear cooling with palladium hydride, 1=11866
- Fritz, J.J., Maria, H.J. and Aston, J.G., Energy evolution in Pd_3H below 1°K, 3=9665
- Fritz, J.J. and Taylor, R.G. Magnetic and thermodynamic properties of copper II acetylacetonate, 0=10093
- Fritz, J.N. See McQueen, R.G., 3=17666
- Fritz, O. G., Jr. Conducting film formed by electron bombardment of tungsten hexacarbonyl vapor in vacuum, 4=26016
- Fritz, S., Krishna Rao, P. and Weinstein, M. Satellite measurements of reflected solar energy and the energy received at the ground, 4=23752
- Fritz, W. and Bode, K.H. A simple comparison method for the measurement of the thermal conductivity of small metal samples, 0=6964
- Fritz, W. and Poltz, H. Absolute determination of the thermal conductivity of liquids. I. Critical experiment with a new parallel plate apparatus, 2=15571
- Fritze, G. See Dusterhöft, H., 2=2113
- Fritze, K. Half-lives of Cs^{141} , Cs^{142} , and Cs^{143} , 2=18277
- Fritze, K. and Kennett, T.J. The identification and half lives of fission-product Rb^{92} and Rb^{93} , 1=666
- Fritze, K. and Kennett, T.J. Decay measurements of Ba^{141} and Ba^{142} , 2=18291
- Fritze, K., Kennett, T.J. and Prestwich, W.V. Half-lives of Rb^{94} , Sr^{94} , Y^{94} , Rb^{95} , Sr^{95} , Y^{95} , 1=7135
- Fritze, K., Kennett, T.J. and Prestwich, W.V. Half-life Q_β value and γ -ray spectrum of La^{143} , 1=8656
- Fritze, K. See Kennett, T.J., 2=12206
- Fritze, K. See Prestwich, W.V., 2=20570
- Fritzsche, C. Investigations on the steepness of luminance-voltage curves of electro-luminescent ZnS phosphors, 1=9011
- Fritzsche, C. Surface and geometrical corrections for the measurement of minority carrier lifetimes in semiconductors, 2=8347
- Fritzsche, H. Effect of shear on impurity conduction in n-type germanium, 0=15935
- Fritzsche, H. Valley-orbit splitting of antimony in germanium, 0=20903
- Fritzsche, H. Effect of uniaxial compression on impurity conduction in n-type germanium, 2=8339
- Fritzsche, H. Effect of stress on the donor wave functions in germanium, 2=8340
- Fritzsche, H. and Cuevas, M. Impurity conduction in transmutation-doped p-type germanium, 0=13595
- Fritzsche, H. and Cuevas, M. Investigation of impurity conduction in transmutation-doped germanium, 2=23320
- Fritzsche, H. and Cuevas, M. Intra- and intervalley scattering and the tailing of the conduction band in impure n-type germanium, 3=10765
- Fritzsche, H. and Tiemann, J.J. Effect of elastic strain on inter-band tunneling in Sb-doped germanium, 3=13095
- Fritzsche, H. See Tiemann, J.J., 4=7019
- Fritzsche, I. See Ringpfel, H., 4=7526
- Froelich, H. and Brannen, E. A racetrack microtron for millimeter and submillimeter wave generation, 4=19200
- Froelich, H. See Brannen, E., 0=19917
- Froelich, H. See Brannen, E., 1=11990
- Froelich, H.C. See Ishler, W.E., 3=3038
- Froese, C. Initial estimates for self-consistent field calculations for atoms with large atomic number, 0=2706
- Froese, C. Limiting behaviour of atomic wave functions for large atomic number. III, 0=9732
- Froese, C. The self-consistent field with exchange for the ground state and first excited state of Fe^{+13} , 0=20542
- Froese, C. Limiting screening numbers and energy parameters, 3=12749
- Froese, C. Numerical solution of the Hartree-Fock equations, 4=3771
- Froese, C. Some multiplet strengths for transitions in Fe XVI and Fe XV, 4=25500
- Frogner, E. Temperature changes on a large scale in the Arctic winter stratosphere and their probable effects on the tropospheric circulation, 3=1430
- Fröhlich, C. See Baer, Y., 3=2926
- Fröhlich, C. See Busch, G., 1=14475
- Fröhlich, D. The optical constants of LiF in the region of its infrared eigen-vibrations, 2=23512
- Fröhlich, D. The temperature dependence of the optical constants of LiF in the region of the infrared eigen-vibration, 4=7140
- Fröhlich, F. Representation of the rate of F-centre formation under the action of X-rays at room temperature, 1=8923

- Fröhlich, F. The determination of the concentration of anion vacancies in NaCl crystals irradiated by X-rays, 2=8256
- Fröhlich, F. Enhanced F-centre formation in X-ray irradiated Ca-doped KCl crystals, 2=16670
- Fröhlich, F. and Schmuntzsch, M. A method for determining the stray light in prism spectrophotometers, 0=12485
- Fröhlich, F. and Schmuntzsch, M. Stray light measurements in prism monochromators, 1=2861
- Fröhlich, F. and Suisky, D. Electrical effects induced by motion of dislocations in NaCl and KCl crystals, 4=9960
- Fröhlich, F. See Bethge, H., 3=6824
- Fröhlich, F. See Brauer, K.H., 1=1821
- Fröhlich, F. See Stiller, H., 3=18105
- Fröhlich, H. Space-time reflections, isobaric spin and the mass ratio of bosons, 1=463
- Fröhlich, H. Light quanta and heavy bosons, 1=464
- Fröhlich, H. Boron trifluoride proportional counter of glass, 1=5606
- Fröhlich, H. Space time reflexions, light quanta and heavy bosons, 1=5622
- Fröhlich, H. New heavy bosons, 1=12071
- Fröhlich, H. The structure of momentum space, the neutrino and the Pauli principle, 1=13273
- Fröhlich, H. On isobaric spin space, 3=22060
- Fröhlich, H., Machlup, S. and Mitra, T. K. Low mobility materials and Debye dielectric loss due to electrons, 4=1643
- Fröhlich, H. and Sewell, G.L. Electric conduction in semiconductors, 0=4334
- Fröhlich, H. and Taylor, A. W. B. The Boltzmann equations in electron-phonon systems, 4=20236
- Fröhlich, H. and Terreaux, C. Isobaric spin algebra, 3=11667
- Fröhlich, H. See Frelikh, Kh., 1=14424
- Frohlich, R. The effect of control rods in a thermal reactor using two-group theory, 1=3493
- Fröhlich, R. Numerical solution of the neutron transport equation, 4=3423
- Fröhlich, R. A generalized Galerkin method for numerical solution of the neutron transport equation, 4=27862
- Frohman, E.D. See Bethke, G.W., 3=16944
- Frohne, H.C. See Storm, L., 3=345
- Fröhner, F.H. Production and investigation of negative fission product ions, 2=22862
- Fröhner, F.H. On the theory of counting-rate meters, 4=3234
- Frohnshorff, G.J.C. and Kington, G.L. A note on the thermodynamic properties and infra-red spectra of sorbed water, 0=10376
- Frohnshorff, G. J. C. See Dacey, J. R., 4=30604
- Froidevaux, C., Hahn, E.L. and Walstedt, R.E. Nuclear magnetic resonance in platinum metal, 3=23255
- Froidevaux, C. and Weger, M. Direct measurement of the Ruderman-Kittel interaction in platinum alloys, 4=13350
- Froidevaux, C. See Walstedt, R.E., 2=18967
- Frois, C. On the elimination of defects in zone refined aluminium by cold working in liquid hydrogen, 3=16089
- Frois, C. Influence of slight additions of silver on the recrystallization of zone-melted aluminium, 4=2021
- Frois, C. and Dimitrov, O. The existence of preferential orientations in zone refined aluminium containing small additions of impurity elements, 1=10236
- Frois, C. and Dimitrov, O. Complementary study of the recrystallization of zone-refined aluminium containing minute additions of copper and magnesium, 2=4391
- Frois, C. and Dimitrov, O. On the recovery of the electrical resistivity, between 60°K and 200°K, of aluminium strongly cold-worked in liquid hydrogen, 4=12850
- Frois, C. and Dimitrov, O. Restoration of the electrical resistivity of very pure aluminium irradiated by neutrons at 77°K, 4=26002
- Froissart, M. Covariant formalism of a field with indefinite metric, 0=3912
- Froissart, M. Asymptotic behavior and subtractions in the Mandelstam representation, 1=10861
- Froissart, M. Simplification of the two-body unitarity relation, 1=19137
- Froissart, M. Elimination of the inelastic cut in the N/D method, 2=1666
- Froissart, M. Complex angular momenta in potential scattering, 2=22423
- Froissart, M., Goldberger, M.L. and Watson, K.M. Spatial separation of events in S-matrix theory, 3=23767
- Froissart, M. and Jacob, M. On the observation of the possible Ω^- baryon, 4=25192
- Froissart, M. and Stora, R. Depolarization of a beam of polarized protons in a synchrotron, 1=1946
- Frölich, E. The theory of the superconductive state, 1=6596
- Frölich, H. Electron-phonon interaction, superconductivity, and the third law of thermodynamics, 4=12678
- Frolov, A.M. See Bychkov, Yu.A., 3=17160
- Frolov, A.P., Vereshchagin, L.F. and Rodionov, K.P. Investigation of the changes in the crystal lattice parameters of pentaerythritol under pressures up to 10 000 kg/cm², 2=21459
- Frolov, A.P., Vereshchagin, L.F. and Rodionov, K.P. Investigation of the changes in the crystal lattice parameters of pentaerythritol under pressures up to 10 000 kg/cm², 3=3252
- Frolov, A.P., Vereshchagin, L.F., Rodionov, K.P. and Oleinik, M.I. Problem of a method of X-ray analysis for substances under high pressure. II. Apparatus for the production of powder patterns under pressures up to 18,000 kg/cm², 3=20815
- Frolov, G.V. Polarization effects in the elastic scattering of [polarized] electrons from [polarized] deuterons, 0=9339
- Frolov, G.V. Polarization effects in the scattering of electrons on deuterons, 0=12910
- Frolov, G.V. Polarization effects in the scattering of muons on protons, 1=13465
- Frolov, G.V. Polarization phenomena in the Compton effect, 1=16731
- Frolov, G.V. Relativistically covariant relations between polarization effects in the scattering of spin $\frac{1}{2}$ particles, 1=19147
- Frolov, G. V. Perturbation theory and the fermion Regge poles in electrodynamics, 4=856
- Frolov, G. V. See Gorshkov, V. G., 4=857
- Frolov, G. V. See Gorshkov, V. G., 4=3368
- Frolov, G. V. See Gorshkov, V. G., 4=27893
- Frolov, G. V. See Rekalov, M. P., 4=3445
- Frolov, M.S. The period-luminosity relation for short-period cepheids, 3=11572
- Frolov, O.S. See Bondarenko, V.M., 4=11684
- Frolov, O.S. See Koshel', O.N., 2=6481
- Frolov, O.S. See Litovchenko, V.G., 2=21132
- Frolov, O.S. See Litovchenko, V.G., 4=22715
- Frolov, O.S. See Nesterenko, B.A., 4=10046
- Frolov, V.A. See Kuznetsov, V. V., 3=3245
- Frolov, V.V. See Broder, D.L., 3=17515
- Frolova, A.A. See Kozlov, P.V., 2=23802
- Frolova, E.F. See Gorban', I.S., 3=17690
- From, W.H. Electron paramagnetic resonance of Cr³⁺ in SnO₂, 3=20645
- From, W.H., Dorain, P.B. and Kikuchi, C. Hyperfine and superhyperfine structure of manganese in SnO₂, 4=26412
- Fromageau, R. and Albert, P. A new method of studying deformation textures and kinetics of recrystallization of high purity aluminium, 4=13641
- Fröman, A. Relativistic corrections in many-electron systems, 0=17830
- Fröman, A. Isotope effects and electronic energy in molecules, 2=8113
- Fröman, A. and Hall, G.G. The accuracy of atomic wave functions and their scale, 2=6083
- Fröman, A. and Kinsey, J.L. Variational treatment of electronic and mesonic hydrogen molecule ions, 1=14139
- Fröman, A. and Löwdin, P.O. Virial theorem and cohesive energies of solids, particularly ionic crystals, 2=12362
- Fröman, P. O. Simple analytical approximations for the equation of state of an ideal non-relativistic Fermi-Dirac gas, 4=21057
- Fröman, P.O., Pettersson, R. and Vånnegård, T. Electron spin resonance and thermoluminescence in irradiated fused quartz, 0=10237
- Froment, M. and Epelboin, I. On the control of optimum conditions of electrolytic polishing of semiconductors, 0=21177
- Froment, M. See Epelboin, I., 0=21177
- Fromhold, A.T., Jr. Space charge in growing oxide films, 3=10867
- Fromhold, A.T., Jr. Variation of the surface optical properties of silver crystals with vacuum-annealing and argon-ion bombardment, 3=20435
- Fromhold, A.T., Jr. Kinetics of oxide film growth on metal crystals. I. Formulation and numerical solutions, 3=25775
- Fromhold, A.T., Jr. Space charge in growing oxide films. II. Nonhomogeneous field, 4=7028
- Fromhold, A.T., Jr. Space charge in growing oxide films. III. Multispecies diffusion, 4=7029

- Fromhold, A. T., Jr. Kinetics of oxide film growth on metal crystals. III. Perturbation treatment of space charge fields, 4=30825
- Fromhold, A. T., Jr. Space charge in growing oxide films. IV. Rate effects deduced by an averaging technique, 4=23563
- Fromhold, A. T., Jr. Kinetics of oxide film growth on metal crystals. II. Homogeneous field approximations, 4=7753
- Fromhold, A. T., Jr. A proposed method for observing the effect of electric fields on oxidation, 4=20829
- Fromhold, A. T., Jr. Parabolic growth law for coherent oxides, 4=26745
- Fromm, E. See Böhme, H., 1=8174
- Fromm, H. J. Factors influencing microimage quality, 2=15763
- Fromm, J. E. and Harlow, F. H. Numerical solution of the problem of vortex street development, 3=18782
- Fromm, J. E. See Harlow, F. H., 4=29580
- Frommhold, L. An investigation of the electron component of electron avalanches in uniform fields. II, 1=272
- Frommhold, L. Production of very short intense ultraviolet pulses, 3=24015
- Frommhold, L. Simultaneous determination of the electron attachment and detachment rates in oxygen, 4=24592
- Fronsdal, C. Completion and embedding of the Schwarzschild solution, 0=2108
- Fronsdal, C. Analyticity of Wightman functions, 2=267
- Fronsdal, C., Mahanthappa, K. and Norton, R. Integral representation for a scattering amplitude with complex singularities, 2=20272
- Fronsdal, C. Group theory and applications to particle physics, 4=15000
- Fronsdal, C. On complex singularities, 4=21949
- Fronsdal, C. [Ed.] Weak interactions and topics in dispersion physics, 4=5953
- Fronsdal, C. and Glashow, S. L. μ -meson decay, 0=2560
- Fronsdal, C. and Jakšić, B. Spin-momentum correlations in positron electron scattering, 1=2042
- Fronsdal, C. and Norton, R. E. Integral representations for vertex functions, 4=9112
- Fronsdal, C., Norton, R. E. and Mahanthappa, K. T. More integral representations for scattering amplitudes with complex singularities, 3=19558
- Fronsdal, C. See Barut, A. O., 1=486
- Fronsdal, C. See Behrends, R. E., 2=11876
- Frontali, C. See Ageno, M., 4=2520
- Frontas'ev, V. P. and Gusakov, M. Ya. The heat conductivity of certain organic liquids, 0=8660
- Fronteau, J. Calculation of the muon contamination of π -meson beams, 2=20404
- Frerterotta, G. See Venuti, G. C., 4=17179
- Frood, D. G. H. A dielectric approach to impurity conduction, 0=6072
- Frood, D. G. H. Theory of acoustical motion in rarefied plasma, 4=19018
- Froome, K. D. A new microwave harmonic generator, 0=3845
- Froome, K. D. Millimetre waves from mercury arc harmonic generator, 0=15137
- Froome, K. D. Submillimetre waves by harmonic generation from cold cathode arcs, 0=19920
- Froome, K. D. Proposed harmonic generator or mixer for optical frequencies, 2=3159
- Froome, K. D. Microwave harmonic generator capable of frequencies in excess of 600 Gc/s, 2=13553
- Froome, K. D. and Bradsell, R. H. Distance measurement by means of a light ray modulated at a microwave frequency, 2=1101
- Froot, H. A. and Castleman, L. S. Growth kinetics of beta-brass layers in saturated gamma-brass VS alpha-brass diffusion couples, 4=6868
- Froot, H. A. See Castleman, L. S., 4=8117
- Frosch, C. J. The epitaxial growth of GaP by a Ga_2O vapor transport mechanism, 4=15770
- Frosch, C. J., Gershenson, M. and Derick, L. Presence of carbon in gallium phosphide crystals, 1=17724
- Frosch, C. J. and Thurmond, C. D. The pressure of Ga_2O over gallium- Ga_2O_3 mixtures, 2=15807
- Frosch, C. J. See Logan, R. A., 4=22741
- Frosch, C. J. See Spitzer, W. G., 0=16055
- Frosch, C. J. See Thurmond, C. D., 4=13709
- Frosch, R., Huber, P. and Widder, F. An improvement of the coincidence method for the absolute determination of rates of radioactive decay, 2=22747
- Frosch, R., Huber, P., Widder, F. and Walthert, A. Absolute measurements of radioactive source-strength by improved coincidence methods, 4=6265
- Frosch, R. A. Comments on "long-range shallow-water transmission", by K. V. Mackenzie, 2=19655
- Frosch, R. A., Klerer, M. and Tyson, L. Long-range localization of small underwater charges, 2=2841
- Frosch, R. P. and Robinson, G. W. Emission spectrum of NO in solid rare gases: the lifetime of the $^4\Pi$ state and the spectrum of the $^4\Pi \rightarrow X^2\Pi$ and $B^2\Pi \rightarrow X^2\Pi$ transitions, 4=25657
- Frosch, R. P. See Robinson, G. W., 3=2748
- Frosch, R. P. See Robinson, G. W., 3=10618
- Frosch, R. P. See Wright, M. R., 0=18141
- Fröschle, E. The theory of high-frequency transistors, 2=21179
- Frost, A. A. Three-dimensional effective electron-density function, 2=22876
- Frost, A. A. Approximate series solutions of nonseparable Schrödinger equations. I. Mathematical formulation, 4=24060
- Frost, A. A., Harriss, D. K. and Scargle, J. D. Approximate series solutions of nonseparable Schrödinger equations. III. B matrix method, 4=24062
- Frost, A. A., Inokuti, M. and Lowe, P. Approximate series solutions of nonseparable Schrödinger equations. II. General three-particle system with Coulomb interaction, 4=24061
- Frost, A. A., Kellogg, R. E. and Curtis, E. C. Local-energy method in electronic energy calculations, 0=17829
- Frost, A. A., Kellogg, R. E., Gimarc, B. M. and Scargle, J. D. Least-squares local-energy method for molecular energy calculations using Gauss quadrature points, 1=14070
- Frost, A. A. See Geller, M., 2=14315
- Frost, A. A. See Gimarc, B. M., 4=1206
- Frost, A. A. See Harriss, D. K., 4=12449
- Frost, B. R. T. The carbides of uranium, 4=13611
- Frost, D. C. and McDowell, C. A. The ionization and dissociation of some halogen molecules by electron impact, 0=7739
- Frost, D. C., Mak, D. and McDowell, C. A. The photoionization of nitrogen dioxide, 2=15882
- Frost, H. B. New methods for the measurements of cathode interface impedance, 0=3787
- Frost, H. B. Gas content and cathode emission changes in cut-off electron tubes, 4=21579
- Frost, K. J. and Rothe, E. D. Detector for low-energy gamma-ray astronomy experiment, 2=18096
- Frost, L. S. Conductivity of seeded atmospheric pressure plasmas, 1=16309
- Frost, L. S. and Phelps, A. V. Rotational excitation and momentum transfer cross sections for electrons in H_2 and N_2 from transport coefficients, 2=20885
- Frost, L. S. and Phelps, A. V. Molecular excitation of hydrogen and nitrogen from electron swarm experiments, 3=6391
- Frost, L. S. See Phelps, A. V., 0=5862
- Frost, N. E. A note on the behaviour of fatigue cracks, 1=14918
- Frost, N. E. Difference between high- and low-stress fatigue, 2=2336
- Frost, N. E. and Greenan, A. F. Cyclic stress required to propagate edge cracks in eight materials, 4=30759
- Frost, R. D., Puri, O. T. and Johnson, H. R. Electron guns for forming solid beams of high perveance and high convergence, 2=20027
- Frost, V. A. Uniform rapid deformation of [the pattern of] turbulence in gases, 0=19180
- Frost, V. A. Uniform rapid deformation of [the pattern of] turbulence in gases, 1=5291
- Frost, W. O. See Rorex, J. E., 2=24192
- Frota-Pessoa, E. and Margem, N. Angular distribution in $\pi \rightarrow \mu + \nu$ decay, 2=3373
- Frota-Pessoa, E. and Margem, N. Angular distribution in $\pi \rightarrow \mu + \nu$ decay. II, 4=6093
- Frota-Pessoa, E. See Jones, B. D., 1=8500
- Frounfelker, R. E., Seitz, M. A. and Hirthe, W. M. Crystallographic data for the hexagonal crystal system, 3=5093
- Frova, A. and Handler, P. Shift of optical absorption edge by an electric field: modulation of light in the space-charge region of a Ge p-n junction, 4=26193
- Frova, A. and Stella, A. Surface properties in semiconductors, 2=12505
- Frova, A. See Balzarotti, A., 3=6584
- Frova, A. See Chiarotti, G., 3=2989
- Fruchart, E., Triquet, A. M., Fruchart, R. and Michel, A. Two new ferromagnetic compounds in the ternary system iron-phosphorus-boron, 3=1134
- Fruchart, R. See Fruchart, E., 3=1134
- Fructus-Ricquebourg, J. See Curien, H., 2=659
- Fructus-Ricquebourg, J. See Curien, H., 3=22702

- Frueh, A.J. Fourier projections of twinned crystals, 2=15007
- Frühau, U. Electromagnetic waves in hollow conductors with an isotropic plasma, 4=21659
- Fruin, J., Jelley, J.V., Long, C.D., Porter, N.A. and Weeks, T.C. Flux limits for high energy γ -rays from quasi-stellar and other radio sources, 4=21969
- Fruman, D. See Thoai-Sum Luu., 4=11153
- Frumkin, A.L. Theoretical investigation of the permeability of anisotropic thin magnetic films, 3=11078
- Frumkin, A.L. Experimental investigation of the permeability of anisotropic magnetic films at radio frequencies, 3=11079
- Frumkin, A.L. See Polivanov, K.M., 2=20088
- Frumkin, A.L. See Polivanov, K.M., 3=23170
- Frumkin, A.L. See Polivanov, K.M., 4=22944
- Frumkin, A.N., Petrii, O.A. and Nikolaeva-Fedorovich, N.V. Electrical reduction of anions and the phenomenon of adsorption on a drop electrode of thallium amalgam, 3=11349
- Frügel, F., Köhler, H. and Reinhard, H.P. The illumination of the CERN 2-meter hydrogen bubble chamber, 4=5909
- Fry, D.J.I. and Llewellyn, P.M. The double resonance of cobalt ions in magnesium oxide, 2=4278
- Fry, D.L., Mohan, P.V. and Lee, R.W. Hydrogen-deuterium exchange in fused silica, 1=1475
- Fry, D.N. See Ricker, C.W., 4=19865
- Fry, F.J. See Fry, W.J., 4=4964
- Fry, G.A. Blue end of the spectrum locus on a color mixture diagram, 0=187
- Fry, G.A. Response functions, 0=2059
- Fry, G.A. Relation of blur functions to resolving power, 1=8236
- Fry, G.A. Farnsworth hue circles, 2=7079
- Fry, G.A. Retinal image formation: review, summary, and discussion, 3=5293
- Fry, G.A. Coarseness of photographic grain, 3=5539
- Fry, G.A. Resolving power of photographic emulsions, 3=5541
- Fry, J.P. See Birss, R.R., 0=7183
- Fry, R.K. and Cardwell, A.B. Photoelectric properties of natural uranium and changes occurring at crystallographic transformations, 2=3072
- Fry, L.M. and Menon, K.K. Determination of the tropospheric residence time of lead-210, 3=3477
- Fry, L.M. See Kuroda, P.K., 2=21639
- Fry, P.W. See Barrow, R.F., 3=10511
- Fry, W. Present and future applications of ultrasonics in biomedicine, 2=15420
- Fry, W.F. See Birge, R., 3=22192
- Fry, W.F. See Camerini, U., 0=381
- Fry, W.F. See Camerini, U., 0=15524
- Fry, W.F. See Camerini, U., 2=22624
- Fry, W.F. See Camerini, U., 3=22194
- Fry, W.F. See Ely, R.P., 2=18173
- Fry, W.F. See Ely, P.P., 2=22613
- Fry, W.J. and Dunn, F. Ultrasonic intensity gain by composite transducers, 2=5103
- Fry, W.J. and Fry, F.J. Ultrasonic visualization of soft-tissue structure, based on gradients in absorption characteristics, 4=4964
- Fryar, C.F. See Scheuer, P.A.G., 4=4933
- Fryazinov, I.V. The problem of Stefan for nonuniform media, 4=14450
- Fryazinov, I.V. See Samarskii, A.A., 4=14422
- Fryburg, G.C. and Petrus, H.M. Variation with temperature of the recombination of oxygen atoms on a platinum surface, 0=6400
- Frye, G. Dynamical consequences of the $K^+ - K^0$ mass difference, 1=536
- Frye, G. Remark on diffraction scattering, 2=21834
- Frye, G. Two Pomeranchuk-Regge trajectories, 3=7805
- Frye, G. and Warnock, R.L. Analysis of partial-wave dispersion relations, 3=14913
- Frye, G. See Ferrari, F., 0=15437
- Frye, G. See Ferrari, F., 1=10929
- Frye, G. See Ferrari, F., 1=10930
- Frye, G.M., Jr. See Armstrong, A.H., 0=15212
- Frye, G.M., Jr. See Armstrong, A.H., 4=17142
- Fryer, E.M. See Fowler, C.A., Jr., 1=2478
- Fryer, E.M. See Fowler, C.A., Jr., 1=6303
- Fryer, E.M. See Fowler, C.A., Jr., 3=18103
- Frysinger, G.R. See Horne, R.A., 3=18486
- Frysinger, G.R. See Horne, R.A., 4=2706
- Fryszman, A. On the working mechanism of thin layers in pick-up tubes, 1=321
- Fryszman, A. Electron beam modulation by means of a thin layer in a decelerating field, 1=16397
- Fryszman, A., Strzyz, T. and Wasinski, M. On a mechanism of breakdown in high vacuum, 1=16298
- Fryzuk, P. See Davis, K.G., 4=28472
- Fu Tuan San. See San Fu Tuan.
- Fubini, A. See Brini, D., 2=6072
- Fubini, S. Meson phenomena, 0=7391
- Fubini, S. Recent progress in the dispersion theory of pion-nucleon interactions, 1=16720
- Fubini, S. Vector mesons and possible violations of charge symmetry in strong interactions, 2=9784
- Fubini, S. Electromagnetic structure of pions and nucleons, 3=4418
- Fubini, S. Topics in dispersion phenomenology, 4=11906
- Fubini, S. Multiperipheral model for high energy interactions, 4=27806
- Fubini, S., Gourdin, M. and Martin, A. Some remarks about inelastic electron-deuteron scattering, 2=11931
- Fubini, S. and Stroffolini, R. Some remarks about the spectral representation of the $K^+ \rightarrow 3\pi$ decay amplitude, 0=17409
- Fubini, S. and Walecka, D. Dispersion analysis of possible parity non-conservation in low-energy pion-nucleon scattering, 0=1299
- Fubini, S. See Amati, D., 1=19242
- Fubini, S. See Amati, D., 2=13748
- Fubini, S. See Amati, D., 3=5943
- Fubini, S. See Bastai, A., 4=9098
- Fubini, S. See Bergia, S., 1=8450
- Fubini, S. See Bernstein, J., 0=20179
- Fubini, S. See Bertocchi, L., 2=9788
- Fubini, S. See Bertocchi, L., 2=18158
- Fubini, S. See Bertocchi, L., 4=19352
- Fubini, S. See Ceolin, C., 2=22431
- Fubini, S. See Cini, M., 0=15276
- Fubini, S. See Cini, M., 0=20184
- Fubini, S.P. See Charap, J.M., 0=1252
- Fubini, S.P. See Charap, J.M., 0=12858
- Fuchel, K. See Wu, A.C.T., 4=5958
- Fuchel, K. See Wu, A.C.T., 4=17111
- Fuchikami, T. See Okazaki, A., 1=2536
- Fuchs, E. Domain observation in thin ferromagnetic films by means of the electromagnetic electron microscope, 0=21045
- Fuchs, E. The remagnetization of thin nickel-iron films in the difficult direction. I. Electron microscopic observations of domain production, 1=10163
- Fuchs, E. Magnetic structures in thin ferromagnetic films, investigated by electron microscope, 2=12784
- Fuchs, E. and Liesk, W. A device for magnetizing specimens in the electron microscope, 2=20102
- Fuchs, E. and Liesk, W. Electron microscope observation of the domain configurations and polarization reversal processes in thin $BaTiO_3$ single crystals, 4=28628
- Fuchs, E. and Mecke, P. The influence of Bragg reflection on intensity in X-ray fluorescence analysis diagrams, 1=10169
- Fuchs, E. and Pfisterer, H. Domain wall motions in thin ferromagnetic films, 3=23167
- Fuchs, E. and Politycki, A. Magnetic regions in coarse crystalline nickel-iron films, 2=8640
- Fuchs, E. and Weyl, R. Preparation of small objects as targets for electron microscopy, 1=20711
- Fuchs, E. and Zinn, W. Isotropic permalloy films, 3=23169
- Fuchs, E. See Pfisterer, H., 2=14642
- Fuchs, H. Photoneutron spectra from O^{16} and N^{14} , 3=4622
- Fuchs, H. and Haag, D. Neutron spectra from the reactions $C^{12}(\gamma, n)C^{11}$ and $O^{16}(\gamma, n)O^{15}$, 3=4621
- Fuchs, H., Haag, D., Lindenberg, K.H. and Meyer-Berkhout, U. Photoneutron spectra from the reactions $C^{12}(\gamma, n)C^{11}$ and $O^{16}(\gamma, n)O^{15}$, 64-IC, 3=662
- Fuchs, H., Kosiek, R. and Meyer-Berkhout, U. Relative yields of some activities generated in cerium and silver by photonuclear reactions, 2=7971
- Fuchs, H. and Lindenberg, K.H. Loss of activity from betatron irradiated samples by diffusion, 1=644
- Fuchs, H. See Brfx, P., 2=1866
- Fuchs, H. See Haag, D., 3=17498
- Fuchs, K. A bi-orthogonal system of symmetric character, 3=7
- Fuchs, K. Some problems in the theory of symmetry characters, 3=2200
- Fuchs, K. Some problems in the theory of symmetry characteristics (Supplement), 3=12409
- Fuchs, K. and Müller, K. Antisymmetrization of the wave functions of nucleon systems. II, 4=3316
- Fuchs, L.H. Occurrence of whitlockite in chondritic meteorites, 2=21710

- Fuchs, N.A. and Stechkina, I.B. Resistance of a gaseous medium to the motion of a spherical particle of a size comparable to the mean free path of the gas molecules, 3=169
- Fuchs, N.A., Stechkina, I.B. and Starosselskii, V.I. On the determination of particle size distribution in polydisperse aerosols by the diffusion method, 2=12985
- Fuchs, N.A. and Sutugin, A.G. Generation and investigation of high-dispersed sodium chloride aerosols, 3=8983
- Fuchs, N.H. High-energy behavior of a certain class of scattering amplitudes in perturbation theory, 3=14901
- Fuchs, R. Ion-molecule reactions in paraffins, olefins and acetylenes, 2=8135
- Fuchs, R. and Kaul, W. Mass-sectrometric detection of the $(\text{NeA})^+$ molecular ion, 0=12583
- Fuchs, R. and Taubert, R. Kinetic energy of ionized molecular fragments. II. Study on simple paraffins, 4=20121
- Fuchs, R. and von Hippel, A. Distortable double well. A prototype for the analysis of relaxation spectra, 1=11134
- Fuchs, R. See Kaul, W., 0=12584
- Fuchs, R. See Kaul, W., 0=16971
- Fuchs, V. and Uehla, L. Equations describing particles with two mass states, 3=2187
- Fuchshuber, R., Guillien, R. and Roizen, S. The dielectric properties of thin films of zinc sulphide, 0=16007
- Fuchshuber, R., Guillien, R. and Roizen, S. Study of the dielectric properties of thin zinc sulphide films, 1=14536
- Fucks, W. and Artmann, J. Investigation of the equilibrium state behind a strong shock wave in helium, 3=16698
- Fucks, W., Bohn, W.L., Heinrich, G. and Platz, P. Electron densities and electron temperatures in compression shocks, 3=1752
- Fucks, W., Czech, J. and Nelting, P. Electromagnetically driven compression shocks of high Mach number, 3=7276
- Fucks, W. and Theenhaus, R. Reflection studies with electro-magnetically produced compression shocks, 3=23971
- Fucks, W. and Theenhaus, R. Reflection studies with electro-magnetically produced compression shocks of high mach numbers, 4=5286
- Fucks, W. and Uhlenbusch, J. Magnetohydrodynamic theory of lubrication, 2=11768
- Fudge, A.J. See Wood, A.J., 2=21606
- Frueh, A.J., Jr. On the stability of non-stoichiometric compounds, 0=13516
- Fueki, K. See Hirota, K., 3=12870
- Fueno, T., Eyring, H. and Ree, T. Three-body recombination of gaseous ions, 0=19617
- Fueno, T. See Benson, S.W., 2=8130
- Fueno, T. See Ree, T.S., 2=2445
- Fuerstenau, D.W. See Yopps, J.A., 4=13750
- Fues, E. and Wahl, F. General lattice statical theory of dislocations, 1=11199
- Fufaeva, O. L. See Butra, F. P., 4=23222
- Fuglister, F.J. See Gilman, D.L., 3=16539
- Fugol', I.Ya. Absorption and luminescence [spectra] of crystalline solutions of stilbene in tolan at 20°K, 1=11376
- Fugol', I.Ya. See Prihot'ko, A.F., 0=4450
- Fugol', I.Ya. See Prihot'ko, A.F., 0=10057
- Führer, C. and Kilb, E. Measurement technique for surface and interfacial tension, 3=11776
- Fuhrman, Z. See Airolidi, G., 0=4343
- Fuhrman, Z.A. See Damask, A.C., 2=2110
- Fujii, A. Muon capture in He^3 , 0=9395
- Fujii, A. Bipionic decay of K^+ , 2=315
- Fujii, A. Pionic decay of hyperons in the pole approximation, 2=13881
- Fujii, A. A doublet symmetry shared by strong and weak interactions, 2=13882
- Fujii, A. Beta decay of hyperons via K^+ -particle, 2=18184
- Fujii, A. Muon capture in hydrogen, 3=19665
- Fujii, A. Remarks on weak interaction form factors, 4=21758
- Fujii, A. and Celeghini, E. Form factors of K_1 decay and kaon production by high-energy neutrinos, 3=12499
- Fujii, A., Fujita, J. and Morita, M. Application of the extended Siegert theorem to muon capture reactions, 4=30345
- Fujii, A. and Hall, D.J. Muon capture and radiative pion capture in He^3 , 2=11970
- Fujii, A. and Yamaguchi, Y. Muon capture in He^3 , 4=12081
- Fujii, A. See Freund, P.G.O., 2=9927
- Fujii, A. See Holloway, L., 3=22155
- Fujii, A. See Morita, M., 0=9686
- Fujii, A. See Morita, M., 0=15385
- Fujii, C.T., Carpenter, C.D. and Meussner, R.A. Simple recording spring balance, 2=7167
- Fujii, E., Fujii, H., Demers, J. and Demers, P. New polyvinyl alcohol nuclear track emulsions, 0=3899
- Fujii, H. See Fujii, E., 0=3899
- Fujii, K. Symmetries of the interactions among strongly interacting particles and non-leptonic decays of hyperons, 1=9730
- Fujii, K. and Itô, D. On multipole model of baryon-pion interactions, 1=3214
- Fujii, K. and Ito, Y. Note on Rosen's theory of nonleptonic hyperon decay, 4=12068
- Fujii, K. and Itô, D. Symmetry properties of nonleptonic baryon-decay interactions in unitary-symmetric spurion formalism, 4=21764
- Fujii, K. and Iwata, K. The utility of the "Individual Γ_i transformation", 0=12827
- Fujii, K. and Iwata, K. The phenomenological model of the interaction of elementary particles, 0=12828
- Fujii, K. and Iwata, K. The spirality of the decay product, 0=12829
- Fujii, K. and Iwata, K. Phenomenological model on the interactions of elementary particles. II, 0=12830
- Fujii, K. and Iwata, K. Q-value dependence of decay probability, 0=15230
- Fujii, K., Nagai, H., Sakuma, T. and Tsuchida, T. Weak interactions at high energies, 1=16682
- Fujii, K., Nagai, H., Sakuma, T. and Tsuchida, T. Application of the Williams-Weizsäcker picture to the high energy nucleon-nucleon collisions, 4=19503
- Fujii, K. and Tanaka, H. On the relative parity of charged and neutral K mesons, 0=20227
- Fujii, K. See Itô, D., 1=5666
- Fujii, K. See Itô, D., 1=10842
- Fujii, M. See Sakurai, J., 4=20676
- Fujii, S. Nuclear photo-reaction and excitation modes of nuclei, 0=17617
- Fujii, S. Note on the quasi-deuteron model for nuclear photo-disintegration, 2=20588
- Fujii, S. Photoprotons emitted from light nuclei and nuclear shell structure, 3=10328
- Fujii, S. Collective excitations of nuclear matter for $N \neq Z$, 4=15125
- Fujii, S., Imoto, M. and Tominaga, G. On the time variation in thermonuclear fusion systems, 0=17637
- Fujii, S. and Sugimoto, O. Angular distributions of photonucleons above the giant resonance region, 4=28018
- Fujii, S. See Fujita, J.I., 4=9441
- Fujii, S. See Ikeda, K., 2=20619
- Fujii, S. See Ikeda, K., 3=8096
- Fujii, S. See Imoto, M., 0=4157
- Fujii, S. See Sawada, S., 0=639
- Fujii, T. Electron beam analyzer using a piezoelectric scanner, 1=8355
- Fujii, T. Theory of the steady laminar natural convection above a horizontal line heat source and a point heat source, 3=21591
- Fujii, T., Chadwick, G.B., Collins, G.B., Duke, P.J., Hien, N.C., Kemp, M.A.R. and Turkot, F. Elastic proton-proton scattering at 1.35, 2.1, and 2.9 BeV, 3=2262
- Fujii, T. See Anderson, H.L., 0=17374
- Fujii, T. See Chadwick, G.B., 3=2261
- Fujii, T. See Duke, P.J., 2=22504
- Fujii, T. See Purcell, E.M., 3=10069
- Fujii, T. See Sawaragi, Y., 0=984
- Fujii, T. See Turkot, F., 4=9191
- Fujii, Y. On the analogy between strong interaction and electromagnetic interaction, 0=15253
- Fujii, Y. Isobar model and the s-wave pion-nucleon scattering, 1=10916
- Fujii, Y. A simple model for two-channel reaction in field theory and its application to the Y^* problem, 1=19251
- Fujii, Y. Some consequences of nuclear forces due to pion-pion interaction, 2=1664
- Fujii, Y. Effective range theory of multichannel reactions in the chain approximation method, 2=13754
- Fujii, Y. A classification of resonances with re-examination of Ball-Frazer formula, 3=10036
- Fujii, Y. S-wave $\bar{K}N$ reactions as two-channel problem, 3=15029
- Fujii, Y. Y_0^* and the low-energy $\bar{K}N$ interaction, 3=24794
- Fuji, Y. and Furuichi, S. Contribution from the three-pion state to the axial vector coupling constant in β -decay, 1=3139
- Fujii, Y., Ichimura, M. and Yazaki, K. Mass formula in broken symmetry, 4=30155
- Fujii, Y. and Kamefuchi, S. A generalization of the Stueckelberg formalism of vector meson fields, 4=30144

- Fujii, Y. and Kawaguchi, M. Effects of the γ - 3π interaction on the electromagnetic properties of deuteron, 2=1731
- Fujii, Y., Lindsay, R.B. and Urushihara, K. Ultrasonic absorption and relaxation times in nitrogen, oxygen, and water vapor, 3=18857
- Fujii, Y., Lindsay, R.B. and Urushihara, K. Ultrasonic absorption and relaxation times in nitrogen, oxygen and water vapor, 4=5245
- Fujii, Y. and Uehara, M. Consequences of a simple model for two-channel reactions in field theory, 3=14886
- Fujii, Y. See Hara, O., 0=11202
- Fujii, Y. See Hara, O., 0=11203
- Fujii, Y. See Hara, O., 0=15250
- Fujii, Y. See Kawaguchi, M., 1=9759
- Fujii, Y. See Saito, S., 4=19278
- Fujikawa, H. See Tamada, K., 0=66
- Fujikawa, K. See Sukegawa, T., 3=8536
- Fujiki, Y. Study of vacuum deposition of metals. I. On the formation of alloys by successive deposition of constituent metal vapours in vacuum, 0=21234
- Fujiki, Y. Study on vacuum deposition of metals. II. On the change with aging time in thickness and resistivity of vacuum deposited gold film, 0=21248
- Fujiki, Y. A new compound in Au-Pb alloy system, 1=4067
- Fujiki, Y. and Yoshida, T. A new device for measuring thickness of evaporated metal film by use of X-ray interference fringes, 1=2552
- Fujiki, Y. See Sawada, M., 3=11049
- Fujiki, Y. See Suganuma, R., 1=14302
- Fujime, S., Murakami, M. and Hirahara, E. Hall effect on some
- Fujime, S., Watanabe, D. and Ogawa, S. On forbidden reflection spots and unexpected streaks appearing in electron diffraction patterns from hexagonal cobalt, 4=23434
- Fujime, S. See Watanabe, D., 3=1351
- Fujimori, H. See Takahashi, M., 2=16909
- Fujimori, H. See Takahashi, M., 3=23155
- Fujimori, H. See Takahashi, M., 4=13205
- Fujimori, K. X-ray L_{II} and L_{III} -absorption spectra of 29 Cu in pure metal, cuprous and cupric oxides, 4=28678
- Fujimori, K. X-ray L_{II} and L_{III} -absorption spectra of 29 Cu in cuprous and cupric sulphides, Cu_2S , CuS and in cuprous halides, $CuCl$, $CuBr$ and CuI , 4=28679
- Fujimori, K. L-emission spectra of copper in the metal, cuprous and cupric oxides, 4=28680
- Fujimori, K. See Hayasi, T., 4=13031
- Fujimoto, F. Dynamical theory of electron diffraction in Laue-case. I. General theory, 0=19761
- Fujimoto, F. Dynamical theory of electron diffraction in laue-case. II. Numerical calculation of intensities, 1=10248
- Fujimoto, F. Dynamical theory of electron diffraction in laue-case. III. Forbidden reflection, 1=10249
- Fujimoto, F. 222-reflection from $CuCl$ in electron diffraction, 1=15075
- Fujimoto, F. Intensity calculation by expansion of scattering matrix, 3=1306
- Fujimoto, F. Intensities of $BiOCl$ in electron diffraction, 4=4600
- Fujimoto, F. and Kainuma, Y. On the inelastic scattering of electron in crystal, 3=1311
- Fujimoto, F. and Kainuma, Y. Inelastic scattering of fast electrons by thin crystals, 4=13629
- Fujimoto, F. See Cowley, J.M., 1=20484
- Fujimoto, F. See Miyake, S., 0=12019
- Fujimoto, F. See Miyake, S., 4=23508
- Fujimoto, F. See Miyake, S., 4=26638
- Fujimoto, F. See Takagi, S., 1=11606
- Fujimoto, H. The structure of the isochromat near the short wavelength limit of the continuous X-ray spectrum of copper, 2=4159
- Fujimoto, M. On the internal flow and gravitational contraction of globules, 2=15391
- Fujimoto, M. On the structure of galactic spiral arms, 3=7040
- Fujimoto, M. On the dynamical model of barred galaxies, 4=2378
- Fujimoto, M. Electron spin resonance of a radical in irradiated single crystals of itaconic acid, 4=1886
- Fujimoto, M. Magneto-gravitational theory of galaxies. II., 4=2377
- Fujimoto, M. Erratum: Magnetogravitational theory of galaxies. II., 4=13901
- Fujimoto, M. Magnetogravitational theory of Galaxies. III. On the expanding motion of the 3 kpc Arm, 4=26922
- Fujimoto, M. and Ingram, D.J.E. Electron resonance studies on the kinetics of free radical formation and reaction in the solid phase, 0=20662
- Fujimoto, M. See Ōki, T., 3=7041
- Fujimoto, M. See Sato, Y., 4=6783
- Fujimoto, M. See Sato, Y., 4=12904
- Fujimoto, Y., Hasegawa, S., Kazuno, M., Nishimura, J., Niu, K. and Ogita, N. Observation of high-energy jet showers and high energy γ -rays by means of large emulsion chambers, 1=7296
- Fujimoto, Y. and Ogawa, S. Historical review of the theoretical investigation of new particles, 2=11910
- Fujimoto, Y. See Aizu, H., 0=1338
- Fujimoto, Y. See Aizu, H., 1=3316
- Fujimoto, Y. See Aizu, H., 1=3317
- Fujimoto, Y. See Aizu, H., 1=13548
- Fujimoto, Y. See Aizu, H., 2=22664
- Fujimoto, Y. See Akashi, M., 2=12083
- Fujimoto, Y. See Lattes, C.M.G., 3=15058
- Fujimoto, Y. See Lattes, C. M. G., 4=25231
- Fujimura, O. Analysis of nasal consonants, 3=7064
- Fujimura, T. On the maze-like domain structure, 2=18906
- Fujimura, T. and Kamiyoshi, K. Dielectric anomalies in zinc sulfide and cadmium sulfide excited by light, 2=8460
- Fujimura, T. See Kamiyoshi, K., 2=17478
- Fujimura, T. See Kamiyoshi, K., 2=19576
- Fujinaga, A. and Hanasaka, T. Some experiments of the omegatron type mass spectrometer as a vacuum analyser, 2=22283
- Fujinaga, A., Hanasaka, T. and Tottori, H. Some experiments on the effects of backstreaming and of back-diffusion on the production of ultra high vacuum, 4=29680
- Fujinaga, A. See Ryu, N., 2=17905
- Fujinami, S., Hurukawa, K. and Furuta, K. Astrometric observation of the annular eclipse at Tanegashima Island on April 19th 1958. I. Geodetic work and inspection of the lunar profile, 3=9177
- Fujino, H. and Osada, J. Investigation of the Chew-Low equation by iteration, 0=11113
- Fujino, H. See Osada, J., 0=12866
- Fujino, K., Senshu, K., Horino, T. and Kawai, H. Tensile stress relaxation behavior of semicrystalline polymers in terms of validity of time-temperature superposition, 3=15978
- Fujino, S. and Okada, M. Melting of Al-Mg alloy under reduced pressure. III. Relation between holding time of melts and limiting value of reduced pressure, 4=5447
- Fujino, Y., Shinoda, D., Asanabe, S. and Sasaki, Y. Phase diagram of the partial system of $MnSi-Si$, 4=29012
- Fujioka, G. A cloud chamber study of high energy nuclear interactions of cosmic ray particles. II. Results of single nucleon-nucleon interactions, 1=13540
- Fujioka, M. See Huang, K.K., 3=19843
- Fujioka, M. See Yagi, K., 3=12583
- Fujioka, M. See Yamazaki, T., 2=20571
- Fujisada, H. See Kataoka, S., 4=6936
- Fujisaki, H. Polygonization of ZnS crystals growing from vapor phase, 2=6777
- Fujisaki, H., Takahashi, M., Shoji, H. and Tanabe, Y. Hollow crystals of CdS , 4=7548
- Fujisaki, H. and Tanabe, Y. Crystal growth of CdS in the vertical furnace, 1=10232
- Fujisaki, H. See Bell, C.G., 2=4890
- Fujisaki, H. See Takahashi, M., 4=7549
- Fujisawa, K. The Laddertron—a new millimeter wave power oscillator, 4=29979
- Fujisawa, S. See Imaeda, K., 0=12741
- Fujishige, R. See Hasegawa, A., 4=23420
- Fujishige, S. A new type of phenomenon of flow birefringence in macromolecular solutions, 1=15876
- Fujishiro, I. See Hukuo, N., 2=11522
- Fujishiro, I. See Hukuo, N., 3=1857
- Fujishiro, R. See Nishimoto, K., 2=18470
- Fujishiro, S. On the extraordinary X-ray diffraction intensities of quenched TiC powder, 2=823
- Fujishiro, S. The dissociation pressure of VC at high temperature and the thermodynamic properties, 3=1386
- Fujita, E. and Usui, T. Excitations in a high density electron gas. II. Diamagnetism, 1=3642
- Fujita, E. See Kanazawa, H., 1=3646
- Fujita, F.E. See Gonser, U., 0=20858
- Fujita, F.E. On the kinetics of precipitation in alloys, 4=23246
- Fujita, F.E. and Damask, A.C. Kinetics of carbon precipitation in irradiated iron. II. Electrical resistivity measurements, 4=15735

- Fujita, F.E. and Izui, K. Observation of lattice defects in graphite by electron microscopy, 1=12388
- Fujita, F.E. See Iwata, T., 1=12400
- Fujita, F.E. See Izui, K., 1=17515
- Fujita, F.E. See Izui, K., 1=19549
- Fujita, F.E. See Wagenblast, H., 4=15737
- Fujita, F.I. See Ikeda, K., 2=20619
- Fujita, H. On the determination of the sedimentation equilibrium second virial coefficient in polymeric solutions, 0=77
- Fujita, H. Method for calculating average molecular weights and molecular weight distributions of polymeric materials from sedimentation equilibrium experiments, 0=14141
- Fujita, H. Direct observation of subgrain-growth of cold-worked aluminium by means of electron microscopy, 1=14968
- Fujita, H. and Gosting, L.J. A new procedure for calculating the four diffusion coefficients of three-component systems from Gouy diffusometer data, 2=1139
- Fujita, H. and Kato, T. On a theorem for estimating eigenvalues, 0=2066
- Fujita, H. and Kishimoto, A. Interpretation of viscosity data for concentrated polymer solutions, 1=4334
- Fujita, H., Kishimoto, A. and Odani, H. Features and interpretation of sorption processes in polymer-vapor systems, 1=15168
- Fujita, H. and Nishiyama, Z. Dislocation images in pure iron observed by transmission electron microscopy, 1=19786
- Fujita, H. See Kimura, K., 2=15970
- Fujita, H. See Kobatake, Y., 4=23668
- Fujita, H. See Kobatake, Y., 4=23669
- Fujita, H. See Kobayashi, K., 4=17528
- Fujita, H. See Ogura, S., 4=30226
- Fujita, H. See Weissmann, S., 1=11218
- Fujita, H. See Nishiyama, Z., 3=801
- Fujita, I. Fluorescence of α centres in alkali halides, 3=17796
- Fujita, I. See Onaka, R., 0=16064
- Fujita, I. See Onaka, R., 2=2889
- Fujita, I. See Onaka, R., 3=8590
- Fujita, I. See Onaka, R., 3=22837
- Fujita, J. Pseudo-cluster expansion, 0=3938
- Fujita, J., Kawai, M. and Tanifuji, M. Nuclear three-body forces, 2=5776
- Fujita, J., Martell, A.E. and Nakamoto, K. Infrared spectra of metal chelate compounds. VI. A normal coordinate treatment of oxalato metal complexes, 2=3745
- Fujita, J., Martell, A.E. and Nakamoto, K. Infrared spectra of metal chelate compounds. VII. Normal coordinate treatments on 1:2 and 1:3 oxalato complexes, 2=3746
- Fujita, J., Martell, A.E. and Nakamoto, K. Infrared spectra of metal chelate compounds. VIII. Infrared spectra of Co(III) carbonate complexes, 2=3747
- Fujita, J., Matumoto, Z., Kuroboshi, E. and Miyazawa, H. Mesic correction to the beta-decay in a nucleus, 0=13189
- Fujita, J., Yamada, M., Matumoto, Z. and Nakamura, S. Parity nonconservation and the beta-spectrum of RaE, 0=11356
- Fujita, J. See D'Angelo, N., 4=11680
- Fujita, J. See Fujii, A., 4=30345
- Fujita, J. See Nakamoto, K., 3=25120
- Fujita, J. See Tamagawa, H., 0=19688
- Fujita, J.I. The beta-decay of RaE [Bi^{210}], 1=19397
- Fujita, J.I. Conserved current hypothesis and the beta decay of RaE, 2=10047
- Fujita, J.I., Fujii, S. and Ikeda, K. Nuclear core polarization effect on beta decay, 4=9441
- Fujita, J.J. Theory of vector interactions in nuclear beta decay, 3=22323
- Fujita, K. See Hashimoto, H., 0=16367
- Fujita, K. See Hashimoto, H., 3=18271
- Fujita, K. See Naiko, T., 0=19147
- Fujita, S. Pair distribution function and two-body propagator, 0=898
- Fujita, S. On the stationary flow of vapour, 1=4512
- Fujita, S. Quantum statistical diagram representation in the presence of Bose-Einstein degeneracy, 2=1078
- Fujita, S. Binary collision expansion of quantum statistical pair propagator, 2=4959
- Fujita, S. On the generalized Boltzmann equation of a quantum gas, 2=4969
- Fujita, S. Theory of transport coefficients. II. Viscosity coefficients of quantum gases obeying the Boltzmann statistics, 2=9207
- Fujita, S. Equivalence between the two generalized master equations, 2=11296
- Fujita, S. Theory of transport coefficients. III. Quantum statistical systems, 3=6468
- Fujita, S. On the generalized Boltzmann equation of a quantum gas. II, 4=2604
- Fujita, S. Approach to equilibrium of a many-particle system, 4=14073
- Fujita, S. Partial self-energy parts of Kadanoff-Baym, 4=16052
- Fujita, S. Remarks on Kubo's formula and on Kadanoff-Baym's equations, 4=18108
- Fujita, S. Singularity condition and connected diagram expansion, 4=24105
- Fujita, S. and Abe, R. Theory of transport coefficients. I. General theory and electrical conductivity of electron-phonon system, 2=9206
- Fujita, S. and Hirota, R. Quantum statistics of interacting particles; thermodynamic quantities and pair distribution function, 0=8566
- Fujita, S. and Mayné, F. Theory of transport coefficients. IV. Electrical conductivity in the presence of a strong magnetic field, 4=6908
- Fujita, S. See Minami, S., 1=8230
- Fujita, S. See Mitsuishi, A., 0=6953
- Fujita, S. See Mitsuishi, A., 2=21252
- Fujita, S. See Mitsuishi, A., 4=307
- Fujita, T. See Yoshioka, H., 1=157
- Fujita, Y. Spectral features in the infrared region of some carbon stars, 3=16408
- Fujitani, T., Ikeda, M. and Matsumoto, M. On the imbedding of the Schwarzschild space-time. I, 2=7134
- Fujitani, T., Ikeda, M. and Matsumoto, M. On the imbedding of the Schwarzschild space-time. II, 2=7135
- Fujitani, T., Ikeda, M. and Matsumoto, M. On the imbedding of the Schwarzschild space-time. III, 2=15473
- Fujitani, Y. See Uzu, Y., 4=2888
- Fujiwara, H. An application of the modified Thomas-Fermi method to atoms and crystals, 2=8057
- Fujiwara, H., Sugita, Y. and Saito, N. Mechanism of rotatable anisotropy in thin magnetic films of Ni, Fe, and Ni-Fe, 4=26321
- Fujiwara, H. See Saito, N., 4=22998
- Fujiwara, H. See Saito, N., 4=28824
- Fujiwara, H. See Shionoya, S., 3=22705
- Fujiwara, H. See Shionoya, S., 4=28740
- Fujiwara, H. See Sugita, Y., 4=26306
- Fujiwara, H. See Tatsumoto, E., 2=14771
- Fujiwara, H. See Tatsumoto, E., 3=6700
- Fujiwara, H. See Tatsumoto, E., 4=7257
- Fujiwara, I. Correspondence principle and functional integration method in quantum mechanics. I-IV, 4=27062
- Fujiwara, I. Correspondence principle and functional integration method in quantum mechanics. V-IX, 4=27063
- Fujiwara, I. and Hemmer, P. C. New aspects in classical dynamics. I to V, 4=27122
- Fujiwara, I., Iwata, S., Nishi, T., Goda, S., Tabushi, M. and Shigematsu, T. Decay of ^{157}Tb , 4=9453
- Fujiwara, I. See Iwata, S., 3=22341
- Fujiwara, I. See Tsuneto, T., 0=12880
- Fujiwara, I. See Yoshizawa, Y., 3=19822
- Fujiwara, K. Application of higher order Born approximation to multiple elastic scattering of electrons by crystals, 1=328
- Fujiwara, K. Relativistic dynamical theory of electron diffraction, 2=2377
- Fujiwara, K. Relativistic dynamical theory of electron diffraction, 3=1308
- Fujiwara, K. See Iwasaki, H., 1=11579
- Fujiwara, K. See Miyake, S., 2=4510
- Fujiwara, K. See Miyake, S., 3=1283
- Fujiwara, K. See Miyake, S., 3=1309
- Fujiwara, K. See Miyake, S., 4=4612
- Fujiwara, K. See Miyake, S., 4=23508
- Fujiwara, K. See Miyake, S., 4=26638
- Fujiwara, N. See Shoda, K., 2=20591
- Fujiwara, S. Fresnel conic mirror, 2=1258
- Fujiwara, S. Optical properties of conic surfaces. I. Reflecting cone, 2=5137
- Fujiwara, S. Refractive indices of evaporated cerium dioxide-cerium fluoride films, 3=23035
- Fujiwara, S. Refractive indices of evaporated cerium fluoride-zinc sulphide films, 4=7114
- Fujiwara, S. and Fujiwara, Y. Superfine particle magnetite, 2=10994

- Fujiwara, S. and Shimizu, H. Analysis of the nuclear magnetic resonance spectrum of a six-spin system of mono-fluorobenzene, 0=15759
- Fujiwara, S. See Arata, Y., 1=20254
- Fujiwara, S. See Arata, Y., 2=14326
- Fujiwara, S. See Shimizu, H., 1=8855
- Fujiwara, S. See Shimizu, H., 1=12325
- Fujiwara, S. See Shimizu, H., 2=20870
- Fujiwara, S. See Shimizu, H., 3=2645
- Fujiwara, T. and Dohi, S. Mosaic structure and virgin slip in iron single crystal plates, 4=7432
- Fujiwara, T., Dohi, S. and Sunada, J. X-ray radiographs taken with silicon single crystal wafers by divergent X-ray method, 4=15478
- Fujiwara, T., Dohi, S. and Takeda, T. Mosaic structure of single crystal plate of iron, 4=26695
- Fujiwara, T. and Kato, T. The influence of aging treatment on the temperature dependence of the electric resistance in Alnico 5 magnet, 1=14355
- Fujiwara, T. and Nakagawa, S. Disc-shaped cleavage surface fracture of NaCl crystal, 1=14917
- Fujiwara, T., Nakagawa, S. and Izui, K. Cleavage fracture of NaCl crystal, 0=3188
- Fujiyama, T. and Shimanouchi, T. Electrostatic interaction between the two dipoles of substituents in the syndiotactic and isotactic vinyl polymers, 4=3950
- Fujiwara, T. See Izui, K., 0=3152
- Fujiwara, T. See Kino, T., 0=3149
- Fujiwara, T. See Kino, T., 0=4599
- Fujiwara, T. See Nakagawa, S., 2=8746
- Fujiwara, Y. See Fujiwara, S., 2=10994
- Fujiwara, Y. See Kuri, Z., 1=6056
- Fukada, E. and Date, M. A new apparatus for measuring dynamic viscoelastic properties of polymers, 2=23729
- Fukada, K. See Muto, J., 3=24936
- Fukai, A. See Tatsumoto, E., 0=3067
- Fukai, A. See Tatsumoto, E., 0=3068
- Fukai, M., Kawamura, H., Imai, I. and Tomishima, K. Measurements of relaxation time in germanium by the cyclotron resonance, 2=23135
- Fukai, M., Kawamura, H., Sekido, K. and Imai, I. Line-broadening of cyclotron resonance due to lattice and neutral impurity scattering in silicon and germanium, 4=12714
- Fukai, M. See Kawamura, H., 1=19757
- Fukai, M. See Kawamura, H., 2=3885
- Fukai, M. See Kawamura, H., 2=16639
- Fukai, M. See Kawamura, H., 3=10776
- Fukai, M. See Kawamura, H., 3=15580
- Fukai, M. See Kawamura, H., 4=20256
- Fukai, M. See Kawamura, H., 4=22553
- Fukai, T. New analytical formula for Dancoff correction for cylindrical fuel lattices, 2=6064
- Fukai, Y. Comparison of flux ratio calculations in lattices by integral transport theory, 2=20704
- Fukai, Y. First-flight collision probability in moderator - cylindrical fuel system, 3=19911
- Fukai, Y. Lattice distortion around impurity ions in alkali halide crystals, 3=22756
- Fukai, Y. Lattice distortion around impurity ions in alkali halide crystals. I. Calculation of lattice distortion and comparison with X-ray data of lattice parameter changes, 4=4040
- Fukai, Y. Gradient-elastic tensor of alkali halide crystals, 4=15396
- Fukai, Y. Validity on the cylindrical cell approximation in lattice calculations, 4=22264
- Fukai, Y. Lattice distortion around impurity ions in alkali halide crystals. II. Quadrupolar broadening of nuclear magnetic resonance lines, 4=26446
- Fukai, Y., Shimizu, A. and Miyamoto, S. Calculations of flux distributions in a boiling water reactor, 0=15633
- Fukami, A. and Adachi, K. On a study of new contrast improvement technique for replica specimens, 3=18419
- Fukami, T. and Homma, K. Negative resistance characteristics and oscillation phenomena in Si diodes, 4=1634
- Fukano, Y. Study on precipitation phenomena in thin films of supersaturated gold-nickel alloy, 1=20605
- Fukano, Y. and Ogawa, S. Study on precipitation phenomena during aging of aluminium-silver alloy in thin evaporated films, 0=21238
- Fukase, M. See Watanabe, H., 1=14691
- Fukase, T. See Fukuroi, T., 4=21628
- Fukatko, T. See Benda, F., 2=15971
- Fukátko, T. See Kult, K., 4=21609
- Fukatsu, M. See Kurata, M., 4=24181
- Fukawa, M. Pion production from $\nu + N$ or $\bar{\nu} + N$ collisions in the peripheral interaction model. I, 3=7825
- Fukawa, M. Pion production cross sections by neutrinos and antineutrinos, 3=10148
- Fukawa, M. See Toda, A., 4=19584
- Fuke, T. Nuclear quadrupole resonance under high pressure. I, 1=12576
- Fuke, T. Nuclear quadrupole resonance under high pressure. II, 3=25596
- Fuketa, T. Paired-chamber type pile oscillator, 2=5465
- Fuketa, T. Application of the pile oscillator to large-neutron dose measurement, 2=14179
- Fuks, M. Ya. and Koz'ma, A. A. An x-ray diffraction study of the stacking faults in deformed permalloy, 4=25952
- Fuks, M. Ya. See Boiko, B. T., 4=20802
- Fuks, M. Ya. See Bol'shutkin, D. N., 1=14915
- Fuks, M. Ya. See Palatnik, L. S., 2=8877
- Fuks, M. Ya. See Palatnik, L. S., 2=23936
- Fuks, M. Ya. See Palatnik, L. S., 2=23937
- Fuks, M. Ya. See Palatnik, L. S., 4=1928
- Fuks, M. Ya. See Palatnik, L. S., 4=26696
- Fuks, N. A. Vertical distribution of particles suspended in a turbulent flow, 2=19472
- Fuks, N. A. On the steady-state distribution of the charges of aerosol particles in a bipolarly ionized atmosphere, 4=29300
- Fuks, N. A. and Stechkina, I. B. Resistance of a gaseous medium to the motion of a particle with dimensions comparable to the mean free path, 4=220
- Fuks, N. A., Stechkina, I. B. and Starosel'skiĭ, V. A. Determination of the size distribution of aerosol particles using the diffusion method, 3=18463
- Fuks, V. B. On the mechanism of ion mobility in metals, 0=540
- Fukuchi, M. General theory of superexchange interaction. I, 1=17940
- Fukuchi, M. General theory of superexchange interaction. II, 1=17941
- Fukuchi, M. See Yamashita, J., 3=25234
- Fukuda, A., Inohara, K. and Onaka, R. A, B and C bands in KCl:In and KCl:Sn, 4=28698
- Fukuda, A. See Onaka, R., 1=14585
- Fukuda, A. See Onaka, R., 3=22837
- Fukuda, D., Okuda, A. and Uchida, Y. Optical bleaching of R-bands in LiF crystals, 1=10102
- Fukuda, E. and Kubo, R. Diffusion constants of ^3He in liquid helium II, 3=19088
- Fukuda, E., Stephens, R. W. B. and Charlesby, A. Dynamic mechanical properties of irradiated high density polyethylenes, 1=9080
- Fukuda, E. and Yasuda, I. Piezoelectric effects in collagen, 4=12975
- Fukuda, E. and Yasuda, I. Erratum: Piezoelectric effects in Collagen, 4=28635
- Fukuda, E. See Sone, T., 1=12844
- Fukuda, H., Ogita, N. and Ueda, A. A nucleonic cascade theory and an analysis of extensive air showers, 0=15475
- Fukuda, H., Ogita, N. and Ueda, A. Theoretical analysis of extensive air showers, 1=3297
- Fukuda, H., Ogita, N., Ueda, A. and Takagi, S. An analysis of extensive air showers in connection with the primary energy spectrum and the high-energy nuclear interactions, 3=4511
- Fukuda, H. See Amai, S., 0=7395
- Fukuda, H. See Tabata, T., 1=9817
- Fukuda, I. Ambiguity of $\partial D_{s.c.}(x)/\partial x^2$ and causality, 1=3109
- Fukuda, K. Theory of excess ultrasonic absorption in binary associated liquid mixtures, 3=21359
- Fukuda, K., Kato, R., Nakamura, K. and Uchida, Y. Optical absorption of localised exciton in KCl:I and NaCl:I single crystals, 1=10104
- Fukuda, K., Matsumoto, H. and Okuda, A. F-centers in LiCl crystals, 1=995
- Fukuda, K., Matsumoto, H., Takagi, T. and Uchida, Y. Electron spin resonance of manganese in MgCl_2 , 1=20221
- Fukuda, K. and Nakagawa, T. Color centers in Cu-doped NaCl and KCl crystals, 1=14336
- Fukuda, K. and Okuda, A. Optical absorption bands in γ -rays irradiated LiF crystals, 3=25300
- Fukuda, K., Uchida, Y. and Yoshimura, H. Paramagnetic resonance spectrum of manganese in single crystals of alkali halide grown from the melt, 0=683
- Fukuda, K. See Matsumoto, H., 2=10702
- Fukuda, K. See Nakamura, K., 2=2230
- Fukuda, K. See Okana, K., 1=8588

- Fukuda, K. See Okano, K., 1=12159
- Fukuda, N. A new approach to the many body problem, in particular to the theory of the electron gas, 1=5218
- Fukuda, N. The stability of Hartree-Fock solutions and of collective motion, 3=18746
- Fukuda, N., Fukushima, K. and Inagaki, T. On the Landau theory of superfluidity, 3=9668
- Fukuda, N., Iwamoto, F. and Sawada, K. Linearized many-body problem, 4=27094
- Fukuda, N. and Wada, Y. Some aspects of many-body problem, 1=15732
- Fukuda, N. and Wortis, M. Bound states in the spin wave problem, 4=15629
- Fukuda, N. See Fukushima, K., 3=7141
- Fukuda, N. See Sawada, K., 1=15731
- Fukuda, N. See Wada, Y., 0=14925
- Fukuda, N. See Wada, Y., 0=19548
- Fukuda, Y. Vibration of linear lattice containing impurities, 2=16593
- Fukuda, Y. Moment method, 4=1372
- Fukuda, Y. and Yoshida, K. Frequency spectrum of lattice with short range order, 2=16594
- Fukuda, Y. See Shirai, S., 1=20671
- Fukuda, Y. See Shirai, S., 2=16995
- Fukuda, Y. See Shirai, S., 3=1371
- Fukuhara, A. Reduced widths of levels in sharp resonance region and calculation on $\text{Si}^{28} + p$, 3=15194
- Fukuhara, A. Inelastic scattering of electrons with a definite momentum transfer in a crystal, 3=15479
- Fukuhara, A. See Watanabe, H., 3=1299
- Fukui, Hasegawa, Matano, Miura, Oda, Ogita, Suga, Tanahashi and Tanaka. The Tokyo air shower
- Fukui, K., Morokuma, K., Yonezawa, T. and Nagata, C. Charge transfer mechanism of reaction of conjugated molecules, 0=14102
- Fukui, K. See Filz, R., 1=12134
- Fukui, S. The structure of extensive air showers near the axes, 1=13554
- Fukui, S., Hasegawa, H., Matano, T., Miura, I., Oda, M., Suga, K., Tanahashi, G. and Tanaka, Y. A study on the structure of the extensive air shower, 1=19311
- Fukui, S. and Hayakawa, S. Microwave discharge chamber, 1=12039
- Fukui, S., Hayakawa, S., Kajikawa, R. and Kikuchi, K. Helium discharge chamber, 2=3340
- Fukui, S., Hayakawa, S., Kajikawa, R., Kikuchi, K. and Mori, K. An automatic recorder of the spark chamber, 4=24957
- Fukui, S., Hayakawa, S., Nishimura, H. and Obayashi, H. Mechanism of the mirror-point loss, 2=13897
- Fukui, S., Hayakawa, S., Nishimura, H. and Obayashi, H. Anisotropy of high energy cosmic rays in the galactic arm, 2=22665
- Fukui, S., Hayakawa, S., Nukushina, H. and Tsukishima, T. Formation of localized plasmas in pulsed microwave discharge, 3=5647
- Fukui, S., Hayakawa, S., Tsukishima, T. and Nukushima, H. Microwave discharge chamber, 3=17155
- Fukui, S., Kitamura, T. and Watase, Y. The non-indication of the "Anomalous" scattering of μ -mesons, 0=13012
- Fukui, S. and Zacharov, B. A spark chamber with high detection efficiency, 3=19531
- Fukui, S. and Miyamoto, S. The discharge chamber and its characteristics, 2=5559
- Fukui, S. See Tachibana, F., 1=249
- Fukui, T. and Kikuchi, M. Thermocompression bonding to GaP crystals, 3=23722
- Fukunaga, K. See Kikuchi, S., 1=8516
- Fukunaga, K. See Kimura, K., 2=5898
- Fukunaga, K. See Nakamura, T., 0=20479
- Fukunaga, K. See Nakamura, T., 1=674
- Fukunaga, K. See Nakamura, T., 1=2028
- Fukunaga, K. See Nishimura, K., 3=24720
- Fukunaga, K. See Nishimura, K., 4=15056
- Fukunaga, K. See Sanada, J., 1=8457
- Fukunaga, K. See Suwa, S., 1=7241
- Fukunaga, Y. See Aoki, I., 0=8216
- Fukunaga, F. See Kokame, J., 4=28063
- Fukuroi, T. and Fukase, T. Role of insulations in a superconducting magnet, 4=21628
- Fukuroi, T. and Yamagata, K. Measurement of dielectric constant of germanium at microwave frequencies, 1=1122
- Fukuroi, T. See Muto, Y., 0=6084
- Fukuroi, T. See Ogushi, T., 3=24151
- Fukuroi, T. See Ohtsuka, Y., 4=403
- Fukuroi, T. See Shibuya, Y., 0=20868
- Fukuroi, T. See Tanaka, K., 2=3989
- Fukuroi, T. See Yamagata, K., 1=17702
- Fukushima, E., Hayakawa, K. and Nimura, H. Intensity variations of X-ray transmitted diffraction depending on the direction of applied stress, 2=21503
- Fukushima, E., Hayakawa, K. and Nimura, H. Intensity variations of X-ray transmitted diffraction depending on the direction of applied stress, 3=23525
- Fukushima, E. and Nimura, H. Study of the texture of the boundary of etched and ground regions of quartz plate by X-ray diffraction, 1=20659
- Fukushima, E. See Christy, R. W., 0=11658
- Fukushima, H. See Hashimoto, K., 1=18494
- Fukushima, K. A cylindrical sound radiator having specified directive characteristics, 3=1771
- Fukushima, K. and Fukuda, N. The asymptotic behavior of perturbation expansions in many-body problem and the superconducting state, 3=7141
- Fukushima, K. See Fukuda, N., 3=9668
- Fukushima, K. See Miyazawa, T., 3=6444
- Fukushima, K. See Miyazawa, T., 3=17624
- Fukushima, M., Irie, H., Akita, K. and Miura, S. Preliminary study of spatial distribution of atmospheric refractive index from aircraft observation, 4=26798
- Fukushima, M. See Hori, J., 4=20186
- Fukushima, M. See Sone, T., 1=12844
- Fukushima, N. Some remarks on the morphology of geomagnetic bays, 0=2001
- Fukushima, N. Three-dimensional consideration for current-system of geomagnetic variations. I. Current flow for polar elementary storm within a spherical conducting shell, 0=21341
- Fukushima, N. Morphology of magnetic storms, 2=13072
- Fukushima, N. Gross character of geomagnetic disturbance during the international geophysical year and the second polar year, 3=11473
- Fukushima, N. and Abe, S. The initial phase of the magnetic storm of Feb. 11, 1958, 0=18465
- Fukushima, N. and Hirasawa, T. Frequent occurrence of local geomagnetic disturbance in high latitudes, 4=23816
- Fukushima, N. and Maeda, R. Three-dimensional consideration for current-system of geomagnetic variations. I(2). Current flow for polar elementary storm within a spherical conducting shell, 1=1595
- Fukushima, N., Nagata, T. and Oguti, T. Extra-terrestrial corpuscular streams and polar magnetic disturbances, 3=13830
- Fukushima, N. See Nagata, T., 2=13069
- Fukushima, N. See Nishida, A., 1=1596
- Fukushima, N. See Ohshio, M., 4=10775
- Fukushima, S., Hayashi, S., Kume, S., Okamura, H., Otozai, K., Sakamoto, K. and Yoshizawa, Y. Excitation functions for the reactions induced by alpha particles on Ag^{107} , 3=10389
- Fukushima, S. and Kodama, M. Secular variation of cosmic-ray latitude effect, 0=20301
- Fukushima, S. and Kodama, M. The secular variation of cosmic-ray latitude effect, 1=3359
- Fukushima, S. and Kodama, M. Solar modulation effect on the latitude dependence in cosmic ray intensity, 2=5768
- Fukushima, S., Kodama, M. and Muraishi, Y. Time variation of cosmic ray intensity in the antarctic region. II. Unusual increase, 2=9967
- Fukushima, S. See Kodama, M., 2=12044
- Fukushima, Y. See Kamiryo, K., 3=2131
- Fukuta, N. and Mason, B. J. Epitaxial growth of ice on organic crystals, 3=18285
- Fukutani, H. See Sasaki, T., 4=14404
- Fukutome, H. On the representation of the canonical commutation relation of Bose fields, 1=3111
- Fukutome, H. Elastic ether theory of elementary particles. I. Classical theory, 1=10837
- Fukutome, H. Elastic ether theory of elementary particles. II., 3=544
- Fukutomi, S. See Wada, Y., 1=2502
- Fukutomi, T. Effect of infra-red illumination on grain boundaries in ice, 2=10809
- Fukuyama, T. See Abe, H., 4=4426
- Fukuzawa, F. Isomeric cross-section ratios for 14 keV neutron reactions, 2=3590
- Fukuzawa, F. See Sakisaka, M., 2=244
- Fulbright, H. W. A fast neutron time-of-flight system for use with cyclotrons, 2=9499
- Fulbright, H. W. and Kohler, D. A sonic spark locator, 2=9759
- Fulbright, H. W. and Verba, J. A study of the $\text{C}^{12}(\text{d}, \text{n})\text{N}^{13}$ reaction, 1=19507
- Fulbright, H. W. See Deshpande, V. K., 4=17200

- Fulbright, H. W. See Miller, W. F., 4=21691
- Fulco, J. R. See Frazer, W. R., 0=7341
- Fulco, J. R. See Frazer, W. R., 0=7404
- Fulco, J. R. See Frazer, W. R., 0=15404
- Fulde, P. and Ferrell, R. A. Superconductivity in a strong spin-exchange field, 4=24493
- Fulford, J. A. Line breadths in the ammonia spectrum, 1=6006
- Fulford, R. M. and Slater, C. H. W. A foot-operated continuous focusing attachment for dissecting microscopes, 3=16754
- Fulford-Jones, R. See Hyde, F. W., 2=24214
- Fuliński, A. Statistical and thermodynamical description of correlated systems. I. General considerations, 3=7138
- Fulinski, A. Statistical and thermodynamical description of correlated systems. II. Entropy, 3=11707
- Fulinski, A. Inelastic scattering of slow neutrons and the behaviour of a single particle in the many-particle scattering system, 3=12462
- Fuliński, A. Statistical and thermodynamical description of correlated systems. III. Equilibrium and stationary distributions, 3=18740
- Fuliński, A. Statistical and thermodynamical description of correlated systems. IV. Time-dependent distributions, 4=14064
- Fuliński, A. Statistical and thermodynamical description of correlated systems. V. Phenomenological equations near by equilibrium, 4=14065
- Fulk, M. M. Evacuated powder insulation for low temperatures, 0=19575
- Fulks, M. Ya. and Gladkikh, L. I. Oriented microstresses studied by hard X-radiation, 4=23213
- Fullam, E. F. See Hemenway, C. L., 1=15441
- Fülle, R., Netzband, D. and Schlott, K. Study of the reaction $B^{10}(d, t_0)B^9$, 4=30351
- Fullam, E. F. and Skrivane, R. A. Collection and study of extra-terrestrial material, 3=18592
- Fullam, E. F. See Hemenway, C. L., 4=29284
- Fuller, C. E. Domain patterns and reversals by wall movements of thin films of iron and nickel iron, 0=13796
- Fuller, C. H. See Rustgi, O. P., 4=19958
- Fuller, C. S. Kinetics of donor reactions in oxygen-doped germanium, 1=19854
- Fuller, C. S. Role of impurities in solid-state research, 4=28548
- Fuller, C. S. and Allison, H. W. A polishing etchant for III-V semiconductors, 3=6821
- Fuller, C. S. and Allison, H. W. Hall effect investigation on lithium-diffused gallium arsenide, 4=15537
- Fuller, C. S. and Doleiden, F. H. The ionization behavior of donors formed from oxygen in germanium, 2=2146
- Fuller, C. S., Doleiden, F. H. and Wolfstirn, K. Reactions of Group III acceptors with oxygen in silicon crystals, 0=15941
- Fuller, C. S., Kaiser, W. and Thurmond, C. D. Donor equilibria in the germanium-oxygen system, 1=14446
- Fuller, C. S., Kaiser, W. and Thurmond, C. D. Donor equilibria in the germanium-oxygen system, 1=17697
- Fuller, C. S. and Wolfstirn, K. B. Kinetics and equilibria involving copper and oxygen in germanium, 2=4016
- Fuller, C. S. and Wolfstirn, K. B. Electrical properties of Li in GaAs, 2=18598
- Fuller, C. S. and Wolfstirn, K. B. Diffusion, solubility, and electrical behavior of Li in GaAs single crystals, 2=18599
- Fuller, C. S. and Wolfstirn, K. B. Defects in GaAs produced by lithium, 3=8423
- Fuller, C. S. and Wolfstirn, K. B. Properties of lithium in GaAs: Effects of doping, 3=10818
- Fuller, C. S. and Wolfstirn, K. B. Acceptors in donor-doped GaAs resulting from Li diffusion, 3=17877
- Fuller, C. S. and Wolfstirn, K. B. Changes in electron concentration of donor-doped GaAs crystals caused by annealing, 3=22945
- Fuller, C. S., Wolfstirn, K. B. and Allison, H. W. Defects in GaAs produced by copper, 4=12726
- Fuller, C. S. See Whelan, J. M., 0=18039
- Fuller, D. Identification of the diffusion of iron ions in magnetite employing markers, 1=6112
- Fuller, E. G. and Hayward, E. Scattering of photons by deformed nuclei, 1=8692
- Fuller, E. G. and Hayward, E. Absorption and scattering of protons by holmium and erbium, 1=8698
- Fuller, E. G. and Hayward, E. Calibration of a monitor for use in bremsstrahlung beams, 2=5616
- Fuller, E. G. and Hayward, E. The nuclear photoeffect in holmium and erbium, 2=10086
- Fuller, E. G. and Hayward, E. The photodisintegration of bismuth and the lead isotopes, 2=16384
- Fuller, F. B. See Goodier, J. N., 4=27244
- Fuller, F. B. See Heaslet, M. A., 4=5442
- Fuller, F. C. See Weinstein, D., 4=13456
- Fuller, G. L. See Kamal, A. K., 4=28735
- Fuller, H. W. and Hale, M. E. Determination of magnetization distribution in thin films using electron microscopy, 0=6236
- Fuller, H. W. and Hale, M. E. Static and dynamic studies of magnetization distribution in thin films by electron microscopy, 0=11855
- Fuller, H. W. and Hale, M. E. Domains in thin magnetic films observed by electron microscopy, 0=18190
- Fuller, H. W. and Lakin, L. R. Wall-wall interaction between thin magnetic films, 3=15833
- Fuller, H. W. and Rubinstein, H. Observations made on domain walls in thin films, 0=3050
- Fuller, H. W., Rubinstein, H. and Sullivan, D. L. Spiral walls in thin magnetic films, 1=6326
- Fuller, H. W. and Sullivan, D. L. Magnetostatic interactions between thin magnetic films, 2=13634
- Fuller, H. W. See Rubinstein, H., 0=8053
- Fuller, M. D. Anisotropy of susceptibility and the natural remanent magnetisation of some Welsh slates, 0=14162
- Fuller, M. D. Magnetic anisotropy and paleomagnetism, 3=11478
- Fuller, M. D. See Uyeda, S., 3=11477
- Fuller, P. J. A. and Price, J. H. Electrical conductivity of manganin and iron at high pressures, 2=8276
- Fuller, P. J. A. and Price, J. H. Dynamic pressure measurements to 300 kilobars with a resistance transducer, 4=21225
- Fuller, R. N. See Edwards, H. D., 3=21045
- Fuller, R. W. Dependence of neutron production in fission on rate of change of nuclear potential, 2=10151
- Fuller, R. W., Harris, S. M. and Slaggie, E. L. S-matrix solution for the forced harmonic oscillator, 3=14032
- Fuller, R. W. and Wheeler, J. A. Causality and multiply connected space-time, 3=20
- Fuller, W. Hydrogen bond lengths and angles observed in crystals, 0=14039
- Fuller, W. C. See Walters, G. P., 4=13642
- Fullerton, C. M. See Williamson, N. K., 1=7993
- Fullwood, R. On the use of 2N504 transistors in the avalanche mode for nuclear instrumentation, 0=20008
- Fullwood, R. See Bertozzi, W., 3=12513
- Fullwood, R. See Selove, W., 2=5539
- Fullwood, R. R. See Gaertner, E. R., 3=2057
- Fullwood, R. R. See Yeater, M. L., 2=6008
- Fulmer, C. B. Total reaction and elastic scattering cross sections for 22.8 MeV protons on uranium isotopes, 0=1412
- Fulmer, C. B. Elastic scattering of protons by single isotopes, 2=3561
- Fulmer, C. B. and Goodman, C. D. (p, α) reactions induced by protons in the energy range of 9.5-23 MeV, 0=7547
- Fulmer, C. B. See Ball, J. B., 3=15196
- Fulmer, C. B. See Ball, J. B., 4=25391
- Fulmer, C. B. See Benveniste, J., 3=10259
- Fulmer, C. B. See Benveniste, J., 3=10339
- Fulmer, C. B. See Benveniste, J., 4=9493
- Fulmer, C. B. See Benveniste, J., 4=9494
- Fulmer, C. B. See Goodman, C. D., 2=1885
- Fulmer, C. B. See Goodman, C. D., 2=1886
- Fulmer, C. B. See Goodman, C. D., 2=18322
- Fulmer, C. B. See Holmgren, H. D., 4=6338
- Fulmer, R. H. and McCarthy, A. L. Nuclear structure studies in isotopes of nickel and iron, 3=24833
- Fulmer, R. H., McCarthy, A. L. and Cohen, B. L. Nuclear structure studies in the 82-neutron region with stripping reactions, 3=2390
- Fulmer, R. H., McCarthy, A. L., Cohen, B. L. and Middleton, R. Deuteron stripping studies in the light isotopes of nickel, 4=12270
- Fulmer, R. H. and Daehnick, W. W. Spin dependence of (d, t) $I_n = 1$ angular distributions in Ni and Fe, 4=19821
- Fulmer, R. H. See Cohen, B. L., 2=10017
- Fulmer, R. H. See Cohen, B. L., 2=20487
- Fulmer, R. H. See Cohen, B. L., 3=19762
- Fuls, E. N. Optical frequency mixing in photoconductive InSb, 4=10131
- Fulton, B. J. and Petrie, L. E. The analysis of transient modes of propagation across the auroral zone, 1=21065
- Fulton, B. J., Petrie, L. E. and Ward, W. S. P. Transient modes of high-frequency radio wave propagation across the auroral zone, 0=17118

- Fulton, B., Sandoz, O. and Warren, E. The lower frequency limits for F-layer radio propagation, 0=11059
- Fulton, H.M. See Kronenberg, K.J., 3=20920
- Fulton, R.L. and Baldeschwieler, J.D. Spin inversion operator in nuclear magnetic resonance, 1=9954
- Fulton, R.L. and Gouterman, M. Vibronic coupling. I. Mathematical treatment for two electronic states, 1=17334
- Fulton, T. Resonances in strong interaction physics, 4=12049
- Fulton, T. and Rohrlach, F. Classical radiation from a uniformly accelerated charge, 0=10552
- Fulton, T., Rohrlach, F. and Witten, L. Physical consequences of a co-ordinate transformation to a uniformly accelerating frame, 3=1586
- Fulton, T., Rohrlach, F. and Witten, L. Conformal invariance in physics, 3=5317
- Fulton, T. and Schwed, P. Elastic nucleon-deuteron scattering in a soluble model as a test of the impulse approximation, 0=360
- Fulton, T. See Baroff, J.H., 3=24771
- Fulton, T. See Evans, L.E., 1=4761
- Fulton, T. See Fairbairn, W.M., 4=27756
- Fulton, T. See Feldman, G., 2=11865
- Fulton, T. See Wali, K.C., 1=12123
- Fulton, T.A., Fitch, D.B. and Fenner, G.E. Pressure effects in $\text{Ga}(\text{As}_{1-x}\text{P}_x)$ electroluminescent diodes, 4=12934
- Fulton, T.A. See Fitch, D.B., 4=6886
- Fultz, D. and Murty, T.S. Experiments on the frequency of finite-amplitude axisymmetric gravity waves in a circular cylinder, 3=14123
- Fultz, D. See Donnelly, R.J., 0=19052
- Fultz, D. See Donnelly, R.J., 0=19062
- Fultz, S.C. The time-dependent thermal neutron flux from a pulsed subcritical assembly, 0=15634
- Fultz, S.C., Bramblett, R.L., Caldwell, J.T., Hansen, N.E. and Jupiter, C.P. Photoneutron cross sections for V^{51} and CO^{59} , 3=6221
- Fultz, S.C., Bramblett, R.L., Caldwell, J.T. and Harvey, R.R. Photoneutron cross sections for natural Cu, Cu^{63} , and Cu^{65} , 4=12206
- Fultz, S.C., Bramblett, R.L., Caldwell, J.T. and Kerr, N.A. Photoneutron cross-section measurements on gold using monochromatic photons, 2=18316
- Fultz, S.C. See Bowman, C.D., 3=12709
- Fultz, S.C. See Bowman, C.D., 4=9481
- Fultz, S.C. See Bramblett, R.L., 3=10329
- Fultz, S.C. See Bramblett, R.L., 4=12207
- Fultz, S.C. See Caldwell, J.T., 4=3638
- Fultz, S.C. See Hatcher, C.R., 2=9828
- Fultz, S.C. See Jupiter, C.P., 1=2044
- Fultz, S.C. See Seward, F.D., 1=2043
- Fumelli, M. The speed of rotation of a cylindrical layer of plasma under the action of crossed fields, 4=503
- Fumelli, M. See Bottiglioni, F., 4=18996
- Fumi, F.G. Born repulsive potential in the alkali halide crystals, 3=22625
- Fumi, F.G. and Tosi, M.P. Extension of the Madelung method for the evaluation of lattice sums, 0=7836
- Fumi, F.G. and Tosi, M.P. Madelung constants of the cubic perovskite structures, 0=13474
- Fumi, F.G. and Tosi, M.P. On the Mie-Grüneisen and Hildebrand approximations to the equation of state of cubic solids, 2=14390
- Fumi, F.G. and Tosi, M.P. Born repulsive energy in sodium chloride and potassium chloride crystals, 3=2690
- Fumi, F.G. and Tosi, M.P. Ionic sizes and Born repulsive parameters in the NaCl-type alkali halides. I. The Huggins-Mayer and Pauling forms, 4=12555
- Fumi, F.G. See Tosi, M.P., 2=14921
- Fumi, F.G. See Tosi, M.P., 3=22667
- Fumi, F.G. See Tosi, M.P., 4=12556
- Funabashi, K. See Magee, J.L., 1=8859
- Funabashi, W. Abrasive compounds for barrel finishing, 2=12871
- Funakoshi, Y. Acoustical effects of movable sound reflectors in auditoriums, 4=14318
- Funatogawa, Z., Miyata, N. and Usami, S. Ferromagnetic crystalline anisotropy of Fe-Mn-ferrite system, 0=21054
- Funatogawa, Z., Miyata, N. and Usami, S. Electric resistance and cation distribution of Fe-Mn ferrite system, 1=2484
- Funatogawa, Z. See Gondo, Y., 1=14715
- Funatogawa, Z. See Gondo, Y., 2=8602
- Funatogawa, Z. See Gondo, Y., 3=1080
- Funatogawa, Z. See Gondo, Y., 3=15919
- Funatogawa, Z. See Miyata, N., 3=1031
- Funatogawa, Z. See Usami, S., 2=2277
- Funatogawa, Z. See Usami, S., 2=18933
- Funatogawa, Z. See Usami, S., 3=1171
- Funatogawa, Z. See Usami, S., 3=20630
- Funck, E. See Beckmann, L., 0=2241
- Funes, A.J. and Coleman, R.V. Magnetoresistance of copper single crystals, 3=25329
- Funes, A.J. See Coleman, R.V., 4=10033
- Funes, A.J. See Davies, R.G., 2=4461
- Funes, A.J. See Davies, R.G., 2=4462
- Fünfer, E., Hain, K., Herold, H., Igenbergs, P. and Klüpper, F.P. Measurement of the radial electron density and magnetic field distributions in a theta pinch and comparison with numerical calculations, 3=12178
- Fünfer, E., Herold, H., Lehner, G., Tuzek, H. and Andelfinger, C. Neutron and X-radiation with the stabilized linear pinch effect, 0=1140
- Fünfer, E., Kegel, W.H., Kronast, B. and Kunze, H.J. Local determination of plasma parameters in a θ -pinch plasma by light scattering experiments, 4=18919
- Fünfer, E., Kronast, B. and Kunze, H.J. Experimental results on light scattering by a θ -pinch plasma using a ruby laser, 3=19256
- Fünfer, E. and Lehner, G. Plasma physics, 2=15907
- Fünfer, E. and Lehner, G. Plasma physics, 4=2970
- Fünfer, E., Lehner, G. and Tuzek, H. Phenomena of motion in the linear [stabilized] pinch effect and runaway electrons, 0=16999
- Fung, A.-I. See Esquivel, A.L., 2=17068
- Fung, F.C.W. See Kovasznay, L.S.G., 2=13668
- Fung, S.-Y. See Ely, R.P., 2=5747
- Fungsten, H.O. and Cobb, G.C. Organic scintillants for pulse shape discriminating neutron counters, 0=11184
- Funk, E.G. See Reidy, J.J., 4=9455
- Funk, E.G., Jr., Mihelich, J.W. and Schwerdtfeger, C.F. Radioactive decay of Pm^{143} , Pm^{144} , and Pm^{146} , 1=650
- Funk, E.G., Jr., Mihelich, J.W. and Schwerdtfeger, C.F. The decay of Eu^{146} (4.7d) to Sm^{146} , 3=4596
- Funk, E.G., Jr., Prask, H.J., Schima, F., McNulty, J. and Mihelich, J.W. Lifetimes of the 246- and 46.7-keV transitions in Po^{210} , 3=6183
- Funk, E.G., Jr. See McNulty, J.F., 4=27997
- Funk, E.G., Jr. See Prask, H.J., 2=3491
- Funk, E.G., Jr. See Prask, H.J., 2=20558
- Funk, E.G., Jr. See Schima, F., 4=6297
- Funk, E.G., Jr. See Schwerdtfeger, C.F., 2=7946
- Funk, J. Radiative flux divergence in radiation fog, 2=21626
- Funk, J.P. Improved polythene-shielded net radiometer, 0=4782
- Funk, J.P. Behavior of freely exposed absorbers in radiation fields, 0=16918
- Funk, J.P. Sensitive and simple integrator, 0=14952
- Funk, J.P. Ribbon thermopile, 2=2928
- Funk, J.P. A net radiometer designed for optimum sensitivity and a ribbon thermopile used in a miniaturized version, 3=290
- Funke, K.D. See Hartmann, H., 4=13353
- Funke, L., Graber, H., Kaun, K.H., Sodan, H. and Werner, L. New levels in Dy^{61} , 4=25318
- Funke, V.F., Panov, V.S. and Yudkovskii, S.I. Structure and physical and mechanical properties of TiC-WC-Co alloys, 3=3316
- Funke, V.F., Shulepov, V.I. and Yudkovskii, S.I. The structural dependence of electrical resistivity of the alloys WC-Co, 3=13498
- Funke, V.F., Shurshakov, A.N., Yudkovskii, S.I., Kuznetsova, K.F., Shulepov, V.I. and Yurkevich, Yu.N. Electrical resistivity and structure of the cobalt-tungsten carbide alloys, 1=9144
- Funke, V.F. See Baskin, M.L., 4=28986
- Funke, V.F. See Tumanov, V.I., 4=15720
- Funke-Klopper, A.G. See Aten, A.H.W., Jr., 0=20385
- Funsten, H.O. Pulse shape discrimination in p-n junction detectors, 2=18020
- Funsten, H.O., Roberson, N.R. and Rost, E. Inelastic proton scattering from nuclei with 28 neutrons, 4=15204
- Funsten, H.O. See Warburton, E.K., 3=2447
- Funt, B.L. Scintillation counting with organic phosphors, 1=7170
- Funt, B.L. and Hetherington, A. The kinetics of quenching in liquid scintillators, 2=15607
- Funt, B.L. See Brooks, F.D., 1=3078
- Funtikov, A.I. See Al'tshuler, L.V., 0=11974
- Funtikov, A.I. See Al'tshuler, L.V., 2=2759
- Funtikov, A.I. See Al'tshuler, L.V., 3=1756
- Funtikov, A.I. See Kormer, S.B., 2=14876
- Funtikov, A.I. See Kormer, S.B., 3=6787
- Fuortes, A. See Faini, G., 1=7114

- Fuoss, R.M. and Onsager, L. The conductance of symmetrical electrolytes. II. The relaxation field, 3=20998
- Fuoss, R.M. and Onsager, L. The conductance of symmetrical electrolytes. III. Electrophoresis, 3=20999
- Fuoss, R.M. and Onsager, L. The conductance of symmetrical electrolytes. IV. Hydrodynamic and osmotic terms in the relaxation field, 4=10643
- Furakawa, K. See Takamura, J., 3=22720
- Furashov, N.I. See Averkov, S.I., 3=24032
- Furashov, N.I. See Averkov, S.I., 4=26893
- Furashov, N.I. See Ryadov, V.Y., 4=13915
- Furduev, A.V. A deep-water sound receiver, 4=2783
- Furduev, A.V. Underwater noise of dynamical origin, 4=15861
- Furduev, V.V. Ambiphonic reverberation, 2=5129
- Furduev, V.V. and Chen Tun [Ch'êng T'ung]. Measurement of diffuseness of the acoustic field in rooms by the directional microphone method, 0=19347
- Furdyna, J.K. and Brodwin, M.E. Dependence of the free-carrier Faraday ellipticity in semiconductors on scattering mechanisms, 1=17666
- Furdyna, J.K. and Brodwin, M.E. Magnetic-field dependence of free-carrier absorption in semiconductors, 4=1712
- Furdyna, J.K. and Broersma, S. Microwave Faraday effect in silicon and germanium, 1=1063
- Furet, J. and Garcia, A.L. Influence of xenon poisoning on the control and safety of high flux reactors, 2=14172
- Furet, J. See Weill, J., 4=15256
- Furlan, G. On the $e^+ + e^- \rightarrow \pi^0 + \gamma$ process, 1=9756
- Furlan, G. and Peressutti, G. Non-local effects in electron-electron and electron-positron scattering, 0=2527
- Furlan, G. and Peressutti, G. Radiative corrections to electron-electron scattering, 0=15330
- Furlan, G. and Peressutti, G. Validity of Q.E.D. in μ -pair production, 0=17372
- Furlan, G. and Peressutti, G. Radiative corrections to electron-electron and electron-positron scattering, 1=9747
- Furlan, G. See Andreassi, G., 2=22393
- Furlan, G. See Andreassi, G., 3=2251
- Furlan, G. See Bastai, A., 4=9098
- Furlan, G. See Bastai, A., 4=9099
- Furlan, G. See Bertocchi, L., 4=19352
- Furlan, G. See Biscacchi, G., 3=8082
- Furlan, G. See Bisiacchi, G., 4=21733
- Furlan, G. See Budini, P., 1=8423
- Furlan, G. See Budini, P., 3=24583
- Furlan, G. See Calucci, G., 1=16900
- Furlan, G. See Deser, S., 3=22091
- Furlani, C. and Bossa, M. The Hartmann approximation of the Hückel M.O.L.C.A.O. method, 4=22331
- Furlani, C. See Caglioti, V., 3=4741
- Furlani, C. See Caglioti, V., 4=12520
- Furlani, C. See Negoiu, D., 4=15349
- Furman, A.M. The theory of ionization in meteor trails. I. Kinetics of the variation of ionization parameters for meteoroids heated by motion in the earth's atmosphere, 2=903
- Furman, A.M. A theory of ionization of meteor trails. II. The role of ionization phenomena at the surface of a meteoroid in the ionization of the meteor trail, 2=904
- Furman, A.M. Theory of ionization of meteor trails. III. Ionization due to air molecules and atoms reflected from a meteoric body, 4=4892
- Furman, L. and Vrščaj, V. Magnetic mass spectrometer, 0=12650
- Furman, V.I. See Lyu Yuian', 1=16355
- Furman, V.I. See Lyu Yuian' [Lu Yang], 3=4561
- Furman, V.I. See Zakhar'ev, B.N., 2=3521
- Furman, V.I. See Zakhar'ev, B.N., 3=2399
- Furmidge, C.G.L. Assessment of the accuracy of "Flying-spot" scanning for the measurement of microscopic particles, 1=10463
- Furmidge, C.G.L. Studies at phase interfaces. I. The sliding of liquid drops on solid surfaces and a theory for spray retention, 2=11343
- Furr, A.K. and Runyon, R.S. A fast neutron spectrometer for reactor flux measurements, 4=28092
- Furr, A.K. See Newson, H.W., 0=5786
- Furrer, W. The measurement of impact sound insulating materials in the laboratory, 0=19314
- Furrer, W. International standardization in the field of acoustics, 4=8317
- Furry, W.H. and Ramsey, N.F. Significance of potentials in quantum theory, 0=10600
- Fursei, G.N. Field emission of electrons from a single crystal of tungsten preceding the development of a vacuum arc, 1=16362
- Fursei, G.N. The pulsed field emission of rhenium, 4=27562
- Fursei, G.N. See Sokol'skaya, I.L., 3=7630
- Fursei, G.N. See Zubenko, Yu. V., 4=21559
- Fursenko, V.D. See Arkypova, K.K., 4=1681
- Fursenko, V.D. See Fedorus, H.A., 2=18740
- Fursenko, V.D. See Künev, S., 4=26039
- Fursenko, V.D. See Kynev, St., 3=15566
- Fursenko, V.D. See Marchenko, A.I., 1=19899
- Fursenko, V.D. See Marchenko, A.I., 2=4061
- Fursenkov, V.A. See Kiseleva, M.S., 0=4789
- Fursikov, M.M. See Kaminskii, A.A., 4=15613
- Fursov, G.D. See Alikhanian, A.I., 4=20261
- Fursov, G.L. See Alikhanyan, A.I., 4=3389
- Fursov, G.L. See Grishaev, I.A., 4=16156
- Fursov, H.L. See Hrishayev, I.A., 1=12931
- Fursova, E.V. See Korolev, F.A., 4=28133
- Furst, M., Greenberg, A., Kallmann, H. and Wirth, H.O. Short decay time scintillator solutes, 3=5902
- Furst, M. and Kallmann, H. Transfer of excitation energy and radiationless transitions, 0=6808
- Furst, M. and Kallmann, H.P. Quenching and energy transfer by the same substance, 3=1702
- Furst, M., Koehlin, Y. and Raviart, A. Intermediate transfer of excitation in scintillators based on Xylene, 3=16629
- Furst, M. See Brown, F.H., 0=18146
- Furst, M. See Brown, F.H., 1=864
- Furst, M. See Koehlin, Y., 3=10001
- Fürstberg, F. Determination of atmospheric extinction for 20 and 3.2 cm wavelengths, 0=4786
- Furth, H.P. High magnetic field research, 0=17063
- Furth, H.P. Sufficient conditions of hydromagnetic stability of a diffuse linear pinch, 1=306
- Furth, H.P. Comment on "plasma motion across magnetic fields", 1=13084
- Furth, H.P. Prevalent instability of nonthermal plasmas, 3=7586
- Furth, H.P. The "mirror instability" for finite particle gyro-radius, 3=12152
- Furth, H.P. Existence of mirror machines stable against interchange modes, 4=5651
- Furth, H.P., Killeen, J. and Rosenbluth, M.N. Finite-resistivity instabilities of a sheet pinch, 3=12177
- Furth, H.P. and Levine, M.A. Force-free coils and superconductors, 2=7524
- Furth, H.P. and Rosenbluth, M.N. Closed magnetic vacuum configurations with periodic multipole stabilization, 4=21521
- Furth, H.P. See Birdsall, D.H., 4=8739
- Furth, H.P. See Colgate, S.A., 1=307
- Furth, H.P. See Colgate, S.A., 1=5547
- Fürth, R. Spatial correlations in the thermal fluctuations of electrical quantities in the presence of conducting surfaces. [Note], 1=7016
- Fürth, R. and Morris, E. Charge penetration into a conductor in equilibrium, 0=3716
- Furubayashi, B., Teranishi, E. and Kageyama, M. The 1330 keV resonance level of the $\text{Be}^0(p, \gamma)\text{B}^{10}$ reaction and excited states of B^{10} , 4=3561
- Furubayashi, B. See Teranishi, E., 2=12187
- Furubayashi, B. See Teranishi, E., 4=9220
- Furubayashi, B. See Teranishi, E., 4=19637
- Furubayashi, E. See Taoka, T., 4=23169
- Furui, S., Furuichi, S., Ishida, S., Kawasaki, S. and Sawamura, M. Boson levels and composite model, 4=9086
- Furui, S., Isaka, J. and Sawamura, M. On the isospin structure of the strange particle decays, 4=27767
- Furui, S. and Sakuma, T. On the test of global symmetry, 1=10911
- Furui, S. See Itô, D., 1=5666
- Furui, S. See Itô, D., 1=10842
- Furui, S. See Kanazawa, A., 0=12916
- Furui, S. See Sakuma, T., 0=15394
- Furui, S. See Sakuma, T., 1=3233
- Furui, S. See Tsuchida, T., 2=9900
- Furuichi, A. See Enjōji, H., 3=5656
- Furuichi, H. Some observations on the persistent slip markings near grain and twin boundaries, 3=2809
- Furuichi, J. See Hikichi, K., 4=26109
- Furuichi, J. See Kuwahara, N., 2=14249
- Furuichi, J. See Kuwahara, N., 2=19556

- Furuichi, J. See Miyake, Y., 1=18410
 Furuichi, J. See Nakamura, E., 1=12471
 Furuichi, J. See Nakamura, E., 1=14551
 Furuichi, J. See Nakamura, E., 4=4208
 Furuichi, J. See Sugai, S., 0=2170
 Furuichi, S. Dispersion theoretic treatment for nucleon-nucleon scattering at large impact parameter, 2=7854
 Furuichi, S. Coupled partial-wave dispersion relation for nucleon-nucleon scattering and ρ - and ω -meson contributions, 3=10109
 Furuichi, S. and Machida, S. Dispersion theoretic approach in nucleon-nucleon scattering, 1=8455
 Furuichi, S., Sawada, S. and Yonezawa, M. On Hara-Takebe's treatment of the lepton energy spectra in K^0_s -decay, 4=3475
 Furuichi, S. See Furi, S., 4=9086
 Furuichi, S. See Fuji, Y., 1=3139
 Furukane, U. Collision damping of plasma wave in a weak magnetic field, 4=19000
 Furukane, U., Hasikuni, M. and Takeyama, H. Plasma frequencies of metals determined by optical constants, 1=14233
 Furukane, U. See Oda, T., 4=24645
 Furukawa, G. T., Reilly, M. L. and Piccirelli, J. H. Calorimetric properties of some alkali pentaborate hydrates from 15° to 370°K, 4=30517
 Furukawa, G. T., Reilly, M. L., Piccirelli, H. and Tenenbaum, M. Thermodynamic properties of some methylphosphonyl dihalides from 15° to 335°K, 4=30521
 Furukawa, G. T., Reilly, M. L. and Saba, W. G. Electrical resistances of wires of low temperature coefficient of resistance useful in calorimetry (10°-380°K), 4=12849
 Furukawa, K. A structural model for monatomic liquids including metallic liquids, 0=6775
 Furukawa, K. Structure analysis of some fused materials by X-ray diffraction. I. NaNO_3 , NaNO_2 and $\text{PbO-B}_2\text{O}_3$ system, 1=1443
 Furukawa, K. The critical phenomena between solids and fluids, 1=1739
 Furukawa, K. The structural model of monatomic liquids including metallic liquids near the melting points, 1=18392
 Furukawa, K. Structure of molten salts near the melting point, 2=17433
 Furukawa, K. The radial distribution curves of liquids by diffraction methods, 2=17438
 Furukawa, K., Orton, B. R., Hamor, J. and Williams, G. I. The structure of liquid tin, 3=7197
 Furukawa, M., Ishizaki, Y., Nakano, Y., Nozaki, T., Saji, Y. and Tanaka, S. Excitation function for the reaction $\text{B}^{11}(\text{p}, \text{n})\text{C}^{11}$ up to $E_p = 15$ MeV and energy levels of C^{12} , 1=12195
 Furukawa, M. and Tanaka, S. Excitation function for the reaction $\text{O}^{16}(\alpha, \text{pn})\text{F}^{19}$, 1=13859
 Furukawa, M. See Nozaki, T., 1=6581
 Furukawa, M. See Porile, N. T., 3=17474
 Furukawa, M. See Tanaka, S., 0=20446
 Furukawa, M. See Tanaka, S., 1=2241
 Furukawa, M. See Tanaka, S., 1=8776
 Furukawa, M. See Tanaka, S., 1=8779
 Furukawa, M. See Tanaka, S., 1=12219
 Furukawa, M. See Tanaka, S., 1=12220
 Furukawa, M. See Yagi, K., 4=25305
 Furukawa, P. See Dave, J. V., 4=23753
 Furukawa, Y. Photoconductivity in nickel doped germanium, 1=10064
 Furukawa, Y. Temperature dependence of tunnel diode characteristics, 1=11315
 Furukawa, Y. Electrical properties of heavily doped n-type germanium, 1=14445
 Furukawa, Y. Impurity effect upon mobility in heavily doped silicon, 1=14459
 Furukawa, Y. Electrical properties of heavily doped n-type germanium, 1=14486
 Furukawa, Y. Magnetoresistance in heavily doped n-type germanium, 2=16697
 Furukawa, Y. Magnetoresistance of heavily doped germanium at low temperatures, 3=22929
 Furukawa, Y. Anisotropy of magnetoresistance caused by the population change, 4=4130
 Furukawa, Y. Magnetoresistance of heavily doped n- and p-type germanium at 4.2°K, 4=4154
 Furumoto, H. W. and Shaw, C. H. X-ray diffraction in liquids-nitrogen, oxygen and their mixtures, 4=24170
 Furuoya, I. and Sugie, A. Strength functions for nuclei with collective coordinates, 3=19761
 Furuoya, T. Dislocations in silicon single crystals, 3=797
 Furuoya, T. and Sasaki, Y. Dislocations in Si single crystals, 1=11207
 Furuoya, T. and Sasaki, Y. Superparamagnetic properties of ultra-fine nickel particles obtained by evaporation in argon atomsphere, 3=11030
 Furuoya, T. See Ishii, Z., 1=11197
 Furusawa, A. See Sugiyama, K., 1=16988
 Furusawa, A. See Suzuki, H., 3=20721
 Furuseth, S. and Kjekshus, A. The crystal structure of NbAs (comments), 4=29126
 Furusho, K. Study of annealed silicon single crystals by X-ray diffraction micrography, 4=6818
 Furusho, K. Study on precipitates in oxygen-doped silicon single crystals by X-ray diffraction micrography, 4=23287
 Furusho, K. and Ono, K. Effects of vacuum-drying on the surface properties of germanium transistor, 3=2942
 Furusho, K. See Yoshida, M., 4=28453
 Furuta, K. See Fujinami, S., 3=9177
 Furuta, N. Ribbon-like crystals of selenium grown from vapour, 1=11540
 Furuta, N. Dendrite crystals of metallic selenium grown from vapor, 4=26611
 Furuta, N. Effect of illumination on filamentary crystal growth of selenium, 2=10802
 Furuta, T. See Enomoto, S., 4=10668
 Furuta, Y. See Tamura, K., 4=24941
 Furutsu, K. On the theory of radio wave propagation over inhomogeneous earth, 3=9943
 Furutsu, K. On the statistical theory of electromagnetic waves in a fluctuating medium. I, 3=21973
 Furutsu, K. Diffraction of radio waves by several smooth surfaces, 4=5808
 Furutsu, K. and Ishida, T. On the theory of amplitude distribution of impulsive random noise, 1=10782
 Furutsu, K. and Ishida, T. On the theory of amplitude distribution of impulsive random noise and its application to the atmospheric noise, 1=15395
 Fusacheva, N. F. See Garif'yanov, N. S., 3=20651
 Fuschini, E., Giacomelli, G., Maroni, C. and Veronesi, P. β - γ angular correlation in ^{56}Fe and parity conservation in strong interactions, 0=15550
 Fuschini, E., Maroni, C., Porceddu, C. and Veronesi, P. A new method for preparing radioactive sources, 4=22051
 Fuschini, E., Murty, D. S. R. and Veronesi, P. Polarization effects in the elastic scattering of photons, 0=17278
 Fuschini, E. See Brini, D., 0=15313
 Fuschini, E. See Forino, A., 2=20386
 Fuse, T. See Tsukada, K., 1=12208
 Fushchich, V. I. The poles of the generation amplitude for the process $\pi + d \rightarrow d + \pi + \pi$, 4=16940
 Fushchich, V. I. Analytical properties of production amplitudes and Chew-Low's method, 4=21897
 Fuschini, E., Gadajkov, V., Maroni, C. and Veronesi, P. On the decay scheme of Ca^{47} , 3=24893
 Fushchini, E., Gadajkov, V., Maroni, C. and Veronesi, P. Time-reversal invariance in strong interactions. I. β - γ_1 - γ_2 angular correlation in ^{47}Ca , 4=25345
 Fuschini, E., Maroni, C. and Veronesi, P. Internal Compton effect, 3=2389
 Fushchych, V. I. See Kryvskiy, I. Y., 2=7879
 Fukushima, S. and Ikeda, T. Single crystals of lead zirconate-titanate solid solutions, 4=17786
 Fushimi, S. See Ikeda, T., 2=21475
 Fushimi, K. and Honma, T. Applicability of non-equilibrium plasma to MHD power generation, 4=11502
 Fushimi, K., Kutsuwada, T. and Ikeda, S. Preliminary experiment on MHD power generation using argon plasma, 4=11501
 Fuson, N. See Forel, M. T., 1=845
 Fussel, J. See Witzmann, H., 2=8549
 Futagami, K. Diffraction topography of the X-ray diffraction spikes of diamond, 4=4646
 Fu-tai Tuan, D. See Sinanoğlu, O., 3=12744
 Futama, H. Hysteresis and thermal studies on ferroelectric transitions in thiourea, 2=12566
 Futama, H. and Pepinsky, R. Optical activity in ferroelectric $\text{LiH}_3(\text{SeO}_3)_2$, 2=23523
 Futami, S. See Okamura, S., 1=15203
 Futch, A. H. F., Jr. Fast fission effect in lattices of natural uranium and heavy water, 0=13350

PHYSICS ABSTRACTS CUMULATIVE INDEX 1960-1964

- Futch, A.H., Jr and Damm, C.C. Enhancement of the excited-state population in a hydrogen-atom beam, 4=6494
- Futch, A.H., Jr., Heckrotte, W., Damm, C.C., Killeen, J. and Mish, L.E. Plasma production by neutral-atom injection: equations and numerical solutions, 3=1964
- Futch, A.H. See Damm, C.C., 2=15912
- Futch, A.H. See Damm, C.C., 3=16969
- Futch, A.H., Jr. Ionization gauge calibrator for water vapor, 2=2795
- Futergendler, S.I. X-ray study of solid inclusions in diamonds, 0=14000
- Futergendler, S.I. See Titova, V.M., 3=20776
- Futita, J.I. See Ikeda, K., 3=8096
- Futterer, A.T. See Allen, F.J., 4=6070
- Futrell, J.H. Use of mass spectral data in radiation chemistry, 1=11625
- Futrell, J.H. and Tiernan, T.O. Rare-gas sensitized radiolysis of propane, 3=3409
- Futrell, J.H. and Tiernan, T.O. Inhibition of the argon-sensitized radiolysis of propane by hydrogen, 3=8977
- Futrell, J.H. and Tierman, T.O. Dissociative charge-exchange reactions of rare-gas ions with propane, 4=3920
- Futrell, J.H. See Roquette, B.C., 2=19156
- Futrell, J.H. See Ryan, K.R., 4=23623
- Futrell, J.H. See Spialter, L., 1=1007
- Füzessy, Z. Electron density of iodine using the statistical model of the atom, 1=19581
- Fydeler, P.J. See Bennett, J.V., 2=23970
- Fyfe, W.I. See Lin, S.C., 1=2783
- Fyfe, W.S. Pressure effects on some charge-transfer and transition metal ion spectra in aqueous solution, 3=1690
- Fyfe, W.S. and Verhoogen, J. Covalent super-exchange in solid state physics, 1=1202
- Fyfe, W.S. See Burns, R.G., 4=26535
- Fyodorov, G.V. See Volkenshtein, N.V., 3=25322
- Fyodorov, V.B. See Manenkov, A.A., 0=11941

- Gabanets, I. See Benda, F., 2=15971
- Gabano, J. P. See Emery, B., 4=7701
- Gabaraeva, A. D. See Shishkin, N. I., 4=25797
- Gabarre, L. and Cairó, L. A variational method for the propagation of e.m. waves in a plasma, 0=303
- Gabathuler, E. See Anderson, R. L., 2=22625
- Gabathuler, E. See Lewis, G. M., 1=5771
- Gabathuler, E. See Lewis, G. M., 2=3378
- Gabathuler, E. See Stewart, D. T., 0=5855
- Gabathuler, E. See Thom, H., 4=9296
- Gabbard, F., Bichsel, H. and Bonner, T. W. The disintegration of nitrogen by fast neutrons, 0=4120
- Gabbard, F. See Bass, R., 2=3599
- Gabbard, F. See Bell, R. J., 0=4122
- Gabbard, R. F. See Caswell, R. S., 0=12972
- Gabbard, R. F. See Duggan, J. L., 4=3700
- Gabbard, F. and Kern, B. D. Cross sections for charged particle reactions induced in medium weight nuclei by neutrons in the energy range 12-18 MeV, 3=2476
- Gabbard, F. See Davis, E. A., 1=19487
- Gabbe, J. D. See Brown, W. L., 3=13808
- Gabbie, H. A., Stone, N. W. B. and Williams, D. An interferometric study of the far infrared spectrum of compressed nitrogen, 3=17580
- Gabbrielli, L. Use of the automatic level for precision cathetometer measurements, 4=2
- Gabe, I. See Magero, V., 2=6925
- Gabe, I. See Mageru, V., 0=2630
- Gabe, I. See Mageru, V., 0=16496
- Gabe, I. See Mageru, V., 2=8963
- Gabe, T. See Blanu, D., 2=7937
- Gabet, A. and Martin, J. The proton synchrotron "Saturne". Analogue computer controlling the master-oscillator, 0=2412
- Gabet, A. See Chonez, A., 0=2412
- Gabet, A. See Gendreau, G., 1=16460
- Gabillard, R. and Ponchel, B. Observation of side bands due to modulation of the electron spin resonance frequency, 2=16076
- Gabillard, R. and Ponchel, B. Observation of lateral frequency-modulation bands in e.s.r. at medium fields. Application to a new measurement procedure for relaxation time T_2 , 3=24491
- Gabillard, R. and Racz, L. A possible explanation of the Brany effect, 1=16242
- Gabillard, R., Salmer, G. and Bliot, F. About the existence of a coherence phenomenon in porous dielectric media impregnated with a conducting liquid, 3=20374
- Gabillard, R. See Racz, L., 1=17826
- Gabla, L. The isotope shift effect in the optical radiation of radioactive nuclide $^{152}_{63}\text{Eu}$, 2=12290
- Gabla, L., Leś, F. and Niewodniczakski, H. Apparatus for the production of thin dielectric and metallic layers with optical control of thickness in the visible and ultraviolet region, 3=11315
- Gabla, L. See Leś, F., 3=9576
- Gabler, F. and Wurz, W. A direct method for the study of phase diagrams of metallic systems, 2=15055
- Gablofsky, H. A sun-vector referenced earth-satellite guidance system, 3=7058
- Gabor, D. "Learning" filters, predictors and recognizers, 0=2127
- Gabor, D. Television compression by "contour interpolation", 0=2128
- Gabor, D. Light and information. [Text of the 1951 Ritchie Lecture, University of Edinburgh, not previously published], 1=18548
- Gabor, D. A new thermionic generator, 1=18916
- Gabor, D. and Vithayathil, J. The Bertele arc, 1=9535
- Gabor, T. Anodic oxidation of germanium, 1=10043
- Gabor, T. Epitaxial growth of gallium arsenide on germanium substrates. I. The relationship between fault formation in gallium arsenide films and the surface of their germanium substrate, 4=29066
- Gabor, T. Epitaxial growth of gallium arsenide on germanium substrates. II. Deterioration of the {111} surface of germanium at 570°-850°C, 4=29067
- Gabor, T. Epitaxial growth of gallium arsenide on germanium substrates. III. Deposition on high index planes and on curved surfaces, 4=29068
- Gabor, T. and Stickler, R. Chemical etching studies and transmission electron microscopy of silicon carbide, 4=4062
- Gábos, Z. Contributions to the study of the gravitational interaction of material bodies, 0=16568
- Gabos, Z. Gravitational self-action of a rotating rigid sphere, 2=7120
- Gábos, Z. and Gherman, O. Polarization resulting from the composition of plane waves, 3=1838
- Gábos, Z. and Gherman, O. Polarization produced by the superposition of plane incoherent electromagnetic waves, 4=19225
- Gabovich, M. D. The role of multiple processes in formation of protons in ion sources, 0=12582
- Gabovich, M. D., Bartnovskii, O. A. and Fedorus, Z. P. Dipping of potential on the axis of the oscillating electron type of discharge, 0=14985
- Gabovich, M. D. and Kirichenko, G. S. Excitation of oscillations upon passage of a slow ion beam through a plasma, 2=17854
- Gabovich, M. D. and Kirichenko, G. S. Excitation of oscillations upon passage of a slow ion beam through a plasma, 3=5686
- Gabovich, M. D. and Kirichenko, G. S. Ion oscillations at a potential minimum and low-frequency oscillations in a gas discharge, 3=14543
- Gabovich, M. D. and Mitropan, I. M. Observation of hydromagnetic plasma waves in a pulsed electrodeless discharge, 2=11684
- Gabovich, M. D. and Mitropan, I. M. Magnetic field topography, induction currents and hydromagnetic plasma oscillations in a pulsed electrodeless discharge, 3=14542
- Gabovich, M. D. and Mitropan, I. M. The interaction of plasma streams moving in opposition along the axis of an inductive pinch, 4=24676
- Gabovich, M. D. and Pasechnik, L. L. Anomalous electron scattering and the excitation of plasma oscillations, 0=10922
- Gabovich, M. D., Pasechnik, L. L. and Lozovaya, E. A. Injection of high-density plasma in vacuum, 2=9575
- Gabovich, M. D., Pasechnik, L. L. and Romanyuk, L. I. Boundary of a penetrating plasma and plasma focusing, 1=5470
- Gabovich, M. D., Pasechnik, L. L. and Romanyuk, L. I. Boundary of a penetrating plasma and plasma focusing, 1=11947
- Gabovich, M. D., Pasechnik, L. L. and Yazeva, V. G. Detection of ion oscillations in a plasma, 0=19697
- Gabovich, M. D. and Romanyuk, L. I. Effect of a magnetic field on the boundary of a penetrating plasma and on plasma focusing, 2=182
- Gabovych, M. D. and Romanyuk, L. I. Ejection of plasma from an electrodeless pulse discharge in vacuum, 2=9602
- Gabovich, M. D., Romanyuk, L. I. and Lozovaya, E. A. The emission of plasma from an oscillating electron source into a vacuum in a magnetic field, 4=19064
- Gabovych, M. D. and Kyrchenko, G. S. Role of the velocity of ions during the excitation of plasma oscillations by an ion beam, 4=3002
- Gabrighidze, Z. A. See Stekhanov, A. I., 1=17903
- Gabrighidze, Z. A. See Stekhanov, V. I., 2=6583
- Gabrighidze, Z. A. See Stekhanov, A. I., 3=20484
- Gabrighidze, Z. A. See Stekhanov, A. I., 4=7107
- Gabriel, A. H. Some techniques for recording and measuring time-resolved spectra, 0=6936
- Gabriel, A. H. and Hedde, D. W. O. Excitation processes in helium, 0=20562
- Gabriel, A. H., Howell, V. T. S., Thornton, E. and Wilson, R. J. Low-inductance capacitor banks and linear pinched discharges, 1=5476
- Gabriel, A. H., Niblett, G. B. F. and Peacock, N. J. Vacuum ultraviolet radiation from a magnetically compressed plasma, 3=7505
- Gabriel, A. H. and Waller, W. A. A time-resolved normal-incidence vacuum ultraviolet spectrograph, 3=7336
- Gabriel, A. H. See Fawcett, B. C., 4=19065
- Gabriel, A. H. See Fawcett, B. C., 4=25490
- Gabriel, H. On a criticism of the theory of non-equilibrium processes according to Prigogine and Collaborators, 3=5371
- Gabriel, H. Molecular drag against a moving body. Addition to the theory of the quartz fibre manometer, 4=14229
- Gabriel, H. and Klein, R. Solution of the Boltzmann equation in the presence of an external magnetic field, 4=28519
- Gabriel, J. New methods for reduction of group representations using an extension of Schur's lemma, 4=16036
- Gabriel, J. R., Johnston, D. F. and Powell, M. J. D. A calculation of the ground-state splitting for Mn^{2+} ions in a cubic field, 2=553
- Gabriel, J. R. See Powell, M. J. D., 0=17913
- Gabriel, J. R. See Wilkins, J. W., 4=6887
- Gabriel, M. A study of the ionization of hydrogen at high pressure and low temperatures, 4=11531
- Gabriel, M. See Boury, A., 4=23854
- Gabriel, R., Garwin, E. L. and York, C. M. A high energy gamma ray spectrometer, 0=17284
- Gabriel, R. and Segar, A. M. Some transistor circuits for nuclear physics research, 2=5269

- Gabriel, W. P. See Belsey, D. C., 4=359
- Gabrielli, I. and Iernetti, G. Cavitation and chemical effects in ultrasonic stationary fields, 3=18793
- Gabrielli, I. and Iernetti, G. Torsion balance for radiation pressure measurements, 3=18940
- Gabrielli, I. See Cernigoi, C., 1=2991
- Gabrielli, I. See Cernigoi, C., 1=15224
- Gabrielli, I. See Cernigoi, C., 3=4435
- Gabrielli, I. See Cernigoi, C., 2=1487
- Gabrilovskii, V. V. See Baldin, S. A., 0=8668
- Gabry, A. Automatic regulation of rates of quartz clocks by means of standard frequencies, 3=7174
- Gabry, A. See Decaux, B., 1=12696
- Gabry, A. See Decaux, B., 1=16588
- Gabry, A. See Decaux, B., 2=4976
- Gabry, A. See Decaux, B., 3=9945
- Gabry, A. See Decaux, B., 3=9951
- Gabry, A. See Decaux, B., 3=24481
- Gabrysh, A. F., Eyring, H., Bezirjian, O. H. and Merrill, J. H. Decay products of radium in ceramics and their interaction with matter, 4=6298
- Gabrysh, A. F., Eyring, H., Le Febre, V. and Evans, M. D. Thermoluminescence and the influence of γ -ray induced defects in single-crystal α - Al_2O_3 , 3=3072
- Gabrysh, A. F., Eyring, H., Ma, S. M. and Liang, K. Automatic rotational viscometer and high-pressure apparatus for the study of the non-Newtonian behavior of materials, 2=15539
- Gabrysh, A. F., Eyring, H. and Ree, T. A. Formation of color properties of attapulgite suspension in water. A method for determining the relaxation-time parameter β , 3=11362
- Gabrysh, A. F., Eyring, H. and Vanhook, A. On the region of indifference for high pressure transitions in d-camphor (II-III) and phosphorus (I-II), 4=13510
- Gabrysh, A. F., Eyring, H., Wadsworth, M. E., Baker, G. S. and Ree, T. Study of irradiation effects and the $\text{H}^2 + \text{H}^2$ buildup in tantalum, 0=17979
- Gabrysh, A. F., Kennedy, J. M., Eyring, H. and Johnson, V. R. Effects of high pressure on the thermoluminescence of γ -irradiated α - Al_2O_3 single crystals, 3=23129
- Gabrysh, A. F. See Woodbury, H. A., 2=10634
- Gabuda, S. P., Lundin, A. G., Mikhailov, G. M. and Aleksandrov, K. S. The position of hydrogen atoms in natrolite, 4=10552
- Gabuda, S. P. See Lundin, A. G., 1=19923
- Gabuda, S. P. See Lundin, A. G., 3=4941
- Gabuda, S. P. See Lundin, A. G., 4=1663
- Gabuda, S. P. See Mikhailov, G. M., 2=4284
- Gabuda, S. P. See Mikhailov, G. M., 3=3194
- Gabunia, L. L. See Alekseeva, K. I., 2=20451
- Gabunia, L. L. See Alekseeva, K. I., 3=4535
- Gabuniya, L. L. See Alekseeva, K. I., 3=2334
- Gabuniya, L. L. See Alekseeva, K. I., 3=2428
- Gabuniya, L. L. See Alekseeva, K. I., 3=19596
- Gabuniya, L. L. See Alekseeva, K. I., 3=22228
- Gachechiladze, T. G. See Abelishvili, T. L., 0=11418
- Gachechiladze, T. G. See Mdivani, O. M., 0=13245
- Gachegov, V. I. See Kotelnikov, N. V., 2=18910
- Gachkovskii, V. F. Effect of molecular weight on the luminescence of polymers, 0=20995
- Gachkovskii, V. F. Spectra of the universal fluorescence of polymers, 2=12632
- Gachok, V. P. The asymptotic behaviour of Green's functions in quantum field theory, 1=19087
- Gachok, V. P. Clothed operators and the commutivity condition, 2=16116
- Gachok, V. P. Clothed operators and the commutivity condition, 3=5912
- Gadacz, H. See Reimer, L., 2=6851
- Gadd, G. E. Boundary-layer research in fluids, 0=14672
- Gadd, G. E. The possibility of normal shock waves on a body with convex surfaces in inviscid transonic flow, 0=19185
- Gadd, G. E. Interactions between normal shock waves and turbulent boundary layers, 2=15630
- Gadda, F. and Redaelli, G. A high efficiency Geiger Müller counter for measuring flowing radioactive liquids, 1=7165
- Gade, M. and Luft, K. F. On the infrared spectroscopic determination of quartz in mine dusts, 0=3337
- Gadenne, P. Study in the 10 000 Mc/s band of variations of the resonance field of some ferrite rods as a function of temperature, 4=1857
- Gadioli, E., Marazzan, G. M. and Pappalardo, G. Analysis of fluctuations on $\text{Al}^{27}(\text{d}, \alpha)\text{Mg}^{25}$ and $\text{Al}^{27}(\text{d}, \text{p})\text{Al}^{28}$ reactions, 4=28059
- Gadioli, E. and Micheletti, S. Experimental results on the (n, d) reaction in oxygen, 4=12243
- Gadioli, E. See Bassani, G., 2=20646
- Gadioli, E. See Colli, L., 3=19865
- Gadioli, E. See Colli, L., 4=22021
- Gadjokov, V. See Fuschini, E., 3=24893
- Gadjokov, V. See Fuschini, E., 4=25345
- Gadola, A., Gervasio, V. and Zaffiro, C. Use of standard analogue techniques in solving propagation problems, 1=6803
- Gádor, L. Description of alternating magnetic circuits by complex quantities, 3=9909
- Gadsden, C. P. Newton's law with variable mass, 4=8120
- Gadsden, M. Colour photography of the aurora, 0=16462
- Gadsden, M. Studies of the upper atmosphere from Invercargill, New Zealand. II. Correlation of the radar echoes and magnetic activity, 0=21327
- Gadsden, M. Studies of the upper atmosphere from Invercargill, New Zealand. III. Radar echoes and visual aurorae, 0=21328
- Gadsden, M. Studies of the upper atmosphere from Invercargill, New Zealand. V. The frequency of occurrence of aurorae and its dependence on magnetic activity and temporal functions, 0=21330
- Gadsden, M. The relative intensities of some nitrogen bands in auroral spectra, 1=21057
- Gadsden, M. Observations of lithium in twilight after a high-altitude thermonuclear explosion, 3=11447
- Gadsden, M. On the association of optical and radio observations of the aurora, 4=17931
- Gadsden, M. On the twilight sodium emission. I. Observations from a southern hemisphere station, 4=30937
- Gadsden, M. and Gadsden, M. N. A note on the analysis of seven years' visual observations of the aurora from New Zealand and Campbell Island, 1=21043
- Gadsen, M. and Loughnan, C. J. Observations of non-field-aligned auroral rays, 1=1562
- Gadsden, M. and Salmon, K. A note on the observations of twilight lithium emission made from Hallett Station, 1=21025
- Gadsden, M. and Sida, D. W. Polar-cap airglow and the terrestrial ambium, 4=4785
- Gadsden, M. See Poletti, M. J., 3=11381
- Gadsden, M. N. See Gadsden, M., 1=21043
- Gadzhaliev, M. M. See Amirkhanov, Kh. I., 2=8364
- Gadzhaliev, M. M. See Amirkhanov, Kh. I., 2=14557
- Gadzhiyev, S. A. and Mukhtarov, A. I. Polarization effects in the radiative decay of pions, 3=15000
- Gadzhiyev, S. A. See Kerimov, B. K., 0=11200
- Gadzhiyev, S. A. See Mukhtarov, A. I., 0=2566
- Gadzhiyev, S. N. and Sharifov, K. A. Thermochemical investigation of chalcogenides, 3=25825
- Gadziala, C. See Klokholm, E., 3=20870
- Gaebler, J., La Pointe, M. and Hazen, W. Observation of air-shower cores near sea level, 2=12073
- Gaebler, J. F., Hazen, W. E. and Hendel, A. Z. Direct pair production by high energy muons, 1=5808
- Gaer, G. Listening through the moth ear, 2=15427
- Gaerttner, E. R., Jones, M. E., McMillan, D. E., Sampson, J. B. and Snyder, T. M. Subcadmium in-pile etas and absorption cross sections of U^{233} , Pu^{239} and Pu^{241} , 0=13302
- Gaerttner, E. R., Yeater, M. L. and Fullwood, R. R. Operating experience with the R. P. I. Linac, 3=2057
- Gaeta, F. See Careri, G., 0=8901
- Gaeta, F. S. See Careri, G., 0=14915
- Gaeta, F. See Careri, G., 1=8271
- Gaeta, F. S. Ionic currents in β -irradiated liquid helium II, 3=5562
- Gaeta, F. S. Ionic recombination in superfluid He at supercritical velocities, 4=14500
- Gaeta, R. Application of semiconductor counters to alpha particle spectrometry, 4=21967
- Gaevskaya, G. N. and Fedorova, M. P. Dependence of the sensitivity of actinometric devices on temperature and pressure, 3=21609
- Gaevskaya, G. N. and Fedorova, M. P. Dependence of the sensitivity of actinometric devices on temperature and pressure, 4=5441
- Gaevskaya, G. N. See Kondrat'ev, K. Ya., 3=23584
- Gaevskaya, G. N. See Kondrat'ev, K. Ya., 4=7841
- Gaffur, A. K_{α} decay-mode through virtual η -pole approximation, 4=946
- Gaffur, A. Weak interaction current and the unitary group, 4=15012

- Gafner, G. and Herbstein, F.H. Planarity of 1:2-4:5-tetrabromo-benzene molecule, 0=1922
- Gagarin, Yu. F. and Ivanova, N.S. Fragment production on emulsion nuclei induced by 7.5 BeV π^- -mesons, 4=9548
- Gagarin, Yu. F. and Ostroumov, V.I. Influence of the recoil effect on the angular correlation between fragments and charged particles emitted in fission of uranium nuclei, 4=19850
- Gagarinskii, Iu.V. See Popov, M.M., 0=13193
- Gage, D.S. See Rosenberg, C., 4=17507
- Gager, W.B. See Milford, F.J., 1=2498
- Gaggero, J. and Hull, D. On the nucleation of martensite, 3=8891
- Gagliardo, E. On the evaluation of a formula for the errors of a learning machine, 2=2591
- Gaglione, P. See Malvicini, A., 3=12612
- Gagnon, G.E. See Farrand, W.B., 0=3665
- Gagnon, R. An approximate method for computing diffraction patterns caused by ionospheric irregularities, 4=26843
- Gagosz, R. See DeMaria, A.J., 3=12348
- Gaide, A. and Wyder, P. Size effect in electrical conductivity of thin indium films, 3=15548
- Gaidelis, V.I. See Misyunas, A. A., 4=1210
- Gaidos, J. See Birge, R., 3=22192
- Gaidos, J. See Camerini, U., 3=22194
- Gaidos, J.A. See Camerini, U., 2=22624
- Gaiduk, V.I. Non-linear oscillations in weak external fields, described by Lagrange's equations, 0=16602
- Gaiduk, V.I. Non-linear oscillations in weak external fields, described by Lagrange's equations, 1=5626
- Gaidukov, L.G., Grazhdankina, N.P. and Fakidov, I.G. A study of the variation with temperature of the spontaneous magnetization of chromium telluride, 1=20068
- Gaidukov, L.G., Novogrudsii, V.N. and Fakidov, I.G. Constitution of the chromium-tellurium system, 0=14065
- Gaidukov, L.G. See Grazhdankina, N.P., 1=17619
- Gaidukov, M. G. See Bul'ichev, D. K., 4=23146
- Gaidukov, M.G. See Pavlov, V.A., 2=23760
- Gaidukov, M.G. See Pavlov, V.A., 3=3226
- Gaidukov, M.G. See Petrova, S.N., 3=8778
- Gaidukov, P. See Alekseevskii, N.E., 1=726
- Gaidukov, Yu.P. Topology of the Fermi surface of gold, 0=7913
- Gaidukov, Yu. P. and Itskevich, E.S. Effect of pressure on the Fermi surface of zinc and cadmium, 4=4023
- Gaidukov, Yu.P. See Alekseevskii, N.E., 0=2847
- Gaidukov, Yu.P. See Alekseevskii, N.E., 0=9939
- Gaidukov, Yu.P. See Alekseevskii, N.E., 1=17464
- Gaidukov, Yu.P. See Alekseevskii, N.E., 2=3873
- Gaidukov, Yu.P. See Alekseevskii, N.E., 2=8190
- Gaidukov, Yu.P. See Alekseevskii, N.E., 2=23117
- Gaidukov, Yu.P. See Alekseevskii, N.E., 2=23119
- Gaidukov, Yu.P. See Alekseevskii, N.E., 3=6495
- Gaidukov, Yu.P. See Alekseevskii, N.E., 3=17687
- Gaidukov, Yu.P. See Alekseevskii, N.E., 3=25244
- Gaidukov, Yu. P. See Brandt, N. B., 4=28760
- Gaigher, H. See Lawley, A., 3=22772
- Gaigher, H.L. See Lawley, A., 3=6529
- Gaigher, H.L. See Lawley, A., 3=20174
- Gaigher, H. L. See Lawley, A., 4=4055
- Gaiginschi, E., Zugrăvel, M., Gutman, M., and Birjoianu, A. The significance and properties of the thermodynamic centre of the isochoric cycle, 4=2900
- Gaignebet, E. Study of the electric potentials at the centre of a plasma excited to high speeds and large turbulence, 3=9767
- Gaikin, V.S. A class of solutions of Grad's kinetic moment equations, 1=6825
- Gailar, N.M. and Dickey, F.P. The vibration-rotation band ν_2 of HDO vapor, 0=5929
- Gailar, N.M. See Herget, W.F., 1=853
- Gailar, N.M. See Herget, W.F., 2=20809
- Gailar, N.M. See Herndon, J.A., 2=20808
- Gailitis, A. Influence of a magnetic field on the boundary layer in a diffuser, 0=9176
- Gailitis, A. Heating of a heavy charged particle by an electron plasma, 3=414
- Gailitis, A. and Tsytovich, V. N. Radiation of transverse electromagnetic waves due to scattering of charged particles on plasma waves, 4=18862
- Gailitis, A. K. and Tsytovich, V. N. Acceleration by radiation and the generation of fast particles in cosmic conditions. III. Time variations of the intensity of radio emission sources, 4=26963
- Gailitis, M. Behaviour of the cross section near threshold of a new reaction in the case of a Coulomb attraction field, 4=1058
- Gailitis, M. Extremal properties of approximate methods of collision theory in the presence of inelastic processes, 4=25039
- Gailitis, M. and Damburg, R. The influence of close coupling on the threshold behaviour of cross-sections of electron-hydrogen scattering, 3=22502
- Gailitis, M. and Damburg, R. Some features of the threshold behaviour of the cross-sections for the excitation of hydrogen by electrons due to the existence of a linear Stark effect in hydrogen, 3=25044
- Gailitis, M. See Damburg, R., 4=6495
- Gailitis, M. See Veldre, V., 0=4165
- Gailitis, M.K. Calculation of the excitation of ions by electrons using Coulombic wave functions, 3=19950
- Gaillard, G. See Avan, L., 4=25216
- Gaillard, G. See Avan, L., 4=25217
- Gaillard, J.M., Lehmann, P., Lévêque, A., Meyer, J., Revel, D. and Sacton, J. Elastic scattering of 745 MeV/c negative pions on hydrogen, 0=1298
- Gaillard, J.M. See Autones, P., 4=9031
- Gaillard, J.M. See Danby, G., 2=20308
- Gaillard, J.-M. See Danby, G., 3=14952
- Gaillard, J.M. See Eisler, F., 1=16886
- Gaillard, J.M. See Eisler, F., 1=19271
- Gaillard, J.M. See Eisler, F., 2=22568
- Gaillard, J.M. See Franzini, P., 1=9763
- Gaillard, J.M. See Grard, F., 2=1715
- Gaillard, J.M. See Grard, F., 2=22513
- Gaillard, M. K. On the possible use of polarized targets for the determination of resonance spins and parities, 4=21813
- Gaillard-Rolland, F. The Compton effect in crystals of rock salt, 4=29137
- Gailliez, J. L. See Claes, P., 4=27568
- Gailliez, J.L. See Huyskens, P., 0=3676
- Gailloud, M. and Piron, C. Measurement of the cross-section for electron pair creation by electrons and muons of known energy, 3=12446
- Gailloud, M. See Brown, H.N., 2=12013
- Gailloud, M. See Dahl-Jensen, E., 2=5553
- Gailloud, M. See Ferbel, T., 3=4395
- Gailloud, M. See Piron, C., 1=5716
- Gailloud, M. See Rüfenacht, J., 0=12787
- Gainar, E. and Gainar, I. Chemical effects associated with the radiative capture of thermal neutrons by dichromates, 2=21592
- Gainar, I. See Gainar, E., 2=21592
- Gaines, A.L. See Hucks, J.S., 0=12509
- Gaines, G. B. and Sims, C. T. Total emittance of rhenium, 4=2883
- Gaines, G. L. See Tweet, A. G., 4=28295
- Gaines, G.L., Jr. Backscattering of carbon-14 beta radiation, 0=9559
- Gaines, G. L., Jr., Bellamy, W. D. and Tweet, A. G. Interaction between chlorophyll *a* and fatty alcohol molecules in mixed monomolecular films, 4=25792
- Gaines, G.L., Jr and Cannon, P. On the energetics of physically adsorbed films, with particular reference to the use of krypton for surface area measurement, 2=2429
- Gaines, G. L., Jr. See Bellamy, W. D., 4=3942
- Gaines, G.L., Jr. See Cannon, P., 2=2430
- Gaines, G. L., Jr. See Tweet, A. G., 4=20078
- Gaines, G.L., Jr. See Tweet, A.G., 4=30456
- Gaines, J. See Barnes, G., 2=21954
- Gaines, J. R., De Castro, E. M. and Daunt, J. G. On the question of isotopic phase separation in solid H_2 - D_2 mixtures, 4=13488
- Gaines, J.R., Luszczynski, K. and Norberg, R.E. Spin-lattice relaxation and self-diffusion in liquid He^3 , 3=19085
- Gaines, J.R., Luszczynski, K. and Norberg, R.E. Spin-lattice relaxation and self-diffusion in liquid He^3 , 4=16317
- Gaines, J.R. See Leech, F.J., 4=1907
- Gaines, J.R. See Lerner, E., 4=15643
- Gaines, W.M. See Davis, H.L., 2=20717
- Gainelli, G. See Boella, G., 3=22222
- Gainon, D. and Lacroix, R. Electron paramagnetic resonance of Fe^{3+} ion in Anatase, 2=12818
- Gainon, D. See Germanier, A.M., 3=2695
- Gainon, D. J. A. Linear electro-optic effect in CdS, 4=13023
- Gainon, D. J. A. Electron paramagnetic resonance of Fe^{3+} in the strong axial field of $PbTiO_3$ host, 4=20595

- Gainon, D. J. A., Jaffe, H. and Sliker, T. R. Optical observation of elastic resonances in $\text{NH}_4\text{H}_2\text{PO}_4$, 4=15562
- Gainotti, A., Germagnoli, E., Schianchi, G. and Zecchina, L. Three-quantum annihilation of positron-electron pairs in alkali halides, 4=20259
- Gainotti, A., Lamborizio, C. and Mora, S. Central and peripheral collisions in π^- -nucleon inelastic events at 16.2 GeV/c, 4=3446
- Gainotti, A. See Barbaro-Galtieri, A., 1=17102
- Gainotti, A. See Ciurlo, S., 3=8120
- Gaipov, S. See Arifov, U. A., 4=8825
- Gair, F. C. Unifying design principle for the resistance network analogue, 0=6542
- Gair, F. C. See Alverson, R. C., 4=2760
- Gair, F. C. See Archard, G. D., 1=15785
- Gaizauskas, V. and Covington, A. E. Radio and corpuscular emission associated with the flare surge on the western limb of the sun on July 20, 1961, 3=10191
- Gaj, M. A quasi-symmetrical reflecting objective, 0=6906
- Gaj, M. A high-power objective with slight astigmatism, 0=19364
- Gaj, M. Contrast reduction in mirror objectives, 2=11468
- Gaj, M. Resolution of two identical particles in the microscope for arbitrary phase difference between the particles and their surroundings, 2=9381
- Gaj, M. Image contrast. I - II, 3=1797
- Gaj, M. [Ga]. Effect of the location of stops on the variation of image contrast, 3=14321
- Gajewski, R. Magneto-hydrodynamic waves in wave guides, 0=1200
- Gajewski, R. and Hirshfield, J. L. Influence of coulomb interactions on the cyclotron radiation of electrons moving on a single orbit, 1=10768
- Gajewski, R. and Mawardi, O. K. Hydromagnetic resonators, 0=17089
- Gajewski, R. and Winterberg, F. Hydromagnetic waves in inhomogeneous magnetic fields of constant direction, 3=17034
- Gajewski, T. On the calculation of the phase shifts in nucleon-nucleon scattering with spin-orbit interaction, 3=581
- Gajewski, T. Polarization by spin-orbit forces in nucleon-nucleon scattering, 3=10107
- Gajewski, T. Phase shifts for nucleon-nucleon scattering. II, 3=17263
- Gajewski, T. Phase shifts for singular type nucleon-nucleon triplet-even potentials, 3=22255
- Gajewski, W., Pniewski, J., Pniewski, T., Sieminska, J., Soltan, M., Soltynski, K. and Suchorzewska, J. Frequency of the emission of ^6Li , ^8B , and ^9Li fragments from interactions of 9 GeV protons with heavy emulsion nuclei, 2=20626
- Gajewski, W., Pniewski, J., Pniewski, T., Sieminska, J., Soltan, M., Soltynski, K. and Suchorzewska, J. Double emission of ^6Li fragments in the interactions of 9 GeV protons with heavy emulsion nuclei, 3=14099
- Gajewski, W., Pniewski, T., Sieminska, J., Soltan, M., Soltynski, K., Suchorzewska, J. and Falkowski, K. Frequency of the emission of ^8Li fragments from interactions of 24 GeV protons with heavy emulsion nuclei. II., 3=19853
- Gajewski, W., Suchorzewska, J., Votruba, M. F. and Lakrzewski, J. The frequency of emission of Li^8 fragments from the interactions of K^- mesons of 1.3 and 1.5 GeV/c momenta with heavy emulsion nuclei, 4=30346
- Gajewski, W., Zelinskii, P., Pnevskii, E., Pnevskii, T., Semniskaya, M., Soltan, M., Soltynskii, K., Sukhozhevskaya, I. and Fal'kovskii, K. Emission of Li^8 fragments from the interaction of 9 and 24 GeV protons with heavy emulsion nuclei, 4=28028
- Gál, D. See Gucci, L., 0=3305
- Gál, D. See Kende, L., 0=3304
- Gal, J. See Colard, J., 2=20201
- Gal, O., Pribicevic, S., Konstantinovic, S. and Draganic, I. Radiation dosimetry of the R. A. reactor at Vincha. Measurements by chemical dosimeters, 2=18372
- Gal, O. S. The use of ion exchange columns in the measurement of doses below 1000 rad with the Fricke dosimeter, 3=7750
- Galagali, R. J. Simultaneous occurrence of the corona pressure and Joshi effect in argon, 2=19914
- Galagali, R. J. Thermionic analogue of the Joshi effect, 3=9737
- Galagali, R. J. Thermionic analogue of Joshi effect in maze type counter in argon, 3=21736
- Galagali, R. J. The corona pressure effect (Δp) and the thermionic analogue of the Joshi effect (Δi)_T in hydrogen in a semi-ionizer, 4=5583
- Galagali, R. J. Change of platinum resistance by hydrogen, 4=10034
- Galagali, R. J. Simultaneous occurrence of the corona pressure and positive Joshi effect in hydrogen, 4=27504
- Galaktionov, A. I. See Voronkov, A. E., 2=18044
- Galaktionov, B. V., Dolmatova, K. A. and Larionov, M. M. The electron temperature and conductivity of a plasma in a high current toroidal discharge, 4=29955
- Galaktionov, B. V. See Bul'ginskii, D. G., 4=523
- Galaktionov, B. V. See Ovsvyannikov, V. A., 2=5356
- Galaktionov, V. A. See Vereshchagin, L. F., 0=14359
- Galaktionov, V. A. See Vereshchagin, L. F., 4=20996
- Galaktionova, N. M. and Mak, A. A. The time-spectral characteristics of the emission of tubular xenon pulse lamps, 4=24355
- Galanin, A. D. Meson-nucleon scattering at large orbital moments, 0=5587
- Galanin, A. D. The theory of a heterogeneous reactor with cylindrical fuel elements of finite radius, 3=10416
- Galanin, A. D. Calculation of the heat-recovery coefficient (a survey), 4=15250
- Galanin, A. D. and Grashin, A. F. Calculation of the pion-nucleon amplitude by taking into account the π - π interaction, 2=22457
- Galanin, A. D., Grashin, A. F., Ioffe, B. L. and Pomeranchuk, I. Ya. Collision of nucleons with large orbital momenta, 0=7343
- Galanin, A. D., Grashin, A. F., Ioffe, B. L. and Pomeranchuk, I. Ya. Nucleon-nucleon scattering in two-meson approximation at large orbital momenta, 0=9351
- Galanin, A. D., Grashin, A. F., Ioffe, B. L. and Pomeranchuk, I. Ya. Collision of nucleons with large angular momenta, 0=17324
- Galanin, A. D. and Grashin, A. F. Calculation of the pion-nucleon amplitude by taking into account the π - π interaction, 1=19150
- Galanin, A. D., Grashin, A. F., Melnikov, V. N. and Nikitin, Yu. P. Nucleon-nucleon scattering in the two-meson approximation including π - π interaction effect, 3=17266
- Galanin, A. D. and Kochurov, B. P. Concerning the theory of heterogeneous reactors with slugs of finite radius, 4=6411
- Galanin, M. D. and Chizhikova, Z. A. Duration of the photo and radio-luminescence of anthracene and naphthalene crystals, 2=6628
- Galanin, M. D., Konobeev, Yu. V. and Chizhikova, Z. A. Effects of reabsorption on the luminescence decay law of anthracene crystal. Luminescence in plastics, 3=8626
- Galanin, M. D., Leontovich, A. M. and Chizhikova, Z. A. The coherence and directionality of a pulsed ruby optical maser, 2=22021
- Galanin, M. D., Leontovich, A. M. and Chizhikova, Z. A. The coherence and directionality of a pulsed ruby optical maser, 3=7739
- Galanin, M. D., Leontovich, A. M., Sviridenkov, Z. A., Smorchkov, V. N. and Chizhikova, Z. A. Pulsations in the emission from a ruby laser, 3=19487
- Galanin, M. D. See Belikova, T. P., 3=955
- Galanin, M. D. See Belikova, T. P., 3=25422
- Galanina, N. D., Shvartzman, B. F. and Diamant, A. Ya. Determination of the spins of Pt^{196} nuclear levels using γ -rays emitted in the capture of resonance neutrons, 0=20355
- Galant, E. I. Some properties and structure elements of glasses and crystals of same composition, 4=2136
- Galasiewicz, Z. The problem of the subsidiary condition in the additional variables method for arbitrary central interactions, 0=5513
- Galasiewicz, Z. A method of approximate second quantization in the theory of superconductivity, 1=4532
- Galasiewicz, Z. On the state of Fermi system with correlation of pairs of particles with parallel spins. I. Ground state, 1=12816
- Galasiewicz, Z. On the state of a Fermi system with correlation of pairs of particles with parallel spins. II. Thermodynamics, 1=12817
- Galasiewicz, Z. Calculation of the moments of inertia of nuclei by the method of approximate second quantization, 2=12118
- Galasiewicz, Z. On the wave function of the anomalous state of Fermi-system, 2=19803
- Galasiewicz, Z. Stability conditions for fermion systems, 3=18750
- Galasso, F., Bayles, B. and Soehle, S. Superconducting alloys of the $\text{Nb}_3\text{Sn}_x\text{M}_{1-x}$ type, 4=5524
- Galasso, F. and Darby, W. Ordering of the octahedrally coordinated cation position in the perovskite structure, 2=8145
- Galasso, F. and Darby, W. Preparation, structure, and properties of $\text{K}_2\text{NbO}_3\text{F}$, 3=3306

- Galasso, F. and Darby, W. Preparation and properties of $\text{Sr}_2\text{FeO}_3\text{F}$, 4=1623
- Galasso, F. and Katz, L. Crystal structure of $\text{Ba}_{0.5-x}\text{TaO}_{3-x}$, 1=7870
- Galasso, F. and Pyle, J. Nb_3Si , a superconductor with the ordered Cu_3Au structure, 3=13514
- Galasso, F. and Pyle, J. $\text{Ba}(\text{Ca}_{0.33}\text{Ta}_{0.67})\text{O}_3$, an ordered Perovskite of the $\text{Ba}(\text{Sr}_{0.33}\text{Ta}_{0.67})\text{O}_3$ type, 4=4597
- Galasso, F. and Pyle, J. Preparation and study of ordering in $\text{A}(\text{B}_{0.33}\text{Nb}_{0.67})\text{O}_3$ perovskite-type compounds, 4=4619
- Galasso, F. See Colligan, G., 1=11564
- Galateanu, I. See Stoian, D., 2=6059
- Galationov, Yu. V. See Alihanov, A. I., 0=20176
- Galatry, L. Contributions to the interpretation of infrared absorption spectra of liquid mixtures and compressed gases, 0=974
- Galatry, L. Simultaneous effect of doppler and foreign gas broadening on spectral lines, 1=8808
- Galatry, L. The emission spectrum of a non-relativistic free electron in an ionized gas, 1=16741
- Galatry, L. Theory of spectral line shape in the radiofrequency region, 3=19466
- Galatry, L. and Robert, A. Calculation of the absorption spectra of atmospheric oxygen as a function of height in the millimetre range, 4=7886
- Galavanov, V. V. Dislocation of atoms in a solid by γ -rays, 0=6065
- Galavanov, V. V. On the voltage sensitivity of Hall e.m.f. probes, 0=9135
- Galavanov, V. V., Emel'yanenko, O. V. and Kesamanly, F. P. Effective electron mass in N-type InSb with a degenerate electron gas, 4=1613
- Galavanov, V. V. and Erokhina, N. A. Preparation of an InSb barrier-layer photovoltaic cell with an alloyed p-n junction, 0=11726
- Galavanov, V. V. and Karaseva, N. L. Dependence of the Hall coefficient on the magnetic field intensity in Se-doped InSb crystals, 3=17883
- Galavanov, V. V., Kartuzova, I. A. and Nasledov, D. N. Measurement of the diffusion length for non-equilibrium current carriers in InSb, 1=19879
- Galavanov, V. V., Kartuzova, I. A. and Nasledov, D. N. Measurement of the diffusion length for nonequilibrium current carriers in InSb, 2=8363
- Galavanov, V. V., Ziyakhanov, U. and Nasledov, D. N. P-N junctions based on p-type InSb, 4=7000
- Galavanov, V. V. See Mamaev, S., 2=10486
- Galavanov, V. V. See Vinogradova, K. I., 0=1669
- Galavanov, V. V. See Vinogradova, K. I., 2=21151
- Galavanov, V. V. See Vinogradova, K. I., 3=2916
- Galavanov, V. V. See Vinogradova, K. I., 4=23341
- Galavanov, V. V. See Volokobinskaya, N. I., 0=609
- Galavanov, V. V. See Volokobinskaya, N. I., 0=15957
- Galavanov, V. V. See Volokobinskaya, N. I., 3=25367
- Gaľazka, R. and Girit, W. Electrical properties of the CdTe-HgTe system, 1=14464
- Gaľazka, R. R. Preparation, doping and electrical properties of $\text{Cd}_{0.1}\text{Hg}_{0.9}\text{Te}$, 4=28554
- Gaľazka, R. R. See Śniadower, L., 4=28401
- Galbraith, A. R. and Van Der Ziel, A. High-frequency noise in probes immersed in gas discharges, 4=5638
- Galbraith, A. R. and Van Der Ziel, A. Shot noise in probe currents in gas discharges, 4=8725
- Galbraith, D. See Bell, G. I., 3=25002
- Galbraith, W., Manning, G. and Parham, A. G. A gas Cerenkov counter for use at NIMROD, 3=4297
- Galbraith, W., Manning, G., Parham, A. G., Kemp, M. A. R. and Sacharidis, E. J. Charged π -meson production in proton-proton collisions at 1 GeV kinetic energy, 3=2297
- Galbraith, W., Sharp, P. H. and Sherwood, A. C. Recent work on spark chamber techniques, 2=9757
- Galbraith, W. See Diddens, A. N., 4=11989
- Galbraith, W. See Jones, B. D., 4=29718
- Gal'chinskii, L. P. See Palatnik, L. S., 2=23370
- Gal'chinskii, L. P. See Palatnik, L. S., 3=2881
- Gal'chinskii, L. P. See Palatnik, L. S., 3=18350
- Gale, A. J. See Rose, P. H., 1=9645
- Gale, B. Lattice parameters of solid solutions of phosphorus in iron, 0=18348
- Gale, B. The positions of Debye diffraction line peaks, 3=13446
- Gale, B. An analysis of some attractive dislocation junctions in metals, 4=28466
- Gale, B. and Griffiths, D. Influence of instrumental aberrations on the Schultz technique for the measurement of pole figures, 0=6349
- Gale, B. and Hale, K. F. Heating of metallic foils in an electron microscope, 1=4088
- Gale, B. and Hale, K. F. The theory and operation of an electron-microscope goniometer stage, 2=14971
- Gale, B. and Wilson, L. A simple machine for testing flatness using air gauging, 3=7164
- Gale, H. J. and Peaple, L. H. J. The measurement of beta dose and the calibration of some beta-gamma survey instruments, 4=9180
- Gale, N. H. Lifetimes of the first excited states of B^{10} , O^{17} and F^{17} . II. Analysis of delayed coincidence lifetime measurements, 3=2384
- Gale, N. H. and Calvert, J. M. Lifetime of the first excited state of F^{19} , 4=9394
- Gale, N. H. and Garg, J. B. The population ratio of the 4.433 MeV and 7.656 MeV states in ^{12}C in the reaction $^9\text{Be}(\alpha, n)^{12}\text{C}$, and the parameters of the 7.656 MeV level, 1=5939
- Gale, N. H., Garg, J. B. and Calvert, J. M. Lifetimes of the first excited states of B^{10} , O^{17} and F^{17} . I, 3=2383
- Gale, N. H., Garg, J. B., Calvert, N. M. and Ramavaram, K. A study of the angular distributions of neutrons leading to the ground state in the reaction $^{12}\text{C}(^3\text{He}, n)^{14}\text{O}$, 1=3460
- Gale, N. H., Garg, J. B. and Ramavaram, K. Neutron angular distributions for the reaction $^{10}\text{O}(^3\text{He}, n)^{13}\text{Ne}$, 1=5941
- Gale, N. H., Tubbs, N., Nath, N. and Ferguson, A. T. G. Lifetimes of excited states in Al^{25} and Al^{26} , 3=22296
- Gale, N. H. See Calvert, J. M., 2=10142
- Gale, N. H. See Garg, J. B., 0=15556
- Gale, N. H. See Garg, J. B., 0=20465
- Gale, N. H. See Garg, J. B., 1=5932
- Gale, N. H. See Garg, J. B., 1=19527
- Gale, N. H. See Garg, J. B., 2=1919
- Gale, N. H. See Garg, J. B., 2=20669
- Gale, N. H. See Morrison, G. C., 4=22220
- Gale, N. H. See Takayanagi, S., 2=3570
- Galeener, F. L., Wright, G. B., Krag, W. E., Quist, T. M. and Zeigler, H. J. Evidence for the role of donor states in GaAs electroluminescence, 3=20542
- Galeev, A. A. An asymptotic method in the theory of plasma stability, 4=11674
- Galeev, A. A. and Karpman, V. I. Turbulence theory of a weakly nonequilibrium low-density plasma and structure of shock waves, 3=21844
- Galeev, A. A., Moiseev, S. S. and Sagdeev, R. Z. Stability theory of non-uniform plasma and of anomalous diffusion, 4=11666
- Galeev, A. A. and Oraevskii, V. N. On the instability of Alfvén's waves, 3=5822
- Galeev, A. A. and Oraevskii, V. N. Instability of magnetohydrodynamic Alfvén waves of large amplitude, 4=16637
- Galeev, A. A., Oraevskii, V. N. and Sagdeev, R. Z. "Universal" stability of an inhomogeneous plasma in a magnetic field, 3=24313
- Galeev, A. A. and Rudakov, L. I. Nonlinear theory of drift instability of an inhomogeneous plasma in a magnetic field, 4=3012
- Galeev, G. S. See Chechernikov, V. I., 2=23635
- Galef, A. E. See Schjelderup, H. C., 3=5403
- Galejs, A. and Rose, P. H. Calculation of the spherical aberration coefficient from beam emittance diagrams, 4=19101
- Galejs, A. See Rose, P. H., 2=5387
- Galejs, A. See Wittkower, A. B., 2=11723
- Galejs, J. Excitation of V.L.F. and E.L.F. radio waves by a horizontal magnetic dipole, 1=7142
- Galejs, J. Dielectric loading of electric dipole antennas, 3=486
- Galejs, J. Scattering from a conducting sphere embedded in a semi-infinite dissipative medium, 3=497
- Galejs, J. A further note on terrestrial extremely low-frequency propagation in the presence of an isotropic ionosphere with an exponential conductivity-height profile, 3=508
- Galejs, J. Terrestrial extremely low frequency noise spectrum in the presence of exponential ionospheric conductivity profiles, 2=13027
- Galejs, J. Terrestrial extremely-low-frequency propagation in the presence of an isotropic ionosphere with an exponential conductivity-height profile, 3=16260
- Galejs, J. E. L. F. and v.l.f. waves below an inhomogeneous anisotropic ionosphere, 4=24855

- Galejs, J. and Row, R. V. Propagation of e.l.f. waves below an inhomogeneous anisotropic ionosphere, 4=15885
- Galejs, J. and Row, R. V. Propagation of e.l.f. waves below an inhomogeneous anisotropic ionosphere, 4=16668
- Galen, J. J. See Card, F. E., 1=12665
- Galenko, P. P. and Franyuk, V. A. Discussion [on] Akulov's statistical theory of dislocations, 4=28460
- Galenko, P. P. See Akulov, N. S., 2=4320
- Gales, R. S. See Thompson, P. O., 1=7956
- Gales, R. S. See Thompson, P. O., 1=21123
- Gales, R. S. See Young, R. W., 4=24330
- Galey, J. A. Photodisintegration of the deuteron with 94 MeV bremsstrahlung radiation, 0=5626
- Galey, J. A. See Browne, C. P., 0=20378
- Galey, J. A. See Morrison, G. C., 0=4023
- Galgali, D. G. See Swamy, N. V. V., 1=591
- Galginaitis, S. See Slack, G. A., 4=9871
- Galginaitis, S. V. Efficiency measurements on BaAs electro-luminescent diodes, 4=11834
- Galiana, R. See Bougnot, G., 2=5395
- Galigne, J. L. See Faigueirettes, J., 4=20754
- Galibina, G. I. See Vodop'yanov, K. A., 1=1123
- Galil, U. and Ophir, D. Transistorized pulse height indicator, 1=16230
- Galil, U. See Kanter, M., 2=2978
- Galil, U. See Lindeman, H., 1=7329
- Galim, G. Ya. Contribution to the theory of shock waves, 0=991
- Galinaro, R. and Gougat, P. Construction of a hot wire anemometer of constant resistance, 4=16133
- Galindo, A. On a class of perturbations in quantum field theory, 2=22391
- Galindo, A. On a functional averaging method in the classical ensemble theory, 3=5370
- Galindo, A. Some myriotic paraboson fields, 4=3294
- Galindo, A. and Morales, A. Higher groups and leptonic isospin, 3=14877
- Galindo, A., Morales, A. and Nunez-Lagos, R. Superselection principle and pure states of n-identical particles, 2=11294
- Galindo, A. and Pascual, P. Some remarks on the relativistic wave equations, 4=9067
- Galindo, A. and Yndurain, F. J. On parastatistics, 4=5083
- Galindo, A. See Costa, G., 4=11921
- Galindo Tixaire, A. Scattering general analysis, 2=16153
- Galinker, I. S., Rodnyanski, I. M., Korobkov, V. I. and Lekakh, N. B. Difference in the thermodynamic properties of water and electrolyte solutions depending on the temperature, 4=21126
- Galindo, A. and Sanchez del Rio, C. Intrinsic magnetic moment as a nonrelativistic phenomenon, 1=12045
- Galindo Estrada, I. G. and Fournier T'Albe, E. M. The use of the Campbell-Stokes sunshine recorder as an integrating actinometer, 1=15220
- Galishev, V. S. A simple derivation of the Kramers-Kronig relationships, 0=19377
- Galishev, V. S. The theory of the passage of γ -quanta through matter, 4=3374
- Galishev, V. S. Anisotropy of the exciton absorption of light in wurtzite-type crystals, 4=4278
- Galishev, V. S. The theory of the passage of γ -quanta through matter, 4=21822
- Galishev, V. S., Cherepanov, V. I. and Radchenko, R. V. Selection rules for absorption of light in cubic crystals by quadrupole excitation, 1=17874
- Galishev, V. S. See Cherepanov, V. I., 1=17875
- Galitseiskii, B. M. See Danilov, Yu. I., 3=14194
- Galitskii, V. M. Sound excitations in Fermi systems, 0=1071
- Galitskii, V. M. Contribution to the problem of pairing effects with angular momenta different from zero, 1=2022
- Galitskii, V. M. See Gor'kov, L. P., 1=18607
- Galitskii, V. M. See Vaks, V. G., 2=2952
- Galitskii, V. M. See Vaks, V. G., 2=15498
- Galitskii, V. M. See Vaks, V. G., 3=1897
- Galitskii, V. M. See Vaks, V. G., 3=5383
- Galitsky, V. M. Collective excitations in Fermi systems, 1=5232
- Galitsky, V. M. and Cheltsov, V. F. Two-proton radioactivity theory, 4=27988
- Galitsky, V. M. and Gurevich, I. I. Coherence effects in ultra-relativistic electron bremsstrahlung, 4=19486
- Galitsky, V. M. and Yakimets, V. V. Effect of quantum absorption on bremsstrahlung of ultrarelativistic electrons, 4=16871
- Galkin, A. A., Kaner, E. A. and Korolyuk, A. P. A new type of oscillation of the absorption coefficient of ultrasound in a magnetic field, 0=20758
- Galkin, A. A., Kaner, E. A. and Korolyuk, A. P. Investigation of ultrasonic absorption by a metal in a magnetic field, 1=17402
- Galkin, A. A. and Kichigin, D. A. Effect of plastic deformation on the width of electron resonance lines, 1=6416
- Galkin, A. A. and Kichigin, D. A. A system for studying electronic resonance over a wide temperature range, 1=16662
- Galkin, A. A. and Korolyuk, A. P. Dispersion of sound in metals in a magnetic field, 0=1567
- Galkin, A. A. and Korolyuk, A. P. Anisotropy of the absorption of ultrasound in metals in a magnetic field, 0=11576
- Galkin, A. A. and Korolyuk, A. P. Oscillations in the absorption coefficient of sound in tin at low temperatures, 0=11577
- Galkin, A. A. and Korolyuk, A. P. Absorption of ultrasound in zinc at low temperatures, 1=3598
- Galkin, A. A. and Korolyuk, A. P. An apparatus for studying ultrasonic absorption in metals at low temperatures, 2=5123
- Galkin, A. A. and Korolyuk, A. P. Instrument for investigation of ultrasound absorption by metals at low temperatures, 4=16190
- Galkin, A. A. and Matyash, I. V. The structure of solid hydrogen, 0=12038
- Galkin, A. A. and Matyash, V. Observations of nuclear resonance in adsorbed gases, 0=14150
- Galkin, A. A. and Naberezhnykh, V. P. Paramagnetic resonance in metallic aluminium, 2=765
- Galkin, A. A. and Naberezhnykh, V. P. Paramagnetic resonance in metallic aluminium, 3=5036
- Galkin, A. A., Naberezhnykh, V. P. and Mel'nik, V. L. Cyclotron resonance in aluminium, 3=17696
- Galkin, A. A., Naberezhnykh, V. P. and Mel'nik, V. A. Effective masses of electrons corresponding to the de Haas-van Alphen effect in aluminium, 3=22693
- Galkin, A. A. See Bezuglyi, P. A., 0=13501
- Galkin, A. A. See Bezuglyi, P. A., 0=13528
- Galkin, A. A. See Bezuglyi, P. A., 0=19567
- Galkin, A. A. See Bezuglyi, P. A., 1=1861
- Galkin, A. A. See Bezuglyi, P. A., 2=8162
- Galkin, A. A. See Besugly, P. A., 4=15454
- Galkin, A. A. See Bezuglyi, N. A., 3=22685
- Galkin, A. A. See Bezuglyi, P. A., 3=6469
- Galkin, A. A. See Bratashevskii, Yu. A., 3=18133
- Galkin, G. N. Volume recombination in p-type silicon subjected to heat treatment at high temperatures, 0=7932
- Galkin, G. N. Charge carrier recombination in n-type silicon irradiated with γ -rays, 1=17708
- Galkin, G. N., Nolle, E. L. and Vavilov, V. S. Recombination levels in p-type silicon resulting from high-temperature heat treatment, 2=637
- Galkin, G. N., Nolle, E. L. and Vavilov, V. S. Recombination levels in p-type silicon resulting from high-temperature heat treatment, 2=4025
- Galkin, G. N., Rytova, N. S. and Vavilov, V. S. Volume recombination of carriers in n-type silicon containing radiation defects, 1=2409
- Galkin, G. N., Rytova, N. S. and Vavilov, V. S. Volume recombination of carriers in n-type silicon containing radiation defects, 1=6152
- Galkin, G. N. See Malovetskaya, V., 0=10031
- Galkin, G. N. See Malovetskaya, V. M., 2=18689
- Galkin, G. N. See Malovetskaya, V. M., 2=23363
- Galkin, G. N. See Nolle, E. L., 1=19891
- Galkin, G. N. See Nolle, E. L., 2=4043
- Galkin, G. N. See Vavilov, V. S., 0=10867
- Galkin, G. N. See Vavilov, V. S., 2=23365
- Galkin, G. N. See Vavilov, V. S., 3=6590
- Galkin, L. N. and Feofilov, P. P. Luminescence spectra of trivalent uranium ions, 0=10066
- Galkin, L. N. and Kurbatov, L. N. Effect of oxygen on the photo-luminescence of lead sulphide films, 2=21266
- Galkin, O. P. and Grigor'ev, V. S. Instruments for plotting refracted rays, 0=19310
- Galkin, V. S. and Ladýzhenskii, M. D. Calculation of a boundary layer of a compressible liquid with slip boundary conditions, 4=16076
- Galkina, O. S. and Chernikova, L. A. Relation of the electrical assistance temperature dependence at low temperatures and the galvanomagnetic effect in strong magnetic fields, 0=6074
- Galkina, O. S., Chernikova, L. A., Chzhan Kai-da [Chang K'ai-ta] and Kondorskii, E. I. Electric properties of thin nickel films at low temperatures, 2=3985
- Galkina, O. S., Chernikova, L. A., Chzhan Kai-da [Chang K'ai-ta] and Kondorskii, E. I. Electric properties of thin nickel films at low temperatures, 3=4905

- Galkina, O.S. See Kondorskii, E.I., 0=11662
- Galkina, O.S. See Kondorsky, E.I., 3=832
- Galkina, T.I. Application of the photogalvanomagnetic effect in measuring the surface recombination rate, 0=1627
- Galkina, T.I. See Rzhano, A.V., 1=14437
- Galkina, T.I. See Rzanov, A.V., 2=23330
- Galkov, V.I. See Kir'yanov, B.S., 4=1163
- Gall, B. and Lifshitz, J. Temporary capture of cosmic ray particles and their contribution to the high intensity belts, 1=3312
- Gall, C.D. See Burnhart, G., 2=5547
- Gall, C.D. See Kenney, V.P., 2=9892
- Gall, C.D. See Kenney, V.P., 2=11977
- Gall, I. See Riemann, M., 3=7343
- Gall', L.N., Gall', R.N., Rutgaizer, Yu.S. and Shereshevskii, A.M. Three-filament ion sources, 2=20043
- Gall', L.N. See Kel'man, V.M., 2=11730
- Gall, R. The secular variation and the geomagnetic theory of cosmic radiation, 1=13575
- Gall, R. Störmer's inner allowed regions and the radiation belts, 2=15268
- Gall, R. The secular variation of the geomagnetic field and the cut-off momenta, 2=15273
- Gall, R. Report on the Eighth International Meeting on Cosmic Rays and Earth Storms. Radiation belts around the earth, 3=15054
- Gall, R. Motion of charged particles in slowly varying fields to the first order of approximation, 3=21941
- Gall, R. and Lifshitz, J. Temporary capture of cosmic ray particles and their contribution to the high intensity belts, 0=13078
- Gall, R. and Lifshitz, J. A new evaluation of the simple shadow cones, 1=13546
- Gall', R.N. The vertical focusing of the magnetic analysers of mass spectrometers, 3=2052
- Gall', R.N. See Gall', L.N., 2=20043
- Galluccio, A. See Pearlstein, F., 4=7789
- Gallagher, A. and Lurio, A. Optical detection of level crossing in a $J = \frac{1}{2}$ state, 3=8201
- Gallagher, A. and Lurio, A. Thallium oscillator strengths and $6d^2D_{3/2}$ state h.f.s., 4=30384
- Gallagher, C.C. See Combes, L.S., 2=22225
- Gallagher, C.C. See Levine, M.A., 4=18648
- Gallagher, C.J. Classification of beta- and gamma-ray transitions between intrinsic states in deformed even-mass nuclei, 0=11367
- Gallagher, C.J. See Albridge, R.G., 1=19373
- Gallagher, C.J., Jr. Coupling of angular momenta in two-particle states in deformed even-even nuclei, 2=12112
- Gallagher, C.J., Jr., Edwards, W.F. and Manning, G. The W^{187} decay scheme and possible vibrational levels in an odd-mass nucleus, 0=20388
- Gallagher, C.J., Jr., Jorgensen, M. and Skilbreid, O. A measurement of β^- and EC branching ratios in the decay of 8.15-h Ta^{180} and a search for the β^- decay of Hf^{180m} , 2=16347
- Gallagher, C.J., Jr., Namenson, A. and Simms, P.C. A measurement of the beta-branching ratio of Lu^{176m} , 4=9456
- Gallagher, C.J., Jr. and Nielsen, H.L. Decay of 2.1-hour Ta^{176} , 2=12153
- Gallagher, C.J., Jr. and Thomas, T.D. Vibrational states in U^{234} excited in Nb^{234} decay and evidence for an $E0$ -transition between states with $l = 0$, 0=4063
- Gallagher, C.J., Jr. and Nielsen, H.K. The 5.3 sec isomer of W^{183} , 1=8632
- Gallagher, C.J., Jr., Nielsen, H.L. and Nielsen, O.B. Intrinsic excited states in Hf^{176} populated by the allowed decay of 9.3 min Ta^{176} , 1=6621
- Gallagher, C.J., Jr. and Soloviev, V.G. Two-quasi-particle states in even-mass nuclei with deformed equilibrium shape, 2=18248
- Gallagher, C.J., Jr. See Boehm, F., 0=13214
- Gallagher, C.J., Jr. See Harris, S.M., 4=27954
- Gallagher, C.J., Jr. See Edwards, W.F., 1=17056
- Gallagher, H.E. Gridded electron guns for high average power, 2=15956
- Gallagher, J. See Kallmann, H., 3=23238
- Gallagher, J.F. See Firk, F.W.K., 0=17350
- Gallagher, J.J. See Derr, V.E., 0=19918
- Gallagher, J.J. See Lichtenstein, M., 3=21984
- Gallagher, J.J. See Lichtenstein, M., 4=12479
- Gallagher, J.J. See Wharton, L., 3=10510
- Gallagher, J. T. See Dacey, J. R., 4=30604
- Gallagher, P. B. and Barnes, R. A. Radio-frequency backscatter of artificial electron clouds, 4=2269
- Gallagher, P. B. and Eshelman, V. R. "Sporadic shower" properties of very small meteors, 0=18711
- Gallagher, P. B. See Eshleman, V. R., 2=17307
- Gallagher, P. B. See Eshleman, V. R., 0=4871
- Gallagher, P. B. See Eshleman, V. R., 1=15331
- Gallagher, P. K. See Kurkjian, C. R., 4=10174
- Gallagher, T. J. and Lewis, T. J. The influence of electrode surfaces on the electric strength of liquid argon at small spacings, 4=16121
- Gallagher, T. J. See Sakr, M. M., 4=21144
- Gallagher, T. L. Foil depression factors for indium diode detectors, 0=12995
- Gallaher, D. F. See Churchill, R. J., 3=19201
- Gallaher, D. F. See Churchill, R. J., 4=8737
- Gallais, F. See Pascal, P., 1=14074
- Galland, J. See Buisson, R., 1=9683
- Gallant, R. Frequency of meteorite falls through the ages, 2=15325
- Gallant, R.; Dacheille, F. Changes in the earth's axis due to large meteorite collisions, 4=20846
- Gallant, R. L. C. Meteorite impacts, lunar maria, lopoliths and ocean basins, 3=11384
- Gallardo, M. See Giacchetti, A., 4=22308
- Gallavan, R. C. Bulb breaking correction for heats of wetting determinations, 0=5224
- Galloway, W. S. See Stewart, J. E., 2=17623
- Gallea, R. Rebound of steel balls on an elastic liquid, 4=147
- Gallegos, E. J. Gas reactor for hot stage transmission electron microscopy, 4=29220
- Gallegos, E. J. See Kiser, R. W., 2=19896
- Galleron, G. See Jerome, D., 4=15679
- Gallet, P. See Perrot, M., 4=2937
- Gallet, R. Propagation and production of electromagnetic waves in a plasma, 0=3766
- Gallet, R. M. Richardson, J. M. Weider, B. Ward, G. D. and Harding, G. N. Microwave whistler mode propagation in a dense laboratory plasma, 0=10916
- Gallet, R. M. and Utlaut, W. F. Evidence of the laminar nature of the exosphere obtained by means of guided high frequency wave propagation, 1=20898
- Gallet, R. M. See Jones, W. B., 2=15225
- Gallet, R. M. See Jones, W. B., 3=9071
- Gallezot, P. and Weigel, D. Determination of the unit cells of the tetrahydrides of nickel, cadmium and calcium nitrates and the space groups of the first two compounds, 3=16084
- Galli, A., Giardini-Guidoni, A. and Volpi, G. G. Behaviour of ions in mass spectrometers under pulsed repeller voltage conditions, 1=9643
- Galli, A., Giardini-Guidoni, A. and Volpi, G. G. Charge exchange in noble gases, 3=12082
- Galli, A., Giardini-Guidoni, A. and Volpi, G. G. Ion-molecule reactions leading to NO^+ formation, 3=23539
- Galli, A., Giardini-Guidoni, A. and Volpi, G. G. Charge-exchange processes between rare-gas ions and some molecules, 4=14574
- Galli, A. See Derwish, G. A. W., 4=2141
- Galli, A. See Derwish, G. A. W., 4=11538
- Galli, A. See Derwish, G. A. W., 4=21599
- Galli, J. R. and Gibbs, P. The effect of hydrostatic pressure on the ductile-brittle transition in molybdenum, 4=23276
- Galli, M. and Randi, P. On the existence of a phase anticipation in trains of diurnal oscillations of cosmic rays, 3=4481
- Galli, M. See Brini, D., 2=5770
- Galli, M. See Brini, D., 2=9944
- Galli, M. See Cattani, D., 0=17450
- Galli, M. See Cattani, D., 1=19320
- Galli, R., Baumgartner, E. and Huber, P. Experiences with the 4 MV symmetrical cascade generator at the Physical Institute of the University of Basel, 1=16443
- Gallic, Y. La. See Le Gallic, Y.
- Galligan, J. and Washburn, J. Effect of vacancy clusters on yielding and strain hardening of copper, 3=25618
- Galligan, J. M. The appearance of unloading effects in the three stages of deformation of single crystals of copper, 4=20654
- Galligan, J. M., Feuerstein, S. and Luhman, W. Shear in zinc bicrystals, 1=1309
- Gallily, I. and Ailam, G. (Volinez). On the vapor pressure of electrically charged droplets, 2=11538
- Gallily, I. See Ailam, G. (Volinez), G., 2=11345
- Gallina, V. and Nata, P. On the three-body Green's function for S^1 -states, 2=13739

- Gallina, V. and Omini, M. On the interaction between lattice vibrations and electromagnetic fields in crystals, 4=28346
- Gallina, V. and Omini, M. Vacancy as a phonon field perturbation. I. Lattice distortion around a vacancy, 4=28445
- Gallina, V. and Omini, M. Vacancy as a phonon field perturbation. II. Relaxation energy for vacancies and vacancy pairs, 4=30509
- Gallinaro, G. See Boato, G., 3=19105
- Gallinaro, G. See Boato, G., 4=18566
- Gallissot, F. and Vergne, R. Application of the calculation of directional order in polycrystals, 0=4544
- Gallmann, A., Alburger, D.E., Wilkinson, D.H. and Hibou, F. He^3 reactions on B^{11} and N^{14} , 3=8132
- Gallmann, A. See Alburger, D.E., 0=2635
- Gallmann, A. See Frick, G., 4=6272
- Gallmann, A. See Gorodetzky, S., 0=9631
- Gallmann, A. See Gorodetzky, S., 0=11322
- Gallmann, A. See Gorodetzky, S., 0=17597
- Gallmann, A. See Gorodetzky, S., 1=7326
- Gallmann, A. See Gorodetzky, S., 1=13844
- Gallmann, A. See Gorodetzky, S., 1=17143
- Gallmann, A. See Gorodetzky, S., 2=440
- Gallmann, A. See Gorodetzky, S., 2=484
- Gallmann, A. See Gorodetzky, S., 2=485
- Gallmann, A. See Gorodetzky, S., 2=486
- Gallmann, A. See Gorodetzky, S., 2=22840
- Gallmann, A. See Gorodetzky, S., 3=2445
- Gallmann, A. See Gorodetzky, S., 3=4664
- Gallmann, A. See Gorodetzky, S., 3=15231
- Gallman, A. See Gorodetzky, S., 4=17032
- Gallmann, A. See Warburton, E.K., 4=9384
- Gallmann, A. See Wilkinson, D.H., 3=15138
- Gallo, C.F., Miller, R.C., Sutter, P.H. and Ure, R.W., Jr. Bipolar electronic thermal conductivity in semimetals, 2=23087
- Gallone, L.M. See Richards, J.L., 4=7571
- Gallone, S. Equilibrium families in the liquid drop model, 1=13606
- Gallone, S. A method for investigating equilibrium configuration in the drop model, 2=5780
- Gallone, S. and Ghilardotti, G. Two methods of deriving the equilibrium shapes of a liquid drop nucleus, 2=20485
- Gallone, S. and Ghilardotti, G. A method for the study of local flux distortions in a heterogeneous reactor, 4=6415
- Gallone, S. and Ghilardotti, G. On the use of Case's general solution of the transport equation in neutron transport problems, 4=9215
- Gallone, S. See Businaro, U.L., 0=4148
- Galloni, E. E. See de Abeledo, M. J., 4=23463
- Gallop, J.W., Dutt, T.L. and Gibson, H. Forces on charged particles of a plasma in a cavity resonator, 1=1906
- Gallop, J.W., Dutt, T.L. and Gibson, H. The behaviour of a plasma under the influence of a standing electromagnetic wave in the absence of a constant magnetic field, 2=5339
- Gallot, J., Lal, K., Graf, R. and Guinier, A. X-ray study of precipitation phenomena in a magnesium-zinc alloy containing 6% zinc, 4=17765
- Gallot, Y. and Leng, M. Study of the heterogeneity of grafted copolymers by light scattering, 2=12937
- Gallot, Y., Leng, M., Benoit, H. and Rempp, P. Study of the structure of statistical, block and graft co-polymers in solution in solvent-precipitant mixtures, 3=11791
- Gallouët, L. New measurement of the apparent magnitude of the sun and of the full moon, 4=2415
- Gallouët, L. See Duchesne, M., 1=18041
- Galloway, D. G. and Tolbert, C. W. Germanium bolometer detector of millimeter wavelength thermal energy, 4=18485
- Galloway, R.B. A search for $n\text{-}\gamma$ coincidences from a Po-Li neutron source, 3=590
- Galloway, R.B. and Sillitto, R.M. Energy levels of B^{10} : evidence from the B^{10} γ -ray spectrum, 1=7322
- Galloway, R.B. See Bradford, G., 2=1354
- Galloway, W.J. Frequency analyses of short-duration random noise, 3=14285
- Gallup, G.A. Angular momentum in n -dimensional spaces, 0=5903
- Galman, B.A. Some fundamental considerations for lifting vehicles in return from satellite orbit, 2=4868
- Galogaža, V. and Herak, J.N. Reflection dependence of microwave carrier lifetime measurements in semiconductors, 3=20296
- Galonsky, A.I. See Brosi, A.R., 2=16348
- Galoshina, E.V. See Volkenshtein, N.V., 0=3017
- Galoshina, E.V. See Volkenshtein, N.V., 1=12653
- Galoshina, E. V. See Volkenshtein, N. V., 4=26013
- Galotto, C.P., Gerevini, T., Romanisio, F. and Toselli, F. Construction and absolute calibration of a photoneutron standard, 1=10893
- Gal'per, A. M. See Aleksanyan, A. S., 4=30270
- Gal'per, A.M. See Bannik, B.P., 2=3002
- Gal'per, A.M. See Bannik, B.P., 3=2481
- Gal'perin, E.I. Change in the direction of the displacement of particles during the passage of seismic waves through a zone of low velocities, 3=3432
- Gal'perin, E.L. and Sandler, R.A. The crystal structure of TiCl_3 , 3=16076
- Gal'perin, F.M. Interatomic distances in ferromagnetics, 0=1780
- Gal'perin, F.M. Connection between structural and magnetic parameters of the transition metals, 0=10110
- Gal'perin, F.M. On the number of 3d-electrons in the transition metals, 0=15828
- Galperin, G.I. Hydrogen emission and two types of auroral spectra, 1=6637
- Galperin, G.I. See Krassovskiy, V.I., 0=4808
- Galperin, G.I. See Krassovskiy, V.I., 1=3311
- Gal'perin, M.Ya. See Uzhik, G.V., 0=14563
- Galperin, Y. and Mulyarchik, T. Sputniks, the atmosphere and electrons, 3=25990
- Galperin, Y.I. Proton bombardment in aurora, 3=13794
- Gal'perin, Ye.L. See Beletskii, M.S., 2=21529
- Galperin, Yu.I. The energy sources of the upper atmosphere, 2=19210
- Gal'perin, Yu. I. and Krasovskii, V. I. Upper-atmosphere research with the Cosmos 3 and Cosmos 5 satellites. I. Instrumentation, 4=26819
- Gal'perin, Yu.I. See Krasovskii, V.I., 0=1979
- Gal'perin, Yu.I. See Krasovskii, V.I., 2=9022
- Gal'perin, Yu. I. See Krasovskii, V. I., 4=26820
- Gal'pern, D.Yu. Apodization, 1=2848
- Gal'pern, D.Yu. Breakdown of one-to-one correspondence between image and object, 3=1798
- Gal'pern Yu.D. On the comments by J.E.Wilkins, 3=264
- Galster, D. See Mönch, E., 4=1911
- Galster, S. Measuring the circular polarization of internal and external bremsstrahlung, 1=481
- Galster, S. and Schopper, H. Circular polarization of internal bremsstrahlung accompanying β decay, 0=11362
- Galster, S. See Huber, H., 3=12433
- Galster, Z. See Bogdanowicz, J., 3=8103
- Galstyan, D.A. See Tumanyan, V.A., 2=354
- Galt, J.A., Slater, C.H. and Shuter, W.L.H. An attempt to detect the galactic magnetic field using Zeeman splitting of the hydrogen line, 0=18676
- Galt, J. A. See Locke, J. L., 4=23875
- Galt, J.K. and Merritt, F.R. Cyclotron resonance observations in zinc, 1=17485
- Galt, J.K., Merritt, F.R. and Schmidt, P.H. Cyclotron resonance observations in cadmium, 1=9996
- Galt, J.K. and Spencer, E.G. Loss mechanisms in spinel ferrites, 2=21355
- Galt, J.K. See Buchsbaum, S.J., 1=19751
- Galt, J.K. See Kunzler, J.E., 0=16143
- Galt, J.K. See Smith, G.E., 0=16163
- Galtier, F., LePrince-Ringuet, F., Reboux, J., Collongues, R. and Chaudron, G. On the high frequency plasma torch, 3=7590
- Galtier, M. See Chauvineau, J. P., 4=23578
- Galun, R. and Dickstein, S. A simple manometer for pressure measurements in a small confined space, 1=2725
- Galus, Z. and Adams, R.N. Analysis of the e.p.r. spectrum of n , n' -tetramethylbenzidine positive ion, 2=23000
- Galushchka, A.P. See Konozenko, I.D., 2=3968
- Galushchka, A.P. See Konozenko, I.D., 2=8260
- Galushka, A.P. and Konozenko, I.D. The influence of reactor irradiation on the properties of CdS single crystals, 3=4917
- Galushka, A.P. See Konozenko, I.D., 0=15983
- Galushko, V.P. and Limin, B.E. On the resonance properties of self-oscillating, electrochemical systems, 4=13729
- Galustashvili, V. V. See Tskhvirashvili, D. G., 4=15253
- Galyarskii, E.I. and Zamorzaev, A.M. Point symmetry groups and a different kind of antisymmetry, 3=23424
- Galyarskii, E. I. and Zamorzaev, A. M. Similarity symmetric and antisymmetric groups, 4=20745
- Galyeev, A. A. Transition radiation from a uniformly moving charge passing through a diffuse interface between two media, 4=19195
- Galżazka, R. R. See Porowski, S., 4=23278
- Galzenati, E. Spectral representation in potential scattering, 4=14054

- Galzenati, E., Marinaro, M. and Okubo, S. Note on possible rare decay modes for elementary particles, 0=15307
- Galzenati, E. and Pusterla, M. A coupled analysis of the $I = 3/2$, $J = 3/2$, P and D waves in pion-nucleon scattering, 2=7885
- Gaman, V. I., Sirotkin, A. A. and Stenina, V. M. Effect of low-melting glasses of the As-S-I system on the current-voltage characteristics of silicon p-n junctions, 4=20387
- Gamba, A. Remarks on the theory of PAPA, 3=16489
- Gamba, A. A multi-level PAPA, 3=16490
- Gamba, A., Gamberini, L., Palmieri, G. and Sanna, R. Further experiments with PAPA, 2=2588
- Gamba, A., Palmieri, G. and Sanna, R. Self-learning in PAPA, 2=2589
- Gamba, A. See Borsellino, A., 2=2590
- Gambaryan, N. P. See Bocharov, D. A., 0=20538
- Gamberini, L. See Gamba, A., 2=2588
- Gambhir, R. S. and Saxena, S. C. Translational thermal conductivity and viscosity of multicomponent gas mixtures, 4=11242
- Gambhir, R. S. and Saxena, S. C. Zero pressure Joule-Thomson coefficient for a few non-polar gases on the Morse potential, 4=27208
- Gambhir, R. S. See Saxena, S. C., 3=11829
- Gambhir, R. S. See Saxena, S. C., 3=18849
- Gambhir, R. S. See Saxena, S. C., 4=211
- Gambhir, R. S. See Saxena, S. C., 4=21182
- Gambhir, R. S. See Saxena, S. C., 4=345
- Gambhir, R. S. See Saxena, S. C., 4=3932
- Gambino, R. J. See Boyd, E. L., 4=13344
- Gambino, R. J. See Overmeyer, J., 4=20152
- Gambino, R. J. See Tauber, A., 2=14938
- Gambirasio, G. On the electrical behavior of an ideal plasma, 0=9028
- Gamble, F. See Hilton, A. R., 2=18843
- Gamble, F. T., Bartram, R. H., Young, C. G., Gilliam, O. R. and Levy, P. W. Electron-spin resonances in gamma-ray-irradiated aluminium oxide, 4=17676
- Gambling, W. A. and Wilmshurst, T. H. An electron spin resonance spectrometer using the ammonia maser as a pre-amplifier, 3=21991
- Gambling, W. A. and Wilmshurst, T. H. A device for the stabilization of pressures in the region of 1 torr, 4=4995
- Gambling, W. A. See Bhawalkar, D. D., 4=19320
- Gambling, W. A. See Edels, H., 0=2348
- Gambling, W. A. See Ryley, J. E., 3=7413
- Gambling, W. A. See Wilmshurst, T. H., 3=516
- Gammal, J., Marshall, W. and Morgan, L. An application of Padé approximants to Heisenberg ferromagnetism and antiferromagnetism, 3=25516
- Gammel, J. L., Fill, B. J. and Thaler, R. M. Elastic scattering of deuterons by He^4 , 0=13072
- Gammel, J. L. See Brueckner, K. A., 0=9286
- Gammel, J. L. See Brueckner, K. A., 0=11123
- Gammel, J. L. See Emery, V. J., 3=23802
- Gammek, J. L., Brolley, J. E., Jr., Rosen, L. and Stewart, L. $He^3 + He^3$ elastic scattering, 1=8521
- Gammel, J. See Armstrong, A. H., 4=17142
- Gammel, J. L. and MacKellar, A. D. Inelastic scattering of neutron by tritons, 4=12080
- Gammel, J. L. See Baker, G. A., Jr., 2=7832
- Gammel, J. L. See Baker, G. A., Jr., 4=2595
- Gamo, H. An aspect of information theory in optics, 1=4423
- Gamo, F. Triple correlator of photoelectric fluctuations as a spectroscopic tool, 3=9596
- Gamo, H. Phase determination of coherence functions by the intensity interferometer, 4=3131
- Gamo, H. See Gamo, I., 4=4255
- Gamo, I. Calculation of the fundamental vibrations of the molecules CO_2 and CS_2 taking into account anharmonicity, 0=17731
- Gamo, I. Absorption bands arising from the ion SO_4^{2-} in $CuSO_4 \cdot 5H_2O$ and in $CuSO_4 \cdot H_2O$, 1=17895
- Gamo, I. Infrared absorption bands due to the SO_4^{2-} ion in $NiSO_4 \cdot 7H_2O$, $FeSO_4 \cdot 7H_2O$, $CoSO_4 \cdot 7H_2O$ and $MgSO_4 \cdot 7H_2O$, 2=4155
- Gamo, I. and Gamo, H. Infrared absorption bands due to the SO_4^{2-} ion in $CuSO_4 \cdot 5H_2O$ and in $Na_2SO_4 \cdot 10H_2O$, 4=4255
- Gamo, M. Matrix treatment of partial coherence, 4=16194
- Gamow, G. Remarks on Lorentz contraction, 1=11698
- Gamow, G. See Brittin, W., 1=12703
- Gampel, L. See Cummins, H., 3=7210
- Gantsemlidze, G. A. The Landau correction coefficient in the determination of the viscosity of a liquid, 0=10818
- Gantsemlidze, G. A. The critical region in experiments with an oscillating disk in helium II, 0=10825
- Gamulina, V. E. See Strel'tsov, N. S., 4=14796
- Gan' Fu-si. See Appen, A. A., 0=6152
- Ganapol'skii, E. M. and Chernets, A. N. Excitation of hypersound in quartz, 2=7286
- Ganapol'skii, E. M. and Chernets, A. N. Excitation of hypersound in quartz, 3=5492
- Ganapol'skii, E. M. and Chernets, A. N. Excitation of hypersound by slow electromagnetic waves, 3=18913
- Gandais, M. Study of the structure of thin metal films deposited on an amorphous support, by means of X-ray diffraction and electron microscopy and diffraction, 2=10950
- Gandais, M. Study of the structure of thin metal films deposited on an amorphous support, by means of X-ray diffraction and electron microscopy and diffraction, 2=10951
- Gandais, M. Study of the structure of thin metal films deposited on an amorphous support, by means of X-ray diffraction and electron microscopy and diffraction, 2=10952
- Gandais, M. See Croce, P., 2=6848
- Gandais, M. See Croce, P., 2=19035
- Gandais, M. See Croce, P., 4=7712
- Gandais, M. See Chauvineau, J. P., 4=23578
- Gandel'man, G. M. Lepton decay of the Λ -hyperon and the probability for $K_{\mu 2}$ and $K_{e 2}$ processes, 1=19274
- Gandel'man, G. M. Quantum-mechanical derivation of the equation of state of iron, 2=20943
- Gandel'man, G. M. Lepton decay of the Λ -hyperon and the probability for $K_{\mu 2}$ and $K_{e 2}$ processes, 3=4465
- Gandelman, G. M. Quantum-mechanical derivation of the equation of state of iron, 3=8373
- Gandel'man, G. M. and Ermachenko, V. M. Dielectric constant of crystals from the quantum viewpoint, 4=4195
- Gandel'man, G. M., Ermachenko, V. M. and Zel'dovich, Ya. B. Nonmetallic nickel at high compressions, 4=6928
- Gandel'man, G. M. and Mokhov, V. N. Radiative capture of polarized μ^- mesons by nuclei, 0=9689
- Gandel'man, G. M. and Pavlovskii, E. S. Quantum-mechanical calculation of pressure in solids, 0=11551
- Gandel'man, G. M. and Pinaev, V. S. Emission of neutrino pairs by electrons and the role played by it in stars, 0=11141
- Gandel'sman, A. F. See Gukhman, A. A., 4=2867
- Gander, R. Theoretical and practical principles of modern microscopy, 2=22008
- Gandhi, J. M. The stability of a gravitating cylinder in the presence of magnetic fields, 2=15997
- Gandhi, J. M. The modes of instability of an infinitely long gravitating cylinder in the presence of magnetic fields, 2=17932
- Gandhi, J. M. Stability of a gravitating cylinder in the presence of magnetic fields, 4=14873
- Gandhi, J. M. The effect of coriolis forces on the propagation of small disturbances in a viscous, compressible fluid of finite electrical conductivity. I, 4=24810
- Gandhi, J. M. and Bakore, P. V. A note on gravitational instability, 4=21
- Gandhi, J. M. and Saxena, S. C. An approximate method for the simultaneous prediction of thermal conductivity and viscosity of gas mixtures, 4=16141
- Gandhi, J. M. and Varma, N. L. The stability of viscous flow between two coaxial rotating cylinders, 4=29585
- Gandhi, J. M. See Saxena, S. C., 4=11243
- Gandhi, O. P. Generation and radiation of ultramicrowaves by optical mixing, 2=22018
- Gandhi, O. P. Doppler frequency multiplication by a semiconductor depletion layer, 3=9927
- Gandhi, O. P. Radiative frequency mixing in propagating non-linear media, 3=14768
- Gandia, V. See Vidal, J. M., 1=5278
- Gandolfi, A. See Brini, D., 1=5119
- Gandolfi, A. See Brini, D., 1=15358
- Gandolfi, A. See Brini, D., 2=5770
- Gandolfi, A. See Brini, D., 2=9944
- Gandolfi, A. See Brini, D., 2=11197
- Gandolfi, E., Heughebaert, J. and Quercigh, E. Concerning the existence of a Σ^n compound, 0=11326
- Gandy, A. Absolute measurement of the activity of radio-nuclides by the beta-gamma coincidence method with high efficiency detectors. Study of instrumental coincidences, 2=5826
- Gandy, A. Absolute measurement of the activity of radio-nuclides by the beta-gamma coincidence method using detectors of great efficiency—dead-time corrections, 3=4584

- Gandy, A. Absolute measurement of the activity of radionuclides by the β - γ coincidence method. Study of a method for automatically correcting instrumental errors, 4=6253
- Gandy, H.W. High vacuum apparatus for studying the luminescence of solids, 1=12933
- Gandy, H.W. and Ginther, R.J. Stimulated emission of ultraviolet radiation from gadolinium-activated glass, 3=3042
- Gandy, H.W. and Ginther, R.J. Stimulated emission from holmium activated silicate glass, 3=7736
- Gandy, H.W. and Ginther, R.J. Simultaneous laser action of neodymium and ytterbium ions in silicate glass, 3=7737
- Gandy, H. W., Ginther, R. J. and Weller, J. F. Radiationless resonance energy transfer from UO_2^{2+} to Nd^{3+} in coactivated barium crown glass, 4=22914
- Gandy, H. W., Ginther, R. J. and Weller, J. F. Energy transfer in silicate glass coactivated with cerium and neodymium, 4=28721
- Gandy, H. W., Kolb, A. C., Lupton, W. H. and Weller, J. F. Persistent enhanced u. v. radiation from double-pulsed flash lamps, 4=8409
- Gandy, H. W. and Weller, J. F. Simple photomultiplier cooling apparatus, 4=19089
- Ganeev, A.S. and Izrailev, I.M. Interaction cross-section of soft X-rays with lithium, 1=6220
- Ganeev, A.S. and Izrailev, I.M. Photoelectric yield for soft X-rays, 2=208
- Ganesan, A.S. Raman spectroscopy, 2=13451
- Ganesan, S. Thermal expansion of triglycine sulphate, 0=7856
- Ganesan, S. Temperature variation of the Grüneisen parameter in magnesium oxide, 2=6290
- Ganesan, S. Thermal expansion of triglycine sulphate, 2=10335
- Ganesan, S. and Srinivasan, R. Specific heat and thermal expansion of fluor spar, 0=20751
- Ganesan, S. and Srinivasan, R. Lattice dynamics of calcium fluoride. I. Lyddane, Sachs, Teller formula, diffuse X-ray scattering, and specific heat, 2=3819
- Ganesan, S. and Srinivasan, R. Lattice dynamics of calcium fluoride. II. Thermal expansion of calcium fluoride, 2=3820
- Ganesan, S. and Srinivasan, R. On Houston's method of evaluating integrals over the Brillouin zone: normalization factor in a simple cubic lattice, 2=21496
- Ganesan, S. and Srinivasan, R. Temperature variation of the effective Grüneisen parameter in caesium chloride structures, 3=4826
- Ganesan, S. and Srinivasan, R. Evaluation of equivalent Debye temperatures in cubic polyatomic lattices—comparison of Houston's and Blackman's methods, 4=12651
- Ganeva, L. I. and Golyamina, I. P. Properties of magnetostriuctive ferrites at high temperatures, 4=24314
- Gangemi, F. A. Effect of isotopic substitution on the dipole moment of molecules of symmetrical configuration, 4=6543
- Gangi, A. F. See Knopoff, L., 1=1782
- Gangopadhyay, A.K. and Chakravorty, A. Charge transfer spectra of some gold (III), complexes, 2=4144
- Gangrskii, Yu. P., Gusinskii, G. M. and Lemberg, I. Kh. Investigation of $\text{Bi}^{212} \rightarrow \text{Po}^{212}$ decay of means of α - γ and γ - γ coincidences, 2=16359
- Gangrskii, Yu. P. and Lemberg, I. Kh. Coulomb excitation of second 2^+ levels in intermediate weight even-even nuclei, 2=13979
- Gangrskii, Yu. P. and Lemberg, I. Kh. Coulomb excitation of second 2^+ levels in intermediate weight even-even nuclei, 3=6160
- Gangrskii, Yu. P. and Lemberg, I. Kh. Double Coulomb excitation of 0^+ level in Ge^{70} , 3=10261
- Gangrskii, Yu. P. and Lemberg, I. Kh. Coulomb excitation of the second levels of spherical even-even nuclei, 4=1003
- Gangrskii, Yu. P. and Lemberg, I. Kh. Coulomb excitation of the 532 keV level in Er^{167} , 4=1025
- Gangrskii, Yu. P. See Afonin, O. F., 3=15098
- Gangrskii, Yu. P. See Afonin, O. F., 3=17403
- Gangrskii, Yu. P. See Alkhasov, D. G., 4=11853
- Gangrskii, Yu. P. See Vasil'ev, V. D., 4=1021
- Ganguli, S. M. See Balasubrahmanyam, V. K., 2=20448
- Ganguli, S. N., Kameswara Rao, N. and Swami, M. S. Observations on the probable core of an extensive air shower recorded in an emulsion stack, 2=12084
- Ganguli, S. N., Kameswara Rao, N. and Swami, M. S. Two examples of rare modes of decay of hyperfragments, 3=19757
- Ganguli, S. N., Kameswara Rao, N. and Swami, M. S. Determination of the flux of primary hydrogen and helium nuclei near the geomagnetic equator using nuclear emulsions. I. Proton flux, on March 12, 1960 at geomagnetic latitude 7.6°N , 4=3506
- Ganguly, A. See Mukherjee, S. K., 1=13453
- Ganguly, A. K. and Bakhru, H. Operational characteristics of a radio frequency ion-source, 3=9869
- Ganguly, A. K. See Mukherjee, S. K., 1=5924
- Ganguly, C. and Sil, N. C. Scattering of low energy neutrons by carbon, 4=3663
- Ganguly, N. K., Cobb, F. C. and Waltner, A. W. The diffusion parameters of heavy water, 4=6063
- Ganguly, N. K. See Bachelier, D., 4=12222
- Ganguly, N. K. See Ghosh, A. M., 0=5796
- Ganguly, N. K. See Reuland, D. J., 4=12226
- Ganguly, P. See Dutta, A. K., 4=25259
- Ganguly, P. See Dutta, A. K., 4=25260
- Ganguly, S. Production of mesons in nucleon-nucleon collisions and its dependence on collision cross-sections, 0=7393
- Ganguly, S. Mixed nucleon-meson cascades in finite absorbers, 0=7397
- Ganguly, S. C. and Chaudhury, N. K. Energy transport in organic phosphors, 0=1572
- Ganguly, S. C. and Mukherjee, B. C. Polarization of optical spectra of 1-12 benzperylene ($\text{C}_{22}\text{H}_{12}$), 2=6572
- Ganguly, S. C. See Choudhury, N. K., 1=8983
- Ganguly, S. C. See Mukherjee, B. C., 4=10230
- Gani, M. S. J. See Anderson, J. R., 2=19120
- Ganichenko, L. G., Egorov, M. M., Kiselev, V. F., Krasil'nikov, K. G. and Khodakov, G. S. Surface properties of highly dispersed quartz, 0=12114
- Ganichev, A. A., Golant, V. E., Zhilinskii, A. P., Khotimskii, B. Z. and Shilin, V. N. Diffusion of charged particles from a decaying plasma in a magnetic field, 4=14643
- Ganichev, D. A. See Shul'man, A. R., 0=12631
- Ganichev, D. A. See Shul'man, A. R., 2=17878
- Ganin, Ye. A. See Shlykov, Yu. P., 4=29787
- Ganis, P. See Corradini, P., 0=4673
- Ganis, P. See Corradini, P., 0=4674
- Ganley, W. P. Intermittent response of infrared photomultipliers, 3=7635
- Ganley, W. P. Low frequency excitation of electrical discharges in gases, 3=9742
- Ganley, W. P. Forces and fields in special relativity, 3=21217
- Ganley, W. P. See Roetling, P. G., 1=2197
- Ganley, W. P. See Roetling, P. G., 2=2868
- Gann, V. V. See Savchenko, M. A., 4=22490
- Gannon, L. J. See McMurry, H. L., 3=17283
- Gannus, V. K. See Roizen, L. I., 2=17707
- Gans, F. Experimental researches on the continuous spectra of the rare gases, 0=5056
- Gans, F. Arrangement for study of luminescent substances under the action of cathodic bombardment, 0=8022
- Gans, F. On the origin of the underlying continua appearing in the spectra of the light emitted by condensed discharges through rare gases, 0=9758
- Gans, F. See Bombré, F., 1=11403
- Gans, F. See Bombré, F., 2=23613
- Gans, F. See Bombré, F., 3=23118
- Gans, F. See Vincent-Geisse, J., 4=21282
- Gans, P. See Foyaux, M., 1=5696
- Gans, P. J. Open first-order stochastic processes, 0=16613
- Gans, P. J. See Krieger, I. M., 0=3401
- Gans, P. J. See Wall, F. T., 2=23021
- Gans, P. J. See Wall, F. T., 3=15400
- Gans, P. J. See Wall, F. T., 3=15401
- Gans, W. See Stranski, I. N., 4=10464
- Gansauge, P. and v. Münch, W. Double diffusion in GaAs, 4=26069
- Gansauge, P. See Bartels, H., 3=7557
- Ganson, A. K absorption spectra of zirconium, its oxide and oxychloride, 1=17905
- Ganssen, A. The proton magnetic resonance oscillator, a radio frequency source of high spectral purity, 3=14797
- Ganson, A. and Montel, M. Improvements to the Chalonge microphotometer, 0=19390
- Ganssauge, E. See Cappeller, U., 0=1391
- Ganssen, A. See Sloan, E. L., III, 4=16675
- Gant, P. L. and Yang, K. Tritium-ethane reaction, 0=745
- Gant, P. L. and Yang, K. Reactions initiated by the β decay of tritium. III. The tritium-cyclopropane system, 0=14132
- Gant, P. L. See Yang, K., 0=3321
- Gantar, C., Morelli, C. and Pisani, M. Experimental study of the response of the Graf-Askania Gss2, No. 13, sea gravity meter, 3=8994

- Gantar, C. See Allan, T.D., 3=8995
- Gantmakher, V.F. A method for measuring the electron momentum in a metal, 2=28554
- Gantmakher, V.F. Size effect in a metal in multiple magnetic fields, 3=842
- Gantmakher, V.F. A method for measuring the electron momentum in a metal, 3=6496
- Gantmakher, V.F. Size effect in a metal in multiple magnetic fields, 3=8493
- Gantmakher, V.F. Investigation of the Fermi surface of tin by the size effect, 3=25241
- Gantmakher, V.F. On the Fermi surface of tin, 4=25907
- Gantmakher, V.F. and Kaner, E.A. Dimension effect in the presence of drift of electrons inside a metal, 4=6916
- Gantmakher, V.F. and Sharvin, Yu.V. The non-monotonic dependence of the surface impedance of tin on magnetic field at a frequency of 1.9 Mc/s, 0=20875
- Gantmakher, V.F. See Sharvin, Yu.V., 0=19566
- Gantmakher, V.F. See Sharvin, Yu.V., 1=18708
- Gantois, M. Study by X-ray diffraction of order in ternary alloys of gold-copper-nickel obtained from AuCu by partial substitution of nickel for copper, 3=18348
- Gantois, M. On the elementary process of order-disorder transformations in ternary alloys of gold-copper-nickel based on AuCu by the partial substitution of Ni for Cu, 4=7493
- Gantois, M. and Pianelli, A. An attempt to determine, by means of quenched samples, the law of variation with temperature of the degree of order in an alloy of gold and copper with the stoichiometric composition AuCu₃, 3=20871
- Ganton, J. H. See Milne, A.R., 4=23715
- Gantsevich, S.V. and Gurevich, V.L. Contribution to the theory of giant oscillations in ultrasonic absorption, 4=3985
- Gantvoort, N.C. and Billings, D.E. Prominence characteristics in regions of bright coronal emission, 0=14423
- Gantzel, P.K. and Baldwin, N.L. Powder indexing and lattice constants for ThC₂, 4=23491
- Gantzel, P.K. See Gillespie, R.B., 3=8852
- Ganz, D. Texture and loss problem in SiFe, 1=6339
- Ganz, D. See Baer, G., 0=10285
- Ganz, J.B. On the configuration fd^2 of thorium II, 0=20555
- Gan'zhin, M.A. A method of extracting protons from a proton synchrotron, 2=1539
- Gao Chong-shou. Intermediate boson theory of weak interactions and CP noninvariance, 4=16815
- Gao Chong-shou. Empirical formulae for masses of π - π resonances with even isospins, 4=30266
- Gao Chong-shou. See Su Zhao-bin, 4=9240
- Gaponov, A.V. Instability of a system of excited oscillators with respect to electromagnetic perturbations, 1=1972
- Gaponov, Yu.V. Second forbidden Coulomb beta transitions, 0=9577
- Gaposchkin, S. Heavy eclipsing system at high latitude, 2=19318
- Gaposchkin, S. 223 variables in the Andromeda Nebula, 2=19338
- Gaposchkin, S. An eclipsing variable in the Andromeda Nebula (M31), 2=19339
- Garabedian, H.L. and Leffert, C.B. A time-dependent analysis of spatial flux distributions, 0=13352
- Garabedian, H.L. and von Herrmann, P. Reactor kinetics for multi-region multi-fuel reactors, 1=767
- Garabedian, H.L. and Thomas, D.H. An analytic approach to two-dimensional reactor theory, 3=6325
- Garabedian, H.L. See Foderaro, A., 1=17200
- Garabedian, H.L. See Foderaro, A., 2=22871
- Garanderie, H. Payen de la. See Payen de la Garanderie, H.
- Garashchuk, V.P. and Zakarov, V.P. Introduction of lithium and strontium into a direct-current arc plasma in helium at high pressure, 4=8603
- Garashina, L.S. See Dem'yanets, L.N., 4=26602
- Garault, Y. General property of a wave propagated in vacuo with the velocity of light which can be used to deflect ultra-relativistic particles, 2=7731
- Garault, Y. Solutions of wave equation in cylindrical coordinates which are consistent for all values of phase velocity, 2=11779
- Garault, Y. Expressions for elementary electromagnetic waves of the EH type in terms of cylindrical coordinates, 2=17948
- Garault, Y. Electromagnetic waves of EH type in cartesian coordinates, 2=17949
- Garault, Y. Electromagnetic waves of the E.H. type in a circular waveguide with metallic irises, 3=5851
- Garault, Y. The structure of symmetric modes of order N in Θ in a circular cylindrical waveguide containing metal irises. The case of phase velocity equal to the velocity of light, 4=3171
- Garault, Y. The dispersion relation for e.m. waves of type e.h. in a guide with diaphragms of finite width and a study of the cut-off frequency, 4=11803
- Garault, Y. Study of dispersion characteristics of EH waves by the ideal model of a diaphragmed line, 4=19231
- Garavaglia, M. J. See Giacchetti, A., 4=22308
- Garaycochea, E. and Cid-Dresdner, H. On the setting of crystals for X-ray diffraction work, 1=20467
- Garaycochea, I. and Wittke, O. Determination of the optic angle $2V$ from the extinction curve of a single crystal mounted on a spindle stage, 4=10156
- Garazha, V.I. See Barabashov, N.P., 1=18039
- Garazha, V.I. See Barabashov, N.P., 2=24089
- Garbacz, R.J. Electromagnetic scattering from radially inhomogeneous spheres, 2=22339
- Garbacz, R.J. Bistatic scattering from a class of lossy dielectric spheres with surface impedance boundary conditions, 4=8941
- Garbalyauskas, Ch. A. See Stýro, B.I., 4=7863
- Garbar, M. Magnetic susceptibility of CoBr₂·6H₂O, 1=12511
- Garbatski, U. See Fiat, D., 1=20678
- Garbaty, E.A. See Jones, W.H., Jr., 2=4287
- Garbe, S. See Klopfer, A., 1=18490
- Garber, M., Henry, W.G. and Hoeve, H.G. A magnetic susceptibility balance and the temperature dependence of the magnetic susceptibility of copper, silver, and gold, 295°-975°K, 1=1194
- Garber, M., Scott, B.W. and Blatt, F.J. Thermal conductivity of dilute copper alloys, 3=15450
- Garber, M. and Wagner, R. The susceptibility of azurite, 1=11457
- Garber, M. See Blatt, F.J., 1=1116
- Garber, M. See LePage, J., 4=28759
- Garber, M. See Shiffman, C.A., 4=5519
- Garber, M. See Shiffman, C.A., 4=18612
- Garber, P.I. and Kirillov, V.S. Variation in the spectral distribution of optical density due to the scattering of light in the plastic deformation of rock salt crystals, 3=17988
- Garber, R.A. and Gindin, I.A. Physical properties of metals at high frequencies, 3=6448
- Garber, R.I. Mechanical properties of unit twinned layers, 0=1861
- Garber, R.I. and Gindin, I.A. Physics of the strength of crystalline materials, 1=3990
- Garber, R.I. and Gindin, I.A. Elastic deformation and thermal expansion, 1=14186
- Garber, R.I. and Gindin, I.A. The physical properties of metals of high purity, 3=15531
- Garber, R.I., Gindin, I.A., Lazarev, B.G. and Starodubov, Ya.D. Low temperature recrystallization of copper, 0=13950
- Garber, R.I., Gindin, I.A. and Neklyudov, I.M. Influence of programmed strengthening on the creep and recrystallization processes in iron at high temperatures, 4=26514
- Garber, R.I., Gindin, I.A. and Polyakov, L.M. The dispersion and restoration of contacts between microblocks under plastic deformation, 0=16229
- Garber, R.I., Gindin, I.A. and Shubin, Yu.V. Orientational dependence of slip and rupture in beryllium single crystals in tension, 1=12602
- Garber, R.I., Gindin, I.A. and Shubin, Yu.V. The question of high strength in single crystals, 1=14913
- Garber, R.I., Gindin, I.A. and Shubin, Yu.V. Extension of beryllium monocrystals in the temperature range 20-500°C.V, 3=3220
- Garber, R.I., Gindin, I.A. and Shubin, Yu.V. Compression of beryllium single crystals along the hexagonal axis in the temperature range 4.2-900°K, 4=1929
- Garber, R.I., Gindin, I.A. and Starodubov, Ya.D. Thermal hardening of the twin interlayers in iron, 0=11987
- Garber, R.I. and Kirilov, V.S. Spectral distribution of the optical density of [annealed and] plastically deformed rock salt crystals, 2=18810
- Garber, R.I. and Mogil'nikova, T.T. The problem of determining the elastic limit in imperfect solids, 3=8760
- Garber, R.I. and Mogil'nikova, T.T. Damping capacity and plastic deformation of overstressed microregions in a solid. II., 3=11142

- Garber, R.I. and Polyakov, L.M. Investigation of the initial stages of plastic deformation of rock salt crystals, 0=11979
- Garber, R.I. and Polyakov, L.M. Investigation of ultramicroscopic inhomogeneities of plastically deformed rocksalt. II, 0=13546
- Garber, R.I. and Polyakov, L.M. The distribution of residual stresses in plastically deformed rocksalt crystals, 1=12396
- Garber, R.I. and Polyakov, L.M. Investigation of the sintering processes of metals. II, 3=6876
- Garber, R.I., Polyakov, L.M. and Malik, G.N. Use of ultrasound in welding of copper, 1=10159
- Garber, R.I. and Soloshenko, I.I. The dependence of the damping decrement on the amplitude of elastic vibrations and a study of plastic deformation of overstressed microregions, 1=12592
- Garber, R.I. and Soloshenko, I.I. Influence of annealing on the decrement of alternating elastoplastic flexure, 3=6778
- Garber, R.I. and Stepina, E.I. Etch figures of deformation twins in calcite, 0=1897
- Garber, R.I. and Stepina, E.I. Defects on the boundaries of twin layers, 1=14264
- Garber, R.I. and Stepina, E.I. Etch patterns of wedge-shaped elastic twins, 1=14951
- Garber, R.I. and Stepina, E.I. Defects at the stoppage sites of a twin boundary, 3=18237
- Garber, R.I. and Stepina, E.I. Mechanism of dislocation motion during elastic twinning, 3=18239
- Garber, R. I. and Stepina, E. I. Hardening of calcite on repeated twinning, 4=10373
- Garber, R. I. and Stepina, E. I. Defects emerging during coalescence of twin layers in a polysynthetic twin, 4=25930
- Garber, R.I., Zalivadnyi, S.Ya. and Mikhailovskii, V.M. Variation of the microstructure of uranium during cyclic thermal treatment, 0=16254
- Garber, R.I., Zalivadnyi, S.Ya. and Gorokhovskii, F.S. Determination of the anisotropy of microhardness of beryllium crystals, 0=18267
- Garber, R.I., Zalivadnyi, S.Ya. and Mikhailovskii, V.M. Changes in the microstructure of uranium as a result of thermal cycling. II, 2=21545
- Garbowska, K., Saniewska, T., Skrzypczak, E. and Zielinski, P. The analysis of 24 GeV proton interactions with heavy emulsion nuclei (preliminary results), 4=27843
- Garbowska, K. See Danyasz, M., 3=22276
- Garbowska, K. See Danyasz, M., 3=24572
- Garbowska, K. See Danyasz, M., 4=9364
- Garbuny, M., Gottlieb, M. and Conroy, J. J. Hard superconducting films from exploding wires, 4=8570
- Garbuny, M., Vogl, T.P. and Hansen, J.R. Image converter for thermal radiation, 1=4635
- Garbuny, M. See Gottlieb, M., 4=20411
- Garbuny, M. See Vogl, T.P., 1=2425
- Garbutt, D.A. See Bull, V.A., 2=22514
- Garbutt, D.A. See Bull, V.A., 3=12458
- Garbutt, D.A. See Danyasz, M., 3=22276
- Garbutt, D.A. See Danyasz, M., 4=9364
- Garbutt, D.A. See Fletcher, E.R., 3=10232
- Garbuzov, D. Z. See Vilesov, F. I., 4=574
- Garchinskii, V. Theory of multiplication of the influence functions, 2=4935
- Garchinskii, V. Theory of multiplication of the influence functions, 2=11275
- García, A. and Forest, A.E. The elastic scattering of deuterons by vanadium, 3=15221
- García, A., King, E. A. and Díez, R. Theoretical analysis of the elastic scattering $O^{18}(d,d)O^{16}$ according to the optical model, 4=22166
- García, A., Kirk, J., England, J.B.A. and Hodgson, P.E. The scattering of 29 MeV 3He -particles by C, F, S and Br nuclei, 3=2493
- García, A., Pardo, G. and Tárrega, P. Scattering of He^3 particles at 29 MeV by H^1 and H^2 , 3=7860
- García, A. See Aguilar, J., 0=20463
- García, A. See Aguilar, J., 1=12216
- García, A. See Aguilar, J., 2=3611
- García, A. See Aguilar, J., 3=12699
- García, A. See Aguilar, J., 4=9562
- García, A. See Catalá, J., 1=17118
- García, A. See Catalá, J., 1=17150
- García, A. See Catalá, J., 2=3612
- García, A. See Catalá, J., 2=5965
- García, A. See Catalá, J., 2=8008
- García, A. See Catalá, J., 3=8129
- García, A. See Catalá, J., 3=24962
- García, A. See Catalá, J., 3=24976
- García, A. See Catalá, J., 4=3701
- García, A. See Catalá, J., 4=9550
- García, A. See Catalá, J., 4=22165
- García, A. See Catalá, J., 4=22167
- García, A. See Hodgson, P.E., 1=2228
- García, A. See Senent, F., 1=411
- García, A.L. See Furet, J., 2=14172
- García-Blanco Gutiérrez, S. See Martínez Carrera, S., 1=1400
- García-Blanco, S. See Smith, P., 2=10896
- García Colín, L. See Canuto, V., 4=12406
- García Colín, L. See Correa Villalobos, A., 4=14463
- García-Colín, L.S. and Peretti, J. On the pair distribution function of a hard sphere Bose system, 0=16628
- García-Colín, L.S. Pair distribution function of a hard sphere Bose system calculated by the pseudo-potential method, 0=16627
- García-Moliner, F. A variational calculation of electronic transport in a magnetic field, 0=2813
- García Moliner, F. Gas adsorption on the surface of an ideal semiconductor, 1=15181
- García-Moliner, F. Magnetoconductivity and polar scattering in moderately ionic crystals, 3=15464
- García Moliner, F. and Esteve Pastor, A. The calculation of chemisorption isotherms on a model semiconductor surface, 2=4543
- García Moliner, F. See Esteve Pastor, A., 1=14371
- García-Munoz, M. See Allison, S.K., 0=19626
- García-Munoz, M. See Allison, S.K., 0=19625
- García-Munoz, M. See Allison, S.K., 2=2968
- García-Munoz, M. See Allison, S.K., 2=18427
- García-Munoz, M. See Cuevas, J., 4=25778
- García-Riquelme, O., Velasco, R., Oyarzun, R. and Veas, F. New interpretation of the Zeeman effect in Mn I, 1=13940
- García-Requelme, O. See Catalán, M.A., 4=15281
- García Rodríguez, A. Catalá, J., 2=1925
- Garczyński, W. Some topological properties of Feynman diagrams, 1=16675
- Garczyński, W. On some representation of perturbation expansion of scattering amplitude, 1=16694
- Garczyński, W. On the majorization problem in perturbation theory, 2=11880
- Garczyński, W. The general method for construction of majorizing diagrams, 3=14864
- Garczyński, W. On the Nakanishi parametric representation, 3=16532
- Garczyński, W. On the general integral representation of perturbation expansion of scattering amplitude and its relation to Nambu-Symanzik representation, 4=3326
- Garczyński, W. On the Nakanishi parametric representation, 4=3327
- Garczynski, W. The necessary and sufficient condition in terms of Wightman functions for a field to be a generalized free field, 4=19346
- Gard, G.A. and Hardacre, A.G. A method of optimising light collection in scintillation counters, 3=22035
- Gard, G.A. See Cavanagh, P.E., 4=9514
- Gardener, M., Jones, D.G., Taylor, F.E. and Wolfendale, A.W. The momentum spectrum of cosmic ray muons near sea level in the momentum range 0.4-10 GeV/c, 2=20480
- Gardener, M. See Brooke, G., 2=20469
- Gardeur, R. Le. See Le Gardeur, R.
- Gardez, J. Construction of an emission microscope operated by high voltage pulses, 0=5351
- Gardin, A.I. Investigation of the crystal structure of cementite by electron diffraction analysis, 3=5106
- Gardin, A.I. An electron-diffraction study of the structure of cementite, 3=20867
- Gardiner, C.W. The combination of Lorentz and SU_3 invariance, 4=30162
- Gardiner, G.W. Experimental microbarograph, 2=2462
- Gardiner, G.W. Effects of the nuclear explosion of 30th October 1961, 3=5195
- Gardiner, J.S. See Wolf, E., 4=10974
- Gardiner, K.M. See Young, A.G., 1=20354
- Gardiner, R.B. See Farago, P.S., 3=24691
- Gardiner, W.C., Jr. Observations of induction times in the acetylene-oxygen reaction, 2=4531
- Gardiner, W. C., Jr; Fenimore, C. P. Destruction of acetylene in flames with oxygen, 4=23655

- Gardiner, W.C. Jr. and Kistiakowsky, G.B. Density measurements in reflected shock waves, 1=8151
- Gardiner, W.C. Jr. and Kistiakowsky, G.B. Thermal dissociation rate of hydrogen, 1=19671
- Gardiner, W.C., Jr. See Riney, J.S., 4=17855
- Gardiner, W. C., Jr. See Stubbeman, R. F., 4=20830
- Garding, L. and Lions, J. L. Functional analysis, 0=3912
- Gardner, A.B. See Mallard, W.C., 3=6538
- Gardner, A.L. See Barr, W.L., 2=114
- Gardner, A.L. See Hall, L.S., 2=17820
- Gardner, A.L. See Kunkel, W. B., 3=1935
- Gardner, A. L. A modification of the scanning wedge-shaped Fabry-Perot interferometer, 4=21311
- Gardner, A. L., Barr, W. L., Kelly, R. L. and Oleson, N. L. Diagnostic measurements on a highly ionized, steady-state plasma, 2=17821
- Gardner, C. Proton capture gamma rays from Si^{28} in the photo-nuclear giant resonance region, 2=1884
- Gardner, C. C. and Anderson, J. D. Gamma yield from the proton bombardment of tritium, 2=3419
- Gardner, C. C. See Anderson, J. D., 0=458
- Gardner, C. C. See Wong, C., 0=1276
- Gardner, C. G. and Welton, T. A. Possibility of studying the Λ -hyperon-nucleon force by low-energy scattering, 0=385
- Gardner, C. H. F. Extensional waves in fluid-saturated porous cylinders, 2=2810
- Gardner, C. S. Adiabatic invariants of periodic classical systems, 0=50
- Gardner, C. S. Bound on the energy available from a plasma, 3=19245
- Gardner, C. S. Comment on "stability of step shocks", 4=5292
- Gardner, C. S. and Keller, J. B. The field of a pulsed dipole in an interface, 4=713
- Gardner, C. S. and Kruskal, M. D. Stability of plane magnetohydrodynamic shocks, 4=19183
- Gardner, C. L. See Farmer, J. B., 1=7502
- Gardner, D. G., Gardner, J. C., Laush, G. and Meinke, W. W. Method for the analysis of multicomponent exponential decay curves, 0=821
- Gardner, D. G. Fission fragment impact trapping by ThO_2 slurry particles, 1=785
- Gardner, D. G. and Epstein, L. M. Protection against radiation damage in polymethylmethacrylate by high-energy electrons and by ultraviolet light, 1=8920
- Gardner, D. G. and Poularikas, A. D. Trends in nuclear reaction cross-sections. II. The effect of pairing energy δ values, 2=14109
- Gardner, D. G. Trends in nuclear reaction cross-sections. I. The (n,p) reaction induced by 14 MeV neutrons, 2=5929
- Gardner, D. G. See Bramlitt, E. T., 2 = 3597
- Gardner, D. G. See Chittenden, D. M., II, 1=7390
- Gardner, D. G. See Kantele, J., 2 = 16419
- Gardner, D. G. See Kumabe, I., 0=7610
- Gardner, E. F., Hallenback, J. F., Jr. and Schumann, P. A., Jr. Comparison of resistivity measurement techniques on epitaxial silicon, 4=6989
- Gardner, E. F. See Rank, D. H., 2 = 17126
- Gardner, E. F. See Rank, D. H., 4=22358
- Gardner, E. L. Instrumentation for experimental reactor kinetic studies, 1=5956
- Gardner, F. F. The effect of sudden ionospheric disturbances (S.I.D.'s) on 2.28 Mc/s pulse reflections from the lower ionosphere, 0=4800
- Gardner, F. F. and Davies, R. D. A three-component radio source containing a well-aligned magnetic field, 4=23954
- Gardner, F. F. and Milne, D. K. A 1400 Mc/s continuum radiometer, 4=4928
- Gardner, F. F., Robinson, B. J., Bolton, J. G. and van Damme, K. J. Detection of the interstellar OH lines at 1612 and 1720 Mc/sec, 4=30986
- Gardner, F. F. and Whiteoak, J. B. Polarization of 20 cm wavelength radiation from radio sources, 2 = 24178
- Gardner, F. F. and Whiteoak, J. B. Polarization of radio sources and Faraday rotation effects in the galaxy, 3=25985
- Gardner, F. F. See Bogle, G. S., 1=19016
- Gardner, F. F. See Bolton, J. G., 4=2466
- Gardner, F. F. See Bolton, J. G., 4=20949
- Gardner, F. F. See Bolton, J. G., 4=30989
- Gardner, G. and Coomes, E. A. Note on the torsion induced recrystallization of molybdenum and tungsten filaments, 2 = 8785
- Gardner, G. O. and Kestin, J. Calculation of the Spalding function over a range of Prandtl numbers, 3=11970
- Gardner, H. R. Fatigue testing of unalloyed plutonium, 4=7449
- Gardner, I. C. and Nefflen, K. F. Interference fringes with mercury-198 and a path difference of 2000 mm, 0=3644
- Gardner, J. C. See Gardner, D. G., 0=821
- Gardner, J. H. Scatter from man-made irregularities in the ionospheric D-region, 4=4811
- Gardner, J. H., Mill, M. W., Johansen, C., Larson, D., Murri, W. and Nelson, M. Apparatus for electron spin resonance studies at very high pressures, 3=24492
- Gardner, J. R. See Bylander, E. G., 0=15187
- Gardner, J. W. Cascade theories and the Landau approximation, 0=7431
- Gardner, J. W. Markoff cascades with general source terms, 0=15309
- Gardner, J. W. The characteristic-functional method in cascade theory, 1=6
- Gardner, J. W. Magnetic confinement of charged particles, 1=5460
- Gardner, L. B. Energy resolution correction for scintillation spectrometers, 1=5611
- Gardner, L. R. T. and Miller, W. N. The creep behaviour of Magnox AL80, 3=8771
- Gardner, M. B. Binaural detection of single-frequency signals in the presence of noise, 3=7065
- Gardner, M. B. and Nelson, J. R. Combating echo in speech circuits with long delay, 4=4969
- Gardner, M. E. Maxwell's solution of Kirchhoff's laws and the super-position theorem, 2 = 17742
- Gardner, M. E., Jungerman, J. A., Lichtenstein, P. G. and Patten, C. G. Production of a uniform magnetic field by means of an end-corrected solenoid, 0=17066
- Gardner, M. E. See Jungerman, J. A., 2 = 13774
- Gardner, R. F. G., Sweett, F. and Tanner, D. W. The electrical properties of alpha ferric oxide. I. The impure oxide, 4=1599
- Gardner, R. F. G., Sweett, F. and Tanner, D. W. The electrical properties of alpha ferric oxide. II. Ferric oxide of high purity, 4=1600
- Gardner, R. F. G. See Tanner, D. W., 4=28615
- Gardner, R. P. and Ross, H. H. Alpha gauge for the measurement of small density thicknesses, 3=3781
- Gardner, W. E. See Childs, B. G., 0=21029
- Gardner, W. E. See Childs, B. G., 1=1195
- Gardner, W. E. See Childs, B. G., 3=18062
- Gardner, W. J. See Durig, J. R., 2 = 23536
- Gardner, W. L. See Billups, R. R., 2 = 9447
- Gardner, W. R. See Derksen, W. J., 1=12690
- Gardner, W. R. See Phillips, N. E., 4=18585
- Garelis, E. Treatment of annular voids in diffusion theory, 2 = 13813
- Garelis, E. Eigenvalues for the Wilkins equation, 2 = 20349
- Garelis, E. Time-dependent neutron thermalization for a bare multiplying medium, 3=12470
- Garelis, E. and Russell, J. L. Jr. Theory of pulsed neutron source measurements, 4=1126
- Garelli, C. M., Marzari, Chiesa A., Rinaudo, G. and Vigone, M. Interactions of 1.15 GeV/c K^- mesons in emulsion. III, 2 = 5737
- Garelli, C. M., Quassiat, B., Tallone, L. and Vigone, M. Interactions of 1.15 GeV/c K^- mesons in emulsions. Preliminary results, 0=2591
- Garelli, C. M., Quassiat, B. and Vigone, M. On the relative abundances of cosmic ray nuclei of charge $Z \geq 3$, 0=13076
- Garelli, C. M., Quassiat, B. and Vigone, M. Possible interpretation of an unusual hyperon decay, 0=15447
- Garelli, C. M., Quassiat, B. and Vigone, M. Interactions of 1.15 GeV/c K^- mesons in emulsion. I, 0=20228
- Garelli, C. M. See Bellini, G., 2=22573
- Garelli, C. M. See Bellière, J., 3=24775
- Garelli, C. M. See Bisi, V., 4=21928
- Garelli, C. M. See Di Corato, M., 2=22627
- Garelli, C. M. See Ferrero, M. I., 3=10150
- Garelli, C. M. See Marzari-Chiesa, A., 3=19695
- Garetta, D. See Chaminade, R., 2=1923
- Garfagnini, R. See De Marco, A., 4=22119
- Garfield, L. J. and Petrie, S. E. Viscosity and glass-transition behavior of polymer-diluent systems, 4=27161
- Garfinkel, A. See Eisler, F., 1=16889
- Garfinkel, B. Formulae for predicting the position of an artificial satellite, 0=6628
- Garfinkel, B. The orbit of a satellite of an oblate planet, 0=6629
- Garfinkel, B. On the motion of a satellite in the vicinity of the critical inclination, 1=1664

- Garfinkel, B. and McAllister, G. T. The zonal harmonic perturbations of an artificial satellite, 4=30994
- Garfinkel, M. and Engeler, W. E. Sum frequencies and harmonic generation in GaAs lasers, 4=5863
- Garfinkel, M., Engeler, W. E. and Locke, D. J. New junction laser resonant structure, 4=24909
- Garfinkel, M. and Mapother, D. E. Pressure effect on superconducting lead, 1=7001
- Garfinkel, M. See Engeler, W. E., 3=22962
- Garfinkel, M. See Engeler, W. E., 4=24914
- Garfinkel, S. B. and Hutchinson, J. M. R. Determination of source self-absorption in the standardization of electron-capturing radionuclides, 3=10278
- Garfinkel, S. B. See Noyce, R. H., 4=920
- Garforth, F. A. See Meacock, H. F., 2=15716
- Garfunkel, J. H. See Blue, M. D., 2=130
- Garfunkel, J. H. See Kruse, P. W., 2=10534
- Garfunkel, M. P. See Biondi, M. A., 0=2288
- Garfunkel, M. P. See Biondi, M. A., 0=2289
- Garg, J. B. A fast neutron time-of-flight spectrometer, 0=20157
- Garg, J. B. A fast coincidence unit of variable resolving time, 1=1872
- Garg, J. B., Calvert, J. M. and Gale, N. H. Angular correlation studies of the $\text{Be}^9(\alpha, n\gamma)\text{C}^{12}$ reaction, 0=20465
- Garg, J. B. and Gale, N. H. $^{60}\text{Ni}(\gamma-\gamma)$ angular correlation, 0=15556
- Garg, J. B. and Gale, N. H. Evidence for direct interaction in α -induced reactions at low energies, 1=19527
- Garg, J. B., Gale, N. H. and Calvert, J. M. Neutron-gamma angular correlation studies of the $\text{B}^{11}(\text{d}, n\gamma)\text{C}^{12}$ reaction, 1=5932
- Garg, J. B., Gale, N. H. and Calvert, J. M. Distorted wave effects in stripping, 2=1919
- Garg, J. B., Gale, N. H. and Calvert, J. M. Neutron-gamma angular correlation studies from the reaction $\text{Be}^9(\text{d}, n\gamma)\text{B}^{10}$, 2=20669
- Garg, J. B., Rainwater, J., Petersen, J. S. and Havens, W. W., Jr. Neutron resonance spectroscopy. III. Th^{232} and U^{238} , 4=19802
- Garg, J. B. See Calvert, J. M., 2=10142
- Garg, J. B. See Gale, N. H., 1=3460
- Garg, J. B. See Gale, N. H., 1=5939
- Garg, J. B. See Gale, N. H., 1=5941
- Garg, J. B. See Gale, N. H., 3=2383
- Garg, J. B. See Rainwater, J., 4=16914
- Garg, J. B. See Takayanagi, S., 2=3570
- Garg, S. K. See Kadaba, P. K., 4=24273
- Garg, S. K. See Swarup, P., 1=12930
- Garga, I. I. See Zapisochnyi, I. P., 4=16238
- Gargya, L. See Budó, A., 0=14661
- Gargya, L. See Ketskéméty, I., 1=8128
- Garibotti, C. See Ball, N., 1=13482
- Garibyan, G. M. Transition radiation effects in particle energy losses, 0=9321
- Garibyan, G. M. Electromagnetic radiation from a particle moving across the interface of two media allowing for the effect of multiple scattering, 1=3158
- Garibyan, G. M. Transition radiation emitted by a charge incident at an oblique angle, 1=4716
- Garibyan, G. M. Phenomenological quantum electrodynamics in the case of two media, 1=16652
- Garibyan, G. M. Passage of fast particles through plates, 4=5997
- Garibyan, G. M. and Chalikyan, G. A. The radiation from a charged particle passing through a plate, 0=2505
- Garibyan, G. M. and Pomeranchuk, I. Ya. On the limits of applicability of the theory of transitional radiation, 0=8573
- Garibyan, G. M. See Alikhanyan, A. I., 4=3389
- Garibyan, G. M. See Alikhanyan, A. I., 4=20261
- Garibyan, T. A. See Vartapetyan, G. A., 4=9407
- Garif'yanov, N. S. Second relaxation in a spin system in certain compounds of elements of the iron group, 0=1825
- Garif'yanov, N. S. Paramagnetic resonance in magnetically dilute systems, 0=8084
- Garif'yanov, N. S. Resonance transitions in parallel fields in certain Mn^{++} and Fe^{+++} salts, 0=13875
- Garif'yanov, N. S. Electron paramagnetic resonance of Cr^{3+} in glasses, 3=18129
- Garif'yanov, N. S. Hyperfine interaction in Re (VI), 4=10331
- Garif'yanov, N. S. Electron paramagnetic resonance studies of some pentavalent chromium complexes, 4=20098
- Garif'yanov, N. S., Danilova, A. V. and Shagidullin, R. R. Electron paramagnetic resonance and absorption spectra in the visible region in alcoholic and glycerol solutions of Ti^{3+} , 3=1712
- Garif'yanov, N. S. and Fedotov, V. N. Electron paramagnetic resonance in liquid and supercooled solutions of pentavalent molybdenum, 3=1711
- Garif'yanov, N. S. and Fedotov, V. N. Electron paramagnetic resonance in supercooled WCl_6 solutions, 3=21407
- Garif'yanov, N. S., Fedotov, V. N. and Timerov, R. Kh. Measurement of spin-lattice relaxation times in supercooled solutions of Ti^{3+} by the continuous saturation method, 2=15617
- Garif'yanov, N. S., Fedotov, V. N. and Timerov, R. Kh. Measurement of spin-lattice relaxation times in supercooled solutions of Ti^{3+} by the continuous saturation method, 2=17483
- Garif'yanov, N. S. and Il'yasov, A. V. Magnetic resonance in sodium alloys, 1=1288
- Garif'yanov, N. S., Kozyrev, B. M., Timerov, R. Kh. and Usacheva, N. F. Electron paramagnetic resonance in concentrated aqueous solutions of VO^{2+} , 2=61
- Garif'yanov, N. S., Kozyrev, B. M., Timerov, R. Kh. and Usacheva, N. F. Electron paramagnetic resonance in dilute vanadyl chloride solutions, 2=15621
- Garif'yanov, N. S., Kozyrev, B. M., Timerov, R. Kh. and Usacheva, N. F. Electron paramagnetic resonance in concentrated aqueous solutions of VO^{2+} , 3=150
- Garif'yanov, N. S., Kozyrev, B. M., Timerov, R. Kh. and Usacheva, N. F. Electron paramagnetic resonance in dilute vanadyl chloride solutions, 3=5451
- Garif'yanov, N. S. and Semenova, E. I. Hyperfine structure of electron paramagnetic resonance lines in supercooled solutions of salts of Ti^{3+} , 1=18434
- Garif'yanov, N. S., Timerov, R. K. and Usacheva, N. F. E.P.R. in undercooled solutions containing Mn^{2+} and Gd^{3+} ions, 3=20651
- Garif'yanov, N. S. and Usacheva, N. F. Electron paramagnetic resonance in solutions of Cr^{3+} , 3=7219
- Garif'yanov, N. S. and Yafaev, N. R. Electron paramagnetic resonance of Zr^{3+} in glasses, 3=20660
- Garif'yanov, N. S. See Avvakumov, V. I., 0=8085
- Garif'yanov, N. S. See Avvakumov, V. I., 1=18433
- Garif'yanov, N. S. See Avvakumov, V. I., 2=10706
- Garif'yanov, N. S. See Fedotov, V. N., 3=15946
- Garif'yanov, N. S. See Il'yasov, A. V., 4=2710
- Garif'yanov, N. S. See Yafaev, N. R., 3=20656
- Garif'yanov, N. S. See Yafaev, N. R., 4=7332
- Garigue, J., Lafourcade, L., Nguyen Quat Ti and Sonier, F. Electron diffraction from thin layers of cobalt deposited by evaporation on a (111) face of a copper single crystal, 0=13999
- Garigue, J. See Couderc, J. J., 0=4595
- Garigue, J. See Couderc, J. J., 0=8157
- Garigue, J. See Le Lann, A., 3=16026
- Garin, A. and Faraggi, H. Ranges of 4.5 MeV α -particles in uranium, gold, zirconium and silicon, 0=9446
- Garin, A., Lemeille, C., Manesse, D., Marquez, L., Saunier, N., and Quebert, J. L. On the dissymmetric breaking of activated nuclear complexes produced by Li^6 , 4=30358
- Garin, A., Lemeille, C., Marquez, L. and Saunier, N. Observation of alpha particles from the reaction $\text{Li}^6 + \text{Li}^7$, 3=8137
- Garin, A., Levi, M. and Faraggi, H. The development of nuclear emulsion stacks, 1=13256
- Garin, A. and Marquez, L. Measurement of the branching ratio between protons and α -particles for the 20 MeV level of Be^8 , 3=10250
- Garin, A. and Marquez, L. Study of the $\text{Li}^6(\text{Li}^7, \alpha)\text{Be}^9$ reaction with 2 MeV Li^6 ions, 4=17204
- Garin, A. See Faraggi, H., 0=19984
- Garin, A. See Rosen, L., 2=16400
- Garin, J. M. See Carlino, L., 4=30133
- Garing, J. S. and Howard, J. N. University research in infrared physics, 2=22032
- Garing, J. S., Nielsen, H. H. and Narahari Rao, K. The low-frequency vibration rotation bands of the ammonia molecule, 0=5934
- Garing, J. S. See Howard, J. N., 3=3468
- Garing, J. S. See Howard, J. N., 4=4770
- Garing, J. S. See Howard, J. N., 4=29297
- Garino-Canina, V. The formation and structure of glasses of simple oxides, 1=20632
- Garino-Canina, V. Some physical properties of pure and vitreous germanium oxide due to structural defects, 2=4020
- Garino Canina, V. and Priqueler, M. Diffusion of protons in $\text{SiO}_2 + \text{Al}_2\text{O}_3$ glass in an electrical field, 2=10410
- Gariod, R. See Bonnet, G., 0=12663

- Gariod, R. See Bonnet, G., 0=19863
- Gariyanov, N.S. and Kamenev, S.E. Hyperfine structure of the e.p.r. lines of the V^{50} and V^{51} isotopes, 4=16126
- Garkav'yi, E.V. On the thermodynamic equilibrium in a jet of gas at high temperature, 3=21754
- Garkav'yi, E.V. Measurement of the temperature of the arc jet, 3=24258
- Garkusha, I.P. and Lyubov, B.Ya. The question of the mechanism of ferrite centre growth during isothermal decomposition of austenite, 2=23897
- Garkusha, I.P. and Lyubov, B.Ya. Calculation of the rate of growth of a spherical centre of a new phase, on the assumption that it is limited by diffusion through an intermediate region, 3=5127
- Garkusha, I.P. and Lyubov, B.Ya. The effect of surface tension upon the rate of diffusion-controlled growth of a new phase nucleus, 4=18488
- Garkusha, V.I. See Rusanov, V.D., 1=18858
- Garland, C.W. Generalized Pippard equations, 4=27392
- Garland, C.W. Comment on the elastic properties of β brass, 4=28947
- Garland, C.W. and Jones, J.S. Elastic constants of ammonium chloride near the lambda point, 4=7410
- Garland, C.W. and Jones, J.S. Effect of ordering on the lattice energy and compressibility of ammonium chloride, 4=28303
- Garland, C.W. and Park, K.C. Low temperature elastic contents of gallium arsenide, 2=18977
- Garland, C.W. and Silverman, J. Elastic constants of cadmium from 4.2°K to 300°K, 0=13898
- Garland, C.W. and Silverman, J. Analysis of specific heat data for zinc. Resolution of the calorimetric and elastic Θ discrepancy, 1=6075
- Garland, C.W. and Wilt, J.R. Infrared spectra and dipole moments of $Rh_2(CO)_4Cl$ and $Rh_2(CO)_4Br$, 2=10234
- Garland, C.W. See Isaacs, L.L., 2=14380
- Garland, G.D. The upper mantle project, 2=21615
- Garland, G.D. and Webster, T.F. Studies of natural electric and magnetic fields, 0=12132
- Garland, J.W. Superconductivity without electron-phonon interactions, 4=18537
- Garland, J.W., Jr. Isotope effect in superconductivity, 4=395
- Garland, J.W., Jr. Mechanisms for superconductivity in the transition metals, 4=400
- Garland, R. See Di Capua, E., 4=12027
- Garlick, G.F.J. The electrical properties of phosphors, 0=20887
- Garlick, G.F.J., Cunliffe, A. and Jones, M.N. Some effects observed by electron spin resonance of the diffusion of manganese into the calcium and strontium fluoride lattices, 2=10409
- Garlick, G.F.J. The kinetics and efficiency of cathodoluminescence, 3=971
- Garlick, G.F.J. [Transl.]. Luminescence in crystals, 3=6664
- Garlick, G.F.J. Luminescence in solids, 4=22910
- Garlick, G.F.J. Luminescence of meteorites, 4=23900
- Garlick, G.F.J., Bryant, F.J. and Cox, A.F.J. Production of defects in cadmium sulphide by ^{60}Co gamma rays, 4=20480
- Garlick, G.F.J. and Checinska, H. Recombination radiation and photoconduction efficiency in lead sulphide layers, 2=8240
- Garlick, G.F.J. and Sayer, M. Decay of cathodoluminescence and nonradiative processes in manganese activated phosphors, 3=3066
- Garlick, G.F.J., Springfield, M. and Checinska, H. The infra-red emission of indium sesquisulphide, 3=20515
- Garlick, G.F.J. See Cunliffe, A., 4=26411
- Garlick, R.G. and Probst, H.B. Investigation of room-temperature slip in zone-melted tungsten single crystals, 4=30790
- Garmire, E., Pandarese, F. and Townes, C.H. Coherently driven molecular vibrations and light modulation, 3=24524
- Garmire, G. Geomagnetically trapped protons with energies greater than 350 MeV, 3=23639
- Garmire, G. See Maxwell, A., 1=6641
- Garmire, G. See Maxwell, A., 1=15547
- Garmon, L.B. See Lawless, K.R., 4=2108
- Garmonova, G.I. See Frisman, E.V., 0=12499
- Garn, P.D., Geith, G.R. and DeBala, S. Furnace mounting and control system for Ainsworth vacuum automatic recording balance, 2=11318
- Garn, W.B. Detonation pressure of liquid TNT, 0=6399
- Garn, W.B. See Caird, R.S., 4=11744
- Garn, W.B. See Fowler, C.M., 0=9144
- Garnache, R. See Dreiner, R., 2=8767
- Garnell, G.C. and Judd, F.S. A technique for examination of the edge faces of tabular microcrystals applied to silver-bromide grains for evidence of twinning, 1=2519
- Garner, C.S. See Pearson, I.M., 0=8300
- Garner, C.S. See Pearson, I.M., 2=4526
- Garner, E.L. See Shields, W.R., 2=14227
- Garner, F.H. and Haycock, P.J. Circulation in liquid drops, 0=8643
- Garner, F.H. and Mina, P. Surface ageing at liquid-liquid interfaces. I. Calibration of contracting jet method, 0=2158
- Garner, F.H. and Mina, P. Surface ageing at liquid-liquid interfaces. II. Effect of chain length and structure of organic compounds in water, 0=2159
- Garner, F.H. See Goward, V.R., 3=7180
- Garner, W.E. See Dinger, H.E., 4=7856
- Garnett, J.L. Catalytic tritium labeling attractive for organics, 3=19800
- Garnier, J.L. See Roure, J., 4=21253
- Garnier, M., Gauvin, H. and Sebaoun, W. Effective cross-section of the reaction $C^{12}(\gamma, 3\alpha)$ at 14.8 and 17.6 MeV, 1=17081
- Garnier, M. See Delloue, J., 4=4773
- Garnier, M. See Delloue, J., 4=7852
- Garnov, V.V. and Dubovik, A.S. On the projection of photographs taken by the S.F.R. high-speed recording camera, 4=16282
- Garofalo, A.M. New set of variables for astronomical problems, 0=12246
- Garofalo, F., Chou, Y.T. and Ambegaokar, V. Effect of hydrogen on stability of micro cracks in iron and steel, 1=2517
- Garofalo, F., Zwell, L., Keh, A.S. and Weissmann, S. Substructure formation in iron during creep at 600°C, 1=14893
- Garofalo, F. See Chou, Y.T., 1=2510
- Garofalo, R. and Wriedt, H.A. Density change in an austenitic stainless steel deformed in tension or compression, 2=23746
- Garofano, T., Palma-Vittorelli, M.B., Palma, M.U. and Perisco, F. Motional and exchange effects in the E.S.R. behaviour of Ni^{2+} and Mn^{2+} hexamine cubic crystals, 4=26418
- Garofano, T. See Agnetta, G., 2=8522
- Garofano, T. See Ciccarello, I.S., 0=20660
- Garofano, T. See Ciccarello, I.S., 1=14106
- Garowitz, B., Moses, K. and Gloersen, P. Experimental investigations of plasma accelerators for space vehicle guidance and propulsion, 2=3056
- Garrell, M.H. See De Waard, H., 3=12594
- Garren, A.A. Calculation of cyclotron trim-coil currents for field optimization by linear programming methods, 3=5765
- Garren, A.A., Judd, D.L., Smith, L. and Willax, H.A. Electrostatic deflector calculations for the Berkeley 88-inch cyclotron, 3=5788
- Garren, A.A. See Willax, H.A., 3=5771
- Garren, A.A. See Young, J.D., 3=5766
- Garreta, D., Benezech, P. and Knittner, G. Ion source of the inverse magnetron type for a cyclotron, 3=2043
- Garreta, H. See Chaminade, R., 2=494
- Garreta, O. and Grosvalet, J. Photo-magneto-electric effect in semiconductors, 0=20889
- Garretson, H.H. and Drury, J.S. Isotopic separation factor for the system potassium amalgam-aqueous potassium hydroxide, 1=10291
- Garrett, C. See Henry, W.H., 1=1951
- Garrett, C.G.B. Quantitative considerations concerning catalysis at a semiconductor surface, 0=21267
- Garrett, C.G.B. Organic semiconductors, 2=23304
- Garrett, C.G.B. and Merritt, F.R. P.m.r. spectra of Nd^{3+} in compensated and uncompensated $CaWO_4$, 4=13348
- Garrett, C.G.B. See Collins, R.J., 0=21007
- Garrett, C.G.B. See Faust, W.L., 3=17075
- Garrett, C.G.B. See Faust, W.L., 4=11820
- Garrett, C.G.B. See Kaiser, W., 1=11397
- Garrett, C.G.B. See Kaiser, W., 1=17910
- Garrett, C.G.B., Kaiser, W. and Bond, W.L. Stimulated emission into optical whispering modes of spheres, 2=2244
- Garrett, C.G.B. See McFarlane, R.A., 4=27689
- Garrett, C.G.B. See Patel, C.K.N., 4=11823
- Garrett, C.G.B. See Patel, C.K.N., 4=30086
- Garrett, C.G.B. See Pfann, W.G., 0=7952
- Garrett, D.L. See Detwiler, C.R., 2=2480
- Garrett, H.J. and Lipsitt, H.A. Die forming doubly focusing X-ray monochromators, 1=15145
- Garrett, H.J. See Hook, R.E., 3=15485

- Garrett, M.W. Calculations of fields, forces, and mutual inductances of current systems by elliptic integrals, 3=21939
- Garrett, W.D. and Bultman, J.D. Capillary-wave damping by insoluble organic monolayers, 4=5145
- Garrett, W.D. See Krynsky, J.A., 4=14128
- Garrett, W.R. and Mann, R.A. Model for the scattering of slow electrons by cesium atoms, 3=12776
- Garrett, W.R. and Mann, R.A. Elastic scattering of slow electrons from alkali atoms, 4=25573
- Garrido, J. See Wittke, O., 0=4575
- Garrido, L.M. Recoilless strong coupling charged nucleon's propagator, 0=7284
- Garrido, L.M. Perturbations in classical mechanics, 1=82
- Garrido, L.M. Adiabatic invariants in quantum mechanics, 1=6735
- Garrido, L.M. Relativistic quantum kinetics, 1=9325
- Garrido, L.M. Action principle for classical mechanics, 2=2593
- Garrido, L.M. Approximate constancy of adiabatic invariants, 2=4919
- Garrido, L.M. Relativistic quantum mechanics, 2=11277
- Garrido, L.M. and Sancho, F.J. Degree of approximate validity of the adiabatic invariance in quantum mechanics, 2=15484
- Garrido, L.M. Generalized adiabatic invariance, 4=11065
- Garrido, L.M. Extended adiabatic invariance, 4=27064
- Garrido, L.M. and Gascón, F. Approximate constancy of adiabatic invariants in plasma physics, 3=390
- Garrido, L.M. and Gascón, F. General theory of perturbations in classical mechanics, 3=23807
- Garrido, L.M., Gascón, F. and Sancho, F.J. General theory of perturbations in classical mechanics, 3=1643
- Garrido, L.M. and Sancho, F.J. Approximate validity of the adiabatic theorem in quantum mechanics, 3=14024
- Garrido, L.M. and Sesma, J. Observables of relativistic particles, 3=4321
- Garrido, L.M. and Tixaire, A.G. On high energy potential scattering, 0=7300
- Garrido, L.M. See Sesma, J., 4=21739
- Garrigue, C. See Durivault, J., 2=11385
- Garrigue, H. Radioactivity of atomic origin in the air and in precipitations, 1=1521
- Garrigue, H. Artificial radioactivity of the air and of precipitation, 2=4612
- Garrigue, H. Artificial radioactivity of the air and its precipitations, 2=15205
- Garrigue, H. Artificial radioactivity of the air and of precipitation, 3=9057
- Garrigue, H. Research on the radioactivity of the atmosphere and of precipitations, 3=25912
- Garrigues, C. See Durivault, J., 3=11352
- Garriott, O.K. The determination of ionospheric electron content and distribution from satellite observations. I. Theory of the analysis, 0=14205
- Garriott, O.K. The determination of ionospheric electron content and distribution from satellite observations. II. Results of analysis, 0=14206
- Garriott, O.K. and de Mendonça, F. A comparison of methods used for obtaining electron content from satellite observations, 4=2282
- Garriott, O.K. and Little, C.G. The use of geostationary satellites for the study of ionospheric electron content and ionospheric radio-wave propagation, 0=16427
- Garriott, O.K. and Nichol, A.W. Ionospheric information deduced from the Doppler shifts of harmonic frequencies from earth satellites, 1=20940
- Garriott, O.K. and Rishbeth, H. Effects of temperature changes on the electron density profile in the F2 layer, 4=2312
- Garriott, O.K. and Thomas, J.O. Some numerical solutions of the continuity equation for electrons in the nighttime F region of the ionosphere, 3=9088
- Garriott, O.K. See Lawrence, R.S., 3=18526
- Garriott, O.K. See de Mendonça, F., 2=13030
- Garriott, O.K. See de Mendonça, F., 3=6997
- Garriott, O.K. See Mlodnosky, R.F., 3=16263
- Garriott, O.K. See Rishbeth, H., 3=13761
- Garriott, O.K. See Rishbeth, H., 4=17954
- Garrison, G.R., Kirkland, P.C. and Murphy, S.R. Long-range measurement of sound speed in sea water, 1=5328
- Garrison, G.R., Murphy, S.R. and Potter, D.S. Measurements of the backscattering of underwater sound from the sea surface, 0=2209
- Garrison, J.C. Interaction picture in gravitational theory, 3=7099
- Garrison, J.C. See Belinfante, F.J., 2=2624
- Garrison, J.D. and Roos, B.W. Fission-product capture cross sections, 2=5988
- Garrod, R.I. and Coyle, R.A. The effect of stress on X-ray line profiles, 4=23143
- Garrod, R.I. and Hart, R.K. Transmission specimen holder for electron diffraction, 0=4701
- Garrod, R.I. and Hawkes, G.A. X-ray stress analysis on plastically deformed metals, 3=18180
- Garrod, R.I. and Kindermann, M.R. Improvements to a magnetic vacuum valve, 3=1740
- Garron, J.P. Quasi-free scattering of 155 MeV protons on protons in light nuclei, 3=6232
- Garron, J.P., Jacmart, J.C., Massonnet, L., Riou, M. and Ruhla, C. Elastic and inelastic scattering of 155 MeV protons by carbon, 1=13783
- Garron, J.P., Jacmart, J.C., Riou, M. and Ruhla, C. The (p, 2p) reaction of C^{12} at 155 MeV, 2=455
- Garron, J.P., Jacmart, J.C., Riou, M. and Ruhla, C. Momentum distribution of protons in ^{12}C nucleus from p, 2p reaction at 155 MeV, 2=1893
- Garron, J.P., Jacmart, J.C., Riou, M., Ruhla, C., Teillac, J., Caverzasio, C. and Strauch, K. Quasi-elastic interaction of 155 MeV protons with protons in Li^6 and Li^7 , 2=1895
- Garron, J.P., Jacmart, J.C., Riou, M., Ruhla, C., Teillac, J. and Strauch, K. Study of the structure of light nuclei by (p, 2p) reactions at 155 MeV, 2=20625
- Garron, J.P. See Hornyak, W.J., 4=19770
- Garron, J.P. See Jacmart, J.C., 4=15202
- Garron, J.P. See Ruhla, C., 2=20617
- Garron, R. Photoelectric yield of thin films of aluminium, 2=5369
- Garron, R. Optical scattering by thin metal films, 2=13455
- Garron, R. Photoelectric yield and work function of thin metal films, 2=17867
- Garron, R. Photoelectric yield of thin gold films, 3=426
- Garron, R. Dipole moment of the double layer of metallic surfaces, 3=15470
- Garron, R. and Lejeune, J. Distribution of emission velocities of photoelectrons from thin layers of aluminium and silver, 3=9835
- Garron, R., Liberman, M. and Testard, D. Temperature variation of the work function of potassium, 2=2242
- Garron, R. and Liberman, M. Apparatus for the study of the photoelectric sensitivity of thin metallic films, 3=6626
- Garron, R. and Testard, D. Evidence and measurements on the effect of temperature on the work function of potassium, 2=1476
- Garron, R. Photoelectric yield of thin layers of magnesium, 4=16522
- Garron, R., Dalmás, J. and Liberman, M. Optical scattering of thin metallic films, 4=22837
- Garron, R. and Giraud, G. Energy distribution of photoelectrons from thin films of magnesium, 4=575
- Garron, R. See Dalmás, J., 4=2846
- Garroni, A. See Facchini, A., 2=12244
- Garrod, J.R. Methods of improving the sensitivity of the Bitter technique, 2=13649
- Garrood, J.R. and Grigson, C.W.B. On domain walls inclined to the easy axis in thin ferromagnetic films, 3=1078
- Garscadden, A. Low-frequency noise and oscillations in the meniscus-type discharge, 3=4039
- Garscadden, A. Experiments on plasma oscillations, 3=14607
- Garscadden, A. and Bletzinger, P. Langmuir probe measurements in the presence of oscillations, 4=24671
- Garscadden, A. and Emeleus, K.G. Exploration of oscillating beam-plasma fields with a transverse electron beam, 1=18898
- Garscadden, A. and Emeleus, K.G. Notes on the effect of noise on Langmuir probe characteristics, 2=9598
- Garscadden, A. and Emeleus, K.G. The dead space in plasma oscillators, 2=9605
- Garscadden, A. and Gray, E.M. Spectroscopic detection of the onset of plasma oscillations in a gas discharge, 2=22233
- Garscadden, A., Gray, E.M.H. and Emeleus, K.G. Spectroscopic study of oscillating low-pressure discharges, 3=7609
- Garscadden, A. See Bletzinger, P., 4=11544
- Garscadden, A. See Crawford, F.W., 4=18703
- Garscadden, A. See Emeleus, K.G., 1=298
- Garscadden, A. See Emeleus, K.G., 2=17850
- Garscadden, A. See Emeleus, K.G., 3=14608
- Garscadden, A. See Mahaffey, D.W., 2=2464

- Garstang, R.H. Mutual magnetic interactions and oscillator strengths in the first spectrum of oxygen. 1=810
- Garstang, R.H. Transition probabilities for forbidden lines of Ne IV. 0=17670
- Garstang, R.H. Energy levels and transition probabilities of Fe IV. 0=20541
- Garstang, F.H. Variable star observations of Stanley Williams. 1=12764
- Garstang, R.H. See Douglas, A.S., 2=10210
- Garstang, R.H. Transition probabilities for permitted and forbidden lines of Si X, Fe XIV and Fe X. 2=14205
- Garstang, R.H. Hyperfine structure and intercombination line intensities in the spectra of magnesium, zinc, cadmium, and mercury. 2=16480
- Garstang, R.H. Two solar ultra-violet lines of neutral carbon. 2=19307
- Garstang, R.H. Transition probabilities for forbidden lines of Fe II. 2=22904
- Garstang, R.H. Revised molecular constants for the CH and CD spectra. 3=25119
- Garstang, R.H. Transition probabilities of forbidden lines. 4=15268
- Garstang, R.H. Electronic g factor in Ge I and Sn I and empirical intermediate coupling transformations. 4=22303
- Garstang, R.H. and Dawe, J.A. Two lines of neutral silicon in the solar ultra-violet spectrum. 3=9200
- Garstone, J. and Nileschwar, V.B. Retardation of diffusion-controlled processes by deformation. 2=830
- Garte, D. See Drescher, K., 2=7773
- Garte, D. See Drescher, K., 3=24494
- Garte, D. See Drescher, K., 4=3196
- Garten, V. A. and Head, R. B. Crystalloluminescence and the nature of the critical nucleus. 4=7197
- Garten, V. A. and Head, R. B. Carbon particles and ice nucleation. 4=27374
- Gartenhaus, S. On a variational principle for a classical plasma. 1=11923
- Gartenhaus, S. Particle dynamics in a bounded region. 3=12220
- Gartenhaus, S. and Blankenbecler, R. Photoproduction of π mesons. 0=2584
- Gartenhaus, S. and Stranahan, G. Spin effects on the plasma oscillations of an electron gas in a magnetic field. 4=9925
- Gartenhaus, S. and Tannenwald, L. M. Propulsion from pinch
- Gartenhaus, S. See Blankenbecler, R., 0=2556
- Gartenhaus, S. See Blankenbecler, R., 0=20215
- Gartlein, C. W. Visual observation of the aurora. 0=8401
- Gartlein, C. W. and Sprague, G. Auroral absorption of radio signals. 3=510
- Gartlein, C. W., Sprague, G. and Waag, R. C. 41 Mc/s I.G.Y. auroral radar at Ithaca. New York. 0=16468
- Gartlein, C. W. See Bless, R. C., 0=8403
- Gartlein, C. W. See Bless, R. C., 0=14278
- Gartlein, C. W. See O'Brien, B. J., 1=15308
- Gärtner, F. The structure of nickel deposits by cathode sputtering. 1=19770
- Gärtner, H. Uniaxial magnetic anisotropy of thin nickel and iron layers deposited by cathode sputtering. 1=20102
- Gärtner, H. The uniaxial magnetic anisotropy of thin films of nickel and iron formed by cathode sputtering. 2=12780
- Gärtner, H. Structure and magnetic properties of thin Ni layers produced by cathodic sputtering. 4=1836
- Gärtner, H. See Meierling, D., 4=26319
- Gärtner, W. and Lohmann, A. Experiment to exceed the Abbe resolution limit. 3=14322
- Gärtner, W. W. Depletion-layer photoeffects in semiconductors. 0=1682
- Gärtner, W. W. Temperature dependence of carrier densities, mobilities, diffusion constants and conductivities in germanium and silicon. 1=1061
- Gärtner, W. W. Photothermal effect in semiconductors. 1=7634
- Gärtner, W. W., Loscoe, C. and Mette, H. Photomagnetothermal effect in semiconductors. 2=14523
- Gärtner, W. W. See Ahlstrom, E., 2=18754
- Gärtner, W. W. See Ahlstrom, E., 0=622
- Gärtner, W. W. See Mette, H., 0=7969
- Garton, C. G. and Krasucki, Z. Bubbles in insulating liquids: stability in an electric field. 4=24151
- Garton, F. W. J. and Davis, H. M. (Conf. rep.). Summarized proceedings of a Colloquium on X-ray Fluorescence Analysis — London, February and April, 1958. 0=8342
- Garton, G., Hutchings, M. T., Shore, R. and Wolf, W. P. Paramagnetic resonance of rare-earth ions in YCl_3 and LuCl_3 . 4=30731
- Garton, G., Leask, M. J. M., Wolf, W. P. and Wyatt, A. F. G. Magneto-caloric effects in gadolinium trichloride. 3=15803
- Garton, G. See Ball, M., 1=6365
- Garton, G. See Boakes, D., 0=4516
- Garton, W. R. S. Improved Lyman-continuum flash-source of large aperture. 0=3629
- Garton, W. R. S. and Codling, K. The absorption spectra of the alkaline earth metal vapours. 2=14190
- Garton, W. R. S. Survey of recent advances in the spectroscopy of the vacuum ultraviolet. 3=7325
- Garton, W. R. S. Atomic absorption spectra and configuration interaction effects. 3=10439
- Garton, W. R. S. and Codling, K. Ultraviolet extensions of the arc spectra of the alkaline earths: the absorption spectrum of barium vapour. 0=7724
- Garton, W. R. S. and Codling, K. Extension of series in the first spectrum of indium (In I). 1=12723
- Garton, W. R. S., Parkinson, W. H. and Reeves, E. M. The absorption spectrum of shock-excited barium. 2=22897
- Garton, W. R. S. See Clarke, F. J. P., 0=3632
- Garton, W. R. S. See Pery-Thorne, A., 1=2291
- Gartseva, L. E. See Mordkovich, V. N., 3=20319
- Garusov, E. A. See Bulatov, B. P., 1=16736
- Garvey, G. T., Cerny, J. and Pehl, R. H. $T = 2$ states in Mg^{24} , Ti^{48} and Fe^{52} . 4=27963
- Garvey, G. T. and Hiebert, J. C. The scattering of 168 MeV O^{16} nuclei from C^{12} . 4=22200
- Garvey, G. T., Smith, A. M., Hiebert, J. C. and Steigert, F. E. Mutual excitation via a two-phonon surface interaction in $\text{C}^{12}(\text{C}^{12}, \text{C}^{13*})\text{C}^{12*}$. 2=5972
- Garvey, G. T., Smith, A. M. and Hiebert, J. C. Enhanced excitation of $T = 0, S = 0$ states of the ground-state configuration in $\text{C}^{12} - \text{C}^{12}$ scattering at 126 MeV. 3=15101
- Garvey, G. T. See Hiebert, J. C., 4=25439
- Garvey, J. A fast coincidence circuit using zero-crossed photomultiplier pulses. 4=30130
- Garvey, J. See Patrick, B. H., 4=21892
- Garvin, D., Broida, H. P. and Kostkowski, H. J. Chemically induced vibrational excitation: Hydroxyl radical emission in the 1-3 micron region produced by the $\text{H} + \text{O}_3$ atomic flame. 0=5931
- Garvin, D., Broida, H. P. and Kostkowski, H. J. Chemically induced vibrational excitation: hydroxyl radical emission in the 1-3 micron region produced by the $\text{H} + \text{O}_3$ atomic flame. 2=16513
- Garvin, D. See Bass, A. M., 2=20821
- Garvin, D. See Bass, A. M., 4=23675
- Garvin, H. L., Green, T. M., Lipworth, E. and Nierenberg, W. A. Hyperfine structure and nuclear moments of bromine-82. 0=1352
- Garvin, H. L. and Lipworth, E. The nuclear spins of I^{126} , I^{132} , I^{133} and I^{135} . 0=17480
- Garvin, H. L., Teutsch, W. B. and Pidd, R. W. Generation of alternating current in the cesium cell. 0=15066
- Garvin, F. L. See Lipworth, E., 0=13120
- Garvin, H. L. See Lipworth, E., 0=17484
- Garvin, S. J. See Steinort, E., 2=12719
- Garwacki, W. See Aven, M., 3=23419
- Garwin, E., Kernan, W., Kim, C. O. and York, C. M. Charge exchange scattering of 128 MeV negative pions on hydrogen. 0=1296
- Garwin, E. See Crewe, A. V., 0=1277
- Garwin, E. L. and Penfold, A. S. Instrumentation for medium energy gamma-ray scattering measurements. 0=15320
- Garwin, E. L. See Gabriel, R., 0=17284
- Garwin, E. L. See Penfold, A. S., 0=1433
- Garwin, E. L. See Penfold, A. S., 0=3822
- Garwin, E. L. See Sherwin, C. W., 0=10569
- Garwin, E. L. See York, C. M., 0=13030
- Garwin, R. L. The collection of light from scintillation counters. 0=19971
- Garwin, R. L. Lepton physics. 3=4358
- Garwin, R. L., Hutchinson, D. P., Penman, S. and Shapiro, G. Accurate determination of the μ^+ magnetic moment. 0=9392
- Garwin, R. L. and Landesman, A. Nuclear magnetic resonance in solid He^3 —the exchange bath. 4=11453
- Garwin, R. L. and Landesman, A. M. Magnetic resonance measurements on β -phase ^3He below 1°K . 4=14505
- Garwin, R. L. and Reich, H. A. Self-diffusion and nuclear relaxation in He^3 . 0=1069
- Garwin, R. L. and Reich, H. A. He^3 — He^4 thermal rectifiers. 0=1085
- Garwin, R. L. and Reich, H. E. Self diffusion, mutual diffusion and nuclear spin relaxation measurements in ^3He . 0=8882
- Garwin, R. L. and Reich, H. A. Heat capacity of the exchange bath in solid He_3 . 4=21388

- Garwin, R.L. See Charpak, G., 1-5742
- Garwin, R.L. See Charpak, G., 2-1700
- Garwin, R.L. See Charpak, G., 2-3367
- Garwin, R.L. See Charpak, G., 2-13832
- Garwin, R.L. See Erlbach, E., 0-10853
- Garwin, R.L. See Sarachik, M.P., 0-7034
- Garwood, R.D. and Davies, A.L. The effect of structural imperfections on the age-hardening of aluminium-zinc alloys, 1-20368
- Garwood, R.D., Davies, A.L. and Richards, G.L. A transition phase in the ageing of aluminium-zinc alloys, 1-15130
- Gary, B. An investigation of Jupiter's 1400 Mc/sec radiation, 4-4940
- Gary, B.L. See Miller, A.C., 3-7048
- Gasanov, B.G. and Grum-Grzhimailo, S.V. Absorption spectra of crystals and solutions of Fe, Ni and Cu Mono-, di- and tri-ethanolamine complexes, 0-13693
- Gasanov, E. M., Prokhorov, A. M. and Fedorov, V. B. Paramagnetic relaxation in systems with strong exchange interactions at low temperatures, 4-30730
- Gasc, C. and Baudeau, M. Different recrystallization processes in beryllium, 2-19032
- Gascoigne, H. E. See Yih Chia-Shun, 4-18152
- Gascoigne, S.C.B. Note of band transmission in multilayer dielectric filters, 0-6912
- Gascon, F. An action principle for relativistic mechanics, 2-7124
- Gascón, F. Confinement of plasma in magnetic bottles, 3-24292
- Gascón, F. Perturbation methods in the dynamics of continuous media, 4-27130
- Gascón, F. See Garrido, L.M., 3-390
- Gascón, F. See Garrido, L.M., 3-1643
- Gascón, F. See Garrido, L.M., 3-23807
- Gase, R. Spectroscopic studies of stilbene derivatives, 3-735
- Gase, R., Rohmann, W. and Schubert, M. Experimental and theoretical investigations of the plane structural vibrations of stilbene, 4-12510
- Gashev, M.A. See Monoszon, N.A., 4-14798
- Gashev, M.A. See Veksler, V.I., 0-5369
- Gashimzade, F.M. Symmetry of energy bands in crystals of the SnSe and Sb₂S₃ type, 1-930
- Gashimzade, F.M. Symmetry of the energy bands in TlSe-type crystals, 1-3622
- Gashimzade, F.M. Symmetry of energy bands in crystals of the SnSe and Sb₂S₃ type, 1-4976
- Gashimzade, F.M. Correction to the article "Symmetry of the energy bands in TlSe-type crystals", 3-15460
- Gashimzade, F.M. Energy structure of complex semiconductors. Spectrum of holes in compounds with wurtzite structure, 3-15568
- Gashimzade, F.M. Band structure of semiconducting compounds of A^{III}B^{IV}C₂ type with chalcopyrite structure, 3-17871
- Gashimzade, F.M. Theory of the drag exerted by phonons on charge carriers in semiconductors with tetragonal symmetry, 3-25248
- Gashimzade, F.M. and Kesamanli, F.P. An investigation of the dependence of the effective mass of electrons in n-type In₂S₃ on the concentration of current carriers, 1-17726
- Gashimzade, F.M. and Khartsiev, V.E. Energy structure of complex semiconductors. Calculation of the band structure of Si, Ge and GaAs by a simplified orthogonalized plane wave method, 1-14455
- Gashimzade, F.M. and Khartsiev, V.E. Energy structure of complex semiconductors. Calculation of the band structure of Si, Ge and GaAs by a simplified orthogonalized plane wave method, 1-17705
- Gashimzade, F.M. and Khartsiev, V.E. Energy structure of complex semiconductors. The valence band spectrum of anisotropic compounds of SnS-type, 2-18710
- Gashimzade, F.M. See Gubanov, A.I., 0-2891
- Gashimzade, F.M. See Gubanov, A.I., 0-15947
- Gashin, L.L. See Kachurin, L.G., 3-18252
- Gashka, I.I. and Pozhela, Yu.K. Investigation of the electrical parameters of semiconductors by means of u.h.f. techniques, 0-4331
- Gashpar, R. Universal potential of atoms, 4-19923
- Gashpar, R. See Izmailov, N.A., 1-18397
- Gasilevich, E.S. See Slobodskaya, P.V., 0-4186
- Gasilevich, E.S. See Slobodskaya, P.V., 0-15692
- Gasior, S., Stepniewski, W. and Sujak, B. Effect of an external electric field on photostimulated exoelectron emission from additively coloured NaCl into a gaseous atmosphere. II, 4-24721
- Gasior, S. See Sujak, B., 3-24336
- Gasior, S. See Wesolowski, J., 2-11042
- Gasiorowicz, S. Remarks concerning possible higher resonances in the unitary symmetry model, 3-24622
- Gasiorowicz, S. The application of dispersion relations in quantum field theory, 4-929
- Gasiorowicz, S.G. See Case, K.M., 2-3255
- Gaskell, C.S. and Walsh, D. S-band isolator for use with a linear accelerator, 0-12656
- Gaskell, C.S. See Barber, P.B., 2-9555
- Gaskell, D.U. See MacDonald, A.D., 3-14560
- Gaskell, T. The collective treatment of a Fermi gas. II, 1-11183
- Gaskell, T. The collective treatment of many-body systems. III, 3-14066
- Gaskell, T.F. Techniques of geophysical exploration, 3-1409
- Gaskell, T. and March, N.H. Electronic momentum distributions in liquid metals and long-range oscillatory interactions between ions, 4-5152
- Gasnier, J. Attainment of precision temperature regulation below ambient, 1-16161
- Gáspár, R. See Izmailov, N.A., 1-18397
- Gaspar, E., Licaret, C. and Serban, D. Deactivation of water contaminated by radioactive isotopes, 2-4523
- Gaspar, E. and Oncescu, M. Radioactive tracers for the identification of water infiltrations under a dam, 4-3587
- Gáspár, R. A theoretical estimation of the interaction energy of inert gas atoms, 0-5867
- Gáspár, R. United atom model of the H₂⁺ molecule-ion, 0-5962
- Gáspár, R. United atom treatment of the H₂ molecule, 0-5963
- Gáspár, R. Electronic structure of semi-conducting selenium and tellurium, 0-6126
- Gáspár, R. Theoretical interpretation of the optical and electrical properties of tellurium, selenium and their alloys, 0-6127
- Gáspár, R. Plane wave method with a modified potential field, 0-13514
- Gáspár, R. Calculation of the energies of the s-states in the H₂⁺ molecule-ion, 0-17762
- Gáspár, R. Electronic structure of atomic sulphur, 1-2279
- Gáspár, R. The energy spectrum of localized electron levels, 1-6084
- Gáspár, R. Theory of the electronic structure of the Au atom, 1-19579
- Gáspár, R. The theory of the electronic structure of the Br atom and the Te atom, 3-12755
- Gáspár, R. The Hellmann-Feynman theorem in the variational method, 4-2564
- Gáspár, R. The Hellmann-Feynman theorem and the correlation energy, 4-2565
- Gáspár, R. Theoretical determination of the interaction energy of noble gas atoms. II Interaction of noble gas atoms of different atomic numbers. Interpolation problems, 4-9672
- Gáspár, R. Pseudopotentials in the theory of electron scattering, 4-28097
- Gáspár, R. and Kotlay-Gyarmati, B. New investigation of the H₂⁺ molecule-ion, 0-7784
- Gáspár, R. and Molnár, K. Electronic structure of the Po atom, 0-5847
- Gáspár, R. and Szabó, É. Comparison of calculations performed with the variational method and the "self-consistent field" method for determining the electron structure of the oxygen atom, 0-7699
- Gáspár, R. and Tamássy-Lentei, I. United atom model of the hydride molecules HO, HO⁻ and H₂O, 0-5964
- Gáspár, R. and Tamássy-Lentei, I. The united atom model of the HF molecule, 0-20671
- Gaspar, R., Tamassy-Lentei, I. and Kruglyak, K. United-atom model for molecules of the type XH_n, 2-6200
- Gasparrini, G. D., Shyu Wei-Mei and Das, T. P. Theory of core-electron contributions to hyperfine interactions, 4-17235
- Gasparrini, G. See Mazza, M., 4-26547
- Gasparrini, G. See Benci, S., 4-15732
- Gasparyan, L.G., Matoyan, D.S. and Melikyan, E.G. Use of reflecting illuminator for examination of thick photographic emulsions, 4-16782
- Gasparin, H. The position of heavy atoms in ferroelectric lead metatantalate, PbTa₂O₆, 4-23450
- Gasparin, M. Ca₂Ta₂O₇: a new double oxide of tantalum and calcium, 4-2074
- Gasparin, M. Crystallographic study of a double oxide of tantalum and strontium, 4-13607
- Gassaway, J. D. See Friedlaender, F. J., 4-28534
- Gasse, H.J. See Kleint, C., 0-7131

- Gasser, C.G. and Kipling, J.J. Adsorption from liquid mixtures at solid surfaces, 0=14149
- Gasser, R.P.H. and Richards, R.E. Ion-pair formation in thallos solutions, III, 1=156
- Gasser, R.P.H. See Freeman, R., 1=154
- Gasser, R.P.H. See Freeman, R., 1=155
- Gassmann, F. Elastic multiplet waves in a medium consisting of homogeneous, isotropic, plane parallel layers, 0=12127
- Gassmann, G.J. Tides in the F-layer, 0=12183
- Gasson, D.B. Apparatus for the differential thermal analysis of compounds with high vapour pressure components, 2=7087
- Gasson, D.B., Holmes, P.J., Jennings, I.C., Marathe, B.R. and Parrott, J.E. The properties of ZnSnAs_2 and CdSnAs_2 , 2=23417
- Gasson, D.B., Holmes, P.J., Jennings, I.C., Parrott, J.E. and Penn, A.W. The preparation and properties of In_2Te_3 and its alloys with InAs , 3=1345
- Gåsström, R.V. A very fast pulse-height analyser with independent uptake, sorting and storage of information, 0=17178
- Gåsström, R.V. A versatile pulse height analyzer utilizing photo-pick-up sorting off a c.r.t. screen, 1=2934
- Gasström, R.V. A transistorized equalizer for fast coincidence work with scintillation counters, 1=13055
- Gast, H.H. Study of stereoscopic transfer processes [verlagerungsprozessen] under conditions of intermittent stimulation, 3=1565
- Gast, P.F. Formulas for thermal reactors with some resonance fission, 2=6011
- Gast, P. F. A variational principle for heterogeneous resonance capture as a basis for approximation methods, 4=22256
- Gast, P.W. Limitations on the composition of the upper mantle, 0=14160
- Gast, R.C. See Amster, H.J., 2=5650
- Gast, R.C. See Amster, H.J., 2=5681
- Gast, R. C. See Candelore, N. R., 4=25465
- Gast, T. Microweighing in vacuo with a magnetic suspension balance, 4=2508
- Gastaud, A. See Bousquet, P., 4=22818
- Gastebois, J., Jastrzebski, J., Picou, J.L., Quidort, J. and Schapira, J.P. (d, α) reactions in carbon 12, 2=487
- Gasten, B.R. Nuclear reaction energies with an absolute ion velocity gauge, 3=22381
- Gastebois, J. and Quidort, J. Evidence of the quadrupole moment of the nucleus of iron 57, 2=3468
- Gastebois, J. Quadrupole moment of $\text{Fe}^{57\text{m}}$, 4=15158
- Gastebois, J. See Cotton, E., 2=351
- Gastilovich, E. A., Shigorin, D. N. and Komarov, N. V. An infrared study of acetylene derivatives containing group IV elements, 4=20075
- Gat (Gutmann), J.R. and Gilat, J. A low background beta counter with a plastic scintillator anticoincidence shield, 1=5846
- Gatcel, J. and Weill, G. Equipment for measuring the thermal conductivity of semiconductors. II. Angstrom method, 2=22074
- Gatehouse, B. M. See Roth, R. S., 4=26659
- Gates, D.C., Kenney, R.W., McPherson, D.A. and Swanson, W.P. Operation of hydrogen bubble chambers in high-energy photon beams, 0=9243
- Gates, D.C., Kenney, R.W. and Swanson, W.P. Electron triplet production by high-energy photons in hydrogen, 2=5627
- Gates, D. C. See Luce, J. C., 4=19061
- Gates, D.C. See Swanson, W.P., 1=527
- Gates, D.C. See Swanson, W.P., 1=531
- Gates, D.M. Near infrared atmospheric transmission to solar radiation, 1=1510
- Gates, D.M., Calfee, R. F. and Hansen, D.W. Computed transmission spectra for 2.7-micron H_2O band, 4=3881
- Gates, D. M., Calfee, R. F., Hansen, D. W. and Benedict, W. S. Line parameters and computed spectra for water vapor bands at 2.7 μ . I. Line positions, strengths, and half-widths for water vapor bands ν_1 , $2\nu_2$, and ν_3 in the interval 2857 to 4444 cm^{-1} , 4=30447
- Gates, D. M., Calfee, F. and Hansen, D. W. Line parameters and computed spectra for water vapour bands at 2.7 μ . II. Atlas of computed transmission spectra for 2.7 μ H_2O band, 4=30448
- Gates, D.M. and Harrop, W.J. Infrared transmission of the atmosphere to solar radiation, 3=25888
- Gates, D.M. and Shaw, C.C. Infrared transmission of clouds, 0=14302
- Gates, J.W., Habell, K.J. and Jackson, A. The refractive index of materials from 0.2 μ to 5 μ , 2=96
- Gates, J.W. and King, R.J. Synthetic crystalline quartz for ultraviolet polarizers, 2=7411
- Gates, W.L. The stability properties and energy transformations of the two-layer model of variable static stability, 2=8960
- Gates, W. L. and Riegel, C. A. Comparative numerical integration of simple atmospheric models on a spherical grid, 4=23734
- Gatha, K.M. See Gokhale, N.R., 0=14184
- Gatha, K.M. See Pujara, C.M., 0=15503
- Gatha, K.M. See Shah, G.Z., 0=4094
- Gáti, L. and Szalay, L. The experimental investigation of rotation depolarization of the fluorescence of solutions, 1=8130
- Gáti, L. See Szalay, L., 3=1697
- Gatland, I.R. Schwinger's meson and the μ -mesic atom, 0=3977
- Gatland, I.R. Theory of K^+ -nucleon scattering, 0=7415
- Gatland, I. R., Gold, L. and Moffat, J. W. Boundary conditions at infinity for a single blocking electrode, 4=28580
- Gatland, I.R. and Moffat, J.W. Analytic approximation to the low-energy solutions of inverse amplitude dispersion relations, 3=5950
- Gatland, I.R. and Moffat, J.W. Singularities in the angular momentum plane, 3=10054
- Gatland, I. R. and Moffat, J. W. Diffraction scattering and singularities in the angular momentum plane, 4=842
- Gatland, I.R. and Moffat, J. W. Pion-proton diffraction scattering at very small momentum transfers, 4=3462
- Gatland, I.R. and Moffat, J. W. Complex angular momentum and diffraction scattering, 4=15029
- Gatland, I. R. and Moffat, J. W. Solutions in pion-pion scattering for two ρ mesons, 4=27888
- Gatland, I.R. See Bransden, B.H., 3=598
- Gato, R. See Zichichi, A., 2=9849
- Gatos, H.C. Dangling bonds in III-V Compounds, 1=11140
- Gatos, H.C. Crystalline structure and surface reactivity, 2=21559
- Gatos, H.C., Finn, M.C. and Lavime, M.C. Antimony edge dislocations in InSb , 1=14284
- Gatos, H.C. and Lavine, M.C. Etching behavior of the {110} and {100} surfaces of InSb , 0=10291
- Gatos, H.C. and Lavine, M.C. Dislocation etch pits on the {111} and {111} surfaces on InSb , 0=11624
- Gatos, L.C. and Lavine, M.C. Characteristics of the {111} surfaces of the III-V intermetallic compounds, 0=11996
- Gatos, H.C. and Lavine, M.C. Etching and inhibition of the {111} surfaces of the III-V intermetallic compounds: InSb , 1=1367
- Gatos, H.C., Lavine, M.C. and Warekois, E.P. Damages layers in the {111} surfaces of the III-V semiconductor compounds, 2=23764
- Gatos, H.C., Lavine, M.C. and Warekois, E.P. Characteristics of the {111} surfaces of the III-V intermetallic compounds. II. Surface damage, 1=20657
- Gatos, H.C., Moody, P.L. and Lavine, M.C. Growth of InSb crystals in the [111] polar direction, 0=3175
- Gatos, H.C., Strauss, A.J., Lavine, M.C. and Harmon, T.C. Impurity striations in unrotated crystals in InSb , 1=17519
- Gatos, H.C. See Banus, M.D., 2=17729
- Gatos, H.C. See Banus, M.D., 3=2790
- Gatos, H.C. See Banus, M.D., 3=20771
- Gatos, H.C. See Hanneman, R.E., 3=3219
- Gatos, H.C. See Hanneman, R.S., 4=17758
- Gatos, H.C. See Kafalas, J.A., 3=3253
- Gatos, H.C. See Lavine, M.C., 2=8777
- Gatos, H.C. See Moody, P.L., 0=18312
- Gatos, H.C. See Nye, S.D., 4=16345
- Gatos, H.C. See Reed, T.B., 2=19815
- Gatos, H.C. See Warekois, E.P., 0=13941
- Gatos, H.C. See Warekois, E.P., 2=6791
- Gatta, G. Della. See Antonione, C., 4=22565
- Gatti, E., Redaelli, G. and Renzoni, R. Measurement of the effect of a simple passivation process for organic vapour GM counters, 0=5436
- Gatti, E. and Svelto, V. Theory of time resolution in scintillation counters, 0=17139
- Gatti, E. and Svelto, V. Time resolution in scintillation counters, 2=9734
- Gatti, E. See Arecchi, F.T., 1=7010
- Gatti, E. See Arecchi, F.T., 0=17191
- Gatti, E. See Arecchi, F.T., 1=17171
- Gatti, E. See Arecchi, F.T., 1=12038
- Gatti, E. See Bisi, A., 0=17908
- Gatti, E. See Bisi, A., 1=19918
- Gatti, E. See Bisi, A., 3=5992
- Gatti, E. See Cavalleri, C., 2=22377
- Gatti, E. See Cavalleri, G., 3=12374
- Gatti, E. See Cavalleri, C., 3=17156

- Gatti, E. See Cavalleri, G., 4=8612
 Gatti, E. See Cavalleri, G., 4=8613
 Gatti, E. See Cottini, C., 0=2473
 Gatti, E. See Cottini, C., 0=5549
 Gatti, E. See Cottini, C., 0=17195
 Gatti, E. See Cottini, C., 1=17524
 Gatti, E. See Cottini, C., 4=11014
 Gatti, E. See De Martini, F., 2=15869
 Gatti, E. See Fabri, G., 2=20200
 Gatti, E. See Fabri, G., 3=17677
 Gatti, E. See Facchini, U., 0=19966
 Gatti, G., Giacomelli, G., Love, W.A., Middelkoop, W.C. and Yamagata, T. Total absorption lead glass Čerenkov counter, 1=15228
 Gatti, G., Hillman, P., Middelkoop, W.C., Yamagata, T. and Zavattini, E. Inverse photoproduction reaction in $\pi^- + p \rightarrow \gamma + n$ in flight, 1=16854
 Gatti, G., Hillman, P., Middelkoop, W.C., Yamagata, T. and Zavattini, E. The detection efficiency of a plastic scintillator for neutrons in the energy range of 21–29 MeV, 4=30238
 Gatti, G. See Fidecaro, M., 1=5518
 Gatti, G. See Fidecaro, M., 2=9840
 Gatti, G. See Fidecaro, M., 2=22506
 Gatti, P. See Schmorak, M., 4=19696
 Gatti, R.C. See Brandt, R., 3=24990
 Gatti, R.C. See Burnett, D.S., 4=19848
 Gattinger, R.L. See Vallance Jones, A., 3=25933
 Gatto, R. Present problems in the theory of weak interactions, 0=5527
 Gatto, R. Invariants in $K\mu_3$ and $K\epsilon_3$ decays, 0=11217
 Gatto, R. On some questions of the V–A theory, 1=8421
 Gatto, R. On the experimental possibilities with colliding beams of electrons and positrons, 3=2250
 Gatto, R. Classification of lepton currents, 3=14876
 Gatto, R. Leptons and leptonic currents, 3=17179
 Gatto, R. Effects of virtual vector mesons in e^+e^- collisions, 3=17245
 Gatto, R. Possible connection among parity, strangeness and isotopic spin, 3=22057
 Gatto, R. Spin-statistics connection for strange particles, 3=22202
 Gatto, R. and Stapp, H.P. Spin and parity analysis from production and decay of hyperon resonant states, 1=4810
 Gatto, R. See Ademollo, M., 4=3492
 Gatto, R. See Ademollo, M., 4=11902
 Gatto, R. See Ademollo, M., 4=25005
 Gatto, R. See Cabibbo, N., 0=376
 Gatto, R. See Cabibbo, N., 0=5577
 Gatto, R. See Cabibbo, N., 0=9418
 Gatto, R. See Cabibbo, N., 0=13011
 Gatto, R. See Cabibbo, N., 0=15448
 Gatto, R. See Cabibbo, N., 0=17300
 Gatto, R. See Cabibbo, N., 0=17364
 Gatto, R. See Cabibbo, N., 1=2095
 Gatto, R. See Cabibbo, N., 1=12048
 Gatto, R. See Cabibbo, N., 1=12077
 Gatto, R. See Cabibbo, N., 2=275
 Gatto, R. See Cabibbo, N., 2=3259
 Gatto, R. See Celeghini, E., 3=22189
 Gatto, R. See Celeghini, E., 4=25164
 Gatto, R.R. Possible experiments with crossed beams of electrons and positrons, 3=12447
 Gattow, G. The crystal structure of Tl_2SO_4 and Tl_2SeO_4 , 1=1404
 Gatty, B. and Tarrago, X. Spallation reaction ($p, \alpha xn$) on heavy nuclei, 4=30339
 Gatz, C., Smith, F.T. and Wise, H. Chemionization in three-body gas phase reactions, 2=151
 Gatz, C. See King, A.B., 3=2618
 Gatz, C.R., Smith, F.T. and Wise, H. Chemi-ionization in the nitrogen afterglow, 4=23648
 Gatz, C.R., Young, R.A. and Sharpless, R.L. Chemi-ionization in atomic O and N mixtures, 3=25820
 Gatzke, J. The effective cross-section for the quenching of potassium fluorescence radiation as a function of the relative velocity of the collision partners, 4=3807
 Gaudaire, M. Modes of a spin oscillator coupled through a garnet sphere, 4=27670
 Gaudaire, M. A mass spectrometer with quadrupole lenses excited at high frequency, 1=13134
 Gaudaire, M. and Seiden, J. The effect of Nordheim renormalization of the potential of ions in thermal movement on the Knight shift in alkali metals at constant volume, 4=20607
 Gaudet, G., Hedgcock, F.T., Lamarche, G. and Wallingford, E.W. The electrical resistance maximum in dilute magnesium alloys, 0=17999
 Gaudferneau, J. Numerical control of the detection of Gaufres, R. The Raman spectra of copper cyanide and silver cyanide anions, 1=14036
 Gaudin, M. A simple proof of Wick's theorem in statistical mechanics, 0=6686
 Gaudin, M. On the development of the grand partition function for systems of identical particles, 1=1706
 Gaudin, M. The limiting law of level spacings for a random matrix, 1=12802
 Gaudin, M. See Blaise, S., 0=9708
 Gaudin, M. See Mehta, M.L., 0=20344
 Gaudin, M. Energy of an attractive Fermi gas of low density, 3=23800
 Gauk, W., Kamiński, E. and Rutkowski, W. Control rods with sintered boron carbide for the zero energy reactor "Anna", 4=19918
 Gaukler, K.H. Object sputtering in the electron emission microscope depending on the nature and energy of the ions, 3=14642
 Gaukler, K.H. The theoretical resolution limit of the electrostatic electron energy analyser, 4=587
 Gaukler, T.A. See Owe Berg, T.G., 3=14131
 Gaulard, M.L. Contribution to the study of the propagation of [longitudinal] ultrasonic waves in heterogeneous media, 1=17405
 Gaulard, M.L. and Loewenstein, J.C. Study of the transmission of ultrasonic waves in an artificial heterogeneous layer comprising glass "microballs" in a liquid, 3=16621
 Gauld, C. See Brisbout, F.A., 1=13562
 Gauld, C. See Brisbout, F.A., 1=16844
 Gauld, C. See Brisbout, F.A., 3=6109
 Gauld, C.F. See Brisbout, F.A., 1=2111
 Gauld, C.F. See Day, G., 3=7849
 Gauld, C.F. See Farrow, E., 3=19724
 Gaulé, G.K., Adhart, O. and Ross, R.L. Superconductivity of the molybdenum borides and related materials, 4=14525
 Gault, W.A. and Hunten, D.M. Twilight lithium in the upper atmosphere. High abundance of twilight lithium, November 1962, 3=18554
 Gaultier, J. and Hauw, C. Scaling factors and temperature factors, 1=20510
 Gaume, F. Monochromators used in polarimetry, 0=16901
 Gaume, F., Bernard, R., Dupont, P. and Janin, J. Optical properties and structure of luminescent products based on calcium fluoride and antimony oxide, 1=9003
 Gaume, F. and Defrance, R. A photo-electric method of controlling the equality of illumination of two luminous fields in photometry and polarimetry, 3=21514
 Gaume, F. See Boyrivent, A., 4=24374
 Gaume-Mahn, F., Lovat-Gavarini, A., Janin, J. and Déyardin, G. Emission spectra of basic antimonates of magnesium–lithium, magnesium–lithium–sodium and of magnesium–lithium–potassium activated with manganese, 4=1774
 Gaume-Mahn, F. See Linarès, C., 4=26237
 Gaumer, R.E. and Heer, C.V. Atomic heat of sodium metal from 0.4 to 2°K, 0=9857
 Gaunt, D.S. See Fisher, M.E., 4=9806
 Gaunt, P. Correction to a single domain calculation, 0=13789
 Gaunt, P. A magnetic study of precipitation in a gold–cobalt alloy, 0=21242
 Gaunt, P. and Christian, J.W. The cubic–hexagonal transformation in single crystals of cobalt and cobalt–nickel alloys, 0=16311
 Gaunt, P. and Christian, J.W. The crystallography of the β – α transformation in zirconium and in two titanium–molybdenum alloys, 0=16312
 Gaunt, P. and Silcox, J. An electron microscope examination of small cobalt particles precipitated in a gold matrix, 1=20603
 Gaunt, P. and Silcox, J. The electron microscope examination of small ferromagnetic precipitates, 3=1090
 Gaunt, P. See Smith, J.H., 2=6820
 Gaur, M.S. See Bhand, S.C., 3=24074
 Gaus, H. The computation of the diffusion of radioactive gases. I, 2=15634
 Gaus, H. Calculation of the diffusion of radioactive gases. II, 2=19606
 Gauss, E.J. and Gilman, T.S. Improved circuit for the measurement of the dielectric constants of gases, 0=5262
 Gauss, E.J. See Mather, K.B., 4=30922

- Gausset, L., Herzberg, G., Lagerqvist, A. and Rosen, B. Spectrum of the C_2 molecule, 4=6613
- Gaustad, F. and Schwarzschild, M. Note on the brightness fluctuation in the solar granulation, 0=18741
- Gaustad, J. E. The opacity of diffuse cosmic matter and the early stages of star formation, 4=10808
- Gaustad, J. E. The solar helium abundance, 4=15938
- Gaustad, J. E. and Rogerson, J. B., Jr. The solar limb intensity profile, 1=15474
- Gaustad, J. E. and Spitzer, L. Jr. The far ultraviolet line spectrum of a B2 star, 2=4814
- Gaustad, J. E. See Danielson, R. E., 4=23897
- Gaustad, J. E. See Stone, P. H., 1=15750
- Gauster, W. F. Magnetic fields for experimental plasma physics, 4=21621
- Gauster, W. F., Kelley, G. G., Mackin, R. J., Jr and North, G. R. Calculation of ion trajectories and magnetic fields for the magnetic trapping of high energy particles, 3=12154
- Gauster, W. F. See Chandrasekhar, B. S., 4=3093
- Gauster, W. F. See Coffey, D. L., 4=389
- Gautam, V. P. and Agarwal, B. K. Angular correlations between final state particles in K⁻p collisions at K⁻ momentum 1150 MeV/c, 4=30272
- Gautam, V. P. See Gupta, Y. M., 3=7923
- Gautherin, G. and Septier, A. Utilization of a duoplasmatron as a source of electrons, 3=12224
- Gautherin, G. See Becherer, R., 2=20038
- Gautherin, M. G. Demonstration of post-ionization in a duoplasmatron ion source, 3=2044
- Gauthier, G. and Marcoux, J. Measurement of the relaxation time of a vibration of N_2O by an infrared method, 1=19630
- Gauthier, L. Nonlinear phenomena in classical mechanics, 3=14071
- Gauthier, R. See Davoine, F., 2=10630
- Gautier, F. Influence of the form of the Fermi surface on the electron distribution around an impurity dissolved in copper, 2=10354
- Gautier, F. Electronic structure of impurities in nickel. Application to magnetic neutron scattering by disordered nickel-base alloys, 3=12964
- Gautier, M. See Barchewitz, M., 0=14841
- Gautier, P. Contribution to the study of the magnetic fields of electron optics, 0=10957
- Gautier, P., Lacoste, R., Meric, J. and Raynard, J. Analytical solution of the topography of the field of four conducting half-planes in an infinite dielectric medium, 2=11597
- Gautier, P. See Bacquet, G., 1=9641
- Gautier, R. See Pauthier, M., 2=10585
- Gautier, T. N. See Wright, J. W., 0=14233
- Gautron, R., Roch, J., Ptak, M. and Wippler, C. Electron paramagnetic resonance of γ -irradiated polyvinyl chloride, 2=775
- Gautvik, E. See Andersen, S. L., 1=5915
- Gauvin, H. (p,2pxn) reactions with Th^{232} at 30-120 MeV, 4=17138
- Gauvin, H., Chastel, R. and Vigneron, L. Cross-section for the decay of C^{12} into 3α -particles when produced by 90 MeV protons and probability of a transitory α -particle structure, 1=17105
- Gauvin, H., Lefort, M. and Tarrago, X. α -particle emission in spallation reactions, 3=6251
- Gauvin, H., Lefort, M. and Tarrago, X. Evidence of alpha-particle structure of heavy nuclides, 3=17381
- Gauvin, H., Lefort, M. and Tarrago, X. Evidence of alpha-structures in heavy nuclei, 4=6178
- Gauvin, H. and Sebaoun, W. The influence of the pH and the pAg of emulsions on the regression of the latent image produced by charged particles, 0=15213
- Gauvin, H. See Garnier, M., 1=17081
- Gauvin, H. See Sebaoun, W., 2=7969
- Gavaler, J. R. See Chu, T. L., 3=22794
- Gavaleshko, N. P. Automatic recording instrument for the measurement of galvanic and thermomagnetic effects in semiconductors as a function of the temperature and magnetic field, 4=17484
- Gavan, F. M. See Sponseller, H. P., 4=7399
- Gavanin, V. A. See Kirsanov, V. P., 3=1807
- Gaven, J. V., Stockmayer, W. H. and Waugh, J. S. Self-diffusion and impurity-controlled proton relaxation in liquid ethane, 2=21924
- Gaven, J. V., Jr, Waugh, J. S. and Stockmayer, W. H. Self-diffusion and impurity-controlled proton relaxation in liquid methane, 3=7202
- Gavenda, J. D. and Deaton, B. C. Resonant absorption of ultrasound by open-orbit electrons in cadmium, 2=16601
- Gavenda, J. D. See Burmeister, C. W., 4=6731
- Gavenda, J. D. See Deaton, B. C., 3=8383
- Gavin, B. F. See Ehlers, K. W., 3=14667
- Gavin, J. See Firkowski, R., 3=22236
- Gavin, M. R. and Chandra, K. 5 Mc/s positive ion klystron, 3=9876
- Gavin, M. R., Chandra, K. and Lloyd, L. J. Positive ion beams, 3=12253
- Gavin, P., Mandrin, C. and Vittoz, B. Calculation methods for heterogeneous media of neutron production. Application to a system of five plutonium-beryllium neutron sources in a graphite moderator, 2=6034
- Gavin, P., Mandrin, C. and Vittoz, B. Coupling of two heterogeneous neutron-multiplying media, 2=18388
- Gavin, R. M., Jr. See Bartell, L. S., 4=30390
- Gavin, R. M., Jr. See Shibata, S., 4=25707
- Gavini, H. Norms of the binaural auditory threshold in a free field, 0=14335
- Gavis, J. and Koszman, I. Development of charge in low conductivity liquids flowing past surfaces: a theory of the phenomenon in tubes, 2=1164
- Gavis, J. See Goren, S. L., 1=6837
- Gavis, J. See Middleman, S., 1=4311
- Gavis, J. See Middleman, S., 1=11743
- Gavis, J. See Middleman, S., 1=18379
- Gavoret, J. Application of perturbation theory to the study of a Bose liquid at absolute zero, 4=5095
- Gavoret, J. and Nozières, P. Structure of the perturbation expansion for the Bose liquid at zero temperature, 4=27100
- Gavranek, V. V., Bol'shutkin, D. N. and Zel'dovich, V. I. Thermal and mechanical effects in the cavitation zone on a metal surface, 1=20393
- Gavranek, V. V. See Bol'shutkin, D. N., 1=14915
- Gavreau, V. Pneumatic generators of intense ultrasound, 0=16779
- Gavreau, V. and Calaora, A. Automatic recording of curves of equal phase shift, 0=5108
- Gavreau, V., Miane, M. and Calaora, A. Electromagnetophoresis, 3=16901
- Gavrila, M. Relativistic photo-effect in the L-shell, 0=9775
- Gavrila, M. On the relativistic K-shell photoeffect, 0=17718
- Gavrilá, M. Hall's formula for the relativistic photoeffect, 0=20540
- Gavrilá, M. Derivation of Sauter's formula for the photoelectric effect by means of Born's approximation method, 1=812
- Gavrila, M. Relativistic L-shell photoeffect, 2=530
- Gavrilas, M. See Hulubei, H., 4=942
- Gavrilas, M. See Hulubei, H., 4=30257
- Gavrilenko, L. M., Lebed', G. G. and Nazarov, D. A. A method of modulating the output voltage of photomultipliers, 3=3979
- Gavrilov, B. I. See Afonin, I. P., 3=19283
- Gavrilov, B. I. See Groshev, L. V., 1=17110
- Gavrilov, D. V. Calculation of a simple lens with a single reflecting surface, 3=7306
- Gavrilov, F. F. A method of spectral isotopic analysis of lithium, 0=9748
- Gavrilov, F. F. Luminescence of lithium hydride, 0=10061
- Gavrilov, K. A. See Flevov, G. N., 0=7497
- Gavrilov, K. A. See Flerov, G. N., 4=6392
- Gavrilov, K. A. See Ponomarev, A. A., 4=17865
- Gavrilov, M. Z. See Ermolenko, I. N., 4=27313
- Gavrilov, S. A. Experience from the operation of the heavy water reactor of the USSR Academy of Sciences, 3=25023
- Gavrilov, V. Yu. and Zograf, Yu. N. The nature of the biochemical code, 3=18669
- Gavrilova, A. V. See Tsvapkin, Yu. D., 3=13507
- Gavrilova, I. V. See Yurin, V. A., 2=14622
- Gavrilova, N. D. See Strukov, B. A., 2=14629
- Gavrilova, N. D. See Strukov, B. A., 3=17941
- Gavrilovskii, B. V. and Karadzev, K. V. A method for polarization studies of low-energy charged particles, 3=24733
- Gavrilovskii, B. V., Karadzev, K. V. and Kislov, A. Ya. A pulse multiplier based on the Hall effect for analysing charged nuclear particles, 4=777
- Gavrilovskii, B. V. See Baldin, S. A., 4=15999
- Gavril'yuk, M. I., Chaporova, I. N., Vasil'yeva, N. P. and Sultanyan, T. A. Effect of recrystallization anneal on the structure and properties of cast tungsten, 3=11183
- Gavril'yuk, V. M. and Medvedev, V. K. Adsorption of barium atoms and carbon monoxide molecules on the (113) face of a tungsten monocrystal, 3=18394
- Gavril'yuk, V. M. and Naumovets, A. G. Surface diffusion of adsorbed atoms in an electric field, 4=7715
- Gavril'yuk, V. M. See Vedula, Yu. S., 0=9064

- Gavrilyuk, V.M. See Vedule, Yu.S., 2=15104
 Gavrilyuk, V.M. See Vedula, Yu.S., 3=18395
 Gavrin, P.P. See Akhmatov, A.P., 1=4628
 Gavrin, P.P. See Babykin, M.V., 3=1987
 Gavrin, P.P. See Babykin, M.V., 3=16948
 Gavrin, P.P. See Babykin, M.V., 4=16464
 Gavrin, P.P. See Borodin, A.V., 1=18886
 Gavrin, P.P. See Borodin, A.V., 2=22223
 Gavrish, A.M. See Sukharevskii, B. Ya., 4=29023
 Gavrishchak, I.V. See Shneider, A.D., 1=3708
 Gavrishchak, I.V. See Shneider, A.D., 3=17890
 Gavrishchak, I.V. See Shneider, A.D., 4=7436
 Gawehn, H. Calculation of the maximum contamination of evaporated metal films by the residual gases in the vacuum system, 2=10942
 Gawin, J. See Firkowski, R., 2=12065
 Gawin, J. See Firkowski, R., 3=2337
 Gawin, J. See Firkowski, R., 3=10188
 Gawin, J., Hibner, J., Maze, R. and Zawadzki, A. On extensive air showers initiated by photons, 4=25235
 Gawin, J. See Hibner, J., 4=25242
 Gay, J. G. A lower bound procedure for energy eigenvalues, 4=29530
 Gay, R. See Prat, M.T., 1=20615
 Gay, R. See Prat, T., 2=10920
 Gay, S.P., Jr. Standard curves for interpretation of magnetic anomalies over long tabular bodies, 3=16310
 Gay, W. L. and Harrison, D. E., Jr. Machine simulation of collisions between a copper atom and a copper lattice, 4=28506
 Gaydon, A.G. and Hurle, I.R. Temperature measurements of shock waves and detonations by spectrum-line reversal. III. Observations with chromium lines, 1=15943
 Gaydon, A.G., Hurle, I.R. and Kimbell, G.H. Temperature measurements of shock waves and detonations by spectrum-line reversal. IV. Development of detonations, 3=14246
 Gaydon, A. G., Kimbell, G. H. and Palmer, H. B. A shock-tube study of the kinetics of decomposition of carbon disulphide, 4=22428
 Gaydon, A.G., Spokes, G.N. and van Suchtelen, J. Absorption spectra of low-pressure flames, 0=19219
 Gaydon, A.G. and Wolfhard, H.G. Flames: their structure radiation and temperature (2nd ed.), 0=5216
 Gaydon, A.G. See Clouston, J.G., 0=8744
 Gaydon, A.G. See Clouston, J.G., 0=14732
 Gaydon, A.G. See Hurle, I.R., 0=5893
 Gaydon, A.G. See Pannetier, G., 3=12850
 Gaydon, A.G. See Spokes, G.N., 0=5937
 Gaydon, F. A. and Shepherd, W. M. Generalized plane stress in a semi-infinite strip under arbitrary end-load, 4=29578
 Gaydou, F. See Bas, E.B., 0=2393
 Gaydukov, M.G. See Pavlov, V.A., 3=23332
 Gayles, J. N. and Self, J. Infrared spectrum of diboron tetrafluoride in the gaseous and solid states, 4=21187
 Gayley, R.I., Jr., Lynton, E.A. and Serin, B. Specific heats of tin alloys and their relation to the superconducting transition temperature, 2=10330
 Gaylord, E.W. See Kuhn, H.A., 2=21889
 Gaynor, J. and Aftergut, S. Photoplastic recording, 3=19030
 Gayraud, R. See Bergamaschi, C., 1=16462
 Gayther, D.B. See Egelstaff, P.A., 0=7615
 Gazai, A. See Cauchois, Y., 0=19821
 Gazai, A. See Cauchois, Y., 0=19822
 Gazaryan, Yu. L. Infrasonic normal modes in the atmosphere, 1=15249
 Gazazyan, A.D. See Ter-Mikaelyan, M.L., 1=16748
 Gazazyan, E. D. and Mergelyan, O. S. The Vavilov-Cherenkov effect in a magnetized ferrite, 4=30718
 Gazda, E. On a method of measuring the diffusion coefficient of ions in dielectric liquids, 4=14154
 Gazda, E. Measurement of ion diffusion coefficient in liquid n-hexane, 4=24194
 Gazdik, M.F. See Alexander, J.M., 0=20512
 Gazdik, M.F. See Alexander, J.M., 3=8148
 Gazdik, M.F. See Alexander, J.M., 3=10397
 Gaze, R. See Addingley, C.G., 0=4743
 Gazier, C. See Brault, M., 3=19317
 Gazier, C. See Brault, M., 3=21866
 Gazis, D.C. Comments on "vibrations of thick cylindrical shells", 0=10708
 Gazis, D.C., Herman, R. and Wallis, R.F. Surface elastic waves in cubic crystals, 0=13907
 Gazis, D.C., Herman, R. and Wallis, R.F. Surface elastic waves in semiconductors, 1=4400
 Gazis, D.C., Tadjbakhsh, I. and Toupin, R.A. The elastic tensor of given symmetry nearest to an anisotropic elastic tensor, 3=23812
 Gazis, D.C. and Wallis, R.F. Surface vibrational modes in crystal lattices with complex interatomic interactions, 2=3824
 Gazis, D. C. See Clark, B.C., 4=20184
 Gazis, D.C. See Wallis, R.F., 2=23047
 Gazza, G.E. See Tarpinian, A., 0=16284
 Gazzara, C.P. and Middleton, R.M. Temperature-compensated Debye temperature of carbonyl iron, 1=11166
 Gazzara, C. P., Middleton, R. M. and Weiss, R. J. Magnetic entropy of alpha manganese, 4=25858
 Gazzara, C. P. See Dhosi, J. M., 4=10467
 Gazzana-Priaroggia, P. and Palandri, G. The influence of the oil dielectric strength of the gas pressure in equilibrium with the oil, 1=1755
 Gazzarrini, F. See Cerrai, E., 0=12123
 Gazzarrini, F. See Felcher, G.P., 2=3670
 Gazzinelli, R. and Mieher, R. Electron-nuclear double resonance study and exchange polarization of the self-trapped hole in LiF, 4=26452
 Gazzola, A. See Fea, G., 3=1431
 Geunelle-Cras, M. and Delhay, M. Excitation of Raman spectra by the 5350 Å line of thallium, 4=5388
 Gdalevich, G.L. Measurement of the electric field intensity at the surface of a rocket flying in the ionosphere, 3=3487
 Gdalevich, G. L. Measurements of the electrostatic field strength near the surface of a rocket during flight in the ionosphere, 4=26815
 Gdalevich, G.L. See Gringauz, K.I., 3=25922
 Gdalevich, G. L. See Gringauz, K. I., 4=2288
 Gdalevich, G. L. See Imyanitov, I. M., 4=26817
 Geach, G. A. Bowles, P. J., 4=20671
 Geacintov, N. See Oster, G., 3=7215
 Geake, J.E., Ring, J. and Woolf, N.J. The Fabry-Perot monochromator, 0=18584
 Geake, J.E. and Wilcock, W.L. A study of stellar spectral lines by inclining a Fabry-Perot interferometer, 0=16553
 Geake, J.E. See Birks, J.B., 3=9464
 Geake, J. E. See Derham, C. J., 4=23892
 Gear, A.E. and Bastin, J.A. A corrugated model for the lunar surface, 3=9170
 Gear, A.E. See Bastin, J.A., 4=17896
 Gearhart, J. See Hefferlin, R., 4=12369
 Geballe, R. See Dunn, G.H., 3=6366
 Geballe, R. See Pretzer, D., 3=16910
 Geballe, R. See Pretzer, D., 4=25519
 Geballe, T. See Olsen, J. L., 4=21420
 Geballe, T.H. Measurements of surface transport phenomena, 1=3753
 Geballe, T. H. Superconductivity in the transition metals, 4=18615
 Geballe, T. H. and Matthias, B. T. The isotope effect in superconducting transition metal elements and compounds, 4=14524
 Geballe, T.H., Matthias, B.T., Compton, V.B., Corenzwit, E. and Hull, G.W., Jr. Superconductivity of solid solutions of noble metals, 3=3962
 Geballe, T.H., Matthias, B.T., Corenzwit, E. and Hull, G.W., Jr. Superconductivity in molybdenum, 2=17726
 Geballe, T.H., Matthias, B.T., Hull, G.W. Jr. and Corenzwit, E. Absence of an isotope effect in superconducting ruthenium, 1=8285
 Geballe, T.H. See Hein, R.A., 2=17727
 Geballe, T.H. See Hulm, J.K., 2=1338
 Geballe, T.H. See Matthias, B.T., 3=1900
 Geballe, T.H. See Matthias, B.T., 3=7404
 Geballe, T.H. See Matthias, B.T., 3=14438
 Geballe, T.H. See Matthias, B.T., 4=16342
 Geballe, T. H. See Matthias, B. T., 4=18622
 Geballe, T.H. See Pollak, M., 1=10046
 Geballe, T.H. See Pollak, M., 2=23356
 Geballe, T.H. See Puri, S.M., 3=4914
 Geballe, T.H. See Raub, Ch.J., 3=24148
 Gebauer, H. On the dependence of the optimum cathode thickness [t] on the atomic number [Z] of the cathode material and the gamma-energy [E] in a GM-counter tube, 0=3874
 Gebauhr, W. See Fitzer, E., 2=12272
 Gebauhr, W. See Spang, A., 0=11069

- Gebbie, H.A. Atmospheric absorption spectra in the far infrared using two beam interferometry, 0=16837
- Gebbie, H.A., Delbouille, L. and Roland, G. The use of a Michelson interferometer to obtain infrared spectra of Venus, 2=13108
- Gebbie, H. A., Findlay, F. D., Stone, N. W. B. and Robb, J. A. Interferometric observations on far infra-red stimulated emission sources, 4=21682
- Gebbie, H.A., Habell, K.J. and Middleton, S.P. Michelson interferometers for spectrophotometry in the near infrared region, 3=16769
- Gebbie, H.A. and Stone, N.W.B. Measurement of widths and shifts of pure rotation lines of hydrogen chloride perturbed by rare gases, 3=22542
- Gebbie, H.A. and Stone, N.W.B. Collision induced absorption in carbon dioxide in the far infra-red, 3=23932
- Gebbie, H.A., Roland, G. and Delbouille, L. Molecular emission spectroscopy from 2μ to 12μ by a Michelson interferometer, 1=16078
- Gebbie, H.A., Smith, P.L., Austin, I.G. and King, J.H. Pressure dependence of resistivity of indium antimonide to 70 000 atmospheres, 1=6160
- Gebbie, H.A., Stone, N.W.B. and Walshaw, C.D. Pure rotational absorption of ozone in the region 125-500 microns, 0=17748
- Gebbie, H. A. and Stone, N. W. B. A Michelson interferometer for far infrared spectroscopy of gases, 4=24367
- Gebbie, H.A., Stone, N.W.B., Bird, G.R. and Hunt, G.R. Magnetic effects in the far infra-red spectrum of nitrogen dioxide (NO_2), 4=17295
- Gebbie, H. A., Stone, N. W. B. and Findlay, F. D. A stimulated emission source at 0.34 millimetre wavelength, 4=24904
- Gebbie, H. A. See Adams, D.M., 4=3877
- Gebbie, H.A. See Anderson, A., 3=938
- Gebbie, H.A. See Anderson, A., 4=20444
- Gebbie, H.A. See Archbold, E., 3=7353
- Gebbie, H.A. See Austin, I.G., 2=4130
- Gebbie, H. A. See Chamberlain, J. E., 4=1703
- Gebbie, H. A. See Crocker, A., 4=19295
- Gebbie, H. A. See Edmond, J. T., 3=10930
- Gebbie, H.A. See Plyler, E.K., 2=17685
- Gebbie, K. B. and Seaton, M.J. Model atmospheres for central stars of planetary nebulae, 4=4862
- Gebbie, N. W. See Prentice, J. D., 4=12138
- Gebel, C. See Sackmann, L., 3=9318
- Gebel, R. K. H. Adjustment of the resolution of telescopes to a photosensitive detector by lens combinations, 4=16218
- Ge'berg, A. Anisotropy of γ -radiation in the Mössbauer effect, 2=350
- Gebert, E. See Siegel, S., 3=16073
- Gebert, E. See Siegel, S., 4=23425
- Gebhardt, E., Seghezzi, H.D. and Dürrschnabel, W. Investigation of the zirconium-oxygen system. I. The electrical resistivity of oxygenated zirconium, 2=3983
- Gebhardt, E., Seghezzi, H.D. and Dürrschnabel, W. Investigation of the zirconium-oxygen system. II. Investigation of the kinetics of the reaction between zirconium and oxygen, and of the constitution of zirconium-oxygen systems, 2=4459
- Gebhardt, E., Seghezzi, H.D. and Dürrschnabel, W. Investigation of the zirconium-oxygen system. III. The recrystallization behaviour of zirconium wires, 2=4472
- Gebhardt, W. Interstitial ions as the operative defects in thermal conduction experiments on KCl and KBr single crystals, 2=21088
- Gebhardt, W. and Kühnert, H. Temperature dependence of F-centre absorption and emission, 4=25970
- Gebhardt, W. See Lüty, F., 2=23219
- Gebhart, B. Natural convection cooling transients, 4=18459
- Gebhart, J. See Menzel, E., 2=16802
- Gebhart, J.E. See Rushing, S.S., 2=21776
- Gebhart, J.E. See Steinfink, H., 2=12900
- Gecas, A.J. See Toman, L., Jr., 3=20759
- Gedalin, É.V. Altitude dependence of extensive air showers, 1=13564
- Gedalin, É.V. Electron-photon showers produced by high energy μ -mesons, 3=14998
- Gedalin, E. V. Lateral distribution of nuclear-active particles in extensive air showers, 4=9334
- Gedalin, E. V. and Gerasimova, N.M. Fluctuation of number of particles in electron-photon showers produced by high-energy μ -mesons, 4=3510
- Gedalin, É.V. See Begiashvili, G.A., 0=12677
- Gedalin, É.V. See Begiashvili, G.A., 1=4790
- Gédance, A.R. Comparison of infrared tacking systems, 1=12983
- Gedeonov, L.I. See Shvedov, V.P., 1=3400
- Gedeonov, L.I. See Shvedov, V.P., 2=13010
- Gedroïts, A.A. and Krasil'nikov, V.A. Elastic waves of finite amplitude in solids and deviations from Hook's law, 3=15434
- Gedroitz, A.A., Krasil'nikov, V.A. and Zarembo, L.K. Elastic waves of finite amplitude in solids and anharmonicity of the lattice, 3=17654
- Gedroïts, A.A., Zarembo, L.K. and Krasil'nikov, V.A. Shear waves of finite amplitude in polycrystalline and single crystal metals, 3=25182
- Gedwill, M. A., Altstetter, C. J. and Wayman, C. M. Growth and transformation characteristics of cobalt whiskers, 4=23258
- Gedwill, M. A., Altstetter, C. J. and Wayman, C. M. External symmetry of cobalt particles produced by hydrogen reduction of CoBr_2 , 4=26594
- Gee, A. Electrochemiluminescence at a silicon anode in contact with an electrolyte, 2=4192
- Gee, G. See Allen, G., 0=3160
- Gee, J. H. and Davies, D.R. A note on horizontal dispersion from an instantaneous ground source, 4=4762
- Geel, J. See Verster, N.F., 3=5740
- Geerk, J. and Kleinwächter, H. A microwave gaseous discharge struck in free space at the focus of a closed ellipsoid of rotation, 1=16282
- Geerk, J., Kleinwächter, H. and Metze, W. Discharge without electrodes by means of concentrated bombardment with microwaves, 3=21726
- Geerk, J. See Kleinwächter, H., 3=7592
- Geers, M.G. See Wösten, W.J., 3=1871
- Geertsma, J. and Smit, D.C. Some aspects of elastic wave propagation in fluid-saturated porous solids, 1=7925
- Geesaman, L. B. See Hearst, J.R., 4=22782
- Geesner, C.R. See Barnes, C.R., 0=4376
- Geevarughese, K.O. See Pardasaradhi, T.V., 3=9578
- Geffen, D.A. Reaction $\pi^- + p \rightarrow e^- + e^- + n$, as a means of measuring the electromagnetic form factor of the charged pion, 2=7883
- Geffen, D.A. Decay rates of neutral mesons, 3=601
- Geffen, D.A. See Bardakci, K., 4=3338
- Geffen, D.A. See Berman, S.M., 1=5749
- Geffen, D.A. See Bolsterli, M., 1=16882
- Geffen, D.A. See Brene, N., 2=7897
- Geffen, N. Magnetogasdynamic flows with shock waves, 3=12305
- Gégauff, C. On the photographic and instrumental study of the transverse dimensions of ion tracks in nuclear emulsions, 1=13246
- Gégauff, C. and Longchamp, J.P. A quantitative study of the resolution effects of various means of development on the heavy-ion tracks, 0=12778
- Gégauff, C. and Lonchamp, J.P. The application of low sensitivity emulsions to the identification of heavy ions, 0=15205
- Gégauff, C. and Lonchamp, J.P. The effect of processing on the transverse dimension of heavy-ion tracks in nuclear emulsions, 1=2001
- Gégauff, C. See Cüer, P., 2=504
- Gégauff, C. See Lonchamp, J.P., 0=200
- Gégauff, C. See Pfohl, R., 0=20470
- Gégauff, C. See Pfohl, R., 2=505
- Gegin, R. An instrument with a logarithmic scale for measuring intensity of gamma radiation, 0=4038
- Geguzin, Ya.E. Investigation of the creep of metals and alloys. II. The effect of the removal of defects on the kinetics of the initial stage of the creep of metals with a deformed crystal lattice, 1=3979
- Geguzin, Ya.E. Influence of pressure on the process of coalescence and "healing" of micropores in crystalline bodies, 1=4075
- Geguzin, Ya.E. Influence of pressure on the process of coalescence and "healing" of micropores in crystalline bodies, 1=10276
- Geguzin, Ya.E. and Dzyuba, A.S. Interaction between macroscopic pores in a solid, 3=25767
- Geguzin, Ya. E. and Dzyuba, A.S. The effect of pressure upon mutual diffusion of metals in relation to the diffusion-induced porosity, 4=15486
- Geguzin, Ya. E., Dzyuba, A. S. and Kosevich, A. M. Healing up of an isolated pore in a crystal under the influence of hydrostatic pressure, 4=1970
- Geguzin, Ya.E., Koryakina, V.V. and Kharitonova, L.S. Processes on the surfaces of monocrystals. IV. High-temperature processes on arbitrary sections of ionic monocrystals, 3=20214

- Geguzin, Ya.E. and Kovalev, G.N. Investigation of the surface diffusion in polycrystalline metals, 3=20232
- Geguzin, Ya.E. and Kovalev, G.N. Self-diffusion on the surface of polycrystalline silver, 3=22821
- Geguzin, Ya.E., Kovalev, G.N. and Ovcharenko, N.N. An investigation of self-diffusion in the surface layer of gold by the "mass-transfer" method and with the aid of a radioactive isotope, 4=25963
- Geguzin, Ya.E. and Kulik, I.O. Investigation of some physical phenomena taking place on the surface of crystalline solids at elevated temperatures. IV. Calculation of the kinetics of "self-healing" of artificially produced defects on the surface of solids, 1=9158
- Geguzin, Ya.E. and Lifshits, I.M. The mechanism and kinetics of "healing" of an isolated pore in a crystalline body, 2=18566
- Geguzin, Ya.E. and Lifshits, I.M. The mechanism and kinetics of "healing" of an isolated pore in a crystalline body, 2=23148
- Geguzin, Ya.E. and Ovcharenko, N.N. High-temperature self-healing of surface defects in crystalline solids, 0=6047
- Geguzin, Ya.E. and Ovcharenko, N.N. Investigation of some physical phenomena taking place on the surface of crystalline solids at elevated temperatures. V. The process of self-healing of artificially produced surface defects in polycrystalline copper, 1=9159
- Geguzin, Ya.E. and Ovcharenko, N.N. A study of processes on the surfaces of monocrystals. III. The kinetics of closing-up of "prick" traces on rocksalt monocrystal surface, 2=2420
- Geguzin, Ya.E. and Ovcharenko, N.N. Application of the absorption pump in metallographic investigations at high temperatures, 2=2784
- Geguzin, Ya.E. and Ovcharenko, N.N. Study of surface phenomena of single crystals. II. Mechanism and kinetics of the levelling of defects on the surface of crystals with considerable anisotropy of the coefficient of surface tension, 2=4482
- Geguzin, Ya.E. and Ovcharenko, N.N. Investigation of some physical processes occurring on crystal surfaces at high temperatures. VII. Role of viscous flow in smoothing irregularities of solid surfaces, 2=8874
- Geguzin, Ya.E. and Ovcharenko, N.N. Surface energy and processes on the surface of solid bodies, 2=12368
- Geguzin, Ya.E. and Ovcharenko, N.N. Anisotropy of the surface diffusion coefficient of metals, 3=15506
- Geguzin, Ya.E. and Ovcharenko, N.N. Kinetics of thermal etching of annealing-twin boundaries in gold and copper, 3=16029
- Geguzin, Ya.E. and Ovcharenko, N.N. Mechanism and kinetics of the process of high-temperature self-healing of defects on crystal surfaces, 4=12744
- Geguzin, Ya.E., Ovcharenko, N.N. and Paritskaya, L.N. Interactions of vacancies with grain boundaries, 2=3928
- Geguzin, Ya.E., Ovcharenko, N.N. and Paritskaya, L.N. Interactions of vacancies with grain boundaries, 2=8234
- Geguzin, Ya.E. and Paritskaya, L.N. The effect of expansion of localized porous regions in a crystalline body, 2=4354
- Geguzin, Ya.E. and Paritskaya, L.N. The effect of expansion of localized porous regions in a crystalline body, 2=12876
- Geguzin, Ya.E. and Paritskaya, L.N. Secondary recrystallization in polycrystals with macroscopic pores, 3=3336
- Geguzin, Ya.E., and Polyakov, L.M. Investigations in the field of crystal ceramics. II. The influence of hydrostatic pressure on the kinetics of healing of macrodefects in ionic crystals, 1=17548
- Geguzin, Ya.E. and Ravets, V.L. The dislocation structure of single crystals of NaCl undergoing creep tests, 3=20209
- Geguzin, Ya.E., Rabets, V.L. and Chernyshov, A.A. Creep of NaCl and KCl single crystals near the melting point under small loads, 4=1961
- Geguzin, Ya.E. and Shpunt, A.A. Distortion and rupture in the surface layer of lithium fluoride crystals, 0=10278
- Geguzin, Ya.E. and Shpunt, A.A. Healing of macroscopic defects on rocksalt monocrystals at high temperatures, 0=17924
- Geguzin, Ya.E. and Shpunt, A.A. Production of thin crystalline scintillator plates by means of high-temperature forming, 4=3241
- Geguzin, Ya.E. and Solunskii, V.I. The influence of an electric field on the growth of porosity due to mutual diffusion in alkali halide single crystals, 4=29171
- Geguzin, Ya.E., Startsev, V.I., Buravleva, M.G., Madikyan, R.A., Narbut, T.P. and Shpunt, A.A. Clouding ("aging") of pressings of ionic crystal powders, 1=4024
- Geguzin, Ya.E. See Ratner, A.M., 3=6530
- Geguzina, S. Ya. and Timan, B.L. The propagation of sound in an elastically anisotropic, two-phase mixture, 4=12624
- Géhéniau, J. Remarks on the identities relating to a Lagrangian, 0=3447
- Géhéniau, J. and Nuyts, J. Tensor isotensors, 1=9720
- Geheniau, J. See Dürr, H.P., 3=12510
- Gehrels, E. See Pettengill, G.H., 2=3174
- Gehrels, T. The wavelength dependence of polarization. I. Instrumental polarization, 0=18612
- Gehrels, T. The wavelength dependence of polarization. II. Interstellar polarization, 0=18613
- Gehrels, T. Wavelength dependence of the polarization of the sunlit sky, 2=21636
- Gehrels, T. The wavelength dependence of polarization of planetary atmospheres, 3=16341
- Gehrels, T. Rayleigh scattering and polarization in the atmosphere, 4=15872
- Gehrels, T. and Owings, D. Photometric studies of asteroids. IX. Additional light-curves, 2=15318
- Gehrels, T. and Teska, T.M. A Wollaston photometer, 0=16515
- Gehrels, T. and Teska, T.M. The wavelength dependence of polarization, 3=7019
- Gehring, E. See Wittig, F.E., 3=23876
- Gehrmann, E. and Schusta, I. Method for the determination of the time constant of thermocouples, 4=350
- Gehrmann, E. See Lau, E., 1=4425
- Geibel, J.A. See Backenstoss, G., 4=16939
- Geichenko, V.V., Danilenko, V.M. and Smirnov, A.A. Theory of ordering in alloys with a body-centred cubic lattice, in which some superstructure may arise, 3=8904
- Geichenko, V.V. and Rzhikhov, V.I. Theory of ordering in alloys with a face-centred cubic lattice, 4=13467
- Geick, R. The refractive index of crystalline and fused quartz in the spectral region near 100μ , 1=5817
- Geick, R. Dispersion measurements of CsBr in the region of its infrared eigen-vibration, 1=17866
- Geick, R. The dispersion of sodium chloride in the region of its infrared eigen-vibration, 2=6541
- Geick, R. The absorption of various types of quartz glass in the spectral region 150 to 275 microns, 2=7341
- Geick, R. Measurement and analysis of the fundamental lattice vibration spectrum of PbS, 4=22874
- Geide, K. Oscillatory properties of self-type electrostatic transducers, 1=8199
- Geiderikh, V.A. See Nikol'skaya, A.V., 0=10354
- Geiger, F.E., Jr and Cunningham, F.G. Ambipolar diffusion in semiconductors, 4=20225
- Geiger, G.H. See Makay, R.W., 2=6714
- Geiger, J. Elastic and inelastic scattering of electrons in silver foils, 1=9999
- Geiger, J. Angular dependence of the energy losses of medium fast electrons in antimony, 2=23142
- Geiger, J. The scattering of electrons by individual atoms, 3=22495
- Geiger, J. Elastic and inelastic scattering of electrons in gases. I. Scattering in helium, 3=25066
- Geiger, J.S., Graham, R.L. and Ewan, G.T. The decay scheme of the >30 -yr Ho^{166} isomer, 2=7939
- Geiger, J. Scattering of 25 keV electrons by gases. II. Scattering by neon, argon, krypton and xenon, 4=6505
- Geiger, J. See Boersch, H., 0=2400
- Geiger, J. See Boersch, H., 0=19438
- Geiger, J. See Boersch, H., 1=9919
- Geiger, J. See Boersch, H., 2=23143
- Geiger, J. See Boersch, H., 3=7354
- Geiger, J. See Boersch, H., 3=12444
- Geiger, J. See Boersch, H., 4=29974
- Geiger, J.S. Experimental evidence of an error in the conversion electron—gamma correlation theory: level spins in I^{127} , 4=6286
- Geiger, J.S. and Graham, R.L. Measurement of the radial focusing aberrations in the Chalk River iron free $\pi/2$ β spectrometer, 3=24365
- Geiger, J.S., Graham, R.L. and Brown, F. The conversion line intensity ratios for M4 transitions in Xe and Ba, 3=652
- Geiger, J.S., Graham, R.L. and Ewan, G.T. Conversion electron spectrum from Ce^{144} decay, 0=11368
- Geiger, J.S., Graham, R.L. and Ewan, G.T. Evidence for a K=0 rotational band and Ho^{166} , 1=8601
- Geiger, J.S., Graham, R.L. and Ewan, G.T. The decay of Ce^{144} , 2=3523
- Geiger, J.S., Graham, R.L. and Merritt, J.S. Nuclear transition properties and atomic level widths in Sm^{151} , 4=3578
- Geiger, J.S. See Bergström, I., 3=12608
- Geiger, J.S. See Ewan, G.T., 0=2647
- Geiger, J.S. See Ewan, G.T., 0=17555

- Geiger, J.S. See Ewan, G.T., 1=5840
 Geiger, J.S. See Ewan, G.T., 1=8663
 Geiger, J.S. See Ewan, G.T., 2=1801
 Geiger, J.S. See Ewan, G.T., 2=3481
 Geiger, J.S. See Graham, R.L., 1=18979
 Geiger, J.S. See Graham, R.L., 2=1511
 Geiger, J.S. See Graham, R.L., 2=10019
 Geiger, J.S. See Graham, R.L., 2=15872
 Geiger, J.S. See Murray, G., 3=19795
 Geiger, K.W. The status of the Canadian neutron standard, 0=9377
 Geiger, K.W. and Hargrove, C.K. Neutron spectrum of an Am^{241} - Be(α , n) source, 4=19520
 Geiger, K.W., Hum, R. and Jarvis, C.J.D. Neutron spectrum of a Ra-Be(α -n) source, 4=22133
 Geiger, K.W. and Jarvis, C.J.D. Neutrons and gamma rays from Po^{210} -B 10 (α , n) and Po^{210} -B 11 (α , n) sources, 2=3620
 Geiger, K.W., Merritt, J.S. and Taylor, J.G.V. New branching ratio for Kr 85 , 1=10982
 Geiger, K.W. See Hargrove, C.K., 3=10294
 Geiger, K.W. See Hargrove, C.K., 4=27867
 Geiger, K.W. See Szilvasi, A.J.D., 1=17152
 Geiger, W. Stationary flow of chemically reacting gases and plasmas, 4=16138
 Geiger, W., Kaeppler, H.J. and Mayser, B. On the structure of hydromagnetic shock waves with transverse field and viscous dissipation, 3=11855
 Geiger, W. and Kulp, M. Brillouin scattering in artificial quartz glass, 0=11763
 Geikhman, D.S., Romankevich, V.N. and Sidiakin, V.G. Electrical properties of polycrystalline selenium containing [up to 4%] halogen (bromine, chlorine, iodine) impurities, 0=1675
 Geil, P.H. Folded molecules in lamellas crystallized from molten polymers, 2=8835
 Geil, P.H. See Kiho, H., 4=20679
 Geil, P.H. See Reneker, D.H., 0=18292
 Geile, H.J. See Stierstadt, K., 4=26292
 Geilikman, B.T. Critical velocities for flow of He II in capillaries, 0=10824
 Geilikman, B.T. Excitation of fission fragments and their mass distribution, 0=13295
 Geilikman, B.T. On the vibrational levels of nuclei, 1=8602
 Geilikman, B.T. On the energy of excitation of fission fragments, 1=8788
 Geilikman, B.T. The asymmetry of nuclear fission, 1=17158
 Geilikman, B.T. The excitation energies of fission fragments, 1=17175
 Geilikman, B.T. Theory of a Fermi fluid, 3=23796
 Geilikman, B.T. and Kresin, V.Z. Thermomagnetic effects in superconductors, 0=19558
 Geilikman, B.T. and Kresin, V.Z. Thermal conductivity of pure superconductors and absorption of sound in superconductors, 2=141
 Geilikman, B.T. and Kresin, V.Z. Effect of anisotropy on the properties of superconductors, 2=1335
 Geilikman, B.T. and Kresin, V.Z. Thermal conductivity of pure superconductors and absorption of sound in superconductors, 3=330
 Geilikman, B.T. and Kresin, V.Z. Effect of anisotropy on the properties of superconductors, 4=24485
 Geiseler, G. and Rätzsch, M. Rotatable metal-block calorimeter of high sensitivity, 3=21603
 Geiseler, G. See Quitzsch, K., 4=2880
 Geiseler, G. See Quitzsch, K., 4=5458
 Geiser, R. and Goodman, B.B. The anisotropy of the forbidden band in some superconducting alloys of aluminium, 3=19106
 Geisler, C.D. and Rosenblith, W.A. Average responses to clicks recorded from the human scalp, 2=4901
 Geisler, C.H. and Simmons, G.L. High temperature induced e. p. r. signals in zinc oxide, 4=30739
 Geisler, J.E. See Demarque, P., 3=16395
 Geisler, M. and Brunner, G. Contribution to the quantitative evaluation of gamma-scintillation spectrograms, 2=7845
 Geisler, P.A. Planetary orbits in general relativity, 4=4844
 Geisow, J.C.H. See Richards, J.M., 4=8583
 Geiss, J. and Hess, D.C. Argon-potassium ages and the isotopic composition of argon from meteorites, 0=7
 Geiss, J., Oeschger, H. and Schwarz, U. The history of cosmic radiation as revealed by isotopic changes in the meteorites and on the earth, 4=25230
 Geiss, J., Oeschger, H., Signer, P. Radiation ages of chondrites, 1=12744
 Geiss, J., Oeschger, H. and Signer, P. Radiation age of chondrites, 2=4752
 Geiss, J. See Eberhardt, P., 0=14405
 Geiss, J. See Eberhardt, P., 2=4750
 Geiss, J. See Eberhardt, A., 4=24749
 Geiss, J. See Herr, W., 2=4758
 Geisselsoder, J., Koepke, K. and Laughlin, J.S. Calorimetric determination of absorbed dose and $G_{\text{Fe}^{+++}}$ of the Fricke dosimeter with 10 MeV and 20 MeV electrons, 4=5898
 Geissler, H. ^3S terms of helium calculated with the help of variational methods, 3=4705
 Geissler, K. and Müller, S. An arrangement for determining steady field strengths, 3=17024
 Geissler, K. See Bauer, H.J., 4=26320
 Geissler, K.K. and Rucker, W. An astatically compensated magnetometer, 4=21614
 Geissler, W. See Landsberg, R., 3=20940
 Geissner-Prettre, C. See Freymann, M., 1=12903
 Geist, D. The magnetic susceptibility of defect electrons in Si and Ge, 0=2979
 Geist, D. The magnetic susceptibility of the electrons in silicon germanium and indium arsenide, 0=4469
 Geist, D. Magnetic susceptibility of Fe- and Zn-doped Ge, 0=6211
 Geist, D. A sensitive magnetic balance for the determination of small susceptibility differences, 0=7187
 Geist, D. Electron paramagnetic resonance in boron, 3=11110
 Geist, D. The energy states of paramagnetic impurity or ion-pairs, 4=13306
 Geist, D. Cyclotron and electron spin resonance in diamagnetic semiconductors, 4=23042
 Geist, D. and Grosse, P. Growth conditions for the Czochralski process, 2=8781
 Geist, D. See Röhmelt, G., 0=1772
 Geist, D. See Röhmelt, G., 2=8600
 Geiszler, T.D. and Henschke, R.A. Broadband reciprocal ferrite phase shifters, 0=12702
 Geith, C.R. See Wood, D.L., 1=20508
 Geith, G.R. See Garn, P.D., 2=11318
 Geitsi, I.I. See Bogdanova, I.P., 4=3803
 Gel', É.P. See Shul'man, A.R., 0=13550
 Gelard, J. Investigation of finite difference equations for points situated on a surface distribution of charges. The case of systems of revolution, 0=12569
 Gelard, J. Investigation of finite difference equations for points situated on the edge of a surface distribution of charges. The case of systems of revolution, 1=2939
 Gelard, J. Derivation of the finite difference equations for points on the edge of a distribution of surface charge. The stream function for bodies of revolution, 2=1375
 Gelard, J. Flux density in a cylindrical and uniform coil of finite length, 2=11749
 Gelard, J. Potential and flux of a uniform distribution of charge on a thin short cylindrical shell, 2=19874
 Gelato, G., Rosatelli, C. and Sinigaglia, G. The Italian Cross radio telescope. II. Preliminary design of the receiver, 2=11153
 Gelb, G.H., Marcus, B.D. and Dropkin, D. Manufacture of fine wire thermocouple probes, 4=8486
 Gelbard, E.M. and Davis, J.A. The behavior of extrapolation distances in die-away experiments, 2=18130
 Gelbard, E.M. and Pearson, J.J. Space and energy separability of thermal flux in a diffusing medium, 1=2064
 Gelberg, A. Electron capture decay of oriented nuclei, 0=422
 Gel'berg, A. Decay of oriented nuclei by electron capture, 0=17537
 Gel'berg, A. Anisotropy of γ -radiation in the Mössbauer effect, 2=22712
 Gelberg, A. On the measurement of β - γ circular polarization correlations in forbidden β -decay, 3=2401
 Gelberg, A. Angular distribution and circular polarization of gamma-radiation in the Mössbauer effect, 4=9813
 Gel'berg, A., Iosifescu, B. and Komsha, G. Ferromagnetic anomaly of the work function of nickel, 1=14693
 Gelberg, A. and Iovan, M. Scintillation spectrometer with automatic counting, 2=7793
 Gelberg, A. See Bajeu, G., 2=7670
 Gel'berg, A. See Bedike, T., 2=22748
 Gelberg, A. See Comşa, G., 1=5403
 Gelberg, A. See Comşa, G., 1=5488
 Gelberg, A. See Comşa, G., 1=8340
 Gel'berg, A. See Komsha, G., 2=17860
 Gelbrich, W. Electron lifetime and surface recombination velocity in tellurium, 3=877
 Gel'd, P.V., Alyamovskii, S.I. and Matveenko, I.I. Structural characteristics of vanadium oxide, 0=18353

- Gel'd, P.V. and Gertman, Yu.M. The density of molten alloys of silicon with cobalt and nickel, 2=19543
 Gel'd, P. V., Gol'tsov, V. A., Ryabov, R. A. and Shteynberg, M. M. Interdependence of the parameters of hydrogen permeability of phase-hardened austenite, 4=20297
 Gel'd, P. V. and Krentsis, F. P. Some thermo-physical characteristics of iron silicides, 4=12647
 Gel'd, P. V., Lipatova, V. A., Sidorenko, F. A. and Shubina, T. S. Antiferromagnetism of alpha-leboite, 4=1854
 Gel'd, P. V. See Baum, B. A., 4=11212
 Gel'd, P. V. See Dubrovskaya, L. B., 4=13463
 Gel'd, P. V. See Gol'tsov, V. A., 3=18344
 Gel'd, P. V. See Korshunov, V. A., 2=8299
 Gel'd, P. V. See Korshunov, V. A., 3=871
 Gel'd, P. V. See Korshunov, V. A., 4=17416
 Gel'd, P. V. See Krentsis, R. P., 3=8360
 Gel'd, P. V. See Shteinberg, M. M., 4=20670
 Gel'd, P. V. See Shtol'ts, A. K., 3=3340
 Gel'd, P. V. See Shtol'ts, A. K., 4=26010
 Gel'd, P. V. See Shtol'ts, A. K., 4=29118
 Gel'd, P. V. See Tskhai, V. A., 4=22450
 Geldmacher, R. C. On the macroscopic analysis of the conducting electromechanical solid with application to cylinders subjected to axial electric fields, 1=2941
 Gelernter, H. The automatic collection and reduction of data for nuclear spark chambers, 1=19076
 Gelernter, H. L. and Rochester, N. Intelligent behavior in problem-solving machines, 0=2129
 Geletsanu, I. See Stoyan, D., 2=6048
 Gélétseanu, I. and Lapitskii, A. V. Complex formation with the actinide elements, 4=22370
 Gelezunas, V. L., Conn, P. K. and Price, R. H. The diffusion coefficients for hydrogen in β -zirconium, 4=1522
 Gel'fand, I. M., Graev, M. I., Zueva, N. M., Morozov, A. I. and Solov'ev, L. S. Magnetic surfaces of the three-path helical magnetic field excited by a crimped field, 2=20098
 Gel'fand, I. M., Graev, M. I., Zueva, N. M., Mikhailova, M. S. and Morozov, A. I. Example of a toroidal magnetic field, not possessing magnetic surfaces, 4=644
 Gel'fand, I. M., Graev, M. I., Zueva, N. M., Mikhailova, M. S. and Morozov, A. I. The structure of toroidal magnetic fields without magnetic surfaces, 4=5741
 Gelfand, I. M., Grashin, A. F. and Ivanova, L. N. Phase analysis of pp-scattering at an energy of 150 MeV, 1=19199
 Gelfand, I. M., Grashin, A. F. and Ivanova, L. N. Phase analysis of pp-scattering at an energy of 150 MeV, 3=4392
 Gel'fand, I. M. and Yaglom, A. M. Integration in functional spaces and its applications in quantum physics, 0=4939
 Gel'fand, I. M. See Borovikov, V. A., 1=16785
 Gelfand, N., Lüttjens, G., Nussbaum, M., Steinberger, J., Cohn, H. O., Bugg, W. M. and Condo, G. T. Neutral decay and isotopic spin of the f_0 , 4=25154
 Gelfand, N., Miller, D., Nussbaum, M., Ratau, J., Schultz, J., Steinberger, J., Tan, T. H., Kirsh, L. and Plano, R. Width of the ϕ meson, 4=9264
 Gelfand, N., Miller, D., Nussbaum, M., Ratau, J., Schultz, J., Steinberger, J., Tan, T. H., Kirsh, L. and Plano, R. Lifetime of the ω meson, 4=9266
 Gelfand, N. See Alf, C., 3=4432
 Gelfand, N. See Alf, C., 3=4433
 Gelfand, N. See Colley, D., 3=2322
 Gel'fer, G. See Vovchenko, V. G., 1=16855
 Gelfreich, G. B., Ikhsanova, V. M., Kaidanovskii, N. C., Soboleva, N. S., Timofeeva, G. M. and Umetskii, V. N. Bursts of microwave radio emission associated with solar flares, 1=6733
 Gelfreich, G., Korol'kov, D., Rishkov, N. and Soboleva, N. On the regions over sunspots as studied by polarization observations at centimeter wavelengths, 0=18636
 Gelinek, J. and Rüdorff, W. Unit cells of ReCl_3 and ReBr_3 , 4=17815
 Gell, M. and Robertson, W. D. Anisotropic growth of cleavage cracks in iron-3% silicon single crystals, 4=10384
 Gell-Mann, M. The reaction $\gamma + \gamma \rightarrow \nu + \bar{\nu}$, 1=5700
 Gell-Mann, M. Symmetries of baryons and mesons, 2=3256
 Gell-Mann, M. Factorization of coupling due to Regge poles, 2=13263
 Gell-Mann, M. A schematic model of baryons and mesons, 4=15007
 Gell-Mann, M. Nonleptonic weak decays and the eightfold way, 4=15015
 Gell-Mann, M. and Goldberger, M. L. Erratum: Elementary particles of conventional field theory as Regge poles, 3=7809
 Gell-Mann, M. and Goldberger, M. L. Elementary particles of conventional field theory as Regge poles, 2=22447
 Gell-Mann, M., Goldberger, M. L., Low, F. E. and Zachariasen, F. Elementary particles of conventional field theory as Regge poles. II, 3=14862
 Gell-Mann, M., Goldberger, M. L. and Low, F. E. The vacuum trajectory in conventional field theory, 4=19371
 Gell-Mann, M., Goldberger, M. L., Low, F. E., Marx, E. and Zachariasen, F. Elementary particles of conventional field theory as Regge poles. III, 4=9146
 Gell-Mann, M., Goldberger, M. L., Low, F. E., Singh, V. and Zachariasen, F. Elementary particles of conventional field theory as Regge poles. IV, 4=9147
 Gell-Mann, M. and Lévy, M. The axial vector current in beta decay, 0=15386
 Gell-Mann, M., Sharp, D. and Wagner, W. G. Decay rates of neutral mesons, 2=11997
 Gell-Mann, M. and Zachariasen, F. Broken symmetries and bare coupling constants, 1=13323
 Gell-Mann, M. and Zachariasen, F. Form factors and vector mesons, 1=19243
 Gell-Mann, M. and Zachariasen, F. A vector-spinor bootstrap as an identity, 4=21768
 Gell-Mann, M. See Bernstein, J., 0=15243
 Gell-Mann, M. See Bernstein, J., 0=20179
 Gell-Mann, M. See Frautschi, S. C., 2=16165
 Gell-Mann, M. See Fried, B. D., 1=9628
 Gell-Mann, M. See Glashow, S. L., 1=19099
 Gell-Mann, M. See Udgaonkar, B. M., 2=13746
 Geller, I. Kh. and Sharavskii, P. V. The electrical characteristics of some types of selenium rectifiers, 0=18051
 Geller, I. Kh. See Abdullaev, G. B., 0=6125
 Geller, K. N. Second-difference analysis of bremsstrahlung yield curves, 1=480
 Geller, K. N. System for energy control and absolute calibration of a 23 MeV betatron, 3=4226
 Geller, K. N. $Y^{88}(\gamma, n)Y^{88}$ threshold and the $\text{Zr}^{90}-\text{Sr}^{88}$ mass difference, 3=8074
 Geller, K. N., Halpern, J. and Muirhead, E. G. Systematics of neutron separation energies, 0=11296
 Geller, K. N., Halpern, J. and Muirhead, E. G. Photoneutron reactions: C^{12} , N^{14} , O^{16} , and F^{19} near threshold, 0=13261
 Geller, K. N. and Muirhead, E. G. Control and calibration of the betatron energy scale, 0=7175
 Geller, K. N. and Muirhead, E. G. High resolution second difference analysis of photonuclear yield curves, 4=22101
 Geller, K. N. and Muirhead, E. G. Photoneutron cross section of oxygen, 4=6323
 Geller, M. Two-center, nonintegral, Slater-orbital calculations: integral formulation and application to the hydrogen molecule-ion, 2=14314
 Geller, M. Two-center integrals over solid spherical harmonics, 3=19967
 Geller, M. Two-electron, one- and two-center integrals, 4=3763
 Geller, M., Bortfeld, D. P. and Sooy, W. R. New Woodbury-Raman laser materials, 3=24525
 Geller, M., Frost, A. A. and Lykos, P. G. Distortion of atomic orbitals in molecular orbitals. I. Polarization of the hydrogen atom in H_2^+ , 2=14315
 Geller, M. and Griffith, R. W. Zero-field splitting, one- and two-center Coulomb-type integrals, 4=20019
 Geller, M. and Ludwig, O. G. On the use of nonintegral exponents in elliptical coordinate wave functions, with special reference to the hydrogen molecule-ion, 2=8117
 Geller, M. See Bortfeld, D. P., 4=20094
 Geller, M. See Bortfeld, D. P., 4=24932
 Geller, M. See Eckhardt, G., 4=7105
 Geller, M. See Levine, H. B., 4=9618
 Geller, R. Behaviour of a high-frequency plasma in the presence of a magnetic field, 0=3764
 Geller, R. The production of stable high frequency plasmoids at the plasma resonant frequency, 0=5324
 Geller, R. Enhanced diffusion in an r. f. discharge in the presence of a magnetic field, 3=1944
 Geller, R. A pulsed toroidal P. I. G. discharge, 3=19260
 Geller, R. Experimental results of a bumpy torus discharge, 3=19270
 Geller, R. and Hosea, J. A highly ionized pulsed P. I. G. reflex discharge, 3=19259
 Geller, R. and Lucarain, M. Ionic oscillations in magnetic-field-free high-frequency plasmoids, 2=1465
 Geller, R. and Pigache, D. Mechanism of the reflex discharge at equilibrium, 3=4041

- Geller, R. and Pigache, D. Equilibrium mechanism of a P.I.G. reflex discharge and an experimental determination of D_{\perp} in a plasma, 3-9745
- Geller, R. See Bardet, R., 4-19054
- Geller, R. See Bardet, R., 4-21550
- Geller, R. See Bardet, R., 4-27558
- Geller, R. See Chabbal, R., 3-24229
- Geller, R. See Consoli, T., 1-2969
- Geller, R. See Consoli, T., 3-4042
- Geller, R. See Consoli, T., 3-21795
- Geller, S. On the boron-nitrogen donor-acceptor bond, 0-4255
- Geller, S. On the relationship between the β -W and garnet structures, 0-6358
- Geller, S. Magnetic interactions and distribution of ions in the garnets, 0-10178
- Geller, S. Crystal structure of β -Ga₂O₃, 0-16321
- Geller, S. The statistics of superexchange interaction and ionic distribution in substituted ferrimagnetic rare earth iron garnets, 1-7766
- Geller, S. Parameter interaction in least squares structure refinement, 2-10842
- Geller, S. The crystal structure of Pd₁Se₁₅, 2-15026
- Geller, S. Refinement of the crystal structure of Co₂S₈, 3-8840
- Geller, S. The crystal structure of the superconductor Rh₁₇S₁₅, 3-8841
- Geller, S., Bozorth, R. M., Gilleo, M. A. and Miller, C. E. Crystal chemical and magnetic studies of garnet systems $M_3^{2+}Fe_2Sn_3O_{12}-Y_3Fe_2Fe_3O_{12}$, 0-6359
- Geller, S., Bozorth, R. M., Miller, C. E. and Davis, D. D. Crystal chemical and magnetic studies of garnet systems $\{YCa_2\}[M_3^{2+}](Fe_2O_6)_2\{Y_3\}[Fe_2](Fe_2O_6)_2$, $M = Zr$ or Hf , 0-11895
- Geller, S. and Durand, J. L. Refinement of the structure of LiMnPO₄, 0-8219
- Geller, S., Espinosa, G. P., Williams, H. J., Sherwood, R. C. and Nesbitt, E. A. Rare-earth and yttrium-free ferrimagnetic garnet with 493° K Curie, 4-4376
- Geller, S., Espinosa, G. P., Williams, H. J., Sherwood, R. C. and Nesbitt, E. A. Ferrimagnetic garnets containing pentavalent vanadium, 4-13234
- Geller, S., Jayaraman, A. and Hull, G. W., Jr. Superconductivity and vacancy structures of the pressure induced NaCl-type phases of the In-Te system, 4-14518
- Geller, S., McWhan, D. B. and Hull, G. W., Jr. Superconducting indium antimonide, 3-19110
- Geller, S. and Miller, C. E. New synthetic garnets, 0-8226
- Geller, S. and Mitchell, D. W. Rare earth ion radii in the iron garnets, 0-3232
- Geller, S., Williams, H. J., Espinosa, G. P. and Sherwood, R. C. Ferrimagnetic garnets containing pentavalent antimony, 4-13233
- Geller, S., Williams, H. J., Espinosa, G. P. and Sherwood, R. C. Importance of intrasublattice magnetic interactions and of substitutional ion type in the behaviour of substituted yttrium iron garnets, 4-26343
- Geller, S., Williams, H. J., Espinosa, G. P., Sherwood, R. C. and Gilleo, M. A. Reduction of the preparation temperature of polycrystalline garnets by bismuth substitution, 3-23191
- Geller, S., Williams, H. J. and Sherwood, R. C. Magnetic and crystallographic study of neodymium-substituted yttrium and gadolinium iron garnets, 1-12542
- Geller, S., Williams, H. J. and Sherwood, R. C. Substitution of Fe³⁺ ion in Sc₂O₃ and In₂O₃, 2-4424
- Geller, S., Williams, H. J. and Sherwood, R. C. Comments on "A study of neodymium-substituted yttrium iron garnet" by T. H. Ramsay, Jr., H. S. Steinfiirk and E. J. Weiss, 3-25546
- Geller, S., Williams, H. J., Sherwood, R. C. and Espinosa, G. P. Substitutions of divalent transition metal ions in yttrium iron garnet, 2-12690
- Geller, S., Williams, H. J., Sherwood, R. C. and Espinosa, G. P. Substitutions of divalent manganese, iron and nickel in yttrium iron garnet, 3-3129
- Geller, S., Williams, H. J., Sherwood, R. C. and Espinosa, G. P. Bismuth substitution in yttrium iron aluminium garnets, 4-23023
- Geller, S., Williams, H. J., Sherwood, R. C., Remeika, J. P. and Espinosa, G. P. Magnetic study of the lighter rare-earth ions in the iron garnets, 3-20620
- Geller, S. See Bozorth, R. M., 0-11893
- Geller, S. See Espinosa, G. P., 4-29043
- Geller, S. See Gilleo, M. A., 0-3095
- Geller, S. See Gilleo, M. A., 0-3096
- Gelles, I. L. See Smith, W. V., 0-1832
- Gelles, I. L. See Sorokin, P. P., 0-10224
- Gelles, R. A general-purpose infrared lens, 2-9366
- Gelles, R. A new family of flat-field cameras, 4-5407
- Gelli, D. A qualitative model for amplitude dependent dislocation damping, 2-10395
- Gelli, D., Federighi, T. and Pieragostini, F. Neutron irradiation effects on dislocation damping in cold-worked aluminium, 3-4868
- Gelli, D. See Ceresara, S., 4-4091
- Gelli, D. See Panseri, C., 3-15976
- Gelling, W. G. and Haanstra, J. H. A red electroluminescent ZnSe phosphor, 2-8594
- Gelling, W. G. See Bril, A., 3-2910
- Gellings, P. J. Measures used in describing the damping of ultrasound, 2-7294
- Gellings, P. J. Damping of ultrasound in metals, carbon steels and nickel, 2-13418
- Gellings, P. J. The application of Lagrange's theorem in electrochemical kinetics. III. Sinusoidal polarization of single electrodes, 3-5169
- Gellings, P. J. The application of Lagrange's theorem in electrochemical kinetics. IV. The stationary state of a multiple electrode, 3-18447
- Gel'man, A. P. Relativistic operators for momentum and angular momentum, 0-9276
- Gelman, J. J. and Lieberman, D. S. The atomic mechanisms of fracture, 0-21146
- Gel'man, Yu. A. See Pavlovskaya, V. S., 3-11285
- Gelmont, B. L. See Gurevich, L. E., 4-16497
- Gel'perin, B. B., Gusakov, V. D., Luban, Kh. L. and Trofimova, N. N. Methods of adjusting betatrons for maximum intensity, 4-16596
- Gelsema, E. S., Kluyver, J. C., Tenner, A. G. and Wolters, G. F. On the production mechanism of the K*-resonance, 4-25157
- Gelsema, E. S. See Bellière, J., 3-24775
- Gelsema, E. S. See Cooper, W. A., 4-15104
- Gelsema, E. S. See Di Corato, M., 2-22627
- Gelsema, E. S. See Valckx, F. P. G., 2-10124
- Geltman, S. Electron detachment from the negative hydrogen ion by electron impact, 0-7077
- Geltman, S. Variational treatment of electron-hydrogen atom elastic scattering, 0-15674
- Geltman, S. The bound-free absorption coefficient of the hydrogen negative ion, 3-2557
- Geltman, S. Double-photon photo-detachment of negative ions, 3-21713
- Geltman, S., Rudge, M. R. H. and Seaton, M. J. Electron impact ionization of atomic hydrogen, 3-12073
- Geluk, J. J. A subjective method for evaluation of sound insulation, 0-6897
- Geluk, J. J. Measuring methods for distinctness in time and distinctness in frequency in studio acoustics, 4-14304
- Gemant, A. Electronegative gases in dielectrics containing voids, 0-3725
- Gémesy, T., Sándor, T. and Somogyi, A. Cloud chambers study of extensive air showers, 0-15471
- Gemesy, T., Sandor, T. and Somogyi, A. Cloud chamber study of extensive air showers, 1-3286
- Gemesy, T. See Bhattacharya, P. C., 2-12096
- Gémesy, T. See Dohán, I., 0-17441
- Gemesy, T. See Hofmök, T., 3-12488
- Gémesy, T. See Hofmök, T., 4-25152
- Gemmell, D. S. Alpha-particles from the reaction ${}^7\text{Li}(p,\gamma){}^8\text{Be}^*(\alpha){}^4\text{He}$, 0-20444
- Gemmell, D. S. Alpha particles from the reaction $\text{Li}^7(p,\gamma)\text{Be}^{8*}(\alpha)\text{He}^4$, 1-8719
- Gemmell, D. S., Erskine, J. R. and Schiffer, J. P. $\text{B}^{10}(\text{d}, \text{Li}^8)\text{Li}^6$ reaction at deuteron energies from 8 to 13.5 MeV, 4-15231
- Gemmell, D. S., Erskine, J. R. and Schiffer, J. P. The $\text{B}^{10}(\text{d}, \text{Li}^8)\text{Li}^6$ reaction at deuteron energies from 8 to 13.5 MeV, 4-22171
- Gemmell, D. S. and Jones, G. A. The $\text{T}(p,\gamma)\text{He}^4$ reaction, 2-13894
- Gemmell, D. S. See Dearnaley, G., 2-18252
- Gemmell, D. S. See Dearnaley, G., 2-18265
- Gemmell, D. S. See Erskine, J. R., 4-7706
- Gemmell, D. S. See Lee, L. L., Jr., 3-19777
- Gemperle, A. Preparation of metal foils from deformed specimens of small dimensions for transmission electron microscopy, 3-11330
- Gemperle, A., Rozsival, M. and Sestak, B. Electron microscope study of dislocations in slip bands of bent Fe-3.2% Si alloy single crystals, 2-21041
- Gemperle, A. See Gemperle, R., 4-7253
- Gemperle, R. A contribution to the study of the surface domain structure of uniaxial ferromagnets, 4-26285
- Gemperle, R., Gemperle, A. and Bursuc, I. Thickness dependence of domain structure in cobalt, 4-7253

- Gemperle, R., Shtolts, E. V. and Zelený, M. The temperature dependence of the domain structure of magneto-plumbite, 4=7238
- Gemperle, R. and Zelený, M. Néel walls in a massive uniaxial ferromagnet in an external field, 4=30707
- Gemperle, R. See Kaczér, J., 0=3032
- Gemperle, R. See Kaczér, J., 0=4489
- Gemperle, R. See Kaczér, J., 0=10147
- Gemperle, P. See Kaczér, J., 1=14707
- Gemperle, P. See Kaczér, J., 1=14711
- Gemperle, R. See Kaczér, J., 1=17954
- Gemperle, R. See Kaczér, J., 1=29989
- Gemperle, R. See Kaczér, J., 3=1062
- Gemperle, R. See Wrzeciono, A., 3=3107
- Gemperle, R. See Wrzeciono, A., 3=13250
- Gemus, D. M. Investigation of the energy spectrum of current carriers in compounds of the V_2O_5 type, 4=6784
- Gemus, D. M. See Tovstyyuk, K. D., 3=17684
- Gen, M. Ya., Eremina, I. V. and Petrov, Yu. I. Crystallization of aluminium aerosols, 0=14144
- Gen, M. Ya. and Petrov, Yu. I. The range in aluminium of 14.7 MeV protons, 2=3337
- Genähr, R. Contributions to the interpretation of the sonic velocity in binary liquid mixtures, 0=16695
- Genberg, R. W. See Reitz, J. R., 1=19710
- Gendele, S. Sh. Application of the interference microscope MII-4 to the study of crystal surfaces, 0=16828
- Gendele, S. Sh. Face morphology of crystals of yttrium-iron garnet, 4=10458
- Gendele, S. Sh. and Shafranovskii, I. I. Edge forms of the cubic system, 0=13927
- Gendele, S. Sh. The twisted shape of crystals grown by Verneuil's method, 4=23320
- Gendele, S. Sh., Lapovok, B. L. and Rubinshtein, B. E. Single crystals of nickel ferrite with a narrow ferrimagnetic resonance line, 4=7311
- Gendele, S. Sh. See Drokin, A. I., 4=26338
- Gendell, J., Cotts, R. M. and Sienko, M. J. Magnetic-resonance studies of lithium vanadium bronze, 2=18963
- Gendell, J., Freed, J. H. and Fraenkel, G. K. Solvent effects in electron spin resonance spectra, 3=6415
- Gendell, J., Freed, J. H. and Fraenkel, G. K. Line shapes in electron spin resonance spectra, 4=28253
- Gendreau, G., Bruck, H., Gabet, A., Gouttefangeas, M., Hamelin, J., Levy-Mandel, R., Nakach, A., Rastoix, G., Rommel, G., Schoen, R. and Vienet, R. Evidence of the loss of particles through space charge, and of an anomalous median plane, in the synchrotron Saturne, 1=16460
- Gendreau, G. See Bronca, G., 0=2412
- Gendreau, G. See Bruck, H., 0=2412
- Gendrin, R. Generation of very low frequency noise in the exosphere by the Cherenkov effect, 1=3068
- Gendrin, R. Guiding of whistlers by the magnetic field, 2=4608
- Gendrin, R. On a theory of the fine structure in rapid pulsations, 3=25954
- Gendrin, R. Theory of rapid structured pulsations in the earth's magnetic field, 4=2317
- Gendrin, R. On a theory of rapid structural pulsations. Calculation of the intensity of the observed oscillations, 4=7949
- Gendrin, R. and Stefant, R. Recording and spectral analysis of very low frequency oscillations of the terrestrial magnetic field in the range 1 to 50 c/s, 2=13062
- Gendrin, R. and Stefant, R. Frequency analysis of pearl-type pulsations, 3=1486
- Gendrin, R. and Stefant, R. Effect of the thermonuclear explosion of 9 July 1962 at very high altitude on the resonance of the terrestrial-ionospheric cavity. Experimental results, 3=3485
- Gendrin, R. See Carru, H., 1=8030
- Gendrin, R. E. Mechanisms of v.l.f. emission, 4=26802
- Gendron, M. F. and Jones, R. E. Superconductivity in the $CuAl_2(C16)$ crystal class, 2=13514
- Gendzhoyan, G. V. See Kheifets, S. A., 2=5420
- Genensky, S. M. A general theorem concerning the stability of a particular non-Newtonian fluid, 0=19047
- Generalov, I. V. Construction of a new apparatus for the measurement of ultraviolet radiation, 3=21536
- Generalov, N. A. On the influence of impurities on the excitation of vibrations of oxygen molecules at high temperatures, 3=17581
- Generalov, N. A. and Losev, S. A. Determination of intermolecular forces from the relaxation of [vibrational] oscillations in oxygen, 3=12881
- Generalov, N. A., Losev, S. A. and Maksimenko, V. A. Absorption of ultraviolet radiation by strongly heated carbon dioxide gas, 4=5249
- Generalov, N. A., Losev, S. A. and Osipov, A. I. Relaxation of the vibrational energy of air molecules behind the front of a plane shock wave, 4=30438
- Generalov, N. A. See Losev, S. A., 1=2778
- Generalov, N. A. See Losev, S. A., 0=10727
- Generalov, N. A. See Losev, S. A., 0=19211
- Generalov, N. A. See Mosev, S. A., 2=12350
- Generalov, N. A. See Mosev, S. A., 2=14334
- Generalov, N. P. The theory of probes, 0=15035
- Geneste, J. See Bonnin, B., 3=19104
- Genet, F. Determination from the parameters and angles of the crystal lattice of the indices HKL of reflections observable with a given wavelength, 4=13568
- Geneux, E. and Wanders-Vincenz, B. Magnetic dipole resonance of excited levels in free ions of Cd II and Zn II, 0=2715
- Geneux, E. and Wanders-Vincenz, B. A study by magnetic resonance in atomic beams of the excited states of cadmium and zinc, and of cadmium II and zinc II ions, 0=17683
- Geneux, E. See Barbev, P., 3=12757
- Geneux, E. See Favre, C. J., 4=15276
- Gengnagel, G. and Wagner, H. Field induced anisotropy in Fe-Al and Fe-Si single crystals, 1=10138
- Gengnagel, H. Magnetic behaviour of Fe-Al single crystals. I. The influence of the degree of ordering on the magnetic properties. II. The influence of precipitation on the coercivity and remanence of Fe-Al crystals, 2=14770
- Gengnagel, H., Dressel, H., Baumert, W. and Sauerteig, H. A recording anisotropy meter for high and low temperatures and its application, 4=636
- Gengnagel, H., Hajko, V. and Daniel-Szabo, J. Visual demonstration of creep phenomena with loop crystals, 3=13248
- Gengnagel, H. See Danan, H., 1=20100
- Gengnagel, H. See Daniel-Szabo, J., 2=4333
- Gengnagel, H. See Daniel-Szabo, J., 3=1229
- Gengnagel, H. See Wagner, H., 4=7258
- Genin, J., Radvanyi, P., Brissaud, I. and Detraz, C. Protons, deuterons tritons and helium nuclei emitted by Au^{197} under the action of 154 MeV protons, 2=453
- Génin, J. See Bergamaschi, C., 1=16462
- Génin, J. See Radvanyi, P., 1=13803
- Genin, J. See Radvanyi, P., 2=1892
- Genin, J. See Radvanyi, P., 2=3571
- Genin, J. M. See Champier, G., 4=6710
- Genin, R., Beil, H., Signarbieux, C., Carlos, P., Joly, R. and Ribrag, M. Determination of absorption and scattering cross-sections of rare-gases for thermal neutrons, 3=12467
- Genin, R., Joly, R. and Ribrag, M. The crystal spectrometer of the EL3 pile, 1=13906
- Genin, R. and Ribrag, M. Scattering cross-section for slow neutrons from hydrogen in metallic hydrides, 2=547
- Genin, R. See Beil, H., 3=20821
- Genin, R. See Beil, H., 4=918
- Genkin, G. M. Free path of excitons in polar crystals, 2=10357
- Genkin, G. M. The transport-equation approach to cyclotron resonance in semiconductors, 3=15560
- Genkin, G. M., Otmakhov, Yu. A. and Rozenblyum, E. A. Theory of spin waves in antiferromagnetics, 4=7296
- Genkin, G. M. See Aleksandrov, A. P., 4=7309
- Genkin, I. L. The K-effect and the spiral structure of the galaxy, 2=21743
- Genkin, I. L. Dynamics of a nonsteady state galaxy, 3=16411
- Genkin, V. N. Theory of relaxation of quantum systems, 3=21255
- Genkin, V. N. and Fain, V. M. On the antiferromagnetic resonance line width, 2=4244
- Genkin, V. N. and Fain, V. M. On the antiferromagnetic resonance line width, 3=3161
- Genkin, Ya. E. and Rumyantsev, I. A. Allowing for apparatus distortion and the width of dispersion type inner levels in emission spectra, 2=15974
- Genkin, Ya. E. and Rumyantsev, I. A. Comparison of two methods of correcting experimental curves. (Column and matrix methods), 3=4238
- Genkin, Ya. E. See Korsunskii, M. I., 2=12608
- Genkin, Ya. E. See Korsunskii, M. I., 2=14694
- Genkin, Ya. E. See Korsunskii, M. I., 2=14695
- Genkin, Ya. E. See Korsunskii, M. I., 2=16841
- Genkin, Ya. E. See Korsunskii, M. I., 2=21260
- Genkin, Ya. E. See Korsunskii, M. I., 3=4838
- Genkin, Ya. E. See Korsunskii, M. I., 3=4978
- Genkin, Ya. E. See Korsunskii, M. I., 3=5601

- Genkin, Ya. E. See Korsunskii, M. I., 3=23095
- Genkina, S. M. and Tolpygo, K. B. The influence of the discrete structure of a crystal on the energy, effective mass, and dispersion law of a polaron, 1=948
- Gennes de, P. G. See Friedel, J., 3=16861
- Gennes, P. G. de. See de Gennes, P. G.
- Gennes, P. G. See Saint-James, D., 4=8559
- Genot, M. Study of the eutectic melting in the Fe-C system by continuous calorimetry, 1=16174
- Genovese, F. See Grodzins, L., 1=602
- Gensait, E. B. See Bolotin, A. B., 4=1249
- Gensamer, M. See Stoloff, N. S., 3=15994
- Genshaft, Yu. S. "New" and "old" pressure scales, 3=23830
- Genshaft, Yu. S. The possibility of using reference points in the pressure scale, 4=8015
- Genshaft, Yu. S. See Livshits, L. D., 1=10220
- Genshaft, Yu. S. See Livshits, L. D., 3=16014
- Genshaft, Yu. S. See Livshits, L. D., 4=17652
- Gensollen, C. See Barloutaud, R., 2=22560
- Gensollen, C. See Barloutaud, R., 3=7904
- Gent, A. N. Simple rotary dynamic testing machine, 0=6289
- Gent, A. N. Theory of the parallel plate viscometer, 0=6733
- Gent, A. N. and Lindley, P. B. Internal rupture of bonded rubber cylinders in tension, 0=3159
- Genta, L. See Horn, G., 3=9703
- Genthon, J. P. The calculation of damage flux for Wigner effect, 2=22865
- Gentil, K. The "Flexatone" and the "Singing-Saw", 0=8761
- Gentile, A. See Mongelli, S., 3=6276
- Gentile, C. See Perucca, E., 3=1865
- Gentile, C. See Perucca, E., 3=11994
- Gentile, C. See Perucca, E., 3=11995
- Gentner, W. Terrestrial and meteoric material, 3=16366
- Gentner, W. and Hortig, G. Method for the production of negative ion beams, 3=9872
- Gentner, W., Lippolt, H. J. and Schaeffer, O. A. The potassium-argon age of a glass sample from the Nördlingen Ries, 2=11009
- Gentner, W. and Zähringer, J. Potassium-argon age of tektites, 0=8361
- Gentner, W. See Hortig, G., 4=22209
- Gentner, W. See Mayer-Böricke, C., 3=3558
- Gentner, W. See Zähringer, J., 1=9262
- Gentry, E. E. See Davies, R. L., 4=28582
- Gentry, R. See Theimer, O., 0=2363
- Gentry, R. See Theimer, O., 2=5330
- Genty, B. See Bibring, H., 3=25797
- Genty, R. The analogy of celestial bodies and in particular of terrestrial artificial satellites with gyroscopic systems, 3=16320
- Genusa, V. A. and Parker, P. M. Computation of asymmetric rotator constants from energy moments. IV, 3=4737
- Genzel, L. Aperiodic and periodic interference modulation for spectrographic purposes, 0=6924
- Genzel, L., Happ, H. and Weber, R. Dispersion measurements on NaCl, KCl and KBr at wavelengths between 0.3 and 3 mm, 0=628
- Genzel, L. See Bilz, H., 1=1168
- Genzel, L. See Bilz, H., 2=11812
- Genzel, L. See Happ, H., 2=7752
- Genzel, L. See Renk, K. F., 2=22051
- Genzel, L. See Seger, G., 2=18813
- Genzel, L. See Ulrich, R., 4=19212
- Genzel, L. See Vogel, P., 4=14356
- Genzow, D. See Albers, C., 3=15705
- Geodkoop, J. A. See Bergsma, J., 1=7532
- Geoffray, H., Ferrier, A. and Olette, M. Measurement of the heat capacity of nickel at high temperature, from 1120° to 1919°C, 3=8359
- Geoffrion, B. See De Bouard, X., 4=19669
- Geoffrion, B. See Tatischeff, B., 4=12212
- Geoffrion, B. See Tatischeff, B., 4=19764
- George, A. M. and Karkhanavala, M. D. Studies of the electrical properties of uranium oxides. I. Electrical conductivity of α -U₃O₈, 4=1625
- George, C. Irreversible phenomena due to isotopic substitution in crystals, 0=4264
- George, C. Brownian movement of a quantum oscillator, 1=6788
- George, C. Ehrenfest's urns and first order stochastic processes, 1=18286
- George, C. Irreversible phenomena of a quantum system of particles, 4=29556
- George, C. Properties of the pseudo-Markovian collision operator, 4=27114
- George, D. W. Sources of ionisation in high-pressure gases above 2000° K, 4=27472
- George, D. W. and Messerle, H. K. Electrode phenomena in magneto-hydrodynamic power generation, 2=22322
- George, D. W. and Messerle, H. K. Electrical breakdown in high-temperature gases, 4=27501
- George, D. W. See Armstrong, J. F., 4=18685
- George, D. W. See Messerle, H. K., 4=14222
- George, E. P. Electrical properties of active membranes, 2=21748
- George, G. G. and Gunnersen, E. M. Irradiation damage effects in silicon surface barrier counters, 4=14972
- George, G. T. See Gilbert, L. A., 2=24236
- George, J. Dislocation etch pits in zinc crystals, 0=20819
- George, J. Etch patterns on cadmium crystals grown from vapour, 1=9104
- George, K. A. Plasma heating by current-saturation, 0=9036
- George, K. A. Confining a plasma in steady electric and magnetic fields, 1=9584
- George, K. A. Trapping and compressing electric fields, 4=21635
- George, K. A., Divatia, A. S., Mehta, M. K., Bhawe, S. S., Deshpande, C. S., Varghese, R. and Varghese, T. G. T.I.F.R. Van de Graaff accelerator, 1=341
- George, K. P. See Cary, H., 4=14399
- George, L. A., II and Vogt, G. S. Electron microscopy of autoradiographed radioactive particles, 0=7487
- George, L. A., II. Electron microscopy and autoradiography, 1=9242
- George, N. Improved population inversion in gas lasers, 4=14932
- George, P., Beeststone, J. and Griffith, J. S. Ferrihemoprotein hydroxides: A correlation between magnetic and spectroscopic properties, 4=20145
- George, R. See Berley, D., 2=22633
- George, R. See Berley, D., 4=9281
- George, R. See Boldt, E., 4=9276
- George, R. See Duboc, J., 4=12060
- George, R. See Lynch, G. R., 4=25181
- George, R. E. and Sesonke, A. Simplified simulation of a boiling water reactor power plant, 1=751
- George, R. E. See Cook, J. B., 4=18646
- George, R. I. and McQuistan, R. B. Lead wire attachment techniques for thin film studies, 1=11670
- George, R. I. See Linner, L. R., 0=12442
- George, S. See Nugent, L. J., 4=28753
- George, T. H. An unusual example of a grain boundary, 4=9979
- George, T. H. and Stier, P. M. Chemisorption of oxygen on ordered tungsten surfaces, 3=3396
- George, T. V., Slama, L. and Yokoyama, M. Intensity distribution of ruby laser beams, 4=5862
- George, T. V., Slama, L., Yokoyama, M. and Goldstein, L. Scattering of ruby-laser beam by gases, 4=8456
- George, W. D. Third international conference on precision electromagnetic measurements, 3=12309
- George, W. D. See Barber, W. C., 0=4109
- George, W. H. Science and music, 1=18526
- George, W. R., Sharples, R. and Thompson, J. E. The sintering of bismuth telluride, 0=7972
- Georgescu, A. See Comsa, G., 1=5403
- Georgescu, I. See Ausländer, J., 1=1850
- Georgescu, I. I. See Angelescu, D., 2=5557
- Georgian, J. C. The temperature scale, 4=18461
- Georgieva, I. See Borisov, M., 1=7668
- Georgieva, I. See Borisov, M., 1=7678
- Georgieva, I. See Borisov, M., 4=30657
- Georgievski, Yu. N. See Bol'shakova, L. G., 0=788
- Georgii, H. W. Oxides of nitrogen and ammonia in the atmosphere, 3=25870
- Georgio, N. V. See Troitskaya, V. A., 2=19235
- Georgiu, Z. See Balli, D., 2=20630
- Georgobiani, A. N. Electroluminescence excitation process in ZnS, 2=8593
- Georgobiani, A. N. Effect of the bond type of crystal phosphors on their electroluminescent ability, 3=15718
- Georgobiani, A. N. Electroluminescence of zinc sulphide, 4=20493
- Georgobiani, A. N. and Fok, M. V. Principal peaks of electroluminescent brightness waves, 1=5058
- Georgobiani, A. N. and Fok, M. V. The process responsible for the voltage dependence of the mean luminescence brightness, 1=20031

- Georgobiani, A.N. and Fok, M.V. The phase of electroluminescence light pulses as a function of excitation voltage parameters, 2=6642
- Georgobiani, A.N. and Golubeva, N.P. The excitation of electroluminescence in alkali halides, 3=20541
- Georgobiani, A.N., Golubeva, N. and Lebedev, P.N. Excitation of electroluminescence in alkali halide compounds, 3=11006
- Georgobiani, A.N., L'vova, E.Yu. and Fok, M.V. The absorption of energy in electroluminescence, 3=8630
- Georgobiani, A.N., L'vova, E.Yu. and Fok, M.V. Relationship between the phase of the current, the power absorbed, and the brightness of electroluminescence, 4=7173
- Georgobiani, A.N., L'vova, E.Yu. and Fok, M.V. The temperature dependence of electroluminescent yield, 4=7174
- Georgobiani, T.P. Temperature stabilizer for the diffusion chambers of mass-spectrometer ion sources, 4=617
- Georgopoulos, C., Verdone, M. and Dautreppe, D. Neutron and γ -irradiation of indium antimonide at 78°K, 4=6976
- Geotelman, R.C. and Evans, M.W. Longitudinal sound velocity in columns of granular ammonium perchlorate of low loading density, 3=20091
- Geppert, D.V. Internal field emission and low temperature thermionic emission into vacuum, 1=4633
- Geppert, D.V. Space-charge-limited tunnel emission into an insulating film, 2=23254
- Geppert, D.V. Theoretical shape of metal-insulator-metal potential barriers, 3=9709
- Geppert, D.V. Free-space bounded plane-wave solutions to the Maxwell-Lorentz equations, 4=21643
- Geppert, D.V. Experimental determination of the shape of metal-insulator-metal potential barriers, 4=26136
- Geppert, D.V. and Barnes, C.W., Jr. The equivalent noise temperature of the tunnel cathode, 2=12532
- Geppert, G. A new double-beam recording infrared spectrophotometer with double-passed optics, 3=252
- Geppert, G. and Scholz, R. Mercury vapour lamp as exciting source for the observation of Raman spectra of solid materials, 3=5524
- Gepts, P. See Colard, J., 1=13662
- Gepts, P. See Creutz, E., 4=25319
- Geradin, C., Bilwes, R. and Magnac-Valette, D. Distance-energy curves for alpha-particles in aluminium, 2=5852
- Gérard, A. See Imbert, P., 4=1341
- Gérard, A. See Imbert, P., 4=4379
- Gerard, V.B. The propagation of world-wide sudden commencements of magnetic storms, 0=8357
- Gerard, V.B. Laboratory alkali metal vapour lamps for optical pumping experiments, 2=11479
- Gerard, V.B. Atomic frequency standards using optical pumping of rubidium-87 and caesium-133 in gas cells, 2=16486
- Gerard, V.B. See Lawrie, J.A., 0=4770
- Gérardin, C., Bilwes, R. and Magnac-Valette, D. The stopping power of gold for 14.36 MeV α -particles, 1=16919
- Gérardin, C. See Bilwes, R., 1=2182
- Gérardin, C. See Bilwes, R., 1=3458
- Gérardin, C. See Bilwes, R., 1=13701
- Gerardo, J.B., Goldstein, L. and Hendricks, C.D., Jr. Application of microwaves in shock wave investigations, 4=27250
- Gerardo, J.B., Hendricks, C.D., Jr. and Golstein, L. Microwave studies of electrically driven shock waves, 3=21488
- Gerardo, J.B. and Verdeyen, J.T. Plasma refractive index by a laser phase measurement, 4=2985
- Gerardo, J.B. and Verdeyen, J.T. The laser interferometer: Application to plasma diagnostics, 4=27327
- Gerardo, J.B. See Verdeyen, J.T., 4=16221
- Gerasev, V.F. See Yakovleva, A.V., 3=23581
- Geraseva, L.A. and Vavilov, V.V. The slowing down of neutrons in iron-water assemblies, 2=11955
- Gerasimenko, N.N. See Smirnov, L.S., 3=20540
- Gerasimenko, V.I. Spin-acoustic resonance in paramagnetic metals, 1=17403
- Gerasimenko, V.I. Two-electron charge exchange of protons in helium during fast collisions, 2=159
- Gerasimenko, V.I. Two-electron charge exchange of protons in helium during fast collisions, 3=367
- Gerasimenko, V.I. See Oksyuk, Yu.D., 4=12530
- Gerasimov, A.B. See Boiko, S.N., 4=14805
- Gerasimov, A.B. See Lyashenko, V.I., 1=1045
- Gerasimov, A.F. See Arkharov, V.I., 1=14310
- Gerasimov, A.I. See Pavlovskii, A.I., 4=630
- Gerasimov, F.M., Naumov, S.S. and Denisov, L.M. Diffraction gratings concentrating radiation in the vacuum ultraviolet and X-ray regions of the spectrum, 4=18424
- Gerasimov, F.M. See Rassudova, G.N., 0=3647
- Gerasimov, F.M. See Rassudova, G.N., 2=5187
- Gerasimov, F.M. See Rassudova, G.N., 3=19015
- Gerasimov, F.M. See Rassudova, G.N., 3=19016
- Gerasimov, F.M. See Rassudova, G.N., 3=24051
- Gerasimov, F.M. See Yakovlev, E.A., 1=13000
- Gerasimov, F.M. See Yakovlev, E.A., 3=1832
- Gerasimov, S.B. Dispersion relations for scattering of γ -quanta on nuclei, 2=20584
- Gerasimov, S.B. Dispersion relations for scattering of γ -quanta on nuclei, 2=20586
- Gerasimov, S.B. Dispersion relations for scattering of γ -quanta on nuclei, 3=8069
- Gerasimov, S.B. Sum rules and high-energy photonuclear absorption, 3=24920
- Gerasimov, S.B., Lebedev, A.I. and Petrun'kin, V.A. Theory of scattering of neutrons by the Coulomb field of the nucleus, 3=15204
- Gerasimov, V.F. Gas scintillation detector for the recording of fission fragments, 1=10814
- Gerasimov, V.F. and Zenkevich, V.S. Capture cross-section of monochromatic neutrons by U^{235} in the energy interval 0.02-2 eV, 3=6258
- Gerasimov, Ya.I. and Nikol'skaya, A.V. Thermodynamic properties of bismuth telluride (Bi_2Te_3) and antimony telluride (Sb_2Te_3), 3=22657
- Gerasimov, Ya.I. See Abbasov, A.S., 4=25850
- Gerasimov, Ya.I. See Nikol'skaya, A.V., 0=10354
- Gerasimov, Yu.M. and Grechushnikov, B.N. Optical orientation of crystalline grains, 3=20775
- Gerasimov, Yu.M. See Distler, G.I., 4=17794
- Gerasimova, A.P. See Kirsanova, T.S., 3=19297
- Gerasimova, E.A. and Kvitka, S.S. A method of rotating Harker sections, 0=13997
- Gerasimova, E.A. See Atsarkin, V.A., 3=15939
- Gerasimova, L.M. See Shvirin, O.N., 1=15186
- Gerasimova, M.P. See Striganov, A.R., 3=15282
- Gerasimov, N.G. and Startsev, G.P. Vacuum monochromator VM-70, 2=17629
- Gerasimova, N.M. Energy fluctuations in particle interactions at high energies, 1=19117
- Gerasimova, N.M. Fluctuations of the number of particles in an electron-photon shower, 3=2342
- Gerasimova, N.M. Fluctuations of the number of particles in an electron-photon shower, with effects of ionization losses included, 3=22238
- Gerasimova, N.M., Nikishov, A.I. and Rosenthal, I.L. Interaction of nuclei and photons of high energies with a thermal radiation in the universe, 3=4494
- Gerasimova, N.M. and Rozental', I.L. Influence of the nuclear photoeffect on the primary cosmic ray spectrum, 1=16923
- Gerasimova, N.M. and Rozental', I.L. Influence of the nuclear photo-effect on the primary cosmic ray spectrum, 2=22667
- Gerasimova, N.M. and Zatspein, G.T. Disintegration of cosmic-ray nuclei by solar photons, 0=13079
- Gerasimova, N.M. See Gedalin, E.V., 4=3510
- Gerasimova, R.I. See Varfolomeev, A.A., 0=355
- Gerasimova, R.I. See Varfolomeev, A.A., 0=7324
- Gerasimova, R.I. See Varfolomeev, A.A., 1=2139
- Gerasimova, S.B. The influence of thermal diffusion on heat convection in a binary mixture, 3=19047
- Gerassimov, Ya.I. See Alekseev, N.V., 1=143
- Gerbatsch, R. See Ehrlich, G., 2=23984
- Gerbaux, X. See Bouster, C., 4=7125
- Gerbaux, X. See Hadni, A., 3=3006
- Gerbaux, X. See Poinot, P., 2=21249
- Gerbaux, Y. and Hadni, A. Absorption spectrum of SnI_4 in the far infrared, 3=8604
- Gerber, C.S. and Manry, D. On the height of capillary rise in an assembly of identical spheres, 3=122
- Gerber, E.A. Progress in the United States during the last three years on frequency and time interval standards and measurements, 2=15531
- Gerber, E.A. and Ahlstrom, E.R. Ruby laser with piezo-electrically excited vibrating reflector, 4=30096
- Gerber, H. Calculation of dynamic-pressure changes in the presence of free convection, 4=27203
- Gerber, H. Acoustic properties of fluid-filled chambers at infrasonic frequencies in the absence of convection, 4=27262
- Gerber, H.J. See Brüllmann, M., 0=5563
- Gerber, H.J. See Faissner, H., 4=30252
- Gerber, H.J. See Jones, R.S., 3=2233
- Gerber, J. See Blades, J.D., 2=4494
- Gerber, J.F. High-vacuum dual-motion feedthrough, 4=2742
- Gerber, J.P. See Baumann, G., 4=17176

- Gerber, J.P. See Samman, A., 3=24802
- Gerber, R. A non-linear problem in the determination of the temperature in an electrically heated plate, 0=5195
- Gerber, R. A problem with limits presented by the determination of the temperature in an electrically heated body, 0=5196
- Gerber, R. and Elbinger, G. Contribution to the study of uniaxial induced magnetic anisotropy in Mg-Fe ferrite crystals, 4=10292
- Gerber, R. and Závěta, K. Determination of Curie temperature from the initial susceptibility, 1=20067
- Gerber, R. See Bergstein, A., 1=20131
- Gerber, R. See Krupička, S., 0=13826
- Gerber, R. A. See Anderson, D. G., 4=23992
- Gerber, W.D. See Kimball, C., 3=15907
- Gerbier, J. Dielectric properties of polar mixtures in dilute solution in nonpolar solvents. Application to molecular interaction, 4=5207
- Gerbier, J. The study of molecular interactions by means of the dielectric properties of mixtures of polar materials, 4=10637
- Gerbier, J. See Bottreau, M.M., 0=9804
- Gerbier, M.-M. and Gray, E. Infrared spectroscopic study of complexes of acetamide with nitrophenols, 4=20077
- Gerbracht, R.J. and Youtz, B.L. Excitation function of the reaction, $\text{Be}^6(\text{Li}^7, \text{Li}^8)\text{Be}^8$, 1=737
- Gerbracht, R.J. See Norbeck, E., 0=4108
- Gerchberg, R. See Kino, G.S., 4=8720
- Gerchberg, R. See Kino, G.S., 4=19008
- Gerchikov, D.S. See Kolotii, V.A., 2=10979
- Gerdanian, P. Non-stoichiometry of ferrous oxide (FeO), 2=16999
- Gerdanian, P. and Dode, M. Non-stoichiometry of the uranium oxides, 2=10776
- Gerdau, E., Krull, W., Mayer, L., Braunsfurth, J., Heisenberg, J., Steiner, P. and Bodenstedt, E. Angular correlation measurements on >30 yr Ho^{166} and determination of the g_K factor of the $4+$ rotation level of Er^{166} , 3=17419
- Gerdau, E. See Bodenstedt, E., 0=7540
- Gerdau, E. See Bodenstedt, E., 0=17481
- Gerdau, E. See Bodenstedt, E., 1=8568
- Gerdau, E. See Bodenstedt, E., 1=19410
- Gerdau, E. See Bodenstedt, E., 2=12136
- Gerdau, E. See Bodenstedt, E., 2=16300
- Gerdau, E. See Bodenstedt, E., 3=2391
- Gerdau, E. See Bodenstedt, E., 4=3568
- Gerdau, E. See Korner, H.J., 3=12560
- Gerdes, R. See Suhrmann, R., 4=10612
- Gerdes, R. See Suhrmann, R., 4=10613
- Gerdil, R. A preliminary crystallographic investigation of 1-phenylhydantoin and three derivatives of uracil, 0=6368
- Gerdil, R. and Marsh, R.E. On the arrangement of the water molecules in the crystal structure of caffeine, 0=6369
- Gerdjikov, D.S. Correlation between ionization potential and polarization coefficient of atoms of rare gases, 4=27477
- Gere, E.A. See Feher, G., 1=1266
- Gereth, R. Growth of silicon bicrystals by the Dash pedestal-method, 3=11235
- Gereth, R. and Hubner, K. Phonon mean free path in silicon between 77 and 250°K, 4=12616
- Gerevini, T. See Frigerio, G., 4=6879
- Gerevini, T. See Galotto, C.P., 1=10893
- Gergely, G. On the range of energy propagation in phosphors, 2=6593
- Gergely, G. Space charge effects in ambipolar diffusion of carriers induced by electron bombardment in photoconducting insulator crystals, 2=10444
- Gergely, G. On the cathodoluminescence of thin films, 3=11004
- Gergely, Gy. Excitation spectra of ZnS phosphors. I. Theoretical analysis, 3=18036
- Gergely, Gy., Adam, J. and Bauer, Gy.T. Excitation spectra of ZnS phosphors. II. Experimental results, 3=18037
- Gergely, G. and Hantay, Ö. On the measurement of cross-sectional resistivity variation on semiconductor crystals, 3=17844
- Gergely, G. Some optical properties of single microcrystals, 0=6161
- Gergely, G. The cathodoluminescence efficiency of thin microcrystalline layers. II. The intrinsic efficiency, 0=6205
- Gergely, G. The calorimetric determination of the efficiency of ZnS-type luminescent materials, 0=16091
- Gergely, G. On the voltage dependence of cathodoluminescence, 1=11402
- Gergely, G. On the Ehrenberg-Franks experiment relating to the penetration of electrons into luminescent material, 1=11405
- Gergely, G. Diffusion effects in electron bombardment induced processes. I. Cathodoluminescence, 1=14652
- Gergely, G. The influence of excitation conditions on the dead voltage of phosphors, 1=20027
- Gergely, G. Surface recombination and diffusion processes in cathodoluminescence and electron bombardment induced conductivity, 1=20028
- Gergely, G. Carrier distribution in ZnS phosphors in the case of strongly inhomogeneous excitation, 3=2928
- Gergely, G., Almásy, G. and Ádám, J. The absolute measurement of light intensity by a direct reading thermistor bolometer, 0=8764
- Gergely, G., Hangos, I., Tóth, K., Ádám, J. and Pozsgay, G. The cathodoluminescence efficiency of thin microcrystalline layers, 0=2963
- Gergen, J.L. and Huch, W.L. A synoptic study of infra-red radiation over the United States, 0=12203
- Gerhard, E.R. See Plank, C.A., 3=11751
- Gerhardt, J.R., Mitcham, W.S. and Straiton, A.W. A 1400-ft meteorological tower with automatic data readout, 3=5190
- Gerhardt, J.R., Tolbert, C.W. and Brunstein, S.A. Further studies of the back-scattering cross-sections of water drops and wet and dry ice spheres, 2=4597
- Gerhardt, J.R. See Stephens, J.J., 2=11026
- Gerhardt, U. Piezo reflectance in Si, 4=20471
- Gerhardt, U. and Lenk, H. A high aperture double-beam interference reflection microscope for dry and immersion systems, 4=14344
- Gerhardt, U. See Gobrecht, H., 1=17752
- Gerhart, J.B. See Hendrie, D.L., 1=2183
- Gerhart, J.B. See Hopkins, J.C., 1=3415
- Gerhart, J.B. See Lieber, A.J., 2=12224
- Gerhart, J.B. See Nutley, H., 1=631
- Gerhart, J.B. See Schmidt, F.H., 4=17125
- Gerharz, R. The presentation of spectral intensities with a normal grating, 0=2251
- Gerharz, R. A three base-line tracking radio interferometer, 3=18648
- Gerharz, R. On the detection of exospheric phenomena on planet mercury, 4=2402
- Gerharz, R. Photographic determination of the indicatrix of scattered light, 4=16253
- Gerharz, R. The mass multiplicity of elementary particles, 4=25051
- Gerhauser, J. See Taylor, H.S., 4=15332
- Gerhold, G. See Zeltmann, A.H., 0=1952
- Gerholm, T.R., El-Nesr, M.S., Bashandy, E. and Pettersson, B.G. A study of the E0 admixture and M1 penetration matrix element of the $333 \text{ keV } 2+ \rightarrow 2+$ transition in Pt^{196} , 2=10060
- Gerholm, T.R. and Lindskog, J. A magnetic coincidence spectrometer for the measurement of short nuclear lifetimes, 3=14962
- Gerholm, T.R., Lindqvist, T. and de Waard, H. Multi coincidence goniometer for angular correlation measurements, 0=17142
- Gerholm, T.R., Othaz, R. and El-Nesr, M.S. Improved experimental methods for electron-gamma directional correlation measurements, 2=10032
- Gerholm, T.R. and Pettersson, B.G. Instrument for electron-gamma directional correlation experiments with magnetic momentum selection, 0=17517
- Gerholm, T.R., Pettersson, B.G., van Nooijen, B. and Grabowski, Z. Penetration matrix elements and nuclear structure effects in Ti^{203} , 1=9837
- Gerholm, T.R. See Bashandy, E., 0=15539
- Gerholm, T.R. See Deutch, B.I., 4=9435
- Gerholm, T.R. See El-Nesr, M.S., 2=3522
- Gerholm, T.R. See Grabowski, Z., 1=9841
- Gerholm, T.R. See Lindskog, J., 0=11387
- Gerholm, T.R. See Pettersson, B.G., 1=3421
- Gerholm, T.R. See Pettersson, B.G., 1=9838
- Gerholm, T.R. See Pettersson, B.G., 1=9839
- Gerholm, T.R. See Pettersson, B.G., 1=9840
- Gerholm, T.R. See Suter, T., 1=19369
- Gericke, O.R. Ultrasonic methods for near-surface flaw detection, 2=4345
- Gericke, O.R. Determination of the geometry of hidden defects by ultrasonic pulse-analysis testing, 3=11302
- Gericke, O. R. Dual-frequency ultrasonic pulse-echo testing, 4=8352

- Gericke, W.E. Measurement of the transition probability, half-width and shaft of Al lines in thermally luminous plasmas, 2=178
 Gerischer, H. See Ertl, G., 2=6882
 Gerischer, H. See Hofmann-Perez, M., 2=6888
 Gerjuoy, E. Atomic scattering processes, 2=3717
 Gerjuoy, E. and Krall, N.A. Dispersion relations in atomic scattering problems, 0=13401
 Gerjuoy, E. and Krall, N.A. Dispersion relations for electron scattering from atomic helium, 2=20753
 Gerjuoy, E. and Rosenbluth, M.N. Pinch with rotating plasma, 1=2972
 Gerjuoy, E. and Stabler, R. C. Self-confinement of plasmas, 4=21522
 Gerjuoy, E. and Stuart, G.W. Ionization growth in a gas with a constant electric field, 1=270
 Gerjuoy, E. See Bassel, R.H., 0=5869
 Gerjuoy, E. See Krall, N.A., 0=17690
 Gerjuoy, E. See Stuart, G.W., 0=14962
 Gerjuoy, E. See Tuan, T.F., 0=5996
 Gerkin, R.E. and Pitzer, K.S. Silver oxide; the heat capacity of large crystals from 14 to 300° K, 3=768
 Gerkin, R.E. See Brandon, R.W., 2=21370
 Gerks, I.E. Scattering of electromagnetic waves in the troposphere and the use of this technique for communications, 1=7157
 Gerlach, E. Extended Fermi surfaces and electrical resistance, 2=6301
 Gerlach, E. Oscillations of the hall coefficient in layered lattices, 3=20259
 Gerlach, W. The history of the electron, 3=5312
 Gerlach, W. and Stierstadt, K. Investigations on radioactive fallout and the activity of the air. VII, 2=21638
 Gerlich, D. Beat frequency bridge for large signal field effect, 2=11574
 Gerlich, D. Field effect measurements on high-resistivity p-type silicon, 2=23366
 Gerlich, D. Elastic constants of single-crystal indium arsenide, 4=4468
 Gerlich, D. Elastic constants of barium fluoride between 4.2 and 300° K, 4=28937
 Gerlich, D., Cullen, G.W. and Amick, J.A. The stabilization of germanium surfaces by ethylation. III. Electrical measurements, 2=8337
 Gerlich, D. See Amick, J.A., 2=8336
 Gerlich, D. See Cullen, G.W., 2=8335
 Gërlikh, P., Kek, Ts., Krauze, Kh., Kros, A., Pol', E.Kh. and Shlott, Kh. On the problem of measuring proton currents, 0=20142
 Gërlikh, P. and Khora, Kh. Influence of the polarization of light on the emission of compound photocathodes, 0=19722
 Gerling, E.K. and Levskii, L.K. The cosmic age of the Sikhote-Alin' meteorite, 0=6579
 Gerloch, M. See Figgis, B.N., 4=23426
 Gerlovin, Ya.I. The optico-acoustic effect in the ultra-violet region of the spectrum, 0=8715
 Gerlovin, Ya.I. A method of determining the radiation probability of gases and vapours, 1=12927
 Gerlovin, Ya.I. Measurement of the optico-acoustic effect during ultra-violet irradiation of certain gases and vapors, 4=16150
 Gerlovin, Ya. I. and Orlova, I. N. Measurement of the spontaneous emission probability of several gases, 4=20070
 Gerlovin, Ya.I. and Slobodskaya, P.V. Increase of the sensitivity of the optico-acoustic method of gas analysis by the use of cells employing multiple passage of radiation, 0=4752
 Germagnoli, E. On the behaviour of vacancies in pure metals, 4=30593
 Germagnoli, E. Introductory lectures on semi-conductors, 4=30615
 Germagnoli, E. and Granata, S. On the behaviour of lattice vacancies in pure metals, 0=9902
 Germagnoli, E. and Mancini, N. Observation of clusters of point defects in films of doped gold, 3=25270
 Germagnoli, E. See Airoidi, G., 0=4343
 Germagnoli, E. See Ascoli, A., 4=23336
 Germagnoli, E. See Benci, S., 4=15732
 Germagnoli, E. See Cattaneo, F., 1=14256
 Germagnoli, E. See Cattaneo, F., 2=23206
 Germagnoli, E. See Cattaneo, F., 3=3345
 Germagnoli, E. See Cattaneo, F., 3=17818
 Germagnoli, E. See Cattaneo, F., 4=20266
 Germagnoli, E. See Cottini, C., 0=5549
 Germagnoli, E. See Cottini, C., 1=17524
 Germagnoli, E. See Damask, A.C., 2=2110
 Germagnoli, E. See Fabri, G., 2=9827
 Germagnoli, E. See Fabri, G., 3=4380
 Germagnoli, E. See Fabri, G., 3=10636
 Germagnoli, E. See Fabri, G., 3=24709
 Germagnoli, E. See Fabri, G., 4=3393
 Germagnoli, E. See Felcher, G.P., 0=5570
 Germagnoli, E. See Felcher, G.P., 1=7253
 Germagnoli, E. See Gainotti, A., 4=20259
 Germai, G. Study of some scintillating gels with the object of measuring β particles omitted by mineral salts with energy greater than 0.5 MeV, 4=25068
 Germain, C. Bibliographical review of the methods of measuring magnetic fields, 3=9906
 Germain, C. and Rohrbach, F. Mechanism of vacuum breakdown, 4=18751
 Germain, C. and Tinguely, R. Electrostatic separator technique at Cern, 3=19390
 Germain, F.C. The study of some magnetic fields by using analogous systems, 0=290
 Germain, G. See Leroy, G., 4=15373
 Germain, P. Introduction to the study of magneto-aerodynamics, 0=9166
 Germain, P. Shock waves and shock wave structure in magneto-fluid dynamics, 1=5568
 Germain, P. Burgers' equation and its applications to the theory of shock waves, 1=6887
 Germain, P. Application of the conservation theorems to plane homogeneous transonic flow, 1=15917
 Germain, P. Shock waves in plasmas, 3=1973
 Germain, P. and Guiraud, J.P. Shock conditions in a fluid with small but non-zero coefficients of viscosity and thermal conductivity, 1=8149
 Germain, P. and Guiraud, J.P. Shock-wave equations in a slightly dissipative fluid in unsteady motion, 1=8149
 Germain, P. and Soubbaramayer, M. On a model of a shock wave in a magnetodynamics of fluids, 4=2978
 German, O. The equations for the density of molecular flow, 3=16648
 German, S. Problem of gravity meter calibration, 4=7812
 Germanier, A.M., Gainon, D. and Lacroix, R. Action of an axial crystalline field on the ion Fe^{3+} , 3=2695
 Germanier, A.M. and Lacroix, R. Paramagnetic resonance of the Ni^{2+} ion in a MgO crystal subjected to uniaxial pressure, 2=10700
 Germann, R.W. See Dwight, K., 2=12732
 Germano, C.P. Supplement to: The electro-acoustic sensitivity of cylindrical ceramic tubes, by R.A. Langevin, 2=17548
 Germanova, K. See Marinov, M., 2=11833
 Germanovich, I.N. See Kononov, E.G., 3=23855
 Germer, L.H. and Hartman, C.D. Improved low energy electron diffraction apparatus, 0=19762
 Germer, L.H. and Hartman, C.D. Oxygen on nickel, 1=1458
 Germer, L.H. and Hartmann, C.D. Structure of monolayers of adsorbed gases, 1=4085
 Germer, L.H. and MacRae, A.U. Nitrogen on nickel surfaces, 2=8894
 Germer, L.H. and MacRae, A.U. Surface reconstruction caused by adsorption, 2=21558
 Germer, L.H. and MacRae, A.U. Oxygen-nickel structures on the (110) face of clean nickel, 2=23921
 Germer, L.H. and MacRae, A.U. Adsorption of hydrogen on a (110) nickel surface, 2=23922
 Germer, L.H. and MacRae, A.U. Low energy electron diffraction studies of adsorbed gases, 3=1378
 Germer, L.H., MacRae, A.U. and Hartman, C.D. (110) nickel surface, 1=20658
 Germer, L.H., Scheibner, E.J. and Hartman, C.D. Study of adsorbed gas films by electron diffraction, 0=21250
 Germer, L.H. See MacRae, A.U., 2=19127
 Germer, L.H. See Scheibner, E.J., 0=4613
 Germershausen, R. and Luther, H. Effect of the spectral transparency of infrared-active gases of two-molecule interactions. I. Theoretical basis, 3=16662
 Germey, K. Interference of partially coherent quasimonochromatic light, taking account of polarization effects, 3=11931
 Germey, K. The diffraction of a plane electromagnetic wave by two parallel, infinitely long, ideal cylinders of elliptical cross section, 4=24838
 Germogenova, O.A. The method of group integrals in scattering problems, 3=14367
 Germogenova, O.A. The scattering of a plane electromagnetic wave by two spheres, 4=710

- Germogenova, O.A. and Rozenberg, G.V. Scattering of inhomogeneous electromagnetic waves by spherical particles, 3-17054
- Germogenova, T.A. The effect of polarization on the distribution of the intensity of scattered radiation, 3-1835
- Germogenova, T.A. Nature of solutions of transfer equation for a plane layer, 4-14388
- Germogenova, T.A. The maximum principle for the transport equation, 4-18112
- Germogenova, T.A. and Rautian, S.G. The interaction between quantum system with a strong field, 4-16040
- Gernet, G.E. Effectiveness of the trial potential method for solution of Schrödinger equation, 4-18064
- Gerold, V. X-ray investigations of lattice defects in mixed crystals, 1-3651
- Gerold, V. Zone structure of aluminium-zinc alloys, 1-20572
- Gerold, V. Physical properties of solid solutions containing spherical Guinier-Preston zones, 3-8877
- Gerold, V. and Meier, F. The detection of dislocations in germanium with X-rays, 0-1902
- Gerold, V. See Auer, H., 4-30768
- Gerold, V. See Baur, R., 2-15067
- Gerold, V. See Gould, R.W., 4-28477
- Gerold, V. See Seeger, A., 3-20164
- Geronimus, Ya.L. On certain methods for formulating fields that have focussing properties, 2-22278
- Geronimus, Ya.L. On focusing fields, 3-11745
- Gerosa, A. and Moretti, S. Calorimetric evaluation of fission heat and burn-up rates in the Ispra-1 irradiation experiments, 4-30363
- Gerosa, G. Modes in rectangular guides loaded with magnetised ferrite, 2-22345
- Gerosa, G., Latmiral, G. and Vinciguerra, R. Electromagnetic parameters of matter and conditions of physical realizability, 1-13154
- Gerosa, G. See Barzilai, G., 4-726
- Gerova, E. See Kasabov, I., 2-18685
- Gerova, E. See Stainov, G., 4-28392
- Gerrard, A. An elementary theoretical approach to the Abbe theory of optical image formation, 3-24009
- Gerrard, J.E., Appeldoorn, J.K. and Philippoff, W. Heating in capillary flow, 2-19523
- Gerrard, J.E., Hoch, M. and Meeks, F.R. Counterdiffusion of aluminum and arsenic in copper, 2-21058
- Gerrard, J.H. Piezoelectric pressure gauges for use in a shock tube, 0-16665
- Gerrard, J.H. An experimental investigation of the initial stages of the dispersion of dust by shock waves, 3-9543
- Gerrard, W. The solubility of hydrogen halides as a function of the basic strength of solvents, 4-24177
- Gerritsen, A.N. Low temperature resistance and magneto-resistance of dilute alloys of gold with cobalt, 0-7912
- Gerritsen, A.N. and Damon, D.H. Problems arising in the measurement of small magnetic forces at low temperatures by the Faraday method, 2-7701
- Gerritsen, A.N. See Damon, D.H., 2-16890
- Gerritsen, A.N. See Das, K.B., 3-829
- Gerritsen, A.N. See Das, S.B., 2-14489
- Gerritsen, A.N. See Das, S.B., 4-28531
- Gerritsen, G. See Hardeman, G.E.G., 4-28904
- Gerritsen, H.J. Recent developments in maser devices and materials, 2-7733
- Gerritsen, H.J. Paramagnetic resonance of transition metal ions in rutile (TiO_2), 4-26432
- Gerritsen, H.J. and Goedertier, P.V. A gaseous (He-Ne) cascade laser, 4-11824
- Gerritsen, H.J., Harrison, S.E. and Lewis, H.R. Chromium-doped titania as a maser material, 0-16180
- Gerritsen, H.J. and Lewis, H.R. Operation of a chromium doped titania maser, 0-9196
- Gerritsen, H.J. and Lewis, H.F. Paramagnetic resonance of V^{4+} in TiO_2 , 0-13879
- Gerritsen, H.J. and Sabisky, E.S. Paramagnetic resonance of Ni^{2+} and Ni^{3+} in TiO_2 , 2-8672
- Gerritsen, H.J. and Sabisky, E.S. Paramagnetic resonance of trivalent manganese in rutile (TiO_2), 4-4411
- Gerritsen, H.J. and Starr, A. Theory and experiments of Cu^{2+} in an octahedral surrounding, 3-25564
- Gerritsen, H.J. See Sabisky, E.S., 2-10558
- Gerritsma, C.J. See Trappeniers, N.J., 4-23064
- Gerrmann, R. See Rode, V.E., 4-22984
- Gerry, E.T., Patrick, R.M. and Petschek, H.E. Magnetohydrodynamic shock structure in a partially ionized gas, 4-18323
- Gersch, H.A. One-dimensional phase transition in the spherical model of a gas, 3-16554
- Gersch, H.A. and Berlin, T.H. Spherical lattice gas, 2-19460
- Gersch, H.A. and Knollman, G.C. Quantum cell model for bosons, 3-5388
- Gersch, H.A. and Smith, V.H. Cluster integrals and the ground state of Bosons with repulsive interactions, 0-14530
- Gersch, H.A. See Smith, V.H., Jr., 3-21280
- Gersch, H.A. See Smith, V.H., 4-2598
- Gersch, H.U. Calculation of the surface area of the pole piece of a magnetic particle spectrometer, 2-5593
- Gersch, H.U., Hentschel, E., Gippner, P. and Rudolph, W. $\pi\sqrt{2}\beta$ -spectrometer with double cycle [focusing], 4-15045
- Gersch, H.U., Rudolph, W. and Alexander, K.F. Comparison of (n, γ) and (d,p) reactions on cobalt, 4-22154
- Gersch, H.U. See Rudolph, W., 2-22654
- Gersch, W. New technique for identifying particles observed by a scintillation counter, 3-10003
- Gersch, W. An ionised trail as a space-varying time-varying channel, 4-741
- Gerschmann, S. Measurement of reflection effects by the correlation method, 0-1024
- Gersdorf, R. Form effect in magnetostriction, 0-8055
- Gersdorf, R. Uniform and non-uniform form effect in magnetostriction, 1-7758
- Gersdorf, R. Magnetostriction, 2-743
- Gersdorf, R. Ferromagnetic properties of Fe and Ni in relation to their band structure, 3-8665
- Gersdorf, R. Possible change of the atomic magnetic moment in iron at high temperatures, 3-23136
- Gersdorf, R., Stoelinga, J.H.M. and Rathenau, G.W. Measurements of the non-uniform form effect in magnetostriction, 1-7759
- Gersdorf, R., Stoelinga, J.H.M. and Rathenau, G.W. Single-crystal magnetostriction measurement on dilute iron alloys, 3-1045
- Gersdorf, R. See de Vries, G., 0-13772
- Gershberg, A.E. The role of the spatial redistribution of charge in the kinetics of the internal photoeffect of high-resistance photoconductors, 1-14500
- Gershberg, A.E. The role of the spatial redistribution of charge in the kinetics of the internal photoeffect of high-resistance photoconductors, 1-17790
- Gershberg, R.E. The expansion of H II regions and the formation of gravitationally stable protostars, 2-24135
- Gershberg, R.E. Association of filamentary nebulae-remnants of envelopes of type II supernovae, with $\text{H}\alpha$ emission stars, 3-9242
- Gershberg, R.E. and Pronik, V.I. The theory of Strömgren's zones, 0-18608
- Gershberg, R.E. and Shcheglov, P.V. An investigation of radial velocities and internal motions of diffuse nebulae by means of a Fabry-Perot etalon, 4-26919
- Gershberg, R.E. See Pikel'ner, S.B., 0-18821
- Gershenson, E.M., Gurvich, Yu.L. and Litvak-Gorskaya, L.B. Magnetoconcentration effect in semiconductors, 3-20278
- Gershenson, E.M. and Litvak-Gorskaya, L.B. Investigation of the saturation of the drift velocity of hot carriers in p-type germanium, 3-20301
- Gershenson, M. and Mikulyak, R.M. Electroluminescence at p-n junctions in gallium phosphide, 1-11407
- Gershenson, M. and Mikulyak, R.M. Light emission from forward biased p-n junctions in gallium phosphide, 2-23436
- Gershenson, M. and Mikulyak, R.M. Structural defects in GaP crystals and their electrical and optical effects, 4-22573
- Gershenson, M., Mikulyak, R.M., Logan, R.A. and Foy, P.W. Electro-luminescent recombination near the energy gap in GaP diodes, 4-13077
- Gershenson, M., Thomas, D.G. and Dietz, R.E. Radiative transitions near the band edge of gallium phosphide, 3-10949
- Gershenson, M. See Ashkin, A., 3-23042
- Gershenson, M. See Frosch, C.J., 1-17754
- Gershenson, M. See Hopfield, J.J., 3-15708
- Gershenson, M. See Nelson, D.F., 3-20514
- Gershenson, M. See Nelson, D.F., 4-28644
- Gershenson, M. See Spitzer, W.G., 0-16055
- Gershenson, M. See Thomas, D.G., 3-25253
- Gershenson, M. See Thomas, D.G., 4-10215
- Gershman, B.N. Non-resonant absorption of electromagnetic waves in a magneto-active plasma, 0-9058
- Gershman, B.N. Gyroresonance absorption of electromagnetic waves in a plasma, 0-12707

- Gershman, B. N. One approximation in the theory of the propagation of ordinary waves in a plasma situated in a strong magnetic field, 4=29926
- Gershman, B. N. and Ugarov, V. A. Propagation and generation of low-frequency electromagnetic waves in the upper atmosphere, 1=12694
- Gershman, R. B. See Belikov, A. M., 4=6750
- Gershman, R. B. See Kochnov, V. E., 4=29036
- Gershman, S. G., Smirnov, A. I. and Tuzhilkin, Yu. I. A transposing arrangement for generating the correlation function of infrasonic processes, 2=15702
- Gershman, S. G. and Tuzhilkin, Yu. I. Measurement of the coefficient of transverse correlation in a continuous sound signal in the sea, 1=4409
- Gershtein, G. M. Application of a vibrating probe to the modelling of fields by the induced current method, 0=19593
- Gershtein, G. M. General case of induction of currents during the motion of a charge and of uncharged conductors, 4=3112
- Gershtein, G. M. and Fedonin, G. K. Simulation device with vibrating charged probe for investigation of two-dimensional fields, 2=19823
- Gershtein, S. S. Depolarization of mu-mesons in hydrogen, 0=1489
- Gershtein, S. S. Ranges of μ -mesic atoms in hydrogen chambers, 0=11493
- Gershtein, S. S. Probability of meson capture in various meso-atomic levels, 0=20167
- Gershtein, S. S. Transitions between hyperfine levels in mesic deuterium atoms, 1=17301
- Gershtein, S. S. Transfer of negative mesons from hydrogen to nuclei of other elements, 3=716
- Gershtein, S. S. and Folomeshkin, V. N. Scattering of a neutrino by a polarized electron, 4=16869
- Gershtein, S. S. and Krivchenkov, V. D. Electron terms in the field of two different Coulomb centres, 1=19575
- Gershtein, S. S. and Krivchenkov, V. D. Electron terms in the field of two different Coulomb centres, 3=4701
- Gershtein, S. S., Nguyen Van Hieu and Eramzhyan, R. A. Possibility of observing neutral currents in neutrino experiments, 3=17244
- Gershtein, S. S. See Belyaev, V. B., 0=7828
- Gershtein, S. S. See Dzhelepov, V. P., 2=10231
- Gershtein, S. S. See Dzhelepov, V. P., 2=14231
- Gershtein, S. S. See Dzhelepov, V. P., 3=6371
- Gershtein, S. S. See Zel'dovich, Ya. B., 0=2564
- Gershtein, S. S. See Zel'dovich, Ya. B., 1=8751
- Gershuni, G. E. and Zhukovitskii, E. M. Flow of conducting fluid round a sphere in a strong magnetic field, 1=4704
- Gershuni, G. E. and Zhukovitskii, E. M. Flow of a conducting fluid round a sphere in strong magnetic field, 0=17084
- Gershuni, G. V. Flow regulation of neural pulses in the auditory system, 1=4144
- Gershuni, G. Z. A mechanism for ultrasonic absorption in paramagnetic metals in a magnetic field, 1=3599
- Gershuni, G. Z. and Zhukhovitskii, E. M. Rotation of a sphere in a viscous conducting fluid in a magnetic field, 1=362
- Gershuni, G. Z. and Zhukhovitskii, E. M. The closed convective boundary layer, 1=12849
- Gershuni, G. Z. and Zhukhovitskii, E. M. Convective instability spectrum of a conducting medium in a magnetic field, 2=13670
- Gershuni, G. Z. and Zhukhovitskii, E. M. Convective instability spectrum of a conducting medium in a magnetic field, 3=5830
- Gershuni, G. Z. and Zhukhovitskii, E. M. On the convective instability of a two-component mixture in a gravity field, 4=11155
- Gershuni, G. Z. and Zhukhovitskii, E. M. The rotation of a sphere in a viscous conducting liquid in a magnetic field at high Reynold's number, 4=14874
- Gersing, E., Hundhausen, E. and Pauly, H. Differential scattering cross-sections in the interaction of neutral molecules. I. Measurements of large-angle scattering, 3=4788
- Gersing, E., Jaeckel, R. and Pauly, H. The angular distribution in scattering experiments on molecular beams, 0=5866
- Gersmann, H. R. and Swalen, J. D. Electron paramagnetic resonance spectra of copper complexes, 2=16549
- Gerson, N. C. Periodicities in solar radio noise emission, 0=6557
- Gerson, N. C. Annual distribution of sporadic-E, 0=18491
- Gerson, N. C. The Arctic ionosphere and solar activity, 1=1536
- Gerson, N. C. Radio wave absorption at long distances, 3=5863
- Gerson, N. C. General absorption theory, 3=5864
- Gerson, N. C. Very long distance propagation, 3=24479
- Gerson, N. C. Polar radio noise, 4=23766
- Gerson, N. C. Radio wave propagation from Sputnik, III, 4=10941
- Gerson, N. C. and Gossard, W. H. Noise trains, 0=3356
- Gerson, N. C. and Gossard, W. H. Sweepers, 0=16493
- Gerson, N. C. and Gossard, W. H. Diurnal variation of sweeper activity, 2=13696
- Gerson, N. C. and Gossard, W. H. Sweepers and solar activity, 3=3475
- Gerson, N. C., Nardozza, V. J. and Hengen, J. G. High frequency propagation over long paths, 3=12327
- Gerson, R. Variation in ferroelectric characteristics of lead zirconate titanate ceramics due to minor chemical modifications, 0=1702
- Gerson, R. Dielectric properties of lead titanate zirconate ceramics at very low frequencies, 0=16021
- Gerson, R. Dependence of mechanical Q and young's modulus of ferroelectric ceramics on stress amplitude, 0=18248
- Gerson, R. Piezoelectric and dielectric properties of lead titanate zirconate ceramics at low temperatures, 2=8474
- Gerson, R., Burlage, S. R. and Berlincourt, D. Dynamic tensile strength of a ferroelectric ceramic, 1=20376
- Gerson, R. and Jaffe, H. Electrical conductivity in lead titanate zirconate ceramics, 3=25400
- Gerson, R. and Marshall, T. C. Dielectric breakdown of porous ceramics, 0=3721
- Gerson, R., Peterson, J. M. and Rote, D. R. Dielectric constant of lead titanate zirconate ceramics at high frequency, 4=4215
- Gerstein, B. C., Jelinek, F. J. and Spedding, F. H. Correlation between heat capacity anomaly in Tb and magnetic transition in Tb_2O_3 , 2=21346
- Gerstein, B. C., Jennings, L. D. and Spedding, F. H. Thermal and magnetic study of crystal field splittings in thulium ethylsulfate, 2=23032
- Gerstein, B. C., Klein, A. H. and Shanks, H. R. Thermal study of the tungsten bronzes. I. Heat capacity of $Na_{0.67}WO_3$ in the range 15-300°K, 4=15431
- Gerstein, B. C., Mullaly, J., Phillips, E., Miller, R. E. and Spedding, F. H. Heat capacity of Yb from 15°-350°K, 4=25861
- Gerstein, B. C., Penney, C. J. and Spedding, F. H. Thermal study of crystal field splittings in erbium ethylsulfate, 3=4799
- Gerstein, G. L. See Calame, G., 0=19853
- Gerstein, I. S. On Moravcsik's principle of equivalence, 4=21777
- Gerstein, I. S. Virtual particles and the baryon-baryon system, 4=21766
- Gerstein, I. S. and Mahanthappa, K. T. Meson-baryon resonances in $U(3) \otimes U(3)$ symmetry, 4=21752
- Gerstein, I. S. and Mahanthappa, K. T. A note on the generalisation of Chew's reciprocal bootstrap to $SU(3)$, 4=19443
- Gerstein, I. S. See Deshpande, N. G., 4=30141
- Gerstein, I. S. See Lee, B. W., 4=27754
- Gerstein, I. S. See Whippman, M. L., 4=19393
- Gersten, K. The effect of Reynolds number on the flow losses in plane (two-dimensional) cascades, 0=6743
- Gerstenberg, D. Structure and electrical properties of evaporated and sputtered titanium films, 3=25328
- Gerstenberg, D. and Calbick, C. J. Effects of nitrogen, methane, and oxygen on structure and electrical properties of thin tantalum films, 4=13685
- Gerstenberg, D. and Hall, P. M. Superconducting thin films of niobium, tantalum, tantalum nitride, tantalum carbide, and niobium nitride, 4=29838
- Gerstenkorn, H. The generation of plasma waves in strongly ionized gases, 1=8339
- Gerstenkorn, S. Electronic configuration and hyperfine structure of Pu I, 0=7700
- Gerstenkorn, S. The study of plutonium by high resolution spectroscopy. I. Contribution to the classification of arc spectra, 3=10461
- Gerstenkorn, S. The determination of the magnetic moment of plutonium 239, 3=10462
- Gerstenkorn, S. See Blaise, J., 1=16965
- Gerstenkorn, S. See Blaise, J., 3=6354
- Gerstenkorn, S. See Bovey, L., 1=8817
- Gerstenkorn, S. See Champeau, R. J., 0=20589
- Gerstenkorn, S. See Champeau, R. J., 4=1214
- Gerstman, L. J. and Bricker, P. D. Word frequency effects in learning unknown message sets, 1=9215
- Gerstner, D. and Kneller, E. High-temperature magnetic lag in iron-nickel alloys, 1=6336
- Gert, L. M. and Babad-Zakhryapin, A. A. Some specific features of the diffusion processes during the formation of surface coatings by the condensation method, 4=22607

- Gertenshteyn, M.Ye. Excitation of acoustic vibrations in semiconductor diodes, 3=25379
- Gerth, E. See Melcher, H., 2=9676
- Gerth, E. See Melcher, H., 3=25036
- Gerth, E. See Melcher, H., 4=21445
- Gerthsen, P. Thermoelectric applications of semiconductors, 2=5296
- Gerthsen, P. A new method for growing crystals of substances of high melting point, 3=18274
- Gerthsen, P., Gilsing, J.A.A. and van Tol, M. An automatic dewpoint hygrometer using Peltier cooling, 0=14668
- Gerthsen, P. and Hårdtl, K.H. Semiconducting properties of lantano-cobaltite, 2=23400
- Gerthsen, P. and Hårdtl, K.H. A method for the direct proof of the homogeneity of conductivity at grain boundaries, 4=6935
- Gerthsen, P. and Kettel, F. Thermal conductivity of LaCoO_3 , 4=30532
- Gerthsen, P. See Reik, H. G., 4=13041
- Gertman, Yu.M. See Gel'd, P.V., 2=19543
- Gertsenshtein, M.E. Conservation laws in the general theory of relativity, 1=15653
- Gertsenshtein, M.E. Wave resonance of light and gravitational waves, 2=13
- Gertsenshtein, M.E. and Pustovoi, V.I. Detection of low frequency gravitational waves, 3=1591
- Gertsenshtein, M.E. See Berstein, I.L., 0=6654
- Gertsenshtein, M.E. and Pustovoi, V.I. High-frequency conductivity of a plasma in the presence of a direct current, 3=1978
- Gertsenshtein, M.E. and Pustovoi, V.I. The propagation of acoustic space charge waves in semiconductors, 3=22920
- Gertsenshtein, M.E. See Pustovoi, V.I., 2=7116
- Gertsenshtein, M.E. See Pustovoi, V.I., 3=5335
- Gertsenshtein, M.E. See Tatarskii, V.I., 3=21972
- Gertsenshtein, M.S. Wave resonance of light and gravitational waves, 2=21804
- Gertsiger, L.N. and Livshits, I.A. A highly sensitive selective amplifier, 2=22148
- Gertsriken, S.D. Some features of self-diffusion in metals, 1=7590
- Gertsriken, S.D., Larikov, L.N. and Novikov, N.N. Volume and structural changes during heating of cold-worked electrodeposited and remelted nickel, 1=978
- Gertsriken, S.D. and Novikov, N.N. Study of quenching and movement of vacancies in silver and platinum by the thermo-e.m.f. method, 0=17955
- Gertsriken, S.D., Novikov, N.N. and Slyusar, B.F. On the problem of determination of the density, energy of formation, and activation energy for movement of thermally-induced vacancies from the dilatometric measurements, 1=958
- Gertsriken, S.D. and Revo, A.L. Investigation of the effect of small silver additions on the coefficients of volume and boundary diffusion in silver and copper, 1=986
- Gertsriken, S.D. and Slyusar, B.F. Determination of the energy of formation of vacancies and of their number in pure metals, 1=7575
- Gertsriken, S.D. and Tsitsiliano, D.D. Investigation of self-diffusion in Ag by the finite sum method, 0=1600
- Gervais, H. Apparatus for cleavage under vacuum, 4=7534
- Gervais, H. See Haymann, P., 2=11722
- Gervais, J. See Perrot, M., 4=2937
- Gervais, J.L. See Diu, B., 3=15025
- Gervais, J.L. See Diu, B., 4=9246
- Gervais, J.L. See Diu, B., 4=9274
- Gervasio, V. See Facchini, A., 2=12244
- Gervasio, V. See Gadola, A., 1=6803
- Gervat, A. See Plantevin, J. P., 4=14206
- Gerwin, R.A. Initial value solution of Maxwell's equations in cold plasma, 3=382
- Gerwin, R.A. See Drummond, J.E., 1=9557
- Geschwind, N. and Segal, J.R. Colors of all hues from binocular mixing of two colors, 0=8444
- Geschwind, S. Sign of the ground-state cubic crystal field splitting parameter in Fe^{3+} , 0=1824
- Geschwind, S. Paramagnetic resonance of Fe^{3+} in octahedral and tetrahedral sites in yttrium gallium garnet (YGaG) and anisotropy of yttrium iron garnet (YIG), 1=2496
- Geschwind, S. Anisotropy of YIG calculated from crystal field parameters Fe^{3+} in yttrium gallium garnet, 1=6362
- Geschwind, S., Collins, R.J. and Schawlow, A.L. Optical detection of paramagnetic resonance in an excited state of Cr^{3+} in Al_2O_3 , 0=4508
- Geschwind, S., Kisliuk, P., Klein, M.P., Remeika, J.P. and Wood, D.L. Sharp-line fluorescence, electron paramagnetic resonance, and thermoluminescence of Mn^{4+} in $\alpha\text{-Al}_2\text{O}_3$, 2=14712
- Geschwind, S., Kisliuk, P., Klein, M.P., Remeika, J.P. and Wood, D.L. Sharp line fluorescence, E.P.R. and thermoluminescence of Mn^{4+} in $\alpha\text{-Al}_2\text{O}_3$, 4=26236
- Geschwind, S. and Remeika, J.P. Paramagnetic resonance of Gd^{3+} in Al_2O_3 , 1=7784
- Geschwind, S. and Remeika, J.P. Spin resonance of transition metal ions in corundum, 2=3811
- Geschwind, S. and Walker, L.R. Exchange resonances in gadolinium iron garnet near the magnetic compensation temperature, 0=3119
- Geschwind, S., Walker, L.R. and Linn, D.F. Exchange resonances in gadolinium iron garnet at 24 000 MHz, 0=13861
- Geschwind, S. See Blumberg, W.E., 3=13300
- Geschwind, S. See Blumberg, W.E., 4=26393
- Geschwind, S. See Brassel, J., 0=4509
- Geschwind, S. See Locher, P.R., 4=7334
- Gesemann, H.-J. See Quitzsch, K., 4=5458
- Geshkenbein, B.V. β -decay of P^{32} , 0=13196
- Geshkenbein, B.V. and Ioffe, B.L. Limitations on the three-particle vertex part, 3=14875
- Geshkenbein, B.V. and Ioffe, B.L. Certain experimental possibilities of verifying hypotheses regarding the nature of resonances, 3=14930
- Geshkenbein, B.V. and Ioffe, B.L. Upper limits for coupling constants in quantum field theory, 3=19539
- Geshkenbein, B.V. and Ioffe, B.L. Restrictions on the magnitude of the coupling constant in quantum field theory. I, 3=24648
- Geshkenbein, B.V. and Ioffe, B.L. The trajectory of Regge vacuum poles, 4=3342
- Geshkenbein, B.V. and Ioffe, B.L. Restrictions on the coupling constants and vertex part of the three-particle interaction in quantum field theory. II, 4=3344
- Geshkenbein, B.V. and Ioffe, B.L. Restrictions imposed on the $e^+ + e^- \rightarrow \pi^+ + \pi^-$ reaction cross-section by the analyticity condition, 4=16880
- Geshkenbein, B.V., Nemirovskaya, S.A. and Rudik, A.P. β -decay of RaE , 0=5702
- Geshkenbein, B.V. and Popov, V.S. Radiative corrections to β -decay, 2=398
- Geshkenbein, B.V. and Popov, V.S. Radiative corrections to β -decay, 2=22763
- Geshkenbein, B.V. and Rudik, A.P. The connection between the β -electron polarization and the form of the β -spectrum, 1=4846
- Geshkenbein, B.V. See Valuev, B.N., 1=19280
- Gesi, K. and Takagi, Y. Infrared absorption spectrum of NaNO_2 single crystals after gamma-ray irradiation, 4=15599
- Gesi, K. and Takagi, Y. The effect of gamma-ray irradiation on the dielectric properties of single crystals of sodium nitrite, 4=22777
- Gesi, K., Takagi, Y. and Takeuchi, T. The Hall effect of titanium hydrides, 3=13026
- Gesi, K. See Sato, Y., 2=2238
- Gesi, K. See Sato, Y., 4=20717
- Gesi, K. See Takagi, Y., 4=17521
- Gesi, K. See Tateno, J., 4=13329
- Geske, D.H. See Maki, A.H., 0=17776
- Gesundo, F. See Lorenzelli, V., 4=26212
- Gessaroli, R. See Block, M.M., 1=13500
- Gessaroli, R. See Block, M.M., 0=17416
- Gessaroli, R. See Block, M.M., 3=12508
- Gessaroli, R. See Block, M.M., 3=12570
- Gessaroli, R. See Gray, L., 3=15042
- Gessaroli, R. See Leitner, J., 1=16901
- Gessaroli, R. See Pevsner, A., 2=5719
- Gessaroli, R. See Shafer, J.B., 3=15028
- Gesser, H. See Zabolotny, E.R., 2=10972
- Gestblom, B. See Hoffman, R.A., 4=3199
- Gestblom, B. See Hoffman, R.A., 4=24869
- Gestblom, B. See Hoffman, R.A., 4=25736
- Gething, P.J.D. Relation between oblique and ground path-lengths in ionospheric propagation over a curved earth, 2=11806
- Gething, P.J.D. Lateral deviation and effective path length for oblique propagation through the ionosphere, 3=16253
- Getiya, M. See Andronikashvili, E., 4=10352
- Getmantsev, G.G. Growth of electromagnetic waves in interpenetrating infinite moving media, 0=9205
- Getmantsev, G.G. The determination of the mean dimensions of magnetized clouds of interstellar gas by radioastronomical methods, 0=18614

- Getmantsev, G.G. The isotropy of primary cosmic rays, 3-615
- Getmantsev, G.G. The heating of interstellar gas by cosmic rays, 3-23664
- Getmantsev, G.G., Ginzburg, V.L. and Shklovskii, I.S. Radio astronomical observations with the aid of artificial satellites, 0-5
- Getmantsev, G.G. and Rapoport, V.O. Growth of electro-magnetic waves in a plasma moving in a nondispersive dielectric in a constant magnetic field, 0-12708
- Getmantsev, G.G. See Benediktov, E.A., 2-9109
- Getmantsev, G.G. See Benediktov, E.A., 2-15397
- Getoff, N. Ultrasonic effect on neutron-irradiated inorganic solid compounds, 4-4089
- Getoff, N., Nishikawa, M. and Meindl, P. Thermal recovery of neutron irradiated potassium sulphate, 2-23225
- Getoff, N. See Parker, W., 4-17866
- Getoff, N. See Parker, W., 4-17867
- Getoff, N. See Parker, W., 4-20836
- Getoff, N. See Parker, W., 4-22056
- Gettemy, J.W. Magnetic daily variation at Koror, 2-17215
- Gettemy, J.W. See Knapp, D.G., 3-25942
- Gettner, M. See de Pagter, J.K., 4-25371
- Gettner, M. See Selove, W., 0-17373
- Getty, R.R. and Polanyi, J.C. Prediction of internuclear separation and force constants in diatomic molecules, 2-6132
- Getty, W.D. and Smullin, L.D. Beam-plasma discharge: buildup of oscillations, 4-5652
- Getty, W.D. See Smullin, L.D., 2-22204
- Geudeke, M. Some observations by means of dislocation etching on the decomposition of NaCl-KCl mix-crystals, 3-12985
- Geudeke, M. and Burgers, W.C. Origin of F-centers in X-ray irradiated NaCl crystals, 3-15518
- Geuge, H. Experiments on the development of a high-frequency accelerator for protons, 3-458
- Gaurts, H.L. See Noorman, P.E., 3-22480
- Geus, J.W., Koks, H.L.T., Sieswerda, B.S. and Terpstra, J. Measurement of the magnetization of thin nickel films in ultra-high vacuum, 3-17020
- Geusic, I.E., Marcos, H.M. and Van Uitert, L.G. Laser oscillations in Nd-doped yttrium aluminum, yttrium gallium and gadolinium garnets, 4-19309
- Geusic, J.E. Harmonic spin coupling in ruby, 0-9192
- Geusic, J.E., Kurtz, S.K., Nelson, T.J. and Wemple, S.H. Nonlinear dielectric properties of KTaO_3 near its Curie point, 3-17936
- Geusic, J.E., Kurtz, S.K., van Uitert, L.G. and Wemple, S.H. Electro-optic properties of some ABO_3 perovskites in the paraelectric phase, 4-20464
- Geusic, J.E. and Scovil, H.E.D. Microwave and optical masers, 4-24878
- Gevantman, L.H. and Pestaner, J.F. Ferric ion yields in ferrous sulfate solutions irradiated with low-energy X-rays, 0-3324
- Gevers, M. See van Es, C.W., 1-7152
- Gevers, M. See van Es, C.W., 1-7153
- Gevers, R. On the kinematical theory of diffraction contrast of electron transmission microscope images of edge dislocations, 2-6348
- Gevers, R. On the kinematical theory of diffraction contrast of electron transmission microscope images of perfect dislocations of mixed type, 2-23194
- Gevers, R. On the dynamical theory of electron transmission microscope images of dislocations and stacking faults, 3-1067
- Gevers, R. Dynamical theory of moiré fringe patterns, 3-3376
- Gevers, R. On the kinematical theory of diffraction contrast of electron transmission microscope images of perfect and partial screw dislocations, 3-15495
- Gevers, R. Moiré patterns for crystals containing a stacking fault, 3-20205
- Gevers, R. Moiré pattern for a crystal containing a stacking fault, 3-22799
- Gevers, R. On the dynamical theory of different types of electron microscopic transmission fringe patterns, 3-25789
- Gevers, R. Multiple beam Moiré patterns, 4-7597
- Gevers, R., Amelinckx, S. and Delavignette, P. A surface effect associated with dislocation ribbons, 2-5335
- Gevers, R., Art, A. and Amelinckx, S. Electron microscopic images of single and intersecting stacking faults in thick foils. I. Single faults, 4-1501
- Gevers, R., Delavignette, P., Blank, H. and Amelinckx, S. Electron microscope transmission images of coherent domain boundaries. I. Dynamical theory, 4-13635
- Gevers, R. See Art, A., 3-12993
- Gevorkov, A.K. See Demirkhanov, R.A., 1-297
- Gevorkov, A.K. See Demirkhanov, R.A., 0-15043
- Gewin, R., Beil, H., Joly, R. and Ribrag, M. Determination of the scattering and absorption cross sections of natural neon for thermal neutrons, 0-20504
- Gey, W. See Buckel, W., 3-7407
- Gey, W. See Buckel, W., 3-8688
- Gey, W. See Buckel, W., 4-8567
- Geyer, B. Causality and locality in the Uhlmann method, 4-2548
- Geyger, W.A. New type of flux-gate magnetometer, 2-13643
- Geyling, F.T. Satellite perturbations from extra-terrestrial gravitation and radiation pressure, 0-10530
- Geynet, R. See Holt, V.E., 3-7381
- Geynet, R. See Holt, V.E., 4-2861
- Gfeller, C., Houtermans, F.G., Oeschger, H. and Schwarz, U. γ - γ coincidence measurements for nondestructive measurements of the positron radiation and γ -active isotopes as contained in meteorites, 2-4751
- Gfeller, C. and Oeschger, H. Investigation of the limits of measurements for weak activities, 2-22750
- Ghabrial, A.M. Sound radiation from a plane source into circular ducts, 3-9557
- Ghadiali, M.P. See Pathak, P.D., 4-3996
- Ghaffari, A. Analyticity and probability properties of one-dimensional Brownian motion, 2-4945
- Ghaffoor, M.A. and Grant, P.J. An experimental study of the interactions between control rods in a subcritical assembly, 4-30362
- Ghanem, N.A. See Westermarck, T., 1-19399
- Ghanem, N. See Westermarck, T., 1-19400
- Ghani, A. See Berman, S.M., 2-18178
- Ghani, A. See Davis, D.G., 3-24730
- Ghani, A. See Evans, D., 2-22492
- Ghani, A. See Faissner, H., 3-17100
- Ghani, A. See Faissner, H., 3-17141
- Ghani, A. See Faissner, H., 3-21380
- Ghani, A. See Faissner, H., 3-24690
- Ghatak, A. See Nelkin, M., 4-21059
- Ghatak, A.K. Consequences of neutron-proton mass difference in the kinematics of neutron-proton scattering, 4-12007
- Ghatak, A.K. See Singh, G., 1-13440
- Ghate, P.B. Anisotropic diffusion of cadmium and gold tracers in zinc single crystals, 3-17793
- Ghate, P.B. Screened interaction model for impurity diffusion in zinc, 4-9997
- Ghate, P.B. Fourth-order elastic coefficients, 4-13360
- Ghate, P.B. See Huntington, H.B., 2-18594
- Ghate, V.B. and West, D.R.F. Fractional nucleation in the ageing of an aluminium-4.25 wt% copper alloy, 0-18388
- Ghatikar, M.N., Raychaudhuri, A.K. and Ray, D.K. Shielding for the crystalline electric field and for the nuclear quadrupole moments in rare-earth ions, 4-25808
- Ghazanfar, S.A.S., Edsall, J.T. and Myers, D.V. Raman spectra of diamines and diammonium ions: effects of ionization on carbon-hydrogen stretching frequencies, 4-22403
- Gheordănescu, N. See Andreescu, I., 1-2076
- Gheorghita, C. and Cristea, P. Observations on the influence of the air and water vapour at different pressures on the electrical conductivity of the NaCl single crystal, 4-1653
- Gheorghita, N. See Sanduloviciu, M., 3-19187
- Gheorghita, St. I. On the impact of drops on rigid walls, 4-2646
- Gheorghita-Oancea, C. Electrical conductivity and photoconductivity of thin anthracene layers in vacuum, 1-17631
- Gheorghita-Oancea, C. On the structure and semiconductor properties of thin anthracene layers. II, 4-30630
- Gheorghita-Oancea, C. On the structure and semiconductor properties of thin anthracene layers. I. Some data on the structure of anthracene layers obtained by thermal evaporation in vacuum, 4-10610
- Gheorghita-Oancea, C. and Teodorescu, G. Electrical conductivity of thin anthracene films, 2-6424
- Gheorghita-Oancea, C., Teodorescu, G. and Teodorescu, I. Electron diffraction study of thin layers of anthracene, 2-2441
- Gheorghitza, S.I. The marginal stability in porous inhomogeneous media, 1-18346
- Gheorghiu, D. and Valeriu, A. Signal-to-noise ratio of the twin-T nuclear magnetic resonance bridge, 3-517
- Gheorghiu, O.C. Study of a radiofrequency spectrograph with one tuned circuit, 2-5498
- Gheorghiu, O.C. The possibility of determining magnetic permeability at low frequencies, with a non-resonant cavity, 3-7673

- Gheorghiu, O. C. and Rodeanu, E. I. Study of change in resonant frequency and Q-factor, due to the introduction of a disturbing body into a coaxial cavity, 4=5828
- Gheorghiu, O. C. See Ionescu, T. V., 0=4795
- Gheorghiu, O. C. See Ionescu, T. V., 0=9806
- Gherbanovschi, C. See Andreescu, I., 4=27880
- Gherbanovski, C. See Andreescu, I., 3=17311
- Gherghescu, A. See Ionescu, S., 2=21589
- Gherman, O. The polarization of electromagnetic waves at the boundary of two media, 2=5476
- Gherman, O. and Constantinescu, F. Scattering of electromagnetic waves by small particles, 3=14772
- Gherman, O. See Gábos, Z., 3=1838
- Gherman, O. See Gábos, Z., 4=19225
- Ghersini, G. See Cimino, A., 2=12548
- Gherzi, E. Atmospherics on 20 kc/s at the time of local aurorae, 0=21394
- Ghesquiere, C., Rivet, P., Armenteros, R., Edwards, D. N., Jacobsen, T., Montanet, L., Shapira, A., Vandermeulen, J., D'Andlau, Ch., Astier, A., Bailon, P., Cohen-Ganouna, J., Defoix, C. and Siaud, J. Evidence for a ($K\pi\pi$) resonance with a mass 1.230 GeV/c², 4=19575
- Ghesquiere, C. See Amaldi, U., Jr., 4=6054
- Ghesquiere, G. See Amaldi, U., 2=22516
- Ghesquiere, C. See Awunor-Renner, E. R. T., 0=15497
- Ghesquiere, G. See Amaldi, U., Jr., 3=24717
- Ghesquiere, C. See d'Andlau, C., 3=17328
- Ghez, R. and Piuz, F. A generalized surface stress, 3=21271
- Ghez, R. and Piuz, F. On the surface energy of a surface in a constrained state, 4=5121
- Ghez, R. See Piuz, F., 3=16062
- Ghielmetti, F. See Jordan, T. F., 4=24389
- Ghielmetti, H., Anderson, J. C., Cardoso, J. M., Manzano, J. R., Roederer, J. G. and Santochi, O. R. Solar flare effects on cosmic ray intensity, 0=13093
- Ghielmetti, H. S. The spectrum and propagation of relativistic solar flare particles during July 17-18, 1959, 1=16929
- Ghielmetti, H. S., Becerra, N., Godel, A. M. Enhancement of the X-ray intensity at balloon altitudes in the South American anomaly, 4=23791
- Ghigo, G. and Quercia, I. F. Field stabilization in a d.c.-a.c. excited magnet of a synchrotron, 0=19848
- Ghigo, G. See Bernardini, C., 1=9653
- Ghigo, G. See Bernardini, C., 2=7690
- Ghigo, G. See Bernardini, C., 3=17005
- Ghigo, G. See Bernardini, C., 4=16583
- Ghigo, G. See Castagnoli, C., 0=15591
- Ghigo, G. See de Carvalho, H. G., 4=19844
- Ghika, G. Longitudinal oscillations in plasma, 4=11663
- Ghika, G. See Ciulli, S., 4=19449
- Ghika, G. See Corciovei, A., 2=16911
- Ghika, G. See Corciovei, A., 2=21087
- Ghilardotti, G. and Orgnani, F. V. Axial flux shape under a continuous fuel cycle at equilibrium, 4=9597
- Ghilardotti, G. See Basso, P., 2=10190
- Ghilardotti, G. See Gallone, S., 2=20485
- Ghilardotti, G. See Gallone, S., 4=6415
- Ghilardotti, G. See Gallone, S., 4=9215
- Ghildyal, C. D. Unsteady motion of an infinite liquid due to the uniform rotation of a sphere, $r = a$, 1=2738
- Ghiorso, A., Diamond, R. M. and Conzett, H. E. [Edited by]. Proceedings of the third conference on reactions between complex nuclei, 4=22192
- Ghiorso, A., Sikkeland, T., Larsh, A. E. and Latimer, R. M. New element, lawrencium, atomic number 103, 1=13700
- Ghiorso, A. See Diamond, A., 0=17512
- Ghiorso, A. See Perlman, I., 2=18268
- Ghirardi, G. C., Pauri, M. and Rimini, A. On the Levinson theorem in the multichannel case, 3=10041
- Ghirardi, G. C. and Rimini, A. Properties of a class of non-local solvable interactions, 4=18063
- Ghirardi, G. C. See Alzetta, R., 3=22137
- Ghirardi, G. C. See Fonda, L., 4=9073
- Ghirardi, G. C. See Fonda, L., 4=11064
- Ghita, C. Application of Zeiss interference refractometer to the study of volatile liquids, 2=9376
- Ghiță, C. See Badareu, E., 4=29976
- Ghiță, C. See Ghiță, I., 4=6674
- Ghiță, C. See Giurgea, M., 1=5282
- Ghita, C. See Giurgea, M., 2=9408
- Ghita, C. See Giurgea, M., 2=21909
- Ghiță, C. See Giurgea, M., 3=5442
- Ghiță, I. and Ghiță, C. Device for the study of macromolecules by means of light scattering, 4=6674
- Ghita, L. See Giurgea, M., 2=9408
- Ghita, L. See Giurgea, M., 2=21909
- Ghiță, L. See Giurgea, M., 3=5442
- Ghormley, J. A. Nucleation of bubbles in superheated aqueous solutions by fast particles, 0=7253
- Ghormley, J. A. The formation of hydrogen sesquioxide, H_2O_3 , in free-radical reactions on cold surfaces, 4=10640
- Ghormley, J. A. See Forman, R., 2=22257
- Ghormley, J. A. See Forman, R., 3=2026
- Ghormley, J. A. See Forman, R., 3=24335
- Ghose, A. Proton-nucleus scattering at 96 MeV, 0=15568
- Ghose, A. M. Absolute measurement of thermal neutron absorption in chlorine, 1=15444
- Ghose, A. M. Angular distribution of Compton scattered Co^{60} photons, 3=22099
- Ghose, A. M. Photoelectric cross-section of lead for Co^{60} photons, 2=3710
- Ghose, B. K. See Biswas, K. R., 3=13669
- Ghose, J. K. Oblique coordinates in the analysis of second order symmetrical tensors, 4=16012
- Ghose, R. N. See Stogryn, A. P., 4=13773
- Ghose, S. The crystal structure of salesite, $CuIO_3(OH)$, 3=1338
- Ghose, S. The crystal structure of pseudomalachite, $Cu_5(PO_4)_2(OH)_4$, 3=3307
- Ghose, S. The crystal structure of hydrozincite, $Zn_5(OH)(CO_3)_2$, 4=26680
- Ghose, S. See Brun, E., 4=20609
- Ghose, S. See Fehlmann, M., 4=30847
- Ghose, S. C. and Young, J. C. The use of the term "flux", 1=9696
- Ghosh, A. Elastic scattering and polarization of 300 MeV protons, 0=15347
- Ghosh, A. Neutron strength function Γ_n^0/D with complex diffuse boundary potential, 0=17622
- Ghosh, A. Splitting of neutron energy levels due to spin-orbit coupling, 1=13650
- Ghosh, A. Response of the limiting layer (assumed laminar) and of the unitary viscous force on a flat infinite plane due to current fluctuations, 2=46
- Ghosh, A. Response of the limiting layer [assumed laminar] and of the unitary viscous force on a flat infinite plane due to current fluctuation (experimental study), 2=1112
- Ghosh, A. and Dutta, S. K. On the calculation of low-energy neutron scattering by a complex potential, 2=5647
- Ghosh, A. C. and Martin, W. H. New isomers in antimony and iodine, 3=12591
- Ghosh, A. K. An automatic rapid scanning spectrophotometer to study thermoluminescence spectra, 3=18992
- Ghosh, A. K. and Dutta, B. C. Thermoluminescence spectra of LiF , 0=8028
- Ghosh, A. K. See Dreeskamp, H., 1=8227
- Ghosh, A. K. See Dutta, B. C., 0=6208
- Ghosh, A. K. See Prakash, S., 3=6936
- Ghosh, A. K. See Sen, S. N., 1=18812
- Ghosh, A. K. See Sen, S. N., 2=3011
- Ghosh, A. K. See Sen, S. N., 2=7581
- Ghosh, A. K. See Sen, S. N., 3=371
- Ghosh, A. K. See Sen, S. N., 3=12085
- Ghosh, A. K. See Som, S. C., 4=21321
- Ghosh, A. M. and Ganguly, N. K. Measurement of thermal neutron absorption cross section using spherical symmetry method, 0=5796
- Ghosh, B. B. A statistical analysis to test the reliability of measuring atmospheric noise subjectively by a small group of people, 0=19328
- Ghosh, D. K. On the applicability of Debye's theory in the determination of the time of relaxation in the case of pure liquids, 2=7195
- Ghosh, D. K. and Whiffen, D. H. The electron spin resonance spectrum of a γ -irradiated single crystal of glycine, 0=20665
- Ghosh, D. K. See Sirkar, S. C., 1=18417
- Ghosh, N. C. and Sen, D. Neutron-proton pairing interaction in transuranic elements, 0=11295
- Ghosh, N. L. Potential flow with wake past a spherical obstacle, 0=8629
- Ghosh, N. L. and Chatterjee, H. K. Resistance in potential flow of real fluids: Prolate and oblate spheroids, 1=122
- Ghosh, N. L. and Chatterjee, H. K. Resistance in potential flow with circulation. II. Symmetrical Carafoli and Joukowski aerofoils, 1=18448

- Ghosh, N.L. and Chatterjee, H.K. Resistance in potential flow with circulation. III. General Jukowski aerofoil, 1=18449
- Ghosh, N.N. On a solution of field equations in Einstein's unified field theory II, 0=6671
- Ghosh, N.N. A matrix method of reduction of the general Lorentz transformation [in four-space into a pair of component plane rotations], 0=14367
- Ghosh, N.N. On wave solution of field equations in Einstein's unified field theory, 0=14506
- Ghosh, N.N. A note on wave solution of Einstein's unified field theory, 1=18252
- Ghosh, N.N. Generalized theory of spinors, 3=4329
- Ghosh, P.K. Distribution-theoretic observation on the Born scattering formula (first approximation), 0=20058
- Ghosh, P.K. A new method for measuring absolute magnetic susceptibilities, 1=16483
- Ghosh, P.K. See Bose, A., 4=21612
- Ghosh, P.K. See Mitra, S., 4=26258
- Ghosh, R. See Sen Gupta, R., 4=21216
- Ghosh, S. Dielectric behavior of some bentonites, 2=18764
- Ghosh, S. and Bandyopadhyay, B.K. Muon scattering, 4=28050
- Ghosh, S. and Brenet, J. Magnetic susceptibility study of the γ -manganese [dioxide] and its depolarised samples. I., 4=10246
- Ghosh, S. See Nand, K.C., 4=4719
- Ghosh, S. See Sen Gupta, R.L., 1=5745
- Ghosh, S. See Sengupta, S., 0=1362
- Ghosh, S. See Sengupta, S., 0=17491
- Ghosh, S.K. Dynamics of the longitudinal propagation of elastic disturbance through a medium exhibiting gradient of elasticity, 1=12936
- Ghosh, S.K. Variation of field effect mobility and Hall effect mobility with the thickness of the deposited films of tellurium, 1=19885
- Ghosh, S.K. Influence of oxygen on the electrical conductivity of clean tellurium surfaces, 2=10436
- Ghosh, S.K. and Gupta, P.K. Some observations on the structure of Cb cells by radiosonde, 3=13673
- Ghosh, S.K., Lahiri, J. and Sinha, S.K. F^{19} nuclear magnetic resonance in polycrystalline MgF_2 , 1=20261
- Ghosh, S.K. and Laskar, A.K. Energy states at the interface of two semi-infinite one-dimensional crystals, 4=22541
- Ghosh, S.K. and Laskar, A.L. Electronic energy states at the interface, with adsorbed gas, of two semi-infinite one dimensional crystals, 3=25238
- Ghosh, S.K. and Sinha, S.K. Nuclear spin echoes and molecular self-diffusion in liquids, 1=12906
- Ghosh, S.K. and Sinha, S.K. Calculation of nuclear magnetic shielding in hydrogen molecule, 2=6221
- Ghosh, S.K. See Heeger, A.J., 3=15965
- Ghosh, S.K. See Heeger, A.J., 4=13290
- Ghosh, S.K. See Heeger, A.J., 4=15667
- Ghosh, S.K. See Rajagopalan, N.S., 3=8514
- Ghosh, S.K. See Sinha, S.K., 3=8732
- Ghosh, S.N. and Khare, S.P. Secondary electron emissions from metal surface by high-energy ion and neutral atom bombardments, 2=5377
- Ghosh, S.N. and Khare, S.P. Secondary electron emission from metal surfaces by H^+ , H^0 , He^+ , and He^0 bombardments, 3=7638
- Ghosh, S.N. and Malaviya, V. Microwave absorption in the earth's atmosphere, 1=20869
- Ghosh, S.N. and Nand, S. Ionization of E-layer by X-rays, 1=15273
- Ghosh, S.N. and Nand, S. Rocket spectroscopy, 3=11531
- Ghosh, S.N., Nand, S. and Sharma, A. Intensity variation of the 0-0 band of the CN violet system with temperature, 3=11344
- Ghosh, S.N. and Sharma, A. Excitation of green and red lines in the night airglow, 1=21032
- Ghosh, S.N., Sharma, A. and Nand, S. Controlled reaction between active nitrogen and methylene chloride, 2=4537
- Ghosh, S.N. and Sharma, K.D. The number of N_2 molecules in Earth's atmosphere from rocket data, 2=6930
- Ghosh, S.N. and Sharma, K.D. On the day airglow, 4=26826
- Ghosh, S.N. and Sharma, K.D. Ionic mobility and charge exchange at low ion energy, 4=29870
- Ghosh, S.N., Sharma, K.D. and Sharma, A. Distribution of positive ions in the F-region, 4=29329
- Ghosh, S.N. and Srivastava, B.N. Sensitivity of VG-1A ionization gauge calculated from the probability of ionization of gases, 1=6914
- Ghosh, S.N. and Srivastava, B.N. Exciting particles for auroral spectra, 2=2513
- Ghosh, S.N. and Srivastava, B.N. Excitation of spectra by ion bombardment, 3=9594
- Ghosh, S.N. and Srivastava, B.N. Number of N_2^+ , N^+ , N^{++} and O_2^+ , O^+ , O^{++} ions produced by solar protons in the earth's atmosphere, 2=19241
- Ghosh, T. Note on the stresses in an elastic layer with varying modulus of elasticity, 2=1090
- Ghosh, T. Note on the stresses in a twisted circular cylinder with modulus of rigidity varying exponentially, 2=15513
- Ghosh, T. Note on finite deformation of a hollow spherical shell of non-homogeneous material subjected to uniform normal tractions on the inner and outer surfaces, 3=14075
- Ghosh, T.K. and Clarke, F.J.P. Etching and polishing studies on magnesium oxide single crystals, 1=4014
- Ghosh, T.K. See Clarke, F.J.P., 2=3972
- Ghosh, U.S. A short note on the orthorhombic potential in terms of Ligand moments and their distances in an octahedral complex, 4=28314
- Ghosh, U.S. and Bagchi, R.N. A general method of finding the principal crystalline susceptibilities of triclinic crystals, 3=12285
- Ghosh, U.S., Bagchi, R.N. and Pal, A.K. A 1.2 cm e.p.r. spectrometer and paramagnetic resonance in some copper salts, 4=19247
- Ghosh, U.S. and Mitra, S. A convenient and direct method of finding the principal ionic susceptibilities of triclinic crystals, 4=26268
- Ghosh, U.S. See Chatterjee, R., 3=13224
- Ghosh Mazumdar, A.S. Electrolytic purification of carrier free tellurium tracer, 0=5680
- Ghosh, A. and Sil, N.C. Neutron energy levels in a diffuse potential, 0=17494
- Ghozlan, A.I. and Los, J. The determination of the quantum mechanical diffraction effects on thermal diffusion, 3=21431
- Giacaglia, G.E.O. See Szebehely, V., 4=17974
- Giacchetti, A., Gallardo, M., Garavaglia, M. J., Conzalez, Z., Valero, F. P. J. and Zakowicz, E. Interferometrically measured thorium wavelengths, 4=22308
- Giacchetti, A. See Davison, A., 2=8064
- Giacchetti, G., Musci, M. and Poletti, G. A crystal monochromator for slow neutrons, 3=24748
- Giacconi, R., Gursky, H., Paolini, F.R. and Rossi, B.B. Evidence for X-rays from sources outside the solar system, 3=7941
- Giacconi, R. and Rossi, B. A "telescope" for soft X-ray astronomy, 1=8
- Giacconi, R. See Gursky, H., 4=12085
- Giacchino, G. The measurement of a magnetic field by the use of a caesium frequency standard, 0=15102
- Giacobbe, P. See De Matteis, A., 0=11183
- Giacomelli, G. π^{\pm} -p elastic scattering at 30 MeV, 0=3988
- Giacomelli, G. Simple electronic clock for the study of freely falling bodies, 1=1724
- Giacomelli, G., Monti, D., Quareni, G., Quareni-Vignudelli, A., Puschel, W. and Tietge, J. Study of the $224 \tau^+$ decays, 3=10167
- Giacomelli, G. See Barnes, S.W., 0=3986
- Giacomelli, G. See Block, M.M., 2=9883
- Giacomelli, G. See Cadwell, D.O., 4=15091
- Giacomelli, G. See Fabiani, F., 2=20319
- Giacomelli, G. See Fabiani, F., 2=22491
- Giacomelli, G. See Fidicaro, M., 1=5518
- Giacomelli, G. See Fidicaro, M., 2=3293
- Giacomelli, G. See Fidicaro, M., 2=9814
- Giacomelli, G. See Fidicaro, M., 2=9840
- Giacomelli, G. See Fidicaro, M., 2=22506
- Giacomelli, G. See Fuschini, E., 0=15550
- Giacomelli, G. See Gatti, G., 1=13228
- Giacomelli, G. See Puschel, W., 2=22616
- Giacometti, G. and Nordio, P.L. Molecular orbital calculation of hyperfine splitting constants of NH_2^+ radical, 3=15343
- Giacometti, G., Nordio, P.L. and Rigatti, G. Electronic structure and spectra of chloranil and of p-phenylenediamine, 2=8115
- Giacometti, G., Rigatti, G. and Semeraro, G. Semiempirical calculation of the low electronic energy levels of the HFCO molecule, 0=15752
- Giacometti, G. See Favero, P., 2=16551
- Giacometti, G. See Foffani, A., 0=15740
- Giacometti, G. See Oleari, L., 3=25095
- Giacomo, P. Chromatic properties of reflecting multi-dielectric layers, 0=16869
- Giacomo, P. Applications of thin films in optics, 4=22841
- Giacomo, P., Roizen-Dossier, B. and Roizen, S. Preparation of circular apodisers, by evaporation in vacuo, 4=21308

- Giacomo, P. See Badoual, R., 4=21306
 Giacomo, P. See Chantrel, H., 4=24376
 Giacomo, P. See Cojan, J.L., 0=5880
 Giacomo, P. See Pelletier, E., 4=21312
 Giacomo, P. See Sebire, N., 2=7379
 Giaever, I. Energy gap in superconductors measured by electron tunneling, 0=16949
 Giaever, I. Study of superconductors by electron tunneling through thin insulating films, 3=16869
 Giaever, I. Energy gaps in some hard superconductors, 4=14530
 Giaever, I., Hart, H.R., Jr and Megerle, K. Tunneling into superconductors at temperatures below 1°K, 2=11572
 Giaever, I. and Megerle, K. Study of superconductors by electron tunneling, 1=8284
 Giaever, I. See Fisher, J.C., 1=3731
 Gialanella, G. See Bizzarri, R., 4=30244
 Gialanella, G. See Femino, S., 3=5998
 Gialanella, G. See Muller, A., 4=25148
 Gialanella, G.C. See Di Capua, E., 2=18039
 Gialanella, G.C. See Bizzarri, R., 3=6026
 Giamati, C.C., Madsen, V.H. and Thaler, R.M. Analysis of proton-alpha scattering, 3=24729
 Giamati, C.C. and Reines, F. Experimental test of the conservation of nucleons, 2=13785
 Giambiagi, J.J. Analogy between Lorentz and Foldy-Wouthuysen transformation, 0=12840
 Giambiagi, J.J. and Saavedra, I. Causality and analyticity in non-relativistic scattering, 3=24633
 Giambiagi, J.J. See Alessandrini, V.A., 4=2562
 Giambiagi, J.J. See Ball, N., 1=13482
 Giambiagi, J.J. See Bollini, C.G., 1=13289
 Giambiagi, J.J. See Bollini, C.G., 3=2223
 Giambiagi, J.J. See Bollini, C.G., 3=14907
 Giambiagi, J.J. See Bollini, C.G., 4=14996
 Giambiagi, J.J. See Bollini, C.G., 4=21730
 Gianino, P.D. Reduction of warm-up rate within a Dewar system by helium desorption, 4=24468
 Gianino, P.D. See Masters, J.I., 1=7159
 Giannelli, G. and Mandl, V. Transistorized precision ratemeter, 0=12801
 Giannelli, G. and Stanchi, L. Nonlinear operations on pulses by means of p-n junctions, 1=5411
 Giannini, G. Electrical propulsion in space, 1=15415
 Giannini, M., Pinto, G., Prosperi, D. and Sciuti, S. Soft gamma-rays from thermal neutron capture in La, Pr, Nd, Hf, W. Os. III, 4=3680
 Giannini, M., Prosperi, D. and Sciuti, S. Investigation on the decay scheme of ThC (Bi²¹²), 1=2186
 Giannini, M., Prosperi, D. and Sciuti, S. Decay scheme of ²¹²Pb, 1=17039
 Giannini, M., Prosperi, D. and Sciuti, S. Spins and parities of excited levels in ²¹²Po, 2=378
 Giannini, M., Prosperi, D. and Sciuti, S. Nuclear resonance fluorescence in solid ⁶⁰Co sources, 2=5798
 Giannini, M., Prosperi, D. and Sciuti, S. Decay scheme of ²¹¹Pb, 2=20549
 Giannini, M., Prosperi, D. and Sciuti, S. Intensity measurements of alpha groups from ²¹¹Bi, ²¹¹Po, ²¹⁹Rn and ²²³Ra by means of solid state counter techniques, 2=22756
 Giannini, M., Prosperi, D. and Sciuti, S. Soft gamma-rays from thermal neutron, 3=10355
 Giannini, M., Prosperi, D. and Sciuti, S. Soft gamma-rays from thermal neutron capture in Tb, Er, Yb and Ta. II, 3=15209
 Giannini, M. See Agodi, A., 4=6350
 Giannone, P. See Cimino, M., 3=16398
 Giannuzzi, M.A. and Bianco, L. Mean densities of visual binary stars, 1=18111
 Giannuzzi, M.A. See Cimino, M., 3=16398
 Gianola, U.F. Possibilities of all-magnetic logic, 1=5530
 Gianola, U.F. Disturb thresholds in cylindrical film memory wire, 3=15849
 Gianola, U.F. See Chang, J.T., 4=13212
 Giansoldati, A., Linde, J.O. and Borelius, G. Magnetic susceptibility and electrical resistivity of Au-Mn alloys, 0=4483
 Giao, A. On the formation of the arms of the spiral galaxies, 2=7028
 Gião, A. Relativistic energy equation and Piccardi's solar hypothesis, 3=5338
 Gião, A. On the Maxwell-Boltzmann distribution law, 4=79
 Giardini, A.A., Poindexter, E. F. and Samara, G. A. High pressure polymorphic transitions studied by audio- and radio-frequency techniques, 4=20695
 Giardini, A.A. See Samara, G. A., 4=24009
 Giardini-Guidoni, A. and Volpi, G.G. Ion-molecules reactions of the fifth group element hydrides, 0=19627
 Giardini-Guidoni, A. See Cini-Castagnoli, G., 1=10510
 Giardini-Guidoni, A. See Derwish, G. A. W., 4=2141
 Giardini-Guidoni, A. See Derwish, G. A. W., 4=11538
 Giardini-Guidoni, A. See Derwish, G. A. W., 4=21599
 Giardini-Guidoni, A. See Galli, A., 1=9643
 Giardini-Guidoni, A. See Galli, A., 3=12082
 Giardini-Guidoni, A. See Galli, A., 3=23539
 Giardini-Guidoni, A. See Galli, A., 4=14574
 Giardino, N.A. See Owens, E.B., 4=3061
 Giarola, A. J. and Billeter, T. R. Electroacoustic deflection of a coherent light beam, 4=16227
 Giarola, A. J. See Billeter, T. R., 4=24828
 Giauque, W. F. Efficient bulk transfer of liquid helium as a superfluid, 4=24478
 Giauque, W.F., Hornung, E.W., Fisher, R.A. and Brodale, G.E. The measurement of magnetic induction in high magnetic fields at low temperatures. CoSO₄·7H₂O, 3=6689
 Giauque, W. F., Hornung, E. W., Fisher, R. A., Brodale, G. E. and Butera, R. A. Apparatus for measuring magnetothermodynamic properties to high fields at low temperatures, 4=8886
 Giauque, W.F. and Lyon, D.N. Design of a 100-kilogauss 4-inch core solenoid for continuous operation, 0=7192
 Giauque, W.F., Lyon, D.N., Hornung, E.W. and Hopkins, T.E. Calorimetric determination of isothermal entropy changes in high magnetic fields at low temperatures complete CoSO₄·7H₂O, 2=23069
 Giauque, W.F. See Bartky, I.R., 0=1066
 Giauque, W.F. See Brodale, G.E., 3=7387
 Giauque, W. F. See Butera, R. A., 4=20214
 Giauque, W.F. See Papadopoulos, M.N., 3=6477
 Gibala, R. Preprecipitation in gold-nickel alloys, 4=20703
 Gibb, D. See Walker, P.M.B., 3=9595
 Gibb, T. R. P., Jr. Crystallographic requirements and configurational entropy in body-centered cubic hydrides, 4=22447
 Gibbins, K. Effect of over-all duration on acuity threshold and brightness matching tasks, 1=10348
 Gibbins, K. and Howarth, C.I. Prediction of the effect of light-time fraction on the critical flicker frequency; an insight from Fourier analysis, 1=10351
 Gibbons, D.F. Thermal expansion coefficients of manganese fluoride, 0=1564
 Gibbons, D.F. On the thermal expansion and Grüneisen factor of vitreous silica, 0=12532
 Gibbons, D.F. Observation of De Haas-Van Alphen type oscillation in the acoustomagnetic attenuation of zinc, 1=9014
 Gibbons, D.J. Persistent internal polarization of insulators produced by electron bombardment, 3=20371
 Gibbons, D.F. and Chirba, V.G. The effect of plastic deformation on the attenuation of acoustic waves in lithium fluoride crystals, 2=20927
 Gibbons, G. F. See Moll, J. L., 4=27694
 Gibbons, H.P. See McClintock, R.M., 0=16206
 Gibbons, I.R. See Wald, G., 3=5288
 Gibbons, J.F. See Dumin, D.J., 3=24149
 Gibbons, J.F. See Lauritzen, P.O., 2=8333
 Gibbons, J.H., Macklin, R.L., Miller, P.D. and Neiler, J.H. Average radiative capture cross sections for 7 to 170 keV neutrons, 1=7384
 Gibbons, J.H. See Bird, J.R., 2=18340
 Gibbons, J.H. See Macklin, R.L., 2=24082
 Gibbons, J.H. See Macklin, R.L., 3=10354
 Gibbons, J.H. See Macklin, R.L., 3=10364
 Gibbons, J.H. See Macklin, R.L., 3=17478
 Gibbons, J.H. See Newson, H.W., 1=13652
 Gibbons, J.J. Theoretical computation of ionospheric absorption at low frequencies, 3=5865
 Gibbons, J.J. and Ramachandra Rao, B. Calculation of group indices and group heights at low frequencies, 0=776
 Gibbons, J.J. See Chandra, S., 0=14236
 Gibbons, J.J. See Cutler, P.H., 3=15471
 Gibbons, J.J. See Ferraro, A.J., 0=15165
 Gibbons, M.G., Laughridge, F.I., Nickols, J.R. and Krause, N.A. Transmission and scattering properties of a Nevada desert atmosphere under cloudy conditions, 2=2487
 Gibbons, M.G., Nichols, J.R., Laughridge, F.I. and Rudkin, R.L. Transmission and scattering properties of a Nevada Desert atmosphere, 1=9187
 Gibbons, P.E., Northrop, D.C. and Simpson, O. The scintillation phenomenon in anthracene. II. Scintillation pulse shape, 2=6637

- Gibbons, P.E. On the design of a silicon junction radiation detector made by ion drift, 2=21166
- Gibbons, P.E. Optimization of the performance of a silicon junction radiation detector, 3=7415
- Gibbons, P.E. and Northrop, D.C. A silicon γ ray spectrometer, 1=3154
- Gibbons, P.E. and Northrop, D.C. Semiconductor counters, II. Experiment, 2=18027
- Gibbons, P.E. See Allen, J.W., 0=18042
- Gibbons, P.E. See Allen, J.W., 2=13453
- Gibbons, P.E. See Batty, C.J., 3=5903
- Gibbons, R. See Campbell, A.J., 2=14697
- Gibbons, R.A. and Mackin, R.J., Jr. Development and study of a highly-ionized steady-state deuterium plasma, 3=7498
- Gibbons, T.B. and O'Hara, S. The effect of internal oxidation on the damping capacity of copper-silicon alloys, 0=16211
- Gibbs, D.C.C., Gibson, M. and Cooper, W.A. Long-term reactivity changes in irradiated thorium, 2=3673
- Gibbs, D.F. and Hill, G.J. The variation of the dielectric constant of diamond with pressure, 4=12960
- Gibbs, D.F. and Jarman, M. The permittivity of hydrostatically stressed dielectrics, 2=23494
- Gibbs, D.F. See Allsopp, H.L., 0=16028
- Gibbs, D.F. See Spitzer, W.G., 0=16055
- Gibbs, G.B. Self-diffusion and the melting parameters of cubic metals, 4=20298
- Gibbs, G.B. The thermodynamics of creep deformation, 4=23104
- Gibbs, G.B. Temperature dependence of creep activation energies, 4=26477
- Gibbs, G.B., Graham, D. and Tomlin, D.H. Diffusion in titanium and titanium-niobium alloys, 3=20233
- Gibbs, J.A. See Rapkin, E., 2=14009
- Gibbs, J.A. See Rapkin, E., 3=14824
- Gibbs, J.E. and Gordon-Smith, G.W. The colour-temperature of an incandescent helical filament, 1=6979
- Gibbs, J.E. See Chamberlain, J.E., 4=1703
- Gibbs, P. See DeVries, K.L., 3=23333
- Gibbs, P. See DeVries, K.L., 3=23334
- Gibbs, P. See DeVries, K.L., 3=25630
- Gibbs, P. See DeVries, K.L., 4=15712
- Gibbs, P. See Galli, J.R., 4=23276
- Gibbs, P. See Huber, R.J., 2=678
- Gibbs, P. See Huber, R.J., 2=2315
- Gibbs, P. See Johnson, O.W., 3=23351
- Gibbs, P. See Miles, M.H., 4=23120
- Gibbs, P. See Milne, E.L., 4=25966
- Gibbs, P. See Seely, J.L., 2=18985
- Gibbs, P. See Snow, E.H., 4=26104
- Gibbs, P. See Vanfleet, H.B., 3=10692-
- Gibbs, R.K. and Himmelblau, D.M. Effect of concentration on the gas-liquid mass transfer coefficient, 3=16152
- Gibbs, T.W. See Neurath, P.W., 3=9755
- Gibbs, W.E.K. Anisotropy in the conductivity of hot holes in germanium, 3=2888
- Gibbs, W.E.K. See Wilbur, J., 0=14940
- Gibbs, W.E.K. Portable electrometer voltmeter, 0=14941
- Gibbs, W.E.K. Conductivity anisotropy and hot electron temperature in silicon, 4=15544
- Gibbs, W.E.K. Effect of specimen side-arms on conductivity anisotropy measurements in semiconductors, 4=28551
- Gibbs, W.R. The relation between the optical model and the direct interaction theory of inelastic scattering, 3=625
- Gibbs, W.R., Gruebler, W. and Rossel, J. Calculations using Born approximation and distorted waves for the reactions $\text{Ne}^{20,22}(\text{d}, \text{n})\text{Na}^{21,23}$, 2=20663
- Gibbs, W.R. and Gruebler, W.E. Reaction $\text{N}^{14}(\text{d}, \text{n})\text{O}^{15*}(5.20; 5.25 \text{ and } 6.15 \text{ MeV})$, 4=6372
- Gibbs, W.R. and Rossel, J. Relation between the optical model and the theory of direct interaction for inelastic scattering, 3=2423
- Gibbs, W.R. and Tobocman, W. Distortion effects in deuteron stripping reactions with low Q values, 2=481
- Gibbs, W.R. See Britt, H.C., 4=3718
- Gibbs, W.R. See Gruebler, W., 3=10377
- Gibbs, W.R. See Tobocman, W., 2=12217
- Gibberman, E. See Bhattacharjee, S.K., 3=4603
- Gibert, R. See Martin, G., 4=2128
- Gibert, R. See Villermaux, J., 2=22967
- Gibrgadze, N.P. See Buishvili, L.L., 4=1893
- Gibson, A. and Mason, D.W. Energy loss processes in Zeta, 2=7628
- Gibson, A. See Burton, W.M., 4=8787
- Gibson, A.F. Summary — Experimental aspects, 3=13046
- Gibson, A.F. The transport of excess carriers in semiconductors, 4=28543
- Gibson, A.F. and Burgess, R. [Ed.]. Progress in semiconductors. Vol. 7, 4=12881
- Gibson, A.F., Burgess, R.E. and Aigrain, P. [Eds.]. Progress in semiconductors. Vol. 1, 0=20877
- Gibson, A.F., Burgess, R.E. and Aigrain, P. [Eds.]. Progress in semiconductors. Vol. 2, 0=20878
- Gibson, A.F., Burgess, R.E. and Aigrain, P. [Eds.]. Progress in semiconductors. Vol. 3, 0=20879
- Gibson, A.F., Granville, J.W. and Paige, E.G.S. A study of energy-loss processes in germanium at high electric fields using microwave techniques, 2=2199
- Gibson, A.F., Granville, J.W. and Paige, E.G.S. The determination of the energy and momentum relaxation times of hot carriers in germanium, 3=2883
- Gibson, A.F., Kröger, F.A. and Burgess, R.E. [Eds.]. Progress in semiconductors. Vol. 5, 1=5008
- Gibson, A.F., Kröger, F.A. and Burgess, R.E. [Eds.]. Progress in semiconductors, 2=14513
- Gibson, A.F. and Morgan, J.R. Avalanche injection diodes, 1=14492
- Gibson, A.F. See Bayham, A.C., 0=7976
- Gibson, E.D. See Bare, D.W., 4=26538
- Gibson, E.F. See Powell, R.L., 0=7858
- Gibson, E.F. See Powell, R.L., 0=11588
- Gibson, E.J. The effects of gamma radiation on solids. Exo-electron emission from irradiated iron oxide catalysts, 1=18919
- Gibson, F.C., Bowser, M.L. and Mason, C.M. Method for the study of deflagration to detonation transition, 0=3312
- Gibson, G., Jordan, W.C. and Lauer, E.J. Bumpy torus, 0=7123
- Gibson, G., Jordan, W.C. and Lauer, E.J. Containment of positrons in a mirror machine, 0=19654
- Gibson, G., Jordan, W.C. and Lauer, E.J. Particle behavior in a static, asymmetric, magnetic mirror geometry, 3=7567
- Gibson, G., Jordan, W.C. and Lauer, E.J. Particle behavior in static, axially symmetric, magnetic mirror and cusp geometries, 3=7568
- Gibson, G., Jordan, W.C. and Lauer, E.J. Containment of positrons in an asymmetric mirror geometry, 3=12199
- Gibson, G., Jordan, W.C., Lauer, E.J. and Woods, C.H. Guiding center motion and plasma behaviour in the Bumpy Torus, 4=16474
- Gibson, G. and Lauer, E.J. Radiation damping of an electron in a uniform magnetic field, 0=7197
- Gibson, G. See Killeen, J., 0=10897
- Gibson, H. and Nicholls, M.J. A study of the radio-frequency probe technique for plasma electron density measurement, 4=5635
- Gibson, H. See Gallop, J.W., 1=1906
- Gibson, H. See Gallop, J.W., 2=5339
- Gibson, J. See Jeffers, H.M., 0=12274
- Gibson, J. Observations of comet Väisälä, 1939 IV, 1959 i, 0=12275
- Gibson, J.A.B. Measurement of the gamma radiation background, 3=9055
- Gibson, J.B., Goland, A.N., Milgram, M. and Vineyard, G.H. Dynamics of radiation damage, 0=20856
- Gibson, J.E. Lunar surface characteristics indicated by the March, 1960, eclipse and other observations, 1=7979
- Gibson, J.E. The brightness temperature of Venus at 8.6 MM, 3=11591
- Gibson, J.E. and McEwan, R.J. Observations of Venus at 8.6-mm wavelength, 0=18621
- Gibson, J.E. See Grant, C.R., 3=11592
- Gibson, J.F., Ingram, D.J.E. and Schonland, D. Magnetic resonance of different ferric complexes, 1=873
- Gibson, J.G. A simple masking technique for the electrolytic treatment of metals and semiconductors, 4=23662
- Gibson, J.G. See Edeleanu, C., 3=6919
- Gibson, J.W. and Hein, R.A. Superconductivity of tungsten, 4=24515
- Gibson, J.W. See Hein, R.A., 2=17727
- Gibson, J.W. See Hein, R.A., 3=3959
- Gibson, J.W. See Hein, R.A., 3=19121
- Gibson, J.W. See Hein, R.A., 3=21665
- Gibson, J.W. See Hein, R.A., 4=18569
- Gibson, J.W. See Hein, R.A., 4=18594
- Gibson, M. See Carter, D.H., 4=28090
- Gibson, M. See Gibbs, D.C.C., 2=3673
- Gibson, M.J. See Chesterman, W.D., 0=14756
- Gibson, M.M. Spectra of turbulence at high Reynolds number, 3=5454

- Gibson, R., Bergsnov-Hansen, B., Endow, N. and Pasternak, R. A. Sorption measurements in ultra-high vacuum at constant pressure, 4=26718
- Gibson, R. See Evans, F. P., 4=6877
- Gibson, R. See Jones, P. M. S., 4=6876
- Gibson, R. E. A linear heat problem with a moving interface, 0=19478
- Gibson, W. A. Curled light pipes for thin organic scintillators, 4=24353
- Gibson, W. A. See Cohen, J., 2=15438
- Gibson, W. A. See England, A. C., 1=16781
- Gibson, W. E. and Marrone, P. V. Correspondence between normal-shock and blunt-body flows, 3=5457
- Gibson, W. M. A comparison of automatic scanning systems, 0=12785
- Gibson, W. M. and McEwen, J. G. The precision of angular measurements in nuclear emulsions, 0=201
- Gibson, W. M., Thomas, T. D. and Miller, G. L. Structure in the kinetic energy spectrum of fragments from thermal-neutron-induced fission of U^{235} , 1=12231
- Gibson, W. M. See Baldassarre, F., 1=16862
- Gibson, W. M. See Baldassarre, F., 2=22562
- Gibson, W. M. See Bredin, D. J., 0=9447
- Gibson, W. M. See Cvijanovich, G., 1=16778
- Gibson, W. M. See Fisher, C. M., 3=8060
- Gibson, W. M. See Foreman, B. M., 0=1450
- Gibson, W. M. See Madden, T. C., 3=7749
- Gibson, W. M. See Miller, G. L., 1=3088
- Gibson-Wilde, B. C. See Carman, E. H., 3=14781
- Gibson-Wilde, B. C. See Carman, E. H., 4=4787
- Gidal, G. See Berley, D., 0=9393
- Gidal, G. See Birge, R., 3=22192
- Gidal, G. See Devons, S., 1=517
- Gidal, G. See Ely, R. P., 2=5747
- Gidal, G. See Ely, R. P., 3=19703
- Gidal, G. See Hirsch, W., 4=21937
- Giddings, J. C. Nonequilibrium kinetics and chromatography, 0=3334
- Giddings, J. C. and Hyung Kyu Shin. Departure from the steady state in chain reactions with two or more radicals, 2=4533
- Giddings, J. C. and LaChapelle, E. The formation rate of depth hoar, 2=19194
- Giddings, J. C. and Seager, S. L. Rapid determination of gaseous diffusion coefficients by means of gas chromatography apparatus, 1=12919
- Giddings, J. C. and Seager, S. L. Rapid diffusional analysis by chromatographic methods, 2=4580
- Giddings, J. C. and Seager, S. L. Method for rapid determination of diffusion coefficients. Theory and application, 3=11821
- Gie, H. Matrix representation of polarization states of light, 2=15751
- Giedd, G. R. and Perkins, M. H. Evaporation rate monitor, 0=12533
- Giedd, G. R. and Roberts, G. C. Emission control for the omegatron-type mass spectrometer, 1=16439
- Giedd, G. R. See Behrndt, M. E., 0=10855
- Giedt, R. R. See Jacobs, T. A., 3=18905
- Giedt, R. R. See Jacobs, T. A., 3=25147
- Giedt, R. R. See Jacobs, T. A., 4=2680
- Gieger, J. See Boersch, H., 4=22374
- Gielen, P. and Greday, T. Effect of a small addition of niobium on the precipitation in an alloy of Fe-0.03% C, 3=20899
- Gielessen, J. and Steiner, K. A cathetometer with automatic levelling, 3=7165
- Gielisse, P. J. See Aronson, J. R., 4=26197
- Gielisse, P. J. See Plendl, J. N., 2=4348
- Gielisse, P. J. See Jasperse, J. R., 4=30684
- Gielisse, P. J. See Plendl, J. N., 4=28349
- Gienapp, H. The total effective cross-section of the collision process between potassium atoms and chlorine molecules, 0=5995
- Gienapp, H. Determination of the electron work-function for macroscopic tungsten crystal faces, 0=13047
- Gienapp, H. Effective cross-sections of the collision processes K-Cl, and K-HI, 2=532
- Gier, J. T. See Bevans, J. T., 0=2184
- Gier, J. T. See Edwards, D. K., 1=16055
- Gierts, G. Fast neutron spectrometry using the reaction $Li^6(n, t)He^4$, 3=19656
- Gierts, G. See Beets, C., 3=12695
- Gierula, J. Two-centre model of meson production, 4=9238
- Gierula, J., Haskin, D. M. and Lohrmann, E. Angular distributions of secondary particles produced in high-energy nuclear collisions and the two-center model of multiple meson production, 1=7239
- Gierula, J., Holyński, R. and Mięslowicz, M. Interactions of nucleons with heavy nuclei of photographic emulsions at energies higher than 10^{12} eV, 3=4382
- Gierula, J., Holyński, R. and Miesowicz, M. Interactions of nucleons with heavy nuclei of photographic (emulsions) at energies higher than 10^{12} eV, 3=5993
- Gierula, J. and Mięslowicz, M. Asymmetry in low-multiplicity jets observed in nuclear emulsion at super-high energies, 3=7950
- Gierula, J. and Miesowicz, M. Remarks on fireball model, 4=27918
- Gierula, J., Mięslowicz, M. and Zieliński, P. Statistical significance of double maximum angular distribution in high-energy jets, 0=20271
- Gierula, J., Mięslowicz, M. and Zieliński, P. Double maximum angular distributions in high energy nuclear collisions, 0=20306
- Gierula, J. See Bartke, J., 0=13082
- Gierula, J. See Bartke, J., 1=3262
- Giesch, M., Kuiper, B., Langeseth, B., van der Meer, S., Neet, D., Plass, G., Pluym, G. and de Raad, B. Status of magnetic horn and neutrino beam, 3=17243
- Giese, C. See Elder, F. A., 2=17781
- Giese, C. See Roellig, L. O., 2=17451
- Giese, C. See Schiff, M., 1=7271
- Giese, C. F. and Maier, W. B., II. Ion-molecule reactions studied with mass analysis of primary ion beam, 2=3798
- Giese, C. F. and Maier, W. B., II. Dissociative ionization of CO by ion impact, 3=21709
- Giese, C. F. See Steiner, B., 1=7494
- Giese, R. See Gildemeister, O., 3=17154
- Giese, R. See Gildemeister, O., 4=3265
- Giese, R. F., Jr. See Matkovich, V. I., 4=26640
- Giese, R. H. Light scattering by spherical metal particles, 0=5183
- Giese, R. H. Scattering of electromagnetic waves on absorbing and on dielectric spherical individual particles and on mixtures of such particles, 1=2609
- Giese, R. H., de Bary, E., Bullrich, K. and Vinnemann, C. D. Tables of scattering functions $i(\phi)$, $i(\phi)$ and the scattering cross-section $K(\alpha, m)$ of homogeneous spheres according to Mie's theory, 2=22061
- Giese, R. H. and Siedentopf, H. The importance of grain size in photographic microphotometry, 0=150
- Giese, R. H. and Siedentopf, H. Optical properties of models of interplanetary matter, 2=11105
- Giese, R. H. and Siedentopf, H. An experimental model used to determine scattering functions of non-spherical particles by means of 3 cm waves, 3=4275
- Giesecke, A. See Casaverde, M., 3=25960
- Giesecke, K. J. See Bormann, M., 3=15210
- Giesecke, P. See Searle, N. Z., 4=27306
- Giess, E. A. Growth of single-crystal $MgGa_2O_4$ spinel from molten $PbO-PbF_2$ solutions, 2=16984
- Giess, E. A. Solubility and crystal growth of $ZnAl_2O_4$ and Al_2O_3 in molten PbF_2 solutions, 4=29614
- Giess, E. A. See Overmeyer, J., 4=26398
- Giessen, B. C. and Grant, N. J. New intermediate phases in systems of Nb or Ta with Rh, Ir, Pd or Pt, 4=23280
- Giessen, B. C., Ibach, H. and Grant, N. J. The constitution diagram tantalum-rhodium, 4=15744
- Giessen, B. C. See Ferguson, W. H., Jr., 4=13502
- Giffard, R. P. See Beal, B. T., 4=18522
- Giffels, C. A., Hinman, G. W. and Vosko, S. H. Electric field gradients in dilute alloys of silver, 1=3588
- Giffon, M. and Predazzi, E. Analyticity in the angular momentum for singular potentials, 4=30196
- Gifford, F. Small-scale turbulent diffusion in the atmosphere, 1=11647
- Gifford, F. A. The vertical variation of atmospheric eddy energy dissipation, 2=19196
- Gifford, F. E. and Coomes, E. A. Torsion induced recrystallization of molybdenum and tungsten filaments, 0=6328
- Gifford, F. E. and Dolenga, A. Direct glass-metal seals, 4=23991
- Gifford, G. and Muehlhausen, A. Dependence of sound absorption coefficients upon area of acoustical material, 0=10742
- Gifford, W. E. Novel refrigeration cycles and devices, 1=18684
- Gifford, W. E. See McMahon, H. O., 2=5224
- Gifkins, R. C. Some studies of grain-boundary sliding, 2=18995

- Giffkins, R.C. and Nicholls, J.M. Etching lead for examination in polarized light, 1=1364
- Giffkins, R.C. See Hensler, J.H., 4=26476
- Gigas, G.G. See Devins, D.W., 2=16404
- Gigas, G.G. See Forster, H.H., 1=19458
- Giger, G.A. Solid scintillators. Some aspects of governing principles, research and achievements, 2=6633
- Gigli, A. and Sacerdote, G.G. Measurements of mechanical impedances by a resonance method, 0=19248
- Gigli, A. and Sacerdote, G. Absorption by slit resonators, 3=18928
- Gigli, A. See Argan, P.E., 1=13242
- Giglio, E. See Damiani, A., 3=3295
- Giglio, E. See Damiani, A., 3=18300
- Giglio, E. See Damiani, A., 4=10498
- Giglio, E. See Damiani, A., 4=13571
- Giglio, E. See De Santis, P., 3=3351
- Giglio, E. See De Santis, P., 4=3945
- Giguère, P.A. On the anomalous thermodynamic properties of ice, 0=11579
- Giguère, P.-A. and Arraudeau, J.-P. Absorption spectra of three allotropic forms of ice in the far infrared, 4=13040
- Giguère, P.A. and Chin, D. Reaction products of atomic hydrogen with solid ozone, 0=12098
- Giguère, P.A. and Savoie, R. The normal vibrational frequencies and the thermodynamic functions of H_2SO_4 and D_4SO_4 , 3=12842
- Giguère, P.A. See Amako, Y., 2=10274
- Giguère, P.A. See Chin, D., 1=7468
- Giguère, P.A. See Savoie, R., 2=16527
- Gijsman, H.M. and Meusen, P.J. Device for the stabilization of the vapour pressure above a liquid helium bath, 4=8541
- Gijsman, H.M., Poulsen, N.J. and Van Den Handel, J. Magnetic susceptibilities and phase transitions of two antiferromagnetic manganese salts, 0=16144
- Gijsman, H.M. See Poulsen, N.J., 0=10250
- Gika, G. See Korchovei, A., 3=17799
- Gil, F. Braganca. See Braganca Gil, F.
- Gil, G. See Catala, J., 2=5965
- Gilad, P., Greenshpan, M., Hillman, P. and Schechter, H. On the Curie temperature of $\alpha-Fe_2O_3$, 4=10299
- Gilard, J. Investigation of finite difference equations for points on a surface charge distribution, 1=4548
- Gilard, P. See De Bast, J., 4=4679
- Gilardini, A. Microwaves in an ionized gas, 0=2360
- Gilardini, A. Propagation of waves in plasma slabs and columns, 4=18890
- Gilardini, A. See Formato, D., 3=501
- Gilardini, A. See Formato, D., 3=4152
- Gilat, G. and Dolling, G. A new sampling method for calculating the frequency distribution function of solids, 4=20190
- Gilat, G. and Nowik, I. Effective magnetic field and gradient of electric field acting on the nucleus of Eu in europium iron garnet, 3=12904
- Gilat, G. See Cohen, S.G., 3=1155
- Gilat, J. and Alexander, J.M. Recoil range straggling of heavy ion reaction products in helium, 4=22235
- Gilat, J. and Gurfinkel, Y. Self-shielding in activation analysis, 4=7805
- Gilat, J. See Cheifetz, E., 2=18341
- Gilat, J. See Gat (Gutman), J.R., 1=5846
- Gilbershtein, P. G. and Gurvich, I. I. The study of head waves from layers of various thicknesses on two-dimensional models, 4=14246
- Gilberg, E. and Kern, B. The shift of the $CuK\alpha_1$ line in the transition from metal to oxide, 3=20499
- Gilbert, A., Hahn, G. T., Reid, C. N. and Wilcox, B. A. Twin-induced grain boundary cracking in B. C. C. metals, 4=23136
- Gilbert, A. and Owen, W.S. Diffusionless transformation in iron-nickel, iron-chromium and iron-silicon alloys, 2=8840
- Gilbert, A., Reid, C. N. and Hahn, G. T. Observations on the fracture of chromium, 4=23135
- Gilbert, A. See Hahn, G.T., 3=1221
- Gilbert, C. Gravitation and the principle of stationary action, 0=18909
- Gilbert, C. Dirac's cosmology, 2=940
- Gilbert, C. The generalization of the Born-Infeld electrodynamics, 4=8054
- Gilbert, C.W. Simultaneous estimation of several radioactive nuclides, 1=17005
- Gilbert, D. See Aubert, M., 3=1478
- Gilbert, E.G. A simple method for improving the accuracy of cross-spectral density measurements, 1=2586
- Gilbert, F. Scattering of impulsive elastic waves by a smooth convex cylinder, 0=14718
- Gilbert, F. Diffraction and scattering of impulsive elastic waves, 3=23965
- Gilbert, F. and Laster, S.J. Experimental investigation of PL modes in a single layer, 2=11441
- Gilbert, F. and Laster, S.J. Excitation and propagation of pulses on an interface, 2=11443
- Gilbert, F., Laster, S.J., Backus, M.M. and Schell, R. Observation of pulses on an interface, 3=1416
- Gilbert, F. See Knopoff, L., 0=12126
- Gilbert, F.C. See Freden, S.C., 0=9434
- Gilbert, G.B., Poehler, T.O. and Miller, C.F. Study of electron bombardment of thin films, 1=11590
- Gilbert, H.E. See Baker, G.A., Jr., 4=28788
- Gilbert, H.E. See Strickler, T.D., 3=10797
- Gilbert, J. and Goutille, R. The perturbative role of electro-osmosis in electrophoresis, 2=15147
- Gilbert, J.F. See Howarth, L.E., 3=10797
- Gilbert, J.F. See Logan, R.A., 1=3757
- Gilbert, J.F. See Logan, R.A., 1=10054
- Gilbert, K.D. See Paik, S.F., 4=14601
- Gilbert, K.D. See Paik, S.F., 4=27499
- Gilbert, L. and Hobbs, G.R. Measurement of the surface conductivity of mineral grains, 2=21111
- Gilbert, L.A. Reflectance of coal vitrains in the visible and ultra-violet compared with that of graphite, 0=11760
- Gilbert, L.A. and George, G.T. Electrical resistance of oxide films formed on the roll of a corona discharge roll-type separator, 2=24236
- Gilbert, N. Gamma rays corresponding to a dipole or a high quadrupole excitation of carbon 12 by 150 MeV protons, 1=5906
- Gilbert, R.A. Molar enthalpies of mixing in the molten lithium fluoride-potassium fluoride system, 3=21338
- Gilbert, R.L., Piotrowski, E.A., Dowling, J.M. and Cleveland, F.F. Substituted methanes. XXIX. Vibrational spectra, potential constants, and calculated thermodynamic properties for dibromochlorofluoromethane and bromodichlorofluoromethane, 0=4207
- Gilbert, R.L., Piotrowski, E.A., Dowling, J.M. and Cleveland, F.F. Erratum and addendum: substituted methanes. XXIX. Vibrational spectra, potential constants, and calculated thermodynamic properties for dibromochlorofluoromethane and bromodichlorofluoromethane, 1=14008
- Gilbert, R.P. Bergman's integral operator method in generalized axially symmetric potential theory, 4=24018
- Gilbert, R.P. and Kendall, H. A further note on a two-dimensional free-boundary problem, 1=18361
- Gilbert, R.P. See Bean, R.J., 1=18360
- Gilbert, R.W. See Howe, L.M., 4=6897
- Gilbert, R.W. See Piercy, G.R., 3=24126
- Gilbert, T.L. Inverse overlap matrix for periodic arrays of atoms, 2=3804
- Gilbert, T. L. Interpretation of the rapid convergence of correlated wave functions, 4=22295
- Gilbert, T.L. and Lykos, P.G. Maximum-overlap directed-hybrid orbitals, 1=11106
- Gilbert, W. Broken symmetries and massless particles, 4=27760
- Gilbert, W. See Boulware, D.G., 2=13728
- Gilbert, W. See Deser, S., 0=3934
- Gilbert, W. See Deser, S., 0=3935
- Gilbey, D.M. A re-examination of thermal accommodation coefficient theory, 3=6882
- Gilbody, H.B., Hasted, J.B., Ireland, J.V., Lee, A.R., Thomas, E.W. and Whiteman, A.S. Charge transfer and ionization by positive ions in the energy range 60 to 450 keV, 3=19185
- Gilbody, H.B., Hasted, J.B., Lee, A.R., Ireland, J.V., Thomas, E.W. and Whiteman, A.S. Charge transfer and ionization by positive ions in the energy range 60-450 keV, 4=16426
- Gilbody, H.B. and Ireland, J.V. Ionization of atomic hydrogen by protons in the energy range 60 to 400 keV, 4=5558
- Gilbody, H.B. and Lee, A.R. Ionization by protons in the energy range 100 to 450 keV, 3=21698
- Gilbody, H.B., Stebbings, R.F. and Fite, W.L. Collisions of electrons with hydrogen atoms. VI. Angular distribution in elastic scattering, 1=2299
- Gilbody, H.B. See Ireland, J.V., 4=24577
- Gilbody, H.B. See Islam, M., 2=13539
- Gilbody, H.B. See Lee, A.R., 4=16427
- Gilbody, H.B. See Lee, A.R., 4=24568
- Gilbody, H.B. See Stebbings, R.F., 3=14531
- Gilbody, H.B. See Thomas, E.W., 4=25520
- Gilboy, W.B. and Tennent, R.M. The interaction rates of stopped negative muons in various elements, 0=20171
- Gilboy, W.B. and Towle, J.H. Elastic scattering of 1 MeV neutrons, 3=12681

- Gilboy, W.B. See Batchelor, R., 1=5734
 Gilboy, W.B. See Batchelor, R., 2=5524
 Gilboy, W.B. See Macefield, B.E.F., 1=9874
 Gilboy, W.B. See Towle, J.H., 2=14107
 Gilboy, W.B. See Towle, J.H., 3=6140
 Gilboy, W.B. See Towle, J.H., 3=17477
 Gilby, A.C. See Callomon, J.H., 3=19975
 Gildart, L., Kline, J.M. and Mattox, D.M. Some semiconducting properties of bismuth trisulfide, 1=19871
 Gildart, L. See Mattox, D.M., 1=19734
 Gilde, F.J. Overlap integrals using Slater functions which contain non-integral effective principal quantum numbers, 2=10271
 Gilde, F.J. and Bán, M.I. Splittings of d^n -terms in strong complex fields of trigonal and rhombic symmetries, 1=3620
 Gilde, F.J. See Bán, M.I., 1=7479
 Gilde, F.J. See Bán, M.I., 3=10429
 Gildemeister, O. Luminescence chamber, 3=19534
 Gildemeister, O. and Giese, R. Status report on a luminescent chamber, 3=17154
 Gildemeister, O. and Giese, R. An image intensifier for particle-track photography, 4=3265
 Gilden, M. and Pergola, J. Microwave breakdown near a hot surface, 4=24620
 Gil'denburg, V.B. Effect of internal thermal motion on the polarizability of plasmoids, 3=14605
 Gil'denburg, V. B. Resonance properties of inhomogeneous plasma objects, 4=8762
 Gil'denburg, V. B. On plasma resonances in non-uniform objects, 4=14710
 Gildenburg, V. B. Nonlinear effects in an inhomogeneous plasma, 4=27531
 Gil'denburg, V.B. and Kondrat'ev, I.G. Resonance interaction of an electromagnetic field with the higher multiple moments of a plasmoid, 3=24290
 Gil'dengorn, I. S. and Rogel'berg, I. L. A study of oxidation of nickel-silicon alloys at elevated temperatures, 4=23642
 Gildersleeve, P.M. See Yerg, D.G., 1=2112
 Gileadi, E. and Conway, B. E. Kinetic theory of adsorption of intermediates in electrochemical catalysis, 4=7760
 Gileadi, E. See Conway, B. E., 4=4703
 Giles, J.C. See Bichard, J.W., 2=23557
 Giles, J.C. See Colbow, K., 2=23556
 Giles, J.C. See Daniels, J.M., 1=3585
 Giles, R.A. and Burge, E.J. Scintillation of liquid argon produced by 10-50 MeV protons, 3=19635
 Giles, R.A. and Burge, E.J. The measurement of the total proton reaction cross-section of carbon in the energy region up to 50 MeV, 4=9506
 Giles, R.A. See Burge, E.J., 3=12663
 Giletti, B.J. and Lambert, R.S.J. Radioisotopes in the dating of geological and archaeological events, 0=3341
 Gilewicz, J. Milne problem with the first order anisotropic scattering of neutrons, 2=13811
 Gilfrich, J. V. X-ray diffraction studies on the titanium-nickel system, 4=10439
 Gilfrich, J.V. See Buehler, W.J., 3=13519
 Gilfrich, J.V. See Hubbard, W.M., 0=11823
 Gilfrich, J. V. See Wang, F. E., 4=23443
 Gilhaus, F.J. Solution-calorimetric determination of the heats of formation of solid lead-tin alloys, 0=5226
 Gilinskaya, M. Ya. See Mogilevskii, A. N., 4=7796
 Gilinskii, I.A. Interaction of electrons with the field of H_{01} mode in a circular waveguide, 1=322
 Gilinskii, I.A. The radiation of a particle passing rapidly near a wedge-shaped metal screen, 3=21968
 Gilinskii, I.A. See Kazantsev, A.P., 2=202
 Gilinskii, I.A. See Kazantsev, A.P., 2=22235
 Gilinsky, V. and Mathews, J. Decay of bound muons, 0=20565
 Gilinsky, V. See DuBois, D.F., 2=20001
 Gilinsky, V. See DuBois, D.F., 3=9788
 Gilinsky, V. See DuBois, D. F., 4=11631
 Gilinsky, V. See DuBois, D. F., 4=11632
 Gilinsky, V. See Dubois, D. F., 4=18884
 Gilinsky, V. See DuBois, D. F., 4=27337
 Gilinsky, V. See Du Bois, D. F., 4=27511
 Gilissen, H.P.J. See Altes, J.P.K., 0=17467
 Gilissen, R., De Meester, P. J. and Flipot, A. J. Automatic toeppler pump with built-in gas quantity meter, 4=21665
 Gilkerson, W.R. The dielectric constant and conductance of ion pairs; an extension of Onsager's field effect to relaxation of ion pairs in an alternating field, 2=17094
 Gill, A.M.R. See Woolons, D.J., 1=4141
 Gill, D. and Bloembergen, N. Linear Stark splitting of nuclear spin levels in GaAs, 3=8735
 Gill, D. See Armstrong, J., 1=14837
 Gill, D. See Armstrong, J., 1=17351
 Gill, E.K. and Laidler, K.J. Some aspects of the theory of uni-molecular gas reactions, 0=8302
 Gill, E.K. and Laidler, K.J. The vibration and decomposition of the hydrogen peroxide molecule, 0=9798
 Gill, E.K. See Colwell, J.H., 2=14379
 Gill, E.K. See Colwell, J.H., 3=22658
 Gill, F. K. See Colwell, J. H., 4=18494
 Gill, J.C. Spin-lattice relaxation of pairs of chromium ions in ruby, 1=14812
 Gill, J.C. Spin-lattice relaxation of chromium ions in ruby, 2=4275
 Gill, J. C. Spin-lattice relaxation of dysprosium in yttrium ethyl sulphate, 4=7326
 Gill, J.C. See Davies, J.G., 1=12785
 Gill, J.S. A versatile method for short-term spectrum analysis in "real-time", 1=5334
 Gill, J.S. and Marshall, W.L. High pressure vessel incorporating a teflon gasket for use to 500°C and 1000 atm, 1=18544
 Gill, J.S. and Marshall, W. L. Glass-to-metal tube connector for visual observation of the effect of pressure on phase equilibria, 4=2500
 Gill, K.J. See Chiotti, P., 4=5444
 Gill, P. and Heddle, D.W.O. Determination of the refractive indices of gases in the vacuum ultraviolet. II. The Rayleigh scattering method, 3=14215
 Gill, P. See Mangal, S.K., 3=10361
 Gill, P.J. See Lawrie, J.A., 0=4770
 Gill, P.S. A survey of new particles, 2=20242
 Gill, P.S. and Khera, M.K. Directional distribution of the hard component of cosmic rays, 4=16990
 Gill, P.S., Vir, L., Yadav, R.S. and Khera, M.K. Cosmic ray increase associated with a small solar flare, 0=15482
 Gill, P.S. See Bhaskara Rao, A., 1=8527
 Gill, P.S. See Bhaskara Rao, A., 2=5760
 Gill, P.S. See Hans, H.S., 1=3453
 Gill, P.S. See Lakh Vir., 1=13579
 Gill, P.S. See Lakh Vir., 1=13580
 Gill, P.S. See Lakh Vir Sud, 2=12094
 Gill, P.S. See Mangal, S.K. 2=20647
 Gill, P.S. See Mangal, S.K., 4=9525
 Gill, P.S. See Mathur, R.N., 0=7436
 Gill, P.S. See Pal Puri, S., 0=7239
 Gill, P.S. See Sain Mittra, I., 0=7434
 Gill, P.S. See Sastry, C.V., 1=13574
 Gill, P.S. See Sharma, A.P., 2=16103
 Gill, P.S. See Sharma, A.P., 3=14841
 Gill, P.S. See Singh, B.P., 0=1392
 Gill, S.J. and Dintzis, F.R. Strain birefringence of a solution of rod-shaped molecules, 3=5441
 Gill, S. J. and Glogovsky, R. L. Apparatus for the measurement of optical rotation of solutions at high pressure, 4=29631
 Gill, S.J. and Malone, C.P. Force on a small particle in the vicinity of a cylinder in a homogeneous magnetic field, 3=19406
 Gill, S.J., Malone, C.P. and Downing, M. Magnetic susceptibility measurements of single small particles, 1=3034
 Gillam, E. The penetration of positive ions of low energy into alloys and composition changes produced in them by sputtering, 0=12645
 Gillam, E. A geometrical relationship between UC_2 (tetragonal) and U_2C_3 (cubic), 3=3324
 Gillam, E. and Holden, J. P. Structure of nickel oxide containing alumina, 4=23242
 Gillam, E. and Phillips, M. The positive ion bombardment of evaporated single crystal gold films, 2=2426
 Gillam, E., Rooksby, H. P. and Brownlee, L. D. Structural relationships in beryllium-titanium alloys, 4=23422
 Gillard, R. D. Spectra and configurations of non-cubic cobalt (III) complexes, 4=22398
 Gillard, R. D. See Dunlop, J. M., 4=22399
 Gille, J.C. and Wegrzyn, S. The stability of nonlinear systems of the second order, 3=9326
 Gillen, C.H. See Kerr, L.W., 3=24168
 Gilleo, M.A. Superexchange interaction in ferrimagnetic garnets and spinels which contain randomly incomplete linkages, 0=11897
 Gilleo, M.A. Low-density plasma flow at a magnetic barrier, 1=4596
 Gilleo, M.A. Flow of low-density high-speed plasma through a magnetic barrier, 1=18847

- Gilleo, M. A. Radiation transfer by a light pipe between media with high indices of refraction, 4=24350
- Gilleo, M. A. and Geller, S. Magnetic-ion interaction in $\text{Gd}_3\text{Mn}_2\text{Ge}_2\text{GaO}_{12}$ and related garnets, 0=3095
- Gilleo, M. A. and Geller, S. The interaction of magnetic ions in $\text{Gd}_3\text{Mn}_2\text{Ge}_2\text{GaO}_{12}$ and related garnets, 0=3096
- Gilleo, M. A. and Mitchell, D. W. Magnetic properties of substituted manganese-tin spinels, 0=3074
- Gilleo, M. A. See Caspari, M. E., 0=11883
- Gilleo, M. A. See Geller, S., 0=6359
- Gilleo, M. A. See Geller, S., 3=23191
- Giller, Ya. L., Shmaevskii, V. E. and Vadets, D. I. Investigation of the pseudo-binary section $\text{ZnSb}-\text{CdSb}$ by the Debye method, 3=1348
- Gilles, J. M., Hatwell, H., Offergeld, G. and van Cakenberghe, J. Photoconductivity in indium sulfide, 2=12547
- Gilles, P. W. See Carlson, K. D., 3=14201
- Gilles, P. W. See Carlson, K. D., 3=16642
- Gilles, P. W. See Cater, E. D., 1=11862
- Gilles, P. W. See Cater, E. D., 0=12095
- Gilles, P. W. See Leitnaker, J. M., 2=2936
- Gilles, P. W. See Robson, H. E., 4=24455
- Gillespie, A. B. Electronic instruments and techniques for plasma physics research in the United Kingdom, 2=7538
- Gillespie, A. S., Jr and Hill, W. W. Sensitivities for activation analysis with 14-MeV neutrons, 2=4572
- Gillespie, A. S., Jr. See Forster, L. M., 4=2106
- Gillespie, D. J. See Schindler, A. I., 3=13043
- Gillespie, J. Final-state effects in atomic processes: photo-detachment, 4=22317
- Gillespie, L. F. See Hook, A. B., 2=103
- Gillespie, R. B., Gantzel, P. K. and Trueblood, K. N. The crystal structure of ammonium chlorate, 3=8852
- Gillespie, R. B., Sparks, R. A. and Trueblood, K. N. The crystal structure of ammonium chlorite at -35°C , 0=4635
- Gillespie, R. J. Electron correlation and molecular shape, 0=11532
- Gillespie, R. J. Bond lengths and bond angles in octahedral, trigonal-bipyramidal, and related molecules of the non-transition elements, 1=9937
- Gillespie, R. J. Structure of sulfur tetrafluoride and related molecules, 3=4759
- Gillespie, R. J. and Quail, J. W. Sulfur and silicon isotope effects in fluorine nuclear magnetic resonance spectroscopy, 4=3911
- Gillespie, R. J. and Robinson, E. A. The Raman spectra of liquid sulphur trioxide and solutions of sulphur trioxide in inert solvents, 2=1154
- Gillespie, R. J. See Bacon, J., 3=15374
- Gillespie, R. J. See Bacon, J., 3=17613
- Gillespie, R. J. See Bacon, J., 4=9768
- Gillespie, T. An extension of Goodeve's impulse theory of viscosity to pseudoplastic systems, 0=14581
- Gillespie, T. The distribution of particles in a dilute stirred suspension, 2=15166
- Gillespie, T. The effect of aggregation and liquid penetration on the viscosity of dilute suspensions of spherical particles, 3=11360
- Gillespie, T. The effect of size distribution on the rate constants for collisions in disperse systems, 4=73
- Gillespie, T. and Wiley, R. M. On the determination of London-van der Waals constants from suspension and emulsion viscosity and surface energy data, 2=21596
- Gillet, C., Smeers, R. and Winand, L. A high-definition autoradiographic study of amitotic phenomena and nuclear fragmentation with penetrating β -active tracers and using thin emulsions, 0=14325
- Gillet, E. and Gillet, M. Epitaxy of molybdenum obtained by partial decomposition of molybdenite, 4=29069
- Gillet, E., Gillet, M. and Zouckermann, R. Preparation and study of thin films of tungsten, 3=11316
- Gillet, E. See Gillet, M., 1=10280
- Gillet, E. See Gillet, M., 1=11529
- Gillet, F. C., Stein, W. A. and Ney, E. P. Observations of the solar corona from the limb of the sun to the zodiacal light, July 20, 1963, 4=26956
- Gillet, M. Mutual orientation of single crystal gold lamellae, 0=13934
- Gillet, M. Defects of growth in thin single-crystal metal films, 2=6352
- Gillet, M. The evolution from thin layers of gold and silver in contact with water, 3=25774
- Gillet, M. and Gillet, E. Interpretation of twinning diagrams obtained by electron diffraction, 1=11529
- Gillet, M., Gillet, E. and Zouckermann, R. Contribution to the study of the orientation of silver on sodium chloride, 1=10280
- Gillet, M. See Gillet, E., 3=11316
- Gillet, M. See Gillet, E., 4=29069
- Gillet, V. Theory of perturbed multiple correlations, 1=582
- Gillet, V. The phenomenology of the effective two-body forces for C^{12} and O^{16} in the particle-hole models, 4=15145
- Gillet, V., Green, A. M. and Sanderson, E. A. Particle-hole description of lead 208, 4=25324
- Gillet, V. and Melkanoff, M. A. Role of particle-hole correlations in the inelastic scattering of electrons from C^{12} , O^{16} , and Ca^{40} , 4=12209
- Gillet, V. and Nguyen Vinh Mau. The collective states of O^{16} and C^{12} , 2=3486
- Gillet, V. and Vinh Mau, N. Particle-hole description of the O^{16} spectrum and effective nuclear forces, 2=13995
- Gillet, V. and Sanderson, E. A. Particle-hole description of the odd parity states of calcium 40, 4=22025
- Gillet, V. and Vinh Mau, N. Particle-hole description of carbon 12 and oxygen 16, 4=22010
- Gillet, V. See Arvieu, R., 3=17380
- Gillet, V. See Balian, R., 1=13816
- Gillet, V. P. Angular correlation of two mixed γ -rays obtained by Coulomb excitation, 0=9606
- Gillet, V. P. See Balian, R. L., 0=9669
- Gillet, V. P. See Balian, R., 0=17628
- Gillet, B. A. See Barber, D. J., 2=14957
- Gillet, C. M. See Woolley, J. C., 0=6120
- Gillet, C. M. See Woolley, J. C., 1=7852
- Gillet, C. M. See Woolley, J. C., 1=10026
- Gillet, C. M. See Woolley, J. C., 1=17712
- Gillet, F. See Ney, E. P., 1=5152
- Gilletta, F. Determination of the elastic compliances and piezoelectric moduli of glycine sulphate, 2=4104
- Gilley, L. W. See Fox, J. K., 0=13323
- Gillham, E. J. The measurement of optical radiation, 0=2264
- Gillham, E. J. Recent investigations in absolute radiometry, 2=19767
- Gillham, E. J. Further work on a radiometric method of perpetuating the unit of light, 4=11323
- Gillham, E. J. and King, R. J. New design of spectropolarimeter, 1=1834
- Gilli, P. V. Gas-cooled power reactors, 2=12241
- Gilliam, O. R. See Gamble, F. T., 4=17676
- Gilliam, O. R. See Shuskus, A. J., 0=17919
- Gilliam, O. R. See Wylie, D. W., 2=4266
- Gilliland, J., Jr. See Jarnagin, R. C., 3=23549
- Gilliland, J. W., Jr and Yockey, H. P. Thermoluminescence studies of the gamma-ray irradiated ferroelectrics Rochelle salt and guanidine aluminum sulfate hexahydrate, 2=14759
- Gilliland, K. E. See Mielenz, K. D., 4=27688
- Gillin, L. M., Hutchison, M. M. and Louat, N. Solute locking and the mechanical equation of state, 3=6870
- Gillis, J. Stability of a column of rotating viscous liquid, 1=1732
- Gillis, J. and Kaufman, B. The stability of a rotating viscous jet, 2=13314
- Gillis, J. and Suh, K. S. Stability of a rotating liquid column, 3=1666
- Gillis, J. and Weiss, G. Nature of the singularities in the spectrum of a one-dimensional ionic lattice, 0=1551
- Gillis, P. P. and Gilman, J. J. Double-cantilever cleavage mode of crack propagation, 4=13386
- Gillmor, C. S. and Hargreaves, J. K. The occurrence of short-duration cosmic noise absorption events inside the southern auroral zone, 3=18561
- Gillmor, C. S., Jr. The day-to-night ratio of cosmic noise absorption during polar cap absorption events, 3=18661
- Gillmor, C. S. See Eriksen, K. W., 4=15889
- Gillod, J. Note on a recording apparatus giving the indices of diffusion of a material diffused by reflection or by transmission, 2=11504
- Gillson, J. L., Jr and Darnell, F. J. Electroluminescence in zinc sulfide, 2=4193
- Gilly, L. J., Henriot, G. A., Alves, M. P. and Capron, P. C. Absolute cross-sections and excitation functions for (d,p) and (d,2n) reactions on Mn^{55} , Cu^{63} , Cu^{65} , Zn^{66} , and Zn^{68} between 3 and 11.6 MeV, 3=22423
- Gilly, L., Henriot, P., Alves, M. P. and Capron, P. Absolute cross sections and excitation functions for the (d,p) and (d,2n) reactions for Mn^{55} , Cu^{63} , Zn^{66} and Zn^{68} between 3 and 11.6 MeV, 4=17189
- Gilly, L. J., Henriot, P., Alves, P. and Capron, P. C. Absolute cross-sections and excitation functions for particles induced reactions on bromine between 10 and 24 MeV, 4=25436
- Gil'man, A. M. See Yablonskii, S. V., 0=16513

- Gilman, D.L., Fuglister, F.J. and Mitchell, J.M., Jr. On the power spectrum of "red noise", 3=16539
- Gilman, J.J. Terraces on etchpits, 0=10289
- Gilman, J.J. Plastic anisotropy of LiF and other rocksalt-type crystals, 0=18257
- Gilman, J.J. The plastic resistance of crystals, 1=1317
- Gilman, J.J. Direct measurements of the surface energies of crystals, 1=2367
- Gilman, J.J. Effect of grain size on crack propagation, 1=6477
- Gilman, J.J. The mechanism of surface effects in crystal plasticity, 1=14898
- Gilman, J.J. Fracture in solids, 2=14906
- Gilman, J.J. Debris mechanism of strain-hardening, 2=21010
- Gilman, J.J. Debris dipoles and low-temperature internal friction in crystals, 3=4867
- Gilman, J.J. Anelasticity caused by debris dipoles in plastically strained crystals, 3=23295
- Gilman, J.J. Strength of ceramic crystals, 4=1921
- Gilman, J.J. and Johnston, W.G. Behavior of individual dislocations in strain-hardened LiF crystals, 0=7885
- Gilman, J.J. and Roberts, B.W. Elastic constants of TiC and TiB₂, 1=11501
- Gilman, J.J. See Carlsson, A.J., 3=22778
- Gilman, J.J. See Chen, H.S., 4=25936
- Gilman, J.J. See Gillis, P.P., 4=13386
- Gilman, J.J. See Johnson, W.G., 0=7884
- Gilman, J.J. See Keith, R.E., 0=16283
- Gilman, J.J. See Westbrook, J.H., 2=14884
- Gilman, J.J. See Westbrook, J.H., 3=23365
- Gilman, J.L. Reduction of cohesion in ionic crystals by dislocations, 1=11201
- Gilman, S. A study of the mechanism of carbon monoxide adsorption on platinum by a new electrochemical procedure, 3=13571
- Gilman, S. Studies of anion adsorption on platinum by the multipulse potentiodynamic (M.p.p.) method. I. Kinetics of chloride and phosphate adsorption and associated charge at constant potential, 4=30890
- Gilman, S. Studies of anion adsorption on platinum by the multipulse potentiodynamic (M.p.p.) method. II. Chloride and phosphate desorption and equilibrium surface concentrations at constant potential, 4=30891
- Gilman, T.S. See Gauss, E.J., 0=5262
- Gilmore, J., Thompson, S.G. and Perlman, I. Investigation of the influence of angular momentum on fission probability, 3=6312
- Gilmore, J.S. See Barr, D.W., 1=11019
- Gilmore, R. See Batty, C.J., 2=22517
- Gilmore, R.S. See Batty, C.J., 3=22123
- Gilmore, R.S. See Batty, C.J., 4=3653
- Gilmore, R.S. See Batty, C.J., 4=11990
- Gilmour, G.A. A sulfur-phosphorus absolute fast neutron flux detector, 4=3429
- Gilpin, C.B. and Worzala, F.H. Apparatus for chemical polishing of silver, 4=20797
- Gilroy, J. Practical aspects of a scintillation spectrometer system for use at high altitudes, 2=18093
- Gilsing, J.A.A. See Gerthsen, P., 0=14668
- Gilson, B.R. and Arents, J. Theoretical study of isoelectronic molecules: nitrogen and acetylene, 3=12837
- Gilson, D.F.R. and McDowell, C.A. Nuclear magnetic resonance and molecular motion in the benzene-silver perchlorate complex, 4=1901
- Gilson, J.G. Vacuum polarization due to charged bosons, 0=7271
- Gilson, V. and Johnson, C.C. Characteristics of a mercury arc discharge in a magnetic field, 4=14619
- Giltinan, D.A. and Thaler, R.M. Nonlocal nucleon-nucleon interaction, 3=19557
- Gil'varg, A.B. and Kolesov, G.V. Use of the electrooptical effect in crystals for high-speed shutters, 2=22007
- Gil'varg, A.B. See Belyaev, L.M., 2=9937
- Gil'varg, A.B. See Belyaev, L.M., 4=15604
- Gil'varg, A.B. See Blockhin, M.A., 3=17012
- Gilvarry, J.J. Origin and nature of lunar surface features, 1=2599
- Gilvarry, J.J. Escape of planetary atmospheres. I. Escape layer, 1=2600
- Gilvarry, J.J. Escape of planetary atmospheres. II. Lifetimes of minor constituents, 1=2601
- Gilvarry, J.J. Fracture of brittle solids. I. Distribution function for fragment size in single fracture (theoretical), 1=6472
- Gilvarry, J.J. Physical parameters of the atmospheric escape layer, 1=6642
- Gilvarry, J.J. Fracture of brittle solids. IV. Two-dimensional distribution function for fragment size in single fracture (theoretical), 3=1240
- Gilvarry, J.J. Fracture of brittle solids. V. Two-dimensional distribution function for fragment size in single fracture (experimental), 3=1241
- Gilvarry, J.J. Temperature correction of Birch's equation of state, 3=6453
- Gilvarry, J.J. Dimensional correlation of lunar Maria and terrestrial ocean basins, 3=16332
- Gilvarry, J.J. and Bergstrom, B.H. Fracture of brittle solids. II. Distribution function for fragment size in single fracture (experimental), 1=6473
- Gilvarry, J.J. and Bergstrom, B.H. Fracture of brittle solids. III. Experimental results on the distribution of fragment size in single fracture, 3=1239
- Gilvarry, J.J. and Bergstrom, B.H. Fracture of brittle solids. VI. The maxima in the differential probability distribution for single fracture, 4=23108
- Gimarc, B.M. and Frost, A.A. Energy of the lithium atom by the least-squares local energy method, 4=1206
- Gimarc, B.M. See Frost, A.A., 1=14070
- Gimeysi, Z., Szabó, F., Zóbor, E., Fóti, E., Turi, L. and Muzsnay, L. Water-moderated critical system type ZR-1, 3=25010
- Ginat, M. See Boischoat, A., 2=13176
- Ginat, M. See Boischoat, A., 3=16431
- Ginat, M. See Boischoat, A., 3=25983
- Ginat, M. See Malinge, A., 0=827
- Gindilis, L.M. The annual variation in latitude of the gegenschein, 1=1635
- Gindilis, L.M. Absolute spectrophotometry of the continuous spectrum of the counter glow, 2=21659
- Gindilis, L.M. The counter glow as an effect of scattering of sunlight by particles of interplanetary dust, 3=1469
- Gindilis, L.M. and Koryagina, Z.V. Energy distribution in the counter glow spectrum in the region λ 3900-6500 Å, 4=13927
- Gindilis, L.M. and Pariiskii, N.N. The intensity of the principal emission lines of the night sky in the region of the gegenschein, 2=912
- Gindilis, L.M. See Pariiskii, N.N., 0=18589
- Gindilis, L.M. See Pariiskii, N.N., 1=1634
- Gindin, E.I. See Verbitskaya, T.N., 0=16018
- Gindin, I.A., Kozinets, V.V. and Starodubov, Ya.D. Comparison of the structural changes in nickel, resulting from deformation at 4.2 and 300°K followed by creep [testing], 2=16960
- Gindin, I.A., Kozinets, V.V. and Starodubov, Ya.D. Comparison of the structural changes in nickel, resulting from deformation at 4.2 and 300°K followed by creep [testing], 2=18998
- Gindin, I.A., Kozinets, V.V., Starodubov, Ya.D. and Khotkevich, V.I. Structural changes in copper due to low-temperature deformation followed by annealing, 3=20945
- Gindin, I.A., Lazarev, B.V. and Khvedchuk, I.R. A dilatometric study of the low-temperature, deformation-induced transformation in lithium, 4=10430
- Gindin, I.A., Lazarev, B.G. and Khvedchuk, I.R. The effect of the low-temperature, deformation-induced transformation upon the elastic properties of lithium, 4=10431
- Gindin, I.A., Lazarev, B.G. and Starodubov, Ya.D. Features of mechanical properties of lithium related to low-temperature polymorphic transitions, 1=11508
- Gindin, I.A., Lazarev, B.G. and Starodubov, Ya.D. The discontinuous nature of plastic deformation at low temperatures, 1=12594
- Gindin, I.A., Lazarev, B.G. and Starodubov, Ya.D. Low temperature metallography of lithium, 2=21543
- Gindin, I.A., Lazarev, B.G., Starodubov, Ya.D. and Khotkevich, V.I. Low-temperature polymorphism of metals, 0=3170
- Gindin, I.A., Lazarev, B.G., Starodubov, Ya.D. and Lazareva, M.B. Mechanical properties of sodium in the range of low-temperature polymorphic, 3=3224
- Gindin, I.A. and Starodubov, Ya.D. Low-temperature plastic rupture of coarse-grained iron, 0=8118
- Gindin, I.A. and Starodubov, Ya.D. Slip at twin boundaries on direct and retrogressive twinning of iron, 1=2512
- Gindin, I.A. and Starodubov, Ya.D. Ductility of polycrystalline niobium at helium temperatures, 4=23191
- Gindin, I.A., Starodubov, Ya.D. and Azhazha, V.M. Increase of creep resistance in nickel by preliminary low temperatures deformation at 4.2°K, 2=16959
- Gindin, I.A., Starodubov, Ya.D. and Azhazha, V.M. Increase of creep resistance in nickel by preliminary low temperature deformation at 4.2°K, 2=21432
- Gindin, I.A., Starodubov, Ya.D. and Vasyutinskii, B.M. Plasticity and brittleness of cast molybdenum at 4.2-700°K. I, 2=8725

- Gindin, I.A., Starodubov, Ya.D. and Vasyutinskii, B.M. Ductility and embrittlement of cast molybdenum at temperatures of from 4.2 to 700°K. I, 2=23754
- Gindin, I.A., Starodubov, Ya.D. and Vasyutinskii, B.M. Metallographic investigation of [cast] molybdenum [99.95%] deformed in tension at temperatures of from 4.2° to 700°K. II, 2=23755
- Gindin, I.A. See Azhazha, V.M., 4=13429
- Gindin, I.A. See Azhazha, V.M., 4=23147
- Gindin, I.A. See Garber, R.A., 3=6448
- Gindin, I.A. See Garber, R.I., 0=11987
- Gindin, I.A. See Garber, R.I., 0=13950
- Gindin, I.A. See Garber, R.I., 0=16229
- Gindin, I.A. See Garber, R.I., 1=3990
- Gindin, I.A. See Garber, R.I., 1=12602
- Gindin, I.A. See Garber, R.I., 1=14186
- Gindin, I.A. See Garber, R.I., 1=14913
- Gindin, I.A. See Garber, R.I., 3=3220
- Gindin, I.A. See Garber, R.I., 3=15531
- Gindin, I.A. See Garber, R.I., 4=1929
- Gindina, R.I. Decoration of dislocations and activator distribution in unstable alkali halide phosphors, 3=947
- Gindler, J.E. and Engelkemeir, D.W. Alpha decay of Np^{235} , 0=15541
- Gindler, J.E., Gray, J., Jr and Huizenga, J.R. Neutron fission cross sections of Pu^{238} and Pu^{239} , 0=1455
- Gindler, J.E. See Huizenga, J.R., 2=14150
- Gindt, R. and Kern, R. Latency times in supersaturated aqueous solutions of LiF, NaF, NaCl, KCl, KBr and KI, 3=21339
- Gindt, R. and Kern, R. Nucleation and [crystal] growth in supersaturated solutions of alkali halides, 4=4525
- Gindt, R. and Kern, R. Transitory crystallization in a condensed medium, 4=26607
- Ginell, R. Geometric basis of phase change, 1=5270
- Ginell, R. Derivation of the Tait equation and its relation to the structure of liquids, 1=6852
- Ginell, R. Development of the liquid equation and the partial structure of water, 1=10497
- Ginell, R. Tait coefficients and λ transition of helium I and II, 1=11870
- Ginell, R. Meaning of the Tait coefficients and the structure of liquids, 2=1131
- Ginestet, J. See Bellini, G., 4=21894
- Ginevskii, A.S. See Fedyavskii, K.K., 0=10685
- Ging, J.L. See De Witt, C.M., 1=2681
- Gingell, C.E.L. A transistorized nuclear instrumentation system
- Gingell, C.E.L. A transistorized nuclear instrumentation system for nuclear research, 4=3257
- Gingerich, K.A. and Lee, P.K. Mass spectrometric study of the vaporization of uranium monophosphide, 4=21364
- Gingerich, K.A. See Irani, K.S., 4=2003
- Gingerich, O. Studies in non-gray stellar atmospheres. I. A basic computer program, 4=2351
- Gingrich, N.S. and Heaton, L. Structure of alkali metals in the liquid state, 1=5266
- Gingrich, N.S. and Tompson, C.W. Atomic distribution in liquid argon near the triple point, 2=13319
- Gingrich, N.S. See Shull, C.G., 4=13576
- Gingrich, N.S. See Tompson, C.W., 0=3517
- Ginibre, J. Wigner-Eckart's theorem and simple lie groups, 3=17177
- Ginibre, J. Perturbation expansion within unitary symmetry, 4=3286
- Ginnings, D.C. and West, E.L. Heater lead problem in calorimetry, 4=24425
- Ginnochio, J.N. and French, J.B. Energies of $f_{7/2}$ -shell nuclei, 4=6209
- Ginot, P. See Adam, J., 4=8741
- Ginot, P. See Aitken, K.L., 4=11651
- Ginsberg, D.M. Experimental foundations of the B.C.S. theory of superconductivity, 2=13504
- Ginsberg, D.M. Upper limit for quasi-particle recombination time in a superconductor, 2=15845
- Ginsberg, D.M. Resource letter SCY-1 on superconductivity, 4=11455
- Ginsberg, D.M. and Leslie, J.D. Far-infrared absorption in a lead-thallium superconducting alloy, 2=7511
- Ginsberg, D.M. and Leslie, J.D. Far infrared absorption in superconducting lead alloys, 4=24505
- Ginsberg, D.M., Richards, P.L. and Tinkham, M. Apparent structure on the far infrared energy gap in superconducting lead and mercury, 0=1083
- Ginsberg, D.M. and Tinkham, M. Far infrared transmission through superconducting films, 0=10852
- Ginsberg, D.M. See Bermon, S., 4=24507
- Ginsberg, D.M. See Leslie, J.D., 4=8569
- Ginsberg, D.M. See Leslie, J.D., 4=14522
- Ginsberg, D.M. See Rupprecht, G., 2=13462
- Ginsberg, D.M. See Schrieffer, J.R., 2=15846
- Ginsberg, E.S. Consequences of a weak vector boson for the decay $K \rightarrow \mu + \nu + e^+ + e^-$, 4=25170
- Ginsberg, E.S. and Pratt, R.H. Consequences of a weak vector boson for the decay $K \rightarrow \mu + \nu + \gamma$, 3=15026
- Ginsberg, E.S. and Pratt, R.H. Nuclear size and magnetic effects in the radiative tail of electron-nucleus scattering, 4=19758
- Ginsberg, L.H. and Blattner, D.J. Atmospheric noise levels from 0.6 to 10 kilocycles per second, 1=20868
- Ginsburg, N., Fredrickson, W.R. and Paulson, R. Measurements with a spectral radiometer, 1=1840
- Ginsburg, N. See Sanderson, R.B., 4=9750
- Ginsburg, T. Prandtl-Meyer expansion in rotation-symmetric flow, 4=5132
- Ginsburg, V.L. See Benediktov, E.A., 2=9109
- Ginsburg, V.L. See Benediktov, E.A., 2=15397
- Ginter, D.S., Ginter, M.L. and Innes, K.K. The band spectrum of the Al_2 molecule, 4=9699
- Ginter, J. On the mixed scattering by optical phonons and ionised impurities, 4=30536
- Ginter, J. and Szymańska, W. Measurements of thermoelectric power in InSb, 1=14530
- Ginter, J. and Szymańska, W. The measurements of galvanomagnetic and thermoelectric properties of InSb-p, 3=22947
- Ginter, M.L. The band spectrum of the InH molecule: characterization of the $a^3\Pi$ state, 4=6570
- Ginter, M.L. and Innes, K.K. Band spectrum of the GaH molecule, 1=14041
- Ginter, M.L. See Ginter, D.S., 4=9699
- Ginther, R.G. See Bollinger, L.M., 0=5573
- Ginther, R.J. New cerium activated scintillating glasses, 1=1983
- Ginther, R.J. and Schulman, J.H. New glass dosimeter is less energy-dependent, 0=12726
- Ginther, R.J. See Bollinger, L.M., 3=2277
- Ginther, R.J. See Firk, F.W.K., 2=5687
- Ginther, R.J. See Gandy, H.W., 3=3042
- Ginther, R.J. See Gandy, H.W., 3=7736
- Ginther, R.J. See Gandy, H.W., 3=7737
- Ginther, R.J. See Gandy, H.W., 4=22914
- Ginther, R.J. See Gandy, H.W., 4=28721
- Ginther, R.J. See Schulman, J.H., 0=9241
- Ginther, R.J. See Schulman, J.H., 1=1994
- Gintsburg, M.A. Exchange effects in ferromagnetic resonance, 0=3117
- Gintsburg, M.A. The theory of spin waves, 0=13744
- Gintsburg, M.A. Theory of spin waves, 0=13746
- Gintsburg, M.A. On the anomalous Doppler effect in a plasma, 1=18854
- Gintsburg, M.A. The generation of plasma waves by solar corpuscular streams, 2=884
- Gintsburg, M.A. Electromagnetic radiation from solar corpuscular streams, 2=6932
- Gintsburg, M.A. On the anomalous Doppler effect in a plasma, 3=400
- Gintsburg, M.A. The electromagnetic field equations for cosmic scales, 4=4833
- Gintsburg, M.A. See Pikel'ner, C.B., 4=10916
- Gintsburg, M.A. See Vinnikova, T.L., 4=21510
- Ginzburg, A. and Mendel'son, V. Distribution of a magnetic field due to a current carrying coil placed in a region between two coaxial cylinders, 4=30029
- Ginzburg, A. and Zheigurs, B. A nuclear magnetometer, 1=4688
- Ginzburg, E.Kh. See Lyagin, I.V., 1=19278
- Ginzburg, E.Kh. See Lyagin, I.V., 2=22649
- Ginzburg, I.F. Nonsymmetric ultraviolet asymptotic expressions for higher Green functions in renormalized theory, 3=24624
- Ginzburg, I.F. and Serebryakov, V.V. Electromagnetic corrections to weak interactions, 1=19122
- Ginzburg, I.F. and Serebryakov, V.V. Electromagnetic corrections to weak interactions, 3=4338
- Ginzburg, I.G. Inelastic interactions of high-energy particles in renormalized strong-interaction theories, 3=22067
- Ginzburg, I.P. On possible methods of solving boundary layer problems in the presence of dissociation and diffusion, 2=15623
- Ginzburg, N.I. and Shal'nikov, A.I. Destruction of superconductivity in thin films by field and current, 0=8940
- Ginzburg, N.I. See Brandt, N.B., 1=18714

- Ginzburg, N.I. See Brandt, N.B., 2=7842
- Ginzburg, N.I. See Brandt, N.B., 2=9483
- Ginzburg, N.I. See Brandt, N.B., 3=21662
- Ginzburg, N.I. See Brandt, N.B., 3=25751
- Ginzburg, N.I. See Brandt, N.B., 4=401
- Ginzburg, N.I. See Brandt, N.B., 4=18623
- Ginzburg, S.L. Resonant scattering of gamma-quanta in crystals, 3=20067
- Ginzburg, S.L. Analytical properties of the Green function and mass operator, 4=16814
- Ginzburg, V.L. Nonlinear interaction of radio-waves propagating in a plasma, 0=2444
- Ginzburg, V.L. Role of surface energies in superconductivity, 0=8942
- Ginzburg, V.L. Comparison of the macroscopic theory of superconductivity with experimental data, 0=14931
- Ginzburg, V.L. Certain theoretical aspects of radiation due to superluminal motion in a medium, 1=3159
- Ginzburg, V.L. Some remarks on second order phase transitions and the microscopic theory of ferroelectrics, 1=6193
- Ginzburg, V.L. The role of surface energy in the phenomenon of superconductivity, 1=6995
- Ginzburg, V.L. Some aspects of the theory of cosmic ray origin, 1=7293
- Ginzburg, V.L. Second sound, the convective mechanism of thermal conductivity and exciton excitations in superconductors, 1=18709
- Ginzburg, V.L. Radio astronomy and the origin of cosmic rays, 2=2567
- Ginzburg, V.L. Quantization of the magnetic flux for a superconducting cylinder, 2=7505
- Ginzburg, V.L. On the role of the spatial dispersion of dielectric permittivity in crystal optics, 2=23509
- Ginzburg, V.L. Second sound, the convective mechanism of thermal conductivity and exciton excitations in superconductors, 3=328
- Ginzburg, V.L. Quantization of the magnetic flux for a superconducting cylinder, 3=5585
- Ginzburg, V.L. The scattering of light near points of phase transition in solids, 3=20450
- Ginzburg, V.L. Taking into account pressure in the theory of phase transitions of the second kind (with application to the case of superconductivity), 4=1976
- Ginzburg, V.L. Magnetic fields of collapsing masses and the nature of superstars, 4=26902
- Ginzburg, V.L. What is verified by measurements of the gravitational frequency shift? 4=27044
- Ginzburg, V.L., Aheleznaykov, V.V. and Eidman, V.Ya. The radiation of electromagnetic waves and the instability of electrons moving at super-light velocity in a medium, 2=7847
- Ginzburg, V.L. and Eidman, V.Ya. The radiation reactions in the motion of a charge in a medium, 0=11017
- Ginzburg, V.L. and Eidman, V.Ya. Radiation reaction in the case of media with negative absorption, 3=14033
- Ginzburg, V.L. and Fain, V.M. Radiation of a multilevel system moving in a medium with a velocity greater than the velocity of light, 0=2519
- Ginzburg, V.L. and Fain, V.M. The possibility of anomalous magnetic properties in macromolecules, 0=20703
- Ginzburg, V.L. and Fain, V.M. Contribution to the theory of ferro- and antiferromagnetism, 2=732
- Ginzburg, V.L. and Fain, V.M. The magnetic properties of paramagnetic "fluids" of the molecular chain type, 2=8142
- Ginzburg, V.L. and Fain, V.M. The magnetic properties of paramagnetic "fluids" of the molecular chain type, 3=6445
- Ginzburg, V.L. and Glukhovetskaya, N.P. The dependence of spectra line intensities on the effective ionization potential of the arc, 2=18400
- Ginzburg, V.L. and Glukhovetskaya, N.P. Notes on the article by O.P. Semenova and M.A. Levchenko "Dependence of the effective ionization potential on the concentration of easily ionized impurities in an arc discharge", 3=19224
- Ginzburg, V.L. and Gurevich, A.V. Nonlinear phenomena in a plasma located in an alternating electromagnetic field, 1=2982
- Ginzburg, V.L. and Gurevich, A.V. Nonlinear phenomena in a plasma located in an alternating electromagnetic field, 1=9565
- Ginzburg, V.L. and Gurevich, A.V. Non-linear effects in a plasma in a changing electromagnetic field, 2=203
- Ginzburg, V.L., Kurnosova, L.Y., Logachev, V.I., Razorenov, L.A. and Fradkin, M.I. Observation of the radiation anomalies at the altitudes of 200-300 km, 2=15266
- Ginzburg, V.L., Kurnosova, L.V., Logachev, V.I., Razorenov, L.A. and Fradkin, M.I. Short-lived increments in the intensity of the nuclear component of cosmic radiation, associated with solar activity, and investigation of the radiation intensity at 200-300 KM altitude, 4=6153
- Ginzburg, V.L., Kurnosova, L.V., Logachev, V.I., Razorenov, L.A., A., Sirotkin, I.A. and Fradkin, M.I. Study of the intensity of charged particles during the flight of the second and third space-ships, 2=19249
- Ginzburg, V.L., Kurnosova, L.V., Logachev, V.I., Razorenov, L.A., Sirotkin, I.A. and Fradkin, M.I. Study of the intensity of charged particles during the flight of the second and third spaceships, 3=9119
- Ginzburg, V.L. and Levanyuk, A.P. Raman scattering of light near phase transition points of the second kind, 0=20974
- Ginzburg, V.L. and Meiman, N.N. The dispersive relations for the refractive and absorption indices, 4=11795
- Ginzburg, V.L. and Pitayevsky, L.P. On the theory of superfluidity, 0=8892
- Ginzburg, V.L., Rukhadze, A.A. and Silin, V.P. Electrodynamics of crystals and the theory of excitons, 2=2067
- Ginzburg, V.L., Rukhadze, A.A. and Silin, V.P. The electrodynamics of crystals and the theory of excitons, 2=14414
- Ginzburg, V.L. and Sirovatskii, S.I. Gamma-rays and magnetic bremsstrahlung X-rays of galactic and metagalactic origin, 4=3503
- Ginzburg, V.L. and Syrovatskii, S.I. Cosmic rays in metagalactic space, 4=2331
- Ginzburg, V.L. and Syrovatskii, S.I. Gamma and X-rays related to galactic and metagalactic cosmic rays, 4=20885
- Ginzburg, V.L. and Syrovatskii, S.I. The secondary electron component of cosmic rays and the spectrum of general galactic radio emission, 4=26887
- Ginzburg, V.L. and Syrovatsky, S.I. Origin of cosmic rays, 2=20473
- Ginzburg, V.L. and Zheleznyakov, V.V. On the mechanisms of sporadic solar radio emission, 2=2558
- Ginzburg, V.L. and Zheleznyakov, V.V. Propagation of electromagnetic waves in the solar corona taking into account the influence of the magnetic field, 0=2080
- Ginzburg, V.L. and Zheleznyakov, V.V. Noncoherent mechanisms of sporadic solar radio emission in the case of a magnetoactive coronal plasma, 2=1007
- Ginzburg, V.L. See Agranovich, V.M., 2=586
- Ginzburg, V.L. See Agranovich, V.M., 4=10145
- Ginzburg, V.L. See Agranovich, V.M., 4=26163
- Ginzburg, V.L. See Bulaeviskii, L.N., 4=4345
- Ginzburg, V.L. See Bulaeviskii, L.N., 4=22967
- Ginzburg, V.L. See Getmantsev, G.G., 0=5
- Gintzon, E.L. The proposed three-kilometer linear electron accelerator at Stanford University, 3=5729
- Giobanu, G. See Croitoru, N., 0=16362
- Giomousis, G. and Swalen, J.D. Intensity sum rule for n.m.r., 2=14324
- Gion, E.J. See Emrich, R.J., 3=7283
- Giorcelli, M. See Corno, S., 2=12245
- Giordano, R. See Agodi, A., 3=17482
- Giordano, R. See Agodi, A., 4=6350
- Giordano, R. See Agodi, A., 4=9523
- Giordano, R. See Schiffrer, G., 2=20656
- Giordmaine, J.A. Centimeter wavelength radio astronomy including observations using the maser, 0=8473
- Giordmaine, J.A. Mixing of light beams in crystals, 2=9389
- Giordmaine, J.A. and Howe, J.A. Intensity-induced optical absorption cross section in CS₂, 4=5181
- Giordmaine, J.A. and Wang, T.C. Molecular beam formation by long parallel tubes, 0=7825
- Giordmaine, J.A. See Alsop, L.E., 0=18626
- Giorgadze, N.P. See Buishvili, L.L., 2=10717
- Giorgadze, N.P. See Buishvili, L.L., 3=6754
- Giorgi, A. Effect of wavelength of the relationship between critical flicker frequency and intensity in foveal vision, 3=11634
- Giorgi, A.L., Szklarz, E.G., Storms, E.K. and Bowman, A.L. Investigation of Ta₂C, Nb₂C, and V₂C for superconductivity, 3=7406
- Giorgi, A.L., Szklarz, E.G., Storms, E.K., Bowman, A.L. and Matthias, B.T. Effect of composition on the superconducting transition temperature of tantalum carbide and niobium carbide, 2=2962
- Giorgi, S. Dynamics of the upper atmosphere, 4=17916
- Giorgi, T.A. and Ricca, F. On the residual pressures of nitrogen, carbon monoxide and hydrogen over bulk getters of thorium and zirconium alloys, 4=21197

- Giorgi, T.A. See Baker, F.A., 0=16746
 Giorgi, T.A. See della Porta, P., 4=21206
 Giorgi, T.A. See della Porta, P., 4=21597
 Giorgi, T.A.G. and Origlio, S. Barium-carbon monoxide system: an hypothesis of Arizumi and Kotani, 1=4103
 Giori, C. See Dascola, G., 4=4268
 Giori, C. See Dascola, G., 4=30679
 Giori, C. See Dascola, G., 4=13022
 Giori, D.C. See Dascola, G., 4=26173
 Giori, F., MacKenzie, L.A. and McKinney, E.J. Laser-induced thermionic emission, 3=21857
 Gioumousis, G. Molecular collisions. III. Symmetric top molecules, 1=17378
 Gioumousis, G. Extension of the Johnson-Waugh analysis of nmr relaxation in H_2 in terms of the anisotropic part of the intermolecular potential, 4=9706
 Gioumousis, G. and Curtiss, C.F. Molecular collisions. II. Diatomic molecules, 1=4955
 Gioumousis, G. and Curtiss, C.F. Molecule collisions. IV. Nearly spherical rigid body approximation, 3=6436
 Giovanelli, R.G. Solar disturbances producing Type II radio bursts, 0=3408
 Giovanelli, R.G. Flare surges, puffs and Type III bursts, 0=3419
 Giovanelli, R.G. Flare-puffs as a cause of Type III radio bursts, 0=4854
 Giovanelli, R.G. Radiative transfer in non-uniform media, 0=4961
 Giovanelli, R.G. Flare puffs as a cause of type III radio bursts, 1=6751
 Giovanelli, R.G. Solar seeing, 1=15443
 Giovanelli, R.G. On the centre-limb variation of granule contrast, 1=15469
 Giovanelli, R.G. The calculation of spectral line profiles with non-coherent scattering, 2=22035
 Giovanelli, R.G. Diffusion through non-uniform media, 4=18117
 Giovanelli, R.G. A fluctuation theory of cosmology, 4=23823
 Giovanelli, R.G. and Jefferies, J.T. Vertical velocities in the solar chromosphere, 1=15491
 Giovanelli, R.G. and Roberts, J.A. Optical observations of the solar disturbances causing Type II radio bursts, 0=4900
 Giovanelli, R.G. and Roberts, J.A. Optical observations of solar disturbances causing type II radio bursts, 1=2655
 Giovanelli, R.G. See Steel, W.H., 1=15401
 Giovannini, B., Peter, M. and Schrieffer, J.F. Long-range polarization in high susceptibility metals, 4=26400
 Gippius, A.A. and Vavilov, V.S. Radiative recombination at dislocations in germanium, 3=17860
 Gippius, A.A. See Vavilov, V.S., 0=20984
 Gippius, E.F. See Kudryavtsev, E.M., 4=15330
 Gippius, E.F. See Kudryavtsev, E.M., 4=22349
 Gippius, E.F. See Kudryavtsev, E.M., 4=30429
 Gippner, P. See Gersch, H.U., 4=15045
 Giquelais, H. See Monod-Herzen, G., 3=9650
 Giquelais, H. See Monod-Herzen, G., 4=30694
 Giralt, G. and Polisset, J.C. The drift in characteristics of silicon transistors as a function of temperature and operating time, 1=7662
 Giralt, G. See Clot, J., 2=22154
 Girard, A. Automatic computation in geometrical optics, 0=14804
 Girard, A. New spectroscopic systems giving high luminosity, 0=19417
 Girard, A. Grill spectrometer. [Spectromètre à grilles], 3=5521
 Girard, A. A grating spectrometer, 3=74079
 Girard, A. See Louisnard, N., 1=1107
 Girard, B. and Sauzade, M. Calculation of sixth order compensating solenoids with minimum coil volume, 4=14859
 Girard, B. See Sauzade, M., 4=24866
 Girard, M. Study of light scattering by a cylindrical monocrystal of NaCl, 2=12584
 Girard, M. Study by scattering of light of precipitated impurities in a monocrystal of synthetic sodium chloride, 4=6834
 Girardeau, M. Weak-coupling expansion for the ground-state energy of a many-boson system, 0=900
 Girardeau, M. Motion of an impurity particle in a boson superfluid, 1=4281
 Girardeau, M. Relationship between systems of impenetrable bosons and fermions in one dimension, 1=5222
 Girardeau, M. Variational method for quantum statistics of interacting particles, 2=2644
 Girardeau, M. Ground state of the charged Bose gas, 2=19470
 Girardeau, M. Simple and generalized condensation in many-boson systems, 3=1635
 Girardeau, M. Formulation of the many-body problem for composite particles, 3=21257
 Girardeau, M.D. Variational method for classical statistical mechanics, 4=11096
 Girardi, F. See Durham, R.W., 1=13819
 Giraud, A. Characteristics of the moon's surface layer: an analysis of its radio emission, 2=4839
 Giraud, G. See Garron, R., 4=575
 Giraudier, L. The use of high-pressure furnaces in the preparation of intermetallic semiconductors, 1=14429
 Gird, E. See Constantinescu, M., 3=18453
 Girdhar, H.L. See Rastogi, R.P., 2=6233
 Girdhar, H.L. See Rastogi, R.P., 2=21896
 Girdhar, H.L. See Rastogi, R.P., 4=5450
 Girdler, R.W. The measurement and computation of anisotropy of magnetic susceptibility of rocks, 1=21106
 Girdler, R.W. Effect of hydrostatic pressures on thermal remanent magnetization, 3=23156
 Girdler, R.W. See Uyeda, S., 3=11477
 Gires, F. Infrared Faraday effect in yttrium garnet, 1=7704
 Gires, F. and Mayer, G. Measurements on the excited absorption spectrum of ruby for optical maser operation, 2=8507
 Gires, F. and Mayer, G. Influence of various optical excitation processes on the populations of energy levels of the ions Cr^{3+} in ruby, 2=10586
 Gires, F. and Mayer, G. Spoilt "Q" laser, 3=22020
 Gires, F., Mayer, G. and Paillette, M. Several transitions showing the laser effect in a helium-neon mixture, 3=22475
 Gires, F. and Tournols, P. An interferometer useful for pulse compression of a frequency modulated light pulse, 4=24893
 Gires, F. See Bret, G., 4=22862
 Gires, F. See Bret, G., 4=24929
 Gires, F. See Mayer, G., 4=18198
 Girgis, R.K., Ricci, R.A. and Van Lieshout, R. On the decay of ^{76}As , 0=4065
 Girgis, R.K., Ricci, R.A. and van Lieshout, R. Gamma radiation from ^{77}Br , 0=4068
 Girgis, R.K., Ricci, R.A. and Van Lieshout, R. Levels in ^{200}Hg populated from the decay of ^{200}Au , 0=4072
 Girgis, R.K., Ricci, R.A., Van Lieshout, R. and Konijn, J. The decay of ^{76}Br , 0=4066
 Girgis, R.K. and Van Lieshout, R. Investigations on the decay of ^{103}Ag , ^{104}Ag and ^{104}Rh , 0=4055
 Girgis, R.K. and Van Lieshout, R. The level scheme of ^{104}Pd (addendum), 0=4056
 Girgis, R.K. and Van Lieshout, R. Gamma radiation following the decay of ^{124}Sb and ^{124}I , 0=7538
 Girgis, R.K. and van Lieshout, R. Some aspects of the decay scheme of 54 minute ^{116}In , 0=9601
 Girgis, R.K. and van Lieshout, R. On the decay of ^{112}In , 0=11382
 Girgis, R.K. and van Lieshout, R. The level scheme of ^{112}Cd , 0=15536
 Girgis, R.K. and van Lieshout, R. On the decay of ^{74}As , 0=15559
 Girgis, R.K. See Gupta, R.K., 0=4071
 Girgis, R.K. See Ricci, R.A., 1=5412
 Girgis, R.K. See van Lieshout, R., 1=13641
 Girgis, R.K. See van Lieshout, R., 0=15533
 Girgis, R.K. See Ythier, C., 0=15545
 Girit, W. Electrical properties of mercury telluride, 4=10063
 Girit, W. Optical properties of $CD_xHg_{1-x}Te$ semiconductors $x = 1.0; 0.9; 0.8$, 4=13027
 Girit, W. and Dziuba, Z. Automatic device for zone refining of metals and semiconductors, 0=16272
 Girit, W., Migula, Z. and Sikorski, A. The preparation and electrical and optical properties of cadmium antimonide, 2=4033
 Girit, W. See Gafazka, R., 1=14464
 Girit, W. See Wardzynski, W., 0=18113
 Giregi, U. See Brini, D., 2=9944
 Girifalco, L.A. Activation energy for diffusion in ferromagnetics, 3=4883
 Girifalco, L.A. Semiempirical approach to the theory of thermal diffusion in crystals, 3=4884
 Girifalco, L.A. On the connection between two recent theories of thermal diffusion in crystals, 4=6866
 Girifalco, L.A. Pressure and temperature dependence of defect formation and migration volumes, 4=9939
 Girifalco, L.A. Vacancy concentration and diffusion in order-disorder alloys, 4=17422
 Girifalco, L.A. and Beeston, B.E.P. Impurity effects in strain-induced void formation, 3=13364

- Girifalco, L.A. and Behrendt, D.R. Mathematics of diffusion-controlled precipitation in the presence of homogeneously distributed sources and sinks, 1=20599
 Girifalco, L.A. and Grimes, H.H. Effect of static strains on diffusion, 1=3692
 Girifalco, L.A. and Kuhlmann-Wilsdorf, D. Theory of vacancy formation in internally stressed crystals under pressure, 3=22741
 Girifalco, L.A. and Kuhlmann-Wilsdorf, D. Theory of the interaction of vacancies with stress fields in metals. I. Derivation of basic equations, 4=12728
 Girifalco, L.A. and Weizer, V.G. Vacancy relaxation in cubic crystals, 0=11628
 Girifalco, L.A. See Forestieri, A.F., 0=2828
 Girifalco, L.A. See Oliver, P.R., 2=20997
 Girifalco, L.A. See Weizer, V.G., 0=17958
 Girin, O.P. A theory of vibrations of finite crystal lattices, 1=11148
 Girin, O.P. and Bakhshiev, N.G. The effect of the solvent on the positions and intensities of bands in infrared molecular spectra, 3=22521
 Girin, O.P. See Bakhshiev, N.G., 3=18986
 Girin, O.P. See Bakhshiev, N.G., 3=19958
 Girin, O.P. See Bakhshiev, N.G., 3=25077
 Girin, O.P. See Bakhshiev, N.G., 3=23884
 Girin, O.P. See Bakhshiev, N.G., 4=3831
 Girin, O.P. See Libov, V.S., 4=30455
 Girke, H. The influence of internal magnetic interactions on the shape of the Preisach functions of high permeability materials, 1=10140
 Girke, H. Statistical analysis of ferromagnetic hysteresis, 1=11428
 Girke, H. See Wilde, H., 0=676
 Giron, G. See Blanc, D., 1=2945
 Giron, I. and Ogburn, F. Some observations of copper deposits on single crystals of copper, 1=20523
 Giron, J. See Blanc, D., 0=5444
 Giron, V.S. See Néel, L., 0=10128
 Girstein, H.G. Use of an approximation in Gaussian analysis of observed 21 CM profiles, 4=2454
 Giroux, G. Theory of carrier recombination through multiple levels, 2=23284
 Giroux, G. Consistent model for PbS photodetectors. I. Experimental results, 4=7082
 Giroux, G. Consistent model for PbS photodetectors. II. New model, 4=7083
 Girshl, P. See Andreev, E.M., 2=18041
 Girvan, S.B. and McIlhagger, D.S. Strobometric method of measuring the phase angles of very low currents, 0=5244
 Gish, K.D. See Tillman, T.W., 4=23969
 Gisin, M.A. and Nesmelov, E.A. Interference filters transmitting short-wavelength and reflecting long-wavelength spectral regions, 3=19012
 Gisina, F.A. Relaxation characteristics of semi-conductor photo-resistors and photo-elements, 0=6133
 Gisina, F.A. Distribution of passive admixture in the atmosphere in the presence of rain, 3=5193
 Gissane, W.J.M. and Barrow, R.F. Rotational analysis of a system $B^{12}C^+ \leftarrow X^{12}C^+$ of BeS, 4=6558
 Gissane, W.J.M. See Barrow, R.F., 4=20061
 Gissane, W.J.M. See Barrow, R.F., 4=22352
 Giterman, M.Sh. Taking into account the interaction between current carriers and an ionic crystal in terms of the multi-electron theory of ionic crystals, 1=7556
 Giterman, M.Sh. A certain mechanism for absorption of energy by anisotropic bodies, 1=18985
 Giterman, M.Sh. A certain mechanism for absorption of energy by anisotropic bodies, 2=22307
 Giterman, M.Sh. and Irkhin, Yu.P. On the theory of the electrical conductivity of antiferromagnetic crystals, 0=7915
 Giterman, M.Sh. and Kontorovich, N.P. On the dependence of the parameters of a semiconductor on the dope concentration, 0=4327
 Giterman, M.Sh., Krol', L.Ya., Medvedev, V.A., Orlova, M.P. and Pado, G.S. Impurity band conduction in n-type GaAs, 2=18704
 Giterman, M.Sh., Krol', L.Ya., Medvedev, V.A., Orlova, M.P. and Pado, G.S. Impurity band conduction in n-type GaAs, 2=23391
 Giterman, M.Sh. See Petrov, A.N., 1=7558
 Giterman, M.Sh. See Taluts, G.G., 0=534
 Giterman, M.Sh. See Vonsovskii, S.V., 0=20761
 Giterman, M.Sh. See Voronell, A.V., 1=135
 Gitgarts, M.I. See Arbuzov, M.P., 3=2735
 Gitgarts, M.I. See Arbuzov, M.P., 3=8913
 Gits, I.D. On polarization in coronal streamers, 2=969
 Gitse, L. Study of light scattering in the system water-dioxane, 2=13345
 Gitsu, D.V. and Ivanov, G.A. Electrical properties of mono-crystals of bismuth and its alloys. I. Magnetoelectric properties of pure bismuth, 0=15891
 Gitsu, D.V. and Ivanov, G.A. Electrical properties of mono-crystals of bismuth and its alloys. II. Magnetoelectric properties of bismuth-tellurium alloys (solid solutions), 0=15892
 Gitsu, D.V. and Ivanov, G.A. Density of electron states in the conduction band of bismuth, 3=20322
 Gitsu, D.V., Ivanov, G.A. and Popov, A.M. Thermoelectromotive force bismuth and bismuth-tellurium alloys, 2=14590
 Gitsu, D.V., Ivanov, G.A. and Popov, A.M. Thermoelectromotive force of bismuth and bismuth-tellurium alloys, 2=18755
 Gittleman, A.P. See Ory, H.A., 4=9719
 Gittleman, A.P. See Ory, H.A., 4=9721
 Gittelman, B. See Allaby, J.V., 4=11976
 Gittelman, B. See Coward, D.H., 3=22094
 Gitterman, H.N. See MacDonald, A.D., 3=14560
 Gittleman, J.I. and Bozowski, S. Some aspects of the Kapitza resistance, 3=311
 Gittleman, J.I. and Bozowski, S. Switching times of the current-induced, superconducting-to-normal transition in filaments of tin and indium, 4=24512
 Gittleman, J.I., Rosenblum, B., Seidel, T. and Wicklund, A.W. The dependence of the microwave impedance of a superconductor on direct current, 4=16371
 Gittleman, J.I. See Cherry, W.H., 2=1333
 Gittus, J.H. Implications of some data on relaxation creep in Nimonic 80A, 4=23190
 Gittus, J.H. Analysis of effects of dilute alloying additions on the grain-size of uranium, 4=23350
 Giu Do Dang and Klein, A. Higher random-phase approximations and the theory of the electron gas, 3=16553
 Giu Do Dang and Klein, A. Theory of the anharmonicity in the vibrational motion of even-even spherical nuclei, 4=12108
 Giua, P.F. Influence of annealing treatments on the Bordoni internal friction in gold, 4=4466
 Giua, P.E. See Bordoni, P.G., 4=6723
 Giuli, R.T. See Cox, J.P., 1=8000
 Giuliani, J.F. See Horowitz, R., 0=12196
 Giuliani, G. See Chairotti, G., 1=993
 Giuliani, J.F. and Thekaekara, M.P. Interferometric measurements of faint titanium lines in the region 3341-4186 Å, 4=15292
 Giuliano, C.R. See McConnell, H.M., 2=6892
 Giulotto, L. Nuclear relaxation in liquids, 1=11769
 Giulotto, L. See Bonera, G., 0=1182
 Giulotto, L. See Bonera, G., 0=1226
 Giulotto, L. See Bonera, G., 1=11492
 Giulotto, L. See de Micheli, R., 3=23248
 Giulotto, L. See De Micheli, R., 3=23269
 Giura, M. See Careri, G., 3=12020
 Giura, M. See Careri, G., 3=19091
 Giurgea, M., Ghita, L. and Ghita, C. Evaluation of the Rayleigh constant in binary mixtures of liquids, 2=9408
 Giurgea, M., Ghita, C. and Ghita, L. Molecular scattering of light by certain binary liquid mixtures, 2=21909
 Giurgea, M., Chitã, C. and Musa, M. Scattering of light in solutions of quinine sulphate, 1=145
 Giurgea, M., Ghitã, C. and Musa, M. Scattering of light in solutions of quinine sulphate, 1=5282
 Giurgea, M., Ghitã, L. and Ghitã, C. The evaluation of the Rayleigh constant in binary liquid mixtures, 3=5442
 Giurgea, M. See Cristescu, G.D., 3=18711
 Giuseppetti, G. See Cola, M., 2=21526
 Giusto, M.B. See Lewis, C.H., 2=7091
 Givargizov, E.I. Mechanism of growth of epitaxial germanium layers from gaseous phase, 3=18283
 Givargizov, E.I. and Sheftal', N.N. Decoration of the growing surface of a crystal, 4=2041
 Givargizov, E.I. and Stepanova, A.N. Structural imperfections of epitaxial germanium layers, 4=30566
 Givargizov, E.I. See Stepanova, A.I., 4=7573
 Givens, M.P. Photoelectric detection of interference between two light beams having a large path difference, 1=18604
 Givens, M.P. Photoelectric study of spectral linewidths, 1=18605
 Givens, M.P. Noise in wave-interaction experiments, 2=5179

- Givens, M.P. and Teegarden, K.J. Optical and photoelectric effects in insulators and semiconductor, 3=8596
- Givens, M.P. See Axelrod, N.N., 0=20981
- Givens, M.P. See Goffe, W.L., 3=15651
- Givens, M.P. See Milgram, A., 2=8523
- Givens, M.P. See Sinclair, D., 4=18374
- Givens, M.P. See Spencer, W.T., 4=20452
- Givens, M. Parker. See Dutton, D., 4=18378
- Givens, W.W., Barse, R.C., Phillips, G.C. and Rollefson, A.A. The spin sequence of the first and second excited levels of Ne^{10} , 3=15102
- Givens, W.W., Barse, R.C., Phillips, G.C. and Rollefson, A.A. The parity of the 95 keV first-excited level of O^{19} , 3=24863
- Givens, W.W., Bonner, T.W., Fang, S.H., Barse, R.C. and Rollefson, A.A. Gamma radiations from excited states of N^{16} , 3=24862
- Givens, W.W. See Rabson, T.A., 1=665
- Giver, L.P. Line inclinations in equatorial spectra of Jupiter and Saturn, 4=17993
- Glizejowska, E. See Markocki, W., 0=12756
- Gjellestad, G. and Dalseide, H. Annual change in the declination ("variation") in western Scandinavia and the North Sea, 3=11468
- Gjellestad, G. and Dalseide, H. Studies in geomagnetism: on calculation of geomagnetic storminess for high-latitude observatories, 3=18571
- Gjessing, D.T. On the scattering of electromagnetic waves by non-isotropic inhomogeneities in the atmosphere, 2=11796
- Gjessing, D.T. An experimental determination of the spectrum of permittivity and air velocity fluctuations along a vertical direction in the troposphere using radio propagation methods, 4=17910
- Gjessing, D.T. An experimental study of the variation of the tropospheric scattering cross section and air velocity with position in space, 4=17911
- Gjessing, D.T. and Irgens, F. On the scattering of electromagnetic waves by a moving tropospheric layer having sinusoidal boundaries, 4=14909
- Gjerve, J.A. See Smith, J.F., 0=8104
- Gjone, E., Vance, H.G. and Turner, D.A. Direct liquid scintillation counting of plasma and tissues, 1=15365
- Gjønnes, J. Quantitative treatment of multiple scattering effect in continuous electron diffraction curves, 0=3207
- Gjønnes, J. On the structure of evaporated carbon films, 0=4694
- Gjønnes, J. The dynamic potentials in electron diffraction, 2=14985
- Gjønnes, J. The dynamic potentials in electron diffraction, 3=1307
- Gjønnes, J. Inelastic interactions in dynamic electron scattering, 3=1310
- Gjønnes, J. Twist in whiskers revealed by the dynamic fine structure in electron diffractograms, 3=3275
- Gjønnes, J. A dynamic effect in electron diffraction by molecules, 4=28284
- Gjostein, M.A. Reply to discussion "Absolute grain boundary energies in copper", 1=4988
- Gjostein, N.A. On the orientation dependence of surface free energy, 0=17865
- Gjostein, N.A. Adsorption and surface energy. I. The effect of adsorption of the γ -plot, 3=23517
- Gjostein, N.A. Adsorption and surface energy. II. Thermal faceting from minimization of surface energy, 3=23518
- Gjötterud, K. See Andersen, S.L., 4=22005
- Gládek, L. and Rálek, M. A new type of stabilizer for large currents, 4=16402
- Gladkii, V.V. See Sonin, A.S., 1=11539
- Gladkikh, L.I. See Fulks, M. Ya., 4=23213
- Gladkikh, N.T. See Palatnik, L.S., 2=3108
- Gladkikh, N.T. See Palatnik, L.S., 2=4449
- Gladkikh, N.T. See Palatnik, L.S., 2=7468
- Gladkikh, N.T. See Palatnik, L.S., 2=8366
- Gladkikh, N.T. See Palatnik, L.S., 2=8843
- Gladkikh, N.T. See Palatnik, L.S., 2=15811
- Gladkikh, N.T. See Palatnik, L.S., 2=17696
- Gladkikh, N.T. See Palatnik, L.S., 2=17697
- Gladkikh, N.T. See Palatnik, N.S., 2=21155
- Gladkikh, N.T. See Palatnik, L.S., 3=16036
- Gladkikh, N.Y. See Palatnik, L.S., 4=23239
- Gladkova, I.V. See Sinel'nikov, K.D., 0=12492
- Gladkovskii, I.P. See Afrosimov, V.V., 1=9608
- Gladkovskii, I.P. See Afrosimov, V.V., 1=9609
- Gladkovskii, I.P. See Afrosimov, V.V., 3=24996
- Gladkovskii, I.P. See Afrosimov, V.V., 4=8701
- Gladkovskii, V.A. and Karelin, N.A. The effect of boron on yield point elongation in α -iron, 3=13357
- Gladkovskii, V.A. See Vereshchagin, L.F., 1=20390
- Gladman, T. Yield point in mild steel, 3=13358
- Gladney, H.M. See Allen, L.C., 4=15832
- Gladney, H.M. See Allen, L.C., 4=21293
- Gladun, A. and Ulrici, W. Investigation of the liquefaction of neon and helium-neon mixture, 3=21640
- Gladun, A.D. See Tager, A.S., 0=2437
- Gladun, C. See Donth, E., 2=15767
- Gladushchak, V.I. and Shreider, E. Ya. Measurement of the colour temperature of light sources by using the relative intensities of spectral lines, 3=9587
- Gladushchak, V.I. and Shreider, E. Ya. On the possibility of using calculated oscillator strengths to calibrate spectral instruments, 4=5381
- Gladushtak, B.I. See Zaidel', A.N., 1=5479
- Gladushtak, B.I. See Zaidel', A.N., 1=9605
- Gladwe'l, G.M.L. Branch mode analysis of vibrating systems, 4=11270
- Gladwell, G.M.L. The vibration of frames, 4=29687
- Gladwell, G.M.L. See Bishop, R.E.D., 3=1745
- Gladyshev, V.A. and Katsaurov, L.N. Vapour-jet counter for charged particles, 4=16751
- Gladyshev, V.A., Katsaurov, L.N. and Kuznetsov, A.N. Use of a vapour jet as a target for producing nuclear reactions, 4=3232
- Gladyshev, V.P. Solubility of metals in mercury, 1=9387
- Gladyshev, V.P. Some laws governing the physicochemical properties of binary metal-mercury systems, 4=15741
- Gladyshevskii, E.I. and Kripyakevich, P.I. Crystal structure of $\text{Li}_{10}\text{Ge}_4$, 1=15082
- Gladyshevskii, E.I., Kripyakevich, I.N. and Frankevich, D.P. Crystal structures of compounds of rare-earth metals with beryllium (RBe_{13}), 4=23421
- Gladyshevskii, E.I., Kripyakevich, P.I., Kuz'ma, Yu.B. and Teslyuk, N.Yu. New representatives of structures of $\text{Mg}_5\text{Cu}_{16}\text{Si}_4$ and $\text{Th}_3\text{Mn}_{12}$ types, 3=18313
- Gladyshevskii, E.I., Kripyakevich, P.I., Teslyuk, M.Yu., Zarechnyuk, O.S. and Kuz'ma, Yu.B. Crystal structures of some intermetallic compounds, 2=4466
- Gladyshevskii, E.I., Tytkina, M.A. and Savitskii, E.M. X-ray and microscopic examination of the alloys of Hf with Re, 1=15088
- Gladyshevskii, E.I. See Kripyakevich, P.I., 1=15077
- Gladyshevskii, E.I. See Kripyakevich, P.I., 2=4437
- Gladyshevskii, E.I. See Kripyakevich, P.I., 3=16093
- Gladyshevskii, E.I. See Kripyakevich, P.I., 4=17811
- Glagolev, V.I. See Doroshenko, G.G., 4=16917
- Glagolev, V.L., Kovrizhnykh, O.M., Makarov, Yu.V. and Yampol'skii, P.A. Millisecond half-life isomers produced in reactions involving 14 MeV neutrons, 0=11376
- Glagolev, V.L., Morozov, A.M. and Yampol'skii, P.A. Reactions leading to the formation of the $\text{Pb}^{208\text{m}}$ isomer, 1=17133
- Glagolev, V.L. and Yampol'skii, P.A. An investigation of (n,2n) reactions leading to isomer formation, 1=19496
- Glagolev, V.M. See Arsen'ev, Yu.I., 3=12136
- Glagolev, V.V., Petržilka, V. and Tolstov, K.D. On isobaric excitation of nucleons in collisions with fast particles, 1=8453
- Glagolev, V.V. See Barashenkov, V.S., 0=3966
- Glagolev, V.V. See Barashenkov, V.S., 0=4088
- Glagolev, V.V. See Barashenkov, V.S., 2=1869
- Glagolev, V.V. See Belonogov, A.V., 3=17127
- Glagolev, V.V. See Belyakov, V.A., 1=19244
- Glagolev, V.V. See Ciulli, L., 2=22574
- Glagolev, Ya.A. Measurement of temperature of the air by means of the rotating wire resistance thermometer, 2=21625
- Glagoleva, A.A. See Bundel', A.A., 3=3051
- Glahe, H.C. See Jain, P.L., 0=1283
- Glahe, H.C. See Jain, P.L., 2=283
- Glahe, H.C. See Jain, P.L., 4=19550
- Glaister, R.M. Measurement of coupling coefficient and Q of low-Q piezoelectric ceramics, 0=16029
- Glaister, R.M. and Kay, H.F. An investigation of the cubic-hexagonal transition in barium titanate, 1=6486
- Glaister, R.M. See Cameron, J.F., 0=4766
- Glanc, A., Dvořák, V., Janovec, V., Rechziegel, E. and Janoušek, V. Temperature autostabilisation effect of T. G. S. monocrystals in an a.c. electric field, 4=7052
- Glanc, A., Málek, Z., Mastner, J., Novák, M. and Štrajbllová, J. Temperature autostabilizing nonlinear dielectric element (Tandel). I. Construction of TGS—element and its properties, 4=22788

- Glanc, A. See Březina, B., 1=20081
 Glanc, A. See Dvořák, V., 4=22789
 Glanc, A. See Janovec, V., 1=17839
 Glang, B. and Mourier, G. The instability of electron beams in crossed fields in presence of an obliquely propagated
 Glang, R. Location of diffused p-n junctions on germanium by electrodeposition of copper, 0=13593
 Glang, R. and Easton, W.B. Donor concentration at the surface of a diffused n-type layer on p-type, 1=6149
 Glang, R. and Kippenhan, B.W. Impurity introduction during epitaxial growth of silicon, 0=18327
 Glang, R., Kren, J.G. and Patrick, W.J. Vacuum evaporation of cadmium telluride, 3=23508
 Glangeaud, F. See Delloue, J., 4=4773
 Glansdorff, P. Calculation of the mutual frictional force in a gaseous "two-fluid" model, 0=8689
 Glansdorff, P. On a non-linear law of the irreversible phenomena with stationary constraints, 1=15709
 Glansdorff, P. The "two-fluid" model in the classical kinetic theory of gases, 0=16731
 Glansdorff, P. The thickness of shock waves by the two-fluid model theory extended to rarefied gases, 2=2751
 Glansdorff, P. Solution of the Boltzmann equations for strong shock waves by the two-fluid model, 2=9303
 Glansdorff, P. and Prigogine, I. On a general evolution criterion in macroscopic physics, 4=14471
 Glansdorff, P., Prigogine, I. and Hays, D.F. Variational properties of a viscous liquid at a nonuniform temperature, 2=5006
 Glants, G. See Teodorescu, I., 2=12959
 Glanville, D.E. See Green, T.S., 0=5802
 Glanz, G. See Nachman, M., 2=8931
 Glarum, S.H. Dielectric relaxation of isoamyl bromide, 0=16701
 Glarum, S.H. Dielectric relaxation of polar liquids, 0=19143
 Glarum, S.H. Spin-orbit interactions in molecular radicals, 4=6615
 Glarum, S.H. Electron mobilities in organic semi-conductors, 4=15445
 Glarum, S.H. and Marshall, J.H. Electron spin resonance study of the sym-trinitrobenzene anion and related radicals, 4=3047
 Glarum, S.H. and Snyder, L.C. Electron spin resonance of the phenanthrene negative ion, 2=14322
 Glarum, S.H. See Allen, L.C., 4=21293
 Glas, J.E. Micro X-ray diffraction camera for studies of orientation textures and single microcrystals, 2=4501
 Glascock, H.H., Jr. Fusion energies of $60\text{BeO}-40\text{CaO}$, $48\text{CaO}-52\text{Al}_2\text{O}_3$, $75\text{CaO}-25\text{B}_2\text{O}_3$, and $80\text{BeO}-20\text{Li}_2\text{O}$, 3=293
 Glascock, H.H., Jr. and Hensley, E.B. Fundamental optical absorption, electrical conductivity, and thermoelectric power of calcium oxide, 3=20471
 Glaser, D.A. See Brown, J.L., 0=4003
 Glaser, D.A. See Roellig, L.O., 0=2580
 Glasel, J.A. Near-infrared absorption spectra of ortho- and para- H_2O in solid xenon and argon, 0=15722
 Glasel, J.A. Comment on "Interrelationship of physical quantities", 0=18899
 Glasel, J.A. Near-infrared absorption spectrum of solid methane at the λ point, 1=8993
 Glaser, D.A. Nobel Lecture 1960. Elementary particles and bubble chambers, 2=9754
 Glaser, D.A. See Brown, J.L., 1=8515
 Glaser, D.A. See Roe, B.P., 2=3399
 Glaser, E.M. Stimulator for complex acoustic wave-forms, 4=24313
 Glaser, H. Heat transfer in loose materials, 0=6971
 Gläser, M. See Melcher, H., 2=9676
 Gläser, M. See Melcher, H., 4=21445
 Glaser, P.E., Merra, S., Sepetoski, W.K., Comstock, D.F. and Emslie, A.G. Radiation imaging technique for thermal conductivity measurement above 1000°C , 2=2907
 Glaser, P.E. See Chen, M.M., 3=19056
 Glaser, V. and Ferrell, R.A. Lifetime of the neutral pion, 1=2079
 Glaser, V. See Amati, D., 0=5502
 Glaser, V. See Bros, J., 4=15024
 Glasgow, D.W., Coleman, L.W. and Schecter, L. Gamma-ray attenuation factors for angular correlation and angular distribution measurements, 1=10811
 Glasgow, D.W. and Schecter, L. Gamma-gamma directional correlation in Mg^{24} , 1=13729
 Glashko, V.B. See Balebanov, V.M., 4=29939
 Glashow, S.L. Resonant scattering of antineutrinos, 0=9333
 Glashow, S.L. Partial symmetries of weak interactions, 1=5664
 Glashow, S.L. Direct Ξ decay and muonium-antimuonium transitions, 1=5787
 Glashow, S.L. Muonium-antimuonium transitions, 1=13464
 Glashow, S.L. Is isotopic spin a good quantum number for the new isobars? 2=9810
 Glashow, S.L. Decays of very unstable particles, 2=22464
 Glashow, S.L. Spontaneous breakdown of octet symmetry, 3=14869
 Glashow, S.L. ρ ω mixing, 3=24784
 Glashow, S.L. and Gell-Mann, M. Gauge theories of vector particles, 1=19099
 Glashow, S.L. and Kleitman, D.J. Baryon resonances in W_3 symmetry, 4=24994
 Glashow, S.L. and Rosenfeld, A.H. Eightfold-way assignments for Y_1^* (1660) and other baryons, 3=15040
 Glashow, S.L. and Sakurai, J.J. The 27-fold way and other ways: symmetries of mesons-baryon resonances, 2=18145
 Glashow, S.L. and Sakurai, J.J. On the tenfold way, 3=4459
 Glashow, S.L. and Socolow, R.H. Decay modes of the Ω^- , 4=21954
 Glashow, S.L. See Baker, M., 2=20409
 Glashow, S.L. See Baker, M., 3=2195
 Glashow, S.L. See Baker, M., 3=5925
 Glashow, S.L. See Björken, B.J., 4=30160
 Glashow, S.L. See Coleman, S., 1=8440
 Glashow, S.L. See Coleman, S., 2=5570
 Glashow, S.L. See Coleman, S., 4=16801
 Glashow, S.L. See Coleman, S., 4=24981
 Glashow, S.L. See Czyz, W., 0=3979
 Glashow, S.L. See Czyz, W., 1=3200
 Glashow, S.L. See Ericson, T., 4=9106
 Glashow, S.L. See Fronsdaal, C., 0=2560
 Glashow, S.L. See Muraskin, M., 4=821
 Glasier, L.F., Jr. See Allen, R.D., 0=14876
 Glasko, V.B. and Mironov, A.G. Screening of the coulomb potential in nondegenerate semiconductors, 2=18655
 Glasko, V.B. See Balebanov, V.M., 4=534
 Glasko, V.B. See Balebanov, V.M., 4=8903
 Glasko, V.B. See Balebanov, V.M., 4=11646
 Glasko, V.B. See Balebanov, V.M., 4=29938
 Glasko, V.B. See Bonch-Bruevich, V.L., 1=6085
 Glasko, V.B. See Bonch-Bruevich, V.L., 2=18656
 Glasko, V.B. See Bonch-Bruevich, V.L., 3=18732
 Glasko, V.B. See Ortenberg, F.S., 3=22536
 Glasko, V.B. See Ortenberg, F.S., 4=25660
 Glasner, A. and Ben-Dor, L. Formation of additive V centers in disks prepared from powdered alkali halides, 2=14477
 Glasner, A. and Reisfeld, R. Absorption spectra of mercury, bismuth and antimony halides in pressed alkali discs, 0=8001
 Glasner, A. and Reisfeld, R. The diffusion constants of thallous (Tl^+) and lead (Pb^{++}) ions in potassium chloride, 1=19806
 Glasner, A., Rejoan, A. and Reisfeld, R. Diffusion of thallous ions in potassium bromide measured by the spectrophotometric method, 2=10412
 Glasner, A. See Mayer, I., 4=26647
 Glasner, A. See Reisfeld, R., 4=15611
 Glaso, A.L. Optical-rotation dosimetry for Co^{60} gamma facilities, 3=19799
 Glasov, A.A. See Denisov, Yu.N., 3=9887
 Glasov, O.A. Self-modulation of a helical electron beam moving in a plasma in a magnetic field, 3=7608
 Glasov, O.A., Dubovoi, L.V. and Rutkevich, B.H. Excitation of ionic cyclotron oscillations in a plasma by electron beams, 1=5486
 Glasov, O.A., Dubovoi, L.V. and Rutkevich, B.H. Excitation of ionic cyclotron oscillations in a plasma by electron beams, 1=11558
 Glass, A.J. See Kahn, D., 1=17828
 Glass, A.J. See Kahn, D., 2=23468
 Glass, C.A., Bair, L.R. and Melvin, E.H. Slave recorder for an infrared spectrophotometer, 0=157
 Glass, G. See de Pagter, J.K., 4=25371
 Glass, G. See Ozaki, S., 0=13292
 Glass, G.P. and Kistiakowsky, G.B. A synthesis of C_3H_3 , 4=13714
 Glass, I.I. and Heuckroth, L.E. Hydrodynamic shock tube, 3=11858
 Glass, I.I. See Clouston, J.G., 0=8744
 Glass, M. and Carlson, T.N. The growth characteristics of small cumulus clouds, 4=7840
 Glass, N.W. and Peterson, R.W. Direct comparison of the B^{12} and N^{12} beta spectra, 3=10285
 Glass, N.W. See Peterson, R.W., 3=10284

- Glass, R.A. See Foreman, B.M., 0=1450
- Glass, S.J. and Klein, M.J. Sublimation and the third law of thermodynamics, 0=7015
- Glass, S.S. See Honig, R.E., 4=19112
- Glass, T.J. See Davis, H.L., 2=20717
- Glassbrenner, C.J. and Slack, G.A. Thermal conductivity of silicon and germanium from 3°K to the melting point, 4=17383
- Glassbrenner, C. See Slack, G.A., 0=17903
- Glasser, F.P. See Williamson, J., 4=23353
- Glasser, L. A device for drilling brittle crystals, 4=4993
- Glasser, L.G., Kanzler, R.J. and Troy, D.J. Simple photo-electric process-stream analyzer, 3=5175
- Glasser, L.S.D. See Dachille, F., 0=3231
- Glasser, M.L. Symmetry properties of the wurtzite structure, 0=3241
- Glasser, M.L. Electron structure of metallic silver, 2=18553
- Glasser, M.L. Transverse conductivity of an electron gas zero-frequency limit, 3=4848
- Glasser, M.L. Summation over Feynman histories: charged particle in a uniform magnetic field, 4=8066
- Glasser, M.L. Magnetic properties of nearly free electrons. Nonoscillatory magnetic susceptibility, 4=18102
- Glasser, M.L. Note on the evaluation of some Fermi integrals, 4=27106
- Glasser, M.L. A note on Abe's theory of paramagnetism, 4=30704
- Glasser, M.L. and Milford, F.J. Spin wave spectra of magnetite, 3=15782
- Glasser, M.L. See Kenan, R.P., 3=25200
- Glasser, M.L. See Milford, F.J., 3=1152
- Glasser, R.G., Seeman, N., Prakash, Y., Snow, G.A. and Steinberg, P. A search for the decay $\Sigma^{+} \rightarrow p + \gamma$, 1=9771
- Glasser, R.G., Seeman, N. and Stiller, D. Mean lifetime of the neutral pion, 1=10902
- Glasser, R.G. See Burnstein, R.A., 3=22214
- Glasser, R.G. See Courant, H., 3=17346
- Glassgold, A.E. Collective oscillations of a system of interacting fermions, 1=9030
- Glassgold, A.E. Spin exchange in collisions between atoms, 4=6506
- Glassgold, A.E., Heckrotte, W. and Watson, K.M. Linked-diagram expansions for quantum statistical mechanics, 0=890
- Glassgold, A.E., Kaufman, A.N. and Watson, K.M. Statistical mechanics for the nonideal Bose gas, 0=18984
- Glassgold, A.E. and Lebedeff, S.A. Scattering amplitudes for atomic collisions, with application to spin-exchange between hydrogen atoms, 4=25586
- Glassgold, A.E. and Sessler, A.M. Flow properties of superfluid systems of fermions, 1=5235
- Glassgold, A.E. See Altick, P.L., 4=9624
- Glassgold, A.E. See Greider, K.R., 0=12850
- Glassgold, A.E. See Krieger, S.J., 4=24496
- Glassman, I. See Dobbins, R.A., 3=9575
- Glatt, L. Procedure for evaluating the small object detecting capability of an electron-scanned image tube, 0=167
- Glatz, A.C. and Meikleham, V.F. The preparation and electrical properties of bismuth trisulfide, 4=10140
- Glatzel, E. New method for automatic correction of optical systems with electronic digital computers, 2=7333
- Glatzer, G. See Brandmüller, J., 0=942
- Glauber, R., Rarita, W. and Schwed, P. Vacuum polarization effects on energy levels in μ -mesonic atoms, 0=17672
- Glauber, R.J. Photon correlations, 3=11876
- Glauber, R.J. Time-dependent statistics of the Ising model, 3=14045
- Glauber, R.J. The quantum theory of optical coherence, 3=16725
- Glauber, R.J. Coherent and incoherent states of the radiation field, 3=23992
- Glauber, A.E. Theory of systems with a non-central law of particle interaction, 0=895
- Glauber, A.E. A new form of the polar model of a crystal, 1=892
- Glauber, A.E. and Spitkovskii, I.M. On the ionic polarization in complex ionic crystals, 0=1693
- Glauber, A.E. and Stasyuk, I.V. Third Conference on the Theory of Semiconductors, 1=3753
- Glauber, A.E. and Stasyuk, I.V. The theory of elementary excitations in systems with a spin-open background, 2=10293
- Glauber, A.E. and Taliani, I.I. Neutron flux distributions in media separated by a cylindrical boundary, 0=7350
- Glauber, A.E., Vladimirov, V.V. and Stasyuk, I.V. The theory of elementary excitations in atomic crystals, 0=11603
- Glauber, A.Yu. and Muzychuk, A.M. The many-electron theory of liquid semiconductors, 2=7198
- Glauber, M.J. and Oberholtzer, J.D. Properties of the second vibrational level in Te^{124} , 4=27972
- Glauche, E. and Voigt, F. A recording spectrometer for ferromagnetic resonance measurements in the wavelength range at 3.2 cm, 4=763
- Glauche, E. See Haubenreisser, W., 2=2294
- Glauche, W. See Haubenreisser, W., 2=14815
- Glaude, V., Levy, B. and Leproux, G. The proton synchrotron "Saturne". High-frequency amplifier used in the accelerating system, 0=2412
- Glaudemans, P.W.M. and Endt, P.M. Gamma-ray branching of energy levels in ^{24}Mg from the $^{23}\text{Na}(p, \gamma)^{24}\text{Mg}$ reaction, 2=5912
- Glaudemans, P.W.M. and Endt, P.M. The $^{23}\text{Na}(p, \gamma)^{24}\text{Mg}$ reaction. II, 3=12670
- Glaudemans, P.W.M., Eriksson, L. and Werkhoven, J.A.R. Gamma-ray branchings in ^{34}Cl from the $^{35}\text{S}(p, \gamma)^{34}\text{Cl}$ reaction, 4=28031
- Glaudemans, P.W.M. See Kuperus, J., 4=9509
- Glaume, J. Influence of lunar tides on the emission of the 5577 Å green line of oxygen, 2=17176
- Glaume, J. See Barbier, D., 0=21385
- Glaume, J. See Barbier, D., 1=4131
- Glaume, J. See Barbier, D., 1=15301
- Glaume, J. See Barbier, D., 2=2510
- Glaume, J. See Barbier, D., 2=15244
- Glavin, G.G. See Chupakhin, M.S., 4=25667
- Glavish, H.F. See Collins, E.R., 4=11988
- Glazanov, V.E. Finding the propagation velocity for elastic waves in a medium having cylindrical ducts, 3=18884
- Glaze, W. See West, R., 1=9167
- Glazer, A.A., Magat, L.M. and Shur, Ya.S. Thermomagnetic treatment and ordering processes. IV. Investigation of the effect of thermomagnetic treatment on the lattice parameters of soft magnetic alloys undergoing the disorder-order transformation, 1=1219
- Glazer, A.A., Shtol'ts, E.V. and Shur, Ya.S. Temperature dependence of the transition domain structure in small particles of Mn-Bi alloy, 3=18093
- Glazer, A.A. See Shtol'ts, E.V., 3=13251
- Glazer, A.A. See Shur, Ya.S., 0=1941
- Glazer, A.A. See Shur, Ya.S., 1=6533
- Glazer, A.A. See Shur, Ya.S., 4=10267
- Glazer, A.A. See Shur, Ya.S., 4=7266
- Glazer, A.A. See Startseva, I.E., 3=11071
- Glazkov, A.A. See Val'dner, O.A., 2=20068
- Glazkov, N.P. A multichannel-pulse analyser, 2=2973
- Glazkov, N.P. Spectra and cross-sections of 0.2-1.2 MeV neutrons inelastically scattered by the nuclei of V, Th, Hg, W, Sb, Cd, Mo, Nb and Fe, 4=3664
- Glazkov, N.P. Cross-section of neutron inelastic scattering at energies from 0.4 to 1.2 MeV on medium and light nuclei, 4=9518
- Glazkov, N.P. A cylindrical chamber for fast-neutron spectrometry, 4=16921
- Glazkov, V.A. See Mikheev, N.B., 2=5209
- Glazkov, V.I. Analysis of the nuclear magnetic resonance spectra of A_3Bx_2 -type groups, 1=3569
- Glazkov, V.M. See Kasheev, V.N., 4=7438
- Glazkov, Yu.V. Infrared reflection spectra of crystallization products of certain glasses of the $\text{Na}_2\text{O}-\text{SiO}_2$ system, 0=4679
- Glazkova, I.N. See Spitsyn, V.I., 0=14646
- Glazkova, I.P. See Konev, V.N., 4=26439
- Glazman, Yu.M. The theory of coagulation of lyophobic sols by mixtures of electrolytes, 4=10660
- Glazov, A.A., Dzhelepov, V.P., Dmitrievskii, V.P., Zamolodchikov, B.I., Kol'ga, V.V., Kropin, A.A., Onishchenko, L.M. and Shvabe, E. Effect of space charge on the frequency of free oscillations of particles in an isochronous cyclotron, 4=5727
- Glazov, A.A., Dzhelepov, V.P., Dmitrievskii, V.P., Zamolodchikov, B.I., Kol'ga, V.V., Kropin, A.A., Onishchenko, L.M. and Shvabe, E. Effect of space charge on the frequency of free oscillations of the particles in an isochronous cyclotron, 4=30003
- Glazov, A.A., Kochkin, V.A., Onishchenko, L.M. and Shvabe, J. Cavity-resonator high-frequency system for a proton accelerator, 4=3076
- Glazov, A.A., Shvab, J. and Kochkin, V.A. Model of the high frequency system of the ring-shaped proton synchrotron, 3=7665

- Glazov, A.A. See Danilov, V.I., 1=344
- Glazov, V.M. and Chizhevskaya, S.N. Investigation of the electron conductivity of germanium and $A^{111}\text{Sb}$ compounds in the region of the melting point and in the liquid phase, 2=4014
- Glazov, V.M. and Chizhevskaya, S.N. Investigation of the electron conductivity of germanium and $A^{111}\text{Sb}$ compounds in the region of the melting point and in the liquid phase, 2=6448
- Glazov, V.M. and Chizhevskaya, S.N. Investigation of some physical properties of gallium and indium arsenides in the melting region and in liquid state, 2=21918
- Glazov, V.M. and Chizhevskaya, S.N. Investigation of some physical properties of gallium and indium arsenides in the melting region and in liquid state, 3=5448
- Glazov, V.M. and Chizhevskaya, S.N. Study of the physico-chemical properties of [liquid] alloys of zinc and cadmium tellurides, 4=11185
- Glazunov, P.A. See Smirnov, L.S., 0=1581
- Glazunov, P. Ya. See Troitskii, O. A., 4=23227
- Glazunov, P. Ya. See Vavilov, V.S., 0=18030
- Glazunov, S. G. See Ageev, N. V., 4=25948
- Glazunov, V. V. See Fleishman, D. G., 2=20544
- Glazunov, V. V. See Fleishman, D. G., 3=2159
- Glazunov, Yu. Ya., Savin, M. V., Safina, I. N., Fomushkin, E. F. and Khokhlov, Yu. A. Spectra of photoneutrons from platinum, bismuth, lead and uranium, 4=22118
- Glazunova, V.K. A study of the influence of certain factors on the growth of filamentary tin crystals, 3=23414
- Gleason, F.R., Jr. and Watson, L.R. Ferrite films prepared by pyrohydrolytic deposition, 3=16140
- Gleason, G.I., Gruverman, I.J. and Need, J.L. Practical production yields of radionuclides with 17 and 21 MeV protons, 2=20530
- Gleason, G.I. A positron cow, 1=13401
- Glebovich, G.V. See Bartenev, L.S., 3=1914
- Glebovskii, D.N. See Kholmogorov, V.E., 3=15936
- Glebskii, Yu. V. Coding by means of finite automata, 2=4915
- Gledhill, J.A. The effects of a solar eclipse on a stratified ionosphere, 0=14212
- Gledhill, J.A. The behaviour of the ionosphere over Cape Town and Johannesburg during the annular solar eclipse of 25 December 1954, 0=14213
- Gledhill, J.A., Gruber, G.M. and Bosch, M.C. Radio observations of Jupiter during 1962, 3=9270
- Gledhill, J.A. and Van Rooyen, H.O. Cape Town anomaly and auroral emission, 3=23640
- Gledhill, J.A. and Walker, A.D.M. The "valley effect" in the interpretation of ionospheric eclipse records, 0=14248
- Gledhill, J.A. See Baker, D.C., 4=13836
- Gledhill, J.A. See De Jager, G., 4=2301
- Gledhill, R.J. Particle-size distribution determination by turbidimetry, 2=10991
- Gledhill, R.J. and Julian, D.B. Light absorption in heterogeneous systems with application to photographic dye images, 3=5539
- Gleichauf, P.H. and Ozarov, V. Electron-emission microscope and velocity distribution studies on silicon carbide p-n junction emitters, 1=7658
- Glenn, N. and Zwicker, E. Loudness function in the presence of masking noise, 4=10970
- Glæssberg, W. The character of the next sunspot maximum, 0=2079
- Glæssberg, W. Solar activity previous to 1750, 0=12279
- Glæssberg, W. Investigation on three eighty-year cycles of solar activity, 2=19309
- Gleit, C.E. and Coryell, C.D. Decay of 49 min Cd^{118} and 5.1 sec In^{118} , 1=7344
- Gleit, C.E. and Coryell, C.D. Decay of Cd^{119} and In^{119} isomers, 2=1800
- Gleit, C.E. See Benson, P. A., 4=6250
- Glemser, O. See Hofmeister, H.K., 0=14893
- Glemser, O. See V.Koch, C., 0=1162
- Glen, G. L. A neutron diffraction study of α -lead azide, 4=10538
- Glen, J. W. See Whitworth, R. W., 4=22755
- Glencross, W.M. Ultra-high-energy nuclear interactions and extensive air showers, 3=24818
- Glencross, W.M. See Allan, H.R., 2=13927
- Glendenin, L.E. See Engelkeimer, D.W., 2=14036
- Glendenin, L.E. See Flynn, K.F., 0=1387
- Glendenin, L.E. See Wright, P.M., 1=10979
- Glendenning, N.K. Theoretical predictions for the spectra of the odd-mass xenon and tellurium isotopes, 0=13113
- Glendenning, N.K. The two-nucleon stripping reaction, 2=3615
- Glendenning, N.K. Note on an isomeric state of Po^{212} , 2=18269
- Glendenning, N.K. and Kramer, G. Scalar nucleon form factor $F_1^N + F_1^P$, 2=9832
- Glendenning, N.K. and Kramer, G. Nucleon-nucleon triplet-even potentials, 2=13787
- Glendenning, N.K., Nilsson, S.G. and Sawicki, J. The giant E1 resonance for deformed nuclei, 2=1798
- Glendenning, N.K. and Sawicki, J. Intrinsic quadrupole moments of deformed nuclei and superfluidity in nuclei, 0=20330
- Glendenning, N.K. See Albert, R.D., 1=7373
- Glendenning, N.K. See Bloom, S.D., 1=19463
- Glendenning, N.K. See Cranberg, L., 1=8/35
- Glendenning, N.K. See Nilsson, S.G., 2=16383
- Glenn, J.H., Jr and O'Keefe, J.A. The Mercury-Atlas-6 space flight, 2=24193
- Glenn, J.H. See Cameron, W.S., 3=23591
- Glenn, R.C. and Schoone, R. D. Electropolishing unit for rapid thinning of metallic specimens for transmission electron microscopy, 4=29162
- Glenn, R.C. See Marcinkowski, M.J., 4=17654
- Glenn, R.C. See Michalak, J.T., 1=10153
- Glenn, W.E. Thermoplastic recording, 0=1089
- Glennon, B.M. and Wiese, W.L. Bibliography on atomic transition probabilities, 3=2547
- Glentworth, P. and Betts, R.H. Production of Lu^{178} by the $\text{Ta}^{181}(\text{n}, \alpha)\text{Lu}^{178}$ reaction in the NRX reactor, 1=5926
- Gleu, K., Hoyer, F. and König, K. H. β -scintillation spectrometry with CsI:Tl as scintillator, 4=12167
- Glew, D.N. See Walkley, J., 0=16705
- Gleyvod, R., Durisch, J., Huber, P. and Baumgartner, E. Measurement of polarization power of oxygen for (d,d) neutrons of energies from 2.5 to 3.2 MeV, 3=22393
- Gleyvod, R. See Baumgartner, E., 2=20632
- Gleyvod, R. See Durisch, J., 3=22392
- Gleyvod, R. See Huber, P., 2=20631
- Gleyzal, A. On the determination of certain thermodynamic and physical quantities, 0=10466
- Gliberman, A. Ya. and Fedoseeva, O.P. Investigation of the influence of crystalline orientation of silicon on the properties of photoconverters, 1=1109
- Gliberman, A. Ya., Zaitseva, A.K. and Landsman, A.P. A photoelectric energy converter made of polycrystalline silicon, 0=20938
- Gliberman, A. Ya. See Zaitseva, A.K., 1=19888
- Gliberman, A. Ya. See Zaitseva, A.K., 2=4076
- Glick, A., Lipkin, H.J. and Meshkov, N. Many-body perturbation methods in a soluble model, 2=1767
- Glick, A.J. Linear response function of a many-fermion system, 2=4960
- Glick, A.J. Correlations to the dielectric constant of a degenerate electron gas, 3=7146
- Glick, A.J. Inelastic electron scattering by thin films, 3=20962
- Glick, A.J. and Ferrell, R.A. Single-particle excitations of a degenerate electron gas, 1=7560
- Glick, A.L. A method of calibration of laser energy output, 2=22020
- Glick, H.S. Thin-film bolometer, 3=3923
- Glick, R.E. On the diamagnetic susceptibility of gases, 2=1209
- Glick, R.E. Exact nuclear magnetic resonance shielding constants for hydride, helium, lithium (I), oxygen (VI), 2=1970
- Glick, R.E. and Kates, D.F. Quantum-mechanical approximations to chemical systems, 0=17786
- Glicken, M. Eötvös corrections for a moving gravity meter, 2=21608
- Glicken, M. See Nettleton, L.L., 3=8996
- Glickman, W. A. See Rank, D.H., 4=3858
- Glickman, W. A. See Rank, D. H., 4=22358
- Glicksman, M. The magnetoresistivity of germanium and silicon, 0=20907
- Glicksman, M. Instabilities of a cylindrical electron-hole plasma in a magnetic field, 2=2069
- Glicksman, M. Theory of self-pinching of an electron-hole plasma, 4=24677
- Glicksman, M. and Hicinbotham, W.A., Jr. Hot electrons in indium antimonide, 3=8386
- Glicksman, M. and Powlus, R.A. Observations of electron-hole current pinching in indium antimonide, 1=5023
- Glicksman, M. and Steele, M.C. Plasma pinch effects in indium antimonide, 0=1672
- Glicksman, M. and Weiser, K. Electrical properties of p-type InP, 0=7942
- Glicksman, M. See Ancker-Johnson, B., 2=2166
- Glicksman, M. See Herman, F., 0=20891
- Glicksman, M. See Steele, M.C., 0=9976
- Glicksman, M.E. Reply to the communication, "On nucleation catalysis in supercooled liquid tin", 3=21622

- Glicksman, M.E. and Childs, W.J. Nucleation catalysis in super-cooled liquid tin, 3=1270
- Glicksman, R. See Minton, R.M., 4=22750
- Glicksman, R. See Pikor, A., 3=20359
- Glickstein, S.S. and Winter, R.G. Nuclear reactions from recoil protons in a reactor, 1=19466
- Glickstein, S.S. and Winter, R.G. Properties of F^{20} , 3=8030
- Gliddon, J.E.C. Decay of an arbitrary plane-stratified distribution of ionization assumed to be produced instantaneously in the F2 region, 3=9091
- Gliddon, J.E.C. The distribution of ions in the exosphere, 3=16240
- Gliddon, J.E.C. and Kendall, P.C. Theoretical world curves of maximum ion density in a quiet F-region, 0=14243
- Gliddon, J.E.C. and Kendall, P.C. The effects of diffusion and of attachment-like recombination on the F₂ region, 0=16450
- Gliddon, J.E.C. and Kendall, P.C. Theoretical world curves of maximum F2 ionization. II, 1=20998
- Gliddon, J.E.C. and Kendall, P.C. A mathematical model of the F2-region, 3=6986
- Gliddon, J.E.C. See Ferraro, V.C.A., 1=6624
- Gliddon, J.E.C. See Ferraro, V.C.A., 3=13757
- Gliki, N.V. and Eliseev, A.A. Effects of supersaturation and temperature on the development kinetics of the initial growth forms on a sphere of ice, 4=2028
- Gliki, N.V., Eliseev, A.A. and Marchenko, N.M. The transformation of [water] droplets of clouds into ice crystals, 2=15809
- Gliki, N.V., Eliseev, A.A. and Marchenko, N.M. The transformation of [water] droplets of clouds into ice crystals, 2=19775
- Gliki, N.V. and Timofeeva, V.A. Spiral growth layers on sodium niobate crystals, 1=4020
- Gliki, N.V. and Timofeeva, V.A. Spiral growth layers on barium titanate crystals. II, 1=14973
- Glikman, L.A. See Bershtein, V.A., 4=1942
- Glinchuk, K.D. See Miselyuk, E.G., 2=23321
- Glinchuk, K.D. The nature of trapping centres in heat-treated silicon, 4=17495
- Glinchuk, K.D., Denisova, A.D. and Litovchenko, N.M. Recombination of carriers on zinc atoms in p-type silicon, 4=4170
- Glinchuk, K.D. and Litovchenko, N.M. Investigation of the recombination of charge carriers in germanium doped with some impurities. IV. Germanium doped with Te impurity, 4=1609
- Glinchuk, K.D. and Litovchenko, N.M. Recombination of carriers at zinc atoms in n-type silicon, 4=6986
- Glinchuk, K.D. and Litovchenko, N.M. Trapping of carriers in heat-treated silicon, 4=10065
- Glinchuk, K.D., Litovchenko, N.M. and Miselyuk, E.G. Capture and trapping of electrons by positively charged tellurium atoms in germanium, 4=1604
- Glinchuk, K.D. and Miselyuk, E.G. Cross-sections for the capture of electrons by negatively charged atoms of the deep impurity centres in germanium, 3=23017
- Glinchuk, K.D., Miselyuk, E.G. and Fortunatova, N.N. A study of silver and gold local levels in germanium, 0=6107
- Glinchuk, K.D., Miselyuk, E.G. and Skopenko, A.I. Measurement of short lifetimes of nonequilibrium charge carriers in germanium, 1=5013
- Glinchuk, K.D. See Lashkarev, V.E., 0=15863
- Glinchuk, M.D. Theory of local electron centres near the surface of a semiconductor film, 4=1577
- Glinchuk, M.D. and Deigen, M.F. Some characteristics of the electron-nuclear resonance of local electron centres near the surface of a non-metallic crystal, 3=18145
- Glinchuk, M.D. and Deigen, M.F. Theory of local electron centres close to the surface of a semiconductor, 4=1578
- Glinchuk, M.D. See Deigen, M.F., 4=9911
- Glinchuk, M.D. See Deigen, M.F., 4=12741
- Glinski, A.A. The propagation of ultrasonic waves in a compressed liquid, 3=18813
- Glinski, A.A. Temperature dependence of the velocity of ultrasound in compressed gases, 4=2729
- Globe, S. Comments on letter by J.N. Kapur and R.K. Jain, 0=19894
- Gobeli, G.W. See Mac Rae, A.U., 4=23555
- Globus, A. Use and calibrations of a "general-radio" admittance meter for the measurement of permeability and permittivity, 1=16487
- Globus, A. The grain structure and magnetic spectra of ferrites, 3=3122
- Globus, A. The influence of wall dimensions on initial permeability, 3=3123
- Globus, A. Experimental confirmation of the influence of wall dimensions on the initial permeability of nickel ferrite, 4=4386
- Glocker, R. Dose and dose measurement with ionizing radiation, 0=12727
- Glocker, R. The photographic blackening law for electron beams of various energies, 1=9498
- Glöckle, W. Lower excited states of the Na^{23} nucleus in the collective model, 4=15152
- Glöckle, W. and Emendörfer, D. Cross-sections for the excitation of Na^{23} nuclei up to 4 MeV on the Hauser-Feshbach theory, 4=25300
- Glockler, G. Estimated electron affinities of the light elements, 0=5846
- Glockler, G. Bond energies and bond distances of boron hydrides, 3=22556
- Glöde, P. See Sprenger, K., 4=17932
- Glodeanu, A. and Popescu, I. Impurity conduction in semiconductors at low temperatures, 3=20292
- Glodeanu, A. and Popescu, I. On the conduction of impurities in semiconductors at low temperatures, 3=22910
- Glodeanu, A. and Teodorescu, I. Influence of the substrate temperature on the magnetic and structural properties of evaporated Ni thin films, 0=21046
- Glodeanu, A. See Bally, D., 1=3886
- Glodeanu, A. See Teodorescu, I., 0=10338
- Glodeanu, A. See Teodorescu, I., 1=19822
- Glodyanu, A. and Chobanu, G. The calculation of space charge and distribution of potential in semiconducting wires, 2=6446
- Gloersen, P. Some unexpected results of shock-heating xenon, 1=169
- Gloersen, P. Answer to the comments by Walter Roth, 1=15939
- Gloersen, P. and Gorowitz, B. and Rowe, J.N. Some characteristics of a two-stage repetitively fired coaxial gun, 4=19068
- Gloersen, P. See Gorowitz, B., 0=3577
- Gloersen, P. See Gorowitz, B., 2=3056
- Gloersen, P. See Sutton, G.W., 1=19002
- Glogar, P. and Janovec, V. On the dependence of the coercive field of $BaTiO_3$ single crystals on their thickness, 3=20381
- Glogovsky, L. See Gill, S.J., 4=29631
- Glokova, E.S. 24-hour variation of the hard component of cosmic radiation at minimum of solar activity, 0=9464
- Glokova, E.S. Annual variations of cosmic-ray intensity and temperature corrections, 1=3336
- Glokova, E.S. and Inozemtseva, O.I. Certain experimental results in studies of cosmic-ray variations at high and middle latitudes, 1=3354
- Glokova, E.S. See Blokh, Ya.L., 1=3346
- Glonsdorff, P. and Prigogine, I. Generalised entropy production and hydrodynamic stability, 4=8135
- Glorig, A. See Nixon, J.C., 1=11659
- Glorig, A. See Ward, W.D., 0=3367
- Glorig, A. See Ward, W.D., 1=9225
- Glossop, A.B. and Pashley, D.W. The direct observation of anti-phase domain boundaries in ordered copper-gold (CuAu) alloy, 0=8278
- Glotov, V.P. Coherent scattering of plane of spherical waves in deep water layers containing discrete centres of non-uniformity, 2=11458
- Glotov, V.P. Coherent scattering of plane and of spherical waves in deep water layers containing discrete centres of non-uniformity, 2=17458
- Glotov, V.P. Coherent scattering of sound from clusters of discrete inhomogeneities in pulsed emission, 3=14272
- Glotov, V.P., Kolobaev, P.A. and Neumin, G.G. Investigation of the scattering of sound by bubbles generated by an artificial wind in sea water and the statistical distribution of bubble sizes, 2=15690
- Glotov, V.P. and Lysanov, Yu. P. The scattered field for a spherical source above a plane layer containing discrete inhomogeneities, 4=5297
- Glover, C.A. and Stanley, R.R. Construction of thermopiles from fine wire, 1=7080
- Glover, F., Steiger, W.R. and Warwick, J.W. Enhancement of cosmic noise at 18 megacycles per second following the starfish test, 4=4800
- Glover, F.A. and Goulden, J.D.S. Relationship between refractive index and concentration of solutions, 4=16110
- Glover, F.N. Recent magnetic observations in the Philippines, 3=25940
- Glover, K.M. and Atlas, D. On the back-scatter cross-sections of ice spheres, 4=8950

- Glover, K.M. See Atlas, D., 4=14895
- Glover, R.E. Effect of electron mean free path on the upper critical magnetic field of hard superconducting tin, 4=11486
- Glover, R.E., III. High-frequency behaviour of very thin superconducting films and changes in critical temperature produced by electrostatic charging, 2=2963
- Glover, R.E., III and Sherrill, M.D. Changes in superconducting critical temperature produced by electrostatic charging, 0=19559
- Glover, R.E., III and Sherrill, M.D. Effect of electrostatic charging on the normal-state conductivity and superconducting critical temperature of thin films, 3=15545
- Glover, R.E., III and Coffey, H.T. Critical currents in thin planar films, 4=21411
- Glover, R.N. Aluminium proportional counter for the measurement of low fast neutron flux, 0=17357
- Glover, R.N. Photofission in fission chambers, 0=17633
- Glover, R.N. and Purser, K.H. Protons and deuterons from Ni⁵⁸ bombarded by 14.8 MeV neutrons, 1=8748
- Glover, R.N., Purser, K.H. and Weigold, E. A counter telescope system for fast neutron studies, 2=3358
- Glover, R.N. and Weigold, E. Protons and deuterons from Al²⁷ bombarded by 14.8 MeV neutrons, 1=9868
- Glover, R.N. and Weigold, E. Some reaction cross sections for copper and nickel from 13.9 to 14.9 MeV neutron energy, 2=5936
- Glover, R.N. See Ophel, T.R., 2=16406
- Glover, R.N. See Watt, D.E., 2=5843
- Glover, R.N. See Weigold, E., 2=12205
- Glowacki, J. Quenching of photoluminescence of solutions by non-absorbing foreign molecules, 1=12886
- Glowacki, J. The influence of tartaric acid on the photoluminescence of dye solutions, 1=15891
- Glowacki, J. The influence of illumination on various ionic forms of fluorescein in water solution, 3=3809
- Glowacki, J. Note on the active sphere of luminescence quenching, 4=14172
- Glowacki, J. The dependence of the quenching of fluorescence of dyes on the position of the maxima of fluorescence and absorption, 4=22442
- Glowacki, J. Influence of some optical processes on population inversion in a three-level laser, 4=27678
- Glowacki, J. and Kamińska, U. Influence of neutral salts on the photoluminescence of various ionic forms of fluorescein, 3=7212
- Glowacki, J., Kowski, A. and Polacka, B. Further investigations into the emission anisotropy of photoluminescence of plexiglass luminophors, 0=2948
- Glower, D.D. and Heckman, R.C. Conduction—ionic or electronic—in BaTiO₃, 4=26118
- Glower, D.D. and Overton, L.J. Ferroelectric transition Fe_{1-x}Fe_x in Pb(Zr_{0.8}Ti_{0.2})O₃ containing 1 wt.% Nb₂O₅, 3=22998
- Glower, D.D. and Wallace, D.C. Thermal studies of Ca₂Ba_{1-x}TiO₃, 3=20122
- Glozman, I.A. See Bronnikova, E.G., 2=17946
- Gluck, G. See Blaise, J., 0=15667
- Gluck, G. See Rao, P.R., 4=12371
- Glukhov, Yu.A., Kurashov, A.A., Mel'nikov, G.P. and Sidorov, V.A. Use of the "STA" telegraph unit for retrieving information from a multichannel analyser, 3=14497
- Glukhovetskaya, N.P. See Ginzburg, V.L., 2=18400
- Glukhovetskaya, N.P. See Ginzburg, V.L., 3=19224
- Glücksman, S. Investigation of the dielectric properties of lead zirconate, 3=13118
- Gluckstern, R.L. Uncertainties in track momentum and direction, due to multiple scattering and measurement errors, 4=9027
- Gluckstern, R.L. See Breit, G., 1=2201
- Gluckstern, R.L. See Costa, G., 4=21936
- Gluckstern, R.L. See Greenberg, J.S., 0=20382
- Gluckstern, R.L. See Hubbard, E.L., 1=10/49
- Glueckauf, E. Heats and entropies of ions in aqueous solution, 4=16104
- Glueckauf, E. See Crabtree, J.M., 4=5141
- Glukhikh, I.I. See Ponomarev, V.N., 4=13778
- Glukhikh, V.A., Komar, E.G., Larionov, B.A., Malyshev, I.F., Monoszon, N.A., Stolov, A.M. and Strel'tsov, N.S. Constructional data and basic parameters of the "Alpha" apparatus, 1=9603
- Glukhikh, V.A., Zavarin, D.E., Komar, E.G., Larionov, B.A., Monoszon, N.A., Skotnikov, V.V. and Stolov, A.M. Investigation of the electric and magnetic characteristics of the discharge in the apparatus "alpha", 1=4617
- Glukhikh, V.A., Zavarin, D.E., Komar, E.G., Larionov, B.A., Monoszon, N.A., Skotnikov, V.V. and Stolov, A.M. Investigation of the electric and magnetic characteristics of the discharge in the apparatus "alpha", 1=9528
- Glukhikh, V.A. See Afrosimov, V.V., 1=9602
- Glukhovskii, B.M. See Osherovich, A.L., 4=580
- Glukhovskoi, B.M. and Leiteizen, L.G. Characteristics of photomultipliers with multialkali-metal photocathodes, 4=8814
- Glushko, P.I. See Ivanov, V.E., 4=13716
- Glushko, P.I. See Verkhorobin, L.F., 4=10638
- Glushkov, E.S. See Ponomarev-Stepnoi, N.N., 2=18377
- Glushkov, E.S. See Ponomarev-Stepnoi, N.N., 2=18378
- Glushneva, I.N. The law of interstellar absorption in the ultra-violet spectral region, 4=13909
- Glutsyuk, A.M. The reflection and refraction of an electromagnetic wave by a layer of field moving in a non-linear medium, 4=30049
- Glutsyuk, A.M. See Kontorovich, V.M., 2=72
- Glutsyuk, A.M. See Kontorovich, V.M., 3=208
- Gnaedinger, R.J., Jr., Flaschen, S.S., Hall, M.A. and Richez, E.J. Selection of germanium transistor parameters by control of moisture at low levels within the device encapsulation, 2=21175
- Gnatovits, V. See Brabets, V., 3=8050
- Gnedich, A.V., Kryukova, L.N. and Murav'eva, V.V. The relative γ -transition probabilities in strongly deformed nuclei, 0=13209
- Gnedich, A.V., Kriukova, L.N., Murav'eva, V.V. and Shumsburov, V.I. Investigation of electron focusing in a spiral-orbit spectrometer, 2=1512
- Gnedin, Yu.N. Electromagnetic transitions in deformed nuclei, 2=18295
- Gnedin, Yu.N. and Dolginov, A.Z. Theory of multiple scattering, 4=5070
- Gnedin, Yu.N. See Dolginov, A.Z., 4=19742
- Gneiting, C.R. Electronic determination of the I, G and I/G parameters of a tunnel diode, 1=13051
- Gnevyshev, M.N. The relationship between optical and radio-frequency emissions of the solar corona, 1=18087
- Gnevyshev, M.N. The corona and the 11-year cycle of solar activity, 4=2438
- Gniewek, J.J. Effects of electrical current and tensile stress on the domain structure in polycrystalline gain-oriented 3.25% silicon steel, 3=15801
- Gniewek, J.J. Effects of tensile stress on the domain structure in grain-oriented 3.25% silicon steel, 4=7256
- Gniewek, J.J. and Corruccini, R.J. Carbon resistance thermometry with mixed d.c. and r.f. currents, 0=19518
- Gniewek, J.J. See Corruccini, R.J., 1=910
- Gniewek, J.J. See Corruccini, R.J., 1=15010
- Go Tsi-di [Kuo Ch'i-Ti] and Ratner, B.S. An investigation of the Sn¹²⁰(γ , p) reaction, 1=17083
- Goad, W. Vibrational effects in molecular exciton motion along a polymer, 3=10561
- Goad, W. and Johnston, R. A Monte Carlo method for criticality problems, 0=13325
- Gobat, A.R., Lamorte, M.F. and McIver, G.W. Characteristics of high-conversion-efficiency gallium-arsenide solar cells, 2=11603
- Gobbi, A., Ruh, A., Gobbi, B. and Pixley, R.E. Gamma transitions in O¹⁸, 4=22014
- Gobbi, A. See Busch, G., 2=16711
- Gobbi, B. and Pixley, R.E. (p' - γ) angular correlation measurements in Fe⁵⁶, 2=5902
- Gobbi, B. and Pixley, R.E. (p' , γ) angular correlation measurements, 2=20614
- Gobbi, B., Pixley, R.E. and Sheldon, E. p' - γ -angular correlation in Cr⁵²(p , p' γ) and Fe⁵⁶(p , p' γ) at 5.8 MeV, 4=9492
- Gobbi, B. See Gobbi, A., 4=22014
- Gobbi, B. See Pixley, R.E., 2=20501
- Gobbi, B. See Szostak, R., 4=17125
- Gobeli, G.W. and Allen, F.G. Surface measurements on freshly cleaved silicon p-n junctions, 1=1362
- Gobeli, G.W. and Allen, F.G. Direct and indirect excitation processes in photoelectric emission from silicon, 2=17871
- Gobeli, G.W., Allen, F.G. and Kane, E.O. Polarization evidence for momentum conservation in photoelectric emission from germanium and silicon, 4=14748
- Gobeli, G.W. and Fan, H.V. Infrared absorption and valence band in indium antimonide, 0=13684
- Gobeli, G.W. See Allen, F.G., 2=17872
- Gobeli, G.W. See Allen, F.G., 3=9833

- Gobeli, G.W. See Allen, F.G., 3=11844
 Gobeli, G.W. See Allen, F.G., 4=14747
 Gobeli, G.W. See Becker, G.E., 3=18397
 Gobeli, G.W. See Spitzer, W.G., 4=7155
 Gobell, G.W. See Lander, J.J., 3=23383
 Gobert, G. Bearings for high speed rotors, 1=15771
 Gobert, G. Application of gas bearings to gyroscopes, 2=11317
 Gobert, G. and Jacrot, B. A mechanical selector for slow neutrons, 0=20156
 Gobert, G. See Jacrot, B., 0=9379
 Gobert, J. Electromagnetic sweeping of Fabry-Perot rings, 0=16875
 Gobert, J. Fundamental inequality in the theory of elasticity, 2=13285
 Gobillon, Y. and Van Meerssche, M. Determination of the space group of uranium minerals, 3=11271
 Gobin, P. See Lindveit, T., 4=28913
 Gobov, G.V. Spectroscopy of frozen crystalline solutions of diphenylpolyenes and polyphenyls. II., 4=10205
 Gobov, G.V., Kalimbet, A.Z., Fedotov, A.P. and Sheremet'ev, G.D. Polarization of the quasilinear luminescence spectra of perylene in the electric field at 77°K, 3=18043
 Gobrecht, A. and Tausend, A. Optical properties and band model of selenium, 1=2439
 Gobrecht, H. and Bartschat, A. The refractive index of cadmium sulphide, 0=642
 Gobrecht, H. and Bartschat, A. The effect of the activator and the storage of radiant energy on the piezoelectric and elastic behaviour of CdS single crystals, 0=1715
 Gobrecht, H., Boeters, K.E. and Pantzer, G. Crystal structure and electric properties of the bismuth selenides Bi₂Se₃ and Bi₂Se₃, 4=7609
 Gobrecht, H., Franke, K.H., Niemeck, F. and Boeters, K.E. Alternating current apparatus for measurement of the Hall effect and of the electrical conductivity of high resistance semiconducting layers, 2=9492
 Gobrecht, H., Gerhardt, U., Peinemann, B. and Tausend, A. Electrical and optical properties of mercury selenide (HgSe), 1=17752
 Gobrecht, H. and Gumlich, H.E. On the enhancement and quenching of the luminescence of manganese-activated zinc sulphides by electric fields, 0=2970
 Gobrecht, H. and Gumlich, H.E. The influence of the excitation wavelength on electrophotoluminescence, 0=8027
 Gobrecht, H., Gumlich, H.E., Nelkowski, H. and Lacmann, K. Enhancement of X-ray luminescence by electric fields and infrared radiation, 2=14736
 Gobrecht, H., Gumlich, H.E. and zum Bruch, J. The effect of temperature on field intensification and field quenching of cathodeluminescence, 1=7728
 Gobrecht, H., Gumlich, H.E. and zum Bruch, J. Influence of temperature on electrocathodeluminescence, 2=23611
 Gobrecht, H. and Hamisch, H. Ultrasonic absorption in polycrystalline selenium, 0=5095
 Gobrecht, H., Kuhnies, R. and Tausend, A. Investigation of the semiconductor-electrolyte phase boundary surface in the system selenium/sulphuric acid, 0=2901
 Gobrecht, H. and Meinhardt, O. Impedance of semiconductor-electrolyte interfaces. I. Capacity and conductance of germanium and silicon electrodes, 3=18444
 Gobrecht, H. and Meinhardt, O. Impedance of semiconductor-electrolyte interfaces. II. Frequency dependence of the impedance of germanium electrodes, 3=18445
 Gobrecht, H. and Meinhardt, O. Capacity measurements on the Ge-H₂SO₄ boundary, 4=30904
 Gobrecht, H., Meinhardt, O. and Lerche, M. Potential dependence of the recombination rate at germanium surfaces, 3=20304
 Gobrecht, H., Meinhardt, O. and Reinicke, B. Impedance of semiconductor-electrolyte interfaces. III. Effect of surface states on the electrical behaviour of germanium and silicon electrodes, 3=21001
 Gobrecht, H., Meinhardt, O. and Schulz, L. Behaviour of semiconductor electrodes with two electrolyte contacts, 3=18446
 Gobrecht, H., Nelkowski, H. and Albrecht, P. The crystal structure of the zinc sulphides, 2=6810
 Gobrecht, H., Nelkowski, H. and Hofmann, D. Studies of cathodeluminescence. II, 0=1762
 Gobrecht, H., Niemeck, F. and Boeters, K.E. On the preparation of evaporated lead selenide layers of high mechanical and electrical stability, 1=2547
 Gobrecht, H., Niemeck, F. and Boeters, K.E. The electrical conductivity of evaporated lead selenide films, 1=8951
 Gobrecht, H., Reiter, H.J. and Tausend, A. Contact potential measurements on layers of pure and chlorine-doped selenium, 2=8374
 Gobrecht, H., Tausend, A. and Bach, I. Faraday effect in selenium amorphous films, 2=4122
 Gobrecht, H., Tausend, A. and Clauss, G. Electrode arrangement for measurement of the Hall effect in high-ohmic semiconductors, 4=1583
 Gobrecht, H., Tausend, A. and Hertel, J. Faraday effect in reflection at selenium single crystals, 4=13055
 Gobrecht, H., Tausend, A. and Picht, W. The diffusion length of charge carriers in selenium single crystals, 2=23406
 Gobrecht, H., Tausend, A. and Pittmecke, M. Electrical conductivity and grain size in microcrystalline selenium, 3=22951
 Gobrecht, H., Tausend, A. and Schmidt, H. The electrical behaviour of grain boundaries in selenium, 2=23407
 Gobrecht, H., Tausend, A. and Siemsen, K. Influence of different metals on the electrical conductivity of chlorine-doped selenium, 4=4165
 Gobrecht, R. The aperture defects of electrostatic immersion lenses with accelerating and retarding characteristics, 2=9632
 Gocan, S. Study of the semiconductor properties of the oxide system CuO-CoO, 4=12890
 Gocht, R. See Anderson, G., 4=8346
 Goda, S. See Fujiwara, I., 4=9453
 Goda, S. See Iwata, S., 3=22341
 Godart, J. A study, with experimental tests, of a hot-cathode gas-filled diode for h.f. interruption, 0=12601
 Godart, J. and Baravian, G. Influence of the nature of the gas on the deionization time of a gas tube; case of a direct voltage, 3=4024
 Godart, J. See Laporte, M., 3=7490
 Godart, M. Identities satisfied by a Lagrangian, 1=8037
 Godart, M. Spherically symmetric solutions of Einstein equations of unified field theory, 2=2622
 Godart, O. The exchange coefficient in atmosphere diffusion, 2=6908
 Godart, O. The statistics of wind, 2=6911
 Godart, O. Modification of the Adelpic integral method and its application to Störmer's problem, 4=26833
 Godbole, E.W. See Kebarle, P., 2=2999
 Godbole, E.W. See Kebarle, P., 4=2943
 Goddard, B.R., Watkinson, A. and Mills, B.Y. An interferometer for the measurement of radio source sizes, 1=8022
 Goddard, E.D. See van Zeggeren, F., 0=2163
 Goddard, J. Stability of the e.m.f. of cells under continuous low-drain conditions, 2=12969
 Goddard, J. and Baravian, G. Influence of voltage on the deionization time of a T.R. tube, 2=13548
 Goddard, J., Harker, H.J. and Wilman, H. A theory of the abrasion of solids such as metals, 0=3164
 Goddard, J., Harker, H.J. and Wilman, H. The surface reorientation caused by unidirectional abrasion on the face-centred cubic metals, 2=21453
 Goddard, J. and Wright, J.G. The effect of solution pH and applied magnetic field on the electrodeposition of thin single-crystal films of cobalt, 4=23664
 Goddard, J. See Avient, B.W.E., 1=1353
 Goddard, K.F. See Wright, P., 0=16342
 Göddecke, H. and Bittel, H. Thermal relaxation in current-bearing wires and its dependence on the surrounding medium 2=14398
 Godeau, A. See Teyssier, J.L., 3=12372
 Godeau, A. See Teyssier, J., 4=6149
 Godeau, A. See Teyssier, J.L., 3=4296
 Gode, F. Transformations of the Schrödinger equation with discrete energy spectrum, 3=5358
 Godefroy, G. Ionic conductivity of dielectrics, 0=10013
 Godefroy, G. Potential distribution in irradiated barium titanate ceramics, 4=25982
 Godefroy, L. and Tavernier, J. Magnetoelectric and thermomagneto-electric effects in semiconductors. I, 1=8932
 Godefroy, L. and Tavernier, J. Magnetoelectric and thermomagneto-electric effects in semiconductors. II, 1=17645
 Godefroy, L. See Tavernier, J., 1=17646
 Godefroy, L.R. Field effect in semiconductors, 0=20890
 Godefroy, L.R. and Aigrain, P. Electronic processes in the melting of semiconductors, 3=10609
 Godefroy, L.R. and Tavernier, J. Calculation of magnetoelectric and thermomagneto electric effects, 3=6565

- Godel, A.M. See Ghielmetti, H.S., 4=23791
- Godfredsen, E.A. Residual velocities in galaxy clusters, 4=17986
- Godfredsen, E.A. See Davis, R.J., 2=4712
- Godik, E.E. and Ormont, B.F. The use of the diffuse reflection spectra in determination of the forbidden energy gap of powder samples, 1=12363
- Godin, M.C. Simple bridge for the direct measurement of temperature differences, 1=11855
- Godin, M.C. A modified thermistor thermometer, 3=24091
- Godin, Yu.G. See Emelyanov, V.S., 0=6384
- Godiver, R. See Eschenbrenner, S., 1=1582
- Godl, B. Computer program for pitch extraction, 2=21755
- Godlove, T.F. Nanosecond triggering of air gaps with intense ultraviolet light, 1=11918
- Godlove, T.F. and DePackh, D.C. Adiabatic collapse of a relativistic electron beam, 0=19737
- Godnev, I.N. and Aleksandrovskaya, A.M. Use of $\nu = f(Z_{\text{eff}})$ curves in the study of vibrational spectra of tetrahedral molecules and ions of X (Hal), type, 1=14001
- Godnev, I.N. and Orlova, I.V. The relationship between the kinetic coefficient matrix and the reciprocal matrices of kinetic energy in the problem of molecular vibrations, 0=1498
- Godnev, I.N. See Aleksandrovskaya, A.M., 1=2320
- Godnev, I.N. See Rigina, I.V., 0=15691
- Godnev, I.N. See Ushanova, N.I., 0=1496
- Godoli, G. Areas and positions of calcium flocculi during 1959 according to observations made with the solar tower [spectroheliograph] at Arcetri, 1=2616
- Godoli, G. New reduction of the observations of prominences made at the astrophysical observatory of Arcetri during the cycles 17, 18, 19, 1=18097
- Godoli, G. Areas and positions of calcium plages in 1961 according to observations made at the Arcetri Solar Tower, 2=7002
- Godoli, G. The character figures of Ca bright flocculi and H α bright and dark flocculi for the year 1960, 2=11122
- Godoli, G. Visibility of solar prominences at the limb, 4=13938
- Godoli, G. The positions of the solar magnetic poles, 4=20917
- Godoli, G. and Allen, C.W. The indices of solar activity, 4=26945
- Godoli, G. and Macris, C. On nomenclature for some solar phenomena, 4=7985
- Godoli, G. and Santoro, M. Voigt functions in the description, correction and interpretation of Fraunhofer line profiles, 0=16547
- Godridge, A.M., Badzioch, S. and Hawksley, P.G.W. A particle size classifier for preparing graded sub-sieve fractions, 3=8980
- Godson, W.L. The representation and analysis of vertical distributions of ozone, 2=21624
- Godt, K.J. New half-life determination of the tungsten isotope W^{181} using fallout and laboratory samples, 2=7940
- Godunov, S.K. Estimation of discrepancies occurring during approximations of simpler equations of aerodynamics, 4=14199
- Godunov, S.K. and Semenyayev, K.A. [Finite] difference methods for numerical solution of problems in gas dynamics, 4=18225
- Godunov, S.K., Zabrodin, A.V. and Prokopov, G.P. A finite difference system for two-dimensional nonstationary problems in aerodynamics and calculation of flow round bodies in relation to shock waves, 4=14255
- Godunov, S.K. See Adamskaya, I.A., 4=22260
- Goe, G.B. See Calvert, W., 3=16246
- Goedbloed, W. See Blok, L., 3=654
- Goebel, C. Dynamical model for an octet containing the π - ω resonance, 4=16955
- Goebel, C. Comments on higher resonance models, 4=30189
- Goebel, C.J. and Sakita, B. Discussion of a suggested bound on coupling constants, 4=3308
- Goebel, C.J. and Schnitzer, H.J. Pion production and the second pion-nucleon resonance, 1=10905
- Goebel, C.J. See Sakita, B., 2=20435
- Goebel, K., Harting, D., Kluyver, J.C., Kusumegi, A. and Schultes, H. The $C^{13}(p, pn)^{11}C$ and $A^{127}(p, 3pn)Na^{24}$ cross-sections at 591 MeV, 1=8732
- Goebel, K. and Schmidlin, P. Tritium measurements on stone meteorites, 0=6581
- Goebel, K., Schmidlin, P. and Zähringer, J. The tritium-helium and the potassium-argon age of the "Ramsdorf" meteorite, 0=4885
- Goebel, K. and Zähringer, J. Production of tritium and inert gas isotopes by irradiating Fe and Cu with 25 GeV protons, 1=7376
- Goebel, K. See Brix, P., 2=14230
- Goebel, K. See Quitmann, D., 4=15310
- Goebel, K. See St. Charalambos, 4=12177
- Goede, O. and Gutsche, E. Studies on the polarization of the exciton annihilation radiation in CdS single crystals, 4=28723
- Goede, O. See Böer, K.W., 4=1597
- Goedecke, G.H. Classically radiationless motions and possible implications for quantum theory, 4=21630
- Goedecke, G.H. and Brown, E. Variational principle for potential scattering, 2=9799
- Goedecke, G.H. See Brown, E., 0=7904
- Goede noed, S.H., Van der Giessen, A., De Klerk, D. and Gorter, C.J. Magnetisation curves in a superconductor of the second kind, 3=11066
- Goedemoed, S.H., Van Kolmeschate, C., De Klerk, D. and Gorter, C.J. Magnetic and caloric effects in a hard superconductor, 4=27423
- Goedemoed, S.H. See Du Chatenier, F.J., 4=8566
- Goedertier, P.V. See Gerritsen, H.J., 4=11824
- Goedertier, R.E. Rotation spectra, quadrupole coupling and structure of vinyl bromide, 4=6638
- Goedkoop, H., Hzn. See Van Wijk, W.R., 1=1509
- Goedkoop, J.A. and Riste, T. Neutron diffraction study of anti-ferromagnetic spin waves in α -ferric oxide, 0=8065
- Goedkoop, J.A. See Braun, P.B., 3=25737
- Göel, J.J. See Martinet, B., 3=11174
- Goel, N.S. and Singh, R.P. Lattice vibrations in cadmium sulphide, 4=3975
- Goel, N.S. See Singh, R.P., 0=16532
- Goel, P.S. and Kohman, T.P. Cosmogenic carbon-14 meteorites and terrestrial ages of "finds" and craters, 2=17118
- Goeppert-Mayer, M. See Lawson, R.D., 0=4025
- Goering, H.L. See Miller, J.F., 0=12079
- Goertzel, G. The method of discrete ordinates, 0=12957
- Goertzel, G. and Greuling, E. An approximate method for treating neutron slowing down, 1=13437
- Goertzel, G. See Sternglass, A.J., 2=3646
- Goertzel, G. See Waldinger, H., 4=19884
- Goethals, R. See Ducasse, M., 3=7224
- Goettelman, R. See Doran, D.G., 3=15618
- Goetz, A. and Preining, O. Contribution to the study of atmospheric aerosols, 2=4568
- Goetz, A. and Preining, O. Determination of the size distribution of an aerosol by means of the Goetz aerosol-spectrometer, 2=6897
- Goetz, G.W. and Taylor, A. Direct viewing of Debye-Scherrer patterns with transmission secondary electron multipliers, 4=10512
- Goetz, H. and Breittfelder, E. The oscillatory behaviour of an ultrasonic quartz crystal, 2=7274
- Goetzberger, A. Uniform avalanche effect in silicon three-layer diodes, 1=2418
- Goetzberger, A. Impurity-induced pipes through diffused layers in silicon, 2=18603
- Goetzberger, A. Investigation of crystal imperfections by means of avalanche breakdown patterns of very thin diffused junctions in silicon, 2=23145
- Goetzberger, A. and Finch, R.H. Lowering the breakdown voltage of silicon p-n junctions by stress, 4=22742
- Goetzberger, A. and Finch, R.H. Influence of mechanical damage on avalanche breakdown in silicon pn junctions, 4=22744
- Goetzberger, A., McDonald, B., Haitz, R.H. and Scarlett, R.M. Avalanche effects in silicon p-n junctions. II. Structurally perfect junctions, 3=15600
- Goetzberger, A. and Shockley, W. Metal precipitates in silicon p-n junctions, 0=18032
- Goetzberger, A. and Stephens, C. Voltage dependence of micro-plasma density in p-n junctions in silicon, 2=2183
- Goetzberger, A. and Stephens, C. Cross sections and ohmic resistance of diffusion pipes in silicon, 2=18604
- Goetzberger, A. See Amadei, L., 4=26059
- Goetzberger, A. See Haitz, R.H., 3=15599
- Goetzberger, A. See Haitz, R.H., 4=6998
- Goetzberger, A. See McDonald, B., 2=8384
- Goetzberger, A. See Queisser, H.J., 3=20351
- Goetze, G. Decay scheme and β -spectrum of $MsThI$ (Ra^{228}), 0=7511
- Goetze, G. See Wachtel, M.M., 0=10757
- Goetze, G.W., Boerio, A.H. and Green, M. Field-enhanced secondary electron emission from films of low density, 4=11702
- Goetze, G. and Kanter, H. A high gain image intensifier system with fast shutter action for application in high energy physics, 2=2903

- Goetze, G.W. and Taylor, A. Direct viewing and rapid photographic recording of X-ray diffraction patterns, 2=8810
- Goetze, G.W. See Sternglass, E.J., 2=18008
- Goffaux, R. Electrical properties of powders of electroluminescent ZnS, 0=13722
- Goffaux, R. Electron emission from p-n junctions, 1=7089
- Goffaux, R. Luminance waves in electroluminescent cells, 2=12634
- Goffaux, R. Traps in silicon carbide grains, 2=14563
- Goffe, W.L. and Givens, M.P. Reflectance of vitreous and metallic selenium in the vacuum ultraviolet, 3=15651
- Goffin, J., Baffier, N. and Huber, M. A test of the application of anomalous dispersion of X-rays to the study of the distribution of ions in compounds with the spinel structure, 1=15093
- Gofman, B. See Kukurs, O., 2=19498
- Gofman, I.I., Protopopov, O.D. and Shuppe, G.N. Investigation of the electrostatic emission of electrons from a tungsten emitter in the impulse regime, 0=15048
- Gofman, I.I. Investigation of the electrostatic emission of electrons from tungsten in a wide range of current densities, 3=14620
- Gofman, Iu. V., Nemets, O.F. and Tokarevskii, V.V. The spectra of neutrons scattered by oxygen antimony and chromium, 2=5924
- Gofman, Yu. V., Dobrikov, V.N., Zaika, N.I., Mokhnach, A.V. and Nemets, O.F. Measurement of asymmetry in the $N^{14}(d, p) N^{15}$ reaction on elastically scattered deuterons, 4=6369
- Gofman, Yu. V., Dobrikov, V.N., Zaika, N.I. and Nemets, O.F. Use of an ionization chamber for particle selection by measuring $E(dE/dx)$, 3=7744
- Gofman, Yu. V. and Nemets, O.F. Elastic scattering of 13.6 MeV deuterons. I, 1=17159
- Gofman, Yu. V. and Nemets, O.F. Elastic scattering of 13.6 MeV deuterons by nuclei. II, 1=17140
- Gofman, Yu. V. and Nemets, O.F. Elastic scattering of deuterons. III, 2=14132
- Gofman, Yu. V. and Nemets, O.F. Inelastic scattering of deuterons on Si, Ti and Fe nuclei, 2=14134
- Gofman, Yu. V. and Nemets, O.F. Elastic scattering of deuterons. III, 3=6284
- Gofman, Yu. V. and Nemets, O.F. Inelastic scattering of deuterons on Si, Ti and Fe nuclei, 3=6285
- Gofman, Yu. V., Nemets, O.F. and Stryuk, Yu.S. Inelastic scattering of 13.6 MeV deuterons on nickel isotopes, 2=14127
- Gofman, Yu. V., Nemets, O.F. and Stryuk, Yu.S. Inelastic scattering of 13.6 MeV deuterons on nickel isotopes, 3=6283
- Gofren, M.V. See Berkovich, S.L., 0=3633
- Gogadze, G. A., Itskovich, F. I. and Kulik, I. O. Quantum oscillations of the cold emission current from metals in a magnetic field, 4=16517
- Gogadze, G. A. See Kulik, I. O., 3=22908
- Gogarty, W. B. See Bailey, H. R., 2=19547
- Gogarty, W. B. See Christiansen, E. B., 1=10664
- Gogate, D. V. and Desai, H. S. Heat transfer by forced convection, 0=8826
- Gogate, D. V. and Desai, H. S. Heat transfer and Reynolds number, 0=19475
- Gogate, D. V. See Bhand, S. C., 3=24074
- Gogate, D. V. See Edkie, R. G., 2=5199
- Gogate, D. V. See Rao, R. D., 1=13007
- Gogel, W. C. The visual perception of size and distance, 3=18681
- Gogel, W. C. Visual perception of spatial extent, 4=15994
- Goggin, P. R. Some effects of electron irradiation on the Young's modulus of graphite, 4=4467
- Goggin, P. R., Henson, R. W., Perks, A. J. and Reynolds, W. N. Dimensional changes in the irradiated graphite lattice, 4=20760
- Goggin, P. R. and Reynolds, W. N. The annealing of thermal conductivity changes in electron-irradiated graphite, 3=10615
- Goggin, P. R. See Reynolds, W. N., 0=20854
- Gogichaishvili, Sh. M. See Kucheryaev, A. G., 0=9516
- Gogitidze, O. N. See Anikina, M., 4=3477
- Gogos, C. M. See Smith, P. W. Jr., 1=18501
- Gogosov, V. V. The movement of a piston in a conducting fluid medium, 1=3046
- Gogosov, V. V. Interaction of rotating discontinuities, 2=3143
- Gogosov, V. V. Interaction of rotating discontinuities, 2=9695
- Gogosov, V. V. Disruption of a non-progressive magnetohydrodynamic shock wave, 2=11777
- Gogosov, V. V. Disruption of a non-progressive magnetohydrodynamic shock wave, 2=13666
- Gogosov, V. V. Resolution of an arbitrary discontinuity in magnetohydrodynamics, 2=16000
- Gogosov, V. V. Interactions of magnetohydrodynamic waves, 2=17943
- Gogosov, V. V. Interaction of magnetohydrodynamic waves with contact and vortex discontinuities, 2=20117
- Gogosov, V. V. The resolution of an arbitrary discontinuity in magnetohydrodynamics, 3=2110
- Gogosov, V. V. See Barmin, A. A., 1=356
- Goh, T. See Hakura, Y., 0=14222
- Goh, T. See Hakura, Y., 2=17224
- Goh, T. See Nagata, T., 1=20912
- Gohar, R. and Cameron, A. Optical measurement of oil film thickness under elasto-hydrodynamic lubrication, 4=16086
- Gohle, R. See Schubert, K., 1=5099
- Gohmann, E. J., Jr. See Schwartz, M., 2=9357
- Göhre, H. See Mayer, H., 2=17698
- Göhre, H. See Mayer, H., 4=2510
- Göhre, H. See Mayer, H., 4=2511
- Goihl, K. H. See Aderholz, M., 4=21914
- Goihl, K. H. See Aderholz, M., 4=21919
- Goillot, C. See Costa de Beauregard, O., 3=19599
- Goillot, C. See Costa de Beauregard, O., 4=3365
- Goin, R. W. See Lewis, W. B., 0=20530
- Goin, R. W. See McMurphy, H. L., 0=13368
- Göing, H. Elastic and inelastic scattering of negative K-mesons by free protons at 90 MeV, 0=15436
- Göing, H. Inelastic proton scattering on complex nuclei at 27 GeV, 3=15187
- Göing, H. Elastic scattering of protons by lead nuclei at 19.2 GeV/c, 4=9499
- Goishi, W. See Bonner, N. A., 2=16341
- Gökdoğan, N., Hotinli, M. and Pecker, J. C. Departures from equilibrium and abundances in the stellar and solar photospheres. VII. Departures from L.T.E. in the case of iron, 3=5253
- Gökdoğan, N. and Pecker, J. C. A viewpoint on the theory of growth curves, 4=4836
- Gökdoğan, N. See Balli, E., 1=18082
- Gokhale, B. G. and Nigam, A. N. Quadrupole and forbidden lines in L-emission spectrum of osmium 76. II. α and β regions, 2=12294
- Gokhale, B. G. and Nigam, A. N. Quadrupole and forbidden lines in the L-emission spectrum of tantalum-73, 3=12766
- Gokhale, B. G., Nigam, A. N. and Srivastava, K. S. Quadrupole and forbidden lines in the L-emission spectrum of bismuth 83, 0=20584
- Gokhale, B. G. and Srivastava, K. S. Quadrupole and forbidden lines in L-emission spectrum of osmium 76. I. β and γ regions, 2=12293
- Gokhale, B. G. and Srivastava, K. S. Quadrupole and forbidden transitions in the L spectra of some heavy elements: tungsten, rhenium and lead, 3=4712
- Gokhale, B. G. and Srivastava, K. S. Quadrupole and forbidden lines in the L-emission spectrum of rhenium-75, 3=15293
- Gokhale, B. V. See Strandberg, M. W. P., 0=22
- Gokhale, G. S. See Balasubrahmanyam, V. K., 2=20448
- Gokhale, N. R. Evaporation of freely suspended and charged water droplets, 4=2891
- Gokhale, N. R. and Gatha, K. M. A new dew-point hygrometer, 0=14184
- Gokhberg, B. M., Kikoin, I. K., Knyazyatov, A. S., Mal'tsev, V. V. and Otroshchenko, G. A. Use of a tritium ion beam for the determination of the density of a deuterium plasma, 4=2990
- Gokhberg, B. M., Otroshchenko, G. A. and Shigin, V. A. Effective cross-sections and anisotropy of the fission of Np^{237} and Th^{230} , 0=1452
- Gokhberg, B. M., Otroshchenko, G. A. and Shigin, V. A. Effective cross-section for fission of Th^{232} , 0=4132
- Gokhberg, B. M. See Gorlov, G. V., 1=17171
- Gokhberg, M. B. A method for processing records of fluctuations of the earth's natural electromagnetic field with a view to deep sounding, 4=4823
- Gokhfel'd, I. See Meiman, N., 2=20379
- Gokhfel'd, I. See Meiman, N., 3=7874
- Goland, A. N. Radiation-enhanced helium precipitation in copper, 1=6544
- Goland, A. N. Neutron irradiation of Gray tin, 1=7607
- Goland, A. N. Comparison of electron-microscope observations in neutron-irradiated copper and gold, 3=8939
- Goland, A. N. Theoretical interpretation of electron microscopic observations of radiation damage, 3=17800

- Goland, A. N. and Paskin, A. Model for fission-fragment damage in thin polycrystalline metal films, 4=22639
- Goland, A. N. See Dugan, F. A., 2=16459
- Goland, A. N. See Gibson, J. B., 0=20856
- Goland, A. N. See Kelsch, J. J., 2=10426
- Goland, A. N. See Kelsch, J. J., 3=13015
- Goland, A. N. See Kelsch, J. J., 3=17802
- Golant, V. E. The connection between the characteristics of very high-frequency and constant currents in a gas, 0=3765
- Golant, V. E. Coefficient of ionization and mobility of electrons in argon, 0=8992
- Golant, V. E. Development of the impulse s.h.f. discharge in inert gases, 0=15029
- Golant, V. E. Development of the pulse discharge in neon at super-high frequencies, 0=16982
- Golant, V. E. Diffusion of charged particles across a magnetic field in a three-component plasma, 0=17016
- Golant, V. E. Diffusion of charged particles across a magnetic field in a three-component plasma, 1=4604
- Golant, V. E. Very high frequency methods for investigation of plasma, 1=3558
- Golant, V. E. Diffusion of charged particles in a plasma in a magnetic field (field dependent collisions), 3=21790
- Golant, V. E. Effect of like-particle collisions on plasma diffusion across a strong magnetic field, 3=24286
- Golant, V. E. Diffusion of charged particles in a plasma in a magnetic field, 4=8693
- Golant, V. E., Danilov, O. B. and Zhilinskii, A. P. Plasma decay in a toroidal magnetic field, 4=18813
- Golant, V. E. and Grinberg, G. A. Solution of the nonlinear equation for plasma decay in a magnetic field, 4=21496
- Golant, V. E., Krivosheev, M. V. and Privalov, V. E. The investigation of a discharge with a heated cathode in a magnetic field, 4=24608
- Golant, V. E., Orlov, N. I. and Pakhomov, L. P. Production of a dense plasma in a discharge with a thermionic cathode in a magnetic field, 2=7605
- Golant, V. E. and Zhilinskii, A. P. Propagation of electromagnetic waves through a waveguide filled with plasma, 0=12703
- Golant, V. E. and Zhilinskii, A. P. Experimental investigation of the diffusion break-up of a plasma in a magnetic field, 0=17015
- Golant, V. E. and Zhilinskii, A. P. Experimental investigation of the diffusion break-up of a plasma in a magnetic field, 1=4603
- Golant, V. E. and Zhilinskii, A. P. Experimental investigation of diffusion decay of a plasma in a magnetic field, II, 2=22220
- Golant, V. E. and Zhilinskii, A. P. Investigation of diffusion decay of a plasma in a magnetic field, III, 3=14575
- Golant, V. E. and Zhilinskii, A. P. An investigation of plasma decay in a toroidal magnetic field, 4=11600.
- Golant, V. E., Zhilinskii, A. P. and Krivosheev, M. V. Propagation of centimetric waves in waveguides filled with plasmas from the positive column of a discharge, II, 1=9688
- Golant, V. E., Zhilinskii, A. P. and Krivosheev, M. V. Propagation of centimetric waves in waveguides filled with plasma from the positive column of a discharge, II, 1=12020
- Golant, V. E., Zhilinskii, A. P., Krivosheev, M. V. and Nekrutkina, G. P. Propagation of centimetric waves in waveguides filled with plasma from the positive column of a discharge, I, 1=9687
- Golant, V. E., Zhilinskii, A. P., Krivosheev, M. V. and Nekrutkina, G. P. Propagation of centimetric waves in waveguides filled with plasma from the positive column of a discharge, I, 1=12019
- Golant, V. E. See Afrosimov, V. V., 1=9602
- Golant, V. E. See Anisimov, A. I., 1=293
- Golant, V. E. See Anisimov, A. I., 3=14591
- Golant, V. E. See Anisimov, A. I., 4=18899
- Golant, V. E. See Anisimov, A. I., 4=14644
- Golant, V. E. See Anisimov, A. I., 4=21495
- Golant, V. E. See Anisimov, A. I., 4=11599
- Golant, V. E. See Anoshkin, V. A., 1=4616
- Golant, V. E. See Ganichev, A. A., 4=14643
- Golashvili, T. V. The effect of the resonance absorber on the absorption of decelerated neutrons by a nucleus with a smoothly varying absorption cross-section, 2=14108
- Golashvili, T. V. and Kisil', I. M. Screening effect of U^{235} resonances on the resonance absorption of U^{235} , 4=1122
- Golay, M. Three-colour photometry of the black body, 0=8513
- Golay, M. Effects of filter pass-bandwidths on the relations between different photometric systems, 0=8763
- Golay, M. Note on the effect of band-pass width in the determination of the atmospheric extinction coefficient, 2=6969
- Golay, M. Effects of the band-width of filters. Special case of the graphs $A_V/E_V = F(E_V)$ and $E_U/E_V = f(E_V)$, 3=18585
- Golay, M. An attempt at a two-dimensional stellar classification using a wide-band photometer, 4=13889
- Golay, M. J. E. Velocity of light and measurement of inter-planetary distances, 0=6574
- Golay, M. J. E. Note on the possibility of a parabolic Fabry-Perot interferometer, 2=7384
- Golay, M. J. E. Comment on coherence, 2=20136
- Golay, M. J. E. See Savitzky, A., 4=24012
- Gold, A. Quantum Chemistry Summer Institute, 1=5959
- Gold, A. Model for the electronic structure of the K and L bands in alkali halides, 1=14597
- Gold, A. Impurity states in solid neon, 1=19747
- Gold, A. Calculation of excitation energies in "tightly bound" solids, 2=2065
- Gold, A. Construction of orthogonalized LCAO wave functions for the F center from endor data, 2=2104
- Gold, A. and Knox, R. S. Line shape of ultraviolet absorption in crystalline rare gases, 2=16826
- Gold, A. See Celli, V., 2=14538
- Gold, A. See Keil, T. H., 4=30548
- Gold, A. V. The density of states in lead, 0=20772
- Gold, A. V., MacDonald, D. K. C., Pearson, W. B. and Templeton, I. M. The thermoelectric power of pure copper, 0=20945
- Gold, A. V. and Pearson, W. B. Phonon drag in lead, 1=6070
- Gold, A. V. and Priestley, M. G. The Fermi surface in white tin, 0=20765
- Gold, A. V. See Anderson, J. R., 3=18060
- Gold, B. Note on hiss-detection, 4=29714
- Gold, B. and Rader, C. Bandpass compressor: a new type of speech-compression device, 4=26986
- Gold, B. and Tierney, J. Pitch-induced spectral distortion in channel vocoders, 3=16444
- Gold, E. M. Error in Hall cell angle measurement due to magnet edge effects, 3=14715
- Gold, L. Asymptotic contribution to non-linear theory of plasma oscillations, 0=3770
- Gold, L. Terminal zone cropping and ultimate zone purification, 0=8168
- Gold, L. The concept of complex relaxation time in reactor dynamics, 1=769
- Gold, L. Static and dynamic elastic constants, 1=1291
- Gold, L. Inverse solution of the Thomas-Fermi equation, 1=13914
- Gold, L. Hot electron behavior at high pressures, 1=14409
- Gold, L. Hot electron nonequilibrium carrier distribution in a many valley semiconductor, 1=14444
- Gold, L. Cross modulation line profiles in cyclotron resonance experiments, 1=19756
- Gold, L. On the Faraday effect in many-valley semiconductors, 1=19959
- Gold, L. Relativistic non-linear theory of plasma oscillations, 2=19996
- Gold, L. Observation of photovoltaic oscillations in semiconductors, 2=21187
- Gold, L. Contribution of an oriented magnetic field to the electrical breakdown of a many-valley semiconductor, 2=23276
- Gold, L. Generalised lattice point theory in hyperspace and the redetermination of the n-dimensional spherical volume, 3=3761
- Gold, L. Natural resonances of magnet-ionic plasmas, 3=4170
- Gold, L. Plasma oscillations with amplitude-dependent frequencies, 3=12212
- Gold, L. The electric field contribution to impurity distribution in the crystal growth process, 3=18245
- Gold, L. On the stability of a plasma diode, 4=443
- Gold, L. Characteristic equation for describing the stability of a magneto-ionic plasma, 4=3007
- Gold, L. Deduction of Kohlrausch's law from a jump-model of electrolytic conduction, 4=7765
- Gold, L. Higher order analysis of non-linear plasma oscillations, 4=8746
- Gold, L. Current-voltage relation in an equilibrium space charge (in the drift dominated region), 4=8841
- Gold, L. An empiricism for establishing the transition temperatures of superconducting alloys and compounds, 4=11470
- Gold, L. On the feasibility of Nb_3Sn super conductive solenoids, 4=11747
- Gold, L. Anomalous low-temperature properties of metals: behaviour of the electronic specific heat, 4=12640
- Gold, L. Stability of a magneto-plasma, 4=21535

- Gold, L. Intrinsic regimes of plasma instability and the onset of electrostatic oscillations, 4=21539
- Gold, L. Wave-mechanical approach to relativistic thermodynamics, 4=24082
- Gold, L. On the wave mechanics of gases, 4=24089
- Gold, L. On the plasma sheath, 4=24674
- Gold, L. Stability diagrams for the plasma diode, 4=27463
- Gold, L. and Johnson, V. Purification factor characterization of zone refining, 1=1381
- Gold, L. and Moffat, J. W. Nature of strong radio emission from quasi-stellar objects, 4=20954
- Gold, L. See Gatland, I. R., 4=28580
- Gold, L. P. See Lide, D. R., Jr., 4=12459
- Gold, L. P. See Wharton, L., 0=20691
- Gold, L. P. See Wharton, L., 3=4752
- Gold, L. P. See Wharton, L., 3=10510
- Gold, L. P. See Wharton, L., 4=9360
- Gold, L. W. The cracking activity in ice during creep, 0=16237
- Gold, L. W. Crack formation in ice plates by thermal shock, 4=1947
- Gold, R. and Wong, C. Disintegration of the deuteron in a Coulomb field, 4=6141
- Gold, R. D. See Hilibrand, J., 0=15972
- Gold, R. E. See Fraser, M. J., 2=4399
- Gold, R. R. Analysis of electromagnetic wave propagation through magnetoactive plasmas, 4=14658
- Gold, T. Magnetic field in the solar system, 0=3410
- Gold, T. Motions in the magnetosphere of the earth, 0=10405
- Gold, T. Plasma and magnetic fields in the solar system, 0=10487
- Gold, T. Space research in relation to the moon and the nearer planets, 0=10490
- Gold, T. Abundance of lithium and origin of the solar system, 0=16537
- Gold, T. The arrow of time, 2=13241
- Gold, T. The propagation of solar particles to the earth, 2=13918
- Gold, T. Interchange and rotation of the earth field lines, 2=15210
- Gold, T. The problem of the abundance of the hydrogen molecule, 2=17234
- Gold, T. Emission from the sun, and transmission of radiation through the interplanetary space, 2=17276
- Gold, T. Problems requiring solution, 4=7973
- Gold, T. and Doyle, F. On the origin of solar flares, 0=18763
- Gold, T. and Hoyle, F. Cosmic rays and radio waves as manifestations of a hot universe, 2=2523
- Gold, T. See Gould, R. J., 3=25974
- Goldak, G. R. and Parr, J. G. A high-temperature X-ray-diffractometer study of the zinc-aluminum system in the region
- Goldan, P. D. and Goldstein, L. Collisional processes in helium plasmas at cryogenic temperatures, 4=14638
- Gol'danskii, R. I., Gorodinskii, G. M., Korytko, L. A., Krizhanskii, L. M., Makarov, E. F., Suzdalev, I. P. and Kharapov, V. V. Investigation of the Mössbauer effect in tin compounds, 4=28331
- Gol'danskii, V. I. Tunnel transitions between systems described by the Morse potential curves, 0=1503
- Gol'danskii, V. I. γ -p reactions with formation of nuclei in the ground state, 0=15589
- Gol'danskii, V. I. Concerning very-heavy isotopes of hydrogen and helium, 0=15670
- Goldanskii, V. I. Limits of stability and proton and two-proton radioactivity of neutron-deficient isotopes of light nuclei, 1=2180
- Gol'danskii, V. I. Emission of retarded protons in positron decay of nuclei with neutron shortage, 3=6197
- Gol'danskii, V. I. The occurrence of He^3 casts doubts on the stability of H^3 , H^4 and tetraneutron, 4=19611
- Goldanskii, V. I. Concerning the production of delayed proton emitters in reactions between complex nuclei, 4=28066
- Gol'danskii, V. I. Applications of the Mössbauer effect in chemistry, 4=28159
- Gol'danskii, V. I. and Egorov, E. V. Comparison of the effects of electron irradiation on the optical activation of racemates and of optical antipodes, 3=10920
- Gol'danskii, V. I., Gorodinskii, G. M., Karyagin, S. V., Korytko, L. A., Krizhanskii, L. M., Makarov, E. F., Suzdalev, I. P. and Kharapov, V. V. Investigation of the Mössbauer effect in tin compounds, 3=8340
- Gol'danskii, V. I., Ivanova, A. V. and Prokop'ev, E. P. Annihilation of positrons in alkali metal hydrides, 4=28436
- Goldanskii, V. I. and Kagan, Yu. M. On the thermochemical action of ionizing radiation, 2=4559
- Gol'danskii, V. I., Karpukhin, O. A., Kutsenko, A. V. and Pavlovskaya, V. V. The elastic γ -p scattering at 40-70 MeV and the polarizability of the proton, 1=4786
- Gol'danskii, V. I., Karpukhin, O. A. and Pavlovskaya, V. V. Determination of energy dependence of efficiency of registration of high-energy gamma-rays, 4=16852
- Gol'danskii, V. I., Karpukhin, O. A. and Petrov, G. G. Observation of positronium reactions in aqueous solutions, 1=492
- Gol'danskii, V. I., Karyagin, S. V., Makarov, E. F. and Kharapov, V. V. A possible explanation for the difference between the two peaks in quadrupole splitting of Mössbauer spectra, 4=25812
- Gol'danskii, V. I. and Kharapov, V. V. Comparison of the effect of electron irradiation on the optical activity of racemates and optical antipodes, 3=2996
- Gol'danskii, V. I. and Kharapov, V. V. A method of nuclear spot-welding and some of its uses, 3=13977
- Goldanskii, V. I., Makarov, E. F. and Kharapov, V. V. On the difference of two peaks of quadrupole splitting in Mössbauer spectra, 3=10570
- Gol'danskii, V. I., Makarov, E. F. and Kharapov, V. V. On the difference between two peaks in quadrupole splitting of Mössbauer spectra, 4=3968
- Gol'danskii, V. I., Makarov, E. F., Stukan, R. A., Sumarokova, T. N., Trukhtanov, V. A. and Kharapov, V. V. Characteristics of the Mössbauer effect for tin compounds with coordination number six, 4=25821
- Goldanskii, V. I. and Maksimenko, V. M. The hypothesis of a neutral ρ^0 -meson in the light of data on antiproton annihilation, 1=3227
- Gol'danskii, V. I. and Peker, L. K. On some problems of isomerism of atomic nuclei, 2=7928
- Gol'danskii, V. I. and Podgoretskii, M. I. A possible method of identifying new transuranic elements, 0=11332
- Gol'danskii, V. I., Rochev, V. Ya. and Kharapov, V. V. The Mössbauer effect in organic compounds of divalent tin, 4=25717
- Gol'danskii, V. I. and Smorodinskii, Ya. A. Singularities of the S-matrix and the ρ^0 meson, 0=13002
- Gol'danskii, V. I., Solonenko, T. A. and Shantarovich, V. P. The absorption of the positron and the inhibition of its formation in water and organic solutions, 3=24707
- Gol'danskiĭ, V. I. See Ablov, A. V., 4=9742
- Gol'danskii, V. I. See Barkalov, I. M., 3=6925
- Gol'danskii, V. I. See Baz', A. I., 1=11084
- Gol'danskii, V. I. See Bryukhanov, V. A., 2=10930
- Gol'danskii, V. I. See Bryukhanov, V. A., 3=744
- Gol'danskii, V. I. See Bryukhanov, V. A., 3=6877
- Gol'danskii, V. I. See Vasil'kov, R. G., 0=9420
- Gol'danskii, V. I. See Vasil'kov, R. G., 0=13044
- Gol'danskii, V. I. Two-proton radioactivity. (The new mode of spontaneous transmutation of elements.), 3=10281
- Goldanskii, W. I. See Baldwin, A. M., 4=12193
- Goldanskii, V. I. On neutron-deficient isotopes of light nuclei and the phenomena of proton and two-proton radioactivity, 1=590
- Goldanskii, V. I. Two-proton radioactivity, 1=19380
- Goldanskii, V. I., Karpukhin, O. A., Kutsenko, A. V. and Pavlovskaya, V. V. Elastic γ -p scattering at 40 to 70 MeV and polarizability of the proton, 0=20137
- Goldanskii, V. I. and Kazarnovsky, M. V. Intrashell-interaction levels and their excitation by multicharged ions, 0=5666
- Goldbach, G. Construction of an apparatus for the measurement of the decay time of scintillators, 3=10005
- Goldbaum, G. C. and White, J. F. Effects of vehicle cost on design and sizing of multi-stage rockets, 2=4875
- Goldberg, A. Flux at sea level of heavy charge particles pair-produced in cosmic ray showers, 0=7437
- Goldberg, A. Magnetic dispersion corrections to elastic electron scattering, 1=13775
- Goldberg, A. See Bjorken, J. D., 0=15283
- Goldberg, A. See Krueger, D. A., 4=27911
- Goldberg, C. Space charge regions in semiconductors, 4=28547
- Goldberg, E. See Kerlee, D. D., 2=18362
- Goldberg, E. See Reynolds, H. L., 0=17612
- Goldberg, E. D. See Lal, D., 0=430
- Goldberg, E. D. See Rama, 1=17006
- Goldberg, G. A. A method for the investigation of sound diffusiveness in rooms, 4=14307
- Goldberg, H. On the multiplicity of an irreducible representation in a direct product of irreducible representation of $\text{SU}(3)$, 3=7095
- Goldberg, H. On π^\pm p and pp elastic scattering, 4=16947
- Goldberg, H. and Lehrner-Ilamed, Y. Derivation of the Gell-Mann-Okubo mass formula, 3=14874

- Goldberg, H. and Lomon, E. L. Pion-nucleon scattering in the boundary-condition model. I. Inelastic effects on S-waves, 3=19685
- Goldberg, H. and Lomon, E. L. Pion-nucleon scattering in the boundary condition model. II. The second resonance, 4=16945
- Goldberg, H. and Ne'eman, Y. Baryon charge and R-inversion in the octet model, 3=7785
- Goldberg, H. and Ne'eman, Y. Baryonium annihilation into meson + vector meson, 3=14883
- Goldberg, H., Nussinov, S. and Yekutieli, G. On the $\bar{p}p \rightarrow \bar{B}B$ reaction at 3 GeV/c, 3=17280
- Goldberg, H. See Dothan, Y., 3=583
- Goldberg, H. See Herzfeld, C. M., 1=4963
- Goldberg, H. See Lomon, E. L., 4=25134
- Goldberg, H. See Ne'eman, Y., 3=4445
- Goldberg, H. S. See Conzett, H. E., 4=25097
- Goldberg, I. and Landovitz, L. F. Strong interactions and a model for hyperons, 0=17420
- Goldberg, I. and Landovitz, L. F. Existence of a stable neutral meson, 2=5697
- Goldberg, I. See Frank, W. M., 0=7418
- Goldberg, J. Velocity modulation and related high frequency deflection errors of the traveling wave deflection system, 1=3008
- Goldberg, J. E., Bogdanoff, J. L. and Marcus, L. On the calculation of the axisymmetric modes and frequencies of conical shells, 0=12444
- Goldberg, J. L. The frequency spectrum of the photoelectric signal from an oscillating interference fringe pattern, 4=2847
- Goldberg, J. N. Asymptotic invariants in gravitational radiation fields, 3=18706
- Goldberg, J. N. and Kerr, R. P. Some applications of the infinitesimal-holonomy group to the Petrov classification of Einstein spaces, 1=6764
- Goldberg, J. N. and Kerr, R. P. Asymptotic properties of the electromagnetic field, 4=11759
- Goldberg, J. N. and Sachs, R. K. A theorem on Petrov types, 3=3713
- Goldberg, J. N. See Havas, P., 3=37
- Goldberg, J. N. See Kerr, R. P., 1=6765
- Goldberg, L. On the empirical determination of line-absorption coefficients, 0=14
- Goldberg, L. Astronomy from satellites and space vehicles, 0=10533
- Goldberg, L. Solar experiments, 0=14434
- Goldberg, L. Project West Ford — properties and analyses. Introduction, 1=6724
- Goldberg, L. Solar experiments—U.S. plans, 2=13122
- Goldberg, L. The abundance of He³ in the sun, 3=7032
- Goldberg, L. Solar spectroscopy, 4=13928
- Goldberg, L. The origin of the emission reversals in the Fraunhofer H- and K-lines, 4=29389
- Goldberg, L., Kopp, R. A. and Dupree, A. K. The abundance of iron in the solar photosphere, 4=29445
- Goldberg, L., Mohler, O. C., Unno, W. and Brown, J. The measurement of the local Doppler shift of Fraunhofer lines, 0=14431
- Goldberg, L. P. See Ellis, R. A., 0=11475
- Goldberg, L. P. See Ellis, R. A., Jr., 0=17001
- Goldberg, L. P. See Grove, D. J., 3=12190
- Goldberg, L. P. See Meservey, E. B., 1=16348
- Goldberg, M. Relative intensities of X-rays of the L spectrum of heavy elements excited by electronic bombardment, 2=6588
- Goldberg, M. Measurement of relative intensities of X-rays of the L spectrum of heavy elements excited by electron bombardment, 3=8178
- Goldberg, M., Gundzik, M., Lichtman, S., Leitner, J., Primer, M., Connolly, P. L., Hart, E. L., Lal, K. W., London, G., Samios, N. P. and Yamamoto, S. S. Existence of a new meson of mass 960 MeV, 4=21909
- Goldberg, M. See Becker, W., 4=9271
- Goldberg, M. See Bertanza, L., 2=22652
- Goldberg, M. See Bertanza, L., 3=7935
- Goldberg, M. See Bruyant, F., 4=21915
- Goldberg, M. See Connolly, P. L., 3=17330
- Goldberg, M. D., Anderson, J. D., Stoering, J. P. and Wong, C. Angular distributions of T(p,n)He³ neutrons for 3.4 to 12.4 MeV protons, 1=8520
- Goldberg, M. D. and Le Blanc, J. M. Angular distributions of the D(d,n)He³ reaction for 5- to 12-MeV deuterons, 0=17428
- Goldberg, M. D. and Le Blanc, J. M. Angular yield of neutrons from the T(d,n)He⁴ reaction for 6 to 11.5 MeV deuterons, 1=7251
- Goldberg, M. D. See Ashby, V. J., 3=8112
- Goldberg, M. D. See Catron, H. C., 1=11023
- Goldberg, N. and McCann, W. Internal magnetoelastic coupling constant of nickel ferrite, 4=13246
- Goldberg, N. and Pollack, S. R. Oscillatory tunneling current through thin-film insulating barriers in a magnetic field, 4=7025
- Goldberg, N. See Deutch, B. I., 0=5713
- Goldberg, N. See Haas, C. W., 4=7308
- Goldberg, N. See Kriessman, C. J., 4=20734
- Goldberg, N. See Matcovich, T., 1=6400
- Goldberg, N. See Matcovich, T. J., 2=12801
- Goldberg, P. The action of nickel and cobalt in electro-luminescent zinc sulfide phosphors, 0=2965
- Goldberg, P. Etch pits in electroluminescent zinc sulfide crystallites, 1=12615
- Goldberg, P. Stabilization of free radicals and reactive molecules in cavities of the water clathrate lattice, 4=9784
- Goldberg, P. and Faria, S. On the physical characteristics and chemical composition of electroluminescent phosphors, 0=11790
- Goldberg, P. and Nickerson, J. W. D.C. electroluminescence in thin films of ZnS, 3=15720
- Goldberg, P. See Halpin, A. T., 2=8591
- Goldberg, P. See Nickerson, J., 4=10445
- Goldberg, P. See Nickerson, J., 4=20813
- Goldberg, P. A. Effects of cosmic radiation on the extremely low-frequency properties of the mesosphere, 3=11414
- Goldberg, R. A. and Schmerling, E. R. The distribution of electrons near the magnetic equator, 3=9094
- Goldberg, R. A. and Schmerling, E. R. The effect of diffusion on the equilibrium electron density distribution in the F-region near the magnetic equator, 3=18541
- Goldberg, S. See Fabricand, B. P., 1=8143
- Goldberg, S. S. See Fabricand, B. P., 4=18217
- Gol'dberg, V. Z. See Artemov, K. P., 4=3698
- Gol'dberg, Z. A. Interaction of plane longitudinal and transverse elastic waves, 1=4398
- Gol'dberg, Z. A. Finite amplitude waves in magnetohydrodynamics, 2=7724
- Gol'dberg, Z. A. Finite amplitude waves in magnetohydrodynamics, 3=5828
- Gol'dberg, Z. A. and Naugol'nykh, K. A. The Rayleigh sound pressure, 4=272
- Goldberg, Z. A. and Naugolnich, K. A. On the radiation pressure of standing waves, 4=14268
- Goldberger, M. L. Capture, beta decay, and pi-meson decay, 0=341
- Goldberger, M. L., Grisaru, M. T., MacDowell, S. W. and Wong, D. Y. Theory of low-energy nucleon-nucleon scattering, 1=495
- Goldberger, M. L. and Oehme, R. Application of dispersion relations to nucleon-nucleon scattering: the two-pion contribution, 0=15293
- Goldberger, M. L. See Albright, C. H., 1=16680
- Goldberger, M. L. See Bargmann, V., 3=3700
- Goldberger, M. L. See Blankenbecler, R., 0=12849
- Goldberger, M. L. See Blankenbecler, R., 1=10855
- Goldberger, M. L. See Blankenbecler, R., 2=11891
- Goldberger, M. L. See Blankenbecler, R., 3=5987
- Goldberger, M. L. See Froissart, M., 3=23767
- Goldberger, M. L. See Gell-Mann, M., 3=7. 09
- Goldberger, M. L. See Gell-Mann, M., 3=14862
- Goldberger, M. L. See Gell-Mann, M., 4=9147
- Goldberger, M. L. See Gell-Mann, M., 4=19371
- Goldberger, M. L., Lewis, H. W. and Watson, K. M. Use of intensity correlations to determine the phase of a scattering amplitude, 4=5999
- Goldberger, M. L. and Watson, K. M. Concerning the notion of "time interval" in S-matrix theory, 2=19436
- Goldberger, M. L. and Watson, K. M. Measurement of time correlations for quantum-mechanical systems, 4=18069
- Goldberger, M. L. See Blankenbecler, R., 2=20286
- Goldberger, M. L. See Frieman, E. A., 2=5358
- Goldberger, M. L. See Gell-Mann, M., 2=22447
- Goldberger, M. L. See Gell-Mann, M., 4=9146
- Goldberger, M. L. See Gell-Mann, M., 4=9147
- Goldblatt, M. The density of liquid T₂O, 4=8177
- Goldblatt, S. See Bomke, H. A., 0=8369
- Goldburg, W. I. Nuclear magnetic resonance saturation in NaCl and CaF₂, 1=7801

- Goldburg, W.I. Static spin temperature experiments and the approach to thermal equilibrium in the rotating reference frame, 3=3188
- Goldburg, W.I. and Lee, M. Nuclear magnetic resonance line narrowing by a rotating r.f. field, 4=4419
- Golde, H. Kinematic electron bunching by sinusoidal travelling and standing waves in short extended interaction regions, 2=5380
- Goldemberg, J. and Barber, W.C. Excitation of the giant resonance in C^{12} and O^{16} by inelastic electron scattering, 4=19672
- Goldemberg, J., Barber, W.C., Lewis, F.H., Jr and Walecka, J.D. Form factors for strong M1 transitions in light nuclei, 4=19760
- Goldemberg, J., Hamburger, E.W. and Szily, A. The photodeuteron yield from Cu^{63} , 4=6325
- Goldemberg, J. and Hanson, A.O. Photon monochromators, 4=21820
- Goldemberg, J., Pine, J. and Yount, D. Scattering of 300 MeV positrons from cobalt and bismuth, 4=1067
- Goldemberg, J. and Schaerf, C. Measurement of the deuteron magnetic form factor at low momentum transfer, 4=19601
- Goldemberg, J. and Torizuka, Y. Magnetic elastic scattering of electrons by light nuclei, 3=4626
- Goldemberg, J. and Torizuka, Y. Upper limit of the electric dipole moment of the electron, 3=10092
- Goldemberg, J., Torizuka, Y., Barber, W.C. and Walecka, J.D. Excitation of the electric dipole giant resonance by inelastic electron scattering, 3=15181
- Goldemberg, J. See Barber, W.C., 3=10332
- Goldemberg, J. See de Carvalho, H.G., 1=8801
- Goldemberg, J. See Daniels, J.M., 2=12179
- Goldemberg, J. See Lerner, E., 3=5976
- Goldemberg, J. See Lewis, F.H., Jr., 3=19769
- Goldemberg, J. See Moscati, G., 2=12233
- Goldemberg, J. See Nascimento, I.C., 1=4857
- Goldemberg, J. See O'Connell, J., 0=1432
- Goldemberg, J. See Tagliabue, F., 1=5889
- Golden, D.E. and Fisher, L.H. Anomalies in ionization coefficients and in uniform field breakdown in argon for low values of E/p , 1=11909
- Golden, D.E. and Fisher, L.H. Ionization coefficients and uniform field breakdown in argon for low values of E/p , 3=4011
- Golden, D.E. See Lessin, I., 1=18811
- Golden, D.M. and Crawford, B., Jr. Absolute Raman intensities. I. Method for molecules in the gas phase, 2=8097
- Golden, D.M., Greco, F.P., Del and Kaufman, F. Experimental oscillator strength of OH , $^2\Sigma^+ \rightarrow ^2\Pi$, by a chemical method, 4=6580
- Golden, J. and Rowe, G.W. Pick-up of copper and duralumin on bonded tungsten carbide, 0=6322
- Golden, J. and Rowe, G.W. Wear of the hard and soft phases in cobalt-bonded tungsten carbide, 0=18285
- Golden, K.E. and Smith, T.M. Simulation of a thin plasma sheath by a plane of wires, 4=16491
- Golden, K.I., Sen, H.K. and Tréve, Y.M. The structure of a magnetic shock wave in a plasma, 3=7529
- Golden, R.L. See Stern, D., 4=25174
- Golden, R.M. Digital computer simulation of a sampled-data voice-excited vocoder, 3=25999
- Golden, R.M. See Macmillan, R.S., 0=2003
- Golden, S. On a quantum mechanical theory of absolute reaction rates, 0=12093
- Golden, S. Statistical theory of electronic energies, 0=17831
- Golden, S. and Chernin, J.G. Statistical theory of the hydrogen molecule-ion, 4=12451
- Golden, S. and Handler, G.S. Continuous representations in the statistical theory of electronic energies, 4=1173
- Golden, S. and Longuet-Higgins, H.C. On temporal evolution of isolated dynamical systems, 0=18975
- Golden, S.A. Approximate spectral absorption coefficients for pure rotational transitions in diatomic molecules, 2=20791
- Goldensbaum, G. and Hintz, E. Pressurized trigatrons with a 10 kv-50 kv low jitter operating range, 4=18757
- Gol'denberg, A.A. and Selisskii, Y.P. Processes of ordering and the activation energy of the recrystallization of iron-cobalt alloys, 4=1993
- Gol'denberg, A.A. and Selisski, Ya. P. Recrystallization parameters and ordering effect in alloys on the system Fe-Co, 4=26598
- Gol'denberg, A.L. See Chulanovskii, V.M., 4=4697
- Goldenberg, H. Transient temperature rise due to a line source in a semi-infinite medium, with a radiation boundary condition at the interface, 0=5197
- Goldenberg, H. Approximate solution of a non-linear differential equation giving the temperature distribution in the positive column of a static arc, 0=7098
- Goldenberg, E.M., Kleppner, D. and Ramsey, N.F. Atomic hydrogen maser, 0=19921
- Goldenberg, H.M., Kleppner, D. and Ramsey, N.F. Atomic beam resonance experiments with stored beams, 1=11082
- Goldenberg, H.M. See Kleppner, D., 2=6102
- Goldenberg, H.M. See Kleppner, D., 2=11785
- Goldenberg, J. See Moscati, G., 2=1694
- Goldenberg, J. See Wataghin, A., 1=7307
- Gol'denfel'd, I.V. and Korostýshevskii, I.Z. Device for calibrating the sensitivities of the ion current measurement channels of dual-beam mass spectrometers, 3=2053
- Gol'der, G.A. and Chetkina, L.A. X-ray diffraction measurements of some substituted anthraquinones, 3=23462
- Goldfarb, A.M. On the education of physicists in three foreign countries, 0=3430
- Goldfarb, A.M. On the education of physicists in Austria and Israel, 1=4229
- Goldfarb, E.M. and Heard, H.G. Full-voltage range spark-gap crowbar, 1=4574
- Goldfarb, J., Johnson, G.A., Lagos, A. and Sepulveda, L. A model for the study of colloid properties, 3=3417
- Goldfarb, L.J.B. Polarization effects in nuclear reactions, 2=1858
- Goldfarb, L.J.B. Direct reactions at 0° and 180° , 4=28006
- Goldfarb, L.J.B. and Bromley, D.A. Polarized targets as direct reaction mechanism probes, 2=20582
- Goldfarb, L.J.B. and Bromley, D.A. Target polarization effects in nuclear reactions, 3=8062
- Goldfarb, L.J.B. and Hooper, M.B. The nuclear stripping process under conditions of strong absorption, 3=17492
- Goldfarb, L.J.B. and Johnson, R.C. Angular distributions and polarization in stripping processes and in direct reactions, 0=20420
- Goldfarb, L.J.B. and Johnson, R.C. Selection rules and correlations for polarization in stripping and direct processes, 1=4853
- Goldfarb, L.J.B. and Johnson, R.C. Angular distributions and polarization in direct reactions, 1=8674
- Goldfarb, L.J.B. and Johnson, R.C. Correlations between incoming and outgoing polarization in direct reactions, 1=19431
- Goldfarb, L.J.B. See Buttle, P.J.A., 4=19814
- Goldfarb, L.J.B. See Rook, J.R., 1=16914
- Goldfarb, T.D. Infrared spectrum and structure of germyl cyanide, 2=20833
- Goldfarb, T.D. P-R maxima separations in unresolved parallel bands of symmetric- and slightly asymmetric-top molecules, 4=6529
- Goldfarb, T.D. and Pimentel, G.C. Chemiluminescence of ethylene formed probably from methylene in an inert matrix, 0=13723
- Gol'dfarb, B.M. and Il'ina, E.V. Determination of the mean time spent by the atoms, and of the diffusion coefficient in the plasma of the arc discharge, 2=7585
- Gol'dfarb, V.M. See Il'ina, E.V., 4=486
- Goldfein, S. Theory for mechanical-chemical equation of state. Parameters for creep and rupture stresses in metals and plastics, 3=8761
- Goldfinger, P. See Chiltz, G., 3=11356
- Goldfinger, P. See Colin, R., 4=16301
- Goldfinger, P. See Johnston, H.S., 2=19159
- Goldfinger, P. See Verghaegen, G., 3=740
- Goldfischer, L.I. Comment on "theoretical interpretation of Moiré patterns", 4=24387
- Goldhaber, A.S. Use of radiative π decay to limit the neutrino mass, 3=12440
- Goldhaber, A.S. Tests of the one-pion-exchange model, 4=16935
- Goldhaber, A.S. New criteria for exchange of a spin-zero meson, 4=24999
- Goldhaber, A.S. See Adler, S.L., 3=17269
- Goldhaber, G., Brown, J.L., Goldhaber, S., Kadyk, J.A., Shen, B.C. and Trilling, G.H. Evidence for a π - π interaction produced in the $\pi^+\pi^-$ reaction at 3.65 BeV/c, 4=19555
- Goldhaber, G., Chinowsky, W., Goldhaber, S., Lee, W. and O'Halloran, T. Meson exchange in the reaction $K^+ + p \rightarrow K^+ + N^*$, 3=24791
- Goldhaber, G., Goldhaber, S., Lee, W. and Pais, A. Influence of Bose-Einstein statistics on the antiproton-proton annihilation process, 0=17339

- Goldhaber, G., Goldhaber, S. and Peters, B. Separation of high-energy particles by means of strong interactions, 1=12083
- Goldhaber, G. and Lee, W. PI-PI correlation in P-P annihilation, 1=16791
- Goldhaber, G. See Chinowsky, W., 3=4457
- Goldhaber, G. See Goldhaber, S., 1=4797
- Goldhaber, G. See Slater, W., 2=3403
- Goldhaber, G. See Stenger, V. J., 4=19589
- Goldhaber, M. See Feinberg, G., 0=5518
- Goldhaber, M. See Schwarzschild, A., 4=9444
- Goldhaber, M. See Sunyar, A. W., 0=20392
- Goldhaber, S., Chinowsky, W., Goldhaber, G., Lee, W., O'Halloran, T., Stubbs, T. F., Pjerrou, G. M., Stork, D. H. and Ticho, H. K. K⁻p interaction from 140 to 642 MeV/c, 2=22635
- Goldhaber, S., Goldhaber, G., Powell, W. M. and Silberberg, R. Antiproton annihilations in propane, 1=4797
- Goldhaber, S. See Chinowsky, W., 3=4457
- Goldhaber, S. See Goldhaber, G., 1=12083
- Goldhaber, S. See Goldhaber, G., 3=24791
- Goldhaber, S. See Slater, W., 2=3403
- Goldhaber, S., See Stenger, V. J., 4=19589
- Goldhaber, S. See Stubbs, T. F., 1=16896
- Goldhammer, P. Theoretical calculation of the binding energy of O¹⁶, 0=4016
- Goldhammer, P. Spin-orbit splitting in nuclei due to tensor interaction, 1=7320
- Goldhammer, P. A note on circular gravitational orbits, 1=15612
- Goldhammer, P. Doublet splitting in the 1 p shell due to tensor interaction, 2=3475
- Goldhammer, P. The structure of light nuclei, 3=15072
- Goldhammer, P. and Vaulk, H. S. Photodisintegration of helium, 2=18195
- Goldhammer, P. See Yoon Suk Koh, 4=19411
- Goldheim, D. L. See Westwood, A. R. C., 2=8229
- Goldheim, D. L. See Westwood, A. R. C., 2=12886
- Goldheim, D. L. See Westwood, A. R. C., 4=4556
- Goldiamond, I. and Malpass, L. F. Locus of hypnotically induced changes in color vision responses, 1=15381
- Goldie, C. E. See Rose, P. E., 0=19830
- Gol'din, L. L. Calculation of the particle loss due to scattering on gas in considering the adiabatic beam contraction, 4=16570
- Gol'din, L. L., Novikova, G. I., Pirogova, N. I. and Tret'yakov, E. F. Alpha decay of Th²²⁹. Interaction of nuclear levels, 0=13187
- Gol'din, L. L. and Stadnikov, A. G. Spacing of magnet units along the accelerator ring, 4=14830
- Gol'din, L. L. See Barmin, V. V., 4=14835
- Gol'din, L. L. See Borisov, V. S., 4=14832
- Gol'din, L. L. See Kulakov, F. M., 4=14823
- Gol'din, L. L. See Myasishcheva, G. G., 0=7616
- Gol'din, L. L. See Novikova, G. I., 0=11338
- Gol'din, L. L. See Radkevich, I. A., 4=14836
- Gol'din, L. L. See Sokolovskii, V. V., 4=14838
- Gol'din, L. L. See Talyzin, A. N., 4=14827
- Gol'din, L. L. See Tret'yakov, E. F., 0=11372
- Gol'din, L. L. See Tret'yakov, E. F., 3=8056
- Gol'din, L. L. See Tret'yakov, E. F., 4=9176
- Gol'din, L. L. See Veselov, M. A., 4=14833
- Gol'din, L. L. See Vladimirovskii, V. V., 2=20081
- Gol'din, L. L. See Vladimirovskii, V. V., 3=12275
- Gol'din, L. L. See Vladimirovskii, V. V., 4=14794
- Gol'din, L. L. See Vladimirovskii, V. V., 4=14840
- Gol'din, V. A. See Trinkler, E. I., 3=11095
- Golding, B. See Harding, R. H., 0=6939
- Golding, R. D., Dungan, R. H. and Ohnysty, B. Spontaneous polarization of some (Na, K)NbO₃ ceramics, 3=892
- Golding, R. D. See Dungan, R. H., 4=20421
- Golding, R. M. Ultraviolet absorption spectra of the molecules H₂O, HDO and D₂O, 0=15736
- Golding, R. M. Ultraviolet and structural studies of polythionates, 1=2331
- Golding, R. M. Ultra-violet absorption spectrum of water, 1=6025
- Golding, R. M. An e.s.r. study of a diluted single crystal of potassium vanadyl oxalate, 3=1189
- Golding, R. M. and Carrington, A. The electronic structure and spectra of octacyanide complexes, 3=725
- Golding, R. M. and Hinchman, M. E. S. R. study of NO₂ and NO₃ in irradiated lead nitrate, 4=17682
- Goldis, K. I. See Churilovskii, V. N., 4=24345
- Goldish, E. See Caron, A., 4=10561
- Goldish, E. See Donohue, J., 1=20531
- Goldman, A., Goldman, M. and Reinhardt, J. Initiation mechanism control in a spark gap, 4=18761
- Goldman, A., Goldman, M., Reinhart, J. and Hartmann, G. Mechanism of the controlled initiation of a discharger, 4=8633
- Goldman, A. and Post, G. I. Mercury process for MnBi production, 0=3269
- Goldman, A. See Buchet, G., 2=19928
- Goldman, A. See Goldman, M., 2=3016
- Goldman, A. See Buchet, G., 3=4052
- Goldman, A. See Goldman, M., 3=19222
- Goldman, A. See Goldman, M., 4=18771
- Goldman, A. See Hartmann, G., 4=18695
- Goldman, A. See Hartmann, M. G., 4=2954
- Goldman, A. See Oppenheim, U. P., 4=10178
- Gol'dman, A. G. A new electroluminescence effect in black carborundum, 1=3870
- Gol'dman, A. G. An oscillographic study of a new type of electro-luminescence of black carborundum (type III emission), 2=23619
- Gol'dman, A. G. An oscillographic study of a new type of electroluminescence of black carborundum (type III emission), 3=3071
- Gol'dman, A. G. and Kurshev, A. K. Long "memory" effect in photoconductivity, 0=1677
- Gol'dman, A. G. and Proskura, A. I. An investigation of the spectral content of Gudden-Pohl flashes in zinc sulphide luminophors, 3=18050
- Gol'dman, A. G. and Proskura, A. I. On the nature of the Gudden-Pohl effect, 4=4290
- Gol'dman, A. G. and Toropkova, L. V. The infrared electroluminescence of cuprous oxide, 4=1769
- Goldman, A. J. Reactivity effects of protactinium-233 buildup in U²³³ fast breeder reactors, 3=6332
- Goldman, A. J., Goertzel, G. and Menkes, S. B. Reactor-calculation short cuts. Reflected-sphere criticality, 2=3646
- Goldman, A. J., Robertson, W. D. and Koss, D. A. The association of h. c. p. and b. c. c. structures in the martensite transformation, 4=20709
- Goldman, A. J. and Wagner, C. N. J. Faulting in deformed austenite and martensite, 3=12987
- Goldman, D., Piza, A. F. T. and Silva, E. ³⁸K-isomeric state formation by (γ, n) reaction, 2=16382
- Goldman, D. T. and Federighi, F. D. Calculation of thermal neutron flux spectra in a polyethylene moderated medium, 3=19908
- Goldman, D. T., Francis, N. C. and Guth, E. Photoneutron disintegration below the giant resonance: beryllium-9 and carbon-13, 1=8693
- Goldman, D. T. See Brueckner, K. A., 0=1345
- Goldman, D. T. See Brueckner, K. A., 0=3920
- Goldman, D. T. See Francis, N. C., 1=673
- Goldman, D. T. See Guth, E., 1=19440
- Goldman, G. K. See Rao, C. N. R., 1=14009
- Gol'dman, I. I. Polarization of mu-meson in cosmic rays, 0=1327
- Gol'dman, I. I. Bremsstrahlung at the boundary of a medium with an allowance for multiple scattering, 1=4788
- Goldman, I. I. Intensity effects in Compton scattering, 4=11957
- Goldman, I. I. Intensity effects in Compton scattering, 4=19461
- Gol'dman, I. I. and Tarkhanyan, R. G. Change in an atomic potential under the influence of an optical transition, 4=3802
- Gol'dman, I. I. See Arutyunyan, F. R., 4=3369
- Goldman, I. I. See Arutyunyan, V. M., 4=3341
- Goldman, K. Characteristics of the argon arc, 3=4071
- Goldman, K. Viscosity of nitrogen at low temperatures and high pressures, 3=14191
- Goldman, K. Electric arcs in argon, 3=24260
- Goldman, L. See Bouchez, R., 1=13796
- Goldman, L. See N'guyen Huu Khanh., 1=13797
- Goldman, L. M. and Kilb, R. W. Electron temperature in a θ-pinch determined from impurity line radiation, 4=18953
- Goldman, L. M., Kilb, R. W. and Pollock, H. C. Measurement of ion energies in a θ-pinch, 4=24679
- Goldman, L. M., Pollock, H. C., Reynolds, J. A. and Westendorp, W. F. Spark-gap switching of a 384-kJ low inductance capacitor bank, 3=3972
- Goldman, L. M., Pollock, H. C., Reynolds, J. A. and Westendorp, W. F. Neutrons from a θ pinch without reversed trapped field, 3=4144
- Goldman, L. M. See Westendorp, W. F., 1=11920
- Goldman, M. Adiabatic variation of spin temperature by modulation of the local field, 3=21998

- Goldman, M. Dynamic polarization by thermal mixing between two systems of spins, 3=25581
- Goldman, M. and Goldman, A. Arc formation in high vacuum, 2=3016
- Goldman, M. and Goldman, A. Formation of an electric arc in a vacuum, 3=19222
- Goldman, M. and Goldman, A. Formation of an electric arc in vacuum, 4=18771
- Goldman, M. and Landesman, A. Dynamic polarization of nuclei by thermal contact between spin systems, 1=7797
- Goldman, M. and Landesman, A. Dynamic polarization by thermal mixing between two spin systems, 4=1344
- Goldman, M. See Buchet, G., 2=19912
- Goldman, M. See Buchet, G., 2=19928
- Goldman, M. See Buchet, G., 3=4052
- Goldman, M. See Goldman, A., 4=8333
- Goldman, M. See Goldman, A., 4=18761
- Goldman, M. See Mazeau, J., 4=16441
- Goldman, M. See Reinhardt, J., 4=18745
- Gol'dman, O. G., Dudnyk, V. P. and Proskura, O. I. The frequency characteristics of the brightness of electroluminescent cells with zinc-sulphide powder electrolumophors, 2=18881
- Goldman, R. Coulomb interactions in a strong magnetic field. II. Nonadiabatic case. Line profile of cyclotron radiation, 4=8705
- Goldman, R. and Oster, L. Coulomb interactions in a strong magnetic field. I. Adiabatic case, 3=7602
- Goldman, R. See Beeken, B., 3=14535
- Goldman, R. G. Electronic acoustic image converter, 2=9345
- Goldman, S. Sideband interpretation of optical information and the diffraction patterns of unsymmetrical pupil functions, 2=19669
- Goldman, S. C. and Horowitz, S. Synchrotron radiation decay at equatorial sites, 4=4802
- Goldman, S. C. See Horowitz, S., 4=13844
- Gol'dobin, A. N., Lezheiko, L. V. and Sharnopol'skaya, E. T. The piezo-resistive effect in tellurium, 2=4105
- Gol'dobin, A. N., Lezheiko, L. V. and Sharnopol'skaya, E. T. The piezo-resistive effect in tellurium, 2=8473
- Goldner, R. B. An upper bound estimate for the interphase surface energy parameter of superconducting lead at 4° 2' K, 3=1902
- Goldraikh, P. and Morrison, F. The absorption of gamma rays in intergalactic space, 4=4880
- Goldreich, P. On the eccentricity of satellite orbits in the solar system, 4=2473
- Goldring, G. Experiments using ultra-fast pulse techniques, 2=5815
- Goldring, G., Birk, M., Kamil, Z. and Mydanský, D. Method for eliminating the effects of amplitude drifts in measurements of ratios of counting rates, 0=17176
- Goldring, G., de Boer, J. and Winkler, H. Precision measurements of excitation functions for the Coulomb excitation of the 2+ and 4+ rotational levels in Sm^{152} , 4=22042
- Goldring, G., Kedem, D., Smilansky, U. and Vager, Z. Application of charged and neutral beams in measurements of gyro-magnetic ratios, 3=24837
- Goldring, G., Kedem, D. and Vager, Z. Gyromagnetic ratio of the 2' state of Os^{188} , 3=4555
- Goldring, G., Loebeinstein, H. M. and Barloutaud, R. Branching ratios and magnetic dipole transition probabilities in odd-A rotational nuclei, 2=20514
- Goldring, G. and Rosner, B. Branching ratio of electromagnetic transition to the first excited 0' state in O^{16} , 2=16326
- Goldring, G., Schieber, M. and Vager, Z. On the incorporation of neodymium in mixed yttrium-neodymium-iron garnets, 0=21057
- Goldring, G. and Vager, Z. Energy loss of protons in rare earth oxides and reduced transition probabilities for 2+ \rightarrow 0+ transitions in even rotational nuclei, 1=13780
- Goldring, G. and Vager, Z. Gyromagnetic ratios of the 2' states in even tungsten isotopes, 2=18244
- Goldring, G. See Birk, M., 0=1369
- Goldring, G. See Birk, M., 2=10011
- Goldring, G. See Birk, M., 3=10379
- Goldring, G. See Birk, M., 3=12478
- Goldring, G. See Blaugrund, A. E., 0=20397
- Goldring, G. See Blaugrund, A. E., 1=8597
- Goldring, G. See Blaugrund, A. E., 3=19794
- Goldring, G. See de Boer, J., 4=19361
- Goldring, G. See de Boer, J., 4=22003
- Goldring, G. See Gorodetzky, S., 3=19810
- Goldring, G. See Gorodetzky, S., 4=17030
- Goldring, H. and Benesch, W. Widths of HCl overtone lines at various temperatures, 3=4748
- Goldring, H. See Jaffe, J. H., 0=83
- Goldring, H. See Oppenheim, U. P., 3=4744
- Goldsack, D. See Sivertz, C., 2=6234
- Goldsack, S. J. Two target operation of a proton-synchrotron, 0=19845
- Goldsack, S. J., Riddiford, L., Tallini, B., French, B. R., Neale, W. W., Borbury, J. R., Skillicorn, I. O., Davies, W. T., Derrick, M., Mulvey, J. H. and Radojicic, D. Meson production by 16 GeV/c π^- -mesons in hydrogen, 2=9888
- Goldsack, S. J. See Culwick, B. B., 2=5543
- Goldsberg, H. and Lomon, E. L. Isotopic splitting of the pion nucleon S state interaction by inelasticity, 4=16936
- Goldsberg, V. Z., Rudakov, V. P. and Serikov, I. N. Analysis of elastic scattering of He^3 and α -particles of basis of the optical model of the nucleus, 4=30354
- Goldsberry, T. G. See Diercks, K. J., 3=7271
- Goldsborough, J. P. Angular alignment mechanism, 3=21523
- Goldsborough, J. P. Beat frequencies between modes of a concave-mirror optical resonator, 4=11318
- Goldsborough, J. P. and Koehler, T. R. Electron spin resonance studies of alkali metal trapping sites in solid rare gases, 4=9819
- Goldsborough, J. P. and Mandel, M. Analysis of a magnetic resonance spectrometer, 0=19952
- Goldsborough, J. P., Mandel, M. and Pake, G. E. Influence of exchange interaction on paramagnetic relaxation times, 0=3123
- Goldsborough, J. P. See Peticolas, W. L., 3=1002
- Goldschmidt, Z. See Fano, U., 3=10210
- Goldschmidt, Z. B. Energy levels of Er II, 3=10453
- Goldschmidt-Clermont, Y. See Ashkin, J., 0=15389
- Goldschmidt-Clermont, Y. See Bartke, J., 1=8511
- Goldschmidt-Clermont, Y. See Bartke, J., 2=13883
- Goldschmidt-Clermont, Y. See Bartke, J., 3=22206
- Goldschmidt-Clermont, Y. See Budde, R., 0=2465
- Goldschmidt-Clermont, Y. See Escoubès, B., 3=19630
- Goldschmidt-Clermont, Y. See Lynch, G. R., 4=25181
- Goldschmidt-Clermont, Y. See Loria, A., 2=1714
- Gol'dshteyn, I. P. See Arzamanov, I. G., 4=23626
- Goldsmit, H. J. Principles of thermoelectric devices, 0=10002
- Goldsmit, H. J. Recent studies of bismuth telluride and its alloys, 1=17719
- Goldsmit, H. J. Effects of impurities in bismuth telluride, 2=23161
- Goldsmit, H. J. The Ettinghausen figure of merit of bismuth and bismuth-antimony alloys, 3=13070
- Goldsmit, H. J. Thermal shock resistance of electrical insulators, 3=17675
- Goldsmit, H. J. Interpretation of the thermomagnetic effects in bismuth-antimony alloys, 3=20324
- Goldsmit, H. J. Conference on recent applications of semiconductors, Southampton, September 1963, 4=6996
- Goldsmit, H. J. and Bowley, A. E. Thermal conduction in mica along the planes of cleavage, 0=19482
- Goldsmit, H. J. and Corsan, J. M. Non-linear resistance of thermal and non-thermal origin in bismuth and reheated pyrolytic graphite, 4=15518
- Goldsmit, H. J. and Corsan, J. M. Flux compression in hard superconductors, 4=27424
- Goldsmit, H. J. See Bowley, A. E., 1=18752
- Goldsmit, H. J. See Delves, R. T., 2=640
- Goldsmit, H. J. See Drabble, J. R., 2=3852
- Goldsmit, H. J. See Ertl, M. E., 3=10806
- Goldsmit, H. J. See Ertl, M. E., 3=10896
- Goldsmith, B. J. See Davies, J. B., 4=24768
- Goldsmith, G. J. See Kestigan, M., 4=20735
- Goldsmith, G. J. See Williams, R., 4=1300
- Goldsmith, G. J., Larach, S., Shrader, R. E. and Yocom, P. N. A.C. field excitation of rare earths in zinc sulfide, 3=25496
- Goldsmith, G. J. and White, J. G. Ferroelectric behavior of thiourea, 0=2921
- Goldsmith, H. L. and Mason, S. G. Axial migration of particles in Poiseuille flow, 1=15791
- Goldsmith, H. L. and Mason, S. G. The flow of suspensions through tubes. II. Single large bubbles, 3=11777
- Goldsmith, H. L. See Karnis, A., 4=5139
- Goldsmith, M. Epithermal neutron absorption in slab lattices, 3=15254
- Goldsmith, M. Symmetry properties of some eigenfunctions occurring in reactor analysis, 4=3738

- Goldsmith, M. and Cantwell, R. M. Few group calculations of thermal neutron transport, 2=5659
- Goldsmith, M. See Cantwell, M., 2=12252
- Goldsmith, N. See Newman, R. L., 2=4377
- Goldsmith, P., Delafield, H. J. and Cox, L. C. The role of diffusion-phoresis in the scavenging of radioactive particles from the atmosphere, 3=11417
- Goldsmith, P. and Jelley, J. V. Optical transition radiation from protons entering metal surfaces, 0=20099
- Goldsmith, S. and Kaufman, A. S. The spectra of Ni IV, Ne V and Ne VI: A further analysis, 3=10459
- Goldsmith, S. See Eschbach, E. A., 3=22459
- Goldsmith, W. See Banaugh, R. P., 4=2791
- Goldstein, A. See Rosenfeld, A., 4=23976
- Goldstein, B. Diffusion of cadmium and zinc in gallium arsenide, 0=9918
- Goldstein, B. Diffusion in compound semiconductors, 1=4561
- Goldstein, B. and Almeleh, N. Observation of paramagnetic resonance centers in GaAs in unusually high concentrations, 3=20647
- Goldstein, B. and Dobin, C. Diffusion of phosphorus in GaAs and formation of GaP and GaP-GaAs alloys, 3=20227
- Goldstein, B. and Dropkin, J. J. Infrared sensitivity of the ZnS:Cu:Co phosphor, 2=12627
- Goldstein, B. and Keller, H. Diffusion of tin in gallium arsenide, 1=12401
- Goldstein, B. See Almeleh, N., 3=3177
- Goldstein, C. M. Theoretical current-voltage curve in low-pressure cesium diode for electron-rich emission, 4=14763
- Goldstein, G. and Lyon, W. S. Liquid scintillators using 1-methylnaphthalene, 4=14964
- Goldstein, H. and Certain, J. Some calculations on the age of neutrons in D₂O, 2=5672
- Goldstein, H. See Beckurts, K. H., 3=24744
- Goldstein, H. See Troubetzkoy, E., 1=11044
- Goldstein, H. L. See Ollom, J. F., 2=6685
- Goldstein, H. L. See Ollom, J. F., 3=18119
- Goldstein, H. W., Walsh, P. N. and White, D. Rare earths. I. Vaporization of La₂O₃ and Nd₂O₃: dissociation energies of gaseous LaO and NdO, 2=1315
- Goldstein, H. W. See White, D., 2=1316
- Goldstein, I. Thermal excitations in solid He⁴, 3=1888
- Goldstein, I. See Miles, P. A., 4=5865
- Goldstein, J. H. and Hobgood, R. T., Jr. Maximum overlap orbital treatment of ¹³C-H substituent effects in the halo-methanes, 4=22405
- Goldstein, J. H. and Reddy, G. S. Empirical method for estimating diamagnetic anisotropy effects in N.M.R. spectroscopy, based upon the use of C¹³-H coupling constants, 2=13698
- Goldstein, J. H. See Hobgood, R. T., 2=3782
- Goldstein, J. H. See Hobgood, R. T., Jr., 4=3910
- Goldstein, J. H. See Howe, J. A., 2=6209
- Goldstein, J. H. See Mayo, R. E., 4=30075
- Goldstein, J. E. See Reddy, G. S., 1=7489
- Goldstein, J. H. See Reddy, G. S., 1=17347
- Goldstein, J. H. See Reddy, G. S., 2=16561
- Goldstein, J. H. See Reddy, G. S., 3=17615
- Goldstein, J. H. See Reddy, G. S., 4=6648
- Goldstein, J. H. See Whipple, E. B., 1=11124
- Goldstein, J. S. The infrared reflectivity of a planetary atmosphere, 0=18705
- Goldstein, J. S. Numerical solutions of the auxiliary equation for an inhomogeneous planetary atmosphere, 3=16344
- Goldstein, J. S. Stellar evolution, 4=26896
- Goldstein, L. Some thermal properties of liquid helium three, 0=3698
- Goldstein, L. On the theory of liquid and solid He³, 0=3699
- Goldstein, L. On thermal excitations in liquid ³He, 0=8863
- Goldstein, L. Thermal properties of solid He⁴, 0=16941
- Goldstein, L. Theory of solid He⁴, 1=6664
- Goldstein, L. On the dense phases of He³ at very low temperatures, 1=16191
- Goldstein, L. On the theory of spin paramagnetism, 1=17932
- Goldstein, L. On the thermodynamic phase diagrams of helium three, 2=1331
- Goldstein, L. Paramagnetism of liquid helium three, 4=8547
- Goldstein, L. Lambda transformation of liquid helium four, 4=27405
- Goldstein, L. and Mills, R. L. Anomalous liquid-solid transformation of helium-three, 3=3937
- Goldstein, L. and Musson-Genon, R. General aspects of the electromagnetic phenomena of discharge in gases, 1=4570
- Goldstein, L., Roux, M. R. and Dayton, J. A., Jr. Production of acoustic waves by r.f. breakdown in low pressure gases, 4=19019
- Goldstein, L. See Chen, C. L., 1=4562
- Goldstein, L. See George, T. V., 4=8456
- Goldstein, L. See Gerardo, J. B., 3=21488
- Goldstein, L. See Gerardo, J. B., 4=27250
- Goldstein, L. See Goldan, P. D., 4=14638
- Goldstein, L. See Mars, all, T. C., 0=19693
- Goldstein, L. See Marshall, T. C., 1=7074
- Goldstein, L. See Narasinga Rao, K. V., 2=5340
- Goldstein, L. See Narasinga Rao, K. V., 4=18878
- Goldstein, L. See Narasinga Rao, K. V., 4=18879
- Goldstein, M. Depolarized components of light scattered by glasses. III. Scattering from general strain systems, with application to neutron-damaged vitreous silica, 3=921
- Goldstein, M. Theory of scattering for diffusion-controlled phase separations, 3=16802
- Goldstein, M. Motion of a Brownian particle in a periodic potential, 3=23806
- Goldstein, M. Some thermodynamic aspects of the glass transition: free volume, entropy, and enthalpy theories, 4=7733
- Goldstein, M. Light scattering from elastic strains, 4=15582
- Goldstein, M. See Adams, D. M., 4=7117
- Goldstein, M. See Keller, J. B., 3=17053
- Goldstein, M. H., Jr. See Frishkopf, L. S., 3=21170
- Goldstein, M. H., Jr. See Peake, W. T., 2=13212
- Goldstein, M. H., Jr. See Peake, W. T., 2=13213
- Goldstein, N. See Schleiger, E. R., 4=22053
- Goldstein, P. See Bigeleisen, J., 3=12793
- Goldstein, P. See Chidley, B., 0=2686
- Goldstein, R. Preliminary absolute intensity measurements for the 1-38, 1-87 and 2-7 μ bands of water vapor between 125° and 200°C, 3=15348
- Goldstein, R. Measurements of infrared absorption by water vapor at temperatures to 1000°K, 4=15359
- Goldstein, R. Degenerate solutions to the transport equation with anisotropic scattering, 4=18111
- Goldstein, R. Study of water vapor condensation on shock-tube walls, 4=18496
- Goldstein, R. Spectral distribution of neutrons in the vicinity of a resonance, 4=25109
- Goldstein, R. and Brooks, H. Analytic approximation techniques, 4=12017
- Goldstein, R. and Cohen, E. R. Theory of resonance absorption of neutrons, 2=16202
- Goldstein, R. and Penner, S. S. The near-infrared absorption of liquid water at temperatures between 27 and 209°C, 4=21137
- Goldstein, R. and Penner, S. S. Transmission of infrared radiation through liquid water and through water vapor near saturation, 4=21138
- Goldstein, R. J. See Eckert, E. R. G., 3=7364
- Goldstein, R. J. See Eckert, E. R. G., 3=11971
- Goldstein, R. J. See Eckert, E. R. G., 3=24071
- Goldstein, R. J. See Eckert, E. R. G., 4=2860
- Goldstein, R. J. See Eckert, E. R. G., 4=11381
- Goldstein, R. J. See Eckert, E. R. G., 4=29780
- Goldstein, R. J. See Eckert, E. R. G., 4=29781
- Goldstein, R. M. Venus characteristics by earth-based radar, 4=13948
- Goldstein, R. M. Radar observations of Jupiter, 4=29472
- Goldstein, R. M. and Carpenter, R. L. Rotation of Venus: period estimated from radar measurements, 3=18620
- Goldstein, S. and Massa, R. J. Spatial enhancement of continuous negative afterimage phenomena, 3=16458
- Goldstein, S. and Murray, J. D. On the mathematics of exchange processes in fixed columns. III. The solution for general entry conditions, and a method of obtaining asymptotic expressions, 0=3466
- Goldstein, S. and Murray, J. D. On the mathematics of exchange processes in fixed columns. IV. Limiting values, and correction terms for the kinetic-theory solution with general entry conditions, 0=3467
- Goldstein, S. and Murray, J. D. On the mathematics of exchange processes in fixed columns. V. The equilibrium-theory and perturbation solutions, and their connexion with kinetic-theory solutions, for general entry conditions, 0=3468
- Goldstein, S. J., Jr. Observations of sixty discrete sources at 1423 Mc, 2=11166
- Goldstein, S. J., Jr. An attempt to observe 21-cm line emission from intergalactic hydrogen, 4=7991
- Goldstein, S. N. See Berkowitz-Mattuck, J. B., 4=4695
- Goldstein, Y. See Harnik, E., 1=1051
- Goldstein, Y. Anomalous band gap in superconducting Nb₃Sn, 4=21424

- Goldstein, Y. and Grover, N.B. A thermal shutter phenomena in field-effect measurements, 2=22129
- Goldstein, Y., Grover, N.B., Many, A. and Greene, R.F. Improved representation of calculated surface mobilities in semiconductors, II. Majority carriers, 2=2135
- Goldstein, Y. See Grover, N.B., 2=2134
- Goldstein, Y. See Many, A., 1=1050
- Goldstein, Y. See Many, A., 2=23329
- Goldstone, J. Field theories with "superconductor" solutions, 1=5690
- Goldstone, J. and Gottfried, K. Collective excitations of Fermi gases, 0=47
- Goldstone, J., Salam, A. and Weinberg, S. Broken symmetries, 2=18053
- Goldstone, J. See Eden, R.J., 4=9343
- Goldstone, L. Simple partial pressure gauge, 4=29681
- Goldstone, L.O. and Oliner, A.A. Leaky-wave antennas. I. Rectangular waveguides, 0=5413
- Goldsworthy, G.A. Ionization fronts in interstellar gas and the expansion of H II regions, 1=2596
- Goldsworthy, W.W. Transistorised portable counting-rate meter, 0=5457
- Goldsztaub, S. Electron diffraction studies at the laboratory of mineralogy of the University of Strasbourg, 3=1370
- Goldsztaub, S. and Lang, B. Demountable metallic apparatus for low-energy electron diffraction, 4=4638
- Goldsztaub, S. and Lang, B. Diffraction of low-energy electrons by crystalline insulators, 4=15781
- Goldsztaub, S. and Quivy, M. Speed of growth of a crystal face from solution, 3=1262
- Goldsztaub, S. See Boscher, J., 2=23818
- Goldsztaub, S. See Pérey, M., 3=3354
- Goldwasser, E.L. See Swanson, W.P., 3=14819
- Goldwasser, M. See Fiehrer, M., 3=4306
- Goldwater, D.L. and Danforth, W.E. The evaporation of thorium metal, 1=1851
- Goldwater, D.L. See Danforth, W.E., 0=17026
- Goldwater, F.J. Linearization of resistance thermometer output, 4=8483
- Goldzahl, L., Eberhard, P., Cornille, H. and Chapdelaine, M. Evidence of the scattering of 2.62 MeV photons by the electric field of nuclei (Delbrück effect), 0=344
- Goldzahl, L. See Banaigs, J., 0=9656
- Goldzahl, L. See Banaigs, J., 4=16774
- Goldzahl, L. See Citron, A., 2=5703
- Goldzahl, L. See Citron, A., 2=20658
- Goldzahl, L. See Juvet, B., 1=5744
- Golebiewski, A. and Zalewski, K. On the interpretation of Slater's approximation of atomic orbitals, 0=17791
- Golebiewski, A. and Zalewski, K. Correlation of some reactivity criteria of the resonance theory and the simple L.C.A.O. M.O. method, 2=6198
- Golebiewski, A. See Coulson, C.A., 2=6190
- Golebiewski, A. See Coulson, C.A., 2=6213
- Golebiewski, R. and Wisniewski, R. Initial magnetization of nickel under tension and high hydrostatic pressure, 1=20106
- Golecki, J. On a certain form of solution of equations of static elasticity theory, 1=20288
- Golecki, J. On a certain form of solution of the equations of dynamic theory of elasticity, 2=10734
- Golecki, J. Statics of an isotropic incompressible elastic solid, 3=9378
- Golenetskii, S.V., Rusinov, L.I. and Filimonov, Yu.I. Alpha-decay of isomeric Bi^{210} , 0=2633
- Golenetskii, S.V., Rusinov, L.I. and Filimonov, Yu.I. The decay scheme of the Bi^{210} isomer, 0=11339
- Golenishchev-Kutuzov, V.A. Nonresonant paramagnetic absorption of sound in chromo alum, 3=22652
- Golenishchev-Kutuzov, V.A. and Kharakhsh'yan, É. G. Nonresonant paramagnetic absorption of sound due to spin-lattice relaxation, 4=9840
- Golenko, D.I. See El'tekov, V.A., 4=15034
- Golenko, D.I. See Terent'ev, B.M., 4=9159
- Golenko, D.I. See Terent'ev, B.M., 4=27825
- Golenetskii, S.V. See Rusinov, L.I., 1=17013
- Golentovskaya, L.P. See Leonidova, G.G., 3=17938
- Goler, S. V. and Wagner, H. Penning discharge with hot cathode and its use as an ion source, 4=18697
- Goles, C.C. and Anders, E. Iodine content of meteorites and their $^{129}\text{Xe}^{130}$ ages, 1=15440
- Goles, G.G. and Anders, E. The record in the meteorites. VI. On the chronology of the early solar system, 1=14417
- Goles, G.G. and Anders, E. On the geochemical character of iodine in meteorites, 2=4754
- Goles, G.G. See Fish, R.A., 1=2607
- Goles, G.G. See Fish, R.A., 3=11525
- Goletskaya, A.D., Kutasov, V.A. and Popova, E.A. The production and investigation of thermoelectric materials of the Bi-Sb-Te system, 2=4079
- Goletskaya, A.D., Kutasov, V.A. and Popova, E.A. The production and investigation of thermoelectric materials of the Bi-Sb-Te system, 2=8449
- Gol'fand, Yu.A. On gauge transformations in quantum electrodynamics, 0=7274
- Gol'fand, Yu.A. The introduction of an "elementary length" in the relativistic theory of elementary particles, 0=9306
- Gol'fand, Yu.A. On the mass of the leptons, 0=9308
- Gol'fand, Yu.A. Three-variable relativistic Schrödinger equation for the two-body problem, 1=15684
- Gol'fand, Yu.A. Quantum field theory in constant curvature p-space, 2=20220
- Gol'fand, Yu.A. Quantum field theory in constant curvature p-space, 3=7756
- Gol'fand, Yu.A. The properties of the shifts in p-space of constant curvature, 3=24581
- Gol'fand, Yu.A. Space-time structure of the relativistic scattering matrix, 4=5984
- Golger, Yu.Ya. See Borisov, V.M., 3=8968
- Golianov, V.M. See Konobeevskii, S.T., 0=10332
- Golik, A.Z. State and problems of the physics of liquids, 3=21300
- Golik, A.Z. The connection of compressibility and shear viscosity with the structure of matter in the liquid state, 3=21309
- Golik, A. Z., Adamenko, I. I. and Cholpan, P. F. Effect of intermolecular interaction on the compressibility and viscosity of liquids, 4=21106
- Golik, A.Z. and Cholpan, P.F. Investigation of the velocity of ultrasound in some polysiloxanes, 1=15872
- Golik, A.Z., Klassen, I.F. and Kuchak, G.M. Velocity of ultrasound in certain zinc and cadmium amalgams, 2=7210
- Golik, L.L. See Shalimova, K.V., 1=14588
- Golik, L.L. See Shalimova, K.V., 1=17882
- Golik, O.Z., Shimans'kiy, Yi.I. and Kobiichuk, N.M. Compressibility of isoviscous substances, 1=12879
- Golik, V.R., Dubrov, V.A., Sandler, N.I. and Yunash, V.M. Dissolution and formation of niobium carbide in low carbon manganese steel, 4=7506
- Golike, R.C. and Schlag, E.W. Theoretical rate of decomposition of cyclopropane, 3=16158
- Golikov, E.E. Calculating the articulation in noisy rooms, 1=6660
- Golikov, G.A. See Kochergin, S.M., 4=26008
- Golikov, V.M. See Borisov, V.T., 0=8268
- Golikov, V.M. See Borisov, V.T., 3=22801
- Golikova, O.A. Electron mobility in germanium above room temperature, 3=20303
- Golikova, O.A., Moizhes, B.Ya. and Orlov, A.G. Dependence of hole mobility in germanium on concentration and temperature, 3=22923
- Golikova, O.A., Moizhes, B.Ya. and Stil'bans, L.S. The dependence of hole mobility in germanium on concentration and temperature, 2=2144
- Golikova, O.A., Moizhes, B.Ya. and Stil'bans, L.S. The dependence of hole mobility in germanium on concentration and temperature, 2=8327
- Golikova, O.A. and Orlov, A.G. Mobility of holes in germanium doped with aluminium and indium, 4=4151
- Golikova, O.A. and Stil'bans, L.S. An investigation of the dependence of Hall coefficient on magnetic field and temperature in p-type germanium, 1=19850
- Golikova, O.A. and Stil'bans, L.S. An investigation of the dependence of Hall coefficient on magnetic field and temperature in p-type germanium, 2=8328
- Golikova, O.A. See Vinogradova, M.N., 0=6089
- Golikova, O.A. See Vinogradova, M.N., 0=18019
- Golikova, O.A. See Vinogradova, M.N., 2=23312
- Golikova, O.A. See Vinogradova, M.N., 3=20426
- Golin, S. Polarization conductivity in p-type germanium, 4=1607
- Golitsyn, G.I. See Rudnevskii, N.K., 3=24255
- Golitsyn, G.S. Some problems of the dynamics and heating of a conducting medium in a magnetic field, 0=11035
- Golitsyn, G.S. On the influence of the magnetic field on the character of turbulence in the ionosphere, 0=12172
- Golitsyn, G.S. Fluctuations of the magnetic field and of the current density in turbulent flow of a slightly conducting fluid, 0=15118
- Golitsyn, G.S. Fluctuations of the dissipation in a locally isotropic turbulent stream, 3=114

- Golitsyn, G.S. Fluctuations of the dissipation in a locally isotropic turbulent stream, 3=5415
- Golitsyn, G.S. Computation of correlations in a locally isotropic turbulent flow, 4=129
- Golitsyn, G.S. The influence of radiative transfer on the propagation of sound in the atmosphere, 4=7867
- Golitsyn, G.S., Gurvich, A.S. and Tatarskii, V.I. Investigation of the frequency spectra of amplitude and phase difference fluctuations of sound waves in a turbulent atmosphere, 1=15248
- Golitsyn, G.S. and Stanyukovich, K.P. Some remarks on the structure of shock waves, 0=2203
- Golizdra, G.Ya. The distribution of the singular points of a gravitational field for one class of two dimensional bodies, 4=16017
- Golizdra, G.Ya. The derivation of numerical methods for the analytic continuation of two-dimensional potential fields using Lagrange interpolation, 4=27025
- Gölles, F. The microdetermination of aqueous salt solutions. V. On the calculation of the activity coefficient of a binary system with the aid of a series development, 4=4721
- Golling, E. Study of nuclear magnetic proton resonance of water in synthetic substances, 3=6768
- Gollnow, H. A Photoelectric setting device for a measuring microscope, 2=11484
- Gollnow, H. The Newtonian two-prism spectrograph of the Mount Stromlo Observatory [Australia], 3=9153
- Gollnow, H. See Bok, B.J., 4=30970
- Golobin, B.M., Kashukeev, N.T. and Fridkin, V.M. The role of field in formation of heterocharge of a photoelectret, 0=2924
- Golofaev, T.I. See Livanov, V.A., 3=25850
- Golognesi, G.P., Pierno, A. and Redaelli, G. Resistivity measurements on highly resistive silicon, 4=10064
- Goloie, H. and Lapson, L. Application of a fast microwave switch to high-peak-power plasma diagnostic experiments, 4=27538
- Gololobov, E.M. See Sirota, N.N., 1=11560
- Gololobov, E.M. See Sirota, N.N., 2=14399
- Gololobov, E.M. See Sirota, N.N., 2=23843
- Gololobov, E.M. See Sirota, N.N., 4=30495
- Golomb, D., Watanabe, K. and Marmo, F.F. Absorption coefficients of sulfur dioxide in the vacuum ultraviolet, 2=6179
- Golomb, D. See Rosenberg, N.W., 3=25918
- Golomb, D. See Rosenberg, N.W., 4=7876
- Golomb, D. See Samson, J.A.R., 3=14416
- Golomolzhina, M.V. See Ariya, S.M., 3=20491
- Golonka, J. See Krupowski, A., 4=27384
- Goloskie, R. and Palmieri, J.N. "Total" proton-proton cross sections, 4=25096
- Goloskie, R. and Strauch, K. Measurement of proton inelastic cross-sections between 77 MeV and 133 MeV, 2=5919
- Goloskie, R. See Palmieri, J.N., 4=3410
- Golovachev, V.P. X-ray goniometric study of phenaksite, 4=30852
- Golovachev, V.P. See Belov, N.V., 1=1394
- Golovachev, V.P. See Dorisov, S.V., 0=12030
- Golovachev, V.P. See Borisov, S.V., 0=13973
- Golovanivskii, K.S., Dugar-Zhabon, V.D. and Kuzovnikov, A.A. The spatial potential in a stationary plasma excited by a non-uniform high frequency field, 4=16479
- Golovanivskii, K.S. and Kuzovnikov, A.A. Effect of an inhomogeneous R.F. electric field on the plasma in the positive column, 2=1408
- Golovanivskii, K.S. and Kuzovnikov, A.A. The effect of compression of the positive column of a gas discharge by an inhomogeneous high frequency field, 2=7578
- Golovanivsky, K.S. and Kuzovnikov, A.A. The compression of the plasma column by the h.f. electric field, 4=27546
- Golovanivsky, K.S. and Kuzovnikov, A.A. The frequency properties of the h.f. quasi-potential in the low temperature plasma, 4=27547
- Golovanov, L.B. See Vovenko, A.S., 2=13855
- Golovanov, L.B. See Vovenko, A.S., 3=6042
- Golovanov, Yu. N., Brezhneva, N.E., Oziraner, S.N., Eremin, A.A. and Zotov, V.L. Investigation of the mechanism of high-temperature volatilization of ruthenium coprecipitated with different precipitating agents, 4=5469
- Golovanov, Yu. N., Brezhneva, N.E., Oziraner, S.N., Eremin, A.A. and Zotov, V.L. Investigation of the mechanism of high-temperature volatilization of caesium, coprecipitated with the double ferrocyanide of nickel and potassium, 4=5470
- Golovanov, Yu. N. See Tsvetaev, A.A., 4=15471
- Golovanova, O.V., Klimin, A.I. and Mostovskii, A.A. Photosensitive layers of lead oxide, 2=2192
- Golovanova, O.V., Klimin, A.I., and Mostovskii, A.A. Photosensitive layers of lead oxide, 2=8438
- Golovashkin, A.I. and Motulevich, G.P. Sensitive low-inertia thermal resistor for helium temperatures, 3=14433
- Golovashkin, A.I. and Motulevich, G.P. Determination of micro-characteristics of lead from measurements of its optical constants and specific conductivity, 3=22677
- Golovashkin, A.N. and Motulevich, G.P. A sensitive low inertia thermal resistor for helium temperatures, 4=2873
- Golovashkin, A.I. and Motulevich, G.P. Optical and electrical properties of tin, 4=17583
- Golovashkin, A.I. and Motulevich, G.P. The optical properties of tin at helium temperatures, 4=26222
- Golovashkin, A.I., Motulevich, G.P. and Shubin, A.A. Determinations of microscopic parameters of aluminium from its optical constants and electrical conductivity, 0=6077
- Golovashkin, A.I., Motulevich, G.P. and Shubin, A.A. Measurement of the optical constants of metals at low temperatures, 4=17544
- Golovastikov, N.I. Crystal structure of beryllonite NaBePO_4 , 2=12914
- Golovastikov, N.I. Crystal structure of beryllonite NaBePO_4 , 2=17021
- Golovastikov, N.I. The crystal structure of beryllonite (NaBePO_4), 3=13472
- Golovchanskaya, R.G. See Kudryavtsev, N.T., 3=16176
- Golovchiner, Ya.M. Influence of some factors of exposure symmetry on the magnitude of the random error in the precision determination of lattice period, 1=20479
- Golovchiner, Ya. M. Mechanical properties of the γ -phase of iron-nickel base alloys after the reverse martensitic transformation, 4=23167
- Golovin, A.F. See Striganov, A.R., 3=15282
- Golovin, A.M. On the solution of the equation of coalescence of raindrops taking account of condensation, 3=16217
- Golovin, A.M. The solution of the coagulation equation for cloud droplets in a rising air current, 4=4766
- Golovin, A.M. The kinetic equation for coagulating cloud droplets with allowance for condensation. III, 4=15869
- Golovin, A.M. See Levich, V.G., 3=11388
- Golovin, B.I. See Mil'vidskii, M.G., 1=20428
- Golovin, B.M., Dzhelepov, V.P., Katyshev, Yu. V., Konon, A.D. and Medved', S.V. Apparatus with a ring target for studying the scattering of high-energy neutrons at low angles, 2=3361
- Golovin, B.M., Dzhelepov, V.P. and Zul'karneev, R.Ya. Correlation between the normal polarization components in [elastic] pp-scattering at 650 MeV. I, 1=19200
- Golovin, B.M., Dzhelepov, V.P. and Zul'karneev, R.Ya. Correlation between the normal polarization components in elastic pp-scattering at 650 MeV. I, 2=22518
- Golovin, B.M., Dzhelepov, V.P., Zul'karneev, R.Ya. and Tsui Va-Chuan [Ts'ui Wa-Ch'uang]. Angular dependence of the polarization correlation C_{nn} and construction of the amplitude moduli for pp scattering at 640 MeV. Estimate of the singlet phase shifts. II, 3=22124
- Golovin, B.M., Grigor'eva, G.M., Landsman, A.P. and Osipenko, B.P. Effects of high-energy protons on silicon photocells, 4=28648
- Golovin, B.M., Kashukeev, N.T., Orlov, I.N. and Fridkin, V.M. Photo-electret state in zinc sulphide and two new electro-photographic processes, 0=13661
- Golovin, B.M., Osipenko, B.P. and Sidorov, A.I. Homogeneous crystal counters, 3=2165
- Golovin, B.M., Zheludev, I.S., Kashukeev, N.Y., Orlov, I.N., Fridkin, V.M., Mogilevskaya, L.Ya. and Antonov, A.S. A new electrophotographic process employing combined electret layers, 0=10001
- Golovin, B.M. See Amaglobeli, N.S., 0=9407
- Golovin, I.N. Studies of trapping fast charged particles in a constant magnetic field, 0=5840
- Golovin, I.N., Artemenkov, L.I., Bogdanov, G.F., Panov, D.A., Pistunovich, V.I. and Semashko, N.N. Work with the experimental thermonuclear system Ogra, 2=7632
- Golovin, I.N. See Bezbatchenko, A.L., 0=5312
- Golovin, I.N. See Bogdanov, G.F., 3=12201
- Golovin, S.A. See Baranova, V.I., 4=1949
- Golovin, S.A. See Krishtal, M.A., 3=20696
- Golovin, S.A. See Krishtal, M.A., 4=15721
- Golovin, S.A. See Piguzov, Yu.V., 1=10207
- Golovina, L.A. The magnitude equation due to coma of an astrophotographic objective, 2=24070
- Golovina, L.A. The magnitude equation due to coma of an astrophotographic objective, 3=3524

- Golovina, L.A. Influence of atmospheric dispersion on photographic positions of stars, 4=10802
- Golovkin, V.S. See Býkov, V.N., 0=3041
- Golovkov, V.P. See Pelykh, N.A., 3=14094
- Golovnya, V.Ya., Klucharev, A.P. and Shilyaev, B.A. Elastic scattering of 5.45 MeV protons on zirconium nuclei [$Zr^{90,91}$], 2=444
- Golovnya, V.Ya., Klyucharev, A.P., Shilyaev, B.A. and Shlyakhov, N.A. Elastic scattering of 4.2 MeV protons on nickel isotopes, 3=24930
- Golovnya, V. Ya., Kyucharev, A. P. and Shilyaev, B. A. Elastic scattering of 3.4-4.2 MeV protons on Ni^{62} and Ni^{64} isotopes, 4=9496
- Golovnya, V. Ya., Klucharev, A. P. and Shilyaev, B. A. Elastic scattering of 5.45 MeV protons on zirconium nuclei [$Zr^{90,91}$], 2=22804
- Golovnya, V. Ya. and Moldovanov, V. P. The making of targets from highly oxidizing elements, 2=19113
- Golovnya, V. Ya. See Rutkevich, I. Ya., 0=7563
- Golson, J. C. See Abt, H. A., 2=19327
- Golton, E. Skip-distance ray-focusing in the ionosphere, 1=7934
- Golton, E. A method for the analysis of combined Faraday and differential Doppler recordings in the presence of horizontal gradients and vertical satellite motion, 3=3495
- Golton, E. The use of the Doppler effect to deduce an accurate position for an artificial earth satellite, 3=3632
- Golton, E. Calculations and local models of the near geomagnetic field, 4=7935
- Gol'tsov, V. A., Gel'd, P. V. and Kotik, E. M. Effect of the phase work-hardening of austenite on its permeability to hydrogen, 3=18344
- Gol'tsov, V. A. See Gel'd, P. V., 4=20297
- Gol'tsov, V. A. See Shteinberg, M. M., 4=20670
- Golub', A. P. See Borodich, V. D., 3=21667
- Golub, A. P. See Boroditch, V. D., 4=16364
- Golub, M. See Béné, G. J., 0=15179
- Golub, S. I. and Orlovskaya, N. O. Dependence of the intensity of luminescence of silver halides on the intensity of excitation, 2=18866
- Golub, S. I. and Orlovskaya, N. A. Effect of different gases on the formation of luminescence centres in silver halide, 2=23600
- Golub, S. I. See Belous, V. M., 2=16850
- Golub, S. I. See Belous, V. M., 2=18865
- Golub, S. I. See Belous, V. M., 3=20522
- Golubchikov, V. M. See Pershin, I. I., 4=16772
- Golubenkov, V. N. Thermal convection in a rotating circular pipe with a constant temperature gradient (compressible fluid), 1=8253
- Golubentseva, L. I. See Kats, M. L., 2=14710
- Golubets, V. V. Some characteristics of zinc sulphide-selenide sublimate screens, 2=21281
- Golubev, A. S. Reflection of plane waves from a cylindrical defect, 2=5097
- Golubev, V. S. Investigation of diffusion of charge carriers in ionized gases by the diffusion wave method, 3=16906
- Golubev, V. S. Deionization of argon plasma in a magnetic field, 3=19249
- Golubev, V. S. and Granovskii, V. L. Contribution to the theory of diffusion waves in a plasma, stationary in a longitudinal magnetic field, 3=21841
- Golubev, V. S. and Granovskii, V. L. Experimental investigation of diffusion waves of charged particles in a gas contained in a magnetic field, 3=21956
- Golubeva, L. G. See Voitsekhovskaya, I. A., 1=2430
- Golubeva, N. P. See Georgobiani, A. N., 3=11006
- Golubeva, N. P. See Georgobiani, A. N., 3=20541
- Golubitskii, B. M. Possibility of enhancing the sensitivity gain in the method of Fourier spectrometry, 3=1815
- Golubkov, A. V. See Zhuze, V. P., 4=30613
- Golubkov, A. V. See Zhuze, V. P., 4=30626
- Golubovskii, N. Ya. and Roshchina, G. P. Investigation of light scattering indicatrices in stratifying and non-stratifying solutions, 4=24215
- Golutvin, I. A. See Almazov, V. Ya., 3=17120
- Golvbenkov, V. N. Creation of a flat field of energy release in a reactor with uniform charge, 4=6417
- Golyak, I. G. See Vinitsky, A. Kh., 0=9450
- Golyak, I. G. See Vinitskii, A. Kh., 3=15009
- Golyak, I. G. See Vinitskii, A. Kh., 3=24773
- Golyamina, I. P. Magnetostriction ferrites as electroacoustic transducer materials, 1=5323
- Golyamina, I. P. and Romanenko, E. V. An arrangement for determining the elastic constants of solid bodies, 2=2310
- Golyamina, I. P. See Ganeva, L. I., 4=24314
- Golyanov, V. M. See Pravdyuk, N. F., 2=19131
- Golyanov, V. M. See Pravdyuk, N. F., 2=23765
- Golyanov, V. M. See Pravdyuk, N. F., 3=8152
- Golyk, O. Z. and Klassen, I. F. Viscosity and conductivity of zinc and cadmium amalgams, 1=11757
- Golyk, O. Z. and Kuchynka, M. Yu. Temperature-time dependence of the strength of polymers with constant rate of elongation, 3=20732
- Golyk, O. Z., Ryndych, N. A. and Babenko, S. A. Viscosity of an Sn-Bi system, 1=12871
- Golynnaya, G. I., Fedorus, G. A. and Sheinkman, M. K. FSK-M1 cadmium sulfide photoresistors with improved contacts, 4=17536
- Golynnaya, G. I. See Lashkarev, V. E., 4=26144
- Golynskii, A. I. See Vorob'ev, A. A., 4=429
- Golyshkin, V. I. See Barchuk, I. F., 2=14170
- Golyshkin, V. I. See Pasechnik, M. V., 4=1149
- Goman'kov, V. I., Kasatkin, S. N., Kiselev, S. V., Loshmanov, A. A. and Ozerov, R. P. Neutron diffraction apparatus on the IRT reactor, 4=17805
- Goman'kov, V. I., Litvin, D. F., Loshmanov, A. A. and Lyaschenko, B. G. Neutron diffraction study of Ni-Cr alloys, 3=20608
- Goman'kov, V. I., Litvin, D. F., Loshmanov, A. A. and Lyashchenko, B. G. The antiferromagnetic structure of chromium, 3=23195
- Goman'kov, V. I., Litvin, D. F., Loshmanov, A. A. and Lyashchenko, B. G. Ordering in Ni-Cr alloys, 4=2000
- Goman'kov, V. I., Litvin, D. F., Loshmanov, A. A., Lyashchenko, B. G. and Puzei, I. M. Neutron-diffraction study of the temperature dependence of the atomic order in an FeCo alloy, 3=23478
- Goman'kov, V. I., Litvin, D. F., Loshmanov, A. A., Lyashchenko, B. G. and Puzei, I. M. Neutron diffraction determination of the temperature dependence of atomic order in [the equiatomic] Fe-Co alloy, 4=1994
- Goman'kov, V. I. See Doroshenko, A. V., 3=5019
- Goman'kov, V. I. See Ozerov, R. P., 1=11551
- Goman'kov, V. J. and Loshmanov, A. A. Antiferromagnetism in the Cr-Mn alloy, 3=18110
- Gombás, P. A perturbation calculation based on an extended statistical model for atoms, 0=7680
- Gombás, P. The statistical theory of compressed atoms, 0=7681
- Gombás, P. The pressure dependence of the angular momentum of atoms, 0=9726
- Gombás, P. Calculation of polarizabilities. II. Dependence of the polarizability on the atomic volume, 0=9735
- Gombás, P. The calculation of the energy of He atoms, 0=11486
- Gombás, P. The pressure dependence of the distribution of orbit-angular-momentum of electrons in atoms, 0=13388
- Gombás, P. The theory of metallic silver, 0=17874
- Gombás, P. An extension of statistical atomic models by the inclusion of a correlation correction, 1=788
- Gombás, P. On the formation of electron shells in the periodic system of the elements, 1=19578
- Gombás, P. Correlation energy and correlation potential of an electron gas, 2=590
- Gombás, P. Derivation of the fundamental equation of the statistical theory of atoms, 2=10194
- Gombás, P. The correlation correction for the statistical model of atoms, 3=8172
- Gombás, P. Statistical approximations for many-electron problems, 3=15277
- Gombás, P. Statistical approximations in the many-electron problem, 4=12332
- Gombás, P. Present state of the statistical theory of atoms, 4=22280
- Gombás, P. and Kisdí, D. Theory of the nuclear molecule consisting of two C^{12} nuclei, 2=9988
- Gombás, P. and Kisdí, D. Statistical theory of the nucleus (V), 4=21978
- Gombás, P. and Ladányi, K. On the energy of a statistical atom model in which the electrons are grouped according to their principal quantum numbers, 0=7693
- Gombás, P. and Ladányi, K. Calculation of the electron density of the Hg^{2+} ion on the basis of a generalized statistical model, 0=9742
- Gombás, P. and Ladányi, K. The dependence of the electron-affinity of free atoms on the atomic number, 0=9745
- Gombás, P. and Ladányi, K. Calculation of ionization energies, 0=9747
- Gombás, P., Szépfalussy, P. and Mágori, E. The statistical theory of the nucleus. IV, 0=13100

- Gombás, P. and Szondy, T. Higher approximations in the statistical atom model in which the electrons are grouped according to principal quantum number. I, 3=22464
- Gombay, L., Gyulay, J., Kispéter and Lang, J. The electrical properties of bromine-doped selenium with thallium addition, 3=17892
- Gombay, L., Gyulai, J. and Láng, J. On the determination of concentration and mobility of charge carriers in two-carrier semiconductors, 0=15900
- Gombay, L. and Zöllei, M. On the photoconductivity of CdS films produced by sintering, 1=10058
- Gombay, L. See Bános, G., 1=7665
- Gomberg, H. J. See Kammash, T., 2=5993
- Gombosi, É. and Jánosy, L. Determination of the frequency of various types of events by the maximum likelihood method, 4=24958
- Gombosi, E. See Biczo, G., 1=13592
- Gombosi, E. See Bozoki, G., 0=2603
- Gombosi, É. See Bozoki, G., 1=405
- Gombosi, E. See Bozoki, G., 1=12190
- Gombosi, E. See Bozoki, G., 2=11981
- Gombosi, E. See Bozoki, G., 3=7888
- Gombosi, É. See Bozoki, G., 4=25140
- Gombosi, É. See Bozoki, G., 4=25141
- Gombosi, E. See Friedländer, E. M., 2=11918
- Gombosi, E. See Friedländer, E. M., 3=8102
- Gomelaury, V. Influence of two-dimensional artificial roughness on convective heat transfer, 4=21339
- Gomer, R. Field emission through dielectric layers, 0=19713
- Gomer, R. Surface structure and diffusion, 1=2545
- Gomer, R. Comments on "Growth of crystal whiskers" by Blakely and Jackson, 3=8810
- Gomer, R. and Swanson, L. W. Theory of field desorption, 3=13570
- Gomer, R. See Hayward, D. O., 0=751
- Gomer, R. See Melmed, A. J., 1=8342
- Gomer, R. See Menzel, D., 4=23609
- Gomer, R. See Swanson, L. W., 4=7725
- Gomer, R. See Utsugi, H., 3=3360
- Gomer, R. See Utsugi, H., 3=3361
- Gomes, A. A. and De Graaff, A. M. On the low temperature thermal expansion of cerium, 4=15433
- Gomes, A. M. See Humason, M. L., 1=18132
- Gomes, A. R. On the calculation of the curvature tensor in the first relativistic approximation, 1=6771
- Gomes, A. R. On the interpretation of the equation of geodesic deviation, 3=14010
- Gomes, L. C. Imaginary part of the optical potential, 0=2615
- Gomes, V. See Dietzsch, O., 1=13693
- Gomes, W. Distribution of silver ions in melt-grown alkali halides, 1=14257
- Gomes, W. The influence of vacancies on the reduction of silver ions in silver doped alkali halides, 4=15470
- Gomes de Mesquita, A. H., Langereis, C. and Leenhouts, J. I. The structure of NbSn_2 , 4=13599
- Gomes Da Silva, J. See Baptista, A. M., 3=7830
- Gomez, G. See Delyon, G., 0=2412
- Gómez, J. L. See Catalá, J., 3=24716
- Gómez, L. R. See Sistiaga, J. M., 2=10907
- Gomez, R., Burkhardt, H., Daybell, M., Ruderman, H., Sands, M. and Talman, R. Evidence against the existence of the B^0 meson, 0=17363
- Gómez, J. L. See Catalá, J., 4=21853
- Gómez, M. See Aguilar, M., 1=21127
- Gomez, R. See Myers, H., 1=2102
- Gomez, R., Pine, J. and Silverman, A. Absolute calibration of a Wilson type "quantameter", 4=9163
- Gomez, M. See Aguilar, M., 1=21128
- Gomez, R. See Diebold, R., 2=1709
- Gomez, R. See Talman, R. M., 2=20389
- Gomi, Y. and Odani, Y. Chain wall in permalloy thin films, 1=15175
- Gomi, Y., Odani, Y. and Sugihara, M. Domain patterns on thin films of Perminvar, 1=10156
- Gomi, Y. See Odani, Y., 2=6669
- Gomide, F. M. On a possible meaning of the cosmic constant in an Einstein-De Sitter universe, 4=10790
- Gomon, G. O. The luminescence spectra of diamonds, 0=13707
- Gomon, G. O. The absorption spectra of diamonds, 0=16053
- Gomoyunova, M. V. Secondary electron emission of NaCl films, 0=3792
- Gomoyunova, M. V. Reflection of electrons and secondary electron emission of NaCl films, 0=3793
- Gomoyunova, M. V. The role of reflected electrons in secondary electron emission, 1=18926
- Gomoyunova, M. V. The role of reflected electrons in secondary electron emission, 2=3078
- Gomoyunova, M. V. Secondary emission of KBr films, 4=8820
- Gomoyunova, M. V. and Ivanov, G. A. The role of electrons inelastically scattered from various substrates in the secondary electron emission of thin layers of NaCl, 0=10940
- Gomperts, M. C. The "sound insulation" of circular and slit-shaped apertures, 4=11316
- Gompertz, G. and Hindmarsh, W. R. The absorption coefficient of the wing of the Fraunhofer line 6162 Å, 4=10895
- Gómulka, S. See Myszkowski, A., 4=17393
- Gomuńkiewicz, J. The electret effect in paraffin wax, 3=8566
- Goncalves, M. T. Spectrum of conversion electrons associated with the transmutation of radium 226 into radon 222, 4=3623
- Goncalves, M. T. See Ferriera, J. G., 1=13704
- Gonchar, V. Yu. See Antuf'ev, Yu. N., 3=7746
- Gonchar, V. Yu. See Antuf'ev, Yu. P., 3=8087
- Gonchar, V. Yu. See Antuf'ev, Yu. P., 2=16320
- Gonchar, V. Yu. See Chursin, G. P., 3=22410
- Gonchar, V. Yu. See Tutakin, P. M., 0=7567
- Gonchar, V. Yu. See Val'ter, A. K., 2=13997
- Gonchar, V. Yu. See Val'ter, A. K., 4=1093
- Goncharenko, A. M. Surfaces of refraction and absorption of absorbent monoclinic and triclinic crystals, 0=13672
- Goncharenko, A. M. and Fedorov, F. I. Surfaces of refraction and absorption of absorbing crystals, 0=13673
- Goncharenko, A. M. Concerning some peculiarities of the behaviour of the indices of refraction and the coefficients of absorption of absorbing crystals, 0=13674
- Goncharenko, A. M. An approximate theory of the optical parameters of absorbing crystals, 1=16094
- Goncharenko, A. M. Ellipsoids of refraction and absorption for absorbing crystals, 3=15665
- Goncharenko, A. M. and Fedorov, F. I. Optical properties of crystalline plates, 3=15649
- Goncharenko, A. M., Sotskii, B. A. and Fedorov, F. I. The phenomenon of self-excitation of a plane-parallel anisotropic layer, 3=23031
- Goncharenko, A. M. See Fedorov, F. I., 3=15648
- Goncharenko, A. M. See Grum-Grzhimailo, S. V., 2=4129
- Goncharenko, A. M. See Petrov, N. S., 4=24887
- Goncharenko, A. M. See Sotskii, B. A., 4=3136
- Goncharenko, A. M. See Sotskii, B. A., 4=11830
- Goncharenko, A. M. See Petrov, N. S., 4=16259
- Goncharenko, V. P. See Belikov, A. G., 4=21547
- Goncharov, I. N., Gromova, I. I., Neganov, B. S. and Parfenov, L. B. Electromagnet with superconducting winding, 3=2084
- Goncharov, I. N., Gromova, I. I., Neganov, B. S. and Parfenov, L. B. An electromagnet with superconducting windings, 3=14726
- Goncharov, V. V. Graphite in nuclear reactors, 0=13355
- Goncharov, Yu. A. See Balashko, Yu. G., 0=13073
- Goncharova, E. V. See Zhuze, V. P., 4=30613
- Goncharova, E. V. See Zhuze, V. P., 4=30626
- Goncharova, V. A. See Voronov, F. F., 1=3957
- Goncharova, V. A. See Voronov, F. F., 1=10205
- Gonda, S. See Mikoshiba, N., 2=21141
- Gonda, S. See Sasaki, W., 3=25344
- Gondal, D. See Mustelier, J. P., 2=18626
- Gondet, M. H. Current knowledge of solar and terrestrial radiation, 4=20850
- Gondi, P. and Scacciati, G. Improvements in the purification of germanium by zone melting, 2=812
- Gondi, P., Valdré, U. and Grilli, A. Work hardening and recovery phenomena in aluminium, 2=769
- Gondi, P. See Bacchilega, A., 4=13405
- Gondi, P. See Desalvo, A., 4=12865
- Gondi, P. See Forlani, F., 2=21043
- Gondō, Y. Domain structure in single-crystal thin films of iron, 2=21325
- Gondo, Y. and Funatogawa, Z. Some observations on the domain walls in thin films, 1=14715
- Gondō, Y. and Funatogawa, Z. Structure of domain walls in thin films, 3=1080
- Gondō, Y. and Konno, H. A torsion pendulum magnetometer used for thin films, 2=17922
- Gondō, Y. and Konno, H. A torsion pendulum magnetometer used for thin films, 3=469
- Gondō, Y., Konno, H. and Funatogawa, Z. Spontaneous magnetization in thin films of nickel, 2=8602

- Gondō, Y., Usami, S., Itōh, K., Konno, H. and Funatogawa, Z. Ferro-magnetic resonance in single-crystal thin films of iron, 3=15919
- Gondo, Y. See Chen, D., 4=13045
- Gondō, Y. See Prosen, R. J., 4=13161
- Gondo, Y. See Usami, S., 3=20630
- Gonella, J. R. and Robrieux, B. Transformation of thin calcium fluoride films, 2=8882
- Gonella, L. The electron capture process in conventional annular machines, 3=17006
- Gonella, L. Influence of the coating resistance on the electron capture process, 4=19148
- Gofi, J. See Tanarro, A., 2=10182
- Gofi, J. See Tanarro, A., 2=18386
- Gonikberg, M. G., Tsiklis, D. S. and Opekunov, A. A. On the strengthening of high pressure vessels, 0=3385
- Gonikberg, M. G. See Shakhovskoi, G. P., 4=148
- Gonser, J. M. See Kelly, W. H., 0=20410
- Gonser, U. Irradiation-induced growth of α -uranium as the result of correlated collision processes, 0=18308
- Gonser, U. and Fujita, F. E. Small-angle scattering of X-rays by a deuteron-irradiated germanium crystal, 0=20858
- Gonser, U., Grant, R. W. and Kregzde, J. Determination of the chemical structure of hemoglobin using the Mössbauer effect, 4=6669
- Gonser, U. and Lücke, K. The use of Van De Graaff accelerators for high intensity neutron irradiation of metals, 2=5404
- Gonser, U., Meechan, C. J., Muir, A. H. and Wiedersich, H. Determination of Néel temperatures in f.c.c. iron, 3=23153
- Gonser, U. and Wiedersich, H. Mössbauer effect in relation to lattice defects, 3=22698
- Gonsior, B. Thermal diffusion plant for working up low tritium concentrations, 2=8071
- Gonsior, B. and Friedman, I. Tritium and deuterium in atmospheric hydrogen, 3=13663
- Gonsior, B., Friedman, I. and Ehhalt, D. Measurements of the tritium and deuterium concentration in atmospheric hydrogen, 3=25893
- Gontarz, R., Ratajczak, H. and Śuda, P. Magnetostriction of thin Ni-films, 4=30714
- Gontarz, R. See Kambersky, V., 3=11087
- Gontarz, R. See Szczeniowski, S., 3=1070
- Gontchar, V. J. See Asfour, F., 4=22174
- Gontchar, V. J. See El-Behay, A. Z., 4=28057
- Gontchar, V. J. See Omar, H. M., 4=28058
- Gontier, G. See Dymant, A., 3=9431
- Gontier, G. See Dymant, A., 4=24299
- Gontkovskaya, V. T. and Chebotarev, G. A. The motion of the space probe Lunik III, 2=1026
- Gontkovskaya, V. T. and Chebotarev, G. A. Estimations of the lunar and solar perturbations of Lunik III, 2=24188
- Gonzalo, J. A. and Lopez-Alonso, J. R. Statistical theory for ferroelectricity in tri-glycine sulfate, 4=17523
- González, C. and Grünbaum, E. The orientated overgrowth of thin cobalt films, 3=18379
- Gonzalez, D. See Jaoul, B., 1=20350
- González Ibeas, J., Aleixandre Campos, V. and Ruiz Gonzalvo, J. M. Solution by means of an electronic differential analyser of the equation of motion of an elastic pendulum with two degrees of freedom, 1=5242
- González, L., Rapaport, J. and van Loef, J. J. $\text{Ni}^{58}(\text{n}, \text{p})\text{Co}^{58}$ cross section for neutrons of energies between 2.2 and 3.6 MeV, 0=20495
- González, L., Trier, A. and van Loef, J. J. Excitation function of the reaction $\text{Ti}^{47}(\text{n}, \text{p})\text{Sc}^{47}$ at neutron energies between 2.0 and 3.6 MeV, 2=10123
- González, L., Trier, A. and Van Loef, J. J. Measurement of the cross section of the nuclear reaction $^{47}\text{Ti}(\text{n}, \text{p})^{47}\text{Sc}$, 3=24957
- Gonzalez, R. N. See Yannas, J. B., 1=20340
- Gonzalez, V. F. See Yeh, K. C., 1=15339
- Gonzalez-Perez, F. See Sudan, R. N., 4=27561
- Gonzalez-Sanchez, F. See Hidalgo, A., 0=9803
- Gonzalez-Vidal, J. and Wade, W. H. Survey of tritium-producing nuclear reactions, 0=20425
- Gonzatko, Ya. See Benetsky, B. A., 4=6346
- Gonze, A. A magnetic analyser for 12 MeV deuterons, 0=5363
- Gonze, A., Keppenne, R. and Macq, P. C. Extraction and analysis of the beam of the Louvain cyclotron, 0=15094
- Gonze, A. See Deconninck, G., 2=465
- Goberman, G. Ultrasonic absorption of polymer solutions, 1=15874
- Gooch, C. H., Hilsum, C. and Holeman, B. R. Properties of semi-insulating GaAs, 1=17721
- Gooch, C. H. See Broom, R. F., 3=19491
- Gooch, C. H. See Cunnell, F. A., 1=6111
- Gooch, C. H. See Cunnell, F. A., 1=17565
- Gooch, D. W., Harrison, C. W., Jr., King, R. W. P. and Wu, T. T. Impedances of long antennas in air and in dissipative media, 3=19453
- Good, B. J. See Reynolds, J. M., 0=8905
- Good, I. J. Randomised and pseudorandomised substantialization of sign sequences, 0=3213
- Good, M. L. K_2^0 and the equivalence principle, 1=533
- Good, M. L. and Holladay, W. G. $\Delta T = \frac{1}{2}$ selection rule and $\text{K}_2^+\pi$ decay, 0=7413
- Good, M. L. and Lind, V. G. Muonic Λ^0 decay, 3=17342
- Good, M. L. and Walker, W. D. Coulomb dissociation of beam particles, 1=469
- Good, M. L. and Walker, W. D. Diffraction dissociation of beam particles, 1=470
- Good, M. L. See Alston, M., 1=3240
- Good, M. L. See Alston, M., 1=8502
- Good, M. L. See Alston, M. H., 1=12126
- Good, M. L. See Crawford, F. S., Jr., 0=1316
- Good, M. L. See Crawford, F. S., Jr., 0=1317
- Good, M. L. See Eberhard, P., 0=20226
- Good, M. L. See Eberhard, P., 0=20234
- Good, M. L. See Fowler, W. B., 1=5788
- Good, M. L. See Lind, V. G., 4=27902
- Good, R. See Muller, F., 0=11220
- Good, R. H., Matsen, R. P., Muller, F., Piccioni, O., Powell, W. M., White, H. S., Fowler, W. B. and Birge, R. W. Regeneration of neutral K mesons and their mass difference, 2=317
- Good, R. H., Matsen, R. P., Muller, F., Piccioni, O., Powell, W. M., White, H. S., Fowler, W. B. and Birge, R. W. Regeneration of neutral K mesons and their mass difference, 2=22628
- Good, R. H. and Pauli, E. Sign of the K_1-K_2 mass difference, 2=13875
- Good, R. H. and Piccioni, O. Analog computer for charged particle trajectories, 0=19784
- Good, R. H., Jr. Massless particles, 0=17274
- Good, R. H., Jr. Classical equations of motion for a polarized particle in an electromagnetic field, 2=9685
- Good, R. H., Jr. Connection between displacement operators and integrals of motion for photons, 2=13724
- Good, R. H., Jr and Rose, M. E. Transverse polarization in allowed β transitions, 0=2643
- Good, R. H., Jr and Rose, M. E. Relation between Foldy-Wouthuysen and Lorentz transformations, 2=16122
- Good, R. H., Jr. See Fradkin, D. M., 1=18273
- Good, R. H., Jr. See Fradkin, D. M., 1=19097
- Good, R. H., Jr. See Hammer, C. L., 0=5693
- Good, R. H., Jr. See Hammer, C. L., 1=8413
- Good, R. H., Jr. See Liu, S. H., 0=2981
- Good, R. H., Jr. See Liu, S. H., 1=11291
- Good, R. H., Jr. See Raich, J. C., 3=12561
- Good, R. H., Jr. See Rice, M. H., 2=6089
- Good, R. H., Jr. See Rose, M. E., 0=7400
- Good, R. H., Jr. See Rose, M. E., 1=19098
- Good, R. H., Jr. See Raich, J. C., 4=25647
- Good, R. H., Jr. See Weaver, D. L., 4=21038
- Good, R. J. and Ferry, G. V. Wetted of solids by liquid hydrogen, 4=11170
- Good, W. D. See Scott, D. W., 2=3732
- Good, W. M. Millimicrosecond pulsing — its application and technique, 1=1934
- Good, W. M. See Bird, J. R., 2=18340
- Good, W. M. See Fowler, T. K., 1=1925
- Good, W. M. See Moak, C. D., 4=19138
- Goodall, D. H. J. and Hancox, R. Formative time lags in a pressurised spark gap, 4=18759
- Goodall, M. C. Foundations of relativistic quantum mechanics, 2=21817
- Goodall, M. C. Path integral formulation of relativistic quantum mechanics, 3=1691
- Goodall, M. C. Representation of a group in relativistic quantum mechanics, 3=7113
- Goodall, M. C. Connexion between local and global physics, 3=11688
- Goodall, M. J. and Young, J. E. R. Bibliography of thermoelectricity, 0=19599
- Goodbody, A. M. The influence of coma on the response function of an optical system, 0=10749
- Goodchild, J. C. See Wright, P., 2=4463
- Goode, D. H. and Schroeder, P. A. Aggregation of F centers in potassium iodide, 0=1597

- Goodenough, J.B. Direct cation-cation interactions in several oxides, 0=7832
- Goodenough, J.B. Direct cation-cation interactions in primarily ionic solids, 0=11554
- Goodenough, J.B. On the influence of $3d^4$ ions on the magnetic and crystallographic properties of magnetic oxides, 0=13758
- Goodenough, J.B. Band structure of transition metals and their alloys, 0=17911
- Goodenough, J.B. Cation-cation three-membered ring formation, 2=12691
- Goodenough, J.B. Spin-orbit vs. Jahn-Teller deformation in chromium spinels, 3=1010
- Goodenough, J.B. Atomic moments and magnetic coupling in cation-excess-nickel arsenides, 3=15738
- Goodenough, J.B. Spin correlations among narrow-band electrons, 4=12683
- Goodenough, J.B. Jahn-Teller distortions induced by tetrahedral-site Fe^{2+} ions, 4=15406
- Goodenough, J.B. Magnetism and crystal structures in non-metals, 4=17617
- Goodenough, J.B., Wold, A. and Arnott, R.J. Interpretation of the magnetic and crystallographic properties of several iron, nickel, and iron-nickel nitrides, 0=11830
- Goodenough, J.B., Wold, A., Arnott, P.J. and Menyuk, N. Relationship between crystal symmetry and magnetic properties of ionic compounds containing Mn^{3+} , 1=14670
- Goodenough, J.B. See Dwight, K., 0=2300
- Goodenough, J.B. See Rogers, D.B., 3=12934
- Goodenough, J.B. See Wickham, D.G., 0=1814
- Goodenough, J.B. See Wold, A., 3=16018
- Goeder, A. W. A simple and inexpensive method of tracing cathode-ray tube waveforms, 4=18631
- Goodfellow, H. See McTaggart, M. H., 4=12241
- Goodfellow, H. See Weale, J. W., 2=3671
- Goodfellow, T. L. See Caffyn, J. E., 2=14443
- Goodfellow, T. L. See Caffyn, J. E., 2=18582
- Goodfellow, T. L. See Caffyn, J. E., 3=900
- Goodfriend, L. S. Acoustics for school music departments, 3=14300
- Goodfriend, L. S. See Ostergaard, P. B., 3=18951
- Goodfriend, P. L., Birss, F. W. and Duncan, A. B. F. Calculations on the electronic structure of the normal state of formaldehyde, 0=17827
- Goodfriend, P. L. and Woods, H. P. Emission and absorption spectra of the OF_2 -NO diffusion flame, 4=6599
- Goodfriend, P. L. and Woods, H. P. The absorption spectrum of NF_2 , 4=22360
- Goodhead, D. T., Ismail, A. Z. M., Lokanathan, S. and Prakash, Y. An example of the π^+ decay of 7Li or 7Be hyperfragment, 4=25272
- Goodier, J. N. and Fuller, F. B. Turning-point peculiarities in the near-resonant response of slightly tapered membrane strips, 4=27244
- Goodier, J. N. See Abrahamson, G. R., 3=11194
- Gooding, T. J. Kinetic energy effects in the thermal neutron fission of U^{235} , 1=12227
- Gooding, T. J. and Igo, G. Scattering of 915 MeV α -particles from carbon and helium: direct evidence for α -particle clustering in nuclei, 1=12222
- Gooding, T. J. and Pugh, H. G. Quasi-elastic scattering of 153 MeV protons by p-state protons in C^{12} . I. Experimental, 0=17584
- Gooding, T. J. and Pugh, H. G. The response of plastic scintillators to high-energy particles, 1=395
- Gooding, T. J. and Pugh, H. G. Quasi-elastic scattering of 153 MeV protons by protons in the p state C^{12} , 1=13411
- Gooding, T. J. See Igo, G., 3=17385
- Gooding, T. J. See Riley, K. F., 0=17585
- Goodings, A. Developments in high temperature neutron detectors, 4=27869
- Goodings, D. A. Exchange polarization effects in hyperfine structure, 1=12238
- Goodings, D. A. Magnitude of exchange interactions in gadolinium, 2=21287
- Goodings, D. A. Electrical resistivity of ferromagnets at low temperatures, 3=15532
- Goodings, D. A. Electrical resistivity of ferromagnetic metals at low temperatures, 4=1553
- Goodings, D. A. and Heine, V. Contribution of exchange polarization of core electrons to the magnetic field at the nucleus of Fe, 1=3628
- Goodisman, J. Dipole-moment function for diatomic molecules, 3=17567
- Goodisman, J. Calculation of molecular properties with limited-basis Hartree-Fock functions, 3=8239
- Goodisman, J. Force calculation with Hartree-Fock wavefunction, 4=6528
- Goodisman, J. Relation of variational functions to exact function for H_2^+ , 4=25641
- Goodisman, J. and Klemperer, W. On errors in Hartree-Fock calculations, 3=8169
- Goodisman, J. See Boorstein, S., 3=25094
- Goodkind, J. M., Adams, E. D., Cohen, D. H. and Fairbank, W. M. Low temperature susceptibility of He^3 , 4=14479
- Goodkind, J. M. and Fairbank, W. M. Nuclear spin relaxation in solid He^3 , 0=12554
- Goodkind, J. M. See Adams, E. D., 4=8534
- Goodjohn, A. J. See Joanou, G. D., 2=16203
- Goodlett, V. W. See Boye, C. A., 3=11124
- Goodman, A. See Schardt, A. W., 1=10995
- Goodman, A. See Scharff-Goldhaber, G., 0=5731
- Goodman, A. M. Test set for displaying the volt-ampere characteristics of tunnel diodes, 0=7046
- Goodman, A. M. A method for the measurement of short minority carrier diffusion lengths in semiconductors, 2=2131
- Goodman, A. M. Metal-semiconductor barrier height measurement by the differential capacitance method-one carrier system, 3=10847
- Goodman, A. M. Evaporated metallic contacts to conducting cadmium sulfide single crystals, 4=12853
- Goodman, A. M. Controlled etching of tunnel diodes, 4=20396
- Goodman, A. M. and Warfield, G. Dember effect in silver chloride, 0=20941
- Goodman, B. See Bassani, F., 2=20957
- Goodman, B. B. The probable existence of superconducting elements with extremely low transition temperatures, 0=5236
- Goodman, B. B. The specific heat of mercury below $1^{\circ}K$, 0=11584
- Goodman, B. B. Simple model for the magnetic behavior of superconductors of negative surface energy, 1=13040
- Goodman, B. B. The magnetic behavior of superconductors of negative surface energy, 2=7501
- Goodman, B. B. The thermodynamic properties of superconducting V_3Ga , 2=17732
- Goodman, B. B. The role of coherence length in the superconducting transition, 3=9673
- Goodman, B. B. Type II or London superconductors, 4=18530
- Goodman, B. B. Superconductivity - the structure of the mixed state, 4=24508
- Goodman, B. B., Lecomte, J. and Vallier, J. C. The critical current density of A Nb-Zr superconductor in a pulsed magnetic field, 4=14529
- Goodman, B. B. See Bonfiglioli, G., 2=17730
- Goodman, B. B. See Bon Mardion, G., 3=3957
- Goodman, B. B. See Bon Mardion, G., 4=11474
- Goodman, B. B. See Bon Mardion, G., 4=11749
- Goodman, B. B. See Bonnin, B., 3=19104
- Goodman, B. B. See Doulat, J., 0=3706
- Goodman, B. B. See Dreyfus, B., 1=9977
- Goodman, B. B. See Dreyfus, B., 1=19712
- Goodman, B. B. See Dreyfus, B., 2=2051
- Goodman, B. B. See Geiser, R., 3=19106
- Goodman, C. D. Interpretation of "anomalous inelastic scattering", 0=436
- Goodman, C. D. Analogue states in isobaric nuclei, 3=17395
- Goodman, C. D. An occupation number representation for shell-model reaction calculations, 4=25249
- Goodman, C. D. and Ball, J. B. Survey of (p,d) reactions at 22 MeV, 0=9615
- Goodman, C. D. See Ball, J. B., 0=17592
- Goodman, C. D. and Ball, J. B. A system for detecting and processing energy spectra for several types of charged particles simultaneously, 2=9729
- Goodman, C. D., Ball, J. B. and Fulmer, C. B. Pickup reaction studies of neutron bound states: Fe^{54} and Co^{59} , 2=1885
- Goodman, C. D., Ball, J. B. and Fulmer, C. B. Pickup reaction evidence for deformation of Fe^{56} , Fe^{57} and Fe^{58} , 2=1886
- Goodman, C. D., Ball, J. B. and Fulmer, C. B. Single-particle neutron bound states in iron isotopes and in cobalt studied with (p,d) reactions, 2=18322
- Goodman, C. D., O'Kelley, G. O. and Bromley, D. A. A 20 000-channel pulse-height analyser with two-coordinate address, 2=9496
- Goodman, C. D. See Ball, J. B., 2=1756
- Goodman, C. D. See Ball, J. B., 3=15196
- Goodman, C. D. See Bromley, D. A., 4=24765
- Goodman, C. D. See Fulmer, C. B., 0=7547

- Goodman, C. D. See O'Kelley, G. D., 4=22054
- Goodman, C. H. L. Bonding in cadmium telluride, 0=7833
- Goodman, C. H. L. Bonding and semiconductivity relationships in Bi_2Te_3 and CdI_2 type structures, 0=15945
- Goodman, C. H. L. Ionic-covalent bonding in crystals, 1=893
- Goodman, C. H. L. The regrown-diffused transistor, 1=3782
- Goodman, C. H. L. Ionic-covalent bonding in crystals, 2=6244
- Goodman, F. O. Application of a theory of nonideal solutions to results of ultrasonic absorption measurements, 1=8119
- Goodman, F. O. The dynamics of simple cubic lattices. I. Applications to the theory of thermal accommodation coefficients, 2=23043
- Goodman, F. O. The dynamics of simple cubic lattices. II. The effects of surface impurities on the lattice motion, 3=2707
- Goodman, F. O. On the theory of accommodation coefficients. III. Classical perturbation theory for the thermal accommodation of light gases, 4=15814
- Goodman, G. Electrical conductivity anomaly in vanadium sesquioxide, 3=2927
- Goodman, G. Discussion of note by Kawabe and Inuishi on "resistivity anomaly in oxygen deficient single crystals of BaTiO_3 ", 4=15558
- Goodman, G. Electrostrictively generated and modulated fracture in barium titanate ceramics, 4=28938
- Goodman, G. L. See Weil, J. A., 4=26424
- Goodman, G. L. See Weinstock, B., 4=17365
- Goodman, J. F. The decomposition of magnesium hydroxide in an electron microscope, 0=7742
- Goodman, J. F. See Corkill, J. M., 2=2696
- Goodman, J. F. See Corkill, J. M., 3=8433
- Goodman, J. F. See Murphv, A. P., 1=2553
- Goodman, J. M. See Merrill, J. R., 3=25259
- Goodman, L. and Hoyland, J. R. Open-shell SCF triplet-state energies of polyacenes, 3=25128
- Goodman, L. and Krishna, V. G. Pole of ground state in singlet-triplet transition probabilities, 3=8245
- Goodman, L. and Krishna, V. G. Spin-orbit coupling in azines, 4=12496
- Goodman, L., Nöldeke, G. and Walther, H. Sign of the hyperfine structure splitting of the $3d^5, 4s^2 {}^6S_{5/2}$ ground state of Mn^{55} , 2=8061
- Goodman, L. See Brinen, J. S., 1=17322
- Goodman, L. See Chowdhury, M., 2=4186
- Goodman, L. See Chowdhury, M., 3=18044
- Goodman, L. See Hoyland, J. R., 0=17803
- Goodman, L. See Hoyland, J. R., 1=12294
- Goodman, L. See Hoyland, J. R., 2=2011
- Goodman, L. See Hoyland, J. R., 2=2012
- Goodman, L. See Jamattona, B., 4=20092
- Goodman, L. See Krishna, V. G., 0=15742
- Goodman, L. See Krishna, V. G., 2=14265
- Goodman, L. See Krishna, V. G., 2=20857
- Goodman, L. See Prosser, F., 3=8299
- Goodman, L. See Silvestri, A. J., 2=2015
- Goodman, L. See Taft, R. W., 3=8300
- Goodman, L. E. See Brown, C. B., 4=4131
- Goodman, L. S. Achievement of extremely homogeneous magnetic fields, 1=4691
- Goodman, L. S., Kopfermann, H. and Schlüpmann, K. Rotational quantum number and hyperfine structure constants for the groundstate of the Ho^{165} I-spectrum, 2=14194
- Goodman, L. S. and Schlüpmann, K. Determination of the nuclear moments of Ho^{165} from the hyperfine structure of the ground state of the Ho I spectrum, 4=17003
- Goodman, L. S. See Childs, W. J., 0=15511
- Goodman, L. S. See Childs, W. J., 1=593
- Goodman, L. S. See Childs, W. J., 1=7314
- Goodman, L. S. See Childs, W. J., 1=7315
- Goodman, L. S. See Childs, W. J., 3=17300
- Goodman, L. S. See Childs, W. J., 4=6470
- Goodman, L. S. See Childs, W. J., 4=15278
- Goodman, P. Intensity measurement of electron diffraction patterns with a scanning photomultiplier, 3=1288
- Goodman, R. See MacArthur, D., 3=649
- Goodman, R. H., Kitching, J. E. and Johns, M. W. The decay of $^{83}\text{sec Kr}^{90}$, 4=22067
- Goodman, R. R. Cyclotron resonance in germanium, 1=7571
- Goodman, R. R. Reflection from a thin infinite plate using the Epstein method, 1=11809
- Goodman, R. R. Comment on "experimental study of the scattering of acoustic energy from solid metal spheres in water", 1=16050
- Goodman, R. R. A new variational method for ray path calculations, 4=14279
- Goodman, R. R. and Duykers, L. R. B. Calculations of convergent zones in a sound channel, 2=17552
- Goodman, R. R. and Stern, R. Reflection and transmission of sound by elastic spherical shells, 2=7296
- Goodman, S. R. See Hsun Hu, 4=7481
- Goodman, S. R. See Hu, H., 1=10279
- Goodneough, J. B. See Rogers, D. B., 4=12891
- Goodrich, F. C. The mathematical theory of capillarity. I, 1=15815
- Goodrich, F. C. The mathematical theory of capillarity. II, 1=15816
- Goodrich, F. C. The mathematical theory of capillarity. III, 1=15817
- Goodrich, F. C. Molecular weight distribution and reaction sequence in polymerization kinetics, 1=20734
- Goodrich, F. C. On the damping of water waves by monomolecular films, 3=5423
- Goodrich, F. C. Nucleation rates and the kinetics of particle growth. I. The pure birth process, 4=8519
- Goodrich, F. C. Nucleation rates and the kinetics of particle growth. II. The birth and death process, 4=8520
- Goodrich, G. W. and Wiley, W. C. Resistance strip magnetic electron multiplier, 1=10738
- Goodrich, G. W. and Wiley, W. C. Continuous channel electron multiplier, 2=20197
- Goodrich, M. See Hakeem, M. A., 2=10045
- Goodrich, M. See Trehan, P. N., 3=24903
- Goodrich, R. F. and Kazarinoff, N. D. Scalar diffractions by prolate spheroids whose eccentricities are almost one, 3=4274
- Goodrich, R. F., Kazarinoff, N. D. and Weston, V. H. Scalar diffraction by a thin oblate spheroid, 4=691
- Goodrich, R. F. See Senior, T. B. A., 4=21656
- Goodrich, R. F. See Siegel, K. M., 0=5404
- Goodrich, R. S. See Roblin, M. J., 3=17774
- Goodrich, R. S., Jr. and Ansell, G. S. Observations of deformation induced substructure in $\text{Al-Al}_2\text{O}_3$ SAP-type dispersion-strengthened alloys, 4=29163
- Goodridge, F. and Taylor, M. D. Radioactive tracer method for investigating the mechanism of gas absorption. I. Tests on the system carbon dioxide + sodium hydroxide, 4=8172
- Goodspeed, F. C. See Burr, J. G., 4=13743
- Goodspeed, F. D. See Ingalls, R. B., 2=17681
- Goodwin, A. R. and Harness, J. B. A proton resonance fluxmeter suitable for working in the temperature range $2-340^\circ\text{K}$, 4=8890
- Goodwin, A. R. See Fray, S. J., 3=18961
- Goodwin, D. W. The noise power spectrum of p-type indium antimonide, 2=8432
- Goodwin, D. W. and Jones, R. H. Far infrared and microwave detector, 1=16608
- Goodwin, E. T. See Bradfield, G., 2=1232
- Goodwin, F. E. Maser action in emerald, 1=13174
- Goodwin, G. L. A discussion of ionospheric demodulation near gyro frequency, 0=3863
- Goodwin, G. L. and Thomas, J. A. Field-aligned irregularities in the E_s -region, 4=7924
- Goodwin, J. G. and Lorenz, F. R. A study of some mechanical, physical, and corrosion properties of iodide hafnium, 0=15635
- Goodwin, L. K., Kenney, R. W. and Perez-Mendez, V. Experimental evidence for D waves in π^-p scattering at 370 and 427 MeV, 0=2581
- Goodwin, L. K., Kenney, R. W. and Perez-Mendez, V. Elastic scattering of negative pions by protons at 250, 290, Goodwin, L. K. See Caris, J. C., 1=7270
- Goodwin, R. D. Melting pressure equation for the hydrogens, 3=12000
- Goodwin, R. D., Diller, D. E., Roder, H. M. and Weber, L. A. The densities of saturated liquid hydrogen, 2=7191
- Goodwin, R. D., Diller, D. E., Roder, H. M. and Weber, L. A. Pressure-density-temperature relations of fluid parahydrogen from 15 to 100°K at pressures to 350 atmospheres, 3=14146
- Goodwin, R. D., Diller, D. E., Roder, H. M. and Weber, L. A. Second and third virial coefficients for hydrogen, 4=14146
- Goodwin, R. D. and Roder, H. M. Pressure-density-temperature relations of freezing liquid parahydrogen to 350 atmospheres, 3=14418
- Goodwin, R. D. See Roder, H. M., 3=14424
- Goodwin, R. D. See Weber, L. A., 2=15805
- Goody, R. A note on the refraction of a twilight ray, 4=10741

- Goody, R.M. A note on the regular model of an absorption band, 2=6948
- Goody, R.M. See Noxon, J.F., 3=1467
- Goody, R.M. See Siedy, F., 0=18770
- Goodyear, C.C. and von Engel, A. Dissociation and ionization of hydrogen in high-frequency discharges, 2=10285
- Goodyear, C.C. and von Engel, A. Atomic ion production in radio-frequency ion sources, 3=4008
- Goodyear, C.C. See von Engel, A., 1=19555
- Goodyear, J., Duffin, W.J. and Steigmann, G.A. The unit cell of α -Ga₂S₃, 2=10872
- Goodyear, J. and Steigmann, G.A. Twinning in a cation-deficient spinel structure, 1=20403
- Goodyear, J. and Steigmann, G.A. The crystal structure of α -Ga₂S₃, 3=25711
- Gooen, K.H. See Autler, S.H., 3=19114
- Gooen, K. See Banus, M.D., 4=10429
- Gooen, K.N. See Rosenblum, E.S., 4=18590
- Gool, W.van. See van Gool, W.
- Goold, D. Diffusion of aluminum, tin, vanadium, molybdenum, and manganese in titanium, 1=17552
- Goorissen, J. Segregation and distribution of impurities in the preparation of germanium and silicon, 0=13944
- Goosey, M.H. Kandiah discriminator permits simplified monitor circuit, 0=3910
- Goossens, W.J.A. and Meyer, H.J.G. Simple basic concepts of the physics of semiconductors, 2=4000
- Goossens, W.J.A. and Meyer, H.J.G. Some basic concepts of the physics of semiconductors. II, 4=15526
- Goossens, W.J.A. and Meyer, H.J.G. Some basic concepts of the physics of semiconductors. III, 4=15527
- Gopal Rao, M.S.V. and Booker, H.G. Guiding of electromagnetic waves along a magnetic field in a plasma, 3=9941
- Gopal Rao, M.S.V. and Ramachandra Rao, B. Effects of equatorial spread-F irregularities on c.w. transmissions, 1=8393
- Gopal Rao, M.S.V. and Ramachandra Rao, B. Equatorial spread F in relation to post-sunset height changes and magnetic activity, 1=21009
- Gopal Rao, M.S.V. and Ramachandra Rao, B. Nocturnal and seasonal variation of equatorial spread-F, 1=21011
- Gopal Rao, M.S.V., Ramachandra Rao, B. and Ramachandra Rao Pant, P. Fading of c.w. signals as a means of spread F study, 1=10326
- Gopal Rao, M.S.V. and Ramachandra Rao, B. The correlation of spread on one night and the successive nights, 3=5217
- Gopala Krishna, K.V. Dielectric relaxation — effect of temperature, 0=5022
- Gopala Rao, M.S.V., Ramachandra Rao, B. and Ramachandra Rao Pant, P. Correlation of spread-F activity with F-region height changes, 0=14242
- Gopala Rao, R.V., Keer, H.V. and Deenadas, C. Cohesive energies of alkali halides, 4=6678
- Gopalakrishna, R. Diamagnetic behaviour of binary liquid mixtures, 2=15615
- Gopalakrishnan, K. See Tawde, N.R., 3=381
- Gopalan, K. and Rajagopal, E.S. An instantaneous pulse frequency meter for random pulses, 2=5281
- Gopasyuk, S.I. Variations of the magnetic field and sunspot configurations during solar flares—a determination of the total energy of flares, 2=975
- Gopalsingh, K. See Reid, R.J., 1=12138
- Gopalsingh, K. See Reid, R.J., 3=4504
- Gopinathan, K.P. (n,p) reactions in molybdenum by fission neutrons, 3=2477
- Gopinathan, K.P. and Joshi, M.C. Decay of Nd¹⁴⁹ to Pm¹⁴⁹, 4=17098
- Gopinathan, K.P., Joshi, M.C. and Radha Menon, M. Decay of the new 2.5 min ²⁰¹Pt, 4=3619
- Gopinathan, K.P. See Jha, S., 1=8651
- Gopinathan, K.P. See Sharma, R.P., 4=19726
- Gora, E.K. Interpretation of experimental absorption profiles for ozone and sulfur dioxide in the far infrared, 4=28224
- Gorak, Z. On the origin of some satellites in X-ray spectra, 2=14210
- Góral, A. Partial switching of rectangular hysteresis-loop ferrites, 1=14733
- Góral, A. On the structural current density method in analysis of the magnetization process, 4=10259
- Góral, A. Magnetic diffusion aftereffect in the rotational process of flux reversal in ferromagnetics, 4=20569
- Gorbach, T.Ya., Gribnikov, Z.S. and Krolevets, K.M. The photo-voltage of a nonuniformly illuminated p-n junction, 3=23024
- Gorbach, V.G. and Mal'yshev, K.A. Transformation-induced strain-hardening of high-carbon austenitic alloys, 4=17738
- Gorbach, V.G. See Izmailov, E.A., 4=23271
- Gorbach, V.G. See Zaitsev, V.I., 4=26524
- Gorbach, V.I. See Men', A.V., 0=300
- Gorbachev, A.A. See Krinchik, G.S., 2=8486
- Gorbachev, A.A. See Krinchik, G.S., 2=23533
- Gorbachev, A.A. See Vaisfel'd, N.M., 4=23340
- Gorbachev, V.M., Korolev, V.N. and Uvarov, N.A. A nanosecond pulse generator, 3=24192
- Gorbachev, V.M. and Poretskii, L.B. Inelastic neutron scattering cross sections for some light nuclei at 14 MeV, 0=11445
- Gorbachev, V.M., Usenko, L.D. and Uvarov, N.A. Measurement of the time of flight for electrons in photomultipliers, 4=14751
- Gorbachev, V.M. and Zamyatnin, Yu.S. Determination of the intensity of short-duration pulses of fast neutrons, 0=7390
- Gorbacheva, I.E. See Il'in, V.E., 1=14470
- Gorbacheva, N.A., Gugel', B.M., Konstantinova-Shlezinger, M.A., Lapir, E.S. and Rutshtein, T.G. Phosphate luminophors for fluorescent lamps with improved colour characteristics, 2=14713
- Gorbacheva, N.A. and Osiko, V.V. Concerning the valence of Sn and Mn activators in crystal phosphors, 2=14727
- Gorbacheva, N.S. and Preobrazhenskii, N.G. Asymmetric self-reversible spectral line profile as a source of information on plasma properties, 4=11610
- Gorban, A.N., Kornich, V.G. and Mazhara, V.P. The influence of the adsorption and desorption of hydrogen on the after-glow kinetics of the crystalline phosphor ZnS-CdS:Cu, 4=7193
- Gorban', A.N. and Sokolov, V.A. The physico-chemical nature of cathodoluminescence, 0=8021
- Gorban', A.N. and Sokolov, V.A. Cathodoluminescence and luminescence due to recombination on the phosphor surface in an active-gas atmosphere, 0=10052
- Gorban', A.N. and Sokolov, V.A. The semiconducting mechanism of surface-recombination luminescence, 0=10053
- Gorban', A.N. and Sokolov, V.A. The effect of the electric field on the radical-recombination luminescence of the phosphor ZnS, CdS-Cu, 2=21272
- Gorban', A.N. See Sokolov, V.A., 2=7452
- Gorban', A.N. See Sokolov, V.A., 2=23585
- Gorban', A.N. See Sokolov, V.A., 3=20546
- Gorban', A.N. See Vol'kenshtein, F.F., 4=20476
- Gorban', I.S. A quantitative study of the absorption spectrum of cuprous oxide, 1=5051
- Gorban', I.S. Optical absorption and energy level structure of cuprous oxide, 1=19986
- Gorban', I.S. Investigation of the long-wavelength edge of the fundamental absorption band of caesium-antimony photocathodes, 4=10166
- Gorban', I.S., Gritsenko, Yu.I. and Rud'ko, S.N. Photoluminescence and carrier recombination in cuprous oxide crystals, 2=10615
- Gorban', I.S. and Rud'ko, S.M. Absorption spectra and photoluminescence of HgI₂ crystals, 2=18836
- Gorban', I.S. and Rudko, S.N. The absorption and photoluminescence spectra of HgI₂ crystals, 2=23587
- Gorban', I.S. and Rud'ko, S.N. Optical properties of silicon carbide crystals, 3=20485
- Gorban', I.S., Rudko, S.N. and Shishlovskii, O.A. Independence of the quantum emission of the i.r. luminescence of Cu₂O on wavelength for the case of excitation in the exciton region of the absorption spectrum, 2=6601
- Gorban', I.S., Rud'ko, S.N. and Shishlovskii, A.A. Luminescence of semi-conductor crystals with excitation in the discrete structure region of the absorption spectrum, 2=14718
- Gorban', I.S. and Timofeev, V.B. Absorption of light by cuprous oxide films, 0=20982
- Gorban', I.S. and Timofeev, V.B. Polarization in the absorption spectrum of cubic cuprous oxide, 1=3830
- Gorban', I.S. and Timofeev, V.B. Complex refraction in monocystals of cuprous oxide, 2=6545
- Gorban', I.S. and Timofeev, V.B. Complex refraction in monocystals of cuprous oxide, 2=8482
- Gorban', I.S. and Timofeev, V.B. Spectrum of exciton-phonon absorption in Cu₂O crystals, 2=10581
- Gorban', I.S. and Timofeev, V.B. Spectrum of exciton-phonon absorption in Cu₂O crystals, 2=14659
- Gorban', I.S. and Timofeev, V.B. New data on the spectrum of colored LiF crystals, 4=28695
- Gorban', I.S. and Timofeev, V.G. Properties of the Cu₂O structural line with the longest wavelength, 1=3838

- Gorban', I.S., Timofeev, V.B. and Frolova, E.F.
Spectroscopic observation of exciton scattering
in a crystal, 3=17690
- Gorban', I.S. See Belyi, M.U., 3=10990
- Gorban', N.D. See Palatnik, L.S., 3=8953
- Gorban', N.Ya. and Shaikovich, I.A. Phase relations for the p- and s-components of a reflected light wave determined by the Fresnel equations, 2=11473
- Gorbanyuk, A.G. See Voitsenya, V.S., 4=14639
- Gorbatenko, M.F. Interaction of an electron beam with a plasma, 3=24284
- Gorbatenko, M. F. Interaction of an electron beam with a plasma existing in a magnetic field, 4=19011
- Gorbatenko, M. F. and Kurilko, V. I. On the kinetic theory of surface waves in a plasma, 4=24692
- Gorbatenko, M.F. See Fainberg, Ya.B., 0=9055
- Gorbatskii, V.G. The luminosity of the long-period variables, 2=24143
- Gorbatskii, V.G. Dynamics of the envelopes of novae, 2=24148
- Gorbatskii, V.G. The luminosity of the long-period variables, 3=3598
- Gorbatskii, V.G. Transfer of energy released by a point explosion in a star, 4=13895
- Gorbenko, P. K. Luminescence of F⁺ centres in KCl crystals, 4=22921
- Gorbenko, P. K. See Kalabukhov, N. P., 4=25972
- Gorbenko-Germanov, D.S., Zenkova, R.A. and Chebotarev, V.E. Use of the IKS-11 spectrometer for the recording of Raman spectra, 3=24033
- Gorbics, S.G., Kunz, W.E. and Nash, A.E. New values for half-lives of Cs¹³⁷ and Co⁶⁰ nuclides, 3=22338
- Gorbik, V. K. See Vladimirovskii, V. V., 4=14822
- Gorbis, Z.R. Differential equations of heat exchange for dispersion flow of the type of "moving layers", 3=11967
- Gorbis, Z.R. and Bakhtiozin, R.A. Investigation of the convective thermal efficiency of a gas-graphite suspension in conditions of internal flow in vertical channels, 2=19587
- Gorbunkov, V.M. A hydrogen bubble chamber illumination system for the photography of small bubbles, 3=24559
- Gorbunkov, V.M. See Aleksandrov, Yu. A., 4=14988
- Gorbunkov, V.M. See Aleksandrov, Yu. A., 4=18768
- Gorbunkov, V.M. See Aleksandrov, Yu. A., 4=16771
- Gorbunkov, V.M. See Belle, T.S., 3=14267
- Gorbunkov, V.M. See Belonogov, A.V., 3=21363
- Gorbunov, A.A., Denisov, F.P. and Kolotukhin, V.A. The $Al^{27} \rightarrow Na^{24}$, $Co^{59} \rightarrow Mn^{56}$ and $P^{31} \rightarrow Na^{24}$ reactions up to 260 MeV γ -quantum energy range, 0=13265
- Gorbunov, A.N., Dubrovina, V.A., Osipova, V.A., Silaeva, V.S. and Cherenkov, P.A. Investigation of the photoeffect on light nuclei, 2=14077
- Gorbunov, A.N., Dubrovina, V.A., Osipova, V.A., Silaeva, V.S. and Cherenkov, P.A. Investigation of the photoeffect on light nuclei, 3=6227
- Gorbunov, A.N. and Osipova, V.A. Photodisintegration of oxygen, 2=20593
- Gorbunov, A.N. and Osipova, V.A. Photodisintegration of oxygen, 3=8076
- Gorbunov, A.N., Spiridonov, V.M. and Cherenkov, P.A. On the existence of particles with masses of $2m_e \leq \mu \leq 25 m_e$, 0=5519
- Gorbunov, A.N. and Varfolomeev, A.T. Photodisintegration of He³, 3=19715
- Gorbunov, A. N. and Varfolomeev, A. T. Cross sections of the reactions $He^3(\gamma, p)D^2$ and $He^3(\gamma, n)2p$, 4=27915
- Gorbunov, A. N. See Taran, G.G., 4=22113
- Gorbunov, A. N. See Varfolomeev, A. T., 4=25213
- Gorbunov, E.P. Investigation of a toroidal discharge in a strong magnetic field, 1=5462
- Gorbunov, E. P., Dolgov-Savel'ev, G. G., Kartashev, K. B., Mukhovatov, V. S., Strelkov, V. S., Shepelev, M. N. and Yavlinskii, N. A. Experiments in Joule heating of plasma in a strong magnetic field, 4=8685
- Gorbunov, E. P. and Razumova, K. A. Influence of a strong magnetic field on the magnetohydrodynamic plasma stability and the maintenance of charged particles in the system "Tokamak", 4=8786
- Gorbunov, L.M. The absorption of hypersound in dielectrics when a temperature gradient is present, 2=12375
- Gorbunov, L.M. and Silin, V.P. The theory of transport phenomena in a non-isothermal fully ionized plasma, 4=16465
- Gorbunov, L. M. and Silin, V. P. Nonlinear interaction between plasma waves, 4=24686
- Gorbunov, L.M. See Silin, V.P., 3=7561
- Gorbunov, M.A., Koshkin, N.I., Nozdrev, V.F. and Sheloput, D.V. Investigation of organic substances in the liquid-poly-crystal transition region by ultrasonic methods, 3=21355
- Gorbunov, N.S. and Izvekov, V.I. The investigation of diffusion in metal oxides by means of radioactive tracers, 1=11221
- Gorbunov, N.S. See Babad-Zakhryapin, A. A., 4=7664
- Gorbunov, N.S. See Izvekov, V.I., 2=6369
- Gorbunov, N.S. See Izvekov, V.I., 3=22807
- Gorbunov, V. F. See Lavrenchuk, V. N., 3=1454
- Gorbunov, V.I. Investigation of the structure of irreversible alloys of the Fe-Ni system, 2=23864
- Gorbunov, V.I. and Livshits, B.G. Investigation of the structure of irreversible alloys on the system Fe-Co-V. I. Alloys with high vanadium content, 2=21532
- Gorbunov, V.I. and Livshits, B.G. Investigation of the structure of irreversible alloys on the system Fe-Co-V. II. Alloys with low vanadium content, 2=21533
- Gorbunov, V.I. See Anan'ev, L.M., 3=19388
- Gorbunov, V.I. See Aptekar', I.L., 1=6532
- Gorbunova, K.M., Bondar, V.V., Moiseev, V.P., Popova, O.S., Polukarov, Yu.M. and Sutyagina, A.A. The constitution of electrodeposited metals [as inferred] from data of structural investigations, 0=16365
- Gorchakov, E.G. See Vernov, S.N., 2=12089
- Gorchakov, E.V. Location in space of the outer radiation belt of the earth and the auroral zone, 2=11083
- Gorchakov, E.V. Disposition of the inner radiation belt and the earth's magnetic field, 2=17207
- Gorchakov, E.V. Outer radiation belt and auroras, 2=17208
- Gorchakov, E.V. Location in space of the outer radiation belt of the earth and the auroral zone, 2=21673
- Gorchakov, E.V. and Bazilevskaya, G.A. Measurement of the charged particle flux after the chromospheric flare of July 7, 1958, 2=11129
- Gorchakov, E.V. Outer radiation belt and auroras, 3=9106
- Gorchakov, E.V. Disposition of the inner radiation belt and the earth's magnetic field, 3=9107
- Gorchakov, E.V. and Bazilevskaya, G.A. Measurement of the charged particle flux after the chromospheric flare of July 7, 1958, 2=20474
- Gorchakov, E.V. See Vakulov, P.V., 4=7900
- Gorchakov, E.V. See Vernov, S.N., 0=9469
- Gorchakov, E.V. See Vernov, S.N., 1=4815
- Gorchakov, E.V. See Vernov, S.N., 1=5797
- Gorchakov, E.V. See Vernov, S.N., 1=10939
- Gorchakov, E.V. See Vernov, S.N., 2=16256
- Gordadze, G.S. Dissociation in sensitized photochemical reactions, 2=4552
- Gordadze, G.S. Convergence of the molecular orbital correlation factors, 4=20023
- Gordeev, G.V. The influence of end boundaries upon the rotation of plasma in a magnetic field, 0=9171
- Gordeev, G.V. The problem of internal breakdown in non-polar semiconductors, 0=15912
- Gordeev, G.V. The nonstationary rotation of a plasma in a magnetic field, 2=181
- Gordeev, G.V. Concerning internal breakdown in nonpolar semi-conductors, 2=2138
- Gordeev, G.V. Concerning internal breakdown in nonpolar semi-conductors, 2=8321
- Gordeev, G.V. The effect of a strong field on a p-n junction, 2=16738
- Gordeev, G.V. Low-frequency plasma oscillations in nonpolar semiconductors, 3=15476
- Gordeev, G.V. Concerning the contraction of plasma in p-i-n diodes under the action of the intrinsic magnetic field, 3=20353
- Gordeev, G.V. Maximum efficiency of a plasma generator, 4=18666
- Gordeev, G.V. See Alferov, Zh.I., 1=6168
- Gordeev, I.V. Resonance theory of nuclear reactions induced by neutrons with energies below 5 MeV, 2=14110
- Gordeev, I.V. Parametric analysis of the cross-sections for fission of the nuclei U²³⁵ and U²³³ by neutrons in the resonance region, 2=20686
- Gordeev, I.V. Resonance theory of nuclear reactions induced by neutrons with energies below 5 MeV, 3=6274
- Gordeev, I.V., Orlov, V.V. and Sedel'nikov, T.Kh. Temperature dependence of the effective resonance absorption integral, 0=7375
- Gordeev, I.V. See Bazazvants, N.O., 3=6184
- Gordeev, Yu. S. and Fanov, M. N. The ionization and capture of electrons in collisions of hydrogen ions with atoms and molecules of a gas, 4=21461

- Gordeev, Yu.S. See Afrosimov, V.V., 1=9608
 Gordeev, Yu.S. See Afrosimov, V.V., 1=9669
 Gordeev, Yu.S. See Afrosimov, V.V., 4=12399
 Gordeeva, L.D. and Smirenkin, G.N. Empirical formula for the average number of neutrons per fission, 4=6393
 Gordeeva, L.D. See Okolovich, V.N., 4=9582
 Gorden, R., Jr. See Ausloos, P., 2=2453
 Gorden, R., Jr. See Ausloos, P., 4=7774
 Gorden, R., Jr. See Ausloos, P., 4=17870
 Gorden, R., Jr. See Ausloos, P., 4=29233
 Gorden, R., Jr. See Clarke, J.T., 0=6390
 Gordienko, A.I. and Iogansen, A.A. A capacitive time interval expander, 3=24186
 Gordienko, A.G. See Afanas'ev, A.P., 2=5432
 Gordienko, V.I. See Pivovarov, L.I., 3=14561
 Gordienko, V.P. and Shneerson, G.A. The electrical explosion of a skin-layer, 4=15516
 Gordinskii, G.M. The statistical interference of light upon reflection from magg-glass surfaces, 4=5391
 Gordon, A. See Okamoto, Y., 4=26064
 Gordon, A.H. Elements of dynamic meteorology, 2=6906
 Gordon, A.H. Clouds Physics, 4=1439
 Gordon, A.M. Photoconductivity and trapping in silver chloride crystals, 1=7070
 Gordon, A.S. Reactions of CF_3 radicals with perfluoro-acetone, 2=6880
 Gordon, A.S. and McNesby, J.R. Isomerization of primary n-alkyl free radicals, 0=746
 Gordon, A.S. and McNesby, J.R. On the isomerization of n-butyl radicals, 1=6570
 Gordon, A.S. and Smith, S.R. Elimination of molecular hydrogen from alkyl free radicals, 1=7916
 Gordon, A.S., Smith, S.R. and Drew, C.M. Photolysis of mixtures of cyclobutane and acetone- d_8 . Reactions of the cyclobutyl radical, 2=4551
 Gordon, A.S. See Current, J.H., 4=10639
 Gordon, A.S. See Drew, C.M., 0=4710
 Gordon, A.S. See Heller, C.A., 2=14335
 Gordon, B. See Friedlander, G., 3=8147
 Gordon, C. See Ake, A., 0=10887
 Gordon, C.N. An alternative deduction from the Michelson-Morley experiment, 2=1806
 Gordon, D. See Hansen, R., 1=1648
 Gordon, D.I. and Sery, R.S. Irradiation of iron and 5-79 Mo Permalloy with 2-MeV electrons, 4=13217
 Gordon, D.I. and Sery, R.S. Effects of charged particles and neutrons on magnetic materials, 4=17643
 Gordon, D.I. See Sery, R.S., 3=15863
 Gordon, E. See Jaffe, L.D., 4=23218
 Gordon, E.I. Charged-particle orbits in varying magnetic fields, 0=12647
 Gordon, E.I. Transverse electron beam waves in varying magnetic fields, 1=3009
 Gordon, E.I. Optical maser oscillators and noise, 4=14926
 Gordon, E.I. and Ashkin, A. Energy interchange between cyclotron and synchronous waves in quadrupolar pump fields, 1=10785
 Gordon, E.I. and Labuda, E.F. Continuous visible laser action in singly ionized argon, krypton, and xenon, 4=21677
 Gordon, E.I. and White, A.D. Similarity laws for the effects of pressure and discharge diameter on gain of He-Ne lasers, 4=8979
 Gordon, E.I. and White, A.D. Single frequency gas lasers at 6328 Å, 4=16692
 Gordon, E.I., White, A.D. and Rigden, J.D. Gain saturation at 3.39 microns in the He-Ne maser, 4=19293
 Gordon, E.I. See Adler, R., 1=8390
 Gordon, E.I. See Buchsbaum, S.J., 1=8571
 Gordon, E.I. See LeCraw, R.C., 2=12688
 Gordon, E.I. See Labuda, E.F., 4=18738
 Gordon, E.I. See LeCraw, R.C., 1=14171
 Gordon, E.I. See White, A.D., 3=17087
 Gordon, E.I. See White, A.D., 4=8978
 Gordon, E.K. See Cordes, A.W., 4=23469
 Gordon, F. See Damm, C.C., 2=15912
 Gordon, F.J. and Damm, C.C. High intensity source of 20 keV hydrogen atoms, 3=25070
 Gordon, G. See Thompson, R., 4=23634
 Gordon, G.D. Mechanism and speed of breakup of drops, 0=930
 Gordon, G.D. Measurement of ratio of absorptivity of sunlight to thermal emissivity, 0=19354
 Gordon, G.D. See Swartz, G.A., 1=305
 Gordon, G.E., Larsh, A.E. and Sikkeland, T. Angular distribution of fragments from fission of Au^{197} with carbon ions, 0=13306
 Gordon, G.E., Larsh, A.E., Sikkeland, T. and Seaborg, G.T. Fission of gold by carbon ions, 0=20516
 Gordon, G.E. See Larsh, A.E., 0=20508
 Gordon, G.E. See Rogers, P.C., 3=10257
 Gordon, G.E. See Sikkeland, T., 1=13870
 Gordon, G.E. See Thomas, T.D., 2=14141
 Gordon, H.R. and McCubbin, T.K., Jr. The $02^2_0-01^1_0$ band of $^{14}\text{N}_2^{10}$, 4=28221
 Gordon, H.S. See Hubbard, E.L., 1=10149
 Gordon, I. See Harvey, R.L., 3=9710
 Gordon, I.M. Mechanism for the production of relativistic electrons in the atmospheres of non-stationary stars, 0=12312
 Gordon, I.M. The nature of γ -emission in solar flares and the formation of cosmic particles in active solar regions, 1=18090
 Gordon, I.M. Supernova outbursts and the origin of cosmic rays, 2=5757
 Gordon, I.M. and Pichakhchi, L.D. Radiation from hydrogen atoms excited by the synchrotron radiation of relativistic electrons, 3=11569
 Gordon, K.F., Singh, T. and Weissman, E.Y. Boiling heat transfer between immiscible liquids, 2=5203
 Gordon, J. and Szabó, P. The "radius effect" in large BF_3 counter tubes, 1=16614
 Gordon, J. See Szabó, P., 3=11246
 Gordon, J.E., Dempsey, C.W. and Soller, T. Nuclear specific heat of holmium, 1=17424
 Gordon, J.E., Marsh, D.M. and Parratt, M.E.M.L. On the strength and structure of glass, 0=3261
 Gordon, J.E. and Silsbee, H.B. Theory for the operation of a magnetic refrigerator at temperatures below 1°K , 1=9508
 Gordon, J.E. Whiskers, 4=17791
 Gordon, J.E. See Dempsey, C.W., 4=9850
 Gordon, J.H. Mirages, 1=7929
 Gordon, J.I. See Duntley, S.Q., 4=23756
 Gordon, J.P. Variable coupling reflection cavity for microwave spectroscopy, 1=10802
 Gordon, J.P. Quantum effects in communications systems, 3=484
 Gordon, J.P. Quantum statistics and lasers, 4=27275
 Gordon, J.P., Louisell, W.H. and Walker, L.R. Quantum fluctuations and noise in parametric processes. II, 3=4264
 Gordon, J.P., Walker, L.R. and Louisell, W.H. Quantum statistics of masers and attenuators, 3=12356
 Gordon, J.P. See Boyd, G.D., 1=7144
 Gordon, J.P. See Clogston, A.M., 0=6272
 Gordon, J.P. See Tien, P.K., 3=5535
 Gordon, J.P. See Yariv, A., 1=12028
 Gordon, M. and Hillier, I.H. Statistical of random placement subject to restrictions, on a linear lattice, 3=9357
 Gordon, M. and Scantlebury, G.R. Non-random polycondensation: Statistical theory of the substitution effect, 4=17863
 Gordon, M.A. Riometer observations during a solar eclipse, 2=1004
 Gordon, M.M. The electric gap-crossing resonance in a three-sector cyclotron, 3=5761
 Gordon, M.M. Fixed-point orbits in the vicinity of the $\nu_r = N/3, N/4$, and $N/2$ resonances, 3=5762
 Gordon, M.M. and Blosser, H.G. Acceleration of particles into stable orbits in an isochronous three-sector cyclotron, 3=5774
 Gordon, M.M. and Hudec, W.S. Effects of field imperfections on radial stability in a three-sector cyclotron, 3=5760
 Gordon, M.M. and Welton, T.A. The Oak Ridge relativistic isochronous cyclotron. III. Analysis of ion orbits in the isochronous cyclotron, 1=1939
 Gordon, M.M. See Arnette, T.I., 3=5770
 Gordon, M.M. See Blosser, H.G., 2=5418
 Gordon, M.M. See Blosser, H.G., 3=5786
 Gordon, P. Density of bosons in phase-space and the transition from particle to wave behavior, 4=90
 Gordon, P. A rationalization of the data on grain boundary migration in zone-refined metals as influenced by dissolved impurities, 4=13527
 Gordon, P. Shape and behavior of wave pulses, 4=21264
 Gordon, P. See Pope, M., 2=14579
 Gordon, R., Schrock, V.E., Stuart, R.N. and Kirschbaum, A.J. Fission distribution in seven-pin cluster fuel elements, 4=12305
 Gordon, R.B. Hole model for diffusion in liquids, 0=16689

- Gordon, R.B. The study of the interaction between point defects and dislocations through internal friction experiments, 2=21012
- Gordon, R.B. See Abowitz, G., 2=15585
- Gordon, R.B. See Abowitz, G., 2=17446
- Gordon, R.B. See Abowitz, G., 3=16604
- Gordon, R.B. See Bauer, C.L., 0=11973
- Gordon, R.B. See Bauer, C.L., 2=10421
- Gordon, R.B. See Bauer, C.L., 2=6331
- Gordon, R.B. See Chiao, W.F., 4=3986
- Gordon, R.B. See Davis, L.A., 4=23988
- Gordon, R.B. See Koss, D.A., 2=21035
- Gordon, R.B. See Moment, R.L., 4=26101
- Gordon, R.B. See Von Neida, A.R., 3=839
- Gordon, R.D. and King, G.W. The emission spectrum of the CCl radical, 1=3546
- Gordon, R.G. Magnetic susceptibility measurements of small samples, 2=20093
- Gordon, R.G. Magnetic susceptibility measurements of small samples. II. Solutions, 3=4242
- Gordon, R.G. Lattice combination bands in infrared spectra of molecular solids, 3=4969
- Gordon, R.G. Three sum rules for total optical absorption cross sections, 3=11798
- Gordon, R.G. Molecular motion and the moment analysis of molecular spectra in condensed phases. I. Dipole-allowed spectra, 4=6542
- Gordon, R.G. Molecular motion and the moment analysis of molecular spectra. II. The rotational Raman effect, 4=17273
- Gordon, R.G. Molecular motion and the moment analysis of molecular spectra. III. Infrared spectra, 4=28162
- Gordon, R.G. See Musher, J.L., 2=18486
- Gordon, R.L., Lord, H. and Widginton, D.W. Ignition of gas by sparks produced by breaking wires at high speed, 1=18788
- Gordon, S. and Dailey, B.P. Density versus chemical shift in N.M.R. spectra, 1=8141
- Gordon, S. See Jonathan, N., 2=14328
- Gordon, S. See McBride, B.J., 2=1207
- Gordon, S. See Weeks, J.L., 1=19964
- Gordon, W.L. See Joseph, A.S., 2=10641
- Gordon, W.L. See Stark, R.W., 2=14409
- Gordon, S.A. High sensitivity pressure probes for use in the millitorr region, 4=18287
- Gordon, S.B. See Vyssotsky, V.A., 1=12346
- Gordon, S.L. and Baldeschwieler, J.D. Periodically pulsed nuclear magnetic double resonance, 4=24870
- Gordon, W.E. and LaLonde, L.M. The design and capabilities of an ionospheric radar probe, 1=8015
- Gordon, W.L., Joseph, A.S. and Eck, T.G. Low field de Haas-van Alphen studies of the Fermi surface of magnesium, 1=17456
- Gordon, W.L. See Joseph, A.S., 1=19737
- Gordon, W.L. See Stark, R.W., 4=6795
- Gordon-Smith, G.W. See Gibbs, J.E., 1=6979
- Gordov, A.N. Non contact methods of measuring the true temperature of heated bodies, 4=18462
- Gordov, A.N., Arzhanov, A.S. and Diikov, U.V. A new determination of the freezing point of pure gold, 1=5381
- Gordus, A.A. and Hsiung Chi-hua. Failure to bond rupture and nuclear recoil following (n, γ) activation, 2=6130
- Gordus, A.A. See Hsiung Chi-hua, 2=6129
- Gordus, A.A. See Hsiung, Chi-Hua, 4=7778
- Gordus, A.A. See Hsiung, Chi-hua, 4=28042
- Gordus, A.A. See Rack, E.P., 1=10298
- Gordus, A.A. See Rack, E.P., 2=4564
- Gordy, W. and Cowan, M. Proposed molecular amplifier and coherent generator for millimeter and submillimeter waves, 0=11042
- Gordy, W. and Shields, H. Structure and orientation of free radicals formed by ionizing radiations in certain native proteins, 0=20705
- Gordy, W. See Bhattacharya, B.N., 0=13441
- Gordy, W. See Bouldin, W.V., 2=20917
- Gordy, W. See Bouldin, W.V., 4=25928
- Gordy, W. See Cipolline, E., 2=16550
- Gordy, W. See Clouser, P.L., 4=17277
- Gordy, W. See Jones, G., 4=24858
- Gordy, W. See Katayama, M., 1=11485
- Gordy, W. See Kewley, R., 4=6561
- Gordy, W. See Kurita, Y., 1=3937
- Gordy, W. See Kurita, Y., 1=7787
- Gordy, W. See Larkin, D.M., 3=17601
- Gordy, W. See Lontz, R.J., 2=23707
- Gordy, W. See Lontz, R., 4=26395
- Gordy, W. See Miyagawa, I., 0=3128
- Gordy, W. See Miyagawa, I., 1=2345
- Gordy, W. See Narasimha Rao, D.V.G.L., 1=11488
- Gordy, W. See Narasimha Rao, D.V.G.L., 1=14800
- Gordy, W. See Narasimha Rao, D.V.G.L., 2=6691
- Gordy, W. See Patten, F., 0=20706
- Gordy, W. See Rexroad, H.N., 2=3791
- Gordy, W. See Rusk, J.R., 2=18449
- Gordy, W. See Winnewisser, M., 4=28202
- Gore, J.V. See Osborne, F.J.F., 4=7936
- Gore, W.G. A multiple event analyser, 1=1869
- Gore, W.G., Ring, T. and Vincent, C.H. A precision auxiliary bias unit, 3=19154
- Gorelik, L.L. A bolometric method of determining the time dependence of energy losses from a plasma, 4=18486
- Gorelik, L.L. Oxygen gas analyzers using the variation of thermal conductivity of oxygen in a magnetic field, 4=29245
- Gorelik, L.L. and Lobikov, E.A. Measurement of energy losses in plasma by a bolometric method, 1=5474
- Gorelik, L.L. and Lobikov, E.A. Measurement of energy losses in plasma by a bolometric method, 1=11550
- Gorelik, L.L. and Sinitsyn, V.V. The energy losses of plasma by radiation and particles measured separately, 3=16956
- Gorelik, L.L. and Sinitsyn, V.V. Effect of a magnetic field on the thermal conductivity of gases with non-spherical molecules, 4=14211
- Gorelik, L.L. and Sinitsyn, V.V. New three-layer bolometers for measuring energy loss from plasmas, 4=18487
- Gorelik, L.V. Relation between the force of viscous friction and the streaming potential [of the electric double layer], 0=19604
- Gorelik, S.S. The activation energy of recrystallization and assessment of the recrystallization tendencies of metals and alloys, 2=21553
- Gorelik, S.S., Kal'yanova, S.M., and Rozenberg, V.M. Structural changes in aluminium during light deformation and subsequent heating, 1=10007
- Gorelik, S.S. and Spektor, E.N. An X-ray diffraction study of the structural changes in individual crystallites during weak deformation and subsequent heating, 4=13432
- Gorelik, S.S. and Usikov, M.P. A study of the process of the formation of recrystallization nuclei, 4=13474
- Gorelik, S.S. See Spektor, E.N., 4=20630
- Gorelik, S.S. See Vishnyakov, Ya.D., 1=6106
- Gorelikin, A.S. See Alekseev, A.G., 4=14826
- Gorelova, M.V. See Alekseev, Yu.L., 3=1539
- Gorelova, M.V. See Vitkevich, V.V., 0=18641
- Gorelova, M.V. See Vitkevich, V.V., 1=18166
- Goren, A. See Yatsiv, S., 4=1773
- Goren, S.L. The shape of a thread of liquid undergoing break-up, 4=11158
- Goren, S.L. and Gavis, J. Transverse wave motion of a thin capillary jet of a viscoelastic liquid, 1=6837
- Gorenheĭn, E.Ya. Effect of the dielectric constant of the solvent on the viscosity of electrolyte solutions, 3=21341
- Gorenstein, P. and Luckey, D. Light pipe for a large-area scintillator, 3=11896
- Goreva, E.I. See Vovk, V.N., 3=25849
- Gorge, C. See Bianchi, G., 2=9865
- Gorgé, V. The electron absorption of positive μ -mesons, 2=9885
- Gorgé, V., Koch, W., Lindt, W., Nikolić, M., Subotić-Nikolić, S. and Winzeler, H. Hypernuclei produced by K^- interactions in nuclear emulsions. II. General characteristics and non-mesic decays, 1=4829
- Gorgé, V., Lind, W. and Mercier, A. A hyperfragment analysis programme for the bull-gamma A.E.T. computer, 1=604
- Gorgé, V., Locher, M. and Rollnik, H. One-photon exchange processes and radiative corrections, 3=7777
- Gorgé, V. See Cvijanovich, G.B., 2=5638
- Gorgolewski, S., Hanasz, J., Iwaniszewski, H. and Turlo, Z. Log-periodic-aerial-interferometer for radioastronomy, 2=13156
- Gorgolewski, S. and Hewish, A. The irregular structure of the solar corona during 1959 June, 0=18749
- Gorgui, M.A. See Bassali, W.A., 0=6712
- Gorichev, P.A. and Lozhkin, O.V. Identification of multiply charged particles with low ranges in nuclear emulsions, 3=24573
- Gorichev, P.A., Lozhkin, O.V. and Perfilov, N.A. Charge distributions of fragments in nuclear disintegrations, 2=448
- Gorichev, P.A., Lozhkin, O.V. and Perfilov, N.A. Charge distributions of fragments in nuclear disintegrations, 2=22814

- Gorichev, P. A., Lozhkin, O. V. and Perfilov, N. A. Concerning nuclear structure evinced in interaction of high-energy particles with nuclei, 4=6307
- Gorichev, P. A., Lozhkin, O. V. and Perfilov, N. A. Short-range products from nuclear disintegrations induced by protons with energies between 2 and 9 GeV, 4=9502
- Gorichev, P. A., Lozhkin, O. V. and Perfilov, N. A. Angular correlation between fragments as a result of their multiple formation, 4=22132
- Gorichev, P. A., Lozhkin, O. V., Perfilov, G. A. and Yakovlev, Yu. P. Some features of multiple production of fragments by 9 BeV protons, 1=17177
- Gorichev, P. A., Lozhkin, O. V., Perfilov, G. A. and Yakovlev, Yu. P. Some features of multiple production of fragments by 9 BeV protons, 2=22860
- Gorid'ki, N. Ya. See Kuz'menko, P. P., 3=18218
- Gorid'ko, N. Ya., Kuz'menko, P. P. and Novikov, N. N. Changes in the mechanical properties of germanium on changing the concentration of current carriers, 2=8757
- Gorid'ko, N. Ya., Kuz'menko, P. P. and Novikov, N. N. Changes in the mechanical properties of germanium on changing the concentration of current carriers, 2=14910
- Gorin, B. N. An investigation of inverse corona, 4=29892
- Gorin, B. N. and Inkov, A. Ya. Investigations of a spark channel, 3=1949
- Gorin, S. N. and Pletyushkin, A. A. The sectorial structure of β -SiC crystals, 4=13546
- Gorina, Yu. I., Kashtanova, A. M., Maksimova, G. V. and Skanavi, G. I. Preparation of monocystals of strontium titanate and some data on their dielectric properties, 2=4097
- Goring, D. A. I. See Gupta, P. R., 0=16393
- Goring, D. A. I. See Spiro, J. G., 4=16095
- Göring, W. Interpretation of the relaxation of surface tension, 0=3504
- Göring, W. Dependence of surface tension upon the rates of formation and ageing of the surface, 0=5005
- Goringe, M. J. and Valdré, U. Use of the bright field shadow technique to study superconductivity in the electron microscope, 4=8579
- Goringe, M. J. and Valdré, U. Observation of solid neon by transmission electron microscopy, 4=29123
- Gorini, I. and Sartori, S. Quartz thermometer, 2=19756
- Gorini, V. and Montaldi, E. On the theory of the 2n-point function for Heisenberg's nonlinear field, 4=24961
- Goris, J. See Herrinck, P., 1=15281
- Goritshev, P. A., Darovskikh, V. F., Lozhkin, O. V., Obukhov, A. I., Perfilov, N. A. and Jakovlev, U. P. Investigation of light fragmentation products and peculiarities of nuclear fission at high energies of incident particles, 2=14151
- Gorjunov, N., Dedenko, L. G. and Zatsepin, G. T. Nature of primary component of cosmic rays and fluctuation character of e.a.s., 3=6098
- Gorjunova, N. A. and Kolomijez, B. T. Glass-like semiconductors, 0=3263
- Gor'kov, L. P. The critical supercooling field in superconductivity theory, 0=8941
- Gor'kov, L. P. Microscopic derivation of the Ginzburg-Landau equations in the theory of superconductivity, 0=10836
- Gor'kov, L. P. Theory of superconducting alloys in a strong magnetic field near the critical temperature, 0=8927
- Gor'kov, L. P. Concerning the forces acting on a small particle in an acoustic field in an ideal fluid, 2=1238
- Gor'kov, L. P. Concerning the forces acting on a small particle in an acoustic field in an ideal fluid, 2=7302
- Gor'kov, L. P. An estimate of the limiting values of the critical fields for hard superconductors, 4=2918
- Gor'kov, L. P. and Dzyaloshinskii, I. E. The possibility of zero-sound type oscillations in metals, 3=25262
- Gor'kov, L. P. and Galitskii, V. M. Superfluidity in a Fermi system in the presence of pairs with non-zero angular momentum, 1=18697
- Gor'kov, L. P. and Melik-Barkhudarov, T. K. A contribution to the theory of superfluidity in an imperfect Fermi gas, 1=18698
- Gor'kov, L. P. and Melik-Barkhudarov, T. K. A contribution to the theory of superfluidity in an imperfect Fermi gas, 3=3940
- Gor'kov, L. P. and Melik-Barkhudarov, T. K. A microscopic deduction of the Ginsburg-Landau equation for an anisotropic superconductor, 4=5513
- Gor'kov, L. P. and Pitaevskii, L. P. Transition of liquid He³ to the superfluid state, 2=9473
- Gor'kov, L. P. and Pitaevskii, L. P. Formation of shock waves in the reflection of a weak disturbance from the sonic line, 3=196
- Gor'kov, L. P. and Pitaevskii, L. P. Formation of shock waves in the reflection of a weak disturbance from the sonic line, 3=5489
- Gor'kov, L. P. and Pitaevskii, L. P. Transition of liquid He³ to the superfluid state, 3=5569
- Gorkov, L. P. and Rusinov, A. I. Ferromagnetism in superconducting alloys, 4=20530
- Gor'kov, L. P. See Abrikosov, A. A., 0=8930
- Gor'kov, L. P. See Abrikosov, A. A., 0=19552
- Gor'kov, L. P. See Abrikosov, A. A., 1=18706
- Gor'kov, L. P. See Abrikosov, A. A., 2=13503
- Gor'kov, L. P. See Abrikosov, A. A., 3=5576
- Gor'kov, L. P. See Abrikosov, A. A., 3=15765
- Gor'kov, L. P. See Býchkov, Yu. A., 2=6303
- Gor'kov, L. P. See Býchkov, Yu. A., 3=2761
- Gorkun, Yu. I. The effect of current electrodes on magnetoresistance, 1=14377
- Gorkun, Yu. I. The theory of the field effect at low temperatures, 1=17658
- Gorkun, Yu. I. and Tolpýgo, K. B. Properties of the motion of fast current carriers in polar crystals, 0=18085
- Gorkun, Yu. I. and Tolpýgo, K. B. The theory of transport phenomena in semiconductors of the p-type Ge, 2=4015
- Gorkun, Yu. I. and Tolpýgo, K. B. The theory of transport phenomena in semiconductors of the type P-Ge, 2=8326
- Görlich, P. The measurement of proton beams with photosemiconductors and the measurement of the polarization relationship in certain photocathodes, 1=19063
- Görlich, P. Optics in the German Democratic Republic, 4=5352
- Görlich, P. [Ed.]. Optics and spectroscopy of all wavelengths, 2=17579
- Görlich, P. [Ed.]. Optics and spectroscopy of all wavelengths, 3=11875
- Görlich, P., Haeske, A., Krohs, A. and Pohl, H. J. Anomalous secondary electron emission of alkaline-earth oxide layers, 4=19094
- Görlich, P. and Karras, H. Electrolytic colouring of strontium fluoride crystals, 2=21078
- Görlich, P. and Karras, H. The physics of the fluorides of the alkaline-earth metals, 3=2837
- Görlich, P., Karras, H., Kütze, A. and Kühne, K. Thermoluminescence measurements on CaF₂ crystals, 2=2264
- Görlich, P., Karras, H. and Kötitz, G. Studies on the coloration of LiF crystals, 3=25298
- Görlich, P., Karras, H. and Kötitz, G. On the coloration layer in deuterium-irradiated LiF crystals, 4=4082
- Görlich, P., Karras, H. and Kötitz, G. On the excitation of the spontaneous fluorescence of synthetic CaF₂/U³⁺ crystals, 4=4295
- Görlich, P., Karras, H. and Kötitz, G. On the fluorescence of synthetic LiF crystals, 4=4302
- Görlich, P., Karras, H., Kötitz, G. and Lehmann, R. Spectroscopic properties of activated laser crystals. I, 4=27696
- Görlich, P., Karras, H. and Kühne, K. Some optical measurements on calcium fluoride, 0=11759
- Görlich, P., Karras, H. and Lehmann, R. The optical properties of alkaline earth halides of fluor spar type. I, 2=4110
- Görlich, P., Karras, H. and Lehmann, R. The optical properties of alkaline earth halides of fluor spar type. II, 2=4111
- Görlich, P., Karras, H. and Lehmann, R. Coloration of artificial CaF₂ crystals of high purity, 3=6541
- Görlich, P., Karras, H., Lehmann, R. and Meisel, E. The absorption properties (particularly in the far infrared) of additively coloured synthetic CaF₂ crystals, 3=20470
- Görlich, P., Karras, H., Lüdke, W., Mothes, H. and Reimann, R. Coloration of yttrium-doped CaF₂ and SrF₂ crystals by X-ray irradiation, 3=8593
- Görlich, P., Karras, H. and Meisel, E. Photoconductivity of synthetic crystals of CaF₂, 3=20406
- Görlich, P., Karras, H. and Reimann, R. The coloration of synthetic CaF₂ single crystals produced from pure synthetic raw material, 1=14329
- Görlich, P., Krohs, A. and Pohl, H. J. Electron-optical conditions at Venetian blind type dynodes and their effects in photomultipliers, 2=5375
- Görlich, P., Krohs, A. and Pohl, H. J. A new photomultiplier to measure light pulse periods in the nanosecond region, 4=3033
- Görlich, P., Krohs, A., Pohl, H. J., Reichel, R. and Schmidt, L. Resolving power of scintillation multipliers and its dependence on various parameters, 0=3790
- Görlich, P., Krohs, A., Pohl, H. J., Reichel, R. and Schmidt, L. Resolving power of scintillation multipliers and its dependence on various parameters (correction), 0=3791

- Görlich, P. [Ed.] and Tiedeken, R. [Ed.]. Optics of all wave-lengths, 1=224
- Görlich, P. and Tiedeken, R. [Eds.]. Optics of all wavelengths
Optik aller Wellenlängen, 1=9464
- Görlich, P. See Berndt, M., 3=19312
- Görlich, P. See Bruch, H., 4=12787
- Görlich, P. See Eckardt, A., 2=22254
- Görlich, P. See Drechsel, L., 4=12995
- Görlich, P. See Frischmuth-Hoffmann, G., 0=19721
- Görlich, P. See Frischmuth-Hoffmann, G., 1=13112
- Görlich, P. See Frischmuth-Hoffmann, G., 2=5374
- Gorlov, G.V., Gokhberg, B.M., Morozov, V.M., Otroshchenko, G.A. and Shigin, V.A. The fission cross-sections of ^{235}U and ^{238}U for neutrons having energies between 3 and 800 keV, 1=17171
- Gorlov, G.V. See Brovchenko, V.G., 2=20368
- Gorman, D. and Montgomery, D. Collision damping of plasma oscillations. I, 3=16957
- Gorman, D. See Montgomery, D., 2=1462
- Gorman, D. See Montgomery, D., 2=15937
- Gorman, D. See Montgomery, D., 2=20000
- Gorman, J.G. See Ellis, R.A., 0=11475
- Gorman, J.G. See Ellis, R.A., Jr., 0=17001
- Gorman, J.G. See Stodiek, W., 1=2979
- Gorman, J.G. See Stodiek, W., 3=12153
- Gorman, J.K. Shallow donor thermionic emitter, 3=422
- Gorman, J.K. and Nardella, W.R. Hydrogen permeation through metals, 2=12457
- Gorman, L.A. See Weissmann, S., 2=23930
- Gormezano, C. See Clement, M., 4=18788
- Gormezano, G. See Consoli, T., 4=18994
- Gorn, L.S. and Khazanov, B.I. On the instrument error in intensity determination of overlapping spectral lines, 4=15172
- Gorn, L.S. and Khazanov, B.I. Choice of optimum thickness of α -sources for spectrometric measurements of weak samples, 4=27987
- Gorn, L.S., Ol'dekop, L.G. and Khazanov, B.I. A reversible deka-tron scaling circuit, 2=17753
- Gorn, L.S. See Bogdanov, A.A., 2=17754
- Gornick, F. and Jackson, J.L. Sequence selection problem in the crystallization of high polymers, 3=11233
- Gornick, F. and Madelkern, L. Effect of noncrystallizable components on the crystallization kinetics of polymers, 2=6771
- Gornick, F. See Coleman, B.D., 4=7751
- Gornyi, N.B. Discrete energy losses of electrons in solids and yield of secondary electrons, 0=2374
- Gornyi, N.B. Discrete electron energy losses and secondary emission from CdO, 0=9076
- Gornyi, N.B. The mechanism of discrete energy losses of electrons in germanium, 1=17494
- Gorobchenko, V.D. See Sklyarevsky, V.V., 4=1348
- Gorobchenko, V.D. See Samoilov, B.N., 2=399
- Gorobchenko, V.D. See Samoilov, B.N., 2=4219
- Gorobchenko, V.D. See Samoilov, B.N., 3=4590
- Gorobchenko, V.D. See Samoilov, B.N., 3=5007
- Gorobchenko, V.D. See Samoilov, B.N., 4=20542
- Gorodetsky, S.N. Anomalies associated with rotations in the earth's magnetic field. I, 3=9130
- Gorodetskii, A.F., Guk, G.N. and Puchkin, B.I. Strain coefficients of thin layers of bismuth, tellurium and germanium, 0=16198
- Gorodetskii, A.F. See Shadrin, V.S., 4=6958
- Gorodetskii, A.F. See Shadrin, V.S., 4=6963
- Gorodetskii, D.A. and Kornev, A.M. Diffraction of slow electrons at the surface of tungsten covered with thin adsorbed layers of barium and barium oxide, 1=20701
- Gorodetskii, P.G. Parametric excitation of harmonic oscillations in a linear oscillating circuit whose parameters change with time in nonperiodic fashion, 0=9185
- Gorodetskii, S.M. See Kosman, M.S., 2=8275
- Gorodetskii, S.M. See Kosman, M.S., 2=10431
- Gorodetsky, A.F., Mel'nik, V.G. and Mel'nik, I.G. A method of producing ohmic contacts with silicon, 0=595
- Gorodetsky, G. and Treves, D. Second-order susceptibility terms in orthoferrites at room temperature, 4=23012
- Gorodetsky, G. See Eibschutz, M., 4=13179
- Gorodetsky, G. See Hirsch, A.A., 3=1087
- Gorodetsky, M.S., Bergdolt, A.M., Chevallier, A., Brès, M. and Armsbruster, R. Study of the secondary emission of electrons from thick targets subjected to bombardment by 1 MeV protons, 3=24344
- Gorodetsky, S., Bassompierre, G., St-Pierre, C., Gallmann, A. and Wagner, P. Study of the $\text{N}^{14}(\text{He}^3, \text{p})\text{O}^{16}$ reaction between 2.5 and 5.5 MeV, 3=15231
- Gorodetsky, S., Beck, F., Knipper, A., Manquenouille, R. and Richert, R. Plane polarization of γ -rays emitted by AcC'' , 2=12174
- Gorodetsky, S., Benenson, W., Chevallier, P., Disdier, D. and Scheibling, F. Transitions to the 6.06 MeV level from states of O^{16} excited by the $\text{N}^{15}(\text{p}, \gamma)\text{O}^{16*}$ reaction, 4=6222
- Gorodetsky, S., Croissiaux, M., Fintz, P., Samuel, J., Bassompierre, G., Armsbruster, R. and Chevallier, P. Study of the 4.46 and 5.03 MeV states in B^{11} by the $\text{B}^{10}(\text{d}, \text{p})\text{B}^{11}$ reaction at 4.6 MeV deuteron energy, 0=11321
- Gorodetsky, S., Croissiaux, M., Gallmann, A., Fintz, P., Samuel, J. and Bassompierre, G. Study of the 6.76 and 7.30 MeV states of B^{11} by the reaction $\text{B}^{10}(\text{d}, \text{p})\text{B}^{11}$, 0=11322
- Gorodetsky, S., Croissiaux, M., Gallmann, A., Fintz, P., Samuel, J. and Bassompierre, G. Study of some excited states of B^{11} by means of the reaction $\text{B}^{10}(\text{d}, \text{p})\text{B}^{11}$, 0=17597
- Gorodetsky, S., Fintz, P., Bassompierre, G. and Gallmann, A. Study of the 6.33 MeV level in N^{15} by the reaction $\text{N}^{14}(\text{d}, \text{p})\text{N}^{15}$, 1=7326
- Gorodetsky, S., Fintz, P. and Gallmann, A. Excitation functions and angular distributions in the reactions $\text{N}^{14}(\text{d}, \text{p})\text{N}^{15}$, 2=22840
- Gorodetsky, S., Fintz, P. and Gallmann, A. Angular distributions in the reaction $\text{B}^{11}(\text{d}, \text{p})\text{B}^{12}$, 3=4664
- Gorodetsky, S., Frick, G. and Gallmann, A. Study of transitions in the reaction $\text{C}^{12}(\text{d}, \text{p})\text{C}^{13}$ using an internal pair spectrometer, 2=486
- Gorodetsky, S., Gallmann, A. and Croissiaux, M. (γ, γ) angular correlation in the reaction $\text{N}^{14}(\text{p}, \gamma)\text{O}^{15}$, 0=9631
- Gorodetsky, S., Gallmann, A., Fintz, P. and Samuel, J. Excitation curves of certain gamma-rays in the reaction $\text{C}^{12}(\text{d}, \text{p})\text{C}^{13}$, 1=13844
- Gorodetsky, S., Gallmann, A., Fintz, P. and Bassompierre, G. Angular distribution of protons and p- γ angular correlation in the reactions $\text{B}^{11}(\text{d}, \text{p})\text{B}^{12}$, 2=484
- Gorodetsky, S., Gallmann, A., Fintz, P. and Bassompierre, G. Proton spectra for the reaction $\text{C}^{12}(\text{d}, \text{p})\text{C}^{13}$ and a study of the 5.51 and 6.10 MeV levels of C^{13} , 2=485
- Gorodetsky, S. and Knipper, A. The delayed coincidence method. The mean lifetime of the first excited state of the B^{10} nucleus, 0=9547
- Gorodetsky, S., Manquenouille, R., Richert, R. and Knipper, A. Mean life of the 279 keV level of Tl^{208} , 0=15540
- Gorodetsky, S., Manquenouille, R., Richert, R. and Knipper, A. Half-life of the 595 keV excited level of In^{115} , 1=16985
- Gorodetsky, S., Manquenouille, R., Richert, R. and Knipper, A. Upper limit to the lifetime of the 35.1 keV excited state of ^{143}Pr , 1=17038
- Gorodetsky, S., Manquenouille, R., Richert, R. and Knipper, A. Lifetimes of the excited levels 362 keV of Tb^{159} and 570 keV of Pb^{207} , 2=382
- Gorodetsky, S., Mennrath, P., Benenson, W., Chevallier, P., Scheibling, F. and Sutter, G. 8.88 MeV \rightarrow 6.06 MeV electromagnetic transitions in O^{16} , 2=20522
- Gorodetsky, S., Mennrath, P., Benenson, W., Chevallier, P. and Scheibling, F. Measurement of electromagnetic transition probabilities for O^{16} , 4=17029
- Gorodetsky, S., Mennrath, P., Chevallier, P., Scheibling, F. and Sutter, G. Electromagnetic transitions 6.92 MeV \rightarrow 6.13 MeV and 7.12 MeV \rightarrow 6.13 MeV in O^{16} , 2=13996
- Gorodetsky, S., Mennrath, P., Chevallier, P., Scheibling, F. and Sutter, G. Electromagnetic transitions 6.92 MeV \rightarrow 6.06 MeV and 7.12 MeV \rightarrow 6.06 MeV in O^{16} , 2=16327
- Gorodetsky, S., Muller, T., Port, M. and Bergdolt, G. A study of some γ -transitions in the Si^{28} nucleus by the reaction $\text{Si}^{28}(\text{d}, \text{p})\text{Si}^{28*}(\gamma)\text{Si}^{28}$, 0=9587
- Gorodetsky, S., Muller, T., Port, M., Bergdolt, G. and Graff, J. A coincidence circuit using a time-pulse height convertor, 0=19992
- Gorodetsky, S., Muller, T., Port, M. and Zichichi, A. Experimental observation of some regularities in μ^+ repolarisation, 3=22552
- Gorodetsky, S., Muser, A., Zen, J., and Armsbruster, R. A fast shaping circuit with adjustable threshold using tunnel diodes, 2=5283
- Gorodetsky, S., Muser, A., Zen, J. and Armsbruster, R. Coincidence circuit using tunnel diodes, 2=9502
- Gorodetsky, S., Muser, A., Zen, J. and Armsbruster, R. Application of pulse transformers to fast impulse electronics, 3=5607
- Gorodetsky, S., Pixley, R.E., Gallmann, A., Frick, G., Coffin, J.P. and Sibille, G. Emission of pairs from the 3.63 MeV level in O^{18} , 4=17032
- Gorodetsky, S., Port, M. and Graff, J. Low noise linear preamplifier for a junction detector, 2=13520

- Gorodetzky, S., Port, M., Graff, J. and Thirion, J.M. Excited levels of F^{19} from a study of the reaction $O^{18}(p, \alpha)N^{15}$ between 2.2 and 6 MeV, 3=12584
- Gorodetzky, S., Port, M., Graff, J. and Thirion, J.M. Excited levels of F^{19} from the study of the $O^{18}(p, \alpha)N^{15}$ reaction, 4=17036
- Gorodetzky, S., Richert, R., Manquenouille, R. and Knipper, A. The half-life of the first excited state of B^{10} , 0=17557
- Gorodetzky, S., Richert, R., Manquenouille, R. and Knipper, A. The mean life of the first excited state of Al^{26} , 1=613
- Gorodetzky, S., Richert, R., Manquenouille, R. and Knipper, A. Time-to-amplitude converter capable of high resolution, 1=1880
- Gorodetzky, S., Richert, R., Manquenouille, R. and Knipper, A. Time-to-amplitude converter of high resolving power, 1=16226
- Gorodetzky, S., Richert, R., Manquenouille, R. and Knipper, A. Half-life of the second excited level at 418 keV in Al^{26} , 2=365
- Gorodetzky, S., Samuel, J. and Gallmann, A. The angular correlation (d, γ) in the reaction $Be^9(d, p)Be^{10}$, 1=17145
- Gorodetzky, S., Scheibling, F., Armbruster, R., Benenson, W., Chevallier, P., Mennrath, P., Sutter, G. and Goldring, G. Radiative corrections in the angular correlation of monopole pairs from O^{16} at small angles, 3=19810
- Gorodetzky, S., Scheibling, F., Benenson, W., Chevallier, P., Goldring, G., Mennrath, P. and Sutter, G. Estimation of evidence for radiative corrections for angular correlation of pairs from 6.05 MeV monopole transition in O^{16} , 4=17030
- Gorodetzky, S., Scheibling, F., Chevallier, P., Mennrath, P. and Sutter, G. Multipolarity of the 2.14 MeV transition in B^{11} , 2=13980
- Gorodetzky, S., Sutter, G., Armbruster, R., Chevallier, P., Mennrath, P., Scheibling, F. and Yoccoz, J. Search for double γ -ray emission in the 1.75 MeV monopole transition of Zr^{90} , 1=7300
- Gorodetzky, S., Sutter, G., Armbruster, R., Chevallier, P., Mennrath, P., Scheibling, F. and Yoccoz, J. A search for two-photon de-excitation in monopole transitions in O^{16} , Ca^{40} and Zr^{90} , 2=376
- Gorodetzky, S., Sutter, G., Armbruster, R., Chevallier, P., Mennrath, P., Scheibling, F. and Yoccoz, J. Double gamma emission in the 6.06 MeV monopole transition of O^{16} , 1=17062
- Gorodetzky, S., Sutter, G., Chevallier, P., Scheibling, F. and Armbruster, R. On the excitation function for internal conversion pairs and γ -rays from the reactions $F^{19}(p, \alpha)O^{16}$ and $Cd^{40}(p, p')Ca^{40}$, 0=7560
- Gorodetzky, S., Sutter, G., Chevallier, P., Scheibling, F. and Mennrath, P. Double gamma emission in monopole transitions, 4=17031
- Gorodetzky, S., Sutter, G., Scheibling, F., Chevallier, P. and Armbruster, R. The excitation curves of gamma-rays and internal conversion pairs of $F^{19}(p, \alpha)O^{16}$ and $Ca^{40}(p, p')Ca^{40}$ and the relative intensity of external pairs of $O^{16}(d, p)O^{17}$, 1=13736
- Gorodetzky, S., Sutter, G., Scheibling, F., Mennrath, P., Chevallier, P. and Armbruster, R. Angular correlation of internal conversion pairs of the 3.56 MeV transition of Li^6 , 0=13150
- Gorodetzky, S., Ullman, J., Bergdolt, G. and Gallmann, A. Degree of polarization of protons of about 5 MeV elastically scattered from C^{12} , 2=440
- Gorodetzky, S., Ullman, J., Bergdolt, G. and Gallmann, A. Polarization of protons in elastic scattering from O^{16} and C^{12} , 3=2445
- Gorodinskii, G. M. Polarizing properties of frosted glass surfaces in the case of reflection, 4=20458
- Gorodinskii, G. M. and Kochevanov, V. A. An automatic pulse counter, 2=1361
- Gorodinskii, G. M., Krizhanskii, L. M. and Kruglov, E. M. Magnitude of quadrupole interaction between Sn^{119m} nuclei and crystal lattice, 3=17635
- Gorodinskii, G. M. See Baranovskii, V. I., 2=14010
- Gorodinskii, G. M. See Gol'danskii, V. I., 3=8340
- Gorodinskii, G. M. See Gol'danskii, R. I., 4=28331
- Gorodkov, Yu. V. See Alikhanov, A. I., 0=9454
- Gorodkov, Yu. V. See Alikhanov, A. I., 0=20176
- Gorodnichyus, G. A. See Gorodnichyute, M. G., 4=25497
- Gorodnichyute, M. G. and Gorodnichyus, G. A. Pressure effect on the submerged spark spectral lines of cadmium and its dependence on the contents of cadmium and zinc in the electrodes, 4=25497
- Gorodyskii, A. V., Delimarskii, Yu. K. and Panov, E. V. On the impedance of the double electrical layer in melts, 3=16168
- Gorodyskii, A. V. See Delimarskii, Yu. K., 3=3400
- Gorodyskii, V. A., Romanov, Yu. F., Sorokina, A. V. and Yakunin, M. I. Electrocapillary method of constructing thin layers of radioactive substances on organic films, 2=1829
- Goroff, I. and Kleinman, L. Deformation potentials in silicon. III. Effects of a general strain on conduction and valence levels, 4=4020
- Goroff, I. R. An experiment on heat transfer by overstable and ordinary convection, 0=8828
- Goroff, I. P. See Nakagawa, Y., 1=4710
- Gorokhov, L. N. The new calculation methods in mass-spectrometric studies with the double effusion chamber, and the thermodynamic properties of lithium iodide, 2=13373
- Gorokhov, L. N. See Akishin, P. A., 4=16564
- Gorokhov, V. P. See Livanov, V. A., 3=25850
- Gorokhovskii, F. S. See Garber, R. I., 0=18267
- Goroshkov, G. V., Grebenskii, B. S., Khormushko, S. P. and Tsvetkov, O. S. Dispersed fast neutron detector, 2=16206
- Gorowitz, B., Moses, K. and Gloersen, P. Magnetically driven fast-acting valve for gas injection into high vacua, 0=3577
- Gorowitz, B. See Gloersen, P., 4=19068
- Gorzhankin, B. N. See Gringauz, K. I., 4=2288
- Gorsain, G. See Canac, F., 4=5343
- Gorshanova, A. F. and Damburg, R. Ya. Account of strong coupling in electron collisions with hydrogen atoms, 2=20752
- Gorshkov, A. S. See Akhmanov, S. A., 3=21979
- Gorshkov, E. S. See Yanovskii, B. M., 3=3117
- Gorshkov, G. V. and Kodyukov, V. M. The absorption, in water, of the gamma-radiation from point and volume sources, 1=5705
- Gorshkov, G. V. and Kodyukov, V. M. Attenuation of γ -radiation from three-dimensional sources in iron and lead, 2=11922
- Gorshkov, G. V. and Lyatovskaya, N. M. The neutron radiation of mountain rocks, 0=16404
- Gorshkov, G. V. and Shimanskaya, N. S. Calorimetric measurements on sources composed of the naturally-occurring radioactive elements, 0=5685
- Gorshkov, G. V. and Tsvetkov, O. S. Yield of neutrons in (α, n) reactions on Be, B, C, O, F, Na, Mg, Al and Si under the action of α -particles of thorium, uranium and their decay products, 4=3704
- Gorshkov, G. V., Zyabkin, V. A. and Tsvetkov, O. S. The neutron yield from the (α, n) reaction in Be, B, C, O, F, Mg, Al, Si, and granite induced by the α -particles from polonium, 2=20677
- Gorshkov, G. V., Zyabkin, V. A. and Tsvetkov, O. S. The yield of neutrons from nitrogen, oxygen, air and water under the action of radium C α -particles, 4=1108
- Gorshkov, G. V., Zyabkin, V. A. and Tsvetkov, O. S. Neutron yields of some materials induced by alpha-particles emitted by radon and its decay products, 4=6376
- Gorshkov, M. M. See Vavilov, V. S., 0=20984
- Gorshkov, V. G. A relativistic perturbation theory for a Coulomb field, 1=19110
- Gorshkov, V. G. Theory of relativistic Coulomb scattering. I, 1=19129
- Gorshkov, V. G. Account of the nuclear Coulomb field in the interaction between electrons and an electromagnetic field, 1=19576
- Gorshkov, V. G. Theory of relativistic Coulomb scattering. I, 2=22436
- Gorshkov, V. G. A relativistic perturbation theory for a Coulomb field, 3=4353
- Gorshkov, V. G. Theory of relativistic Coulomb scattering. II, 3=15180
- Gorshkov, V. G. On the Coulomb Green function, 4=24971
- Gorshkov, V. K. and Anikina, M. P. The fine-structure in the fission yield curve for ^{235}U , 2=3635
- Gorshkov, V. G. and Frolov, G. V. Asymptotic relations between cross-sections for large scattering angles, 4=857
- Gorshkov, V. G. and Mikhailov, A. I. Angular distribution of photoelectrons from the K-shell, 3=2587
- Gorshkov, V. G. and Mikhailov, A. I. Atomic photoeffect at high energies, 4=1224
- Gorshkov, V. G., Mikhailov, A. I. and Polikanov, V. S. Relativistic atomic photoeffect, 4=25542
- Gorshkov, V. G., Rekalo, M. P. and Frolov, G. V. Fermion Regge poles and the Compton effect, 4=3368
- Gorshkov, V. G., Rekalo, M. P. and Frolov, G. V. Fermion Regge poles in processes involving vectors, 4=27893
- Gorshkov, V. G. and Ridel', K. Screening in pair conversion, 4=6269
- Gorshkov, V. G. and Tsvetkov, O. S. Distribution of α -particle paths on a spherical source, 3=22429

- Gorskaya, L.G. See Belova, A.P., 2=2126
- Górski, E. See Gurski, E., 4=3068
- Górski, L. Some problems of applying thin sodium iodide crystals in gamma-ray spectrometry within the energy range 15-100 keV, 2=5614
- Górski, L. A new orthorhombic polymorph of boron, 4=4601
- Górski, L. See Czubek, J., 2=3305
- Górski, L. See Feltynowski, A., 0=3285
- Górski, L. See Feltynowski, A., 0=11997
- Gorski, W. Mechanical effect of X-radiation on crystals, 1=3987
- Gorski, W. Mechanical effect of X-rays in crystals, 2=799
- Górski, W. See Kalmer, J., 1=4390
- Gorski, W. See Krauze, W., 1=2796
- Gorshkov, V.G. See Krutov, V.A., 1=3422
- Gorshkov, V.G. See Rekalov, M.P., 4=3445
- Gorshkov, V.K., Ivanov, R.N., Kukabadze, G.M. and Reformatsky, I.A. ^{235}U fission product yields in the rare earth region, 0=7648
- Gorshkova, E.G. See Monoszon, N.A., 4=14798
- Gorsuch, T.T., Jenkins, D.J. and Ludbrook, C.A. Use of complex ions in the efficiency tracing method for the standardization of pure beta-emitting nuclides, 4=9427
- Gorter, C.J. Fifty years superconductivity, 2=2950
- Gorter, C.J. Note on the superconductivity of alloys, 2=15849
- Gorter, C.J. Applications of electron spin resonance, 2=16082
- Gorter, C.J. On the partial persistence of superconductivity at very high magnetic fields and current densities, 2=19808
- Gorter, C.J. Recent developments on spin-spin relaxation, 3=1196
- Gorter, C.J. Remarks on superconductivity under the influence of strong magnetic fields and large current densities, 3=5577
- Gorter, C.J. Some remarks on superconductivity of the second kind, 4=18559
- Gorter, C.J. The behaviour of superconductive alloys and hard transition elements, 4=18564
- Gorter, C.J. [Ed.]. Progress in low temperature physics. Vol. 4, 4=24463
- Gorter, C.J., Van Beelen, H. and De Bruyn Ouboter, R. Does partial ineffectivity of the energy gap in superconductors occur under the influence of high magnetic fields? 4=11471
- Gorter, C.J. See Bülgel, B., 0=10223
- Gorter, C.J. See Bülgel, B., 1=9066
- Gorter, C.J. See Bots, G.J.C., 1=5393
- Gorter, C.J. See Drewes, G.W.J., 4=23045
- Gorter, C.J. See Goedemoed, S.H., 3=11066
- Gorter, C.J. See Goedemoed, S.H., 4=27423
- Gorter, C.J. See Lasheen, M.A., 0=10095
- Gorter, C.J. See Locher, P.R., 2=4273
- Gorter, C.J. See Locher, P.R., 2=21381
- Gorter, C.J. See Van Beelen, H., 3=24138
- Gorter, C.J. See van den Broek, J., 0=6261
- Gorter, C.J. See van den Broek, J., 1=7771
- Gorter, C.J. See van den Broek, J., 1=14793
- Gorter, C.J. See van der Lugt, W., 2=6711
- Gorter, C.J. See van der Mare, L.V., 4=17677
- Gorter, C.J. See Van Weir, O.P., 0=6247
- Gorter, C.J. See Verstelle, J.C., 1=7793
- Gorter, E.W. Interactions in various magnetic compounds, 3=15741
- Gorter, E.W. See Casimir, H.B.G., 0=13742
- Gorter, F.W. See Klemens, P.G., 4=26015
- Gorton, H.C. Dendritic inclusions in AlSb grown-junction diodes, 0=16276
- Gorton, H.C. Semiconductors show good possibilities for use as radiation detectors, 4=27717
- Gorton, H.C., Swartz, J.M. and Peet, C.S. Radiative recombination in gallium phosphide point-contact diodes, 0=20916
- Gorton, H.C., Zacaroli, A.R., Reid, F.J. and Peet, C.S. Preparation and properties of grown p-n junctions of InSb, 1=7651
- Gorton, H.C. See Wieber, R.H., 0=9915
- Gortsema, F.P. See Didchenko, R., 3=20342
- Gorum, A.E. See Bronisz, S.E., 1=20355
- Gorum, A.E. See Luhman, W.J., 0=21097
- Goryachev, B.I. See Bogdankevich, O.V., 2=16387
- Goryachev, B.N. A statistical method of separating nuclear reaction yields with different multiplicities, 2=14070
- Goryachev, Yu.M., Grekov, N.N. and Skachkov, S.V. The effect of a vacuum chamber on the magnetic field in a proton synchrotron, 4=14834
- Goryachev, Yu.M., Skachkov, S.V. and Smolyankina, T.G. Measurement of magnetic field distortions in accelerators with hard focusing, 1=5511
- Goryachev, Yu.M. See Borisov, V.S., 4=14832
- Goryachev, Yu.M. See Radkevich, I.A., 4=14836
- Goryachev, Yu.M. See Talyzin, A.N., 4=14827
- Goryaga, A.N., Levitin, R.Z. and Lin'Chzhan-da [Lin Changta]. Anomalies in Young's modulus and damping capacity in ferrites with a compensation point, 3=5061
- Goryaga, A.N. and Lin'Chzhan-da [Lin Chang-Ta]. On the low temperature-magnetic transformation in lithium ferrite-chromites, 1=20130
- Goryaga, A.N., Lin' Chzhan-da [Lin Chang-Ta]. On the low temperature-magnetic transformation in lithium ferrite-chromites, 2=23681
- Goryaga, A.N. See Belov, K.P., 0=13830
- Goryaga, A.N. See Belov, K.P., 2=623
- Gorychev, B.I. See Bogdankevich, O.V., 3=6230
- Goryunov, A.F. The scattering of slow neutrons by water molecules, 0=2547
- Goryunov, N.N. Ionization chamber recording device with 128 channels, 0=3883
- Goryunov, N.N., Dedenko, L.G. and Zatspin, G.T. Nature of the primary component of high-energy cosmic rays and extensive air showers, 3=19720
- Goryunov, N.N., Erlykin, A.D., Zatespin, G.T. and Kamnev, A.B. Investigating cores of individual air showers, 1=2128
- Goryunov, N.N. and Rapoport, I.D. Ferrite hodoscope, 3=1916
- Goryunov, N.N. and Zatspin, G.T. Observation of μ -meson bursts in a set of ionization chambers, 1=516
- Goryunov, N.N. See Rapoport, I.D., 4=16749
- Goryunov, N.N. See Vernov, S.N., 0=9466
- Goryunov, N.N. See Vernov, S.N., 0=15478
- Goryunov, N.N. See Vernov, S.N., 1=3280
- Goryunov, N.N. See Vernov, S.N., 1=3287
- Goryunov, N.N. See Vernov, S.N., 1=3288
- Goryunov, Yu.V., Pertsov, N.V. and Rebinder, P.A. Adsorptive lowering of strength and brittle rupture of zinc and cadmium single crystals, 0=1871
- Goryunov, Yu.V., Pertsov, N.V., Shchukin, E.D. and Rebinder, P.A. The change in the mechanical properties of tin single crystals under the influence of a strong adsorption active medium, 0=6313
- Goryunov, Yu.V., Pertsov, N.V., Rebinder, P.A. and Shchukin, E.D. Effect of thin coatings of surface-active metals on the structural and mechanical properties of monocrystalline and polycrystalline metals, 4=10353
- Goryunov, Yu.V., Pertsov, N.V., Summ, B.D. and Shchukin, E.D. The effect for the microscopic relief on the laws [determining the rate] of spreading of liquid metals over solid metallic surfaces, 3=5427
- Goryunov, Yu.V. and Summ, B.D. A study of the diffusion of mercury and gallium on a zinc surface in relation to an adsorption-induced decrease in the strength of metals, 4=26729
- Goryunov, Yu.V. See Shchukin, E.D., 1=14910
- Goryunov, Yu.V. See Summ, B.D., 4=7465
- Goryunova, N.A. Some problems concerning the formation of semi-conducting tetrahedral phases, 2=23414
- Goryunova, N.A. Semiconducting compounds of the $\text{A}^{\text{III}}\text{B}^{\text{V}}$ type and their interaction with other substances, 4=1586
- Goryunova, N.A. and Fedorova, N.N. Solid solutions in the zinc selenide-gallium arsenide system, 0=729
- Goryunova, N.A., Kesamanly, F.P., Nasledov, D.N. and Rud, Yu.V. Electrical properties of p-ZnSnAs₂ crystals, 4=30629
- Goryunova, N.A., Kesamanly, F.P. and Osmanov, E.O. Preparation and some properties of CdGeAs₂ single crystals, 4=1593
- Goryunova, N.A., Kolomiets, B.T. and Shilo, V.P. Vitreous semiconductors. IX. Vittrification in complex chalcogenides based on As₂S₃ and As₂Se₃, 0=13610
- Goryunova, N.A., Mamaev, S. and Prochukhan, V.D. Certain properties of the semiconductor CdSnAs₂, an electronic analogue of indium arsenide, 2=14548
- Goryunova, N.A. and Prochukhan, V.D. Solid solutions in quaternary systems based on InAs and InSb, 0=10327
- Goryunova, N.A., Radautsan, S.I. and Deryabina, V.I. Homogenization of alloys of the indium arsenide-indium selenide system by annealing under pressure, 0=1939
- Goryunova, N.A., Radautsan, S.I. and Kiosse, G.A. A new semiconducting compound in the system In-Sb-Te, 0=9978
- Goryunova, N.A., Sokolova, V.I. and Tszyan Bin-Si. The solubility of germanium in some ternary semiconducting compounds, 4=4496
- Goryunova, N.A. See Baranov, B.V., 0=10328
- Goryunova, N.A. See Ozolin'sh, G.V., 3=20836

- Goryunova, N.A. See Ozolin'sh, G.V., 4=4606
 Goryushko, A.G. See Voloshin, V.A., 4=10233
 Goryushko, G.G. See Voloshin, V.A., 4=17612
 Gorzhevskaya, É.G., Popova, V.M. and Yagudina, F.R. Photo-production of π^+ mesons on hydrogen near the threshold, 0=15414
 Gorzhevskaya, É.G. See Adamovich, M.I., 0=13046
 Gorzhevskaya, É.G. See Adamovich, M.I., 2=304
 Gorzhevskaya, É.G. See Adamovich, M.I., 2=5713
 Gorzhevskaya, É.G. See Adamovich, M.I., 3=2299
 Gorzhevskaya, É.G. See Adamovich, M.I., 3=4428
 Gorzkowski, W. Space group of pyrite T_h^2 (Pa3), 3=12949
 Gorzkowski, W. Representation of space group O_h^3 , 3=16051
 Gosar, P. On the relation between Zener breakdown and residual resistance in crystals, 1=1021
 Gosar, P. On the application of the photo-magneto-mechanical effect in P-N junctions, 2=6483
 Gosar, P. On the comparison between Zener breakdown and residual resistance, 2=23275
 Gosar, P. On the mobility of the H_3O^+ ion in ice crystals, 4=7031
 Gosar, P. On the mobility of interstitials, 4=12736
 Gosar, P. and Pintar, M. H_3O^+ ion energy bands in ice crystals, 4=12699
 Gosar, P. See Quilliet, A., 1=19860
 Gose, E.E. Diffusion of three ionic species in liquid solution, 3=21327
 Gose, E.E. Erratum: Diffusion of three ionic species in liquid solution, 4=21117
 Gösele, K. On the design of sound absorbers according to the reflexion principle, 0=1012
 Gösele, K. The radiation behaviour of plates, 0=16809
 Gösele, K. A simple structure-Borne sound measuring instrument for architectural acoustic applications, 0=19317
 Gosele, K. Impact noise — origin and reduction, 0=19335
 Goshchitskii, B.N. and Izrailevich, I.S. On the question of the existence of the "negative" separation effect in thermal diffusion of gases through porous media, 3=9491
 Goshen, J. See Lurio, A., 4=19968
 Goshen, S. See Pazy, A., 2=6028
 Gosho, Y. Ignition phenomena of discharge tube with ignitor, 4=29879
 Gosho, Y. Behavior of dark discharge in discharge tube with ignitor, 4=29880
 Gosho, Y. Variation of mercury vapor pressure in discharge tube with ignitor after initiation of cathode spot, 4=29881
 Gosling, D.S. See Davies, A.E., 2=16710
 Gosling, D.S. See Davies, E.A., 3=18867
 Gosling, W.R.F. An optical guidance system, 4=18016
 Goss, A.J. See Fane, R.W., 3=22809
 Goss, A.J. Experiments with floating-zone silicon, 4=29060
 Goss, W.C. Kerr cell framing camera, 1=6968
 Gossard, A.C. and Jaccarino, V. Boron nuclear magnetic resonance in rare earth intermetallic compounds, 3=1197
 Gossard, A.C., Jaccarino, V., Jones, E.D., Remeika, J.P. and Slusher, R. Bromine nuclear magnetic resonance in ferromagnetic $CrBr_3$, 4=28891
 Gossard, A.C., Jaccarino, V. and Remeika, J.P. Experimental test of the spin-wave theory of a ferromagnet, 1=17950
 Gossard, A.C., Jaccarino, V. and Remeika, J.P. NMR in domains and walls in ferromagnetic $CrBr_3$, 2=12685
 Gossard, A.C., Jaccarino, V. and Wernick, J.H. Nuclear magnetic resonance in rare earth intermetallic compounds, 3=1202
 Gossard, A.C., Jaccarino, V. and Wernick, J.H. Nuclear magnetic resonance in UAl_2 , 3=3192
 Gossard, A.C., Jaccarino, V. and Wernick, J.H. Ytterbium n.m.r.: Yb^{171} nuclear moment and Yb Knight shift, 4=10348
 Gossard, A.C., Portis, A.M. and Sandle, W.J. Nuclear magnetic resonance in ferromagnetic Fe^{57} , 2=785
 Gossard, A.C. See Clogston, A.M., 3=336
 Gossard, A.C. See Clogston, A.M., 4=20625
 Gossard, A.C. See Portis, A.M., 0=10246
 Gossard, E.E. Power spectra of temperature, humidity and refractive index from aircraft and tethered balloon measurements, 0=16477
 Gossard, E.E. Vertical flux of energy into the lower ionosphere from internal gravity waves generated in the troposphere, 2=8995
 Gossard, E.E. The reflection of microwaves by a refractive layer perturbed by waves, 2=16029
 Gossard, E.E. See Theisen, J.F., 1=6594
 Gossard, W.H. See Gerson, N.C., 0=3356
 Gossard, W.H. See Gerson, N.C., 0=16493
 Gossard, W.H. See Gerson, N.C., 2=13696
 Gossard, W.H. See Gerson, N.C., 3=3475
 Gosse, J. On the turbulent flow of fluids, 1=18372
 Gosse, J. Diffusion in a field of stationary turbulence, 4=5106
 Gosse, J. See Barriol, R., 2=23068
 Gosse, J. See Malengé, J., 3=7186
 Gosse, J. See Paulmier, D., 3=7385
 Gosse, J. See Paulmier, D., 4=2126
 Gosselin, C.M. See Grosskreutz, J.C., 0=11976
 Gossenberger, H.F. See Mehl, W., 3=20360
 Gosser, R.B. See Bolef, D.I., 2=10699
 Gosser, R.B. See Bolef, D.I., 2=15708
 Gosser, R.B. See Fox, R.E., 1=12684
 Gossick, B. See English, F., 4=17525
 Gossick, B.R. Dipole mode of minority carrier diffusion with reference to point contact rectification, 0=1633
 Gossick, B.R. Correlation between certain extinction bands of solids and plasma resonance, 0=7876
 Gossick, B.R. Optical absorption by free carriers in a semiconductor containing a dispersed colloidal phase, 0=7995
 Gossick, B.R. Transistor with base containing a dispersed colloidal phase, 0=9979
 Gossick, B.R. Inhomogeneities in semiconductors exposed to fast neutrons, 3=22909
 Gossick, B.R. Alpha color center in fluorite crystals, 1=10014
 Gossick, B.R. The dipole mode of minority carrier diffusion, with reference to disordered regions induced in semiconductors by pile irradiation, 2=23287
 Gössman, G. Calculation of the total cross-section for the scattering of sub-thermal neutrons by water and ice according to a crystal model, 2=22527
 Gossick, B.R. Metal-semiconductor rectifiers and transistors, 4=1638
 Gossick, B.R. Optical extinction by metal precipitates in semiconductors and insulators, 4=15578
 Gosteva, M.I. See Dunina, A.A., 1=994
 Gosting, L.J. See Fujita, H., 2=1139
 Gosting, L.J. See Kirkwood, J.G., 0=19105
 Goswami, A. Epitaxial growth of crystals on one-degree oriented substrates, 1=15015
 Goswami, A. Growth of halide layers on copper single crystals, 2=19060
 Goswami, A. and Pal, M.K. On the collective quadrupole state of C^{12} , 2=16301
 Goswami, A. and Pal, M.K. On the collective states of C^{12} and ground-state correlation, 3=17398
 Goswami, A. See Aggarwal, P.S., 3=16048
 Goswami, A. See Aggarwal, P.S., 4=4670
 Goswami, A. See Badachhappe, S.B., 3=1326
 Goswami, A. See Badachhappe, S.B., 3=1327
 Goswami, A. See Badachhappe, S.B., 4=4627
 Goswami, A. See Badachhappe, S.B., 4=29189
 Goswami, A. See Trehan, Y.N., 1=1376
 Goswami, A. See Trehan, Y.N., 0=13959
 Goswami, A.K. See Deka, G.C., 4=19807
 Goswami, K. and Seal, A.K. Study of some fatigue characteristics of commercial pure copper, 4=28940
 Goswami, K.N. See Patel, A.R., 2=8774
 Goswami, K.N. See Patel, A.R., 2=10786
 Goswami, K.N. See Patel, A.R., 3=8802
 Goswami, K.N. See Patel, A.R., 3=13406
 Goswami, K.N. See Patel, A.R., 3=25661
 Goswami, K.N. See Patel, A.R., 4=23312
 Goswami, K.N. See Patel, A.R., 4=23315
 Goswami, S.N. The effect of a uniform magnetic field on electrodeless discharge in a tube and measurement of electronic mobility. I. Air, 0=7093
 Goswami, S.N. The effect of a uniform magnetic field on electrodeless discharge in a tube and measurement of electronic mobility. II. Oxygen, nitrogen, carbon dioxide and hydrogen, 0=7094
 Goswami, S.N. Electron temperature in electrodeless discharge subjected to a transverse magnetic field, 0=16979
 Goswami, S.N. Increase in breakdown potential of a gas in electrodeless discharge in the presence of a transverse magnetic field and the concept of equivalent pressure, 0=19628
 Gotch, K. Stokes flow of an electrically conducting fluid in a uniform magnetic field, 1=8377
 Gothe, K.H. Experimental determination of the components of the permeability tensor and the spectroscopic splitting factor of MgMn ferrites in the microwave region. I, 1=5070

- Gotlib, Yu. Ya. Internal rotation in polymer chains and their physical properties. X. The dimensions of polymer chains taking into account the continuous correlation of the internal rotations in the neighbouring monomer groups, 0=9832
- Gotlib, Yu. Ya. A theory of the vibrational spectra of polymers. I, 1=2318
- Gotlib, Yu. Ya. A theory of the vibrational spectra of polymers. II. Twisting skeletal vibrations in syndiotactic polymer chains, 1=2319
- Gotlib, Yu. Ya. The kinetics of cooperative process. The temperature dependence of relaxation properties of the simplest cooperative systems (the Ising model), 2=10643
- Gotlib, Yu. Ya. Relaxation properties of cooperative systems. Dielectric relaxation in a one-dimensional chain of dipoles, 3=21387
- Gotlib, Yu. Ya. and Ptitsyn, O. B. A theory of the annealing of glasses as a cooperative process, 2=8868
- Gotlib, Yu. Ya. and Ptitsyn, O. B. A theory of the annealing of glasses as a cooperative process, 2=10925
- Gotlib, Yu. Ya. and Salikhov, K. M. Diffusion theory of potential barrier penetration in a variable external field, 3=83
- Gotlib, Yu. Ya. and Salikhov, K. M. Theory of dielectric polarization of amorphous polymers, 3=17928
- Gotlib, Yu. Ya. and Salikhov, K. M. Theory of ultrasonic absorption in concentrated polymeric solutions, 4=11196
- Gotlib, Yu. Ya. and Sochava, I. V. Theory of the specific heat of linear polymers at low temperatures. Vibration spectrum and specific heat, 3=8366
- Gotlib, Yu. Ya. See Boissov, V. B., 4=6671
- Gotlib, Yu. Ya. See Vol'kenshtein, M. V., 1=18299
- Goto, E. Expected behaviour of the Dirac monopole in the cosmic space, 4=10793
- Goto, E., Kolm, H. H. and Ford, K. W. Search for ferromagnetically trapped magnetic monopoles of cosmic-ray origin, 4=964
- Goto, F. See Maeda, M., 4=29047
- Goto, F. See Ōsaka, Y., 3=8406
- Gotō, H. and Ikeda, S. Determination of component in binary alloy of backscattering of beta particles, 3=11278
- Goto, J. Nucleon-nucleon scattering in momentum space, 3=22119
- Goto, J. and Machida, S. Nuclear forces in the momentum space, 1=10865
- Goto, K. Relativistic magnetohydrodynamics, 0=12685
- Goto, K. A covariant interpretation of the existence of the parity non-conservation and the new freedoms for elementary particles, 0=12832
- Goto, K. Characteristic functional for plasma turbulence, 1=16327
- Goto, K. See Kojima, H., 1=20090
- Goto, K. See Kojima, H., 2=14779
- Goto, K. See Kojima, H., 3=1014
- Goto, K. See Nakahara, O., 3=20363
- Goto, M. Magnetization reversal process in permalloy films, 4=23002
- Goto, M., Hiraoka, T. and Kuwahara, K. Determination of the anisotropy field in thin films by ΔR effect, 3=21926
- Goto, M., Kuwahara, K. and Tatsumoto, E. Anisotropy induced by magnetic annealing in nickel films, 2=8641
- Goto, M. See Hiida, K., 1=16757
- Goto, M. See Kuwahara, K., 1=10155
- Goto, M. See Nomura, M., 4=23004
- Goto, M. See Tatsumoto, E., 1=14722
- Goto, M. See Tatsumoto, E., 3=1082
- Goto, M. See Tatsumoto, E., 3=24426
- Goto, M. See Tatsumoto, E., 4=23063
- Goto, M. See Tatsumoto, E., 4=26299
- Goto, N. and Matsumura, O. Electron spin resonance of gamma-irradiated sodium thiosulphate, 4=7337
- Goto, S. Form factor and its isoscalar part of the nucleons, 2=9830
- Gotō, S. Nucleon form factors and resonance particles, 3=10103
- Goto, S. and Machida, S. Effects of virtual nucleon pairs to the electromagnetic structure of the nucleon, 0=12917
- Goto, S. and Machida, S. Effects of the weak interaction on the hydrogen energy levels, 1=4899
- Gotō, T. On the unstable states in quantum field theory, 0=15273
- Gotō, T. On the nature of the electromagnetic field, 1=8411
- Gotō, T. Particle-hole bound states in the many fermion system, 1=18313
- Gotō, T. On the interaction of elementary particles in view of the extended particle model. I, 2=11915
- Gotō, T. On the interaction of elementary particles in view of the extended particle model. II. Covariant formulation, 2=20284
- Goto, T. Bohr-Sommerfeld's quantum conditions and rigid body rotation, 4=8064
- Goto, T., Ishii, T. and Ueta, M. Photoconductivity of alkali halide crystals containing U center, 4=4226
- Gotō, T., Sato, M. and Uchida, T. On the mechanism of the pinch effect, 0=5301
- Goto, T. and Ueta, M. Fluorescence and photoconductivity of exciton in CuCl crystal, 4=26240
- Goto, T. See Kakudo, Y., 0=13025
- Goto, T. See Kuwahara, K., 4=13203
- Gotō, T. See Ōba, J., 0=15352
- Goto, T. See Ogushi, T., 3=24151
- Goto, Y. Superparamagnetism in ZnFe_2O_4 induced by high pressure squeezing, 4=26275
- Gotō, Y. See Morita, S., 1=8766
- Goto, Y. See Morita, S., 1=12213
- Gotō, Y. See Morita, S., 1=12214
- Goto, Y. See Yuzuri, M., 3=1024
- Gotoh, H. See Katoh, T., 3=15150
- Gotoh, K. Magnetohydrodynamic flow past a sphere, 1=7131
- Gotoh, K. Effect of a magnetic field upon the stability of free boundary layers between two uniform streams, 1=13162
- Gotoh, K. Stability of a flow between two rotating cylinders in the presence of a circular magnetic field, 2=17936
- Gotoh, M. Several problems in high vacuum technique and the background of the ultra high vacuum mass spectrometer, 2=17904
- Gotoh, M. Ultra high vacuum mass spectrometer. II. Behaviour of Getter ion pump and ionization gauge under static operations, 2=20054
- Gotoh, M. See Ogura, S., 4=30226
- Gotoh, R. See Hanai, T., 3=3414
- Gotow, K. and Heer, E. P-p phase shift solutions and depolarization scattering parameter at 210 MeV, 0=17336
- Gotow, K., Kinsey, K. F., Lobkowicz, F., Nordberg, M. E., Reay, N. W. and Thorndike, E. H. Reduced energy spread of synchrocyclotron beams, 4=21608
- Gotow, K., Lobkowicz, F. and Heer, E. Depolarization parameter in proton-proton scattering at 213 MeV, 2=20338
- Gotow, K. and Okubo, S. Possible tests of the TCP theorem in proton-antiproton scattering, 3=2264
- Gotow, K. See England, A. C., 1=16781
- Gotsman, E. A bootstrap calculation for the Z-mass, 4=19394
- Gotsman, E. and Hochberg, S. Nucleon-nucleon scattering with full recoil, 3=12452
- Gotsman, E. and Hochberg, S. Nucleon-nucleon scattering with full recoil. II. The one-and-two-pion and vector boson contributions, 4=9190
- Gott, C. T. See Maki, A. G., 2=14251
- Gott, J. R. and Maisch, W. G. Spectroscopic study of the effect of high pressures on organic charge-transfer complexes in solution, 4=2686
- Gott, Yu. V., Ioffe, M. S. and Tel'kovskii, V. G. Some new results on confinement in magnetic traps, 4=8744
- Gott, Yu. V. and Tel'kovskii, V. G. Thin-foil technique for determining ion energy in a high-temperature plasma, 2=9601
- Gott, Yu. V. and Tel'kovskii, V. G. The lifetime determination of a high-temperature plasma on the basis of the duration of neutron emission, 3=1997
- Gottal, P. De. See De Gottal, P.
- Gottlieb, M. See Zollweg, R. J., 1=8346
- Gottenberg, W. G. Experimental study of vibrations of a circular cylindrical shell, 0=14710
- Gottenberg, W. G. and Christensen, R. M. Comments on damping of shaker-excited beams calculated solely from displacement amplitude measurements, 2=17531
- Gottenberg, W. G. and Christensen, R. M. An experiment for determination of the mechanical property in shear for a linear, isotropic viscoelastic solid, 4=23090
- Gottenberg, W. G. See Baltrukonis, J. H., 1=1777
- Gottenberg, W. G. See Baltrukonis, J. H., 1=18505
- Gottesman, S. T. See Davies, R. D., 4=13971
- Gottfried, K. Dispersive effects in elastic scattering by complex nuclei, 0=5762
- Gottfried, K. The determination of the nuclear pair correlation function and momentum distribution, 3=7964
- Gottfried, K. and Jackson, J. D. Connection between production mechanism and decay of unstable particles: $\text{KN} \rightarrow \text{K}^* \text{N}$, 4=15100

- Gottfried, K. and Jackson, J.D. On the connection between production mechanism and decay of resonances at high energies, 4=24997
- Gottfried, K. and Pičman, L. Sound propagation in a dilute Fermi gas at zero temperature, 2=4961
- Gottfried, K. See Czyz, W., 1=4780
- Gottfried, K. See Czyz, W., 3=8080
- Gottfried, K. See Goldstone, J., 0=47
- Gothard, H. See Politycki, A., 2=14793
- Gottlieb, B. See Axford, W.I., 3=16368
- Gottlieb, B. See Sarabhai, V., 2=12035
- Gottlieb, G.E., Kane, W.M., Walsh, J.F. and Wood, C. Electrical properties of Ag₂Te, 1=17757
- Gottlieb, I. A direct consequence arising from the relativistic handling of an "uniform" field, 0=6664
- Gottlieb, I. and Tomozei, C. A new system of dimensions, 2=7106
- Gottlieb, J. Study of the nuclear field with a rigid (protonic) charge distribution by means of the general theory of relativity, 0=17466
- Gottlieb, M. Optical properties of lithium fluoride in the infrared, 0=6182
- Gottlieb, K. See Basinski, J., 1=18199
- Gottlieb, M. Reflectivity of Li⁺F and Li⁺F, 0=6183
- Gottlieb, M. and Garbuny, M. Low frequency dielectric dissipation in Mylar at liquid helium temperatures, 4=20411
- Gottlieb, M. and Zollweg, R.J. Thermal conductivity of alkali-metal vapours, 4=5243
- Gottlieb, M. See Garbuny, M., 4=8570
- Gottlieb, P. Double pump degenerate ferrite amplifier, 0=9201
- Gottlieb, P. Sound source near a velocity discontinuity, 0=16781
- Gottlieb, P. Nonlinear effects of crystalline anisotropy on ferrimagnetic resonance, 0=21065
- Gottlieb, P. and Suhl, H. Saturation of ferrimagnetic resonance with parallel pumping, 2=10688
- Gottlieb, P. and Suhl, H. Many-body theory of localized d states in metals. II. Pair of impurities, 4=20240
- Gottlieb, P. See Kikuchi, R., 2=1077
- Gottlieb, Y.Y. and Wahl, P. Theoretical study of the polarization the fluorescence of macromolecules having an emission group mobile about an axis of rotation, 4=1329
- Gottschalk, B. and Strauch, K. Quasi-elastic proton-proton scattering at 158 MeV, 0=20135
- Gottschalk, W.M. See Fischbeck, K.H., 4=18822
- Gottschlich, C.F. See Knopp, C.F., 3=7502
- Gottstein, K. See Biswas, N.N., 3=4434
- Gottstein, K. See Biswas, N.N., 3=17133
- Gottstein, K. See Cester, R., 2=3409
- Gottstein, K. See Quareni, G., 1=13518
- Gotusso, L. See Albertoni, S., 3=18841
- Götz, G. See Eckardt, A., 4=3064
- Götz, H. Excitation of shear vibrations in a NaClO₃ single crystal with a high-frequency magnetic field, 4=22784
- Götz, R. See Schläfer, H.L., 4=26274
- Götz, W. Space group determination of the nickel borate Ni₃(BO₃)₂, 4=2083
- Götz, W. and Günther, H. A precision monochromator for X-rays, 3=17013
- Götze, W. On transport theory of Bose systems. I, 4=5102
- Götze, W. On transport theory of Bose systems. II, 4=8112
- Gouault, J. Study of a microbalance for high-vacuum work, 3=7166
- Gouault, J. Study of a high vacuum microbalance, 4=8009
- Goubau, G. Some characteristics of electromagnetic wave beams, 2=7730
- Goubau, G. Optical relations for coherent wave beams, 4=11372
- Goudamachvili, A.I. See Tchkouaceli, D.V., 4=16430
- Goudas, C.L. and Barbanis, B.S. A new property of the third integral, 3=18647
- Goudet, G. and Laurenceau, P. Study of the triboelectric properties of various synthetic fabrics, 1=17859
- Goudmand, P. See Guenebaut, H., 1=2557
- Goudmand, P. See Guenebaut, H., 1=6057
- Goudmand, P. See Guenebaut, H., 2=10250
- Goudmand, P. See Pannetier, G., 1=15961
- Goudmand, P. See Pannetier, G., 2=20818
- Goudmand, P. See Pannetier, G., 3=12876
- Goudmand, P. See Pannetier, G., 4=12443
- Goudot, A. Study of bioactivators using the method of ligand fields, 2=6191
- Goudsmit, P.F.A. The influence of electron straggling on γ -ray energy determinations by the external conversion method, 3=24676
- Goudsmit, P.F.A. See Bleeker, E.J., 2=5864
- Goudsmit, P.F.A. See Boyd, H.W., 4=9538
- Goudsmit, P.F.A. See Hamilton, J.H., 3=22335
- Goudsmit, P.F.A. See Jansen, J.F.W., 3=656
- Goudsmit, P.F.A. See Lark, N.L., 2=16330
- Goudsmit, P.F.A. See Wapstra, A.H., 2=12168
- Goudsmit, S.A. Pauli and nuclear spin, 1=15591
- Goudsmit, S.A. and Richards, P.I. The order of electron shells in ionized atoms, 4=19939
- Goudsward, B. See Bots, G.J.C., 2=12384
- Gougat, P. See Galinaro, R., 4=16133
- Gough, T.E. See Blandamer, M.J., 3=13612
- Gough, T.E. See Blandamer, M.J., 4=184
- Gough, V.E. See Barson, C.W., 2=7152
- Gouiran, R. See Stickel, P., 0=2412
- Goujon, P. See Ceccaldi, M., 3=18999
- Goulard, B., Goulard, G. and Primakoff, H. Relativistic corrections in the theory of muon capture, 4=9544
- Goulard, B. and Primakoff, H. Nuclear structure effects in "elastic" neutrino-induced reactions, 4=28016
- Goulard, B. See Goulard, G., 1=13468
- Goulard, G. and Goulard, B. Theory of the capture of muons by nuclei, 1=13468
- Goulard, G. See Goulard, B., 4=9544
- Goulard, M. See Goulard, R., 1=16149
- Goulard, R. The coupling of radiation and convection in detached shock layers, 2=9300
- Goulard, R. and Goulard, M. One-dimensional energy transfer in radiant media, 1=16149
- Goulart, H.S. See Schulman, J.H., 0=9241
- Gould, C.F., McCusker, C.B.A. and Peak, L.S. Anisotropies of cosmic-ray jets and "equilibrium" theories of meson production, 3=17367
- Gould, E.S. See Hopkins, T.E., 2=17060
- Gould, F.T., Taylor, T.L., Havens, W.W., Jr., Rustad, B.M. and Melkonian, E. Long wavelength crystal spectrometer and the neutron absorption cross sections of gold and boron, 1=16812
- Gould, G., Jacobs, S.F., Latourrette, J.T., Newstein, M. and Rabinowitz, P. Coherent detection of light scattered from a diffusely reflecting surface, 4=18430
- Gould, G. See Jacobs, S., 2=6101
- Gould, G. See Rabinowitz, P., 2=7385
- Gould, G. See Rabinowitz, P., 2=20139
- Gould, G. See Senitzky, B., 3=14767
- Gould, H.J. Determining P- and N-type conduction in very small crystals, 3=8498
- Gould, J. and Smith, K.U. Angular displacement of the visual feedback of motion, 3=1566
- Gould, J.H. See Comeford, J.J., 1=6213
- Gould, N.L. See Henyey, L.G., 4=10812
- Gould, P. The (p,d) reaction at medium energies, 2=16407
- Gould, P. See Brown, G.E., 4=9355
- Gould, P.A. and Pick, U. A specimen holder for film thickness measurement, 4=21314
- Gould, R.B. See Burman, R., 4=5830
- Gould, R.D. and Linnett, J.W. Electronic structure of ozone, 3=22571
- Gould, R.J. Infrared emission lines from H II regions, 4=13908
- Gould, R.J. The contraction of molecular hydrogen proto-stars, 4=29372
- Gould, R.J. and Burbidge, G.R. X-rays from the galactic center, external galaxies, and the intergalactic medium, 4=10851
- Gould, R.J., Gold, T. and Salpeter, E.E. The interstellar abundance of the hydrogen molecule. II. Galactic abundance and distribution, 3=25974
- Gould, R.J. and Harwit, M. Expected near infrared radiation from interstellar molecular hydrogen, 3=11504
- Gould, R.J. and Salpeter, E.E. The interstellar abundance of the hydrogen molecule. I. Basic processes, 3=25973
- Gould, R.J. See Burbidge, G.R., 4=7958
- Gould, R.J. See Ney, E.P., 4=29390
- Gould, R.K. and Nyborg, W.L. Viscous damping of bubbles, 0=10643
- Gould, R.N. and Burman, R. Some electromagnetic wave functions for propagation in stratified media, 4=16663
- Gould, R.N. See Burman, R., 4=3142
- Gould, R.N. See Burman, R., 4=14910
- Gould, R.W. See Vandenplas, P.E.M., 3=7610
- Gould, R.W. Radio frequency characteristics of the plasma sheath, 4=29931
- Gould, R.W. and Gerold, V. The influence of Mg atoms on diffusion processes in Al-Zn alloys, 4=28477

- Gould, R.W. and Johnson, C.C. Coupled mode theory of electron-beam parametric amplification, 1=3011
- Gould, R.W. See Boyd, G.D., 1=8568
- Gould, R.W. See Boyd, G.D., 2=5341
- Gould, R.W. See Fried, R.D., 1=2985
- Gould, R.W. See Nickel, J.C., 4=8758
- Gould, R.W. See Rhines, F.N., 4=10442
- Gould, R.W. See Swanson, D.G., 4=11659
- Gould, R.W. See Trivelpiece, A.W., 0=1132
- Gould, R.W. See Vandenplas, P.E.M., 2=17836
- Goulden, J.D.S. Spectroturbidimetry of emulsions, 1=16072
- Goulden, J.D.S. See Glover, F.A., 4=18110
- Goulding, F.S. and Hansen, W.L. Leakage current in semiconductor junction radiation detectors and its influence on energy-resolution characteristics, 2=6479
- Goulding, F.S. and McNaught, R.A. A transistorized fast-slow coincidence and pulse amplitude selecting system. II, 1=18731
- Goulding, F.S., Nicholson, R.W. and Waugh, J.B. A double-delay-line linear amplifier employing transistors. I, 1=18730
- Goulding, F.S. See Alexander, T.K., 2=5278
- Goulding, F.S. See Hansen, W.L., 3=22042
- Goulianos, K. See Danby, G., 2=20308
- Goulianos, K. See Danby, G., 3=14952
- Goullet, G. and Pebay-Peyroula, J.C. Investigation of several levels of the configuration $5d^9 6s^2 6p$ in mercury atoms, 4=28128
- Goulpeau, L. Study of the complex dielectric constant of $PbHfO_3$ between 320°K and 520°K, 4=1666
- Goulpeau, L. and Le Montagner, S. Study of the complex dielectric constant of $PbZrO_3$ under a polarizing field, between 37° and 520°K, 3=2956
- Goupil, J. γ -spectrography in a rocket, 4=25219
- Goupil, J., Graftieaux, J.P. and Servent, J.M. Electronics in detectors of sheath rupture, 1=2257
- Gouq-Jen Su. See McSwain, B.D., 3=13173
- Gouq-Jen Su. See Borrelli, N.F., 3=13174
- Gourary, B.S. and Fein, A.E. Theory of localized electronic states at point imperfections, 2=3874
- Gourary, B.S. and Maradudin, A.A. Absorption and emission spectra of an electron in a one-dimensional deep trap, 0=11755
- Gourceaux, M. A simple mathematical representation of the influence of frequency on the complex refractive index of metals; application to the transparency of alkali metals to ultraviolet radiation, 0=1721
- Gourceaux, M. On the transparency of the alkali metals in the ultraviolet, 0=4401
- Gourceaux, M. Influence of frequency and structure on the complex refractive index of metals and of thin metallic films, 0=10032
- Gourceaux, M. On the use of extensometry for the study of the structure of metallic films, 2=10934
- Gourceaux, M. Concerning a criterion of linearity and non-linearity in acoustics: application to certain resonators, 3=5490
- Gourceaux, M. Electromagnetic behaviour of thin metal films, 4=10020
- Gourdin, M. A covariant study of high energy nucleon-nucleon scattering, 0=338
- Gourdin, M. Some remarks about the photoproduction of strange particles, 1=16910
- Gourdin, M. Inelastic form factors, 2=5894
- Gourdin, M. Deuteron electromagnetic form factors, 3=17353
- Gourdin, M. Eightfold way and weak interactions, 4=5930
- Gourdin, M. Deuteron electromagnetic form factors, 4=19600
- Gourdin, M. and Dufour, J. Photoproduction of strange particles, 3=22203
- Gourdin, M., Lurié, D. and Martin, A. Effect of a pion-pion scattering resonance on low energy meson-photoproduction, 1=5753
- Gourdin, M. and Martin, A. K^+ -deuterium inelastic and exchange scattering. II, 0=4000
- Gourdin, M. and Martin, A. Photoproduction of pions on pions, 0=13043
- Gourdin, M. and Martin, A. Pion photon scattering, 0=15400
- Gourdin, M., Noirot, Y. and Salin, P. Pion-Kaon scattering, 1=7275
- Gourdin, M. and Piketty, C. A. Remarks about polarization in elastic electron-deuteron scattering, 4=21961
- Gourdin, M. and Rimpault, M. Associated production of strange particles, 1=16911
- Gourdin, M. and Rimpault, M. A parity related to K^* -meson spin and associated $\Lambda^0 K^0$ production, 2=12011
- Gourdin, M. and Salin, P. Analysis of photoproduction with an isobaric model, 3=7887
- Gourdin, M. and Salin, P. Some remarks about gauge invariance in the isobaric model for photo-production, 3=10073
- Gourdin, M. and Tran Thanh Van, J. Relativistic deuteron wave function. I, 0=7421
- Gourdin, M. and Tran Thanh Van, J. Relativistic deuteron wave function, II, 1=5789
- Gourdin, M. See Charpak, G., 4=21834
- Gourdin, M. See Dufour, J., 1=525
- Gourdin, M. See Fubini, S., 2=11931
- Gourdin, M. See Warbutron, A.E.A., 2=3375
- Gourdon, C. Study of the trajectories of ions in a magnetic mirror configuration. I. Possibility of temporary capture by a magnetic configuration of a charged particle coming from outside, 2=17848
- Gourdon, C. and Prevot, F. Development of a plasma by injection of fast particles, 3=12105
- Gourdon, C. See Leroux, B., 2=19988
- Gourdon, C. See Prévot, F., 0=3762
- Gourdon, G. See Bernardet, H., 4=18290
- Goureaux, G. Magnetoresistance of thin films of nickel: longitudinal effect, 1=7619
- Goureaux, G. Considerations on the Curie point of thin nickel layers, 3=1077
- Goureaux, G. Magnetoresistance of thin nickel films. Consequences, 3=17825
- Goureaux, G. and Colombani, A. Magnetoresistance of thin films of nickel: perpendicular effect, 0=15889
- Goureaux, G. and Colombani, A. The Hall effect due to magnetization of thin nickel films, 1=7618
- Goureaux, C., Laniece, B. and Cadoret, R. Influence of the texture of thin films of nickel on their extensometric properties, 2=14494
- Goureaux, G. See Colombani, A., 0=8283
- Goureaux, G. See Colombani, A., 0=13813
- Goureaux, G. See Colombani, A., 2=6415
- Gourlan, C. See Linhart, J.G., 3=12173
- Gourley, L.E. See Hughes, D.S., 1=9090
- Gourley, M.F. See Hughes, D.S., 1=9090
- Goursky, V. and Gutmann, P. The proton synchrotron "Saturne". Direct current transistor amplifier for 400 amp, 0=2412
- Gouskov, L. Observations on the oxidation of heat treated (111) surfaces of germanium, 0=3189
- Gouskov, L. Results concerning the oxidation of germanium surfaces of various orientations, for temperatures varying from 500 to 800°C and oxygen pressures of 10^{-4} to 10^{-3} mm Hg, 0=12097
- Gouskov, L. and Lubat, F. Study of the recombination of charge carriers on lattice defects in germanium, 3=20305
- Gouskov, L. and Nifontoff, N. Contribution to the study of the chemical attack and oxidation of orientated surfaces of single crystals of germanium, 0=1896
- Gouskov, L. See Fortini, A., 1=17654
- Gouskov, L. See Fortini, A., 1=17655
- Gousseland, G. Spatial distribution of electrons round an impurity in the nearly free electron approximation. Application to indirect coupling between nuclear spins through conduction electrons, 3=8385
- Gousseland, G. The use of the approximation of almost-free electrons in the study of the alkali metals and their alloys, 3=15452
- Gousseland, G. and Leman, G. The spatial distribution of electrons in the tight binding and nearly-free-electron approximations, 1=14205
- Goussu, O. See Alitti, J., 2=16229
- Goussu, O. See Alitti, J., 2=18156
- Goussu, O. See Berthelot, A., 0=4090
- Goussu, O. See Berthelot, A., 1=19281
- Gout, C., Pradal, F. and Simon, R. Characteristic energy losses of electrons in copper, silver and gold, 2=12411
- Gout, C. See Pradel, F., 1=14241
- Gout, C. See Pradal, F., 1=17492
- Gouterman, M. A theory for the triplet-triplet absorption spectra of porphyrins, 0=20658
- Gouterman, M. Radiationless transitions: a semiclassical model, 2=14663
- Gouterman, M. and Stevenson, P.E. Porphyrin charge-transfer complexes with sym-trinitrobenzene, 3=2651
- Gouterman, M. and Stryer, L. Fluorescence polarization of some porphyrins, 3=2650

- Gouterman, M. and Wagnière, G. Dynamic aspects of bond alteration in cyclic polyenes, 2=8121
- Gouterman, M. See Boorstein, S.A., 4=3901
- Gouterman, M. See Fulton, R.L., 1=17334
- Gouterman, M. See Hoffmann, R., 2=14311
- Goutille, R. See Gilbert, J., 2=15147
- Goutte, R. and Guillaud, C. Use of a gaseous ion gun for the study of secondary emission from a strained metal surface, 0=19731
- Goutte, R. See Bernard, R., 0=14096
- Goutte, R. See Bernard, R., 0=19800
- Goutte, R. See Bernard, R., 3=24372
- Goutte, R. See Eyraud, L., 3=6816
- Goutte, R. See Eyraud, L., 3=20769
- Gouttefangeas, M. See Gendreau, G., 1=16460
- Goutte, R. See Bernard, R., 2=842
- Goux, C. Evaluation of the grain boundary energy in pure metals, 2=6789
- Goux, C. Evaluation of the grain boundary energy in pure metals, 2=6790
- Goux, C. Structure of grain boundaries in pure metals: calculation of intergranular energy, 3=20211
- Goux, C. See Biscondi, M., 4=20641
- Gouyon, R. The problem of splash of waves, 1=18352
- Gouyon, R. On the definitions of splashing, 4=16082
- Gouzou, J. Examination of a new criterion of plasticity which is valid for a homogeneous semi-isotropic material, such as a steel, 2=16953
- Govaerts, J. See Duquesne, H., 4=12168
- Govaerts, J. See Pierroux, A., 0=7495
- Gove, H.E. Systematics of nuclei between O^{16} and Ca^{40} , 1=8574
- Gove, H.E. Experimental evidence for direct interactions, 2=1857
- Gove, H.E. Current experimentation with the tandem accelerator at the Chalk River laboratories, 2=5401
- Gove, H.E. Core excitation in Cu^{63} , 3=15107
- Gove, H.E. Proton capture gamma rays in the giant resonance region of Mg^{24} , 4=9511
- Gove, H.E., Litherland, A.E. and Batchelor, R. Proton capture gamma rays in the giant resonance region in light nuclei, 1=13792
- Gove, H.E., Litherland, A.E. and Clark, M.A. Production of neon in stars, 2=997
- Gove, H.E., Litherland, A.E. and Clark, M.A. A 2^- assignment for the 4.97 MeV level in Ne^{20} , 2=1808
- Gove, H.E., Litherland, A.E. and Clark, M.A. Alpha-gamma angular correlations in the reaction $C^{12}(C^{12}, \alpha)Ne^{20}$, 2=1933
- Gove, H.E., Litherland, A.E. and Clark, M.A. Alpha-gamma angular correlations in the reaction $C^{12}(C^{12}, \alpha)Ne^{20}$, 2=3623
- Gove, H.E., Litherland, A.E. and Clark, M.A. The parity of the 4.97 MeV level in Ne^{20} , 3=10255
- Gove, H.E., Litherland, A.E. and Ferguson, A.J. Study of the properties of the 4.97 MeV level in Ne^{20} using the $F^{19}(p, \gamma)Ne^{20}$ reaction, 2=1814
- Gove, H.E. See Almqvist, E., 0=20347
- Gove, H.E. See Batchelor, R., 0=11383
- Gove, H.E. See Bromley, D.A., 0=1398
- Gove, H.E. See Broude, C., 1=8578
- Gove, H.E. See Broude, C., 1=8722
- Gove, H.E. See Broude, C., 1=13658
- Gove, H.E. See Clark, M.A., 1=16990
- Gove, H.E. See Clark, M.A., 2=1811
- Gove, H.E. See Broude, C., 3=24852
- Gove, H.E. See Eswaran, M.A., 4=15139
- Gove, H.E. See Ferguson, A.J., 0=1411
- Gove, H.E. See Ferguson, A.J., 1=8/56
- Gove, H.E. See Litherland, A.E., 1=3465
- Gove, H.E. See Litherland, A.E., 1=9740
- Gove, H.E. See Litherland, A.E., 1=13660
- Gove, H.E. See Litherland, A.E., 1=16989
- Gove, H.E. See Litherland, A.E., 2=1810
- Gove, H.E. See Litherland, A.E., 2=1812
- Gove, N.B. and Nakasima, R. On the reaction cross-sections with 14 MeV neutrons, 2=466
- Gove, N.B. See Koehler, P.F.M., 3=12636
- Gover, T.A. and Porter, G. The recombination of atoms. IV. Iodine atom complexes, 1=20735
- Govil, G. See Dharmatti, S.S., 1=12902
- Govil, G. See Dharmatti, S.S., 3=738
- Govil, I.M. and Khurana, C.S. Half-lives of excited states in some odd-mass nuclei, 4=9377
- Govil, I.M., Khurana, C.S. and Hans, H.S. Half-life of the first excited state of I^{129} , 3=19787
- Govindaraju, G.R. and Badkas, D.J. Impulse breakdown of large air gaps in non-uniform fields, 3=379
- Govinda Raju, G. R. and Badkas, D. J. Negative impulse breakdown of large sphere-plane gaps, 4=18746
- Govinda Raju, G. R., Harrison, J. A. and Meek, J. M. Absorption of photons from a gas discharge, 4=18712
- Govindaswamy, S. See Suryanarayana, C.V., 2=4981
- Govokov, V.G. and Papkov, V.S. Effect of annealing on the density of dislocations and the compression curves of germanium mono-crystals, 2=21031
- Govor, A.Ya. See Mikhailov, N.N., 3=14430
- Govorkov, A.B. On the statistical spread of the impulse amplitude in a fast neutron impulse reactor, 2=22869
- Govorkov, B.B., Denisov, S.P., Lebedev, A.I. and Minarik, E.V. High partial waves in the photoproduction of π^0 -mesons on protons, 3=24763
- Govorkov, B.B., Denisov, S.P. and Minarik, E.V. Elastic photoproduction of π^0 -mesons on carbon at an energy of 155 MeV, 2=13847
- Govorkov, B.B., Denisov, S.P. and Minarik, E.V. Elastic photoproduction of π^0 -mesons on carbon at an energy of 155 MeV, 3=6036
- Govorkov, B.B., Denisov, S.P. and Minarik, E.V. Photoproduction of neutral mesons on nuclei near the threshold, 3=24762
- Govorkov, B. B., Denisov, S. P. and Minarik, E. V. Determination of the size of nuclei from the differential π^0 -meson photoproduction cross-sections, 4=993
- Govorkov, B.B. See Agafonov, V.P., 3=24678
- Govorkov, B.B. See Baldin, A.M., 0=1300
- Govorkov, B.B. See Baldin, A.M., 0=5595
- Govorkov, B.B. See Vasil'kov, R.G., 0=9420
- Govorkov, B.B. See Vasil'kov, R.G., 0=13045
- Govorkov, B.B. See Vasil'kov, R.G., 0=13044
- Govorkov, B.B. See Vasil'kov, R.G., 4=16591
- Govorkov, V.G. Influence of temperature on the form of the compression curve of silicon single crystals, 3=18178
- Govorkov, V.G. and Papkov, V.S. Effect of annealing on the density of dislocations and the compression curves of germanium monocrystals, 3=6516
- Govorkov, V.G. and Regel', V.R. Dependence of the compression curve parameters of single-crystal germanium on temperature and strain velocity, 1=14864
- Govorkov, V.G. and Regel', V.R. Dependence of the compression curve parameters of single-crystal germanium on temperature and strain velocity, 1=20319
- Govorkov, V. G., Zakatov, A. F. and Regel', V. R. Recording apparatus for photoregistration of small currents, 4=14544
- Govorkov, V.G. See Regel', V.R., 1=14879
- Govorkov, V. M. and Shabalin, K. N. Effect of vibration on evolution of gas from the liquid phase, 4=24444
- Govorkov, V.G. See Regel', V.R., 2=1100
- Govorov, A.M., Li Ga En, Osetinskii, G.M., Salatskii, V.I. and Sizov, I.V. Alpha-particle spectra and the differential cross-sections of the reaction $H^3(t, 2n)He^4$ at an angle of 90° , 1=19292
- Govorov, A.M., Li Ga En, Osetinskii, G.M., Salatskii, V.I. and Sizov, I.V. Alpha-particle spectra and the differential cross-sections of the reaction $H^3(t, 2n)He^4$ at an angle of 90° , 2=22659
- Govorov, A.M., Li Ga En [Li Ka Yen], Osetinskii, G.M., Salatskii, V.I. and Sizov, I.V. Total cross-sections for the $T + T$ reaction in the 60-1140 keV energy range, 3=6091
- Govorov, A.M., Nikanorov, V.L., Peter, G., Pisarev, A.R. and Poze, Kh. Gaseous discharge chamber, 3=2182
- Govorov, A.M. See Li Ga En [Li Ka Yen], 1=555
- Govorun, N.N. The uniqueness of solution of the integral equations in aerial theory (of the first kind), 0=15150
- Govorun, N. N. Numerical solution of integral equation of the first kind for current density in an aerial of cylindrical shape, 4=14906
- Gow, J.D. and Pollock, H.C. Development of a compact evacuated pulsed neutron source, 0=7380
- Gow, K.V. See Cunningham, R.L., 3=10706
- Gowariker, S. See Chapman, K.R., 1=1936
- Gowariker, S. See Chapman, K.R., 2=3108
- Gowariker, V.R. and Garner, F.H. Analysis of heat and mass transfer between solid wall and fluid streams at both low and high Reynolds numbers, 3=7180
- Gowenlock, B. G., Kay, J. and Majer, J. R. Electron impact studies of some sulphides and disulphides, 4=8623
- Gower, J.C. and Rayner, J.H. Crystallographic programmes for a computer, 0=8202

- Gower, J. F. R. Radiation from Jupiter at 178 Mc/s, 4=7988
- Goworek, T. A nonoverloading double differentiating pulse amplifier for scintillation spectroscopy, 3=12047
- Goy, C. A. and Pritchard, H. O. Pressure dependence of the visible iodine band, 4=12458
- Goyal, D. P. See Bhowmik, B., 1=19276
- Goyal, D. P. See Bhowmik, B., 2=1726
- Goyal, D. P. See Bhowmik, B., 2=5742
- Goyal, D. P. See Bhowmik, B., 2=18188
- Goyal, D. P. See Bhowmik, B., 3=4464
- Goyal, D. P. See Bhowmik, B., 3=7973
- Goyal, D. P. See Bhowmik, B., 3=22207
- Goyal, D. P. See Bhowmik, B., 4=6206
- Goyal, D. P. See Bhowmik, B., 4=12059
- Goyer, G. G. and Watson, R. The laser and its application to meteorology, 4=3207
- Gozani, T. A modified procedure for the evaluation of pulsed source experiments in subcritical reactors, 3=19910
- Gozani, T. The concept of reactivity and its application to kinetic measurements, 4=1132
- Gozna, C. F. Breakdown in crossed electric and magnetic fields at low pressure, 4=18749
- Gozna, C. F. See Davies, D. E., 3=4033
- Gozna, C. F. See Maddison, R. C., 4=21554
- Gozna, G. F. See Harcombe, D., 3=21741
- Gozzini, A. The magnetic rotatory power of optically oriented atoms, 3=4714
- Gozzini, A. and Iannuzzi, M. Improvement of the sensitivity of microwave video spectrometers by reduction of noise, 1=16595
- Gozzini, A. See Battaglia, A., 0=5918
- Gozzini, A. See Battaglia, A., 1=14019
- Gozzini, A. See Battaglia, A., 3=23938
- Gozzini, A. [Ed.]. Topics on radiofrequency spectroscopy [proceedings of the International School of Physics "Enrico Fermi", Varenna, 1960; course 17], 4=24857
- Graaff, W. de. See de Graaff, W.
- Grabari, V. See Bedike, T., 2=22748
- Grabari, V. See Comsa, G., 1=5403
- Grabchev, B. See Popovich, M., 4=6066
- Grabe, B. A quantum mechanical calculation of the electron distribution in carboxyl-phosphate and some related molecules, 0=7736
- Grabe, B. Calculation of energy levels and electron distribution in reduced and oxidized forms of diphosphoridine nucleotide and of flavine, 0=15768
- Graben, H. W. Relativistic corrections in microwave interferometry in plasmas, 4=8723
- Graben, H. W. and Present, R. D. Evidence for three-body forces from third virial coefficients, 3=167
- Grabner, H. The conversion of photoelectrons in secondary electron multipliers, 4=19087
- Grabner, H. See Burmeister, R., 3=12629
- Grabner, H. See Funke, L., 4=25318
- Grabke, H. See Below, F., 0=19400
- Grabmaier, J. and Zamminer, C. Laser crystals, 4=15799
- Grabmann, P. H. and Wulff, H. Magneto rotation of ruby laser light for determination of plasma electron density, 4=18911
- Grabner, A. On the application of the magnetic field balance in a compensating system for the earth's field, 4=8893
- Grabner, L. Longitudinal Hall effect, 0=4333
- Grabner, L. and Swanson, J. A. Symmetry restrictions on field-dependent tensors with application to galvanomagnetic effects, 3=11
- Grabovskii, M. A. and Brodskaya, S. Yu. Normal magnetization and thermo-magnetization of anisotropic rocks, 0=1973
- Grabovskii, M. A. See Brodskaya, S. Yu., 2=18902
- Grabovsky, M. A. Magnetic properties of anisotropic rocks, 0=6431
- Grabovsky, M. A. The problem of the formation of remanence with an opposite polarity in rocks, 0=6432
- Grabowski, J. and Kalinkin, B. N. Effect of the nuclear potential form on the subbarrier transfer of a neutron, 3=17443
- Grabowski, J. and Portnyagin, J. I. On the Coulomb mechanism of the nuclear disintegration, 3=24977
- Grabowski, J. See Kalinkin, B. N., 4=19829
- Grabowski, J. See Kalinkin, B. N., 4=22206
- Grabowski, Z. Gamma-gamma angular correlation measurements in Gd^{152} , 1=19407
- Grabowski, Z., Gustafsson, S. and Bäckström, G. Search for two-quantum decay of In^{14m} , 3=2388
- Grabowski, Z., Gustafsson, S. and Marklund, I. Angular correlation measurements on levels in Se^{76} and Fe^{56} , 1=668
- Grabowski, Z., Gustafsson, S., Marklund, I. and Håller, I. B. Angular correlation measurements in Ba^{138} , 1=3418
- Grabowski, Z. and van Nuijen, B. Gamma-gamma directional correlation in ^{200}Hg , 0=13114
- Grabowski, Z., Pettersson, B. G., Gerholm, T. R. and Thun, J. E. Penetration matrix elements and nuclear structure effects in Ta^{181} , 1=9841
- Grabowski, Z., Thun, J. E., El-Nesr, M. S. and Hamilton, W. D. A search for nuclear structure effects in Tm^{169} , 2=7953
- Grabowski, Z., Thun, J. E. and Lindström, B. Internal conversion coefficients of the transitions in Tm^{169} , 2=20561
- Grabowski, Z. See Czekajewski, J., 4=17930
- Grabowski, Z. See El-Nesr, M. S., 3=4599
- Grabowski, Z. See Gerholm, T. R., 1=9837
- Grabowski, Z. See Hamilton, W. D., 2=3527
- Grabowski, Z. See Marklund, I., 0=7477
- Grabowski, Z. See Pettersson, B. G., 1=9838
- Grabowski, Z. See Thun, J. E., 2=3459
- Grabowski, Z. See Thun, J. E., 2=3524
- Grace, J. D. See Bradley, R. S., 4=26067
- Grace, M. A. Survey of the experimental situation in β -decay, 0=9312
- Grace, M. A., Johnson, C. E., Kurti, N., Scurlock, R. G. and Taylor, R. T. Nuclear orientation and the hyperfine structure coupling in cobalt metal, 0=20786
- Grace, M. A., Johnson, C. E., Scurlock, R. G. and Taylor, R. T. Nuclear alignment of cerium isotopes, 2=22731
- Grace, M. A. See Chapman, C. J. S., 1=8633
- Grace, M. A. See Dagley, P., 0=9515
- Grace, M. A. See Evans, J. E., 0=7554
- Grace, M. A. See Ferguson, A. T. G., 0=17553
- Grace, M. A. See Thomas, M. F., 4=25307
- Grachev, S. V. See Zubov, V. Ya., 4=7413
- Grad, H. Plasma trapping in cusped geometries, 0=9026
- Grad, H. On molecular chaos and the Kirkwood superposition hypothesis, 0=18971
- Grad, H. Reducible problems in magneto-fluid dynamic steady flows, 1=5556
- Grad, H. Boundary layer between a plasma and a magnetic field, 1=18850
- Grad, H. Modern kinetic theory of plasmas, 3=7496
- Grad, H. Asymptotic theory of the Boltzmann equation, 3=9500
- Grad, H. Some new variational properties of hydromagnetic equilibria, 4=30037
- Grad, H. and van Norton, R. Non-adiabatic orbits in a cusped magnetic field, 3=12193
- Grader, R. J. Measuring reactor neutron spectra with threshold detectors, 1=13908
- Gradmann, U. Dislocation structure and assimilation of lattice constants in evaporated layers on a crystalline surface, 4=23589
- Gradshtain, E. See Chupakhin, M. S., 2=9650
- Gradsztajn, E. Mass spectrometer determination of the cross-sections of heavy fragment production by 155 MeV protons on O^{16} , 1=13800
- Gradsztajn, E. Calculation of intranuclear cascades by the Monte-Carlo method: 82, 110 and 156 MeV protons on U^{238} , Bi^{209} , Au^{197} , Ce^{140} and Ag^{109} , 4=17136
- Gradsztajn, E., Ephemer, M. and Bernas, R. Li^6 and Li^7 production in O^{16} by 156 MeV protons, 3=15199
- Gradsztajn, E. See Bernas, R., 4=17129
- Gradsztajn, E. See Klapisch, R., 4=17150
- Gradsztajn, S. See Borot, M., 4=19133
- Gradzki, W. Absolute focometer and the study of its constant parameters, 3=9585
- Graebel, W. P. Stability of a Stokesian fluid in Couette flow, 1=4305
- Graeber, E. J. See Morosin, B., 4=7612
- Graef Fernandez, C. The gradient of Birkoff's gravitational field, 2=2607
- Graeffe, G. On the alpha activity of platinum isotopes, 3=17444
- Graeffe, G. and Nurmia, M. The use of thick sources in alpha spectrometry, 2=5836
- Graeffe, G., Valli, K. and Aaltonen, J. Alpha fine structure in $Bi-213$, 4=19738
- Graeffe, G. See Nurmia, M., 1=13714
- Graeffe, R. See Stubb, T., 1=17679
- Graetzer, H. G. Discovery of nuclear fission, 4=6385
- Graetzer, R. and Bernstein, E. M. Double Coulomb excitation with oxygen ions, 3=8134
- Graetzer, R., Hooverman, K. and Bernstein, E. M. Numerical calculations of multiple Coulomb excitation cross sections, 3=4559

- Graev, M.I. See Gel'fand, I.M., 2=20098
 Graev, M.I. See Gel'fand, I.M., 4=644
 Graev, M.I. See Gel'fand, I.M., 4=5741
 Graf, A. See Frieser, H., 2=9412
 Graf, K. See Leger, E.G., 1=2727
 Graf, K.A. and Bachynski, M.P. Electromagnetic waves in a bounded anisotropic plasma, 2=17834
 Graf, K.A. and Bachynski, M.P. Transmission and reflection of electromagnetic waves at a plasma boundary for arbitrary angles of incidence, 1=18865
 Graf, K.A. See Bachynski, M.P., 4=18871
 Graf, L. Time constants of current growth in hydrogen, 3=7492
 Graf, L. and Schmitz, G. Distinguishing between feedback mechanisms in Townsend hydrogen discharges by measuring the time constant of current growth, 3=7493
 Graf, P. Magnetic properties of the rare earth metals praseodymium and samarium, 2=8606
 Graf, P., Hügli, H. and Tempus, P. Production of radioisotopes, 2=20535
 Graf, R. Study of pre-precipitation in an Al-Zn alloy with 30% Zn, 3=8911
 Graf, R. See Bibring, H., 1=20604
 Graf, R. See Gallot, J., 4=17785
 Graf, R.B. See Deaton, B.C., 3=7168
 Graff, G. and Jánosy, L. An investigation concerning the classical fluctuation of light, 0=5122
 Gräff, G. and Runolfsson, Ö. Simultaneous measurement of the hyperfine structure, Stark effect and Zeeman effect of $K^{39}F^{19}$ with a molecular beam resonance apparatus, 4=3867
 Gräff, G. and Tscherner, M. Shift of the energy terms of neutral molecules for thermal motion in an electric and magnetic field, 4=3833
 Gräff, G. See Boeckh, R.v., 4=22369
 Graff, G. See Dési, S., 3=12711
 Gräff, G. See Drechsler, W., 1=12293
 Graff, H.F. See Koh, P.K., 0=3275
 Graff, J. See Gorodetzky, S., 0=19992
 Graff, J. See Gorodetzky, S., 2=13520
 Graff, J. See Gorodetzky, S., 3=12584
 Graff, J. See Gorodetzky, S., 4=17036
 Graff, K. Optical densities and thicknesses of evaporated carbon films, 2=2890
 Graff, K. See Möllenstedt, G., 2=10795
 Graff, K. See Speidel, R., 2=21562
 Graff, P. See Bieger, W., 4=19052
 Graff, T. The influence of inhibitory processes on vision, 2=2581
 Graffshtein, A. and Vil'gel'mi, Z. Resonance neutron mechanical selector "agnieszka". I, 4=9224
 Graffshtein, A. and Vil'gel'mi, Z. Resonance neutrons mechanical selector "Agnieszka". II, 4=21884
 Graffstein, A. See Ogrzewalski, Z., 4=9216
 Grafov, B.M. and Chernenko, A.A. Theory of the passage of direct current through a binary electrolyte solution, 3=18448
 Grafov, B.M. See Levich, V.G., 3=13610
 Grafov, B.M. See Levich, V.G., 3=16174
 Grafov, B.M. See Levich, V.G., 3=16179
 Grafov, B.M. See Vdovin, Yu.A., 0=6101
 Graft, R.D. See Aukerman, L.W., 2=21005
 Graft, R.D. See Aukerman, L.W., 4=6899
 Graftzer, R. See Bernstein, E.M., 0=15551
 Graffiaux, J.P. See Goupil, J., 1=2257
 Gragert, E. See Meyer, K., 4=4487
 Gragert, E. See Meyer, K., 4=30787
 Graham, A. See Wallis, K.F.A., 3=23331
 Graham, A.H., Lindsay, R.W. and Read, H.J. Structures of electroless nickel, 3=13450
 Graham, A.H. See Read, H.J., 1=5079
 Graham, C. See King, J.W., 2=9005
 Graham, C.D., Jr. Anisotropy constants of iron and iron-silicon alloys at room temperature and below, 0=2992
 Graham, C.D., Jr. Temperature dependence of anisotropy and saturation magnetization in iron and iron-silicon alloys, 0=10113
 Graham, C.D., Jr. Magnetic annealing of cobalt, 1=20083
 Graham, C.D., Jr. Magnetocrystalline anisotropy of gadolinium, 2=23652
 Graham, C.D., Jr. The induced anisotropy in cobalt and cobalt-nickel alloys, 3=1039
 Graham, C.D., Jr. Some magnetic properties of Gd single crystals, 3=15789
 Graham, C.D., Jr. and Lommel, J.M. Magnetic anisotropies of nickel films evaporated and measured at 10^{-6} mm Hg and below, 1=6319
 Graham, C.D., Jr. and Lommel, J.M. Effect of pressure during evaporation on the magnetic properties of nickel films, 3=1072
 Graham, C.D., Jr. See Barrett, C.S., 0=21156
 Graham, C.D., Jr. See Kouvel, J.S., 0=2996
 Graham, C.D., Jr. See Kouvel, J.S., 0=11841
 Graham, C.D., Jr. See Kouvel, J.S., 0=13853
 Graham, C.D., Jr. See Lommel, J.M., 2=12676
 Graham, C.H. Simple discriminatory functions: review, summary and discussion, 3=5300
 Graham, C.H. On some aspects of real and apparent visual movement, 3=21173
 Graham, C.H. and Hsia, Y. Luminosity losses in deuteranopes, 0=6528
 Graham, C.R., Levaldi, A. and Waissmann, D. Electrical properties of certain ferroelectric capacitors, 2=19881
 Graham, D. and Thomas, D.H. Self-diffusion in iron, 3=25290
 Graham, D. See Gibbs, G.B., 3=20233
 Graham, D. See Peart, R.F., 2=14463
 Graham, D.C. See Agarwal, P.D., 0=10144
 Graham, G.D. and Maass, O. A method for adiabatic compression of gases under controlled conditions, 1=1768
 Graham, G.M. The thermal conductivity of tin and indium below $1^{\circ}K$, 0=8937
 Graham, G.M. A calculation of the Grüneisen parameters, γ (n), for inert gas solids, 4=17379
 Graham, G.M. See Hartlin, E.M., 4=21412
 Graham, G.M. See Madaiah, N., 4=12655
 Graham, G.M. See Meincke, P.P.M., 4=17371
 Graham, G.M. See Meincke, P.P.M., 4=17374
 Graham, G.M. See Ottensmeyer, F.P., 4=22667
 Graham, G.M. See Shapiro, J.M., 4=20218
 Graham, G.M. See Watson, J.H.P., 4=6765
 Graham, H.A. See Bode, D.E., 4=361
 Graham, H.C. See Tallan, N.M., 3=1806
 Graham, J. Distortions in metallic structures, 0=7879
 Graham, J. Lattice spacings and colour in the system alumina-chromic oxide, 1=20539
 Graham, J. and Scaife, D.E. Ligand field for chromic ions on the corundum lattice, 2=10298
 Graham, J., Walker, G.F. and West, G.W. Nuclear magnetic resonance study of interlayer water in hydrated layer silicates, 4=10347
 Graham, J.R., Jr. See Wobschall, D., 3=21697
 Graham, L.J., Nadler, H. and Chang, R. Elastic constants of UC, 3=25599
 Graham, L.J. See Chang, R., 4=22571
 Graham, M.J. See Brennan, D., 4=13692
 Graham, R.A. Depth of indentation on an impacting projectile, 0=10629
 Graham, R.A. Piezoelectric behavior of impacted quartz, 1=7656
 Graham, R.A. Technique for studying piezoelectricity under transient high stress conditions, 2=1374
 Graham, R.A. Dielectric anomaly in quartz for high transient stress and field, 2=12574
 Graham, R.A. See Thunborg, S., Jr., 4=10997
 Graham, R.L., Bergström, I. and Brown, F. Satellites in the K-LL Auger spectra of $^{125}_{53}I$ and $^{125}_{52}Te$, 3=4707
 Graham, R.L., Brown, F., Ewan, G.T. and Uhler, J. The K-LL Auger spectrum of $^{133}_{55}Cs$, 2=1846
 Graham, R.L., Brown, F., Davies, J.A. and Pringle, J.P.S. A new method for measuring the depths of embedded radio-tracer atoms using a precision β -ray spectrometer, 4=1536
 Graham, R.L., Ewan, G.T. and Geiger, J.S. A one-meter-radius iron-free double-focusing $\pi/2$ spectrometer for β -ray spectroscopy with a precision of $1:10^5$, 2=1511
 Graham, R.L. and Geiger, J.S. The application of a fluxgate magnetometer to an automatic electronic degaussing system, 1=18979
 Graham, R.L., Geiger, J.S., Bell, R.E. and Barton, R. A simple and accurate method for calibrating nanosecond time-to-pulse-height converters, 2=15872
 Graham, R.L., Geiger, J.S., Naumann, R.A. and Prospero, J.M. Evidence for a 789.99 keV level in $^{186}_{78}Os$, 2=10019
 Graham, R.L., Hollander, J.M. and Kleinheinz, P. Properties of the 57 and 351 keV excited states in $^{143}_{59}Pr$, 4=9410
 Graham, R.L. and Merritt, J.S. The K-LL Auger spectrum of $^{161}_{66}Dy$, 1=17053
 Graham, R.L. See Bergström, I., 3=12608
 Graham, R.L. See Brown, F., 1=10991

- Graham, R.L. See Ewan, G.T., 0=2642
 Graham, R.L. See Ewan, G.T., 0=2647
 Graham, R.L. See Ewan, G.T., 0=17555
 Graham, R.L. See Ewan, G.T., 1=5840
 Graham, R.L. See Ewan, G.T., 1=8663
 Graham, R.L. See Ewan, G.T., 2=1801
 Graham, R.L. See Ewan, G.T., 2=3481
 Graham, R.L. See Geiger, J.S., 0=11368
 Graham, R.L. See Geiger, J.S., 1=8601
 Graham, R.L. See Geiger, J.S., 2=3523
 Graham, R.L. See Geiger, J.S., 2=7939
 Graham, R.L. See Geiger, J.S., 3=652
 Graham, R.L. See Geiger, J.S., 3=24365
 Graham, R.L. See Geiger, J.S., 4=3578
 Graham, R.L. See Hart, R.G., 3=22401
 Graham, R.L. See Horen, D.J., 4=25315
 Graham, R.L. See Murray, G., 3=19795
 Graham, R.L. See Novakov, T., 4=22006
 Graham, T.P. See Barnes, R.G., 1=9069
 Graham, T.P. See Barnes, R.G., 2=12832
 Graham, T.P. See Jones, W.H., Jr., 1=7799
 Graham, T.P. See Jones, W.H., Jr., 4=7339
 Graham, W.R. See Allardyce, B.W., 4=15211
 Grahl, B.H. 21 cm investigation of the structure and dynamics of the Milky Way between 100° and 120° galactic longitude, 0=8479
 Grahn, R. A theoretical investigation of the role of polarization in the formation of hydrogen bonds, 0=5981
 Grahn, R. A theoretical study of the H_3O^+ ion, 1=19654
 Grahn, R. Valence bond treatment of the H_3O^+ ion, 2=3765
 Grahn, R. Stability of the hydroion ion, H_3O_4^+ , studied by theoretical methods, 2=3766
 Grahn, R. Note on the magnetic resonance of the hydrated proton, 2=3783
 Graiff, F. On the relation between congruence conditions and indefinite [equilibrium] equations in continuum mechanics, 0=6704
 Graiff, F. The tensor character of Einstein's action, 2=9172
 Graiff, F. On the use of harmonic coordinates in general relativity, 4=21025
 Grainger, J.F. and Ring, J. Anomalous Fraunhofer lines profiles, 2=17177
 Grainger, J.F. and Ring, J. A photoelectric grating spectrometer, 3=9148
 Grainger, L. See McIntosh, A.B., 2=10188
 Grainger, R.J. and Baily, N.A. Nuclear pulse enhancement in silicon p-n junction radiation detectors, 4=19332
 Grainger, R.J., Mayer, J.W. and Oliver, J.W. Temperature behavior of p-n junction detectors, 1=3090
 Grainger, R.J. See Bailey, N.A., 1=12075
 Grakov, V. and Hermoch, V. Formation of cathode spots on electrodes of short-time high-intensity electric discharges, 3=21721
 Gram, P.A.M. See Friedman, J.L., 0=20147
 Gram, P.A.M. See Kendall, H.W., 2=325
 Gramaccioli, C. See Vacic, A., 1=20568
 Gramain, P. See Leray, J., 4=8458
 Gramain, P. See Leray, J., 4=14164
 Gramberg, G. Absorption spectrum and Zeeman effect of crystalline dysprosium salts at low temperatures, 0=16054
 Gramberg, G. and Plust, H.G. Electric and thermoelectric properties of the system $(\text{Bi}_{1-x}\text{Sb}_{2-x}\text{Te}_x)$ $(\text{Te}, \text{Se}_{1-x})$, 3=17869
 Gramenitskii, I.M., Danysh, M.Ya., Lyubimov, V.B., Podgoretskii, M.I. and Tuvdendorzh, D. On the problem of angular correlation of secondary particles produced in high-energy nuclear collisions, 0=1401
 Gramenitskii, I.M., Dremine, I.M. and Chernavskii, D.S. π -p interaction at an energy of 7 BeV, 1=19245
 Gramenitskii, I.M., Dremine, I.M., Maksimenko, V.M. and Chernavskii, D.S. Nucleon-nucleon interaction at an energy of 9 BeV, 1=19183
 Gramenitskii, I.M., Dremine, I.M. and Chernavskii, D.S. π -p interaction at an energy of 7 BeV, 2=22586
 Gramenitskii, I.M., Ivanovskaya, I.A., Kanarek, T., Okhrimenko, L.S. Prokesh, A. and Tikhonova, L.A. Investigation of the $\pi^- + \text{Xe} \rightarrow \pi^- + \pi^0 + \text{Xe}$ reaction for 9 GeV/c primary π^- -mesons, 4=28054
 Gramenitskii, I.M., Korbel, Z. and Rob, L. Determination of the sign of the charge of particles in photographic emulsions, 1=10820
 Gramenitskii, I.M. See Bogachev, N.P., 0=9354
 Gramenitskii, I.M. See Bogachev, N.P., 0=11400
 Gramenitskii, I.M. See Van Shu-fen., 1=19182
 Gramenitskii, I.M. See Vishky, T., 2=1684
 Gramenitskii, I.M. See Vishky, T., 2=22512
 Gramm, G. On the lifetime of the excited F_A centre in KCl(Li), 4=12811
 Grammatikakis, P. See Théry, B., 3=20005
 Grammatikatis, V.S., Margulis, U.Ya. and Khrushchev, V.G. Dose field of a source, 2=6053
 Gran, B.E. See Prosen, R.J., 1=6321
 Gran, B.E. See Prosen, R.J., 2=12674
 Gran, B.E. See Prosen, R.J., 3=1074
 Gran, B.E. See Prosen, R.J., 3=15840
 Gran, B.E. See Prosen, R.J., 4=13161
 Gränacher, I. and Diehl, P. Solvent effects in the proton magnetic resonance spectra of phenols, 0=91
 Granata, S. See Germagnoli, E., 0=9902
 Granath, J.A. Instrumentation applications of inverse-Wiedemann effect, 0=11015
 Granatkin, B.V. See Antonov, A.V., 2=18126
 Granatkin, B.V. See Antonov, A.V., 3=4401
 Gränacher, I. Influence of the hydrogen bond energy on the nuclear resonance spectra of phenols, 1=9411
 Gränacher, I. See Adolph, J., 4=1690
 Gränacher, I. See Adolph, J., 4=15571
 Gränacher, I. See Czaja, W., 4=12867
 Gränacher, I. See Diehl, P., 1=11122
 Granados, C.E. See Vigón, M.A., 1=19567
 Granato, S. and Saraceno, F. The relationship between burn-up temperature and swelling in alpha uranium, 4=6440
 Granato, A. See Truell, R., 3=23325
 Granato, A. See Truell, R., 4=20199
 Granato, A.V., Lücke, K., Schlupf, J. and Teutonico, L.J. Entropy factors for thermally activated unpinning of dislocations, 4=28461
 Granato, A.V. and Nilan, T.G. Stored energy release below 80°K in deuteron-irradiated copper, 1=7605
 Granato, A.V. and Stern, R. Dislocation damping in copper at kilocycle and megacycle per second frequencies, 2=20930
 Granato, A.V. See Stern, R.M., 2=21014
 Granato, A.V. See Teutonico, L.J., 2=21020
 Granato, A.V. See Teutonico, L.J., 4=12748
 Grancha, I. See Filip, A., 2=6047
 Grand, C.G. See Wagoner, G.N., 3=14349
 Grand, Y.Le. See Le Grand, Y.
 Granda, A.M. Electrical responses of the human eye to colored flickering light, 1=9236
 Granda, A.M. See Biersdorf, W.R., 3=3687
 Grande, S. Double resonance experiment on Rochelle salt, 3=25593
 Grandjean, C. Study of germanium by transparency in infrared light; double refraction of silicon and germanium, 2=8483
 Grandjean, C. and Desvignes, F. Measurement of the coefficient of photoelasticity of germanium, 0=7996
 Grandjean, D. and Weiss, R. Preliminary crystallographic study of potassium oxotetrafluoroperoxomolybdate monohydrate, $\text{K}_2\text{MoO}_4 \cdot \text{F}_4 \cdot \text{H}_2\text{O}$, 4=7635
 Grand-Jean, D., Weiss, R. and Kern, R. Study of the structure of nickel sulphite hexahydrate, 3=1339
 Grandjean, D., Wendling, J.-P. and Weiss, R. Crystallographic calculation programmes realised on the bull Γ E. T. computer, 4=20753
 Grandjean, D. See Hadni, A., 0=8810
 Grandmontagne, R. A table of Hermitian polynomials for the calculation of harmonic wave-functions, 0=14369
 Grandmontagne, R. A form of the "Morse" wave function and an extension of M.E.Pillow's method, 0=15686
 Grandmontagne, R. Initial values for the analogue calculation of wave functions and numerical calculation of Laguerre polynomials, 2=6205
 Grandmontagne, R. Potential and wave functions of diatomic molecules outside the classical case, 2=18430
 Grandmontagne, R. and Eido, R. Potential curve of the $\text{B}^2\Sigma_u^+$ state of the N_2^+ molecule, 0=489
 Grandy, G.L. See Koch, R.C., 1=1495
 Graneau, P. Frequency dependence of induced currents, 1=5532
 Graneau, P. A re-examination of the relationship between self- and mutual inductance, 2=5446
 Graneau, P. The measurement of electrical conductivity in metals research, 2=19824
 Graneau, P. Steady-state electrodynamics of a cylindrical body in axial motion, 3=14743
 Graneau, P. Alternating currents in superconductors, 3=19102
 Graneau, P. Ohmic transport currents in superconductors, 4=16231

- Graneau, P. and Swann, S.A. Induced currents in a moving cylindrical shell, 2=3134
- Graner, G. Expansion of molecular dipole moments as a function of the coordinates of symmetry, I, 1=14117
- Graner, G. Expansion of molecular dipole moments as a function of the coordinates of symmetry, II, 2=537
- Granet, P. Study of Σ^+ hyperons produced by collisions of 1035 MeV π^+ mesons with protons, 2=20433
- Grange, A. See Brown, B., 4=8318
- Grange, J. Experimental researches on magnetic rotary power and the rotativity of fluids, 0=3543
- Grange, J. Magnetic rotary power: rotativities of dissolved ethyl sulphates, 1=12880
- Grange, J. Experimental study of refractivities. Bond refractivities, 3=15332
- Grange, J., Albiser, G. and Fosse, H. Experimental study of refractivities. Valence reflectivities, 2=11372
- Grange, J. and Fousse, H. Magnetic rotatory power. Experimental determination of covalent rotativities, 0=10788
- Grange, J. and Fousse, H. Experimental studies of refractivities. Bond refractivities, 1=14076
- Grange, J. See Fousse, H., 0=8777
- Grange, J. See Fousse, H., 1=14075
- Grangeon, J. See Berthet, G., 0=681
- Granger, R. Breakdown field in InAs p-n junctions, 4=17500
- Gränicher, H. Lattice disorder and physical properties connected with the hydrogen arrangement in ice crystals, 0=7881
- Gränicher, H. General relations for the "inner field" dielectric theory, 3=8541
- Gränicher, H. Properties and lattice imperfections of ice crystals and the behaviour of $\text{H}_2\text{O}-\text{HF}$ solid solutions, 3=10644
- Gränicher, H. and Schurter, W. A rod method for dielectric constant measurement; application to $(\text{NH}_4)_2\text{H}_3\text{IO}_6$ at 3 cm wavelength, 0=18084
- Granier, C. The terminology of methods of geochemical prospecting, 2=15178
- Granier, J. See Astoin, N., 1=855
- Granier, J. See Granier, R., 3=22488
- Granier, J. See Granier, R., 4=1211
- Granier, J. See Granier, R., 4=6483
- Granier, R. and Granier, J. Displacement of the lines at 7800 and 7948 Å of rubidium by hydrogen and deuterium. The influence of temperature, 4=6483
- Granier, R., Granier, J. and De Crouette, E. Displacement and widening of the resonance lines of rubidium under the effect of argon under pressure, 3=22488
- Granier, R., Granier, J. and De Crouette, E. Influence of the mass of the perturber on the displacement and width of the 2537 Å line of mercury, 4=1211
- Grankina, L. P. See Belous, M. V., 4=10030
- Grankova, L. P. See Ageev, N. V., 4=25948
- Grannemann, W. W. See Bechtel, R., 4=22737
- Grannemann, W. W. See Davis, G. Jr., 3=10854
- Grannis, P. D. Electrostatic erosion mechanisms on the moon, 2=4736
- Granovskii, V. G. Thermodynamics of solid solutions with ferroelectric properties, 2=16785
- Granovskii, V. L. and Urazkov, É. I. A rotatory magneto-mechanical effect in a low-pressure plasma, 1=295
- Granovskii, V. L. and Urazkov, É. I. Investigation of transverse (Hall) diffusion in a plasma of inert gases, 4=5602
- Granovskii, V. L. See Aleskovskii, Yu. M., 1=18890
- Granovskii, V. L. See Aleskovskii, Yu. M., 3=411
- Granovskii, V. L. See Aleskovskii, Yu. M., 3=14603
- Granovskii, V. L. See Golubev, V. S., 3=21841
- Granovskii, V. L. See Golubev, V. S., 3=21958
- Granovskii, V. L. See Sýrgii, A. S., 1=11912
- Granovskii, V. L. See Sýrgii, A. S., 1=13069
- Granovskii, V. L. See Sýrgii, A. S., 1=18775
- Granovskii, V. L. See Urazakov, É. I., 2=3040
- Granovskii, V. L. See Urazakov, É. I., 3=1977
- Granovskii, V. L. See Vasil'eva, I. A., 1=13082
- Granovskii, V. L. See Vasil'eva, I. A., 2=1394
- Granovskii, Ya. I. On the question of a ρ^0 -meson, 0=1285
- Granovskii, Ya. I. The electromagnetic interaction in the Heisenberg theory, 0=9260
- Granovskii, Ya. I. Calculation of the coupling constant in a nonlinear theory, 0=9285
- Granovskii, Ya. I. The mass spectrum of mesons in Heisenberg's theory, 0=9386
- Granovskii, Ya. I. and Chasnikov, I. Ya. The analysis of high-energy showers, 0=9468
- Granovskii, Ya. I. Simplification of the formulae for statistical weight calculations, 0=14524
- Granovskii, Ya. I. and Kopylov, G. I. Estimate of the role of the law of conservation of angular momentum in the statistical theory of particle production, 1=13461
- Granovskii, Ya. I. and Pantyushin, A. A. Resonance interactions of K-mesons, 3=15033
- Granovskii, Ya. I. and Starikov, V. N. Determination of the parities of strange particles by means of dispersion relations, 1=16908
- Granovskii, Ya. I. and Starikov, V. N. Determination of the parity and Σ -hyperon-K-meson coupling constant, 3=2325
- Granovskii, Ya. I. See Afonin, A. A., 4=936
- Granquist, W. T. See Hollingsworth, C. A., 1=8098
- Granquist, W. T. See Hollingsworth, C. A., 2=7183
- Granquist, W. T. See Hollingsworth, C. A., 2=11506
- Granquist, W. T. See Hollingsworth, C. A., 4=16257
- Grant, B. K. See Birks, L. S., 4=29083
- Grant, C. R., Corbett, H. H. and Gibson, J. E. Measurements of the 4.3 mm radiation of Venus, 3=11592
- Grant, D. F. See Amirthalingam, V., 4=2005
- Grant, D. M. and Gutowsky, H. S. Effect of magnetic nonequivalence in A_2B_2 n.m.r. spectra, 1=7488
- Grant, D. M., Hirst, R. C., Gutowsky, H. S. Analysis of A_2B_2 high-resolution n.m.r. spectra. I. Furan, thiophene and disubstituted benzenes, 3=8301
- Grant, D. M. See Barfield, M., 2=3784
- Grant, D. M. See Barfield, M., 2=14301
- Grant, D. M. See Barfield, M., 3=22520
- Grant, D. M. See Gutowsky, H. S., 0=2742
- Grant, D. M. See Hirst, R. C., 4=17314
- Grant, E. H. Method for measuring the complex dielectric constant of a high-loss liquid at 8 mm wavelength, 0=6796
- Grant, E. H. Electrical behaviour of egg albumen solutions at ultra-high frequencies, 3=14177
- Grant, E. H. See Cook, J. B., 4=18646
- Grant, F. A. Properties of rutile (titanium dioxide), 0=519
- Grant, F. A. See Senftle, F. E., 0=18165
- Grant, G. R. and Yaffe, L. The spallation of iridium with protons of energies 9-87 MeV, 4=3659
- Grant, H. L. and Davey, J. E. Multisurface sorption pump, 3=16668
- Grant, H. L., Moilliet, A. and Stewart, R. W. A spectrum of turbulence at very high Reynolds number, 0=5000
- Grant, I. P. Relativistic self-consistent fields, 1=15920
- Grant, I. P. Numerical approximations in radiative transfer, 3=21266
- Grant, I. S. Radiative transitions in ^9Be , 1=635
- Grant, I. S. The design of a simple electrostatic analyser, 4=27585
- Grant, I. S. See Bennett, J. R. J., 4=22197
- Grant, I. S. See Beynon, T. D., 4=12018
- Grant, J., Michel, E. and Thelen, A. Recent developments in infrared narrow band pass filters, 3=1824
- Grant, J. J., Medicus, H. A., Demers, J. and Demers, P. The separation of low-energy deuterons from protons in ultra-fine grain emulsions, 0=12767
- Grant, L. G. See Parkinson, T. F., 3=9019
- Grant, N. J. Reply to discussion "shear along grain boundaries of an aluminium-10% zinc alloy deformed at room temperature", 1=6470
- Grant, N. J. See Cairns, R. E., 4=30770
- Grant, N. J. See Ferguson, W. H., Jr., 4=13502
- Grant, N. J. See Giessen, B. C., 4=15744
- Grant, N. J. See Giessen, B. C., 4=23280
- Grant, N. J. See Komatsu, N., 4=30868
- Grant, N. J. See Yim, W. M., 4=7441
- Grant, P. J. See Besant, C. B., 4=18869
- Grant, P. J. See Ghafoor, M. A., 4=30362
- Grant, P. J. See Preiss, K., 4=29243
- Grant, P. J. See Rathur, M. A. J., 4=6069
- Grant, P. M. and Ward, R. B. Large scale laboratory freeze-drying apparatus, 0=5066
- Grant, R. F., Davidson, D. W. and Gray, P. Dielectric study of some liquid alkyl nitrites, 1=1753
- Grant, R. F. and Henry, W. G. The Knight shift of cadmium in some alloys with group IB and IIB metals, 1=11494
- Grant, R. J. and Manes, M. Correlation of some gas adsorption data extending to low pressures and supercritical temperatures, 4=29192
- Grant, R. W., Kaplan, M., Keller, D. A. and Shirley, D. A. Nuclear Zeeman effect in gold atoms dissolved in iron, cobalt, and nickel, 4=9811

- Grant, R.W. and Shirley, D.A. Pseudoquadrupole coupling constants and nuclear moments of several promethium isotopes, 3=12906
- Grant, R.W. See Barrett, P.H., 3=25220
- Grant, R.W. See Gonser, U., 4=6669
- Grant, R.W. See Shirley, D.A., 2=20498
- Grant, W. H. See Stromberg, R. R., 4=10622
- Grant, W. H. See Stromberg, R. R., 4=30888
- Grant, W. J. C. General theory of cross relaxation. I. Fundamental considerations, 4=20579
- Grant, W. J. C. General theory of cross relaxation. II. Higher order processes, 4=20580
- Grant, W. J. C. General theory of cross relaxation. III. Application to experiment, 4=20581
- Grant, W. J. C. Certain limitations in the application of moment theory, 4=24014
- Grant, W. J. C. General methods for the solution of rate equations for multilevel paramagnetic systems, 4=26375
- Grant, W. J. C. and Strandberg, M. W. P. Statistical theory of spin-spin interactions in solids, 4=26355
- Grant, W. J. C. and Strandberg, M. W. P. Line shapes of paramagnetic resonances of chromium in ruby, 4=26388
- Grant, W. J. C. and Strandberg, M. W. P. Derivation of spin Hamiltonians by tensor decomposition, 4=28775
- Grantham, L.F. and Yosim, S.J. Electrical conductivities of molten Bi-Bi₂ solutions, 3=11805
- Grantham, L.F. See Yosim, S.J., 3=23904
- Grantham, R.E. See Stimler, M., 4=16200
- Granville, J.W. See Bayham, A.C., 0=7976
- Granville, J.W. See Gibson, A.F., 2=2199
- Granville, J.W. See Gibson, A.F., 3=2883
- Granville, R.A. and Boxall, G. Measurement of convective heat transfer by means of the Reynolds' analogy, 0=16914
- Granzner, F. and Haase, G. Electron microscope investigations of the formation of dislocations during recrystallization, 1=11210
- Granzner, F. See Hasse, G., 1=9164
- Granzner, F. See Royen, P., 4=30911
- Granzow, K.D. Fall of small particles through the upper atmosphere: an analytic treatment, 2=4623
- Granzow, K.D. N-dimensional total orbital angular-momentum operator, 3=18692
- Granzow, K.D. and McClure, G.W. High-voltage glow discharges in D₂ gas. III. Starting potential theory, 2=9549
- Granzow, K.D. See McClure, G.W., 2=3014
- Grapengiesser, B. See Westermark, T., 1=1744
- Grapengiesser, B. See Westermark, T., 1=18415
- Grapengiesser, B. See Westermark, T., 1=19400
- Grapengiesser, B. See Westermark, T., 1=20760
- Grappiolo, G. C. Thermal etching as a means of evidence for grain-boundaries in high density UO₂, 4=26700
- Grard, F. The phenomenon of internal ionization by β -emission treated as a case of rapid perturbation, 2=22758
- Grard, F. Theoretical interpretation of the optical constants of thin metallic films, 4=22868
- Grard, F., Macleod, G., Montanet, L., Cresti, M., Barloutaud, R., Choquet, C., Gaillard, J.M., Heughebaert, J., Leveque, A., Lehmann, P., Meyer, J. and Revel, D. π^+ -proton scattering at 516, 616, 710, 887 and 1085 MeV, 2=1715
- Grard, F., Macleod, G.R., Montanet, L., Cresti, M., Barloutaud, R., Choquet, C., Gaillard, J.M., Heughebaert, J., Leveque, A., Lehmann, P., Meyer, J. and Revel, D. Proton scattering in the energy region 500-1100 MeV, 2=22513
- Grard, F. and Smith, G.A. Study of the reaction $\pi^+ + p \rightarrow \Sigma^+ + K^+$ near threshold, 2=18159
- Grard, F. See Bartke, J., 1=8511
- Grard, F. See Berthelot, A., 1=19281
- Grard, F. See Crawford, F.S., Jr., 2=22650
- Grard, F. See Franeau, J., 0=11070
- Grard, F. See Loria, A., 2=1714
- Grasberger, W.H. See Colgate, S.A., 2=13145
- Grasenick, F. See Blaha, J., 3=21016
- Grashin, A.F. Nucleon-nucleon scattering in high angular momentum states, 0=11160
- Grashin, A.F. Angular correlations near multiple production thresholds, 0=11395
- Grashin, A.F. Antiprotonium level shifts for large orbital angular momenta, 1=16787
- Grashin, A.F. Solution of the dispersion method linear equations in the two-particle approximation, 2=20278
- Grashin, A.F. On solving linear equations of the dispersion method in two-particle approximation, 3=5946
- Grashin, A.F. Solution of the dispersion method linear equations in the two-particle approximation, 3=7810
- Grashin, A.F. and Kobsarev, I.Yu. On peripheral nucleon-nucleon interaction in the two-meson approximation, 0=17325
- Grashin, A.F. and Kobzarev, I.Yu. Peripheral interaction of nucleons in the two-meson approximation, 0=12921
- Grashin, A.F., Kuznetsov, E.V. and Shalamov, Ya. Ya. Production of excited K-mesons on complex nuclei, 3=22197
- Grashin, A.F. and Mel'nikov, V.N. The effect of $\pi\pi$ -interaction in nucleon electromagnetic form factors, 2=18060
- Grashin, A.F. and Mel'nikov, V.N. The effect of $\pi\pi$ -interaction in nucleon electromagnetic form factors, 3=5920
- Grashin, A.F. and Nikitin, Yu. P. The nucleon-nucleon potential, 1=3169
- Grashin, A.F. and Shalamov, Ya. Ya. Spin of the ρ -meson, 2=13870
- Grashin, A.F. and Shalamov, Ya. Ya. Spin of the ρ -meson, 3=6079
- Grashin, A.F. See Borovikov, V.A., 1=18785
- Grashin, A.F. See Galanin, A.D., 0=7343
- Grashin, A.F. See Galanin, A.D., 0=9351
- Grashin, A.F. See Galanin, A.D., 0=17324
- Grashin, A.F. See Galanin, A.D., 1=19150
- Grashin, A.F. See Galanin, A.D., 2=22457
- Grashin, A.F. See Galanin, A.D., 3=17266
- Grashin, A.F. See Gelfand, I.M., 1=19199
- Grashin, A.F. See Gelfand, I.M., 3=4392
- Grashin, A.F. See Kirillov-Ugryumov, V.G., 0=9693
- Grashin, A.F. See Kuznetsov, E.V., 2=22637
- Grashin, A.F. See Kuznetsov, E.V., 3=6075
- Grashin, A.F. See Kuznetsov, Ye. V., 2=22636
- Grashin, A.F. See Shalamov, Ya. Ya., 1=19270
- Grashin, A.F. See Shalamov, Ya. Ya., 2=20395
- Grashin, A.F. See Shalamov, Ya. Ya., 3=2304
- Grashin, A.F. See Shalamov, Ya. Ya., 3=4461
- Grashin, A.F. See Shalamov, Ya. Ya., 3=6045
- Grashin, A.F. See Shalamov, Ya. Ya., 3=7902
- Grashin, A.F. See Shalamov, Ya. Ya., 3=22175
- Grasiuk, A. Z., Zuev, V. S., Kokurin, Yu. L., Kryukov, P. G., Kurbasov, V. V., Lobanov, V. F., Mozherin, V. M., Sukhanovskii, A. N., Chernykh, N. S. and Chuvpov, K. K. The optical location of the moon, 4=20908
- Grassano, U. M. and Jacobs, P. W. M. Photochemical reactions in potassium chloride crystals grown from reagent grade KCl, 4=26760
- Grasse, R.W.De. See De Grasse, R.W.
- Grasser, R. and Scharmann, A. Ion deterioration of luminescence in inorganic phosphors, 1=11395
- Grassie, A. D. C. The de Haas-van Alphen effect at high magnetic fields in cadmium, 4=22945
- Grässler, H. and Tesch, K. Detection efficiency of a plastic scintillator for neutrons in the energy range of 1 to 14 MeV, 2=3359
- Grassman, P. Systematization of transport processes, 3=5392
- Grassmann, P. and Hauser, I. J. Heat transfer from wire to subcooled and boiling water, 4=11417
- Grassmann, P. and Straumann, W. A non-steady-state method for measurement of the thermal conductivity of liquids and gases, 1=16135
- Grassmann, P. See Frederick, T., 0=3696
- Grassmann, P. See McFadden, P.W., 2=15814
- Grasso, F. See Cattaneo, F., 2=23206
- Grasso, F. See Foffani, A., 4=1291
- Grasso, V. See Bertolotti, M., 4=4060
- Grasyuk, D.S. Scattering of sound waves by the uneven surface of an elastic body, 0=19304
- Grath, R., Kauer, E. and v.d. Linden, P.C. Optical effects of free carriers in SnO₂-layers, 3=6642
- Gratot, I., Le Pape, M., Olkowsky, J. and Ranc, G. A study of some promethium and samarium isotopes very deficient in neutrons, 0=5689
- Gratot, I. See Olkowsky, J., 1=5913
- Gratot, I. See Olkowsky, J., 1=8731
- Gratot, I. See Olkowsky, J., 1=13794
- Gratsianov, Yu. A. and Rabin'kin, A. G. The problem of the effect of preliminary plastic deformation upon the magnetic properties of cobalt-platinum alloys, 4=22981
- Gratsinskii, V.G. On the spectrum of a segment of a sinusoidal curve, 3=11849
- Gratton, F. See Cavaliere, A., 4=30031
- Gratton, F. See Varsavsky, C.M., 3=1526
- Gratton, L. Report on the Cordoba Observatory program, 0=12297
- Gratton, L. A note on the color effect on astrometric plates, 0=12301
- Gratton, L. The number of dead stars and the mass-to-light ratio in a galaxy, 4=26923

- Gratton, L. and Szamosi, G. On the macroscopic properties of a baryon gas. I. Energy and pressure of a neutron gas at zero temperature, 4=29557
- Gratton, R. See Bertolini, E., 4=18954
- Grau, G. Noise in the optical spectral region, 4=14328
- Grau, G., Gürs, D., Müller, R. and Rosenberger, D. Modulation of light by means of electric birefringent crystals, 4=14327
- Grau, G. and Rosenberger, D. Low-power microwave modulation of A 0.63 μ He-Ne laser, 4=3211
- Grauby, A. See Bourrier, J., 2=5851
- Graudinya, L., Kostochkin, O., Petrzhak, K. and Sorokina, A. Gamma-rays produced by 2.95 MeV inelastic neutron scattering on Al²⁷, 2=22819
- Graudyn', L. See Adamov, V., 2=10111
- Graudynya, L. Ya., Kostochkin, O. I., Petrzhak, K. A. and Sorokina, A. V. Gamma-rays produced in inelastic scattering of 2.95 MeV neutrons on Ta¹⁸¹ nuclei, 2=10114
- Graudynya, L. Ya., Kostochkin, O. I., Petrzhak, K. A. and Sorokina, A. V. Gamma-rays produced in inelastic scattering of 2.95 MeV neutrons on Ta¹⁸¹ nuclei, 3=6256
- Graudynya, L. Ya., Petrzhak, K. A. and Sorokina, A. V. Gamma-rays produced in inelastic scattering of 2.95 MeV neutrons by I¹²⁷, La¹³⁹ and Bi²⁰⁹, 3=8106
- Graue, A. and Erdal, A. A time-of-flight spectrometer for fast neutrons, 2=13817
- Graue, A. See Erdal, A., 1=9876
- Gravalos, F. G. The dynamics of turbo-flow, 0=19074
- Gravel, C. L., Kurtz, A. D. and Berman, I. Diffusion doping of phosphorus in the base of silicon tunnel diodes, 3=20361
- Gravelle, W. E. See McKay, R. W., 1=8958
- Graven, W. M. Absorption spectra of anodic tantalum oxide films, 2=698
- Graven, W. M., Salomon, R. E. and Adams, G. B., Jr. Absorption spectra of anodic niobium oxide films, 0=18411
- Graven, W. M. See Saloman, R. E., 0=4412
- Gravendeel, D. W. See Plomp, R., 3=21164
- Gravenor, R. B. See Long, D. A., 3=6407
- Gravenor, R. B. See Long, D. A., 3=20006
- Graves, C. D. Radio propagation measurements using the Explorer VI satellite, 1=15322
- Graves, H. W., Jr., Lombardo, J. J. and Theilacker, J. S. Silver-indium-cadmium, a control rod material for pressurized water reactors, 3=6336
- Graves, J. C. and Brill, D. R. Oscillatory character of Reissner-Nordström metric for an ideal charged worm-hole, 0=18938
- Graves, W. E. Measured slowing down distribution at the indium resonance from a line source of fission neutrons in heavy water, 2=11956
- Graveson, R. T. See Cassidy, M. E., 3=24553
- Graveson, R. T. See Cassidy, M. E., 4=3242
- Graveson, R. T. See Latner, N., 3=24199
- Graveson, R. T. See Latner, N., 4=3256
- Graveson, R. T. See Meth, I. M., 2=22138
- Graveson, R. T. See Meth, I. M., 3=3982
- Gravier, P. See Mouttet, C., 4=30672
- Gravier, R. See Bariaud, A., 4=29956
- Gravitt, J. C. Frequency response of an acoustic air-jet generator, 0=128
- Gravitt, J. C. Sonic absorption in carbon disulfide vapor as a function of temperature, 0=8694
- Gravitt, J. C. Thermal relaxation absorption in ethylene, 0=19209
- Gravitt, J. C., Gross, G. E., Benson, D. K. and Ascott, A. B. Motion of F centres in KCl and KI, 3=6544
- Gravitt, J. C. and Waldow, P. Note on gravitational red shift, 2=9162
- Gravlin, E. S. and Cowen, J. A. Simple microwave resonance spectrometer, 0=310
- Grawert, G., Luders, G. and Rollnik, H. The TCP theorem and its applications, 0=321
- Grawert, G. and Petzold, J. Formal multi-channel scattering theory. An alternative formulation, 0=11109
- Gray, A. C. and Thomas, S. Photoelectric apparatus for measuring velocity, 0=3488
- Gray, A. L. Neutron flux measurement at elevated temperatures, 0=15189
- Gray, B. F. Use of projection operators in perturbation theory, 2=4933
- Gray, B. F. Application of Rayleigh-Schrödinger perturbation theory to the hydrogen atom, 2=12282
- Gray, B. F., Hunter, G. and Pritchard, H. O. Convergence of hydrogen-atom wavefunctions, 4=3775
- Gray, B. F. and Papazian, H. A. Optical absorption of hydride ions, 4=17551
- Gray, B. F. and Whitehead, R. Second-order perturbation theory of helium-like ions, 1=7426
- Gray, D. L. Recovery of lattice expansion of irradiated molybdenum, 0=20851
- Gray, D. F. Evolutionary changes in galactic cluster luminosity functions, 4=4870
- Gray, D. L. and Cummings, W. V., Jr. An X-ray diffraction study of irradiated molybdenum, 1=2399
- Gray, E. Thermal effects on space charge limited current flow in solids, 3=15527
- Gray, E. See Bottreau, M. M., 0=9804
- Gray, E. See Gerbier, M. M., 4=20077
- Gray, E. M. See Garscadden, A., 2=22233
- Gray, E. M. H. See Garscadden, A., 3=7609
- Gray, E. P. See Hart, R. W., 4=18432
- Gray, E. P. and Kerr, D. E. The diffusion equation with a quadratic loss term applied to electron-ion volume recombination in a plasma, 2=7592
- Gray, F. B. Infrared instrumentation in space exploration: Introductory report, 4=29496
- Gray, G. A. Single-velocity equivalents for multivelocity electron streams, 0=5343
- Gray, H. E. and Ballhausen, C. J. On the optical spectra of some transition metal pentacyanonitrosyl complexes, 2=6570
- Gray, J., Jr. and Hagemann, F. A thermal neutron fission counter for nuclear and analytical measurements, 3=4289
- Gray, J., Jr. See Gindler, J. E., 0=1455
- Gray, J., Jr. See Hagemann, F., 0=1980
- Gray, J., Jr. See Rothman, S. J., 2=3948
- Gray, J., Jr. See Rothman, S. J., 2=14467
- Gray, J. E. See Bussey, H. E., 3=13103
- Gray, J. H., III, Hamester, H. L. and Caretto, A. A., Jr. New nuclide, krypton-74, 0=20395
- Gray, K. W. See Clough, S., 2=8682
- Gray, K. W. See Clough, S., 3=6762
- Gray, K. W. See Clough, S., 3=20674
- Gray, L., Harth, E., Leitner, J., Auman, J., Block, M. M., Gessaroli, R., Kopelman, T., Ratti, S., Grimellini, L., Kikuchi, T., Lendinara, L. and Monari, L. The Λ^0 -decay asymmetry parameter and the K-A parity, 3=15042
- Gray, L. See Bertanza, L., 2=22652
- Gray, L. See Bertanza, L., 3=7935
- Gray, L. See Leitner, J., 1=16901
- Gray, L. D. and Penner, S. S. Radiative energy transfer to centrally located areas in cylindrical and conical chambers containing isothermal, grey emitters, 3=11993
- Gray, L. D. See Penner, S. S., 1=12926
- Gray, P. Linear dissipative processes in liquids, 2=9256
- Gray, P. A configuration relaxation model for transport processes in a monatomic liquid, 4=8163
- Gray, P. The validity of the Smoluchowski equation in the molecular theory of monatomic liquids, 4=8164
- Gray, P. and Reeves, L. W. Potential energy barrier to rotation in methyl nitrite measured by P. M. R., 0=17785
- Gray, P. and Rice, S. A. On the calculation of the molecular friction constant, 4=21115
- Gray, P. and Wright, P. G. A comparison of experimental and theoretical values of the thermal conductivity of binary mixtures of nitrogen and hydrogen, 2=11425
- Gray, P. and Wright, P. G. Thermal capacity of a saturated isomerizing vapour, 3=11833
- Gray, P. See Berne, B., 4=18089
- Gray, P. See Cowling, T. G., 4=234
- Gray, P. See Grant, R. F., 1=1753
- Gray, P. See Lowry, B. A., 4=21108
- Gray, P. See Suddaby, A., 0=6774
- Gray, P. See Wright, P. G., 2=7251
- Gray, P. E. Approximate dynamic response calculations for thermoelectric Peltier-effect devices, 3=23030
- Gray, P. V. Observation of surface and impurity states in silicon by oxide layer tunnelling, 3=4916
- Gray, P. V. Tables of the conductivity coefficients in transverse magnetic fields K(γ) and L(γ), 3=10754
- Gray, R. J. See Hallerman, G., 4=22268
- Gray, S. and Weimer, P. K. Production of fine patterns by evaporation, 0=3282
- Gray, T. J. and Savage, S. D. Adsorption in relation to semi-conductivity and associated properties of surfaces, 1=2549
- Gray, W. A. See Macrae, J. C., 1=6552
- Gray, W. M. On the balance of forces and radial accelerations in hurricanes, 3=5199

- Graybeal, J.D. Microwave spectrum and molecular structure of monochloroacetonitrile, 0=7813
- Graybeal, J.D. and Roe, D.W. Microwave spectrum and dipole moment of monofluoroacetonitrile, 3=4772
- Graystone, P. Observations of earth-current variations associated with the U.S. high-altitude nuclear explosion of July 9, 1962, 4=4743
- Grazhdankina, N.P., Gaidukov, L.G., Rodionov, K.P., Oleinik, M.I. and Shchikanov, V.A. The effect of pressure on the electrical resistance and galvanomagnetic effect in
- Grazhdankina, N.P. See Gaidukov, L.G., 1=20068
- Grazhdankina, N.P. and Rodionov, K.P. Effect of pressure on the magnitude of the threshold field and temperature of the antiferromagnetic transformation of MnAu_2 , 3=18116
- Graziano, W. and Wojcicki, S.G. K-p interactions at 1.15 BeV/c, 3=2321
- Graziano, W. See Alston, M., 1=3240
- Graziano, W. See Alston, M., 1=8502
- Graziano, W. See Alston, M.E., 1=12120
- Grdenić, D. and Matković, B. Dimorphism and isomorphism of zirconium (IV), cerium (IV), thorium (IV) and uranium (IV) acetylacetonates, 0=3246
- Grdenić, D. See Bezjak, A., 0=10319
- Grea, J. Study of the simulation of inelastic events in π^- -N cascades, 3=12484
- Grea, J. See Bastard, C., 2=5715
- Gréa, J. See Escudé, B., 4=9018
- Grea, J. See Laverrière, R., 3=12486
- Greatorex, C.A. and Ireland, H.J.D. An experimental scanner for use with ultrasound, 4=13978
- Greatorex, C.A. See Anderson, W., 0=11330
- Greatrix, G.R. On the statistical relations between flare intensity and sunspots, 4=2447
- Greaves, C. An automatic replenishment system for liquid nitrogen traps, 3=18868
- Greaves, C. Ion-ion recombination in iodine afterglows, 4=27489
- Greaves, C. and Kerry, D.C. Investigation into the use of auxiliary discharges in thermionic generation, 4=8605
- Greaves, J.C. and Linnett, J.W. Recombination of atoms at surfaces. IV. Theory of method and measurement of atom concentrations, 0=510
- Greaves, J.C. and Linnett, J.W. Recombination of atoms at surfaces. V. Oxygen atoms at oxide surfaces, 0=511
- Greaves, J.C. and Linnett, J.W. Recombination of atoms at surfaces. VI. Recombination of oxygen atoms on silica from 20°C to 600°C, 0=512
- Grebennikov, E.A. Secular perturbations in the theory of motion of an artificial earth satellite, 0=18881
- Grebennikov, E.A. On the stability of the Lagrange triangle solutions of the restricted elliptical three body problem, 4=24115
- Grebennikov, E.A. See Aksenov, E.P., 2=11180
- Grebennikov, E.A. See Aksenov, E.P., 2=21746
- Grebennikov, E.A. See Aksenov, E.P., 3=16437
- Grebennikov, E.A. See Yarov-Yarovoi, M.S., 0=18884
- Grebennik, I.P. See Pines, B.Ya., 0=14013
- Grebennik, I.P. See Pines, B.Ya., 1=12402
- Grebennik, I.P. See Pines, B.Ya., 2=8900
- Grebennik, I.P. See Pines, B.Ya., 3=22808
- Grebennikov, B.V. See Trubnikov, G.R., 3=5552
- Grebennikov, O.F. See Provornov, S.M., 1=9496
- Grebenschikov, R.G. See Lazarev, A.N., 1=20551
- Grebenschikov, R.G. See Lazarev, A.N., 2=8834
- Grebenschikov, S.E. and Raizer, M.D. Skin effect and shock waves in an induced gas discharge, 1=4589
- Grebenschikov, S.E., Raizer, M.D., Rukhadze, A.A. and Frank, A.G. Reflection and refraction of shock waves in magnetohydrodynamics, 2=1577
- Grebenschikov, S.E. See Raizer, M.D., 0=14986
- Grebenschikova, S.E. See Andryukhina, E.D., 0=16978
- Grebenskii, B.S., Timofeeva, T.V., Khormushshko, S.P. and Tsvetkov, O.S. On enhancing the efficiency of a scintillation type slow neutron detector, 2=16205
- Grebenskii, B.S. See Goroshkov, G.V., 2=16206
- Grebinnik, V.G. See Blokhintseva, T.D., 2=16227
- Grebinnik, V.G. See Blokhintseva, T.D., 3=6044
- Grebinnik, V.G. See Blokhintseva, T.D., 3=22176
- Grebinnik, V.G. See Blokhintseva, T.D., 3=22177
- Grebinnik, V.G. See Blokhintseva, T.D., 3=24558
- Grebinnik, V.G. See Blokhintseva, T.D., 4=11863
- Grecescu, M. See Ciorascu, F., 2=20084
- Grecescu, M. See Leibovici, I., 3=21279
- Grechaniuk, L.A., Fainberg, E.A. and Zertsalova, I.N. Electrical conductivity of sodium-lead-silicate glasses containing iron oxide, 2=18648
- Grechaniuk, L.A., Petrovykh, N.V. and Karpechenko, V.G. Preparation and properties of glassy oxide semiconductors of the $\text{VO}_{2-x}\text{-PO}_{2-x}\text{-RO}_x$ type, 1=10047
- Grechanovskii, V.A. See Poddubnyi, I. Ya., 4=13747
- Grechikhin, L.I. Broadening of the 4982.8 Å sodium line in the direct current arc jet, 3=9757
- Grechikhin, L.I. Determination of the concentration of charged particles and neutral atoms by self-inverted contours of spectral lines in plasma, 4=24667
- Grechikhin, L.I. and Min'ko, L.Ya. Structure of the plasma jet from a pulsed discharge, 3=14569
- Grechikhin, L.I., Min'ko, L.Ya. and Plyuta, V.E. Investigation of the plasma jet in a pulsed discharge, 4=8792
- Grechikhin, L.I. and Shimanovich, V.D. Investigation of the jet of a plasma generator, 3=9809
- Grechikhin, L.I. and Tyunina, E.S. Forbidden lines of sodium and lithium atoms in the flame of a d.c. arc, 4=29899
- Grechischeva, I.M. See Lavrukina, A.K., 0=7569
- Grechishkin, V.C. and Skripov, F.I. Application of nuclear quadrupole resonance in determination of the frequency of lattice vibrations in a series of chlorates, 0=1839
- Grechishkin, V.S. Nuclear quadrupole resonance, 1=4742
- Grechishkin, V.S. Nuclear spin-lattice relaxation for the case of spin 1 or $\frac{3}{2}$, 1=12564
- Grechishkin, V.S. and Ainbinder, N.E. Quadrupole effects in the nuclear resonance spectrum of single urea and sodium thiosulphate crystals, 2=2309
- Grechishkin, V.S. and Ainbinder, N.E. Relative intensities of nuclear resonance lines in single crystals in the presence of magnetic and quadrupolar interactions, 2=10717
- Grechishkin, V.S. and Ainbinder, N.E. Nuclear spin resonance, 4=20605
- Grechishkin, V.S. and Kyuntsel, I.A. Relative intensities of nuclear quadrupole resonance lines of Sb^{121} in antimony trichloride, 3=15968
- Grechishkin, V.S. and Kyuntsel, I.A. Temperature dependence of nuclear quadrupole frequencies of Sb^{121} in certain single crystals, 4=4433
- Grechishkin, V.S. and Kyuntsel, I.A. Nuclear quadrupole resonance frequencies in a series of molecular compounds of SbCl_3 and SbBr_3 , 4=23081
- Grechishkin, V.S. and Kyuntsel, I.A. Nuclear quadrupole resonance frequencies of Br^{79} and Br^{81} , 4=26456
- Grechishkin, V.S. and Soifer, G.B. Study of orientational melting processes in certain crystals by nuclear quadrupole resonance, 2=791
- Grechishkin, V.S. and Soifer, G.B. Study of orientational melting processes in certain crystals by nuclear quadrupole resonance, 2=8688
- Grechishkin, V.S. and Soifer, G.B. Changes in the multiplet structure of nuclear resonance in crystals of CCl_3 , $\text{C}(\text{OH})_2\text{C}_2\text{H}_5$, 3=15964
- Grechishkin, V.S., Svetlov, Yu.G. and Soifer, G.B. Change in the multiplet structure of the nuclear quadrupole resonance spectrum of solid CCl_4 , 2=790
- Grechishkin, V.S., Svetlov, Yu.G. and Soifer, G.B. Change in the multiplet structure of the nuclear quadrupole resonance spectrum of solid CCl_4 , 2=4295
- Grechishkin, V.S., Zlatogorskii, M.L. and Osipenko, A.N. Magnetic screening of the Na^{23} nucleus in alkali-halide crystals, 3=23272
- Grechkin, V.I. and Nozdrev, V.F. Velocity of ultrasound in the ternary system benzene-methanol-toluene in the critical region, 4=14160
- Grechko, L.G. and Ovander, L.N. Some features of Raman scattering in piezoelectric crystals, 2=12606
- Grechko, L.G. and Ovander, L.N. Some features of Raman scattering in piezoelectric crystals, 2=14691
- Grechukh, Z.G. See Bilen'kyi, B.F., 4=7142
- Grechukhin, D.P. Circular polarization of γ -quanta accompanying nuclear capture of slow neutrons, 0=9594
- Grechukhin, D.P. The nucleon-core model with a vibrational excitation spectrum of the core, 0=11292
- Grechukhin, D.P. Some possibilities of experimental verification of the model of non-axial nuclei with a rotational spectrum, 1=4825
- Grechukhin, D.P. The vibrational quadrupole excitation model and non-axial rotator model, 1=5758
- Grechukhin, D.P. The dynamic effect of the nuclear volume in conversion M1 transitions in even-even nuclei for the non-axial rotator model and for the vibrational model of the nucleus, 1=17051

- Grechukhin, D.P. Magnetic dipole transitions in even-even nuclei with quadrupole collective excitations, 1=19408
- Grechukhin, D.P. Two-quantum transitions of atomic nuclei, 2=14041
- Grechukhin, D.P. Magnetic dipole transitions in even-even nuclei with quadrupole collective excitations, 3=4585
- Grechukhin, D.P. Magnetic dipole transitions in even nuclei and purity of separation of collective quadrupole degrees of freedom, 3=7981
- Grechukhin, D.P. The possibility of an experimental check of the model of a non-axial rotator by studying the influence of the medium on the angular correlation of cascade gamma rays, 1=19355
- Grechukhin, D.P. Two-quantum transitions of atomic nuclei. II, 3=24850
- Grechushina, D.P. Comparison between the model of nuclear quadrupole excitations (VKV-model) and the model of Davydov and Filippov (non-axial rotator) for nuclei with equi-distant energy spectra, 1=8603
- Grechushnikov, B. N., Distler, G. I. and Petrov, I. P. A Fourier spectrometer with filters, 4=14367
- Grechushnikov, B. N., Distler, G. I. and Petrov, I. P. Fourier spectrometer for working in the near infrared region of the spectrum, 4=14368
- Grechushnikov, B. N. Circular quartz, polarizers, 2=17654
- Grechushnikov, B. N. Determination of the true contour of a spectral distribution from observation with the aid of Fourier series, 2=19706
- Grechushnikov, B. N. and Petrov, I. P. Precision of Waterman's polarimeter, 3=1837
- Grechushnikov, B. N. and Petrov, I. P. A polarizer for the infrared region of the spectrum, 3=16810
- Grechushnikov, B. N. See Gerasimov, Yu. M., 3=20775
- Greco, F. P. Del. See Del Greco, F. P.
- Greco, D. Spectral distribution of defects in a solid caused by irradiation, with approximation to rigid spheres, 3=8417
- Greco, D. Plasma theory in metals, 4=12711
- Greco, D. See Corciovei, A., 1=3630
- Greco, D. See Corciovei, A., 1=8892
- Greco, D. See Corciovei, A., 1=14202
- Greco, D. See Corciovei, A., 1=17514
- Greco, D. See Corciovei, A., 1=20589
- Greco, D. See Corciovei, A., 2=6323
- Greco, D. See Corciovei, A., 2=8209
- Greco, D. See Corciovei, A., 2=21087
- Greco, D. See Corciovei, A., 4=9943
- Greday, T. and Habraken, L. Study of carbide precipitation during tempering in a Fe-C-Mo alloy, 4=17761
- Greday, T. See Gielen, P., 3=20899
- Greebe, C. A. A. J. On the frequency-dependence of the acousto-electric effect in piezo-electric semiconductors, 3=10755
- Greebe, C. A. A. J. The physical properties of grown p-i-n junctions in silicon carbide, 3=13082
- Greebe, C. A. A. J. and Knippenberg, W. F. Grown p-n junctions in silicon carbide, 0=15960
- Greebe, C. A. A. J. and Knippenberg, W. F. Grown p-n junctions in silicon carbide. II, 2=8386
- Greebe, C. A. A. J. and van der Maesen, F. Graphical approach to small injections in semiconductors, 3=20279
- Greebe, C. A. A. J. See van Daal, H. J., 1=17716
- Greebe, C. A. A. J. See van der Maesen, F., 3=10751
- Greebler, P., Harker, W. and Harriman, J. Neutron thermalization calculations for a heterogeneous lattice containing uranium and plutonium fuel in water, 0=12991
- Greebler, P., Hurwitz, H. Jr and Storm, M. L. Statistical evaluation of fission-product absorption cross sections at intermediate and high energies, 0=13270
- Green, A. and Cowles, L. E. J. Measurement of thermal diffusivity of semiconductors by Angstrom's method, 0=19468
- Green, A., Leaver, K. D. and Prutton, M. Origin of domain-wall creeping in magnetic films, 4=13157
- Green, A., Prutton, M. and Carter, W. S. A polarizing microscope for observation of magnetic domains, 3=24010
- Green, A. C. See Bame, S. J., 3=15066
- Green, A. E. Thermoelastic stresses in initially stressed bodies, 2=4324
- Green, A. E. Boundary-layer equations in the linear theory of thin elastic shells, 3=88
- Green, A. E. A note on wave propagation in initially deformed bodies, 3=11851
- Green, A. E. A continuum theory of anisotropic fluids, 4=14098
- Green, A. E. Anisotropic simple fluids, 4=24131
- Green, A. E. and Emmerson, W. C. Stresses in a pipe with a discontinuous bend, 1=15760
- Green, A. E. and Rivlin, R. S. On Cauchy's equations of motion, 4=24114
- Green, A. E. See England, A. H., 1=10460
- Green, A. E. See Flavin, J. N., 1=16065
- Green, A. E. S. and Griggs, M. Infrared transmission through the atmosphere, 3=18550
- Green, A. E. S. Attenuation by ozone and the earth's albedo in the middle ultraviolet, 4=13800
- Green, A. E. S. See Griggs, M., 4=4771
- Green, A. E. S. See Lemmer, R. H., 0=13108
- Green, A. E. S. See Meyer-Berkhout, U., 0=404
- Green, A. E. S. See Tang, Y. C., 0=1344
- Green, A. E. S. See Wyatt, P. K., 0=13107
- Green, A. M. Velocity dependent nuclear forces and their effect in nuclear matter, 2=1755
- Green, A. M. The effect of velocity-dependent forces in nuclear matter, 2=13966
- Green, A. M. Velocity dependent nuclear forces and their effect in nuclear matter, 2=16283
- Green, A. M. The effect of velocity dependent forces in nuclear matter. II, 3=6132
- Green, A. M. and Brown, G. E. Direct interaction in the p-2p reaction, 0=17581
- Green, A. P. and Sawkill, J. Plastic anisotropy and fracture in beryllium, 2=4343
- Green, A. M. See Gillet, V., 4=25324
- Green, A. M. See Greiner, W., 4=9483
- Green, A. W., Jr and List, B. H. The use of a total-field magnetometer in the magnetotelluric method of vertical resistivity profiling, 3=13821
- Green, A. W., Jr. See Burch, J. J., 3=13841
- Green, B. A. Jr. Simple a.c. resistance bridge using a d.c. breaker amplifier, 1=10650
- Green, B. A., Jr. Size effect in electrical resistivity of alloys, 2=11386
- Green, B. A., Jr and Chandrasekhar, B. S. Observation of oscillatory magnetostriction in bismuth at 4.2°K, 4=7251
- Green, B. C. See Kroh, J., 1=7498
- Green, B. C. See Kroh, J., 1=11474
- Green, B. C. See Mitchell, F. W., 2=8125
- Green, C. H. Glass, 2=15074
- Green, D. and Nelson, K. A. An automatic X-ray isodose plotter, 3=19391
- Green, D. See Smallman, R. E., 4=10565
- Green, D. K. See Powles, J. G., 3=6421
- Green, D. M. Psychoacoustics and detection theory, 0=18542
- Green, D. M. Auditory detection of a noise signal, 0=2057
- Green, D. M. Detection of auditory sinusoids of uncertain frequency, 1=11658
- Green, D. M. Some comments and a correction of "psychoacoustics and detection theory", 1=12707
- Green, D. M., McKay, M. J. and Licklider, J. C. R. Detection of a pulsed sinusoid in noise as a function of frequency, 0=814
- Green, D. M. and Sewall, S. T. Effects of background noise on auditory detection of noise bursts, 2=24203
- Green, D. M. See Kryter, K. D., 2=24204
- Green, D. M. See Swets, J. A., 2=4896
- Green, D. M. See Swets, J. A., 2=17319
- Green, D. R. High speed instrument for quantitative mapping, 3=1649
- Green, D. R. See Bierlein, T. K., 0=13563
- Green, E. See Preston-Thomas, H., 0=10628
- Green, F. D. See Forsyth, P. A., 0=12199
- Green, F. L. and Martin, J. A. Maximizing production of radioisotopes in a cyclotron, 1=13674
- Green, F. L. and Somerville, A. Continuous counting of gamma rays from hot radioactive liquids, 1=13381
- Green, F. P. See Robinson, M. T., 0=13363
- Green, G. W. An improvement to the floating zone method of growing single crystals, 1=11546
- Green, G. W. A simple and sensitive differential pressure gauge, 4=2514
- Green, G. W. and Lew, H. Rotational spectrum of K³⁹F by the molecular beam electric resonance method, 0=5914
- Green, G. W. See Bardsley, W., 3=25665
- Green, H. S. Normalization and interpretation of Feynman amplitudes, 0=12824
- Green, H. S. Theories of transport in fluids, 1=6804
- Green, H. S. Statistical thermodynamics of plasmas, 1=18815
- Green, H. S. Proton-proton scattering at relativistic energies, 1=19197

- Green, H.S. The long-range correlations of various Ising lattices, 3=3249
- Green, H.S. Structure and energy levels of light nuclei, 4=21996
- Green, H.S. and Biswas, S.N. Covariant solutions of the Bethe-Salpeter equation, 0=9266
- Green, H.S. and Leipnik, R. Exact solution of the association problem by a matrix-spinor method with applications to statistical mechanics, 0=8559
- Green, H.S. See Hurst, C.A., 0=20739
- Green, H.S. See Storer, R.G., 3=1655
- Green, J.A. Optical method for resolving the Fourier component of a signal periodic or periodic in time, 2=17600
- Green, J.A. and Guttridge, J. An inexpensive pulse generator for single-shot operation of magnetrons, 4=428
- Green, J.A. and Parkinson, W.C. Polarization of protons in $\text{Be}^9(\text{d}, \text{p})\text{Be}^9$, 2=18350
- Green, J.A. and Sugden, T.M. Some observations on the mechanism of ionization in flames containing hydrocarbons, 4=5552
- Green, J.A. See Busch, H.F., 4=2280
- Green, J.H. and Tao, S.J. Annihilation rates and collision complex of positrons in Freon-12, 4=6029
- Green, J.H. See Celitans, G.J., 4=6028
- Green, J.H. See Celitans, G.J., 4=19495
- Green, J.H. See Celitans, G.J., 4=19496
- Green, J.H. See Tao, S.J., 3=24706
- Green, J.H. See Tao, S.J., 4=15047
- Green, J.H.S. The size and shape of large molecules in solution, 0=7823
- Green, J.H.S. Raman spectroscopy: recent advances and applications, 3=5517
- Green, J.J. and Healy, B.J. Parallel pumping in planar Zn_2Y , 3=15885
- Green, J.J. and Schlömann, E. High power ferromagnetic resonance at X-band in polycrystalline garnets and ferrites, 0=10208
- Green, J.J. and Schlömann, E. Ferromagnetic relaxation at low microwave frequencies, 1=6402
- Green, J.J. and Schlömann, E. Susceptibility of ferromagnets in a strong r.f. magnetic field applied parallel to the d.c. field, 2=6661
- Green, J.J. and Schlömann, E. Investigations of spin-wave interactions by the parallel pumping technique, 2=12742
- Green, J.J., Waugh, J.S. and Healy, B.J. Microwave properties of fine-grain nickel ferrite, 4=13299
- Green, J.J. See Maguire, E.A., 2=14806
- Green, J.J. See Saunders, J.H., 1=6395
- Green, J.J. See Saunders, J.H., 2=12746
- Green, J.J. See Schlömann, E., 0=11925
- Green, J.J. See Schlömann, E., 3=15899
- Green, J.L. See Bowles, K.L., 2=16075
- Green, J.M. See Johnson, J.L., 2=15998
- Green, J.R. Size-spectrum of extensive air showers of the cosmic radiation. I. Response of a single scintillator to extensive air showers, 0=13080
- Green, J.R. Energy balance in extensive air showers, 2=3431
- Green, J.R. and Barcus, J.R. Size-spectrum of extensive air showers of the cosmic radiation. II. Experimental results from a single scintillator, 0=13081
- Green, J.P. and Barcus, J.P. Further measurements of the size-spectrum of extensive air showers, 1=13559
- Green, J.R. and Barcus, J.R. Electron-photon energies in extensive air showers, 2=9955
- Green, J.R. and Laniewski, D.D. Zenith angle distribution of extensive air showers, 2=9957
- Green, J.W., Poland, D.E. and Margrave, J.L. Thermodynamic properties of unipositive gaseous elemental ions, 0=14972
- Green, J.W., Poland, D.E. and Margrave, J.L. Erratum: Thermodynamic properties of unipositive gaseous elemental ions, 2=7561
- Green, J.W. See Blue, G.D., 3=21638
- Green, J.W. See Poland, D.E., 1=8257
- Green, K.A. Modified Cassegrain antenna for arbitrary aperture illumination, 4=11806
- Green, L. Reactor-coolant properties, 2=3666
- Green, L. and Donahue, D.J. Photoneutron cross sections with monoenergetic neutron-capture gamma rays, 4=25377
- Green, L.A. See Allen, N.L., 3=7596
- Green, L.A. See Allen, N.L., 3=21813
- Green, L.A. See Hemmings, R.F., 4=14728
- Green, L.E.S. See Skarsgård, L.D., 1=7173
- Green, L.G. See Gunn, S.R., 2=2714
- Green, L.G. See Gunn, S.R., 2=2715
- Green, L.G. See Gunn, S.R., 2=10973
- Green, L.G. See Gunn, S.R., 3=6913
- Green, L.L., Stephens, G.A. and Willmott, J.C. The $^7\text{Li}(\alpha, \gamma)^{11}\text{B}$ reaction, 2=10144
- Green, L.L., Willmott, J.C. and Kaye, G. The comparison of d-shell nuclei with the Nilsson model, 1=12144
- Green, L.L. See Andrews, P.T., 3=4665
- Green, L.L. See Andrews, P.T., 4=30336
- Green, L.L. See Andrews, P.T., 4=30348
- Green, L.L. See Andrews, P.T., 4=30353
- Green, L.L. See Baart, E.E., 0=9530
- Green, L.L. See Baart, E., 1=8576
- Green, L.L. See Baart, E.E., 2=5915
- Green, L.L. See Braben, D.W., 2=1820
- Green, L.L. See Braben, D.W., 2=14091
- Green, M. Oxidation phenomena on germanium surfaces, 1=5102
- Green, M. Theory of the accuracy of wedge density matching of logarithmically sectorized spectra, 1=6951
- Green, M. Corbino disk magnetoresistivity measurements on InSb, 1=10030
- Green, M. Corbino disk, 1=16501
- Green, M. Experimental investigation of electrode geometrics having transverse magneto-resistance equivalent to that of a Corbino disk, 3=12237
- Green, M. A Monte Carlo calculation of the spatial distribution of characteristic X-ray production in a solid target, 3=21019
- Green, M. The angular distribution of characteristic X radiation and its origin within a solid target, 4=13009
- Green, M. Pressure theory of the thermoelectric and photovoltaic effects, 4=28654
- Green, M. The efficiency of production of characteristic X-radiation, 4=28662
- Green, M. and Cosslett, V.E. The efficiency of production of characteristic X-radiation in thick targets of a pure element, 2=3124
- Green, M. and Greenberg, I.N. Transient charge-carrier diffusion in high purity silicon, 1=14460
- Green, M., Jendrasic, V. and McBreen, J. Surface states at the germanium-electrolyte cathode, 3=17689
- Green, M. and Liberman, I.A. The interaction of oxygen with various clean germanium surfaces, 2=23918
- Green, M. and Liberman, A. Kinetics and mechanism of oxygen adsorption of single crystals of germanium, 3=3365
- Green, M. and Linnett, J.W. Energy levels in nitrogen tetroxide, 1=2338
- Green, M. and Linnett, J.W. The electronic structure of nitrogen dioxide, 1=2339
- Green, M. and Maxwell, K.H. Adsorption on clean germanium surfaces, 0=12115
- Green, M. and Maxwell, K.H. The adsorption of oxygen on clean silicon surfaces, 0=12116
- Green, M. and Maxwell, K.H. Cut-off for the vacuum manipulation of chlorine, 0=14703
- Green, M. and Maxwell, K.H. The adsorption of chlorine on clean germanium surfaces, 2=2434
- Green, M. and Seiwatz, R. Interaction of rare gases with semiconductor surfaces, 1=20686
- Green, M. and Seiwatz, R. Model for the (100) surfaces of silicon and germanium, 2=23911
- Green, M., Swinkels, A.J. and Bockris, J.O'M. Apparatus for measuring adsorption from solution on solid metal electrodes, 2=4499
- Green, M. See Goetze, G.W., 4=11702
- Green, M.H. Gamma-ray shielding. Absorption of monoenergetic X- and γ -rays, 0=5535
- Green, M.I. See Francis, W.E., 0=21312
- Green, M.S. Comment on a paper of Mori on time-correlation expressions for transport properties, 0=14545
- Green, M.S. Topological derivation of the Mayer density series for the pressure of an imperfect gas, 0=16623
- Green, M.S. On the theory of the critical point of a simple fluid, 0=19096
- Green, M.S. and Piccirelli, R.A. Basis of the functional assumption in the theory of the Boltzmann equation, 4=2600
- Green, M.S. See Kearsley, E.A., 0=14523
- Green, M.S. See Klein, M., 4=119
- Green, M.S. See McIntyre, D., 3=9459
- Green, P.E., Jr. Applications of statistical notions to multipath channels, 0=2124
- Green, P.S. Spectral broadening of acoustic reverberation in Doppler-shift fluid flowmeters, 4=24135

- Green, R. The sweep of long water waves across the Pacific Ocean, 1=10304
- Green, R. Thermoelectric currents in meteorites, 2=11118
- Green, R.B. See Peters, L., Jr., 2=3170
- Green, R.E. and Walker, W.H. The half-life of Sm^{153} , 1=19381
- Green, R.E. See Walker, W.H., 1=17128
- Green, R.E., Jr. Governing equations for the shapes of molten zones, 4=14130
- Green, R.E., Jr. Reflection of an underwater shock wave from an overlying ice layer, 4=15864
- Green, R.E., Jr. See Kingman, P.W., 4=30762
- Green, R.J. See Ellis, G.R.A., 3=9283
- Green, R.J. See Ellis, G.R.A., 4=10918
- Green, R.M. and McNeill, K.G. Short communications on the calibration of [NaI crystal] whole body counters, 2=15421
- Green, R.M. See Davy, D.R., 3=15128
- Green, R.M. See McNeill, K.G., 2=1628
- Green, R.W., Legvold, S. and Spedding, F.H. Magnetization and electrical resistivity of erbium single crystals, 1=7774
- Green, T.A. On the derivation of Maxwell's equations and the boundary conditions from Coulomb's law, 3=471
- Green, T.A. and Lanford, O.E., III. Rigorous derivation of the phase shift formula for the Hilbert space scattering operator of a single particle, 0=16605
- Green, T.G. See Kump, H.J., 3=21928
- Green, T.L. See Engler, A., 1=13544
- Green, T.M. See Garvin, H.L., 0=1352
- Green, T.M. See Lipworth, E., 0=13120
- Green, T.M. See Lipworth, E., 0=17484
- Green, T.S. Evidence for the containment of a hot, dense plasma in a theta pinch, 1=5466
- Green, T.S. An investigation of the theta pinch using magnetic pick-up loops, 3=12145
- Green, T.S. Plasma containment in the theta pinch, 3=19265
- Green, T.S. Axial contraction in the theta pinch, 4=5639
- Green, T.S. and Niblett, G.B.F. Rayleigh-Taylor instabilities of a magnetically accelerated plasma, 1=18888
- Green, T.S., Small, V.G. and Glanville, D.E. The thermal-neutron absorption cross-section of U^{235} , 0=5802
- Green, T.S. See Adams, B., 2=3636
- Green, T.S. See Bartoli, C., 4=5641
- Green, T.S. See Bodin, H.A.B., 3=12155
- Green, T.S. See Bodin, H.A.B., 3=12156
- Green, T.S. See Fisher, D.L., 3=2004
- Green, T.S. See Niblett, G.B.F., 0=7211
- Green-Kelly, R. See Grin-Kelli, R.
- Greenan, A. F. See Frost, N. F., 4=30759
- Greenaway, D.L. Infrared investigation of the acceptor levels formed by copper in germanium, 1=1057
- Greenaway, D.L. Fundamental reflectivity of GaAs at low temperature, 2=21226
- Greenaway, D.L. and Cardona, M. Reflectivity measurements in $\text{InSb-In}_2\text{Te}_3$ and $\text{InAs-In}_2\text{Te}_3$ alloys and on pure InSb , InAs and In_2Te_3 , 3=10910
- Greenaway, D.L. See Cardona, M., 2=6539
- Greenaway, D.L. See Cardona, M., 3=17979
- Greenaway, D.L. See Cardona, M., 4=13042
- Greenberg, A. See Furst, M., 3=5902
- Greenberg, C.Z. See Egan, J.P., 1=12709
- Greenberg, D. See Morita, M., 0=13290
- Greenberg, D.A. and Foley, H.M. Theory of the hyperfine anomalies of deuterium, tritium, and helium- 3^+ , 1=801
- Greenberg, G.Z. See Egan, J.P., 1=9223
- Greenberg, I.N. See Green, M., 1=14460
- Greenberg, J. Near-ultraviolet, visible and infrared spectra of molten KSCN and NaSCN , 4=8209
- Greenberg, J. Visible absorption spectra of cadmium in cadmium halides and lead chloride and in lead bromide, 4=22375
- Greenberg, J. and Hallgren, L.J. Techniques for measuring the infrared absorption spectra of fused salts, 0=6926
- Greenberg, J. and Hallgren, L.J. Infrared absorption spectra of alkali metal nitrates and nitrites above and below the melting point, 0=16069
- Greenberg, J. and Hallgren, L.J. Infrared spectra of NaOH above and below the melting point, 1=11381
- Greenberg, J.M. Scattering by nonspherical particles, 0=885
- Greenberg, J.M. The sizes of interstellar grains, 1=2595
- Greenberg, J.M. The polarization of starlight in the interstellar medium, 4=26924
- Greenberg, J.M. Optical astronomy above the earth's atmosphere, 4=26879
- Greenberg, J.M., Libelo, L., Lind, A. and Wang, R.T. Scattering by nonspherical particles whose size is of the order of the wave length, 4=701
- Greenberg, J.M., Lind, A.C., Wang, R.T. and Libelo, L.F. The polarization of starlight by oriented nonspherical particles, 4=15915
- Greenberg, J.M. and Meltzer, A.S. The effect of orientation of non-spherical particles of interstellar extinction, 1=2594
- Greenberg, J.M., Pedersen, N.E. and Pedersen, J.C. Microwave analog to the scattering of light by nonspherical particles, 1=2887
- Greenberg, J.S., Bromley, D.A., Seaman, G.C. and Bishop, E.V. Higher order perturbations in nuclear collective motion, 4=22001
- Greenberg, J.S., Malone, D.P., Gluckstern, R.L. and Hughes, V.W. Mott-scattering analysis of longitudinal polarization of electrons from Co^{60} , 0=20382
- Greenberg, J.S., Seaman, G.G., Bishop, E.V. and Bromley, D.A. Band mixing in deformed nuclei, 4=6267
- Greenberg, J.S. See Blanpied, W.A., 4=9475
- Greenberg, L.H., Roalsvig, J.P. and Haslam, R.N.H. Gamma-alpha reactions in the light nuclei of nuclear emulsions, 4=19751
- Greenberg, N.I. Binary kernel formulation of a Heisenberg model of ferromagnetism, 3=13238
- Greenberg, O.W. Generalized free fields and models of local field theory, 2=1647
- Greenberg, O.W. Two folk lemmas on the expansion of the S matrix or the out field in normal ordered fields, 2=3277
- Greenberg, O.W. Heisenberg fields which vanish on domains of momentum space, 2=22382
- Greenberg, O.W. Coupling of internal and space-time symmetries, 4=27758
- Greenberg, O.W. and Licht, A.L. Quantum field-theory model whose truncated vacuum expectation values vanished beyond some order, 3=14846
- Greenberg, O.W. and Low, F.E. Limit on high-energy cross section from analyticity in Lehmann ellipses, 2=1656
- Greenberg, O.W., Schnitzer, H.J. and Sudarshan, E.C.G. Completeness identity in field theory, 3=46
- Greenberg, O.W., Sen, H.K. and Treve, Y.M. Hydrodynamic model of diffusion effects on shock structure in a plasma, 0=10905
- Greenberg, O.W. and Trève, Y.M. Shock wave and solitary wave structure in a plasma, 0=17021
- Greenberg, O.W. See Sen, H.K., 2=3033
- Greenberg, S. Corrosion of irradiated uranium alloys, 0=14069
- Greenberg, S. and Draley, J.E. Effects of irradiation on corrosion resistance of some high uranium alloys, 0=14068
- Greenberg, S. See Kittel, J.H., 0=12084
- Greenberg, S.B. and Korostoff, E. Magnetic annealing of thin permalloy films, 4=20549
- Greenberg, W.M. See Fischbeck, H.J., 4=22072
- Greenberg, Z. See Egan, J.P., 1=9222
- Greenberger, D.M. Charge-dependent corrections to pion-nucleon scattering, 0=7407
- Greenberger, D.M. The scale transformation in physics, 4=8024
- Greenberger, D.M. and Margolis, B. Two-parameter approximation to S-wave scattering, 1=7206
- Greenberger, D.M. and Margolis, B. Behaviour of nucleon-nucleon singlet phase shifts, 2=279
- Greendale, A.E. and Love, D.L. A system for rapid handling of an irradiated solution, 3=24885
- Greene, C.R. and Buck, B.M. Arctic ocean ambient noise, 4=23719
- Greene, C.R. See Buck, B.M., 4=29263
- Greene, D. Beam stability of a 20 MeV betatron, 1=3027
- Greene, D. and Massey, J.B. Some measurements on the absorption of 4 MV X-rays in concrete, 1=9665
- Greene, D.C. Vibration and sound radiation of damped and undamped flat plates, 1=15991
- Greene, D.C. See Skudrzyk, E.J., 1=2805
- Greene, E.F. Reduction of potassium ion background in tungsten surface ionization detectors for molecular beams, 1=13135
- Greene, E.F., Roberts, R.W. and Ross, J. Variation of a chemical reaction cross section with energy, 0=6409
- Greene, E.F. See Ackerman, M., 4=28289
- Greene, E.F. See Beck, D., 3=6914
- Greene, E.F. See Patterson, W.L., Jr., 2=6879
- Greene, F.T., Brewer, J. and Milne, T.A. Mass spectrometric studies of reactions in flames. I. Beam formation and mass dependence in sampling 1-atm gases, 4=15841
- Greene, F.T. and Milne, T.A. Mass spectrometric detection of polymers in supersonic molecular beams, 4=6665

- Greene, G. See Chrzanowski, P., 2=4595
 Greene, G. See Chrzanowski, P., 2=13078
 Greene, J.F.P.H. Diamond physics, 2=20897
 Greene, J.M. and Johnson, J.L. Determination of hydromagnetic equilibria, 1=10706
 Greene, J.M. and Johnson, J.L. Stability criterion for arbitrary hydromagnetic equilibria, 2=5459
 Greene, J.M. and Johnson, J.L. Stability criterion for arbitrary hydromagnetic equilibria, 2=11769
 Greene, J.M., Johnson, J.L., Kruskal, M.D. and Wilets, L. Equilibrium and stability of helical hydromagnetic systems, 2=20128
 Greene, J.M. See Johnson, J.L., 1=19004
 Greene, J.M. See Johnson, J.L., 3=12191
 Greene, J.M. See Johnson, J.L., 3=21949
 Greene, N.D. See Powers, W.D., 4=6443
 Greene, N.D. See Steigerwald, R.F., 3=11350
 Greene, P.[Ed.]. Proceedings of the First International Congress on Diamonds in Industry, 3=12889
 Greene, P.H. Networks for pattern perception, 1=1622
 Greene, R.F. Semiconductor surface transport theory, 1=3742
 Greene, R.F. Energy dependent bulk relaxation time and surface transport, 2=16692
 Greene, R.F. Nonlocal transport and cuspidal surface mobility in semiconductors, 3=20285
 Greene, R.F., Frankl, D.R. and Zemel, J. Surface transport in semiconductors, 0=9955
 Greene, R.F. See Goldstein, Y., 2=2135
 Greene, R.F. See Harris, P., 4=23092
 Greene, R.F. See Zemel, N.J., 3=2858
 Greene, R.G., Jr. Induced intensities, 4=9790
 Greene-Kelly, R. See Derjaguin, B.V., 4=16091
 Grenebaum, B. System for automatically punching onto IBM cards the output of a 400-channel pulse height analyzer, 4=30126
 Greener, E.H., Fehr, G.A. and Hirthe, W.M. Electrical conductivity of near-stoichiometric α -Nb₂O₅ in the temperature range 900° to 1400°C, 3=8527
 Greener, E.H., Fitzgerald, D.J. and Hirthe, W.M. Pulse currents in rutile, 3=13108
 Greener, E.H. and Hirthe, W.M. Electrical conductivity of non-stoichiometric α -Nb₂O₅, 2=18709
 Greener, E.H., Hirthe, W.M. and Angino, E. Thermoluminescence of thoria, 2=8596
 Greener, E.H. and Whitmore, D.H. Nonohmic behavior in near-stoichiometric rutile (TiO₂), 1=10035
 Greener, E.H., Whitmore, D.H. and Fine, M.E. Electrical conductivity of near-stoichiometric α -Nb₂O₅, 1=6163
 Greener, E.H. See Hirthe, W.M., 4=13441
 Greenewalt, C.H., Brandt, W. and Friel, D.D. Iridescent colors of hummingbird feathers, 0=16870
 Greenfield, A.J. Hall coefficients of liquid metals, 3=7218
 Greenfield, A.J. Hall coefficients of liquid metals, 4=27195
 Greenfield, H.S. A diaphragm scribe for use with shock tube devices, 4=18336
 Greenfield, I.G. The effect of radiation-produced prismatic dislocations on glide dislocations in copper, 3=17760
 Greenfield, I.G. and Demos, J.R. Relationship between neutron-produced prismatic dislocations and the change in volume during annealing in copper, 4=17460
 Greenfield, I.G. and Wilsdorf, H.G.F. Effect of neutron irradiation on the plastic deformation of copper single crystals, 1=9092
 Greenfield, I.G. and Wilsdorf, H.G.F. Point defect clustering in nickel, 3=22721
 Greenfield, I.G. See Takamura, J., 2=8216
 Greenfield, I.G. See Takamura, J., 3=22745
 Greenhill, J.G. See Edwards, P.J., 3=6191
 Greenfield, M.A. and Koontz, R.L. In¹¹⁸ activation ratios, 1=11026
 Greenfield, M.A. and Koontz, R.L. A universal function for computing counting performance, 1=13236
 Greenfield, M.A., Koontz, R.L. and Jarrett, A.A. Measuring the ratio of thermal to resonance neutron densities using thick indium foils, 0=12994
 Greenfield, M.A., Koontz, R.L. and Jarrett, A.A. Computing absolute thermal neutron flux from measurements made with indium foils, 0=12998
 Greenfield, P. A comparison of magnox A 12 and ZA alloys as canning materials for nuclear reactors, 4=19902
 Greenfield, P. See Smith, C.C., 4=28965
 Greenfield, S.M. and Kellogg, W.W. Calculations of atmospheric infrared radiation as seen from a meteorological satellite, 0=14298
 Greenhouse, H.M. and Vergara, W.C. Versatile high vacuum rotary feedthrough, 4=8278
 Greenhouse, H.M. See Vergara, W.C., 3=16135
 Greenhow, J.S. Eddy diffusion and its effect on meteor trails, 0=12164
 Greenhow, J.S. Head echoes from meteor trails, 2=4846
 Greenhow, J.S. and Hall, J.E. Diurnal variations of density and scale height in the upper atmosphere, 0=16421
 Greenhow, J.S. and Hall, J.E. The importance of initial trail radius on the apparent height and number distributions of meteor echoes, 0=18682
 Greenhow, J.S. and Hall, J.E. The variation of meteor heights with velocity and magnitude, 0=18715
 Greenhow, J.S. and Hall, J.E. Attachment processes in meteor trails, 1=12742
 Greenhow, J.S. and Hall, J.E. The height variation of the ambipolar diffusion coefficient for meteor trails, 2=4657
 Greenhow, J.S. and Neufeld, E.L. Measurements of turbulence in the upper atmosphere, 0=4788
 Greenhow, J.S. and Neufeld, E.L. Large scale irregularities in high altitude, 0=8368
 Greenhow, J.S. and Neufeld, E.L. Measurements of turbulence in the 80- to 100-km region from the radio echo observations of meteors, 0=12175
 Greenhow, J.S. and Neufeld, E.L. Turbulence at altitudes of 80-100 km and its effect on long-duration meteor echoes, 0=14313
 Greenhow, J.S. and Neufeld, E.L. Winds in the upper atmosphere, 2=2498
 Greenhow, J.S., Neufeld, E.L. and Watkins, C.D. The scattering of 36 Mc/s radio waves by weak auroral ionization, 0=16466
 Greenhow, J.S., Sutcliffe, H.K. and Watkins, C.D. Radar observations of meteor echoes at a frequency of 1300 Mc/s, 2=13178
 Greenhow, J.S., Sutcliffe, H.K. and Watkins, C.D. Some recent observations of ionospheric backscatter at 300 Mc/s, 3=13717
 Greenhow, J.S., Sutcliffe, H.K. and Watkins, C.D. The electron scattering cross-section in incoherent backscatter, 3=13772
 Greenhow, J.S. and Watkins, C.D. The interpretation of meteor echoes observed at a frequency of 300 Mc/s, 3=13925
 Greenhow, J.S. See Chivers, H.J.A., 0=14275
 Greenhow, J.S. See Davies, J.G., 0=8528
 Greenhow, J.S. See Davis, J., 0=8480
 Greenhow, J.S. See Davis, J., 0=8481
 Greening, J.R. A compact free-air chamber for use in the range 10-50 kV, 0=5441
 Greening, J.R. See Procter, N.M., 0=9232
 Greenkorn, R.A. Flow models and scaling laws for flow through porous media, 4=18155
 Greenland, K.M. Some aspects of research on thin solid films, 1=1448
 Greenland, K.M. Colloquium on optical materials - Paris 1961, 1=18586
 Greenland, K.M. Trends and achievements in the scientific instrument industry, 4=23980
 Greenland, K.W. See Wright, W.D., 2=13426
 Greenland, L.P. and Lovering, J.F. Selective volatilization from tektites, 3=9015
 Greenleaves, I. See Hodgkinson, J.R., 3=11939
 Greenlees, G.W., Haznedaroglu, U., Robbins, A.B., Rolph, P.M. and Rosenblatt, J. Differential cross sections and polarisations of 9.4 MeV protons elastically scattered by Ni⁵⁸, Ni⁶⁰ and Co⁵⁹, 4=9495
 Greenlees, G.W. and Jarvis, O.N. Proton total reaction cross-section for copper at 9.3 MeV, 1=8708
 Greenlees, G.W. and Jarvis, O.N. A direct measurement of the proton total reaction cross-section for copper at 9.3 MeV, 2=5908
 Greenlees, G.W., Lilley, J.S., Rowe, P.C. and Hodgson, P.E. The elastic scattering of 29 MeV He³ by Al, V and Cu, 1=8774
 Greenlees, G.W. and Lowe, J. The elastic and inelastic scattering of 19.6 MeV deuterons by Mg, 1=712
 Greenlees, G.W. and Rolph, P.M. The elastic and inelastic scattering of protons by ⁵⁸Ni, 0=5746
 Greenlees, G.W. and Rowe, P.C. The elastic scattering of ³He by medium weight nuclei, 0=9641
 Greenlees, G.W. See Craig, R.M., 3=8085
 Greenlees, G.W. See Hoare, D., 1=9851
 Greenlees, G.W. See Robbins, A.B., 0=11411
 Greenlees, G.W. See Robbins, A.B., 2=1875
 Greenlees, G.W. See Robbins, A.B., 3=12661
 Greenler, R.G. An interferometric Fabry-Perot spectrometer for the infrared, 0=16844
 Greenler, R.G. Infrared study of the adsorption of methanol and ethanol on aluminium oxide, 3=3362

- Greenler, R.G. An image reducer-immersed detector system for the infrared, 3=7314
- Greenler, R.G. and Kay, R.M. Electric breakdown strengths of single and laminated films of vinyl chloride-acetate, 1=10082
- Greenler, R.G. and Rothwell, W.S. The ductility of NaCl crystals, 0=10262
- Greenman, C.V. Magneto-ionic duct propagation time (whistler) Greenough, A.P. See Davies, P.W., 1=14979
- Greenough, A.P. See Hayward, E.R., 1=15171
- Greenough, A.P. See Price, A.T., 4=9988
- Greenough, G.B. See Bell, J.C., 2=1947
- Greenough, G.B. See Brown, G., 4=6433
- Greenough, G.K. Wax-atomizer for producing spherical dust particles, 0=8328
- Greenschlag, S. See Hill, T.L., 1=8066
- Greenshpan, M. See Freier, S., 2=22630
- Greenshpan, M. See Gilad, P., 4=10299
- Greenspan, H.P. Flat plate drag in magnetohydrodynamic flow, 0=15125
- Greensite, A.L. New method for calculating the vibration frequencies and mode shapes for inhomogeneous beams, 4=14249
- Greenspan, H.P. On the flow of a viscous electrically conducting fluid, 1=9677
- Greenspan, H.P. Similarity solution for a cylindrical shock-magnetic field interaction, 2=7241
- Greenspan, M. and Tschiegg, C.S. Audio-frequency compliances of prestressed quartz, fused silica and aluminium, 4=10399
- Greenspan, M. and Tschiegg, C.E. Audio-frequency compliances of prestressed quartz, fused silica, and aluminum, 4=15418
- Greenspon, J.E. Vibrations of thick cylindrical shells, 0=2193
- Greenspon, J.E. Vibrations of a thick-walled cylindrical shell — comparison of the exact theory with approximate theories, 0=8729
- Greenspon, J.E. Vibrations of thick cylindrical shells, 0=10709
- Greenspon, J.E. Axially symmetric vibrations of a thick cylindrical shell in an acoustic medium, 0=14711
- Greenspon, J.E. Vibrations of thick and thin cylindrical shells surrounded by water, 1=15993
- Greenspon, J.E. An approximation to the remainder of Robey's reactive impedance integral, 1=16025
- Greenspon, J.E. Vibrations of cross-stiffened and sandwich plates with application to underwater sound radiators, 1=18496
- Greenspon, J.E. Farfield-noise prediction from nearfield-spectrum measurements, 4=14314
- Greenspon, J.E. and Sherman, C.H. Mutual-radiation impedance and nearfield pressure for pistons on a cylinder, 4=8326
- Greenstadt, E.W. Magnetic storms in interplanetary space as observed by Pioneer V, 2=4730
- Greenstadt, E.W. Effect of solar activity regions on the interplanetary magnetic field, 3=16329
- Greenstadt, E.W. and Moreton, G.E. A comparison of solar flare incidence with magnetic transients observed in the near-by interplanetary region by Pioneer 5, 2=24125
- Greenstadt, E.W. See Crook, G.M., 3=16306
- Greenstein, J.L. The galaxies in the radio source 3C278, 1=5171
- Greenstein, J.L. Radio sources containing peculiar Greenstein, J.L. The spectrum of comet Humason (1961e), 3=5248
- Greenstein, J.L. Some properties of synchrotron radiation at optical energies, 4=29409
- Greenstein, J.L. and Arpigny, C. The visual region of the spectrum of Comet Mrkos (1957d) at high resolution, 2=15322
- Greenstein, J.L. and Matthews, T.A. Red-shift of the unusual radio source 3C 48, 3=13932
- Greenstein, J.L. and Schmidt, M. The quasi-stellar radio sources 3C 48 and 3C 273, 4=26975
- Greenstein, J.L. See Fowler, W.A., 1=10373
- Greenstein, J.L. See Fowler, W.A., 2=11107
- Greenstein, L.J., Shafer, T.R. and Epstein, M. Magnetic-field spectrum analyzer, 4=30014
- Greenstein, L.J. See Epstein, M., 0=7184
- Greenwood, A. See Lee, T.H., 1=7041
- Greenwood, A.N. See Lee, T.H., 4=11559
- Greenwood, D.A. Electrical conduction in a one-dimensional disordered potential, 2=14485
- Greenwood, D.A. A note on the theory of thermal conduction in metals, 2=16617
- Greenwood, D.A. See Conway, J.M., 3=10965
- Greenwood, D.D. Auditory masking and the critical band, 1=7959
- Greenwood, D.D. Critical bandwidth and the frequency coordinates of the basilar membrane, 1=15372
- Greenwood, D.D. Approximate calculation of the dimensions of traveling-wave envelopes in four species, 3=3658
- Greenwood, G.W. Volume increases in fissile materials on neutron irradiation and the effects of thermal fluctuations, 0=9721
- Greenwood, G.W. The effects of neutron irradiation in γ -uranium and some fissile alloys of cubic crystal structure, 2=16672
- Greenwood, G.W. Observations on uranium irradiated in the α and subsequently in the γ -phase and its implications in assessing volume increases in irradiated fissile material, 2=21085
- Greenwood, G.W. Note on the formation of voids during creep, 4=1916
- Greenwood, G.W. and Boltax, A. The role of fission gas resolution during post irradiation heat treatment, 2=12270
- Greenwood, G.W., Foreman, A.J.E. and Rimmer, D.E. The role of vacancies and dislocations in the nucleation and growth of gas bubbles in irradiated fissile material, 0=9903
- Greenwood, G.W. and Speight, M.V. An analysis of the diffusion of fission gas bubbles and its effect on the behaviour of reactor fuels, 4=6441
- Greenwood, G.W. See Johnson, R.H., 3=1354
- Greenwood, G.W. See Johnson, R.H., 4=28960
- Greenwood, H.H. and Hayward, T.H.J. Properties of the self-consistent field treatment of conjugated molecules, 1=14067
- Greenwood, J.A. Implicit numerical methods for the heat conduction equation, 3=1851
- Greenwood, J.A. and Harris, J. Electrical conduction in solids, III. The contact of iron surfaces, 1=1017
- Greenwood, J.A., Minshall, H. and Tabor, D. Hysteresis losses in rolling and sliding friction, 1=14929
- Greenwood, J.A. and Williamson, J.B.P. Thermal transients in graphite-copper contacts, 0=16965
- Greenwood, J.W. See Hughes, E.O., 0=5823
- Greenwood, R.C. Gamma-decay scheme of the 4.4 min Rh^{104m} isomer, 3=4569
- Greenwood, R.C. Low-energy nuclear level scheme of Rh^{104} , 3=4570
- Greenwood, R.C. and Brannen, E. Decay scheme of Dy^{159} , 0=20390
- Greenwood, R.C. and Brannen, E. Decay scheme of Sn^{113} , 1=9842
- Greer, J.R. See Atkinson, J.R., 0=9652
- Greer, G. See Brinda, S., 4=16785
- Greer, K.M. Some magnetic properties of finely divided ferric oxides and hydroxides, 3=3112
- Greetham, G. and Honeycombe, R.W.K. The deformation of single crystals of aluminium-4.5% copper alloy, 1=20369
- Greetham, G. and Martin, A.J. Production and tensile testing of strain-free metal specimens, 0=8100
- Greger, G. The preparation of single crystals of silicon by the Czochralsky process, 1=4028
- Greger, G. Saturation currents in silicon electrodes, 1=20745
- Gregg, D.W. and Drickamer, H.G. Effect of pressure on phosphor decay, 0=8020
- Gregg, D.W. and Drickamer, H.G. Effect of pressure on the optical properties of organic phosphors, 1=20019
- Gregg, J.L. and Sparrow, E.M. Low Prandtl-number free convection, 0=19485
- Gregg, R.A. See Hirschhorn, J.S., 4=10415
- Gregg, S.J. and Jepson, W.B. A note on the paper "The oxidation of evaporated barium films (getters)", 0=3572
- Gregg, S.J. See Pope, M.I., 0=4323
- Grégoire, G., Heughebaert, J., Lemaitre, G., Oostens, J. and van Gerven, L. Performances of a p-i-n type semiconductor detector at low temperatures, 4=30111
- Grégoire, G. and Macq, P.C. Elastic and inelastic scattering of 23.8 MeV alpha-particles by Li^6 and Be^9 , 4=17193
- Grégoire, M. See Bonnal, J.F., 4=8691
- Grégoire, M. See Briffod, G., 3=388
- Grégoire, M. See Briffod, G., 4=19032
- Grégoire, M. See Briffod, G., 4=29878
- Grégoire, R. See Duquesne, M., 1=4744
- Gregor, H.P. See Peterson, M.A., 0=4714
- Gregor, L.V. The heat capacity of cuprous oxide from 2.8 to 21°K, 2=23071
- Gregor, L.V. and Pitzer, K.S. Silver oxide: the heat capacity from 2 to 80°K and the entropy; the effects of particle size, 3=769
- Gregorig, R. Technically advantageous procedure in the use of a heat exchanger in vaporization and condensation, 2=15772

- Gregory, A.G. The $B^{11}(\text{p}, \gamma)\alpha\text{Be}^8$ reaction and the 9.63 MeV state of C^{12} , 1=5910
- Gregory, A.G., Sherwood, T.R. and Titterton, E.W. The excitation function of the $\text{Li}^7(\gamma, \text{p})\text{He}^6$ reaction, 2=14076
- Gregory, A.G., Symons, G.D. and Treacy, P.B. Spin alignment of deuterons elastically scattered from carbon, 2=22837
- Gregory, A.G. and Treacy, P.B. Polarization of protons from low resonances in $^{13}\text{C}(\text{d}, \text{p})^{12}\text{C}$, 1=5935
- Gregory, A.H. See Campbell, F.W., 0=18552
- Grégory, B. See d'Andlau, C., 3=17328
- Gregory, B.C. and Sander, K.F. A study of some properties of an electro-static quadrupole lens using an automatic electron trajectory tracer, 3=442
- Gregory, B.L. and Jordan, A.G. Experimental investigations of single injection in compensated silicon at low temperatures, 4=20377
- Gregory, B.P. Recent experiments with bubble-chambers at C.E.R.N., 4=16841
- Gregory, C. Equation of motion in five space, 2=4929
- Gregory, C. Einstein, Infeld, and Hoffman problem of motion in five space, 2=9149
- Gregory, C. Search for extra-dimensional effects, 4=18039
- Gregory, D.A. See Sharpless, N.E., 2=12578
- Gregory, D.A. See Sharpless, N.E., 3=14346
- Gregory, D.P. Temperature variation of flow stress in body centered cubic metals, 3=13352
- Gregory, D.P. Quenching lattice vacancies in b.c.c. metals, 3=22732
- Gregory, D.P., Stroh, A.N. and Rowe, G.H. Mechanisms of work hardening in columbium, 4=7444
- Gregory, J.B. Radio wave reflections from the mesosphere. I. Heights of occurrence, 1=15326
- Gregory, J.B. Ionospheric reflections below 50 kilometers during polar-cap absorption events, 1=20941
- Gregory, J.B. Residual ionization in the polar lower ionosphere, 3=9082
- Gregory, J.B. Particle influx at high latitudes. I. Temporal and latitude variations, 3=22247
- Gregory, J.B. Particle influx at high latitudes. II. Solar protons, 3=22248
- Gregory, J.E. and Wijnen, M.H.J. Photolysis of mixtures of diethyl ketone and carbon tetrachloride, 3=18455
- Gregory, J.M. See Chapman, C.J.S., 1=8633
- Gregory, J.M. See Chapman, C.J.S., 1=13684
- Gregory, J.M. See Dagley, P., 0=9515
- Gregory, M. The bending and shortening effect of pure torque, 0=14554
- Gregory, N.W. See Tracy, J.W., 2=15023
- Gregory, N.W. See Tracy, J.W., 2=15025
- Gregory, N.W. See Tracy, J.W., 2=10871
- Gregory, N.W. The condensation coefficient and the vaporization process, 3=19070
- Gregory, N.W. and Wydeven, T. The ferrous chloride-ferrous bromide system at 400°, 3=25710
- Gregory, R.D. See McLachlan, A.D., 4=9791
- Gregory, R.L. The solid image microscope: an instrument giving information in depth by optical scanning, 1=4450
- Gregory, R.L. An optical "solid-image" microscope, 1=8220
- Gregory, R.W., Harris, S.L. and Munro, R.G. A method of measuring transmission error in spur gears of 1:1 ratio, 3=7171
- Gregush, A. and Gregush, P. The effect of ultrasound on catalytic properties of MnO_2 gels and suspensions, 1=10296
- Greguss, P. The effect of high-intensity ultrasounds on very viscous [mineral] oils, 0=14131
- Greguss, P. Changes in the surface structure of glasses produced by intense ultrasonic waves, 0=21215
- Greguss, P. The effect of sound on combustion processes, 3=16715
- Greguss, P. Contribution on the mechanism of active acoustic fields, 4=7545
- Greguss, P. and Erdelyi, I. New aspects in the physical mechanism for sonic processing, 2=7292
- Greguss, P. and Weissburg, J. The electroluminescent panel in an ultrasonic field, 0=18152
- Gregush, P. See Gregush, A., 1=10296
- Greguss, P., Jr. See Weissburg, J., 0=8025
- Greguss, P., Jr. See Weissburg, J., 1=10121
- Greider, K.R. An approximation for nucleon-nucleus polarization effects, 0=5737
- Greider, K.R. Theory of conservation of isotopic spin from $\text{d} + \text{d}$ reactions, 1=9777
- Greider, K.R. Nuclear single-particle wavefunctions, 2=20486
- Greider, K.R. Scattering approximation for long range forces, 3=2222
- Greider, K.R. Nucleus-nucleus rearrangement scattering, I, 4=12281
- Greider, K.R. Indirect aspects of direct interactions, 4=22207
- Greider, K.R. and Glassgold, A.E. Diffraction theory for very-high-energy scattering, 0=12850
- Greider, K.R. See Durand, L., III, 4=3402
- Greif, H. Photographic representation of brightness distributions, 1=6945
- Greif, R. Energy transfer by radiation and conduction with variable gas properties, 4=29790
- Greifer, A.P. Piezomagnetism of biased ferrites, 4=13228
- Greifer, A.P. and Croft, W.J. Rectangular hysteresis loop ferrites with large Barkhausen steps, 0=1805
- Greifer, A.P. and Croft, W.J. Some crystallographic and magnetic properties of square-loop materials in ferrite systems containing copper, 0=3081
- Greifer, A.P., Nakada, Y. and Lessoff, H. Preparation and properties of low-loss ferrites, 1=6369
- Greifer, A.P. See Lessoff, H., 2=12692
- Greifinger, C. Effect of a transverse magnetic field on the "escape speed" of a conducting fluid, 0=19906
- Greifinger, C. and Birnbaum, G. Super-radiation and super-regeneration, 0=11043
- Greifinger, C. and Cole, J.D. On cylindrical magnetohydrodynamic shock waves, 1=7139
- Greifinger, C. and Cole, J.D. Similarity solution for cylindrical magnetohydrodynamic blast waves, 3=7542
- Greifinger, P.S. Induced oscillations in a rarefied plasma in a magnetic field, 1=2983
- Greig, D. Thermoelectricity and thermal conductivity in the lead sulfide group of semiconductors, 0=18080
- Greig, D. See Fischer, G., 1=11290
- Greig, J.R. and Curzon, F.L. The superposition of streak-camera records, 3=7584
- Greig, J.R. See Cooper, J., 3=261
- Greig, J.R. See Cooper, J., 3=21541
- Greig, J.R. See Cooper, J., 4=18401
- Greig, J.R. See Curzon, F.L., 1=477
- Greig, J.R. See Peacock, N.J., 4=18863
- Greig, W.J. See Veloric, H.S., 1=1096
- Greindl, F. See de Hemptinne, M., 3=4763
- Greinel, H.P. General solution of the diffraction integral for a rectangular aperture in the presence of aberrations, 4=8452
- Greinel, H.P. Diffraction by rotating, rectangular apertures in astigmatic systems, 4=11360
- Greiner, C. The reversal of spin vectors in magnetically charged 180° domain walls, 0=3027
- Greiner, C. The interpretation of domain structures induced by tension in the alloy 50Ni50Fe, 1=6297
- Greiner, C. Transformation of domain structures by applied voltages, 1=14708
- Greiner, C. The magnetic field over the surface of a laminar domain structure with Bloch-wall-and surface poles, 1=20087
- Greiner, C. Magnetic elementary-domain data on coarse-grained and single-crystal samples of composition 50% Ni-50% Fe, 2=8634
- Greiner, C. Studies of the changes of domain structure in 50% Ni-50% Fe alloys through tension and compression, 4=10280
- Greiner, C. See Andrä, W., 1=20088
- Greiner, E.S. and Gutowski, J.A. Electrical resistivity of boron-phosphorus alloys, 0=4355
- Greiner, E.S., Gutowski, J.A. and Ellis, W.C. Preparation of silicon ribbons, 2=806
- Greiner, J.D., Shanks, H.R. and Wallace, D.C. Magnetic susceptibility of the cubic sodium tungsten bronzes, 2=4207
- Greiner, J.D. See Smith, J.F., 0=669
- Greiner, J.H., Croll, I.M. and Sulich, M. Ferromagnetic-antiferromagnetic interaction in Fe-FeS, 1=3875
- Greiner, J.H., Croll, I.M. and Sulich, M. Unidirectional properties in the iron-iron sulfide system, 1=6285
- Greiner, J.H. See Berkowitz, A.E., 4=13209
- Greiner, W. Nuclear polarization of mesic atoms with spherically symmetric meson states, 1=19617
- Greiner, W. Qualitative discussion of the collective potential energy in the quasi-spin model, 3=10218
- Greiner, W. Mixing of $T = 0$ and $T = 1$ states in the giant resonance region of O^{16} , 4=9477
- Greiner, W. and Green, A.M. Nuclear bremsstrahlung, 4=9483

- Greiner, W. and Marschall, H. An estimate of the contribution due to a nonspherical symmetric meson state to the polarization of the nucleus, 2=6116
- Greiner, W. and Scheck, F. μ -mesic atom experiments and shell-structure, 1=481
- Greiner, W. See Danos, M., 4=12110
- Greiner, W. See Danos, M., 4=16993
- Greiner, W. See Faessler, A., 2=16294
- Greiner, W. See Faessler, A., 2=22704
- Greiner, W. See Faessler, A., 4=6198
- Greiner, W. See Faessler, A., 4=21983
- Greisen, K., Delvaille, J. and Kendziorowski, F. Distribution of points of initiation of e.a.s., 1=2132
- Greisen, K. See Bennett, S., 2=1747
- Greisen, K. See Bennett, S., 2=12070
- Greisen, K. See Delvaille, J., 1=3285
- Greisen, K. See Delvaille, J., 1=3326
- Greisen, K. See Delvaille, J., 1=5802
- Greisen, K. See Delvaille, J., 2=12062
- Greisen, K. See Pak, W., 1=3375
- Greisen, K. See Pak, W., 2=5771
- Greisen, K. See Pine, J., 0=13088
- Greison, K. See Pine, J., 1=2119
- Greiser, A.I. Electromagnetic radiation of atomic electrons during β -decay, 4=6271
- Grekov, A.P. See Kutsyna, L.M., 4=11207
- Grekov, A.P. See Nagornaya, L.L., 2=1160
- Grekov, N.N. See Borisov, V.S., 4=14832
- Grekov, N.N. See Goryachev, Yu.M., 4=14834
- Grekov, A.P. See Shimanskaya, N.P., 0=10073
- Grekov, A.P. See Shvaika, O.P., 0=10676
- Greku, D. See Korchovei, A., 3=17799
- Grell-Niemann, H. See Dornberger-Schiff, K., 1=20483
- Grellier, Y.M. See Brun, R., 3=1762
- Grémillet, J. Propagation of the "Helicon" mode in semiconductors for metre and decametre waves, 3=22921
- Grémillet, J. Propagation of electromagnetic waves in semiconductors, in the presence of a constant magnetic induction B, 4=11794
- Gremmelmaier, R. and Henkel, H.J. GaAs tunnel diodes, 0=2896
- Grenacs, J. and De Raedt, J. Nuclear parameters in beta disintegration of Ga^{72} and As^{76} , 4=17091
- Grenacs, L., Creutz, E., De Raedt, J. and Lehmann, J. Anomalous behaviour in β - γ directional correlation in (27 h) disintegration of Ho^{166} , 4=17101
- Grenacs, L. See Colard, J., 1=13662
- Grenacs, L. See Creutz, E., 2=12145
- Grenács, L. See Creutz, E., 4=3539
- Grenacs, L. See Creutz, E., 4=17001
- Grenacs, L. See Creutz, E., 4=25319
- Grenacs, L. See Deutsch, J.P., 2=407
- Grenacs, L. See Deutsch, J.P., 2=408
- Grenacs, L. See Deutsch, J.P., 2=5859
- Grenacs, L. See Deutsch, J.P., 3=22309
- Grenacs, L. See Deutsch, J.P., 4=9449
- Grenacs, L. See Lipnik, P., 2=7943
- Grenacs, L. See Meessen, A., 0=20408
- Grenall, A. Electron microscope observations of fast neutron damage in gold films, 2=6321
- Grenall, A. See Brinkman, J.A., 2=6322
- Grenat, E. Solar periodicities, 0=18731
- Grenat, H., Herman, L. and Hepner, G. Experimental study of the influence of the average electron energy on the spectral composition of N_2 in the laboratory and in aurorae, 2=6149
- Grenat, H., Herman, L., Herman, R. and Weniger, S. Emission spectrum of the B_2O_3 molecule, 1=849
- Grenat, H. See Herman, L., 2=20878
- Grenet, G. A note on the amplitude of certain pulsatory magnetic perturbations, 1=1584
- Grenet, G. See Launay, L., 3=23573
- Grench, H.A. and Burson, S.B. Decay of ^{181}Er (3.1 hr), 1=2196
- Grench, H.A. See Imhof, W.L., 4=9559
- Grenier, C.G., Reynolds, J.M. and Sybert, J.R. Electron transport phenomena in bismuth at liquid-helium temperatures, 3=25354
- Grenier, C.G., Reynolds, J.M. and Zebouni, N.H. Electron transport phenomena in zinc at liquid-helium temperatures, 3=8492
- Grenier, C.G. See Ali, S.A., 0=9944
- Grenier, C.G. See Balain, K.S., 0=13582
- Grenier, C.G. See Bergeron, C.J., 0=13581
- Grenier, C.G. See Rao, G.N., 4=9904
- Grenier, G. and White, D. λ -anomaly in the heat capacity of para-enriched solid deuterium, 3=2732
- Grenier, G. and White, D. Heat capacities of solid deuterium (33.1%-87.2% para) from 1.5°K to the triple points. Heats of fusion and heat capacity of liquid, 4=20212
- Grenier, G. and White, D. Heat capacity of solid HD, 4=22492
- Grenier, G. See Depraz, J., 3=2276
- Grenier, G. See Depraz, J., 3=7987
- Grenier, J. See Battut, R., 4=25733
- Grenier, P., André, J.P. and Lacombe, P. Activation energies for the creep of polycrystalline and single crystals uranium between 120 and 650°C, 4=23224
- Grenier, P. See André, J.P., 3=13370
- Grenier-Besson, L. Resonances and rotational ℓ -type doubling in axially symmetric molecules, 1=17005
- Grenier-Besson, M.L. ℓ type vibrational resonances and splitting in molecules with axial symmetry, 4=30412
- Grenier-Besson, M.L. and Amat, G. Rotation spectrum of molecules with C_{3v} symmetry in an excited vibrational state $v_t = 1$, 2=6141
- Grenier-Besson, M.L., Amat, G. and Maes, S. Vibration-rotation energy of polyatomic molecules. Note on the tables of second order transformed Hamiltonian coefficients, 1=17304
- Grenier-Besson, M.L., Amat, G. and Nielsen, H.H. Higher-order rotation-vibration energies of polyatomic molecules. VI, 2=20779
- Greiner, W. See Faessler, A., 4=25321
- Grenot, M. and Huber, M. Contribution to the study of the system $\text{Mg}(\text{Ga}_{2-x}\text{Mn}_x)\text{O}_4$, 3=13486
- Grenot, M., Huber, M. and Mazières, C. Structural study of compounds in the series $\text{Mg}(\text{Ga}_{2-x}\text{Mn}_x)\text{O}_4$, as a function of temperature, 4=15740
- Greshilov, E.M. A theoretical and experimental study of the end correction for a slot placed transversely in a rectangular tube, 3=21497
- Gresky, A.T. Universal units of magnetism, mechanics and temperature, 0=2093
- Gresky, A.T. A simple unified field equation and hypothesis, 0=4926
- Gresser, H. See Bieger, W., 3=21780
- Gresser, H. See Bieger, W., 3=21811
- Gresser, H. See Bieger, W., 4=19052
- Greuling, E. and Whitten, R.C. Lepton conservation and double beta-decay, 1=5858
- Greuling, E. See Goertzel, G., 1=13437
- Greuling, E. See Huffaker, J.N., 4=1037
- Greve, W. See Buchdahl, H.A., 3=5559
- Grevendonk, W. See van Isterbeek, A., 0=8695
- Grevendonk, W. See van Isterbeek, A., 1=140
- Grew, K.E. and Mundy, J.N. Thermal diffusion in some mixtures of inert gases, 1=18464
- Grew, K.E. See Cozens, J.R., 4=29673
- Grewal, M.S. Effects of collisions on electron density fluctuations in plasmas, 4=14701
- Grewe, H.G. and Kappler, E. Determination of the work-hardening curve by torsion studies on cylindrical specimens and the behaviour of polycrystalline copper for very high plastic screw deformation, 4=28943
- Grewe, H.G. and Kappler, E. Another structure of polycrystalline copper after extremely high plastic deformation, 4=30867
- Grey, D.S. Aberration theories for semiautomatic lens design by electronic computers. I. Preliminary remarks, 3=14311
- Grey, D.S. Aberration theories for semiautomatic lens design by electronic computers. II. A specific computer program, 3=14312
- Grey, D.S., Mark, P. and Haskell, S. New class of wide-range logarithmic circuit for a light-intensity meter, 0=148
- Grey, J. Sensitivity analysis for the calorimetric probe, 3=21605
- Grey, J., Jacobs, P.F. and Sherman, M.P. Calorimetric probe for the measurement of extremely high temperatures, 2=17680
- Grey, J., Sherman, M.P. and Jacobs, P.F. A collimated total radiation probe for arcjet measurements, 4=14682
- Grey, N.R. See Staveley, L.A.K., 3=12927
- Grey, W. See Buckel, W., 4=27432
- Greyber, H.D. Transient temperature variations during the self-heating of a plasma by thermonuclear reactions, 0=3759
- Greyber, H.D. See Klein, M.M., 2=3034
- Greytak, T.J. and Wernick, J.H. The penetration depth in several hard superconductors, 4=27437
- Grgin, E. On the observation of the Lorentz contraction, 3=18710
- Grianti, F., Manfredi, P.F. and Rimini, A. Back-bias circuits for multichannel analyzers, 4=21709

- Griazev, V.M. See Klimentov, V.B., 0=9666
 Griazev, V.M. See Klimentov, V.B., 2=6054
 Gribanov, S.A. See Kuznetsov, V.D., 2=23776
 Gribanov, S.A. See Kuznetsov, V.D., 3=3233
 Gribaumont, A. Transfer nuclear reactions, 2=22778
 Gribaumont, A. Transfer nuclear reactions. IV, 3=22355
 Gribaumont, A. See Demeur, M., 0=5735
 Gribbon, P.W.F. Notes on the spectra of oxygen, 0=480
 Gribbon, P.W.F. and Cope, J.A. Radial flow of superfluid helium over a horizontal plate, 4=8546
 Gribbon, P.W.F. and Jackson, L.C. The thickness of moving helium II film, 3=19084
 Gribi, M. and Wegmann, L. A new high-vacuum 120 kV electron diffraction unit, 3=20950
 Gribkov, V.I. and Zhevandrov, N.D. Polarization of luminescence of ZnS monocrystals, 0=16093
 Gribkov, V.I., Zhevandrov, N.D. and Khan-Magometova, Sh.D. Polarization of the luminescence from molecular crystals under β -ray excitation, 1=20025
 Gribkov, V.I., Zhevandrov, N.D. and Khan-Magometova, Sh.D. Polarization of the luminescence of molecular crystals in different regions of the spectrum, 2=16868
 Gribkov, V.I. See Khan-Magometova, Sh.D., 2=16864
 Gribkov, V.I. See Zhevandrov, N.D., 2=10614
 Gribkov, V.I. See Zhevandrov, N.D., 3=2691
 Gribkovskii, V.P. and Stepanov, B.I. Polarization of luminescence of a harmonic oscillator, 0=17758
 Gribkovskii, V.P. and Stepanov, B.I. On agreement between the classical and quantum theories of the interaction of light with harmonic oscillators, 2=14702
 Gribkovskii, V.P. and Stepanov, B.I. Dependence of the absorption coefficient on the intensity and angular distribution of irradiation, 4=322
 Gribkovskii, V.P. See Anan'ev, Yu.A., 3=24517
 Gribkovskii, V.P. See Stepanov, B.I., 0=16075
 Gribkovskii, V.P. See Stepanov, B.I., 2=16507
 Gribnikov, Z.S. Boundary conditions at the surface in the problem of bipolar diffusion of carriers in a semiconductor, 0=15904
 Gribnikov, Z.S. Avalanche breakdown in a diode with a limited space-charge layer, 0=18058
 Gribnikov, Z.S. The distribution function of charge carriers in ideal p-n junctions, 2=8380
 Gribnikov, Z.S. The distribution functions of charge carriers in ideal p-n junctions, 2=10502
 Gribnikov, Z.S. and Tolp'ygo, K.B. Emissive power of a spherical contact between a metal and a semiconductor. The case of strong currents, 1=17769
 Gribnikov, Z.S. See Gorbach, T.Ya., 3=23024
 Gribov, L.A. A modified method for calculating the intensities and polarizations in the infrared absorption spectra of polyatomic molecules, 0=1531
 Gribov, L.A. The noise/signal ratio of double-beam infrared spectrometers, 0=10763
 Gribov, L.A. Measurements with double-beam spectrophotometers, 0=10777
 Gribov, L.A. Calculation of the intensities and polarizations in the infrared spectra of multiatomic molecules. I, 0=15721
 Gribov, L.A. Calculation of the intensities and polarizations of the vibrational absorption spectra of multiatomic molecules. II, 1=2324
 Gribov, L.A. An analysis of the tracking system of double-beam infrared spectrometers [type IKS-2(14)], 1=4466
 Gribov, L.A. Intensities and polarizations of characteristic vibrations in the infrared absorption spectra of multiatomic molecules, 1=14022
 Gribov, L.A. A new derivation of expressions for internal vibrational coordinates in terms of atomic displacements in polyatomic molecules, 2=1982
 Gribov, L.A. Theory of infrared absorption band intensities of complex molecules containing several identical groups, 2=6152
 Gribov, L.A. A general formula for the intensities of overtones and combination tones in infrared spectra of polyatomic molecules, 3=10526
 Gribov, L.A. Investigation of multiatomic molecules by the intensities of their infrared absorption spectra, 3=25076
 Gribov, L.A. Computation methods in molecular spectroscopy, 4=6524
 Gribov, L.A. On the calculation of the electro-optical parameters of ethane and methane. (In connection with the paper by L. M. Sverdlov and N. I. Prokof'eva), 4=15368
 Gribov, L.A. On the question of the physical significance of the force constants of polyatomic molecules, 4=20016
 Gribov, L.A. On the construction of the potential function of a polyatomic molecule, 4=22333
 Gribov, L.A. and Popov, E.M. Electro-optical parameters of polyatomic molecules and their calculation from experimental data on intensities and polarizations in infrared absorption spectra, 2=22942
 Gribov, L.A. and Popov, E.M. Valence-optical diagram and theoretical investigation of the intensity and polarization of the absorption spectrum bands of multiatomic molecules, 3=25114
 Gribov, L.A. and Smirnov, V.N. Intensities in the infrared absorption spectra of polyatomic molecules, 3=15323
 Gribov, L.A. See Popov, E.M., 3=15366
 Gribov, V., Okun, L. and Pomeranchuk, I. Processes determined by fermion Regge poles, 4=6113
 Gribov, V.N. A possibility of determining the scattering amplitudes of unstable particles at zero energy, 0=9296
 Gribov, V.N. Asymptotic behaviour of the scattering amplitude at high energies, 1=5667
 Gribov, V.N. A possible asymptotic behaviour of elastic scattering, 1=19149
 Gribov, V.N. Theory of reactions involving the formation of three particles near the threshold decay, 2=316
 Gribov, V.N. Partial waves with complex orbital momenta and the asymptotic behavior of the scattering amplitude, 2=3272
 Gribov, V.N. Analytic properties of partial wave amplitudes and the asymptotic behaviour of the scattering amplitude, 2=16175
 Gribov, V.N. A possible asymptotic behaviour of elastic scattering, 2=22453
 Gribov, V.N. Theory of reactions involving the formation of three particles near the threshold decay, 3=604
 Gribov, V.N. Partial waves with complex orbital momenta and the asymptotic behavior of the scattering amplitude, 3=4357
 Gribov, V.N. Analytic properties of partial wave amplitudes and the asymptotic behaviour of the scattering amplitude, 3=5957
 Gribov, V.N. Analytic properties of partial wave amplitudes and asymptotic behaviour of scattering amplitude, 3=7801
 Gribov, V.N. Fermion Regge poles and the asymptotic behaviour of meson-nucleon large-angle scattering, 3=14994
 Gribov, V.N. Fermion Regge poles and asymptotics of scattering of mesons on nucleons through large angles, 3=19662
 Gribov, V.N., Danilov, G.S. and Dyatlov, I.T. Analytical properties of a square diagram with non-decaying masses, 1=19152
 Gribov, V.N., Danilov, G.S. and Dyatlov, I.T. Analytic properties of the square diagram with decay masses, 2=269
 Gribov, V.N., Danilov, G.S. and Dyatlov, I.T. Analytical properties of a square diagram with non-decaying masses, 2=22424
 Gribov, V.N., Danilov, G.S. and Dyatlov, I.T. Analytic properties of the square diagram with decay masses, 3=569
 Gribov, V.N. and Dyatlov, I.T. Analytic continuation of the three-particle unitarity condition. Simplest diagrams, 2=7833
 Gribov, V.N. and Dyatlov, I.T. Contribution of three-particle states to the spectral function equation, 2=16176
 Gribov, V.N. and Dyatlov, I.T. Contribution of three-particle states to the spectral function equation, 3=5969
 Gribov, V.N. and Dyatlov, I.T. Analytic continuation of the three-particle unitarity condition simplest diagrams, 3=5970
 Gribov, V.N., Ioffe, B.L., Pomeranchuk, I.Ya. and Rudik, A.P. Some consequences of the hypothesis of the moving poles for processes at high energies, 2=20264
 Gribov, V.N., Ioffe, B.L., Pomeranchuk, I.Ya. and Rudik, A.P. Some consequences of the hypothesis of the moving poles for processes at high energies, 3=5960
 Gribov, V.N., Kolkunov, V.A., Okun', L.B. and Shekhter, V.M. A covariant deduction of the Weizsäcker-Williams formula, 2=3308
 Gribov, V.N., Kolkunov, V.A., Okun', L.B. and Shekhter, V.M. A covariant deduction of the Weizsäcker-Williams formula, 3=4376
 Gribov, V.N. and Pomeranchuk, I.Ya. Complex angular momenta and the relation between the cross-sections for different processes at high energies, 2=16173
 Gribov, V.N. and Pomeranchuk, I.Ya. Asymptotic behaviour of annihilation and elastic scattering processes at high energies, 2=16179
 Gribov, V.N. and Pomeranchuk, I.Ya. Spin structure of the meson-nucleon and nucleon-nucleon scattering amplitudes at high energies, 2=16189

- Gribov, V.N. and Pomeranchuk, I.Ya. Some properties of the high-energy elastic scattering amplitude, 2=20271
- Gribov, V.N. and Pomeranchuk, I.Ya. Regge poles and Landau singularities, 2=22446
- Gribov, V.N. and Pomeranchuk, I.Ya. Limitation of velocity of decrease of amplitudes in various processes, 2=22451
- Gribov, V.N. and Pomeranchuk, I.Ya. Properties of the elastic scattering amplitude at high energies, 3=2209
- Gribov, V.N. and Pomeranchuk, I.Ya. Complex angular momenta and the relation between the cross-sections for different processes at high energies, 3=5965
- Gribov, V.N. and Pomeranchuk, I.Ya. Some properties of the high-energy elastic scattering amplitude, 3=7811
- Gribov, V.N. and Pomeranchuk, I.Ya. Regge poles and Landau singularities, 3=14923
- Gribov, V.N. and Pomeranchuk, I.Ya. Limitation on the rate of decrease of amplitudes for various processes, 3=17223
- Gribov, V.N. and Pomeranchuk, I.Ya. Complex angular momentum and the relation between the cross-sections at high energies, 4=19453
- Gribov, V.N., Pomeranchuk, I.Ya. and Ter-Martirosyan, K.A. Partial wave singularities near $j = s$ and high energy behaviour of the elastic scattering amplitude, 4=21796
- Gribov, V.N., Terent'ev, M.V. and Ter-Martirosyan, K.A. The Mandelstam representation in perturbation theory for an anomalous mass relation, 1=13339
- Gribov, V.N. See Anisovich, V.V., 2=7888
- Gribov, V.N. See Anisovich, V.V., 3=550
- Gribov, V.N. See Anisovich, V.V., 3=2199
- Gribov, V.N. See Ansel'm, A.A., 0=9413
- Gribov, V.N. See Ansel'm, A.A., 0=11211
- Gribov, V.N. See Ansel'm, A.A., 2=22456
- Gribov, V.N. See Volkov, D.V., 3=24714
- Gribova, Z. P., Tyulin, V. I. and Tatevskii, V. M. Rotational Raman spectra. II. Vinyl acetylene (C_4H_6), 4=9762
- Griboval, P. See Beydon, J., 0=17678
- Gribovski, L. See Dubinin, G.N., 4=1952
- Gridasov, V.I. See Belovintsev, K.A., 4=3074
- Gridasov, V.I. See Belovintsev, K.A., 4=11734
- Gridin, V.A. and Kikoin, I.K. Nonstationary photo-magnetic effect in Ge single crystals, 3=17966
- Gridnev, K.A., Denisov, A.E., Nemilov, Yu.A., Sadkovskii, V.S. and Teterin, E.D. The (d, α) reaction on B^{11} and O^{18} at 6.6 MeV deuteron energy, 4=22172
- Gridnev, K.A. See Belozerskii, G.N., 2=8586
- Gridnev, K.A. See Nemilov, Yu.A., 1=6238
- Gridnev, K.A. See Vyazemskii, V.O., 2=22360
- Gridnev, V.I. See Korolev, F.A., 4=21310
- Gridnev, V.N. and Nechiporenko, V.G. Phase transformation during the electric heating of manganese-vandium steels, 2=6827
- Gridnev, V.N., Trefilov, V.I. and Minakov, V.N. Martensitic transformations in the titanium-zirconium system, 1=4064
- Gridnev, V.N., Trefilov, V.I. and Minakov, V.N. Martensitic transformations in the titanium-zirconium system, 1=7874
- Gridnyev, V.N., Minakov, V.N. and Trefilov, V.I. Austenite formation during the rapid heating of steels, 4=23270
- Gridnyev, V.N. and Yefimov, O.I. Inferometric investigation of ferritic grain boundaries, 2=8233
- Gridnyev, V.N. See Butylenko, A.K., 4=23028
- Grieco, M.J. See Miller, K.J., 2=10807
- Grieco, M.J. See Miller, K.J., 2=19061
- Grieder, P.K.F. Large spark chamber as core analyser for extensive air showers, 3=15056
- Grieger, G. See D'Angelo, N., 4=11660
- Grieger, G. See D'Angelo, N., 4=11680
- Griem, H.R. Stark broadening of higher hydrogen and hydrogen-like lines by electrons and ions, 1=2290
- Griem, H.R. Stark broadening of isolated spectral lines from heavy elements in a plasma, 3=701
- Griem, H.R. High-density corrections in plasma spectroscopy, 3=1961
- Griem, H.R. Wing formulae for Stark-broadened hydrogen and hydrogenic lines, 3=2558
- Griem, H.R. Plasma spectroscopy, 3=7577
- Griem, H.R. Validity of local thermal equilibrium in plasma spectroscopy, 3=19233
- Griem, H.R., Baranger, M., Kolb, A.C. and Oertel, G. Stark broadening of neutral helium lines in a plasma, 2=3698
- Griem, H.R. and Kolb, A.C. Radiation from high-temperature collision-dominated plasmas, 3=7506
- Griem, H.R., Kolb, A.C., Lupton, W.H. and Phillips, D.T. Measurements of electron densities and temperatures and other plasma parameters in magnetic compression experiments, 3=12158
- Griem, H.R., Kolb, A.C. and Shen, K.Y. Stark broadening of hydrogen lines in a plasma, 0=1480
- Griem, H.R., Kolb, A.C. and Shen, K.Y. Stark profile calculations for the $H\beta$ line of hydrogen, 2=3696
- Griem, H.R. and Shen, K.Y. Stark broadening of hydrogenic ion lines in a plasma, 1=8809
- Griem, H.R. and Shen, C.S. Application of a dispersion relation to the electron impact widths and shifts of isolated spectral lines from neutral atoms, 2=33699
- Griem, H.R. See Anderson, A.D., 4=19942
- Griem, H.R. See Berg, H.F., 2=3700
- Griem, H.R. See Bronfin, B.R., 2=5134
- Griem, H.R. See Elton, R.C., 4=28109
- Griem, H.R. See Hintz, E., 4=14694
- Griem, H.R. See Kolb, A.C., 3=12159
- Griem, H.R. See McLean, E.A., 1=291
- Griem, H.R. See McLean, E.A., 1=12917
- Griem, F.R. See Wiese, W., 0=19689
- Griem, H.R. See Wiese, W., 1=2782
- Grierson, R. See Rosenberg, A.J., 4=23262
- Griesacker, P.B. and Roy, R.R. Gamma rays from Au^{197} , 4=9421
- Grieshammer, G. See Schwink, C., 4=30772
- Griessbach, D. Fluorescence measurements on cyclohexane mixed crystals, 0=11777
- Griessbach, D. Spectroscopic polarization measurements on naphthalene crystals, 0=11778
- Griesser, O. and Sittkus, A. Measurement of the Kr^{86} content of the air, 1=20874
- Grievesson, P. and Turkdogan, E.T. Determination of interdiffusivities of argon and metal vapor mixtures at elevated temperatures, 4=24266
- Grievesson, P. See Turkdogan, E.T., 3=24120
- Griffin, A. See Halliday, I., 3=11488
- Griffin, C.F. See Thomas, H.C., 3=17431
- Griffin, C.W. Analysis of the sodium reactor experiment prompt power coefficient, 3=6333
- Griffin, C.W. See Randall, R.L., 4=19863
- Griffin, D.A. See McNally, J.R., Jr., 3=14556
- Griffin, E.E. and Alford, W.P. Measurement of the polarization of 7-8 MeV protons inelastically scattered from the first excited states of Ni^{58} and Ti^{48} , 2=18320
- Griffin, G. See Powell, W.M., 4=5914
- Griffin, H.C. See Pierson, W.R., 2=20539
- Griffin, J.E. See Anderson, D.W., 3=17453
- Griffin, J.E. See Rodda, J.L., 3=19149
- Griffin, J.J. Energy dependence of fission fragment anisotropy, 0=1457
- Griffin, J.J. Fission fragment angular distributions by exact power series, 2=18370
- Griffin, J.J. Nuclear superfluidity and statistical effects in nuclear fission, 4=6386
- Griffin, J.J. Beta decays and delayed gammas from fission fragments, 4=19835
- Griffin, J.J. and Hanna, G.C. Fission phenomena and nuclear structure. I-II, 1=8787
- Griffin, J.J. and Rich, M. Moments of inertia of even-even rare earths, 0=1354
- Griffin, J.J. and Rich, M. Moments of inertia of even-even rare earth nuclei, 0=9504
- Griffin, J.J. See Britt, H.C., 4=3718
- Griffin, J.J. See Rich, M., 3=19743
- Griffin, O.G. and Stringfield, C.M. A dew-point meter based on thermoelectric cooling, 4=14459
- Griffin, R.F. Photoelectric measurements of the $\lambda 5250A$ Fe I triplet and the D lines in G and K stars, 1=9282
- Griffin, R.F. Positions of optical objects in the fields of 42 radio sources, 3=23711
- Griffin, R.F. and Redman, R.O. Photoelectric measurements of the $\lambda 4200A$ CN band and the G band in G8-K5 spectra, 0=18846
- Griffin, W.G. and McWhirter, R.W.P. An absolute intensity calibration in the vacuum ultra-violet, 3=16767
- Griffin, W.G. See Fawcett, B.C., 4=19065
- Griffin, W.G. See Hobbs, G.D., 3=7463
- Griffing, G.W. Influence of the rotational levels on the scattering of slow neutrons by gaseous methane, 1=19624
- Griffing, G.W. Influence of interference scattering on the scattering of slow neutrons by gaseous methane, 2=18475

- Griffing, G.W. See Dalgarno, A., 0=8984
- Griffing, V. See DeCarlo, V., 2=16512
- Griffing, V. See Ruffa, A.R., 2=8905
- Griffing, V. See Scheel, N., 2=8118
- Griffioen, R.D. and MacFarlane, R.D. Alpha-decay properties of some francium isotopes near the 126-neutron closed shell, 4=12191
- Griffioen, R.D. and Rasmussen, J.O. Analysis of long-range alpha-emission data, 1=4843
- Griffioen, R.D. See Macfarlane, R.D., 3=12637
- Griffioen, R.D. See Macfarlane, R.D., 3=24907
- Griffioen, R.D. See Macfarlane, R.D., 4=9430
- Griffith, H.O. See McConnell, H.M., 2=16634
- Griffith, J.S. Some investigations in the theory of open-shell ions. I. The spin-Hamiltonian, 0=20684
- Griffith, J.S. The electronic structures of some first transition series metal porphyrins and phthalocyanines, 1=865
- Griffith, J.S. Some investigations in the theory of open-shell ions. II. V, W and X coefficients, 1=14082
- Griffith, J.S. Some investigations in the theory of open-shell ions. III. The calculation of matrix elements, 1=14083
- Griffith, J.S. Some investigations in the theory of open-shell ions. IV. The basis of intensity theory, 1=14084
- Griffith, J.S. Group theory and aromatic molecules, 2=3757
- Griffith, J.S. Critique of the method of the split p-orbital, 2=10268
- Griffith, J.S. Packing of equal O-spheres, 3=7090
- Griffith, J.S. Some investigations in the theory of open-shell ions. V. The weak-field coupling scheme for d-electron systems, 3=22526
- Griffith, J.S. Spin Hamiltonian for even-electron systems having even multiplicity, 4=1197
- Griffith, J.S. Spectrum of dissolved molecular oxygen, 4=20058
- Griffith, J.S. Crystal-field theory as an operator-equivalent scheme, 4=28315
- Griffith, J.S. See George, P., 4=20145
- Griffith, O.H. Electron spin resonance and molecular motion of the $\text{RCH}_2\text{CHCOOR}'$ radicals in X-irradiated Ester-Urea inclusion compounds, 4=28277
- Griffith, R.M. Reply, 4=13792
- Griffith, R.W. See Geller, M., 4=20019
- Griffith, T.C., Imrie, D.C., Lush, G.J., and Metheringham, A.J. Measurement of the depolarization parameter for 50 MeV proton-proton scattering at 70° c.m., 3=17275
- Griffith, T.C. and Power, E.A. (Conf. Rep.). Nuclear forces and the few-nucleon problem, 0=3926
- Griffith, T.C. See Cairns, D.J., 2=3224
- Griffith, T.C. See Esten, M.J., 1=19192
- Griffith, T.C. See Lush, G.J., 4=25099
- Griffiths, D. Robust helical spring microbalance, 2=233
- Griffiths, D. and Coles, B.R. Magnetic Brillouin zone effects in the thermoelectric power and magnetoresistance of α -manganese, 3=20555
- Griffiths, D. See Calder, R.S., 2=15021
- Griffiths, D. See Coles, B.R., 1=1203
- Griffiths, D. See Coles, B.R., 1=6383
- Griffiths, D. See Fawcett, E., 3=2757
- Griffiths, D. See Gale, B., 0=6349
- Griffiths, D. See Homer, R.J., 4=16933
- Griffiths, D.H., King, R.F., Pees, A.I. and Wright, A.E. The remanent magnetism of some recent varved sediments, 1=1579
- Griffiths, D.J. The behaviour of vortex lines near a wire in liquid helium II, 4=8548
- Griffiths, D.J. Superfluid circulation in liquid He, 4=16324
- Griffiths, D.J. See Daniels, J.M., 2=23037
- Griffiths, D.J. See Daniels, J.M., 2=23687
- Griffiths, D.J. See Rieckhoff, K.E., 3=8714
- Griffiths, D.J. See Rieckhoff, K.E., 4=17681
- Griffiths, G.M., Lal, M. and Scarfe, C.D. The reaction $\text{D}(p, \gamma)\text{He}^3$ below 50 keV, 3=15045
- Griffiths, G.M., Larson, E.A. and Robertson, L.P. The capture of protons by deuterons, 2=9848
- Griffiths, G.M., Morrow, R.A., Riley, P.J. and Warren, J.B. The $\text{T}(\alpha, \gamma)\text{Li}^7$ reaction, 1=17151
- Griffiths, G.M. See Singh, P.P., 0=4082
- Griffiths, J. See Griffiths, P.A., 4=2866
- Griffiths, J. See Ratcliff, G., 4=18657
- Griffiths, J.E. Infrared spectra of methylgermane, methyl- d_3 -germane, and methylgermane- d_3 , 3=17603
- Griffiths, J.E., Carter, R.P., Jr and Holmes, R.R. Molecular structures of PCl_4F , PCl_3F_2 , PCl_2F_3 , and PF_5 : infrared and low-temperature raman vibrational spectra, 4=25679
- Griffiths, J.E. and Irish, D.E. Infrared and Raman spectra of cyanuric fluoride, 4=22376
- Griffiths, J.E. and Walrafen, G.E. Infrared and Raman spectra of digermane, 4=9739
- Griffiths, J.E. See Edelson, D., 2=22178
- Griffiths, J.H.E. and Orton, J.W. Some weak lines in the paramagnetic resonance spectrum of impure MgO crystals, 0=6262
- Griffiths, J.H.E., Owen, J., Park, J.G. and Partridge, M.F. Exchange interactions in antiferromagnetic salts of iridium I. Paramagnetic resonance experiments, 0=8067
- Griffiths, J.H.E. See Orton, J.W., 1=17536
- Griffiths, J.H.E. See Thornley, J.H.M., 2=6248
- Griffiths, J.H.E. See Wertz, J.E., 0=21075
- Griffiths, J.H.E. See Wertz, J.E., 1=3653
- Griffiths, J.H.E. See Windsor, C.G., 2=20832
- Griffiths, J.H.E. See Windsor, C.G., 3=10564
- Griffiths, J.W.R. and Murarka, N.P. Variation of sensitivity of solid dielectric capacitance transducers, 4=21234
- Griffiths, K. See Faulkner, J., 3=21104
- Griffiths, L.B. Effect of hydrogen-ion bombardment on the oxides of aluminium and magnesium, 0=20865
- Griffiths, L.B. The arcing behaviour of metals in contact with a low energy hydrogen plasma, 2=3020
- Griffiths, L.B. The effect of irradiation and post irradiation annealing on the electrical resistivity of uranium monocarbide, 2=6414
- Griffiths, L.B. Effect of oxygen on the temperature coefficient of resistivity of uranium monocarbide, 2=8307
- Griffiths, L.B. Uranium carbide-potential fast reactor fuel, 2=12271
- Griffiths, L.B. Quenching vacancies in uranium monocarbide, 2=23159
- Griffiths, L.B. Irradiation damage in uranium monocarbide, 4=22656
- Griffiths, L.B., Mlavsky, A.I., Rupprecht, G., Rosenberg, A.J., Smakula, P.H. and Wright, M.A. Silicon carbide diode laser, 4=9000
- Griffiths, L.B. and Pfeil, P.C.L. Insulating particles on cathode surfaces: their effect upon electrical discharges, 0=9007
- Griffiths, L.B. See Pfeil, P.C.L., 0=9012
- Griffiths, P.A. and Griffiths, J. An autocode programme for the study of natural convection and radiation in three gases: helium, CO_2 and air, 4=2866
- Griffiths, P.M. See Bates, L.F., 0=10151
- Griffiths, R.B. Theory of magnetic exchange-lattice relaxation in two organic free radicals, 2=549
- Griffiths, R.B. Magnetization curve at zero temperature for the antiferromagnetic Heisenberg linear chain, 4=10296
- Griffiths, R.B. Evidence for exchange-coupled linear chains in $\text{Cu}(\text{NH}_3)_4\text{SO}_4 \cdot \text{H}_2\text{O}$, 4=26351
- Griffiths, R.B. See Webb, R.H., 1=9125
- Griffiths, R.J. and Knight, K.M. The $\text{d}(p, 2p)n$ reaction at 50 MeV, 4=21957
- Griffiths, R.J., Knight, K.M., Candy, C.J. and Cole, A.J. Mass discrimination with plastic scintillators, 2=20189
- Griffiths, R.J. See Batty, C.J., 3=5903
- Griffith, R.M. A possible relation between condensation nucleus concentration and the drop-size distribution of continuous warm-front rainfall, 3=18507
- Griffiths, T.R. Diffuse reflectance spectra of potassium iodate and some mercuric iodide complexes, 3=23557
- Griffiths, T.R. and Symons, M.C.R. Ionic interactions in solutions of electrolytes as studied by ultra-violet spectroscopy, 1=137
- Griffiths, T.R. See Blandamer, M.J., 3=13612
- Griffiths, V. See Saimoto, S., 0=18323
- Griffiths, V.S. and Derwish, G.A.W. The field effect and the C-H Out-of-Plane vibrations of substituted benzenes, 4=30453
- Griffy, T.A. and Biedenharn, L.C. Beta decay involving the $\text{Be}^{8*}(2^+)$ state, 0=9556
- Griffy, T.A. and Biedenharn, L.C. Nuclear resonance effects in Coulomb excitation, 2=12130
- Griffy, T.A. and Biedenharn, L.C. A note on the angular distribution of inelastically scattered particles in Coulomb excitation, 2=20580
- Griffy, T.A. and Biedenharn, L.C. Nuclear resonance effects in Coulomb excitations, 4=9375

- Griffy, T. A. and Oakes, R. J. Electron-Proton coincidence cross section for He^3 and H^3 , 4=27827
- Griffy, T. A., Onley, D. S., Reynolds, J. T. and Biedenharn, L. C. Partial-wave analysis of the inelastic scattering of electrons by nuclei. I. Results for quadrupole excitations, 3=665
- Griffy, T. A. See Brussard, P. J., 3=12573
- Griffy, T. A. See Meister, N. T., 4=15201
- Griffy, T. A. See Onley, D. S., 3=8081
- Griffy, T. A. See Phillips, G. C., 1=5402
- Griggs, C. F. and Sumner, H. M. Notes on the sensitivity of calculated moderator coefficients to the model and cross-sections used, 3=8155
- Griggs, M. and Green, A. E. S. Calculations of the transmission of the atmosphere in the infrared, 4=4771
- Griggs, M. See Green, A. E. S., 3=18550
- Grigoletto, A. See Bellière, J., 3=24775
- Grigoletto, A. See Di Corato, M., 2=22627
- Grigolyuk, E. I. Dynamics of elastoplastic shells and plates, 1=15989
- Grigolyuk, E. I. Dynamics of elastoplastic shells and plates, 1=18499
- Grigor, J. A. See Penfold, B. R., 0=4643
- Grigorescu, L., Lazarovici, C., Mateescu, N. and Şandru, P. Standardization of Co^{60} sources for β - γ coincidence methods, 3=7822
- Grigorescu, L. and Nachman, M. Reflexion coefficient of a Cu-Sn alloy obtained by simultaneous evaporation of its constituents, 1=15125
- Grigorescu, L. and Teodorescu, I. Electron diffraction studies on a Cu-Sn alloy obtained by simultaneous evaporation of its constituents, 1=15125
- Grigoresku, L. and Nakhman, M. Reflective power of Sn-Sn alloys, obtained by simultaneous condensation of vapours of the components on a base, 0=1718
- Grigoresku, L. and Teodorescu, I. Electron-diffraction investigation of the Cu-Sn alloy prepared by simultaneous condensation of the components on a glass base, 0=18400
- Grigoresku, L. See Asavine, I., 4=9006
- Grigor'ev, A. D., Mikhailov, Yu. G., Reinov, N. M., Rummyantseva, A. V. and Smirnov, A. P. Apparatus for the production of films by evaporation in vacuum, 3=5148
- Grigor'ev, A. I., Orlova, Yu. V., Sipachev, V. A. and Novoselova, A. V. Vibrational spectra of alkali metal fluoberyllates of the type M_2BeF_4 , 4=10161
- Grigor'ev, A. M. Anometers for the measurement of ultra-high vacuum, II, 1=5305
- Grigor'ev, A. M., Khavkin, L. P. and Tsybina, N. V. Measurement of pressures from 0.1 to 5 mm Hg by a thermocouple manometer type [LT-2], 1=5248
- Grigor'ev, B. A., Ershov, A. G. and Uvarov, V. A. Reflection of radiation by an infinite plane illuminated with a point source. I. Characteristics of the radiation field, 1=12969
- Grigor'ev, B. A., Ershov, A. G. and Uvarov, V. A. Reflection of radiation by an infinite flat surface, illuminated from a point source. II. Particular cases, important for practical applications, 1=18564
- Grigor'ev, E. L. and Mitin, N. A. Elastic scattering of 390 MeV π^+ -mesons by protons, 0=7409
- Grigor'ev, E. L. and Mitin, N. A. Polarization of recoil protons produced in elastic scattering at 307 MeV, 0=9411
- Grigor'ev, E. L. See Bogachev, N. P., 3=15200
- Grigor'ev, E. L. See Bogachev, N. P., 3=17271
- Grigor'ev, E. L. See Bogachev, N. P., 3=22389
- Grigor'ev, E. L. See Bogachev, N. P., 4=1083
- Grigor'ev, E. P. Half life of Tb^{157} , 4=19734
- Grigor'ev, E. P. and Avotina, M. P. Comparison of the theory of nonaxial nuclei with experiment, 2=13953
- Grigor'ev, E. P. and Dzhelepov, B. S. Decay of Ho^{166} , 1=2191
- Grigor'ev, E. P., Dzhelepov, B. S., Zvol'ska, V., Zolotavin, A. V., Mal'sheva, T. V., Khotin, B. A. and Adam, I. Conversion electrons of short-lived platinum and tungsten isotopes, 3=8052
- Grigor'ev, E. P., Gromov, K. Ya., Dzhelepov, B. S., Zhelev, Zh. T., Zvol'ska, V. and Zvol'skii, I. Yb^{168} - Tm^{168} - Er^{168} decay chain, 3=8049
- Grigor'ev, E. P., Gromov, K. Ya., Dzhelepov, B. S., Zvol'ska, V., Zolotavin, A. V., Veis, M. and Van Yun-yui [Wang Yung-yui]. The decay of the two-hour isotope Lu^{180} , 1=10975
- Grigor'ev, E. P., Larionov, O. D., Nikitin, M. K., Sakharov, S. L. and Sergeev, V. O. Determination of the periods of Dy^{159} , Ho^{160m} , Tm^{166} and Lu^{173} , 2=14012
- Grigor'ev, E. P., Larionov, O. V., Nikitin, M. K., Sakharov, S. L. and Serveev, V. O. Gamma-spectra of the tantalum activity formed by proton bombardment of tantalum, 2=14065
- Grigor'ev, E. P., Novikov, G. S. and Sergeev, V. O. Concerning the genetic relation between the isomeric states of Ho^{160} , 4=12156
- Grigor'ev, E. P., Peregud, B. P., Sergeev, V. O. and Skopina, V. I. Decay of Tm^{166} , 4=12188
- Grigor'ev, E. P., Sakharov, S. L. and Sergeev, V. O. Gamma spectra of the isotopes in the Lanthanum fraction from spallation of tantalum, 2=14060
- Grigor'ev, E. P. and Zolotavin, A. V. Determination of the magnet pole form by considering the end effect, 2=1558
- Grigor'ev, L. M. See Kapitsa, M. L., 4=8810
- Grigor'ev, L. N. Formation of a new phase during boiling of binary mixtures, 4=5460
- Grigor'ev, N. B. See Damaskin, B. B., 3=20938
- Grigor'ev, N. N. and Kulyupin, Yu. A. Deterioration of a phosphor during electroluminescence, 2=729
- Grigor'ev, N. N. and Kulyupin, Yu. A. Some results of an investigation of the deterioration of phosphors during electroluminescence, 2=14755
- Grigor'ev, O. I. See Biryukov, E. I., 2=16371
- Grigor'ev, O. I. See Biryukov, E. I., 2=18299
- Grigor'ev, V. I. See Vavilov, B. T., 1=3145
- Grigor'ev, V. K. Electrostatic spectrometer for recoil nuclei, 4=16843
- Grigor'ev, V. K., Grishin, A. P., Vladimirovskii, V. V., Trostina, K. A., Erofeev, I. A. and Tikhomirov, G. D. Investigation of the $\pi^- + p \rightarrow p + \pi^- + \pi^+ + \pi^-$ reaction at 2.8 BeV, 4=30256
- Grigor'ev, V. K. See Trebukhovskii, Yu. V., 0=11175
- Grigor'ev, V. N. Difference in the saturated vapour pressures of krypton and xenon isotopes, 3=21633
- Grigor'ev, V. N. Surface tension of para-hydrogen, 4=29605
- Grigor'ev, V. N. and Rudenko, N. S. The density of H_2 - D_2 mixtures, 1=18438
- Grigor'ev, V. N. and Rudenko, N. S. Density of H_2 - D_2 mixtures, 3=21343
- Grigor'ev, V. N. and Rudenko, N. S. Surface tension of liquid hydrogen isotopes and hydrogen-deuterium solutions, 4=27164
- Grigor'ev, V. S. and Kryazhev, F. I. Investigation of the propagation of low-frequency sound in shallow water, 0=19268
- Grigor'ev, V. S. See Galkin, O. P., 0=19310
- Grigor'eva, A. G. See Presnov, V. A., 3=25364
- Grigor'eva, G. M. See Golovin, B. M., 4=28648
- Grigor'eva, L. F. See Kachalov, N. N., 0=8139
- Grigor'eva, L. I. See Chechkin, V. V., 2=9573
- Grigoreva, L. I. See Chechkin, V. V., 4=29909
- Grigor'eva, L. I. See Vasil'ev, M. P., 4=24652
- Grigor'eva, L. I. See Vasil'ev, M. P., 4=24653
- Grigor'eva, L. I. See Vasil'ev, M. P., 4=27528
- Grigor'eva, L. I. See Vasil'ev, M. P., 4=29910
- Grigoriants, A. N. Some questions concerning the operation of a nuclear power station, 0=7653
- Grigoriev, D. P. Shadows on quartz crystals, 4=13558
- Grigoriev, E. P. and Avotina, M. P. Comparison of the theory of non-axial nuclei with experiments, 0=20315
- Grigoriev, E. P. and Zolotavin, A. V. On the decay of Se^{75} , 0=4062
- Grigoriev, E. P. and Zolotavin, A. V. Concerning the decay of Se^{78} , 1=5874
- Grigoriev, V. N. Surface tension in deuterohydrogen, 4=2644
- Grigoriev, V. N. See Bogoyavlenskii, I. V., 0=9749
- Grigoriu, A., Macovei, M., Popescu, C. and Toth, T. Apparatus for the measurement of the ion current intensity distribution, in the reaction chamber of a cyclotron, 1=5513
- Grigorkin, V. I. Thermomechanical treatment of austenitic steels, 3=23483
- Grigorov, B. G. and Papadopolov, Zh. Measurement of G. M. counters dead time with pulsed supply, 4=24939
- Grigorov, G. and Ivanov, S. Sensitive thermo-conduction gauge with measuring thermistor, 4=27234
- Grigorov, G. See Dzhakov, E., 4=29844
- Grigorov, G. See Djakov, E., 4=5587
- Grigorov, N. L., Rapoport, I. D., Murzin, V. S. and Sabin, F. D. A 49-channel pulse-amplitude analyser with large dynamic range, 2=5288
- Grigorov, N. L. Production of high energy pions by cosmic ray particles, 4=6174
- Grigorov, N. L. Composition of nuclear-active component of cosmic rays in the atmosphere, 4=9327
- Grigorov, N. L., Erofeeva, I. N., Murzin, V. S., Mishchenko, L. G., Rapoport, I. D., Rostomyan, B. O., Sobinyakov, V. A. and Titkov, A. F. Nuclear active particle spectrum at 3260 metres above sea level, 4=969

- Grigorov, N. L., Guseva, V. V., Dobrotin, N. A., Kotelnikov, K. A., Murzin, V. S., Ryabikov, S. V. and Slavatskiy, S. A. Studies of nucleon-nucleon interactions at energies of 2×10^{11} eV, 1=5801
- Grigorov, N. L. and Kondrat'eva, M. A. Investigation of a shower consisting of 200 000 particles and recorded in a nuclear photographic plate, 0=9472
- Grigorov, N. L., Kondratiev, N. A., Savell'eva, A. I., Sobinyakov, V. A., Podgurskaya, A. V. and Shestoporov, V. Ya. Methods, proposed by Moscow University, of studying the elementary act of interaction of nuclear-active particles of energy 10^{11} - 10^{14} eV with atomic nuclei, 1=3265
- Grigorov, N. L., Murzin, V. S. and Rapoport, I. D. [Elementary] interaction between 10^{11} - 10^{12} eV [cosmic-ray] particles and iron nuclei, 0=9492
- Grigorov, N. L. and Shestoporov, V. Ya. On certain singularities in the interaction with light nuclei of particles with energies $E \geq 2 \times 10^{12}$ eV, 0=15479
- Grigorov, N. L., Tretyakova, C. A., Shestopierov, V. J., Babayan, C. P., Bayadsyan, N. G., Buja, Z., Loskiewicz, J., Massalski, J. and Oleś, A. Integral spectrum of ionisation pulse caused by nuclear active particles of cosmic radiation at mountain altitudes, 2=16254
- Grigorov, N. L., Tretyakova, C. A., Shestopierov, V. J., Babayan, C. P., Bayadsyan, N. G., Babecki, J., Loskiewicz, J., Massalski, J. and Oleś, A. Investigations of energy particles interactions with atomic nuclei at the mountain altitudes, 3=10197
- Grigorov, N. L., Tretyakova, C. A., Shestoporov, V. J., Babayan, C. P., Boyadsyan, N. G., Massalski, J., Nizioł, B. and Oleś, A. Integral spectrum of nuclear active particles at mountain altitudes from the investigation of high ionization pulses, 4=19627
- Grigorov, N. L., Tretyakova, Ch. A., Shestoporov, V. Ya., Babayan, Kh. P., Boyadzhyan, N. G., Massalski, E., Nizioł, B. and Oleś, A. Large ionization events and spectra of nuclear-active fragments at high altitude, 4=27927
- Grigorov, N. L., Zhuravlev, D. A., Kondrat'eva, M. A., Rapoport, I. D. and Savenko, I. A. Searches for antimatter in cosmic rays and in space, 2=19276
- Grigorov, N. L., Zhuravlev, D. A., Kondrat'eva, M. A., Rapoport, I. D. and Savenko, I. A. Searches for antimatter in cosmic rays and outer space, 3=9163
- Grigorov, N. L., Zhuravlev, D. A., Kondrat'eva, M. A., Rapoport, I. D. and Savenko, I. A. Search for antimatter in cosmic radiation, 4=6158
- Grigorov, N. L. See Alekseeva, K. I., 0=9486
- Grigorov, N. L. See Alekseeva, K. I., 0=9494
- Grigorov, N. L. See Babayan, C. P., 1=3271
- Grigorov, N. L. See Babayan, H. P., 3=6103
- Grigorov, N. L. See Babayan, Kh. P., 3=19595
- Grigorov, N. L. See Babayan, Kh. P., 3=22237
- Grigorov, N. L. See Babayan, Kh. P., 4=3509
- Grigorov, N. L. See Babayan, Kh. P., 4=12090
- Grigorov, N. L. See Babayan, Kh. P., 4=19618
- Grigorov, N. L. See Babetski, S. Yu., 1=19314
- Grigorov, N. L. See Babetski, S. Yu., 3=4487
- Grigorov, N. L. See Babetski, Ya. S., 2=331
- Grigorov, N. L. See Babetski, Ya. S., 2=22675
- Grigorov, N. L. See Vernov, S. N., 2=12087
- Grigорова, V. S., Lindstrom, I. S., Sventitskii, N. S. and Sukhenko, K. A. Spectroscopic determination of oxygen in high-melting metals and alloys, 3=25851
- Grigorovic, R., Croitoru, N. and Marinescu, N. Width of the forbidden zone in p-type degenerate Ge, 2=18682
- Grigorovic, R., Croitoru, N. and Nicoladide, L. Study of vacuum-evaporated lead films. II. Hall constant, 2=6370
- Grigorovich, R., Deveni, A. and Botsil, T. Determination of the concentration of free electrons in aluminium, 4=9891
- Grigorovich, R. [Grigorovici] and Croitoru, N. [Croitoru]. Hall constant for thin films of silver, 2=6423
- Grigorovich, R. [Grigorovici] and Manaila, R. The effect of the object thickness on phase contrast, 1=12972
- Grigorovici, R. See Grigorovich, R., 1=12972
- Grigorovici, D., Ciobanu, G. and Toma, E. Studies of light scattering by thin granular silver films, 1=18618
- Grigorovici, R. and Ciobanu, G. The scattering of light by thin granular layers of silver, 4=22892
- Grigorovici, R. and Cristescu, G. Contribution to the theory of the high frequency torch discharge, 0=5299
- Grigorovici, R., Croitoru, N. and Dévényi, A. A new method for determining the height of hemispherical particles with the electron microscope, 0=16368
- Grigorovici, R., Croitoru, N. and Deveni, A. A new method for determining the height of particles (spherical calotte) by means of an electron microscope, 1=1467
- Grigorovici, R., Croitoru, N. and Dévényi, A. Structure and aggregation processes in evaporated layers of silver and lead, 1=2548
- Grigorovici, R., Croitoru, N. and Dévényi, A. A study of vacuum evaporated lead films. I. Thermal coefficient of electrical resistance, 2=6469
- Grigorovici, R., Croitoru, N. and Dévényi, A. Experiments on vacuum-evaporated lead films. I. Temperature coefficient of electrical resistance, 2=8281
- Grigorovici, R., Croitoru, N. and Dévényi, A. The electrical conductivity and the structure of thin layers of silver, 2=8283
- Grigorovici, R., Croitoru, N. and Dévényi, A. Photoresistance in PbS, 2=18749
- Grigorovici, R., Croitoru, N. and Marinescu, N. The width of the forbidden energy gap in degenerate p-germanium, 2=12518
- Grigorovici, R., Croitoru, N. and Marinescu, N. Electrical properties and structure of germanium polycrystalline films, 3=8507
- Grigorovici, R., Croitoru, N. and Nicolaide, L. Experiments on vacuum-evaporated lead films. II. The Hall constants, 2=8282
- Grigorovici, R. and Dévényi, A. Electrical properties of evaporated cadmium layers, 2=10438
- Grigorovici, R. and Dévényi, A. Electrical properties of cadmium films deposited by evaporation, 2=18635
- Grigorovici, R., Dévényi, A. and Botilă, T. The number of free electrons in aluminium, 2=16620
- Grigorovici, R., Dévényi, A. and Botilă, T. Determination of the concentration of free electrons in aluminium, 2=20979
- Grigorovici, R., Dévényi, A. and Botilă, T. The electrical conductivity and the Hall constant of cooled layers of thin evaporated films of aluminium, 3=4906
- Grigorovici, R., Dévényi, A. and Botilă, T. Electrical conductivity and Hall constant of evaporated Al films in vacuum on cooled supports, 3=8494
- Grigorovici, R., Dévényi, A. and Mănilă, R. The electrical conductivity of metallic films of irregular thickness, 2=16681
- Grigorovici, R. and Manaila, R. The image of thick objects in the phase-contrast microscope, 0=16826
- Grigorovici, R. and Oncescu, M. The necessity of introducing a new radio-biological quantity, 1=626
- Grigorovici, R. See Grigorovich, R.
- Grigoruk, L. V. and Melik-Gaikazyan, I. Ya. The effect of thermal treatment and X-irradiation on the activator absorption spectrum of NaCl:Pb, 3=940
- Grigoruk, L. V. and Melik-Gaikazyan, I. Ya. Impurity distribution and formation of color centers under the action of X rays in NaCl-Mn, NaCl-Cd, and NaCl-Pb, 4=10001
- Grigoryan, E. V., Kantardzhyan, L. T. and Chirkinyan, S. S. Investigation of the luminescence of ionic forms of uranin and fluorescein, 2=15606
- Grigoryan, G. G. See Polukhin, P. I., 4=23101
- Grigoryan, R. A. See Victorov, I. A., 0=8732
- Grigoryan, S. S. Limiting self-similar one-dimensional unsteady gas flows. Cauchy's problem and the piston problem, 1=6881
- Grigoryan, S. S. Heating and melting of a solid due to friction, 1=6888
- Grigoryan, S. S. The Cauchy problem and the problem of the piston for one-dimensional unsteady motion of a gas (self-similar motion), 1=15926
- Grigoryants, V. V. and Oraevskii, I. N. A compensation method of measuring molecular beam operational efficiency, 3=12884
- Grigoryants, V. V. and Zhabotinskii, M. E. Calculation and design of precision thermostats, 1=4506
- Grigoryev, E. P. and Zolotavin, A. V. The spectral sensibility [sensitivity] of a magnetic gamma-spectrometer in a photoelectric method, 1=477
- Grigoryev, V. M. Investigation of the separation of krypton isotopes in a non-packing rectification column, 2=10228
- Grigoryev, V. K. See Vladimirovskii, V. V., 3=7861
- Grigson, C. W. B. High-speed direct-recording system for electron diffraction, 2=2440
- Grigson, C. W. B. On scanning electron diffraction, 2=14968
- Grigson, C. W. B. A scanning electron diffraction system, 3=1278
- Grigson, C. W. B., Denbigh, P. N. and Nixon, W. C. Scanning electron diffraction with electron energy analysis, 3=18404
- Grigson, C. W. B. See Cole, M., 1=9240
- Grigson, C. W. B. See Garrood, J. R., 3=1078

- Grigulis, Yu. A high frequency electromagnetic method of checking the properties of the surface layers on details, 0=6530
- Grigull, U. Optical properties of thermal boundary layers, 3=24076
- Grigull, U. The principle of Le Chatelier and Braun, 4=8529
- Griio [Grillot], E., Gross, E.F., Bansi-Griio [Bancie-Grillot], M. and Novikov, B.V. Variation in the shape of spectral dependence of photosensitivity in pure CdS crystals, 2=10527
- Griio [Grillot], E. See Bansi-Griio [Bancie-Grillot], M., 0=1744
- Griio, E. See Bansi-Griio, M. [Bancie-Grillot], 1=11396
- Griio [Grillot], E. See Gross, E.F., 0=1745
- Griio, E. See Gross, E.F., 2=6571
- Grikot, I.A., Makarenko, V.S. and Fal'kevich, E.S. Investigation of the effect of the structure of metallic magnesium on the results of a spectrographic determination of the iron contained in it, 2=19173
- Grilhe, J. Stress action on a dislocation helix or a prismatic loop, 3=8434
- Grilhé, J. Stability of screw dislocations, 4=28456
- Grilhe, J., Aucouturier, M. and Guiraldeng, P. Contact surfaces of two phases of a metal in a temperature gradient, 3=11198
- Grillet, G. See Eyraud, C., 4=7686
- Grilli, A. See Gondi, P., 2=796
- Grilli, M. See Borgia, B., 4=19595
- Grilli, M. See K⁺-collaboration, 0=1308
- Grillot. See Bansi-Griio, M. [Bancie-Grillot], 1=11396
- Grillot, E. and Bancie-Grillot, M. New investigations on exciton fluorescence in pure CdS, 2=8559
- Grillot, E. and Bancie-Grillot, M. Fluorescence and luminescence—stimulating absorption of the electron in pure cadmium sulphide, 3=10986
- Grillot, E. and Bancie-Grillot, M. Point defects and optical observation of the exciton, 4=1441
- Grillot, E., Gross, E.F., Bancie-Grillot, M. and Novikov, B. On the different forms of the spectral sensitivity curves for the photoconductivity of pure crystals of cadmium sulphide. The influence of crystal thickness, 1=7666
- Grillot, E., Gross, E.F., Bancie-Grillot, M. and Novikov, B.V. On the different forms of spectral sensitivity curves for the photoconductivity of pure crystals of cadmium sulphide. The influence of the polarization of the exciting radiation and the method of crystal preparation, 1=7667
- Grillot, E. See Bancie-Grillot, M., 0=11775
- Grillot, E. See Bancie-Grillot, M., 2=6621
- Grillot, E. See Bancie-Grillot, M., 2=10622
- Grillot, E. See Griio, E., 0=1744
- Grillot, E. See Griio, E., 0=1745
- Grillot, E. See Gross, E., 0=18123
- Grilly, E.R. The vapour pressure of solid and liquid neon, 2=15804
- Grilly, E.R. and Mills, R.L. Melting properties of He³ and He⁴ up to 3500 kg/cm², 0=228
- Grilly, E.R. See Mills, R.L., 1=4526
- Grilly, E.R. See Mills, R.L., 4=18516
- Grilly, E.R. See Sydoriak, S.G., 0=10820
- Grimaldi, L. See Alvial, G., 0=12729
- Grimberg, W. See Schliephake, R.W., 2=868
- Grimberg, W. See Schliephake, R.W., 2=8806
- Grimberg, W. See Schliephake, R.W., 3=12281
- Grimble, R.E. and LeTourneau, B.W. Removal of decay heat from a plate-type fuel subassembly in the atmosphere, 0=13358
- Grimble, R.E. See DeBortoli, R.A., 0=12523
- Grimeland, B. and Dönvold, S. Age to 1.44 eV for (D, D) neutrons in concrete, 4=25114
- Grimeland, B., Messelt, S. and Sund, L. Influence of the moderator size on the slowing down of (D, D) neutrons in paraffin wax, 2=18131
- Grimeland, B. and Opsahl-Andersen, P. Cross section of the reaction ³¹P(n, 2n)³⁰P with neutrons of energy 14.8 MeV, 4=12244
- Grimeland, B. See Børresen, S., 2=20363
- Grimellini, L. See Block, M.M., 3=12508
- Grimellini, L. See Block, M.M., 3=12570
- Grimellini, L. See Gray, L., 3=15042
- Grimellini, N.T. See Brini, D., 0=15313
- Grimes, C. C. and Buchsbaum, S. J. Interaction between helicon waves and sound waves in potassium, 4=22549
- Grimes, C. C. and Kip, A. F. Cyclotron resonance in sodium and potassium, 4=6816
- Grimes, C. C., Kip, A. F., Spong, F., Stradling, R. A. and Pincus, P. Cyclotron resonance involving current sheets in aluminium, 4=9934
- Grimes, D.M., Harrington, R.D. and Rasmussen, A.L. Magnetic properties of polycrystalline materials, 0=11852
- Grimes, D.M. See Westrum, E.F., Jr., 0=4498
- Grimes, H.H. The effect of plastic deformation on the diffusion of hydrogen in nickel, 0=15869
- Grimes, H.H. See Girifalco, L.A., 1=3692
- Grimes, J.H. See Boocock, G., 4=2154
- Grimes, L.G. and Jackson, L.C. The helium film formed from the vapour phase, 0=19534
- Grimes, L.G. and Jackson, L.C. The thickness of the saturated helium film above and below the λ -point, 0=19535
- Grimes, L.G. See Jackson, L.C., 0=8913
- Grimes, N.W. The use of film in X-ray filter technique, 3=8820
- Grimes, N.W. and Webb, M.W. The symmetry of the crystal-line field of the (Ni(H₂O)₆)²⁺ complex, 4=6683
- Grimes, W.M. See Sell, H. G., 4=10999
- Grimmes, W.R. See Cannon, M.C., 2=6856
- Grimley, R.T., Burns, R.P. and Inghram, M.G. Mass-spectrometric study of the osmium-oxygen system, 0=14971
- Grimley, R.T., Burns, R.P. and Inghram, M.G. Thermodynamics of the vaporization of Cr₂O₃: dissociation energies of CrO, CrO₂ and CrO₃, 1=4513
- Grimley, R.T., Burns, R.P. and Inghram, M.G. Thermodynamics of the vaporization of nickel oxide, 1=1864
- Grimley, R.T. and Margrave, J.L. The high temperature heat content of sodium oxide, 1=2380
- Grimley, R.T. See Burns, R.P., 0=10697
- Grimley, T.B. Surface states associated with adsorbed atoms, 1=940
- Grimley, T.B. Metal oxidation and surface structure, 1=2546
- Grimley, T.B. Stereospecific polymers and Markoff chains, 1=9156
- Grimley, T.B. Polymer dimensions in solutions of finite concentrations, 2=6242
- Grimley, T.B. The normal mode frequencies of chemisorbed atoms and molecules, 2=14248
- Grimley, T.B. A note on the intensities of n.m.r. absorption lines, 3=15381
- Grimley, T.B. Bopp's approximation to the energy of an N-electron system, 4=22288
- Grimley, T.B. and Holland, B.W. The surface states of a simple crystal model, 1=14212
- Grimmeiss, H.G., Groth, R. and Maak, J. Luminescent and photoconductive properties of doped GaN, 1=3861
- Grimmeiss, H.G., Kichio, W. and Koelmans, H. p-n-junction photo-voltaic effect in zinc-doped GaP, 2=21199
- Grimmeiss, H.G., Kischio, W. and Rabenau, A. ALP: preparation, and electrical and optical properties, 1=17717
- Grimmeiss, H.G. and Koelmans, H. Edge and other emission of GaN, 0=1751
- Grimmeiss, H.G. and Koelmans, H. p-n luminescence and photovoltaic effects in GaP, 0=13708
- Grimmeiss, H.G. and Koelmans, H. Analysis of p-n luminescence in Zn-doped GaP, 1=14631
- Grimmeiss, H.G. and Memming, R. P-N photovoltaic effect in cadmium sulfide, 2=14582
- Grimmeiss, H.G., Rabenau, A. and Koelmans, H. Some properties of p-n junctions in GaP, 1=17775
- Grimmeiss, H.G. and Scholz, H. Efficiency of recombination radiation in GaP, 4=13076
- Grimmeiss, H.G. See Koelmans, H., 1=3786
- Grimmeiss, H.G. See Koelmans, H., 1=14501
- Grimshaw, J. A. and Banbury, P. C. The displacement energy in GaAs, 4=22646
- Grin', A.V. Internal friction at the grain boundaries in aluminium, 1=1301
- Grin', A.V., Pabloy, V.A. and Pereturina, I.A. Effect of the static ["frozen-in"] strains of the crystal lattice on the mechanical properties of Al-Mg alloys. I. Dependence of yield strength and tensile strength on the temperature and on the deformation rate, 0=1931
- Grin', A.V., Pavlov, V.A. and Pereturina, I.A. Effect of the static ["frozen-in"] strains of the crystal lattice on the mechanical properties of Al-Mg alloys. II. Dependence of total and uniform deformation rate on temperature and deformation rate, 0=1932
- Grin', A.V. See Shmatov, V.T., 2=23736
- Grin, G.A., Joseph, C., Alder, J.C. and Vaucher, B. A simple time-amplitude converting circuit, 2=7536
- Grin, G.A. See Joseph, C., 3=2266
- Grin, G.A. See Vaucher, B., 2=20375
- Grin', Yu.T. The influence of pair correlation of nucleons on the probabilities of electromagnetic transitions in [deformed] nuclei, 0=20400

- Grin', Yu.T. The effect of nucleon pair correlations on the probability of electromagnetic transitions, 1=8666
- Grin', Yu.T. Effect of rotation on pair correlation in nuclei, 1=16963
- Grin', Yu.T. The E2 transition probability from the first 2⁺ level in spherical nuclei, 1=19357
- Grin', Yu.T. Nonadiabatic corrections to the rotational spectrum of atomic nuclei, 2=361
- Grin', Yu.T. Effect of rotation on pair correlation in nuclei, 2=22702
- Grin', Yu.T. Nonadiabatic corrections to the rotational spectrum of atomic nuclei, 2=22725
- Grin, Yu.T. Moments of inertia of a hot nucleus and angular anisotropy of the fission fragments, 3=15084
- Grin, Yu. T. On the angular anisotropy of fission fragments, 4=22246
- Grin', Yu.T., Drozdov, S.I. and Zaretskii, D.F. The Green's function of odd nuclei, 0=5641
- Grin', Yu.T., Drozdov, S.I. and Zaretskii, D.F. Moments of inertia of odd atomic nuclei, 0=13118
- Grin', Yu.T., Drozdov, S.I. and Zaretskii, D.F. Moments of inertia of odd nuclei, 1=8551
- Grin', Yu. T. and Pavlichenkov, I.M. The collective gyromagnetic ratio for odd atomic nuclei, 1=19344
- Grin, Yu.T. and Pavlichenkov, I.M. The collective gyromagnetic ratio for odd atomic nuclei, 2=22710
- Grin', Yu.T. and Pavlichenkov, I.M. Nonadiabatic corrections to the rotational spectrum of atomic nuclei, 3=2350
- Grin, Yu. T. and Pavlichenkov, I. M. Why is there discrepancy of intensity ratios of electromagnetic transitions with Alaga's rules? 4=19662
- Grin', Yu.T. and Zaretskii, D.F. On collective excitations in non-spherical nuclei, 3=10238
- Grin-Kelli (Green-Kelly), R. and Deryagin, B. V. Birefringence of thin layers of liquid, 4=15853
- Grinand, Y. The possibilities of using an inclined spherical mirror in a spectrograph autocollimator, 0=16861
- Grinberg, A. Thermal etching of sodium chloride, 3=23387
- Grinberg, A. See de Grinberg, D.K., 1=20414
- Grinberg, A.A. Theory of the anisotropic photomagnetic effect in germanium, 0=7926
- Grinberg, A.A. The photomagnetic effect in isotropic semiconductors and its use in measuring the lifetime of minority current carriers, 0=15981
- Grinberg, A.A. Theory of the photomagnetic effect in anisotropic cubic crystals, 0=15982
- Grinberg, A.A. The temperature dependence of the non-equilibrium carrier lifetime in the case of recombination on multicharged centres in semiconductors, 1=5012
- Grinberg, A.A. The theory of the transverse photomagnetic [photoelectromagnetic] effect, 1=11328
- Grinberg, A.A. The current-voltage characteristics of a p-n junction in the forward direction, 2=12535
- Grinberg, A.A. The current-voltage characteristics of a p-n junction in the forward direction, 2=14566
- Grinberg, A. A. Explanation of the saturation of drift velocity carrier current in piezoelectric semiconductors, 4=26020
- Grinberg, A.A. and Nikolaev, I.N. On the question of the photomagnetic effect at a p-n junction, 3=20846
- Grinberg, A.A. and Novikov, S.R. Application of the longitudinal and transverse magnetoconcentration effects in the determination of the magnetoresistance coefficients in anisotropic crystals of cubic symmetry, 1=11263
- Grinberg, A.A., Novikov, S.R. and Ryvkin, S.M. A new negative photoconductivity effect in a magnetic field, 1=5026
- Grinberg, A.A., Novikov, S.R. and Ryvkin, S.M. A new negative photoconductivity effect in a magnetic field, 1=10063
- Grinberg, A.A., Paritskii, L.G. and Ryvkin, S.M. The influence of trapping levels in semiconductors on the stationary photoconductivity and on the lifetime of minority carriers, 0=18060
- Grinberg, A.A. and Ryvkin, S.M. A monopolar non-stationary photomagnetic effect, 1=19912
- Grinberg, A.A. and Ryvkin, S.M. A monopolar non-stationary photo-magnetic effect, 2=4073
- Grinberg, A.A. and Strokan, N.B. The effect of the surface recombination velocity and the absorption coefficient on the transient characteristics of photodiodes, 1=3776
- Grinberg, A.A. See Arkadyeva, E.N., 2=23453
- Grinberg, A.A. See Ryvkin, S.M., 0=1628
- Grinberg, A.A. See Ryvkin, S.M., 0=15905
- Grinberg, A.P. The microtron, 3=14693
- Grinberg, A.P. See Alkhaazov, D.G., 0=2567
- Grinberg, A.P. See Alkhaazov, D.G., 0=2622
- Grinberg, A.P. See Alkhaazov, D.G., 0=7587
- Grinberg, A.P. See Andreev, D.S., 2=13982
- Grinberg, A.P. See Andreev, D.S., 2=18267
- Grinberg, A.P. See Andreev, D.S., 1=2243
- Grinberg, B. and Le Gallic, Y. Basic characteristics of a laboratory designed for measuring very low activities, 2=5820
- Grinberg, B. See Le Gallic, Y., 2=5825
- Grinberg, B.A. Interaction of an asymmetrical tilt dislocation boundary with an impurity atom, 3=12968
- Grinberg, B.A. Conditions for pinning of dislocations in clusters, 3=17717
- Grinberg, B.A. Some features of the dislocation structure of ordering alloys of the AB₂ type, 4=22583
- Grinberg, B.A. and Orlov, A.N. Microscopic calculation of the distribution of atoms in a dislocation, 2=8215
- Grinberg, B.A. and Orlov, A.N. Microscopic analysis of the arrangement of atoms in a dislocation, 2=21025
- Grinberg, D.K.de. See de Grinberg, D.K.
- Grinberg, G. Experimental verification of the theoretical distribution of the magnetization intensity along a cylinder, 0=9146
- Grinberg, G.A. Diffraction of electromagnetic waves from strips of finite width, 0=1205
- Grinberg, G.A. Calculation of the mean values of functions of distance from a point over a surface or a volume, 1=5114
- Grinberg, G.A. The magnetohydrodynamic problem of flow round sources of magnetic field by a stream of ideal perfectly conducting fluid, 1=5539
- Grinberg, G.A. Stationary motion of a conducting fluid through a tube in presence of a transverse magnetic field, 1=8380
- Grinberg, G.A. Calculation of the mean values of functions of distance from a point over a surface or a volume, 1=11671
- Grinberg, G.A. Stationary motion of a conducting fluid through a tube in presence of a transverse magnetic field, 1=12009
- Grinberg, G.A. The magnetohydrodynamic problem of flow round sources of magnetic field by a stream of ideal perfectly conducting fluid, 1=12010
- Grinberg, G.A. Steady flow of a conducting liquid along a rectangular tube which has two conductivity and two insulating walls and is situated in an external magnetic field, 2=5452
- Grinberg, G.A. Steady flow of a conducting liquid along a rectangular tube which has two conductivity and two insulating walls and is situated in an external magnetic field, 2=9696
- Grinberg, G.A. Some types of flow of a conducting fluid in pipes of rectangular cross-section, placed in a magnetic field, 3=2109
- Grinberg, G. A. Plane flow of a fluid of time-dependent conductivity in a normal magnetic field, 4=24811
- Grinberg, G. A. Solution of the spatial static and wave problems for a screen shaped as an unbounded thin sectorial plate, 4=27027
- Grinberg, G. A. Solution of the static and wave problems for screens shaped like a cone or part of a conical surface, 4=27028
- Grinberg, G. A. Diffusion decay of a plasma in a magnetic field including nonlinear effects, 4=29908
- Grinberg, G.A. and Kolesnikova, E.N. Calculation of the electrostatic field of a system of plane diaphragms with circular apertures, 0=15076
- Grinberg, G.A. and Kolesnikova, E.N. The problem of diffraction of electromagnetic waves by a perfectly conducting plane ring, 1=5593
- Grinberg, G.A. and Kolesnikova, E.N. The problem of diffraction of electromagnetic waves by a perfectly conducting plane ring, 1=12017
- Grinberg, G.A. and Kuritsyn, V.N. Diffraction of a plane electromagnetic wave by an ideally conducting plane ring and the electrostatic problem for such a ring, 2=9712
- Grinberg, G.A. and Pimenov, Yu.V. Diffraction of [plane] electromagnetic waves by a circular aperture in an ideally conducting plane [for normal incidence], 0=9208
- Grinberg, G.A. and Shukeilo, I.A. Method of solving a class of axially symmetric problems in potential theory. Application to the design of electron-optical lenses, 0=10963
- Grinberg, G. A. See Golant, V. E., 4=21496
- Grinchar, N.A. See Bryukhatov, N.L., 3=18076
- Grinchenko, V. T. and Ulitko, A. F. Mixed boundary heat conduction problem for a semi-space, 4=11386

- Grindlay, J. The hole theory of liquids, 1=9381
- Grindlay, J. The derivation of the nonlinear elastic equations from a crystal model, 3=13319
- Grindlay, J. and ter Haar, D. On the ferroelectric behaviour of potassium dihydrogen phosphate, 0=7981
- Grinellini, N. T. See Leitner, J., 1=16961
- Grinev, V. S., Rau, O. I. and Svishchev, G. M. On the automatic treatment of absorption spectra of additive multicomponent mixtures, 2=6900
- Grinevich, G. P. See Kuz'menko, P. P., 3=15511
- Gringauz, K. I. Rocket measurements of the electron density in the ionosphere using a v.h.f. dispersion interferometer, 2=13019
- Gringauz, K. I. The structure of the ionized gaseous envelope of the earth as deduced from direct charged-particle density measurements in the U.S.S.R., 3=3484
- Gringauz, K. I. Some results of experiments carried out in space with the aid of charged-particle traps on Soviet space rockets, 3=3539
- Gringauz, K. I. The structure of the ionized gaseous envelope of the earth as deduced from direct charged-particle density measurements in the U.S.S.R., 3=21051
- Gringauz, K. I., Bezrukikh, V. V., Balandina, S. M., Ozerov, V. D. and Rybchinsky, R. E. Direct observation of corpuscular streams at distances of 1 900 000 km from the earth on 17 February 1961 and simultaneous observations of the geomagnetic field, 4=7982
- Gringauz, K. I., Bezrukikh, V. V., Balandina, S. M., Ozerov, V. D. and Rybchinsky, R. E. Direct observation of corpuscular streams at distances of 1, 900, 000 KM from the earth on 17 February 1961 and simultaneous observations of the geomagnetic field, 4=13931
- Gringauz, K. I., Bezrukikh, V. V. and Ozerov, V. D. Results of measurements of positive-ion concentration in the ionosphere employing ion traps on Sputnik III, 2=8988
- Gringauz, K. I., Bezrukikh, V. V., Ozerov, V. D. and Rybchinskii, R. E. A study of the interplanetary ionized gas, energetic electrons and the corpuscular radiation of the sun by means of 3-electrode collectors for charged particles in the second Soviet cosmic rocket, 0=14381
- Gringauz, K. I., Bezrukikh, V. V., Ozerov, V. D. and Rybchinskii, R. E. Study of interplanetary ionized gas high-energy electrons and corpuscular radiation of the sun, employing three-electrode charged particle traps on the second Soviet space rocket, 2=9070
- Gringauz, K. I., Bezrukikh, V. V., Ozerov, V. D. and Rybchinskii, R. E. Study of interplanetary ionized gas, high-energy electrons and corpuscular radiation of the sun, employing three-electrode charged-particle traps on the second Soviet space rocket, 2=15301
- Gringauz, K. I. and Gdalevich, G. L. Analysis of the results of simultaneous measurements of the electron concentration in the ionosphere by means of ionospheric soundings and rockets, 3=25922
- Gringauz, K. I., Gorozhankin, B. N., Shyutte, N. M. and Gdalevich, G. L. Altitude distribution of charged particles in the ionosphere and the transition zone between oxygen and helium ionic layers as revealed by ion trap tests in the "Cosmos-2" satellite, 4=2288
- Gringauz, K. I., Kurt, V. G., Moroz, V. I. and Skhlovskii, I. S. Results of observations of charged particles observed out to $R = 100\,000$ km, with the aid of charged-particle traps on Soviet space rockets, 2=918
- Gringauz, K. I., Kurt, V. G., Moroz, V. I. and Shklovskii, I. S. Ionized gas and fast electrons in the vicinity of the earth and in interplanetary space, 2=9030
- Gringauz, K. I. and Rudakov, V. A. Measurement of electron concentration in the ionosphere by means of the rotation of the plane of polarization of radio waves from rockets, 0=21350
- Gringauz, K. I. and Rudakov, V. A. Measurements of electron concentration in the ionosphere up to altitudes of 420-470 km, carried out during the International Geophysical Year by means of radio-wave transmissions from the geophysical rockets of the Academy of Sciences USSR, 2=8999
- Gringauz, K. I., Rudakov, V. A. and Kaporskii, A. V. Apparatus for rocket measurements of the free-electron concentration in the ionosphere, 2=8998
- Gringauz, K. I., Rudakov, V. A. and Kaporskii, A. V. Apparatus for rocket measurements of the free-electron concentration in the ionosphere, 2=17153
- Gringauz, K. I. and Rytov, S. M. The connection between measurements with the aid of charged-particle traps by the Soviet cosmic rockets and measurements of the magnetic field by the American satellite "Explorer VI" and the rocket "Pioneer V", 1=6644
- Gringauz, K. I. and Rytov, S. M. The connection between measurements with the aid of charged-particle traps by the Soviet cosmic rockets and measurements of the magnetic field by the American satellite "Explorer VI" and the rocket "Pioneer V", 1=10338
- Gringauz, K. L., Balandina, J. M., Bordovskii, G. A. and Shutte, N. M. Results of experiments with three-electrode charged-particle traps in the second radiation belt and in the outermost charged-particle belt, 4=7901
- Gringauz, K. L., Balandina, S. M., Bordovskii, G. A. and Shyutte, M. Results of experiments with three-electrode charged-particle traps in the second radiation belt and in the outermost charged-particle belt, 4=15881
- Gringorten, I. I. A plotting rule for extreme probability paper, 3=11673
- Gringorten, I. I. Envelopes for ordered observations applied to meteorological extremes, 3=13657
- Grinkevich, A. Z. and Kul'gavchik, D. S. The fine structure of Mössbauer spectra in mineral compounds of iron, 4=28329
- Grinkevich, A. Z., Lizurei, G., Savitski, E. and Sėnkovski, T. Investigation of complex iron compounds by means of the Mössbauer effect, 4=28328
- Grinshtein, A. M. See Aĭnbinder, S. B., 4=18149
- Grinzaid, S. E. See Polvektov, N. S., 4=2172
- Grioli, G. Kinematic theorems of the motion of rigid bodies, 4=14095
- Grisaru, M. T. See Federbush, P. G., 2=11986
- Grisaru, M. T. See Federbush, P. G., 3=17227
- Grisaru, M. T. See Federbush, P. G., 3=17228
- Grisaru, M. T. See Goldberger, M. L., 1=495
- Grishaev, I. A., Fisun, A. N., Litvinenko, A. S., Grizhko, V. M., Shramenko, B. I. and Onishchenko, I. N. Measurement of energy loss of fast electrons by passage through matter, 0=11146
- Grishaev, I. A., Grizhko, V. M., Sikora, D. I., Shramenko, B. C. and Shkoda-Ul'yanov, V. A. Precision monitor for electron beams, 3=24355
- Grishaev, I. A., Kheifets, M. I. and Shenderovich, A. M. Errors in electron registration due to scattering in the walls of a vacuum chamber and in the air layer in front of counters. I, 3=14812
- Grishaev, I. A., Kheifets, M. I. and Shenderovich, A. M. Errors in registration of correlated particles due to their scattering in the walls of a vacuum chamber and in the air layer in front of counters. II, 3=14813
- Grishaev, I. A., Kolosov, V. I., Myakota, V. I., Beloglasov, V. I. and Yakimov, B. V. Experimental determination of power in the sub-millimeter range from a magnetic undulator, 0=9202
- Grishaev, I. A., Mocheshnikov, N. I. and Ivanov, V. F. Measuring the position and current of a pulsed beam of charged particles, 4=16572
- Grishaev, I. A. and Shenderovich, A. M. Errors due to the "dead" time of counters operating in conjunction with pulsed sources, 1=16625
- Grishaev, I. A. and Shenderovich, A. M. Errors due to the "dead" time of counters operating in conjunction with pulsed sources, 2=22368
- Grishaev, I. A., Terekhov, B. A., Myakushko, L. K. and Fursov, G. L. Two design of a titanium ion-sorption pump, 4=16156
- Grishaev, I. A. See Alikhanyan, A. I., 4=3389
- Grishaev, I. A. See Alikhanyan, A. I., 4=20261
- Grishaev, I. A. See Zeitlenok, G. A., 0=9114
- Grishaev, I. O., Il'yin, O. G. and Shenderovich, O. M. Formation of magnetic field pulses with short fronts in inflector and deflector devices. I, 4=5745
- Grishaev, I. O., Il'yin, O. G. and Shenderovich, A. M. Formation of magnetic field pulses with short fronts in inflector and deflector devices. II, 4=5746
- Grishanin, E. I. Calculation of the effectiveness of multi-layer regular-shaped (reactor) cores, 4=19856
- Grishanin, E. I. and Pusacheva, E. V. Calculation of the effectiveness of regular shaped (reactor) cores in continuous slowing down, 4=17217
- Grishayev, I. O., Sikora, D. I., Shramenko, B. I. and Shkoda-Ul'yanov, V. A. Measurement of photoneutron yields from targets of great thickness, 4=12204

- Grishchenko, E. K. See Viktorov, I. A., 4=8333
 Grishchenko, V. F. See Delimarskiĭ, Yu. K., 3=3400
 Grishechkina, S. P. See Shotov, A. P., 2=21161
 Grishechkina, S. P. See Shotov, A. P., 3=2931
 Grishechkina, S. P. See Vul, B. M., 1=10053
 Grishechkina, S. P. See Vul, B. M., 1=11313
 Grishin, A. F. See Ainutdinov, M. S., 2=18167
 Grishin, A. F. See Ainutdinov, M. S., 3=6053
 Grishin, A. F. See Shalamov, Ya. Ya., 2=13857
 Grishin, A. P. See Grigor'ev, V. K., 4=30256
 Grishin, S. F. See Borovik, E. S., 0=12441
 Grishin, S. F. See Borovik, E. S., 0=16738
 Grishin, S. F. See Borovik, E. S., 2=1557
 Grishin, S. F. See Borovik, E. S., 4=5485
 Grishin, S. F. See Borovik, E. S., 4=14226
 Grishin, V. D. See Tal'roze, V. L., 4=16563
 Grishin, V. G. and Ogievetskiĭ, V. I. On the minimum number of partial waves in two-body reactions, 0=20062
 Grishin, V. G. and Ogievetskiĭ, V. I. On an estimate of the minimum particle interaction radius at high energies, 0=20091
 Grishin, V. G. and Podgoretskiĭ, M. I. Remarks on the optical model of the nucleus, 0=13109
 Grishin, V. G. and Podgoretskiĭ, M. I. Some consequences of the long lifetime of η - and ω -mesons, 4=3472
 Grishin, V. G. See Aripov, R. A., 2=1718
 Grishin, V. G. See Aripov, R. A., 3=600
 Grishin, V. G. See Aripov, R. A., 3=2303
 Grishin, V. G. See Bannik, B. P., 0=7546
 Grishin, V. G. See Bannik, B. P., 0=20429
 Grishin, V. G. See Bannik, B. P., 1=19451
 Grishin, V. G. See Bannik, B. P., 2=3602
 Grishin, V. G. See Bannik, B. P., 3=2481
 Grishin, V. G. See Bannik, B. P., 3=4633
 Grishin, V. G. See Blokhintsev, D. I., 0=2582
 Grishin, V. G. See Van Shu-fen, 1=19182
 Grishin, V. K. Design of a strong-focusing accelerator with fixed magnetic field, 0=10995
 Grishin, V. K. Theory of nonlinear betatron oscillations in a strong-focusing accelerator, 3=9892
 Grishin, V. K. Particle distribution in beam storage systems, 3=12255
 Grishin, V. K. Interaction of space charge and r.f. field in cylindrical accelerators, 3=24418
 Grishin, V. K. The longitudinal stability of a charged beam by quasi-stationary processes in a cyclical accelerator, 4=14782
 Grishin, V. K. See Volodichev, N. N., 2=17919
 Grishin, V. S. See Nemchenko, R. L., 4=24731
 Grishina, A. D. and Vannikov, A. V. Relation between paramagnetic and electrical properties of some organic semiconductors, 4=22952
 Grishina, A. D. See Naryadchikov, D. I., 3=4280
 Grishina, A. P. See Zubov, V. G., 3=17929
 Grishina, E. Y. See Borovik, E. S., 4=5485
 Grishina, E. Ya. See Borovik, E. S., 0=16738
 Grishina, N. M. See Stoyanov, P. A., 4=16539
 Grishina, S. P. See Fistul', V. L., 3=17861
 Grishkevich, A. E. and Kunin, N. F. Plastic deformation of copper extended at various temperatures and strain rates, 4=23145
 Grishkevich, A. E. See Kunin, N. F., 3=5623
 Grishkevich, A. E. See Kunin, N. F., 4=26506
 Grishuk, G. I. See Tret'vakov, E. F., 4=9176
 Grishuk, G. I. See Vishnevsky, M. E., 0=17545
 Grishuk, G. I. See Vishnevsky, M. E., 0=20399
 Grismore, R. See Berlman, I. B., 4=2693
 Griswold, G. M. Numerical calculation of wave refraction, 3=13654
 Gritchenko, Z. G. See Shvedov, V. P., 2=13010
 Grits, Iu. A. See Selinov, I. P., 1=17016
 Grits, Yu. A. See Vlasenko, V. P., 4=12233
 Gritsenko, Yu. I. See Dobrovol'skiĭ, V. N., 3=17845
 Gritsenko, Yu. I. See Gorbaniĭ, I. S., 2=10615
 Gritsina, V. T., Klyucharev, A. P., Remaev, V. V. and Reshetova, L. N. Ratio of the cross-sections for the formation of an isomer and ground states of nuclei in the (p, n) reaction at energies from the threshold to 20 MeV, 4=1072
 Gritsyna, V. T. See Remaev, V. V., 2=10018
 Gritsyna, V. T. See Remaev, V. V., 3=6173
 Gritsyna, V. T. See Remaev, V. V., 3=24911
 Gritsyuk, Yu. N. See Apalin, V. F., 3=2509
 Gritsyuk, Yu. N. See Apalin, V. F., 2=20693
 Gritsyuk, Yu. N. See Apalin, V. F., 3=8151
 Gritsyuk, Yu. N. See Apalin, V. F., 3=10401
 Gritsyuk, Yu. N. See Apalin, V. F., 3=17502
 Gritsyuk, Yu. N. See Apalin, V. F., 4=19853
 Gritsyuk, Yu. N. See Apalin, V. F., 4=25442
 Grittin, G. V. See Pretzel, F. E., 2=14473
 Gritton, G. V. See Pretzel, F. E., 1=7697
 Griveson, P. See Alcock, C. B., 2=10908
 Grivet, P. Measurement of weak magnetic fields of terrestrial type, 1=16474
 Grivet, P. and Bassompierre, A. Nuclear quadrupole resonance, 2=14859
 Grivet, P. and Blaqui  re, A. The non-linear effect of white noise and flicker noise in autodyne type n.m.r., 4=755
 Grivet, P. and Blaqui  re, A. Masers and classical oscillators, 4=19250
 Grivet, P. and Hahn, H. The stabilization of a magnetic field by a nuclear magnetic resonance maser. I, 1=18974
 Grivet, P. and Hahn, H. The stabilization of a magnetic field by a nuclear magnetic maser. II, 1=18975
 Grivet, P. and Septier, A. Magnetic quadrupole lenses. I, 1=1926
 Grivet, P. and Septier, A. Magnetic quadrupole lenses. II, 1=1927
 Grivet, P. See Benoit, H., 0=17096
 Grivet, P. See Benoit, H., 4=30074
 Grizhko, V. M., Sikora, D. I., Shkoda-Ul'yanov, V. A., Abramnikov, A. D., Shramenko, B. I. and Fisun, A. N. Determination of the yield of photoneutrons emitted by lead under the action of 10.5-20.5 MeV electrons. (Thick absorber method), 0=20472
 Grizhko, V. M. See Grishaev, I. A., 0=11146
 Grizhko, V. M. See Grishaev, I. A., 3=24355
 Grjebine, T. Accumulation of cosmic dust on the earth, 3=18593
 Grjebine, T., Moreau, R. and Olkowsky, B. Observations of beam pulsations from H. F. ion sources, 0=10974
 Grjebine, T. See Barloutaud, R., 0=13145
 Grjebine, T. See Lehmann, P., 0=9502
 Grjebine, T. See Phillips, G. C., 0=19773
 Grob, K. Quantum theoretical treatment of stimulated Raman radiation, 4=24907
 Grob, V. E. Formation of negative ions in SbCl_3 , 4=453
 Grobe, E. and Seiler, K. Current noise in silicon, 4=4166
 Gr  bner, W. and Raab, I. The calculation of rocket paths in the field of a number of gravitating masses with lie series, 4=2472
 Gr  bner, W. See Cap, F., 2=24075
 Groce, D. E. and Whaling, W. Magnetic analysis of the $\text{Be}^9(p, \alpha)\text{Li}^6$ reaction, 4=6336
 Groche, D. See Kreiger, H. L., 0=7501
 Grochowski, E. G., Mason, D. R., Schmitt, G. A. and Smith, P. H. The phase diagram for the binary system indium-tellurium and electrical properties of In_2Te_3 , 4=29011
 Grochulski, W., Kwici  rska, T., Go-chan, Lian,   ozy  ski, E., Ma  ly, J., Tarasov, L. K. and Volkov, V. V. A study of multinucleon stripping reactions in bombardment of Ta with Ne^{20} ions, 4=22236
 Groden, C. M. See Bosworth, R. C. L., 0=12521
 Groden, C. M. See Bosworth, R. C. L., 4=18266
 Groden, C. M. See Bosworth, R. C. L., 4=16267
 Grodzins, I. See Schwarzschild, A., 0=13173
 Grodzins, L. The application of the XYZ recorder to radiation studied, 1=7008
 Grodzins, L. The uniform behaviour of electric quadrupole transition probabilities from first 2^+ states in even-even nuclei, 2=20503
 Grodzins, L., Bauer, R. W. and Wilson, H. H. The nuclear magnetic moment of the 158 keV, $5/2^-$, state of Hg^{199} , 2=1775
 Grodzins, L. and Genovese, F. Experimental investigation of parity conservation in the 14.4 keV gamma transition in Fe^{57} , 1=602
 Grodzins, L. and Phillips, E. A. Measurement of the refractive index of lucite by recoilless resonance absorption, 1=17868
 Grodzins, L. and Phillips, E. A. Phase modulation of gamma-rays, 4=12599
 Grodzins, L. See Bauer, R. W., 3=658
 Grodzins, L. See Blum, N., 4=30496
 Grodzins, L. See Ewan, G. T., 0=2642
 Grodzins, L. See Schmorak, M., 4=19696
 Grodzins, L. See Weiss, H., 2=22467
 Grodzovskii, G. L., Ivanov, Yu. N. and Tokarev, V. V. Motion of a body with a variable mass and constant loss of energy in a gravitational field, 1=15602
 Groen, J. J. Inhibitory mechanism of the vestibular system in man in comparison with hearing, 3=3665

- Groen, J.J. See van Eysbergen, H.C., 1=212
 Groen, P. A simple formula for confluent or diffluent currents, with special application to winds, 4=23742
 Groendijk, H. See Hasker, J., 3=9850
 Groeneveld, J. See van Leeuwen, J.M.J., 0=14647
 Groeneveld, T. Two theorems on classical many-particle systems, 3=3759
 Groeneweg, M.P. A theory of magneto-optical rotation in diamagnetic molecules of low symmetry. I. and II, 3=6383
 Groenewold, H.J. Regularized models in electro-dynamics, 3=4317
 Groenewold, H. J. Micro- and macromolecules, 4=27089
 Groenewolt, K.J. See Boeschoten, F., 0=7948
 Groenig, H. Precursor photoionization and electrons, 3=9550
 Grognot, P. and Perdrigel, G. Influence of noise on certain visual functions, 1=21139
 Groh, G. On the influence of pressure on the electrical conductance of sea water, 3=14182
 Groh, G. The effect of high hydrostatic pressures on some magnetic properties of ferrites, 4=4374
 Grohman, A. and Krylow, J. On the nature of whiskers, 0=18322
 Grohman, A. and Szymaszek, J. Low temperature resistance minimum in Ag and Cu whiskers, 4=17478
 Grohmann, I., Hellwege, K.H. and Kahle, H.G. Nuclear hyperfine structure in the absorption spectrum of a crystalline salt, 1=1158
 Grohmann, I., Hellwege, K.H. and Kahle, H.G. Spectrum, Zeeman effect and electron levels of trivalent holmium in crystalline salts, 1=19987
 Grohmann, K. See Boersch, H., 1=3017
 Grohmann, K. See Boersch, H., 1=16422
 Grohmann, K. See Boersch, H., 2=1505
 Grohmann, K. See Boersch, H., 2=15962
 Grohmann, K. See Boersch, H., 2=22262
 Grohmann, R. See Schmidt, G., 3=20389
 Gromb, S. Study of the electrical properties of pyrocarbons and their thermal variation, 3=20272
 Grommé, C.S. See Currie, R.G., 3=18577
 Gromov, A. E. and Slutsker, A.I. Determination of the degree of orientation of crystallites in polymers by the X-ray diffraction method, 4=2012
 Gromov, A.M. See Belovintsev, K.A., 4=3073
 Gromov, A.M. See Belovintsev, K.A., 4=11733
 Gromov, K. See Abdumalikov, A., 3=22345
 Gromov, K. See Abdurazakov, A., 1=646
 Gromov, K. See Bakhmat, A., 3=10265
 Gromov, K. See Dzhelepov, B.S., 2=5865
 Gromov, K. See Dzhelepov, B.S., 2=5866
 Gromov, K. See Dzhelepov, B.S., 2=5867
 Gromov, K. See Van Fu-tszyn', 3=8045
 Gromov, K. See Vizi, I., 3=10298
 Gromov, K.Ya. and Dneprovskii, I.S. Investigation of the conversion electron spectra of neutron-deficient isotopes of erbium and holmium, 3=10308
 Gromov, K.Ya., Dzhelepov, B.S., Dmitriev, A.G., Morozov, V.A. and Yakovlev, K.I. Conversion electrons and gamma-rays from Tm^{155} , 2=14049
 Gromov, K.Ya., Dzhelepov, B.S., Zhelev, Zh.T. and Kudryavtseva, A.V. Investigation of the positron and conversion electron spectra of Tb^{152} , 3=10304
 Gromov, K.Ya., Dzhelepov, B.S., Zvol'ska, V., Zvol'skii, I., Lebedev, N.A. and Urbanets, Ya. Decay scheme for Tm^{157} , 4=1027
 Gromov, K.Ya. See Abdurazakov, A.A., 2=5857
 Gromov, K.Ya. See Abdurazakov, A.A., 2=14025
 Gromov, K.Ya. See Abdurazakov, A.A., 2=18302
 Gromov, K.Ya. See Abdurazakov, A.A., 3=4597
 Gromov, K.Ya. See Abdurazakov, A.A., 3=10307
 Gromov, K.Ya. See Baranov, V.I., 2=14053
 Gromov, K.Ya. See Basina, A.S., 2=14050
 Gromov, K.Ya. See Basina, A.S., 3=6208
 Gromov, K.Ya. See Bonch-Osmolovskaya, N.A., 3=24912
 Gromov, K.Ya. See Gan Men-khua, 3=10309
 Gromov, K.Ya. See Grigor'ev, E.P., 1=10975
 Gromov, K.Ya. See Grigor'ev, E.P., 3=8049
 Gromov, V.V. See Spitsyn, V.I., 1=20656
 Gromov, Yu.K. and Reshetnikov, A.M. Inspection of electron-gun points on an EM-3 electron microscope, 2=20031
 Gromova, I.I. and Kulikov, S.A. Effect of the current strength on the intensity of the hydrogen spectrum in the region 2500-1200 Å, 0=3623
 Gromova, I.I. See Goncharov, I.N., 3=2084
 Gromova, I.I. See Goncharov, I.N., 3=14726
 Gromova, Z.I., Dubovsky, B.G., Kamaev, A.V. and Orlov, V.V. Resonance absorption in the power station reactor, 0=7667
 Grona, L.Ya. See Bobyr', V.V., 2=461
 Grona, L.Ya. See Bobyr', V.V., 2=7988
 Grona, L.Ya. See Bobyr', V.V., 2=22822
 Grona, L.Ya. See Strizhak, V.I., 1=17094
 Grona, L.Ya. See Strizhak, V.I., 1=19425
 Grona, L.Ya. See Strizhak, V.I., 2=7989
 Grone, A.R. Current-induced marker motion in copper, 2=2096
 Grone, A.R. See Huntington, H.B., 2=2095
 Groner, W. and Stoliar, A.P. Variation of lead sulphide response with incident angle and orientation in detector plane, 4=7070
 Grönkvist, B.O. See Sandström, A.E., 3=618
 Grönkvist, B.O. See Sandström, A.E., 3=24819
 Grönlund, F. and Moore, W.J. Heavy ions from a radio-frequency proton source, 0=3810
 Grönlund, F. and Moore, W.J. Sputtering of silver by light ions with energies from 2 to 12 keV, 0=10989
 Grönvold, F., Kjekshus, A. and Raaum, F. The crystal structure of Ti_5Te_4 , 2=15041
 Grönvold, F. and Rost, E. The crystal structures of Pd_4Se and Pd_4S , 2=10880
 Grönvold, F., Thurmman-Moe, T., Westrum, E.F. Jr. and Chang, E. Low-temperature heat capacities and thermodynamic functions of some platinum and palladium group chalcogenides. I. Monochalcogenides; PtS , $PtTe$, and $PdTe$, 1=19717
 Grönvold, F. See Pedersen, B., 0=4629
 Grönvold, F. See Westrum, E.F., 1=19718
 Grönvold, F. See Westrum, E.F., Jr., 2=10329
 Groom, D.E. and Marshall, J.H. A 25-input pulse-height recording system, 3=3987
 Groot De, S.R. On the assignment of strangeness zero to leptons, 3=545
 Groot, J. See Cerfontain, H., 4=27319
 Groot, S.R. de. See de Groot, S.R.
 Gropper, H. See Dörr, F., 4=4317
 Gros, F. Teissier du. See Teissier du Gros, F.
 Grosberg, P. See Brewster, D.B., 0=8627
 Grosch, C.E. Laminar boundary layer under a wave, 3=1667
 Grosch, C.E. and Lukasik, S.J. Reply to comments of J.N. Hunt, 4=16084
 Grosch, C.E., Ward, L.W. and Lukasik, S.J. Viscous dissipation of shallow water waves, 0=14603
 Grosch, C.E. See Salwen, H., 4=11297
 Grosch, K.A. Relation between the friction and viscoelastic properties of rubber, 3=16013
 Groschwitz, E. On the question of new possibilities of amplification by the movement of carriers in semiconductors, 0=15919
 Groschwitz, E. On the question of new possibilities of amplification by the movement of carriers in semiconductors, 1=1098
 Groschwitz, E. Nonlinear deviations from thermodynamic equilibrium in semiconductors for high impulse currents. I, 3=13055
 Groschwitz, E. Diagram of state for nonlinear deviations from thermodynamic equilibrium in quasi-neutral semiconductors with impulse currents. I, 3=22919
 Groschwitz, E. Nonlinear deviations from thermodynamic equilibrium in quasineutral semiconductors for high impulse currents, 4=6941
 Groschwitz, E. Nonlinear deviations from thermodynamic equilibrium in carrier-saturated semiconductor regions with current impression [stromaufprägung], 4=12873
 Groschwitz, E. and Ebhardt, R. The effective contact area of point contact crystal rectifiers, 0=2883
 Groschwitz, E. and Hofmeister, E. Carrier motion in zones of space-charge near the surface, 3=2859
 Groschwitz, E., Hofmeister, E. and Ebhardt, R. The electrical properties of extended current paths in space-charge zones near the surfaces of semiconductors, 1=3745
 Groschwitz, E. See Dehalt, O., 4=4183
 Groschwitz, E. See Ebhardt, R., 1=11319
 Grosh, R.J. Free heat convection heat transfer up to near-critical conditions, 4=5413
 Grosh, R.J. See Holt, V.E., 3=7381
 Grosh, R.J. See Holt, V.E., 4=2861
 Grosh, R.J. See Viskanta, R., 2=19742
 Grosh, R.J. See Viskanta, R., 2=22075
 Groshev, A. L., Kuznetsov, V. V., Malakhov, N. P. and Semashko, N. N. The source of hydrogen ions for mirror-machine Ogra, 4=19059

- Groshev, A. L. See Balebanov, V. M., 4=534
 Groshev, A. L. See Balebanov, V. M., 4=8903
 Groshev, A. L. See Balebanov, V. M., 4=11646
 Groshev, A. L. See Balebanov, V. M., 4=29938
 Groshev, A. L. See Balebanov, V. M., 4=29939
 Groshev, I. N. See Morgulis, N. D., 3=24207
 Groshev, L. V. Radiative properties of the low levels in Cd^{114} , 1=8595
 Groshev, L. V. and Demidov, A. M. The γ -ray spectrum from the I.R.T. reactor, 0=2704
 Groshev, L. V. and Demidov, A. M. Nuclear multiplets in light odd-odd nuclei and their manifestation in gamma-transitions following thermal neutron capture, 0=7483
 Groshev, L. V. and Demidov, A. M. The γ -ray spectrum from the IRT reactor, 1=4888
 Groshev, L. V. and Demidov, A. M. M1 transitions from highly-excited states, 2=3476
 Groshev, L. V., Demidov, A. M., Ivanov, V. A., Lutsenko, V. N. and Pelekhov, V. I. Energy levels of Gd^{158} and Gd^{158} , 2=5799
 Groshev, L. V., Demidov, A. M., Ivanov, V. A., Lutsenko, V. N. and Pelekhov, V. I. Energy levels of Gd^{158} and Gd^{158} , 2=7930
 Groshev, L. V., Demidov, A. M. and Lutsenko, V. N. Gamma radiation from the $\text{Cl}^{35}(\text{n}, \gamma)\text{Cl}^{36}$ reaction, 2=14113
 Groshev, L. V., Demidov, A. M., Ivanov, V. A., Lutsenko, V. N. and Pelekhov, V. I. Levels of the nucleus of Sm^{150} excited in the (n, γ) reaction, 3=15118
 Groshev, L. V., Demidov, A. M., Ivanov, V. A., Lutsenko, V. N. and Pelekhov, V. I. Gamma-rays and conversion electrons from the (n, γ) reaction on gadolinium isotopes, 4=6239
 Groshev, L. V., Demidov, A. M., Lutsenko, V. N. and Malov, A. F. Magnetic gamma-spectrometer with high resolution, 2=13766
 Groshev, L. V., Demidov, A. M., Lutsenko, V. N. and Pelekhov, V. I. Investigations of γ -rays emitted when thermal neutrons are captured by vanadium, manganese, cobalt and aluminium nuclei, 0=7628
 Groshev, L. V., Demidov, A. M., Lutsenko, V. N. and Pelekhov, V. I. Neutron-capture gamma-ray spectra from even-even excited nuclei with rotational levels, 0=9674
 Groshev, L. V., Demidov, A. M., Lutsenko, V. N. and Pelekhov, V. I. Gamma-ray and internal conversion electron spectra of the $\text{Cd}^{113}(\text{n}, \gamma)\text{Cd}^{114}$ reaction, 3=24959
 Groshev, L. V., Demidov, A. M. and Pelekhov, V. I. Spectra of γ -rays produced in the capture of thermal neutrons by heavy nuclei, 0=9592
 Groshev, L. V., Demidov, A. M. and Pelekhov, V. I. Spectra of γ -rays from neutron capture by heavy nuclei. I, 0=13285
 Groshev, L. V., Demidov, A. M. and Pelekhov, V. I. Determination of small amounts of gadolinium and samarium impurities by analyzing the spectrum of γ -rays from the (n, γ) reaction, 4=13756
 Groshev, L. V., Demidov, A. M. and Pelekhov, V. I. Spectra of γ -rays which accompany the capture of thermal neutrons by Mo, Nb, Ho, Tu and La nuclei, 4=12246
 Groshev, L. V., Gavrilov, B. I. and Demidov, A. M. Thermal neutron capture γ -rays, 1=17110
 Groshev, L. V., Lutsenko, V. N., Demidov, A. M. and Pelekhov, V. I. Atlas of γ -ray spectra from radiative capture of thermal neutrons, 0=4115
 Groshev, L. V. See Strutinski, V. M., 0=13286
 Grosjean, C. See Curtet, R., 3=14090
 Grosjean, C. C. On the absolute detection efficiency of a cylindrical scintillation phosphor in the case of an extended plane γ -ray source, 3=10006
 Grosjean, C. C. A new approximate one-velocity theory for treating both isotropic and anisotropic multiple scattering problems. I. Infinite homogeneous scattering media, 3=19589
 Grosjean, C. C. Recent progress in the development of a new approximate general theory of multiple scattering, 4=14018
 Grosjean, C. C. Note on the absolute detection efficiency of a cylindrical scintillation γ -ray detector, 4=16732
 Grosjean, C. C. and Van De Walle, R. T. On the calculation of radial wave functions corresponding to energies in the continuum part of the helium spectrum, 1=6898
 Grosjean, C. C. See Van de Walle, R. T., 1=8305
 Grosjean, M. and Legrand, M. An apparatus for the measurement of circular dichroism in the visible and the ultra-violet, 1=2894
 Grosjean, M. and Tari, M. Improvements in the measurement of optical circular dichroism down to 1850 Å, 4=16256
 Grosjean, M. See Legrand, M., 0=6188
 Grosjean, P. V. Principles of semi-metric geometry, 2=13258
 Grosjean, P. V. The principles of semi-metric geometry, with some applications. II, 2=19416
 Grossmann, M. and Nikitine, S. Effects of neutron and gamma-ray radiation on the yellow and green series of the exciton absorption spectrum of cuprite, 4=1727
 Grossmann, M. See Nikitine, S., 2=2105
 Grossmann, M. See Nikitine, S., 2=23555
 Grossman, M. See Nikitine, S., 3=10935
 Grossman, M. See Nikitine, S., 3=10936
 Grossmann, M. See Nikitine, S., 3=10932
 Grossmann, M. See Nikitine, S., 3=17998
 Grossmann, M. See Nikitine, S., 4=1440
 Grossof, G. and Targ, R. Enhancement in mercury-krypton and xenon-krypton gaseous discharges, 3=19190
 Gross, B. Compton dosimeter for measurement of penetrating X-rays and gamma rays, 1=5712
 Gross, B., Bradley, A. and Pinkerton, P. Beta particle transmission currents in solid dielectrics, 0=10868
 Gross, B. and de Moraes, R. J. Gamma irradiation effects on electrets, 2=12573
 Gross, B. and de Moraes, R. J. Polarization of the electret, 2=18781
 Gross, B. and Murphy, P. V. Electrical irradiation effects in solid dielectrics, 1=3809
 Gross, B. and Murphy, P. V. Currents from gammas make detectors and batteries, 1=13376
 Gross, B. See Murphy, P. V., 4=12954
 Gross, D. See Bucher, E., 2=7495
 Gross, E., Bancel-Grillot, M., Grillot, E. and Razbirine, B. Influence of mechanical treatments of pure cadmium sulphide crystals on their optical absorption spectra at low temperatures, 0=18123
 Gross, E. E. and Marable, J. H. Static and dynamic multiplication factors and their relation to the inhour equation, 1=13690
 Gross, E. F. Optical and magneto-optical effects in semiconductor crystals, 2=2216
 Gross, E. F. Effect of recoil on momentum and energy of the photon during exciton formation and annihilation, 2=8191
 Gross, E. F. Optical and magneto-optical effects in semiconductor crystals, 3=2994
 Gross, E. F. Excitons and their motion in crystal lattices, 3=22689
 Gross, E. F., Abolin'sh, Ya. Ya. and Shultin, A. A. Optico-acoustic effect in crystals, 0=20972
 Gross, E. F., Bansi-Griio, M. [Bancie-Grillot], Griio, E. [Grillot] and Rasbirin, B. S. Effect of mechanical treatment on the absorption spectrum of cadmium sulphide crystals at low temperature, 2=6571
 Gross, E. F. and Chzhan Guan'-in' [Chang Kuan-yin]. New exciton series of lines in the blue and violet regions of the spectrum of cuprous oxide crystals, 2=14654
 Gross, E. F. and Chzhan Guan-in [Chang Kuang-yin]. Excitons in reflection spectrum of crystals of cuprous oxide in the ultra-violet region, 2=16808
 Gross, E. F. and Chzhan Guan-in [Chang Kuang-yin]. Excitons in reflection spectrum of crystals of cuprous oxide in the ultra-violet region, 2=21232
 Gross, E. F. and Chzhan Guan'-in' [Chang Kuan-yin]. New exciton series of lines in the blue and violet regions of the spectrum of cuprous oxide crystals, 2=12582
 Gross, E. F., Chzhan Guan-in' [Chuang Kuang-yin] and Solov'ev, L. E. The absorption spectrum in the light blue and blue regions of the spectrum and the effects of deformation in thin specimens of copper oxide, 3=4971
 Gross, E. F., Griio [Grillot], E., Zakharchenya, B. P. and Bansi-Griio [Bancie-Grillot], M. The effect of a magnetic field on the blue fluorescence and on the absorption lines of some pure cadmium sulphide crystals at the temperature of 4.2°K, 0=1745
 Gross, E. F., Kalyuzhnaya, G. K. and Nedzvetskii, D. S. Fine structures of the absorption spectrum of gallium phosphide monocrystals, 2=10600
 Gross, E. F. and Kaplyanskii, A. A. Quadrupole optical excitation of the fundamental state of excitons in a cuprous oxide crystal, 0=11762
 Gross, E. F. and Kaplyanskii, A. A. Optical anisotropy of cubic crystals caused by the phenomenon of space dispersion. Quadrupole exciton absorption of light in cuprous oxide, 0=13680
 Gross, E. F. and Kaplyanskii, A. A. Splitting of the fundamental absorption edge of Cu_2O caused by the removal of degeneracy of bands by uniaxial deformation of the crystals, 1=3829
 Gross, E. F. and Kaplyanskii, A. A. Studies of the effect of orientated deformations on the spectrum of the fundamental absorption edge of Cu_2O monocrystals, 1=12496

- Gross, E.F. and Kaplyanskii, A.A. The quadrupole absorption coefficient and the optical lifetime of the ground state of excitons in a Cu_2O crystal, 1=17876
- Gross, E.F. and Kaplyanskii, A.A. The quadrupole absorption coefficient and the optical lifetime of the ground state of excitons in a Cu_2O crystal, 1=19967
- Gross, E.F., Kaplyanskii, A.A. and Agekyan, V.T. Influence of unidirectional deformation on the spectrum of direct and indirect excitation of the ground state of excitons in a Cu_2O crystal, 2=20972
- Gross, E.F., Kaplyanskii, A.A. and Agekyan, V.T. Deformation splitting of the light blue and dark blue exciton series in the spectrum of Cu_2O crystals, 3=15650
- Gross, E.F., Kaplyanskii, A.A., Agekyan, V.T. and Bulyanitsa, D.S. Polarization of the yellow exciton series in the spectrum of Cu_2O on deformation of the crystals, 2=21245
- Gross, E.F., Kochneva, N.S. and Nedzvetskii, D.S. Free and bound excitons in crystals of GaP, 4=15462
- Gross, E.F. and Kreingol'd, F.I. The infrared absorption spectrum of silver oxide, 2=701
- Gross, E.F. and Kreingol'd, F.I. Optical and photoelectric properties of mercury sulphide in the region of its fundamental absorption edge, 2=14655
- Gross, E.F. and Kreingol's, F.I. Optical and photoelectric properties of mercury sulphide in the region of its fundamental absorption edge, 2=12583
- Gross, E.F., Lider, K.F. and Novikov, B.V. Spectral studies of the photoconductivity curves of CdS crystals at temperatures of 77 and 4°K in the absorption edge region, 2=18738
- Gross, E.F., Lider, K.F. and Novikov, B.V. Spectral studies of the photoconductivity curves of CdS crystals at temperatures of 77 and 4°K in the absorption edge region, 2=23455
- Gross, E.F. and Nedzvetskii, D.S. Resonant and non-resonant radiation of centres in a crystal of GaP and their interaction with phonons of the lattice, 3=8618
- Gross, E.F. and Nedzvetskii, D.S. The fine structure of the decay times of the edge luminescence band of GaP crystals, 4=4300
- Gross, E.F. and Nedzvetskii, D.S. Long-wave excitation of the edge luminescence bands in crystals of GaP, 4=13074
- Gross, E.F. and Nedzvetskii, D.S. Regularly converging line luminescence in crystals of GaP, 4=13075
- Gross, E.F. and Novikov, B.V. The fine structure of the photoconductivity spectra of cadmium sulphide crystals, 0=7955
- Gross, E.F. and Novikov, B.V. The effect of mechanical surface treatment on the fine structure of the spectral response of the photoconductivity of cadmium sulphide crystals [at 77°K], 0=15984
- Gross, E.F. and Novikov, B.V. The correlation between the background and maxima in the fine structure of the photoconductivity response spectrum in a monocrystal of CdS, 1=17794
- Gross, E.F. and Novikov, B.V. The fine structure of the spectral curves of photoconductivity and luminescence excitation and its correlation to the exciton absorption spectrum, 2=8400
- Gross, E.F. and Pastrnyak, I. Optical spectrum produced by polarons in copper oxide crystals, 0=644
- Gross, E.F. and Pastrnyak, I. Fine structure of the spectral characteristic of photosensitivity of cuprous oxide crystals, 0=1678
- Gross, E.F. and Pastrnyak, I. The effect of surface treatment on the structure of the photoconductive response spectrum on cuprous oxide crystals, 0=1679
- Gross, E.F. and Pastrnyak, I. Formation of polarons on absorption of light in crystals, 0=6162
- Gross, E.F., Permogorov, S.A. and Razbirin, B.S. Optical analogy of the Mössbauer effect, 4=17558
- Gross, E.F. and Razbirin, B.S. Fine structure of the exciton absorption lines of cadmium sulphide monocrystals, 2=12586
- Gross, E.F. and Razbirin, B.S. Fine structure of the exciton absorption lines of cadmium sulphide monocrystals, 2=14671
- Gross, E.F., Razbirin, B.S. and Permogorov, S.A. Free and bound excitons in a crystal of cadmium sulphide and the analogue of the Mössbauer effect in optics, 3=8594
- Gross, E.F., Razbirin, B.S. and Safarov, V.I. Investigation of the long-wavelength fundamental absorption in polycrystalline layers of CdS and ZnSe at low temperatures, 1=3842
- Gross, E.F., Razbirin, B.S. and Savarov, V.I. The Stark effect on the exciton levels of crystal of cadmium sulphide, 2=4138
- Gross, E.F., Razbirin, B.S. and Savarov, V.I. The Stark effect on the exciton levels of a crystal of cadmium sulphide, 2=10597
- Gross, E.F., Razbirin, B.S. and Shekhmamet'ev, R.I. Investigation of the reflection and luminescence spectra of copper halides at low temperatures, 0=16047
- Gross, E.F., Razbirin, B.S. and Shekhmamet'ev, R.I. Spectral distribution of excitation of edge luminescence in CdS crystals, 2=12616
- Gross, E.F., Razbirin, B.S. and Shekhmamet'ev, R.I. Spectral distribution of excitation of edge luminescence in CdS crystals, 2=14715
- Gross, E.F., Razbirin, B.S. and Sokolov, V.I. Bound excitons and the band structure of CdS crystals, 3=22688
- Gross, E.F. and Shekhmamet'ev, R.I. Relationship of the luminescent edge to the structure of the fundamental absorption edge, 1=17906
- Gross, E.F. and Shekhmamet'ev, R.I. The complex structure of luminescence excitation spectra of HgI_2 and PbI_2 crystals, 3=6669
- Gross, E.F. and Shekhmamet'ev, R.I. Investigation of the excitation spectra of the edge luminescence of copper halides, 4=1768
- Gross, E.F. and Sobolev, V.V. Fine structure of the fundamental absorption edge of single crystals of cadmium selenide, 0=13692
- Gross, E.F. and Sobolev, V.V. Photoluminescence near the fundamental absorption edge of CdSe-CdS mixed crystals, 1=9004
- Gross, E.F. and Suslina, L.G. Investigation of the absorption and luminescence of ZnS and ZnSe single crystals, 2=14672
- Gross, E.F. and Suslina, L.G. Luminescence spectrum of hexagonal ZnSe single crystals, 3=23109
- Gross, E.F., Suslina, L.G. and Komarovskikh, K.F. Investigation of the absorption spectra of zinc sulphide crystals, 0=13700
- Gross, E.F., Suslina, L.G. and Kon'kov, P.A. Exciton spectrum of hexagonal ZnSe monocrystals, 2=18827
- Gross, E.F., Suslina, L.G. and Livshits, A.I. Investigation of reflection and luminescence of zinc telluride single crystals, 3=25467
- Gross, E.F. and Yakobson, M.A. Investigation of the luminescence of CdS single crystals at low temperature, 2=14716
- Gross, E.F., Zakharchenya, B.P. and Kanskaya, L.M. Investigation of the exciton Stark effect in oriented single crystals of cuprous oxide, 1=17885
- Gross, E.F., Zakharchenya, B.P. and Konstantinov, O.V. The effect of the magnetic field inversion on the exciton absorption spectrum of a CdS crystal, 1=19971
- Gross, E.F., Zakharchenya, B.P. and Razbirin, B.S. Magneto-optical phenomena in the absorption spectrum of crystalline CdS, 2=4120
- Gross, E.F., Zakharchenya, B.P. and Sibilev, A.I. The Zeeman effect in indirect excitons in a cuprous oxide crystal, 2=20971
- Gross, E.F., Zakharchenya, B.P. and Razbirin, B.S. Magneto-optical phenomena in the absorption spectrum of crystalline CdS, 2=4120
- Gross, E.F., Zhilich, A.G., Zakharchenya, B.P. and Varfalomeev, A.V. Magneto-optical investigations of quadrupole exciton transition
- Gross, E.F., See Agekyan, V.T., 3=18001
- Gross, E.F. See Bansii-Griio [Bancie-Grillot], M., 0=1744
- Gross, E.F. See Bancie-Grillot, M., 0=11775
- Gross, E.F. See Bansii-Griio, M., 1=11396
- Gross, E.F. See Griio [Grillot], E., 2=10527
- Gross, E.F. See Grillot, E., 1=7666
- Gross, E.F. See Grillot, E., 1=7667
- Gross, E.G., Kaplyanskii, A.A., Agekyan, V.T. and Bulyanitsa, D.S. Polarization of the yellow exciton series in the spectrum of Cu_2O on deformation of the crystals, 3=3005
- Gross, E.P. Analytical methods in the theory of electron lattice interactions. I, 0=525
- Gross, E.P. Collective rotations of nuclei, 0=4020
- Gross, E.P. Quantum theory of interacting bosons, 0=7304
- Gross, E.P. Semiclassical theory of liquid helium, 0=8894
- Gross, E.P. Periodic ground states and the many-body problem, 0=12885
- Gross, E.P. Dynamics of classical many-body systems, 1=9546
- Gross, E.P. Structure of a quantized vortex in boson systems, 1=12821
- Gross, E.P. Motion of foreign bodies in Boson systems, 2=19463
- Gross, E.P. Particle-like solutions in field theory, 2=20221
- Gross, E.P. Low lying states of a system of interacting bosons, 3=79

- Gross, E.P. Hydrodynamics of a superfluid condensate, 3=11729
 Gross, E.P. and Ziering, S. Heat flow between parallel plates, 0=958
 Gross, E.P. See Eger, M., 4=5094
 Gross, E.T.B. Efficiency of thermoelectric devices, 1=16251
 Gross, F. Peculiarities in the conduction of Ag^+ ions in crystalline quartz, 1=11268
 Gross, F. Photoluminescence in crystalline quartz containing silver, 2=14725
 Gross, F. Relativistic calculation of the deuteron electromagnetic form factor. I, 4=16973
 Gross, F. and Aussenegg, F. The determination of the exchangeability of ionic charge in quartz crystals, 3=17788
 Gross, F. and Aussenberg, F. Origin of oscillations in quartz electrolysis, 3=25412
 Gross, F. and Aussenegg, F. An alternating current bridge for medium and low frequencies, 4=2927
 Gross, F. and Aussenegg, F. Ion electrolysis exchange in quartz, 4=20408
 Gross, G.E. Dependence of the forbidden gap and luminescence ground-state energies of $(\text{ZnCd})\text{S}:\text{Ag}$ on the concentration of CdS, 0=2959
 Gross, G.E. See Gravitt, J.C., 3=6544
 Gross, G.W. Four-electrode method for measuring the direct-current resistivity of ice, 3=3973
 Gross, H. Has the M centre in KCl a magnetic moment? 1=19815
 Gross, H. and Wahl, F. The inverse matrix of non-linear lattice statics for KCl, 0=715
 Gross, H. and Wolf, H.C. Electron-spin resonance [E.S.R.] investigations on M centres in KCl, 1=11241
 Gross, J.M. See Blandamer, M.J., 4=16117
 Gross, K.A. See Weaver, C.W., 0=8130
 Gross, L. Norm invariance of mass-zero equations under the conformal group, 4=18040
 Gross, M.J. Underwater edge tones, 0=16780
 Gross, M. J. and Heddle, D. W. O. Southern hemisphere observations of ultra-violet radiation from celestial objects. II. The angular motion of a freely falling rocket, 4=26912
 Gross, M.J. and Millar, W. Observations with a small theta-pinch, 2=1442
 Gross, R.A. A study of combustion in supersonic flow, 0=2270
 Gross, R.A. Continuum radiation behind a blast wave, 4=24297
 Gross, R.A. See Luzzi, T.E., 4=30043
 Gross, W.A. The second fundamental problem of elasticity applied to a plane circular ring, 0=19023
 Grossberg, A.B. Simple e.s.r. experiments at low magnetic fields, 3=5807
 Grosse, A.V. High-temperature research, 3=21602
 Grosse, A.V. Viscosity and self-diffusion of liquid metals, 4=24187
 Grosse, A.V., Cahill, J.A. and Kirshenbaum, A.D. Density of liquid uranium, 2=2700
 Grosse, A.V. and McGonigal, P.J. Concerning the densities and temperature coefficients of liquid barium and calcium, 4=18183
 Grosse, A.V. See McGonigal, P.J., 2=15572
 Grosse, A.V. See McGonigal, P.J., 3=23838
 Grosse, P. See Geist, D., 2=8781
 Grosser, A.E., Iczkowski, R.P. and Margrave, J.L. New velocity selector for molecular beams, 3=12883
 Grossetête, B. and Lehmann, P. Elastic electron-deuteron scattering at low momentum transfers, 3=14959
 Grossetête, B., Treille, D. and Lehmann, P. Elastic electron-deuteron scattering at small momentum transfer and the electromagnetic structure of the neutron, 3=5985
 Grossetête, B., Treille, D. and Lehmann, P. Elastic electron-deuteron scattering at low momentum transfers, 3=19612
 Grossetête, B. See Bishop, G.R., 2=10087
 Grossetête, F. The effect of exchange collisions between rubidium and caesium on the relaxation of the longitudinal electronic polarization of rubidium, 4=22321
 Grossetête, F. Relaxation by spin-exchange collisions, 4=22322
 Grossetête, F. See Piketty-Rives, C.A., 4=15304
 Grossetti, E. Effect of the dipolar rotation of liquids. III, 0=19146
 Grossetti, E. Mechanical momentum of solutions of liquids in a rotating electric field, 1=5253
 Grossetti, E. Rotational mechanical moments of electrolyte solutions in a rotating high-frequency electric field, 1=15864
 Grossetti, E., Tartaglione, E. and Brescia, G. Relaxation-time determination in quadrupolar resonance, 4=13356
 Grossetti, E. See Carrelli, A., 3=6769
 Grosshög, G. Measurement of the slowing-down time of Ra-Be neutrons in water, 4=27863
 Grossi, M.D., Strom, K.M. and Strom, S.E. Ionospheric focusing of cosmic radio sources, 2=19345
 Grosskopf, H. Conditions for optimum picture reproduction in television, 3=7312
 Grosskopf, H. Brightness perception of the sense of sight, 4=10988
 Grosskopf, J. See Bean, B.R., 3=513
 Grosskreutz, J.C. Fatigue crack propagation in aluminum single
 Grosskreutz, J.C. Autoradiography of fatigue fracture in aluminum, 2=19015
 Grosskreutz, J.C. Development of substructure in polycrystalline aluminum during constant-strain fatigue, 3=11328
 Grosskreutz, J.C. The formation of substructure in aluminium during alternating plastic strain, 3=17749
 Grosskreutz, J.C. and Gosselin, C.M. Surface deformation of aluminum in fatigue, 0=11976
 Grosskreutz, J.C. and Waldow, P. Substructure and fatigue fracture in aluminum, 3=20742
 Grosskreutz, J.C. See Roberson, J.A., 3=20750
 Grosskrutz, J. C. and Shaw, G. G. Structure of anodic layers on the (100) face of aluminium, 4=23565
 Grossmann, A. Description of the extended tube, 0=16604
 Grossmann, A. Algebraic characterization of the T.C.P. operation, 0=17207
 Grossmann, A. Schrödinger scattering amplitude. II, 1=15697
 Grossmann, A. and Tai Tsun Wu. Schrödinger scattering amplitude. I, 1=15696
 Grossmann, A. and Tai Tsun Wu. Schrödinger scattering amplitude. III, 2=19439
 Grossmann, G. and Ariya, S.M. The magnetic susceptibility of a solid solution of ferrous oxide in magnesium oxide, 1=1214
 Grossmann, G. See Ariya, S.M., 0=18166
 Grossman, L.M. See Chambré, P.L., 3=24998
 Grossman, L.M. See de Ladonchamps, J.R.L., 2=7861
 Grossman, L.M. See Schrock, V.E., 0=14873
 Grossman, L.N. On the question of a phase change in zirconium monocarbide, 4=17774
 Grossman, R.A. See Crawford, F.S., Jr., 4=9258
 Grossman, R.A. See Fowler, E.C., 3=12496
 Grossmann, S. On quantum-mechanical ergodicity conditions in connection with averaging methods, 2=13269
 Grossman, S. Second quantum mechanical virial coefficient of a Boltzmann gas, 4=27212
 Grossman, Z. and Feres, A. Classical theory of the Dirac electron, 4=6020
 Grossmann, A. Nested Hilbert spaces in quantum mechanics. I, 4=27738
 Grossmann, A. and Von Löwis, H. Influence of cavitation on metal surfaces, 4=26705
 Grossmann, E. D. See Stiefel, L., 4=23635
 Grossmann, S. Occupation number representation with localized one particle functions. Macroscopic description of quantum gases. I, 4=11103
 Grossmann, S. Macroscopic time evolution and inhomogeneous master equation. Macroscopic description of quantum gases. II, 4=29565
 Grossmann, W. See Hess, R., 4=18789
 Grossmann-Doerth, U. Build-up and quasi-stationary state of a high-power toroidal pinch discharge in hydrogen, 2=7622
 Grossmann-Doerth, U. and Junker, J. Experimental investigations of run-away electrons in a hydrogen plasma, 3=12104
 Grossmann-Doerth, U. and Junker, J. Runaway electrons in a toroidal Z-pinch discharge in hydrogen, 4=8703
 Grossmann-Doerth, U., Lotz, W., Remy, E. and Wolf, G. Investigation of plasma confinement in a toroidal theta pinch with M + S-like configurations, 3=7569
 Grosso, J.S. See Birks, L.S., 4=28663
 Grosso, R.P. and McCubbin, T.K., Jr. The ν_1 , ν_2 fermi diads of $\text{N}_3^{14}\text{O}^{18}$, $\text{N}_3^{14}\text{O}^{16}$, and $\text{N}_3^{16}\text{O}^{18}$, 4=25676
 Grosso, R.P. See McCubbin, T.K., Jr., 2=17609
 Grosso, R.P. See McCubbin, T.K., Jr., 3=24022
 Grossweiner, L.I. Flash photolysis, 2=15155
 Grossweiner, L.I. and Zwicker, E.F. Primary processes in the photochemistry of eosin, 0=4725
 Grossweiner, L.I. and Zwicker, E.F. Free radicals from the flash photolysis of phenol, 0=6413
 Grossweiner, L.I. and Zwicker, E.F. Transient measurements of photochemical processes in dyes. I. The photosensitized oxidation of phenol by eosin and related dyes, 1=7919

- Grossweiner, L. I. and Zwicker, E. F. Primary mechanisms in eosin-photosensitized reactions of aromatic amino acids and ovalbumin, 4=7770
- Grossweiner, L. I. See Costikas, A., 2=12470
- Grossweiner, L. I. See Dudkowski, S. J., 4=15570
- Grossweiner, L. I. See Norman, S. L., 2=2347
- Grossweiner, L. I. See Reinberg, A. R., 1=8915
- Grossweiner, L. I. See Ring, J. G., 4=25973
- Grossweiner, L. I. See Silverman, L. E., 1=3693
- Grosu, D. and Sanduloviciu, M. Study of the natural oscillations of the negative column, 4=471
- Grosu, X. and Sanduloviciu, R. Contribution to the study of spontaneous voltage oscillations of a luminescent discharge in oxygen as a function of the length of the positive column, 2=7590
- Grosu, X. and Sanduloviciu, R. Study of the oscillations in the positive column of the luminescent discharge in oxygen, 4=8650
- Grosul, V. P. See Teplyakov, P. O., 2=18877
- Grosul, V. P. See Teplyakov, P. O., 4=4319
- Grosvald, G. and Loriers, J. Contribution to the dielectric study of praseodymium oxides, 3=8552
- Grosvald, G. See Le Bott, Jean., 1=14535
- Grosvallet, J., Motsch, C. and Tribes, R. Physical phenomenon responsible for saturation current in field effect devices, 3=13101
- Grosvallet, J. See Garreta, O., 0=20889
- Groszek, A. J. See Bell, G. H., 1=20679
- Groszkowski, J. Pulse compression of gas by untight piston, 1=15968
- Groszkowski, J. The thermal vacuum gauge in pulse pressure operation, 1=15976
- Groszkowski, J. Gas desorption at rubbing surfaces in high vacua, 1=15983
- Groszkowski, J. Unreliability of ionisation gauges and its consequences, 1=18483
- Groszkowski, J. Pulse-compression thermal vacuum-gauge, 2=19635
- Groszkowski, J. High vacuum clean metal surface pump, 3=23948
- Groszkowski, J. Gas desorption from the ionization gauge and the pressure in high-vacuum systems of small volume, 4=5257
- Grotal, T. and Nybø. The reaction $Mg^{24}(d, p) Mg^{25}$ in the deuteron energy range 700 to 1500 keV, 4=30352
- Grote, C., Hauser, I., Kundt, U., Krecker, U., Lanius, K., Lewin, K. and Meier, H. W. Absorptions of K^- mesons at rest in light and heavy nuclei of the emulsion, 0=1312
- Grote, C., Klabuhn, J., Klugow, J., Krecker, U., Kundt, U., Lanis, K. and Meier, H. W. Inelastic π^- -nucleon interactions at 7 GeV with small multiplicities, 2=16222
- Grote, C., Klabuhn, J., Klugow, J., Krecker, U., Kundt, U., Lanius, K., Meier, H. W., Nowak, S. and Pose, R. Evidence for the ρ^0 meson in π^-p interactions at 7/8 GeV/c, 4=25166
- Grote, C., Klabuhn, J., Krecker, U., Kundt, U., Lanius, K. and Meier, H. W. Experimental results on the inelastic pion-nucleon interactions at 7 GeV and the formation of isobaric states, 2=16223
- Grote, C., Klabuhn, J., Krecker, U., Kundt, U., Lanius, K. and Meier, H. W. Inelastic π^- -nucleon interactions at 7.5 GeV in the emulsion, 2=16224
- Grote, C., Klugow, J., Krecker, U. and Lanius, K. Inelastic π^- -nucleon interactions at 6.8 GeV in the bubble chamber, 2=16225
- Grote, C. See Aderholz, M., 4=21919
- Grote, C. See Bartsch, J., 4=30264
- Grote, H. Acoustical reflectometer, 4=27269
- Grote, L. C., Krecker, U., Kundt, U., Lanius, K., Manske, G. and Meier, H. W. Inelastic π^- -nucleon interactions at 7.5 GeV, 1=9760
- Grotenhuis, M. See Walker, R. L., 3=17516
- Groth, P. Crystal structure of an unstable monoclinic form of dinitrogen tetroxide, 4=4618
- Groth, R. The temperature dependence of the short-wave absorption edge of MgO in the infrared, 1=8991
- Groth, R. Infrared detectors based on phosphors, 1=16153
- Groth, R. and Kauer, E. Absorption by free charge carriers in α -SiC crystals, 2=2240
- Groth, R. and Kauer, E. Production of light by selective thermal radiators, 3=23993
- Groth, R. and Memming, R. Absorption by free charge-carriers in CdS, 2=2159
- Groth, R. and Weiss, K. Band gap of β - and α -AgI, 2=23544
- Groth, R. See Grimmeiss, H. G., 1=3861
- Groth, W., Okabe, H. and Rommel, H. J. The primary photolysis of NH_3 at 1470 Å, 4=23676
- Groth, W. and v. Weyssenhoff, H. Photochemical formation of organic compounds from mixtures of simple gases, 0=3318
- Groth, W. See Buschmann, H. W., 3=20989
- Groth, W. E. and Schierholz, H. The photolysis of nitrous oxide in the far ultraviolet, 1=6575
- Groth, W. E. and v. Weyssenhoff, H. Photochemical formation of organic compounds from mixtures of simple gases, 1=6576
- Grothe, H. and Schimmel, G. Electron diffraction patterns from sodium soaps, 3=16145
- Grotjahn, D. The relation between accuracy of the aberration curve and that of the optical transfer function, 4=8387
- Grotzmann, A. G. and Herrington, K. Sintering of titanium dioxide, 4=23545
- Grotowski, K. Problems of the optical model for deuterons. I. Parameters of the optical potential, 4=6366
- Grotowski, K. Problems of the optical model for deuterons. II. Experiments for determining the parameters of the optical potential for deuterons, 4=12253
- Grotowski, K. See Budzanowski, A., 0=5912
- Grotowski, K. See Budzanowski, A., 1=719
- Grotowski, K. See Budzanowski, A., 1=13845
- Grotowski, K. See Budzanowski, A., 3=6282
- Grotowski, K. See Budzanowski, A., 4=9558
- Grotowski, K. See Budzanowski, A., 4=28060
- Grotowski, K. A. See Robbins, A. B., 2=1875
- Grotowski, K. A. See Robbins, A. B., 3=12661
- Grotzmann, A. G. Optical servo control for a spoon gauge, 1=8091
- Groubert, E. and Caillon, P. Measurement of the dielectric properties of high loss substances, 1=16236
- Groumes, M. and Myers, H. P. Irradiation effects in strain-aged pressure vessel steel, 2=6824
- Groutzeilles, M., Mirand, P. and Saulnier, A. Direct electron micrography and micro-diffraction study of the ω -phase in titanium alloys, 2=4440
- Grove, A. S. and Sah, C. T. Simple analytical approximation to the switching times in narrow base diodes, 4=12936
- Grove, A. S., Leistiko, O., Jr. and Sah, C. T. Redistribution of acceptor and donor impurities during thermal oxidation of silicon, 4=28572
- Grove, A. S., Leistiko, O., Jr. and Sah, C. T. Diffusion of gallium through a silicon dioxide layer, 4=30578
- Grove, A. S., Petersen, E. E. and Acrivos, A. Velocity distribution in the laminar wake of a parallel flat plate, 4=24141
- Grove, A. S., Snow, E. H., Deal, B. E. and Sah, C. T. Simple physical model for the space-charge capacitance of metal-oxide-semiconductor structures, 4=26089
- Grove, D. J., Sinclair, R. M., Stodiek, W., Harries, W. L. and Goldberg, L. P. Some preliminary results on containment time in the model C stellarator, 3=12190
- Grove, D. M. See Ash, R., 1=18447
- Grove, G. R. and Haubach, W. J., Jr. Proposed preparation of He^3 for use in vapour pressure thermometry, 4=16318
- Grover, F. H. Very high speed dual-purpose image-converter camera, 1=4487
- Grover, G. M. Los Alamos plasma thermocouple, 0=265
- Grover, G. M., Cotter, T. P. and Erickson, G. F. Structures of very high thermal conductance, 4=27349
- Grover, G. M. See Pidd, R. W., 0=1139
- Grover, G. M. See Ranken, W. A., 1=1912
- Grover, J. N. See Herbst, L. J., 2=17750
- Grover, J. R. Mass assignments and some decay characteristics of Gd^{145} , Eu^{145} , Gd^{146} , and Eu^{146} , 0=1381
- Grover, J. R. Effect of competition between gamma-ray and particle emission on excitation functions, 1=10996
- Grover, J. R. Nuclear reactions of tantalum with 5.7-GeV protons, 2=12195
- Grover, J. R. Effects of angular momentum and gamma-ray emission on excitation functions, 2=20581
- Grover, J. R. and Nagle, R. J. Competition between neutron and gamma-ray emission following formation of the compound nucleus Po^{210} in the systems $Pb^{208} + \alpha$ and $Bi^{208} + p$, 4=22191
- Grover, J. R. See Hudis, J., 3=4641
- Grover, N. B., Goldstein, Y. and Many, A. Improved representation of calculated surface mobilities in semiconductors. I. Minority carriers, 2=2134
- Grover, N. B. and Oren, R. Majority-carrier mobility on germanium surfaces, 3=15574
- Grover, N. B. See Goldstein, Y., 2=2135
- Grover, N. B. See Goldstein, Y., 2=22129
- Grover, N. B. See Harnik, E., 1=1051
- Grover, N. B. See Many, A., 1=1050
- Grover, N. B. See Many, A., 2=23329

- Groves, G.V. Velocity of a body falling through the atmosphere and the propagation of its shock wave to earth, 0=57
- Groves, G.V. Determination of impact point of a vertically-falling body by acoustical observations, 0=912
- Groves, G.V. Air density in the upper atmosphere from satellite orbit observations, 0=1977
- Groves, G.V. Motion of a satellite in the earth's gravitational field, 0=8529
- Groves, G.V. Determination of upper-atmosphere air density and scale height from satellite observations, 0=10407
- Groves, G.V. Determination of upper-atmosphere air-density profile from satellite observations, 0=10408
- Groves, G.V. A theory for determining upper-atmosphere winds from radio observations on meteor trails, 0=14390
- Groves, G.V. Upper-atmosphere wind studies by "skylark" rocket sodium experiment, 0=21331
- Groves, G.V. Latitude and diurnal variations of air densities from 190 to 280 Km as derived from the orbits of Discoverer satellites, 1=20817
- Groves, G.V. Methods of calculating atmospheric densities from satellite orbit data, 2=4626
- Groves, G.V. Initial expansion to ambient pressure of chemical explosive releases in the upper atmosphere, 3=21047
- Groves, G.V. See Bowen, P. J., 4=26811
- Groves, G.V. See Stebbings, R.F., 0=16420
- Groves, G.W. On tidal torque and eccentricity of a satellite's orbit, 1=12741
- Groves, G.W. Radiation damage in MgO, 3=17761
- Groves, G.W. and Kelly, A. Climb of dislocations in magnesium oxide, 2=3919
- Groves, G.W. and Kelly, A. Interstitial dislocation loops in magnesium oxide, 2=8221
- Groves, G.W. and Kelly, A. Independent slip systems in crystals, 3=16000
- Groves, G.W. and Kelly, A. Prismatic dislocation loops in cold-worked and annealed MgO crystals, 3=25277
- Groves, G.W. and Kelly, A. The dislocation distribution in plastically deformed magnesium oxide, 3=25283
- Groves, G.W. and Kelly, A. Neutron damage in MgO, 3=25310
- Groves, G.W. and Whelan, M. J. The determination of the sense of the Burgers vector of a dislocation from its electron microscope images, 3=803
- Groves, G.W. See Washburn, J., 0=20823
- Groves, J.R.V. See Ellis, G.R.A., 0=4793
- Groves, R.D. See Drabble, J.R., 0=1643
- Groves, R.D. See Drabble, J.R., 0=11735
- Groves, S. and Paul, W. Band structure of gray tin, 4=6790
- Groves, S. See Feinleib, J., 3=25495
- Groves, T. See Camerini, U., 0=15524
- Groves, T.H. Elastic scattering of lambda hyperons from protons, 3=7931
- Groves, T. H., Klein, P. R. and VanderBurg, V. Measurement of the form factor ratio in $K_{\mu 3}$ decay, 4=27896
- Groves, W. O. See Herzog, A. H., 4=7707
- Grow, R. W., Johnson, C. C. and Jones, A. S. Microwave diagnostics of plasmas, 4=14678
- Grow, R.W. See Johnson, V.R., 4=17607
- Grown, B. and Grange, A. High intensity ultrasonic equipment for teaching and research, 4=8318
- Grubb, D. See Waterhouse, R.B., 3=13378
- Grubb, E. L. and Belford, R. L. Vanadium tetrachloride vibrational spectrum, 4=1281
- Grubb, E. L., Blankenship, F. A. and Belford, R. L. Intensity of the 9 kK band and molecular association in vanadium tetrachloride, 4=3880
- Grubb, H. M. See Meyerson, S., 4=454
- Grube, R.H. A method for obtaining the transfer functions of space filters by differential superposition, 2=11476
- Grube, W.L. See Rouze, S.R., 3=18360
- Gruber, B. Fundamental concepts of the theory of dislocations, 0=4287
- Gruber, B. The influence of a three-body force on the binding of three nucleons, 3=22219
- Gruber, G. J. and Litovitz, T. A. Shear and structural relaxation in molten zinc chloride, 4=11176
- Gruber, G.M. See Gledhill, J.A., 3=9270
- Gruber, H.E., King, W.L. and Link, S. Moon illusion: An event in imaginary space, 3=11628
- Gruber, H.E. See King, W.L., 2=13219
- Gruber, J. and Meister, R. Ultrasonic attenuation in water containing brine shrimp suspension, 1=9449
- Gruber, J. See Bergmann, W.H., 3=17128
- Gruber, J.B. An analysis of the infrared absorption spectrum of $\text{Am}^{+3}(5f^6)$ in LaCl_3 , 1=19991
- Gruber, J.B. Analysis of the spectra of tripositive praseodymium in ethylsulfate crystals, 3=10959
- Gruber, J.B. and Conway, J.G. Electronic energy levels and crystal quantum states of $\text{Tm}(\text{IV})$, 0=6032
- Gruber, J.B. and Conway, G. Crystal field splitting of energy levels of thulium ethylsulfate, 0=11600
- Gruber, J.B. and Conway, J.G. Evaluation of electrostatic energy levels of f^6 , 1=4896
- Gruber, J.B. and Conway, J.G. Absorption spectrum and Zeeman effect of Am^{3+} in LaCl_3 , 2=2232
- Gruber, J.B. and Satten, R. A. Analysis of the electronic spectra of neodymium ethylsulfate, 4=1740
- Gruber, J.B. See Conway, J.G., 0=11787
- Gruber, J.B. See Conway, J.G., 2=2248
- Gruber, J. B. See Kisliuk, P., 4=22856
- Gruber, J.B. See Krupke, W.F., 3=25457
- Gruber, J. B. See Krupke, W. F., 4=28684
- Gruber, S. Statistical analysis of radio star scintillation, 1=15266
- Gruber, S., Bekefi, G. and Brown, S.C. Measurements of turbulence in an r.f. discharge, 3=7470
- Gruber, S., McBee, W.D. and Shepherd, L.T. Observation of spatially growing waves at the cyclotron harmonics in an electron-beam generated He plasma, 4=16500
- Gruber, S. See Briffod, G., 4=19032
- Gruber, S. See Briffod, G., 4=29878
- Gruber, U. γ -radiation from the capture of thermal neutrons in rhodium, 4=22139
- Gruber, U. See Daniel, H., 4=28001
- Gruber, U. See Schult, O. W. B., 4=27977
- Grubin, C. Vector representation of rigid body rotation, 2=13297
- Grubin, C. Three-dimensional polar coordinates, 4=18121
- Grubissich, C. H II regions with outward decreasing density, 0=12324
- Grubissich, C. See Grasson, E., 2=10855
- Grubissich, C. See Panattoni, C., 4=2050
- Grubnik, N.A. A study of acoustic properties of submerged soil at high frequencies, 1=10301
- Grubnikov, Z.S. Current carriers in p-n junctions, 2=2181
- Gruden, M. Some properties of harmonic bivectors and their application to the theory of electromagnetic waves, 2=1578
- Grudzińska, S. The abundance of CO^+ ions in cometary tails, 1=20
- Grudzińska, S. See Mianes, P., 1=19
- Grudziński, H. and Heldt, J. Effect of the intermolecular interactions in solutions on the mean duration of fluorescence of acriflavine, 4=29636
- Grudzinski, R. and Paillette, M. On interference obtained with a gas laser and large path difference, 4=11351
- Grudzinski, R., Paillette, M. and Becrelle, J. Study of laser transition coupling in a helium-neon mixture, 4=14935
- Grüebler, W. and Gibbs, W.R. Angular correlation measurements for the stripping reaction $\text{Ne}^{20}(\text{d}, \text{n}) \text{Na}^{21}$, 3=10377
- Gruebler, W., Haeblerli, W. and Schwandt, P. Production of a beam of polarized negative hydrogen ions, 4=24751
- Grüebler, W. and Rossel, J. Study of the stripping reactions $\text{Ne}^{20,22}(\text{d}, \text{n})\text{Na}^{21,23}$ by collimated recoil-proton spectrometer, 2=1922
- Grüebler, W. and Rossel, J. A study of $\text{Ne}^{20}(\text{d}, \text{n})\text{Na}^{21}$ and $\text{Ne}^{22}(\text{d}, \text{n})\text{Na}^{23}$ stripping reactions, 2=10137
- Grüebler, W. and Rossel, J. A study of the $\text{N}^{14}(\text{d}, \text{n})\text{O}^{15}$ stripping reaction, 3=2486
- Grüebler, W., Seylaz, J. and Rossel, J. Measurement of the first excited state of Na^{21} by means of $(\text{n}-\gamma)$ coincidences, 3=2385
- Grüebler, W. See Gibbs, W.R., 2=20663
- Grüebler, W. E. See Gibbs, W. R., 4=6372
- Gruehn, R. and Schäfer, H. Phase relationships in the systems $\text{NbO}_2-\text{NbO}_3$ and $\text{TiO}_2-\text{NbO}_3$, 4=7507
- Gruen, D.M. See Cafasso, F.A., 3=13237
- Gruen, D.M., See Carnall, W. T., 3=9462
- Gruen, D.M. See Satten, R.A., 0=18130
- Gruen, D.M. See Selig, H., 2=16889
- Gruenberg, E.L. Data processing and information transmission for space, 2=16058
- Gruenzel, R.R. See Rambausk, W., 4=13551
- Grüger, A. See Hachenberg, C., 4=4946
- Gruhle, W. Pulse shaper for fast coincidence stages, 0=17187
- Gruhle, W. A new method of pulse timing applied to fast coincidence work, 0=17197
- Gruhle, W., Lauterjung, K.H., Schimmer, B. and Schmidt-Rohr, U. Experimental investigation of the Gell-Mann theory of β -decay. $\beta-\alpha$ angular correlation in the decay of Li^8 , 3=12619

- Gruhle, W. See Lauterjung, K.H., 0=20363
 Gruhle, W. See Ostertag, H., 3=353
 Gruhn, C.R. See Bodansky, D., 1=8773
 Gruhn, C.R. See Bodansky, D., 2=12223
 Gruich, D.D. See Arifov, U.A., 0=19802
 Gruich, D.D. See Arifov, U.A., 2=15949
 Gruich, D.D. See Arifov, U.A., 2=17875
 Grum, F. Modification of a Beckman spectrophotometer for direct measurements of spectral energy distribution of light sources, 3=18991
 Grum, F. and Scharf, P.T. Ultraviolet wavelength range extension of the general electric spectrophotometer, 0=14823
 Grum, F. and Williams, F.C. Measuring spectral transmittances of photographic objectives with the Cary model 11 MS recording spectrophotometer, 0=10790
 Grum, F. See Condit, H.R., 4=23754
 Grum-Grzhimailo, S.V. Defectoconoscope devices for studying optical anomalies in crystals and determining the orientation of watch jewels, 0=16823
 Grum-Grzhimailo, S.V., Bondarenko, K.P. and Klimusheva, G.V. An attachment for the SF-4 quartz photoelectric spectrophotometer for the investigation of absorption of light by crystals, 2=1267
 Grum-Grzhimailo, S.V., Brilliantov, N.A., Sviridov, D.T., Sviridova, R.K. and Sukhanova, O.N. Absorption spectra of crystals containing Fe^{3+} at temperatures down to 1.7°K , 3=15681
 Grum-Grzhimailo, S.V., Brilliantov, N.A., Sviridova, R.K. and Sukhanova, O.N. Low-temperature absorption spectra of some synthetic crystals colored by nickel, 1=3835
 Grum-Grzhimailo, S.V., Brilliantov, N.A., Sviridova, R.K., Sukhanova, O.N. and Kapitonova, M.M. Absorption spectra of beryls coloured with iron at temperatures from 290 to 1.7°K , 3=3001
 Grum-Grzhimailo, S.V., Brilliantov, N.A., Volkova, N.V., Dobrzanski, G.F. and Sviridov, D.T. The spectra of light absorption by single crystals of nickel ammonium sulphate at temperatures from 290° to 1.7°K , 3=13180
 Grum-Grzhimailo, S.V., Fomichev, N.N., Fedorov, F.I. and Goncharenko, A.M. Surfaces of light absorption of blue topaz, 2=4129
 Grum-Grzhimailo, S.V. and Klimusheva, G.V. The temperature dependence of the wide absorption bands in the spectra of crystals with various structures, coloured by isomorphous impurities, 0=16061
 Grum-Grzhimailo, S.V. See Gasanov, B.G., 0=13693
 Grumăzescu, M. See Bădărău, E., 1=1792
 Grumăzescu, M. See Bădărău, E., 2=5113
 Grumm, H. Basic information on nuclear energy, 1=13874
 Grummitt, W.E. and Guthrie, J.E. Assessment of the radiation dose to Canadians from fallout, 4=17913
 Grummitt, W.E. See Milton, G.M., 1=708
 Grun, A.E. The effective resonance integral for gold foils, 2=9869
 Grün, A.E. See Dio, W.H., 4=1165
 Grün, F. and Marzetta, B. Method for the determination of diffusion coefficients in liquids. II, 0=3512
 Grün, F. See Batschelet, E., 0=19108
 Grun, J.B. New data on the absorption of cuprous oxide. I-II, 3=13170
 Grun, J.B. and Nikitine, S. Influence of external and internal electric fields on the excitonic absorption spectrum of Cu_2O , 2=12599
 Grun, J.B. and Nikitine, S. Study of the shape of the lines of the yellow and green series of cuprite, 3=25455
 Grun, J.B., Sieskind, M. and Nikitine, S. Low-temperature determination of the oscillator strength of Cu_2O lines of the green series, 1=14590
 Grun, J.B., Sieskind, M. and Nikitine, S. Spectrophotometric study of the continuous spectra of Cu_2O at various temperatures, 3=10936
 Grun, J.B., Sieskind, M. and Nikitine, S. Study of the absorption and reflection of cuprite at very low temperatures in the
 Grun, J.B. See Certier, M., 4=22854
 Grun, J.B. See Deiss, J.L., 3=20474
 Grun, J.B. See Nikitine, S., 2=697
 Grun, J.B. See Nikitine, S., 2=2105
 Grun, J.B. See Nikitine, S., 2=23555
 Grun, J.B. See Nikitine, S., 3=2765
 Grun, J.B. See Nikitine, S., 3=4972
 Grun, J.B. See Nikitine, S., 3=10932
 Grun, J.B. See Nikitine, S., 3=10934
 Grun, J.B. See Nikitine, S., 3=10935
 Grun, J.B. See Nikitine, S., 3=10936
 Grun, J.B. See Nikitine, S., 3=23068
 Grun, J.B. See Sieskind, M., 2=6565
 Grün, N. Wave functions and electron affinities for singly charged negative ions, 4=25495
 Grünbaum, A. The bearing of philosophy on the history of science, 4=27039
 Grünbaum, E. See González, C., 3=18379
 Grunberg, G. Simple pulsation method for an electrostatic [ion] accelerator with an r.f. ion source, 2=5396
 Grunberg, J.G., Antier, G. and Seiden, P.E. Note on the polishing of small spheres of ferrimagnetic materials, 1=21160
 Grunberg, J.G. See Seiden, P.E., 3=15927
 Grunberg, L., Jamieson, D.T. and Scott, D. Hydrogen penetration in water-accelerated fatigue of rolling surfaces, 3=25644
 Grunberg, L., Scott, D. and Wright, K.H.R. The investigation of surface deformation, 1=6564
 Gründig, H. Ionic conductivity of zone refined alkali halides, 0=7916
 Gründig, H. An apparatus for the preparation of alkali-halide single crystals by the Kyropoulos method, 4=10466
 Gründig, H. and Wasserman, E. The preparation of high-purity alkali halide crystals, 4=13529
 Grunditz, Y. See Brabec, V., 4=19735
 Grunditz, Y. See Han, K.S., 3=8015
 Grunditz, Y. See Parker, W.C., 2=4545
 Grunditz, Y. See Parker, W., 3=15125
 Grundl, J. and Usner, A. Spectral comparisons with high energy
 Gründler, W. Digital recording illumination photometer, 1=12964
 Grundy, P.J. and Tebble, R.S. Electron microscope observations of ferromagnetic domains in face centred cubic cobalt, 3=20605
 Grundy, P.J. and Tebble, R.S. Domain structure of h.c.p. and f.c.c. cobalt above room temperature, 4=13168
 Grüneisen, F. See Lüthi, B., 4=22673
 Grüneisen, F. See Lüthi, B., 4=22674
 Gruner, P. See Bross, H., 4=4002
 Grünwald, T. Range of application of cerimetry [cerium dosimetry] to electron beams and soft X-rays, 4=9017
 Grung, B. See Bløtkejaer, K., 2=17883
 Grunfest, I.J., Young, J.P. and Johnson, N.L. Temperatures generated by the flow of liquids in pipes, 4=5138
 Grunwald, E., Karabatsos, P.J., Kromhout, R.A. and Purlee, E.L. Proton-transfer studies by nuclear magnetic resonance. II. Rate constants and mechanism for the reaction $\text{CH}_3\text{NH}_3^+ + \text{OH}^- + \text{NH}_4\text{CH}_3$ in aqueous acid, 0=14118
 Grunwald, E. See Emerson, M.T., 0=14117
 Grunzweig, J., Zamir, D. and Zak, J. Nuclear relaxation time in mixed sodium salts, 3=8738
 Grupen, W. See Sines, G., 3=22697
 Gruschka, H.D. See Meyer, E., 4=296
 Gruschka, H.D. See Zimmermann, Z.H., 2=5258
 Grushevskaya, D.A. See Andreeva, N.A., 2=14614
 Grushin, V.F., Zapevalov, V.A. and Leikin, E.M. A total absorption Cherenkov γ -spectrometer, 4=16855
 Grushin, V.F. and Zinevich, A.N. The nonuniformity of light gathering in large scintillators, 1=4746
 Grushinskii, N.P. and Sagitov, M.U. Some considerations on the gravitational field of the moon, 2=21694
 Grushko, Yu.S. See Murin, A.N., 2=604
 Grushko, Yu.S. See Murin, A.N., 2=3938
 Grütter, A. and Shorrock, J.C. A simple semi-automatic cryostat to operate at temperatures above -196°C , 4=27398
 Grützmacher, M. The acoustics department of the Physikalisch-Technische Bundesanstalt (P.T.B.), Brunswick, 0=16795
 Grützmacher, M. The new sound-proof room of the physical-technical institute of the federal republic [Bundesanstalt], 4=5340
 Grützmacher, M. and Wesselhöft, E. The musical sound of a Chinese gong, 1=208
 Gruverman, I.J. and Schivley, J.K. Iodine-125 makes a better low-energy gamma radiography source, 3=21150
 Gruverman, I.J. See Gleason, G.I., 2=20530
 Gruz, E.A. See Starinin, K.V., 2=1645
 Gruza, G.V. Thermal equilibrium in the atmosphere, 0=784
 Gruzdev, P.F. Relative oscillator strengths in the spectrum of the cobalt ion Co^{2+} , 3=8181
 Gruzdev, P.F., and Startsev, G.P. Criteria of applicability of the theoretical intensities to the spectra of complex atoms in
 Gruzdev, V.A. See Novikov, I.I., 0=3526
 Gruzensky, P.M. and Scott, A.B. Ionic conductivity of KCl containing sulfate ions, 2=8297

- Gruzin, P. L. and Mural', V. V. A radiometric study of diffusion of phosphorus in iron, 4=20294
- Gruzin, P. L. and Mural', V. V. The effect of alloying upon the diffusion of phosphorus in ferrite, 4=20296
- Gruzin, P. L. and Semenikhin, A. N. Influence of internal irradiation on the damping decrement in zirconium, 4=4494
- Gruzin, P. L. and Semenikhin, A. N. The low temperature damping peak in zirconium, 4=26533
- Gruzinskii, V. V. and Borisevich, N. A. Study of the excited states of molecules of vapours on the basis of the universal relation between fluorescence and absorption spectra II. Structured spectra, 4=12493
- Gruzinskii, V. V. See Borisevich, N. A., 3=15320
- Gruzinskii, V. V. See Borisevich, N. A., 4=22415
- Gryaznov, A. I., Metal'nikov, Yu. N., Molchanov, S. S., Novikova, G. V., Petukhov, V. A., Pisarev, V. E., Pushkin, B. N., Pantyushkova, E. V., Sedov, M. G., Shorin, K. N. and Yakimenko, M. N. The 680 MeV synchrotron at the Physics Institute of the U.S.S.R. Academy of Sciences, 4=627
- Gryaznov, I. M. The character of deformation in the region of plasticity, 0=1853
- Grýbňýkov, Z. S. and Tkhorýk, Yu. O. Transient processes of storage and decay of nonequilibrium carriers in semiconductor diodes. I. Low injection levels, 4=26076
- Grycz, J. On a certain solution of homogeneous displacement equations of Lamé in elastostatics, 3=23815
- Gryder, J. W. Effect of inert salts on equilibrium and rate constants for ionic reactions, 2=19135
- Gryglaszewski, J. Frequency response characteristics of a rate gyroscope using a microsyn, 4=24116
- Grynberg, M. and Koba, Z. Four pion wave functions, 2=16177
- Grynberg, M. and Koba, Z. Symmetry property of relative co-ordinates (or momenta) in a system of n identical particles, 3=12422
- Grynberg, M. and Koba, Z. Four-pion wave functions, 3=14999
- Grynberg, M. and Koba, Z. Five pion isospin wave functions, 4=15084
- Grynberg, M. and Koba, Z. Symmetry properties of n -pion wave functions, 4=15085
- Gryvnak, D. A. and Shaw, J. H. Study of the total absorption near 4.7μ by two samples of CO as their total pressures and CO concentrations were independently varied, 2=11428
- Gryvnak, D. A. See Burch, D. E., 3=14216
- Gryziński, M. Role of fusion chain reactions in the nonstationary evolution of stars — supernova stars, 0=845
- Gryzinski, M. Basic relations for Coulomb interaction and its application at atomic collisions, 4=17262
- Gryziński, M. Further development of classical theory of atomic collisions, 4=25575
- Grzędziński, S. On gas expansion in the central parts of the galaxy, 1=2641
- Grzędziński, S. A mechanism of gas expansion from the central parts of the galaxy, 3=16418
- Grzywacz, J., Kowski, A. and Polacki, Z. On the photoluminescence of fluorescein in methyl polymethacrylate, 1=148
- Grzywacz, J. and Lytkowski, J. Absorption spectra of trypan-flavine in methylmethacrylate, 4=22416
- Grzywacz, J. and Pohoski, R. Displacement between the α -phosphorescence and fluorescence spectra of fluorescein in boric acid, 4=20502
- Gschneidner, K. A., Jr., Elliott, R. O. and Waber, J. T. Influence of alloying on the negative thermal expansion of delta plutonium, 3=22669
- Gschneidner, K. A., Jr., Elliott, R. O. and McDonald, R. R. Effects of alloying additions on the $\gamma \rightleftharpoons \alpha$ transformation of cerium. I. Pure cerium, 2=17041
- Gschneidner, K. A., Jr., Elliott, R. O. and McDonald, R. R. Effects of alloying additions on the $\alpha \rightleftharpoons \gamma$ transformation of cerium. II. Effects of scandium, thorium and plutonium additions, 2=23878
- Gschneidner, K. A., Jr., Elliott, R. O. and McDonald, R. R. Effects of alloying additions on the $\alpha \rightleftharpoons \gamma$ transformation of cerium. III. Effects of yttrium and rare earth additions, 2=23879
- Gschneidner, K. A., Jr., McDonald, R. R. and Elliott, R. O. Influence of spin on electronic transformations, 1=7551
- Gschneidner, K. A., Jr. and Vineyard, G. H. Departures from Vegard's law, 3=3319
- Gschneidner, K. A., Jr. See Kempter, C. P., 0=15817
- Gschneidner, K. A., Jr. See Roof, R. B., Jr., 2=10832
- Gschwend, F., Kleinknecht, H. P., Neft, W. and Seiler, K. Tunnelling through a semiconductor — superconductor junction, 4=20382
- Gschwendtner, A. B. and Swenson, G. W., Jr. Low insertion-loss, capacity scanned goniometer for Faraday rotation measurements in the v.h.f. range, 3=19440
- Gschwendtner, K. and Wolf, H. C. The freezing of energy transfer in organic mixed crystals, 1=6231
- Gtoshev, L. V. See Strutinskii, V. W., 0=9593
- Gspann, J. See Becker, E. W., 2=7239
- Gu Shchu-chzhao', See Shaskol'skaya, M. P., 1=11215
- Gu Shchu-chzhao'. See Shaskol'skaya, M. P., 1=12391
- Gu Shi-Jie. See Fang Li-Zhi, 4=10252
- Gu Shi-Jie. See Li Yin-yuan., 4=4336
- Gu Shu-chzhao [Ku Shu-chao]. See Shaskol'skaya, M. P., 2=6333
- Gu Shu-chzhao [Ku Shu-chao]. See Shaskol'skaya, M. P., 2=6334
- Gu Shu-chshao. See Shaskol'skaya, M. P., 3=13383
- Gualandi, M. P., Orgnani, F. V. and Felici, S. A general method for calculating reactivity and discharged fuel irradiation in fuel cycles, 4=6438
- Gualdi, C. Proton energy spectra in the Drell model of double photoproduction, 2=13795
- Gualdi, C. See Boccaletti, D., 1=5752
- Gualdi, C. See Boccaletti, D., 1=8480
- Gualdi, C. See Boccaletti, D., 3=23693
- Gualdi, C. See Boccaletti, D., 4=25060
- Gualdi, C. See Boccaletti, D., 4=30965
- Gualdi, C. See de Sabbata, V., 3=19886
- Gualdi, C. See De Sabbata, V., 4=7952
- Gualtieri, J. G. and Kerecman, A. J. Analysis of epitaxially grown semiconductor layers by means of light figures, 3=8813
- Gualtieri, J. G. See Shappirio, J. R., 4=9950
- Guan Bei-Yan' [Kuang Wei-yen]. Investigation of the temperature discontinuity at the boundary between a solid body and superfluid helium, 2=15838
- Guan Bei-Yan' [Kuang Wei-yen]. Investigation of the temperature discontinuity at the boundary between a solid body and superfluid helium, 3=5570
- Guan' Din-khua [Kuan Ting-hua]. On the theory of acoustic surface-wave excitation, 2=5100
- Guan' Din-khua [Kuan Ting-hua]. Diffraction of a cylindrical surface wave on the end of a semi-infinite thin-walled elastic tube, 2=7276
- Guan' Din-khua [Kuang Wei-yen]. Diffraction of a cylindrical surface wave on the end of a semi-infinite thin-walled elastic tube, 2=2813
- Guan Hong. Low-energy pion-nucleon scattering, 4=19563
- Guan, M. W. The microwave measurement of the complex permittivity of semiconductors, 4=17482
- Guan' Ya-Syan' [Kuan Ya-Hsien], Simonov, V. I. and Belov, N. V. The crystalline structure of bafertsite $\text{BaFe}_2\text{TiO}[\text{Si}_2\text{O}_7](\text{OH})_x$, 4=7607
- Guarini, G. See Cattaneo, F., 4=20266
- Guarino, A. See Cacace, F., 1=15206
- Guarise, G. B. A manometric piston gauge up to 3000 ATM, 3=1652
- Guarnieri, A. See Mirri, A. M., 1=8833
- Guarnieri, A. See Mirri, A. M., 2=18467
- Guastalla, J. See Guastalla, L. P., 0=14614
- Guastalla, L. Contribution to the study of the adsorption of acids and alcohols of saturated straight-chain hydrocarbons, 0=14615
- Guastalla, L. Measurement of surface tensions of solutions of volatile tensioactive substances by the extraction method. Surface pressures, 4=14129
- Guastalla, L. P. and Guastalla, J. Measurement of interfacial tension between the two phases of a coacervate by the stirrup method, 0=14614
- Guba, A. I. The problem of the energy and angular distributions of secondary electrons in secondary electron emission, 2=22255
- Guba, A. I. The problem of the energy and angular distributions of secondary electrons in secondary electron emission, 3=2022
- Gubanov, A. I. Approximate wave-functions of the valence electrons of some atoms, 0=469
- Gubanov, A. I. Reflection and refraction of shock waves at the boundary of two media. II. Regular reflection for oblique incidence, 0=8743
- Gubanov, A. I. The theory of amorphous conductors, 0=15879
- Gubanov, A. I. Quasi-classical theory of amorphous ferromagnetics, 0=16130
- Gubanov, A. I. Band theory for partially ordered systems, 2=10347
- Gubanov, A. I. Electron spectra in one-dimensional and three-dimensional models of liquids, 2=19535
- Gubanov, A. I. Electron spectra in one-dimensional and three-dimensional models of liquids, 3=1674

- Gubanov, A.I. Energy bands and impurity levels in amorphous semiconductors, 3=10747
- Gubanov, A.I. Local fluctuation levels in amorphous semiconductors, 3=20283
- Gubanov, A.I. Theory of impurity levels in amorphous semiconductors, 4=12685
- Gubanov, A.I. and Chevychelov, A.D. Calculation of the energy spectrum of strongly anisotropic crystals, 0=15833
- Gubanov, A.I. and Chevychelov, A.D. On the theory of tensile strength of solid polymers, 2=16964
- Gubanov, A.I. and Chevychelov, A.D. On the theory of tensile strength of solid polymers, 2=19003
- Gubanov, A.I. and Chevychelov, A.D. Theoretical estimates of the energy of chain rupture in solid polymers, 3=20038
- Gubanov, A.I. and Chevychelov, A.D. Effect of intermolecular interaction on the strength of glassy polymers, 4=10397
- Gubanov, A.I. and Gashimzade, F.M. Investigation of the symmetry of the energy bands of electrons in crystals of the type CdIn_2Se_4 , 0=2891
- Gubanov, A.I. and Gashimzade, F.M. Structure of the energy bands in semiconductors of the CdIn_2Se_4 type, 0=15947
- Gubanov, A.I., Krivko, N.I. and Reinov, N.M. An experimental determination of the polaron mass in cuprous oxide, 0=7940
- Gubanov, A.I. and Lun'kin, Yu.P. Equations of magneto-plasma dynamics, 0=19651
- Gubanov, A.I. and Nran'yan, A.A. Application of the equivalent orbital method to the study of band structure in compounds of the type A^{III}B^V , 0=6030
- Gubanov, A.I. and Nran'yan, A.A. Dependence of the frequency spectrum of a simple cubic lattice on deformation, 3=20078
- Gubanov, A.I. and Pushkarev, O.E. The wave-functions of the valence bond in certain crystals, 1=2364
- Gubanov, A.I. and Pushkarev, O.E. The Hartmann problem in magneto plasma dynamics, 2=3042
- Gubanov, A.I. and Pushkarev, O.E. Viscous boundary layer in magnetohydrodynamics with finite $\omega\tau$, 3=21959
- Gubanov, É. F. See Teitel'baum, B. Ya., 4=23619
- Gubanov, V.G. See Lyubavin, Yu.P., 3=2019
- Gubanova, V.G. See Burmakin, V.A., 0=14990
- Gubenko, A.Ya. See Fistul', V.I., 1=10042
- Gubenko, A.Ya. See Fistul', V.I., 1=17688
- Guberman, Sh. A. Technique of determining the time constant for instruments having thermal inertia, 4=14008
- Guberman, Sh. A. and Kozhevnikov, D. A. The determination of the actual variation of a field from its integral characteristics, 3=18488
- Guberman, Sh. A. See Yakubson, K. I., 4=15257
- Gubernator, K. and Flammersfeld, A. The range of electrons and positrons of small energy in copper, silver and gold, 0=2399
- Gubernator, K., Heckmann, P. H. and Flammersfeld, A. Scintillation response (light yield) of anthracene to low-energy [$< 200 \text{ keV}$] positrons and electrons, 0=8023
- Gubernator, K. See Heckmann, P. H., 1=13692
- Gubkin, A. and Skanavi, G. I. Inorganic electrets, 1=6199
- Gubkin, A. A. See Al'tshuler, L. V., 2=2759
- Gubkin, A. A. See Al'tshuler, L. V., 3=1756
- Gubkin, A. H. and Mil'shina, E. A. The role of the remanent polarization in the electret effect, 2=8471
- Gubkin, A. H. and Mil'shina, E. A. The role of the remanent polarization in the electret effect, 2=10565
- Gubkin, A. N. Ferroelectric properties of strontium-bismuth titanate, 1=3802
- Gubkin, A. N., Kashtanova, A. M., Potapov, E. V. and Solodukhin, A. V. Nonlinear properties and phase transitions of strontium-bismuth titanates, 3=15620
- Gubkin, A. N., Kashtanova, A. M. and Skavani, G. I. Investigation of the dielectric properties of strontium-bismuth titanates at low temperatures, 1=12474
- Gubkin, A. N. and Matsonashvili, B. N. On the problem of the physical nature of the electret effect in carnauba wax, 2=18782
- Gubkin, A. N. and Matsonashvili, B. N. On the problem of the physical nature of the electret effect in carnauba wax, 2=23507
- Gubkin, A. N., Mitronina, V. S., Sergienko, V. F. and Subbotin, M. I. Methods of measuring the charge of electrets, 2=1373
- Gubkin, A. N., Sergienko, V. F. and Trofimenko, N. M. On the theory of vibration data transmitters with electrets, 2=17765
- Gubkin, A. N. and Sorokin, V. S. The piezo effect in electrets, 0=18105
- Gubkin, A. N. See Adirovich, É. I., 2=23424
- Gubkin, A. N. See Adirovich, É. I., 3=6606
- Gubkin, K. E. Propagation of discontinuities in sound waves, 1=10537
- Gubler, I. E. See Gurevich, A. G., 0=6251
- Gubler, I. E. See Gurevich, A. G., 1=12537
- Gubler, I. E. See Gurevich, A. G., 1=14734
- Gubler, M., Reiss, C. and Benoit, H. Description of an apparatus for the scattering of light which can work at high temperatures, 2=7407
- Gubler, W. See Aubrey, J. E., 3=15582
- Gubner, E. See Brebrick, R. F., 2=2168
- Gubner, E. See Brebrick, R. F., 2=6468
- Guccione, R. The construction of the magnetic space groups, 4=4321
- Guccione, R., Tosi, M. P. and Asdente, M. Migration barriers for cations and anions in alkali halide crystals, 0=4306
- Gücer, D. E. and Gurland, J. Comparison of the statistics of two fracture modes, 3=1243
- Gucker, F. T. and Egan, J. J. Measurement of the angular variation of light scattered from single aerosol droplets, 1=6486
- Gucker, F. T. and Rowell, R. L. The angular variation of light scattered by single dioctyl phthalate aerosol droplets, 1=11844
- Guczi, L., Kende, I. and Gál, D. Use of the differential isotope method for studying the interaction between vapours of alkyl iodide and surface of red phosphorus, 0=3305
- Guczi, L. and Tyrrell, H. J. V. The maintenance of controlled temperature differences using a thermoelectric heat pump, 4=24418
- Guczi, L. See Kende, I., 0=3304
- Gudden, F. Excitation of the 15.11 MeV-level in C^{12} by inelastic scattering of electrons, 4=25381
- Gudden, F. E. See Barber, W. C., 0=449
- Gudden, F. E. See Barber, W. C., 1=681
- Gudefin, E. and Husson, R. Analogue representation of cylindrical distribution of a sinusoidal current, 3=19162
- Gudefin, E. See Dunstetter, R., 4=18027
- Gudefin, E. See Dunstetter, R., 4=18031
- Gudiksen, P. H. and Fairhall, A. W. High-geometry system counts low activity levels, 4=11849
- Gudman, F. See Dévis, R., 0=14544
- Gudmundsen, R. A., Marsh, O. J. and Matovich, E. Fluorescence of europium thenoyltrifluoroacetate. II. Determination of absolute quantum efficiency, 3=23889
- Gudmundsen, R. A. See Winston, H., 4=11839
- Gudmundsson, R. The analytic and boundedness properties of a three point function in a quantum-electrodynamics-like model, 3=7778
- Gudzenko, L. I. The velocity of Brownian particles near stable dynamic equilibrium, 2=4946
- Gudzenko, L. I. Concentration of the field of a light wave in a weakly inhomogeneous dielectric, 4=299
- Gudzenko, L. I. and Chertoprud, V. E. Some dynamical properties of the cyclic activity of the sun, 4=29437
- Gudzenko, L. I. and Shelepin, L. A. Negative absorption in a nonequilibrium hydrogen plasma, 4=5617
- Gudzenko, L. I. See Chertoprud, V. E., 3=5258
- Gudzin, M. G. and Holle, E. G. Seismological observatories, 3=5182
- Guében, G. Pulse generator and mixer for nuclear research, 0=17171
- Guében, G. See Duquesne, H., 4=12168
- Guében, G. See Pierroux, A., 0=7495
- Guelke, C. B. See Kuffel, E., 3=4095
- Guénault, A. M. Thermal conduction in normal and superconducting tin and indium, 1=16201
- Guénault, A. M. Thermoelectricity in the intermediate state, 4=14509
- Guénault, A. M. and MacDonald, D. K. C. Electron and phonon scattering. Thermoelectricity in potassium and alloys at very low temperatures, 1=17814
- Guénault, A. M. and MacDonald, D. K. C. A note on thermoelectric power and inelastic scattering, 2=654
- Guénault, A. M. and MacDonald, D. K. C. Intermediate statistics, 2=21842
- Guénault, A. M. and MacDonald, D. K. C. Electron and phonon scattering. II. Thermoelectricity in rubidium, caesium and alloys at very low temperatures, 3=23027
- Guénault, A. M. and MacDonald, D. K. C. Non-linear Brownian movement of a generalized Rayleigh model. II. Extension of the model to include "sticky" collisions, 3=23771
- Guénault, A. M. and MacDonald, D. K. C. Time-dependent solutions of transport equations, 3=23805
- Guénault, A. M. and MacDonald, D. K. C. On the Brownian movement of unrestrained systems, 4=2576
- Guénault, A. M. and MacDonald, D. K. C. Scattering and the Boltzmann relaxation equation, 4=11123

- Guenebaut, H., Couet, C. and Moulon, D. On the reaction of phosphorus vapour with atomic oxygen: observation of new emissions of the PO radical, 4=23638
- Guenebaut, H. and Goudmand, P. Reactions of active nitrogen with the products of the dissociation of ammonia in the electric discharge, 2=10250
- Guenebaut, H. and Pannetier, G. Novel contribution to the analysis of the rotational structure of the (1, 0) band of the $A(^1\Pi_u) \rightarrow X(^3\Sigma^-)$ transition of NH , 0=15699
- Guenebaut, H., Pannetier, G. and Goudmand, P. On the reaction of active nitrogen with atomic hydrogen, 1=2557
- Guenebaut, H., Pannetier, G. and Goudmand, P. The behaviour of hydrazoic acid in a shock wave; new data on the $^3\Pi \rightarrow ^3\Sigma$ system of NH , 1=6057
- Guenebaut, H. See Pannetier, G., 1=13943
- Guenebaut, H. See Pannetier, G., 1=15961
- Guenebaut, H. See Pannetier, G., 3=12876
- Guenin, M. and Misra, B. On the Von Neumann algebras generated by field operators, 4=5013
- Guenin, M. and Misra, B. Permutability of unbounded operators, 4=24964
- Guenin, M. and Misra, B. Borchers' classes and duality theorem, 4=27737
- Guenin, M. and Stueckelberg, E.C.G. Antilinear field operators (fields of the 2nd kind), 2=7138
- Guenin, M. See Stueckelberg, E.C.G., 2=2628
- Guenin, M. See Stueckelberg, E.C.G., 2=2629
- Guenin, M. See Stueckelberg, E.C.G., 2=22379
- Guenin, M. See Stueckelberg, E.C.G., 3=7111
- Guennoc, H., Anger, H. and Malard, M. Experimental studies of the mixed semiconductor $\text{Mg}_2\text{SnPb}_{1-x}$, 3=869
- Guénoche, H. Note on the development of pressure in a shock tube, 4=8311
- Gunter, O. J. Direct observation of double Bragg reflections in X-ray diffraction patterns of pyrolytic graphites, 4=23528
- Guentert, O. J. and Cvikevich, S. Preferred orientation and its effects on the (hk) reflections in X-ray patterns of pyrolytic graphites, 4=23446
- Guentert, O. J. and Klein, C.A. Preferred orientation and anisotropy ratio of pyrolytic graphite, 3=20778
- Guentert, O. J. See Bekebrede, W.R., 2=19081
- Guentert, O. J. See Mozzi, R.L., 2=4356
- Guentert, O. J. X-ray study of pyrolytic graphites, 2=19123
- Guentert, O. J. See Mozzi, R.L., 4=10605
- Guenther, A.H. $3\nu_3$ band of $\text{C}^{12}\text{S}^{32}\text{S}^{34}$, 0=1526
- Guenther, R.A. See Lounasmaa, O.V., 2=12388
- Guenther, W.S. See Hardwick, T.J., 2=5392
- Guérassimov, J.I., Nikolskaia, A.V. and Evséev, A.M. The thermodynamic properties of some liquid metallic alloys, 0=1956
- Guérassimov, J.I. and Vassiliéva, I.A. The thermodynamic properties of the oxides of tungsten, 0=1955
- Güerci, J., Levaldi, A. and Schoijet, M. The permittivity of ferroelectric ceramics under d.c. bias fields, 4=26112
- Guerci, J.C. See Arduino, H.A., 0=4453
- Guerci, J.C. See Arduino, H.A., 1=14639
- Guercigh, E. See Levaldi, A., 4=4308
- Guercione, J.A. and Wijnen, M.H.J. Recombination and disproportionation reactions of iodine atoms and ethyl radicals, 3=8972
- Guérillot, C.R. Substitution and reactivity. II. General studies, 2=21581
- Guérin, F. and Piketty, C.A. Polarization effects in elastic lepton-proton electromagnetic scattering, 4=19509
- Guérin, P. Attainment and possibilities of employment of a compensated photoelectric stellar spectrophotometer, 0=18588
- Guérin, P. Spectrophotometric study of the reflectivity of the centre of the Martian disk in opposition, 2=9061
- Guérin, P. Spectrophotometric study of the reflectivity of the centre of the Martian disk at opposition, and the nature of the violet layer, 2=15316
- Guérin, P. Corrected reflectivity curve of a bright region of Mars at the centre of the disk in opposition, 3=9179
- Guérin, P. Continuous spectrophotometry (between 3200 and 6100 Å) of a light region of Mars at opposition, and the nature of the violet layer, 3=18602
- Guérin, P. See Fehrenbach, C., 4=29428
- Guérinot, R. See Le Bas, J., 2=8289
- Guermeur, R., Joffrin, J., Levelut, A. and Penné, J. The magneto-static mode instabilities at 9270 Mc/s in a disk of yttrium iron garnet, 4=26361
- Guernsey, R., Oberman, C., Dawson, J. and Ron, A. Comments on "High-frequency conductivity of a fully ionized plasma", 4=21499
- Guernsey, R.L. Kinetic equation for a completely ionized gas, 2=7564
- Guernsey, R.L. Kinetic theory of quantum plasmas, 2=19459
- Guernsey, R.L. Kinetic theory of the classical electron gas in a positive background. I. Equilibrium theory, 4=18792
- Guernsey, R.L. See Tidman, D.A., 4=24629
- Guéron, M. Hyperfine interaction of conduction electrons in the semiconductor InSb, 2=10488
- Guéron, M. Density of the conduction electrons at the nuclei in indium antimonide, 4=22535
- Guéron, M. and Ryter, C. Overhauser effect in metallic lithium, 0=1836
- Guerra, R. See De Maria, G., 4=2942
- Guerreschi, L. and Romita, R. Constitution and thermal behaviour of aluminium blacks. The powder pattern of CrO , 3=23369
- Guerriero, L. See K-collaboration, 0=1308
- Guerriero, L., Mark, H., Pless, I.A., Rosenson, L., Shapira, Y., Tuchman, A. and Yamamoto, R.K. Use of bubble chambers for experiments with high energy gamma-ray beams, 0=19981
- Guerriero, L., Pless, I., Hyman, L. and Cronin, D. Experimental dynamics of bubble chamber window failures, 0=19980
- Guerriero, L. See Caforio, A., 1=5780
- Guerriero, L. See Chretien, M., 2=22610
- Guerriero, L. See Chretien, M., 3=24787
- Guertin, R. F. and Stern, F. Effective fields in cubic lattices with extended charges, 4=15554
- Guess, A.W. Density compression ratio across relativistic-strong-shock waves, 0=16771
- Guess, A.W. Poynting-Robertson effect for a spherical source of radiation, 2=15291
- Guessous, A. On the counting of particles arising from the bombardment of a target by a variable beam, 4=24936
- Guessous, A. Random coincidences from the bombardment of a target with a beam of variable intensity, 4=24937
- Guest, G. and Simon, A. Instability in low pressure plasma diffusion experiments, 2=7595
- Guest, G. and Simon, A. Instability in low-pressure plasma diffusion experiments, 2=11653
- Guest, G.H. See Barrow, C., 3=14692
- Guest, P.G. The solid angle subtended by a cylinder, 1=4171
- Guest, P.G. Characteristics tracer, 1=5405
- Guevara, F.A. See Wageman, W.E., 1=120
- Gufel'd, I. L. and Matveeva, M. I. Formation of bond during ultrasonic welding of metals, 4=23245
- Gugan, D. The effect of pressure on the electrical resistance of lithium, 3=22895
- Gugan, D. The design and performance of a 10Kgauss superconducting solenoid, 4=8897
- Gugan, D. See Basinski, Z.S., 0=20870
- Gugan, D. See Dugdale, J.S., 0=7914
- Gugan, D. See Dugdale, J.S., 1=17608
- Gugan, D. See Dugdale, J.S., 2=2085
- Gugan, D. See Dugdale, J.S., 2=6411
- Gugan, D. See Dugdale, J.S., 3=828
- Gugan, D. See Dugdale, J.S., 3=7410
- Gugel', B.M. See Gorbacheva, N.A., 2=14713
- Gugelot, P.C. Reactions and scattering of charged particles, 1=8668
- Gugelot, P.C., Tjin A Djie, H.R.E., Whitehead, W.D. and de Heer, F.J. Elastic scattering of medium energy deuterons by gold and silver, 1=8752
- Gugelot, P.C. See Gardner, C., 2=1884
- Gugelot, P.C. See Morinaga, H., 3=22428
- Gugenberger, P. [Edited with the assistance of]. Nuclear Physics Colloquium. [Communications au Colloque de Physique Nucléaire], 4=11841
- Guggenheim, E.A. The accurate numerical solution of the Poisson-Boltzmann equation, 0=3315
- Guggenheim, E.A. The equilibrium distribution of N atoms on N sites (or in N cells), 1=4269
- Guggenheim, E.A. The definition of entropy in classical thermodynamics, 2=11546
- Guggenheim, E.A. and McGlashan, M.L. Interaction between argon atoms, 0=20580
- Guggenheim, E.A. and McGlashan, M.L. Equilibrium properties of crystalline argon, krypton and xenon, 1=14145
- Guggenheim, E.A. and McGlashan, M.L. The properties of argon at its triple point, 1=16178
- Guggenheim, E.A. and McGlashan, M.L. Approximation relating to strictly regular mixtures, 2=21841
- Guggenheim, E.A., McGlashan, M.L. and Prue, J.E. The repulsive energy in sodium chloride and potassium chloride crystals, 2=2039

- Guggenheim, H. Growth of single-crystal calcium fluoride with rare-earth impurities, 1=10239
- Guggenheim, H. Growth of highly perfect fluoride single crystals for optical masers, 3=23397
- Guggenheim, H. and Kane, J. V. An electrolytic method for controlling the valence of impurity ions in CaF_2 crystal structures, 4=23667
- Guggenheim, H. J. See Ferguson, J., 3=19993
- Guggenheim, H. J. See Ferguson, J., 4=7269
- Guggenheim, H. J. See Ferguson, J., 4=12574
- Guggenheim, H. J. See Johnson, L. F., 4=5878
- Guggenheim, H. J. See Johnson, L. F., 4=30089
- Guggenheim, J., Hülliger, F. and Müller, J. PdTe_2 , a superconductor with CdI_2 -structure, 2=5241
- Guggenheimer, K. M. Theoretical magnetic moments of proton and neutron, 1=5721
- Guggenheimer, K. M. Fundamental length, fine structure constant and cosmological number, 2=11102
- Guggenheimer, K. M. Particle masses, 3=17230
- Gugler, I. E. Making of small ferrite spheres, 4=23982
- Gugliotta, F. See Vratny, F., 1=1163
- Gugliotta, F. See Vratny, F., 1=8981
- Gugliotta, F. See Vratny, F., 2=6578
- Guha, B. C. Temperature variation of the principal magnetic moments of Co^{++} ions and the asymmetry of the crystalline electric field in cobalt acetate tetrahydrate, 0=1783
- Guha, B. C. Occurrence of maximum and minimum in the principal magnetic susceptibility versus temperature curves, 3=13231
- Guha, B. K. Excitation of hydrogen atom in fast encounter with negative hydrogen ion, 4=19994
- Guha, B. K. See Singh, B., 2=20754
- Guiaşu, I. and Micu, M. Influence of residual interactions on nucleon-nucleus inelastic collision, 4=9486
- Guibé, L. Researches on the quadrupole resonance of nitrogen, 1=12574
- Guibé, L. A nuclear quadrupole double resonance experiment, 1=12575
- Guibé, L. Quadrupole resonances of nitrogen, 2=14861
- Guibé, L. A study of new pure quadrupole resonances of nitrogen nuclei, 3=2656
- Guibe, L. See Benoit, H., 0=17096
- Guibert, M. See Amorós, J. L., 1=1390
- Guibert, M. See Amorós, J. L., 1=20455
- Guidarelli, S. Some advantages of the application of a special type of moving prism compensator to "moviolas", 0=166
- Guidarelli, S. A critical examination of the use of resolving power as a test criterion for certain lenses, 0=14801
- Guidini, J. A study of the reactions produced by a beam of molecular hydrogen ions passing through neutral hydrogen and helium gas, 1=14111
- Guidini, J. Study of the reactions produced by a beam of molecular hydrogen ions traversing a neutral gas, 1=18766
- Guidini, J. Charge exchange and dissociation of H_2^+ ions, 3=7445
- Guidini, J. Dissociation of H_2^+ ions, 4=25750
- Guidini, J., Belna, R., Brifford, G. and Manus, C. Study of reactions produced by molecular hydrogen ions passing through a gas, 1=7030
- Guidini, J., Jeudon, A., Manus, C. and Sinda, T. Reactions produced by the passage of a beam of molecular hydrogen ions across an ionized region, 2=13532
- Guidoni, P. See Bizzarri, R., 3=6026
- Guidoni, P. See Bizzarri, R., 4=30244
- Guidoni, P. See Di Capua, E., 2=18039
- Guidotti, C. and Maestro, M. Calculation schemes and programs for integrals useful in problems of electronic molecular structure, 4=1255
- Guidotti, C. and Maestro, M. Calculation schemes and programs for integrals useful in problems of electronic molecular structure. III. A program for the two-center Coulomb and hybrid integrals, 4=6549
- Guidotti, C., Maestro, M. and Scrocco, E. Calculation schemes and programs for integrals useful in problems of electronic molecular structure. I. General outlines—one-electron and two-electron one-center integrals, 3=8225
- Guidotti, C. See Bonaccorsi, R., 4=28178
- Guidotti, C. See Morandi, M. C., 3=22532
- Guidotti, G. Remarks on the use of fine-grain emulsions for track autoradiography, 0=12799
- Guigay, G. The Poynting-Robertson effect, 0=14404
- Guildner, L. A. Thermal conductivity of gases. I. The coaxial cylinder cell, 2=19743
- Guildner, L. A. Thermal conductivity of gases. II. Thermal conductivity of carbon dioxide near the critical point, 2=21948
- Guildner, L. A. and Stimson, H. F. Vacuum-tight cylinder joints and ball-and-socket joints, 3=18869
- Guile, A. E., Lewis, T. J. and Secker, P. E. The emission mechanism and retrograde and forward motion of cold-cathode arcs, 4=18774
- Guile, A. E. and Spink, H. C. Magnetic deflection of high-current arcs in air, 4=18773
- Guile, A. E. See Ryder-Smith, S. C., 0=8980
- Guile, A. E. See Secker, P. E., 1=18808
- Guile, A. E. See Slacker, P. E., 2=13551
- Guilino, E. See D'Angelo, N., 4=11660
- Guilino, G. and Maier-Leibnitz, H. A new method for the study of the light of the night sky, 0=16470
- Guillard, M. Considerations on the observation of interference fringes in microscopy, 4=11357
- Guillard, M. Considerations on the observation of interference fringes in microscopy, 4=27330
- Guillaud, C. See Bernard, R., 0=14096
- Guillaud, C. See Bernard, R., 0=19800
- Guillaud, C. See Bernard, R., 2=842
- Guillaud, C. See Bernard, R., 3=24372
- Guillaud, C. See Goutte, R., 0=19731
- Guillaud, C. See Paulus, M., 3=1083
- Guillaume, C. Forbidden lines of O I and N II in type B stars, 2=17292
- Guillaume, C. Benoit à la Guillaume, C.
- Guillaume, J. R. See Boutin, H., 3=8551
- Guillaume, M. Application of analysis by means of X-ray diffractometry, 1=15035
- Guillemard, R. See Fouret, R., 1=2951
- Guillemaut, A. and Lecocq, A. Allotropic transformations of different crystalline forms of beryllium hydroxide, 4=7475
- Guillemet, C. Refractometry with the waves generated at an interface, 3=16751
- Guillemet, C. See Acloque, P., 0=16814
- Guillemet, C. See Acloque, P., 1=11725
- Guillemet, E. See Robert, A., 4=16258
- Guillemin, Y. G. Smeyers. Contribution to the study of three centre integrals in nuclear attraction, 4=9687
- Guillermín, J. Standardization of absorption coefficient measurements in reverberation chambers, 3=14280
- Guillermín, J. An attempt to measure objectively the transmission fidelity of an acoustic quadrupole with the aid of correlation, 4=14299
- Guillien, R., Marchal, G. and Roizen, S. Dielectric properties of evaporated layers of zinc sulphide, 4=4206
- Guillien, R. See Baé, P., 3=23001
- Guillien, R. See Fuchshuber, R., 0=16007
- Guillien, R. See Fuchshuber, R., 1=14536
- Guillon, H. Recent progress on multichannel time analysers, 0=9250
- Guillon, H. See Amram, Y., 1=2931
- Guillon, H. See Amram, Y., 2=10115
- Guillot, J. C. and Héno, Y. The scattering of π^+ -mesons on protons in the non-local Heitler-Arnold theory, 2=11989
- Guillot, M. and Pauthenet, R. Measurement of magnetization in intense pulsed magnetic fields, 4=19154
- Guillou, M. The respective distributions of potentials and concentrations in electrochemical cells, 4=15843
- Guillou, M. See Beurtey, R., 1=13759
- Guilotto, L. Nuclear magnetic relaxation time in relation to the phenomena of adsorption, molecular association, and polymerization, 4=28263
- Guimaraes, W. O. N. See Porto, S. P. S., 0=16859
- Guimarães, W. O. N. See Porto, S. P. S., 0=19415
- Guinea-Moorehead, M. See Escoubès, B., 3=19630
- Guinet, P. Times of oscillation of a ferroelectric monocrystal of yttrium manganate (MnYO_3) under the action of voltage pulses with a steep rise, 3=25402
- Guinet, P. See Blum, P. L., 4=11402
- Guinier, A. Segregation zones in solid solutions: introduction to the discussion, 3=8875
- Guinier, A. See Bousquet, C., 3=25660
- Guinier, A. See Chaulet, R., 0=8188
- Guinier, A. See Friedel, J., 4=10407
- Guinier, A. See Gallot, J., 4=17765
- Guinier, A. See Lambert, M., 0=4728
- Guinier, A. See Lambert, M., 1=19820
- Guinier, A. See Lambert, M., 2=20988
- Guinier, A. See Lambert, M., 3=22870
- Guinier, A. See Lambert, M., 4=1541
- Guinier, A. See Lambert, M., 4=26694
- Guinier, A. See Levelut, A. M., 2=19122
- Guinier, A. See Yannaquis, N., 3=3301

- Guinier, D. See Myers, H., 1=2102
- Guinn, V. P. and Wagner, C. D. A comparison of ionization-chamber and liquid-scintillation methods for measurement of beta emitters, 4=15175
- Guinn, V. P. See Otvos, J. W., 2=5891
- Guinn, V. P. See Wagner, C. D., 1=1933
- Guinot, B. See Duchesne, M., 1=18041
- Guion, J. See Abraham, M., 2=19776
- Guiragossian, Z. G. T. Study of pion-pion resonances in 3.3 BeV π^-p interactions, 3=22172
- Guiraldenq, P. Influence of impurities and of the sintered structure on the diffusion coefficients in the body and at the grain boundaries of iron grains in nickel, 2=12462
- Guiraldenq, P. Effect of grain size on the measurement of coefficients of volume self-diffusion in metals and application to γ -Fe, 4=30581
- Guiraldenq, P., Aucouturier, M., Cizeron, G. and Lacombe, P. Comparison of the phenomena of volume self-diffusion and grain boundary diffusion in sintered and massive iron, 2=6368
- Guiraldenq, P. and Lacombe, P. Structural and energetic study of the $\alpha-\gamma$ interface of iron by autoradiography, 3=13494
- Guiraldenq, P. See Grihle, J., 3=11198
- Guirao, M. and Stevens, S. S. Measurement of auditory density, 4=23972
- Guirao, M. See Stevens, S. S., 3=3674
- Guiraud, J. P. The statistical interpretation of the idea of thermodynamic equilibrium, 0=6701
- Guiraud, J. P. On the statistical interpretation of the phenomenological theory of irreversible processes, 0=16632
- Guiraud, J. P. On the statistical interpretation of the phenomenological theory of irreversible processes, 1=9338
- Guiraud, J. P. Value of the intensity of the ballistic noise produced by supersonic flight, in the vicinity of a caustic, 3=14245
- Guiraud, J. P. Analysis of irreversibilities in a radiating gas, 3=14429
- Guiraud, J. P. See Germain, P., 0=10730
- Guiraud, J. P. See Germain, P., 1=8149
- Guirgea, Gh. See Bădărașu, E., 1=1792
- Guisan, O. See Amblard, B., 4=21770
- Guison, O. See Borgeaud, P., 4=21905
- Guisset, J. See Lefebvre, C., 2=574
- Guittard, J. Terminal impedances of cylindrical resonance tubes, 3=5498
- Guittard, M. See Flahaut, J., 4=4625
- Guiu, F. and Pratt, P. L. Stress relaxation and the plastic deformation of solids, 4=26470
- Guizonnier, R. The conductivity of undehydrated insulating liquids, 1=10520
- Guizonnier, R. Electrical conductivity of humid insulating liquids in the case of electrical fields of the order of a few volts per centimetre, 2=58
- Guizonnier, R. Experimental conditions in which the conductivity of insulating liquids to heterocharges behaves according to Ohm's law, 4=27192
- Guizonnier, R. and Mouchier, M. Mode of electric conduction of insulating liquids containing water particles, illustrated by a study of the potential distribution (mean fields less than 2 kV/cm), 3=9478
- Guizonnier, R. and Taxis, F. Proportionality, under certain conditions, between the electrical conductivity of insulating liquids and the quantity of water contained in them, 1=18421
- Guizonnier, R. and Thomas, C. Study of the minimum conductivity at 30-40°C of insulating liquids with homo-charges at normal temperature (continuous mean fields below 2 kV/cm), 1=149
- Guizonnier, R. See Bui Dinh-Vuong, 3=20372
- Guizonnier, R. See Taxis, F., 4=29644
- Guk, G. N. Use of thin bismuth layers as strain gauges, 1=9078
- Guk, G. N. See Gorodetskii, A. F., 0=16198
- Gukhman, A. A. Application of the entropy method to investigation of transonic adiabatic flows, 3=163
- Gukhman, A. A., Gandel'sman, A. F., Naurits, L. N. and Usanov, V. V. Peculiarities of supersonic flows immediately adjoining the transonic region, 4=2867
- Gukova, Yu. Ya. See Ugal, Ya. A., 3=22956
- Gul', V. E., Lushcheikin, G. A. and Dogadkin, B. A. Investigation of electrical charges appearing during the deformation of polymers, 3=20388
- Gul', V. E., Lushcheikin, G. A. and Fridkin, V. M. Electrets of elastic polymers, 3=23409
- Gul', V. E. See Voyutskii, S. S., 4=7401
- Gulbransen, E. A., Andrew, K. F. and Brassart, F. A. High-temperature furnace and reaction system for temperatures up to 1600°C, 4=2875
- Gulbransen, E. A., Andrew, K. F. and Brassart, F. A. Ablation of graphite in oxygen and air at 1000-1400°C under flow conditions, 4=29211
- Gulbransen, E. A. and Copan, T. P. Microtopology of the surface reactions of oxygen and water vapour with metals, 1=4077
- Gulbransen, E. A., Copan, T. P. and Andrew, K. F. Oxidation of copper between 250° and 450°C and the growth of CuO "whiskers", 1=6502
- Gulbransen, E. A., Copan, T. P. and Hickam, W. M. Oxide growths formed on pure iron in oxygen, water vapor, and carbon dioxide atmospheres, 3=18433
- Gulbransen, E. A. See Katz, O. M., 0=12039
- Guldashvili, A. I. See Chkvaseli, D. V., 1=278
- Guldashvili, A. I. See Chkvaseli, D. V., 2=17788
- Gulbrandsen, T. See Meyer, N. I., 4=15530
- Güldenpenning, J. and Richter, M. Investigations of a h. f. ion source, 4=605
- Guliev, N. A. and Epstein, E. M. Bremsstrahlung from a distributed proton, 0=20132
- Guliev, N. A. and Épshtein, É. M. Conversion of electron-positron μ -meson pairs, 3=14967
- Gulin, É. P. Amplitude and phase fluctuations of a sound wave reflected from a statistically uneven surface, 3=14265
- Gulin, É. P. Amplitude and phase fluctuations of a sound wave reflected from a sinusoidal surface, 3=14268
- Gulin, É. P. The correlation of amplitude and phase fluctuations in sound waves reflected from a statistically rough surface, 3=16708
- Gulin, É. P. and Malyshev, K. I. Statistical characteristics of sound signals reflected from the undulating sea surface, 3=14269
- Gulivets', N. I. Determination of the radial distribution function of the molecular-electron density in poly-molecular liquids, 4=11180
- Gul'ko, A. D. On measuring the degree of polarization of neutrons, 2=18124
- Gulko, A. D. See Abov, Y. G., 2=14031
- Gul'ko, A. D. See Abov, Yu. G., 4=16903
- Gulledge, I. S. See Koomen, M. J., 3=18556
- Gullikson, C. W. See Ferguson, W. S., 2=15732
- Gullon, E. White dwarf stars, 2=19335
- Gullón, M. N. See Velasco, R., 3=19948
- Gulmanelli, P. Classical representations of the restricted Poincaré group, 3=21197
- Gulmanelli, P. and Montaldi, E. Wightman functions and the Jacobi identity, 0=2478
- Gulmanelli, P. See Cirelli, R., 2=22657
- Gul'mayev, P. V. and Petrov, A. V. Specific heat of some semiconductors, 0=1557
- Gulyaev, A. I. Calculation of the characteristics of pipe-like flowmeters, 3=154
- Gulyaev, A. I. and Kuznetsov, V. M. Coagulation of aerosols in response to periodic shock waves, 3=23555
- Gulyaev, G. V. See Sanadze, V. V., 0=14075
- Gulyaev, G. V. See Sanadze, V. V., 0=14076
- Gulyaev, R. A., Nikol'skaya, K. I. and Nikol'skii, G. M. The structure of the solar atmosphere in active and undisturbed regions. The ionization of hydrogen and helium, 4=2435
- Gulyaev, R. A. See Ivanov-Kholodnyi, G. S., 1=19595
- Gulyaev, Y. B. See Edwards, S. F., 4=18272
- Gulyaev, Yu. V. Scattering of current carriers on impurity centres, 0=6088
- Gulyaev, Yu. V. The statistics of the recombination of electrons and holes at impurity centres in semiconductors, 1=14404
- Gulyaev, Yu. V. The statistics of electrons and holes in semiconductors with dislocations, 1=17659
- Gulyaev, Yu. V. On the theory of carrier recombination at edge dislocations in semiconductors, 2=18663
- Gulyaev, Yu. V. On the theory of carrier recombination at edge dislocation in semiconductors, 2=23291
- Gulyaev, Yu. V. See Donch-Bruevich, V. A., 0=11672
- Gulyam Sal'k Mukhibi. See Vernov, S. N., 3=19738
- Gulyamov, M., Rybakov, B. V. and Sidorov, V. A. Ground state of the Be⁶ nucleus, 4=1007
- Gulyamov, U. G. See Azimov, S. A., 0=13157
- Gulyamov, U. G. See Azimov, S. A., 4=27948
- Gülzow, H. Effect of orientation of crystal defects on the morphological development of etch pits, 3=23386
- Gülzow, H. J. Deformation processes on polished surfaces of NaCl crystals at high temperatures, 2=4323

- Gulzow-Quail, G. Etching experiments on synthetic quartz, 1=19795
- Gum, C.S., Kerr, F.J. and Westerhout, G. A 21-cm determination of the principal plane of the galaxy, 0=18675
- Gum, C.S. and Pawsey, J.L. Radio data relevant to the choice of a galactic coordinate system, 0=18657
- Gum, C.S. See Blaauw, A., 0=18582
- Gum, C.S. See Kerr, F.J., 0=4870
- Guman, V.N. Interaction with the surface in nuclei containing a nucleon in excess of a closed shell, 1=19338
- Guman, V.N. Interaction with the surface in nuclei containing a nucleon in excess of a closed shell, 2=22703
- Guman, V.N., Kharitonov, Yu.I., Sliv, L.A. and Sogomonova, G.A. Pairing forces and pair correlations in Pb^{206} , Pb^{210} and Po^{210} , 2=1759
- Guman, V.N., Sliv, L.A. and Sogomonova, G.A. Pairing forces and pair correlations in the Pb^{206} nucleus, 1=13597
- Guman, W.J. On the "escape speed" of a conducting fluid in a transverse magnetic field, 0=1189
- Guman, W.J. Partition of energy in a pulsed plasma accelerator, 0=12609
- Guman, W.J. and Cavallante, C.C. Time of arrival measurements in low pressure fluid flow, 1=160
- Gumanyuk, M.N. Method of obtaining an acoustic contact between ultrasonic transducers and rocks, 4=11301
- Gumen, N.M. See Pines, B.Ya., 3=13264
- Gumen, N.M. See Pines, B.Ya., 4=26637
- Gumenyuk, V.S. and Lebedev, V.V. Investigation of the thermal and electrical conductivity of tungsten and graphite at high temperatures, 2=20953
- Gumenyuk, V.S. A vacuum contact dilatometer, 2=19495
- Gumenyuk, V.S., Ivanov, V.E. and Lebedev, V.V. Determination of the heat and electric conductivity of metals at temperatures in excess of 1000°C, 4=342
- Gumenyuk, V.S. and Lebedev, V.V. Investigation of thermal and electrical conductivities of tungsten and graphite at high temperatures, 2=8182
- Gumenyuk, V.S. See Azhazha, V.M., 4=14556
- Gumley, P. See Mosley, K., 4=28611
- Gumley, P. See Sheriff, N., 3=16817
- Gumlich, H.E. See Gobrecht, H., 0=2970
- Gumlich, H.E. See Gobrecht, H., 0=8027
- Gumlich, H.E. See Gobrecht, H., 1=7728
- Gumlich, H.E. See Gobrecht, H., 2=14736
- Gumlich, H.E. See Gobrecht, H., 2=23611
- Gummel, H.K. See Chynoweth, A.G., 1=17695
- Gunnick, J.L. and Juenker, D.W. Field dependence of photoelectric emission from tantalum, 0=1148
- Gundermann, E. See Bash, F.N., 4=23937
- Gundersen, R.M. Cylindrical and spherical shock waves in monatomic conducting fluids, 3=21965
- Gundersen, R.M. Magnetohydrodynamic shock propagation in non-uniform ducts, 4=5769
- Gundersen, R.M. Quasi-one-dimensional magnetohydrodynamic flow with heat addition, 4=5785
- Gundersen, R.M. Quasi-one-dimensional magnetohydrodynamics flow with heat addition, oblique field, 4=24812
- Gundersen, R.M. The effects of heat addition to one-dimensional magnetohydrodynamic flow. II. Oblique field, 4=27627
- Gunderson, P.D. See Champlin, K.S., 4=28541
- Gunderson, R. Simple wave flow in ducts, 0=948
- Gundin, I.A. See Garber, R.I., 4=26514
- Gundlach, F.W. Research on ruby and ammonia maser amplifiers, 3=5892
- Gundlach, K.H. Calculation of the thermal electron current through thin dielectric films, 4=12958
- Gundy, R.F. Remarks on Birdsall's "Detection of a signal specified exactly with a noisy stored reference signal", 1=9221
- Gundy, R.F. Auditory detection of an unspecified signal, 1=12710
- Gundzig, M. See Connolly, P.L., 3=17330
- Gundzik, M. See Goldberg, M., 4=21909
- Guneratne, P.P. See Cooper, D.H., 4=28095
- Gunkel, R.D. See Tansley, K., 1=4156
- Gunn, D.A. See Holliday, L., 4=23198
- Gunn, D.A. See Pugh, H.L.D., 3=13343
- Gunn, J.B. High electric field effects in semiconductors, 0=20893
- Gunn, J.B. Amplifier for the generation of accurately controlled microsecond pulses, 1=10657
- Gunn, J.B. Some properties of parametric systems with great depth of modulation. I. Theory, 2=20138
- Gunn, J.B. Travelling-wave interaction between the optical modes of a polar lattice and a stream of charge carriers, 3=22887
- Gunn, J.B. Microwave oscillations of current in III-V semiconductors, 4=4132
- Gunn, J.B. Instabilities of current in III-V semiconductors, 4=26044
- Gunn, J.B. A general expression for electrostatic induction and its application to semiconductor devices, 4=29855
- Gunn, J.B. See Erlbach, E., 2=12516
- Gunn, J.B. See Erlbach, E., 3=10770
- Gunn, J.E. See Douglas, J.Jr., 3=14392
- Gunn, J.H. See Brown, G.E., 4=9355
- Gunn, M.W. Hot electron effects in n-type germanium at 9.392 Gc/s, 4=22712
- Gunn, R. Laboratory substandard for the production of small electrostatic charges, 4=21432
- Gunn, S.R. Cooling unit for low-temperature thermometers, 2=19758
- Gunn, S.R. Simple aneroid calorimeter with replaceable reaction cells, 4=8493
- Gunn, S.R. Radiometric calorimetry: A review, 4=30115
- Gunn, S.R. and Green, L.G. Apparent molar volumes of salts and metals in liquid ammonia at 0°, 2=2714
- Gunn, S.R. and Green, L.G. Heats of solution of alkali metals in liquid ammonia at 25°, 2=2715
- Gunn, S.R. and Green, L.G. Heat of formation of deuterated diborane, 2=10973
- Gunn, S.R. and Green, L.G. Erratum: Heat of formation of deuterated diborane, 3=6913
- Gunn, S.R. and Sanborn, R.H. The heats of formation of BF_3Cl and $BFCI_2$, 0=18435
- Gunn, S.R. See Stevenson, P.C., 0=4139
- Gunn, W.F., Davies, P.G. and MacDonald, W. Field emission from semiconductors, 4=19080
- Gunnerson, E. and James, G. On the efficiency of the reaction $H^3(d, n)He^4$ in titanium tritide bombarded with deuterons, 1=5792
- Gunnerson, E.M. See George, G.G., 4=14972
- Gunning, H.E. See Bellas, M.G., 4=25539
- Gunning, H.E. See Rousseau, Y., 3=8973
- Gunning, H.E. See Rousseau, Y., 3=25053
- Gunning, H.E. See Yarwood, A.J., 4=28129
- Gunnink, R. Decay of Sm^{156} , 3=17442
- Gunnink, R. and Cobble, J.W. Radiochemical studies of the fission of U^{235} induced by helium ions, 0=1448
- Gunnink, R. and Stoner, A.W. Decay studies of the even-even isotopes, Er^{172} and Dy^{166} , 2=10074
- Gunnvald, P. A photoelectric setting device attached to an Abbe comparator, 2=13299
- Gunnvald, P. and Minnhagen, L. On the spectrum of neutral boron, BI, 2=14191
- Gunson, J. Proof of a conjecture by Dyson in the statistical theory of energy levels, 2=19444
- Gunson, J. and Taylor, J.G. Unstable particles in a general field theory, 0=12869
- Gunson, J. and Taylor, J.G. Single particle singularities in scattering and production amplitudes, 0=15282
- Gunson, J. and Taylor, J.G. Some singularities of scattering on unphysical sheets, 1=450
- Gunsser, W. See Knappwost, A., 4=1871
- Gunst, S.B. Reactivity associated with the decay of Np^{239} in irradiated natural uranium dioxide, 1=786
- Gunst, S.B., McGarry, E.D. and Scoville, J.J. The reactivity of natural UO_2 irradiated to 6×10^{21} n/cm², 1=17191
- Gunten, O.Van. See Van Gunten, O.
- Günter, C. See Bodenstedt, E., 1=632
- Gunthard, H.H. See Frei, K., 1=2868
- Gunthard, H.H. See Lehmann, H.W., 4=30696
- Gunthard, H.H. See Meier, R., 0=1045
- Gunthard, H.H. See Berger, P.A., 3=2138
- Günther, C., Engels, W. and Bodenstedt, E. The g-factor of the 2^+ rotational state of ytterbium 172, 4=27979
- Günther, C., Engels, W., Wehmann, U. and Bodenstedt, E. Time dependence of the 133 keV - 482 keV $\gamma\gamma$ -angular correlation in the decay of Hf^{181} for different liquid sources, 4=25320
- Günther, C. See Bodenstedt, E., 1=2160
- Günther, C. See Bodenstedt, E., 1=8568
- Günther, C. See Bodenstedt, E., 1=19410
- Günther, C. See Bodenstedt, E., 3=22343
- Gunther, C. See Korner, H.J., 3=12560
- Günther, C. See Mayer, L., 4=6684
- Günther, H. X-ray structure investigation of microcrystals by means of the fine-focus X-ray tube, 1=20666

- Günther, H. See Götz, W., 3=17013
- Günther, K.G. Partial pressure vacuum gauge utilizing the principle of the electrical mass filter, 1=18485
- Günther, K.G. Investigations on the direct conversion of energy with a Cs-diode, 2=7660
- Gunther, K.G. New methods of directly converting heat into electrical energy, 2=9518
- Günther, K.G. and Freller, H. Properties of evaporated layers of InSb and InAs, 1=19882
- Günther, M. Relativistic Lee model, 2=3242
- Günther, M. Erratum: Relativistic Lee model, 2=16113
- Günther, M. Separation of angular variables in the Bethe-Salpeter equation for two spin- $\frac{1}{2}$ particles, 4=11901
- Günther, N. Theoretical study of spatial vision. I, 0=12230
- Günther, N. Theoretical study of spatial vision. II, 0=18545
- Günther, N. Theoretical study of spatial vision. III, 0=18546
- Günther, N. Theoretical study of spatial vision. IV, 0=18547
- Günther, N. Attempted establishment of an exact theory of visible space, 2=1036
- Günther, N. New knowledge on the extent of the visual space, 2=13220
- Günther, N. Age dependence of the "distance of distinct vision", 3=16462
- Gunther, R.C. See Lehr, C.G., 3=430
- Gunther, W. Boundary integrals of elastomechanics, 4=107
- Gunther-Mohr, G.R. See Widmer, H., 2=2093
- Guntton, R.C. and Inn, R.C.Y. Rates of electron removal by recombination, attachment, and ambipolar diffusion in nitric oxide plasmas, 2=3030
- Gunye, M.R., Jambunathan, R. and Saraf, B. Decay of neodymium-147, 1=17040
- Gunye, M.R. See Das Gupta, S., 4=19649
- Gunye, M.R. See Jambunathan, R., 1=655
- Gunye, M.R. See Saraf, B., 1=17041
- Guo De-quan. See Li Guo-Dong, 4=1847
- Guo Zhong-heng. A contribution to the theory of variated states of finite strain, 2=19476
- Guo Zhong-Heng. The constitutive derivative of tensor fields in non-linear continuum mechanics, 3=14074
- Guo Zhong-Heng. Displacement equations of isentropic motion of a body subject to a finite isothermal initial strain, 3=14081
- Guo Zhong-Heng. Isentropic motion of a medium subjected to initial isothermal finite deformation, 3=18883
- Guo Zhong-heng. The mocal derivative of the tensor density in moving coordinate system, 3=23728
- Guo Zhong-heng. On the constitutive equation of hypo-elasticity, 4=5114
- Guordin, M. See Lévy-Leblond, J.M., 4=9278
- Guppy, C.B. Transfer function synthesis for reactor spatial dynamics using the modal approach, 3=2531
- Gupta, A. See Mukherjee, S., 0=5644
- Gupta, A. K. and Verma, G. S. On the existence of certain one-electron states in the b. c. s. energy-gap region, 4=8558
- Gupta, A. K. and Verma, G. S. Phenomenological model for the electronic thermal conductivity of superconductors, 4=21406
- Gupta, A.S. Steady and transient free convection of an electrically conducting fluid from a vertical plate in the presence of a magnetic field, 0=15123
- Gupta, A.S. Flow of an electrically conducting fluid past a porous flat plate in the presence of a transverse magnetic field, 0=19898
- Gupta, A.S. On the flow of an electrically conducting fluid near an accelerated plate in the presence of a magnetic field, 1=12007
- Gupta, A.S. Laminar stagnation flow of an electrically conducting fluid against an infinite plate in the presence of a transverse magnetic field, 1=16514
- Gupta, A.S. Shear flow of a viscous infinitely electrically conducting fluid past a porous flat plate in the presence of a transverse magnetic field, 2=5448
- Gupta, A.S. Laminar free convection flow of an electrically conducting fluid from a vertical plate with uniform surface heat flux and variable wall temperature in the presence of a magnetic field, 3=2114
- Gupta, A.S. On the capillary instability of a jet carrying an axial current with or without a longitudinal magnetic field, 4=14126
- Gupta, A.S. Rayleigh-Taylor instability of a viscous electrically conducting fluid in the presence of a horizontal magnetic field, 3=24445
- Gupta, B.K. The $^2\Sigma^-$ state of the negative molecular ion H_2^- , 0=7783
- Gupta, B.K. The $^2\Sigma^+ \leftrightarrow ^2\Sigma^+$ transition in H_2^+ , 1=9933
- Gupta, B.K. See Hyder, S.B., 1=20012
- Gupta, D. and Weinig, S. Interactions between interstitial and substitutional solutes in an h.c.p. lattice, 2=21002
- Gupta, D.P. Some problems on stresses around curvilinear holes in thin elastic plates, 2=15508
- Gupta, D.P. Effect of a small circular hole on the stress distribution in a deep rectangular beam subject to flexure under shear, 3=23810
- Gupta, H. C. See Seth, A., 4=29535
- Gupta, I.C. See Roalsvig, J.P., 1=8697
- Gupta, J.B. and Nath, N. Inelastic neutron scattering cross-sections in lead isotopes, 2=1896
- Gupta, J.B. See Saha, N.K., 1=13734
- Gupta, J.P. and Maheshwari, R.C. Radiation and lag errors of the chronometric type radiosonde, 3=11389
- Gupta, K.C. and Satyam, M. Some transient characteristics of electrically heated tungsten filaments, 3=14627
- Gupta, K.Das. See Das Gupta, K.
- Gupta, K.K. Non-relativistic approximation of Bhabha's equation, 0=3936
- Gupta, K.K. and Mathur, V.S. Magnetic field dependence of energy gap in superconductors, 1=1859
- Gupta, K. K. and Radhakrishnan, V. The phase transition of a superconductor, 4=388
- Gupta, K.K. See Abraham, G., 1=618
- Gupta, K.K. See Banerjee, B., 2=1804
- Gupta, K.K. See Banerjee, B., 2=7931
- Gupta, K.P. New phases in the manganese-silicon and iron-manganese-silicon systems, 4=17748
- Gupta, K.P., Cheng, C.H. and Beck, P.A. Review of the electronic specific heat of b.c.c. and f.c.c. solid solutions of first long period transition elements, 3=8367
- Gupta, K. P., Cheng, C. H. and Beck, P. A. Low-temperature specific heat of Ni-Base F. C. C. solid solutions with Cu, Zn, Al, Si, and Sb, 4=9852
- Gupta, K. P., Cheng, C. H. and Beck, P. A. Low-temperature specific heat of f. c. c. alloys of 3d-transition elements, 4=12639
- Gupta, K. P., Cheng, C. H. and Beck, P. A. Low temperature specific heat of b. c. c. solid solution alloys of Fe with Si, Ge and Sn, 4=30520
- Gupta, K.P. See Cheng, C.H., 2=16609
- Gupta, K. P. See Cheng, C. H., 4=25857
- Gupta, K. P. See Pessall, N., 4=30518
- Gupta, M.K.Sen. See Sen Gupta, M.K.
- Gupta, M.L. The problem of the Σ^-/Σ^+ ratio in K^- -p interaction in relation to the hypothesis of restricted symmetry, 0=15434
- Gupta, M.L. and Raychaudhuri, B.C. A guard-dome thermal conductivity apparatus: effect of small temperature unbalances on the conductivity values, 3=21583
- Gupta, M.M. Cosmic rays and high altitude flights, 3=11617
- Gupta, M.M. and Kushwaha, R.S. Random fragmentation in star formation in globular clusters, 3=1535
- Gupta, M.R. Analysis of cascade showers induced by photons, 0=7315
- Gupta, P.C., Jain, J.P. and Gupta, V.P. Gamma-ray dose rate at an external point from a spherical radioactive source, 3=10279
- Gupta, P.K. See Ghosh, S.K., 3=13673
- Gupta, P.R. and Goring, D.A.I. Sedimentation of polydisperse macromolecules, 0=16393
- Gupta, R. See Joshi, S.K., 2=12378
- Gupta, R. See Joshi, S.K., 4=17702
- Gupta, R. C. See Kapur, J. N., 4=18153
- Gupta, R.C. See Pradhan, B.P., 1=6191
- Gupta, R.C. See Pradhan, B.P., 2=6513
- Gupta, R.C. See Pradhan, B.P., 4=12953
- Gupta, R.K. On the decay of ^{123}I , 0=4073
- Gupta, R.K. Gamma rays from ^{198}Au , 0=17556
- Gupta, R.K. The levels in ^{121}Sb studied from the decay of $^{121}\text{Te}^{m}$ and ^{121}Te , 0=20416
- Gupta, R.K. On the determination of the electron-capture decay energies of Tl^{201} and Tl^{202} , 1=651
- Gupta, R.K. Two problems of heat flow in solids, 3=16824
- Gupta, R.K., Girgis, R.K. and Van Lieshout, R. Levels in ^{200}Hg studied from the decay of ^{200}Tl , 0=4071
- Gupta, R.K. and Jha, S. On the beta-decay systematics of Hg-Tl isotopes, 1=8664
- Gupta, R.K., Pramila, G.C. and Raghavan, R.S. On the decay of Te^{119m} and Te^{119} , 2=14061
- Gupta, R. K. and Sood, P. C. On the possible existence of 1.33 MeV level in Mg^{28} , 4=9397
- Gupta, R. K. and Sood, P. C. Rotational bands in iron-56, 4=25306

- Gupta, R.K., Svedberg, J. and Andersson, G. High-energy gamma-rays and positrons from 5.3 hr Ti^{106} , 1=13758
- Gupta, R.K. and Waghmare, Y.R. Electron scattering on light nuclei, 4=3643
- Gupta, R.K. See Herrlander, C.J., 1=658
- Gupta, R.K. See Jha, S., 0=15562
- Gupta, R.K. See Jha, S., 1=5829
- Gupta, R.K. See Jha, S., 1=8637
- Gupta, R.K. See Jha, S., 1=13749
- Gupta, R.K. See Jha, S., 2=16373
- Gupta, R.K. See Waghmare, Y., 4=25308
- Gupta, R.P. Proton magnetic resonance study of sodium glutamate and benzyl glutamate, 2=12838
- Gupta, S.C. Slow broadside motion of a flat plate in a viscous liquid, 0=19057
- Gupta, S.C. A least square procedure for the variational principle for heat convection in anisotropic media, 3=21588
- Gupta, S.C. See Bhanot, V.B., 3=17545
- Gupta, S.C. See Bhanot, V.B., 4=27943
- Gupta, S.L. and Saha, N.K. Spark counter as a fast pulse generator, 2=5509
- Gupta, S.L. and Saha, N.K. Spark counter as a light pulser for phototube testing, 2=13702
- Gupta, S.L. See Saha, N.K., 4=19328
- Gupta, S.N. Pion theory of nuclear forces with nucleon recoil, 0=5511
- Gupta, S.N. Lorentz covariance of quantum electrodynamics with the indefinite metric, 0=17220
- Gupta, S.N. Relativistic one-pion exchange nuclear potential, 1=8435
- Gupta, S.N. Field-theoretical derivation of the two-body potential, 1=9734
- Gupta, S.N. Spin-orbit interaction in two-pion exchange nuclear potential, 1=9735
- Gupta, S.N. Relativistic Schrödinger's equation for the two-nucleon system, 2=280
- Gupta, S.N. Conformal transformations and space travel, 2=7040
- Gupta, S.N. Nonleptonic decays of hyperons, 3=12505
- Gupta, S.N. Particle-particle and particle-antiparticle interactions, 4=27785
- Gupta, S.N. See Anderson, R.L., 2=20273
- Gupta, S.N. See Anderson, R.L., 3=17294
- Gupta, S.N. Sen. See Sen Gupta, S.N.
- Gupta, S.S. See Sharma, M.N., 3=17932
- Gupta, U.C., Sahani, M.G. and Srivastava, P.K. Internal conversion coefficients of Au^{198} , Hg^{203} , Cs^{137} and Cr^{51} using a $\text{CsI}(\text{tl})$ scintillation spectrometer, 2=10065
- Gupta, U.C. See Misra, S.C., 4=12181
- Gupta, U.C. See Srivastava, P.K., 1=13222
- Gupta, V. K-meson production in π -p collisions and K-meson parity, 0=4001
- Gupta, V. Strong interactions and isobaric gauge invariance, 0=17234
- Gupta, V. Recoil in pion-nucleon scattering, 0=17389
- Gupta, V. Generalized gauge invariance and strong interactions, 1=5662
- Gupta, V. Symmetry operations for strong and weak interactions, 1=9731
- Gupta, V. Hypercharge independence at high energies, 2=18088
- Gupta, V. $\text{SU}(3)$ and weak interactions, 4=24991
- Gupta, V. and Biswas, S.N. CP invariance and non-linear pion interactions, 0=17383
- Gupta, V. and Sarma, K.V.L. Consequences of no double-charge exchange at high energies, 3=14910
- Gupta, V. and Singh, Y. Effect of (K-K) resonance in collisions of K-mesons and pions with nucleons, 3=12503
- Gupta, V. and Singh, V. Sum rules for the decay of the baryon decuplet into the baryon and meson octets in broken $\text{SU}(3)$ symmetry, 4=27781
- Gupta, V. See Biswas, S.N., 1=539
- Gupta, V. See Biswas, S.N., 1=9761
- Gupta, V. See Biswas, S.N., 2=1725
- Gupta, V. See Biswas, S.N., 2=13862
- Gupta, V. See Biswas, S.N., 3=15015
- Gupta, V. See Blin-Stoyle, R.J., 0=4047
- Gupta, V.D. An expression for orientation in cellulose fibres, 1=20653
- Gupta, V.D. A Markoff chain model for crystalline polymers, 2=12358
- Gupta, V.D. An expression for orientation in cellulose fibres, 2=15082
- Gupta, V.D. See Shibukawa, T., 3=13326
- Gupta, V.D. See Tobolsky, A.V., 2=4482
- Gupta, V.D. See Tobolsky, A.V., 2=10929
- Gupta, V.D. See Tobolsky, A.V., 2=12357
- Gupta, V.D. See Tobolsky, A.V., 4=20141
- Gupta, V.P. See Gupta, P.C., 3=10279
- Gupta, V.P. See Saksena, B.M.L., 4=21347
- Gupta, Y.M., Gautam, V.P. and Agarwal, B.K. Isobaric model for K^- -p collisions at K^- momentum 1150 MeV/c, 3=7923
- Guptill, E.W., van Iersel, A.M.R. and David, R. The attenuation of sound in solutions of ^3He and ^4He , 0=8870
- Guptill, E.W., Van Iersel, F. and Van Iiterbeek, A.F. The attenuation of sound in a dilute mixture of ^3He and ^4He by a method of fixed distance, 0=8887
- Guptill, E.W. See Lawrence, D.J., 0=1576
- Guralnik, G.S. and Hagen, C.R. Regge poles in relativistic wave equations, 3=12424
- Gurchumeliya, A.D. Calculation of the Ge atom ground state in the approximation of the simplified Hartree-Fock self-consistent field, 4=19956
- Gurchumeliya, A.D. Scattering of slow electrons by atoms, 4=19980
- Guretskaya, Z.I. See Bundel', A.A., 2=10621
- Guretskaya, Z.I. See Bundel', A.A., 2=14734
- Guretskaya, Z.I. See Bundel', A.A., 3=3051
- Gur'ev, A.V. The influence of a local microheterogeneous deformation of a real polycrystalline alloy in the deformation of the whole specimen in the elastic field, 2=23752
- Gur'ev, A.V. Part played by microplastic deformation in the process of fatigue, 3=20699
- Gur'ev, M.T., Tikhomirov, M.V. and Tunitskii, N.N. Dissociation of large molecules under electron impact, 2=18489
- Gur'ev, M.V., Sumin, L.V. and Tunitskii, N.N. On the measurement of the kinetic energy of fragmentary ions in a mass-spectrometer. I. The analysis of line shape, 4=16565
- Gur'ev, M.V. See Sumin, L.V., 4=29872
- Gur'ev, V.N. See Sitenko, A.G., 1=17085
- Girevič, L.E., Ipatova, I.P. and Urickij, Z.I. The optical effects in semiconductors in the infrared region with and without a magnetic field, 2=23525
- Gurevich, A.G. Ferrites at microwave frequencies, 4=8921
- Gurevich, A.G. and Gubler, I.E. Ferromagnetic resonance in single crystals of yttrium ferrite, 0=6251
- Gurevich, A.G., Gubler, I.E. and Safant'evskii, A.P. Ultra high frequency properties of yttrium and lutetium ferrites with garnet-type structure, 0=6243
- Gurevich, A.G., Gubler, I.E. and Titova, A.G. Temperature dependences of the width of the resonance curve and the relaxation processes in single crystals of ferrites, 1=12537
- Gurevich, A.G., Gubler, I.E. and Titova, A.G. Temperature dependences of the width of the resonance curve and the relaxation processes in single crystals of ferrites, 1=14734
- Gurevich, A.G., Mêng Hsien-chên [Men Syan'-chzhen'] and Starobinets, S.S. Anisotropy of resonance line width in yttrium garnet with rare-earth impurities, 3=25558
- Gurevich, A.G., Safant'evskii, A.P., Solov'ev, V.I. and Sher, E.S. Effect of induced anisotropy on ferromagnetic resonance, 3=8702
- Gurevich, A.G. and Solov'ev, V.I. Fine structure of the angular dependence of the resonance curve width of yttrium garnet with terbium impurity, 4=1862
- Gurevich, A.G. and Starobinets, S.S. Instability thresholds during ferromagnetic resonance in yttrium garnet monocrystals, 2=10687
- Gurevich, A.G. and Starobinets, S.S. Ferromagnetic resonance in ferrites in strong alternating magnetic fields, 3=8701
- Gurevich, A.G. See Men'Syan'-chzhen', 2=18936
- Gurevich, A.G. See Smolensky, G.A., 3=3092
- Gurevich, A.I. See Shigorin, D.N., 3=962
- Gurevich, A.V. Certain peculiarities of Joule heating of the electron gas in a plasma, 0=7127
- Gurevich, A.V. The influence of collisions between electrons on their velocity distribution in gases and in semiconductors in an electric field, 0=10903
- Gurevich, A.V. The number of accelerated particles in a ionized gas under various accelerating mechanisms, 0=19621
- Gurevich, A.V. On the theory of runaway electrons, 1=18830
- Gurevich, A.V. Peculiarities of the behaviour of multicharged ions in a plasma, 2=176
- Gurevich, A.V. Perturbations in the ionosphere due to travelling bodies, 2=8991
- Gurevich, A.V. Perturbations in the ionosphere due to travelling bodies, 2=19218
- Gurevich, A.V. Peculiarities of the behaviour of multi-charged ions in a plasma, 3=1117

- Gurevich, A.V. Smearing out of inhomogeneities in a weakly ionized plasma in a magnetic field (ambipolar diffusion), 3=24282
- Gurevich, A. V. and Pitayevskii, L. P. Nonlinear effects in plasma resonance, 4=5607
- Gurevich, A. V. and Pitaevskii, L. P. Recombination coefficient in a dense low temperature plasma, 4=18798
- Gurevich, A.V. and Zhivlyuk, Yu.N. Heating of multiply charged impurity ions in a plasma, 3=24273
- Gurevich, A.V. See Al'pert, Y.L., 4=2470
- Gurevich, A.V. See Ginzburg, V.L., 1=2982
- Gurevich, A.V. See Ginzburg, V.L., 1=9565
- Gurevich, A.V. See Ginzburg, V.L., 2=203
- Gurevich, D. B. and Podmoshenskii, I. V. The relationship between the excitation temperature and the gas temperature in the positive column of an arc discharge, 4=14617
- Gurevich, D.B. See Belousova, I.M., 2=1411
- Gurevich, D.B. See Belousova, I.M., 2=17811
- Gurevich, D.B. See Peisakhson, I.V., 3=24028
- Gurevich, D.B. See Prokof'ev, V.K., 0=3749
- Gurevich, G.I. Contribution to the theory of small amplitude oscillations, 1=14860
- Gurevich, G.I. See Vasil'ev, Yu.I., 3=14234
- Gurevich, G. I. See Aleksandrov, A. P., 4=7309
- Gurevich, I. I., Makariyna, L. A., Nikol'sky, B. A., Sokolov, B. V., Surkova, L. V., Khakumov, S. Kh., Shestakov, V. D., Dobretsov, Yu. P. and Akhmanov, V. V. Asymmetry of the $\pi^+ \rightarrow \mu^+ \rightarrow e^+$ decay-electron angular distribution in a longitudinal magnetic field of 140 000 gauss, 4=30246
- Gurevich, I.I. and Nemirovskii, P.E. "Metallic" reflection of neutrons, 2=294
- Gurevich, I.I. and Nemirovskii, P.E. "Metallic" reflection of neutrons, 2=22533
- Gurevich, I.I. and Nikol'skii, B.A. Angular distribution of positrons in the decay process $\Pi^- \rightarrow \mu^+ \rightarrow e^+$, 3=2290
- Gurevich, I.I., Nikol'skii, B.A. and Surkova, L.V. Three-electron decay of the muon, 0=13009
- Gurevich, I.I., Nikolsky, B.A. and Ali-Zade, S.A. Asymmetry of the angular distribution of electrons from $\mu \rightarrow e$ decay, 1=8468
- Gurevich, I.I. See Ali-Zade, S.A., 0=15378
- Gurevich, I.I. See Ali-Zade, S.A., 1=16832
- Gurevich, I. I. See Galitsky, V. M., 4=19486
- Gurevich, I.I. See Varfolomeev, A.A., 0=7324
- Gurevich, I.I. See Varfolomeev, A.A., 1=2139
- Gurevich, I.M. and Charnaya, F.A. Spectral characteristics of tubular pulsed discharge lamps, 3=18978
- Gurevich, L.E. Thermomagnetic waves and the excitation of a magnetic field in a non-equilibrium plasma, 3=21843
- Gurevich, L.E. and Efros, A.L. Effect of mutual dragging of electrons and phonons on the transverse electrical conductivity in a strong magnetic field, 2=3987
- Gurevich, L.É. and Efros, A.L. Effect of spin on the Shubnikov-De Haas oscillations, 3=844
- Gurevich, L.É. and Efros, A.L. Effect of mutual dragging of electrons and phonons on the transverse electrical conductivity in a strong magnetic field, 3=4901
- Gurevich, L.E. and Gelmont, B.L. Hydrothermomagnetic waves in a weakly inhomogeneous plasma, 4=16497
- Gurevich, L.E. and Ioffe, V.I. Phenomenon of current instability in semiconductors, 2=23295
- Gurevich, L.É. and Ioffe, V.I. Phenomenon of current instability in semiconductors, 3=6572
- Gurevich, L.É. and Ioffe, V.I. Appearance of current oscillations in semiconductors, 3=17830
- Gurevich, L.É. and Ioffe, V.I. Current instability in semiconductors, 3=20294
- Gurevich, L.É. and Ioffe, V.I. Theory of current instability in semiconductors and semimetals, 4=10036
- Gurevich, L.É. and Ipatova, I.P. Faraday effect in semiconductors with free carriers in a strong magnetic field, 0=7923
- Gurevich, L.É. and Ipatova, I.P. Absorption of electromagnetic waves in homopolar crystals, 3=10589
- Gurevich, L.É. and Ipatova, I.P. Absorption of electromagnetic waves by covalent crystals, 3=15661
- Gurevich, L.E. and Ipatova, I. P. Temperature dependence of the line width of resonance absorption by the lattice of ionic crystals, 4=3984
- Gurevich, L. E. and Korenblit, I. Ya. Electrical conductivity and the galvanomagnetic coefficients of semi-metals and degenerate semiconductors in strong electric fields, 4=1571
- Gurevich, L.É. and Nedlin, G.M. Thermoelectric coefficients of metals in strong magnetic fields and the effect of drag of electrons by phonons, 0=10005
- Gurevich, L.E. and Nedlin, G.M. Quantum kinetic equation in the presence of mutual entrainment of electrons and phonons, 2=655
- Gurevich, L.E. and Nedlin, L.M. Thermoelectric power of semiconductors in a quantizing magnetic field taking into account the drag of electrons by phonons, 2=4078
- Gurevich, L.E. and Nedlin, L.M. Thermoelectric power of semiconductors in a quantizing magnetic field taking into account the drag of electrons by phonons, 2=6505
- Gurevich, L. E. and Nedlin, G. M. Thermo-e.m.f. of ferromagnetic metals due to the scattering of electrons on magnons, 4=4238
- Gurevich, L.É. and Pavlov, S.T. The scattering of electromagnetic waves on free electrons in a strong magnetic field, 0=11020
- Gurevich, L.E. and Uritskii, Z.I. On the theory of longwave absorption in crystals, 0=6174
- Gurevich, L.É. and Uritskii, Z.I. The theory of infrared absorption of crystals, 0=16046
- Gurevich, L.E. and Vladimirov, V.I. Kinetic theory of strength, 0=21136
- Gurevich, L.É. and Vladimirov, V.I. Kinetic properties of a low-density plasma with large radiation pressure and electron-photon drag, 3=21782
- Gurevich, L. É. and Vladimirov, V. I. Kinetic properties of a plasma with a large radiation pressure, 4=24636
- Gurevich, L.É. and Yassievich, I.N. Theory of the ferromagnetic Hall effect, 3=20275
- Gurevich, L. É. and Yassievich, I. N. Theory of the ferromagnetic Hall effect, 4=10021
- Gurevich, L.E. See Bychkov, Yu.A., 0=10004
- Gurevich, M.A. See Fomin, V.G., 3=25693
- Gurevich, M.M. Spectral distribution of radiant energy, 3=24098
- Gurevich, M.M. and Kolyadin, K.I. A "spectrovisor", 1=2866
- Gurevich, V.L. The theory of the thermal conductivity of dielectrics, 0=6020
- Gurevich, V.L. Ultrasonic absorption in metals in a magnetic field. I, 0=7865
- Gurevich, V.L. Ultrasonic absorption in metals in a magnetic field. II, 0=7866
- Gurevich, V.L. Avalanche formation of excitons in semiconductors, 2=18664
- Gurevich, V.L. The theory of absorption of sound in piezoelectrics, 2=23055
- Gurevich, V.L. Avalanche formation of excitons in semiconductors, 2=23292
- Gurevich, V.L. Current fluctuations in semiconductors near the non-equilibrium stationary state, 3=15558
- Gurevich, V.L. Limitation to the sound amplification in piezoelectric crystals, 3=17650
- Gurevich, V. L. Increase of fluctuations in an unstable system, 4=11092
- Gurevich, V. L. and Efros, A. L. Theory of the acoustoelectric effect, 4=1547
- Gurevich, V.L. and Firsov, Yu.A. The theory of the electrical conductivity of semiconductors in a magnetic field. I, 1=14418
- Gurevich, V.L. and Firsov, Yu.A. Theory of plasma diffusion in a magnetic field, 2=188
- Gurevich, V.L. and Firsov, Yu.A. The theory of excitation of electrons by phonons in rhombohedral semiconductors, 2=21202
- Gurevich, V.L. and Firsov, Yu.A. Theory of plasma diffusion in a magnetic field, 3=403
- Gurevich, V. L. and Firsov, Yu. A. A new oscillation mode of the longitudinal magnetic resistance of semiconductors, 4=2855
- Gurevich, V.L., Firsov, Yu.A. and Efros, A.L. A new type of magnetoresistance oscillations in semiconductors and semimetals, 2=21119
- Gurevich, V.L., Firsov, Yu.A. and Efros, A.L. A new type of magnetoresistance oscillations in semiconductors and semimetals, 3=6569
- Gurevich, V.L. and Kagan, V.D. Absorption of ultrasound in piezoelectric semiconductors, 3=17653
- Gurevich, V.L. and Laikhtman, B.D. Nonlinear effects limiting the amplification of sound in piezoelectrics, 4=17456
- Gurevich, V.L., Lang, I.G. and Firsov, Yu.A. On the role of optical phonons in the absorption of infrared by free carriers in semiconductors, 2=21235

- Gurevich, V.L., Lang, I.G. and Firsov, Yu.A. On the role of optical phonons in the absorption of infrared by free carriers in semiconductors, 2=23542
- Gurevich, V.L., Larkin, A.I. and Firsov, Yu.A. Concerning the possibility of superconductivity in semiconductors, 2=11552
- Gurevich, V.L., Larkin, A.I. and Firsov, Yu.A. Concerning the possibility of superconductivity in semiconductors, 2=13502
- Gurevich, V.L., Skobov, V.G. and Firsov, Yu.A. Giant quantum oscillations in the acoustical absorption by a metal in a magnetic field, 2=564
- Gurevich, V.L. See Firsov, Yu.A., 2=23301
- Gurevich, V.L. See Firsov, Yu.A., 4=26049
- Gurevich, V.L. See Gantsevich, S.V., 4=3985
- Gurevich, V.M. and Rez, I.S. Transient phenomena of conductivity in BaTiO₃ ceramic with direct current, 0=13658
- Gurevich, V.M. and Rez, I.S. Possibility of controlling the conductivity of lead metaniobate by doping, 2=16685
- Gurevich, V.M. and Zheludev, I.S. Anisotropy in the electrical conductivity of a monocrystal of Li₂SO₄ · H₂O, 1=14396
- Gurevich, V.M. and Zheludev, I.S. A study of the phase transition of a triglycine sulphate monocrystal at the Curie point by measuring the electrical conductivity, 2=6521
- Gurevich, V.M. and Zheludev, I.S. Ferroelectric properties of triglycine sulphate single crystals in the 0.01 to 50 c/s frequency range, 2=14624
- Gurevich, V.M. and Zheludev, I.S. Anomalous anisotropic electrical conductivity of triglycine fluoroberyllate near the phase-transition point, 3=17924
- Gurevich, V.M., Zheludev, I.S. and Rez, I.S. Some peculiarities of the electrical conductivity of guanidine aluminum sulphate hexahydrate (GASH), 0=13578
- Gurevich, V.M., Zheludev, I.S. and Rez, I.S. The nature of the transient phenomena of conductivity in ferro-electrics, 1=1130
- Gurevich, V.M., Zheludev, I.S. and Rez, I.S. The electrical conductivity of a single crystal of triglycine sulphate, 1=6194
- Gurevich, V.M., Zheludev, I.S. and Rez, I.S. [Ferroelectric] behaviour of triglycine sulphate crystals at very low frequencies [0.01-50 c/s], 2=668
- Gurevich, V.L. See Firsov, Yu.A., 2=4009
- Gurevich, Yu.Ya. See Levich, V.G., 2=13316
- Gurevich, Yu.Ya. See Myamlin, V.A., 1=11905
- Gurfinkel, Y. See Gilat, J., 4=7805
- Gurgenishvili, G.E. Combined resonance in deformed p-type germanium, 4=1605
- Gurgenishvili, G.E. See Baramidze, G.A., 3=20150
- Gurgenishvili, G.E. See Rashba, E.I., 2=21234
- Gurikov, Y.V. Variational theory of molecular distribution functions and extensions of the superpositional approximation, 3=21315
- Gurikov, Yu. V. Functional expansions in the theory of statistical equilibrium, 4=14063
- Gurikov, Yu. V. Functional expansions in the theory of statistical equilibrium, 4=21052
- Gurin, Yu.L., Korolev, A.M. and Konstantinov, B.D. Magnetic and quadrupole moments of weakly deformed nuclei, 2=13971
- Gurin, Yu.L. See Konstantinov, V.D., 1=8604
- Gurinovich, G.P., Sarzhevskii, A.M. and Sevchenko, A.N. The maximum polarization of luminescence in complex molecules, 0=10055
- Gurinovich, G.P., Sarzhevskii, A.M. and Sevchenko, A.N. New data on the dependence of the degree of polarization on the wavelength of fluorescence, 4=5197
- Gurinovich, G.P., Sevchenko, A.N. and Solov'ev, K.N. The spectroscopy of the porphyrins, 3=25129
- Gurinovich, G.P. See Sevchenko, A.N., 0=8018
- Gurinovich, G.P. See Sevchenko, A.N., 0=9829
- Gurinovich, G.P. See Sevchenko, A.N., 0=10054
- Gurinovich, G.P. See Sevchenko, A.N., 1=5053
- Gurinsky, D.H. See Chow, J.G.Y., 3=8759
- Gurinsky, D.H. See Schweitzer, D.G., 4=20270
- Gurko, O.V. Determination of visibility conditions of space rockets, 2=9124
- Gurko, O.V. See Yatsunskii, I.M., 2=9126
- Gurland, J. See Güler, D.E., 3=1243
- Gurland, J. See Plateau, J., 3=11177
- Gurley, M.H., III and Merrill, E. A double-beam automatic prism-grating infrared recording spectrophotometer, 4=14358
- Gurm, H.S. Radial oscillations of a composite model, 1=15499
- Gurm, H.S. Anharmonic pulsations of a composite mode, 1=15500
- Gurm, H.S. Radial oscillation of an infinite cylinder with a magnetic field parallel to its axis: two particular models, 2=9691
- Gurm, H.S. The pulsational properties of an early main-sequence star. I., 4=10816
- Gurm, H.S. Pulsational properties of an early main-sequence star. II., 4=10817
- Gurney, C. Sources of weakness in glass, 4=28952
- Gurney, I.D.C. See Bolton, H.C., 2=16585
- Gurney, R.D. See Lehner, F.E., 3=9168
- Guro, G.M. Characteristic times of the steady-state electronic processes in semiconductors, 0=576
- Guro, G.M. Characteristic times of electronic processes in semiconductors, 2=8313
- Guro, G.M. Effect of impact recombination on the decay of nonequilibrium carrier density in semiconductors, 2=23294
- Guro, G.M. Effect of impact recombination on the decay of nonequilibrium carrier density in semiconductors, 3=6571
- Guro, G.M. and Rzhannov, A.V. Kinetics of excess carrier conductivity at high generation levels, 3=22911
- Gurov, K.P. Theory of the diffusion mobility and of electrical transport in metals and metallic solid solutions, 2=8272
- Gurov, K.P. The theory of diffusion mobility and electron transfer in metals and metallic [binary] solid solutions, 2=23097
- Gurov, K.P. The relaxation time in a two-temperature mixture of classical gases, 4=18236
- Gurov, K.P. and Borovskii, I.B. A theory of dilute solid solutions, 1=4060
- Gurov, K.P., Leksina, I.E. and Penkina, N.V. Calculation of the electron characteristics of metals on the basis of data relating to their optical constants, 3=15467
- Gurov, K.P. and Pekarev, A.I. The theory of the effect of impurities upon the thermionic emission of tungsten, 4=21555
- Gurov, K.P. See Miller, Yu.G., 2=3950
- Gurov, S.V., Dzhabarov, T.A., Malinin, A.A., Osadin, B.A. and Tainov, Yu.F. Electrode processes in a high-current discharge in a vacuum, 4=21479
- Gurov, K.P. See Borovskii, I.B., 0=1937
- Gurov, K.P. See Borovskii, I.B., 0=9764
- Gurovits, L.S. See Aleksandrov, K.S., 1=16013
- Gürs, D. See Grau, G., 4=14327
- Gürs, K. Preparation and properties of PbTe photoresistors with controlled stoichiometric composition, 0=9996
- Gürs, K. Determination of the lifetime of excited states by means of intensity-versus-time measurements on optical masers, 3=6648
- Gürs, K. Internal modulation of optical masers, 3=9979
- Gürs, K. The oscillatory behaviour of optical ruby masers with large mirror separation, 3=14810
- Gürs, K. Relaxation oscillations in the emission of optical masers with neodymium in calcium-tungstate, 4=3229
- Gürs, K. Relaxation oscillations in the emission of optical ruby-masers under various working conditions, 4=8997
- Gürs, K. Solid state lasers, 4=14924
- Gürs, K. Periodic relaxation oscillations and emission without spikes with a short ruby laser, 4=16710
- Gürs, K. Polarization and relaxation time as the means of frequency selection for the emission of the laser with neodymium in calcium tungstate, 4=24923
- Gürs, K. and Müller, R. Broad-band modulation by deflection of the emission of an optical maser (outcoupled modulation), 3=22023
- Gürs, K. and Müller, R. Internal modulation of optical masers, 4=19270
- Gürsey, F. On the symmetries of strong and weak interactions, 0=15246
- Gürsey, F. On the structure and parity of weak interaction currents, 1=4769
- Gürsey, F. Reformulation of general relativity in accordance with Mach's principle, 4=5035
- Gürsey, F. and Lee, T.D. Spin $\frac{1}{2}$ wave equation in de-sitter space, 3=14882
- Gürsey, F., Lee, T.D. and Nauenberg, M. Implications of approximate SU₃ symmetry and mass formulas for the mesons, 4=25013
- Gürsey, F. See Feinberg, G., 2=265
- Gürsey, F. See Feinberg, G., 3=538
- Gurshtein, A.A. Calculation of the effect of temperature on the determination of the screw value of the eyepiece micrometer of the zenith telescope ZT-180 by the method of wide-scale pairs, 2=24072
- Gurshtein, A.A. On the theory of wide scale pairs, 3=11486

- Gurskaya, G. V. and Vainshtein, B. K. Crystal structure of *l*-phenylalanine hydrochloride derivation of a model of the structure, 4=10560
- Gurski, E. See Bobrowski, L., 4=3068
- Gurskii, M. N. See Starodubtsev, S. V., 0=6416
- Gursky, H., Giacconi, R., Paolini, F. R. and Rossi, B. B. Further evidence for the existence of galactic X-rays, 4=12085
- Gursky, H. See Giacconi, R., 3=7941
- Gursky, J. See Britt, H. C., 2=14152
- Gursky, J. C. See Britt, H. C., 3=10396
- Gursky, J. C. See Northrop, J. A., 0=17147
- Gursky, M. L. See Rosen, L., 1=17092
- Gurtin, M. E. A note on the principle of minimum potential energy for linear anisotropic elastic solids, 3=14080
- Gurtler, C. A. Radiation measurements in the slot between the Van Allen belts to an altitude of 1415 kilometers, 2=11086
- Guruswamy, S. Rapid calculation of size parameters from microscope size-number-distribution data, 4=26703
- Guruswamy, S. See Bagai, S. K., 3=14088
- Gurvich, A. M. Concerning the influence of flux on the optical properties of zinc sulphide phosphors, 2=23603
- Gurvich, A. M. New luminors. Cadmium and zinc chlorides, activated with sulphides, 3=950
- Gurvich, A. M. and Katomina, R. V. Selection of phosphor coatings for X-ray screens, 2=14735
- Gurvich, A. S. Acoustic microanemometer for investigating the microstructure of turbulence, 0=10396
- Gurvich, A. S. and Zubkovskii, S. L. On the experimental evaluation of the fluctuations of dissipation of turbulent energy, 4=23737
- Gurvich, A. S. See Golitsyn, C. S., 1=15248
- Gurvich, D. B. and Svyadoshch, E. A. Method of determining magnetic fields of distributed currents, 4=5751
- Gurvich, I. I. See Gil'bershtein, P. G., 4=14246
- Gurvich, L. G. Scattering of slow ions and atoms by the atoms of a solid, 4=9818
- Gurvich, L. G. See Vapnik, V. H., 0=19801
- Gurvich, L. V. and Shenyavskaya, E. A. The electronic spectrum of scandium monofluoride, 3=17583
- Gurvich, Yu. A. Cyclotron resonance of hot electrons, 4=6814
- Gurvich, Yu. L. See Gershenzon, E. M., 3=20278
- Gurvits, S. A., Migdal, A. A. and Polyakov, A. M. Boundary energy of a Fermi gas in a potential well, 4=11118
- Gur'yan, Yu. A. See Belyaevskii, A. I., 3=7821
- Gur'yanova, E. N. See Arzamanova, I. G., 4=23626
- Gur'yev, A. V. and Kuksa, L. V. Problem of the initial stage of plastic deformation in steel specimens, 3=8764
- Gurzadyan, G. A. Synchrotron radiation in cometary nebulae, 0=8510
- Gurzadyan, G. A. New planetary nebulae (P.N.) with two shells, 0=18820
- Gurzadyan, G. A. The electron temperature of a medium subject to synchrotron radiation, 0=9042
- Gurzadyan, G. A. New planetary nebulae (P.N.) with two shells, 1=6720
- Gurzadyan, G. A. The possibility of observing gaseous nebulae in the Lyman α line, 1=6722
- Gurzadyan, G. A. The possibility of observing gaseous nebulae in the Lyman α line, 1=10390
- Gurzadyan, G. A. The influence of magnetic fields on the shape of planetary nebulae, 2=24159
- Gurzadyan, G. A. The influence of magnetic fields on the shape of planetary nebulae, 3=3611
- Gurzadyan, G. A. The occurrence of absorption lines of the Balmer series of hydrogen in the spectra of galaxies, 4=10872
- Gurzhi, R. N. See Azbel', M. Yu., 2=16680
- Gurzhi, R. N. Effect of high-order anharmonicities on transport phenomena in solid bodies, 4=3954
- Gurzhi, R. N. Minimum of resistance in impurity-free conductors, 4=4106
- Gurzhi, R. N. Thermal conductivity of dielectrics and ferro-electrics at low temperatures, 4=17381
- Gurzhi, R. N. and Azbel, M. Ya. Electron relaxation time in a high-frequency electromagnetic field and the surface impedance of a metal, 0=9947
- Gurzhi, R. N., Azbel', M. Ya. and Hao Pai Lin [Khao Bai Lin']. Surface effects in infrared optics, 3=25245
- Gurzhi, R. N. and Tsukernik, V. M. High-frequency magnetic susceptibility of a ferromagnetic dielectric in a longitudinal magnetic field, 3=3096
- Gurzhi, R. N. See Azbel', M. Ya., 3=6561
- Gusa, V., Krzhizh, I. and Ladnar, I. Zone melting of silicon by electron bombardment, 0=706
- Gusachenko, L. K. The problem of the transient speed of the combustion (fusion) of a semi-infinite solid, 3=11975
- Gusak, G. M. See Prishivalko, A. P., 2=9365
- Gusak, V. G. See Bogatskii, M. I., 3=1729
- Gusakov, M. See Albouy, G., 3=4642
- Gusakov, M. Ya. See Frontas'ev, V. P., 0=8660
- Gusakov, V. D. See Gel'perin, B. B., 4=16596
- Gusarova, S. M. See Tyapunina, N. A., 4=6837
- Gusakov, M. Contribution to the study of some (p,pn) reactions at medium energies, 2=14093
- Gusakov, M. The density of neutrinos and antineutrinos in the universe, 3=11500
- Gusakov, M., Albouy, G. and Poffe, N. Excitation functions for (p,pn) reactions, 2=1881
- Gusakov, M., Albouy, G., Poffe, N. and Riehl, C. (p,pn) reactions at medium energies, 2=456
- Gusakov, M., Legoux, Y. and Sergolle, H. Spallation reaction (p, pn), (p, p2n) and (p, 3n) in gold. Variations of the cross-section with energy, 0=15571
- Gusakov, M. See Albouy, G., 2=1882
- Gusakov, M. See Albouy, G., 3=12677
- Gusakov, M. See Albouy, G., 3=19852
- Gusakov, M. See Poffé, N., 1=13804
- Gusakov, M. See Poffe, N., 2=457
- Gusakov, M. See Poffé, N., 3=12678
- Gusakov, M. See Ruhla, C., 4=1080
- Gusakov, M. See Valentin, L., 4=6334
- Gusakov, M. See Valentin, L., 4=30338
- Gusakov, M. M. See Albouy, G., 1=13686
- Gusarov, V. V. See Shelyubskii, V. I., 1=4508
- Gusatsinskii, A. N. and Nemmonov, S. A. "On the nature of the fine structure of the L_{III} X-ray absorption edge of indium in semi-conducting compounds, 4=20460
- Guseinov, A. G. and Nikolaev, M. N. Angular distributions of fast neutrons scattered by light nuclei, 2=13806
- Guseinov, G. D., Akhundov, G. A. and Abdullaev, G. B. Electrical and thermoelectrical properties of TlSe single crystals, 2=23410
- Guseinov, G. D. See Akundov, G. A., 0=18054
- Guseinov, N. G. High-frequency magnetic susceptibility of tetragonal and rhombohedral weak ferro-magnetics, 3=3151
- Guseinov, N. G. See Turov, E. A., 0=11926
- Guseinov, R. E. The applicability of the theory of strong explosions to chromospheric flares, 2=24123
- Guseinov, R. E. The possibility of application of the "radiating" electron theory to the generation mechanism of γ -radiation of chromospheric flares, 4=2450
- Guseinova, E. S. See Ismailov, F. I., 4=28687
- Gusel'nikov, V. S. and Khokhlova, A. N. Investigation of the emission characteristics of oxygen-sensitized multialkali-metal photocathodes, 4=8813
- Gusenov, G. D., Akhundov, G. A. and Abdullaev, G. B. Electrical and thermoelectric properties of TlSe single crystals, 2=18712
- Gusev, A. A. Theory of the magnetic properties of ferrite single crystals, 0=13824
- Gusev, A. A. Theory of the temperature dependence of the intensity of magnetization and paramagnetic susceptibility of ferrimagnetic materials, 1=3915
- Gusev, A. A. and Kurnakov, K. V. Portable thickness gauge which uses scattered gamma-rays, 3=14086
- Gusev, A. A. and Pakhomov, A. S. Regarding the normal energy state of a ferrite with three magnetic sublattices, 3=6720
- Gusev, A. A. and Pakhomov, A. S. The temperature dependence of intensity of magnetization and paramagnetic susceptibility of ferrites with three magnetic sublattices, 3=23188
- Gusev, E. V., Lashko, N. F. and Khatsinskaya, I. M. Anomalous variation of the electrical resistance of titanium alloys of the intermediate type, 4=28537
- Gusev, I. V. See Aërov, M. E., 0=12514
- Gusev, N. G., Mashkovich, V. I. and Verbitskii, B. V. Universal tables for the calculation of γ -ray attenuation in thin filters, 4=873
- Gusev, S. M. and Rakin, G. V. Thermoelectric properties of cadmium antimonide alloyed with elements of groups I, III, IV and VI, 3=17971
- Gusev, S. M. See Tovstyuk, K. D., 3=25358
- Gusev, V. M., Guseva, M. I., Elistratov, N. P. and Ikonnikov, D. S. The problem of the introduction of fast deuterium ions into metals, 2=13606
- Gusev, V. M., Guseva, M. I., Vlasenko, V. P. and Elistratov, N. P. Investigation of interaction between fast deuterium ions and metals, 0=19807
- Gusev, Yu. K. See Berlovich, E. E., 2=13989
- Gusev, Yu. K. See Berlovich, E. Ye., 2=22765

- Gusev, Yu. K. See Berlovich, E. E., 3=6175
 Gusev, Yu. K. See Berlovich, E. E., 3=15121
 Gusev, Yu. K. See Berlovich, E. E., 3=19788
 Gusev, Yu. K. See Berlovich, E. Ye., 3=4573
 Guseva, E. K., Dymshits, E. R. and Merkulov, L. G. Dislocation relaxation in NaCl crystals, 4=28454
 Guseva, G. A. and Taluts, G. G. On the theory of collective excitations of the electron system in a solid, 0=6034
 Guseva, G. I. and Tsidil'kovskii, I. M. Transport phenomena in n-type InSb, 3=17882
 Guseva, G. I. and Tsidil'kovskii, I. M. Dependence of the effective mass electrons on their density in InSb, InAs, and GaAs, 3=17885
 Guseva, G. I. See Tsidilkovskii, I. M., 3=10820
 Guseva, I. N. See Melankholin, N. M., 4=22884
 Guseva, L. G. Discharge firing in inhomogeneous fields at low gas pressures, 0=1119
 Guseva, L. I., Myasoedov, B. F., Tarantin, N. I. and Filippova, K. V. Cross-section for production of Cm^{240} by irradiation of Th^{232} with C^{12} and C^{13} ions, 0=11429
 Guseva, L. I. See Volkov, V. V., 0=9649
 Guseva, L. N. and Babarëko, A. A. Anisotropic broadening of X-ray diffraction maxima of solid solutions of copper after deformation, 0=1910
 Guseva, L. N. and Babarëko, A. A. Submicroscopic crystal structure and the mechanism of plastic deformation of copper-base solid solutions, 1=10268
 Guseva, M. I. Investigation of the sputtering action of positive ions with energies up to 25 keV in a small electromagnetic analyser, 0=1172
 Guseva, M. I., Zherebtsova, K. I., Litvin, V. F., Nemilov, Ya. A. and Orlova, T. V. Nature of the 3.79 MeV excitation energy level
 Guseva, M. I. See Gusev, V. M., 0=19807
 Guseva, M. I. See Gusev, V. M., 2=13606
 Guseva, V. U., Dobrotin, N. A., Zelevinskaya, N. G., Kotelnikov, K. A., Lebedev, A. M. and Slavatinskii, S. A. Experimental data on nucleon-nucleon interactions at the energy of hundreds of GeV and their interaction, 3=6100
 Guseva, V. V., Dobrotin, N. A., Zelevinskaya, N. G., Kotelnikov, K. A., Lebedev, A. M. and Slavatinskii, S. A. Experimental data on nucleon-nucleon interaction in the hundreds of GeV range and their interpretation, 3=19618
 Guseva, V. V., Dobrotin, N. A., Zelevinskaya, M. G., Kotelnikov, K. A., Lebedev, A. M. and Slavatinskii, S. A. Inelastic reactions of nucleons at energies around 3×10^{11} eV, 4=27835
 Guseva, V. V. See Dobrotin, N. A., 2=13786
 Guseva, V. V. See Grigorov, N. L., 1=5801
 Gush, H. P. High resolution studies of a vibration-rotation line in solid hydrogen, 1=14605
 Gush, H. P. and Buijs, H. L. The near infrared spectrum of the night airglow observed from high altitude, 4=23779
 Gush, H. P., Hare, W. F. J., Allin, E. J. and Welsh, H. L. The infrared fundamental band of liquid and solid hydrogen, 0=4196
 Gush, H. P. and Van Kranendonk, J. Calculation of the structure of the $S_1(0)$ and $S_1(0) + S_1(0)$ lines in the infrared spectrum of solid hydrogen, 2=23575
 Gush, H. P. See Connes, J., 0=16469
 Gush, H. P. See Connes, J., 1=15303
 Gush, H. P. See van Kranendonk, J., 2=15017
 Gushchin, G. P. Contribution to the effect of "anomalous transparency", 3=9044
 Gushchina, Z. M. See Fabrikov, V. A., 3=8687
 Gusika, P. L. See Vulis, L. A., 2=5461
 Gusika, P. L. See Vulis, L. A., 2=5462
 Gusilyenko, Yu. A. See Braun, M. P., 3=11281
 Gusinskii, G. M., Lemberg, I. Kh. and Treibai, Z. Angular distributions of gamma-rays emitted in de-excitation of the first levels of Ti^{47} and V^{51} and the 246 keV level of Se^{77} , 4=1016
 Gusinskii, G. M. See Alkhazov, D. G., 0=2567
 Gusinskii, G. M. See Alkhazov, D. G., 0=2622
 Gusinskii, G. M. See Alkhazov, D. G., 0=7587
 Gusinskii, G. M. See Andreev, D. S., 2=13982
 Gusinskii, G. M. See Andreev, D. S., 3=10237
 Gusinskii, G. M. See Gangurskii, Yu. P., 2=16359
 Guskina, L. G. See Kudzin, A. Yu., 4=30651
 Gus'kov, Iu. P. A method of orientating the plane of a circular orbit of a satellite, 4=15967
 Gus'kov, Iu. K. and Zvonarev, A. V. A measurement of the electrical resistance of boiling nitrogen undergoing irradiation in a reactor, 2=6051
 Gus'kov, Yu. K., Lebedev, M. A. and Stakhanov, I. P. A low voltage arc in cesium vapour, 4=29900
 Gus'kov, Yu. K., Pashchenko, V. P., Stakhanov, I. P. and Stumbur, E. A. The influence of Coulomb scattering on the operation of a thermionic converter, 4=24540
 Gus'kov, Yu. K. and Zvonarev, A. V. Thermocouple system for measurement of large neutron fluxes, 2=3364
 Gus'kov, Yu. K., Zvonarev, A. K. and Klichkova, V. P. Investigation of the e.m.f. developed when a system of semiconductors containing uranium is irradiated in a reactor, 2=6485
 Gus'kov, Yu. K., Zvonarev, A. V. and Klychkova, V. P. Preparation of uranium films by evaporation in vacuum, 4=15824
 Gus'kova, I. L. See Vlasov, A. Ya., 2=8643
 Gus'kova, I. L. See Vlasov, A. Ya., 3=1151
 Gusliyenko, Y. A. and Chornyi, V. H. X-ray determination of the size of mosaic blocks during the aging of coarsely crystalline alloy EI-437 [Ni-Cr with Ti, Al and C], 2=8853
 Gusliyenko, Yu. A. See Chernyi, V. G., 3=16113
 Guss, D. E. and Waddington, C. J. Observations on the solar particle events of July 1961, 3=22226
 Guss, D. E. See Biswas, S., 3=4482
 Guss, D. E. See Biswas, S., 3=22227
 Guss, D. E. See Davis, L. R., 1=10937
 Guss, D. E. See Davis, L. R., 2=16259
 Guss, D. E. See Fichtel, C. E., 1=10938
 Guss, D. E. See Fichtel, C. E., 2=12029
 Guss, D. E. See Fichtel, C. E., 4=9329
 Gussmann, E. A. Observations on the Eddington-Barbier approximation solution of radiation transfer, 2=15502
 Gussmann, E. A. Generalization of the weighting-function method to the calculation of Fraunhofer lines in stellar spectra, 3=23696
 Gussmann, E. A. The determination of the intensity profiles in the wings of strong Fraunhofer lines, 4=26895
 Gussoni, M. See Zerbi, G., 4=25716
 Gustafson, D. R. and Mackintosh, A. R. Electronic structure of liquid gallium by positron annihilation, 3=21306
 Gustafson, D. R. and Mackintosh, A. R. Positron annihilation in rare-earth metals, 4=17413
 Gustafson, D. R., Mackintosh, A. R. and Zaffarano, D. J. Positron annihilation in liquid and solid mercury, 3=12954
 Gustafson, H. See Kilpatrick, J., 2=19701
 Gustafson, P. F., Brar, S. S. and Kerrigan, M. A. Appearance of a spring maximum in nuclear test debris in 1960, 1=6596
 Gustafson, P. F., Brar, S. S. and Kerrigan, M. A. Airborne radioactivity due to nuclear weapons tests, 3=9058
 Gustafson, P. F., Brar, S. S. and Mishra, V. C. Determination of airborne fission product radioactivity using gamma-ray spectrometry, 3=5206
 Gustafson, T. Angular distribution of photo-protons from deformed nuclei, 2=3551
 Gustafson, W. A. On the Boltzmann equation and the structure of shock waves, 0=16770
 Gustafson, W. A. and Kiel, R. E. Free molecule density field for orifice flow, 4=16135
 Gustafsson, E. and Lindholm, E. Ionization and dissociation of H_2 , N_2 and CO in charge exchange collisions with positive ions, 1=7029
 Gustafsson, G. Ionization in the D-region during auroral break-up events, 4=20870
 Gustafsson, G., Egeland, A. and Aarons, J. Audio-frequency electromagnetic radiation in the auroral zone, 1=15317
 Gustafsson, G. and Hultqvist, B. An automatic photometer for auroral observations, 2=6951
 Gustafsson, G. See Aarons, J., 0=10437
 Gustafsson, G. See Hultqvist, B., 1=1594
 Gustafsson, G. See Hultqvist, B., 2=4678
 Gustafsson, S. Thermal diffusion in the fused alkali nitrates $LiNO_3$, KNO_3 , and $RbNO_3$, 4=163
 Gustafsson, S., Johansson, K., Karlsson, E. and Svensson, A. G. On the possible core-polarization effects in the magnetic moments of states in Pb^{207} , 4=25323
 Gustafsson, S. and Lundén, A. Thermal diffusion in binary mixtures of melts of salts. I. $LiNO_3$ - $AgNO_3$, 2=21902
 Gustafsson, S. and Lundén, A. Thermal diffusion of the Li-isotope in pure molten lithium nitrate, 3=131
 Gustafsson, S. See Grabowski, Z., 1=668
 Gustafsson, S. See Grabowski, Z., 1=3418
 Gustafsson, S. See Grabowski, Z., 3=2388
 Gustafsson, S. See Suter, T., 2=3528
 Gustafsson, S. See Zuk, W., 3=10296
 Gustard, B. See Blackman, M., 2=8633
 Gustavs, A. and Steinborn, E. O. Theory of the rotational states of axisymmetrically deformed even nuclei, 3=10244
 Gustavs, A. See Frahm, J., 3=7972
 Gustov, K. G. See Strel'tsov, N. S., 4=14796

- Gustova, L.V., Nemilov, Yu.A. and Pobedonostsev, L.A. Polarization of 6.5 MeV deuterons elastically scattered on titanium, iron, and nickel, 3=22416
- Gustova, L.V., Timofeeva, L.P. and Chubinskii, O.V. The hard γ -radiation of $\text{Ag}^{110\text{m}}$, 0=2654
- Gustova, L.V. See Artamonova, K.P., 1=17063
- Gus'ev, S.M. Anisotropy of the electrical properties of CdSb, 4=6948
- Gus'ynin, V.I. and Tal'roze, V.L. Quenching radioluminescence by bromides in dioxane solutions of terphenyl, 2=14750
- Gutan, V.B. See Levshin, V.L., 0=1753
- Gutan, V.B. See Levshin, V.L., 3=3057
- Gutberlet-Vieweg, F. Effect of very high local concentrations of doping materials in silicon single crystals, 4=28574
- Gutbier, H.B. Mass-spectroscopic investigation of the evaporation processes of indium arsenide, 0=19510
- Gutbier, H. Mass spectrometric studies of evaporation phenomena of some compounds with zinc blende structure in the temperature region around 1000°K, 1=19672
- Gutbrod, F. Quantum theoretical treatment of the reaction of the radiation of relativistic electrons in axially symmetric magnetic fields, 2=13659
- Gutdeutsch, R. Multiple insertion of elastic waves in a layer, 2=21965
- Gutenberg, B. Low-velocity layers in the earth, ocean, and atmosphere, 0=10386
- Guth, E. New class of classical uncertainty relations giving uncertainty for long and certainty for short times, 2=11289
- Guth, E. Unified Hamiltonian theory of relativistic particle equations, 3=10022
- Guth, E., Francis, N.C. and Goldman, D.T. Photo-disintegration below the giant resonance. I-II, 1=19440
- Guth, E. and Inönü, E. Random-walk interpretation and generalization of linear Boltzmann equations, particularly for neutron transport, 0=10618
- Guth, E. and Inönü, E. Group-theoretical treatment of time- and energy-dependent multiple scattering with application to the slowing-down of neutrons, 1=6463
- Guth, E. See Francis, N.C., 1=673
- Guth, E. See Goldman, D.T., 1=8693
- Glüth, W. Origin of shock waves in cavitation, 0=6860
- Glüth, W. Nonlinear oscillations of air bubbles in water, 0=6865
- Glüth, W. See Mundry, E., 0=14598
- Guthart, H. See Rothman, H.S., 4=8672
- Güthner, K. See Bienlein, H., 0=17306
- Guthöhrlein, G., Kopfermann, H., Nöldeke, G. and Steudel, A. Nuclear moments of Os^{187} , 0=1356
- Guthöhrlein, G., Kopfermann, H., Nöldeke, G. and Steudel, A. Nuclear moments and relative isotope shift of Os^{187} , 2=1779
- Guthrie, A.N., Tolstoy, I. and Shaffer, J. Propagation of low-frequency c.w. sound signals in the deep ocean, 0=10719
- Guthrie, G.B. and McCullough, J.P. Some observations on phase transformations in molecular crystals, 2=8764
- Guthrie, G.B. See Scott, D.W., 2=15822
- Guthrie, J.E. See Grummitt, W.E., 4=17913
- Gutierrez, C.P. See Wallace, T.C., 3=23476
- Gutin, L. Ya. The radiation into an elastic medium from a piston vibrating in an infinite elastic screen, 4=11277
- Gutjahr, H. Remarks on photoconductivity by excitation in the fundamental lattice absorption edge of CdS single crystals, 1=19900
- Gutjahr, H. Gudden-Pohl effect in a zinc cadmium sulphide phosphor, 2=12628
- Gutjahr, H. and Matossi, F. Dependence of the electrophotoluminescence of a ZnCdS phosphor on exciting wavelength and field pulse width, 1=5059
- Gutjahr, H. See Bßer, K.W., 0=1724
- Gutjahr, H. See Bßer, K.W., 0=18068
- Gutjahr, H. See Bßer, K.W., 1=17720
- Gutjahr, H. See Matossi, F., 2=10633
- Gutjahr, H. See Matossi, F., 3=13220
- Gutkin, A.A., Kozlov, M.M., Nasledov, D.N. and Sedov, V.E. Long-wavelength edge of the photoeffect and recombination radiation of GaAs p-n junctions, 4=28643
- Gutkin, A.A. and Nasledov, D.N. Dependence of the long wavelength edge of the photoeffect in GaAs p-n junctions on an electric field, 2=18746
- Gutkin, A.A. and Nasledov, D.N. Dependence of the long-wavelength edge of the photoeffect in GaAs p-n junctions on an electric field, 2=23463
- Gutkin, A.A., Nasledov, D.N., Sedov, V.E. and Tsarenkov, B.V. Photoelectric properties of GaAs p-n junctions, 3=17914
- Gutkin, A.A., Nasledov, D.N. and Sodov, V.E. Nonlinear photoeffect in p-n junctions in GaAs, 3=20421
- Gutkin, A.A., Reshetikhin, Yu. N. and Tsarenkov, B.V. A thermostat for the temperature range -196 to +300°C, 4=18468
- Gutkin, A.M. Flow of a viscoplastic medium between rotating disks, 1=4306
- Gutkin, A.M. See Volarovich, M.P., 2=15164
- Gutkin, J.I. See Demirkhanov, R.A., 0=7708
- Gutkin, T.I. See Berezin, Yu. A., 4=16478
- Gutkin, T.I. See Demirkhanov, R.A., 0=9510
- Gutkin, T.I. See Demirkhanov, R.A., 0=15669
- Gutkin, T.I. See Demirkhanov, R.A., 3=8215
- Gutkin, T.I. See Demirkhanov, R.A., 3=14579
- Gutkin, T.I. See Demirkhanov, R.A., 4=3059
- Gutkin, T.I. See Demirkhanov, R.A., 4=14696
- Gutkin, T.I. See Demirkhanov, R.A., 4=16557
- Gutkin, T.N. See Demirkhanov, R.A., 0=7707
- Gutmacher, R.G. See Conway, J.G., 2=2248
- Gutmacher, R.G. See Lee, E.L., 3=23074
- Gutmacher, R.G. See Worden, E.F., 3=18998
- Gutman, A.M. and Levinson, I.B. Inhomogeneous vector coupling in atomic spectra, 0=20582
- Gutman, É. E. and Myasnikov, I. A. Influence of adsorption of free radicals on the contact potential of n-semiconductors, 4=6992
- Gutman, I.I. General covariant method of successive approximations in the general theory of relativity, 0=6666
- Gutman, L.N. See Khatukaeva, Zh.M., 3=9032
- Gutman, L.N. See Tsvang, L.R., 0=2043
- Gutman, M. See Gaiginschi, E., 4=2900
- Gutmanas, E.Yu., Nadgornyi, E.M. and Stepanov, A.V. Study of the motion of dislocations in sodium chloride crystals, 3=17759
- Gutmann, A.M. Vector coupling in X-ray spectra, 2=6589
- Guthmann, C. See Bok, J., 4=30538
- Gutmann, F. On the temperature dependence of the permittivity of dielectrics, 2=6512
- Gutmann, F. and Netschey, A. Semiconductivity of chlorpromazine, 1=19875
- Gutmann, F. and Netschey, A. Electrical properties of chlorpromazine, 2=14552
- Gutmann, H. See Baldinger, E., 3=10859
- Gutmann, J. See Baldinger, E., 2=9744
- Gutmann, J. See Baldinger, E., 4=14967
- Gutmann, J.R. and Wolfsberg, M. Equilibrium in the exchange of tritium between ammonia and hydrogen and the zero-point energy difference between NH_3 and NH_3T , 0=21269
- Gutmann, M. and Comte, R. Electronic simulator for radioactive phenomena study, 0=5673
- Gutmann, M. and Steinberg, J.L. Preliminary results obtained with an 8 element interferometer at 3 cm wavelength, 0=18635
- Gutmann, P. See Goursky, V., 0=2412
- Gutmann, P.F. and Jovanovic, D.T. Triggering of EZ-10 counting tubes by transistors, 1=1877
- Gutmann, P. See Gat, J.R., 1=5846
- Gutmann-Pick, M. See Avignon, Y., 3=16376
- Gutner, B.M. See Lebedev-Krasin, Yu. M., 4=14809
- Gutner, B.M. See Rubchinskii, S.M., 4=14797
- Gutnick, M. Reply to the preceding discussion, 2=11014
- Gutnick, M. Mean atmospheric moisture profiles to 31 km. For middle latitudes, 3=9021
- Gutnikova, E.K. See Zamyatnin, Yu.S., 0=9683
- Gutnikova, E.K. See Zamyatnin, Yu.S., 0=11442
- Gutorov, Yu.A. See Boltaks, B.I., 0=4359
- Gutowski, J.A. See Greiner, E.S., 0=4355
- Gutowski, J.A. See Greiner, E.S., 2=806
- Gutowski, R. The problem of the solidification front in liquids, 2=19773
- Gutowsky, H.S. Isotope effects in high resolution N.M.R. spectroscopy, 0=7800
- Gutowsky, H.S. N.M.R. splittings due to molecular asymmetry, 3=2660
- Gutowsky, H.S., Belford, G.G. and McMahon, P.E. N.M.R. studies of conformational equilibria in substituted ethanes, 2=16562
- Gutowsky, H.S. and Chow Tai, J. Nuclear relaxation in molecular liquids containing free radicals, 3=21411
- Gutowsky, H.S. and Juan, C. Electron coupling of nuclear spins. VI. Relative signs of $J_{\text{gem}}^{\text{HH}}$, and $J_{\text{HH}}^{\text{HH}}$, $J_{\text{HH}}^{\text{HH}}$ in (2,2) Metacyclophane, 2=16563

- Gutowsky, H.S., Karplus, M. and Grant, D.M. Angular dependence of electron-coupled proton interactions in CH_2 groups, 0=2742
- Gutowsky, H.S. and Mochel, V.D. Electron coupling of nuclear spins. VII. J_{FF} for α -fluorobenzotrifluorides, 3=25143
- Gutowsky, H.S., Lawrenson, I.J. and Shimomura, K. Nuclear magnetic spin-lattice relaxation by spin-rotational interactions, 1=8138
- Gutowsky, H.S. and McCall, D.W. Temperature dependence of the chlorine pure quadrupole resonance frequency in molecular crystals, 0=4540
- Gutowsky, H.S., Mochel, V.D. and Somers, B.G. Electron coupling of nuclear spins. V. Vibrational effects in CHX groups, 2=8086
- Gutowsky, H.S. and Porte, A.L. Electron coupling of proton spins in heterocyclic molecules. N-benzylthieno [3, 2-b] pyrrole, 1=14104
- Gutowsky, H.S. See Allerhand, A., 4=30475
- Gutowsky, H.S. See Anderson, D.H., 0=4218
- Gutowsky, H.S. See Belford, G.G., 1=14149
- Gutowsky, H.S. See Bernheim, R.A., 0=6285
- Gutowsky, H.S. See Bernheim, R.A., 1=4362
- Gutowsky, H.S. See Brown, R.J.C., 3=7220
- Gutowsky, H.S. See Brown, T.H., 0=17778
- Gutowsky, H.S. See Brown, T.H., 1=4361
- Gutowsky, H.S. See Coogan, C.K., 2=2097
- Gutowsky, H.S. See Coogan, C.K., 4=7511
- Gutowsky, H.S. See Coogan, C.K., 4=23294
- Gutowsky, H.S. See Grant, D.M., 1=7488
- Gutowsky, H.S. See Grant, D.M., 3=8301
- Gutowsky, H.S. See Jameson, C.J., 4=17270
- Gutowsky, H.S. See Jameson, C.J., 4=20074
- Gutowsky, H.S. See Johnson, C.S., Jr., 3=2654
- Gutowsky, H.S. See Johnson, C.S., Jr., 3=20028
- Gutowsky, H.S. See Juan, C., 3=2661
- Gutowsky, H.S. See Kusumoto, H., 0=5998
- Gutowsky, H.S. See Miller, G.R., 4=2067
- Gutowsky, H.S. See Moniz, W.B., 3=9482
- Gutowsky, H.S. See Porte, A.L., 1=3952
- Gutowsky, H.S. See Porte, A.L., 2=10725
- Gutowsky, H.S. See Porte, A.L., 2=10726
- Gutowsky, H.S. See Porte, A.L., 3=3203
- Gutowsky, H.S. See Schug, J.C., 0=17784
- Gutowsky, H.S. See Stalinski, B., 0=18230
- Gutowsky, H.S. See Stalinski, B., 1=6437
- Gutowsky, H.S. See Woessner, D.E., 3=25598
- Guts, Z.A., Reinov, N.M., Krivko, N.I., Sidorova, T.A. and Fogel, A.A. Investigation of superconducting alloys in the system Nb-Zr, 3=19115
- Gutsche, E. Elastic properties of crystal lattices of Wurtzite structure. I. Experimental investigation of hexagonal cadmium sulphide monocrystals, 1=20296
- Gutsche, E. Elastic properties of crystal lattices of Wurtzite structure. II. Elastic behaviour of the Wurtzite and zinc-blende lattices in a model with central forces between nearest and next-nearest neighbours, 1=20300
- Gutsche, E. Effect of high pressure on the lattice group absorption edge of cadmium sulphide single crystals, 2=2225
- Gutsche, E. The influence of high pressure on the refractive index of cadmium sulphide, 2=4117
- Gutsche, E., Hänsch, H.J. and Lange, H. Comparison of the spectral distribution of electro- and photoluminescence of single crystals of CdS, 3=8632
- Gutsche, E., Hänsch, H.J. and Lange, H. More recent results on the d.c. electroluminescence of CdS single crystals, 3=11007
- Gutsche, E. and Lange, H. Field-induced shift of the absorption edge in CdS, 4=13024
- Gutsche, E. See Berger, H., 3=8924
- Gutsche, E. See Böer, K.W., 3=15588
- Gutsche, E. See Dziesiaty, J., 3=783
- Gutsche, E. See Goede, O., 4=28723
- Gutsche, G. See Holmgren, H.D., 2=3630
- Gutsche, G.D., Holmgren, H.D., Cameron, L.M. and Johnston, R.L. Differential cross-sections for tritium-induced reactions on C^{12} , 2=3631
- Gutshabash, S.D. Radiation diffusion in an anisotropic medium adjoining a reflecting surface, 2=19202
- Gutshabash, S.D. Diffusion of radiation in a plane layer, 3=7357
- Gutshabash, S.D. The diffusion of radiation in a two-layer medium with effects at the interface taken into account, 4=11362
- Gutshall, P. L. See Bryant, P. J., 4=20674
- Gutsunaev, Ts.I. Focusing of a relativistic electron beam in an accelerator with a moving magnetic field, 2=216
- Gutsunaev, Ts.I., and Terletsii, Ya.P. The theory of the motion of an electron in a linear betatron, 0=15092
- Gutsze, A., Łożykowski, H., Męczyńska, H., Szczurek, T. and Trawiński, S. Investigation of the incorporation process of the manganese activator in CaS and SrS phosphors, 3=12965
- Gutsze, A. and Walerys, H. Influence of the concentration of the solute and of the polarity of the solvent on the absorption spectra of fluorescein, 1=15887
- Gutsze, A. and Walerys, H. Reversible decolorization of rhodamine B solutions due to changes in the pH and polarity of the medium, 3=23536
- Gutt, W. A microfurnace for high temperature microscopy and X-ray analysis up to 2150°C , 4=18471
- Gutt, W. High-temperature phase equilibria for the partial system $3\text{CaO} \cdot \text{MgO} \cdot 2\text{SiO}_2 - \text{MgO} \cdot \text{Al}_2\text{O}_3 - 2\text{CaO} \cdot \text{Al}_2\text{O}_3 \cdot \text{SiO}_2$ in the quaternary system $\text{CaO} - \text{SiO}_2 - \text{Al}_2\text{O}_3 - \text{MgO}$, 4=29005
- Gutt, W. See Aruja, E., 0=4607
- Gutter, E. The stigmator of the new Zeiss electron microscope EM9, 3=19353
- Glütter, E. and Mahl, H. Effect of fluctuating object illumination on the electron optical image, 0=19754
- Güttinger, W. and Swieca, J.A. Quantum field theories at small distances, 2=5576
- Guttman, A. Absolute infrared intensity measurements on nitrogen dioxide and dinitrogen tetroxide, 2=12328
- Guttman, A. A simple method for measuring the specular transmittance of a complex optical system, 4=21284
- Guttman, A. and Penner, S.S. Experimental determination of the heat of dissociation of $\text{N}_2\text{O}_4 \rightarrow 2\text{NO}_2$ from the temperature dependence of absolute infrared intensities, 2=2027
- Guttman, A. See Takeyama, H., 0=5946
- Guttman, L. Monte Carlo computations on the Ising model. The body-centered cubic lattice, 1=6536
- Guttman, L. Proposal for experimental determination of incoherent inelastic neutron scattering, 4=15062
- Guttman, L. See Abraham, S.C., 2=21350
- Guttman, N. A mapping of binaural click lateralizations, 2=4893
- Guttman, N. and Flanagan, J. L. Pitch of high-pass-filtered pulse trains, 4=20971
- Guttman, N. and Julesz, B. Lower limits of auditory periodicity analysis, 3=13962
- Guttman, N., van Bergeijk, W.A. and David, E.E., Jr. Monaural temporal masking investigated by binaural interaction, 0=18538
- Guttman, N. See Flanagan, J.L., 0=18534
- Guttman, N. See Flanagan, J.L., 0=18535
- Guttman, N. See Flanagan, J. L., 4=29722
- Guttmann, H.E. Shutter for vision experiments, 3=14326
- Guttmann, S. See Anbar, M., 1=6577
- Guttmann, W., Becker, H. and Müller-Uri, G. Spectral analysis of solutions with two rotating electrodes, 0=10766
- Gutton, H. Electronic resonance of plasmas, 4=19015
- Guttridge, J. See Green, J.A., 4=428
- Guttridge, J. See Venning, B.H., 1=21153
- Guttwein, G.K. and Plotkin, H.H. Frequency control symposium, 1=104
- Gutwin, O. See Brownlow, J.M., 0=9137
- Gutwin, O.A. See Shahan, V.T., 2=13629
- Gutzow, I. Zero-point entropy of the glassy state, 3=11304
- Gutzwiller, M.C. Note on the elementary methods in quantum statistics with an application to the Curie temperature of an alloy, 2=2645
- Gutzwiller, M.C. Fermion ensembles of maximum entropy, 2=7146
- Gutzwiller, M.C. The impact of a rigid circular cylinder on an elastic solid, 3=94
- Gutzwiller, M.C. Note on Green's function in anisotropic elasticity, 3=7161
- Gutzwiller, M.C. Effect of correlation on the ferromagnetism of transition metals, 3=15769
- Gutzwiller, M.C. Effect of correlation on the ferromagnetism of transition metals, 4=17660
- Gutzwiller, M.C. See Drangeid, K.E., 3=16862
- Glvén, B. See Talât-Erben, M., 3=8141
- Glvén, B. See Talât-Erben, M., 4=19836
- Guy, A. See Philibert, J., 4=4070
- Guy, J. On a method of determination of electronic eigenvalues by line integration, 0=3454
- Guy, J. The calculation of diamagnetic susceptibilities, 1=7484
- Guy, J., Baudet, J. and Tillieu, J. Approximations used in the calculation of diamagnetic molecular susceptibilities, 1=7483

- Guy, J. and Cabaret, F. Intrinsic equations for the determination of susceptibilities and magnetic screening constants, 1=14097
- Guy, J., Cabaret, F. and Didry, J.R. Variation of magnetic screening constants with distance for spherically symmetric orbitals, 1=7485
- Guy, J., Cabaret, F. and Didry, J.R. On the contribution of distant molecular orbitals to the magnetic screening constant associated with a nucleus, 1=14098
- Guy, J., Cabaret, F. and Didry, J.R. A method of determining magnetic screening constants, 4=3848
- Guy, J., Didry, J.R. and Salès, A. Determination of the magnetic shielding constants and susceptibilities of electrons in double and triple bonds using cartesian and semi-polar coordinates, 4=1252
- Guy, J., Sales, A. and Didry, J.R. Calculation of integrals of the form, 2=12342
- Guy, J. and Sales, A. Concerning the possibility of determining magnetic screening constants associated with localized π -orbitals by means of two diagrams of iso-screening plots, 4=6545
- Guy, J. See Baudet, J., 1=7451
- Guy, J. See Baudet, J., 1=19657
- Guy, J. See Cabaret, F., 0=7785
- Guy, J. See Cabaret, F., 2=6222
- Guy, J. See Cabaret, F., 2=23002
- Guy, J. See Didry, J.R., 2=10272
- Guy, J. See Didry, J.R., 4=1253
- Guy, J. See Didry, J.R., 4=3849
- Guy, J. See Dupont-Bourdelet, F., 1=14072
- Guy, J. See Dupont-Bourdelet, F., 1=15673
- Guy, J. See Mangeot, B., 4=9705
- Guy, J. See Salès, A., 2=20764
- Guy, R. On the integral form of the equation of evolution for a physical system and its solutions, 2=1041
- Guyen Dinh Tuong. See Guyen Van Dong, T., 2=6453
- Guyen-Long-Den, N. and Borot, M. Determination of the cross-section for formation of the stable Na^{23} isotope by the reaction $\text{Al}^{27}(p, 3p2n)\text{Na}^{23}$ at 155 MeV, 3=19854
- Guyen Van Dong, N., Koch, L. and Nguyen Dinh Tuong. Disordered regions induced in n-type germanium by fast neutrons at liquid-nitrogen temperature, 2=6453
- Guyer, R. A. and Krumhansl, J. A. Dispersion relation for second sound in solids, 4=12621
- Guyon, E., Caroli, C. and Martinet, A. Transitions of superconducting films in a transverse magnetic field, 4=29841
- Guyon, E. See De Gennes, P.G., 3=5583
- Guyon, J. See Samuëli, J. J., 4=16413
- Guyon, P. M. See Fiquet-Fayard, F., 4=3924
- Guyonnet, J. See Courtel, R., 3=3247
- Guyot, A. Theoretical study of the distribution of molecular masses during nonstationary polymerization, 4=28294
- Guyot, P. Activation energy and activation volume in S. A. P., 4=20643
- Guyot, P. Dislocation blocking in alloys of the type S.A.P./ $\text{Al}-\text{Al}_2\text{O}_3$, 4=22584
- Guyot, P. See Nobili, D., 4=30767
- Guzenko, S. Ya. Scattering of electrons in an external field with large momentum transfer, 3=24696
- Guzenko, S. Ya. and Fomin, P. I. Radiative corrections to photoproduction and single-photon annihilation of pairs, 0=9346
- Guzenko, S. Ya. and Fomin, P. I. Asymptotic value of the vertex function in the single logarithm approximation, 3=24587
- Guzhavin, V. I. and Ivanenko, I. P. Three-dimensional development of electron-photon cascade showers, 1=3298
- Guzhavin, V. M., Kliger, G. K., Kolganov, V. Z., Lebedev, A. V., Marish, K. S., Prokoshkin, Yu. D., Smolyankin, V. T., Sokolov, A. P., Soroko, L. M. and Tsui Wa-chuang. π -meson production in 650 MeV p-p collisions, 4=19551
- Guzhavin, V. V. and Ivanenko, I. P. The dependence of the angle between the direction of motion of shower particles and the axis of the shower on the distance from the axis, 0=11266
- Guzhavin, V. V. and Ivanenko, I. P. The dependence of the three-dimensional development of a cascade shower on the energy of the primary particle, 0=13086
- Guzhavin, V. V. and Ivanenko, I. P. Angular distribution function for particles in a shower produced by a primary particle of a given energy, 1=19315
- Guzhavin, V. V. and Ivanenko, I. P. Angular distribution function for particles in a shower produced by a primary particle of a given energy, 3=4488
- Guzhovskii, B. Ya. See Serov, V. I., 2=18360
- Guzhovskii, I. T. See Azovskii, Yu. S., 3=14567
- Guzhovskii, I. T. See Azovskii, Yu. S., 4=5630
- Guzhovskii, I. T. See Azovskii, Yu. S., 4=21546
- Guzhovskii, I. T. See Azovskii, Yu. S., 4=24717
- Guzhovskii, I. T. See Sinel'nikov, K. D., 4=24684
- Guzzo, A. V. See Helmholtz, L., 1=20207
- Gvaladze, T. V., Konyukhov, V. K., Prokhorov, A. M., Khalmov-Malkov, V. Ya. and Shipilov, G. P. Absorption R lines in ruby, 4=20468
- Gvaladze, T. V. See Andronikashvili, E. L., 3=4505
- Gvaladze, T. V. See Andronikashvili, E. L., 3=19731
- Gvaladze, Yu. S. See Kvartskhava, I. F., 3=12157
- Gvaladze, Yu. S. See Kvartskhava, I. F., 0=15039
- Gvaladze, Yu. S. See Kvartskhava, I. F., 1=2974
- Gvaladze, Yu. S. See Kvartskhava, I. F., 1=9593
- Gverdsiteli, I. G. See Amirkhonova, I. B., 3=15307
- Gvozdet'skii, V. S. See Levitskii, S. M., 3=19215
- Gvozdev, A. A. See Skuridin, G. A., 0=986
- Gvozdev, B. A. See Bredel', V. V., 4=6382
- Gvozdev, B. A. See Donets, E. D., 2=22855
- Gvozdev, B. A. See Donets, E. D., 3=8138
- Gvozdev, B. A. See Fomichev, V. A., 4=28070
- Gvozdev, B. A. See Perelygin, V. P., 2=16443
- Gvozdev, B. A. See Perelygin, V. P., 3=6316
- Gvozdev, V. S., Rusinov, L. I. and Khazov, Yu. L. Investigation of the level diagram of W^{182} , 2=16335
- Gvozdev, V. S. See Borovikov, A. V., 2=20315
- Gvozdev, V. S. See Rusinov, L. I., 1=13733
- Gvozdev, V. S. See Rusinov, L. I., 1=17059
- Gvozdeva, L. G. The refraction of detonation waves incident on the boundary between two gas mixtures, 2=11406
- Gvozdozer, S. D. See Akhmanov, S. A., 3=21979
- Gwathmey, A. T. See Bailey, J. M., 0=3172
- Gwathmey, A. T. See Young, F. W., 0=6338
- Gwin, R. and Magnuson, D. W. Determination of Eta by comparison of $\eta\sigma$ for U^{233} and Pu^{239} with $\eta\sigma$ for U^{235} in a flux trap critical assembly, 2=10154
- Gwin, R. and Magnuson, D. W. The measurement of Eta and other nuclear properties of U^{233} and U^{235} in critical aqueous solutions, 2=10155
- Gwin, R. and Murray, R. B. Studies of the scintillation response of $\text{CaI}(\text{TI})$, 2=18002
- Gwin, R. and Murray, R. B. Scintillation process in $\text{CsI}(\text{TI})$. I. Comparison with activator saturation model, 3=20506
- Gwin, R. and Murray, R. B. Scintillation process in $\text{CsI}(\text{TI})$. II. Emission spectra and the possible role of self-trapped holes, 3=20507
- Gwinn, W. D. See Chan, S. I., 0=17756
- Gwinn, W. D. See Chan, S. I., 1=2322
- Gwinn, W. D. See Chan, S. I., 1=7500
- Gwinn, W. D. See Flygare, W. H., 2=1993
- Gwinn, W. D. See Flygare, W. H., 2=6206
- Gwinn, W. D. See Kim, H., 3=6411
- Gwinn, W. D. See LeBlanc, O. H., Jr., 0=15738
- Gwinn, W. D. See Narath, A., 2=3176
- Gwinn, W. D. See Tolles, W. M., 2=6125
- Gyarmathy, G. Growth velocity of a small liquid drop in a supersaturated atmosphere, 4=5466
- Gyarmati, B. See Csikai, J., 3=10367
- Gyarmati, B. See Csikai, J., 3=22407
- Gyftopoulos, E. P. Applications of geometric theory to nonlinear reactor dynamics, 2=6020
- Gyftopoulos, E. P. See Balcomb, J. D., 2=6027
- Gyftopoulos, E. P. Work function in the system thorium-rhenium, 4=11685
- Gyftopoulos, E. P. and Devooght, J. Boundedness and stability in nonlinear reactor dynamics, 1=17196
- Gyftopoulos, E. P. and Devooght, J. Effect of delayed neutrons on nonlinear reactor stability, 1=17209
- Gyftopoulos, E. P. and Devooght, J. On the range of validity of nonlinear reactor dynamics, 2=6025
- Gyftopoulos, E. P. and Hooper, R. J. Signals for transfer function measurements in non-linear systems, 4=19869
- Gyftopoulos, E. P. and Levine, J. D. Work function variation of metals coated by metallic films, 2=1474
- Gyftopoulos, E. P. and Smets, H. B. Transfer functions of distributed parameter nuclear reactor systems, 0=13320
- Gyftopoulos, E. P. and de Sobrino, L. Variational calculation of control rod reactivity, 0=13379
- Gyftopoulos, E. P. See Levine, J. D., 4=30887

- Gyga, S. and Kropschot, R. H. Surface currents in type II superconductors, 4=18575
- Gygax, S. Superconductivity of indium-lead alloys, 0=8960
- Gygax, S. Superconducting d.c. amplifier for helium temperatures, 2=5245
- Gygax, S., Olsen, J. L. and Kropschot, R. H. Four critical fields in superconducting indium lead alloys, 4=14520
- Gygi, E. and Schneider, F. Nanosecond avalanche transistor circuits, 3=19143
- Gyimesi, Z. See Pál, L., 1=13875
- Gyimesi, Z. See Szabó, F., 4=1157
- Gyldenkerne, K. A three-dimensional spectral classification of G and K stars, 4=29392
- Gŷn, T. See Solov'ev, V. G., 0=15499
- Gŷnkina, N. M. See Borisov, Yu. Ya., 3=218
- Gyorey, G. L. The effect of modal interaction in the xenon instability problem, 2=20703
- Gyorgy, E. M. Flux reversal in soft ferromagnetics, 0=10120
- Gyorgy, E. M. Magnetization reversal in nonmetallic ferromagnets, 4=13146
- Gyorgy, E. M. and Hagedorn, F. B. Uniform rotational flux reversal of ferrite toroids, 0=3084
- Gyorgy, E. M. and Hagedorn, F. B. Interaction between high-power microwave losses and magnetic flux reversal, 0=18200
- Gyorgy, E. M. and Schnettler, F. J. Induced anisotropy in YIG with Si and Mn additions, 4=13254
- Gyorgy, E. M. and Schnettler, F. J. Induced magnetic anisotropy in ferrite single crystals, 4=23013
- Gyorgy, E. M. and Treves, D. Anisotropy in rolled permalloy tape, 2=12702
- Gyorgy, E. M. See Baba, P. D., 3=15872
- Gyorgy, E. M. See Hagedorn, F. B., 0=11881
- Gyorgy, E. M. See Hagedorn, F. B., 1=6367
- Gyorgy, E. M. See Nesbitt, E. A., 1=10166
- Gyorgy, E. M. See Nesbitt, E. A., 2=12734
- Gyorgy, E. M. See Schnettler, F. J., 4=13243
- Györgyi, G. Elementary considerations on the dynamics of light waves, 0=1026
- Györgyi, G. and Hráskó, P. Final state n-n interaction in the three-particle photodisintegration of triton, 4=19608
- Györgyi, G. and Révai, J. On the symmetry properties of Nogami's modified pairing Hamiltonian, 4=24488
- Gyr, A. Theoretical reflections on the growth of droplets under extreme cooling conditions, 3=302
- Gyr, A. P. Droplet movement in a homogeneous isotropic turbulence field, 4=5227
- Gyrlyá, I. See Filip, A., 3=24540
- Gyuk, I. P. and Tuan, S. F. Considerations on the isobar mechanism and resonance poles for pion-baryon systems, 4=19574
- Gyuk, I. P. and Tuan, S. F. Meson-baryon systems and their resonances, 4=21945
- Gyulai, J. On the simultaneous determination of lifetime, diffusivity and surface recombination velocity of injected carriers in semiconductors by the flying spot method, 1=3734
- Gyulai, J. and Lang, J. Measurement of diffusivity, lifetime and surface recombination velocity in semiconductors by the flying spot method, 1=11289
- Gyulai, J. See Gombay, L., 0=15900
- Gyulai, J. See Horváth, J. L., 1=8384
- Gyulai, Z. Crystal nucleus observations in aqueous KBr and NaCl solutions, 0=10279
- Gyulai, Z. Short remarks on the crystal growth forms, 2=8787
- Gyulai, Z. The further growth of plastically deformed NaCl crystals, 4=13548
- Gyulai, Z. and Bukovszky, F. An extension of the transition layer theory, 4=4532
- Gyulai, Z., Hartmann, E. and Jeszenszky, B. Strength measurements on NaCl whiskers, 2=2368
- Gyulai, J. See Gombay, L., 3=17892
- Gyunsburg, K. E. See Kats, M. L., 2=14710
- Gyzhovskii, I. T. See Azovskii, Yu. S., 4=24669
- Gzowski, O. Mobility of ions in liquid dielectrics, 2=15612
- Gzowski, O. and Terlecki, J. A method for measuring the mobility of ions in dielectric liquids, 0=14654
- Gzowski, O. See Terlecki, J., 4=571

- Haacke, G. Surface segregation of copper in bismuth telluride, 2=10484
- Haacke, G. and Castellion, G. A. Preparation and semiconducting properties of Cd_3P_2 , 4=26036
- Haacke, G. and Jaumann, J. Movement of Bloch walls in ultrasonic fields, 0=16136
- Haacke, G. and Poganski, S. Thermal conductivity and electrical properties of the semiconductor system $\text{AgSbTe}_{2-x}\text{Se}_x$, 3=875
- Haacke, G. See Birkholz, U., 2=12550
- Haacke, G. See Birkholz, U., 4=1697
- Haaf, W. R. and Carpenter, G. B. The crystal structure of sodium bromide dihydrate, 4=23478
- Haag, D. and Fuchs, H. Energy distribution of the neutrons from a Po- α -Be source, 3=17498
- Haag, D. See Fuchs, H., 3=662
- Haag, D. See Fuchs, H., 3=4621
- Haag, E. L. A preliminary study of the electron density at 1000 kilometres, 3=11421
- Haag, F. G. See Shen, C. N., 4=19858
- Haag, H. W. Study of field electron emission and its temperature dependence for current strengths between 10^{-14} and 10^{-19} amp, 4=16519
- Haag, J. N. Measurement of the plane polarization of gamma radiation, 4=17082
- Haag, J. N., Johnson, C. E., Shirley, D. A. and Templeton, D. H. Nuclear moment of $\text{Ce}^{137\text{m}}$ by nuclear alignment, 1=2162
- Haag, J. N., Shirley, D. A. and Templeton, D. H. Nuclear alignment of $\text{Ce}^{137\text{m}}$, Ce^{137} , Ce^{139} , Ce^{141} , and Ce^{143} , 3=7969
- Haag, R. The framework of quantum field theory, 0=3912
- Haag, R. Discussion of the "axioms" and asymptotic properties of a local field theory with composite particles, 0=7266
- Haag, R. The mathematical structure of the Bardeen-Cooper-Schrieffer model, 2=17723
- Haag, R. Concerning the principle of action at short range in quantum physics, 4=794
- Haag, R. and Kastler, D. An algebraic approach to quantum field theory, 4=24960
- Haag, R. and Maris, Th. A. J. Dilatationally invariant quantum electrodynamics of electrons and muons, 4=5923
- Haag, R. and Schroer, B. Postulates of quantum field theory, 2=9184
- Haag, R. See Albright, C. H., 0=2483
- Haag, R. See Araki, H., 1=5632
- Haag, R. See Borchers, H. J., 3=22048
- Haag, R. See Coester, F., 0=5468
- Haag, R. M. and Muncy, C. R. Studies in the system MgUO_3 - MgUO_4 , 4=20714
- Haak, F. A. and Nolte, J. P. Rectification phenomena in polycrystalline phthalocyanines, 3=17916
- Haak, F. A. See Morosin, B., 1=17924
- Haakana, C. H., Noakes, J. E., Werner, S. A., Koch, F. B. and Arrott, A. Precision measurement of magnetic flux changes, 3=14710
- Haake, C. H. Translucent phosphor coatings in high-pressure mercury-vapor lamps, 0=2972
- Haake, C. H. The significance of the temperature dependence of fluorescence intensity, 1=6224
- Haaland, A. and Eberhardt, W. H. Electronic spectrum of Decaborane, 2=14300
- Haaland, A. See Almenningsen, A., 4=22402
- Haaland, C. M. Metal bakeout valve for ultrahigh vacuum, 0=3576
- Haaland, C. M. Confinement of charged particles by plane electromagnetic waves in free space, 0=7121
- Haanstra, J. H. and Haas, C. Infrared spectrum of an acceptor in ZnTe , 2=21251
- Haanstra, J. H. See Aten, A. C., 4=28724
- Haanstra, J. H. See Gelling, W. G., 2=8594
- Haar, D. ter. See ter Haar, D.
- Haar, L., Friedman, A. S. and Beckett, C. W. Ideal gas thermodynamic functions and isotopic exchange functions for the diatomic hydrides, deuterides, and tritides, 1=9418
- Haar, L. See Bird, J. F., 0=10808
- Haarhoff, P. C. Semi-classical approximation to density of vibrational energy levels, 3=19962
- Haarhoff, P. C. The density of vibrational energy levels of polyatomic molecules, 4=9690
- Haarhoff, P. C. H-D isotope effects in the decomposition of acetylene by electron impact, 4=25754
- Haarhoff, P. C. and Pistorius, C. W. F. T. Potential field and force constants of some trigonal bipyramidal pentahalides, 0=1501
- Haarhoff, P. C. See Pistorius, C. W. F. T., 0=4188
- Haarhoff, P. C. See Stoker, P. H., 0=3961
- Haas, A. The local similarity of perturbed fields, 4=19
- Haas, C. The diffusion of oxygen in silicon and germanium, 1=17560
- Haas, C. Infrared absorption in heavily doped n-type germanium, 2=8534
- Haas, C. On diffusion, relaxation and defects in ice, 3=6512
- Haas, C. and Corbey, M. M. G. Measurement and analysis of the infrared reflection spectrum of semiconducting SnS , 2=2217
- Haas, C. and Hornig, D. F. Inter- and intramolecular potentials and the spectrum of ice, 0=13694
- Haas, C. See Albers, W., 1=17759
- Haas, C. See Albers, W., 1=17760
- Haas, C. See Albers, W., 2=14940
- Haas, C. See Albers, W., 4=13468
- Haas, C. See Albers, W., 4=15517
- Haas, C. See Bloem, J., 0=11692
- Haas, C. See Haanstra, J. H., 2=21251
- Haas, C. See Wasscher, J. D., 3=20423
- Haas, C. See Wasscher, J. D., 4=15576
- Haas, C. See Wasscher, J. D., 4=26161
- Haas, C. W. Renormalization of long-wavelength magnons, 4=1810
- Haas, C. W. The expression for the magnetisation of a Heisenberg ferromagnet as obtained by Green function methods, 4=22957
- Haas, C. W. and Callen, H. B. Ferromagnetic resonance linewidth in cobalt-substituted ferrites, 1=6398
- Haas, C. W. and Callen, H. B. Ferromagnetic resonance linewidth in cobalt-substituted ferrites, 1=7782
- Haas, C. W. and Callen, H. B. Ferromagnetic relaxation and resonance line widths, 4=23034
- Haas, C. W. and Jarrett, H. S. Unification of extant theories of the Heisenberg ferromagnet, 4=28785
- Haas, C. W., Matcovich, T. J., Belson, H. S. and Goldberg, N. Ferromagnetic resonance frequency shift in yttrium iron garnet, 4=7308
- Haas, C. W. See Matcovich, T. J., 2=12801
- Haas, F. See Burke, P. G., 0=3981
- Haas, F. A. A physical derivation of Landau damping, 3=14609
- Haas, F. A. See Burke, P. G., 0=12942
- Haas, F. A. See De Borde, A. H., 2=194
- Haas, F. A. See Vaughan-Williams, R. W., 1=5443
- Haas, F. X. See Barker, W. A., 4=27945
- Haas, F. X. See Hart, J. B., 0=14936
- Haas, G. A. and Jensen, J. T. Jr. Thermionic properties of UC, 0=12626
- Haas, G. A. and Thomas, R. E. Investigation of the patch effect in uranium carbide, 4=5696
- Haas, G. M. and Okhuysen, P. L. Nonelastic cross sections of Pb^{206} and Pb^{208} for 14 MeV neutrons, 4=3666
- Haas, H. See Hartmann, H., 4=13355
- Haas, P. Solution of the reactor equation for a core cross-section with a re-entrant corner, 3=8161
- Haas, R., Leipuner, L. B. and Adair, R. K. Conservation of parity in strong interactions, 0=2684
- Haas, R. See Kienle, P., 2=22732
- Haas, W. and Johannes, R. Thin film cold cathodes, 3=12230
- Haase, E. L., Hill, H. A. and Knudsen, D. B. Circular polarisation measurements in the β decay of Na^{24} and Al^{24} , 3=17428
- Haase, E. L. See Hill, H. A., 1=12197
- Haase, G. The sensitivity distribution in photographic emulsions, 0=19466
- Haase, G. and Korinth, E. High temperature chamber for X-ray fine structure investigations with a counting goniometer, 2=8807
- Haase, G. and Müller, H. Investigations on the diffusion halo in photographic emulsions, 0=8813
- Haase, G. See Granzer, F., 1=11210
- Haase, H. See Zeil, W., 0=5021
- Haase, J., Sisti, E. and Zeil, W. Dielectric measurements on plexiglas at 36.06 Gc/s and 70.86 Gc/s, 4=7040
- Haase, J. and Zeil, W. Dielectric investigations of the relaxation properties of dilute solutions in the microwave region. III, 4=198
- Haase, K. H. See Kriger, L. V., 4=14014
- Haase, O. Structure of evaporated films of iron and their oxides (investigated by electron diffraction), 0=4697
- Haase, O. The orientation of evaporated metallic layers on single crystals of copper (based on electron interference studies), 1=10282
- Haase, O. The analysis of very thin surface layers on single crystals of copper (an electron interference study), 1=10283

- Haase, O. and Heidenreich, R.D. "Anomalous" electron double diffraction, 1=16420
- Haasen, P. Metallurgy at low temperatures, 0=6532
- Haasen, P. Plastic deformation of germanium and InSb, 2=10754
- Haasen, P. Plastic flow and strength of germanium, 4=28950
- Haasen, P. and Hesse, J. Dislocation density and flow stress of NaCl and LiF, 4=28467
- Haasen, P. and Seeger, A. Plastic flow in semiconductors and its effects on electrical properties, 1=3735
- Haasen, P. See Ahlers, M., 3=5068
- Haasen, P. See Alexander, H., 2=2330
- Haasen, P. See in der Schmitten, W., 1=14287
- Haasen, P. See Meyer, L., 4=23247
- Haasen, P. See Mordike, B.L., 2=8731
- Haasen, P. See Peissker, E., 2=23189
- Haasen, P. See Schäfer, S., 4=20655
- Haatuft, A. See Baglin, C., 4=3487
- Haatuft, A.A. See Jauneau, L., 3=19708
- Haave, C.R. See Zmuda, A.J., 3=12329
- Haave, C.R. See Zmuda, A.J., 4=2277
- Haba, M. See Mihul, C., 2=7221
- Habanec, J. A new type of ionic source, 1=16429
- Habanec, J. The influence of oscillations on ionization in a discharge path, 3=12066
- Habanec, J. See Bém, P., 3=2444
- Habanec, J. See Bem, P., 4=22125
- Habanec, J. See Bém, P., 4=25098
- Habaru, J.M. Study of white stars produced in 27 GeV proton interactions with nuclear emulsion, 3=14978
- Habaru, J.M. See Depaux, B., 2=3333
- Habberjam, G.M. Compaction phenomena in char briquetting, 4=30769
- Habegger, M.A. and Fan, H.Y. Oscillatory intrinsic photoconductivity of GaSb and InSb, 4=17529
- Habel, K. See Herrmann, G., 0=4043
- Habell, K.J. and Jackson, A. Spectral lines for refractometry, 4=2824
- Habell, K.J. See Flude, M.J.C., 1=18587
- Habell, K.J. See Gates, J.W., 2=96
- Habell, K.J. See Gebbie, H.A., 3=16769
- Habell, K.J. [Ed.]. Proceedings of the Conference on Optical Instruments and Techniques, London, 1961, 3=14308
- Haben, J.F. See Brown, R.E., 3=9666
- Haber, H.E. See Fisher, R.D., 3=15808
- Haber, H.E. See Fisher, R.D., 4=7283
- Haber, J. and Stone, F.S. Crystal field effects in the adsorption and desorption of oxygen at a nickel oxide surface, 3=13573
- Haber, J. See Derén, J., 0=2849
- Haberkorn, H. See Auer, H., 4=30768
- Haberkorn, R. See Bross, H., 3=17673
- Haberland, D. See Schultz, G.V., 2=16830
- Haberlandt, R. The Wigner distribution function in quantum statistics and the application to second virial coefficients, 4=14069
- Haberlandt, R. See Vojta, G., 2=11293
- Habermalz, F. See Boguth, W., 1=18610
- Habermalz, F. See Boguth, W., 3=14323
- Haberman, J.I. See Wallace, T.J., 4=2885
- Haberman, W.L. Secondary flow about a sphere rotating in a viscous liquid inside a coaxially rotating spherical container, 2=15546
- Habermann, C.E. See Miller, A.F., 3=18685
- Haberstroh, R.A. See Ames, O., 0=13171
- Habert, P. See Durand, H., 0=17360
- Habetler, G.J. See Hurwitz, H.Jr, 0=12968
- Habfast, K. A thermal ion source for lithium, 0=10975
- Habfast, K. Precision measurement of the relative abundance of isotopes with a mass spectrometer, 0=17674
- Habib, E.E. and Krause, L. Precision pantograph for use with an X-Y plotter, 2=9233
- Häbich, A. See Hausser, K.H., 4=12514
- Hablanian, M.H. and Vitkus, P.L. Residual gases in ultra-high vacuum systems with oil diffusion pumps, 4=18262
- Habovych, M.D. Utilizing the effect of a magnetic field on a plasma in order to obtain intense ion beams, 1=11980
- Habovych, M.D., Lozavaya, E.A. and Pomanyuk, L.Y. Possibility of locating the boundary of a penetrating plasma by a beam of charged particles, 4=2988
- Habovych, M.D., Nyemetz, O.F. and Fedorus, Z.P. The utilization of a high-current pulse discharge in proton sources, 1=11975
- Habovych, M.D. and P'yankov, H.N. Critical effect of the geometry of an extraction system of high-frequency proton source on the current intensity of the ion beam, 1=13130
- Habovych, M.D. and Yazeva, V.H. The correlation of low-frequency and high-frequency oscillations excited in the plasma by an electron beam, 3=19293
- Habraken, L. Electron-microscope study of a cobalt-base alloy, 2=2395
- Habraken, L. See Greday, T., 4=17761
- Hach, M. See Blaauw, A., 4=10868
- Hach, R.J., Brau, M.J. and Burkhalter, T.S. Continuous casting of thermoelectric materials, 2=2416
- Hachaturjan, M.N. and Pantujev, V.S. Cherenkov spectrometer for measuring gamma-ray energies, 4=11969
- Hachmeister, C.A. The exact solution of Borda's mouthpiece in two dimensions, 0=6758
- Hachenberg, O. Detection and observation of solar emission in the range of centimetre-waves, 1=18151
- Hachenberg, O., Freitag, W., Gröger, A., St. Michel, H., Popowa, M. and Prinzler, H. Radioastronomical observations of the total eclipse of 15 February 1961. I. Measurements at 3 and 20 cm wavelengths, 4=4946
- Hachenberg, O. and Krüger, A. The correlation of bursts of solar radio emission in the centimetre range with flares and sudden ionospheric disturbances, 0=14214
- Hachenberg, O., Popowa, M. and Prinzler, H. Radioastronomical observations of the total eclipse of 15 February 1961. II. Determination of the brightness distribution across the solar disk, 4=4947
- Hachenberg, O. and Wallis, G. The spectrum of radiofrequency solar bursts in the centimetre range, 1=8026
- Hachenberg, O. See Appelt, G., 0=12629
- Hachiya, Y. See Ishimatsu, Y., 1=13843
- Hachiya, Y. See Morita, S., 2=489
- Hack, M. On the average chromatic sensitivity curve of photographic emulsions, 2=19676
- Hack, M. Absolute magnitudes of O-type stars, 3=18642
- Hack, M. The surface of the sun, 4=26948
- Hack, M. and Fracassini, M. Study of the polarization of the corona: preliminary results obtained during the eclipse of 15 February 1961 by the expedition of the Merate Astronomical Observatory at Monte Conero (Ancona), 1=15484
- Hack, M. See Botto, P., 2=17287
- Hack, M. See Fracassini, M., 2=11124
- Hack, M. See Fracassini, M., 2=17297
- Hack, M. See Fracassini, M., 3=9218
- Hack, M. See Fracassini, M., 4=7986
- Hack, M.N. Interference effects of radiofrequency fields in resonance radiation, 2=530
- Hack, M.N. Preacceleration in electron theory, 4=883
- Hack, M.N. and Hamermesh, M. Effect of radiofrequency resonance on the natural line form, 1=5958
- Hackam, R. and Lennon, J.J. Some improvements in the microwave cavity method of probing decaying gaseous plasmas, 4=18936
- Hackam, R. and Lennon, J.J. Positive ion mobilities and conversion rates in a helium afterglow, 4=21482
- Hacke, J. On the effect of X-radiation on the ionic conductivity of NaCl, 0=1622
- Hackenbroich, H. Theory of nuclear rotations. I, 2=5782
- Hackenbroich, H. Theory of nuclear rotation. II, 2=5783
- Hackenbroich, H. Theory of nuclear rotation. III, 2=5784
- Hacker, D.S. and Bloomberg, H. Investigation of early ionization processes in shocked xenon, 4=5554
- Hacker, D.S., Marshall, S.A. and Steinberg, M. Recombination of atomic oxygen on surfaces, 1=20743
- Häcker, W. See Bross, H., 2=656
- Hackerman, N. See Ashcraft, T.L., 3=7419
- Hackerman, N. See Riney, J.S., 1=9172
- Hacking, K. Some aspects of optical lens performance. I. Secondary flare in lenses, 1=16054
- Hackleman, W.R. and Hubbard, P.S. Nuclear magnetic relaxation and diffusion in liquid SF₆, 4=2715
- Hackman, R.J. See Shoemaker, E.M., 4=13917
- Hacman, D. Deposition of films by evaporation in a vacuum, 1=5315
- Hacques, G. Flow of a conducting fluid in the presence of the magnetic field created by a line electric current, and its determination by the method of rheoelectric analogies, 0=5386
- Hacskaylo, M. Determination of the refractive index of thin di-electric films, 4=13003

- Hacskaylo, M. and Feldman, C. Dielectric anomaly in ZnS films, 2=23493
- Hacskaylo, M. See Feldman, C., 3=8555
- Hacskaylo, M. See Feldman, C., 3=17980
- Haddad, E. See Bame, S.J., Jr., 0=20163
- Haddad, E. See Walton, R.B., 4=19845
- Haddara, S.R. See Bishara, L.B., 1=7258
- Haddara, S.R. See Bishara, L.B., 1=7259
- Hadden, R.J.B. and Kirk, A. Leakage within glass-fibre reinforced epoxy resin laminates, 2=1218
- Hadden, S.T. and Simha, R. Equation of state for liquid alkylated ring hydrocarbons, 2=7199
- Haddle, G.P. See Skudrzyk, E.J., 0=2216
- Haddock, F.T. Some characteristics of dynamic spectra of solar bursts, 1=2653
- Haddock, F.T. See Boischot, A., 0=18643
- Haddock, F.T. See Howard, W.E., III, 3=3623
- Haddock, F.T. See Kundu, M.R., 0=12257
- Haddock, F.T. See Kunda, M.R., 1=8025
- Haddock, R.P. The role of the pion factory in elementary particle physics, 3=7886
- Haddock, R.P. Application of the matrix method to a Browne-Buechner spectrograph, 3=19367
- Haddock, R.P., Abashian, A., Crowe, K.M. and Czirr, J.B. Pion mass measurements using neutron time-of-flight techniques, 0=2569
- Hadow, J.B. and Johnson, W. Indenting with pyramids. II. Experimental, 2=14882
- Haddrell, V.J. See Harris, J.E., 2=19098
- Hadrill, D.M. See Younger, R.N., 3=18358
- Hadrill, D.M. See Younger, R.N., 3=18385
- Hádek, V. and Kulka, M. Contribution of beta and gamma radiation activity to total dose intensity of fission products, 4=25446
- Hadinec, I., Jenšovský, L., Lišek, A. and Syneček, V. On configuration of complex bis-periodate-copper (III) anion, 2=824
- Hadinec, I. and Línek, A. Unit cell and space group of $\text{H}_2\text{Na}_2\text{K Cu}(\text{IO}_4)_2 \cdot 14\text{H}_2\text{O}$, 2=825
- Hadinec, I. and Línek, A. Basic lattice parameters of $\text{Na}_2\text{H}_2[\text{Mn}(\text{IO}_6)_2] \cdot 17\text{H}_2\text{O}$, 2=23856
- Hadjimichael, E. See Conzett, H.E., 4=22194
- Hadjioannou, F., Phillips, R.J.N. and Rarita, W. Regge pole model for high-energy p-p and p-p scattering, 2=339
- Hadjioannou, F. See Contogouris, A.P., 3=22088
- Hadjioannou, F. See Costa, G., 4=11921
- Hadjioannou, F.T. Coherent photoproduction of π^0 from deuterium, 2=5708
- Hadjioannou, F.T. and Zimmerman, A.H. Coupling of the Pomeranchuk particle to the pion and its decay width, 3=10152
- Hadland, J. Microsecond events photographed with new camera, 2=17667
- Hadley, C.P. and Christensen, R.W. Solid-state image intensifier under dynamic operation, 0=3617
- Hadley, C.P. and Christensen, R.W. Solid-state X-ray image intensifier, 2=9669
- Hadley, C.P. and Fischer, E. Sintered cadmium sulfide photoconductive cells, 0=2913
- Hadley, D.W. See Cundy, D.C., 0=15201
- Hadley, D.W. See Cundy, D.C., 2=5716
- Hadley, D.W. See Evans, W.H., 0=3897
- Hadley, S.G., Rast, H.E., Jr and Keller, R.A. Radiationless triplet-singlet transitions in naphthalene, 3=23115
- Hadley, W.B. and Stout, J.W. Heat capacity of MnBr_2 between 1.7 and 20°K. Magnetic ordering in MnBr_2 , 4=3993
- Hadley, W.B. See Hersh, H.N., 3=18054
- Hadley, W.B. See Stout, J.W., 4=12648
- Hadni, A. Available methods of infrared radiation detection, 4=5438
- Hadni, A. Far-infrared absorption of ruby at liquid helium temperatures, 4=4270
- Hadni, A. The actual enlargement of the sphere of application of far infrared, 4=22828
- Hadni, A., Claudel, J., Décamps, E., Gerbaux, X. and Strimer, P. Absorption spectra of single crystals in the far infrared (50 - 1600 μ), at liquid helium temperature: caesium iodide, quartz, germanium and neodymium nitrate, 3=3006
- Hadni, A. and Decamps, E. A small grating spectrometer for millimetre waves (0.3-1.6 mm), 0=1224
- Hadni, A., Décamps, E., Grandjean, D. and Janot, C. Experimental study of the polarization of light by echelette gratings in the 1-600 μ region, 0=8810
- Hadni, A., Decamps, E. and Munier, J.M. Self-emission of a mercury vapour arc in the far infrared, interpretation and applications, 4=14620
- Hadni, A., Henry, C., Mathieu, J.P. and Poulet, H. The fundamental vibration frequencies of calomel, 1=9925
- Hadni, A. and Janot, C. Spectrometer of very high luminosity for the far infrared. Application to the study of absorption of crystalline alkali halides between 250 and 650 μ (40 to 15 cm^{-1}), 1=18596
- Hadni, A., Janot, C. and Decamps, E. Spectrometry in the far infrared (50 to 350 μ), 0=6927
- Hadni, A., Janot, C. and Decamps, E. Contribution to the study of reflection of the far infrared by the echelette grating, 0=19442
- Hadni, A. and Strimer, P. Electronic transitions in the far infrared, 4=1419
- Hadni, A. and Strimer, P. Electronic transitions in the far infrared: the anhydrous chlorides of praseodymium and samarium, 4=26214
- Hadni, A. See Bouster, C., 4=7125
- Hadni, A. See Cabannes, F., 2=22231
- Hadni, A. See Décamps, E., 0=10035
- Hadni, A. See Delorme, P., 1=6952
- Hadni, A. See Gerbaux, Y., 3=8604
- Hadni, A. See Janot, C., 1=7711
- Hadni, A. See Janot, C., 2=11471
- Hadni, A. See Janot, C., 4=14403
- Hadni, A. See Munier, J.M., 2=22058
- Hadni, A. See Poinot, P., 2=21249
- Hadni, H., Morlot, G. and Strimer, P. The low frequency energy levels of concentrated ruby, 4=15457
- Hadzi, D. Far-infrared bands of some crystals with strong hydrogen bonds, 1=11377
- Hadzi, D. See Blinc, R., 0=650
- Haeblerlen, U., Hausser, R. and Noack, F. Nuclear magnetic measurements on a linear polyethylene. I. Spin-lattice relaxation time T_1 and line shape, 4=4430
- Haeblerlen, U., Hausser, R. and Noack, F. The shape of the nuclear signal in solid polyethylene, 4=4431
- Haeblerlen, U., Hausser, R. and Pechold, W. Nuclear magnetic measurements on a linear polyethylene. II. The amplitude ratio of the two signal components, crystallinity, 4=17700
- Haeblerli, V. See McDonald, D.G., 4=12003
- Haeblerli, W. Scattering of α -particles from nuclei. 1=726
- Haeblerli, W. See Alexeff, I., 0=7346
- Haeblerli, W. See Brown, R.I., 3=15049
- Haeblerli, W. See Brown, R.I., 3=24728
- Haeblerli, W. See Dagley, P., 1=8715
- Haeblerli, W. See Dagley, P., 1=8729
- Haeblerli, W. See Gruebler, W., 4=24751
- Haeblerli, W. See Seiler, F., 3=676
- Haeblerli, W. See Striebel, H.R., 2=22528
- Haeblerli, W. See Verona, J., 0=4032
- Haef, R.A. The directional distribution in the multiple scattering of electrons of medium energies by thin carbon films, 1=1920
- Haef, R.A. On the use of metal-oil diffusion pumps when operating with discharge tubes sensitive to hydrocarbons, 2=2788
- Haef, R.A. and Hengevoss, J. Molecular flow of oil vapours in piping systems, 3=16647
- Haef, A.V. See Buddenhagen, D.A., 2=13448
- Haefner, H. See Eder, F.X., 0=11970
- Haefner, H. See Eder, F.X., 2=4312
- Haefner, K. See Barrett, C.S., 3=18308
- Haegi, M. New method of confinement in plasmas. Examination of the principles of operation, 1=16333
- Haegi, M. Transformation of a powder into a plasma by photolysis, 4=19062
- Haegi, M. See Maisonnier, C., 2=17895
- Haegi, M. See Maisonnier, C., 3=12219
- Haen, P. and Weil, L. Measurement of the thermal conductivity and thermoelectric power between 4° and 40°K of uranium-molybdenum alloys in the γ -phase, 4=28388
- Haendler, H.M. and Cooney, W.A. Computer determination of unit-cell from powder-diffraction data, 4=7580
- Haendler, H.M. See Bottjer, M.C., 3=16779
- Haenisch, E.L. National Science Foundation Institutes, 0=4919
- Haenni, H.P. See Bass, P., 1=5921
- Haenni, H.P. See Bass, R., 2=3599
- Haenni, H.P. See Rabson, T.A., 0=20414
- Haerendel, G. A possible correction to the spectrum of geomagnetically trapped protons, 2=13061

- Haering, R.R. Luminescence and conductivity induced by field ionization of traps, 0=1740
- Haering, R.R. Theory of thin film transistor operation, 4=12944
- Haering, R.R. and Adams, E.N. Theory and application of thermally stimulated currents in photoconductors, 0=4368
- Haering, R.R. and Adams, E.N. Esaki tunneling in the presence of magnetic fields, 1=19894
- Haering, R.R. and Miller, P.B. Oscillations in the longitudinal tunnel current of tunnel diodes, 1=7660
- Haering, R.R. and Mrozowski, S. The band structure and electronic properties of graphite crystals, 1=4975
- Haering, R.R. See Brodie, D.E., 2=12629
- Haering, R.R. See Dumke, W.P., 2=14560
- Haering, R.R. See Dumke, W.P., 2=15683
- Haering, R.R. See Esaki, L., 2=14571
- Haering, R.R. See Miksic, M.G., 4=12945
- Haering, R.R. See Miller, P.B., 2=23138
- Haeske, A. See Görlich, P., 4=19094
- Haeske, H. Vibration investigations on rails in the ultrasonic range, 0=5073
- Haessler, C. and Meyer, C. Intensity and width of lines of the ν_{0-3} vibration-rotation of gaseous hydriodic acid, 4=28192
- Haessner, F. Rolling texture of cubic face-centred nickel-cobalt alloys, 2=15054
- Haessner, F., Petzow, G. and Preisler, E. Suitability of cadmium tantalate as a control material for high temperature reactions, 3=4699
- Haessler, C., Cornet, Y. and Barchewitz, P. Study of a calibration system for vibration-rotation spectra in the near infrared, 1=16076
- Haessler, C., Nguyen Van Thanh and Barchewitz, P. Vibration-rotation spectrum of gaseous hydrogen iodide. Study of the ν_{0-3} band, 3=19983
- Haessler, C. See Arcas, P., 3=24023
- Haessler, C. See Arcas, P., 4=30450
- Haessler, C. See Meyer, C., 4=25653
- Haessler, C. See Nguyen-Van-Thanh, 2=18463
- Haessler, J. Resistance and the field of a rectangular Hall plate, 23251
- Häfele, H.G. The absorption of quartz in the near infrared, 1=3847
- Häfele, H.G. Optical constants of quartz in the infrared and their temperature dependence. I, 2=18788
- Häfele, H.G. The emission from a ruby laser in the temperature region from 55° to 300°K, 3=19483
- Häfele, H.G. The initial and quasicontinuous emission of the $\text{CaWO}_4:\text{Nd}^{3+}$ laser, 4=771
- Häfele, H.G. The optical constants of magnesium oxide in the infrared, 4=1739
- Häfele, H.G. The infrared spectrum of ruby, 4=1746
- Häfele, H.G. Influence of diffraction on the emission of a ruby laser, 4=8996
- Häfele, J. C., Bingham, F. W. and Allen, J. S. Proton capture radiation from Ca^{40} in the region of the giant resonance, 4=25399
- Häfele, W. Neutron spectrum in heterogeneous plate reactors. II, 1=2452
- Häfele, W. Prompt supercritical power excursions in fast reactors, 4=12306
- Hafemann, D.R. See Oppenheim, I., 3=18855
- Hafemeister, D. See De Waard, H., 3=12594
- Hafemeister, D. See De Waard, H., 3=19786
- Hafemeister, D.W., DePasquali, G. and de Waard, H. Solid state and nuclear results from Mössbauer studies in I^{129} , 4=28326
- Hafner, H. Adjusting the polar axis of an astronomical telescope, 0=10470
- Hafner, A. See Drimer, D., 3=25294
- Hafner, E.M. and Bilaniuk, O.M. Analog display of Ptolemaic and Copernican orbits, 2=19373
- Hafner, E.M. See Duthie, J.G., 3=17363
- Hafner, E.M. See Fazio, G.G., 1=10816
- Hafner, H. and Ionescu-Pallas, N.J. A 5-dimensional extension of relativistic physics, 3=21220
- Hafner, H. and Ionescu-Pallas, N.J. Extension of electrodynamics and mechanics into 5-dimensional space, 4=11027
- Hafner, H. and Ionescu-Pallas, N.J. Quantum states of a relativistic rotator, 4=24071
- Hafner, K.F. See Hart, J., 4=14004
- Hafner, S. and Hartmann, P. Measurements and calculations of electric field gradients in feldspars, 3=23263
- Hafner, S. and Nachtrieb, N.H. Nuclear magnetic resonance in molten salts. I. Chemical shift of crystalline and molten thallium salts, 4=18218
- Hafner, S. and Nachtrieb, N.H. Probes for high temperature nuclear magnetic resonance, 4=19248
- Hafner, S. See Brun, E., 1=1286
- Hafner, S. See Brun, E., 1=14835
- Hafner, S. See Brun, E., 2=10297
- Haga, E. Theory of thermoelectric power of ionic crystals. II, 1=1112
- Haga, E. Theory of thermoelectric power of ionic crystals. III, 1=1113
- Haga, E. Theory of thermoelectric power of ionic crystals. IV, 1=12466
- Haga, E. and Kimura, H. Free-carrier infrared absorption and determination of deformation-potential constant in n-type InSb, 3=23071
- Haga, E. and Kimura, H. Free-carrier infrared absorption in III-V semiconductors. II, In As, 4=20461
- Haga, E. See Susuki, Y., 0=20949
- Haga, K. and Mizuno, H. On annealing effect of commercial silicon steel sheets, 1=20115
- Hagasi, K. See Matsumoto, A., 2=11378
- Hage, W. On the spatial integration of neutron fields with moving neutron detectors, 1=3195
- Hage, W. and Cameron, I.R. An iterative solution of the kinetic reactor equations for rod-drop experiments, 2=10176
- Hage, W. and Nicks, R. The activation of flowing, light substances in a space dependent neutron field, 0=2703
- Hagebö, E. See Andersson, G., 2=14024
- Hagebö, E. See Simons, L., 3=24867
- Hagebö, E. See Simons, L., 3=4572
- Hagebö, E. See Simons, L., 3=4591
- Hagebö, E. See Simons, L., 3=22307
- Hagedoorn, H.L. and Verster, N.F. Orbits in an A.V.F. cyclotron, 3=5758
- Hagedoorn, H.L. and Verster, N.F. Analogue computer studies for an A.V.F. cyclotron, 3=5768
- Hagedoorn, H.L. and Wapstra, A.H. Measurements of the fluorescent yield on the K-shell with a proportional counter, 0=5851
- Hagedoorn, H.L. See Verster, N.F., 3=5740
- Hagedoorn, H.L. See Verster, N.F., 3=5767
- Hagedorn, F.B. Partial switching of thin Permalloy films, 0=3051
- Hagedorn, F.B. Silsbee-limit critical currents in a 1700 Å film of tin, 4=24510
- Hagedorn, F.B. and Gyorgy, E.M. Switching behavior of low remanence ferrite, 0=11881
- Hagedorn, F.B. and Gyorgy, E.M. Domain wall mobility in single-crystal yttrium iron garnet, 1=6367
- Hagedorn, F.B. and Hall, P.M. Right-angle bends in thin strip conductors, 3=8712
- Hagedorn, F.B. See Gyorgy, E.M., 0=3084
- Hagedorn, F.B. See Gyorgy, E.M., 0=18200
- Hagedorn, H. Sonic and ultrasonic whistle for the application of acoustic vibrations to liquids and gases, 0=996
- Hagedorn, R. Particle production in 6.2 GeV p-p collisions treated by a statistical model, 0=12935
- Hagedorn, R. A new derivation of the statistical theory of particles production with numerical results for p-p collisions at 25 GeV, 0=12861
- Hagedorn, R. Note on the high-energy tail of the pion and γ -spectra in p-p collisions at 25 GeV, 0=13036
- Hagedorn, R. Deuteron production in high-energy collisions, 0=20245
- Hagedorn, R. Production of antideuterons, light nuclei and hyperfragments in high-energy pp-collisions, 2=20334
- Hagedorn, R. Antimatter, 2=22458
- Hagedorn, R. A qualitative survey on high energy elastic scattering and Regge poles, 4=833
- Hagedorn, R. New methods of the statistical theory of particle production with primary energy between 1 and 100 GeV, 4=3307
- Hagedorn, R. New results in the physics of elementary particles, 4=3360
- Hagedorn, R. Relativistic kinematics, 4=8038
- Hagedorn, R. See Fast, G., 3=7794
- Hagedorn, R. See Fast, G., 3=7909
- Hagedorn, R. See V.Behr, J., 2=7962
- Hagel, W. C. and Mackenzie, J. D. Electrical conduction and oxygen diffusion in calcium aluminoborate and aluminosilicate glasses, 4=28610

- Hagel, W. C. See Westbrook, J. H., 4=8502
Hagelbarger, D. W. See Kramer, H. P., 1=7853
Hagemann, F., Gray, J., Jr., Machta, L. and Turkevich, A. Stratospheric carbon-14, carbon dioxide, and tritium, 0=1980
Hagemann, F. See Gray, J., Jr., 3=4289
Hagemann, G. The 1.9μ impurity photo- and tunnel conduction of high-resistivity heterogeneous n-PbS-p-PbO evaporated layers in resistron charge-storage tubes, 3=25419
Hagemann, K. A. See Hansen, G. B., 4=3580
Hagemann, R. Mass spectrometric study of the suboxide of sulphur S_2O , 2=23958
Hagemann, R. Determination of the heat of formation of S_2O by mass spectroscopy, 3=1385
Hagen, C. R. Radiation gauge electrodynamics. I. The two-point function, 3=12389
Hagen, C. R. Radiation-gauge electrodynamics II. The asymptotic condition, 3=17164
Hagen, C. R. γ_5 -invariance and fermion mass, 4=811
Hagen, C. R. Resonances in multichannel systems, 4=15020
Hagen, C. R. Lower bounds on the Lehmann weights in spin-zero meson theory, 4=25014
Hagen, C. R. and Macfarlane, A. J. Quarks, triality, and unitary symmetry schemes, 4=24983
Hagen, C. R. See Guralnik, G. S., 3=12424
Hagen, U. and Langendorff, H. The use of the biological dosage quantity "rem" in protection against radiation, 1=15361
Hagena, O. and Henkes, W. Investigation of the thermal relaxation in the flow through nozzles by an analysis of the gas-kinetic velocity distribution, 1=15928
Hagena, O. F. Molecular beam production with an impulse operated nozzle, 4=1327
Hagena, O. F. See Bier, K., 3=4790
Hagenow, K. U. von. See von Hagenow, K. U.
Hager, H. See Pehland, H., 0=5149
Hager, J. P. Thermodynamic properties of the silver-silicon system, 4=5445
Hager, N. E., Jr. Thin-heater thermal conductivity apparatus, 0=5204
Hager, N. E., Jr. Absolute differential radiometer, 3=24106
Hager, N. E., Jr. Thin heater calorimeter, 4=18474
Hager, R. See Kankeleit, E., 4=19700
Hager, R. J. See Nussbaum, A., 1=14374
Hagerman, D. C. Some experimental studies of plasma injected into a cusped magnetic field, 3=12119
Hagerman, D. C. and Osher, J. E. Injection and trapping of a $\beta=1$ plasma into a cusped magnetic field, 1=10712
Hagerman, D. C. and Osher, J. E. Two high velocity plasma guns, 3=7520
Hagerty, B. E. See Barnes, V. E., 4=16969
Hagfors, T. Investigation of the scattering of radio waves at metric wavelengths in the lower ionosphere, 0=6453
Hagfors, T. Some properties of radio waves reflected from the moon and their relation to the lunar surface, 1=15558
Hagfors, T. Density fluctuations in a plasma in a magnetic field, with applications to the ionosphere, 1=18819
Hagfors, T. On the forward scattering of radio waves in the lower ionosphere, 2=16076
Hagfors, T. The description of a random propagation circuit by the coherence between adjacent frequencies, 4=3140
Hagfors, T. and Meeks, M. L. Note on quantum effects in radio-meter observations, 4=29799
Hagg, E. L., Muldrew, D. and Warren, E. Spiral occurrence of sporadic-E, 0=6459
Hagg, E. L. and Rolfe, W. A study of transatlantic radio propagation modes at 41.5 Mc/s, 3=7714
Hagge, D. E., See Helland, J. A., 3=10161
Hagge, D. E. See Helland, J. A., 4=19566
Hagge, D. E. See Helland, J. A., 4=19567
Hagglund, J. See Hedvall, P., 3=19128
Hagi, M. and Tanaka, H. Observation of low frequency oscillations in plasma, 4=21530
Hagi, M. See Tanaka, H., 4=24641
Hagi, M. See Tanaka, H., 4=24642
Hagiescu-Miriste, M. See Bădărașu, E., 0=19638
Hagiescu-Miriste, M. See Bădărașu, E., 1=1893
Hagihara, H. and Uchikoshi, H. Electron diffraction study of monolayers adsorbed on single crystal surfaces, 3=1379
Hagihara, S., Miyashita, K., Yoshie, T., Ohno, E. and Mogi, M. Three neutron diffractometers, 2=11963
Hagihara, Y. On the radiation pressure exerted on a non-stationary gaseous cloud due to a resonance line, 3=16328
Hagino, M., Takahashi, T. and Wada, M. Composition dependence of photoelectric characteristics of Cs-Sb compounds, 4=26142
Hagiwara, H. and Tanifuji, M. The indirect (p,d) process, 0=11405
Hagiwara, H. and Tanifuji, M. Preliminary note on the indirect (p, t) process, 0=13230
Hagiwara, S. Microwave radiation from plasmas, 3=7536
Hagiwara, S. See Ikegami, H., 4=18930
Hagiwara, S. See Kojima, S., 0=19701
Hagiwara, S. See Kojima, S., 1=13096
Hagiwara, S. See Kojima, S., 3=4160
Hagiwara, S. See Miyake, S., 3=1280
Haglund, M. and Touchard, J. Nature of excited states of Co^{59} , 2=368
Hagmann, D. See Köster, W., 4=4334
Hagner, R. Superconductivity of mixed Nb_3Sn systems, 4=8572
Hagner, R. and Saur, E. On superconductivity in some mixed crystal series with Nb_3Sn , 3=3960
Hagner, R. and Saur, E. Superconductivity of some solid solutions based on Nb_3Sn , 4=18598
Hagopian, V. and Selove, W. Experimental evidence on $\pi-\pi$ scattering near the ρ and ρ' resonances, from $\pi^+ + \rho^- \rightarrow \pi + \pi$ nucleon at 3 BeV/c, 3=19686
Hagopian, V. See Frankel, S., 0=9389
Hagopian, V. See Selove, W., 2=22578
Hagstedt, M. See Brosset, C., 2=849
Hagström, S. Atomic level energies in hafnium, 4=12368
Hagström, S., Hörnfeldt, O., Nordling, C. and Siegbahn, K. The photo electron method of determining h/e , 3=1575
Hagström, S. and Karlsson, S. E. Extension of the photo electron method to elements of low atomic number, 4=19935
Hagström, S., Nordling, C. and Siegbahn, K. Electron spectroscopic determination of the chemical valence state, 4=19979
Hagstrom, S. and Shull, H. The nature of the two-electron chemical bond. III. Natural orbitals for H_2 , 4=15335
Hagström, S. See Andersson, I., 4=19951
Hagström, S. See Bergvall, P., 0=13391
Hagstrom, S. See Christoffersen, R. E., 4=12481
Hagström, S. See Fahlman, A., 4=19965
Hagström, S. See Nordling, C., 0=7692
Hagström, S. See Nordling, C., 4=17252
Hagström, S. See Nordling, C., 4=23686
Hagström, S. See Nordling, C., 4=23694
Hagström, S. See Siegbahn, K., 4=25066
Hagstrom, S. A. See Churchill, D. R., 4=15327
Hagstrum, H. D. Detection of metastable atoms and ions, 0=8983
Hagstrum, H. D. Auger electron ejection from germanium and silicon by noble gas ions, 0=13600
Hagstrum, H. D. Studies of Auger electrons ejected from germanium by slowly moving positive ions, 1=320
Hagstrum, H. D. Theory of Auger neutralization of ions at the surface of a diamond-type semiconductor, 1=7632
Hagstrum, H. D. Effects of monolayer adsorption and bombardment damage on Auger electron ejection from germanium, 1=10737
Hagstrum, H. D. Reflection of noble gas ions at solid surfaces, 1=10744
Hagstrum, H. D. Oxygen adsorption on silicon and germanium, 1=11597
Hagstrum, H. D. and D'Amico, C. Production and demonstration of atomically clean metal surfaces, 0=8726
Hagstrum, H. D. and Takeishi, Y. Auger-type interaction of ions with solid surfaces at low energies, 4=19093
Hague, J. F., Jennings, R. E. and Rand, R. E. A null method for calibrating Faraday cups, 4=9178
Hagyard, T. See Ashwin, B. S., 1=107
Hahn, H. K. See Shin, H. M., 0=21300
Hahn, A. The superparamagnetic initial susceptibility of particles with arbitrary anisotropy, 1=10131
Hahn, A. Research on small superparamagnetic Ni grains in relation to the effect of temperature on spontaneous magnetization, 4=4332
Hahn, A. and Löckenhoff, D. Lowering of the saturation moment of nickel by chemisorbed hydrogen, 4=22949
Hahn, B. The fracture of liquids under stress due to ionizing particles, 2=2699
Hahn, B. and Hugentobler, E. Relativistic increase in bubble density in CBF_3 bubble chamber, 1=407
Hahn, B., Knudsen, A. W. and Hugentobler, E. Controlled sensitivity bubble chamber with stabilized final pressure, 0=15199
Hahn, B. and Peacock, R. N. Ultrasonic cavitation induced by neutrons, 3=14122

- Hahn, B. and Peacock, R.N. Ultrasonic cavitation induced by neutrons, 3=17132
- Hahn, B. See Hugentobler, E., 4=3261
- Hahn, B. See Peacock, R.N., 2=8002
- Hahn, B. See Rieppe, G., 2=2697
- Hahn, B. See Steinrisser, F., 4=21849
- Hahn, D. The excitation and influencing of luminescence by electric fields, 1=3869
- Hahn, D. and Kernchen, W. Determination of the frequency factor and trap depth from the temperature dependence of the electroluminescence of ZnS phosphors, 3=23125
- Hahn, D. and Kernchen, W. Trap filling by field excitation of electroluminescent zinc sulphide phosphors, 3=23126
- Hahn, D. and Lertes, K. Studies of cathodoluminescence, 1, 0=1761
- Hahn, D. and Lertes, K. Trap production and luminescence mechanism in tungstate phosphors, 2=21268
- Hahn, D. and Lertes, K. Luminescence of zinc oxide, 3=3047
- Hahn, D. and Schley, U. History of the photometric quantities and some problems connected with them, 1=8212
- Hahn, D. and Taube, D. Thermal influence of alloying [Versetzungsichte] in single crystal of germanium, 3=20901
- Hahn, E. Numerical investigation of a typical electrostatic immersion objective, 0=1160
- Hahn, E. Investigations of electron filter lenses, 0=5353
- Hahn, E. The third-order image aberrations due to eccentricity and tilt of the electrodes of an electrostatic objective, 1=11977
- Hahn, E. Theory of the electrostatic velocity filter, 2=15958
- Hahn, E. Calculation of axially-symmetrical potential functions, 3=8
- Hahn, E. and Sagi, L. The preparation of alloy films and their optical properties, 4=23569
- Hahn, E.L. See Emswiller, M., 0=9226
- Hahn, E.L. See Froidevaux, C., 3=23255
- Hahn, E.L. See Hartmann, S.R., 3=6761
- Hahn, E.L. See Hartmann, S.R., 3=23265
- Hahn, E.L. See Kaplan, D.E., 0=16187
- Hahn, E.L. See Walstedt, R.E., 2=18967
- Hahn, E.L. See Weger, M., 1=6421
- Hahn, E.L. See Weber, M.J., 0=18233
- Hahn, E. L. See Slusher, R. E., 4=20606
- Hahn, E. L. See Strombotne, R. L., 4=13335
- Hahn, E.L. See Wikner, E.G., 0=10253
- Hahn, F.S. See Cranberg, L., 2=5407
- Hahn, G. See Bergmann, W.H., 3=17128
- Hahn, G.T. A model for yielding with special reference to the yield-point phenomena of iron and related b.c.c. metals, 2=16952
- Hahn, G.T., Reid, C.N. and Gilbert, A. The relation between delay time, strain-rate and strain aging phenomena in mild steel, 3=1221
- Hahn, G. T. See Gilbert, A., 4=23135
- Hahn, G. T. See Gilbert, A., 4=23136
- Hahn, G. T. See Reid, C. N., 4=23162
- Hahn, H. Magnetic field stabilization by a nuclear magnetic resonance maser, 0=9191
- Hahn, H. Effect of anharmonicity on thermal X-ray scattering in crystals, 2=21575
- Hahn, H. Deflecting mode in circular iris-loaded waveguides, 4=3172
- Hahn, H. and Biem, W. Lattice vibrations in molecular crystals, 4=3977
- Hahn, H. and Ludwig, W. The effect of [vibrational] anharmonicity on the thermal scattering of X-rays in crystals, 1=2372
- Hahn, H. and Orgass, R.J. Dynamic r.f. phase meter, 3=16886
- Hahn, H. See Fischer, K., 3=8829
- Hahn, H. See Fric, C., 0=11064
- Hahn, H. See Grivet, P., 1=18974
- Hahn, H. See Grivet, P., 1=18975
- Hahn, J. and Havens, W.W., Jr. A 2000-channel analyzer for neutron spectroscopy, 0=9382
- Hahn, O. J. and Axtmann, R. C. Liquid scintillation counter for neutrons with superior discrimination against gamma rays, 4=27865
- Hahn, R. L. Chemical effects of isomeric transitions: separation of the isomers of Te^{127} , Te^{129} , and Te^{121} , 4=7780
- Hahn, R. L. Chemical effects of isomeric transitions: the separation of tellurium isomers in different chemical media, 4=30915
- Hahn, R.L. and Lyon, W.S. Internal conversion coefficients in the decay of Au^{198} , 3=12643
- Hahn, R.L. and Miller, J.M. Reactions of alpha particles with tin-124, 2=1930
- Hahn, S. Nonlinear theory for a generator with a long line excited by a negative resistance, 2=5262
- Hahn, S. Dynamical phenomena in generators with two degrees of freedom, 3=5476
- Hahn, T. and Eysel, W. Structure and polymorphism of tricalcium germanate, 3=23373
- Hahn, W.C., Jr and Muan, A. Activity measurements in oxide solid solutions: the systems $\text{NiO}-\text{MgO}$ and $\text{NiO}-\text{MnO}$ in the temperature interval 1100-1300° C, 2=2414
- Hahn, Y., O'Malley, T.F. and Spruch, L. Static approximation and bounds on single-channel phase shifts, 3=53
- Hahn, Y., O'Malley, T.F. and Spruch, L. Improved minimum principle for single-channel scattering, 3=9352
- Hahn, Y., O'Malley, T.F. and Spruch, L. Bounds on multichannel scattering parameters, 4=16831
- Hahn, Y., O'Malley, T. F. and Spruch, L. Improved minimum principle for multichannel scattering, 4=19438
- Hahn, Y., O'Malley, T. F. and Spruch, L. Calculation of the s-wave phase shift for positron hydrogen scattering by a minimum principle, 4=25560
- Hahnemann, H.W. Exact solution of the complete equation of motion and the energy equation for the laminar flow along two-dimensional wedges, 2=15551
- Hai Vu and Turrell, G.C. Perturbation at low temperature of HBr in solution in argon, nitrogen and oxygen in gas liquid and solid state, 0=7752
- Hai Vu. See Atwood, M.R., 4=17284
- Haidemenakis, E. See Kallmann, H., 1=6181
- Haidinger, W. and Courvoisier, J.C. Some aspects of the growth of vacuum-deposited germanium layers, 3=23399
- Haidinger, W. See Courvoisier, J.C., 3=23511
- Haigh, G. See Blackman, M., 0=8051
- Haigh, G. See Blackman, M., 3=9138
- Haigh, J.G.B. See Aspinall, A., 4=17008
- Haigh, P.J. and Scott, T.A. Effects of N^{15} on the nuclear quadrupole resonance of N^{14} in solid N_2 , 3=8742
- Haigh, P.J. See Brooker, H.R., 1=13622
- Haigh, R.E. and Dawson, P.H. High power heating of a cylindrical tube by electron bombardment of the inside surface, 1=17231
- Haimson, J. Some aspects of electron beam optics and X-ray production with the linear accelerator, 2=11732
- Haimson, J. and Brodie, I. High-current cathode for electron linear accelerator, 4=3067
- Hain, G. See Hain, K., 1=2973
- Hain, K., Hain, G., Roberts, K.V., Roberts, S.J. and Koppendorfer, W. Fully ionized pinch collapse, 1=2973
- Hain, K. and Kolb, A.C. Fast theta-pinch, 3=12160
- Hain, K., Lüst, R. and Schlüter, A. Hydromagnetic waves of finite amplitude in a plasma with isotropic and non-isotropic pressure perpendicular to a magnetic field, 1=5464
- Hain, K. and Tutter, M. Transition of microwaves through a plane plasma slab, 2=7613
- Hain, K. See Fünfer, E., 3=12178
- Haina, D. and Menzel, E. Measurement of the transfer functions for partially coherent illumination, 4=11334
- Haine, E. See König, H.L., 2=9072
- Haine, E. See König, H.L., 2=11034
- Haine, M.E. Absolute measurement of light intensities, 0=6901
- Haine, M.E. and Agar, A.W. Differential scattering cross-section of atoms to medium energy electrons at small angles, 0=5864
- Haine, M.E., Einstein, P.A. and Borchers, P.H. Resistance bias characteristic of the electron microscope gun, 0=7159
- Haines, E.L. and Thompson, S.G. Mass-energy relations in the fission of highly excited heavy nuclei, 3=24989
- Haines, E.L. See Sikkeland, T., 2=5984
- Haines, M.G. The inverse skin effect, 0=1092
- Haines, M.G. The Joule heating of a stable pinched plasma, 1=1902
- Haines, M.G. The effect of electrodes in a linear pinched discharge, 1=9594
- Haines, M. G. Hall rotation in theta-pinches, 4=2992
- Haines, M. G. The acceleration of a plasma by an electric field using the Hall effect, 4=18818
- Haines, M.G. and Allan, D.W. The motion of a charged particle in a time-varying axial magnetic field, 3=4252
- Hains, F.D. and Price, J.F. Effect of a flexible wall on the stability of Poiseuille flow, 2=7175
- Hainski, Z., Rossi, G. and Trucco, R. Some considerations of the "copper spark" method. Influence of the excitation, 4=7794

- Hair, M.L. See Heyding, R.D., 1=4695
- Haisguti, R.R., Igata, N. and Tanaka, K. Ultrasonic attenuation of aluminium single crystal, 3=22648
- Haisma, J. and Ahsmann, G. Some gas discharge aspects of the helium-neon laser, 4=18718
- Haisma, J. and Bouwhuis, G. Mode competition and combination tones in a gas laser, 4=19284
- Haisma, J. and De Lang, H. Mode patterns obtained by tuning a small gas laser, 3=9977
- Haisma, J. See Van Bueren, H.G., 3=5888
- Haisma, J. See Wittenman, W.J., 4=24894
- Haisman, D.R. See Corkhill, J.M., 2=2696
- Haissinski, J. See Bernardini, C., 3=17005
- Haissinsky, P. Electronic theory of catalysis on semiconductors, 2=15143
- Haisty, R.W. Constant current supply for very high resistance loads, 1=2926
- Haisty, R.W., Mehal, E.W. and Stratton, R. Preparation and characterization of high resistivity GaAs, 2=23392
- Haitz, R.H. Model for the electrical behavior of a microplasma, 4=20385
- Haitz, R.H. Microplasma interaction in silicon p-n junctions, 4=22738
- Haitz, R.H. and Goetzberger, A. Avalanche noise study in microplasmas and uniform junctions, 4=6998
- Haitz, R.H., Goetzberger, A., Scarlett, R.M. and Shockley, W. Avalanche effects in silicon p-n junctions. I. Localized photomultiplication studies on microplasmas, 3=15599
- Haitz, R.H. See Goetzberger, A., 3=15600
- Hajal, I. and Combourieu, J. Theoretical calculation of the characteristics of detonation waves propagating in pure or diluted hydrazoic acid, 3=3850
- Hajda, J. A new interference-dispersion system, 4=326
- Hajdu, J. Theory of magnetoresistance. I., 0=17988
- Hajdu, J. Theory of magnetoresistance. II, 1=1009
- Hajdu, J. On the theory of magnetoresistance. III, 1=11262
- Hajdu, J. On the quantum mechanical generalization of Bloch's transport equation, 3=9366
- Hájek, Z. and Eckertová, L. The construction of a stable field-effect cathode, 2=15944
- Haji-Sheikh, A. See Sparrow, E.M., 4=29655
- Hajko, V. and Daniel-Szabó, J. The influence of an alternating magnetic field [of varying maximum amplitude] on the remanent state of magnetically soft materials, 0=3021
- Hajko, V. and Daniel-Szabó, J. The influence of successive asymmetrical magnetization reversal on the magnetic state of open samples, 1=7749
- Hajko, V., Daniel-Szabó, J. and Kavečanský, V. Study of the "reptation" and "bascule" effects in polycrystalline Fe-Si sheets, 3=23158
- Hajko, V. See Gengnagel, H., 3=13248
- Hajko, V. See Kavečanský, V., 4=1834
- Hajos, A. Colour discrimination without colour vision, 2=11466
- Hakansson, R. Numerical integration of the transport equation for infinite homogeneous media, 3=2272
- Hake, H.W. See Weintraub, D.J., 2=24216
- Hake, R.R. Specific heats of some cubic superconducting titanium-molybdenum alloys between 1.1 and 4.3°K, 1=13046
- Hake, R.R. Thermodynamic properties of a high-field superconductor, 4=18620
- Hake, R.R., Berlincourt, T.G. and Leslie, D.H. High-field superconductivity in some b.c.c. Ti-Mo and Nb-Zr alloys, 2=7519
- Hake, R.R. and Brammer, W.G. High-magnetic-field specific heat of a low-dislocation-density alloy superconductor, 4=8576
- Hake, R.R. and Cape, J.A. Calorimetric investigation of localized magnetic moments and superconductivity in some alloys of titanium with manganese and cobalt, 4=27436
- Hake, R.R. and Leslie, D.H. High-field superconducting properties of Ti-Mo alloys, 3=9686
- Hake, R.R., Leslie, D.H. and Berlincourt, T.G. Electrical resistivity Hall effect and superconductivity of some b.c.c. titanium-molybdenum alloys, 2=2115
- Hake, R.R., Leslie, D.H. and Berlincourt, T.G. Low-temperature resistivity minima and negative magnetoresistivities in some dilute superconducting Ti alloys, 2=15854
- Hake, R.R., Leslie, D.H. and Rhodes, C.G. Giant anisotropy in the high-field critical currents of cold-rolled transition metal alloy superconductors, 4=16338
- Hake, R.R. See Berlincourt, T.G., 1=11878
- Hake, R.R. See Berlincourt, T.G., 2=18641
- Hake, R.R. See Berlincourt, T.G., 3=3949
- Hake, R.R. See Berlincourt, T.G., 3=16879
- Hakeem, M.A. and Goodrich, M. Internal bremsstrahlung from P^{32} and Y^{90} , 2=10045
- Hakeem, M.A. and Robertson, H.S. Alkali vapor plasmas, 1=288
- Hakeem, M.A. See Robertson, H.S., 3=4164
- Haken, E. and Haken, H. Theory of the semiconductor laser, 4=27692
- Haken, H. Present position of exciton research in semiconductors, 1=3635
- Haken, H. Theory of exciton absorption in an electric field, 3=10937
- Haken, H. Effective particle interaction via a Bose field, 3=24607
- Haken, H. and Saueremann, H. Nonlinear interaction of laser modes, 3=12361
- Haken, H. and Saueremann, H. Frequency shifts of laser modes in solid state and gaseous systems, 4=3212
- Haken, H. See Abate, E., 4=30076
- Haken, H. See Haken, E., 4=27692
- Haken, H. See Nikitine, S., 0=4283
- Hakenjos, V. See Wellinger, K., 3=6808
- Hakim, E.B. and Reich, B. Light emission from silicon transistor junctions, 4=17608
- Hakim, S.S. and Higham, J.B. A phenomenon in n-hexane prior to its electric breakdown, 1=10518
- Hakim, S.S. and Higham, J.B. An experimental determination of the excess pressure produced in a liquid dielectric by an electric field, 2=17479
- Hakki, B.W. Interaction of a bunched electron beam with a gyrotropic plasma, 3=9781
- Hakki, B.W. and Coleman, P.D. Cerenkov radiation in a dielectric tube waveguide, 2=3171
- Hakkila, E.A. and Waterbury, G.R. Applications of X-ray absorption edge analysis, 4=10674
- Hakura, Y. Development of ionospheric and geomagnetic storms caused by solar corpuscular emissions. I. Polar cap blackout and auroral zone blackout, 2=4699
- Hakura, Y. and Goh, T. Pre-SC polar cap ionospheric blackout and type IV solar radio outburst, 0=14222
- Hakura, Y. and Goh, T. Unusual solar-terrestrial events in July, 1959, 2=17224
- Hakura, Y. and Lincoln, J.V. A suggestion for improving forecasts of geomagnetic storms, 3=16303
- Hakura, Y., Nagai, M. and Sano, Y. Development of ionospheric and geomagnetic storms caused by solar corpuscular emissions. II. Polar blackout, storm Es, and geomagnetic storms, 2=4700
- Hakura, Y., Takenoshita, Y. and Otsuki, T. Polar blackouts associated with severe geomagnetic storms on Sept. 13th, 1957 and Feb. 11th, 1958, 0=21344
- Hakura, Y. See Nagata, T., 1=20912
- Hakura, Y. See Obayashi, T., 0=14223
- Hakura, Y. See Obayashi, T., 0=16435
- Hakura, Y. See Obayashi, T., 1=9191
- Hakura, Y. See Obayashi, T., 1=13541
- Hakura, Y. See Obayashi, T., 1=13542
- Hakura, Y. See Obayashi, T., 1=15494
- Hakura, Y. See Obayashi, T., 1=20944
- Hakura, Y. See Obayashi, T., 2=3429
- Hakura, Y. See Obayashi, T., 2=8996
- Hakura, Y. See Sinno, K., 0=18475
- Hakura, Y. See Sinno, K., 0=18474
- Halász, D. and Szendy, K. Losses caused by Hall effect and their influence on the efficiency of the thermal cycle in m.h.d. generators, 4=5542
- Halász, D. and Szendy, K. The medium-power thermionic generator, 4=24542
- Halaunbrenner, J. On the influence of the anisotropy of the base on the resistance of a rolling cylinder, 0=13920
- Halaunbrenner, J. and Sukienik, P. On the end of the motion of solids on an electric base, 2=11309
- Halbach, E.W. See Stair, R., 0=19490
- Halbach, K. Modulation-effect corrections for moments of magnetic resonance line shapes, 0=13866
- Halbach, K. Matrix representation of Gaussian optics, 4=11328
- Halbach, K., Baker, W.R. and Layman, R.W. Production of a hot rotating plasma, 3=4157
- Halbach, K. See Kunkel, W.B., 3=16934
- Halbert, E.C. Optical-model analysis of elastic deuteron scattering, 4=12254
- Halbert, E.C., Drisko, R.M., Satchler, G.R. and Austern, N. Finite-range distorted-waves calculation of direct reactions, 1=19430
- Halbert, E.C. See Austern, N., 4=9467

- Halbert, M.L. and Blankenship, J.L. Response of semiconductor surface-barrier counters to nitrogen ions and alpha particles, 1=5616
- Halbert, M. L. and Durham, F. E. Angular-momentum effects in compound-nucleus reactions, 4=2226
- Halbert, M. L., Durham, F. E., Moak, C. D. and Zucker, A. Fluctuations in the $C^{12}(O^{16}, \alpha)Mg^{24}$ reaction, 4=1110
- Halbert, M. L., Durham, F. E., Moak, C. D. and Zucker, A. Fluctuations in the $C^{12}(O^{16}, \alpha)Mg^{24}$ reaction, 4=2225
- Halbert, M.L. and Hunting, C.E. Angular momentum effects in nuclear evaporation, 1=19535
- Halbert, M.L., Hunting, C.E. and Zucker, A. Elastic scattering of nitrogen by carbon, 0=7590
- Halbert, M.L. and Zucker, A. Elastic scattering of N^{14} by Be^9 , 0=1423
- Halbert, M.L. and Zucker, A. Nitrogen-aluminium elastic scattering, 0=11427
- Halbert, M.L. and Zucker, A. Inelastic scattering of N^{14} by C^{12} , 1=732
- Halbert, M.L. See Newman, E., 1=19531
- Halbwachs, F. The classical motion of the relativistic rotator, 0=3443
- Halbwachs, F. Integration of the equations of motion of the Nakano rotator, 0=6647
- Halbwachs, F. General Lagrangian and canonical formalism describing the relativistic motion of a free rotating particle, 0=18925
- Halbwachs, F. Quaternion formulation of the theory of the non-relativistic top, 1=9725
- Halbwachs, F. Quaternion formulation of the relativistic rotating particle, 1=16654
- Halbwachs, F. Quantization of the motion of the relativistic rotating particle, 1=16655
- Halbwachs, F. Lagrangian formalism for a classical relativistic particle endowed with internal structure, 1=16666
- Halbwachs, F. A new classification of elementary particles and resonances, 3=4363
- Halbwachs, F. A new classification of elementary particles and resonances, 3=14871
- Halbwachs, F. Energy eigenvalues of the quantized states of the relativistic rotator, 3=17188
- Halbwachs, F., Hillion, P. and Vigier, J.P. Hamiltonian formalism associated with the Nakano rotator, 0=6684
- Halbwachs, F., Hillion, P. and Vigier, J.P. Mathematical theory of Euler's angles in space-time, 0=10551
- Halbwachs, F., Hillion, P. and Vigier, J.P. Internal motions of relativistic fluid masses, 0=12355
- Halbwachs, F., Souriau, J.M. and Vigier, J.P. Invariance group associated with relativistic rotators and bilocal theory, 1=13311
- Halbwachs, F. and Vigier, J.P. Lie relations associated with relativistic rotators and bilocal theory, 0=16578
- Halbwachs, F. and Vigier, J.P. Theoretical prediction of new heavy bosons (especially heavy K-mesons) in the frame of the rotator model of elementary particles, 4=9082
- Halbwachs, F. See de Broglie, L., 3=4324
- Halbwachs, F. See de Broglie, L., 3=4325
- Halbwachs, F. See Mebkhout, M.M., 3=14884
- Haldane, J.B.S. "Dex" or "order of magnitude", 0=18898
- Halden, F.A. and Sedlacek, R. Verneuil crystal growth in the arc-image furnace, 3=18243
- Halden, F.A. See De La Rue, R.E., 0=3178
- Halden, F.A. See Sedlacek, R., 2=8743
- Halder, A.K. See Edels, H., 2=9552
- Halder, N.C. Line breadth measurements of stress and strain in plastically deformed hexagonal cobalt, 3=11160
- Halder, N. C. A study on the X-ray line profile, 4=23392
- Halder, N.C. and Mitra, G.B. Particle size and strain in deformed tungsten, 3=25785
- Halder, N. C. and Mitra, G. B. Elastic anisotropy in cold-worked and annealed hexagonal cobalt, 4=7425
- Halder, N. C. See Mitra, G. B., 4=22602
- Hale, A.P. Preparation and evaluation of epitaxial silicon films prepared by vacuum evaporation, 3=13424
- Hale, C.E. Gas-filled thermometer for thermocouple calibration, 3=284
- Hale, D.P. Characteristics of the visual aurorae at Byrd Station, Antarctica, during 1957, 0=14276
- Hale, D.R. See Augustine, F., 0=16285
- Hale, F.E. Long-range sound propagation in the deep ocean, 1=8181
- Hale, J. D., Izatt, R. M. and Christensen, J. J. A calorimetric study of the heat of ionization of water at 25°, 4=8198
- Hale, J.K. and Stokes, A.P. Some physical solutions of Dirac-type equations, 2=543
- Hale, K.F. The influence of precipitates on the creep rate of iron, 3=18189
- Hale, K.F. and McLean, D. Structure of quench-aged iron-carbon and iron-nitrogen alloys, 3=20903
- Hale, K. F. and McLean, D. A new high-resolution dark-field microscope technique, 4=23518
- Hale, K.F. and Warner, E. A modification to the Valdrè-type electron microscope goniometer stage, 3=8937
- Hale, K.F. See Carrington, W., 1=14272
- Hale, K.F. See Franks, A., 2=7403
- Hale, K.F. See Gale, B., 1=4088
- Hale, K.F. See Gale, B., 2=14971
- Hale, K.F. See McLean, D., 0=18389
- Hale, K.F. See Thomas, K., 1=1464
- Hale, M.E. See Fuller, H.W., 0=18190
- Hale, M.E. See Fuller, H.W., 0=6236
- Hale, M.E. See Fuller, H.W., 0=11855
- Hale, M.E. See Rubinstein, H., 0=8053
- Hales, A.L. See Harkrider, D.G., 3=18472
- Hales, J.L. Double-beam infra-red grating spectrometer, 0=5166
- Hales, W. See Josephson, V., 1=4572
- Halevi, E.A. The secondary hydrogen isotope effect, 0=4250
- Haley, G.D., Jr. See Fender, B.E.F., 2=11413
- Halfacree, J., Dietz, R. S. A re-cycled hydrosphere? 4=23695
- Halfi, A.H. See Reid, A.F., 2=7166
- Halford, D. Electron-nuclear double resonance, nuclear moments, and $\langle r^{-3} \rangle$ of neodymium-143 (III) and neodymium-145 (III) in lanthanum trichloride, 2=23714
- Halford, D. and McConnell, H. M. Pressure effect on exciton magnetic resonance, 4=28878
- Halford, R.S. See Blanc, J., 2=14684
- Halford, R.S. See Brecher, C., 1=14603
- Halford, R.S. See Brecher, C., 1=14604
- Hälg, W., Ravani, S., Albers, H. and Doron, Z. Theoretical and experimental studies of reactor reactivity changes due to xenon poisoning, 4=6426
- Hälg, W. See Stoll, E., 4=29121
- Halim, A. Dependence of L_0 on sunspots for atmospheric ozone measurements, 2=11010
- Halim, A. See Ahmed, S.J., 2=2497
- Halim Kazi, A., Rasmussen, C. and Mark, H. Measurement of the deuteron binding energy using a bent-crystal spectrograph, 1=12128
- Halkin, O.O. and Matyash, I.V. Study of nuclear magnetic relaxation of adsorbed gases by the spin echo method, 2=18485
- Halkyn, A. A. See Matyash, Y. V., 4=6651
- Halkyn, O. O., Naberezhnykh, V. P. and Mel'nyk, V. L. Anisotropy of effective masses of the basic group of electrons in aluminium, 4=4007
- Hall, A.C. Inexact senarmont compensators, 3=16809
- Hall, A. C. A technique for evaluating half-wave and quarter-wave plates, 4=330
- Hall, A. C. Stimulated Compton scattering of electrons by standing waves of light, 4=3385
- Hall, A.E. Plutonium-aluminum solid solubility and diffusion studies, 1=17561
- Hall, C.B. See Rickson, K.O., 3=20813
- Hall, C.W. See Hassan, S.A., 3=14394
- Hall, D. See Hefferlin, R., 0=15666
- Hall, D. See Hefferlin, R., 2=18228
- Hall, D. See Williams, P.P., 2=10817
- Hall, D.A. and Atkins, W.W. New technique for measuring the velocity of high-speed objects, 2=2670
- Hall, D.H. The maximization of sensitivity in coil-type magnetometers for rock magnetism, 4=4828
- Hall, D.J. Electromagnetic meson mass differences, 1=3205
- Hall, D.J. See Fujii, A., 2=11970
- Hall, E.O. The silver-based heusler alloys, 0=21053
- Hall, E.O. and Royan, J. The structure of Au_2Mn , 0=720
- Hall, E.W. See Eveson, G.F., 0=6731
- Hall, F. F., Jr. The polarized emissivity of water in the infra-red, 4=24217
- Hall, F.F., Jr and Stanley, C.V. Infrared staeelite radiometry, 2=11199
- Hall, F.F., Jr. See Merritt, T.P., 0=8829
- Hall, F.M. and Reece, I. H. Adaptation of an optica CF 4 spectrophotometer for spectral measurements over a range of temperature, 4=14366
- Hall, F.R. See Kommandeur, J., 1=3775
- Hall, G.G. Improved atomic wave functions using a functional transformation, 0=11480

- Hall, G.G. Ambiguity in the determination of self-consistent bond orders. 1=870
- Hall, G.G. The stability of a wave-function under a perturbation, 1=4892
- Hall, G.G. The coupling between electromagnetic waves and excitation waves in a molecular crystal, 2=23028
- Hall, G.G. Statistical theory of the error in approximate wavefunctions, 3=9348
- Hall, G.G. and Hardisson, A. Ring currents and their effects in aromatic molecules, 2=16539
- Hall, G.G. and Rees, D. Energies of some isoelectric series of ions, 2=9530
- Hall, G.G. and Rees, D. Scaling of the Platt electrostatic model of diatomic hydrides, 2=16510
- Hall, G.G. See Amos, A.T., 1=15679
- Hall, G.G. See Fröman, A., 2=6083
- Hall, G.G. See Shull, H., 0=7237
- Hall, G.L. Nordheim's theory of the resistivity of alloys, 0=1614
- Hall, G.L. Ionized impurity scattering in semi-conductors, 2=23297
- Hall, G.L. See Asch, A.E., 4=4109
- Hall, G.L. See Christy, D.O., 4=10413
- Hall, G.R. See Brown, F., 0=20370
- Hall, G.W. Application of boundary layer theory to explain some nozzle and Venturi flow peculiarities, 1=1734
- Hall, H.E. Waves on quantized vortex lines, 0=8907
- Hall, H.E. The rotation of liquid helium II, 0=14916
- Hall, H.E. Macroscopic quantization in helium, 4=14493
- Hall, H.E. Equations of motion for rotating helium II, 4=21373
- Hall, H.E. and Bonner, T.W. Gamma radiations from inelastic scattering of fast neutrons in C^{12} , N^{14} , and O^{16} , 0=4116
- Hall, H.E., Hanson, A.O. and Jamnik, D. High-frequency limit of 15.1 MeV bremsstrahlung, 3=10079
- Hall, E.E. See Boyle, A.J.F., 1=3604
- Hall, H.E. See Boyle, A.J.F., 1=5831
- Hall, H.E. See Boyle, A.J.F., 2=18512
- Hall, H.E. See Boyle, A.J.F., 4=12588
- Hall, H.E. See Bunbury, D.St. P., 4=165
- Hall, H.P. and Sanderson, A.E. Digest of literature on dielectrics. Instrumentation and measurements, 0=2300
- Hall, H.T. Ultra-high-pressure, high-temperature apparatus: the "belt", 0=4832
- Hall, H.T., Barnett, J.D. and Merrill, L. Ytterbium: Transition at high pressure from face-centered cubic to body-centered cubic structure, 3=6817
- Hall, H.T. See Barnett, J.D., 4=4596
- Hall, H.T. See Barnett, J.D., 4=10519
- Hall, H.T. See Barnett, J.D., 4=10555
- Hall, H.T. See Dudley, J.D., 0=9840
- Hall, I. Finite energy range and modulation effects in the analysis of cross-section fluctuation data, 4=22097
- Hall, I. and Tanner, N.W. The radiative decay of the 7.66 MeV level of C^{12} , 4=19670
- Hall, I. See Allardyce, B.W., 4=15211
- Hall, I. See Bearpark, K., 2=18321
- Hall, I.H. Time-dependent tensile strength of solids, 1=6469
- Hall, I.H. A machine for determining the stress-strain curve of fine yarns over a wide range of temperature and strain rate, 4=15688
- Hall, J.A. Role of the platinum-resistance thermometer in the International Practical scale of temperature, 3=21598
- Hall, J.A. and Leaver, V.M. The design of mercury thermometers for calorimetry, 0=5220
- Hall, J.A. and Leaver, V.M. Stabilization of thermometers of borosilicate glass for use at high temperatures, 1=6981
- Hall, J.A. See Barber, C.R., 2=9437
- Hall, J.E. and Bullough, K. A rocket-borne low-frequency propagation experiment to determine D-region electron densities, 4=20869
- Hall, J.E. See Davies, J.G., 0=8528
- Hall, J.E. See Davis, J., 0=8480
- Hall, J.E. See Davis, J., 0=8481
- Hall, J.E. See Davis, J., 3=5252
- Hall, J.E. See Greenhow, J.S., 0=16421
- Hall, J.E. See Greenhow, J.S., 0=18682
- Hall, J.E. See Greenhow, J.S., 0=18715
- Hall, J.E. See Greenhow, J.S., 1=12742
- Hall, J.E. See Greenhow, J.S., 2=4657
- Hall, J.F., Jr. Optical properties of a highly boron-doped silicon surface, 0=11751
- Hall, J.F., Jr. Two-stage radiant-energy sink, 1=16151
- Hall, J.F., Jr. and Allen, R.C. Reflectance of oxidized silicon monoxide films deposited onto aluminium mirrors compared with silicon monoxide evaporated in high vacua, 1=10095
- Hall, J.G. See Eschenroeder, A.Q., 2=11395
- Hall, J.G. See Hurle, I.R., 4=18232
- Hall, J.J. Large-strain dependence of the acceptor binding energy in germanium, 2=23343
- Hall, J.J. Experimental determination of the germanium valence band deformation potentials, 3=10764
- Hall, J.J. See Koenig, S.H., 1=3754
- Hall, J.L., Jennings, D.A. and McClintock, R.M. Study of anthracene fluorescence excited by the ruby giant-pulse laser, 4=7199
- Hall, J.L. and Schumacher, R.T. Electron spin resonance of hydrogen atoms in CaF_2 , 2=21364
- Hall, J.L. and Schumacher, R.T. Electron spin resonance of interstitial hydrogen atoms in CaF_2 , 4=26402
- Hall, J.L. See Schumacher, R.T., 2=3815
- Hall, J.M. Stress effects on thermoremanent magnetization, 1=21109
- Hall, J.M. and Neale, R.N. Stress effects on thermoremanent magnetization, 1=6657
- Hall, J.W. and Rase, H.F. Dislocations and catalysis, 4=6841
- Hall, K.L. and Elder, F.A. Some observations on biphenyl radiolysis, 0=4731
- Hall, L.A., Schweizer, W. and Hinteregger, H.E. Diurnal variation of the atmosphere around 190 kilometers derived from solar extreme ultraviolet absorption measurements, 4=13815
- Hall, L.A. See Hinteregger, H.E., 0=10451
- Hall, L.A. See Hinterlegger, H.E., 4=26933
- Hall, L.D. Pressures below 10^{-12} torr with a medium sized ion pump, 4=18269
- Hall, L.L. See Morgan, C.S., 4=17834
- Hall, L.S. Application of Bohm's criterion for the formation of a sheath, 1=5576
- Hall, L.S. Harrison-Thompson generalization of Bohm's sheath condition, 2=19939
- Hall, L.S. A statistical theory of transport phenomena, 3=5390
- Hall, L.S. Thermoelectric effects in a Joule-heated plasma, 4=14628
- Hall, L.S. and Gardner, A.L. Highly ionized, steady-state plasma system, 2=17820
- Hall, L.S. and Heckrotte, W. Stability of longitudinal oscillations in a uniform magnetized plasma with anisotropic velocity distribution, 4=18999
- Hall, M.B. Effect of friction on surface trapping on silicon, 3=13065
- Hall, M.J. and Thompson, M.W. Epitaxy and twinning in foils of some noble metals condensed upon lithium fluoride and mica, 1=15011
- Hall, P.G. and Tompkins, F.C. Adsorption of water vapour on insoluble metal halides, 3=1381
- Hall, P.M., Legvold, S. and Spedding, F.H. Electrical resistivity of yttrium single crystals, 0=2843
- Hall, P.M., Legvold, S. and Spedding, F.H. Electrical resistivity of dysprosium single crystals, 0=6079
- Hall, P.M. See Gerstenberg, D., 4=29838
- Hall, P.M. See Hagedorn, F.B., 3=9712
- Hall, R. See Consoli, T., 4=5605
- Hall, R. See Consoli, T., 4=5754
- Hall, R.B. Parallel-plate plasma problem, 3=24266
- Hall, R.B. The parallel plate plasma problem with a density variation, 4=18998
- Hall, R.B. Energy gain of charged particles after reflection from an r.f. field near cyclotron resonance, 4=19166
- Hall, R.B. and Brown, S.C. Reflection of an electron beam from high-frequency fields, 1=16419
- Hall, R.C. Magnetic anisotropy and magnetostriction of ordered and disordered cobalt-iron alloys, 0=10118
- Hall, R.C. Single-crystal magnetic anisotropy and magnetostriction studies in iron-base alloys, 0=10126
- Hall, R.C., Byrnes, W.S. and Crawford, R.G. Radiation effects on the anisotropy and magnetostriction of single crystals of several soft magnetic materials including Ni, Fe, Fe_3O_4 , and alloys of Ni-Fe, Si-Fe, Al-Fe, Co-Fe and Mo-Ni-Fe, 0=2994
- Hall, R.C., Byrnes, W.S. and Crawford, R.G. Annealing study in a pile irradiated crystal, 0=3044
- Hall, R.C. See Byrnes, W.S., 0=2417
- Hall, R.F. Inert-gas clean-up in the hot-cathode discharge, 2=9560
- Hall, R.F. and Stocker, B.J. An inert-gas glow discharge with low maintaining potential (22-35V), 4=18730
- Hall, R.F. and Weston, G.F. A simple comparison method for determining the coefficient of secondary electron emission by positive ions, 4=3036
- Hall, R.M.S. High-energy oxygen ions in carbon dioxide mass spectra, 0=19615

- Hall, R.N. An analysis of the performance of thermoelectric devices made from long-lifetime semiconductors, 1=8302
- Hall, R.N. Current gain in metal-insulator tunnel triodes, 2=10520
- Hall, R.N. Observation of polarons and phonons during tunneling in semiconductor junctions, 2=23418
- Hall, R.N. Solubility of III-V compound semiconductors in column III liquids, 3=21333
- Hall, R.N. Coherent light emission from p-n junctions, 4=3227
- Hall, R.N. Silicon carbide diode "laser", 4=14956
- Hall, R.N., Fenner, G.E., Kingsley, J.D., Soltys, T.J. and Carlson, R.O. Coherent light emission from GaAs junction, 3=4966
- Hall, R.N. and Olechna, D.J. Wave propagation in an active dielectric slab, 3=24465
- Hall, R.N. and Racette, J.H. Distribution coefficients of impurities in gallium antimonide, 1=7647
- Hall, R.N. and Racette, J.H. Band structure parameters deduced from tunneling experiments, 1=17689
- Hall, R.N. and Racette, J.H. Diffusion and solubility of copper in extrinsic and intrinsic germanium, silicon, and gallium arsenide, 4=12791
- Hall, R.N., Racette, J.H. and Ehrenreich, H. Direct observation of polarons and phonons during tunneling in group 3-5 semiconductor junctions, 0=13628
- Hall, R.N. See Oriani, R.A., 0=1641
- Hall, R.O.A. The thermal expansion of silicon, 2=14386
- Hall, R.O.A. See Lee, J.A., 0=11657
- Hall, R.O.A. See Lee, J.A., 0=12056
- Hall, R.S., Scott, S.A. and Walker, J. Neutron diffusion in small volumes of water: pulsed source measurements, 2=5656
- Hall, R.T. and Pimentel, G.C. Isomerization of nitrous acid: an infrared photochemical reaction, 3=16159
- Hall, S.C. See Lawrence, R.S., 3=18526
- Hall, S.H. The modulation of a proton magnetometer signal due to rotation, 3=465
- Hall, S.H. See Stuart, W.F., 4=26867
- Hall, S.H. See Usher, M.J., 4=27603
- Hall, S.J. See Evans, W.H., 4=9003
- Hall, T.C. See Millea, M.F., 2=16712
- Hall, T.P.P. and Hayes, W. Paramagnetic resonance of Co^{2+} with four- and eightfold coordination 0=16164
- Hall, T.P.P., Hayes, W., Stevenson, R.W.H. and Wilkens, J. Investigation of the bonding of iron-group ions in fluoride crystals. I, 3=15407
- Hall, T.P.P., Hayes, W., Stevenson, R.W.H. and Wilkens, J. Investigation of the bonding of iron-group ions in fluoride crystals. II, 3=20043
- Hall, T.P.P., Hayes, W. and Williams, F.I.B. Paramagnetic resonance of manganese, 2=772
- Hall, T.P.P., Pooley, D. and Wedepohl, P.T. Temperature dependence of vacancy production by X-rays in potassium iodide, 4=17423
- Hall, W.F. See Hildenbrand, D.L., 2=15806
- Hall, W.F. See Hildenbrand, D.L., 3=25809
- Hall, W.F. See Hildenbrand, D.L., 4=18498
- Hall, W.F. See Hildenbrand, D.L., 4=24456
- Hall, W.J. See Powell, R.L., 0=7857
- Hall, W.J. See Powell, R.L., 0=9863
- Hall, W.K. See Scholtus, N.A., 3=25750
- Hall, W.S. The rise of an isolated thermal in wind shear, 3=5168
- Hall, W.S. See McWilliams, P., 2=2592
- Hall, W.S. See Miller, D.W., 1=19505
- Hall, W.S. See Miller, D.W., 2=10140
- Hall, W.S. See Wegner, H.E., 0=15580
- Halladay, H.E. and Bruncke, W.C. Excess noise in field-effect transistors, 4=17509
- Hallam, G.C. See Crangle, J., 3=8670
- Hallam, H.E. and Ray, T.C. Infrared solvent shifts and molecular interactions. II. Carbon-halogen diodes, 2=20788
- Hallam, K.L. See Sinton, W.M., 0=3402
- Halland, M.G. Thermal conductivity of several optical maser materials, 2=23086
- Hallden, N.A. and Fisenne, I.M. Minimizing self-absorption in 4π β -counting, 4=9425
- Hallden, N.A. and Harley, J.H. An improved alpha-counting technique, 1=560
- Hallden, N.A. See Harley, J.H., 2=5515
- Hallén, E. Exact solution of the antenna equation, 2=7754
- Hallenback, J.F., Jr. See Gardner, E.F., 4=6989
- Hallenback, J.F., Jr. See Schumann, P.A., Jr., 3=25341
- Haller, B. See Perny, G., 4=23572
- Haller, I. and Srinivasan, R. Photochemistry of 1, 3-butadiene: Details of the primary processes and mechanism of photopolymerization, 4=17868
- Haller, I. and White, P. Simple high sensitivity microbalance for use in ultra-high vacuum, 3=18774
- Haller, I.B. and Jung, B. Spin-parity of 53 min $\text{Cs}^{135\text{m}}$, 4=17087
- Haller, I.B. See Arbman, E., 1=5870
- Haller, I.B. See Grabowski, Z., 1=4418
- Haller, K. Divergence-free iterative expansion of the S matrix in a field theory, 0=20066
- Haller, K. Scattering, weak decays, and final-state interactions in model theories in a dressed-particle picture, 3=12383
- Haller, K. Scattering theory and adiabatic switching, 3=22084
- Haller, K. and Landovitz, L.F. Dispersive treatment of weak decays and final-state interactions in model theories, 3=17161
- Haller, W. Concentration-dependent diffusion coefficient of water in glass, 4=9987
- Hallerman, G. and Gray, R.J. Instrument for determining crushing strength of fuel particles, 4=22268
- Hallett, A.C. Hollis. See Ottensmeyer, F.P., 4=22667
- Hallett, A.C.E. See Benson, C.B., 0=19537
- Hallett, A.C. Hollis. See Jones, G.H.S., 0=9852
- Hallett, A.C. Hollis. See Woods, A.D.B., 0=8903
- Hallett, A.C.H. See Woods, A.D.B., 3=14434
- Hallett, J. Crystal growth and the formation of spikes in the surface of supercooled water, 0=18324
- Hallett, J. The growth of ice crystals on freshly cleaved covellite surfaces, 1=20419
- Hallett, J. The temperature dependence of the viscosity of supercooled water, 4=5162
- Hallett, J. and Mason, B.J. The influence of temperature and supersaturation on the habit of ice crystals grown from the vapour, 0=8151
- Hallett, J. See Bryant, G.W., 0=6335
- Hallett, P.E. Spatial summation, 3=13964
- Halley, J.W. and Engelkemeir, D. L fluorescence yields in heavy elements, 4=15307
- Hallgren, L.J. See Greenberg, J., 0=6926
- Hallgren, L.J. See Greenberg, J., 0=16069
- Hallgren, L.J. See Greenberg, J., 1=11381
- Hallgren, R.E. See Hosler, C.L., 1=11541
- Halliday, F.O. See Colgate, S.A., 1=5547
- Halliday, I. Auroral green line in meteor wakes, 0=6575
- Halliday, I. The spectrum of an asteroidal meteor fragment, 0=18710
- Halliday, I. and Griffin, A.A. A jumping-film camera for meteor photography, 3=11488
- Halliday, I. See Millman, P.M., 2=4757
- Halliday, I.G. High-energy behaviour in perturbation theory, 4=3358
- Halliday, I.G. High energy behavior at fixed angle in perturbation theory, 4=25035
- Halliday, I.G. and Polkinghorne, J.C. High-energy behavior in production processes, 4=845
- Halliday, J.S. The contrast, breadths and relative intensities of electron diffraction rings, 0=10308
- Halliday, J.S. Measurement of atomic differential scattering cross-sections, 0=10309
- Halliday, J.S. Wear experiments in the electron microscope, 3=20762
- Halliday, J.S. and Newman, R.C. Reflexion electron microscopy using diffracted electrons, 0=6395
- Halliday, J.S. and Quinn, T.F.J. Contrast of electron micrographs, 0=18419
- Halliday, J.S. See Chescoe, D., 2=8881
- Hallidy, W. See Meyer, D.T., 4=2905
- Hallin, R. and Hughes, T.P. Lines of the N V spectrum in the visible and near ultra-violet wavelength regions, 1=13945
- Hallin, R. See Bockasten, K., 3=10448
- Hallin, R. See Bockasten, K., 4=15286
- Halling, J. The relationship between surface texture and rolling resistance of steel, 0=8131
- Halling, J. Effect of deformation of the surface texture on rolling resistance, 0=8132
- Halliwell, H.F. and Nyburg, S.C. Enthalpy of hydration of the proton, 3=21337
- Hallock, H.B. Optics in the Orbiting Astronomical Observatory, 2=9117
- Halmann, M. See Pinchas, S., 0=7755
- Halmos, F. Determination of the mean error by means of the refinement of the results of observations, 0=3400

- Halmshaw, R. Recent developments in industrial radio-graphy: fluoroscopy and screen-intensification processes, 1=10753
- Halmshaw, R. and Pollitt, C.G. Radiology with high-energy X-rays, 1=13144
- Halperin, A. An uncommon growth feature in diamonds, 0=712
- Halperin, A. and Arbell, H. Transients in the blue and green luminescence of ZnS:Cu:C1 crystals, 1=6230
- Halperin, A. and Braner, A.A. Evaluation of thermal activation energies from glow curves, 0=4465
- Halperin, A., Braner, A.A., Ben-Zvi, A. and Kristianpoller, N. Thermal activation energies in NaCl and KCl crystals, 0=4466
- Halperin, A., Braner, A.A., Schlesinger, M. and Kristianpoller, N. Coloration and thermal bleaching of color centres in alkali-halide crystals, 2=23216
- Halperin, A., Kristianpoller, N. and Ben-Zvi, A. Thermoluminescence of X-ray colored NaCl crystals, 0=2971
- Halperin, A., Leibovitz, M. and Schlesinger, M. Apparatus for "hyperbolic glow curves", 3=3917
- Halperin, A. and Lewis, N. Symmetry of the green phosphorescence of heat pretreated colored KCl crystals, 0=13720
- Halperin, A. and Nahum, J. Some optical and electrical properties of semiconducting diamonds, 1=19993
- Halperin, A. and Pinker, R. Color centers in ZnS single crystals, 1=11231
- Halperin, A. and Ralph, J.E. Optical studies of anisotropic color centers in germanium-doped quartz, 3=20238
- Halperin, A. See Arbell, H., 0=4464
- Halperin, A. See Nahum, J., 2=14719
- Halperin, A. See Nahum, J., 3=20547
- Halperin, A. See Schlesinger, M., 4=10209
- Halperin, J., Johnston, F.J., Stoughton, R.W., Oliver, J.H., Blevins, E.L., Druschel, R.E., Harkness, A.L. and Swarz, B.A. The average capture/fission ratio of U^{235} for epithermal neutrons, 3=22434
- Halperin, J. and Oliver, J.H. An upper limit for the effective capture cross-section of Po^{210} for thermal neutrons, 3=22404
- Halperin, J. See Johnston, F.J., 1=17130
- Halperin, J. See Schmitt, H.W., 1=2220
- Halperin, J. See Stoughton, R.W., 0=4147
- Halperin, J. See Stoughton, R.W., 0=13271
- Halperin, J. See Stoughton, R.W., 0=13284
- Halperin, J. See Stoughton, R.W., 1=507
- Halperin, J. See Stoughton, R.W., 3=12471
- Halpern, A. μ capture rate in (p,p), 4=22445
- Halpern, C. and Moffat, R.J. Bibliography of temperature measurement, January 1953 to June 1960, 1=16159
- Halpern, F.R. A compact expression for S-matrix elements in theories with several interacting fields, 0=15241
- Halpern, F.R. Formulas for the matrix elements of connected diagrams in field theories, 0=15242
- Halpern, F.R. Acnodes, for pion-nucleon scattering, 2=7887
- Halpern, F.R. Some examples of canonical transformations in quantum mechanics, 2=11278
- Halpern, F.R. Singularities of the five-point function in perturbation theory, 2=20274
- Halpern, F.R. A criterion for singularities in perturbation theory, 3=5941
- Halpern, F.R. Reduction formula for the five-point function, 3=14020
- Halpern, F.R. Singularities of the four-point function in perturbation theory with variable masses, 3=19590
- Halpern, F.R. Test for the spin parity of four-meson resonances, 4=16958
- Halpern, F.R. and Watson, H.L. Observable consequences of anomalous thresholds, 3=24593
- Halpern, G. See Schmidt, G., 3=16962
- Halpern, I. See Bodansky, D., 1=8773
- Halpern, I. See Bodansky, D., 2=12223
- Halpern, I. See Coleman, J.A., 4=9589
- Halpern, I. See Nicholson, W.J., 0=1449
- Halpern, J. and Harkness, A.C. Spectra of some transition metal ions and complexes in D_2O , 0=3531
- Halpern, J., Lax, B. and Nishina, Y. Quantum theory of interband Faraday and Voigt effects, 4=13011
- Halpern, J. See Frankel, S., 0=9389
- Halpern, J. See Frankel, S., 2=13831
- Halpern, J. See Frankel, S., 3=7876
- Halpern, J. See Frankel, S., 3=10134
- Halpern, J. See Geller, K.N., 0=11296
- Halpern, J. See Geller, K.N., 0=13261
- Halpern, L. On the role of gravitational fields in some elementary particle processes, 2=22392
- Halpern, L. On the structure of the gravitation self interaction, 3=21222
- Halpern, L. On alternative approaches to gravitation, 4=8030
- Halpern, L. and Laurent, B. On the gravitational radiation of microscopic systems, 4=24030
- Halpern, O. On materials of high dielectric constant, 4=4196
- Halpern, O. Studies of the optics of neutrons. II. Spin-independent interaction between neutrons and electrons, 4=9204
- Halpern, O. Studies of the optics of neutrons. III. Problems of polarization of slow neutrons, 4=9205
- Halpern, O. Studies of the optics of neutrons. IV. Magnetic saturation and neutron depolarization, 4=15639
- Halpern, O. See Dickinson, W.C., 2=9853
- Halpern, T. See Schmidt, H.E., 0=11666
- Halpern, V. Overlap functions in planar crystals, 4=15451
- Halpert, G., Madsen, A. C. and Foley, R. T. Analysis for oxygen by gas-phase polarography at low temperatures and low pressures: a prototype assembly, 4=26774
- Halpin, A.T. and Goldberg, P. Effects of interaction among particles in electroluminescent layers, 2=8591
- Halpin, J.C. See Buechle, F., 4=7452
- Halprin, A. See Andersen, C.M., 3=15024
- Halsall, M.J. See Edwards, S.F., 2=17714
- Halsey, G.D., Jr. Gas adsorption near the bulk critical
- Halsey, G.D., Jr. See Colwell, J.H., 3=9663
- Halsey, G.D., Jr. See Constabaris, G., 0=14146
- Halsey, G.D., Jr. See Constabaris, G., 3=1377
- Halsey, G.D., Jr. See Lovejoy, R.W., 2=6161
- Halsey, G.D., Jr. See Sams, J.R., Jr., 1=20684
- Halsey, G.D., Jr. See Sams, J.R., Jr., 2=6854
- Halsey, J.R., Jr. See Sams, J.R., Jr., 3=11324
- Halsey, G.D., Jr. See Volk, H., 0=19118
- Halsted, R.E., Apple, E.F., Prener, J.S. and Piper, W.W. Two-step optical excitation in CdS and ZnS, 2=23593
- Halsted, R.E., Lorenz, M.R. and Segall, B. Band edge emission properties of CdTe, 2=8573
- Halsted, R.E. and Segall, B. Double acceptor fluorescence in II-VI compounds, 3=15704
- Halsted, R.E. See Piper, W.W., 3=863
- Halsted, R.E. See Segall, B., 3=8519
- Halsteinslid, A. See Bellière, P., 4=3493
- Halsteinslid, A. See Jauneau, L., 3=12511
- Haltiner, G. J. Finite difference approximations for the determination of dynamic instability, 4=10703
- Haltiner, G.J. and Song, R.T. Dynamic instability in barotropic flow, 3=6955
- Haltner, A. J. The application of ultra-high vacuum techniques to studies of friction and wear, 4=20639
- Halton, J.H. and Hodgson, P.E. Distorted-wave calculations of the $Li^7(d,p)Li^8$ stripping reaction, 1=19511
- Haltrich, S. and Leibovici, I. Measurement and correction of the field index variation during the betatron acceleration cycle, 4=30005
- Haltrich, S. See Burea, V., 3=17009
- Haltrich, S. See Ciorăscu, F., 2=20084
- Haltrich, S. See Iliescu, C., 2=22294
- Haltrich, S. See Iliescu, C., 4=631
- Haltrich, S. See Stoicovici, E., 2=22288
- Halushka, A.P. See Konozenko, I.D., 1=19903
- Halverson, F. Comments of potassium superoxide structure, 2=15027
- Halverson, F., Brinen, J.S. and Leto, J. R. Luminescence of europium hexafluoro-acetylacetonate, 4=20085
- Halverson, F., Brinen, J.S. and Leto, J. R. Photoluminescence of lanthanide complexes. II. Enhancement by an insulating sheath, 4=24224
- Ham, F.S. Band calculations of the shape of the Fermi surface in the alkali metals, 1=17453
- Ham, F.S. Linear effect of applied electric field in electron spin resonance, 1=20215
- Ham, F.S. Energy bands of alkali metals. I. Calculated band, 2=23112
- Ham, F.S. Energy bands of alkali metals. II. Fermi surface, 3=6490
- Ham, F.S. Anisotropic spin-orbit interaction in paramagnetic resonance, 4=1864
- Ham, F. S. and Ludwig, G. W. Paramagnetic properties of iron group ions in tetrahedral coordination, 4=25903
- Ham, F.S., Ludwig, G.W., Watkins, G.D. and Woodbury, E.F. Spin Hamiltonian of Co^{2+} , 1=5954
- Ham, F.S. and Mattis, D.C. Electrical properties of thin-film semiconductors, 0=9953
- Ham, F.S. and Segall, B. Energy bands in periodic lattices—Green's function method, 2=2060

- Ham, F.S. See Cohen, M.H., 1=17466
 Ham, F.S. See Ludwig, G.W., 2=21367
 Ham, F.S. See Ludwig, G.W., 4=26369
 Ham, F.S. See Pell, E.M., 1=11302
 Ham, J.S. Kinetic theory of thermal diffusion in dilute polymer solutions, 0=19102
 Ham, J.S. See Herren, C.L., 1=15854
 Ham, L.B., Biggs, F. and Cathey, E.H., Jr. Fractional and multiple judgments of loudness, 2=21759
 Ham, N.S. Electronic interaction in the free-electron network model for conjugated systems. III. Spectra of hydrocarbons other than even alternants, 0=11530
 Ham, N.S. and Walsh, A. Potassium and rubidium Raman lamps, 2=7368
 Ham, R.K. The determination of dislocation densities in thin films, 2=2082
 Ham, R.K. On the loss of dislocations during the preparation of a thin film, 2=23187
 Ham, R.K. and Broom, T. The mechanism of fatigue softening, 2=6757
 Ham, R.K. and Sharpe, N.G. A systematic error in the determination of dislocation densities in thin films, 2=2083
 Ham, R.K. See Broom, T., 0=8124
 Ham, R.K. See Faulkner, E.A., 2=6349
 Hama, F.R. Some transition patterns in axisymmetric boundary layers, 0=921
 Hama, F.R. Streaklines in a perturbed shear flow, 2=13312
 Hama, F.R. Progressive deformation of a curved vortex filament by its own induction, 3=1657
 Hama, F.R. Progressive deformation of a perturbed line vortex filament, 3=11759
 Hama, F.R. and Nutant, J. Self-induced velocity on a curved vortex, 1=2739
 Hama, M. U(4) symmetry in strong interactions and relating mass formula, 4=30158
 Hama, M. and Tanaka, S. Relativistic quantum field theory of unstable particle, 2=5568
 Hama, M. and Tanaka, S. A theory of weak interaction based on the possible existence of strong octet gauge bosons and weak intermediate bosons, 4=19418
 Hama, Y. and Hoshizaki, N. p-p scattering at 660 MeV. Modified analysis, 4=27848
 Hama, Y. and Hoshizaki, N. p-p scattering at 970 MeV, 4=27849
 Hama, Y., Osada, J. and Taketani, M. Ghost scatterings, 2=20270
 Hama, Y. See Dietzsch, O., 1=17147
 Hama, Y. See Osada, J., 3=19562
 Hamada, H. See Nishida, J., 4=14759
 Hamada, H. See Sugata, E., 2=11706
 Hamada, H. See Sugata, E., 3=432
 Hamada, R. and Johnston, I.D. Hard core and shape parameter in the effective range expansion, 2=3330
 Hamada, S. Notes on magnetohydrodynamic equilibrium, 0=19901
 Hamada, S. Hydromagnetic equilibria and their proper coordinates, 3=12192
 Hamada, S. See Uchida, T., 3=12143
 Hamada, S. See Yoshimura, H., 4=27317
 Hamada, T. A note on the specification of nuclear potentials, 0=17460
 Hamada, T. A study on the low energy n-p system, 1=10889
 Hamada, T. A semiphenomenological proton-proton potential, 1=12085
 Hamada, T. Non-static effect in the $T = 0$ two-nucleon interaction, 1=16773
 Hamada, T. A proton-proton potential, 1=16783
 Hamada, T. A semiphenomenological proton-proton potential, 1=12084
 Hamada, T., Iwadare, J., Otsuki, S., Tamagaki, R. and Watari, W. Two-nucleon potential with the "one-pion-exchange tail", 0=20072
 Hamada, T., Iwadare, J., Otsuki, S., Tamagaki, R. and Watari, W. The triplet odd state potential of the two-nucleon system, 0=20126
 Hamada, T., Iwadare, J., Otsuki, S., Tamagaki, R. and Watari, W. Two-nucleon potential with the "one-pion-exchange tail". II, 1=3172
 Hamada, T. and Johnston, I.D. A potential model representation of two-nucleon data below 315 MeV, 2=13780
 Hamada, T. and Salpeter, E.E. Models for zero-temperature stars, 2=9088
 Hamada, T. See Kang, Y., 3=644
 Hamaguchi, C., Otsuki, T. and Inuishi, Y. Effect of conductivity on current saturation in CdS, 4=30620
 Hamaguchi, C. and Inuishi, Y. Temperature dependence of mobility of warm carriers in germanium and silicon, 4=6967
 Hamaguchi, C. See Inuishi, Y., 2=12544
 Hamaguchi, C. See Inuishi, Y., 3=10793
 Hamaguchi, H. Hypothetical vortex model for elementary particles, 3=22055
 Hamaguchi, M. On the hydrodynamical theory in multiple particle production, 0=12890
 Hamaguchi, M. On the two fluid model in multiple production of mesons, 0=15371
 Hamaguchi, M. Remarks on the viscous dissipation in relativistic hydrodynamics, 1=13312
 Hamaguchi, Y. Quenched-in vacancy in solid solution alloys, 1=19762
 Hamaguchi, Y., Komura, S., Kunitomi, N. and Sakamoto, M. Magnetic properties and structures of uranium-3d transition element alloys, 3=1113
 Hamaguchi, Y., Kunitomi, N., Komura, S. and Sakamoto, M. Electrical resistivity of UFe and U₂Mn, 2=12497
 Hamaguchi, Y. See Komura, S., 1=20078
 Hamaguchi, Y. See Kubo, K., 4=28512
 Hamaguchi, Y. See Kunitomi, N., 3=6829
 Hamaguchi, Y. See Kunitomi, N., 3=23469
 Hamaguchi, Y. See Kunitomi, N., 4=28771
 Hamaguchi, Y. See Kunitomi, N., 4=29146
 Hamaguchi, Y. See Yamadaya, T., 3=11205
 Hamakawa, Y., Nishino, T. and Yamaguchi, J. Carrier mobility and dislocation scattering in the boundary layer of germanium bicrystals, 3=22928
 Hamakawa, Y. and Yamaguchi, J. Electrical conduction in germanium grain boundary plane, 3=8506
 Hamakawa, Y. and Yamaguchi, J. Galvanomagnetic effects in boundary layer of germanium bicrystals, 3=22927
 Hamakawa, Y. See Yamaguchi, J., 0=4341
 Hamakawa, Y. See Yamaguchi, J., 1=6165
 Hamaker, R.W. and Quinn, H.F. Structure in the excess current region of gallium arsenide tunnel diodes, 2=18720
 Hamal, K. See Vránová, M., 4=28844
 Hämäläinen, M. An X-ray diffraction study of the alloy formation in a copper-nickel powder mixture, 4=26550
 Hämäläinen, M. See Kantola, M., 3=2823
 Hämäläinen, R.M.K. Deuteron photodisintegration in the medium energy range, 3=12515
 Hämäläinen, R.M.K. and Laurikainen, K.V. Electric and magnetic dipole transitions in deuteron photodisintegration in the medium energy range, 2=13891
 Hämäläinen, R.M.K. See Laurikainen, K.V., 4=11981
 Hamamoto, A.S. See Beardsley, G.F., Jr., 3=14126
 Hamamoto, A.S. See Miles, D.O., 2=11340
 Hamamoto, I. and Arima, A. Properties of Fe⁵⁷ and the proton-neutron interaction, 2=2707
 Hamamoto, I. and Miyazawa, H. Application of nucleon-nucleon dispersion relations to nuclear many-body problem, 1=12143
 Hamamoto, I. See Okabayashi, T., 3=19553
 Hamamura, S. On the relation between the moving striation and the plasma parameters in a glow discharge, 2=7579
 Hamamura, S. and Nishi, M. Note on the decomposition rate in the gaseous discharge, 0=7307
 Hamamura, S. See Nishi, M., 0=9017
 Hamamura, S. See Nishi, M., 1=14044
 Hamamura, S. See Oyasato, M., 2=7571
 Hamamura, S. See Takeyama, M., 1=289
 Hamann, A.K. See Bilaniuk, O.M., 2=5286
 Hamann, C. Rectifying properties of phthalocyanines, 4=20394
 Hamann, C. and Starke, M. Studies of the electric and thermoelectric properties of the modifications of metal-free phthalocyanine, 4=12923
 Hamann, D.R. and McWhorter, A.L. Cascades capture of electrons by ionized impurities, 4=12674
 Hamann, S.D. The ionisation of water at high pressures, 4=10646
 Hamann, S.D. See David, H.G., 3=20117
 Hamann, S.D. See Ewald, A.H., 3=7205
 Hamano, H. Polarity of the C-H bonds in acetylene and its molecular quadrupole moment, 1=8852
 Hamano, H., Hojng Kim and Hameka, H.F. Calculation of magnetic susceptibilities of diatomic molecules. II. Application to HF molecule, 3=8258
 Hamano, H. See Hojng Kim, 5=8259
 Hamano, K. Dielectric and electrostrictive anomalies slightly above the Curie point of NaNO₂, 4=28630
 Hamano, K., Negishi, K., Marutake, M. and Nomura, S. Electro-mechanical properties of NaNO₂ single crystal, 3=10885

- Hamberger, S.M. Measurement of neutral atom density in a highly ionized plasma by absorption of line radiation, 3=7579
- Hamberger, S.M. Intensity modulation of Balmer light from a high-frequency discharge, 3=21555
- Hambleton, K.G., Hilsum, C. and Holean, B.R. Determination of the effective ionic charge of gallium arsenide from direct measurements of the dielectric constant, 1=11331
- Hambleton, K.G., Low, J.J. and Sherwell, R.J. Gallium arsenide tunnel diodes, 0=7951
- Hambleton, K.G. See Coupland, M.J., 4=8989
- Hamblin, D.J. and Karasz, F.E. Temperature controller for use in calorimetry, 2=2924
- Hambro, L. See Mijnaerends, P.E., 4=22555
- Hamburg, R.E. See Zebouni, N.H., 4=6923
- Hamburger, A.I. Analysis of (d,t) pick-up reactions, 0=11420
- Hamburger, A.I. and Hamburger, E.W. Neutron-proton residual interactions in the $Y^{89}(d,p)Y^{90}$ reaction, 3=15109
- Hamburger, A.I. See Mayo, S., 0=5751
- Hamburger, E.W. Simple method for calibration of magnetic analyzers for nuclear accelerators, 0=15222
- Hamburger, E.W. Study of the differential cross sections of deuteron stripping reactions as a function of the incident energy, 1=11032
- Hamburger, E.W. Inelastic scattering of deuterons from strontium and yttrium, 3=4662
- Hamburger, E.W. Inelastic deuteron scattering. A compilation and discussion of available data, 4=9311
- Hamburger, E.W. and Blair, A.G. (d,p) and (d,t) reactions on magnesium isotopes, 0=13239
- Hamburger, E.W. and Cameron, J.R. Study of some reactions of 14.8 MeV deuterons with the lithium isotopes, 0=5752
- Hamburger, E.W., Cohen, B.L. and Price, R.E. Low-energy protons produced in the deuteron bombardment of nuclei, 1=3456
- Hamburger, E.W. and Reber, L.H. Study of the $K^{39}(d,d')$ reaction, 2=22842
- Hamburger, E.W. See Blair, A.G., 1=7396
- Hamburger, E.W. See Cohen, B.L., 2=1824
- Hamburger, E.W. See Dietzsch, O., 1=17147
- Hamburger, E.W. See Goldemberg, J., 4=6325
- Hamburger, E.W. See Hamburger, A.I., 3=15109
- Hamburger, E.W. See Landim, E., 2=18136
- Hamburger, E.W. See Sheline, R.K., 4=12152
- Hame, T.G. and Stuart, W.D. The electron content and distribution in the ionosphere, 1=9198
- Hameed, A.S. and Hariharan, S. A method of testing optical flatness of pre-polished glass surfaces, 0=19398
- Hämeen-Anttila, K.A. The information content of astronomical multicolour photometry, 2=4710
- Hämeen-Anttila, K.A. On the relativistic formulation of the Maxwell equations, 3=14739
- Hämeen-Anttila, K.A. Effects of solar radiation pressure on non-spherical artificial satellites, 3=23715
- Hämeen-Anttila, K.A. A statistical model for the micro-structure of the lunar surface, 4=10878
- Hameka, H.F. Calculation of the magnetic susceptibility of methane, 0=9826
- Hameka, H.F. Relationship between proton shielding constants and electric dipole moments in the hydrogen halides, 0=20681
- Hameka, H.F. Calculation of the diamagnetic susceptibility of N_2 , 1=4944
- Hameka, H.F. Calculation of the lower excited energy levels of helium, 1=5967
- Hameka, H.F. Theory of the diamagnetic susceptibilities of the alkanes, 1=9948
- Hameka, H.F. Theory of magnetic properties of molecules with particular emphasis on the hydrogen molecule, 2=14238
- Hameka, H.F. Theory of magnetic rotation spectra, 2=14259
- Hameka, H.F. Note on the theory of singlet-triplet transitions, 2=18448
- Hameka, H.F. Calculation of magnetic susceptibilities of diatomic molecules. I. General theory, 2=2793
- Hameka, H.F. Angular distribution of intensity and polarization in the triplet-singlet emission of benzene, 2=20843
- Hameka, H.F. Theory of singlet-triplet transitions in magnetic rotation spectra, 3=2594
- Hameka, H.F. On Pople's molecular-orbital theory of diamagnetism, 5=8240
- Hameka, H.F. Resonance fluorescence in gases and molecular crystals, 3=14219
- Hameka, H.F. Theory of resonance optical rotation, 4=11370
- Hameka, H.F. Continuum contributions to molecular diamagnetic susceptibilities, 4=22354
- Hameka, H.F. and Oosterhoff, L.J. The probabilities of triplet-singlet transitions in aromatic hydrocarbons and ketones, 0=506
- Hameka, H.F. See de la Vega, J.R., 4=6541
- Hameka, H.F. See Hamano, H., 3=8253
- Hameka, H.F. See Hauk, P., 4=1244
- Hameka, H.F. See Hojning Kim, 3=8259
- Hameka, H.F. See Hutchinson, D.A., 4=30387
- Hameka, H.F. See Mead, C.A., 4=15315
- Hameka, H.F. See Pitzer, R.M., 3=8290
- Hamelin, A. A contribution to the experimental study of the discharge of zinc ions on a monocrystalline zinc cathode, 2=15145
- Hamelin, J. See Bronca, G., 0=2412
- Hamelin, J. See Bronca, G., 0=19851
- Hamelin, J. See Gendreau, G., 1=16460
- Hamer, A.N. See Bishop, J., 1=5986
- Hamer, F.M. and Hull, D. Nucleation of twinning and fracture, 4=20664
- Hamer, N.K. Optical rotatory dispersion of transition metal complexes, 3=730
- Hamer, N.K. The spectra of some tetrahedral halide complexes of transition metal ions, 3=15354
- Hamer, W.J. See Craig, D.N., 0=19582
- Hamerlinck, A. See Jacobs, G., 2=14432
- Hamermesh, B., Monahan, J.E. and Smither, R.K. Level scheme of Au^{198} determined by analysis of high-precision capture gamma-ray measurements, 1=12153
- Hamermesh, B. and Smither, R.K. Precision measurement of gamma rays from β -decay in Au^{198} and Au^{199} , 1=12182
- Hamermesh, M. Galilean invariance and the Schrödinger equation, 0=10593
- Hamermesh, M. See Coester, F., 4=24979
- Hamermesh, M. See Hack, M.N., 1=5958
- Hamermesh, M. See Perlow, G.J., 0=7466
- Hames, F.A. Ferromagnetic-alloy phases near the compositions Ni_2MnIn , Ni_2MnGa , Co_2MnGa , Pd_2MnSb , and $PdMnSb$, 0=12048
- Hames, G.E. See Lockyer, R., 2=23980
- Hamester, H.L. See Gray, J.H., III, 0=20395
- Hamill, W.H. See Kubose, D.A., 1=13133
- Hamill, W.H. See Kubose, D.A., 3=14514
- Hamill, W.H. See Magee, J.L., 0=3297
- Hamill, W.H. See Melton, C.E., 4=24546
- Hamill, W.H. See Melton, C.E., 4=27471
- Hamill, W.H. See Moran, T.F., 4=1322
- Hamill, W.H. See Tsuda, S., 4=24600
- Hamilton, A.C. World standards for gravity measurements, 4=4736
- Hamilton, C.W. Sustained, localized, pulsed-microwave discharge in air, 1=5426
- Hamilton, D. See Bouchez, R., 2=12133
- Hamilton, D. See Tittmann, B., 4=16378
- Hamilton, D.C. and Jensen, M.A. Mechanism for superconductivity in lanthanum and uranium, 4=5516
- Hamilton, D.C. See Arrhenius, G., 4=5515
- Hamilton, D.C. See Kuper, C.G., 4=14523
- Hamilton, D.C. See Luo, H.L., 4=29833
- Hamilton, D.J., Lindholm, F.A. and Narud, J.A. Comparison of large signal models for junction transistors, 4=26086
- Hamilton, D.J. See Latham, D.C., 4=26085
- Hamilton, D.R. Interferometric determination of twist and polytype in silicon carbide whiskers, 0=1886
- Hamilton, D.R. A comment on the paper by Prohaszka on the origin of dislocations in dendrites, 4=28458
- Hamilton, D.R., Choyke, W.J. and Patrick, L. Photoluminescence of nitrogen-exciton complexes in 6H SiC, 3=18034
- Hamilton, D.R. and Seidensticker, R.G. Propagation mechanism of germanium dendrites, 0=12009
- Hamilton, D.R. and Seidensticker, R.G. Growth mechanisms of germanium dendrites: kinetics and the nonisothermal interface, 3=13421
- Hamilton, D.R. and Seidensticker, R.G. Association in melted semiconductors, 3=21614
- Hamilton, D.R. See Ames, O., 0=13171
- Hamilton, D.R. See Ames, O., 1=12148
- Hamilton, D.R. See Bennett, A.I., 2=21486
- Hamilton, D.R. See Choyke, W.J., 0=8012
- Hamilton, D.R. See Choyke, W.J., 4=10218
- Hamilton, D.R. See Christensen, R.L., 1=8566
- Hamilton, D.R. See Patrick, L., 4=7157
- Hamilton, D.R. See Posner, M., 1=16968
- Hamilton, D.R. See Seidensticker, R.G., 3=25678

- Hamilton, D.R. See Seidensticker, R.G., 4=15769
- Hamilton, E.H. Changes in relation between refractive index and Young's modulus as the result of successive heat treatments, 4=22864
- Hamilton, G.W. See Boley, F.I., 3=19291
- Hamilton, H. See Becker, H., 4=23196
- Hamilton, J., Menotti, P., Spearman, T.D. and Woolcock, W.S. Low energy pion-nucleon scattering and pion-pion interactions, 2=22596
- Hamilton, J., Menotti, P., Oades, G.C. and Vick, L.L.J. Pion-nucleon scattering and pion-pion interactions, 3=2310
- Hamilton, J., Menotti, P., Spearman, T.D. and Woolcock, W.S. Evidence for pion-pion interactions from s-wave pion-nucleon scattering, 1=12101
- Hamilton, J. and Spearman, T.D. Low-energy pion scattering, 1=7274
- Hamilton, J., Spearman, T.D. and Woolcock, W.S. s-wave pion-nucleon scattering and pion-pion interactions, 2=5723
- Hamilton, J. and Woolcock, W.S. Low-energy pion phenomena, 0=9397
- Hamilton, J. See Donnachie, A., 4=12044
- Hamilton, J. See Donnachie, A., 4=25143
- Hamilton, J. and Woolcock, W.S. Determination of pion-nucleon parameters and phase shifts by dispersion relations, 4=15092
- Hamilton, J.C. See Kelly, R.D., 1=4885
- Hamilton, J.F. A study of the formation of the latent image by the simultaneous action of pulsed light and pulsed electric fields, 0=12506
- Hamilton, J.F. and Brady, L.E. Electrical measurements on photographic emulsion grains. I. Dark conductivity, 0=1616
- Hamilton, J.F. and Brady, L.E. Electrical measurements on photographic emulsion grains. II. Photoelectronic carriers, 0=1617
- Hamilton, J.F. and Brady, L.E. Print-out process in photographic emulsion grains, 0=8814
- Hamilton, J.F. and Brady, L.E. The role of mobile silver ions in latent-image formation, 3=11948
- Hamilton, J.F. and Brady, L.E. Twinning and growth of silver bromide microcrystals, 4=13519
- Hamilton, J.F. See Brady, L.E., 4=18437
- Hamilton, J.F. See Spencer, H.E., 4=14413
- Hamilton, J.H. and Brantley, W.H. Note on the distortion of beta spectra from backscattering, 4=9173
- Hamilton, J.H., Duncan, T.R., Krouser, H. and Pollard, J. E2 K conversion coefficients in the decay of 13 y half-life Eu^{152} , 3=2411
- Hamilton, J.H., Goudsmit, P.F.A. and Jansen, J.F.W. Note on the decay of ^{132}I , 3=22335
- Hamilton, J.H., Hultberg, S. and Frey, W.F. Relative gamma-ray intensity measurements in the decay of Ir^{192} , 2=20523
- Hamilton, J.H., Langer, L.M. and Smith, W.G. Evidence for small deviations in the allowed positron spectrum of Zr^{89} , 0=13195
- Hamilton, J.H., Langer, L.M. and Smith, D.R. Positron spectra of Co^{60} , 1=10984
- Hamilton, J.H., Löbner, K.E.G., Sattler, A.R. and Van Lieshout, R. The energy levels in ^{94}Mo populated by the decays of ^{94}Tc and $^{94}\text{Tc}^m$, 4=30323
- Hamilton, J.H., Pettersson, B.G. and Hollander, J.M. Beta-gamma directional correlation in the decay of Ag^{111} , 1=7349
- Hamilton, J.H., Pettersson, B.G. and Hollander, J.M. Beta-gamma directional correlation in Rb^{86} , 19406
- Hamilton, J.H. and Sattler, A.R. Search for the isomeric decay of 4.9 h In^{110m} to In^{110} , 4=3571
- Hamilton, J.H., Stockendal, R.V., Camp, D.C., Langer, L.M. and Smith, D.R. The shape of the intense Au^{198} beta spectrum and the K conversion coefficient of the 412-keV transition, 2=20550
- Hamilton, J.H. See Albridge, R.G., 1=19373
- Hamilton, J.H. See Baird, Q.L., 2=20314
- Hamilton, J.H. See Boyd, H.W., 4=9538
- Hamilton, J.H. See Croft, W.L., 4=3620
- Hamilton, J.H. See Frey, W.F., 2=10062
- Hamilton, J.H. See Frey, W.F., 3=22366
- Hamilton, J.H. See Hankla, A.K., 3=17439
- Hamilton, J.H. See Hultberg, S., 1=5875
- Hamilton, J.H. See Newbolt, W.B., 4=19725
- Hamilton, J.H. See Pettersson, B.G., 1=2185
- Hamilton, J.H. See Pettersson, B.G., 2=18296
- Hamilton, J.H. See Willard, D., 3=2409
- Hamilton, J.N. See Kelton, G., 4=358
- Hamilton, J.R. See Hemstreet, R.A., 1=5983
- Hamilton, P.A. See Ellis, G.R.A., 4=10918
- Hamilton, P.M. Underwater hearing thresholds, 4=13992
- Hamilton, P.M. Advances in III-V and II-VI semiconductor compounds, 4=26027
- Hamilton, R.A.H. See Bransden, B.H., 0=9352
- Hamilton, R.A.H. See Bransden, B.H., 1=3249
- Hamilton, R.J. Dimensions of microscope eyepiece gratings, 0=6918
- Hamilton, R.J. See Bugden, A.R., 0=14140
- Hamilton, R.L. and Crosser, O.K. Thermal conductivity of heterogeneous two-component systems, 2=19747
- Hamilton, T.D.S. Photofluorescence decay times of organic phosphors, 2=720
- Hamilton, W.C. On the isotropic temperature factor equivalent to a given anisotropic temperature factor, 0=3216
- Hamilton, W.C. On the least-squares plane through a set of points, 2=6803
- Hamilton, W.C. Comments on recent work of hydrogen atom location thermal motion determination by neutron diffraction, 3=6832
- Hamilton, W.C. Secondary extinction corrections for cylindrical crystals, 3=18292
- Hamilton, W.C. and Ibers, J.A. A neutron diffraction study of polycrystalline HCrO_2 and DCrO_2 , 3=1334
- Hamilton, W.C. and Ibers, J.A. Structures of HCrO_2 and DCrO_2 , 4=7613
- Hamilton, W.C., Ibers, J.A. and Mackenzie, D.R. Geometry of the perxenate ion, 4=4629
- Hamilton, W.C. and Petrie, M. Confirmation of disorder in solid nitrous oxide by neutron diffraction, 2=4358
- Hamilton, W.C. See Clinton, W.L., 0=17838
- Hamilton, W.C. See Ibers, J.A., 3=6846
- Hamilton, W.C. See Ibers, J.A., 4=23389
- Hamilton, W.D. The lifetime of the 364 keV level in ^{131}Xe , 1=8658
- Hamilton, W.D. The lifetime of the 673 keV level in Xe^{132} , 2=386
- Hamilton, W.D. The lifetime of the 638 KeV level in ^{131}Xe , 2=387
- Hamilton, W.D. and Aasa, E. A search for low energy transitions in ^{135}Xe , 3=651
- Hamilton, W.D., Grabowski, Z. and Thun, J.E. Angular correlation and resonant scattering in ^{117}Sn , 2=3527
- Hamilton, W.D. and Sood, B.S. The resonant scattering of gamma rays in ^{177}Hf , 1=17072
- Hamilton, W.D. See Gradowski, Z., 2=7953
- Hamilton, W.D. See Thun, J.E., 2=3524
- Hamilton, W.D. See Thun, J.E., 2=20547
- Hamilton, W.M. See Rosenberg, N.W., 2=8982
- Hamilton, W.O. and Pake, G.E. Linear antiferromagnetism in the organic free radical 1,3-bis(diphenyl)-2-phenyl allyl, 4=4391
- Hamisch, H. A continuous secondary electron multiplier, 2=17881
- Hamisch, H. Energy flux through the shadow boundary behind a diffracting half-plane, 2=19726
- Hamisch, H. Surface discharges across insulators in vacuum, 3=16923
- Hamisch, H. and Binkele, L. The "fixing" of electron and ion-optical images with high resolution by polymerization of organic substances, 4=4644
- Hamisch, H. See Boersch, H., 0=5355
- Hamisch, H. See Boersch, H., 1=3017
- Hamisch, H. See Boersch, H., 1=16422
- Hamisch, H. See Boersch, H., 2=1505
- Hamisch, H. See Boersch, H., 2=9559
- Hamisch, H. See Boersch, H., 2=15962
- Hamisch, H. See Boersch, H., 2=2262
- Hamisch, H. See Boersch, H., 3=19226
- Hamisch, H. See Gobrecht, H., 0=5095
- Hamlin, D.A., Karplus, R., Vik, R.C. and Watson, K.M. Mirror and azimuthal drift frequencies for geomagnetically trapped particles, 1=15327
- Hamm, R.N. and Harris, E.G. Correlation functions for blackbody radiation, 4=5435
- Hamman, J. See Mirels, H., 2=1182
- Hammarfors, P. and Kajland, A. Sound-pressure analyses of noise from motor vehicles, 4=292
- Hamme, R.N. Laboratory measurements of sound transmission through suspended ceiling systems, 1=18542
- Hammel, E.F., Keller, W.E. and Craig, P.P. Liquid helium II heat conductivity and fountain pressure: measurements and calculations for narrow slits, 4=21375

- Hammel, E.F., Sherman, R.H., Kilpatrick, J.E. and Edeskuty, F.J. Entropy-temperature phase diagram for He³, 0=8873
- Hammel, E.F. See Keller, W.E., 0=8910
- Hammel, E.F., Jr. and Keller, W.E. Fountain pressure measurements in liquid He II, 2=1330
- Hammel, E.F., Jr. See Craig, P.P., 3=7398
- Hammel, E.F., Jr. See Keller, W.E., 0=14917
- Hammel, J.E. See Baker, D.A., 2=1455
- Hammel, J.E. See Baker, D.A., 2=1456
- Hammel, J.E. See Baker, D.A., 2=17823
- Hammell, L. See Lodding, W., 0=2062
- Hammer, C.L. and Good, R.H., Jr. Four-fermion interactions with spin 3/2 neutrinos, 0=5693
- Hammer, C.L. and Good, R.H., Jr. Electrodynamical quantization process, 1=8413
- Hammer, C.L. and Laslett, L.J. Resonant beam extraction from an a.g. synchrotron, 1=4681
- Hammer, C.L. See Bureau, A.J., 1=5516
- Hammer, C.L. See Deck, R.T., 4=16872
- Hammer, C.L. See Fradkin, D.M., 4=21791
- Hammer, C.L. See Moroi, D.S., 4=9182
- Hammer, C.L. See Plimpton, J.D., 4=9181
- Hammer, C.L. See Weaver, D.L., 4=21038
- Hammer, C.L. See Weber, T.A., 4=21018
- Hammer, D.C., Arakawa, E.T. and Birkhoff, R.D. A simple grating calibrator for the visible and vacuum ultraviolet, 4=8444
- Hammer, D.C. See Arakawa, E.T., 3=20536
- Hammer, J.M. Power spectra measurements on ultralow-noise beams, 4=14758
- Hammer, S. Rock densities and vertical gradient of gravity in the earth's crust, 3=16187
- Hammer, W. and Köhler, W. The neutron flux distribution in an empty fuel-element position of a pool-reactor, 4=19908
- Hämmerlin, G. Theory of three-dimensional instability of laminar boundary layers, 0=19059
- Hammerling, P. See Kivel, B., 2=2757
- Hammermesh, M. See Lynch, F.J., 0=17488
- Hammerschlag, M. See Kowalewski, V.J., 0=19772
- Hammersley, J.M. Limiting properties of numbers of self-avoiding walks, 0=10468
- Hammersley, J.M. Comparison of atom and bond percolation processes, 1=15742
- Hammersley, J.M. See Frisch, H.L., 1=17385
- Hammersley, J.M. See Frisch, H.L., 2=12447
- Hammersley, J.M. See Lytle, R.A., 4=20910
- Hammersley, J.M. See Vysotsky, V.A., 1=12346
- Hammes, J.P. See Bradley, A., 3=25420
- Hamming, R.W. See McCall, D.W., 4=4416
- Hammodat, M.M. Test for general characteristics of the flow through rectangular nozzles at near the critical speeds, 1=6838
- Hammond, G.L. The shift and broadening of the resonance doublet of Ba II caused by He and Ar collisions, 3=2562
- Hammond, G.L. See Lalos, G.T., 2=13450
- Hammond, G.S. See Moore, W.M., 0=14130
- Hammond, H.K., III. Spectroradiometry by means of modified spectrophotometers, 4=2829
- Hammond, H.K., III, Holford, W.L. and Kuder, M.L. Ratio-recording spectroradiometer, 0=16858
- Hammond, J.A. See Coop, W.H., 2=16849
- Hammond, J.L., Jr. A lower bound and other properties of the mean-square error of linear measurement systems, 3=1580
- Hammond, M.L. See Bragg, R.H., 4=20704
- Hammond, M.L. See Bragg, R.H., 4=20781
- Hammond, R.H. and Kelly, G.M. Nuclear magnetic resonance and relaxation in superconducting aluminium, 4=20608
- Hammond, R.H. and Knight, W.D. Nuclear quadrupole resonance in superconducting gallium, 0=19562
- Hammond, F.H. See Andros, G.M., 1=9162
- Hammond, R.P. Large reactors may distill sea water economically, 3=19902
- Hammond, R.P. and Humphreys, J.R., Jr. Direct-contact core systems, 4=19900
- Hamon, J. See Rowley, W.R.C., 4=11344
- Hamon, J. See Terrien, J., 2=15742
- Hamor, J. See Furukawa, K., 3=7197
- Hamoui, A. Birkhoff's theorem and Petrov's "radiative" solution, 4=27048
- Hamp, E.P. American English phonemes, 0=14328
- Hampe, W. Characteristics of ferromagnetic substances in the Rayleigh region, 3=3108
- Hampe, W. Rayleigh potential and diffusion after-effect in carbon-containing silicon-iron, 3=13254
- Hampe, W. The influence of the diffusion process on the permeability of ferromagnetic material, 4=13153
- Hampe, W. and Bilger, H. The Rayleigh potential in 3% Si iron with orientated [Goss] texture, 3=20586
- Hampe, W., Bilger, H. and Widmann, D. The influence of diffused foreign atoms on the form of the hysteresis loop, 1=17634
- Hampe, W. and Widmann, D. The frequency dependence of the initial permeability of Si-iron containing carbon between -70° and +180°C, 4=4361
- Hampson, J. See Lytle, E.A., 4=23780
- Hampson, R.F., Jr. and Walker, R.F. Vapor pressures of platinum, iridium, and rhodium, 2=5216
- Hampson, R.F. and Walker, R.F. The vapor pressure of palladium, 2=15808
- Hampstead, G.W. Design criterion for correction of parallax at the best focus for definition, 0=8770
- Hampton, B.F. Direct method for determining the velocity of nuclear particles, 0=7252
- Hampton, D.B. See Stowe, A.N., 1=9214
- Hampton, D.B. See Stowe, A.N., 3=16443
- Hampton, D.E. An experimental study of the phase stability of v.l.f. signals, 4=17947
- Hampton, L.D. and McKinney, C.M. Experimental study of the scattering of acoustic energy from solid metal spheres in water, 1=6936
- Hampy, R.E., Holck, D.K. and Pollard, N. Laboratory technique for making multiple microphotographs, 4=24402
- Hamrick, P. See Shields, H., 2=18946
- Hamrin, C.E., Jr. and Thodos, G. Vapor pressures of the inert gases, 1=13024
- Han, K.S., Pancholi, S.C. and Grunditz, Y. On the transitions from the excited levels of Re¹⁸⁷, 3=8015
- Han, M.Y. and Hatsukade, S. Contribution of neutral pions to photon-photon scattering, 1=13374
- Han Wen-Shu, Sou You-Liang and Yan Ing-Chou. Method of calculation of nonaxial rotational wave-functions and energy levels of odd-A nuclei, 4=995
- Hanabusa, M. See Foner, S., 3=15740
- Hanada, R. See Hasiguti, R.R., 3=22877
- Hanada, R. See Morita, S., 1=8766
- Hanada, R. See Morita, S., 1=12213
- Hanafy, Z. See Mikhail, H., 1=17829
- Hanafy, Z. See Yousef, Y.L., 2=4086
- Hanai, T. Dielectric theory on the interfacial polarization for two-phase mixtures, 2=17102
- Hanai, T., Koizumi, N. and Gotoh, R. Dielectric constants of emulsions, 3=3414
- Hanak, J.J., Cody, G.D., Cooper, J.L. and Rayl, M. The effect of composition on the superconducting properties of vapour-deposited niobium stannide, 4=16359
- Hanak, J.J. and Daane, A.H. High temperature X-ray diffraction techniques for active metals, 1=10247
- Hanak, J.J. See Cody, G.D., 4=16360
- Hanamura, E. and Inui, T. Anharmonic effects on the vibration spectrum of the U-centers in alkali-halide crystals, 3=20247
- Hanamura, E., Inui, T. and Toyozawa, Y. Cyclotron resonance of hot electrons in pure germanium, 2=16638
- Hanamura, E. See Tanaka, S., 4=12910
- Hanasaka, T. See Fujinaga, A., 2=22283
- Hanasaka, T. See Fujinaga, A., 4=29680
- Hanasz, J. See Gorgolewski, S., 2=13156
- Hanau, R. Error analysis in a general physics laboratory, 4=2518
- Hanauer, S.H., Dabbs, J.W.T., Roberts, L.D. and Parker, G.W. Angular distribution of alpha particles emitted by oriented Np²³⁷ nuclei, 2=393
- Hanauer, S.H. See Ricker, C.W., 4=19865
- Hanawa, T. See Kakinoki, J., 0=8281
- Hanbury Braun, R. See Braun, R. Hanbury.
- Hanbury Brown, R., Davies, R.D. and Hazard, C. A curious feature of the radio sky, 1=4213
- Hancock, D.A. See Hunt, S.E., 0=7557
- Hancock, J. See Armstrong, H.L., 4=22938
- Hancox, R. Importance of insulating inclusions in arc initiation, 0=16991
- Hancox, R. Triggering mechanism of low-pressure spark gaps, 3=4051
- Hancox, R. See Goodall, D.H.J., 4=18759
- Hancox, R. See Robson, A.E., 0=5305
- Hand, C.W. Short u.v. emission from acetylene flames, 2=16535
- Hand, C.W. and Kistiakowsky, G.B. Ionization accompanying the acetylene-oxygen reaction in shock waves, 2=23959
- Hand, G.L. and Levine, M.A. New approach to force-free magnetic fields, 2=20096

- Hand, J.E. See Wilkening, M.H., 1=15246
- Hand, L. and Schaefer, C. Pion photoproduction at backward angles near the second nucleon-pion resonance, 1=7267
- Hand, L.N. Electron-proton scattering at 900 MeV and 135°, 0=17305
- Hand, L.N. Experimental investigation of pion electroproduction, 3=7896
- Hand, L.N., Miller, D.G. and Wilson, R. Alternative nucleon form factors, 2=13782
- Hand, L.N., Miller, D.G. and Wilson, R. Electric and magnetic form factors of the nucleon, 4=891
- Hand, L.N. and Panofsky, W.K.H. Magnetic quadrupole with rectangular aperture, 0=2401
- Hand, L.N. See Drickey, D.J., 3=14971
- Handel, J. van den. See van den Handel, J.
- Handel, P. Relaxation of slow surface states in semiconductors, 2=10448
- Handel, P. The slow surface states relaxation in semiconductors, 2=10450
- Handel, P. On low-frequency noise in semiconductors, 3=20281
- Handel, S. See Ohlin, P., 0=17295
- Handel, S.K. Studies of the discharge mechanism in a coaxial flash X-ray tube, 3=9894
- Handelman, E.T. and Pivilonis, E.I. Epitaxial growth of silicon by vacuum sublimation, 4=15822
- Hariderek, J. and Piech, T. On the time of maintainment of heterocharge on wax electrets, as dependent on screening, 4=20424
- Haridge, P. See Machnig, O., 2=8027
- Handler, G.S. and Joy, H.W. Radial correlation in helium, 4=22297
- Handler, G.S. and Townsend, J.R. Finite difference operators and non-linear transformations, 4=18026
- Handler, G.S. See Golden, S., 4=1173
- Handler, G.S. See Joy, H.W., 4=30366
- Handler, G.S. See Townsend, J.R., 0=7734
- Handler, G.S. See Townsend, J.R., 2=16502
- Handler, P. Energy level diagrams for germanium and silicon surfaces, 1=1062
- Handler, P. Surface conductivity of cleaved silicon surfaces, 2=12522
- Handler, P. New method for the measurement of surface electrical conductivity of Si and Ge by cleavage, 4=4167
- Handler, P. Resource letter SCR-1 on semiconductors, 4=20340
- Handler, P. and Portnoy, W.M. Electronic surface states and the cleaned germanium surface, 0=2878
- Handler, P. See Prova, A., 4=26193
- Handler, P. See Landwehr, G., 2=18677
- Handley, T.H. See Harmatz, B., 0=15538
- Handley, T.H. See Harmatz, B., 1=12160
- Handley, T.H. See Harmatz, B., 3=2380
- Handley, T.H. See Harmatz, B., 4=27955
- Handley, T.H. See Jacob, K.P., 0=5714
- Handley, T.H. See Wright, H.W., 0=13178
- Handrup, M.B. and Mack, J.E. On the spectrum of ionized tellurium, Te II, 4=25512
- Hands, E. See Morris, J.C., 2=5118
- Hands, R.A., Heslop, W.A. and Littlefield, T.A. Calculation of wavelengths from reflecting echelon patterns, 1=5343
- Handschig, G. See Bär, F., 0=4235
- Handschig, G. See Kuhn, H., 0=4234
- Handscamb, D.C. The Monte Carlo method in quantum statistical mechanics, 2=21843
- Handscamb, D.C. A Monte Carlo method applied to the Heisenberg ferromagnet, 4=13133
- Handscamb, D.C. See Ehrman, J.R., 1=5064
- Handtmann, D. See Breitling, G., 4=18177
- Handtmann, D. See Brözel, R., 2=15566
- Handtmann, D. See Brözel, R., 2=17435
- Handtmann, D. See Brözel, R., 2=17436
- Handy, R.M. Electrode effects on aluminum oxide tunnel junctions, 2=14545
- Hane, M. Restless harmonic oscillator, 2=4909
- Hanel, R. Comments on "dielectric bolometer", 1=13011
- Hanel, R.A. Thermoelectric microphone for modulated ultrasonic waves, 0=19321
- Hanel, R.A. Dielectric bolometer: a new type of thermal radiation detector, 1=4499
- Hanel, R.A. Determination of cloud altitude from a satellite, 1=20837
- Hanel, R.A., Bandoen, W.R. and Conrath, B.J. The infrared horizon of the planet earth, 3=16435
- Hanel, R.A. and Wark, D.Q. Tiros II radiation experiment and its physical significance, 2=1029
- Hanel, R.A. and Stroud, W.G. The Tiros II radiation experiment, 2=8950
- Hanel, R.A. See Bandoen, W.R., 2=2574
- Hanel, R.A. See Bandoen, W.R., 4=13766
- Haneman, D. Behaviour of InSb surfaces during heat treatment, 0=2830
- Haneman, D. Photoelectric emission and work functions of InSb, GaAs, Bi₂Te₃ and germanium, 0=13636
- Haneman, D. Comparison of structures of surfaces prepared in high vacuum by cleaving and by ion bombardment and annealing, 0=14047
- Haneman, D. Adsorption and bonding properties of cleavage surfaces of bismuth telluride, 0=14151
- Haneman, D. Structure and adsorption characteristics of (111) and (111) surfaces of InSb cleaned by ion bombardment and annealing, 1=1447
- Haneman, D. Surface structures and properties of diamond-structure semiconductors, 1=4078
- Haneman, D. Structure and absorption and characteristics of clean (111) and (111) surfaces of gallium antimonide, 2=23908
- Haneman, D. Free bonds in semiconductors, 3=10748
- Haneman, D. and Chung, M.F. Hillocks on sputtered Ge surfaces, 3=24386
- Haneman, D. and Mitchell, E.W.J. The analysis of spectral yield and accelerating field characteristics of the photoelectric emission from semiconductors, 1=18922
- Haneman, D. and Pugh, E.N. Tear marks on cleaved germanium surfaces, 3=23382
- Haneman, D. See Banbury, P.C., 1=6146
- Haner, D.A. See Dickens, J.K., 3=6236
- Haner, D.A. See Dickens, J.K., 4=6330
- Hanes, G.R. Limiting precision in optical interferometry, 0=1037
- Hanes, G.R. Multiple tube collimator for gas beams, 1=1761
- Hanes, G.R. Quantum limit to precision of wavelength determination, 3=14304
- Hanes, G.R. and Stoicheff, B.P. Time-dependence of the frequency and line-width of the optical emission from a pulsed ruby maser, 3=2142
- Hanes, M.H. and Bair, E.J. Reactions of nitrogen-hydrogen radicals. I. NH₂ recombination in the decomposition of ammonia, 3=8308
- Hanes, M.H. See Kramer, H.H., 1=10586
- Haney, G.R. See Bergold, G.H., 0=3878
- Hang, J. See Ballam, J., 0=2576
- Hängäut, M. and Peculea, M. Long distances indication manometer for high pressures, 2=2673
- Hangos, I. The adherence of fluorescent films on glass surfaces. II. The effect of alkali salts on the adherence of fluorescent films, 0=1873
- Hangos, I. The composition and some properties of absorbed binder films on micro-crystalline fluorescent screens, 2=6616
- Hangos, I., Toperczer, H. and Pozsgay, G. Influence of binders upon the surface brightness of cathode-ray tube screens. III., 0=18149
- Hangos, I. See Gergely, G., 0=2963
- Hangos, I. See Weiszburg, J., 0=10325
- Hanic, F. The crystal structure of meta-zeunerite Cu(UO₂)₂(AsO₄)₂ · 8 H₂O, 1=9137
- Hanic, F. and Michalov, J. The crystal structure of copper caliculate tetrahydrate Cu(OH.C₆H₄.COO)₂ · 4H₂O, 0=8247
- Hänka, L. Relativistic analysis of classical experiments, 3=17031
- Hänka, L. The relativistic approach to the electro-dynamics of moving bodies, 3=19418
- Hanke, I. The influence of defect sites on the chemical structure of phosphorescent calcite, 1=1363
- Hanke, I. Point defects in calcite crystals. I. Information on etch sensitive point defects and their diffusion on untreated cleavage surfaces of rhombohedral calcite, 1=11532
- Hanke, I. Dislocations in calcite crystals. II. Information from etch-sensitive dislocations and their distribution in the region of scratch-lines and pressure-marks on rhombohedral cleavage faces, 1=19790
- Hanke, I. Faults in single crystals of yttrium-iron and gadolinium-iron garnets. I. Etching agents for garnets: observations on faults in faces with low indices, 2=23814
- Hanke, I. Faults in single crystals of yttrium-iron and gadolinium-iron garnets. II. Determining the orientation of YIG single crystal spheres from etch patterns, 2=23815

- Hanke, I. and Burger, H. Dislocations in manganese-ferrite single crystals. I. Data on dislocation in low-index surfaces and the effects of various etching agents, 2=10401
- Hanke, I. and Burger, H. Dislocations in manganese ferrite single crystals. II. Edge and screw dislocations; distribution of dislocations over the crystal diameter, 2=18590
- Hanke, I. and Metzendorf, W. The exhibition of the magnetic domain structures of ferrites with the help of the magneto-optical Kerr effect, 3=13276
- Hanke, I. See Burger, H., 2=10394
- Hanke, L. Delbrück scattering by a homogeneous magnetic field, 0=322
- Hanking, B.M. See Wickersheim, K.A., 0=2941
- Hanking, B.M. See Wickersheim, K.A., 0=10040
- Hankla, A.K., Hamilton, J.H. and Stockendal, R.V. K internal conversion coefficients of transitions in Ba^{134} , 3=17439
- Hanks, R.V. Cluster integral theory of distribution functions of spatially nonuniform systems, 1=4273
- Hanks, R.V. Classical cluster integral theory of fluids in external fields, 1=6797
- Hanks, R.V. Some integral equations occurring in the classical theory of fluids, 1=9329
- Hanks, F.V. Pressure dependence of the Mössbauer effect, 1=19694
- Hanks, R.V. See Flynn, G.P., 3=7223
- Hanks, R.V. See Ishihara, A., 2=2679
- Hanks, R.W. Velocity profile development in the entrance region of a right circular cylinder with slip at the walls, 4=5223
- Hanks, R.W. and Weissberg, H. L. Slow viscous flow of rarefied gases through short tubes, 4=11221
- Hanle, W., Kanzler, G. and Scharmann, A. Exo-electron emission from ionic crystals, 1=8344
- Hanle, W., Kugler, E. and Schmillen, A. Luminescence of the inert gases when excited by rapid electrons, 4=25491
- Hanle, W., Scharmann, A. and Seibert, G. Exo-electron emission from substances during loss of water of crystallization, 3=5689
- Hanle, W. See Bräunlich, P., 2=2265
- Hanley, H. J. M. A differential mercury manometer, 4=21008
- Hanley, T.D. See Hogan, D.D., 3=11623
- Hanlon, J.E. Diffusion of cadmium in pure and cadmium doped AgBr, 0=9916
- Hanlon, J.E. and Wolf, J.D. Technique for analyzing composite internal-friction peaks, 4=28914
- Hanlon, J.E. See Phillips, W.L., Jr., 4=12786
- Hanlon, J.E. See Wolf, J.D., 2=2285
- Hann, R. See Brun, E., 2=18961
- Hanna, G.C. The neutron flux perturbation due to an absorbing foil; a comparison of theories and experiments, 3=12472
- Hanna, G.C. and Clarke, R.L. Neutron evaporation in the 14 MeV neutron fission of uranium, 1=17161
- Hanna, G.C., Primeau, D.B. and Tunnicliffe, P.R. Thermal neutron cross sections and the resonance integrals of the reactions $\text{O}^{17}(n,\alpha)\text{C}^{14}$, $\text{A}^{36}(n,\alpha)\text{S}^{33}$, and $\text{N}^{14}(n,p)\text{C}^{14}$, 2=1902
- Hanna, G.C. See Bercovitch, M., 0=13098
- Hanna, G.C. See Griffin, J.J., 1=8787
- Hanna, J. See St Romain, F.A., 2=14137
- Hanna, J. G. and Siggia, S. Latent heats of vaporization from distillation rate data, 4=8511
- Hanna, M.W. E.S.R. study of the triphenylphosphine anion, 2=20863
- Hanna, M.W. and Altman, L.J. Hyperfine interactions in X-irradiated magnesium phosphite hexahydrate, 2=10701
- Hanna, M.W., McLachlan, A.D., Dearman, H.H. and McConnell, H.M. Radiation damage in organic crystals. III. Long polyene radicals, 2=18495
- Hanna, N.O.M. The induction of electric currents in non-isotropic and nonuniform thin spherical shells and its application to a problem in geomagnetism, 0=19885
- Hanna, N.O.M. The induction of electric currents in a non-isotropic and non-uniform ionosphere, 1=9192
- Hanna, N. O. M. The induction of electric currents in a non-isotropic spherical shell by a periodic inducing field, 4=23801
- Hanna, N.O.M. See Bassali, W.A., 1=1715
- Hanna, R.C. and Rose, B. Fast neutron capture in ^{238}U and ^{232}Th , 0=7822
- Hanna, R.C. See Craddock, M.K., 3=22131
- Hanna, R.C. See Davis, D.G., 0=15411
- Hanna, R.C. See Davis, D.G., 3=24730
- Hanna, S.S., Heberle, J., Littlejohn, C., Perlow, G.J., Preston, R.S. and Vincent, D.H. Observations on the Mössbauer effect in Fe^{57} , 0=5663
- Hanna, S.S., Heberle, J., Littlejohn, C., Perlow, G.J., Preston, R.S. and Vincent, D.H. Polarised spectra and hyperfine structure in Fe^{57} , 0=7463
- Hanna, S.S., Heberle, J., Perlow, G.J., Preston, R.S. and Vincent, D.H. Direction of the effective magnetic field at the nucleus in ferromagnetic iron, 0=11827
- Hanna, S.S. and Meyer-Schützmeister, L. Resonant absorption by the 9.17 MeV level in N^{14} , 0=410
- Hanna, S.S., Meyer-Schützmeister, L., Preston, R.S. and Vincent, D.H. Nuclear Zeeman effect in Sn^{119} , 1=621
- Hanna, S.S., Mossbauer, R. L. Panel discussion on experimental problems, 4=12593
- Hanna, S.S., Perlow, G.J., Schiffer, J.P. and Weinman, J.A. Search for an effect of magnetic fields on electromagnetic radiation, 3=2132
- Hanna, S.S., Preston, R.S. and Heberle, J. Temperature dependence of the Mössbauer effect in metallic Fe^{57} , 4=13190
- Hanna, S.S. and Segel, R.E. Fluorescence of the 15.1 MeV level of ^{13}C , 1=13762
- Hanna, S.S. See Dearnaley, G., 2=18252
- Hanna, S.S. See Holland, R.E., 0=7464
- Hanna, S.S. See Meyer-Schützmeister, L., 1=9023
- Hanna, S.S. See Perlow, G.J., 0=7466
- Hanna, S.S. See Preston, R.S., 3=6457
- Hanna, S.S. See Segel, R.E., 3=17403
- Hanna, S.S. See Tanner, N.W., 1=5838
- Hannaford, J. See Colburn, P.J., 3=24161
- Hannaford, J. See Dawson, D.G., 4=8
- Hannay, N.B. Recent advances in silicon, 0=20911
- Hannay, N.B. Mass spectrographic analysis of solids, 2=4581
- Hannay, N. B. Transition metal oxides, 4=25890
- Hannay, N. B. Organic semiconductors, 4=26062
- Hannay, N. B. Semiconductor chemistry, 4=28297
- Hanneman, R.E., Finn, M.C. and Gatos, H.C. Elastic strain energy associated with the "A" surfaces of the III-V compounds, 3=3219
- Hanneman, R. E. and Mariano, A. N. Lattice parameter and volumetric data of the iron-vanadium system, 4=26653
- Hanneman, R.E., Ogilvie, R.E. and Modrzejewski, A. Kossel line studies of irradiated nickel crystals, 2=10429
- Hanneman, R.E. See Banus, M.D., 3=20771
- Hanneman, R. E. See Banus, M. D., 4=10429
- Hanneman, R.E. See Mariano, A.N., 3=11259
- Hanneman, R.S., Banus, M.D. and Gatos, H.C. High pressure transition in InSb, 4=17758
- Hannerz, K. An evaluation of some heavy-water-moderated power-reactor concepts, 3=6330
- Hannibal, W.D. Etching techniques for dislocations in Fe-Ni alloys, 0=16282
- Hannibal, W.D. Chemical etching of the surface of iron-nickel alloys (50/50) to expose dislocations, 1=2521
- Hannibal, W.D. Electrolytic etching of dislocations in silicon iron as cast, 1=2522
- Hannibal, W.D. An electrolytic etching-method for observation of the special arrangement of dislocations of the surface of silicon-iron, 2=12444
- Hannum, W.H., Courant, H., Fowler, E.C., Kraybill, H.L., Sandweiss, J. and Sanford, J. $\pi^+ - p$ interactions producing $\Sigma^+ - K^+$ in a propane bubble chamber, 0=9402
- Hans, H. S. and Mohindra, R. K. A study of protons from In^{115} and Au^{197} with 14.8 MeV incident neutrons, 4=1095
- Hans, H.S. and Rao, G.N. Decay of $\text{Cd}^{115}(2.3\text{d})$, 3=17437
- Hans, H.S. and Sehgal, M.L. On the thermal neutron capture cross-sections, 0=5790
- Hans, H.S., Sehgal, M.L. and Gill, P.S. Thermal neutron cross-sections for producing isomers. II. 1=3453
- Hans, H.S. See Govil, I.M., 3=19787
- Hans, H.S. See Khurana, C.S., 0=5793
- Hans, H.S. See Khurana, C.S., 2=3585
- Hans, H.S. See Mohindra, R.K., 2=13800
- Hans, H.S. See Mohindra, R.K., 3=17481
- Hans, H.S. See Mohindra, R.K., 3=19861
- Hans, H.S. See Rao, G.N., 3=10297
- Hans, H.S. See Rao, G.N., 3=17414
- Hans, H.S. See Singh, B.P., 0=1375
- Hans, H.S. See Singh, B.P., 0=1392
- Hansbury, E. See Hayes, F.N., 0=7499
- Hansbury, E. See Kerr, V.N., 2=11214
- Hänsch, M., Tüchan, F. and Weber, E. H. Study of the effect of vacuum annealing on the real structure of CdS single crystals, 3=11262

- Hänsch, H.J. See Bßer, K.W., 0=1664
 Hänsch, H.J. See Böer, K.W., 2=2158
 Hänsch, H.J. See Böer, K.W., 2=2263
 Hänsch, H.J. See Gutsche, E., 3=8632
 Hänsch, H.J. See Gutsche, E., 3=11007
 Hanscomb, J.R. High temperature electrical breakdown in sodium chloride, 3=13123
 Hanscome, T.D. See Billington, D.S., 0=20849
 Hansel, C.E.M. The Land demonstrations in relation to colour theory and colour photography, 1=21141
 Hänsel, H. Electron-optical field distribution using imaging properties data, 2=7665
 Hänsel, H. Approximation method for solution of a particular potential problem, 4=24532
 Hänsel, H. Magnetic field distribution with exactly soluble paraxial equation, 4=24743
 Hänsel, H. Some critical remarks on the aurora experiments of Block, 4=29317
 Eansel, H. and Scharlin, E. The propagation of elastic surface deformations in a shock excited solid body, 0=19258
 Hansen, B.T. Cosmic-ray flare of November 20, 1960, 1=7999
 Hansen, C. Combined Stark and Doppler line broadening, 4=30370
 Hansen, C.F. Interpretation of linear approximations for the viscosity of gas mixtures, 1=15915
 Hansen, D.R. See Kelly, P.E., 2=917
 Hansen, D.W. See Gates, D.M., 4=3881
 Hansen, D.W. See Gates, D.M., 4=30447
 Hansen, D.W. See Gates, D.M., 4=30448
 Hansen, E.B. The diffraction of a plane wave through two or more parallel slits in a plane screen, 0=6876
 Hansen, E.B. On the influence of shape and variations in conductivity of the sample on four-point measurements, 0=7045
 Hansen, E.B. Diffraction of a scalar wave by a plane, circular disk, 4=692
 Hansen, E.L. Self-supporting high temperature heater, 4=21346
 Hansen, G. Photometry of image converters, 1=6947
 Hansen, G. Procedure for determining the degree of light transmission of an afocal system, 1=18580
 Hansen, G.B., Elbek, B., Hagemann, K.A. and Hornyak, W.F. Population of rotational states by proton induced reactions, 4=3580
 Hansen, G.E. Assembly of a fissionable material in the presence of a weak neutron source, 1=17222
 Hansen, G.E. and Maier, C. Perturbation theory of reactivity coefficients for fast-neutron critical systems, 1=17217
 Hansen, G.S. See Chang, C.T., 4=18829
 Hansen, H. Scintillation light yield and its direction dependence as a function of temperature of anthracene, trans-stilbene and para-terphenyl crystals under α -ray bombardment, 3=18045
 Hansen, H. See Heckmann, P.H., 1=5057
 Hansen, H. See Schwed, P., 2=3424
 Hansen, H. See Weigmann, H., 3=22111
 Hansen, J. and Larsen, T. The electric field at the ground plane near a disk-loaded monopole, 2=16040
 Hansen, J.R., Ferguson, J.L. and Okaya, A. Display of infrared laser patterns by a liquid crystal viewer, 4=29750
 Hansen, J.R. See Garbuny, M., 1=4635
 Hansen, J.R. See Vogl, T.P., 1=2425
 Hansen, K. and Hornig, D.F. Thickness of shock fronts in argon, 0=16774
 Hansen, K., Hornig, D.F., Levitt, B., Linzer, M. and Myers, B.F. The thickness of shock and detonation fronts and rotational relaxation at high temperatures, 2=2753
 Hansen, K.F. and Clark, M., Jr. Adjoint functions and orthogonality relations, 3=11666
 Hansen, K.H. See Bøggild, J.K., 1=5778
 Hansen, K.H. See Bøggild, J.K., 4=9034
 Hansen, L.F. and Albert, R.D. Statistical theory predictions for 5 to 11 MeV (p,n) and (p,p') nuclear reactions in V^{51} , Co^{59} , Cu^{63} , Cu^{65} , and Rh^{103} , 2=22813
 Hansen, L.F. and Fretter, W.B. Nuclear interactions in carbon produced by cosmic rays with energies between 10^{10} and 10^{12} eV, 0=9491
 Hansen, L.F., Jopson, R.C., Mark, H. and Swift, C.D. $Ta^{181}(p,n)W^{181}$ and $Au^{197}(p,n)Hg^{197}$ excitation functions between 4 and 13 MeV, 2=7984
 Hansen, L.F. and Stelts, M.L. $N^{15}(p,n)O^{15}$ ground-state reactions and the quasielastic model of (p,n) reactions, 4=3654
 Hansen, L.F. See Albert, R.D., 1=3447
 Hansen, L.F. See Albert, R.D., 1=12193
 Hansen, L.F. See Fretter, W.B., 1=3266
 Hansen, L.F. See Igo, G., 3=17385
 Hansen, L.K. Cross-section of the electron induced $6s-6p$ transition in cesium, 4=9669
 Hansen, L.K. and Mackenzie, K.R. Initiating and maintaining a discharge by a transfer mechanism, 2=15906
 Hansen, L.K. and Warner, C., III. Ion-emission requirements for removal of electron space-charge barriers, 3=21868
 Hansen, N. Blended aluminum-powder products, 4=17774
 Hansen, N. Non-evaporating getters with surface adsorption and pore diffusion, 4=21198
 Hansen, N. and Littmann, W. Automatic device for measurement of the surface area of fine particle substances, 4=7697
 Hansen, N.E. See Fultz, S.C., 3=6221
 Hansen, N.E. See Hatcher, C.R., 2=9828
 Hansen, N.E. See Jupiter, C.P., 1=2044
 Hansen, N.J. Encapsulated surface barrier particle detectors. Some methods and techniques, 2=18025
 Hansen, N.J. See Alväger, T., 2=16096
 Hansen, N.R. See Jordan, B., 2=7631
 Hansen, N.R. See Mack, J.G., 3=2068
 Hansen, O. Energy levels in the stable isotopes of titanium, 1=19372
 Hansen, O., Koltay, E., Lund, N. and Madsen, B.S. The $(2I+1)$ rule applied to the (d, α) reactions on Mg^{25} and Al^{27} , 4=12267
 Hansen, O. and Nathan, O. Collective character of the 2.23 MeV 3^- state in Sn^{116} , 2=1823
 Hansen, O. and Nathan, O. Nuclear alignment produced by (α, α') processes in even nuclei, 2=20674
 Hansen, O. and Nathan, O. Excitation of collective octupole states in the Pd-Sm region, 3=12576
 Hansen, O., Olesen, M.C., Skilbreid, O. and Elbek, B. Inelastic scattering from hafnium and wolfram isotopes, 1=13787
 Hansen, O. See Bjerregård, J., 3=17458
 Hansen, O. See Bjerregaard, J.H., 4=15155
 Hansen, P.G., Jensen, O.J. and Wilsky, K. Decay of Er^{172} and Tm^{172} , 1=19394
 Hansen, P.G., Johnson, N.R. and Nielsen, H.L. The K-forbidden beta decay of Tb^{160} , 4=25355
 Hansen, P.G., Nielsen, H.L. and Wilsky, K. Highly lying states in Sn^{116} populated in the decay of 54 min In^{116} , 2=5807
 Hansen, P.G., Nielsen, H.L. and Wilsky, K. A revised scheme for the beta decay of 115-day Ta^{182} , 4=22079
 Hansen, P.G. and Wilsky, K. High energy gamma rays in the decay of La^{140} , 2=7957
 Hansen, P.G., Wilsky, K., Baba, C.V.K. and Vandenbosch, S.E. Decay of an isomeric state in Cm^{244} , 3=22314
 Hansen, P.G., Wilsky, K. and Bjørnholm, S. Decay of an isomeric state in U^{234} , 3=22313
 Hansen, P.G., Wilsky, K., Horen, D.J. and Chiao, Lung-Wen. High energy gamma rays in the decay of 27h Ho^{166} , 1=8655
 Hansen, P.G. See Andersen, T., 1=19371
 Hansen, P.G. See Bergsøe, P., 3=6668
 Hansen, P.G. See Blinowska, K.J., 4=25361
 Hansen, R. and Gordon, D. The limb flares of October 13, 1958, 1=1648
 Hansen, R. and Kleczek, J. Coincidence of sudden ionospheric disturbances with the explosive phase of solar flares, 3=13703
 Hansen, R.A. See Kodaras, M.J., 4=14291
 Hansen, R.C. Radiation and reception with buried and submerged antennas, 4=19239
 Hansen, R.S. Thermodynamics of interfaces between condensed phases, 2=10969
 Hansen, R.S. Effect of gravity on velocity dispersion and amplitude attenuation of phase capillary waves on viscoelastic films, 4=24146
 Hansen, R.S. and Mann, J.A., Jr. Propagation characteristics of capillary ripples. I. The theory of velocity dispersion and amplitude attenuation of plane capillary waves on viscoelastic films, 4=5144
 Hansen, R.S., Minturn, R.E. and Clampitt, B.H. Some studies of aqueous uranium oxide slurries, 1=4107
 Hansen, R.S. and Murphy, J.A. Low-temperature limiting behavior of gas-imperfections due to gas-solid interactions, 4=223
 Hansen, R.S. See Arthur, J.R., Jr., 2=15099
 Hansen, R.S. See Mann, J.A. Jr., 0=16394
 Hansen, R.S. See Mann, J.A. Jr., 4=8154
 Hansen, R.S. See Mann, J.A. Jr., 4=27149
 Hansen, R.S. See Mimeault, V.J., 3=21460
 Hansen, R.T. Bright 21-centimeter solar regions and geomagnetic storms in 1952-53, 1=21102
 Hansen, R.T. See Kleczek, J., 3=16375

- Hansen, R.T. See Warwick, C.S., 0=6434
- Hansen, S. F. A mechanism for the production of certain types of very-low-frequency emissions, 4=10728
- Hansen, T. C. Estimating stress relaxation from creep data, 4=13376
- Hansen, W.H. Some magnetic properties of the chromium (III) halides at 4.2°K, 0=3006
- Hansen, W.L., Goulding, F.S. and Lothrop, R.P. Compensated-surface oxide-passivated silicon junction radiation detectors, 3=22042
- Hansen, W.L. See Goulding, F.S., 2=6479
- Hansen, W.N. A new spectrophotometric technique using multiple attenuation total reflection, 3=18989
- Hansen-Nygaard, L. See Bak, B., 0=15776
- Hansen-Nygaard, L. See Bak, B., 3=2640
- Hänsen, H., Schirmer, G. and Seeliger, D. Polarisation of neutrons from the reaction $D(d,n)He^3$ at low deuteron energies, 4=16977
- Hansler, R.L. and Segelken, W.G. Correlation of thermoluminescence in MgO and valence changes of iron and chromium impurities detected by EPR, 0=11795
- Hansler, R.L. See Cooper, J.R., 3=25368
- Hanson, A.O. See Bernardini, G., 1=5702
- Hanson, A.O. See Goldemberg, J., 4=21820
- Hanson, A.O. See Hall, H.E., 3=10079
- Hanson, A.O. See Jones, R.S., 3=2233
- Hanson, A.R., Domich, E.G. and Adams, H.S. Shock tube investigation of the breakup of drops by air blasts, 3=23859
- Hanson, A. R., Domich, E. G. and Adams, H. S. Acoustical liquid drop holder, 4=24155
- Hanson, A.W. The crystal structure of acepleiadylene, 0=8240
- Hanson, C. G., Rivlin, V. G. and Hatt, B. A. The β -phase transformation of some zirconium-thorium alloys, 4=29024
- Hanson, D.G. and van der Ziel, A. Probe noise in different regions of a gas discharge, 3=14550
- Hanson, E. See Brown, W., 2=7254
- Hanson, G.H. See Rosenberg, C., 4=17507
- Hanson, H. See Pomerantz, M.A., 1=8525
- Hanson, H.M. and Nielsen, H.H. Intensities of rotation lines in absorption bands for symmetric molecules of the type AB ... XYZ_n, 0=15689
- Hanson, H.P. Experimental f values and electron diffraction amplitudes for bromine, 2=6218
- Hanson, H. P. Some unsolved problems in X-ray absorption spectrometry, 4=14844
- Hanson, H.P. and Cowan, D.J. Indirectly and directly produced X-ray line radiation, 1=14620
- Hanson, H. P., Herman, F., Lea, J. D. and Skillman, S. H. F.S. atomic scattering factors, 4=26627
- Hanson, H.P. and Salemn, S.I. Effective depth of X-ray production, 1=14619
- Hanson, H.P. See Almenningen, A., 2=22953
- Hanson, J.A. and Anderson, E.M.S. Studies on dark adaptation. VII. Effect of pre-exposure color on foveal dark adaptation, 0=18562
- Hanson, J.A., Anderson, E.M.S. and Winterberg, R.P. Studies on dark adaptation. V. Effect of various sizes of centrally fixated pre-exposure fields on foveal and peripheral dark adaptation, 0=14351
- Hanson, J.A., Anderson, E.M.S. and Winterberg, R.P. Studies of dark adaptation. VI. Effects on foveal dark adaptation of series of alternating light and dark periods, 0=14352
- Hanson, J.A., Wulfeck, J.W. and Anderson, E.M.S. Studies on dark adaptation. IV. Pre-exposure tolerance of the dark-adapted peripheral retina, 0=8452
- Hanson, K.J. Radiation measurement on the Antarctic snowfield, a preliminary report, 0=14301
- Hanson, N.R. Are wave mechanics and matrix mechanics equivalent theories? 2=1062
- Hanson, R.C. Hall mobility of holes in silver bromide, 3=13080
- Hanson, R.C. and Brown, F.C. Hall mobility of holes in AgBr, 0=6955
- Hanson, R. J. and Marker, D. Soft gamma background radiation at the earth's surface and at aircraft altitudes, 4=20853
- Hanson, R. J. See Balling, L. C., 4=9654
- Hanson, R. L. See David, E. E., 4=10953
- Hanson, W.B. Upper-atmosphere helium ions, 2=6929
- Hanson, W.B. and Johnson, F.S. Electron temperatures in the ionosphere, 2=15222
- Hanson, W.B. and McKibbin, D.D. An ion-trap measurement of the ion concentration profile above the F_2 peak, 1=20999
- Hanson, W.B. and Ortenburger, I.B. The coupling between the protonosphere and the normal F region, 1=20986
- Hanson, W. B. and Patterson, T. N. L. Diurnal variation of the hydrogen concentration in the exosphere, 4=7874
- Hanson, W.B., Patterson, T.N.L. and Degaonuar, S.S. Some deductions from a measurement of the hydrogen ion distribution in the high atmosphere, 4=10749
- Hanson, W.B. See Dessler, A.J., 2=4695
- Hanson, W.B. See Dessler, A.J., 2=6950
- Hanson, W.B. See Dessler, A.J., 2=13076
- Hanson, W. B. See Patterson, T. N. L., 4=2412
- Hanson, W.B. See Sharp, G.W., 2=15207
- Hanssen, K.J. Relation of the geometrical-optical and electrical properties of hairpin and point cathodes, 3=24334
- Hansson, B. and Barnes, R.S. On order twinning in AuCu, 4=12776
- Hansson, N. Investigations of the stability of transit circles. I. Thermal influence and mechanical flexure, 3=11483
- Hansson, P. T. and Foulke, L. R. Investigations in spatial reactor kinetics, 4=12304
- Hansteen, J.M. A remark on the Coulomb disintegration of accelerated heavy ions, 0=20421
- Hansteen, J. M. and Kanestrøm, I. Application of cluster-model wave functions to the Coulomb break-up of accelerated 6Li ions, 4=3705
- Hanszen, K.J. Theoretical researches on the melting point of small spheres. A contribution to the thermodynamics of surface phases, 0=5213
- Hanszen, K.J. Developments in the production of microfilms, 2=11513
- Hanszen, K. J., Morgenstern, B. and Rosenbruch, K. J. Predictions from optical transfer theory regarding resolution and contrast in the electron microscopical image, 4=14762
- Hantay, Ö. See Gergely, G., 3=17844
- Hantel, L. See Challande, R., 3=2966
- Hanton, J.P. See Brown, W.F.Jr., 0=10198
- Hanton, J.P. See Valstyn, E.P., 3=6741
- Hantsche, H. and Röss, D. Dependence of pulse production in a toroidal ruby laser on pumping power, 4=3220
- Hantzsche, E. Theories of cathode drop, 2=206
- Hantzsche, E. Cathode fall theories, 2=9546
- Hantzsche, E. Contribution to the theory of cathode fall, 4=29883
- Hantzsche, E. and Vojta, G. Theory of the plasma microfield of Hunger and Larenz, 3=12099
- Hanus, J. Bound states in the Heisenberg ferromagnet, 4=7232
- Hanuš, V. See Čermák, V., 0=2404
- Hanus, W. On line strength relations in the doublet arc spectra of aluminium, gallium, indium and thallium, 1=4897
- Hanus, W. On relative doublet line strengths in the principal series of cesium, 1=13932
- Hanus, W. Discussion of the first order perturbation calculus formulae in connection with the problem of a correct transition from Dirac to Pauli theory, 4=1175
- Hanus, W. Role of the Sommerfeld and Darwin corrections in the central field problem, 4=3765
- Hanuška, A. See Balas, J., 4=5117
- Hanwell, A. E. See Bowden, F. P., 4=23152
- Hanzel, A.L. and Conger, R.L. Isolation of rotational reversal in ferromagnetic films, 0=1790
- Hao Bai-lin. Surface impedance and transparency coefficient of metals in the infrared, 3=20434
- Hao Bai-Lin. Equilibrium properties of semiconductors with zero energy barrier, 3=25333
- Hao Pai-Lin, Liu Tê-Shên and Ch'ên Shih-Kan. The energy spectrum of π -electrons in linear chains of conjugate bonds, 3=20035
- Hao Pai Lin. See Gurzhi, R.N., 3=25245
- Hapke, B. and Van Horn, H. Photometric studies of complex surfaces, with applications to the moon, 4=2394
- Hapke, B. W. A theoretical photometric function for the lunar surface, 4=2395
- Happ, H. and Genzel, L. Interference modulation with monochromatic millimetre waves, 2=7752
- Happ, H., Hofmann, H.W., Lux, E. and Seger, G. Dispersion measurements on CsBr and CaF₂ in the far infrared and millimetre wave regions, 2=8537
- Happ, H. See Bilz, H., 1=1168
- Happ, H. See Dötsch, H., 4=10195
- Happ, H. See Genzel, L., 0=628
- Happ, W.W. See Castro, P.S., 0=14956
- Happ, W.W. See Wagner, O.E., 3=9846
- Happe, J.A. and Ward, R.L. Isotropic n.m.r. shifts in pyridine-type bases complexed with paramagnetic Ni^{II} and Co^{II} acetylacetonates, 3=25144
- Happel, R.J., Jr. See Edwards, P.L., 2=6786

- Happel, R.J., Jr. See Edwards, P.L., 2=6787
Happel, R.J., Jr. See Heikes, R.R., 1=2466
Happel, R.J., Jr. See McGuire, T.R., 0=13850
Happell, J.J. See Zweifel, P.F., 3=6335
Happer, Jr. W. Observations of transitions between stationary states in a rotating magnetic field, 4=30371
Haq, K.E. Overshoot in photoconductivity of lead oxide, 2=18748
Haq, K.E. See Bigelow, J.E., 2=23466
Haque. See Ali, M.L., 2=18166
Haque, A.K.M.M. See Collinson, A.J.L., 4=3243
Haque, C.A. and Donaldson, E.E. Continuously oxygenated tungsten as a surface ionization source, 3=14668
Haque, M. See Husain, A., 3=603
Haque, S.M.A. Finite amplitude convection in a conditionally unstable stagnant air mass, 4=30930
Hara, E. Scattering of Co^{60} and Zn^{65} gamma-rays in medium and heavy elements. Study of the effect of vacuum polarization on the elastic scattering of γ -rays, 0=450
Hara, E. Pair production by means of slow charged particles in the Coulomb field, 1=7231
Hara, E. See Banaigs, J., 0=9656
Hara, E. See Tsuchimoto, T., 3=7649
Hara, H. On the transverse shift associated with the total reflection of matter waves, 1=6924
Hara, J., Nitta, T., Kawane, K. and Yamada, N. Impulse breakdown characteristics of air in non-uniform fields, 4=21488
Hara, K. A dynamical theory of internal parameters for nuclear collective motion, 3=22265
Hara, K. An extended boson approximation in the theory of nuclear structure, 4=30296
Hara, K. and Hoshino, T. Self-balancing earthing device for precise bridge, 4=5533
Hara, K. See Sawaki, T., 4=23561
Hara, K. See Shinji, K., 3=7644
Hara Ken-ji. Collective E0 transitions and the nuclear shape, 3=24843
Hara, O. Range of proton-antiproton annihilation near 1.0 BeV, 1=7244
Hara, O. Possible effect of collective correlation between vacuum nucleons in pion physics, 1=8451
Hara, O. Collective correlation between vacuum nucleons and the s-wave pion-nucleon scattering, 1=10920
Hara, O. Collective correlation between vacuum nucleons in PS-PS meson theory, 1=12069
Hara, O. Meissner effect and the self-energy of the photon, 4=866
Hara, O. Possibility of giving a finite mass to the gauge field, 4=3270
Hara, O. and Fujii, Y. An attempt at reformulating pion-nucleon interaction. II. Scattering of antiproton by nucleon, 0=11203
Hara, O. and Fujii, Y. The annihilation of antinucleon according to the previous theory, 0=15250
Hara, O. and Fujii, Y. Pion-nucleon interaction according to the previous theory, 0=15250
Hara, O., Fujii, Y. and Ohnuki, Y. An attempt at reformulating pion-nucleon interaction. I. Introduction of K-space, 0=11202
Hara, O., Fujii, Y. and Ohnuki, Y. An attempt of generalizing the invariance of the theory under the charge conjugation, 0=15250
Hara, O. and Takeda, H. The Sakata model and the K_3^+ decays, 2=9916
Hara, T. See Tanaka, K., 2=2157
Hara, Y. Two nucleon problem and dispersion relation in nucleon-nucleon scattering, 0=20127
Hara, Y. Theory of finite nuclei in statistical method with correlation correction. I, 1=10950
Hara, Y. Dispersion relations in nucleon-nucleon scattering and resonances in many-pion system, 2=3332
Hara, Y. Note on the dispersion relations in nucleon-nucleon scattering and resonances in many-pion system, 2=13791
Hara, Y. The hypothesis of Regge poles and polarisation produced in high energy NN scattering, 2=22496
Hara, Y. Relations among total cross-sections at high energies, 3=565
Hara, Y. The hypothesis of Regge poles and high energy nucleon-nucleon scattering, 3=7843
Hara, Y. Model of mesons and baryons based on SU_3 symmetry, 4=11905
Hara, Y. Unitary triplets and the eightfold way, 4=16800
Hara, Y. Nonleptonic decays of baryons and the eightfold way, 4=19406
Hara, Y. and Kawarabayashi, K. A remark on the anomalous magnetic moment in the static model, 0=12918
Hara, Y. and Miyamoto, Y. π -N scattering in octet model, 3=19687
Hara, Y. and Miyazawa, H. Dispersion relations in nucleon-nucleon scattering, 1=3174
Hara, Y., Nagashima, Y. and Singh, G.P. On the full symmetry in Sakata model, 2=16130
Hara, Y., Ohmura, T. and Yamanouchi, T. Variational calculation of the scattering lengths in electron-hydrogen scattering, 1=12260
Hara, Y. Reciprocal bootstrap relationship of the octet baryon and the decuplet baryon, 4=27779
Hara, Y. See Kuroboshi, E., 0=13122
Hara, Y. See Ohmura, T., 0=11503
Hara, Y. See Ohmura, T., 0=20578
Harada, J. and Kashiwase, Y. Atomic scattering factor for electrons of atoms with aspherical charge distribution, 2=15009
Harada, J. and Kitamura, N. Structure and phase transition of solid hydrogen sulphide, 4=20706
Harada, J. See Kitamura, N., 3=1325
Harada, K. Alpha-particle reduced widths in heavy nuclei, 2=3499
Harada, K. Alpha-cluster and nuclear surface, 2=14017
Harada, K. Note on the Y_{40} deformation in heavy nuclei, 4=27946
Harada, K. See Saburi, Y., 3=12347
Harada, K. See Saburi, Y., 3=24170
Harada, K. See Sugie, A., 2=9981
Harada, M., Tamagaki, R. and Tanaka, H. Alpha-clustering in nuclear matter at low density, 4=983
Harada, R. See McCaldin, J.O., 0=20915
Harada, T. Effect of stress on stable domain wall orientations, 1=14710
Harada, T. and Tatsumoto, E. 180° domain wall orientation in iron, 0=8048
Harada, T. See Arisawa, K., 4=4687
Harada, Y. See Inokuchi, H., 3=16975
Harada, Y. See Inokuchi, H., 4=22932
Harade, T. See Yadaka, H., 2=18700
Haradome, M. On the relation between tristimulus values of color and color temperature of Planckian radiation, 2=2859
Haradome, M. See Hioko, R., 3=23016
Haradome, M. See Kamiyama, M., 3=2973
Harai, Y. Study of the Fechner color with a cathode-ray tube, 2=11225
Haraldson, S. Rapid geomagnetic fluctuations, 2=2516
Haraldson, S. and Myrgrén, B. Demagnetizing functions for cylindrical rods, 1=3033
Haran, E.N. Improved fluorimeter for uranium analysis. 1=11642
Haranath, P.B.V. A new emission band spectrum of sulphur, 3=12833
Haranath, P.B.V. The far and vacuum ultraviolet spectrum of SeO , 4=25664
Haranath, P.B.V. and Prasada Rao, T.A. The emission band system of iodine in the blue violet, 1=8840
Haranath, P.B.V. and Sivaramamurthy, V. Emission band spectrum of SeO_2 molecule, 2=8103
Haranath, P.B.V. and Tiruvenganna Rao, P. The emission spectrum of chlorine (Cl_2^+), 0=5924
Harang, L. Drift of the E-layer during geomagnetic
Harang, L. A study of the auroral O I feature at 8446 Å, 2=19242
Harang, L. Drift of the ionosphere at high latitude determined from radio star scintillations, 3=11425
Harang, L. and Malmjör, K. Drift measurements of the E-layer at Kjeller, and Tromsø during the International Geophysical Year 1957-58, 2=4646
Harang, L. and Malmjör, K. Determination of drift movements of the ionosphere at high latitudes from radio star scintillations, 3=3493
Harang, L. and Omholt, A. Luminosity curves of high aurorae, 2=4668
Harang, L. and Tröim, J. Determination of the angle of arrival of auroral echoes, 0=6481
Harang, L. and Tröim, J. An example of heavy absorption in the V.H.F. -band in the arctic ionosphere, 1=6614
Harang, L. and Tröim, J. Studies of auroral echoes. I, 1=9206
Harang, L. and Tröim, J. Investigation of auroral echoes. II, 2=4679
Harang, O. Excitation of A10 bands in the sunlit atmosphere and the determination of the temperature from the distribution among the vibrational levels, 4=26827
Harar, S. See Souchere, G., 4=17164
Harari, H. A symmetry scheme for elementary particles, 4=3283

- Harari, H. Consequences of U-spin for several higher symmetries, 4-24974
- Harari, H. See Dothan, Y., 3-583
- Harari, H. See Dothan, Y., 3-10173
- Harari, H. See Dothan, Y., 4-19380
- Harban, A. A. and McGlamery, R. M. Limitations on measuring flow rates of polyethylene and ethylene copolymers by extrusion plastometer, 4-7381
- Harban, A. A. See McGlamery, R. M., 4-5135
- Harbeke, G. Absorption edge in ferroelectric SbSI under electric fields, 3-20468
- Harbeke, G. Intrinsic optical absorption in germanium, 4-22860
- Harbeke, G. See Cardona, M., 2-14679
- Harbeke, G. See Cardona, M., 3-10954
- Harbeke, G. See Fatuzzo, E., 2-21214
- Harbottle, G. The half-lives of Ti^{104} , Au^{196} , Ir^{192} and its long-lived isomer $\text{Ir}^{192\text{m}}$, 3-12628
- Harbottle, G. See Veljković, S., 2-859
- Harburn, G., Kitchingman, W. J. and Edmunds, I. G. Conference on imperfections in crystals, London, November 1961, 2-14425
- Harburn, G. and Taylor, C. A. Three-dimensional optical transforms, 1-20517
- Harburn, G. and Taylor, C. A. Optical Fourier synthesis for non-centrosymmetric projections of crystal structures, 2-15008
- Harclerode, J. E. See Anthony, A., 0-807
- Harcombe, D., Palmer, R. T. and Gozma, G. F. A magnetically controlled spark gap, 3-21741
- Harcombe, D. See Dutton, J. (Conf. Rep.), 0-2314
- Hardacre, A. G. See Gard, G. A., 3-22035
- Hardbottle, R. [transl.]. The influence of surface roughness on the resistance to flow of liquids and on connective heat exchange, 4-11159
- Hardcastle, R. See Aitken, K., 4-8740
- Hardcastle, R. A. See Aitken, K. L., 4-11651
- Hardell, R. and Nilsson, S. Precision energy determination of isomeric levels and of low-lying excited states in deformed nuclei, 3-6153
- Hardell, R. and Nilsson, S. For reactor irradiation containers — titanium and electrolytic iron, 3-19905
- Hardell, R. See Persson, L., 3-655
- Hardeman, G. Nuclear dynamic polarization in irradiated polytetrafluoroethylene, 1-12571
- Hardeman, G. E. G. Nuclear dynamic polarization in irradiated polytetrafluoroethylene, 1-14814
- Hardeman, G. E. G. Electron and nuclear spin resonance in n-type silicon carbide, 4-1888
- Hardeman, G. E. G. and Gerritsen, G. Suppression of nuclear dynamic polarisation by radio frequency radiation, 4-28904
- Harden, J. L. and Arp, V. The lower critical field in the Ginzburg-Landau theory of superconductivity, 4-11460
- Harden, J. L. and Collier, R. S. Tunneling between a normal metal and a superconductor, 3-16863
- Harden, J. L. See Powell, R. L., 0-11588
- Harder, D. and Ferbert, H. Back scattering of fast electrons in the energy range 8 to 22 MeV, 4-22122
- Harder, D. See Kretschko, J., 2-20026
- Harder, H. See Borgwaldt, H., 2-8024
- Hardie, A. M. The gyrotron and the fly, 3-5402
- Hardie, D. and Parkins, R. N. Lattice spacing relationships in magnesium solid solutions, 0-21195
- Hardie, G., Dangle, R. L. and Opplinger, L. D. Proton-oxygen differential scattering cross sections. III, 3-4631
- Hardie, G. See Dangle, R. L., 4-9508
- Hardie, G. See Salisbury, S. R., 2-16405
- Hardie, G. See Silverstein, E. A., 2-493
- Hardiman, J. P. and Maunders, E. J. A comparison of the predicted and observed reaction rates of various neutron detectors in a thermal reactor spectrum, 4-6448
- Hardiman, M. See Dunn, P. D., 4-5548
- Hardin, A. H. and Harvey, K. B. Infrared absorption of solid phosphine, 4-10186
- Harding, G. N., Kimmitt, M. F., Ludlow, J. H., Porteous, P., Prior, A. C. and Roberts, V. Emission of sub-millimetre electromagnet radiation from hot plasma in Zeta, 1-9574
- Harding, G. N. and Roberts, V. Spectroscopic investigation of plasma in the wavelength range 0.1-2.0 mm, 3-7594
- Harding, G. N. and Roberts, V. Spectroscopic investigation of plasma in the wavelength range 0.1-2.0 mm, 4-8699
- Harding, G. N. See Gallet, R. M., 0-10916
- Harding, G. O. and Tingye Li. Effect of mode degeneracy on output of gaseous optical masers, 4-11821
- Harding, G. O. and Wilks, J. The absorption of sound in dilute solutions of helium-3 in liquid helium II, 0-3700
- Harding, G. O. and Wilks, J. The absorption of sound in helium II containing ^3He , 0-8886
- Harding, G. O. and Wilks, J. The absorption of sound in dilute solutions of ^3He in liquid helium II, 2-17715
- Harding, G. O. See Kaminow, I. P., 3-8553
- Harding, H. J. On the temperature dependence of the yield stress of niobium, 4-4480
- Harding, M. M. See Rossmann, M. G., 4-23360
- Harding, R. H., Golding, B. and Morgen, R. A. Optics of light-scattered films. Study of effects of pigment size and concentration, 0-6939
- Harding, W. R., Hilsum, C., Moncaster, M. E., Northrop, D. C. and Simpson, O. Gallium arsenide for γ -ray spectroscopy, 0-17287
- Harding, W. R. See Cunnell, F. A., 4-29054
- Harding, W. R. See Hilsum, C., 2-7455
- Hardisson, A. See Hall, G. G., 2-16539
- Hardt, H. J. and Lutz, E. Improvement of the energy independence of counter tubes, 3-22028
- Hardt, W. The acceleration magnet of the German electron synchrotron (Desy), 4-19146
- Hardtke, F. C. Thermoelectricity in irradiated glass, 3-2983
- Hardtke, F. C., Scott, A. B. and Woodley, R. E. Decrease of F-center photoconductivity upon bleaching, 0-13553
- Hardtl, K. H. The decay of the luminescence of ZnS:Cu , ZnS:S , ZnS:Zn and ZnO:Zn in the case of excitation with 60 keV H_2^+ ion pulses, 0-1755
- Hardtl, K. H. See Gerthsen, P., 2-23400
- Hardtl, K. H. See Gerthsen, P., 4-6935
- Hardwick, A. J. Interrelationship of substrate temperature and angle of incidence effects upon anisotropy variations in evaporated nickel iron thin films, 3-11086
- Hardwick, D. and Tegart, W. J. McG. Structural changes during the deformation of copper, aluminium and nickel at high temperatures and high strain rates, 2-2320
- Hardwick, E. R. See Mosher, H. S., 2-19160
- Hardwick, J. M. and Dodd, R. A. Stress-corrosion cracking of short-range ordered copper-gold single crystals, 4-28949
- Hardwick, R. and Mosher, H. S. Identity of chemical and photochemical species from gamma-(2,4-dinitrobenzyl) pyridine, 2-8925
- Hardwick, R. See Hiraoka, H., 2-10974
- Hardwick, R. See Bhaumik, M. L., 4-186
- Hardwick, R. See Charlson, R. J., 0-3317
- Hardwick, R. See Hiraoka, H., 2-15133
- Hardwick, R. See Hiraoka, H., 4-3919
- Hardwick, R. See Mosher, H. S., 0-16381
- Hardwick, T. J. and Guentner, W. S. Design and performance characteristics of an X-ray target for electron accelerators, 2-5392
- Hardy, A. Crystal structures of two allotropic forms of barium manganate. New ABO₃ structure, 2-10889
- Hardy, H. C. Introduction to school acoustics, 3-14296
- Hardy, H. C. and Ancell, J. E. Comparison of the acoustical performance of calfskin and plastic drumheads, 1-16032
- Hardy, J. See Smith, G. G., 2-5945
- Hardy, J., Jr., Klein, D. and Smith, G. G. The resonance fission integrals of U^{235} , Pu^{239} , and Pu^{241} , 2-5979
- Hardy, J., Jr., Klein, D. and Smith, G. G. Some experimental results pertinent to equivalence relations for effective resonance integrals, 3-6262
- Hardy, J., Jr., Smith, G. G. and Klein, D. Experimental check of a Monte Carlo-calculated distribution of resonance neutron capture in a gold rod, 1-13822
- Hardy, J., Jr., Smith, G. G. and Klein, D. The effective U^{238} resonance capture integrals of uranium metal and UO_2 rods, 3-6261
- Hardy, J., Jr., Smith, G. G., Mitchell, J. A. and Klein, D. Measurement of the Dancoff correction, 2-8000
- Hardy, J., Jr. See Bowen, T., 0-17426
- Hardy, J., Jr. See Bowen, T., 0-17427
- Hardy, J., Jr. See Smith, G., 2-3601
- Hardy, J. C. See McPherson, R., 4-25343
- Hardy, J. R. Lattice vibrational spectrum of sodium chloride, 0-20742
- Hardy, J. R. Effective ionic charge in relation to lattice vibrations, 1-3799
- Hardy, J. R. A theoretical study of point defects in the rocksalt structure substitutional K^+ in NaCl , 1-17521
- Hardy, J. R. Lattice dynamics of alkali halide crystals in relation to specific heat data, 2-6250
- Hardy, J. R. The effect of ionic polarization on the lattice distortion produced by a substitutional K^+ ion in NaCl , 2-10377

- Hardy, J.R. The effect of optical mode phonons on the absorption spectra of shallow impurity centres, 2=14689
- Hardy, J.R. Direct lattice absorption associated with shallow impurity levels, 3=928
- Hardy, J.R. and Karo, A.M. Lattice vibrations of sodium chloride: experimental and theoretical heat capacity data, 0=20743
- Hardy, J.P. and Smith, S.D. Two-phonon infrared lattice absorption in diamond, 1=19995
- Hardy, J.R., Smith, S.D. and Taylor, W. Optical phonon effects in absorption and photoconductivity of semiconducting diamond, 3=10933
- Hardy, J.R. See Ingalls, R.B., 2=17681
- Hardy, J.P. See Karo, A.M., 3=8350
- Hardy, J.R. See Smith, S.D., 1=6211
- Hardy, J.R. See Smith, S.D., 3=10577
- Hardy, K.R. The development of raindrop-size distributions and implications related to the physics of precipitation, 3=25883
- Hardy, L.M. See Chung, S.U., 4=25160
- Hardy, R., Majer, J.R. and Travers, S. Simple ultramicro-pipette for electron microscopy, 0=8331
- Hardy, R. See Risler, J.C., 1=2873
- Hardy, R.C. N.B.S. viscometer calibrating liquids and capillary tube viscometers, 3=9421
- Hardy, R.J. Energy-flux operator for a lattice, 3=25206
- Hardy, R.W.D. See Wilson, H.W., 2=5389
- Hardy, S.C. See Parker, R.L., 3=3276
- Hardy, S.C. See Parker, R.L., 4=4559
- Hardy, W. See Fremlin, J.H., 0=3820
- Hardy, W.A. Nuclear resonances in cubic, hexagonal, and mixed phase cobalt powders and thin films, 1=6434
- Hardy, W.A. Active imaging, 4=21283
- Hare, A. The effect of viscosity on the stability of incompressible magnetohydrodynamic systems, 0=19902
- Hare, A.W., Alfant, S., Rough, F.A. and Sinizer, D.I. Further results of irradiation of uranium carbide, 2=6065
- Hare, A.W. See Rough, F.A., 1=13905
- Hare, C.R. and Ballhausen, C.J. Polarized crystal spectra of $\text{Ni}(\text{NH}_3)_4(\text{NCS})_2$ and $\text{Ni}(\text{NH}_3)_4(\text{NO}_2)_2$, 4=13051
- Hare, C.R. and Ballhausen, C.J. Crystal spectrum and magnetism of tetrakis thiourea-nickel chloride, 4=13064
- Hare, F.K. See Boville, B.W., 2=4592
- Hare, W.F.J. See Gush, H.P., 0=4196
- Hargital, C. A simple gauge-invariant method in the theory of interacting boson systems, 4=24099
- Hargital, C. and Szabó, J. Uniqueness of the solution of magneto-hydrodynamic boundary value problems, 1=10781
- Hargital, C. See Szabo, J., 2=9694
- Hargreaves, A. and Stanley, E. Summarized proceeding of a conference on X-ray analysis—Manchester, April, 1958, 0=8175
- Hargreaves, A. and Sullivan, R.A.L. Absorption corrections for diffraction measurements from large single crystals, 1=20475
- Hargreaves, A. See Foster, F., 4=4574
- Hargreaves, A. See Foster, F., 4=4575
- Hargreaves, C.M. On the growth of sapphire micro-crystals, 1=7854
- Hargreaves, C.M. Multiple-beam "transmission-like" Fizeau fringes in the reflexion interference system, 3=16796
- Hargreaves, F. See Smith, R.G., 4=5547
- Hargreaves, J.K. Random fluctuations in very low frequency signals reflected obliquely from the ionosphere, 1=20929
- Hargreaves, J.K. The behaviour of the lower ionosphere near sunrise, 2=4644
- Hargreaves, J.K. An experimental method of estimating F-region collision frequencies, 3=23625
- Hargreaves, J.K. and Hargreaves, S. A numerical approach to the solution of radio diffraction problems, 4=3170
- Hargreaves, J.K. and Millard, D. The accuracy of four-probe resistivity measurements on silicon, 2=10479
- Hargreaves, J.K. and Roberts, R. The propagation of very-low-frequency radio waves over distances up to 2000 km, 2=16070
- Hargreaves, J.K. See Eriksen, K.W., 4=15889
- Hargreaves, J.K. See Gillmor, C.S., 3=18561
- Hargreaves, M.E., Loreto, M.H., Clarebrough, L.M. and Segall, R.L. Recovery after unidirectional and reverse straining in copper, 4=28944
- Hargreaves, M.E. See Clarebrough, L.M., 1=1332
- Hargreaves, M.E. See Clarebrough, L.M., 1=1419
- Hargreaves, M.E. See Clarebrough, L.M., 1=1420
- Hargreaves, M.E. See Clarebrough, L.M., 1=6453
- Hargreaves, M.E. See Clarebrough, L.M., 1=17508
- Hargreaves, M.E. See Clarebrough, L.M., 1=17509
- Hargreaves, M.E. See Clarebrough, L.M., 1=20591
- Hargreaves, M.E. See Clarebrough, L.M., 2=6338
- Hargreaves, M.E. See Clarebrough, L.M., 4=12734
- Hargreaves, M.K. Optical rotatory dispersion: its nature and origin, 2=22063
- Hargreaves, S. See Hargreaves, J.K., 4=3170
- Hargreaves, W.A. See Boyd, G.D., 2=14667
- Hargreaves, W.A. See O'Connor, J.R., 4=30093
- Hargrove, C.K. and Geiger, K.W. A new thermal neutron flux density standard, 4=27867
- Hargrove, C.K., Geiger, K.W. and Chatterjee, A. The decay of ^{131}I , 3=10294
- Hargrove, C.K. and Martin, W.M. Short-lived isomeric states of polonium, 2=18266
- Hargrove, C.K. See Geiger, K.W., 4=19520
- Hargrove, L.E. Fourier series for the finite amplitude sound waveform in a dissipationless medium, 0=6881
- Hargrove, L.E. Optical effects of ultrasonic waves producing phase and amplitude modulation, 3=220
- Hargrove, L.E. Successive diffraction theory for diffraction of light by ultrasonic waves of arbitrary waveform, 4=8446
- Hargrove, L.E., Fork, R.L. and Pollack, M.A. Population pulsations and lifetimes in He-Ne lasers, 4=24897
- Hargrove, L.E. and Hiedemann, E.A. Diffraction of wide and narrow light beams by distorted finite-amplitude progressive ultrasonic waves in water, 2=2897
- Hargrove, L.E., Hiedemann, E.A. and Mertens, R. Diffraction of light by two spatially separated parallel ultrasonic waves of different frequency, 2=9406
- Hargrove, L.E. See Fork, R.L., 4=24900
- Hargrove, L.E. See Fork, R.L., 4=25541
- Haries, W.L. See Yoshikawa, S., 4=536
- Harigel, G., Häufelböckner, H., Keil, E., Scheer, M. and Seyerlein, J. On the production of X-ray bremsstrahlung in a betatron, 3=5983
- Harigel, G., Lüers, D., Mayer, H.M., Scheer, M. and Schultze, K. Typical bubble chamber pictures produced by relativistic electrons under 30 MeV, 1=10819
- Harigel, G., Scheer, M. and Schultze, K. Determination of the range of 20.4 MeV electrons, 1=10879
- Harigel, G., Scheer, M. and Schultze, K. Bubble chamber experiments on the slowing down of relativistic electrons, 3=24698
- Harigel, G. See Bergmann, W.H., 3=17128
- Harigovindan, S. A simple circuit for a reversible dekatron counter, 3=14491
- Harihar, P. See Saraf, B., 0=11357
- Harihar, P. See Wiener, R., 3=12603
- Hariharan, P. and Bhalla, M.S. Contour mapping microdensitometer, 0=5127
- Hariharan, P. and Bhalla, M.S. Linear photomultiplier bridge circuit for the measurement of small changes in absorption, 0=6911
- Hariharan, P. and Sen, D. Double-passed two-beam interferometers, 0=5173
- Hariharan, P. and Sen, D. Three-beam interferometer, 0=5174
- Hariharan, P. and Sen, D. Interferometric measurement of small angular displacements, 0=5178
- Hariharan, P. and Sen, D. A simple interferometric arrangement for the measurement of optical frequency response characteristics, 0=8788
- Hariharan, P. and Sen, D. Accurate measurements of phase difference with the Babinet compensator, 0=14854
- Hariharan, P. and Sen, D. The double-passed fizeau interferometer, 0=16890
- Hariharan, P. and Sen, D. Cyclic shearing interferometer, 0=16891
- Hariharan, P. and Sen, D. Half-shade setting system for the Michelson interferometer, 0=19427
- Hariharan, P. and Sen, D. Measurement of the optical thickness of absorbing specimens with the three-beam interferometer, 0=19431
- Hariharan, P. and Sen, D. Interferometric measurement of small angular displacements. II. The double-passed Jamin interferometer, 1=1824
- Hariharan, P. and Sen, D. Double-passed Fabry—Perot interferometer, 1=4474
- Hariharan, P. and Sen, D. The separation of symmetrical and asymmetrical wave-front aberrations in the Twyman interferometer, 1=5339

- Hariharan, P. and Sen, D. Double-passed Fizeau interferometer. II. Fringe systems formed by the reflected beams, 1=5351
- Hariharan, P. and Sen, D. Fringes of equal inclination to the double-passed michelson interferometer, 1=8235
- Hariharan, P. and Sen, D. Double-passed two-beam interferometers. II. Effects of specimen absorption and finite path difference, 1=16103
- Hariharan, P. and Sen, D. Radial shearing interferometer, 1=18606
- Hariharan, P. and Sen, D. Effects of partial coherence in two-beam interference, 2=1273
- Hariharan, P. and Sen, D. Three-beam interferometer for diffusion measurement, 2=7386
- Hariharan, P. and Sen, D. Interferometric measurements of the aberrations of microscope objectives, 2=9368
- Hariharan, P., Sen, D. and Bhalla, M.S. Photoelectric setting methods for a three-beam interferometer, 0=5175
- Hariharan, P. and Singh, R.G. Random, plane-polarized components in ordinary, unpolarized light, 1=18619
- Hariharan, P.S. The use of the Bellani spherical pyranometer for the measurement of total solar radiation, 2=11024
- Hariharan, S. See Hameed, A.S., 0=19398
- Hariharan, T.A. Application of the Urey-Bradley and the orbital valency force fields to some tetrahedral ions, 2=3722
- Hariharan, T.A. Amplitude of thermal vibrations in Pcl_3 , AsCl_3 and SbCl_3 molecules, 2=8083
- Haring, A. See de Vries, A.E., 4=20841
- Harker, G.F.H. Theory of the Quincke tube, 3=11863
- Harker, H.J. See Goddard, J., 0=3164
- Harker, H.J. See Goddard, J., 2=21453
- Harker, K.J. Determination of electrode shapes for axially symmetric electron guns, 1=1915
- Harker, K.J. Electrode design for axially symmetric electron guns, 2=11710
- Harker, K.J. Solution of the Cauchy problem for Laplace's equation in axially symmetric systems, 3=18694
- Harker, K. J. and Shaw, H. J. Computer study of transient spin-wave buildup in ferrites, 4=13292
- Harker, W. See Greebler, P., 0=12991
- Harkins, P.A. See Magnuson, G.D., 1=4672
- Harkins, P.A. See Meckel, B.B., 1=4618
- Harkness, A.C. See Halpern, J., 0=3531
- Harkness, A.L. See Halperin, J., 3=22434
- Harkness, A.L. See Horrocks, D.L., 2=5833
- Harkness, A.L. See Rothman, S.J., 2=3948
- Harkness, A.L. See Rothman, S.J., 2=14467
- Harkness, R.L. See Hughes, M.P., 3=23704
- Harkrider, D. See Press, F., 3=9061
- Harkrider, D. G. Surface waves in multilayered elastic media. I. Rayleigh and love waves from buried sources in a multilayered elastic half-space, 4=23702
- Harkrider, D.G. and Anderson, D.L. Computation of surface wave dispersion for multilayered anisotropic media, 2=11444
- Harkrider, D.G., Hales, A.L. and Press, F. On detecting soft layers in the mantle with Rayleigh waves, 3=18472
- Harlan, J.T. and Hart, E.J. Ceric dosimetry: accurate measurements at 10^6 rads, 0=5453
- Harlan, R.A. See Sheline, R.K., 2=5801
- Harlie, J.H., Hallden, N.A. and Fisenne, I.M. Beta scintillation counting with thin plastic phosphors, 2=5515
- Harley, J.H. See Hallden, N.A., 1=560
- Harley, T.P. and Tyrag, G. Transmission of electromagnetic waves through an ionized layer in the presence of a strong magnetic field, 2=5487
- Harlin, J.B. and Cohen, M. Interference-free integration of a blood gas analyzer into a polygraphic system for recording physiological activities, 0=21404
- Harling, O.K. Eu^{140} decay, 2=1844
- Harling, O. K., Ventrice, C. A. and Pinajian, J. J. Gamma-ray angular correlations and spin assignments in Sm^{140} , 4=1024
- Harllee, F. N. See Rosenstock, H. M., 4=13706
- Harloff, H.J. and Kupec, P. Interactions between the magnetic film and the control current pulse in the thin film store, 3=19415
- Harlow, F. H. and Fromm, J. E. Dynamics and heat transfer in the von Kármán wake of a rectangular cylinder, 4=29580
- Harlow, F.H. and Meixner, B.D. Motion of a viscous compressible gas adjacent to a sliding plate, 1=15925
- Harlow, F. H. See Amsden, A. A., 4=14108
- Harlow, F.H. See Duff, R.E., 2=9310
- Harlow, F.H. See Evans, M.W., 2=13361
- Harlow, F.H. See Fromm, J.E., 3=18782
- Harlow, M.V., Jr. See Rabson, T.A., 0=20414
- Harlow, R.G., Hinton, T. and Rider, J.G. A frequency modulation technique for the measurement of internal friction, 3=7258
- Harlow, R. G. and Kitching, R. Absorption of sound in mixtures of oxygen and water vapor, 4=21185
- Harlow, R.G. See Smith, D.H., 3=5497
- Härm, R. and Schwarzschild, M. Red giants of population II. III, 4=15917
- Härm, R. See Schwarzschild, M., 2=19324
- Harman, G.G. Hard gallium alloys for use as low contact resistance electrodes and for bonding thermocouples into samples, 0=14360
- Harman, G.G. and Higier, T. Some properties of dirty contacts on semiconductors and resistivity measurements by a two-terminal method, 2=14529
- Harman, G.G., Higier, T. and Meyer, O.L. Some electrical properties of the porous graphite contact on p-type silicon, 2=14544
- Harman, G.G. and Raybold, R.L. Measurement of minority carrier lifetime in SiC by a novel electroluminescent method, 1=11508
- Harman, G.G., Raybold R.L. and Meyer, O.L. Direct observation of charge storage in the surface states of silicon, 3=10799
- Harman, T.C. Determination of the effective scattering mechanism parameter of electron transport theory, 0=11730
- Harman, T.C. Angular dependence of magnetoresistance in HgSe, 1=14378
- Harman, T.C. Criteria for the optimization of the nernst figure of merit, 3=20257
- Harman, T. C. Galvano-thermomagnetic effects in semiconductors and semimetals. IV. Mercury selenide, 4=30623
- Harman, T.C. and Honig, J.M. Galvano-thermomagnetic effects in degenerate semiconductors and semimetals with non-parabolic band shapes. II. General theory, 2=18666
- Harman, T.C. and Honig, J.M. Theory of galvano-thermomagnetic energy conversion devices. I. Generators, 3=356
- Harman, T.C. and Honig, J.M. Theory of galvano-thermomagnetic energy conversion devices. II. Refrigerators and heat pumps, 3=357
- Harman, T.C. and Honig, J.M. Operating characteristics of Nernst refrigerators for anisotropic materials, 3=12064
- Harman, T. C., Honig, J. M., Fischler, S. and Paladino, A. E. The Nernst-Ettingshausen energy conversion figure of merit for Bi and Bi-4% Sb alloys, 4=22704
- Harman, T. C., Honig, J. M., Fischler, S., Paladino, A. E. and Button, M. J. Oriented single-crystal bismuth Nernst-Ettingshausen refrigerators, 4=14472
- Harman, T.C., Honig, J.M. and Tarmy, B.M. Galvano-thermomagnetic effects in semiconductors and semimetals. III. The standard and kane band models, 3=20289
- Harman, T.C., Honig, J.M. and Tarmy, B.M. Galvano-thermomagnetic phenomena. IV. Application to anisotropic adiabatic Nernst generators, 3=21694
- Harman, T.C. and Strauss, A.J. Band structure of HgSe and HgSe-HgTe alloys, 1=17754
- Harman, T.C., Strauss, A.J., Dickey, D.H., Dresselhaus, M.S., Wright, G.B. and Mavroides, J.G. Low electron effective masses and energy gap in $\text{CdHg}_{1-x}\text{Te}$, 2=4034
- Harman, T.C. See Rosenberg, A.J., 0=603
- Harman, T.C. See Strauss, A.J., 3=10938
- Harman, T.C. See Wright, G.B., 2=8368
- Harmathy, T. Z. Variable-state methods of measuring the thermal properties of solids, 4=14425
- Harmatz, B. and Handley, T.H. Properties of nuclear levels in a number of even-mass nuclei ($184 \leq A \leq 192$), 4=27955
- Harmatz, B., Handley, T.H. and Mihelich, J.W. Nuclear spectroscopy of neutron-deficient Lu, Ta, and Re isotopes, 0=15538
- Harmatz, B., Handley, T.H. and Mihelich, J.W. Nuclear levels in a number of even-even rare earths ($150 \leq A \leq 184$), 1=12160
- Harmatz, B., Handley, T.H. and Mihelich, J.W. Properties of nuclear levels in a number of odd-A nuclei ($151 \leq A \leq 191$), 3=2380
- Harmatz, B. See Bichard, J.W., 0=1370
- Harmatz, B. See Jacob, K.P., 0=5714
- Harmegnies, P. Conditions for a family of surfaces obtained by varying a parameter to represent the equipotentials of the field of a possible system of conductors, 0=14953
- Harmelin, M. Study of the chromium (III) sulphates by thermogravimetry and infrared absorption, 1=17897

- Harmelin, M. Recent studies of the structure of several minerals with the aid of nuclear magnetic resonance, 4=10522
- Harmer, D. E. and Beale, J. S., Jr. Radiation catalysis of ethyl bromide—six months "on-stream", 4=10650
- Harmer, D. S. and Perlman, M. L. Some considerations concerning the nuclear matrix element $\Sigma |B_{ij}|^2$ in beta decay, 1=7339
- Harmer, D. S. See Brewer, H. R., 2=1956
- Harmer, D. S. See Hooper, J. W., 1=4555
- Harmer, D. S. See Hooper, J. W., 2=9529
- Harmer, D. S. See McDaniel, E. W., 3=4006
- Harmer, D. S. See Martin, D. W., 4=11536
- Harmer, D. S. See Martin, D. W., 4=24569
- Harmon, G. S. and Eisner, M. Propagation of microwaves in a plasma-filled waveguide, 4=11616
- Harmon, L. D., Levinson, J. and van Bergeijk, W. A. Studies with artificial neurons. IV. Binaural temporal resolution of clicks, 4=10958
- Harmon, T. C. and Honig, J. M. Operating characteristics of transverse (Nernst) anisotropic galvano-thermomagnetic generators, 3=9715
- Harmon, T. C. and Honig, J. M. Theory of galvano-thermomagnetic energy conversion devices. III. Generators constructed from anisotropic materials, 3=9716
- Harmon, T. C. See Gatos, H. C., 1=17515
- Harmony, M. D. and Myers, R. J. Infrared spectrum and thermodynamic functions of the NF_2 radical, 2=20883
- Harmony, M. D., Myers, R. J., Schoen, L. J., Lide, D. R., Jr. and Mann, D. E. Infrared spectrum and structure of the NF_2 radical, 1=17319
- Harms, G. See Blanc, C., 4=19997
- Harms, J. and Lorigny, J. Ideal phase detector quantum state, 4=21044
- Harmsen, D. See Cuevas, J., 4=3545
- Harmsen, D. M., Baumann, G., Cuer, P. and Braun, H. The emission of Li^+ fragments in the interactions of 1.5 GeV/c K^- mesons with nuclei in nuclear emulsion, 4=19806
- Harmsen, D. M. and Holm, K. Measurement of the longitudinal polarization of beta-rays from $\text{RaE}(\text{Bi}^{210})$ and Sb^{124} by means of Møller scattering, 2=3507
- Harness, J. B. See Challis, L. J., 3=4830
- Harness, J. B. See Goodwin, A. R., 4=8890
- Harnik, E., Goldstein, Y., Grover, N. B. and Many, A. Fast surface states in germanium at low temperatures, 1=1051
- Harnik, E. and Pratt, B. Space-charge polarization in photoconducting insulators, 3=15627
- Harnik, E. and Weisz, S. Z. Negative photoconductivity in cadmium sulphide, 3=903
- Harnik, E. See Many, A., 1=1050
- Harnik, E. See Many, A., 2=23329
- Harnik, E. See Peled, S., 3=10869
- Harnisch, H. See Martin, H., 0=2760
- Harnischmacher, E. Results of E-region drift measurements, 3=13750
- Harnischmacher, E. See Argence, E., 1=577
- Harnqvist, K. G. and Fendley, J. R., Jr. Duo-emitter diode, 3=9848
- Haroski, D. and Vogler, G. Investigation of the magnetization-reversal process in square-loop ferrites by means of the extended Preisach model, 3=13275
- Harp, E. E. See Cunningham, R. W., 3=10824
- Harp, R. and Kino, G. S. Measurement of fields in the plasma sheath by an electron beam probing technique, 4=18943
- Harp, R. S. Circuit for the display of Langmuir probe characteristics, 3=14600
- Harp, R. S. The behavior of the resonance probe in a plasma, 4=21517
- Harp, R. S., Kino, G. S. and Pavkovich, P. R. F. Properties of the plasma sheath, 4=5626
- Harp, R. S. See Crawford, F. W., 3=5678
- Harp, R. S. See Crawford, F. W., 4=27540
- Harp, W. F., Jr. and Eiffert, R. C. Determination of active hydrogen using exchange with deuterium. Infrared spectrophotometric method, 0=18453
- Harpe, A. de La. See de La Harpe, A.
- Harpe, G. de La. See de La Harpe, G.
- Harper, A. F. A. See Lowenthal, G. C., 0=214
- Harper, A. F. A. See Lowenthal, G. C., 0=7002
- Harper, B. J. See Bechtel, R., 4=22737
- Harper, D. J. Direct method of measurement of losses in small samples of soft magnetic materials, 2=3127
- Harper, D. W. Assessment of neodymium optical maser glass, 4=13037
- Harper, F. Proposed geometry for obtaining a more highly collimated light beam of greater intensity from GaAs lasers, 4=14944
- Harper, J. C. Coaxial cylinder viscometer for non-Newtonian fluids, 1=6824
- Harper, J. D., Jr. See Johler, J. R., 2=16072
- Harper, M. H., Jr. Optical instrumentation for TIROS, 2=11200
- Harper, P. See Irvine, J. A., 4=13998
- Harper, P. G. Electron-lattice interaction in metals, 0=1570
- Harper, P. G. The quasi-particle approximation in superconductivity, 1=5396
- Harper, P. V., Beck, R., Charleston, D. and Lathrop, K. A. Optimization of a scanning method using $\text{Tc}^{99\text{m}}$, 4=15971
- Harper, W. J. Some effects of the electric contact in films of electroluminescent ZnS:Cu:Cl , 2=8592
- Harper, W. J. Pulse excitation of electroluminescent films of $\text{ZnS:Cu}(\text{Cl}, \text{Br}, \text{I})$, 3=11009
- Harper, W. R. Contact electrification of semiconductors, 0=13643
- Harper, W. R. Neutron terminology, 1=13424
- Harper, W. R. Neutron "flux", 2=1687
- Harper, W. R. Electrification following the contact of solids, 2=22150
- Harpster, J. W., Bennett, D. L. and Casper, K. J. Energy of the first excited state of Sr^{86} , 4=1020
- Harpster, J. W. and Casper, K. J. Decay of 5.4 Pm^{148} , 4=17099
- Harrah, L. A. and Mayo, D. W. Rotational isomerism involving the 2-3 carbon-carbon bond of the 1-alkenes, 0=15783
- Harrah, L. A. See Radell, J., 2=8088
- Harrand, M. See Ebenstein, R., 1=14043
- Harrand, M. See Jost, F., 2=18465
- Harrand, M. See Théry, B., 3=20005
- Harrap, V. See Wood, C., 1=3772
- Harraway, R. A. An exploding wire triggered spark gap, 4=18763
- Harrell, B. See Amster, A. B., 0=3584
- Harrick, N. J. Metal to semiconductor contacts: injection or extraction for either direction of current flow, 0=582
- Harrick, N. J. Rectification without injection at metal-to-semiconductor contacts, 0=9983
- Harrick, N. J. Study of physics and chemistry of surfaces from frustrated total internal reflections, 0=10030
- Harrick, N. J. Semiconductor surface properties deduced from free carrier absorption and reflection of infrared radiation, 1=1034
- Harrick, N. J. Determination of the semiconductor surface potential under a metal contact, 1=8938
- Harrick, N. J. Optical spectrum of the semiconductor surface states from frustrated total internal reflections, 2=6575
- Harrick, N. J. Semiconductor type and local doping determined through the use of infrared radiation, 2=8312
- Harrick, N. J. Use of frustrated total internal reflection to measure film thickness and surface reliefs, 2=19493
- Harrick, N. J. Two-carrier model and theory for the metal-to-semiconductor contact, 2=23422
- Harrick, N. J. A continuously variable optical beam splitter and intensity controller, 4=5373
- Harrick, N. J. Multiple reflection cells for internal reflection spectrometry, 4=10671
- Harries, D. R. The effects of neutron irradiation on the properties of iron and steels, 0=7905
- Harries, D. R. and Smith, G. C. Fatigue damage and crack formation in pure aluminium, 0=21120
- Harries, J. H. O. New high-vacuum technique: kits to be used by students to make vacuum tubes, 0=19241
- Harries, W. L., Kessler, J. O., Sinclair, R. M. and Yoshikawa, S. Particle confinement and power balance in the model C stellarator, 4=16514
- Harries, W. L., Yoshikawa, S. and Sinclair, R. M. Erratum: Effect of a helical field on the plasma behavior in the model C stellarator, 4=16516
- Harries, W. L. See Chapuk, J. M., 4=8727
- Harries, W. L. See Grove, D. J., 3=12190
- Harries, W. L. See Sinclair, R. M., 3=19269
- Harries, W. L. See Yoshikawa, S., 3=19268
- Harriman, J. See Greebler, P., 0=12991
- Harriman, J. E. Natural expansion of the first-order density matrix for a spin-projected single determinant, 4=20028
- Harriman, J. E. and Maki, A. H. Intramolecular electron transfer in bis(p-nitrophenyl) anions and its effect on electron spin resonance hyperfine structure, 3=22597
- Harrington, D. R. Lepton decays of hyperons, 0=20237
- Harrington, D. R. Intermediate meson contributions to hyperon decays, 2=320

- Harrington, D.R. Two-particle approximation for the three-pion amplitude, 2=20394
- Harrington, D.R. $e^+ + e^- \rightarrow \pi^+ + \pi^- + \pi^0$ and overlapping resonances, 3=17246
- Harrington, D.R. Exchange-current contribution to the deuteron magnetic moment, 4=9304
- Harrington, D.R. Double scattering corrections to high-energy diffraction scattering from deuterons, 4=25207
- Harrington, F.D. Time-resolution spectroscopy, 4=14354
- Harrington, J.M. See Bailey, D.K., 2=12031
- Harrington, R.D. See Case, W.E., 4=23038
- Harrington, R.D. See Grimes, D.M., 0=11852
- Harrington, R.D. See Hoer, C.A., 3=24423
- Harrington, R.E., Rabinovitch, B.S. and Diesen, R.W. Unimolecular decomposition of chemically activated sec-deuterobutyl radicals from D atoms plus cis-burene-2, 0=8301
- Harrington, R.E., Rabinovitch, B.S. and Frey, H.M. Decomposition of activated sec-butyl radicals from different sources and unimolecular reaction theory, 0=21274
- Harrington, R.E., Rabinovitch, B.S. and Hoare, M.R. Collisional deactivation of vibrationally excited sec-butyl- d_1 radicals produced by chemical activation, 0=17739
- Harrington, R.E. See Kubin, R.F., 2=21586
- Harrington, R.E. See Rabinovitch, B.S., 3=8965
- Harrington, R.F. Small resonant scatterers and their use for field measurements, 2=17735
- Harrington, R.P. Some bounds to the behaviour of small resonant scatterers, 4=16659
- Harris, A.B. Spin-wave spectra of yttrium and gadolinium iron garnet, 4=7293
- Harris, A.B. and Meyer, H. Calorimetric determination of energy levels in rare-earth and yttrium-iron garnets, 2=16629
- Harris, A.B. See Meyer, H., 0=9855
- Harris, A.K. See Berthold, W.K., 0=14165
- Harris, A.K. See Berthold, W.K., 0=16411
- Harris, A.K. See Daniels, F.B., 0=16773
- Harris, A.K. See Daniels, F.B., 2=6933
- Harris, B. Glide systems in niobium single crystals in the range 1400-2300°C, 4=4483
- Harris, B. and Jenkins, A.E. Controlled atmosphere levitation system, 0=3393
- Harris, B. See Johnson, P.D., 4=14597
- Harris, C.C. Alternative forms of some exponential and power functions for graphical representation, 0=3395
- Harris, C.C. Sedimentation rates, fluidization and flow through porous media, 0=4739
- Harris, C.C. Commutation: A modified logistic growth function, 3=8786
- Harris, C.C. and Howitt, D. A method for the routine measurement of particle shape factors in the sieve range, 0=16341
- Harris, C.C. and Jowett, A. Sub-sieve sizing by sedimentation balance, 3=21278
- Harris, C.K. See Vonnegut, B., 2=8974
- Harris, C.M. Absorption of sound in air on the audio-frequency range, 3=7241
- Harris, C.M. Absorption of sound in air in the audio frequency range, 4=14215
- Harris, C.M., Eisenstadt, M. and Weiss, M.R. Sounds of the Highland bagpipe, 3=23988
- Harris, C.M. and Waite, W.M. Gaussian-filter spectrum analyzer, 3=11870
- Harris, C.M. and Waite, W.M. Display of sound spectrographs in real time, 3=14283
- Harris, C.M. and Waite, W.M. Response of spectrum analyzers of the bank-of-filters type to signals generated by vowel sounds, 4=5336
- Harris, C.M. and Weiss, M.R. Pitch extraction by computer processing of high-resolution Fourier analysis data, 3=11620
- Harris, C.M. and Weiss, M.R. Effects of speaking condition on pitch, 4=23957
- Harris, C.M. See Weiss, M.R., 3=9291
- Harris, D.E. The radio spectrum of supernova remnants, 2=13183
- Harris, D.E. and Roberts, J.A. Radio source measurements at 960 Mc/s, 1=4222
- Harris, D.G. See Maxwell, S., 4=13610
- Harris, D.G. See Nicholson, S., 4=29168
- Harris, D.H.C. See Egelstaff, P.A., 4=6711
- Harris, D.L. and McCullen, J.D. Nuclear moments of Sc^{44} and Sc^{44m} , 4=988
- Harris, D.L. See Birks, L.S., 3=3421
- Harris, D.L. See Reid, W.H., 0=918
- Harris, D.L. See Walker, J.C., 1=595
- Harris, E.A., Lines, M.E. and Owen, J. Paramagnetic resonance from three exchange coupled ions, 4=26403
- Harris, E.A. and Owen, J. Biquadratic exchange between Mn^{2+} ions in MgO , 3=20627
- Harris, E.A. See Rodbell, D.S., 3=20628
- Harris, E.D. See Friedberg, S.A., 4=17384
- Harris, E.G. Plasma instabilities associated with anisotropic velocity distributions, 1=9551
- Harris, E.G. On a plasma sheath separating regions of oppositely directed magnetic field, 2=7618
- Harris, E.G. Rayleigh-Taylor instabilities of a collapsing cylindrical shell in a magnetic field, 2=20127
- Harris, E.G. The effect of finite ion and electron temperatures on the ion cyclotron resonance instability, 4=5679
- Harris, E.G. Ionization-recombination instabilities, 4=19035
- Harris, E.G. and Simon, A. Coherent and incoherent radiation from a plasma, 0=9047
- Harris, E.G. See Alexeff, I., 3=16937
- Harris, E.G. See Burt, P., 1=18902
- Harris, E.G. See Faust, W.R., 1=17180
- Harris, E.G. See Hamm, R.N., 4=5435
- Harris, E.G. See Simon, A., 0=9046
- Harris, E.S. See Littmann, M.F., 2=12706
- Harris, F.B., Jr and Tanner, R.L. A method for the determination of lower ionosphere properties by means of field measurements on sferics, 2=15232
- Harris, F.E. Molecular orbital studies of diatomic molecules. I. Method of computation for single configurations of hetero-nuclear systems, 0=4231
- Harris, F.E. Gaussian wave functions for polyatomic molecules, 4=12434
- Harris, F.E. and Taylor, H.S. Molecular orbital studies of diatomic molecules. III. The ground state of the hydrogen molecule, 3=19980
- Harris, F.E. and Taylor, H.S. A quantum mechanical study of the LiH molecule in the ground state, 4=9714
- Harris, F.E. See Harris, G.M., 0=4185
- Harris, F.E. See Michels, H.H., 4=1262
- Harris, F.E. See Taylor, H.S., 3=15318
- Harris, F.E. See Taylor, H.S., 4=9675
- Harris, F.M. Note on the estimation of initial cathode current in electron attachment experiments, 4=14572
- Harris, F.M. See Dutton, J., 3=4017
- Harris, F.M. See Dutton, J., 3=7428
- Harris, F.M. See Dutton, J., 3=24215
- Harris, F.M. See Dutton, J., 4=18672
- Harris, F.M. See Dutton, J., 4=24560
- Harris, F.S., Jr. Light diffraction patterns, 4=27333
- Harris, F.S., Jr and Orme, G.R. The effects of optical properties on thin films on polarization and intensity of light diffracted through wide angles, 4=8454
- Harris, F.S., Jr., Sparks, D.C. and Layton, R.G. Nucleation of ice on lead iodide, 3=16038
- Harris, F.S., Jr. See Barnett, J.D., 2=13458
- Harris, F.S., Jr. See Daw, H.A., 1=13391
- Harris, F.S., Jr. See Layton, R.G., 3=16037
- Harris, G.G. Binaural interactions of impulsive stimuli and pure tones, 0=12222
- Harris, G.G. Periodicity perception by using gated noise, 3=2116
- Harris, G.G., Flanagan, J.L. and Watson, B.J. Binaural interaction of a click with a click pair, 3=16448
- Harris, G.G. and van Bergeijk, W.A. Evidence that the lateral-line organ responds to near-field displacements of sound sources in water, 3=7069
- Harris, G.L., Hennecke, H.J. and Prosser, F.W., Jr. Polarization of gamma rays from the $Si^{30}(p, \gamma)P^{31}$ reaction and the 9.42 and 4.43 MeV levels of P^{31} , 4=25303
- Harris, G.I., Kasturi Rangan, L., Stump, R. and Seagondollar, L.W. Modification of an energy modulator for particle accelerators, 0=19820
- Harris, G.I. and Seagondollar, L.W. Properties of excited state of P^{31} . I. Gamma-ray spectra and decay schemes, 2=22742
- Harris, G.I. and Seagondollar, L.W. Properties of excited states of P^{31} . II. Gamma-ray angular distributions and correlations, 3=19774
- Harris, G.I. See Rangan, L.K., 2=20620
- Harris, G.I. See Seagondollar, L.W., 0=17594
- Harris, G.I. See Watson, D.D., 3=24880
- Harris, G.M. Equilibrium properties of a multicomponent ionized gas, 0=2328

- Harris, G.M. Attractive two-body interactions in partially ionized plasma, 2=5332
- Harris, G.M. Equilibrium properties and equation of state of a hydrogen plasma, 4=8683
- Harris, G.M. and Harris, F.E. Valence bond calculation of the barrier to internal rotation in molecules, 0=4185
- Harris, G.M., Roberts, J.E. and Trulio, J.G. Equilibrium properties of a partially ionized plasma, 0=17007
- Harris, G.M. and Trulio, J. Equilibrium properties of a partially ionized plasma, 1=9558
- Harris, G.M. See Porte, A.L., 1=3952
- Harris, I. and Jastrow, R. Re-entry of the Sputnik I rocket, 1=5176
- Harris, I. and Jastrow, R. An interim atmosphere derived from rocket and satellite data, 1=6601
- Harris, I. and Priester, W. Time-dependent structure of the upper atmosphere, 2=24027
- Harris, I. and Priester, W. Theoretical models for the solar-cycle variation of the upper atmosphere, 3=9065
- Harris, I. and Priester, W. Relation between theoretical and observational models of the upper atmosphere, 4=7869
- Harris, I. See Davis, A.H., 2=4628
- Harris, I.A. See Booth, K.H.V., 1=16395
- Harris, I.R. See Dillamore, I.L., 4=13656
- Harris, I.R. See Waber, J.T., 4=15796
- Harris, J. Flow of visco-elastic liquids from tubes, 1=15793
- Harris, J. Dimensionless groups in viscoelastic flow through a tube, 3=11771
- Harris, J. Normal stress measurement in viscoelastic flow, 3=11772
- Harris, J. A note on the generalized Reynolds number in non-Newtonian flow, 4=135
- Harris, J. Rheological characterisation and incompressible flow, 4=18128
- Harris, J. See Friedman, I., 3=25898
- Harris, J. See Greenwood, J.A., 1=1017
- Harris, J. See Weinberger, H., 4=16255
- Harris, J.D. Scaling of pitch intervals, 1=1614
- Harris, J.D. On the diffusion of ions in membranes. II. Generalized Planck-Teorell equations, 3=16607
- Harris, J.D., Pikler, A.G. and Murphy, J.E. Compensatory and pursuit tracking of pitch, 3=13953
- Harris, J.D. See Bowman, J.J., 2=15446
- Harris, J.D. See Bowman, J.J., 3=5916
- Harris, J.D. See Bowman, J.J., 3=5917
- Harris, J.D. See Pikler, A.G., 0=16508
- Harris, J.D. See Sergeant, R.L., 1=10344
- Harris, J.D. See Sergeant, R.L., 3=1556
- Harris, J.E. Recrystallisation and grain boundary sliding in a magnesium alloy, 4=20666
- Harris, J.E., Haddrell, V.J. and Rickards, G.A. Metallographic examination of intergranular creep cavities in two magnesium alloys, 2=19098
- Harris, J.E. and Jones, R.B. Directional diffusion in magnesium alloys, 4=12796
- Harris, J.E. and Partridge, P.G. Creep-deformation of a magnesium-aluminium alloy, 2=18996
- Harris, J.E. and Partridge, P.G. Zirconium-hydride formation in homogenized magnesium-zirconium alloy, 4=30872
- Harris, J.H. Radiation through cylindrical plasma sheaths, 4=3178
- Harris, J.H. See Chapman, R.P., 3=1423
- Harris, J.L. Resolving power and decision theory, 4=16208
- Harris, J.L. Diffraction and resolving power, 4=18390
- Harris, J.L. See Boileau, A.R., 4=23756
- Harris, J.N. See Fleming, J.D., 3=13548
- Harris, K.K. and Price, W.E. A thin plastic radiation dosimeter, 2=7798
- Harris, L. The transmittance and reflectance of gold black deposits in the 15- to 100-micron region, 1=3813
- Harris, L. and Fowler, P. Absorptance of gold in the far infrared, 1=3844
- Harris, L. and Piper, J. Transmittance and reflectance of aluminium oxide film in the far infrared, 2=4153
- Harris, L. and Piper, J. Optical and electrical properties of bismuth deposits, 4=4252
- Harris, L.A. Spherical aberration due to initial path angle and lens curvature in aperture electron lenses, 0=9089
- Harris, L.A. Trapping with alumina in vacuum systems and its effect on cathode activity, 0=16745
- Harris, L.A. Comparative test of targets for observing dense electron beams, 0=19741
- Harris, L.A. A study of aperture-type electron lenses with space charge, 0=19750
- Harris, L.A. Structural effects in thin-film sandwich emitters, 4=11692
- Harris, L.A., Potter, R.A. and Yakel, H.L. Preliminary observations of mixed oxide compounds containing BeO, 2=17020
- Harris, L.A. See Anderson, J.M., 0=15068
- Harris, L.B. The rapid after-effect in zinc, 3=18197
- Harris, L.B. Delayed fracture by cyclic unload during extension of zinc, 4=23228
- Harris, L.B. See Meleka, A.H., 2=21428
- Harris, L.P. Electrical conductivity of cesium-seeded atmospheric pressure plasmas near thermal equilibrium, 3=24279
- Harris, L.P. Electrical conductivity of potassium-seeded argon plasmas near thermal equilibrium, 4=24638
- Harris, L.P. See Lapp, M., 4=5429
- Harris, M.F., Finger, F.G. and Teweles, S. Diurnal variation of wind, pressure, and temperature in the troposphere and stratosphere over the Azores, 2=17129
- Harris, M.R. Improved recording vacuum balance, 4=11012
- Harris, P. Decay of elastic precursor waves, 4=5278
- Harris, P. and Greene, R.F. Decay of elastic waves in solids with dislocations, 4=23092
- Harris, P.H. The direct observation of crystalline regions in drawn nylon 6-6 filaments, 3=20863
- Harris, P.H. A simple method of improving the wettability of electron microscope specimen grids, 3=20972
- Harris, P.H. The use of undrawn nylon filaments as capillary cores, 3=21180
- Harris, P.H. and Thompson, E.L. A rotating specimen holder for the Philips EM 100 electron microscope, 3=11332
- Harris, P.M. See Reed, J.W., 1=20541
- Harris, P.S. See Ballinger, E.R., 3=21151
- Harris, P.T. See Trainor, A., 0=4594
- Harris, P.V. See Clark, C.D., 4=10172
- Harris, P.V. See Price, W.C., 1=852
- Harris, P.V. See Price, W.C., 3=8303
- Harris, R. See Cockett, G.H., 4=11396
- Harris, R.A. Predissociation, 3=25146
- Harris, R.A. On the "Average Energy" in intermolecular force calculations, 4=28151
- Harris, R.A. and Rice, S.A. Kinetic theory of moderately dense rigid sphere fluids. III. The formulation and solution of the transport equation for binary mixtures, 0=3469
- Harris, R.A. and Rice, S.A. Kinetic theory of the moderately dense rigid-sphere fluid. IV. Fluxes of matter, momentum, and energy in a mixture, 0=18967
- Harris, R.A. and Rice, S.A. Kinetic theory of the moderately dense rigid-sphere fluid. V. Relaxation in momentum space, 0=18968
- Harris, R.A. See McLachlan, A.D., 1=9339
- Harris, R.A. See Rice, S.A., 1=13391
- Harris, R.E. See Taylor, H.S., 3=25096
- Harris, R.D. See Van Duzer, T., 4=19098
- Harris, R.K. Fluorine n.m.r. spectroscopy—studies of ^{13}C satellite spectra, 3=15386
- Harris, R.W. First-order effect of magnetic moment non-conservation for geomagnetically trapped particles, 4=2253
- Harris, R.W., Phillips, G.C. and Jones, C.M. Phase shift analysis of the elastic scattering of protons from oxygen, 3=2446
- Harris, R.W. See Jones, C.M., 2=20673
- Harris, S.E. Conversion of f.m. light to a.m. light using birefringent crystals, 3=6628
- Harris, S.E. Conversion of frequency-modulated light to space-modulated light, 4=27279
- Harris, S.E. Demodulation of phase-modulated light using birefringent crystals, 4=29726
- Harris, S.E., Ammann, E.O. and Chang, I.C. Optical network synthesis using birefringent crystals. I. Synthesis of lossless networks of equal-length crystals, 4=29736
- Harris, S.E., McMurtry, B.J. and Siegman, A.E. Modulation and direct demodulation of coherent and incoherent light at a microwave frequency, 3=5535
- Harris, S.E. See Siegman, A.E., 4=19276
- Harris, S.J. See Bray, H.J., 2=2403
- Harris, S.L. See Gregory, R.W., 3=7171
- Harris, S.M. Quantum mechanical calculation of Mössbauer transmission, 2=349
- Harris, S.M. and Gallagher, C.J., Jr. Perturbed rotational band spectra of some two-quasiparticle $K\pi = 0^-$ states in deformed even-even nuclei, 4=27954

- Harris, S. M. and Jabbur, R. J. On depolarisation of fast positrons by bremsstrahlung, 4=19492
- Harris, S.M. See Fuller, R.W., 3=14032
- Harris, T. C. See Struble, R.A., 4=8041
- Harris, T.J. See Kulcke, W., 4=16228
- Harris, W.J. Method for size-distribution determinations of non-volatile droplets by electron microscopy, 0=6771
- Harris, W.J. Size distribution of tobacco smoke droplets by a replica method, 0=12091
- Harris, W.J. Size distribution determinations of non-volatile droplets by light and electron microscopy, 1=11744
- Harris, W.J. Device for shadowcasting and making thin films for electron microscopy, 2=23943
- Harris, W.J. Holey films for electron microscopy, 3=13582
- Harris, W.J. Device for producing droplet samples of suspensions for electron microscopy and especially for quantitative particle assay, 4=30909
- Harris, W. L., Yoshikawa, S. and Sinclair, R. M. Effect of a helical field on the plasma behavior in the model C stellarator, 4=5688
- Harris, W.P. See Stowe, A.N., 3=16443
- Harrison, A. W. and Jones, A.V. Measurements of the absolute intensity of the aurora and night airglow in the 0.9-2.0 μ region, 0=801
- Harrison, A.W. and Jones, A.V. Observations of Meinel N₂⁺ bands near 1.5 μ in the auroral spectrum, 0=6474
- Harrison, A.W. See Jones, A.V., 0=2028
- Harrison, A.W. See Noxon, J.F., 0=14295
- Harrison, B.K. Exact three-variable solutions of the field equations of general relativity, 0=2107
- Harrison, C.W. See King, R., 0=12701
- Harrison, C.W., Jr. Scattering error in radio interferometer, 2=16026
- Harrison, C.W., Jr. Physical limitations on the measurement of transient fields in air and in dissipative media using electric and magnetic probes, 4=30025
- Harrison, C.W., Jr. and King, R.W.P. Response of a loaded electric dipole in an imperfectly conducting cylinder of finite length, 0=17112
- Harrison, C.W., Jr. See Gooch, D.W., 3=19453
- Harrison, C.W., Jr. See King, R., 1=12693
- Harrison, D.E. The system BaO-TiO₂-P₂O₅: Phase relations, fluorescence, and phosphor preparation, 0=11773
- Harrison, D.E. Relation of some surface chemical properties of zinc silicate phosphor to its behavior in fluorescent lamps, 0=11779
- Harrison, D. E. Effect of pressures (up to 4 kbar) on the polymerization of liquid selenium from measurements of viscosity, 4=25793
- Harrison, D.E. and Hoffman, M.V. The calcium silicate Mn + Pb phosphor phase relationships and preparation, 0=3267
- Harrison, D.E., Melamed, N.T. and Subbarao, E.C. A new family of self-activated phosphors, 3=10982
- Harrison, D.E. and Shirane, G. Crystal growth and structural study of the barium-titanium-phosphate phosphor, 1=20561
- Harrison, D.E. and Tiller, W.A. Study of the growth mechanism and twin habits of Ba₂TiP₂O₈, 2=19039
- Harrison, D.E., Jr. Extended theory of sputtering, 0=12088
- Harrison, D.E., Jr. Determination of the maximum lattice-chain energy from sputtering yield, 1=7110
- Harrison, D.E. Jr. and Magnuson, G.D. Sputtering thresholds, 1=8362
- Harrison, D. E., Jr. See Gay, W. L., 4=28506
- Harrison, D. E., Jr. See Moore, C. J., 4=10484
- Harrison, D.E., Jr. See Yonts, O.C., 0=9110
- Harrison, D.E., Jr. See Yonts, O.C., 0=16747
- Harrison, D.P. Auroral radio echoes at Halley Bay, 1=1565
- Harrison, E.R. Emission of relatively high-energy ions from low-voltage arcs, 0=9092
- Harrison, E.R. A mercury surface height indicator, 0=14571
- Harrison, E.R. Theory of auroral structures, 0=16461
- Harrison, E.R. Runaway and suprathermal particles, 1=9562
- Harrison, E.R. Solar wind and the gegenschein, 1=10336
- Harrison, E.R. The effect of particle streams on transverse hydromagnetic waves, 2=1567
- Harrison, E.R. Acceleration of electrons in plasmas, 2=7603
- Harrison, E.R. Stability of longitudinal electrostatic oscillations in plasmas of finite dimensions, 2=7633
- Harrison, E.R. Determination of the nature of the earth's distant magnetic field, 2=11089
- Harrison, E.R. The earth's distant magnetic field, 2=15262
- Harrison, E.R. An experiment to determine the nature of the earth's distant magnetic field, 2=15271
- Harrison, E. R. Ion oscillations in multistream plasmas, 2=17853
- Harrison, E.R. Physics of electron and plasma streams, 3=12244
- Harrison, E.R. Emission of high energy ions from low voltage arcs. Comments on H.H.Teh's paper, 3=14662
- Harrison, E. R. Longitudinal electrostatic oscillations in velocity-gradient plasmas. I. The slipping-stream model, 4=3003
- Harrison, E. R. Alternative approach to the problem of producing controlled thermonuclear power, 4=12296
- Harrison, E. R. Thermonuclear and pycnonuclear reactions, 4=25450
- Harrison, E. R. Solar corpuscular radiation and the nature of the earth's immediate interplanetary environment, 4=26939
- Harrison, E. R. and Stringer, T. E. Longitudinal electrostatic oscillations in velocity gradient plasmas. II. The adjacent stream model, 4=3004
- Harrison, E.R. and Thompson, W.B. The low pressure plane symmetry discharge, 0=5308
- Harrison, E. R. and Tolansky, S. Growth history of a natural octahedral diamond, 4=26595
- Harrison, E.R. See Frith, R., 1=20806
- Harrison, E.R. See Hobbs, L.C.W., 1=9649
- Harrison, F.B. See Armstrong, A.H., 1=15335
- Harrison, F.B. See Reines, F., 0=3955
- Harrison, F.W. The growth of oxide single crystals containing transition metal ions, 0=3177
- Harrison, F.W. and Curtis, B.J. A modification of the X-ray powder diffraction method for determining end member ratios in solid solutions and its application to the Wurtzite system, 2=12908
- Harrison, G., Lamb, J. and Matheson, A. J. The viscoelastic properties of dilute solutions of polystyrene in toluene, 4=24190
- Harrison, G.R. and Hodges, L.R., Jr. Temperature stable microwave hybrid garnets, 2=12747
- Harrison, G.R., Schmidt, G.D. and Curtis, C.D. Differential and total cross sections of the B¹⁰(d,p)B¹¹ reaction at low-deuteron energies, 0=5749
- Harrison, G.R. and Stroke, G.W. Attainment of high resolution with diffraction gratings and echelles, 1=1828
- Harrison, H. Total collision cross-sections for scattering of thermal beams of hydrogen, hydrogen atoms, and helium by hydrogen and helium, 2=23017
- Harrison, H. and Bernstein, R.B. Iterative method for solution of the one-dimensional wave equation: eigenvalues and eigenfunctions for L-J (12, 6) and exponential (α , 6) interatomic potentials, 3=15317
- Harrison, H., Krall, N. A., Eldridge, O. C., Fehsenfeld, F., Fite, W. L. and Teutsch, W.B. Possibility of observing the magnetic charge of an electron, 3=10090
- Harrison, H. See Charlson, R.J., 0=3317
- Harrison, J.A. Self-absorption in an electrodeless discharge in hydrogen and helium, 0=4172
- Harrison, J.A. and Reid, C.D. Infra-red absorptometer, using interference filters, for analysis of hydrogen fluoride in gaseous mixtures, 0=4754
- Harrison, J.A. See Govinda Raju, G. R., 4=18712
- Harrison, J.A. See Vujnović, V., 2=17895
- Harrison, J.C. The measurement of gravity, 3=5181
- Harrison, J.C. A note to the paper "Earth-tide observations made during the International Geophysical Year", 3=13638
- Harrison, J.C. An analysis of the lunar tides, 3=23670
- Harrison, J.C., Ness, N.F., Longman, I.M., Forbes, R.F.S., Kraut, E.A. and Slichter, L.B. Earth-tide observations made during the International Geophysical Year, 3=13637
- Harrison, J.C. and Spiess, F.N. Tests of the Lacoste and Romberg surfaceship gravity meter. II, 3=13636
- Harrison, J.C. See Allan, T.D., 3=8995
- Harrison, J.C. See LaCoste, L.J.B., 1=20792
- Harrison, J.C. See Nettleton, L.L., 0=8346
- Harrison, J.D. and Tiller, W.A. Ice interface morphology and texture developed during freezing, 4=4548
- Harrison, J.D.L. See Russell, L.E., 1=15097
- Harrison, J.E. See Mohindra, V.K., 3=23604
- Harrison, J.R. Shielding materials, 3=2539
- Harrison, J.W. A mercury computer programme for the correction of X-ray diffraction line shapes, 2=23831
- Harrison, L.G. Influence of dislocations on diffusion kinetics in solids with particular reference to the alkali halides, 2=6382
- Harrison, L.G. Suggestion for a chemical notation for V centers, 3=20249

- Harrison, L.G., Hoodless, I.M. and Morrison, J.A. Exchange reactions involving surface regions in sodium chloride crystals, 1=4076
- Harrison, L. G. See Adams, R. J., 4=7761
- Harrison, M. C. Gaussian wavefunctions for the 10-electron systems. I. Neon, 4=25504
- Harrison, M. C. Gaussian wavefunctions for the 10-electron systems. II. Hydrogen fluoride, 4=25650
- Harrison, M.C. See Reeves, C.M., 3=19965
- Harrison, M.F., Dolder, K.T. and Thonemann, P.C. The measurement of the ionization cross-sections of ions by electron impact, 3=7425
- Harrison, M.F.A., Dolder, K.T. and Thonemann, P.C. A measurement of the cross section for the ionization of N^+ to N^{2+} by electron impact, 3=21702
- Harrison, M.F.A. See Dolder, K.T., 1=18765
- Harrison, M.F.A. See Dolder, K.T., 3=21703
- Harrison, M.J. Magneto-attenuation of sound in semimetals: longitudinal waves, 0=13504
- Harrison, M.J. Collective excitation of degenerate plasmas in solids, 2=20977
- Harrison, M.J. Magnetic dependence of long-wavelength phonons in metals, 3=4808
- Harrison, M.J. See Cohen, M.H., 0=6011
- Harrison, M.J. See Elliott, D.N., 0=6505
- Harrison, P.G. Experimental investigation of the effect of irradiation intensity on the production of F centres in NaCl, 2=18616
- Harrison, P.G. Effect of X-ray intensity on the production of color centers in NaCl and KCl, 3=25297
- Harrison, R.D. and Thorley, N. The unit of neutron flux, 1=509
- Harrison, R.H. See Douglas, D.R., 1=15952
- Harrison, R.I. and Zucker, J. Microwave detection and mixing using the thermoelectric effect of hot carriers in semiconductors, 4=8924
- Harrison, R.J. and Paskin, A. On "screened impurity potentials in metals", 1=14245
- Harrison, R.J. and Paskin, A. Polar model of order-disorder, 3=8899
- Harrison, R. J. and Paskin, A. The effects of granularity on the diffracted intensity in powders, 4=23385
- Harrison, R. J. and Sagalyn, P. L. Trace relations for tensors relating electric fields and elastic strains to nuclear quadrupole effects, 3=3206
- Harrison, R.J. See Sagalyn, P.L., 1=17389
- Harrison, R. W. and Delgrosso, E. J. An apparatus for gravimetric determination of the effects of low pressure oxidation, 4=13711
- Harrison, S. E. and Assour, J. M. Relationship of electron spin resonance and semiconduction in phthalocyanines, 4=10335
- Harrison, S. E. and Assour, J. M. Electron spin resonance of copper phthalocyanine, 4=26392
- Harrison, S. E., Coppage, F. N. and Snyder, A. W. Gamma-ray and neutron-induced conductivity in insulating materials, 4=20402
- Harrison, S.E. See Bernal, I., 1=3566
- Harrison, S.E. See Bernal, I., 3=20015
- Harrison, S.E. See Gerritsen, H.J., 0=16180
- Harrison, S.E. See Heilmeyer, G.H., 2=16730
- Harrison, S.E. See Heilmeyer, G.H., 3=22680
- Harrison, S.E. See Heilmeyer, G.H., 3=23019
- Harrison, S. E. See Heilmeyer, G. H., 4=6994
- Harrison, S.E. See Kriessman, C.J., 1=6520
- Harrison, T.K. See Barker, R.S., 1=17886
- Harrison, V.A.W. Ionospheric effects associated with the solar flare of July 10, 1959, 0=12181
- Harrison, V.A.W. An unusual ionospheric disturbance in the Antarctic on 30 June to 1 July 1957, 1=1530
- Harrison, W. Illuminant for the colorimetry of fluorescent materials, 0=3659
- Harrison, W.A. Fermi surface in aluminum, 0=2805
- Harrison, W.A. Band structure of aluminum, 0=9887
- Harrison, W.A. Electronic structure of polyvalent metals, 0=9888
- Harrison, W.A. The effect of solute precipitation on the resistivity of alloys, 0=17984
- Harrison, W.A. Tunneling from an independent-particle point of view, 1=10639
- Harrison, W.A. Electronic structure from the one-o.p.w. [orthogonalized plane wave], or nearly-free-electron, point of view, 1=17440
- Harrison, W.A. The Fermi surface, 1=19738
- Harrison, W.A. Bismuth Fermi surface, 1=19744
- Harrison, W.A. Band structure and Fermi surface of zinc, 2=10352
- Harrison, W.A. Electronic structure and the properties of metals. I. Formulation, 3=8394
- Harrison, W.A. Electronic structure and the properties of metals. II. Application to zinc, 3=8395
- Harrison, W.A. Electronic structure of a series of metals, 3=25229
- Harrison, W.A. and Schmitt, R.W. The Fermi surface of metals, 1=6087
- Harrison, W.A. and Webb, M.B., [Eds]. The Fermi surface, 2=2064
- Harrison, W.A. See Charles, R.J., 3=20681
- Harrison, W.A. See Cohen, M.H., 0=6011
- Harrison, W.A. and Webb, M.B. [Eds.]. The Fermi surface, 1=11180
- Harrison, W.D. and Whitehead, A. B. Elastic scattering of protons by Li^6 , 4=6328
- Harrison, W.N. See Richmond, J.C., 3=289
- Harriss, D. K. and Frost, A. A. Electronic energy of the hydrogen molecule ground state by the local-energy method, 4=12449
- Harriss, D. K. See Frost, A. A., 4=24062
- Harrity, J.W. See Wikner, E.G., 3=22859
- Harrold, S.P. See Corkill, J.M., 2=2696
- Harrop, P.J. and Creamer, R.H. The high-temperature electrical conductivity of single-crystal alumina, 3=15610
- Harrop, W.J. See Gates, D.M., 3=25888
- Harrowell, R.V. Thermionic conversion of heat to electricity, 2=1379
- Harrower, G.A. Cosmic radio sources as intergalactic collisions, 0=14386
- Harrower, G.A. Design of radio telescopes for extragalactic surveys, 2=7033
- Harrower, G.A. Reply to J.R. Shakeshaft, 3=7043
- Harrower, G.A. and Srivastava, R. Variations in the scintillation of cosmic radio sources dependent on the scintillation rate, 4=17941
- Harrower, G.A. and Watson, M.J. A new estimate of the density and intensity of extragalactic radio sources, 3=16432
- Harrower, G.A. See Ryan, W.D., 0=12210
- Harsdorff, M. Orientation of evaporated metal films on alkali halide cleaved surfaces, 4=10451
- Hart, A. High resistivity nickel-iron alloys with rectangular hysteresis loops, 0=6227
- Hart, A.B. Problems in the determination of contours of solar lines near the extreme limb, 0=18773
- Hart, A.B. Evershed-type lines at the solar limb, 2=24115
- Hart, E.J. and Boag, J.W. Absorption spectrum of the hydrated electron in water and in aqueous solutions, 3=6926
- Hart, E.J. See Anderson, A.R., 2=6894
- Hart, E.J. See Harlan, J.T., 0=5453
- Hart, E.L., Louttit, R.I., Luers, D., Morris, T.W., Willis, W.J. and Yamamoto, S.S. Multiple meson production in proton-proton collisions at 2.85 BeV, 2=9889
- Hart, E.L., Louttit, R.I. and Morris, T.W. ω -meson production in proton-proton interaction at 2.85 BeV, 2=22607
- Hart, E.L. and White, D.H. Lithium hydride bremsstrahlung beam "hardener", 0=2517
- Hart, E.L. See Androulakis, J.G., 3=17125
- Hart, E.L. See Barnes, V.E., 4=16969
- Hart, E.L. See Bertanza, L., 2=22652
- Hart, E.L. See Bertanza, L., 3=7935
- Hart, E.L. See Bertanza, L., 3=15037
- Hart, E.L. See Connolly, P.L., 3=17330
- Hart, E. L. See Goldberg, M., 4=21909
- Hart, E.W. Thermodynamic theory of the pair correlation function, 1=8064
- Hart, F. See Cuthbert, J., 4=21591
- Hart, H. Thickness measurements by means of radiation, 2=15527
- Hart, H. Use of the quadratic difference law for liquid density measurement, 3=3780
- Hart, H.R. Electrical micromanometer, 1=10553
- Hart, H. R., Jr. and Swartz, P. S. The angular dependence of surface superconductivity in some type I and type II lead based superconductors, 4=27421
- Hart, H.R., Jr. and Wheatley, J.C. Thermal contact below $1^{\circ}K$, 0=1067
- Hart, H.R., Jr. and Wheatley, J.C. Self-diffusion in liquid He^3 , 0=5230
- Hart, H.R., Jr. See Anderson, A.C., 0=19542
- Hart, H.R., Jr. See Giaever, I., 2=11572

- Hart, J. and Hafner, K. F. A laboratory-techniques course for physics students, 4=14004
- Hart, J. and Merrilees, P. E. The viscoelectric effect, 3=18808
- Hart, J. See Birks, J. B., 1=5414
- Hart, J. See Birks, J. B., 1=8294
- Hart, J. See Birks, J. B., [Ed], 2=17764
- Hart, J. See Birks, J. B., [Ed], 2=22153
- Hart, J. See Birks, J. B., 3=22970
- Hart, J. See Cross, J. D., 4=12972
- Hart, J. B., Kjaas, F. X. and Hofmeyer, G. M. Phase production and measurement from 0 to 2π , 0=14936
- Hart, J. F. and Herzberg, G. Twenty-parameter eigenfunctions and energy values of the 2^3S states of He and He-like ions, 3=2561
- Hart, J. T. See 'T. Hart, J.
- Hart, K. and James, C. G. The "consort" reactor for training and research, 0=17641
- Hart, K. H. Fractional order slide rule for interferometric length measurement, 0=6943
- Hart, K. H. Note on "fractional order slide rule for interferometric length measurement, 0=19433
- Hart, K. H. and Baird, K. M. On the relation between the old and the new definition of the International Metre, 1=9306
- Hart, K. H. See Baird, K. M., 3=12763
- Hart, M. and Lang, A. R. Direct determination of X-ray reflection phase relationships through simultaneous reflection, 1=20489
- Hart, P. A. H. Partition effects in transverse electron beam waves, 2=17886
- Hart, P. A. H. and Plantinga, G. H. Millimetre-wave noise of a plasma, 3=4131
- Hart, P. A. H. and Weber, C. Paramagnetic-amplifier electron gun, 2=9628
- Hart, P. B. See Richards, J. L., 4=7571
- Hart, P. J. Effect of gas pressure and cone angle on the velocities of electrically excited shock waves, 0=7210
- Hart, P. J. Plasma acceleration with coaxial electrodes, 2=1457
- Hart, P. J. Resistance of a high-intensity arc, 3=375
- Hart, P. J. Induced electric fields in coaxial geometry, 4=11760
- Hart, R. G. A method for shadowing electron microscopic specimens with tungsten, 3=11329
- Hart, R. G. and Graham, R. L. The reactor neutron capture cross-section of Ag^{110m} , 3=22401
- Hart, R. K. Morphology of corundum films on aluminum, 4=4667
- Hart, R. K. See Garrod, R. I., 0=4701
- Hart, R. K. See Merkle, K. L., 3=22864
- Hart, R. W. and Cantrell, R. H. Acoustic radiation from pressure-antisymmetric modes of acentrally vented cylindrical cavity, 3=7287
- Hart, R. W. and Gray, E. P. Determination of particle structure from light scattering, 4=18432
- Hart, R. W. See Bird, J. F., 0=10808
- Hart, R. W. See Bird, J. F., 0=19251
- Hart, R. W. See Cantrell, R. H., 3=11864
- Hart, R. W. See Cantrell, R. H., 4=18353
- Hart, R. W. See McClure, E. T., 0=8735
- Hart, V. P. See Bashkin, S., 3=8136
- Hart, W. Thermodynamic functions for nonuniform systems, 4=5087
- Hart, W. See Cundy, D. C., 2=5716
- Hart, W. H. See Peckham, R. H., 3=21175
- Harte, A. See Holland, L., 1=18480
- Harte, J. and Sachs, R. G. Mixing effects for ϕ , ω , and ρ^0 mesons, 4=25169
- Harte, K. J. Flux reversal by noncoherent rotation in magnetic films, 0=11858
- Harte, K. J. and Smith, D. O. Switching thresholds of weakly coupled ferromagnetic domains, 3=13249
- Harte, K. J. See Smith, D. O., 2=10661
- Harte, R. A. Receptor elements of the human retina as semi-conductors, 2=1034
- Harte, W. E. See Stern, E. A., 4=28667
- Harteck, P., Dondes, S. and Rentzepis, P. Spectroscopic investigation with the help of alpha particles, 0=498
- Harteck, P., Reeves, R. R., Jr. and Thompson, B. A. The iodine lamp: a light source for selective excitation of CO, 4=13738
- Harteck, P. See Albers, E. W., 3=12789
- Harteck, P. See Albers, E. W., 4=12470
- Harteck, P. See Dondes, S., 4=13741
- Harteck, P. See Dondes, S., 4=15287
- Harteck, P. See Mannella, G. G., 0=18428
- Harteck, P. See Mannella, G., 1=11094
- Harteck, P. See Reeves, R. R., 0=6405
- Harteck, P. See Reeves, R. R., 0=6403
- Harteck, P. See Reeves, R. R., 4=26744
- Harteck, P. See Thompson, B. A., 4=11249
- Härtel, H. and Lüty, F. Kinetics of formation of F-aggregate centres in Kd. I. Association of F-centres with monovalent impurity cations (F centre formation), 4=10004
- Hartelius, C. C. See Kouvel, J. S., 1=11460
- Hartelius, C. C. See Kouvel, J. S., 2=12733
- Hartelius, C. C. See Kouvel, J. S., 3=15752
- Hartelius, C. C. See Kouvel, J. S., 4=13170
- Harten, H. U. Surface recombination of silicon, 0=2886
- Harten, H. U. The surface recombination on silicon contacting an electrolyte, 1=1068
- Harten, H. U. Surface conductivity and recombination at silicon-electrolyte boundaries, 1=17715
- Harten, H. U. Inversion layers in silicon at the boundary with an electrolyte, 2=16713
- Harten, H. U. and Polder, D. Influence of a surface space-charge layer on the motion of recombining carriers, 2=23261
- Harter, D. A. See Taub, I. A., 4=29232
- Harter, R. J., Alterman, E. B. and Wilson, D. J. Anharmonic effects in unimolecular rate theory. Vibrations and collisions of simple polyatomic systems, 4=20128
- Harth, E. See Becker, W., 4=9271
- Harth, E. See Block, M. M., 3=12508
- Harth, E. See Block, M. M., 3=12570
- Harth, E. See Gray, L., 3=15042
- Harth, E. See Leitner, J., 1=16901
- Harth, E. M. See Block, M. M., 0=1372
- Harth, E. M. See Block, M. M., 0=17416
- Harth, E. M. See Block, M. M., 1=13500
- Harth, E. M. See Fairbank, W. M., 0=315
- Harth, W. See Schäff, F., 2=20025
- Härtig, G. See Wendel, G., 3=6681
- Härtig, M. See Seidler, H., 3=4288
- Hartill, E. R. See Butt, E. P., 0=5837
- Harting, D., Kluyver, J. C., Kusumegi, A., Rigopoulos, R., Sachs, A. M., Tibell, G., Vanderhaeghe, G. and Weber, G. Experiment on charge independence in pion interactions, 0=368
- Harting, D., Kluyver, J. C., Kusumegi, A., Rigopoulos, R., Sachs, A. M., Tibell, G., Vanderhaeghe, G. and Weber, G. Experiment on charge independence in interactions of nucleons and pions, 0=15419
- Harting, D. See Bleuler, E., 3=24565
- Harting, D. See Cadwell, D. O., 4=15091
- Harting, D. See Culligan, G., 1=8477
- Harting, D. See Culligan, G., 2=22928
- Harting, D. See Fabiani, F., 2=20319
- Harting, D. See Fabiani, F., 2=22491
- Harting, D. See Goebel, K., 1=8732
- Harting, E. See Labrum, N. R., 4=4931
- Harting, E. See Labrum, N. R., 4=30988
- Harting, E. See Pawsey, J. L., 1=9294
- Hartka, T. J. See Thomsen, J. S., 2=1320
- Hartke, J. L. Drift mobilities of electrons and holes and space-charge-limited currents in amorphous selenium films 2=6472
- Hartl, M. See Knoll, M., 2=3495
- Hartl, W. and Raether, H. Energy analysis in Kikuchi lines and in reflection of a silicon cleavage plane, 1=6094
- Hartland, A. and Lipsicas, M. Quantum symmetry effects in hydrogen gas, 3=8312
- Hartland, A. and Lipsicas, M. Spin diffusion measurements in hydrogen between 20 and 55°K, 4=8245
- Hartland, A. See Lipsicas, M., 2=11431
- Hartland, A. See Lipsicas, M., 3=20023
- Hartland, A. See Powles, J. G., 0=10252
- Hartland, A. See Powles, J. G., 0=14667
- Hartland, A. See Powles, J. G., 1=5287
- Hartland, A. See Powles, J. G., 1=13192
- Hartle, J. B. Watson-Sommerfield transformation for many-particle scattering amplitudes, 4=16044
- Hartle, J. B. Complex angular momentum in three-particle potential scattering, 4=16045
- Hartle, J. B. See Brill, D. R., 4=21029
- Hartley, A. M. See Johnson, C. S. Jr., 3=2654
- Hartley, C. S. and Wilson, R. J. Dislocation pinning effects in unalloyed molybdenum, 3=23313
- Hartley, D. B. and Benson, S. W. Kinetics of the reaction of HI with ethyl iodide and the heat of formation of the ethyl radical, 3=20978
- Hartley, M. G. See Bate, N. W., 3=24351

- Hartlin, E. M., Wertheimer, R. M. and Graham, G. M. Pulse induced superconducting to normal transitions in thin films, 4=21412
- Hartline, H.K. See Ratliff, F., 3=5295
- Hartman, C.D. See Germer, L.H., 0=19762
- Hartman, C.D. See Germer, L.H., 0=21250
- Hartman, C.D. See Germer, L.H., 1=1458
- Hartman, C.D. See Germer, L.H., 1=4085
- Hartman, C.D. See Germer, L.H., 1=20658
- Hartman, C.D. See Scheibner, E.J., 0=4613
- Hartman, C. W. Electrode sheath effects in pulsed high current discharges, 4=18944
- Hartman, C.W. See Birdsall, D.H., 4=8739
- Hartman, D. E., Bresie, D. A. and Roberts, J. M. Capacitance extensometers for microstrain measurements, 4=7369
- Hartman, D.E. See Roberts, J.M., 3=23306
- Hartman, D. E. See Roberts, J. M., 4=30780
- Hartman, N. F. See Dettorre, J. F., 4=14225
- Hartman, P. Proposal for the interpretation of the generalized Bravais-Friedel law (law of Donnay and Harker), 1=15022
- Hartman, P. and Woensdregt, C. F. Lattice constants of some double sulphates $M_2Co(SO_4)_2 \cdot 6H_2O$, 4=23435
- Hartman, P.L. Improvements in a source for use in the vacuum ultraviolet, 1=2871
- Hartman, P.L. Vacuum ultraviolet monochromator, 3=1819
- Hartman, P.L. Investigations on some alkali halides in the vacuum ultraviolet, 3=10964
- Hartman, P. L. Simple arrangement for judging semi-reflecting surfaces during evaporation, 4=2813
- Hartman, P. L. and Logothetis, E. An absolute reflectometer for use at low temperatures, 4=11339
- Hartman, P.L. and Merrill, R.C. Reflectivity of silver chloride in the ultraviolet, 1=3814
- Hartman, R.D. See Testerman, M.K., 3=13556
- Hartman, R.E. and Hartman, R.S. A small-diameter evaporation source for shadowing with platinum and platinum alloys, 3=18418
- Hartman, R.L. Energy dependence of indirect optical absorption in semiconductors, 2=18804
- Hartman, R. L. See Price, P. J., 4=28400
- Hartman, R.S. See Hartman, R.E., 3=18418
- Hartman, T.E. Tunneling of a wave packet, 3=1611
- Hartman T.E. Electrical conduction in discontinuous thin metal films, 3=10724
- Hartman, T.E. Ultra-high vacuum use of Bayard-Alpert ionization gauges, 3=11843
- Hartman, T. E. Anomalous residual currents in the ultra-high vacuum use of Bayard-Alpert ionization gauges, 4=2740
- Hartman, T.E. and Chivian, J.S. Electron tunneling through thin aluminium oxide films, 4=17526
- Hartman, W. F. Determination of unloading behavior of uniaxially strained 6061-T6 aluminium from residual strain measurements, 4=23119
- Hartman, W.J. Limit of spatial resolution of refractometer cavities, 0=19924
- Hartman, W.J. and Decker, M.T. Mutual interference between surface and satellite communication systems, 2=4882
- Hartmann, B. and Kleman, B. Optical Faraday effect in germanium, 1=5045
- Hartmann, B. and Wieding, T. A determination of the spins of the spins of the 3.47 and 3.61 MeV levels in Zr^{90} , 0=5653
- Hartmann, E. See Gyulai, Z., 2=2368
- Hartmann, E. See Jeszenszky, B., 1=8504
- Hartmann, G., Goldman, A., Buchet, G. and Zeitoun, A. Contribution to the study of a prebreakdown discharge between a point and a plane, 4=18695
- Hartmann, G. and Herrmann, W. Experimental investigations and the representation of the imaging properties of some micro-autoradiographic procedures, 4=14417
- Hartmann, G. See Goldman, A., 4=8633
- Hartmann, G. See Herrmann, W., 3=6189
- Hartmann, H. π -electron theory, 1=2340
- Hartmann, H. Phenomenological aspects of the radiation law, 1=4497
- Hartmann, H. Orientated deposition of organic luminescent and dye-stuff materials in crystals, with special reference to lead, cadmium and barium trihydrated acetates, 2=6815
- Hartmann, H. Growth and polytypical phenomena of synthetic zinc sulphide crystals, 2=14942
- Hartmann, H. Luminescence found in zinc sulphide crystals in dependence on the crystallographic properties, 2=16859
- Hartmann, H. The effect of growth conditions on the luminescence characteristics of single crystals of zinc sulphide, 3=6675
- Hartmann, H. Crystallographic studies on luminescent ZnS:Cu single crystals, 3=10996
- Hartmann, H. and Clementi, E. Relativistic correction for analytic Hartree-Fock wave functions, 4=12345
- Hartmann, H. and Haas, H. Zeeman effect of the nuclear quadrupole resonance in ortho-dichlorobenzene, 4=13355
- Hartmann, H. and Müller, H. The absorption spectra of solid hydrated nickel sulphate, 0=20985
- Hartmann, H. and Müller, E. Absorption measurements on undiluted methanol and solutions of the alkali and alkaline earth halides in methanol in the region of the OH-valency vibration, 4=2683
- Hartmann, H. and Schultz, G. Appearance of electroluminescence in zinc sulphide single crystals due to the incorporation of copper, 3=3069
- Hartmann, H. and Schultz, G. The appearance of electroluminescence in ZnS single crystals due to migration of Cu, 3=13216
- Hartmann, H., Sillescu, H. and Funke, K. D. Investigation of the nuclear quadrupole resonance in the three polymorphous phases of monochloroacetic acid, 4=13353
- Hartmann, H. and Treptow, H. The growth of ZnS single crystals from vapour phase, 2=811
- Hartmann, H. and Treptow, H. The dependence of the habit of ZnS single crystals on the growth conditions, 2=8788
- Hartmann, H. See Ortmann, H., 2=6622
- Hartmann, H.K. X-ray photoconduction, u.v. photoconduction and fluorescence in anthracene, 3=6628
- Hartmann, I. See Just, K., 0=2116
- Hartmann, M. See Elbel, M., 4=9640
- Hartmann, M. G., Goldman, A. and Buchet, M. G. Development of a luminescent discharge channel between a positive point and a plane in air at atmospheric pressure, 4=2954
- Hartmann, P. Influence of surface charge on the photoelectric emission from insulators in the image converter, 1=3003
- Hartmann, P. Compensation for the effect of surface charge during photoelectric emission from insulators with the aid of an electronic camera, 1=16581
- Hartmann, P. Abnormal effect of the polarization of light on the photo-electric emission of solids, 2=7648
- Hartmann, P. Excitation of photoelectric emission in silica by irradiation in ultraviolet light, 4=8806
- Hartmann, P. and Kern, R. Changes of [crystal] faces by adsorption and theory of "PBC", 4=26582
- Hartmann, P. and Pauty, M. Construction of an electronic camera for the study of photoelectric emission from opaque objects, 2=13590
- Hartmann, P. See Brun, E., 1=1286
- Hartmann, P. See Brun, E., 1=14835
- Hartmann, P. See Brun, E., 2=4298
- Hartmann, P. See Hafner, S., 3=23263
- Hartmann, P. See Pauty, M., 2=7647
- Hartmann, P. See Vernier, P., 0=7141
- Hartmann, R.J. and Macherauch, E. A simple photo-relay mechanism for point-by-point recording of X-ray diffraction lines, 2=21500
- Hartmann, R.J. and Macherauch, E. Lattice strains and deformation faults in tensile deformed α -brass specimen, 3=6524
- Hartmann, S.R. Longitudinal spin relaxation in solid He^3 , 4=8551
- Hartmann, S.R. and Anderson, A.G. Nuclear magnetic resonance and relaxation in a spin system characterized by different Zeeman and dipole-dipole spin temperatures, 3=23247
- Hartmann, S.R. and Hahn, E.L. Nuclear double resonance in the rotating frame, 3=6761
- Hartmann, S.R. and Hahn, E.L. Nuclear double resonance in the rotating frame, 3=23265
- Hartmann, S.R. See Anderson, A.G., 3=6760
- Hartmann, S.R. See Anderson, A.G., 4=26444
- Hartmann-Boutron, F. Effects of rare-earth impurities on the ferrimagnetic resonance and nuclear relaxation in yttrium iron garnet, 4=7312
- Hartmann-Boutron, F. Comparative effects of rare earth impurities on the ferrimagnetic resonance and nuclear relaxation in yttrium iron garnet, 4=7315
- Hartmann-Boutron, F. Effect of rare-earth impurities on the ferrimagnetic resonance and nuclear relaxation in yttrium iron garnet, 4=13296
- Hartmann-Boutron, F. See de Gennes, P.G., 1=20249

- Hartmann-Boutron, F. See de Gennes, P.G., 2=6704
Hartmann-Boutron, F. See de Gennes, P.G., 2=12829
Hartmann-Boutron, F. See de Gennes, P.G., 2=21353
Hartmann-Boutron, F. See de Gennes, P.G., 3=8726
Hartmann-Boutron, F. See Pincus, B., 3=15956
Hartmann-Boutron, F. See Robert, C., 3=3205
Hartnagel, H. L. Electrostatically focused electron gun for hollow beams, 4=11703
Hartnett, J.P. A survey of thermal accommodation coefficients, 2=5068
Hartnett, J.P. See Eckert, E.R.G., 0=12507
Hartnett, J.P. See Eckert, E.R.G., 0=16906
Hartnett, J.P. See Koh, J.C.Y., 2=2675
Hartog, J.J. and Knollman, G.C. Measurement of underwater sound scattered from a fluid sphere, 3=11794
Hartog, J.J. See Knollman, G.C., 4=14292
Hartouni, E. See Masters, J.I., 3=14809
Hartree, D.R. The radial charge densities for the Ti^{+2} argon core, 0=9746
Hartshorne, N.H. A special case of the superposition of crystal plates between crossed polars and its bearing on the microscopy of cellulosic fibres, 0=3653
Hartshorne, N. H. Polarisation microscopy: its many potentialities, 4=2823
Hartt, J.K. and Carr, E.F. Dielectric studies of the polymer polyvinyl acetate in the molten state, 2=17476
Hartung, J. See Fintelman, D., 4=19325
Hartung, R. See Brown, J.L., 1=8515
Hartung, R.W. See Brown, J.L., 0=4003
Hartunian, R.A. Local atom concentration in hypersonic dissociated flows at low densities, 3=9487
Hartunian, R.A. and Liu, S.W. Slow flow of dissociated gas about a catalytic probe, 3=9488
Hartunian, R.A. and Marrone, P.V. Viscosity of dissociated gases from shock-tube heat-transfer measurements, 1=6878
Hartunian, R.A. and Varwig, R.L. On thin-film heat-transfer measurements in shock tubes and shock tunnels, 2=5049
Hartunian, R.A. See Jacobs, T.A., 3=18905
Hartunian, R.A. See Marrone, P.V., 0=2274
Hartunian, R.S. Shock curvature due to boundary-layer effects in a shock tube, 1=11779
Hartwick, T.S., Peressini, E.R. and Weiss, M.T. Subsidiary resonance in YIG, 1=6407
Hartwick, T.S., Peressini, E.R. and Weiss, M.T. Suppression of subsidiary absorption in ferrites by modulation techniques, 1=7780
Hartwick, T. S. See Button, K. J., 4=21644
Hartwick, T.S. See Peressini, E.R., 3=490
Hartwick, T.S. See Peressini, E.R., 3=18122
Hartwig, D. and Ulmer, K. Energy distribution in thermionically emitted electron beams, 3=12247
Hartwig, D. and Ulmer, K. Energy distribution in electron beams from intermittently heated electron sources, 3=19336
Hartwig, G. Measurement of the β - γ circular polarization correlation in antimony-124, 1=3417
Hartwig, G. and Schopper, H. β - γ circular polarization correlation of Sb^{124} , 0=11361
Hartwig, H. Design and construction of a rotating mirror camera for time resolution of spectra in the wavelength region 2000-7000 Å, 4=8425
Hartwig, H. See Conrads, H., 4=24781
Hartwig, K. The spatial resolution of barium titanate and quartz plates in ultrasonic picture formation, 1=6919
Harty, W.E. See Morton, G.A., 0=2911
Hartz, T.R. Radio star scintillations and ionospheric disturbances, 0=774
Hartz, T.R. Radio-noise measurements on the passage of solar particles through the corona, 2=4834
Hartz, T.R. Spectrum of the galactic radio emission between 1.5 and 10 Mc/s as observed from a satellite, 4=30987
Hartz, T.R. and McAlpine, J.L. The dependence of ionospheric disturbances on large solar flares, 3=6976
Hartz, T.R., Montbrian, J.L.E. and Vogan, E.L. A study of auroral absorption at 30 Mc/s, 3=13805
Hartz, T.R. and Vogan, E.L. A synopsis of riometer observations on the polar cap events of November 1960, 2=12025
Hartz, T.R. See Brown, R.R., 1=15349
Hartz, T.R. See Ortner, J., 2=15284
Hartz, T.R. See Ortner, J., 3=9135
Hartz, T.R. See Vogan, E.L., 1=20917
Harumi, K. Scattering of plane waves by a rigid ribbon in a solid, 1=11807
Harumi, K. Scattering of plane waves by a cavity ribbon in a solid, 3=1746
Harumi, K. See Katsura, S., 0=14621
Harumi, K. See Nomura, Y., 2=5094
Harunar Rashid, A.M. Elastic scattering of pions by alpha-particles, 3=10154
Harush, J. See Androulakis, J.G., 3=17125
Harutyunian, F.R. See Harutyunian, V. M., 4=2856
Harutyunian, F.R. See Harutyunian, V. M., 4=11977
Harutyunian, V. M., Harutyunian, F. R., Ispirian, K. A. and Tumanian, V. A. Scattering of light by light, 4=2856
Harutyunian, V. M., Harutyunian, F. R. and Tumanian, V. A. A possibility of obtaining high-energy polarised electrons by reflecting light from moving electrons, 4=11977
Harváth, J.I. Internal structure of physical fields, 3=22052
Harvey, B.G. and Cerny, J. Reaction $C^{12}(\alpha, d)N^{14}$, 1=727
Harvey, B.G., Cerny, J., Pehl, R.H. and Rivet, E. Levels involving a $(d_{5/2})^2$ state in light nuclei, 3=4566
Harvey, B.G., Rivet, E.J.M., Springer, A., Meriwether, J.R., Jones, W.B., Elliott, J.H. and Darriulat, P. Scattering of 65 MeV helium ions from O^{16} , 4=17201
Harvey, B.G., Wade, W.H. and Donovan, P.F. Recoil studies of heavy element nuclear reactions. II, 0=13220
Harvey, B.G. See Cerny, J., 2=3616
Harvey, B.G. See Cerny, J., 4=9560
Harvey, B.G. See Donovan, P.F., 0=13219
Harvey, B.G. See Morton, J.R., III, 2=14138
Harvey, B.G. See Morton, J.R., III, 2=22854
Harvey, D. G., Dick, P. J. and Fink, C.R. Isotope-generator reliability and safety, 4=2476
Harvey, D.G. and Morse, J.C. Radionuclide power for space missions, 1=15579
Harvey, D.R. See Einstein, P.A., 4=3047
Harvey, G. See Holywell, K., 4=10947
Harvey, G.A. Some relationships between 10.7-centimeter solar noise bursts, flares, and short-wave fadeouts, 4=10913
Harvey, G.A. See Covington, A.E., 0=828
Harvey, G.A. See Covington, A.E., 0=18642
Harvey, G.A. See Covington, A.E., 1=4217
Harvey, G.A. See Covington, A.E., 1=10393
Harvey, G.A. See Covington, A.E., 1=18098
Harvey, G.A. See Covington, A.E., 2=13170
Harvey, G.A. See Swarup, G., 3=16424
Harvey, I.K. Phase selective a.c. bridge balance indicator, 3=9695
Harvey, J., Matthews, H.I. and Wilman, H. Crystal structure and growth of metallic or metallic-oxide smoke particles produced by electric arcs, 1=11563
Harvey, J. and Wilman, H. The crystallisation of thin amorphous tantalum oxide films heated in air or vacuo, and the structure of the crystalline oxide, 1=20674
Harvey, J. See Draper, P.H.G., 3=23507
Harvey, J.A. Donald J. Hughes (1915-1960), 0=19961
Harvey, J.A. Slow neutron resonances, 1=8740
Harvey, J.A. See Block, R.C., 1=17131
Harvey, J.A. See Pattenden, N.J., 1=8790
Harvey, J.A. See Pattenden, N.J., 4=17174
Harvey, J.S. See Kaufman, L., 1=6531
Harvey, J.S.M., Kamper, R.A. and Lea, K.R. Paramagnetic resonance absorption in bromine and chlorine, 1=3932
Harvey, J. W. See Howard, R., 4=23913
Harvey, K.B. The observation of dislocation loops in the sodium chloride-barium chloride mixed crystal system, 3=17720
Harvey, K.B. and Brown, H.W. Study in the infrared of certain solids condensed after a discharge in the gaseous phase, 0=4420
Harvey, K.B., Shurvell, H. F. and Henderson, J.R. Statistical probabilities of some arrangements of solute molecules on substitutional sites in cubic-close-packed crystals, 4=20174
Harvey, K.B. See Bond, H.E., 3=12976
Harvey, K.B. See Hardin, A. H., 4=10186
Harvey, M. Some properties of odd-mass nuclei having a $j = 3/2$ particle coupled to a vibrating core, 4=6184
Harvey, M. On the negative parity states of O^{17} , O^{18} and F^{19} , 4=12141
Harvey, M. Negative parity states in F^{19} , 4=17035
Harvey, M. See Elliott, J.P., 3=10212
Harvey, R.B. See Lewis, E.A., 0=16484
Harvey, R.L., Gordon, I. and Braden, R.A. Method of measuring the complex dielectric constant of ferrite-like toroids, 3=9710
Harvey, R. L. See Willmarth, W. W., 4=11151
Harvey, P. R. See Bramblett, R. L., 4=12207
Harvey, R. R. See Caldwell, J. T., 4=3638
Harvey, P. R. See Fultz, S. C., 4=12206

- Harvey, T. J. See Blythe, H. J., 4=11430
- Harvey, W. W. Description of impurity ionization in semiconductors by chemical thermodynamics, 1=12430
- Harvey, W. W. Hole injection during reduction of ferricyanide at a germanium electrode, 2=4017
- Harvey, W. W. The relation between the chemical potential of electrons and energy parameters of the band theory as applied to semiconductors, 3=2873
- Harvey, W. W. The thermodynamic activity of the semiconductor, 3=17836
- Harward, B. R. Effect of alpha-beta thermal cycling on uranium and its alloys, 0=4580
- Harwell, K. E. and Jahn, R. G. Initial ionization rates in shock-heated argon, krypton, and xenon, 4=11522
- Harwit, M. Measurement of thermal fluctuations in radiation, 1=252
- Harwit, M. Can gravitational forces alone account for galaxy formation in a steady state universe, 1=12776
- Harwit, M. Can gravitational forces alone account for galaxy formation in a steady state universe, II. Bondi-Gold universes, 2=4719
- Harwit, M. Dust, radiation pressure, and star formation, 3=3536
- Harwit, M. Origins of the zodiacal dust cloud, 3=18595
- Harwit, M. Infrared appearance of different zodiacal cloud models, 4=29434
- Harwit, M. and Hoyle, F. Plasma dynamics in comets. II. Influence of magnetic fields, 2=15320
- Harwit, M. See Gould, R. J., 3=11504
- Harwit, M. See Hoyle, F., 2=15319
- Harwit, M. See Hoyle, F., 2=24163
- Harwood, J. Some observations of the occurrence and movement of sporadic-E ionization, 1=20978
- Harwood, J. See Shearman, E. D. R., 0=14232
- Hárzy, M. See Balázs, L., 3=4993
- Hasai, H. See Nisimura, K., 3=24720
- Hasai, H. See Nisimura, K., 4=15056
- Hasai, H. See Ryu, N., 2=17905
- Hasan, M. M. and Iyengar, K. S. Size and growth of cavitation bubble nuclei, 4=2647
- Hasapis, A. A. See Bacon, J. F., 0=18383
- Hase, W. Neutron diffraction determination of the crystal structure parameters of Dy_2O_3 , Tm_2O_3 and $\alpha\text{-Mn}_2\text{O}_3$, 4=10535
- Hase, W. See Betzl, M., 2=19075
- Hasebe, K. New modified Campbell's bridge, 1=11889
- Hasebe, K. Control of the anodic oscillations in a glow discharge tube by a feedback amplifier, 3=4066
- Haseda, T. Paramagnetic relaxation in single crystals at liquid helium temperatures, 0=10214
- Haseda, T. Paramagnetic susceptibility of $\text{CoCl}_2 \cdot 6\text{H}_2\text{O}$ and its deuterated salts, 1=9016
- Haseda, T. and Kanda, E. Paramagnetic relaxation in cobaltous salts at liquid helium temperatures, 0=10222
- Haseda, T., Kobayashi, H. and Date, M. Paramagnetic susceptibility of single crystals of some nickel salts, 0=21028
- Haseda, T., Kobayashi, H., Watanabe, T. and Kanda, E. Magnetic ordering in some linear or plasma lattices, 4=20512
- Haseda, T. and Miedema, A. R. Specific heat of $\text{Cu}(\text{NH}_3)_4\text{SO}_4 \cdot \text{H}_2\text{O}$ below 1°K, 1=19719
- Haseda, T., Miedema, A. R., Kobayashi, H. and Kanda, E. Magnetism of some copper complexes at low temperatures, 3=1060
- Haseda, T. See Duffy, W. T., Jr., 4=20560
- Haseda, T. See Kobayashi, H., 1=12517
- Haseda, T. See Kobayashi, H., 3=11103
- Haseda, T. See Kobayashi, H., 3=15780
- Haseda, T. See Kobayashi, H., 4=28803
- Haseda, T. See Miedema, A. R., 2=6282
- Haseda, T. See Ohtsubo, A., 0=10096
- Hasegawa, A. Mobility change through temperature-dependent mass in semiconductors, 3=848
- Hasegawa, A. Effect of pressure on the electrical conductivity of alkali metals, 4=20332
- Hasegawa, A., Fujishige, R. and Ogawa, K. The crystal structures of ammonium selenate and ammonium chromate, 4=23420
- Hasegawa, A. and Yamashita, J. Density matrix approach to a simple hot electron problem, 2=16689
- Hasegawa, A. and Yamashita, J. Electron-electron interaction in warm electrons, 3=8499
- Hasegawa, A. See Buchsbaum, S. J., 4=24696
- Hasegawa, H. Pion theory of the anomalous magnetic moment of the nucleon, 0=359
- Hasegawa, H. Spin-lattice relaxation of shallow donor states in Ge and Si through a direct phonon process, 0=11612
- Hasegawa, H. Dynamical properties of s-d interaction, 0=16166
- Hasegawa, H. Heavy primary cosmic rays over Japan, 2=9949
- Hasegawa, H. Some studies on the criteria to determine the absolute maximum bending moment in a beam, 2=19474
- Hasegawa, H. Theory of cyclotron resonance in strained silicon crystals, 3=8414
- Hasegawa, H. and Howard, R. E. Optical absorption spectrum of hydrogenic atoms in a strong magnetic field, 2=8062
- Hasegawa, H. and Ito, K. Very high energy nuclear reactions and alpha-particle model, 1=13866
- Hasegawa, H. and Ito, K. Isotropic abundance of carbon in primary cosmic rays, 2=1744
- Hasegawa, H. and Ito, K. Isotropic abundance of carbon in primary cosmic rays, 2=18203
- Hasegawa, H., Matano, T., Miura, I., Oda, M., Sibata, S., Tanashashi, G. and Tanaka, Y. Arrival direction of extensive air showers, 2=18207
- Hasegawa, H., Matano, T., Miura, I., Oda, M., Tanahashi, G., Tanaka, Y., Higashi, S., Kitamura, T., Mishima, Y., Miyamoto, S., Shibata, K. and Watase, Y. Anisotropy of extensive air showers, 2=13929
- Hasegawa, H., Naranan, S., Matano, T., Miura, I., Oda, M., Shibata, S., Tanahashi, G. and Tanaka, Y. Investigation of the structure and the development of extensive air showers, 3=4496
- Hasegawa, H. See Fukui, S., 1=19311
- Hasegawa, H. See Miura, I., 2=22672
- Hasegawa, H. See Nakayama, M., 3=10792
- Hasegawa, H. See Oda, M., 2=17301
- Hasegawa, H. See Oda, M., 2=22666
- Hasegawa, H. See Suzuki, K., 4=28706
- Hasegawa, K. Meson-theoretical interactions in heavy nuclei, 2=12105
- Hasegawa, K. On the many-body force in heavy nuclei, 4=9339
- Hasegawa, K. and Ichikawa, Y. H. Nucleon exchange effects in deuteron stripping reactions and angular distributions of $\text{Be}^9(\text{d}, \text{n})\text{B}^{10}$ reaction, 0=17599
- Hasegawa, K. and Schneider, W. G. Ruby-laser excited photocurrents in anthracene single crystals, 4=7077
- Hasegawa, K. and Schneider, W. G. Ruby-laser excited photocurrents in anthracene, 4=20433
- Hasegawa, K. See Hayashi, H., 4=30798
- Hasegawa, K. See Makishima, S., 2=14714
- Hasegawa, K. See Nakayama, N., 4=23983
- Hasegawa, K. See Okamoto, K., 2=20583
- Hasegawa, K. See Shiokawa, T., 2=20291
- Hasegawa, K. See Ueda, R., 3=787
- Hasegawa, M. On the position of the focus of the geomagnetic S_q current system, 0=14172
- Hasegawa, M. See Niizeki, N., 4=20418
- Hasegawa, M. See Saitō, N., 3=1361
- Hasegawa, S. Analysis of a high energy nuclear interaction in emulsion chamber, 0=5598
- Hasegawa, S. A new model for the high energy nuclear interaction, 1=19303
- Hasegawa, S. A new model for high-energy nuclear interaction, 3=6110
- Hasegawa, S. New characteristics of multiple meson production, 3=10133
- Hasegawa, S. and Kawajiri, N. Results of ionospheric observation at Syowa Base, Antarctica, during the solar eclipse, 4=7930
- Hasegawa, S. See Aizu, H., 0=1338
- Hasegawa, S. See Aizu, H., 1=3316
- Hasegawa, S. See Aizu, H., 1=3317
- Hasegawa, S. See Aizu, H., 1=13548
- Hasegawa, S. See Aizu, H., 2=22664
- Hasegawa, S. See Akashi, M., 2=12083
- Hasegawa, S. See Fujimoto, Y., 1=7296
- Hasegawa, S. See Lattes, C. M. G., 4=25231
- Hasegawa, T. See Nisimura, K., 3=24720
- Hasegawa, T. See Nisimura, K., 4=15056
- Hasegawa, T. See Takemoto, S., 2=725
- Hasegawa, T. See Fukui, S., 1=2123
- Haseler, J. B. See Long, R. J., 3=13931
- Haselgrove, C. B. and Haselgrove, J. Twisted ray paths in the ionosphere, 0=11062
- Haselgrove, C. B., Haselgrove, J. and Jennison, R. C. Ray paths from a cosmic radio source to a satellite in orbit, 1=15531
- Haselgrove, J. The Hamiltonian ray path equations, 4=743
- Haselgrove, J. See Haselgrove, C. B., 0=11062
- Haselgrove, J. See Haselgrove, C. B., 1=15531
- Hasell, A. C. Unit-cell dimensions of thallous tri-iodide, 3=11263
- Hasell, P. G., Jr. See Mundie, L. G., 1=1841

- Haseltine, W. R. Uniformity properties of families of periodic satellite orbits, 4=4842
- Haseltine, W. R. Second postulate of special relativity, 4=11041
- Haseltine, W. R. See Newkirk, H. L., 0=14476
- Hasen, W. E. See Doolittle, R. D., 0=11242
- Haser, L. See Dossin, F., 2=6994
- Hashemi, H. See Mixon, F. O., 4=11427
- Hashemi, H. See Sliepcevich, C. M., 4=29543
- Hashi, T. Double quantum transition in electron spin resonance of diphenyl-picryl hydrazyl at low magnetic fields, 1=14092
- Hashi, T., Hirai, A., Sasaki, M. and Kawai, T. Nuclear magnetic resonance pulse apparatus, 1=1977
- Hashi, T. See Abe, H., 4=4426
- Hashi, T. See Kawai, T., 1=14830
- Hashi, T. See Matsuura, M., 2=21387
- Hashi, T. See Sasaki, M., 1=11602
- Hashi, T. See Sugibuchi, K., 1=20258
- Hashi, T. See Takahashi, I., 1=14103
- Hashi, T. See Yasuoka, H., 2=18962
- Hashi, T. See Yasuoka, H., 3=18149
- Hashimoto, A. See Shimazu, M., 3=18465
- Hashimoto, A. See Shimazu, M., 4=19314
- Hashimoto, F. and Ohta, M. Interaction between a vacancy and an Si, Ge or Sn atom in Al-Owt% Zn alloys, 4=28994
- Hashimoto, F. See Ohta, M., 4=17753
- Hashimoto, F. See Ohta, M., 4=17754
- Hashimoto, F. See Ohta, M., 4=28995
- Hashimoto, H. Energy dependence of the contrast of dislocation images, 3=20192
- Hashimoto, H. Energy dependence of extinction distance and transmissive power for electron waves in crystals, 4=13633
- Hashimoto, H. and Fujita, K. Electron microscope images of dislocations, 0=16367
- Hashimoto, H., Howie, A. and Whelan, M. J. Anomalous electron absorption effects in metal foils, 0=19768
- Hashimoto, H., Howie, A. and Whelan, M. J. Anomalous electron absorption effects in metal foils: theory and comparison with experiment, 2=19126
- Hashimoto, H. and Mannami, M. On the contrast of the electron microscopic image due to an edge dislocation, 0=20820
- Hashimoto, H. and Mannami, H. Dynamical theory of electron diffraction for the electron microscopic image of crystal lattice. III. Out-of-focus image of single crystal, 2=14991
- Hashimoto, H., Mannami, M. and Naiki, T. Dynamical theory of electron diffraction for the electron microscopic image of crystal lattices. I. Images of single crystals, 1=10250
- Hashimoto, H., Mannami, M. and Naiki, T. Dynamical theory of electron diffraction for the electron microscopic image of crystal lattices. II. Image of superposed crystals (Moiré pattern), 1=10251
- Hashimoto, H., Naiki, T., Fujita, K. and Matsubara, K. Crystal growth of tungsten oxides, 3=18271
- Hashimoto, H., Tanaka, K., Kobayashi, K., Suito, E., Shimadzu, S. and Iwanaga, M. Absorption and diffraction effects of electron waves observed in 300 kV electron microscopic images, 3=1285
- Hashimoto, H., Tanaka, K. and Yoda, E. Growth and evaporation of tungsten oxide crystals, 1=9111
- Hashimoto, H. and Watanabe, H. Electron microscope out-of-focus image of the edge of a crystal lattice, 1=4089
- Hashimoto, H. and Whelan, M. J. The branching of electron interference fringes at stacking faults when absorption occurs, 4=9976
- Hashimoto, H. See Kobayashi, K., 3=11334
- Hashimoto, H. See Tanaka, K., 3=1314
- Hashimoto, K. Integrals in the thermoelectric power of semiconductors, 0=1690
- Hashimoto, K. Galvanomagnetic effects in bismuth selenide Bi₂Se₃, 1=19870
- Hashimoto, K., Iwayanagi, H. and Fukushima, H. Measurement of gas evolution and absorption from materials used in vacuum tubes, 1=18494
- Hashimoto, K. and Kitagawa, K. Some barium getter problems on the vacuum tubes, 2=68
- Hashimoto, K. and Suzuki, H. Errata galvanomagnetic effects in Bi₂Se₃ at 42° K, 4=15534
- Hashimoto, K. and Suzuki, H. Galvanomagnetic effects in Bi₂Se₃ at 4.2° K, 4=6946
- Hashimoto, K. See Mori, R., 2=644
- Hashimoto, K. See Nagata, S., 1=121
- Hashimoto, S. See Murakawa, K., 1=13092
- Hashimoto, S. See Nakada, T., 3=16822
- Hashimoto, T. Magnetic properties of the solid solutions between KMnF₃, KCoF₃ and KNiF₃, 3=25553
- Hashimoto, T. See Hirakawa, K., 1=12548
- Hashimoto, T. See Hirakawa, K., 1=20164
- Hashimoto, Y. and Alford, W. P. Violation of the isotopic spin selection rule in the Ca⁴⁰(d, α)K³⁸ reaction, 0=2664
- Hashimoto, Y. See Ejiri, H., 4=17046
- Hashimoto, Y. See Mikumo, T., 1=9882
- Hashimura, T. See Kawamura, H., 1=19757
- Hashimoto, Y. See Yagi, K., 2=16397
- Hashimoto, Y. See Yamazaki, T., 2=20571
- Hashin, Z. and Shtrikman, S. A variational approach to the theory of the effective magnetic permeability of multiphase materials, 2=22299
- Hashin, Z. and Shtrikman, S. On some variational principles in anisotropic and nonhomogeneous elasticity, 3=1210
- Hashin, Z. and Shtrikman, S. A variational approach to the theory of the elastic behaviour of polycrystals, 3=1211
- Hashin, Z. and Shtrikman, S. Conductivity of polycrystals, 3=10712
- Hashin, Z. and Shtrikman, S. A variational approach to the theory of the elastic behaviour of multiphase materials, 3=11735
- Hashino, T. On collisions between two normal helium atoms, 3=710
- Hashino, T. and Huzinaga, S. The interaction between two normal helium atoms. A consistent treatment, 0=15677
- Hashino, T. and Matsuda, H. On the elastic scattering of slow electrons by helium atoms, 4=17259
- Hashizume, A., Takahashi, T., Tendo, Y. and Enomoto, Y. Gamma radiation following the decay of Dy¹⁶⁵, 1=12179
- Hashizume, A. and Tendow, Y. The gamma-rays following the decay of ¹⁷⁶Ta, 3=24909
- Hashizume, A. See Tendow, Y., 3=17253
- Hashizume, A. See Yamazaki, T., 2=20571
- Hashizume, S. See Ondoh, T., 1=20857
- Hashmi, C. M. H. Energy absorption, penetration and diffusion of γ -rays in an infinite homogeneous medium, 4=3373
- Hashmi, C. M. H. See Andrä, H. J., 4=1349
- Hashmi, M. See D'Angelo, N., 4=11660
- Hashmi, M. See D'Angelo, N., 4=11680
- Hashmi, S. Z. R. Measurement of camera shutter speeds with counter-chronograph, 1=5362
- Hashmi, S. Z. R. An automatic counter chronograph for routine measurements of short intervals of time, 1=8092
- Hashmi, S. Z. R. An arc type water-cooled ion source for positive ions, 1=8358
- Hashmi, S. Z. R. An ion vacuum gauge, 2=11434
- Hashmi, S. Z. R. A general purpose system for accurate measurement of varying or fixed frequencies, 3=16573
- Hashmi, S. Z. R. Application of "sing-around" technique to ultrasonic velocity measurements in large samples of solids, 3=21502
- Hashmi, S. Z. R. Transistorized counter chronograph for microsecond time measurements, 4=6
- Hashmi, S. Z. R. Measurement of lifetime of minority carriers by chronograph technique, 4=6933
- Hasiguti, R. P. Low temperature annealing stages of irradiated copper, 1=964
- Hasiguti, R. R. Impurity trapped interstitials and the low temperature annealing stages of irradiated copper, 1=11194
- Hasiguti, R. R. The role of dynamic Crowdions in the process of radiation damage in face centred cubic metals, 2=23144
- Hasiguti, R. R. Internal friction due to diffusion of dislocation-kinks trapped by point defects, 3=23290
- Hasiguti, R. R., Hanada, R. and Yamaguchi, S. Collision processes in ion irradiation and sputtering deposit patterns in zinc and germanium, 3=22877
- Hasiguti, R. R. and Igata, N. Effect of thermal cycling on the swelling of uranium, 2=23884
- Hasiguti, R. R., Igata, N. and Kamoshita, G. Internal friction peaks in cold worked metals, 2=21407
- Hasiguti, R. R., Igata, N. and Ueki, M. Break away of pinned dislocations in iron single crystals, 4=28958
- Hasiguti, R. R., Kawamiya, N. and Yagi, E. Activation energies of low-temperature conductivity of reduced rutile, 4=22724
- Hasiguti, R. R., Matsuura, E. and Matsui, K. Magneto-resistance of γ -irradiated n-type silicon, 2=23357
- Hasiguti, R. R., Minami, K. and Yonemitsu, H. Electrical resistivity and defect energy levels in reduced titanium dioxide at low temperatures, 2=2175

- Hasiguti, R.R., Minami, K. and Yonemitsu, H. Electrical resistivity of semiconductive titanium dioxide between 2K and 80°K, 3=17895
- Hasiguti, R.R. and Okuda, S. Internal friction of cold-worked gold and copper at low temperatures, 0=4559
- Hasiguti, R.R. and Okuda, S. Internal friction of cold-worked gold and copper at low temperatures, 0=6297
- Hasiguti, R.R. See Hiki, Y., 1=12669
- Hasiguti, R.R. See Ishino, S., 3=25313
- Hasiguti, R.R. See Kimura, H., 2=15066
- Hasiguti, R.R. See Kimura, H., 3=8907
- Hasiguti, R.R. See Kimura, H., 3=12961
- Hasiguti, R.R. See Kimura, K., 3=22744
- Hasiguti, R.R. See Koiva, M., 4=1935
- Hasiguti, R.R. See Okuda, S., 3=11136
- Hasiguti, R.R. See Okuda, S., 4=1913
- Hasiguti, R.R. See Okuda, S., 4=1941
- Hasiguti, R.R. See Okuda, S., 4=20657
- Hasikuni, M. The dispersion relation of plasma oscillations, II-III, 1=9623
- Hasikuni, M. Temperature dependence of infrared absorption bands of n-higher alcohols, 1=12289
- Hasikuni, M. See Furukane, U., 1=14233
- Hasikuni, M. See Oda, T., 4=24645
- Hasimoto, H. Magnetohydrodynamic wave of finite amplitude at magnetic Prandtl number 1, 0=3841
- Hasimoto, H. Magnetohydrodynamic wakes in a viscous conducting fluid, 1=5559
- Hasimoto, H. Effect of a magnetic field on the flow of a conducting fluid through an orifice, 1=10776
- Hasimoto, H. Incompressible flows in magneto-fluid dynamics, 4=11775
- Hasimoto, H. Swirl of a conducting gas due to the Hall effect, 4=29914
- Hasimoto, Z. Interaction of a simple expansion wave with a shock wave in two-dimensional flows of a gas, 4=27249
- Hasimoto, Z. and Morioka, S. Local description of the flow behind a steady, two-dimensional, curved shock wave, 1=18453
- Hasino, T. and Matsuda, H. On the elastic scattering of electrons of nearly zero energy by helium atoms, 3=10475
- Hasino, T. See Huzinaga, S., 0=9831
- Hasino, T. See Tsuji, M., 0=17839
- Haskell, N.A. Radiation pattern of Rayleigh waves from a fault of arbitrary dip and direction of motion in a homogeneous medium, 3=16687
- Haskell, N.A. Radiation pattern of surface waves from point sources in a multi-layered medium, 4=11283
- Haskell, R.E. and Holt, E.H. Study of electromagnetic wave polarization in magneto-plasmas by a matrix method of crystal optics, 2=11669
- Haskell, S. See Grey, D.S., 0=148
- Hasker, J. and Groenou, H. Measurement and calculation of the figure of merit of a cathode-ray tube 3=9850
- Haskin, D. See Ciok, P., 3=8084
- Haskin, D.M., Jain, P.L., Lohrmann, E., Schein, M. and Teicher, M. Investigations of high-energy heavy nuclei in the primary cosmic radiation close to the geomagnetic equator (Guam, Marianas Islands), 1=3322
- Haskin, D.M., Lohrmann, E., Teicher, M.W. and Schein, M. Investigation of an electron-photon cascade of more than 10^{13} eV, 1=571
- Haskin, D.M. See Barkow, A.G., 1=7208
- Haskin, D.M. See Gierula, J., 1=7239
- Haskin, D.M. See Schein, M., 0=2559
- Haskin, D.M. See Schein, M., 0=9448
- Haskin, D.M. See Teicher, M.W., 1=3256
- Haskin, L. and Vandenbosch, R. New yttrium isomers of masses 86 and 90, 1=10973
- Haslam, C.G.T., Davies, J.G. and Large, M.I. A system of digital analysis for radio astronomy using a fully steerable telescope, 2=24166
- Haslam, C.G.T., Large, M.I. and Quigley, M.J.S. A radio study of the north polar spur. I. The bright feature at $l^{\text{II}} = 30^\circ$, 4=20346
- Haslam, C.G.T. See Large, M.I., 2=4854
- Haslam, C.G.T. See Large, M.I., 2=4855
- Haslam, C.G.T. See Mathewson, D.S., 0=18665
- Haslam, R.N.H. See Greenberg, L.H., 4=19751
- Haslam, R.N.H. See King, J.D., 0=2679
- Haslam, R.N.H. See King, J.D., 0=17620
- Haslam, R.N.H. See McDonald, W.J., 3=10323
- Haslam, R.N.H. See Roalsvig, J.P., 0=5778
- Haslam, R.N.H. See Roalsvig, J.P., 1=8697
- Hasler, H.G. and Weber, G. Stern-Gerlach experiment with neutrons, 2=18115
- Haslett, J.W. See Mann, H.M., 1=13230
- Haslett, J.W. See Mann, H.M., 2=22364
- Haslett, R.W.G. The back-scattering of acoustic waves in water by an obstacle. I. Design of a scale model and investigation of its validity, 2=9341
- Haslett, R.W.G. The back-scattering of acoustic waves in water by an obstacle. II. Determination of the reflectivities of solids using small specimens, 2=9342
- Haslett, R.W.G. Determination of the acoustic back-scattering patterns and cross-sections of fish, 2=15691
- Haslett, R.W.G. Determination of the acoustic scatter patterns and cross sections of fish models and ellipsoids, 3=1775
- Haslett, R.W.G. The acoustic back-scattering cross sections of short cylinders, 4=27264
- Hasnain, S.A. and Murray, R.L. Validity of the B_1 method for Hasnain, S.A. See Murray, R.L., 0=13367
- Hass, G. and Waylonis, J.E. Optical constants and reflectance and transmittance of evaporated aluminum in the visible and ultraviolet, 1=10087
- Hass, G. See Angel, D.W., 1=16070
- Hass, G. See Berning, P.H., 0=8797
- Hass, G. See Bradford, A.P., 3=19004
- Hass, G. See Canfield, L.R., 4=22869
- Hass, G. See Cox, J.T., 1=10580
- Hass, G. See Cox, J.T., 2=19678
- Hass, G. See Madden, R.P., 3=11883
- Hass, G. See Thun, R., 0=3287
- Hass, G.A. and Jensen, J.T., Jr. Thermionic studies of various uranium compounds, 4=5695
- Hass, H. and Hunter, R.W. Preparation and measurement of reflecting coatings for the vacuum ultraviolet, 3=9603
- Hass, H. See Cox, J.T., 4=22893
- Hass, M. Temperature dependence of the infrared reflection spectrum of sodium chloride, 0=8007
- Hass, M. Fundamental lattice dispersion frequencies of NaCl and KCl at 82°K, 0=13665
- Hass, M. Infrared lattice reflection spectra of LiCl, LiBr, KF, RbF, and CsF, 4=1737
- Hass, M. and Hennis, B.W. Infrared lattice reflection spectra of compound semiconductors, 2=18844
- Hass, M. See Kelly, W.H., 1=14745
- Hass, W.A. See Wexler, H., 3=9036
- Hass, W.P.A., Poulis, N.J. and Borleffs, J.J.W. Nuclear spin relaxation in solid and liquid hydrogen, 2=780
- Hass, W.P.A., Poulis, N.J. and Borleffs, J.J.W. Nuclear relaxation in solid and liquid hydrogen for various frequencies, 3=23253
- Hass, W.P.A., Seidel, G. and Poulis, N.J. Nuclear spin relaxation and molecular diffusion in liquid hydrogen, 1=6137
- Hass, W.P.A. See Burger, J.P., 1=14827
- Hass, W.P.A. See van der Lugt, W., 0=6280
- Hassan, F. See K⁻-collaboration, 0=1308
- Hassan, F. See K⁻-Collaboration, 0=15430
- Hassan, F. See Evans, D., 0=15431
- Hassan, G.E.M.A. The atomic spectrum of neodymium. I. Preliminary analysis and ionization potential of Nd I, 4=6480
- Hassan, G.E.M.A. and Klinkenberg, P.F.A. The atomic spectrum of neodymium. II. Classification of lines, Zeeman effect and isotope shift of Nd I, 4=9644
- Hassan, H.A. On the stress tensor of a partially ionized gas in the presence of electric and magnetic fields, 4=18687
- Hassan, S.A., Hall, C.W. and Trout, G.M. Heat transfer analysis of a heat exchanger plate, 3=14394
- Hasse, G. and Granzer, F. An electron-microscope investigation of grain growth during recrystallization of plastically deformed aluminium foil, 1=9164
- Hasse, J. The effect of lattice defects on the optical properties of metal films, 0=4391
- Hasse, J. and Lüders, K. Effect of lattice defects on the transition temperature for superconductivity of thallium, 3=12036
- Hasse, J. and Seiberth, J. Formation of metastable phases in quench-condensed thin films, 4=23274
- Hasse, R.A., Kafalas, P. and Heinrich, R.R. The ratio of the (n, γ) to (n, 2n) cross section for thorium-232 bombarded with fission neutrons, 0=7517
- Hasselgren, D., Renberg, F.U., Sundberg, O. and Tibell, G. Inelastic proton scattering at 185 MeV and the 7.66 MeV state of carbon 12, 4=19671
- Hasselman, D.P.H. Elastic energy at fracture and surface energy as design criteria for thermal shock, 4=13385

- Hasselmann, D.P.H. Relation between effects of porosity on strength and on Young's modulus of elasticity of polycrystalline materials, 4=17708
- Hasselmann, D.P.H. and Batha, H.D. Strength of single crystal silicon carbide, 3=20708
- Hasselmann, K. Total reflection of a spherical compression front at the boundary plane of two elastic media, 2=19644
- Hassenstein, B. A cross-correlation process in the nervous center of an insect eye, 0=4828
- Hassler, G. and Ishimaru, A. Currents induced on the surface of a conducting circular cylinder by a slot, 2=16010
- Hassett, N.J. Flow patterns in particle beds, 1=10495
- Hassitt, A. A computer program to solve the multigroup diffusion equations, 2=20715
- Hassler, F.L. and Peck, R.A., Jr. Neutron-induced reactions in third and fourth shell nuclei, 2=3598
- Hassler, W. See Lotz, W., 1=568
- Hässner, A. and Bergner, D. Determination of grain boundary diffusion coefficients by means of radioactive isotopes by measuring the integral residual activity, 2=1859?
- Hässner, A. See Lange, W., 2=3947
- Hässner, A. See Lange, W., 4=20301
- Hasson, D. See Yaron, I., 2=15788
- Hassoun, G.Q. and Yennie, D.R. Infrared divergence of the angular momentum of bremsstrahlung and the physical structure of the electron, 4=16873
- Haste, G.R. and Barnett, C.F. Plasma potential measurements using an ion beam probe, 2=9595
- Haste, G.R. See Barnett, C.F., 1=16349
- Haste, G.R. See Barnett, C.F., 2=15929
- Haste, G.R. See Postma, H., 4=5687
- Haste, G.R. See Worth, D.C., 0=3908
- Hasted, J.B. The energy transferred in inelastic ion-atom collisions, 1=5981
- Hasted, J.B. The dielectric properties of water, 1=6868
- Hasted, J.B. Charge changing collisions, 3=4025
- Hasted, J.B. and Chong, A.Y.J. Electron capture processes for multiply charged ions, 2=17791
- Hasted, J.B. and Lee, A.R. The near-adiabatic criterion in charge transfer collisions, 2=9531
- Hasted, J.B., Lee, A.R. and Hussain, M. Inelastic collisions involving curve-crossing, 4=24597
- Hasted, J.B. and Mahadevan, P. Reactions of metastable atoms and resonance photons, 0=2727
- Hasted, J.B. and Shah, M.A. Microwave absorption by water in building materials, 4=23984
- Hasted, J.B., Shah, M.A. and Mason, P.R. Dielectric constant relaxation time shift in an electric field, 4=21145
- Hasted, J.B. See Chantry, P.J., 3=1009
- Hasted, J.B. See Edmonds, P.H., 4=22325
- Hasted, J.B. See Edmonds, P.H., 4=24553
- Hasted, J.B. See Gilbody, H.B., 3=19185
- Hasted, J.B. See Gilbody, H.B., 4=16426
- Hasted, J.B. See Islam, M., 2=13539
- Hasted, J.B. See Lee, A.R., 2=10224
- Hastie, R.J. and Taylor, J.B. Maximum plasma pressure for containment in magnetic fields with finite minima, 4=18941
- Hastie, R.J. and Taylor, J.B. Stability of magnetic wells at finite plasma pressure, 4=29941
- Hastilow, P.A.P. See Breatly, W., 3=11175
- Hastilow, P.A.P. See Holloway, D.G., 1=7829
- Hastings, J. See Elliott, N., 2=10891
- Hastings, J.M. and Corliss, L.M. The magnetic structure of MnCr_2O_4 , 3=1112
- Hastings, J.M. and Corliss, L.M. Magnetic structure of manganese chromite, 3=11101
- Hastings, J.M. See Corliss, L.M., 0=1816
- Hastings, J.M. See Corliss, L.M., 0=3101
- Hastings, J.M. See Corliss, L.M., 0=6248
- Hastings, J.M. See Corliss, L.M., 1=9042
- Hastings, J.M. See Corliss, L.M., 2=12669
- Hastings, J.M. See Corliss, L.M., 3=15754
- Hastings, J.M. See Corliss, L.M., 4=13251
- Hastings, J.M. See Corliss, L.M., 4=28822
- Hastings, J.W. and Weber, G. Total quantum flux of isotropic sources, 4=5357
- Hastings, R.B. and Shih, Y.Y. Experiments with an electrically operated Kundt tube, 2=13414
- Hasty, T.E. Ferromagnetic resonance in thin films with perpendicular fields at radio frequencies, 3=15917
- Hasty, T.E. Ferromagnetic resonance in multidomain thin films, 4=20546
- Hasty, T.E. A study of standing spin waves in thin permalloy films at radio and ultrahigh frequencies, 4=20575
- Hasty, T.E., Ard, W.B., Jr and Moulton, W.G. Structure of V centers in irradiated KClO_3 , 0=2825
- Hasty, T.E. and Boudreaux, L.J. Ferromagnetic resonance in thin magnetic films at radio frequencies, 1=14767
- Hasty, T.E., Penn, T.C. and Einspruch, N.G. Ultrasonically induced switching in (80% Ni-20% Fe) ferromagnetic films, 3=15826
- Hasunuma, H. See Horikoshi, H., 3=11145
- Hasuo, M. and Okamoto, T. Effect of hydrostatic high pressures on the anisotropic resistivity in iron, 4=22675
- Haswell, W.T., III, Hitt, J.S. and Feldman, J.M. A high repetition rate laser system, 4=14949
- Haszko, S.E. See McHugh, J.P., 1=20584
- Haszko, S.E. See Wernick, J.H., 1=20542
- Haszko, S.E. See Wernick, J.H., 2=735
- Haszko, S.E. See Wernick, J.H., 2=17042
- Haszko, S.E. See Wolfe, R., 0=20921
- Haszko, S.E. See Wolfe, R., 3=836
- Haszko, S.E. See Wolfe, R., 3=20424
- Hata, N. and Tanaka, I. Chemical processes subsequent to $n-\pi^*$ and $\pi-\pi^*$ transitions of pyridine N-oxide and 2-Picoline N-oxide, 2=15156
- Hata, T., Awazu, K., Morikawa, M. and Matsunaga, N. Experiments on light source using radioactive krypton-85 gas, 4=16224
- Hata, T. and Okamoto, S. Dielectric properties of polycarbonates, 4=30648
- Hata, T. See Hayashi, H., 4=30798
- Hatakeyama, R. and Tanaka, T. Statistical mechanical interpretation of Wilson-Kistiakowsky equation, 0=19198
- Hatanaka, T., Hayakawa, S., Nishimura, S., Takayanagi, K. and Unno, W. Energy spectrum of suprathermal particles and formation of star clusters in interstellar space, 2=13148
- Hatanaka, T., Suemoto, Z. and Tsuchiya, A. Solar activity and geomagnetic K-index at sunspot minimum, 0=14419
- Hatanaka, T., Unno, W. and Takebe, H. On the condensation of interstellar gas. I. Gravitational instability, 3=11506
- Hatanaka, T. See Takebe, H., 3=16325
- Hatanaka, T. See Yoshida, S., 2=17159
- Hatanaka, T. See Yoshida, S., 3=23619
- Hatano, A. See Okabayashi, T., 3=19553
- Hatano, S. Collective excitation of nuclear matter, 1=9802
- Hatano, S. See Ihara, C., 0=13024
- Hataya, K. See Ikoma, H., 4=1739?
- Hataya, K. See Ikoma, H., 4=20370
- Hatch, A.J. High-frequency potential well for dense plasmas, 1=4612
- Hatch, A.J. Electron bunching in the multipacting mechanism of high-frequency discharge, 1=10677
- Hatch, A.J. High-frequency plasmoids, 3=4167
- Hatch, A.J. and Butler, J.W. Experimental analogue study of containment of dense plasmas in resonant-cavity fields, 2=5347
- Hatch, E.N. Concerning bent-crystal spectrometer measurements of $\text{K}\alpha$ X-rays from radioactive sources, 4=9665
- Hatch, E.N. See Bergvall, P., 3=12640
- Hatch, E.N. See McAdams, R.E., 4=3615
- Hatch, S.E. Emittance measurements on infrared windows exhibiting wavelength dependent diffuse transmittance, 2=22084
- Hatchard, C.G. See Parker, C.A., 3=142
- Hatchard, C.G. See Parker, C.A., 3=11800
- Hatchard, C.G. See Parker, C.A., 3=14174
- Hatcher, A.P. See Merten, U., 2=17050
- Hatcher, A.P. See Merten, U., 4=4072
- Hatcher, C.R. Positronium formation in the halogen derivatives of benzene, 2=3324
- Hatcher, C.R., Bramblett, R.L., Hansen, N.E. and Fultz, S.C. Width of photon line produced by positron annihilation at 15 MeV, 2=9828
- Hatcher, C.R., Falconer, T.W. and Millett, W.E. Annihilation of positrons in organic liquids, 0=3959
- Hatcher, C.R. See Seward, F.D., 1=2043
- Hatcher, R.D. and Dienes, G.J. Relaxation and activation energies for an interstitial neutral defect in an alkali halide lattice, 1=17503
- Hatcher, R.D. and Dienes, G.J. Relaxation and activation energies for an interstitial neutral defect in an alkali halide lattice. II, 4=12735
- Hatcher, R.D. See Abrahamson, A.A., 1=819
- Hatcher, R.D. See Arase, E.M., 1=2378
- Hatcher, R.D. See Arase, E.M., 3=25188
- Hatcher, R.D. See Arenstein, M., 3=25204
- Hatcher, R.D. See Arenstein, M., 3=25205

- Hatcher, R.D. See Neuberger, J., 0=13484
Hatcher, R.D. See Neuberger, J., 1=8977
Hatchett, J.L. See Sancier, K.M., 2=18855
Hatfield, L.L. See Hughes, R.H., 3=15278
Hatfield, W.B. and Auld, B.A. Electromagnetic shock waves in gyromagnetic media, 3=24466
Hatfield, W.B. and Auld, B.A. Method of characteristics solution for electromagnetic wave propagation in a gyromagnetic medium, 4=30047
Hatherly, M., Hirakawa, K., Lowde, R.D., Mallett, J.F., Stringfellow, M.W. and Torrie, B.H. Spin-wave energies and exchange parameters in iron-nickel alloys, 4=13199
Hatherly, M., Hirakawa, K., Lowde, R.D., Mallett, J.F., Stringfellow, M.W. and Torrie, B.H. Spin wave energies and exchange parameters in iron-nickel alloys, 4=22990
Hatherton, T. Geometry of the southern auroral zone and the evidence for the existence of an inner zone, 0=12198
Hatherton, T. and Midwinter, G.G. Diurnal variation of aurora and geomagnetic disturbance at New Zealand Antarctic stations, 0=4814
Hatherton, T. and Midwinter, G.G. Observations of the aurora australis at New Zealand Antarctic stations during I.G.Y., 0=14273
Hatfield, L.L. and Hughes, R.H. Balmer emissions induced by H_2^+ and H_3^+ impact on molecular hydrogen, 3=25043
Hatibaru, J. See Das, R.K., 4=1963
Hatibaru, J. See Mahanta, P.C., 3=8370
Hatkin, L. See Jacobs, H., 3=22019
Hatkin, L. See Jacobs, H., 4=19312
Hatoyama, G.M. See Sasaki, W., 2=23395
Hatsopoulos, G.N. and Carabateas, E.N. Thermionic conversion, 4=29863
Hatsopoulos, G.N. See Carabateas, E.N., 1=4641
Hatsukade, S., Marshak, R.E., Okubo, S. and Sudarshan, E.C.G. Note on divergenceless currents and muon polarization in $K\mu$ decays, 0=15423
Hatsukade, S. and Schnitzer, H.J. Resonance model for photo-production of K mesons on nucleons, 2=22626
Hatsukade, S. and Schnitzer, H.J. Resonance model for photo-production of K mesons on nucleons. II, 4=3478
Hatsukade, S. See Han, M.Y., 1=13374
Hatsukade, S. See Nakamura, S., 2=12004
Hatt, B.A., Kent, P.J.C. and Williams, G.I. High vacuum high temperature X-ray camera, 0=13972
Hatt, B.A. and Roberts, J.A. The ω -phase in zirconium base alloys, 1=4062
Hatt, B.A. See Butcher, B.F., 4=20687
Hatt, B.A. See Hanson, C.G., 4=29024
Hatta, I., Sawada, S., Asao, Y. and Yanagi, T. Ferroelectric polarization switching in sodium nitrite, 4=1664
Hatta, I. See Asao, Y., 4=10114
Hatta, Y. and Sato, N. The experimental study on the ionic wave in the dark plasma, 3=4161
Hatta, Y. and Shibata, S. Impedance characteristics of positive column, 4=18735
Hatta, Y. See Kenjo, T., 3=24234
Hatta, Y. See Sato, M., 2=19905
Hatta, Y. See Sato, M., 4=499
Hatta, Y. See Sato, N., 4=18972
Hatta, Y. See Sugawara, M., 1=280
Hattersley, P.M. See Astbury, A., 1=8472
Hattersley, P.M. See Astbury, A., 2=1701
Hattiangadi, M.S. See Chiplokhar, M.W., 4=7904
Hatton, A.P. Thermal conductivity and diffusivity measurements by an unsteady-state method with application to insulating materials containing moisture and ice, 0=8822
Hatton, A.P. and Quarby, A. Heat transfer in the thermal entry length with laminar flow in an annulus, 3=274
Hatton, A.P. and Turton, J.S. Heat transfer in the thermal entry length with laminar flow between parallel walls at unequal temperatures, 2=15778
Hatton, C.J. and Marsden, P.L. Cosmic ray threshold rigidities during the magnetic storm of November 12, 1960, 2=22688
Hatton, C.J. See Marsden, P.L., 1=579
Hatton, J. See Beal, B.T., 4=14480
Hatton, J. See Beal, B.T., 4=18522
Hatton, J.V. Nuclear spin-spin coupling involving heavy nuclei. The coupling of Tl^{203} and Tl^{205} with H^1 nuclei in $(CH_3)_2TlX$ and $(CH_3CH_2)_2TlX$ compounds, 4=12521
Hatton, J.V., Schneider, W.G. and Siebrand, W. Nuclear spin-spin coupling involving heavy nuclei. The coupling between Hg^{199} and H^1 nuclei in CH_3HgX and CH_3CH_2HgX compounds, 3=25145
Hattori, A. The heat balance on the surface of Mars, 3=9178
Hattori, A. and Yada, B. Optical observations of the second Russian earth satellite, 1=2671
Hattori, M. and Sato, H. Note on the field dependence of the mobility in semiconductors, 1=11278
Hattori, M. and Yamada, K. Low lying energy loss in silver films, 3=10633
Hattori, M., Yamada, K. and Suzuki, H. Plasma resonance absorption in thin metal films, 3=10634
Hattori, M. See Doke, T., 1=12036
Hattori, M. See Suzuki, H., 1=19758
Hattori, S. N bands in alkali halide crystals, 1=17582
Hattori, S. Dichroism in the N_1 band of KCl crystals, 2=18620
Hattori, S. On the N centers in KCl crystals, 3=820
Hattori, S. See Kimura, M., 1=1757
Hattori, S. See Matsuoka, S., 2=17487
Hattori, S. See Shimizu, T., 1=2499
Hattori, T. and Steele, M.C. Self-magnetoresistance and pinch effect in bismuth, 4=4140
Hattori, T. See Steele, M.C., 2=6597
Hatwell, H., Offergeld, G., Herinckx, C. and Van Cakenberghe, J. Direct observation, on a hot stage, of the reaction of vacancy ordering in In_2S_3 , 4=13489
Hatwell, H. and Vctava, E. Preferential nucleation of chromium carbide on twin dislocations in stainless alloys of the 18/8 type, 2=2408
Hatwell, H. See Gilles, J.M., 2=12547
Haubach, W. J., Jr. See Grove, G.R., 4=16318
Haubenreisser, W. Theory of electron transport in a stoichiometric Fe_2O_4 (magnetite) crystal above the transition point at 119.4°K, 2=2129
Haubenreisser, W. The influence of crystal anisotropy on the magnon interactions for subsidiary resonance in a parallel field, 3=20636
Haubenreisser, W. Application of the Green's function method to spin states, 4=4341
Haubenreisser, W. and Jäger, E. Green's functions in the theory of a uniaxially and cubically anisotropic ferromagnet, 4=20528
Haubenreisser, W. and Linzen, D. Orientation dependence of the critical microwave field strength for subsidiary resonance and parallel field in Mn-Mg-Co ferrite single crystals, 3=3160
Haubenreisser, W. and Linzen, D. Orientation dependence of the critical amplitude of the microwave field strength for subsidiary resonance and perpendicular [Senkrecht] field, 3=6742
Haubenreisser, W. and Linzen, D. Dependence on direction of the critical microwave field-strength for subsidiary resonance and parallel field in manganese-magnesium-cobalt ferrite single crystals, 3=18121
Haubenreisser, W., Linzen, D. and Glauche, E. Orientation dependence of the critical microwave field-strength at subsidiary resonance in manganese-magnesium-cobalt ferrite single crystals, 2=2294
Haubenreisser, W., Linzen, D. and Glauche, W. Directional dependence of the critical microwave field strength for subsidiary absorption in a manganese-magnesium-cobalt ferrite single crystal, 2=14815
Haubenreisser, W. See Klupsch, T., 3=1170
Haubert, A. Radio echoes observed over the surface of the sea at the ionosphere sounding station of Casablanca, 0=8360
Haubert, A. Nocturnal ionization of the E-region and geomagnetic activity, 0=8379
Haubert, A. The temperature gradients in the E- and F1-regions from the ionospheric soundings made at Casablanca, 0=8383
Haubert, A. On the large vertical movements of the F-region observed at Casablanca, 0=8387
Haubert, A. Sudden commencement ionospheric disturbances and the propagation of long waves, 1=1542
Haubert, A. On the determination of the true height of the maximum of ionization by the ten-points method, 1=4118
Haubert, A. Eclipse of 15 February, 1961 and the behaviour of the ionosphere above Garchy (Nièvre), 2=11050
Haubert, A. Equilibrium between the production of ionization and the disappearance of electrons in the ionosphere, 3=5216
Haubert, A. An improvement of the radio method of measuring winds in the ionosphere, 3=9076
Haubert, A. The International Geophysical Year and the evolution of the ionosphere, from observations at Casablanca-Rabat, 3=16266
Haubert, A. and Lalot, F. Ionosphere — Is an eclipse of the sun able to change the ionosphere at the magnetically conjugate point? 3=23624

- Haubold, K. Simple model for the evolution towards equilibrium in the strong coupling case, 2=21854
- Haudek, H. See Kornetzi, M., 4=28861
- Hauffe, K. The electrophotographic properties of zinc oxide, 3=9629
- Häufiglückner, H. See Felbinger, K., 0=7327
- Häufiglückner, H. See Harigel, G., 3=5983
- Haug, A. On the statistical approximation of the solid body problem, 4=1384
- Haug, A. Theoretical solid-state physics. I. [Theoretische Festkörperphysik. I], 4=22446
- Haug, A. and Feneberg, W. On the derivation of the London equations of superconductivity, 0=16944
- Haug, A. and Schönhofer, A. Theory of excitons, 3=2764
- Haug, A. See Andersen, S. L., 2=20612
- Haug, A. See Schulz, G. V., 4=2669
- Haug, H. and Weigel, F. Mixed oxide systems of lanthanide and actinide elements. I. X-ray investigation of the uranium oxide—europium oxide system, 4=7604
- Haug, H. and Weigel, F. Mixed oxide systems of lanthanide and actinide elements. II. X-ray investigation of the plutonium oxide—europium oxide system, 4=7605
- Haug, U. Statistics of spatial brightness variations of the [OI] 5577 Å line in nightglow, 1=21034
- Hauge, E. H. Virial coefficients for square-well potentials, 3=25153
- Hauge, E. H. and Hemmer, P. C. On the Yang—Lee distribution of roots, 4=8090
- Hauge, E. H. See Hemmer, P. C., 4=8235
- Hauge, Ø. Variations in the solar base level radiation on 200 Mc/s, 0=12256
- Haugen, G. R. and Marcus, R. J. A spectrofluorophosphorimeter, 4=29754
- Haugh, E. F. A structural theory for the Selwyn granularity coefficient, 4=2857
- Haight, A. F. See Meyerand, R. G., 4=8654
- Haight, A. F. See Meyerand, R. G., Jr., 4=29867
- Haughian, J. M. and Burleigh, R. J. The ion-source mechanism for the Berkeley 88-inch cyclotron, 3=5789
- Haught, A. F. Shock-tube investigation of the ionization of cesium vapor, 3=1930
- Hauk, P., Parr, R. G. and Hameka, H. F. One-center perturbation approach to molecular electronic energies. I. Exposition of the method, 4=1244
- Hauk, P. See Turner, A. G., 4=17306
- Haul, R., Dümgen, G. and Just, D. Determination of self-diffusion coefficients in solids through isotope exchange with gases, 2=14456
- Haul, R. and Just, D. Disorder and oxygen transport in cadmium oxide, 2=3953
- Hauk, V. and Hummel, C. On the investigation of particle size and lattice distortion by X-ray reflections, 3=18401
- Haukaas, H. B. See Mitchell, E. N., 4=28532
- Haul, R. and Dorfmueller, T. Self-diffusion in liquid ammonia, 4=14156
- Haul, R. and Dümgen, G. Investigation of oxygen mobility in titanium oxide, quartz and quartz glass using heterogeneous isotope exchange, 3=2831
- Haul, R. and Moesta, H. Mechanism of the transport of adsorbed gases in pores, 3=3370
- Haun, R. D., Jr. See Church, C. H., 3=22011
- Haun, S. and Kamke, D. A universal method for stabilizing scintillation spectrometer systems, 1=18734
- Haupin, W. E. Electrical analog of multiresistivity systems using single resistivity media and amplifier circuits, 4=24527
- Haupt, G. W. See Judd, D. B., 2=15718
- Haupt, G. W. See Judd, D. B., 2=15719
- Haupt, H. Relative positions of wide double stars (from observations made with the normal astrographs of the Vienna University Observatory). First list, 2=19322
- Haupt, H. and Ellerböck, W. Ascending prominence of 11 April 1959. I. Description of the eruption, 1=9276
- Haupt, J., Kramer, K. and Müller-Warmuth, W. Nuclear and electron spin relaxation in solutions of aromatic free radicals, 3=23909
- Haupt, J. and Müller-Warmuth, W. A very-high-stability magnetic current regulator using power transistors, 2=11576
- Haupt, J. and Müller-Warmuth, W. Measurement of the nuclear magnetic resonance relaxation times of liquids in weak magnetic fields. T₂ in organic solvents, 2=17484
- Haupt, J. and Müller-Warmuth, W. Investigations of electron spin relaxation and hyperfine structure of free radicals in solution with the aid of dynamic nuclear polarization, 3=14183
- Haupt, J. See Müller-Warmuth, W., 3=23910
- Haupt, U. Temperature dependence and form of the long-wave exciton band in KI crystals, 0=2811
- Haupt, U. Photoelectric conductivity of KCl, 4=7074
- Hauptman, A., Kleinberger, R., Okuzumi, H., Perio, P. and Tournarie, M. Periodic antiphases with non-integral periods, 2=10835
- Hauptman, H. Some new relationships among the structure invariants, 3=25700
- Hauptman, H. and Karle, J. Rational dependence and the renormalization of structure factors for phase determination, 0=4621
- Hauptman, H. and Karle, J. A unified program for phase determination, type 3P., 1=15062
- Hauptman, H. and Karle, J. The calculation of phases from the Patterson function, 2=15002
- Hauptman, H. See Karle, J., 2=6805
- Hauptman, H. See Karle, J., 2=10839
- Hauptman, H. See Karle, J., 2=10840
- Hauptman, H. See Karle, J., 4=23374
- Hauptman, Z. The growth of crystals by the chemical transport of material. I. A new method of preparing magnetite single crystals, 2=10798
- Hauptman, Z. and Kotrbová, M. The growth of crystals by the chemical transport of material. II. Growth of iron whiskers, 3=5090
- Hauptman, Z. See Kaczér, J., 0=4489
- Hauptmanová, K. and Pátek, K. Measurements of the growth velocities of ZnS single crystals in growth from the vapour phase, 3=8804
- Hauptmanová, K. See Skála, M., 3=25673
- Haupt, W. Study of the decay of magnesium-27, 4=30320
- Haurwitz, B. Frictional effects and the meridional circulation in the mesosphere, 1=20889
- Haurwitz, B. Wave formations in noctilucent clouds, 2=4598
- Haurwitz, B. Comments on tidal winds in the high atmosphere, 2=4624
- Haurwitz, M. W. Dependence of interval between flare and associated sudden commencement storm on prestorm conditions, 3=7002
- Haurwitz, M. W. See London, J., 3=13658
- Haurwitz, M. W. See Warwick, C. S., 2=17277
- Haus, A. See Noddack, W., 0=1684
- Haus, H. A. Network theoretical and physical limitations of amplifier noise performance, 0=2125
- Haus, H. A. Thermal noise in dissipative media, 1=4290
- Haus, H. A. Alternating-current generation with moving conducting fluids, 2=16008
- Haus, H. A. and Mullen, J. A. Quantum noise in linear amplifiers, 3=5837
- Haus, H. A. and Mullen, J. A. Noise in optical maser amplifiers, 4=19263
- Haus, H. A. See Bellisio, J. A., 4=11822
- Haus, H. A. See Bobroff, D. L., 1=16398
- Haus, H. A. See Bobroff, D. L., 3=433
- Haus, H. A. See Vanwormhoudt, M., 2=17772
- Hause, C. D. See Keck, D. B., 4=27326
- Hause, C. D. See Mann, G. A., 0=20623
- Hausen, D. M. See Frederickson, L. D., Jr., 3=22574
- Hauser, H. The limit of linear transformation with partially coherent illumination, 2=93
- Hauser, H. Disturbances outside the pupil in optical transmission theory, 2=5143
- Hauser, H. Optical transmission with partially coherent illumination. II. Transmission theory of multistage imaging systems, 2=9370
- Hauser, H. Optical transmission with partially coherent illumination. I. Limits of the linear transmission, 2=9396
- Hauser, H. See Herrmann, G., 0=5679
- Hauser, H. See Kessler, F. R., 4=24372
- Hauser, H. See Oetinger, R., 2=2579
- Hauser, I. A study of uniform development in depth of nuclear emulsions, 0=12758
- Hauser, I. On the transition effect of the neutron generating component of cosmic rays in lead, 0=15495
- Hauser, I. Range of 6.50 MeV protons in Agfa-K2 emulsion, 4=789
- Hauser, I., Engelhardt, H., Kreckler, U. and Lanius, K. Investigation of distortions in NIKFI-R emulsions. I. Effect of the fixing process, 2=13715
- Hauser, I., Engelhardt, H., Kreckler, U. and Lanius, K. Investigation of distortions in NIKFI-R emulsions. II. Effect of drying conditions, 2=20210
- Hauser, I. and Jatzlau, M. The influence of the water content of AGFA K 2 emulsions on the range of proton tracks, 4=9199

- Hauser, I., Landrock, P., Lanius, K., Mitrani, L. and Peeva, A. The transition effect in lead of the star-producing component of cosmic rays, 0=15496
- Hauser, I. and Malhoit, R. J. A method of computing phase shifts and normalizations of continuum-state Dirac wave functions, 2=20236
- Hauser, I. See Engelhardt, H., 1=5620
- Hauser, I. See Grote, C., 0=1312
- Hauser, I. J. See Grassmann, P., 4=11417
- Hauser, J. H. and Helfand, E. Critical field of thin superconducting shapes, 2=19811
- Hauser, J. J. Anisotropy in the superconductivity of deformed Re single crystals, 2=22121
- Hauser, J. J. Magnetization of V_3Si thin films, 3=8677
- Hauser, J. J. and Buehler, E. Effect of plastic deformation and annealing temperature on superconducting properties, 2=2960
- Hauser, J. J. and Chalmers, B. The plastic deformation of bicrystals of f.c.c. metals, 2=6730
- Hauser, J. J. and Kunzler, J. E. The relationship between physical structure and high field superconductivity, 4=29826
- Hauser, J. J. and Theuerer, H. C. Evidence for filaments in V_3Si , 3=3967
- Hauser, J. J. and Theuerer, H. C. Size effects in thin films of V_3Ge , Nb, and Ta, 4=14538
- Hauser, J. J. and Theuerer, H. C. Superconducting tantalum films, 4=18603
- Hauser, J. J. and Treuting, R. G. Relation between structure anisotropy and superconducting anisotropy, 3=14452
- Hauser, J. J. See Banerjee, B. R., 1=7584
- Hauser, J. J. See Banerjee, B. R., 3=16007
- Hauser, J. J. See Theuerer, H. C., 4=14231
- Hauser, J. R. See Wortman, J. J., 4=22739
- Hauser, O. and Balarin, M. Remarks on the cascade theory for the estimation of the number of radiation defects in solids, 3=4894
- Hauser, O. and Schenk, M. Variations of the crystal structure of some oxides, carbonates and titanates due to neutron irradiation, 4=26564
- Hauser, O. See Zerzsche, A., 2=6744
- Hauser, S. M., Smith, L. S., Marlowe, D. G. and Yoder, P. R., Jr. The stressed-plate shutter, a new moderate-speed electro-optical light modulator, 4=2821
- Hauser, T. V. See Lewis, N. W., 3=11955
- Hauser, U. Hindered E1 decay of the 6 keV individual particle state of $^{181}_{81}Ta$, 1=8650
- Hauser, U. and Kerler, W. Investigation of the decay $Bi^{212}(ThC) \beta \rightarrow Po^{212}(ThC) \alpha \rightarrow Pb^{208}(ThD)$ by means of (γ, α) -coincidences, 0=7509
- Hauser, U. Concerning resonance scattering of gamma rays and level widths in Hf^{177} , 2=14071
- Hauser, U., Runge, K. and Knissel, G. Measurements of E1 transition probabilities in several deformed odd-mass nuclei as a study of single particle motion, 2=1843
- Hauser, U. See Boehm, F., 0=4030
- Hauser, U. See Cohen, R., 4=12580
- Hauser, W. On the spin-Hamiltonian description of energy levels in crystals, 4=26364
- Häuser, W., Schilling, J. and Zöllner, H. The geometrical optics approximation to the contrast transfer function as a criterion for aberration correction, 2=21995
- Häuser, E. Light deviation by elastically deformed transparent solids, 3=23036
- Häuser, E. An optical method for the study of guided elastic waves, 4=5277
- Häuser, E. and Müller, K. H. An optical procedure for the measurement of very fast surface deformations on solid bodies, 2=19690
- Hausman, H. J., Dell, G. F. and Bowsher, H. F. $(p, p'\gamma)$ angular correlations at low energy, 0=11410
- Hausman, H. J. See Bowsher, H. F., 1=4868
- Hausman, H. J. See Humes, R. M., 3=12675
- Hausman, H. J. See Kerst, D. W., 0=19837
- Hausman, H. J. See Klingensmith, R. W., 4=22183
- Hausmann, A., Hilsch, R. and Sander, W. Electron spin resonance of nitrogen centres in alkali halide crystals, 4=26416
- Hausmann, E. and Junghänel, G. Photoelastic experiments using infrared light, 4=111
- Hausner, H. H. See Lenel, F. V., 4=7689
- Hausser, K. H. On the influence of dissolved oxygen on the line width of electron spin resonance in solution, 0=14663
- Hausser, K. H. Effect of O_2 on line width and relaxation in E.S.R., 1=10521
- Hausser, K. H. Paramagnetic relaxation in liquids, 2=11389
- Hausser, K. H. High resolution electron spin resonance in 1,3-bisdiphenylene-allyl, 2=11390
- Hausser, K. H. Electron spin resonance of dibenzene vanadium (0), 2=12343
- Hausser, K. H. High resolution electron spin resonance, 3=21987
- Hausser, K. H. Reinterpretation of the Wurster's Blue e.s.r. spectrum, 4=9766
- Hausser, K. H. Dynamic nuclear polarisation in liquids at high magnetic fields, 4=24243
- Hausser, K. H., Häbich, A. and Franzen, V. Electron spin resonance of polarographically produced phenazine radical ions, 4=12514
- Hausser, K. H., Mongini, L. and Van Steenwinkel, R. E.S.R. spectra of the terphenyl-anions, 4=25730
- Hausser, K. H. and Reinbold, F. Investigations of the Overhauser effect in solutions of free radicals by means of a coil waveguide. [Wendelleitung], 2=9290
- Hausser, K. H. and Reinbold, F. Dynamical polarization in a three-spin system, 2=23011
- Hausser, K. H. See Fischer, H. H., 4=25731
- Hausser, K. H. See Wolf, H. C., 0=4300
- Häusser, C. See Von Brentano, P., 4=17134
- Hausser, R. On the proton relaxation of water, 4=8224
- Hausser, R. See Haeberlen, U., 4=4430
- Hausser, R. See Haeberlen, U., 4=4431
- Hausser, R. See Haeberlen, U., 4=17700
- Häussler, G. See Lange, W., 2=18632
- Hausmann, K., Macke, W. and Ziesche, P. Applicability of the Schrödinger perturbation theory to bound states, 4=21045
- Hausstühl, S. Thermo-elastic constants of [15] alkali halides of the NaCl-type, 0=11969
- Hausstühl, S. Crystal physical properties of $Ag_2SO_4 \cdot 4NH_3$, 0=13921
- Hausstühl, S. Elastic properties of CsCl-type crystals, 1=20293
- Hausstühl, S. Elastic behaviour of fluor spar and structurally related crystals, 3=18161
- Hausstühl, S. Elastic and thermoelastic constants of strontium formate and strontium formate dihydrate, 3=23281
- Hausstühl, S. See Engelhardt, W. V., 2=21469
- Hautecler, S., Konstantinovic, J., Cribier, D. and Jacrot, B. The energy states of Fe^{2+} in ferrous chloride by inelastic scattering of neutrons, 2=12397
- Hautecler, S. and Rosen, B. Contributions to the study of electronic spectra of diatomic oxides. I. Spectrum of LaO , 0=11529
- Hautecler, S. and van Dingenen, W. Cold neutron diffraction by phonons in nickel, 4=28359
- Hautecler, S. See Stiller, H., 2=5002
- Hautecler, S. See Van Dingenen, W., 4=28251
- Hautot, A. and Thiry, H. Measurement of the resolving power of a photographic emulsion as a relationship of the object raster contrast, 2=15754
- Hauw, C. Crystal structure of ethyl 9-bromo 10-anthracene, 0=8233
- Hauw, C. See Gaultier, J., 1=20510
- Havas, P. The connection between conservation laws and laws of motion in affine spaces, 4=11047
- Havaleshko, M. P. A method of measuring magnetic susceptibility, 3=21925
- Havaleshko, M. P. See Tovstyuk, K. D., 3=20563
- Havas, P. Multipole singularities of classical vector and pseudovector fields, 0=1243
- Havas, P. and Goldberg, J. N. Lorentz-invariant equations of motion of point masses in the general theory of relativity, 3=37
- Havas, P. See Chatelain, J. E., 3=7806
- Havas, P. See Krizan, J. E., 3=3760
- Havel, V. See Masin, A., 0=1927
- Havel, V. See Mašín, A., 0=7902
- Havemann, H. A. See Prasad, K. K., 1=16154
- Haven, Y. See Kats, A., 0=18128
- Haven, Y. See van Doorn, C. Z., 1=19815
- Haven, Y. See van Wieringen, J. S., 3=22832
- Havens, W. W., Jr., Melkonian, E., Rainwater, L. J. and Rosen, J. L. Resonance fission widths of U^{235} for levels from 6 eV to 50 eV, 0=4138
- Havens, W. W., Jr. See Desjardins, J. S., 1=700
- Havens, W. W., Jr. See Garg, J. B., 4=19802
- Havens, W. W., Jr. See Gould, F. T., 1=16812
- Havens, W. W., Jr. See Hahn, J., 0=9382
- Havens, W. W., Jr. See Melkonian, E., 0=13294
- Havens, W. W., Jr. See Rainwater, J., 0=9381
- Havens, W. W., Jr. See Rainwater, J., 4=16914

- Havens, W.W., Jr. See Rosen, J.L., 0=9685
Havens, W.W., Jr. See Rush, J.J., 1=2308
Havens, W.W., Jr. See Rush, J.J., 2=6249
Havens, W.W., Jr. See Rush, J.J., 2=18460
Havens, W.W., Jr. See Rush, J.J., 3=6010
Havens, W.W., Jr. See Safford, G.J., 0=5809
Havens, W.W., Jr. See Safford, G.J., 0=9705
Havens, W.W., Jr. See Safford, G.J., 0=15597
Havens, W.W., Jr. See Safford, G.J., 1=709
Havens, W.W., Jr. See Safford, G.J., 2=7866
Haviland, J.K. and Lavin, M.L. Application of the Monte Carlo method to heat transfer in a rarefied gas, 3=1730
Haviland, J.K. See Lavin, M.L., 2=7426
Havill, R.L. See Cousins, J.E., 3=19405
Havinga, E.E. Contribution to the theory of the dielectric properties of the alkali halides, 0=13646
Havinga, E.E. The temperature dependence of dielectric constants, 1=19919
Havinga, E.E. See Bosman, A.J., 3=8546
Havinga, E.E. See van der Burgt, C.M., 4=7054
Havlicek, F.I. The (γ, α) photoeffect in Ba, Ce, Nd and Sm, 0=2674
Havlicek, F.I. The production of extremely fine-pored silver membranes, 0=18385
Havlicek, F.I. The computation of wavefronts, 1=228
Havlicek, F.I. The reaction (γ, α) on tellurium, 1=678
Havlicek, F.I. Strehl intensity [Definitionshelligkeit] and contrast transfer, 1=16110
Havlicek, F.I. Optics in Yugoslavia, 4=24333
Havlik, A.J. See Simha, R., 4=11186
Havrilyuk, V.M. and Medvedev, V.K. Adsorption of carbon monoxide on tungsten, 2=8895
Havrilyuk, V.M. and Medvedev, V.K. Electron emission of barium-coated tungsten, in an oxygen environment, 2=9617
Havrishchak, I.V. See Potkevich, I.V., 4=13108
Havrilyuk, V.M. Magnetic ionization manometer, 1=12932
Havrilyuk, V.M. Adsorption of barium atoms and barium oxide molecules on tungsten. II, 1=12668
Havrilyuk, V.M. and Yazyeva, V.H. Study of the adsorption of Ba atoms and BaO molecules [on tungsten] in a field-emission projector, 1=15185
Havrilyuk, V.M. See Vedula, Yu.S., 1=12667
Hawes, E.C. See Tunnicliffe, D.D., 0=19416
Hawes, L.L. A semi-bonded compound in the series $\text{SnI}_4\text{--S}_8$, 3=13475
Hawes, R.C. See Cary, H., 4=14399
Hawes, R.I., Holland, E., Kirby, G.J. and Waller, P.R. An experimental investigation into heat transfer and pressure drop properties of gaseous suspensions of solids, 4=27219
Hawk, N.E. See Willmarth, W.W., 4=11151
Hawker, B.E. See Barry, J.F., 0=1446
Hawkes, F.C. Investigation of a precipitation hardening Elinvar, 0=3012
Hawkes, G.A. See Garrod, R.I., 3=18180
Hawkes, G.R. See Loeb, M., 3=1559
Hawkes, P.W. The first and third order theory in quadrupole optics, 3=19340
Hawkes, P.W. and Cosslett, V.E. Electronic simulation of the effect of lens aberrations on electron beam cross sections, 2=13598
Hawkins, A.E. Volume of drops of aqueous solutions transferred to a slide by a "micro-rod", 0=6770
Hawkins, C.J.B. An approximate method of correcting for non-uniformity of magnetic field and energy loss of particles in a hydrogen bubble chamber, 3=17136
Hawkins, C.J.B. See Chadwick, G.B., 3=10117
Hawkins, C.T. and Musty, J.W.G. A simple laboratory device for winding fused quartz springs and an improved design of spring for use in sorption balances, 4=4998
Hawkins, D. On chance and choice, 4=21019
Hawkins, F.M. Veiled absorption lines, 1=10389
Hawkins, F.M. Inhomogeneous atmospheres, 1=12829
Hawkins, G.S. Asteroidal fragments, 0=14400
Hawkins, G.S. The nature of the red-shift, 2=11101
Hawkins, G.S. Expansion of the universe, 2=17230
Hawkins, G.S. Radar determination of meteor orbits, 2=17306
Hawkins, G.S. Impacts on the earth and moon, 3=13874
Hawkins, G.S. and Howard, W.E. Decay of light from a meteor train, 0=12204
Hawkins, G.S. See Cook, A.F., 1=6744
Hawkins, G.S. See Cook, A.F., 2=11116
Hawkins, J.E., Jr. See Engström, H., 3=3657
Hawkins, J.K. and Munsey, C.J. Eulogismographic nonlinear optical image processing for pattern recognition, 4=27346
Hawkins, P.O. and Sutton, R.W. Compact pulsed generator of fast neutrons, 0=7381
Hawkins, S.R. See Cuff, K.F., 3=22938
Hawkins, S.R. See Kool, C.F., 3=14408
Hawkins, T.D. See Moss, T.S., 2=8495
Hawkins, T.D.H. See Moss, T.S., 1=3790
Hawkins, W.B. Cesium transition probabilities for optical pumping, 1=11074
Hawksley, P.G.W. See Godridge, A.M., 3=8980
Hawksworth, W.A. A shorter method of calculating Lennard-Jones (12-6) potential parameters from gas viscosity data, 2=3795
Hawksworth, W.A., Nourse, H.M.E. and Raw, C.J.G. High temperature gas viscosities. III. $\text{NO--N}_2\text{O}$ mixtures, 2=21936
Hawksworth, W.A. and Raw, C.J.G. Initial thermoelectric powers of the nonisothermal calomel cell, 0=4723
Hawley, R. Inexpensive safety switch for water-cooled equipment, 1=2581
Hawley, R. Markings on copper electrodes after electrical breakdown in vacuum, 2=9553
Hawley, R. A characteristic of electron emission curves, 3=5690
Hawley, R. Initiation of breakdown in vacuum, 4=5580
Hawley, R. Possible transition in the initiating mechanism leading to electrical breakdown in vacuum, 4=476
Hawley, R., Loy, B. and Craik, R.L. Phenomena occurring at electrically stressed metallic surfaces in long gaps in vacuum, 3=12236
Hawley, R. and Walley, C.A. Phenomena occurring at electrically stressed metallic surfaces in vacuum, 1=10689
Hawley, R., Zaky, A.A. and Zein Eldine, M.E. Surface preparation of electrodes for studies of the electrical properties of dielectrics, 4=5532
Hawley, R. See Zein Eldine, M.E., 4=21146
Hawley, S.A., Breyer, J.E. and Dunn, F. Fabrication of miniature thermocouples for U.H.F. acoustic detectors, 3=1862
Hawley, S.A., Macleod, R.M. and Dunn, F. Degradation of DNA by intense, noncavitating ultrasound, 3=20036
Hawliczek, F. A simple single-channel pulse height analyser for medical measurements, 0=317
Haworth, C.W. Measurement of the Debye-Waller temperature factor for silver and α -iron, 1=4042
Hawrylak, R. See Verba, J., 1=13237
Hawthorne, E.I. See Baldwin, K.M., 2=4885
Hawthorne, J.R. See Pellini, W.S., 3=11181
Hawton, J.J. See Roy, J.C., 0=20438
Hawton, J.J. See Roy, J.C., 1=19529
Haxby, R.O. See Kerst, D.W., 0=19837
Haxby, R.O. See Walker, R.J., 4=6101
Hay, D.H. See Brewer, H.R., 2=1956
Hay, D.R. and Fanaki, F.H. An experimental technique for studying reflection coefficients of tropospheric inhomogeneities, 3=13687
Hay, D.R., Martin, H.C. and Turner, H.E. Light-weight refractometer, 1=10548
Hay, D.R. and Pemberton, E.V. On the eddy transfer of water vapor above an outdoor surface, 2=24004
Hay, D.R. and Poaps, G.E. Frontal perturbation of a tropospheric scatter path, 0=1218
Hay, D.R. and Reid, W.M. Radar angels in the lower troposphere, 2=3173
Hay, D.R. See Bell, M.B., 4=17877
Hay, D.R. See Turner, H.E., 4=4759
Hay, E.J. Electromagnetism for schools, based on M.K.S.A. units, 2=20105
Hay, H.J. The slow neutron total cross-section of ^{143}Nd , 0=7611
Hay, H.J. A measurement of the "red shift" in an accelerated system, 4=11039
Hay, H.J. and Lawrence, L.G. The use of a semiconductor counter to study the endothermic reaction $^{13}\text{C}(\text{p}, \alpha)^{10}\text{B}$, 3=4478
Hay, H.J., Schiffer, J.P., Cranshaw, T.E. and Egelstaff, P.A. Measurement of the red shift in an accelerated system using the Mössbauer effect in Fe^{57} , 0=7469
Hay, H.J. and Warren, J.B. The photodisintegration of neon, 0=453
Hay, H.J. See Farrow, E.F., 4=25289
Hay, H.J. See Lawrence, L.G., 2=16410
Hay, H.J. See Lawrence, L.G., 3=17467
Hay, J. See Lienard, P., 4=14305
Hay, J.N. A thermostat control unit for a polarizing microscope, 4=21345
Hay, K.A. See Smith, M.J.A., 4=26408

- Hayakawa, K. See Fukushima, E., 2=21503
 Hayakawa, K. See Fukushima, E., 3=23525
 Hayakawa, S. High energy gamma-rays from the crab nebula, 0=13077
 Hayakawa, S. Neutrino and gravity, 0=14493
 Hayakawa, S. Heating of interstellar clouds by supra-thermal particles, 1=6694
 Hayakawa, S. A possible origin of the ultraviolet radiation from galactic clouds, 1=6695
 Hayakawa, S. On the origin of deuterium in the solar system, 1=6696
 Hayakawa, S. Possible methods for detecting intergalactic hydrogen, 1=15413
 Hayakawa, S. On the origin of cosmic rays, 2=20464
 Hayakawa, S. On high energy cosmic photons originating in inter-galactic space, 2=20482
 Hayakawa, S. Effect of solar cosmic rays on the meteorite radioactivity, 2=21709
 Hayakawa, S. Radiation belt, 2=24054
 Hayakawa, S., Hayashi, C., Ito, K., Jugaku, J., Nishida, M. and Ohyama, N. Chemical composition of cosmic rays and origin of elements, 1=3328
 Hayakawa, S., Hayashi, C. and Nishida, M. Rapid thermonuclear reactions in supernova explosion, 1=18122
 Hayakawa, S., Horikawa, N., Kajikawa, R., Kikuchi, K., Kobayakawa, H., Matsuda, K., Nagata, S. and Sumi, Y. Elastic and inelastic p - α collisions at 55 MeV, 4=16894
 Hayakawa, S., Horikawa, N., Kajikawa, R., Kikuchi, K., Kobayakawa, H., Matsuda, K., Nagata, S. and Sumi, Y. On an excited state of He^4 , 4=16981
 Hayakawa, S. and Ikushima, H. Radiation damages on $BaTiO_3$ single crystal, 2=23155
 Hayakawa, S., Ito, K. and Terashima, Y. Origin of cosmic rays, 0=388
 Hayakawa, S., Kawaguchi, M. and Minami, S. Phenomenological theory of pion-nucleon reactions, 0=369
 Hayakawa, S., Koba, Z. and Takagi, S. Asymmetry effects and various models of high-energy nuclear collisions, 1=3429
 Hayakawa, S. and Koshihara, M. Origin of cosmic rays revealed in the rigidity spectrum of primary particles, 0=17438
 Hayakawa, S., Koshihara, M. and Terashima, Y. Interpretation of the energy spectra of heavy primary cosmic rays, 1=3329
 Hayakawa, S. and Marumori, T. A remark on the moments of inertia of rotating nuclei, 0=11297
 Hayakawa, S. and Matsuoka, M. Characteristic X-rays from the lunar surface, 3=13860
 Hayakawa, S. and Matsuoka, M. Possible mechanism of galactic X-ray emission, 3=22232
 Hayakawa, S. and Nakamura, T. Phosphorescence of naphthalene-doped crystals of durene, 3=15712
 Hayakawa, S., Nishimura, S. and Takayanagi, K. Radiations from the interstellar hydrogen atoms, 3=11507
 Hayakawa, S. and Obayashi, H. An effect of nonadiabaticity on the structure of radiation belts, 4=2245
 Hayakawa, S. and Ogita, N. High energy nuclear interactions and extensive air showers, 1=3296
 Hayakawa, S. and Okuda, H. Electronic components in galactic cosmic rays, 3=616
 Hayakawa, S., Sasakawa, T., Tomita, K., Yasuno, M. and Yokota, M. Interpretation of the optical model in nuclear reactions, 0=15592
 Hayakawa, S. and Tanaka, H. Cosmological implication of physical constants, 1=18006
 Hayakawa, S. and Terashima, Y. Efficiency of acceleration of relativistic particles in the Crab nebula, 0=15466
 Hayakawa, S. and Yamamoto, Y. Ultra-high energy γ -rays from intergalactic space, 4=2384
 Hayakawa, S. See Fukui, S., 1=12039
 Hayakawa, S. See Fukui, S., 2=3340
 Hayakawa, S. See Fukui, S., 2=13897
 Hayakawa, S. See Fukui, S., 2=22665
 Hayakawa, S. See Fukui, S., 3=5647
 Hayakawa, S. See Fukui, S., 3=17155
 Hayakawa, S. See Fukui, S., 4=24957
 Hayakawa, S. See Hatanka, T., 2=13148
 Hayakawa, S. See Kobayashi, S., 3=18821
 Hayakawa, S. See Nakamura, T., 3=23114
 Hayakawa, Sh. and Suita, T. The characteristics of the discharges in the crossed electric and magnetic field, 1=16345
 Hayakawa, T. Microanalysis of cosmogenic nuclides in iron meteorites, 2=19290
 Hayakawa, T. Flash-type getter pump for evacuation of the large volume apparatus, 4=21189
 Hayakawa, T., Hinterberger, H. and Wänke, H. The abundances of the helium and neon isotopes produced by the cosmic radiation in some iron meteorites, 2=951
 Hayakawa, T. See Sugiura, T., 4=24758
 Hayami, R. A. See Primich, R. I., 4=24668
 Hayano, N. Shell structure effect of the level spacing in highly excited nuclei, 1=7317
 Hayano, N. Role of trapping processes in the interpretation of lifetime of carriers, 1=10038
 Hayart, R. Finite deformations of an elastic solid. Several possible forms of potential giving agreement with (1) experimental results at high pressures (2) linear elasticity, 2=14879
 Hayart, R. Extension of the Murnaghan formulae concerning finite deformation of an elastic solid, 2=15511
 Hayart, R. A simple application of the generalized Murnaghan relations, 4=23083
 Hayasaka, S. See Inaba, H., 4=5842
 Hayasaki, K. Molecular structure of cyclic compounds containing sulphur, 1=14115
 Hayashi, C. Giant stars with shell sources of C-N and p-p reactions, 0=10528
 Hayashi, C. Stellar evolution in early phases of gravitational contraction, 2=15372
 Hayashi, C. and Cameron, R. C. The evolution of massive stars. III. Hydrogen exhaustion through the onset of carbon burning, 2=19317
 Hayashi, C. and Hoshi, R. The outer envelope of giant stars with surface convection zone, 2=15371
 Hayashi, C., Hoshi, R. and Sugimoto, D. Evolution of the stars, 3=21114
 Hayashi, C., Jugaku, J. and Nishida, M. Models of massive stars in helium-burning stage, 0=8516
 Hayashi, C., Jugaku, J. and Nishida, M. Evolution of massive stars. II. Helium-burning stage, 1=38
 Hayashi, C., Jugaku, J. and Nishida, M. Models of massive stars in helium-burning stage, 2=987
 Hayashi, C. and Nakano, T. Evolution of stars of small masses in the pre-main-sequence stages, 4=4858
 Hayashi, C., Nishida, M., Ohyama, N. and Tsuda, H. Stellar synthesis of the α -particle nuclei heavier than Ne^{20} , 0=14466
 Hayashi, C., Nishida, M., Ohyama, N. and Tsuda, H. Stellar synthesis of the α -particle nuclei heavier than Ne^{20} , 0=18867
 Hayashi, C., Nishida, M. and Sugimoto, D. Evolution of a star with intermediate mass after hydrogen burning, 1=18119
 Hayashi, C., Nishida, M. and Sugimoto, D. Evolution of a star with intermediate mass after hydrogen burning, 2=15363
 Hayashi, C. and Tsukakoshi, O. A new diaphragm vacuum gauge, 4=29508
 Hayashi, C. See Hayakawa, S., 1=3328
 Hayashi, C. See Hayakawa, S., 1=18122
 Hayashi, C. See Sakashita, S., 0=14464
 Hayashi, C. See Sakashita, S., 1=39
 Hayashi, C. See Sakashita, S., 2=4798
 Hayashi, C. See Tomita, K., 4=10791
 Hayashi, H., Kawabe, R. and Umemura, I. Electromagnetic structure of the nucleon and vector mesons, 4=25073
 Hayashi, H., Nakayama, N., Kozuka, T., Yoshida, M., Hasegawa, K., Mizukusa, S., Hata, T., Ogiso, S. and Mizuno, M. Phase transition under high pressure (II). Transition of nickel olivine, 4=30798
 Hayashi, H., Nakayama, N., Yoshida, M., Kozuka, T., Mizuno, M., Yamamoto, K., Yamamoto, T. and Noguchi, T. Phase transition under high pressure. I. Transition of cadmium olivine, 4=30797
 Hayashi, H., Okonogi, H., Otsuki, S. and Sumi, Y. Investigations on the second and third resonances in terms of compound states, 3=22182
 Hayashi, H. See Moriguchi, Y., 4=4077
 Hayashi, H. See Nakayama, N., 4=23983
 Hayashi, H. See Watanabe, Y., 3=25803
 Hayashi, H. See Watanabe, Y., 4=1490
 Hayashi, I. The oscillator for the variable energy cyclotron, 3=5836
 Hayashi, I. and Otsuka, M. A multichannel pulse height analyzer using parametron logic, 3=352
 Hayashi, I. See Kikuchi, S., 1=7113
 Hayashi, I. See Kikuchi, S., 1=8516
 Hayashi, I. See Sanada, J., 1=8457
 Hayashi, I. See Suwa, S., 0=19856
 Hayashi, I. See Suwa, S., 1=7241

- Hayashi, J.F. Forced magnetoresistance in ferromagnetic alloys, 3=13042
- Hayashi, K. See Kawamura, T., 3=5085
- Hayashi, K. See Kubota, K., 2=4126
- Hayashi, K. See Satoh, T., 1=11761
- Hayashi, K. See Watanabe, Y., 3=25803
- Hayashi, M. Absorption spectrum of copper-coloured cuprous oxide, 0=18125
- Hayashi, M. Absorption spectra of cuprous oxide, 1=1157
- Hayashi, M. Pseudokinematical approximation in electron diffraction by crystal, 1=12630
- Hayashi, M. and Pierce, L. Tables for the internal rotation problem, 1=19622
- Hayashi, M. See Miyoshi, Y., 3=12087
- Hayashi, M. See Miyoshi, Y., 4=18756
- Hayashi, M. See Pierce, L., 1=12283
- Hayashi, N. See Kawasaki, K., 4=14227
- Hayashi, S. Viscoelastic properties of network structure, 1=7823
- Hayashi, S. Theory of viscoelasticity in temporarily crosslinked polymers. I. Treatment in single relaxation time, 3=11309
- Hayashi, S. Theory of viscoelasticity in temporarily crosslinked polymers. II. Relaxation spectrum and steady flow viscosity, 3=16125
- Hayashi, S. Theory of viscoelasticity in temporarily crosslinked polymers. III, 4=13437
- Hayashi, S., Iwazumi, T., Wakabayashi, J., Sakurai, A., Aoki, H. and Kitamura, M. Experimental study on temperature over-shoot and delay time of transient boiling, 4=3756
- Hayashi, S. See Mōri, A., 3=24323
- Hayashi, S. See Mohri, A., 4=8785
- Hayashi, T. Field emission in germanium, 0=7928
- Hayashi, T. On the space charge effect in a velocity modulation type mass spectroscopy, 3=2055
- Hayashi, T. Slow relaxation phenomena in semiconductor-insulator-metal sandwiches, 4=25994
- Hayashi, T. The S-type negative resistance phenomena and oscillation in metal-insulator-metal diode, 4=28596
- Hayashi, T., Aoki, A. and Tomiyama, T. Attenuation of the gamma-gamma directional correlation in ^{48}Ti , 4=12146
- Hayashi, T., Maeda, K., Shida, S. and Nakada, K. A new phototropic substance and its e.s.r., 0=13882
- Hayashi, T. and Niimi, T. Observations of negative resistance phenomena and oscillations in Si-SiO₂ metal diodes, 4=30637
- Hayashi, T. and Nitta, S. Rectification phenomena in Si-SiO₂-metal diodes, 3=22963
- Hayashi, T. See Ezoe, H., 3=2054
- Hayashi, T. See Ezoe, H., 3=12260
- Hayashi, T. See Ezoe, H., 4=5725
- Hayashi, T. See Ezoe, H., 4=21588
- Hayashi, Y. Perturbation theory of the electro-magnetic fields in anisotropic inhomogeneous media, 1=10.64
- Hayashi, Y. The mathematical theory of the electromagnetic fields in anisotropic inhomogeneous media, 1=16499
- Hayashi, Y. See Kawamura, H., 1=19757
- Hayashi, Y. See Kawamura, H., 2=3885
- Hayashi, Y. See Kawamura, H., 2=16639
- Hayashibe, S. See Sugiyama, K., 1=16988
- Hayashibe, S. See Sugiyama, K., 2=10009
- Hayashibe, S. See Takekoshi, E., 4=22076
- Hayashida, T. Crystal structure of triclinic form of n-octadecane, 2=10900
- Hayashida, T. See Mannami, M., 4=29007
- Hayasi, N. On the quasi-two-dimensional laminar boundary layer, 1=9371
- Hayasi, N. On similar solutions of the steady quasi-two-dimensional incompressible laminar boundary-layer equations, 1=9372
- Hayasi, N. On similar solutions of the unsteady quasi-two-dimensional incompressible laminar boundary-layer equations, 2=1106
- Hayasi, N. On semi-similar solutions of the unsteady quasi-two-dimensional incompressible laminar boundary-layer equations, 2=4991
- Hayasi, N. On the approximate solution of the unsteady quasi-two-dimensional incompressible laminar boundary-layer equations, 2=4992
- Hayasi, R., Fujimori, K. and Suzuki, M. Fine structure in L_{II, III} absorption spectrum of copper, 4=13031
- Hayasi, T. The K- and L_{II, III}-absorption spectrum of aluminium, 2=4160
- Hayasi, T. On the theory of satellites in X-ray spectra, 3=23091
- Hayasi, T. Systematics of the satellites of the K α and K β lines of metallic aluminium, 4=13018
- Hayasi, T. M_{II, III} and valence absorption spectra of copper, 4=13030
- Hayasi, T. and Hayasi, Y. Fine structure in the Röntgen K-absorption edge of copper, 4=13032
- Hayasi, T., Kiyono, S. and Sugiura, C. The X-ray K-absorption spectra of potassium and chlorine contained in KCl, 2=10610
- Hayasi, T. and Lee, D.W. Satellites of the L-series lines of metallic silver, 4=28708
- Hayasi, T. and Sagawa, T. The absorption spectrum of metallic aluminium in the wavelength range of the Al L_{II, III}-emission band, 2=4162
- Hayasi, T., Teruyama, S. and Sagawa, T. Discrete states of an electron in a one-dimensional periodic field having a dislocated cell, 0=9876
- Hayasi, Y. See Hayasi, T., 4=13032
- Hayaski, S. See Fukushima, S., 3=10389
- Hayata, K. See Inuishi, Y., 0=6803
- Haybron, R.M. Electrodisintegration of H³ and He³, 3=15048
- Haybron, R.M., McManus, H., Werner, A., Drisko, R.M. and Satchler, G.R. Polarisation in high-energy inelastic scattering, 4=17131
- Haycock, O.C., Swigart, J.I. and Baker, D.J. Electron densities of the ionosphere utilizing high-altitude rockets, 0=6448
- Haycock, O.C. See Ulwick, J.C., 3=5213
- Haycock, P.J. See Garner, F.H., 0=8643
- Hayden, H.C. and Utterback, N.G. Ionization of helium, neon, and nitrogen by helium atoms, 4=27482
- Hayden, P. The cross-linking and chain fracture of rubber by high-energy radiation, 1=15204
- Haydl, W.H., Blütekjaer, K. and Quate, C.F. Coupling to hyper-sonic waves, 4=29708
- Haydon, D.A. A study of the relation between electrokinetic potential and surface charge density, 0=19605
- Haydon, D.A. and Ottewill, R.H. Mechanisms of adsorption from solution, 4=17846
- Haydon, D.A. and Taylor, F.H. On adsorption at the oil/water interface and the calculation of electrical potentials in the aqueous surface phase. I. Neutral molecules and a simplified treatment for ions, 1=8104
- Haydon, S.C. The equivalent pressure concept for ionization in a transverse magnetic field, 3=4094
- Haydon, S.C. and Robertson, A.G. Pre-breakdown ionization in hydrogen at low pressures, 1=11908
- Haydon, S.C. and Robertson, A.G. Ionization coefficients for hydrogen in crossed electric and magnetic fields, 3=4007
- Haydon, S.C. and Robertson, A.G. The effective collision frequency in molecular hydrogen in the presence of a transverse magnetic field, 3=21701
- Haydon, S.C. See Blevin, H.A., 3=9743
- Haye, K. Influence of temperature on the pulse height distribution of a photomultiplier and on the relative sensitivity with wavelength of the photocathode, 3=19318
- Hayek, K. See Bachmann, L., 2=12954
- Hayek, K. See Bachmann, L., 2=15119
- Hayek, K. See Bachmann, L., 2=15120
- Hayes, D.T. Solution of the Bethe-Goldstone equation for nonvanishing total impulse. I, 3=22266
- Hayes, D.T. Solution of the Bethe-Goldstone equation for a nonvanishing total equation. II, 3=22267
- Hayes, E.F. See Kato, Y., 4=28188
- Hayes, F.H. See Brannan, D., 4=13692
- Hayes, F.H. See Brennan, D., 4=17848
- Hayes, F.N., Hansbury, E., Kerr, V.N. and Williams, D.L. Contemporary carbon-14 in lemongrass oil, 0=7499
- Hayes, F.N. See Birkeland, S.P., 0=16710
- Hayes, F.N. See Domer, F.R., 0=5447
- Hayes, F.N. See Kerr, V.N., 2=3208
- Hayes, F.N. See Kerr, V.N., 2=11214
- Hayes, H.C. World War I—Submarine detection, 3=14278
- Hayes, J.E., Jr. See Noble, F.W., 0=4839
- Hayes, J.N. Damping of plasma oscillations in the linear theory, 1=18901
- Hayes, J.N. On non-Landau damped solutions to the linearized vlasov equation, 4=5658
- Hayes, M. Wave propagation and uniqueness in prestressed elastic solids, 3=21471
- Hayes, M. and Rivlin, R.S. A note on the secular equation for Rayleigh waves, 2=15679
- Hayes, R. and Walker, G.B. Vacuum breakdown at a glazed ceramic surface, 4=15557

- Hayes, R.E. and Roberts, A.R.V. A control system for the evaporation of silicon monoxide insulating films, 2=17521
- Hayes, R.E., Roberts, A.R.V. and Alsford, R.W. Self-chopping ionization gauges, 2=15661
- Hayes, R.G. On the electron paramagnetic resonance spectrum of the $\text{Cr}(\text{CN})_6\text{NO}^{3-}$ ion, 3=20014
- Hayes, R.G. and Myers, R.J. Effect of Cl^- and SO_4^{2-} on the paramagnetic resonance linewidth of Mn^{2+} in aqueous solution and the rates of formation of the complex ions, 4=11217
- Hayes, W. The bonding and valence properties of iron group impurities in NaF, 0=21076
- Hayes, W. Effect of ionizing radiations on alkali halides containing divalent impurities, 2=3976
- Hayes, W. Paramagnetic resonance of transition metal ions in unusual valence states, 3=1180
- Hayes, W., Jones, G.D. and Twidell, J.W. Paramagnetic resonance and optical absorption of irradiated $\text{CaF}_2:\text{Ho}$, 3=8710
- Hayes, W. and Nichols, G.M. Paramagnetic resonance and optical absorption of a V center, 0=6051
- Hayes, W. and Twidell, J.W. Paramagnetic resonance of X-irradiated $\text{CaF}_2:\text{Tm}$ and of $\text{CaF}_2:\text{Yb}$, 1=20203
- Hayes, W. and Twidell, J.W. The self-trapped hole in CaF_2 , 2=16632
- Hayes, W. and Twidell, J.W. Paramagnetic resonance of divalent lanthanum in irradiated CaF_2 , 3=20650
- Hayes, W. and Twidell, J.W. Paramagnetic resonance of irradiated CaF_2 containing rare earth salts, 4=26433
- Hayes, W. and Wilkens, J. An investigation of the Ni^+ ion in irradiated LiF and NaF, 4=28885
- Hayes, W. See Baker, J.M., 0=6267
- Hayes, W. See Baker, J.M., 0=8088
- Hayes, W. See Delbecq, C.J., 1=3840
- Hayes, W. See Delbecq, C.J., 3=5044
- Hayes, W. See Hall, T.P.P., 0=16164
- Hayes, W. See Hall, T.P.P., 2=772
- Hayes, W. See Hall, T.P.P., 3=15407
- Hayes, W. See Hall, T.P.P., 3=20043
- Hayess, E. A pulsed method for probe measurements in stationary plasma with high currents, 1=5471
- Hayess, E. and Rademacher, K. Probe measurements at higher currents in the positive column of an argon discharge, 1=18797
- Hayess, E. and Rademacher, K. Probe measurements at high current densities in a low pressure argon discharge, 1=18807
- Hayess, E. and Wojacek, K. The electron mobility in a mercury vapour plasma, 3=19236
- Haygood, J.D. Steady-state sorption of gases during vapor deposition, 4=7720
- Haygood, J.D. See Wang, E.S.J., 4=11262
- Hayhurst, A.N. and Sugden, T.M. Non-equilibrium ionization in flames, 3=24209
- Hayler, D.A. and Rudder, C.L. Transmission of coherent light through shock produced plasmas, 3=12138
- Hayman, H.J.G. Spectrophotometric and partition methods of determining association constants of 1:1 charge-transfer complexes, 3=2674
- Hayman, H.J.G. and Eliezer, J. Dipole moments of α, ω -dibromoparaffins, and their temperature dependence, 1=12333
- Hayman, P.J., Palmer, N.S. and Wolfendale, A.W. Range straggling of muons in the energy range 200-100 000 GeV, 3=4490
- Hayman, P.J., Palmer, N.S. and Wolfendale, A.W. The rate of energy loss of high energy cosmic ray muons, 3=24820
- Hayman, P.J. and Wolfendale, A.W. The momentum spectrum of cosmic ray muons near sea level in the momentum range 5-1000 GeV/c, 2=20481
- Hayman, P.J. and Wolfendale, A.W. Charge ratio of high-energy cosmic ray muons, 2=22695
- Hayman, P.J. See Brooke, G., 2=20466
- Hayman, P.J. See Brooke, G., 4=6156
- Hayman, P.J. See Brooke, G., 4=19614
- Hayman, P.J. See Crispin, A., 4=19541
- Haymann, P. Determination, by high-resolution electron diffraction, of the orientation of submicroscopic figures of attack, 3=18235
- Haymann, P. Secondary electronic emission, 4=5701
- Haymann, P. and Gervais, H. An ionic etching unit, 2=11722
- Haymann, P. and Lecomte, C. Calculation of the mean inner potential of a silver crystal after ionic attack, 1=9966
- Haymann, P., Maruyama, S. and Trillat, J.J. Study of the oxidation of nickel by secondary electron emission, 2=11700
- Haymann, P. and Waldburger, C. Study of pseudo periods produced during the selective etching of silver by argon ions of low energy, 2=6764
- Haymann, P. See Cunningham, R.L., 0=8173
- Haymann, P. See Martina, H., 4=5472
- Haymann, P. See Meyer, M.E., 4=26613
- Haymann, P. See Riviere, J.P., 4=30865
- Haymann, P. See Rodocanachi, P., 4=27582
- Haymes, R. See Korff, S.A., 1=19307
- Haymes, R.C. High altitude neutron intensity diurnal variation, 0=2610
- Haymes, R.C. and Korff, S.A. Slow-neutron intensity at high balloon altitudes, 0=20294
- Haymes, R.C., Reidy, W.P. and Korff, S.A. The cosmic-ray neutron density at high altitudes, 2=13896
- Haymes, R.C. See Korff, S.A., 1=13589
- Haymes, R.C. See Reidy, W.P., 2=9973
- Haynam, G.E. and Crouch, M.F. Monte Carlo calculation of the slowing-down time distribution for neutrons in hydrogen, 0=12976
- Haynes, A. and Hsiao, C.C. Effect of temperature and reactor irradiation on the strength of biaxially oriented polyethylene terephthalate, 0=18274
- Haynes, A. See Hsiao, C.C., 0=11980
- Haynes, F.G. See Smart, R.F., 3=11289
- Haynes, J.R. Experimental proof of the existence of a new electronic complex in silicon, 0=9890
- Haynes, J.R., Lax, M. and Flood, W.F. The role of excitons in recombination radiation from silicon, 2=23358
- Haynes, S.K. See Baird, Q.L., 2=20314
- Haynes, S.K. See Nall, J.C., 0=11369
- Hayodom, V. See Sundara-vicharana, Y., 3=1453
- Hayon, E. Effect of solute concentration on the recombination of H and OH in γ -irradiated aqueous solutions, 2=2446
- Hayon, E. See Cachaty, C., 4=4399
- Hayre, H.S. Statistical methods in radar astronomy. Determination of surface roughness, 4=4922
- Hays, C. See Mitchell, W.L., 3=17739
- Hays, D.F. A variational formulation applied to Couette and Poiseuille flow, 4=8136
- Hays, D.F. and Feiten, J.B. Cavity formation in thin films of viscous liquids, 4=8150
- Hays, D.F. See Glansdorff, P., 2=5006
- Hays, E.E. Comparison of directly measured sound velocities with values calculated from hydrographic data, 1=2820
- Hays, L.E. See Bolling, G.F., 2=8718
- Hayter, R.G. See Herber, R.H., 4=15360
- Hayward, A.T.J. Accurate direct-reading hydrostatic balance, 0=8594
- Hayward, A.T.J. Electrostatic attraction between a liquid surface and a needle height-gauge, 1=5416
- Hayward, A.T.J. The use of the McLeod gauge with gas-vapour mixtures, 2=15659
- Hayward, A.T.J. A simple but accurate oil-filled vacuum manometer, 3=9519
- Hayward, A.T.J. Measuring the extensibility of liquids, 4=21107
- Hayward, D.O. and Gomer, R. Adsorption of carbon dioxide on tungsten, 0=751
- Hayward, D.O. See Brennan, D., 1=1459
- Hayward, E. Photodisintegration of light nuclei, 3=19831
- Hayward, E. See Fuller, E.G., 1=8692
- Hayward, E. See Fuller, E.G., 1=8698
- Hayward, E. See Fuller, E.G., 2=5616
- Hayward, E. See Fuller, E.G., 2=10086
- Hayward, E. See Fuller, E.G., 2=16384
- Hayward, E.R. and Greenough, A.P. The surface energy of solid nickel, 1=15171
- Hayward, R. Binocular vision with different color filters before the two eyes, 2=7084
- Hayward, R.J.R. Third international symposium on quantum electronics, Paris, February, 1963, 3=19475
- Hayward, R.W. On the determination of disintegration rates by the coincidence method using high efficiency detectors, 2=7781
- Hayward, R.W. and Hoppes, D.D. Relativistic matrix elements and the velocity dependence of nuclear potentials, 1=19392
- Hayward, R.W. See Ambler, E., 0=9557
- Hayward, R.W. See Hoppes, D.D., 1=5859
- Hayward, T.H.J. See Greenwood, H.H., 1=14067
- Hayward, W.H., Jepsen, R.L. and Redhead, F.A. Reverse X-ray currents in Bayard-Alpert ionization gauges, 4=18285

- Haywood, B.C. A compilation of the scattering law for water at 22°C and 150°C, 4=15072
- Haywood, B.C. A compilation of the scattering law for heavy water at 22°C and 150°C, 4=21862
- Hazard, C. Lunar occultation of a radio source, 1=15569
- Hazard, C. The method of lunar occultations and its application to a survey of the radio source $3C_{212}$, 2=24182
- Hazard, C. The radio spectrum of normal extragalactic nebulae, 4=10927
- Hazard, C., Mackey, M. B. and Nicholson, W. Additional identifications of radio sources with star-like objects, 4=26973
- Hazard, C., Mackey, M. B. and Shimmings, A. J. Investigation of the radio source 3C 273 by the method of lunar occultations, 3=13937
- Hazard, C. and Walsh, D. An experimental investigation of the effects of confusion in a survey of localized radio sources, 0=18660
- Hazard, C. and Walsh, D. A survey of the localised radio sources at a frequency of 92 Mc/s, 1=2667
- Hazard, C. and Walsh, D. A comparison of an interferometer and total power survey of discrete sources of radiofrequency radiation, 1=18139
- Hazard, C. See Brown, R. H., 0=16527
- Hazard, C. See Brown, R. Hanbury., 0=18659
- Hazard, C. See Brown, R. H., 2=4859
- Hazard, C. See Davies, R. D., 2=24176
- Hazard, C. See Hanbury Brown, R., 1=4213
- Hazekamp, R., Michelsen, T. and Vos, A. Refinement of the structure of metastable phosphonitrilic chloride ($PNCl_2$)₄, 2=15031
- Hazelby, D. See Shaw, D., 2=16665
- Hazelden, D. W. See Delves, R. T., 2=640
- Hazelden, D. W. See Ertl, M. E., 3=10806
- Hazell, A. C. The application of the anomalous scattering of X-rays to the solution of the crystal structure of $(NH_4)_2VO(NCS)_4 \cdot 5H_2O$, 4=29109
- Hazelwood, F. J., Rhodes, E. and Ubbelohde, A. R. Thermal transformation of potassium nitrite, 4=7510
- Hazen, W. See Gaebler, J., 2=12073
- Hazen, W. See Suga, K., 2=12066
- Hazen, W. E. See Gaebler, J. F., 1=5808
- Hazewindus, N., Lourens, W., Scheepmaker, A. and Wapstra, A. H. Gamma ray transitions in ^{35}Cl , 3=19775
- Hazewindus, N. See van Oostrum, K. J., 0=7566
- Hazewindus, N. See van Oostrum, K. J., 1=12158
- Hazif, R. le See le Hazif, R.
- Hazlehurst, J. The stability of a rotating gas column, 1=11773
- Hazlehurst, J. Are spiral flows stable? 3=9416
- Haznedaroglu, U. See Greenlees, G. W., 4=9495
- Hazoni, Y. A tunnel diode univibrator and pulse height discriminator, 2=2975
- Hazoni, Y. A several-stable-states circuit using tunnel diodes, 2=2976
- Hazoni, Y., Hillman, P., Pasternak, M. and Ruby, S. Mössbauer effect in Kr^{83} trapped in a clathrate compound, 3=4807
- Hazoni, Y. See Nifenecker, H., 2=464
- Hazoni, Y. See Ruby, S. L., 3=6172
- Hê Yü' Ping. See Chên' Chun'-Hsien, 3=21651
- Heacock, R. L. Problems in instrument design, 3=21143
- Heacock, R. R. Notes on pearl-telluric micropulsations, 3=13831
- Heacock, R. R. Auroral-zone telluric-current micropulsations, T<20 seconds, 3=18482
- Heacock, R. R. and Hessler, V. P. Telluric current micropulsation bursts, 3=23575
- Heacock, R. R. See Flock, W. L., 3=13832
- Head, A. K. Aplanatic lenses, 0=5139
- Head, A. K. The positions of dislocations in arrays, 0=15844
- Head, A. K. Aplanatic lenses of high refractive index, 0=16822
- Head, A. K. The stress fields around some dislocation arrays, 1=3664
- Head, A. K. The interaction of dislocations with boundaries and surface films, 1=965
- Head, A. K. The energy of a screw dislocation in a cubic crystal, 4=20276
- Head, A. K. The [111] dislocation in a cubic crystal, 4=28464
- Head, A. K. and Thomson, P. F. On the method of Eshelby, Frank and Nabarro for calculating the equilibrium positions of dislocations, 2=8223
- Head, A. K. See Chen, H. S., 4=25936
- Head, A. K. See Clarebrough, L. M., 1=17506
- Head, A. K. See Mitchell, L. H., 1=15761
- Head, C. See Kruh, R. F., 3=7198
- Head, J. W. See Mayo, C. G., 0=7063
- Head, J. W. See Mayo, C. G., 1=6689
- Head, J. W. See Somerville, T., 0=6899
- Head, R. B. Ice nucleation by some cyclic compounds, 3=3267
- Head, R. B. and Sutherland, K. L. Heterogeneous nucleation by aggregates of particles, 1=1492
- Head, R. B. See Garten, V. A., 4=7197
- Head, R. B. See Garten, V. A., 4=27374
- Head, R. M. A spectrographic analysis of hydrogen and air plasmas, 4=18856
- Heading, J. Analytical considerations of ionospheric windows for low frequency radio waves, 1=15265
- Heading, J. The nonsingular embedding of transition processes within a more general framework of coupled variables, 2=5492
- Heading, J. Composition of reflection and transmission formulae, 3=9955
- Heading, J. Resonance effects and transmission through a system of periodic overdense barriers, 4=2261
- Headrick, R. D. See Drake, C. W., 1=13524
- Heal, H. G. and Pringle, J. P. S. Colour centres in X-irradiated alkali metal azides, 1=17577
- Heal, T. J. See McIntosh, A. B., 1=4884
- Heald, C. and Thompson, H. W. Intermolecular forces and solvent effects. III, 2=15598
- Heald, M. A. Tracing of oblique rays in plasma cylinders, 4=21507
- Healey, J. A. See Bouthiette, D. B., 4=25585
- Healey, J. R. See Mathewson, D. S., 3=3624
- Healey, J. R. See Mathewson, D. S., 3=3625
- Healy, B. J. See Green, J. J., 3=15885
- Healy, B. J. See Green, J. J., 4=13299
- Healy, G. W. and Schottmiller, J. C. The chromium oxide-silica system at low oxygen pressures, 4=24434
- Healy, J. H. See Mohanty, G. P., 3=5111
- Healy, J. H. See Mohanty, G. P., 4=13500
- Healy, J. H. See Uphoff, H. L., 1=7644
- Healy, J. H. See Uphoff, H. L., 2=21109
- Healy, J. H. See Uphoff, H. L., 3=10893
- Healy, T. W. and La Mer, V. K. The adsorption-flocculation reactions of a polymer with an aqueous colloidal dispersion, 3=6891
- Healy, T. W. See La Mer, V. K., 4=8518
- Heap, B. R. Application of the Bethe-Peierls method to a metamagnetic, $FeCl_2$, 2=16919
- Heap, B. R. The critical temperature of dilute ferromagnets, 3=20553
- Heap, B. R. See Elliott, R. J., 1=1200
- Heap, B. R. See Elliott, R. J., 2=2292
- Heaps, H. S. General theory for the synthesis of hydrophone arrays, 0=5105
- Heaps, H. S. Waveform of finite amplitude derived from equations of hydrodynamics, 2=9248
- Heaps, J. D. See Blakemore, J. S., 0=6143
- Heard, C. W. See Adams, J. M., 3=8938
- Heard, H. G. Effect of pre-excitation on flash lamp optical quality, 4=11337
- Heard, H. G. Ultra-violet gas laser at room temperature, 4=19294
- Heard, H. G. See Goldfarb, E. M., 1=4574
- Hearle, J. W. S. The physics of polymers, 3=20037
- Hearmon, R. F. S. The influence of shear and rotatory inertia on the free flexural vibration of wooden beams, 0=3580
- Hearmon, R. F. S. An introduction to applied anisotropic elasticity, 1=14840
- Hearn, A. C. The invariant amplitudes of interaction processes, 1=13347
- Hearn, A. C. and Leader, E. Fixed-angle dispersion relations for nucleon Compton scattering. I, 2=11917
- Hearn, A. G. The absorption of ozone in the ultra-violet and visible regions of the spectrum, 2=542
- Hearn, A. G. Radiative transfer of Doppler broadened resonance lines, 3=9813
- Hearn, A. G. Radiation transfer in a plasma with electron collisions, 4=513
- Hearn, A. G. The criteria for the optically thin approximation in spectral line intensities, 4=18852
- Hearn, A. G. Radiative transfer of Doppler broadened resonance lines. II, 4=21504
- Hearn, A. G. Numerical methods of solving the transport equation, 4=24039
- Hearn, A. G., Jones, B. B. and Ramsden, S. A. The variation with time of the profiles of spectral lines emitted from a high-current toroidal discharge, 2=7620

- Hearn, A. G. See McWhirter, R. W. P., 4=2971
- Hearn, B. R. Dynamic characteristics of magnetic thin films, 3=15817
- Hearn, B. P. The dynamic behaviour of magnetic thin films, 4=10266
- Hearn, C. J., Landsberg, P. T. and Beattie, A. R. New non-equilibrium distributions in simple semiconductors, 3=10749
- Hearn, D. D. See Kim, Y. W., 3=20643
- Hearn, N. K., Jr. See Bennett, A. L., 3=15982
- Hearne, J. A. See Hummel, R. W., 1=3094
- Hearne, K. R., Edels, H. and Howarth, G. A study of the interferometric determination of gas discharge temperatures, 4=18705
- Hearst, J. E. Effect of partial draining on the intrinsic viscosity of flexible macromolecules, 3=4791
- Hearst, J. E. Rotary diffusion constants of stiff-chain macromolecules, 3=10554
- Hearst, J. E. Intrinsic viscosity of stiff-chain macromolecules, 4=15390
- Hearst, J. E. and Stockmayer, W. H. Sedimentation constants of broken chains and wormlike coils, 2=23973
- Hearst, J. R., Geesaman, L. B. and Power, D. V. Piezoelectric sensitivity and reproducibility of Z-cut tourmaline to 7 kbar, 4=22782
- Hearst, J. R. See Se Hee Ahn, 0=15603
- Heart, F. E., Karp, D., Mathiasen, A. A., Nagy, F., Crowther, W. R. and Smith, W. B. Measured physical characteristics of the West Ford belt, 4=30996
- Heasell, E. L. See Andreae, J. H., 0=16790
- Heasell, E. L. See Choo, S. C., 3=6579
- Heasell, E. L. See Padmanabhan, R. A., 1=1741
- Heasell, E. L. See Wilson, R. B., 2=6381
- Heasell, L. See Mrosewicz, B., 2=2179
- Heaslet, M. A. and Baldwin, B. S. Predictions of the structure of radiation-resisted shock waves, 3=18894
- Heaslet, M. A. and Fuller, F. B. Cylindrical sections with uniform diffuse-radiation characteristics, 4=5442
- Heastie, R. Solid and liquid solutions of krypton and xenon, 0=8846
- Heastie, R. and Lefebvre, C. Phase equilibria in condensed mixtures of argon and xenon, 1=1848
- Heastie, R. and Martin, D. H. Collision-induced absorption of submillimeter radiation by non-polar atmospheric gases, 2=2775
- Heath, A. W. Photography of the planet Venus, 2=24100
- Heath, D. F. See Dieke, G. H., 0=15724
- Heath, E. G. The composition of the gold-silicon eutectic, 2=4450
- Heath, J. S. A simple calorimeter to measure energy absorption from high radiation fields in nuclear reactors, 3=12740
- Heath, M. See Bagguley, D. M. S., 1=9047
- Heath, M. B. B. Saturn in 1958, 0=8492
- Heath, R. L. Recent developments in scintillation spectrometry, 2=17991
- Heath, R. L. Digital analysis of pulse-height spectra, 2=18034
- Heath, R. L. Analysis of complex gamma-ray spectra, 4=21825
- Heath, R. L., Cline, J. E., Reich, C. W., Yates, E. C. and Turk, E. H. 3.14 hr isomeric level in Y^{90} , 1=10974
- Heath, R. L., Reich, C. W. and Proctor, D. G. Decay of 45-day Fe^{59} , 0=11378
- Heath, R. L. See Cline, J. E., 1=5877
- Heath, R. L. See Cline, J. E., 3=17434
- Heath, R. L. See Passell, T. O., 2=5941
- Heath, R. L. See Reich, C. W., 2=16369
- Heath, R. L. See Reich, C. W., 3=6168
- Heath, R. L. See Vegors, S. H., Jr., 0=9571
- Heath, R. L. See Vegors, S. H., Jr., 4=3621
- Heaton, A. G. Thermoelectrical cooling: material characteristics and applications, 3=19167
- Heaton, A. G. Thermoelectric cooling applied to the absolute measurement of microwave power, 4=19216
- Heaton, J. W. and Rose-Innes, A. C. Excitation of a vibration magnetometer: especially suitable for use in cryostats, 3=17021
- Heaton, J. W. and Rose-Innes, A. C. Effect of longitudinal magnetic fields on critical currents of type II superconductors, 4=18605
- Heaton, J. W. and Rose-Innes, A. C. Critical currents of a superconductor of the second kind, 4=21428
- Heaton, J. W. See Bolton, H. C., 1=20526
- Heaton, L. See Barrett, C. S., 3=23428
- Heaton, L. See Gingrich, N. S., 1=5266
- Heaton, L. See Mueller, M. H., 1=15032
- Heaton, L. See Mueller, M. H., 1=15061
- Heaton, L. See Mueller, M. H., 3=8822
- Heaton, L. R. See Clayton, G. T., 1=2745
- Heaton, L. R. See Clayton, G. T., 1=2746
- Heavens, O. S. Evaporation of metals by electron bombardment, 0=4691
- Heavens, O. S. Magnetic properties of epitaxially grown films, 1=1231
- Heavens, O. S. Optical properties of thin films, 1=1823
- Heavens, O. S. Radiative transition probabilities of the lower excited states of the alkali metals, 1=13959
- Heavens, O. S. Optical masers, 3=7748
- Heavens, O. S. and Miller, R. F. Measurement of Faraday rotation in single-crystal nickel films, 2=8489
- Heavens, O. S., Miller, R. F., Moss, G. L. and Anderson, J. C. The preparations of continuous single-crystal thin films of nickel and nickel-iron alloys, 1=12664
- Heavens, O. S. Optical masers, 4=16681
- Heavens, O. S. Structure and optical properties of thin films, 4=23558
- Heavens, O. S. See Allen, L., 2=22901
- Heavens, O. S. See Kelly, J. C., 0=19380
- Hebbard, D. F. Proton capture by N^{15} , 0=7561
- Hebbard, D. F. Gamma rays from the 351 keV $C^{14}(p, \gamma)$ resonance, 1=692
- Hebbard, D. F. Consecutive amplitude analyses for simultaneous pulses, 2=19848
- Hebbard, D. F. and Robson, B. A. Tables of Whittaker functions and their logarithmic derivatives, 3=13995
- Hebbard, D. F. and Vogl, J. L. Elastic scattering and radiative capture of protons by C^{13} , 1=4865
- Hebbard, D. F. See Bailey, G. M., 4=9507
- Hebbard, D. F. See Earwaker, L. G., 4=19673
- Hebbard, F. W. Comparison of subjective and objective measurements of fixation disparity, 2=13225
- Hebbard, F. W. and Marg, E. Physiological nystagmus in the cat, 0=3384
- Hebborn, J. E. The diamagnetic shielding of nuclei in metals, 3=2750
- Hebborn, J. E., Luttinger, J. M., Sondheimer, E. H. and Stiles, P. J. The orbital diamagnetic susceptibility of Bloch electrons, 4=26261
- Hebborn, J. E. and March, N. H. Conduction electron diamagnetism in alloys and magnetic-field-dependent dielectric constant of a fermi gas, 4=26262
- Hebborn, J. E. and Sondheimer, E. H. The diamagnetism of conduction electrons in metals, 0=11797
- Hebborn, J. E. and Stephen, M. J. The diamagnetic shielding of nuclei in metals, 4=1417
- Hebeda, E. See Franzen, J., 2=19734
- Hebel, L. C. Theory of nuclear spin relaxation in superconductors, 0=1078
- Hebel, L. C. and Smith, G. E. Interband transitions and band structure of a BiSb alloy, 4=22539
- Hebel, L. C. and Wolff, P. A. Quantum effects in the infrared reflectivity of bismuth, 4=7110
- Hebel, L. C. See Smith, G. E., 3=4853
- Hebel, L. C., Jr. Impurities and nuclear spin relaxation in aluminium, 2=23712
- Heber, G. q-number commutation relations and the physical content of a simple field theory, 0=12809
- Heber, G. Lectures on selected chapters of quantum field theory, 1=13267
- Heber, G. Uncertain space-time continuum, uncertain mass and Pauli-Villars regularization, 1=19084
- Heber, G. The Lehmann-Källén theorem and Minkowski geometry, 2=2630
- Heber, G. Results and difficulties in the theory of a non-localized field, 4=11876
- Heber, G. On a slight modification of Hori's strong-coupling method, 4=19445
- Heber, H. See Bonrath, H., 2=8580
- Heberle, J. See Hanna, S. S., 0=5663
- Heberle, J. See Hanna, S. S., 0=7463
- Heberle, J. See Hanna, S. S., 0=11827
- Heberle, J. See Hanna, S. S., 4=13190
- Heberle, J. See Perlow, G. J., 0=7466
- Heberle, J. See Preston, R. S., 3=6457
- Heberle, J. See Schiffer, J. P., 4=12579
- Hébert, G. R. and Nicholls, R. W. The Λ 2763 Å (0,9) band of the O_2 Schumann-Runge System, 1=14050
- Hébert, G. R. and Nicholls, R. W. Intensity measurements in emission on 29 bands of the O_2 Schumann-Runge system, 2=543

- Hébert, G. R. and Tyte, D. C. Intensity measurements on the $^{22}\text{Ne}-\text{X}^{22}\text{Ne}$ system of aluminium oxide, 4=17278
- Hébert, J. The energetic delta-ray method applied to the measurement of energies of heavy cosmic-ray particles, 0=13089
- Hébert, J. See McEwen, J. G., 0=12790
- Hecht, C. E. Trapped free radical concentrations, 0=4179
- Hecht, C. E. λ -points in unsaturated helium films 0=8869
- Hecht, C. E. Thermodynamic potentials for systems at negative absolute temperatures, 0=16931
- Hecht, C. E. The possible superfluid behaviour of hydrogen atom gases and liquids, 0=19531
- Hecht, C. E. Lennard-Jones pseudo single component potential for binary fluid mixtures, 2=19512
- Hecht, C. E. Equation of state for binary fluid mixtures, 3=9451
- Hecht, C. E., Kikuchi, R. and Stein, P. R. Statistical mechanics of He^3 - He^4 liquid mixtures, 3=19086
- Hecht, G. and Holste, C. Relationship between critical coefficients and zero point volumes of liquids, 4=27377
- Hecht, G. J., Laderman, A. J., Stern, R. A. and Oppenheim, A. K. Determination of flame velocities in gaseous predetonation, 0=18436
- Hecht, H. G. See Weil, J. A., 3=17612
- Hecht, H. G. See Weil, J. A., 4=26424
- Hecht, K. Experimental model for xenon poisoning in a nuclear reactor, 1=3486
- Hecht, K. Collision experiments in shadow projection, 1=12835
- Hecht, K. T. The vibration-rotation energies of tetrahedral XY_4 molecules. I. Theory of spherical top molecules, 1=6001
- Hecht, K. T. Vibration-rotation energies of tetrahedral XY_4 molecules. II. The fundamental ν_3 of CH_4 , 1=6002
- Hecht, K. T. and Satchler, G. R. Asymmetric rotator model of odd-mass nuclei, 2=12109
- Hecht, K. T. See Fox, K., 2=16544
- Hecht, K. T. See Weeks, W. T., 2=6142
- Hecht, R. and Redfield, A. G. Overhauser effect in metallic lithium and sodium, 4=4427
- Hecht, R. Paramagnetic susceptibility of metallic lithium and sodium by electron spin resonance saturation, 4=4331
- Hechtel, J. R. Electrostatic focusing of microwave tubes, 3=5708
- Heck, C. and Vaccari, G. Observations on a Mg-Fe ferrite containing Co having perminvar properties, 4=20556
- Heck, C. and Vaccari, G. Observations of the ordering process in a Mg-Fe ferrite, 4=13241
- Heck, R. J. See Rosenberg, B., 4=28653
- Hecker, M. H. L. Studies of nasal consonants with an articulatory speech synthesizer, 2=7061
- Hecker, W. See Noddack, W., 4=5405
- Heckingbottom, R. and Linnett, J. W. Structure of vanadium dioxide, 2=15029
- Heckl, M. Experimental investigations into the sound insulation of cylinders, 0=19291
- Heckl, M. Measurements on sound bridges between a plaster floor and a rough covering, 0=19339
- Heckl, M. Sound radiation from a point-excited hollow cylinder, 1=202
- Heckl, M. Acoustic radiation from point-excited plates, 1=203
- Heckl, M. Wave propagation on beam-plate systems, 1=6922
- Heckl, M. Investigations on orthotropic sheets, 1=8172
- Heckl, M. The sound damping of homogeneous plain walls with enclosed surfaces, 1=8206
- Heckl, M. Reply to the remarks by E. J. Skudrzyk, 1=9441
- Heckl, M. Measurements of absorption coefficients on plates, 2=13392
- Heckl, M. Vibrations of point-driven cylindrical shells, 3=190
- Heckl, M. [Acoustic] radiation in water from an infinite plate excited at one point, 3=23975
- Heckl, M. and Rathe, E. J. Relationship between the transmission loss and the impact noise isolation of floor structures, 4=2803
- Heckl, M. and Seifert, K. Investigation on the effect of eigenresonances of the measuring chamber on the results of sound absorption measurements, 0=16785
- Heckl, M. See Cremer, L., 1=189
- Heckl, M. See Lyon, R. H., 1=15996
- Heckl, M. A. Investigations on the vibrations of grillages and other simple beam structures, 4=24286
- Heckman, F. A. and Roper, S. G., Jr. The reduction of error in magnification determination in electron microscopes, 3=19357
- Heckman, H. H. and Armstrong, A. H. Energy spectrum of geomagnetically trapped protons, 2=17202
- Heckman, H. H., Hubbard, E. L. and Simon, W. G. Electronic charge distributions for heavy ions at high velocities, 3=7447
- Heckman, H. H. and Nakano, G. H. East-West asymmetry in the flux of mirroring geomagnetically trapped protons, 3=18564
- Heckman, H. H., Perkins, B. L., Simon, W. G., Smith, F. M. and Barkas, W. H. Ranges and energy-loss processes of heavy ions in emulsion, 0=4105
- Heckman, H. H., Smith, F. M. and Barkas, W. H. The range and ionization of heavy ions in emulsion, 0=12772
- Heckman, H. H. See Armstrong, A. H., 1=15335
- Heckman, H. H. See Barbaro-Galtieri, A., 2=20434
- Heckman, H. H. See Barkas, W. H., 3=24800
- Heckman, H. H. See Benton, E. V., 4=21718
- Heckman, R. C. Electrical properties of the cerium and gadolinium hydrogen systems, 4=20328
- Heckman, R. C. and Mattox, D. M. Electrical properties of single crystal Bi_2S_3 , 3=22937
- Heckman, R. C. See Glower, D. D., 4=26118
- Heckmann, H. H. See Dyer, J., 0=5562
- Heckmann, O. The aberration of extragalactic nebulae, 0=18903
- Heckmann, O. On the possible influence of a general rotation on the expansion of the universe, 2=9050
- Heckmann, P. H. Directional dependence of the scintillation response of anthracene to α -irradiation, 0=1754
- Heckmann, P. H., Gubernator, K., Pöyhönen, J. and Flammersfeld, A. Nuclear isomerism in In^{116} , 1=13692
- Heckmann, P. H., Hansen, H. and Flammersfeld, A. The directional dependence of the scintillation light yield of thin anthracene and stilbene crystals in the case of α -ray bombardment, 1=5057
- Heckmann, P. H., Sander, W. and Flammersfeld, A. Scintillation anisotropy of anthracene at low temperatures, 2=727
- Heckmann, P. H., Sander, W. and Flammersfeld, A. Scintillation anisotropy of anthracene at low temperatures. II, 2=18879
- Heckmann, P. H. See Frevert, L., 3=22333
- Heckmann, P. H. See Gubernator, K., 0=8023
- Heckrotte, W. See Futch, A. H., Jr., 3=1964
- Heckrotte, W. See Glassgold, A. E., 0=890
- Heckrotte, W. See Hall, L. S., 4=18999
- Heckrotte, W. See Kammash, T., 3=24309
- Heckrotte, W. See Kammash, T., 4=8751
- Heckrotte, W. See Killeen, J., 3=12121
- Heckscher, F. See Bacon, D. J., 4=23457
- Heckscher, F. See Bevis, M., 4=29029
- Heckscher, F. See Crocker, A. G., 4=6855
- Heckscher, H. See Langberg, E., 3=16780
- Hector, F. and Forsyth, P. A. On the statistical properties of optical and radio aurora, 1=21045
- Hedberg, K. and Iwasaki, M. Effect of temperature on the structure of gaseous molecules. Molecular structure of PCl_3 at 300° and 505°K, 2=6122
- Hedberg, K. and Iwasaki, M. The effect of temperature on the structure of gaseous molecules, 2=22955
- Hedberg, K. and Iwasaki, M. Least-squares refinement of molecular structures from gaseous electron-diffraction sector-microphotometer intensity data. I. Method, 4=20034
- Hedberg, K. See Bastiansen, O., 4=20036
- Hedberg, K. See Iwasaki, M., 2=6123
- Hedberg, K. See Iwasaki, M., 2=14233
- Hedberg, K. See Iwasaki, M., 3=2607
- Hedberg, K. See Iwasaki, M., 4=20035
- Heddle, D. W. O. Photodissociation in the Schumann-Runge system of oxygen, 0=17721
- Heddle, D. W. O. Observations in the southern hemisphere of ultraviolet light from celestial objects, 2=13149
- Heddle, D. W. O. Studies of the ultraviolet emission from the night sky, 2=15288
- Heddle, D. W. O. Photon-scattering processes, 3=7245
- Heddle, D. W. O. Scattering of light near an absorption line, 4=11364
- Heddle, D. W. O. Southern hemisphere observations of ultraviolet radiation from celestial objects. III. Stellar photon fluxes at wavelengths near 2000 Å, 4=26912
- Heddle, D. W. O., Jennings, R. E. and Parsons, A. S. L. Determination of the refractive indices of gases in the vacuum ultraviolet. I. The Čerenkov radiation method, 3=14214
- Heddle, D. W. O. and Keesing, R. G. Excitation and polarization in helium, 4=25531
- Heddle, D. W. O. and Lucas, C. B. The polarization of electron impact radiation in helium, 3=4719

- Hedde, D. W. O. and Seaton, M. J. The excitation and ionization of atoms by electron impact, 4=25515
- Hedde, D. W. O. See Alexander, J. D. H., 4=26912
- Hedde, D. W. O. See Chamberlain, G. E., 4=25524
- Hedde, D. W. O. See Gabriel, A. H., 0=20562
- Hedde, D. W. O. See Gill, P., 3=14215
- Hedde, D. W. O. See Gross, M. J., 4=26912
- Hedeman, E. R. See Dodson, H. W., 0=10505
- Hedeman, E. R. See Dodson, H. W., 4=26960
- Hedeman, E. R. See Teske, R. G., 4=23918
- Hédervári, P. Instability of small-size planetary cores and the development of the moon, 4=23889
- Hedcock, F. T. Magnetic susceptibility of the two phases of lithium at low temperatures, 1=1193
- Hedcock, F. T. Magnetic susceptibility and galvanomagnetic properties of tellurium, selenium and Te-Se alloys, 2=23631
- Hedcock, F. T. and Mathur, D. P. The magnetic properties of dilute alloys exhibiting a low temperature resistance minimum, 3=4996
- Hedcock, F. T. and Mathur, D. Localized spins in heavily doped n-type germanium exhibiting metallic conduction, 3=23135
- Hedcock, F. T. and Muir, W. B. Susceptibility servo-balance for measurements on metals of extremely low resistivities, 0=7185
- Hedcock, F. T. and Muir, W. B. Thermoelectric effects in Mg, Zn and Al containing traces of Mn, 2=6510
- Hedcock, F. T. and Muir, W. B. de Haas van Alphen effect in zinc manganese alloys, 2=12643
- Hedcock, F. T. and Muir, W. B. De Haas-Van Alphen effect in a zinc alloy exhibiting a resistance minimum, 3=11029
- Hedcock, F. T., Muir, W. B. and Wallingford, E. The electrical resistance of dilute magnesium and aluminum alloys at low temperatures, 0=6083
- Hedcock, F. T. and Muto, Y. Low-temperature magneto-resistance in magnesium and aluminum containing small concentrations of manganese or iron, 4=20333
- Hedcock, F. T. See Collings, E. W., 1=5069
- Hedcock, F. T. See Collings, E. W., 1=20213
- Hedcock, F. T. See Collings, E. W., 2=14763
- Hedcock, F. T. See Collings, E. W., 4=17623
- Hedcock, F. T. See Collings, E. W., 4=20518
- Hedcock, F. T. See Fischer, G., 1=20050
- Hedcock, F. T. See Gaudet, G., 0=17999
- Hedcock, F. T. See Muto, Y., 4=10026
- Hedger, H. J. See Andon, R. J. L., 4=22498
- Hedger, H. J. See Baldock, P., 2=12923
- Hedin, B. See Andersson, G., 4=30401
- Fedin, L. T. A microscopic derivation of the Born-Huang relations between the atomic force constants, 1=7513
- Hedley, J. A. An electron microscope study of graphite oxidation, 0=21260
- Hedley, J. A. and Ashworth, D. R. Imperfections in natural graphite, 2=3925
- Hedley, J. A. and McGeagh, J. Specimen heating with temperature measurement from -150°C to 2200°C inside the EM6 electron microscope, 3=25787
- Hedley, J. A. See Presland, A. E. B., 3=25821
- Hedman, L. E. Spherulitic crystallization in amorphous selenium, 2=6780
- Hedman, L. E. and Mattuck, R. D. Effect of heat treatment and plastic deformation on the paramagnetic susceptibility of Cu-Ni alloys, 2=18891
- Hedner, G. Total strain theory of creep including recovery, 4=7383
- Hedrich, H. H. and Wilke, K. T. A simple temperature controller for crystal growth from the melt, 4=4534
- Hedrich, W. A. Some aspects of luminance and luminous emittance, 0=147
- Hedvall, J. A. See Sandford, F., 2=12612
- Hedvall, P. Properties of a plasma created by an electron beam, 2=17817
- Hedvall, P. Cavity method for measuring plasma properties, 3=19278
- Hedvall, P. and Hägglund, J. Cavity method for measuring dielectric constants at microwave frequencies, 3=19128
- Hée, A. A first attempt to compare the Canadian and Ilford G5 photographic emulsions, 0=12798
- Hée, A. A study of the radioactivity of some pegmatite from Renfrew, Ontario, Canada, 0=13163
- Hee, S. and Thorndike, E. H. Measurement of the triple-scattering parameter A in proton-proton and proton-carbon scattering at 139 MeV, 4=899
- Hee, S. and Wilson, R. Measurement of the triple scattering parameter R' in proton-proton scattering at 137½ MeV, 4=6044
- Heeger, A. J. Spin-wave instability and premature saturation in antiferromagnetic resonance, 3=20637
- Heeger, A. J., Beckman, O. and Portis, A. M. Magnetic properties of KMnF₃. II. Weak ferromagnetism, 1=12525
- Heeger, A. J., Blocker, T. G., III and Ghosh, S. K. Nuclear and ferromagnetic relaxation in MnFe₂O₄, 4=13290
- Heeger, A. J., Blocker, T. G., III and Ghosh, S. K. Slow and fast relaxation in magnetic resonance in ferrimagnetic MnFe₂O₄, 4=15667
- Heeger, A. J., Ghosh, S. K. and Blocker, T. G., III. Mn⁵⁵ nuclear magnetic resonance in manganese ferrite, 3=15965
- Heeger, A. J. and Houston, T. Temperature dependence of the sublattice magnetization in ferrimagnetic MnFe₂O₄, 4=13240
- Heeger, A. J. and Houston, T. W. Nuclear magnetic resonance in ferrimagnetic MnFe₂O₄, 4=26453
- Heeger, A. J. and Pincus, P. Spin-wave instability and premature saturation in antiferromagnetic resonance, 3=11108
- Heeger, A. J., Portis, A. M., Teaney, D. T. and Witt, G. Double resonance and nuclear cooling in an antiferromagnet, 2=2305
- Heeger, A. J., Portis, A. M. and Witt, G. Nuclear-antiferromagnetic double resonance, 3=25582
- Heeger, A. J. and Teaney, D. T. Mn⁵⁵ nuclear magnetic resonance in antiferromagnetic RbMnF₃, 4=13346
- Heeger, A. J. See Houston, T. W., 4=23019
- Heeger, A. J. See Portis, A. M., 3=15966
- Heel, A. C. S. Van. See Van Heel, A. C. S.
- Heemskerck, F. J. See Dubbeldam, P. S., 0=17346
- Heer, C. V. Hyperfine coupling in metals, 0=9860
- Heer, C. V. Feasibility of containment of quantum magnetic dipoles, 3=15271
- Heer, C. V. Resonant frequencies of an electromagnetic cavity in an accelerated system of reference, 4=16649
- Heer, C. V. See Cheo, P. K., 4=27650
- Heer, C. V. See Gaumer, R. E., 0=9857
- Heer, C. V. See Martin, B. D., 4=25852
- Heer, E. See England, A. C., 1=16781
- Heer, E. See Faissner, H., 3=24690
- Heer, E. See Gotow, K., 0=17336
- Heer, E. See Gotow, K., 2=20338
- Heer, J. See Cheroff, G., 2=8399
- Heer, J. See Esaki, L., 3=10803
- Heer, J. See Esaki, L., 3=10809
- Heer, J. See Esaki, L., 4=12926
- Heer, J. de. See de Heer, J.
- Heer, W. See Frauenfelder, R., 2=7955
- Heeran, M. See Allen, P., Sr, 3=7976
- Heeran, M. See Danysz, M., 3=22276
- Heeran, M. See Danysz, M., 4=9364
- Heeran, M. See Fletcher, E. R., 3=10232
- Heerden, C. See Zwietering, P., 0=4313
- Heerden, P. J. Van. See Van Heerden, P. J.
- Heerschap, M. and Delavignette, P. Electron microscope study of graphite bromide, 3=20175
- Heerschap, M., Delavignette, P. and Amelinckx, S. Electron microscope study of interlamellar compounds of graphite with bromine, iodine monochloride and ferric chloride, 4=22588
- Heertje, I. and Aten, A. H. W., Jr. Activation cross-sections of fast neutron detectors, 2=16209
- Heertje, I. and Aten, A. H. W., Jr. Determination of cyclotron fast neutron spectra and fluxes with activation detectors, 4=22170
- Heertje, I., Delvenne, L. and Aten, A. H. W., Jr. Cross sections for the reactions ²⁰³Pb(n, n')^{204m}Pb and ²⁰⁸Pb(n, 3n)^{204m}Pb, 4=28047
- Heertje, I., Delvenne, L., Nagel, W. and Aten, A. H. W., Jr. Cross-sections of some (n, p) and (2, 2n) reactions, 4=30341
- Heertje, I., Nagel, W. and Aten, A. H. W., Jr. Cross-sections for the In¹¹³(n, n')In^{115m} reaction, 4=17170
- Heertje, I. See Aten, A. H. W., Jr, 1=17008
- Heeschen, D. S. Observations of radio sources at four frequencies, 1=2666
- Heeschen, D. S. Radio galaxies, 3=1543
- Heeschen, D. S. and Meredith, B. L. Secular variation of the flux density of the radio source Cassiopeia A, 1=18207
- Heeschen, D. S. and Wade, C. M. A radio survey of galaxies, 4=23947
- Hefele, J. R., Lundberg, J. L. and Salovey, R. Simple ratio photometer, 3=3863
- Hefferlin, R. Improved determination of source temperature from relative spectrum line intensities, 2=11521

- Hefferlin, R. Semi-empirical investigations on the nature of the f-value, 2=18393
- Hefferlin, R., Cobb, B., Hall, D. and Lehman, C. Laboratory high-excitation relative f-values for titanium I, 0=15666
- Hefferlin, R. and Gearhart, J. Laboratory high-excitation relative f-values for manganese, 4=12369
- Hefferlin, R. and Hall, D. A "Bohr-Sommerfeld" nucleus, 2=18228
- Hefferlin, R. and Rouse, C. A. Validity of plasma temperatures obtained from emission lines of seeded metal atoms, 4=11633
- Hefferman, J. See Carder, B., 3=9004
- Heffernan, K. J. See Bigg, E. K., 2=11020
- Heffernan, L. P. See Armstrong, J. F., 4=18685
- Heffner, H. The physical aspects of low noise electronics, 3=5839
- Heffner, H. and Wade, G. Noise figure and gain of parametric convertors, 1=4537
- Heffner, H. See Cowley, M., 4=10080
- Heffner, H. See She, C. Y., 4=21672
- Heffner, W. See Sujak, B., 3=19161
- Hefft, K., Kern, R., Nöldeke, G. and Steudel, A. Fabry-Perot mirrors from dielectric multilayers for the spectral region 2350-20 000 Å, 3=24050
- Hefley, G., Doherty, R. H. and Berger, E. L. An intermittent-action camera with absolute time calibration, 0=16902
- Hefley, G., Doherty, R. H. and Linfield, R. F. Initial results of a new technique for investigating sferic activity, 1=6592
- Heflinger, L. O. and Leonard, S. L. Superfast pinch studies, 1=5464
- Hegarty, J. C. See Levine, M. A., 3=9579
- Hegde, M. S. See Bhide, V. G., 2=21220
- Hegde, S. See Tawde, N. R., 3=12323
- Hegedus, I. See Freund, P. G. O., 0=18942
- Hegedüs, I. See Freund, P. G. O., 0=18943
- Hegel, U. and Finckh, E. The spectrum of high-energy protons from the reaction $O^{16}(\gamma, p)N^{15}$, 1=7369
- Hegel, U. See Brix, P., 2=14230
- Hegel, U. See Finckh, E., 1=7366
- Hegel, U. See Quitmann, D., 4=15310
- Hegel, W. H. Light mixing in a plasma, 4=18885
- Hegenbarth, E. Experiments on the dielectric properties of some ferroelectric ceramics at low temperatures, 1=19929
- Hegenbarth, E. Dielectric and calorific investigations on ferroelectric ceramics at low temperatures, 3=2957
- Hegenbarth, E. Field strength dependence of the dielectric constants of $SrTiO_3$ single crystals in the temperature region from 15° to 80°K, 4=28632
- Hegenbarth, E. See Schmidt, G., 3=8562
- Hegenbarth, J. J. See Baenziger, N. C., 4=23442
- Hegenbarth, J. J. See Baenziger, N. C., 4=29149
- Heggie, L. D. and Masek, G. E. Hodoscope for low level output particle detectors, 1=4745
- Heggie, L. D. See Masek, G. E., 1=7257
- Hegland, D. E., Legvold, S. and Spedding, F. H. Magnetization and electrical resistivity of terbium single crystals, 3=18113
- Hegyi, I. J., Loebner, E. E., Poor, E. W., Jr. and White, J. G. Two crystal forms of ZnP_2 , their preparation, structure, and optoelectronic properties, 3=16072
- Hehemann, R. F. See Leber, S., 4=15810
- Hehenkamp, T. Sensitive pyrometer with high relative reproducibility, 2=7445
- Hehir, R. M. See Polanyi, M. L., 0=8435
- Hehir, R. M. See Polanyi, M. L., 3=3649
- Hehl, K. and Riedel, C. Three-dimensional evaluation of four-particle reactions, 4=6310
- Hehuzin, Ya. Ye. and Ovcharenko, N. M. The part played by admixtures in the formation of diffusion porosity, 1=15170
- Heicklen, J. Relations among vibrational frequencies of isotopically substituted molecules and the determination of force constant, 2=6131
- Heicklen, J. The fluorescence of carbon disulfide vapor, 4=5250
- Heicklen, J. and Porter, G. B. Photodecomposition of biacetyl vapor, 1=7917
- Heicklen, J. See Johnston, H. S., 2=10964
- Heid, R. L. Graphical representation of some electrical potential fields, 0=1090
- Heidberg, J., Weil, J. A., Janusonis, G. A. and Anderson, J. K. Conformation and internal rotation of nitro aromatic amines in solution as detected by proton magnetic resonance, 4=26247
- Heide, H. G. Electron microscope of objects at atmospheric pressure or at pressures which prevent their drying out, 0=21261
- Heide, H. G. Specimen contamination in the electron microscope and the problem of radiation damage by removal of carbon, 3=16149
- Heide, H. G. The prevention of contamination without beam damage to the specimen, 3=18412
- Heide, H. G. Cooling of the object space in the electron microscope, 4=17827
- Heide, H. G. The composition of the residual gas in the electron microscope, 4=20778
- Heideger, W. J. See Valentine, R. S., 4=146
- Heidelberg, R. F. See Banewicz, J. J., 0=4471
- Heidelberg, R. F. See Curl, R. F. Jr., 1=3536
- Heidelberg, R. F. See Curl, R. F., Jr., 2=20829
- Heidelberg, R. F. See Tolles, W. M., 2=20831
- Heideman, H. G. M. See Smit, C., 3=12778
- Heiden, C. See Storm, L., 4=22999
- Heidenreich, R. D. Attenuation of fast electrons in crystals and anomalous transmission, 2=15122
- Heidenreich, R. D. Diffraction of fast electrons after single plasmon loss, 3=10641
- Heidenreich, R. D. See Burbank, R. D., 0=21170
- Heidenreich, R. D. See Haase, O., 1=16420
- Heidenreich, R. D. See Nesbitt, E. A., 0=10330
- Heidenreich, R. D. See Walsh, W. M., Jr., 2=8647
- Heidmann, J. Use of curved nuclear photographic emulsions, 0=3902
- Heidmann, J. Observation of Messier 82 at 1430 Mc/s, 2=24181
- Heidmann, J. Study of some galaxies of normal or low emissivity at 1430 Mc/s, 3=25987
- Heidmann, J. and Lequeux, J. Interferometric measurements on the radiosource Hercules A at 1420 Mc/s, 1=15561
- Heidmann, J. See Lequeux, J., 1=18205
- Heidt, L. J. and Landi, V. R. Ozone and ozonide production and stabilization in water, 4=23646
- Heijboer, R. J. The Fresnel field of a directive antenna, 4=8947
- Heijenbrok, M. G. J. See Aten, A. H. W., Jr., 2=5611
- Heijligers, H. J. M. See van Gool, W., 0=13717
- Heijne, L. Photoconductive properties of lead oxide layers, 2=6501
- Heijne, L. Contact influence on the photoconductivity of lead oxide, 2=8412
- Heijne, L. Physical principles of photoconductivity. I. Basic concepts; contacts on semiconductors, 4=22790
- Heijningen, R. J. J. van. See van Heijningen, R. J. J.
- Heikes, R. R. Fundamentals of thermoelectric energy conversion, 4=29860
- Heikes, R. R., McGuire, T. R. and Happel, R. J., Jr. Role of double exchange in the magnetic structure of Li_2Mn_2Se , 1=2466
- Heikes, R. R., Maradudin, A. A. and Miller, R. C. A study of the transport properties of mixed valence semiconductors, 4=22693
- Heikes, R. R., Miller, R. C. and Mazelsky, R. Magnetic and electrical anomalies in $LaCoO_3$, 4=28616
- Heikes, R. R. See Johnston, W. D., 1=20420
- Heikes, R. R. See McGuire, T. R., 0=11832
- Heikes, R. R. See Miller, R. C., 1=17673
- Heikes, R. R. See Miller, R. C., 2=14589
- Heikes, R. R. See Sherman, B., 0=3734
- Heikes, R. R. See Takei, W. J., 2=8603
- Heikkilä, K. E. See Hultqvist, B., 2=6960
- Heikkilä, W. J. and Penstone, S. R. Rocket measurements of auroral radio absorption, 2=4639
- Heikkilä, W. J. See Adey, A. W., 1=7936
- Heil, H. The energy spectrometer as a tool for plasma diagnosis, 4=18904
- Heil, H. and Wagner, W. G. Coplanar aperture lens, 4=24744
- Heil, H. and Wagner, W. G. The quenching of inverted populations in vibrational levels by collisional excitation transfer, 4=27682
- Heiland, G. Surface conductivity of semiconductors and its variation by adsorption, transverse electric fields and irradiation, 1=3738
- Heiland, G. Photoconductivity of zinc oxide as a surface phenomenon, 2=8415
- Heiland, G. Preparation and properties of pure semiconductor surfaces, 4=4136
- Heiland, G., Kunstmann, P. and Pfister, H. Polar properties of zinc oxide crystals, 4=6680
- Heilbronner, E. See Donohue, J., 1=20506
- Heiles, C. Supernova shells and galactic X-rays, 4=29399

- Héiles, C. See Henon, M., 4=17972
 Heiles, C. E. See Bash, F. N., 4=23937
 Heilig, K. The isotope shift between the even isotopes of Sr 84, 86, 88, and 90 and the discontinuity in the nuclear volume effect at the neutron number 50, 1=8913
 Heilig, K. Wavelength dependence of the energy yield of phosphors under excitation by X-rays, 3=4982
 Heilig, K., Schmitz, K. and Steudel, A. Isotope shift in the zirconium I spectrum, 4=1219
 Heilig, K. and Steudel, A. The isotopic shift between the stable Sr isotopes and the Sr⁹⁰ isotope and the discontinuity in the nuclear volume effect at the neutron number 50, 0=9774
 Heilig, U. On the dependence of the thermoelectric, resistive and photoelectric characteristics of Cs-Sb layers on the forming conditions, 3=8574
 Heiligman, R. Models for the mechanism of irradiation-induced reversible changes in certain organic compounds, 1=10297
 Heilmann, G. Use of polarizers with small degree of polarization in the infrared, 1=18621
 Heilmann, G. The optical constants of calcium fluoride in the infrared, 1=19944
 Heilmann, G. Measurement of the optical constants of CaF₂ in the infrared reststrahlen band, 4=7122
 Heilmeier, G. H. and Harrison, S. E. Implications of the intensity dependence of photoconductivity in metal-free phthalocyanine crystals, 3=23019
 Heilmeier, G. H. and Harrison, S. E. Charge transport in copper phthalocyanine single crystals, 4=6994
 Heilmeier, G. H. and Warfield, G. Investigation of bulk currents in metal-free phthalocyanine crystals, 3=8528
 Heilmeier, G. H. and Warfield, G. Photoconductivity in metal-free phthalocyanine single crystals, 3=10890
 Heilmeier, G. H. and Warfield, G. Optical absorption spectrum of metal-free phthalocyanine single crystals, 3=10971
 Heilmeier, G. H., Warfield, G. and Harrison, S. E. Measurement of the Hall effect in metal-free phthalocyanine crystals, 2=16730
 Heilmeier, G. H., Warfield, G. and Harrison, S. E. Applicability of the band model to metal-free phthalocyanine single crystals, 3=22680
 Heilmeier, G. H. and Warter, P. J., Jr. Space charge effects in dielectrics, 3=4935
 Heilmeier, G. H. and Zanoni, L. A. Surface studies of α -copper phthalocyanine films, 4=28422
 Heim, E. Asymmetrically broadened emission lines in the sonoluminescence spectra of aqueous salt solutions, 0=16709
 Heim, E. See Borgstedt, H.-U., 3=18819
 Heim, L. E. See Beehler, R. E., 3=11749
 Heimann, G. See Narath, A., 0=12740
 Heimann, G. See Narath, A., 1=9712
 Heimann, W. Investigations of the possibility of reducing the thermionic sensitivity occurring in composite photocathodes, 4=29962
 Heimann, W. and Kunze, C. An infra-red vidicon, 3=11996
 Heimann, W. See Frischmuth-Hoffmann, G., 0=19721
 Heime, K. Ageing processes in thin silver and copper films, 4=10608
 Heimke, G. Temperature dependence of the saturation magnetization of ferrites with magneto-plumbite structure, 0=11882
 Heimke, G. Investigation of the temperature dependence of the magnetization of magnetically hard ferrites, 1=10169
 Heimke, G. The coercivity field strengths of Ba ferrite powders, 3=15895
 Heimke, G. and Steingroever, E. Sintered alnico magnets with crystalline texture, 3=16094
 Heimke, G. The saturation magnetization of barium ferrite powders with different grinding and annealing processes, 4=26334
 Heims, S. P. Moment equations for vibrational relaxation coupled with dissociation, 3=8306
 Heims, S. P. Dynamic gyromagnetic effects, 4=9619
 Heims, S. P. Study of oscillations and correlations in the relaxation of a model spin system, 4=30740
 Heims, S. P. and Jaynes, E. T. Theory of gyromagnetic effects and some related magnetic phenomena, 2=23629
 Hein, R. A. and Falge, R. L., Jr. Properties of grey tin at low temperatures, 0=9931
 Hein, R. A. and Falge, R. L., Jr. Differential paramagnetic effect in superconductors, 1=10640
 Hein, R. A. and Gibson, J. W. Isotope effect in superconducting osmium, 3=19121
 Hein, R. A., Gibson, J. W. and Blaughner, R. D. Superconductivity below 20 millidegrees, 3=21665
 Hein, R. A., Gibson, J. W. and Blaughner, R. D. Superconductivity in the NbMo system, 4=18594
 Hein, R. A., Gibson, J. W., Matthias, B. T., Geballe, T. H. and Corenzwit, E. Superconductivity of iridium, 2=17727
 Hein, R. A., Gibson, J. W., Mazelsky, R., Miller, R. C. and Hulm, J. K. Superconductivity in germanium telluride, 4=18569
 Hein, R. A., Gibson, J. W., Pablo, M. R. and Blaughner, R. D. Critical magnetic fields of superconducting molybdenum, 3=3959
 Hein, R. A. and Needle, J. S. Failure mechanism in traveling-wave tubes, 4=21578
 Hein, R. A. See Blaughner, R. D., 4=16356
 Hein, R. A. See Gibson, J. W., 4=24515
 Heindl, C. J., Krieve, W. F. and Meghreblian, R. V. Fission-fragment conversion reactors for space, 4=446
 Heindl, J. C. and Belanger, R. J. Space friction evaluation of sintered MoS₂ sleeve bearings, 4=20673
 Heine, K. See Herr, W., 0=12109
 Heine, K. See Herr, W., 2=21006
 Heine, K. See Schmidt, G. B., 4=12822
 Heine, R. W. See Kim, C. B., 4=23329
 Heine, S. The unsmearing of X-ray small angle scattering curves with an electronic computer, 4=2053
 Heine, S. and Roppert, J. Treatment of the problem of unsmearing low angle X-ray scattering curves with an electronic computer, 2=17008
 Heine, V. Electronic band structure in alloys and liquid metals, 1=17443
 Heine, V. On the transport equation for electrons in solids, 2=23100
 Heine, V. On the general theory of surface states and scattering of electrons in solids, 3=8404
 Heine, V. The unrestricted Hartree-Fock method, 4=6453
 Heine, V. See Austin, B. J., 2=16464
 Heine, V. See Cohen, M. H., 1=9896
 Heine, V. See Falicov, L. M., 1=19743
 Heine, V. See Goodings, D. A., 1=3628
 Heine, V. See Knight, W. D., 0=4530
 Heine, W. and Zwicker, U. Phases of the B2 type of structure (CsCl type) in ternary systems containing copper and nickel, 3=1344
 Heinecke, V. See Eckardt, A., 0=9229
 Heinecke, W. J. and Ing, S. Jr. Surface kinetics and physics investigation of the reaction between single-crystal germanium and iodine, 1=11612
 Heineken, F. W., Bruin, M. and Bruin, F. Effect of the solvent on the ESR spectrum of a free radical, 2=20881
 Heineken, F. W., Bruin, M. and Bruin, F. E.S.R. investigation of some thiazine and oxazine dye radicals, 2=23008
 Heineken, F. W. and de Wijn, H. W. The complex refractive index of some amines as a function of pressure at a wavelength of 6 mm, 0=14697
 Heineken, F. W. See Bruin, F., 2=23010
 Heineken, F. W. See Bruin, M., 2=16552
 Heineken, F. W. See de Wijn, H. W., 0=8713
 Heineken, F. W. See Zahan, A., 2=20862
 Heineman, J. B., Marchaterre, J. F. and Mehta, S. Electromagnetic flowmeters for void fraction measurement in two-phase metal, 3=14125
 Heineman, R. E. See Bennett, R. A., 1=17239
 Heineman, R. E. See Donahue, D. J., 0=13326
 Heineman, R. E. See Stinson, W. P., 1=17233
 Heinemann, A. Infrared spectrum of arsonium ions, 2=8095
 Heinen, C. See Abrahamson, D. E., 2=22351
 Heiniger, F. and Muller, J. Bulk superconductivity in dilute hexagonal titanium alloys, 4=18613
 Heiniger, F. See Bucher, E., 2=2961
 Heiniger, F. See Bucher, E., 2=5237
 Heiniger, F. See Bucher, E., 4=16340
 Heiniger, F. See Bucher, E., 4=16352
 Heiniger, F. See Bucher, E., 4=18616
 Heinke, W. Production of highly-doped single crystals of germanium, 3=20792
 Heinoth, K. The scattering of subthermal neutrons by H₂O, CH₃O, and C₂H₆, 1=13429
 Heinmets, F. Induced e.m.f. in electrolytes, 0=12107
 Heinmets, F. Direct measurements of proton mobilities in protonated ice, 1=1486
 Heinmets, F. and Blum, R. Conductivity measurements on pure ice, 3=22979
 Heinrich, B. See Frai, Z., 3=8700
 Heinrich, B. See Frai, Z., 3=25519

- Heinrich, B. See Frait, Z., 4=13287
- Heinrich, D. Approximate methods for the calculation of classical elastic scattering of two particles, 4=27125
- Heinrich, D. and Lenk, R. Cascade theory of defect production, 3=12959
- Heinrich, D. See Diener, G., 4=4035
- Heinrich, F. and Hofmann, A. Focusing characteristics of a spectrometer field of the form $\tau^{-1} \sin^4 \theta$, 2=22297
- Heinrich, F. and Tanner, F. (n, t) processes in medium-weight nuclei, 2=5933
- Heinrich, F. and Tanner, F. (n, t) reactions in medium-weight nuclei, 3=22403
- Heinrich, F. See Frauenfelder, R., 2=7955
- Heinrich, G. See Fucks, W., 3=1752
- Heinrich, J. See Ebel, H., 3=20888
- Heinrich, K. F. J. Concentration mapping device for the scanning electron probe microanalyser, 3=3378
- Heinrich, R. R. See Hasse, R. A., 0=7617
- Heinrich, R. R. See Kafalas, P., 0=13281
- Heinrich, R. R. See Stupegia, D. C., 2=5946
- Heins, A. E. Function-theoretic aspects of diffraction theory, 2=7741
- Heins, A. E. Some recent developments in scattering and diffraction theory, 4=707
- Heins, A. E. and MacCamy, R. C. On the scattering of [sound] waves by a disk, 0=19303
- Heins, R. W. See Rose, W., 2=9249
- Heintz, W. The effect of pulse periodicity in corona, as measured by the high frequency spectrum, 0=14991
- Heinz, W. and Silber, L. D.C. effects in ferromagnetic resonance in thin ferrite films, 2=12809
- Heintze, J. See Bühring, W., 1=1774
- Heintze, J. See Citron, A., 2=5703
- Heintze, J. See Citron, A., 2=13841
- Heintze, J. See Citron, A., 2=20658
- Heintze, J. See Depommier, P., 3=594
- Heintze, J. See Depommier, P., 3=22161
- Heintze, J. See Depommier, P., 4=9236
- Heintze, J. See Duclos, J., 4=16923
- Heinz, H. and Wanie, G. A highly sensitive current measuring device with digital output, 4=5534
- Heinz, J. M. and Stevens, K. N. On the properties of voiceless fricative consonants, 1=7557
- Heinz, J. M. See Bell, C. G., 2=4890
- Heinz, O. See Cook, C. J., 2=17897
- Heinz, W. Accuracy of reproduction of equal density lines. I. Reproduction of equal-irradiation curves by photographic equal density lines, 1=18629
- Heinz, W. Accuracy of reproduction of equal density lines. II. Reproduction of coordinate relations, 1=18630
- Heinz, W. Geometrically similar orbits in orbital accelerators, 3=12269
- Heinz, W. and Simonsohn, G. Preparation of standard light [sources] whose intensities decrease in geometric succession, 1=18582
- Heinzel, W. See Bogner, G., 4=11485
- Heinzinger, K., Eichenauer, W. and Klemm, A. The thermal conductivities of normal- and ortho-deuterium at liquid hydrogen temperatures, 4=171
- Heinzinger, K., Klemm, A. and Waldmann, L. The thermal conductivity of gaseous paraortho-hydrogen mixtures at 20°K, 2=7254
- Heinzinger, K. See Fischer, W., 3=5433
- Heirtzler, J. R. The longest electromagnetic waves, 3=485
- Heirtzler, J. R., Nichols, D. L. and Santirocco, R. A. Some observations of the geomagnetic fluctuation spectrum at audio frequencies, 1=1593
- Heise, B. H. Precision determination of the lattice constant by the Kossel line technique, 2=6794
- Heise, B. H. Determination of the orientation of metal grains by a new Kossel line technique, 2=6863
- Heise, B. H. Axial torque in trained superconducting wires in a transverse magnetic field, 4=18600
- Heise, R. See Deubner, A., 1=3811
- Heisel, F., Laustriat, G. and Coche, A. The effect of the method of preparation on the luminescent yield of plastic scintillators using polystyrene, 4=11852
- Heisen, A. Determination of the refractive indices of some fluoride evaporated and carbon films, 2=682
- Heisen, A. Simple procedure for determining the refractive index of thin, weakly absorbing films, 2=2870
- Heisen, A. Interference effects in two multilayer wedge-shaped dielectric films bounded by silver films, 2=5178
- Heisen, A. and Wellenhofer, H. Determination of plasma efficiency from the energy distribution of positive ions and electrons in the cathode fall of an abnormal hydrogen glow discharge, 4=8644
- Heisen, A. and Witt, J. Similarity in cathode glow discharges, 3=19212
- Heisenberg, J. See Gerdau, E., 3=17419
- Heisenberg, W. Present position of the non-linear spinor theory of elementary particles, 2=9768
- Heisenberg, W. The development of unified field-theories of elementary particles, 3=12382
- Heisenberg, W. See Durr, H. P., 1=16671
- Heisenberg, W. See Duerr, H. P., 2=9911
- Heisenberg, W. See Durr, H. P., 2=22645
- Heiser, P. See Sandford, B. P., 0=4812
- Heiser, W. H. Magnetohydrodynamic shock waves and magnetically driven shock tubes, 4=14262
- Heiserman, R. L. See Thurston, G. B., 3=1781
- Heisig, U. See von Ardenne, M., 4=601
- Heisig, U. See von Ardenne, M., 4=3051
- Heisig, U. See Von Ardenne, M., 4=5709
- Heiskanen, K. See Hovi, V., 4=23419
- Heiskanen, W. A. Is the earth a triaxial ellipsoid? 2=6901
- Heisler, L. H. A relation between giant travelling disturbances and sporadic E ionization, 0=10419
- Heisler, L. H. A relation between ionospheric drifts and atmospheric dynamo current systems, 1=1527
- Heisler, L. H. Vertical characteristics of travelling ionospheric disturbances, 1=9193
- Heisler, L. H. The anomalous ionospheric stratification F1/5, 2=17171
- Heisler, L. H. Observation of movement of perturbations in the F-region, 3=9090
- Heisler, L. H. and Whitehead, J. D. Longitude effect in temperate zone sporadic E and the earth's magnetic field, 0=21358
- Heisler, L. H. and Whitehead, J. D. F-region traveling disturbances and sporadic-E ionization, 1=15289
- Heisler, L. H. and Whitehead, J. D. Group and phase velocities of a travelling disturbance in the F region of the ionosphere, 1=15290
- Heisler, L. H. and Whitehead, J. D. The interpretation of F2 critical frequency measurements, 2=900
- Heisler, L. H. and Whitehead, J. D. The phase speed of a travelling disturbance in the F region of the ionosphere and its comparison with group velocity, 2=4647
- Heisler, L. H. and Whitehead, J. D. Rapid variations in the sporadic-E region, 2=24037
- Heisler, L. H. and Whitehead, J. D. The correlation between the occurrence of sporadic-E and the horizontal component of the earth's magnetic field, 4=20871
- Heisler, L. H. and Wilson, L. D. A new versatile ionospheric recorder, 2=2502
- Heisler, L. H. and Wilson, L. D. Design of panoramic ionospheric recorders, 2=6940
- Heisler, L. H. and Wilson, L. D. Spread F development associated with a high-altitude nuclear explosion, 3=9085
- Heisler, L. H. See Munro, G. H., 4=26836
- Heiss, W. D. Angular distribution of fast photoneutrons, 4=22108
- Heister, W. Magnetic properties and grain structure of Mn-Zn ferrites, 0=3075
- Heitala, J. Alkali halide solid solutions. I. Properties of pure components, 3=13389
- Heitkamp, D. See Biermann, W., 4=1516
- Heitland, H. H. Design of a high-speed valve, 2=1178
- Heitler, W. The universal constant limiting the validity of the quantized field theories, 0=20010
- Heitler, W. See Arnous, E., 0=15233
- Heitler, W. See Arnous, E., 0=15234
- Heitmann, W. E. and Balluffi, R. W. Relative polygonization rates in copper and copper-zinc alloys, 1=12377
- Heitz, F. Theory of the complex activity, 1=15197
- Heitzmann, M. See Wagner, S., 0=4097
- Heitzmann, M. See Wagner, S., 0=11412
- Heitz, F. See Durup, J., 4=27473
- Heitzmann, M. and Wagner, S. Resonance energies for proton capture. III. Phosphorus and chlorine, 2=7983
- Heiz, R. The importance of vacuum techniques in the production of stable blood preparations, 1=5316
- Heizinger, K. The thermal conductivities of normal- and para-hydrogen at 20°K, 1=5382
- Heizinger, K. and Weston, R. E., Jr. Isotopic fractionation of hydrogen between water and the aqueous hydrogen ion, 4=23625

- Hejtmanek, H. Method of analytical solution for the energy dependent neutron transport problem, 2=7864
- Hejtmanek, H. Integral equation of the energy-dependent transport theory, 3=588
- Hejtmanek, H. Stability of a suspension reactor, 3=22445
- Hejtmanek, H. Elementary solution of the transport equation with anisotropic scattering, 4=907
- Hejtmanek, H. Criticality in transport theory, 4=19857
- Hejtmanek, J. Calculation of neutron spectra by the Case-Wigner method, 4=6060
- Helary, A. See Legrand, J.P., 0=17448
- Helberg, H.W. See Naake, H.J., 0=16682
- Helberg, H.W. See Naake, H.J., 0=16683
- Helberg, H.W. The oscillation of air particles in models of porous sound absorbers, 0=19292
- Helberg, H.W. Sound scattering of gas balloons, 1=9451
- Helberg, H.W. The absorption of electromagnetic waves over a wide frequency range, by a thin homogeneous lossy film, 1=19033
- Helberg, H.W. See Meyer, E., 0=17099
- Helberg, H.W. See Meyer, E., 3=4265
- Helberg, H.W. The absorption of electromagnetic waves by a thin layer of material, separated by a small distance from a metallic plane, 4=5802
- Helberg, H.W. and Wunsche, C. A multi-layer absorber for centimetre electromagnetic waves, 4=5803
- Helbig, E. The light transmission and temperature relationship in projection systems using heat absorbing filters, 1=8217
- Helbig, E. and Klaus, H. Some experiments on the fatigue and temperature dependence of photoelements, 1=3795
- Helbig, E. and Klaus, H. Some experiments on the fatigue and temperature dependence of photoelements, 1=8343
- Helbig, H.F. See Everhart, E., 4=24573
- Helbig, H.F. See Lockwood, G.J., 4=5563
- Helbig, K. Some integrals of magnetic anomalies and their relation to the parameters of the disturbing body, 3=18569
- Helbing, R. and Pauly, H. Differential scattering cross-sections in the interaction of neutral molecules. Measurements of small-angle scattering, 4=20134
- Helbing, R. See Berkling, K., 2=6238
- Held, G. See Ishimaru, A., 0=2451
- Held, G. See Saran, G.S., 2=3167
- Heldt, J. See Frackowiak, M., 0=13719
- Heldt, J. See Grudziński, H., 4=29636
- Heldt, L.A. and Hobstetter, J.N. The effect of dislocations on diffusion in germanium, 4=1511
- Helfand, E. Transport coefficients from dissipation in a canonical ensemble, 0=12376
- Helfand, E. On inversion of the linear laws of irreversible thermodynamics, 0=14904
- Helfand, E. Theory of the molecular friction constant, 1=10545
- Helfand, E. Theory of the Soret effect in electrolytic solutions, 3=13615
- Helfand, E. Approach to a phase transition in a one-dimensional system, 4=8087
- Helfand, E., Frisch, H.L. and Lebowitz, J.L. Theory of the two- and one-dimensional rigid sphere fluids, 1=5220
- Helfand, E. and Kirkwood, J.G. Theory of the heat of transport of electrolytic solutions, 0=5014
- Helfand, E. and Kornegay, R.L. Study of the pair correlation function diagrams, 4=27096
- Helfand, E., Reiss, H., Frisch, H.L. and Lebowitz, J.L. Scaled particle theory of fluids, 0=19095
- Helfand, E. and Rice, S.A. Principle of corresponding states for transport properties, 0=14543
- Helfand, E. and Stillinger, F.H., Jr. Pair distribution in the rigid-sphere system by the method of particle scaling, 3=3785
- Helfand, E. See Frisch, H.L., 0=4243
- Helfand, E. See Hauser, J.J., 2=19811
- Helfand, E. See Lebowitz, J.L., 0=10650
- Helfand, E. See Reiss, H., 0=3507
- Helfand, E. See Reiss, H., 1=2528
- Helfand, F. See Kac, M., 3=23779
- Helfer, H. Energy spectra of charged pions produced in pd-collisions at 600 MeV, 1=7269
- Helfer, H., Kuznetsov, A.S., Mescheryakov, M.G., Swiatkowski, W. and Vovchenko, V.G. Effects of the nuclear binding of nucleons on pion spectra, 1=5755
- Helfer, H.L. See Erickson, W.C., 0=12261
- Helfer, H.L. The kinematics of the local gas system, 1=7978
- Helfer, H.L. The kinematics of the local gas system, 4=10866
- Helfer, H.L. See Erickson, W.C., 1=18012
- Helferich, F. Revised tables for ion-exchange kinetics, 3=13588
- Helfrich, J.L. Faraday effect as a Q-switch for ruby laser, 3=24520
- Helfrich, J.L. and Blizard, G.F., Jr. Streak camera for laser emission studies, 4=2859
- Helfrich, W. and Mark, P. Space-charge-limited currents in anthracene as a method for the determination of the mobility of defect electrons, 2=8353
- Helfrich, W. and Mark, P. Detection of the space charge in space-charge limited defect electron currents in anthracene, 2=16715
- Helfrich, W. and Mark, P. Determination of the effective density of states of the band for excess defect electrons in anthracene, 3=4844
- Helfrich, W. See Mark, P., 2=2130
- Helfrich, W. See Silver, M., 2=23259
- Helfrich, W.J. and Dodd, R.A. A reconsideration of the evidence for the existence of anomalously high concentrations of vacancies in alloy phases, 4=1461
- Helfrich, W.J. and Dodd, R.A. Densities and lattice parameters of tin (indium) solid solutions, 4=23493
- Helholtz, J. See Rothenstein, W., 3=6337
- Hellan, K. A study of the damping properties of metals, 4=7374
- Helland, J.A., Devlin, T.J., Hagge, D.E., Longo, M.J., Moyer, B.J. and Wood, C.D. Angular distributions in π^{\pm} -p elastic scattering in the range 500 to 1600 MeV, 3=10161
- Helland, J.A., Devlin, T.J., Hagge, D.E., Longo, M.J., Moyer, B.J. and Wood, C.D. Elastic scattering of positive pions by protons in the energy range 500-1600 MeV, 4=19566
- Helland, J.A., Wood, C.D., Devlin, T.J., Hagge, D.E., Longo, M.J., Moyer, B.J. and Perez-Mendez, V. Elastic scattering of negative pions on protons in the energy range 500-1000 MeV, 4=19567
- Helland, J.A. See Longo, M.J., 0=3984
- Hellawell, A. and Herbert, P.M. The development of preferred orientations during the freezing of metals and alloys, 3=1269
- Hellawell, A. See Anderson, E., 0=20725
- Hellawell, A. See Brandreth, M., 2=23886
- Hellawell, A. See Dean, F.V., 2=9460
- Hellawell, A. See Loxham, J.G., 4=23520
- Hellawell, A. See Munson, D., 4=8504
- Hellbardt, G. Investigations on 50% iron-cobalt alloys, 1=14700
- Helle, J.N. See Sleeswyk, A.W., 3=11176
- Helle, J.N. See Sleeswyk, A.W., 3=13403
- Helle, J.N. See Sleeswyk, A.W., 4=17732
- Helle, J.N. See Sleeswyk, A.W., 4=26567
- Hellemans, R. See Van Isterbeek, A., 4=13688
- Hellens, R.L. See Reier, M., 0=12983
- Hellenthal, W. The influence of stresses on the transverse magnetization of evaporated nickel films, 0=3025
- Hellenthal, W. On the frequency dependence of the coercivity of thin evaporated nickel films, measured in an alternating magnetic field, 0=4496
- Hellenthal, W. A simple photoelectric compensating polarimeter using magnetic rotation, 0=5184
- Hellenthal, W. On the investigation of slow magnetization processes in thin films, 1=1230
- Hellenthal, W. On the Curie temperature of very thin nickel films, 1=10160
- Hellenthal, W. Spontaneous magnetization of little particles, calculated according to an extended molecular field theory, 2=14774
- Hellenthal, W. Theory of the spontaneous magnetization of small ferromagnetic particles, 3=3113
- Hellenthal, W. On the magnetic properties of thin polycrystalline nickel films, 3=15823
- Hellenthal, W. Frequency and temperature dependence of the coercivity of thin polycrystalline nickel films in an alternating magnetic field, 4=7280
- Heller, A. Structural requirements of organic liquid scintillators, 2=1157
- Heller, A. Organic liquid scintillators. III. On the quantum yield of fluorescence and the quenching of fluorescence by oxygen, 2=13347
- Heller, A. Computation of efficiencies of organic liquid scintillators, 2=17471
- Heller, A. Organic liquid scintillators. VI. Substituted distyryl-benzenes: scintillation properties and spectra of absorption and fluorescence, 4=18209
- Heller, A. and Katz, D. Scintillation properties of 9-vinyanthracene, 2=1158
- Heller, A. See Streitwieser, A., Jr., 4=25620
- Heller, B. The law of induction and its application to moving conducting loops, 3=19416

- Heller, B. The magnetic field alongside a concave aperture in a ferromagnetic material through which a current has passed, 3=21927
- Heller, B. Physics of corona discharges in solid dielectrics, 4=14614
- Heller, B. and Chládek, J. Problems of corona discharges in solid dielectrics, 3=4104
- Heller, B. and Chládek, J. Corona discharge in a dielectric, 3=7472
- Heller, C. Electron spin resonance and internal rotation of the methyl group in the $\text{CH}_3\text{C}(\text{COOH})_2$ radical, 2=2299
- Heller, C. and Cole, T. Electron magnetic resonance of an oriented allyl-type free radical, 2=18491
- Heller, C. and McConnell, H. M. Radiation damage in organic crystals. II. Electron spin resonance of $(\text{CO}_2\text{H})\text{CH}_2\text{CH}(\text{CO}_2\text{H})$ in β -succinic acid, 0=13572
- Heller, C. See Cole, T., 1=9059
- Heller, C. See Cole, T., 1=10184
- Heller, C. See McConnell, H. M., 0=13571
- Heller, C. A. Reactions of methyl with isopropyl radicals, 1=20757
- Heller, C. A. and Gordon, A. S. Unimolecular decomposition of vibrationally excited ethane and ethyl radicals, 2=14335
- Heller, C. A. See Current, J. H., 4=10639
- Heller, G. S., Stickler, J. J., Kern, S. and Wold, A. Antiferromagnetism in NiTiO_3 , 3=15906
- Heller, G. S., Stickler, J. J. and Thaxter, J. B. Antiferromagnetic materials for millimeter and submillimeter devices, 1=6381
- Heller, G. S., Stickler, J. J. and Wold, A. Antiferromagnetic resonance in powders, 3=23217
- Heller, G. S., Stickler, J. J. and Zeiger, H. J. Quantum effects in germanium and silicon, 3=25577
- Heller, G. S. See Kornhauser, E. T., 4=3176
- Heller, G. S. See Rauch, C. J., 0=6037
- Heller, G. S. See Stickler, J. J., 2=12807
- Heller, G. S. See Stickler, J. J., 2=23137
- Heller, H. B. See La Chapelle, T. J., 4=22625
- Heller, H. C. See Cole, T., 3=17609
- Heller, J. H. See Wilkins, D. J., 4=7788
- Heller, J. P. Christiansen-type transparent porous media for flow studies, 0=3494
- Heller, J. P. An unmixing demonstration, 0=6751
- Heller, L. Proton-proton effective-range theory with vacuum polarization, 0=17335
- Heller, M. W. and Danielson, G. C. Seebeck effect in Mg_2Si single crystals, 2=16761
- Heller, M. W. and Danielson, G. C. Electrical properties of Mg_2Si single crystals, 2=23404
- Heller, P. and Benedek, G. B. Nuclear magnetic resonance in MnF_2 near the critical point, 3=3195
- Heller, P. and Benedek, G. B. Magnetic resonance determination of the susceptibility in antiferromagnetic MnF_2 , 4=26353
- Heller, S. See Wu, A. C. T., 4=17111
- Heller, W. Anisotropic light scattering of streaming suspensions and solutions, 0=939
- Heller, W., Bhatnagar, H. L. and Nakagaki, M. Theoretical investigations on the light scattering of spheres. XIII. The "wavelength exponent" of differential turbidity spectra, 2=7404
- Heller, W. and Nakagaki, M. Theoretical investigations on the light scattering of colloidal spheres. VII. Dissymmetry in unpolarized and polarized light, 0=2255
- Heller, W. and Tabibian, R. Experimental investigations on the light scattering of colloidal spheres. IV. Scattering ratio, 3=5530
- Heller, W. Theoretical and experimental investigation of the light scattering of colloidal spheres, 4=14398
- Heller, W. Theoretical investigations on the light scattering of spheres. XV. The wavelength exponents at small α values, 4=18433
- Heller, W. Theory of a micromethod for determining surface tensions, 4=21085
- Heller, W., Pangonis, W. J. and Economou, N. A. Theoretical investigations on the light scattering of colloidal spheres. X. "Scattering ratio" and depolarization of light scattered at an angle of observation of 90° , 1=5360
- Heller, W. and Wallach, M. L. Experimental investigations on the light scattering of colloidal spheres. V. Determination of size distribution curves by means of spectra of the scattering ratio, 4=10663
- Heller, W. See Bhatnagar, H. L., 4=8455
- Heller, W. See Nakagaki, M., 0=5182
- Heller, W. See Pangonis, W. J., 1=5359
- Heller, W. See Stevenson, A. F., 1=8239
- Heller, W. See Wallach, M. L., 1=8240
- Heller, W. R. Quantum effects in diffusion: internal friction due to hydrogen and deuterium dissolved in α -iron, 1=14305
- Heller, W. R. See Bron, W. E., 0=15862
- Heller, W. R. See Kumamoto, J., 2=14664
- Heller, W. R. See Nowick, A. S., 4=6824
- Heller, W. R. See Seraphim, D. P., 3=9682
- Heller, W. R. See Seraphim, D. P., 4=18581
- Hellerstein, D. Application of the Sénarmont polariscope to analysis of optical-maser light, 3=21570
- Hellgardt, J. See Bethge, H., 1=325
- Hellinger, O. See Nibler, F., 4=10069
- Helliwell, G. C. See Macfadyen, K. A., 0=3527
- Helliwell, J. B. Unsymmetrical flow patterns past a finite wedge profile in a high subsonic stream, 1=15916
- Helliwell, J. B. Gas-ionizing shock waves with oblique fields, 4=2769
- Helliwell, J. B. and Pack, D. C. Magneto-gas-dynamic shock waves in a gas with variable conductivity, 2=16006
- Helliwell, R. A. Exospheric electron density variations deduced from whistlers, 2=883
- Helliwell, R. A. Very low-frequency discrete emissions received at conjugate points, 2=21657
- Helliwell, R. A. Coupling between the ionosphere and the earth-ionosphere waveguide at very low frequencies, 3=16258
- Helliwell, R. A. Whistler-triggered periodic very-low-frequency emissions, 4=7855
- Helliwell, R. A. and Bell, T. F. A new mechanism for accelerating electrons in the outer ionosphere, 0=18486
- Helliwell, R. A. and Carpenter, D. L. Whistlers excited by nuclear explosions, 4=2211
- Helliwell, R. A. See Allcock, G. M., 3=16229
- Helliwell, R. A. See Lokken, J. E., 2=4692
- Helliwell, R. A. See Martin, L. H., 0=18504
- Helliwell, R. A. See Mlodnosky, R. F., 2=19258
- Helliwell, R. A. See Mlodnosky, R. F., 3=16348
- Helliwell, R. A. See Smith, R. L., 0=14312
- Helliwell, R. A. See Smith, R. L., 1=15321
- Helliwell, T. M. Oscillator strengths of lead and the lead abundance in the sun, 1=5970
- Helliwell, T. M. Nodal boundary condition method for atomic wave functions and transition probabilities, 4=25474
- Hellman, B. See Tove, P. A., 2=1260
- Hellman, O. On the Schrödinger eigenvalue problem, 0=6681
- Hellman, O. A certain stochastic heat flow problem, 1=4493
- Hellman, O. A criterium for the stability of a neutral zero spin particle predicted by a classical nonlinear field theory, 1=9723
- Hellman, O. A classical nonlinear field theory predicting masses of neutral and charged elementary particles with zero spin, 1=9724
- Hellman, O. On the Schrödinger eigenvalue problem. II, 1=18268
- Hellman, O. A proposed elementary particle theory based on interacting classical fields, 2=1651
- Hellman, O. A proposed elementary particle theory based on interacting classical fields, 2=20230
- Hellman, O. Covariant Dirac and Klein-Gordon difference equations, 3=12392
- Hellman, O. A generalization of the equations of the electromagnetic field of a moving electron, 4=14870
- Hellman, O. A possible generalization of quantum electrodynamics, 4=16794
- Hellman, R. P. and Zwislowski, J. Some factors affecting the estimation of loudness, 1=7661
- Hellman, R. P. and Zwislowski, J. Monaural loudness function at 1000 C.P.S. and interaural summation, 3=18673
- Hellman, R. P. See Zwislowski, J., 3=1560
- Hellman, W. S., Mullen, G. H. and Coury, F. M. The canonical property and asymptotic reduction procedures, 4=19412
- Hellman, W. S. See Frank, W. M., 3=7795
- Hellner, E. and Burzlaff, H. The structure of smithite (AgAsS_2), 4=15792
- Hellner, E. See Allmann, R., 4=26677
- Hellsten, A. See Sher, R., 2=5937
- Hellsten, A. See Tassan, S., 2=5938
- Hellstrand, E., Blomberg, P. and Hörner, S. The temperature coefficient of the resonance integral for uranium metal and oxide, 1=16810
- Hellstrand, E., Lindahl, G. and Lundgren, G. Studies of the effective total and resonance absorption cross sections for zircaloy 2 and zirconium, 2=6035

- Hellstrand, E. and Lundgren, C. The resonance integral for uranium metal and oxide, 2=12203
- Hellstrand, E. and Lundgren, G. The resonance integral of niobium, 3=17484
- Hellstrand, E. and Weitman, J. The resonance integral of thorium metal rods, 2=5944
- Hellström, B. The ultratome ultramicrotome — basic principles and summarized description of construction, 1=1815
- Hellström, B. and Janson, L.E. Evaporation from water surfaces coated with a film of stearyl alcohol, 0=16922
- Hellström, S. and Brune, D. Determination of the absolute disintegration rate of Cs^{137} -sources by the tracer method, 4=27995
- Hellund, E.J., Naff, J.T. and Brumfield, R.C. Magnetoacoustics and thermoacoustics—new ideas in underwater sound sources, 3=14256
- Hellwarth, R.W. Theory of the pulsation of fluorescent light from ruby, 1=3859
- Hellwarth, R.W. Theory of stimulated Raman scattering, 3=14374
- Hellwarth, R.W. Analysis of stimulated Raman scattering of a giant laser pulse, 3=21569
- Hellwarth, R.W. Stimulated Raman scattering and related parametric effects, 4=14920
- Hellwarth, R.W. and Platzman, P.M. Magnetization of slow electrons in a polar crystal, 3=2769
- Hellwarth, R.W. See Eckhardt, G., 3=5445
- Hellwarth, R.W. See Feynman, R.P., 2=18557
- Hellwarth, R.W. See McClung, F.J., 2=8511
- Hellwarth, R.W. See McClung, F.J., 3=9968
- Hellwarth, R.W. See Wagner, W.G., 4=8603
- Hellwege, K.H., Hess, G. and Kahle, H.G. Spectrum and Zeeman effect of trivalent praseodymium in hexagonal ethylsulphate, 1=1164
- Hellwege, K.H., Horstlick, G., Hüfner, S. and Lämmermann, H. The $^6\text{H}_{5/2} \rightarrow ^6\text{F}_{9/2}$ transition in crystalline samarium ethyl sulphate, 2=2241
- Hellwege, K.H., Horstlick, G., Hüfner, S. and Lämmermann, H. Spectrum, Zeeman effect and electron terms of crystalline dysprosium salts in the photographic infrared region, 2=4156
- Hellwege, K.H., Hüfner, S. and Kahle, H.G. Spectrum, Zeeman effect and electron terms of trivalent erbium in crystalline salts. I. Erbium ethylsulphate, $\text{Er}(\text{C}_2\text{H}_5\text{SO}_4)_3 \cdot 9\text{H}_2\text{O}$. II. Erbium chloride, $\text{ErCl}_3 \cdot 6\text{H}_2\text{O}$ and erbium nitrate, $\text{Er}(\text{NO}_3)_3 \cdot 6\text{H}_2\text{O}$, 1=1165
- Hellwege, K.H., Hüfner, S. and Kuse, D. Analysis of the transitions $^3\text{I}_9 \rightarrow ^5\text{I}_5$ and $^5\text{I}_5 \rightarrow ^5\text{I}_4$ in crystalline holmium ethyl sulphate, 2=12605
- Hellwege, K.H., Hüfner, S. and Pöcker, A. U.V. absorption spectra of crystalline salts of the rare earths. I. Europium salts, 3=10944
- Hellwege, K.H., Hüfner, S. and Schmidt, H. U.V. absorption spectra of the crystalline salts of rare earths. II. Gadolinium chloride, 3=10945
- Hellwege, K.H., Johnson, U. and Schneider, B. Metal cryostat for magnetic susceptibility measurements in the temperature range from $4 \cdot 3^\circ$ to 300°K , 3=2078
- Hellwege, K.H., Klot, R. v. and Weber, G. Paramagnetic relaxation of a $\text{CeCl}_3 \cdot 7\text{H}_2\text{O}$ single crystal at helium temperatures, 4=20587
- Hellwege, K.H., Knappe, W. and Semjonow, V. Quasi-stationary measurement of the specific heat and the thermal conductivity of plastics, 0=2276
- Hellwege, K.H., Klüch, F., Niemann, K. and Pfeffer, W. Specific heat of $\text{GdCl}_3 \cdot 6\text{H}_2\text{O}$ in the temperature range between 1.1° and 460°K , 1=8881
- Hellwege, K.H., Kwan, S.H., Lange, H., Rummel, W., Schembs, W. and Schneider, B. Magnetic susceptibility of some rare earth double nitrates, 2=16893
- Hellwege, K.H., Pfeffer, W. and Thiel, H.J. Specific heat of $\text{Gd}(\text{NO}_3)_3 \cdot 6\text{H}_2\text{O}$ at temperatures between 1.3°K and 220°K , 2=20936
- Hellwege, K.H., Schembs, W. and Schneider, B. Magnetic properties of praseodymium ethyl sulphate, 2=16892
- Hellwege, K.H., von Klot, R. and Weber, G. Paramagnetic relaxation of $\text{CeCl}_3 \cdot 7\text{H}_2\text{O}$ in the temperature region from 1.1° to 4.2°K . I. Experimental results, 4=26379
- Hellwege, K.H. See Bayer, E., 3=19486
- Hellwege, K.H. See Bayer, E., 4=3217
- Hellwege, K.H. See Bonrath, H., 2=8580
- Hellwege, K.H. See Fischer, H., 4=4400
- Hellwege, K.H. See Friederich, A., 0=10047
- Hellwege, K.H. See Friederich, A., 1=2443
- Hellwege, K.H. See Grohmann, I., 1=1158
- Hellwege, K.H. See Grohmann, I., 1=19987
- Hellwig, H. See Boersch, H., 2=23143
- Hellwig, H. See Boersch, H., 3=12444
- Hellwig-Zwiesler, O., Stierstadt, O. and Zwiesler, W. Cathode ray line focus by means of an electrostatic electron optical method, 3=16983
- Helm, C.C. See Edgell, W.F., 3=23883
- Helm, C.E. Multidimensional ratio scaling analysis of perceived color relations, 4=13997
- Helm, F.H. Experiments with neutron scintillators made of lithium, fluoride, zinc sulfide and lucite, 2=16211
- Helm, F.H. Numerical determination of flux perturbation by foils, 3=22150
- Helm, H. See King, J.W., 4=29331
- Helm, J.W. and Davidson, J.M. Effect of massive neutron exposure on the distortion of reactor graphite, 4=28504
- Helm, R. See Crannell, H., 1=679
- Helm, R. See Crannell, H., 1=10965
- Helmberger, J. See Karolus, A., 1=12838
- Helmer, J. On the theory of microwave resonance in a hot plasma column, 3=9782
- Helmer, J.C. and Jepsen, R.L. Electrical characteristics of a Penning discharge, 2=5309
- Helmer, J.C. Theory of forbidden zones in the flow of a magnetized plasma, 3=16936
- Helmer, J.C., Jacobus, F.B. and Sturrock, P.A. Focusing molecular beams of NH_3 , 0=7826
- Helmer, R.G. Decay of Pt^{197} , 3=24913
- Helmer, R.G. and Burson, S.B. Decay of ^{160}Dy , 0=13175
- Helmer, R.G. and Burson, S.B. Decay of Tm^{173} , 1=10976
- Helmer, R.G. and Burson, S.B. Energy levels in ^{173}Tm from the decay of ^{172}Er , 1=10977
- Helmers, K. Exceptions to gamma intensity rules in nuclear rotational spectra, 1=661
- Helmers, K. Symplectic invariants and Flowers' classification of shell model states, 1=5834
- Helmers, K. and Meng Ta-chung. On the combinatorics of Feynman graphs. I, 4=30145
- Helmholz, A.C. Strong interactions, 1=13760
- Helmholz, A.C. See Cadwell, D.O., 4=15091
- Helmholz, L., Guzzo, A.V. and Sanders, R.N. Paramagnetic resonance spectra of chromium III and manganese IV hexafluoride ions: CrF_6^{3-} and MnF_6^{2-} , 1=20207
- Helmick, H.H. Instrumentation of the Los Alamos critical assembly laboratory, 4=15258
- Helms, G., Köhler, B., Meyer, K., Müller, A. and Rau, A. Physical investigations of a variant of the pressurized water reactor, 3=25012
- Helms, H.H., Jr and Adams, E. Sendust sheet-processing techniques and magnetic properties, 4=13222
- Helmy, E., Melkanoff, M.A., Prowse, D.J. and Stork, D.H. Optical model analysis of 260-MeV K^{++} meson elastic scattering, 2=16243
- Helmy, E., Prowse, D.J. and Stork, D.H. Nature of the $\text{K}^+ + n \rightarrow \text{K}^0 + p$ angular distribution, 1=9765
- Helpert, E. See Mehl, W., 3=20360
- Helson, H. Studies of anomalous contrast and assimilation, 3=5301
- Helstrom, C.W. Scattering from a cylinder coated with a dielectric material, 4=705
- Helstrom, C.W. The distribution of photoelectric counts from partially polarized Gaussian light, 4=19084
- Heltemes, E.C. and Swenson, C.A. Nuclear contribution to the heat capacity of terbium metal, 1=17423
- Heltemes, E.C. and Swenson, C.A. Specific heat of solid He^3 , 2=2949
- Heltemes, E.C. and Swenson, C.A. Heat capacity of solid He^3 , 3=1887
- Helwig, W.H.G. Condensation of evaporated zinc and cadmium on silicon surfaces, 4=29810
- Hély, H. Static solutions of the Jordan-Thiry equations, 3=11685
- Hély, J. Model universe in a state of pure radiation, 0=875
- Hély, J. Spherically pulsating particles and radiation in general relativity, 1=2687
- Hély, J. States of pure radiation in general relativity, 1=6772
- Hély, J. The state of total radiation in the general relativity, 1=15649
- Hély, J. Moving radiating particles in general relativity, 2=2614
- Hély, J. New generalization of the Schwarzschild metric, 2=19407
- Hély, J. Spherically symmetric solutions of the Jordan-Thiry equations, 3=18722

- Hély, J. Static models of spherical symmetry in general relativity and in the theory of Kaluza-Klein, 4=46
- Hély, J. A new set of states of pure radiation, 4=5040
- Hély, J. Remarks on states of radiation of integrable type, 4=13027
- Hemenger, R. See Weston, V.H., 4=398
- Hemenway, C.L., Fullam, E.F. and Phillips, L. Nanometeorites, 1=15441
- Hemenway, C. L., Fullam, E. F., Skrivane, R. A., Soberman, R. K. and Witt, G. Electron microscope studies of noctilucent cloud particles, 4=29284
- Hemenway, C.L. and Soberman, R.K. Studies of micrometeorites obtained from a recoverable sounding rocket, 2=17264
- Hemenway, C. L., Soberman, R. K. and Witt, G. Particle sampling from noctilucent clouds, 4=4783
- Hemenway, C. L., Soberman, R. K. and Witt, G. Sampling of noctilucent cloud particles, 4=29282
- Hemenway, C. L. See Linscott, I., 4=29286
- Hemenway, C. L. See Witt, G., 4=29285
- Hemilä, S. Photosensitivity of germanium electrodes as a function of quantum energy, 4=12988
- Hemilä, S. Erratum: photosensitivity of germanium electrodes as a function of quantum energy, 4=22798
- Hemkar, M.P. and Joshi, S.K. Vibrational spectrum and specific heat of lithium, 2=16592
- Hemkar, M.P. See Joshi, S.K., 1=7530
- Hemkar, M.P. See Joshi, S.K., 1=9971
- Hemkar, M.P. See Joshi, S.K., 1=17400
- Hemkar, M.P. See Joshi, S.K., 2=14371
- Hemmat, N. and MacDonald, A.L. Chuck design for holding a silicon rod in floating zone crystal growing, 1=10241
- Hemmat, N. and MacDonald, A.L. Nomograph technique for doping determination in germanium and silicon crystal growing, 2=10477
- Hemmendinger, A. See Diven, B.C., 0=17624
- Hemmendinger, H. See Ingle, G.W., 2=19674
- Hemmer, F.J. and Piedmont, J.R. Vacuum evaporation source with double-wall cylindrical graphite heater and nozzle outlet, 3=5553
- Hemmer, P.C. On a generalization of smoluchowski's diffusion equation, 1=8063
- Hemmer, P.C. On multiple scattering corrections for collimators, 1=16440
- Hemmer, P.C. Deviation from $I(I+1)$ dependence in nuclear rotational spectra, 2=12108
- Hemmer, P.C. Gamma emission from nuclei in crystals, 2=18515
- Hemmer, P.C. See Kac, M., 3=12005
- Hemmer, P.C. See Uhlenbeck, G.E., 3=12006
- Hemmer, P. C. On the Van Der Waals theory of the vapor-liquid equilibrium. IV. The pair correlation function and equation of state for long-range forces, 4=8507
- Hemmer, P. C. and Hauge, E. H. Yang-Lee distribution of zeros for a van der Waals gas, 4=8235
- Hemmer, P. C., Kac, M. and Uhlenbeck, G. E. On the Van Der Waals theory of the vapor-liquid equilibrium. III. Discussion of the critical region, 4=8506
- Hemmer, P. C. See Fujiwara, I., 4=27122
- Hemmer, P. C. See Hauge, E. H., 4=8090
- Hemmings, R. F., Green, L. A. and Cloke, V. C. Sceptre IV—a Megajoule discharge system, 4=14728
- Hemmings, R.F. See Allen, N.L., 3=7596
- Hemmings, R.F. See Allen, N.L., 3=21813
- Hemmings, R. F. See Allen, N. L., 4=5685
- Hempel, H.P., Lauckner, H. and Thumann, H. Influence of thallium on the conductivity of halogen-doped selenium, 2=16731
- Hempel, K.A. Ferrimagnetic resonance in polycrystalline magnetically hard ferrites, 2=12812
- Hempel, K.A. On the ferrimagnetic resonance of polycrystalline ferrites with hexagonal anisotropy, 2=23696
- Hempel, K. A. The theory of ferromagnetic resonance in hexagonal ferrites with crystallite orientation, 4=15665
- Hempenius, S. A. Aspects of photographic systems engineering, 4=8464
- Hemphill, L.F. See Bettis, E.S., 0=13312
- Hemphill, R. B. See Donoho, P. L., 4=23055
- Hempstead, C.F. and Bowers, K.D. Paramagnetic resonance of impurities in CaWO_4 . I. Two S-state ions, 0=10221
- Hempstead, C. F. and Kim, Y. B. Resistive transitions and surface effects in type II superconductors, 4=14515
- Hempstead, C. F., Kim, Y. B. and Strnad, A. R. Inductive behavior of superconducting magnets, 4=3091
- Hempstead, C. F., Sibilia, J. T. and Kostelnick, J. J. Precise ferromagnetic resonance magnetometers for differential measurements in fields characterized by large gradients, 4=21615
- Hempstead, C. F. See Dunlap, R.D., 4=3088
- Hempstead, C.F. See Forrester, P.A., 2=12817
- Hempstead, C.F. See Kim, Y.B., 3=3951
- Hempstead, C.F. See Kim, Y.B., 3=5575
- Hempstead, C.F. See Kim, Y.B., 3=24133
- Hempstead, C. F. See Kim, Y. B., 4=21410
- Hemptinne, M.de. See de Hemptinne, M.
- Henschik, H. and Schuffenhauer, W. A spectrochemical method for testing for homogeneity, 4=4723
- Henschik, H. See Hofmann, U., 4=3083
- Hemstreet, R.A. and Hamilton, J.R. Evidence of multiple trapping sites for excited nitrogen atoms in solid molecular nitrogen, 1=5983
- Henchman, M. See Golding, R.M., 4=17682
- Henck, R. and Coche, A. Modulation of the luminescence excited by α -rays in certain zinc sulphides under the action of alternating fields, 1=14655
- Henck, R. and Coche, A. The intensifying effect of electric fields on α -ray luminescence as a function of the emission wavelength and the frequency of the electric field, 1=14656
- Henck, R. and Coche, A. The determination of the fluorescence spectra of gaseous scintillators excited by a weak beam of α particles, 3=21447
- Henck, R. and Coche, A. Influence of temperature on the electro-magnification effect on α -scintillations in manganese activated zinc sulphides, 4=30699
- Henck, R. See Coche, A., 0=18148
- Hencky, H. Euclid or Reimann? An inquiry into the foundations of rheology, 2=9242
- Hendeberg, L.O. Contrast transfer function of the light diffusion in photographic emulsions, 0=12502
- Hendeberg, L.O. The contrast transfer of periodical structures in a photographic emulsion developed with adjacency effects, 0=12503
- Hendeberg, L.O. Dependence of the transfer function of photographic emulsion on the numerical aperture of the optical system, 3=21575
- Hendeberg, L.O. and Welander, E. Experimental transfer characteristics of image motion and air conditions in aerial photography, 3=11961
- Hende, C.F. See Wiley, W.C., 2=18009
- Hende, A. See Suga, K., 2=12066
- Hendel, A.Z., Piroué, P.A. and Reynolds, G.T. Double cloud-chamber investigation of 500 me particles in cosmic rays, 1=16924
- Hendel, A.Z. See Gaebler, J.F., 1=5808
- Hendel, H.W. and Reboul, T.T. Adiabatic acceleration of ions by electrons, 2=7569
- Henderson, B. Stacking-fault probabilities in copper-nickel alloys, 4=4066
- Henderson, B. Incoherent impurity precipitates in magnesium oxide, 4=9951
- Henderson, B. The lattice spacing relationships in ternary close-packed hexagonal silver-tin-cadmium alloys, 4=15795
- Henderson, B. and Raynor, G.V. The effective valencies of transition metals in solid solution in gold and silver alloys, 2=12935
- Henderson, B. and Raynor, G.V. Lattice spacings relationships in the ternary system gold + tin + cadmium, 2=17037
- Henderson, B. and Raynor, G.V. Lattice spacings in silver-rich solid solutions in the silver + tin + manganese system, 2=21537
- Henderson, B. and Raynor, G.V. Lattice spacings in the binary silver-cadmium system, 3=3313
- Henderson, B. and Raynor, G.V. The paramagnetic susceptibility of face-centred cubic silver-manganese and silver-tin-manganese alloys, 3=8643
- Henderson, B. and Raynor, G. V. The paramagnetic properties of transition elements in solid solution in gold and silver alloys, 4=15626
- Henderson, B. and Willcox, R. J. M. Lattice spacing relationships in hexagonal close-packed silver-zinc-manganese alloys, 4=23476
- Henderson, C. See Baglin, C., 4=3487
- Henderson, C. See Ely, R.P., 3=19703
- Henderson, C. See Jauneau, L., 3=12511
- Henderson, C. See Jauneau, L., 3=19708
- Henderson, C.L. Seasonal and latitude variations of noon bearings of E-region drifts, 3=5221

- Henderson, C.L. E-region drifts at lower Hutt, 3=13749
- Henderson, D. Hole theory of liquids and dense gases. I. Equation of state, 2=19536
- Henderson, D. Hole theory of liquids and dense gases. II. Internal entropy, energy, and heat capacity, 3=18800
- Henderson, D. An approximate cell model for liquid hydrogen. II, 3=21318
- Henderson, D. Significant structure theory of fluids for a system of rigid spheres, 4=118
- Henderson, D. Statistical mechanics of a quantum system of hard lines, 4=29551
- Henderson, D., Eyring, H. and Felix, D. The significant structure theory of liquid hydrogen in its various ortho-para and isotopic forms, 2=19534
- Henderson, D., Kim, S. and Eyring, H. An approximate cell model for liquid hydrogen. I, 3=11783
- Henderson, D. and Reed, R.D. Cell model for quantum fluids. I., 4=14134
- Henderson, D. See Oden, L., 4=18088
- Henderson, F. See Bullen, F.P., 4=13416
- Henderson, F. See Wain, H.L., 3=3236
- Henderson, F. See Bullen, F.P., 4=23133
- Henderson, G.A. See Spear, W.E., 3=14085
- Henderson, G. and Weaver, C. Determination of the absolute phase change on reflection at chromium films, 4=27323
- Henderson, J. See Johnson, A.E., 2=14890
- Henderson, J.R., Muramoto, M. and Willett, R.A. Harmonic Franck-Condon overlap integrals including displacement of normal co-ordinates, 4=25630
- Henderson, J.R. See Harvey, K.B., 4=20174
- Henderson, J.W. and White, R.L. Thermodynamic and magnetic properties of ytterbium iron garnet, 1=12541
- Henderson, M.C. Vibrational relaxation in nitrogen and other gases, 2=8079
- Henderson, M.C. and Donnelly, G.J. Acoustic resonance tube for high pressures and low f/p , 2=13417
- Henderson, M.G. and Scherr, C.W. Helium wave function in momentum space, 0=17655
- Henderson, M.C. Sound in air: absorption and dispersion, 4=8253
- Henderson, M.C. Thermal relaxation in N_2 , O_2 and CO with admixtures, 4=5244
- Henderson, P.I. See Norment, H.G., 0=18355
- Henderson, P.I. See Norment, H.G., 0=21180
- Henderson, S.T. The prospects for solid state intensifying screens, 0=19408
- Henderson, S.T. and Hodgkiss, D. The spectral energy distribution of daylight, 3=11406
- Henderson, T.M. See Waddell, C.N., 1=19460
- Henderson, W.D. See Hilton, A.R.Jr., 1=6007
- Henderson, W.J. and Tunncliffe, P.R. The production of N^{16} and N^{17} in the cooling water of the NRX reactor, 0=13273
- Hendra, P.J., Lane, R.D.G. and Smethurst, B. An infra-red spectrometer to operate over the range 8-100 micrometers, 3=21543
- Hendricks, C., Jr. Charged droplet experiments, 2=11346
- Hendricks, C.D. and Hogan, J.J. Production and mass-spectrometry of multiatomic-ion beams with charge-to-mass ratio 0.1 coul/kg to 10^7 coul/kg, 4=19116
- Hendricks, C.D. and Schneider, J.M. Stability of a conducting droplet under the influence of surface tension and electrostatic forces, 3=14503
- Hendricks, C.D. See Schneider, J.M., 4=29607
- Hendricks, C.D., Jr. See Carson, R.S., 3=5473
- Hendricks, C.D., Jr. See Carson, R.S., 3=9520
- Hendricks, C.D., Jr. See Gerardo, J.B., 3=21488
- Hendricks, C.D., Jr. See Gerardo, J.B., 4=27250
- Hendricks, C.D., Jr. See Shelton, H., 0=11989
- Hendricks, J.B., Riser, H.N. and Clark, C.B. Calculated vibrational spectra and specific heats of lithium and vanadium, 3=12914
- Hendricks, L.J. See Anderson, S., 0=8167
- Hendricks, R.W. and Newkirk, J.B. Crystal orientation in the cylindrical X-ray camera, 4=7592
- Hendrickson, A.A. Solute segregation to stacking faults, 2=21048
- Hendrickson, A.A. See Tardiff, G.E., 2=14888
- Hendrickson, A.A. See Tardiff, G.E., 4=28982
- Hendrickson, C. See Clayton, G., 4=29039
- Hendrickson, R.E. See Standel, R.F., 4=11336
- Hendrie, D.L. and Farwell, G.W. Location of the 4^- level in Zr^{90} , 4=22031
- Hendrie, D.L. and Gerhart, J.B. Half-life of O^{14} , 1=2183
- Hendrie, D.L. See McDaniels, D.K., 2=9938
- Hendrie, D.L. See McDaniels, D.K., 2=22850
- Hendrikx, Y. See Rutgers, A.J., 3=5435
- Hendrix, C.E. See Van Buskirk, L.F., 1=16575
- Hendrix, W.P. See Orr, C., 3=303
- Hendry, A. The temperature dependence of noise temperature ratio in germanium diodes, 0=7950
- Hendry, A.W. On the analyticity of partial wave amplitudes for unstable particles in perturbation theory, 2=1663
- Hendry, A.W. Pion-nucleon scattering up to medium energies, 2=20400
- Hendry, A.W. Pion photoproduction up to medium energies, 3=7891
- Hendry, A.W. and Stech, B. Coupling constant and p-wave phase shifts in low-energy pion-nucleon scattering, 4=9249
- Hendry, A.W. See Cumming, J., 3=2315
- Hendry, A.W. See Frazer, W.R., 4=21802
- Hendry, I.C. The development of a fission product detector using high-energy beta discrimination, 3=10098
- Hendus, H., Schnell, G., Thurn, H. and Wolf, K. Recent physical investigations on high polymers, 1=4074
- Henebry, W.M. Avalanche transistor circuits, 2=1368
- Heng, T.M. See Collins, J.H., 4=16658
- Hengen, J.G. See Gerson, N.C., 3=12327
- Hengevoss, J. See Haefner, R.A., 3=16647
- Hengevoss, J. and Huber, W.K. The influence of fore-vacuum conditions on ultra-high vacuum pumping systems with oil diffusion pumps, 3=11842
- Hengevoss, J. and Trendelenburg, E.A. Cryopump experiment with hydrogen under u.h.v. conditions between 2.5° and 4.2°K, 3=12008
- Hengevoss, J. and Trendelenburg, E.A. Cryogenic pump tests with hydrogen under ultra-high-vacuum conditions in the range 4.2°K and 2.5°K. I, 4=2736
- Hengevoss, J. and Trendelenburg, E.A. Continuous cryotrapping of hydrogen and helium by argon at 4.2°K, 4=18271
- Hengevoss, J. and Trendelenburg, E.A. Quantitative investigations of cryotrapping effect of argon on hydrogen at 4.2°K, 4=2737
- Henglein, A. Mass spectrometric observations on reactions of excited ions in carbon disulfide and some aromatic compounds, 2=8912
- Henglein, A. Mass spectrometric observation of persistent ion-molecule complexes of acrylonitrile and of benzene, 2=8913
- Henglein, A., Jacobs, G. and Muccini, G.A. Observations on the reactions of normal and excited ions of cyanogen and the persistent complex $C_2N_2^+$, 3=21714
- Henglein, A. and Muccini, G.A. Negative ion-molecule reactions, 0=4707
- Henglein, A. and Muccini, G.A. Mass spectrometric studies of ion-molecule reactions in mixtures of methane, methanol, water, argon and krypton with iodine: participation of excited ions and atoms and some radiation chemical considerations, 0=16400
- Henglein, A. and Muccini, G.A. Mass spectrometric observation of electron and proton transfer reactions between positive ions and neutral molecules, 2=19901
- Henglein, A. and Muccini, G.A. Mass spectrometric observation of electron and proton transfer reactions between positive ions and neutral molecules. II, 3=25816
- Henglein, A. See Jacobs, G., 4=29868
- Hengst, W.H. See Armington, J.C., 1=11665
- Henin, F. Irreversible processes in solids, 0=16649
- Henin, F. Equation of motion and radiation damping for a relativistic charged particle, 3=14744
- Henin, F. On the microscopic theory of Cherenkov radiation, 4=5616
- Henin, F. Radiation damping for systems of charged particles in a constant external magnetic field, 4=5756
- Henin, F. Liouville equation for a relativistic charged particle, 4=8094
- Henin, F. Liouville equation for a relativistic charged particle, 4=8095
- Henin, F. and Blum, L. Anharmonic solids - thermal conductivity, 1=9986
- Henin, F., Résibois, P. and Andrews, F. On the general theory of the approach to equilibrium. II. Interacting particles, 1=5210
- Henin, F. See Prigogine, I., 0=16618
- Henin, F. See Prigogine, I., 1=5205
- Henin, F. See Prigogine, I., 2=9687
- Henin, F. See Prigogine, I., 2=20109
- Henin, F. See Prigogine, I., 3=14745
- Henins, A. See Bearden, J.A., 4=27596
- Henins, I. and Bearden, J.A. Silicon-crystal determination of the absolute scale of X-ray wavelengths, 4=27595

- Henins, I. See Sawyer, G.A., 3=24296
 Henis, J. See Burt, B.P., 4=29218
 Henisch, H.K. (Conf. ref.). Semiconducting silicon carbide, 0=4365
 Henisch, H.K. Electroluminescent devices, 2=2260
 Henisch, H.K. Electroluminescence, 4=26234
 Henisch, H.K. and Marathe, B.R. A note on electroluminescence due to carrier accumulation, 1=3871
 Henke, B.L. Production, detection, and application of ultrasoft X-rays, 4=27594
 Henkel, H.J. See Gremmelmaier, R., 0=2896
 Henkel, J.E., Lockwood, J.A. and Trainor, J.H. A comparison of the cosmic-ray intensity at high altitudes with the nucleonic component at ground elevation, 0=9487
 Henkel, O. Investigation of the remanence properties of magnetic single-domain collectives, 2=4224
 Henkel, O. Remanence properties and hardness distribution of deformable permanent magnets, 2=14773
 Henkel, O. Observations on groups of magnetic domains, 2=21314
 Henkel, O. Anhyseretic susceptibility of systems of magnetic single-domain particles, 3=1144
 Henkel, O. The alternating hysteresis integral of permanent magnets, 3=6702
 Henkel, O. Angular dependence of alternating field hysteresis integrals, 3=25526
 Henkel, O. Spontaneous remanent magnetization of Cu-Ni-Fe alloys, 4=28805
 Henkel, O. See Rassman, G., 1=10143
 Henkel, O. See Rassmann, G., 2=2281
 Henkel, O. See Rassmann, G., 2=12762
 Henkel, R.L. See Simmons, J.E., 0=17635
 Henkel, R.L. See Smith, H.L., 2=5982
 Henkes, W. Ionization and acceleration of condensed molecular beams, 2=2032
 Henkes, W. Mass-spectrometric study of beams of condensed hydrogen, 4=3936
 Henkes, W. See Hagena, O., 1=15928
 Henley, D.R. See Wasley, R.J., 4=14258
 Henley, E.J. and Cropper, W.H. High-pressure and temperature radiation chemistry research, 2=12978
 Henley, E.J. and Kouts, H. [Ed.]. Advances in nuclear science and technology, 3=2511
 Henley, E.M. Study of the direct (α , nucleon) reaction, including polarization, 0=5758
 Henley, E.M. and Jacobsohn, B.A. Suggested quantum numbers for bosons of mass $\approx 4m_e$, 2=20407
 Henley, E.M. and Jacobsohn, B.A. Decay of heavy bosons, 3=2227
 Henley, E.M., Kennedy, R.C. and Wilets, L. Finite superconductors and their infinite volume limit, 4=27418
 Henley, E.M. and Kunz, P.D. Decay of Be^{9*} (2.43 MeV state), 0=9548
 Henley, E.M. and Ruijgrok, T.W. An extension of the overhauser model for nuclear matter, 1=8557
 Henley, E.M. and Wilets, L. Comparison of two models for the many-fermion system, 1=18298
 Henley, E.M. and Wilets, L. Corrections to the pairing interaction in superconductivity, 4=5504
 Henley, E.M. and Wilets, L. Energy gap in nuclear matter. I. Extended theory, 4=12103
 Henley, E.M. and Yu, D. U. L. Double stripping: (He^3 , n) reaction, 4=12273
 Henley, E.M. and Yu, D. U. L. Diffraction model for direct reactions, 4=28013
 Henley, E.M. See Kelley, T.G., 4=22184
 Henley, E.M. See Kennedy, R., 4=12104
 Henley, E.M. See Kennedy, R.C., 4=12109
 Henley, E.M. See Madsen, V.A., 2=14073
 Henne, W. Analogue procedure for determining the magnetic field strength of permanent magnets, in particular for focussing travelling-field tubes, 2=17924
 Henneberger, W.C. Hermiticity of Hamiltonians and existence of eigenstates in soluble field theories, 4=9047
 Henneberger, G. An electron accelerator in pressurized tank for 3 mA at 1.5 MV direct voltage, 1=1935
 Hennecke, H.J. See Harris, G.I., 4=25303
 Henneke, H.L. Indium antimonide transistors, 2=10515
 Hennel, J.W. Nuclear spin-lattice relaxation time and the electric internal field in polar liquids, 0=6816
 Hennel, J.W., Andrew, E.R., Clough, S. and Eades, R.G. The temperature dependence of the quadrupole coupling constant of ^{23}Na in sodium nitrate, 1=14838
 Hennel, J.W. and Krynicki, K. Viscosity of liquid hydrogen sulphide, 0=14579
 Hennel, J.W., Krynicki, K., Waluga, T. and Zapalski, G. Proton spin-lattice relaxation times in very dilute aqueous solutions of Ni^{++} and Mn^{++} ions, 1=15908
 Hennel, J.W. and Waluga, T. Measurements of the temperature dependence of the proton spin-lattice relaxation time in liquid hydrogen sulphide, 4=205
 Hennel, J.W. See Andrew, E.R., 2=10724
 Hennek, J.W. See Blicharski, J., 1=9409
 Hennel, J.W. See Krynicki, K., 4=14147
 Hennen, N. Measurement of the stored energy of NaCl after reactor irradiation, 3=13017
 Hennequin, J. Nuclear resonance maser in very weak fields, 0=11067
 Hennequin, J. Nuclear resonance experiments at low field with a flowing liquid, 1=12904
 Hennequin, J. A precision resonance spectrometer for observing weak field nuclear resonance in liquids, 2=1612
 Hennequin, J. Nuclear magnetic resonance in very weak fields, 4=1309
 Hennes, J. See Dunkelman, L., 3=14306
 Hennes, J.P. See Stober, A.K., 3=21537
 Hennessy, J. See Aubert, B., 2=18187
 Hennessy, J. See Aubert, B., 2=22647
 Hennessy, J. See Baglin, C., 1=9764
 Hennessy, J. See Bellière, J., 3=24775
 Hennessey, J. See Bellini, G., 4=21894
 Hennessey, J. See Di Corato, M., 2=22627
 Hennessy, J. See Veillet, J.J., 3=10163
 Hennessy, J. See Veillet, J.J., 3=17313
 Hennessy, W.P. and Spencer, G.H. Automatic correction of first- and third-order aberrations, 0=8773
 Hennies, H.H. Nuclear isomers of Ir^{192} and Ir^{194} , 0=13169
 Hennies, H.H. and Flammersfeld, A. γIr^{194} , a new nuclear isomer with a half-life of $T_{1/2} = 47$ sec, 0=7510
 Hennies, H.H. and Flammersfeld, A. On the 47 sec nuclear isomer of iridium, 1=12172
 Hennies, H.H. See Langhoff, H., 1=17002
 Hennig, G.R. A chemical model of radiation damage in graphite, 0=13566
 Hennig, G.R. Vacancies and dislocation loops in graphite, 3=4861
 Hennig, G.R. Electron microscopy of graphite containing boron, 3=13000
 Hennig, G.R. Effects of annealing on radiation-induced lattice vacancies in natural graphite crystals, 4=12727
 Hennig, G.R. Decoration of graphite surfaces for electron microscopy, 4=12760
 Hennig, G.R. Determination of lattice vacancies in graphite, 4=20267
 Hennig, G.R. See Bollmann, W., 4=28444
 Hennig, K. Paramagnetic resonance absorption of the anti-colour centre in silver bromide, 3=6542
 Hennig, K. Electron spin resonance investigations of Fe-doped silver chloride, 4=13324
 Henniker, J. Triboelectricity in polymers, 3=6623
 Henning, C.R. Hall-effect instruments for laboratory and routine check of permanent magnets, 1=7119
 Henning, H. Recombination and "minus" continua of chlorine
 Henning, J.C.M. Homodyne balanced mixer electron spin resonance spectrometer, 1=4736
 Henning, J.C.M. and de Waard, C. Spin densities in aromatics containing nitrogen: E.S.R. spectrum of the pyrazine negative ion, 2=3777
 Henning, J.C.M. and De Waard, C. Many-electron calculation of the spin densities in the mononegative ions of $\gamma\gamma$ -dipyridil and pyrazine, 2=22995
 Henning, J.C.M. and De Waard, C. On the interpretation of the nitrogen-14 hyperfine interactions in electron spin resonance spectra of heterocyclic anions, 3=8295
 Henning, J.C.M. See De Waard, C., 3=12857
 Henning, J.C.M. See De Wijn, H.W., 2=14828
 Henning, J.J. The analyticity of the scattering amplitude and unitarity of the scattering operator in the $\pi-\pi$ interaction, 1=12110
 Henning, J.J. Unstable particles in perturbation theory, 4=5935
 Henning, J.J. Unstable particles in perturbation theory. II. Convergence properties of the geometric series for the propagation functions, 4=16806
 Henning, R.G. See Pitt, C.H., 4=13552
 Henning, W. and Vogt, E. Relationship between the grain dimensions and the magnetic properties of amalgams of iron and of cobalt, 0=13764

- Henningsen, T. See Aubrey, J.E., 3=15582
- Henny, G.C. and Becker, J.A. Comparison of the light output of image intensifier tubes, 1=18968
- Héno, Y. Search for a method of calculating the anomalous magnetic moment of the nucleon, 0=357
- Heno, Y. Contribution to the non-local interaction theory of Heitler and Arnous, 0=20120
- Héno, Y. The existence of a hard core in the nucleon-nucleon interaction using the Heitler-Arnous nonlocal theory, 1=13598
- Héno, Y. See Arnous, E., 0=15515
- Héno, Y. See Guillot, J.C., 2=11989
- Henoc, J. See Rodot, H., 3=17786
- Henoc, P. See Marais, M., 4=6999
- Hénon, G. See Baudin, G., 0=8339
- Henon, M. An improved calculation of stellar velocity perturbations. "Relaxation time" problem, 0=4902
- Hénon, M. The escape of stars from an isolated cluster, 0=14454
- Hénon, M. Perturbations of stellar velocities. II. Calculation of moments of order greater than 2, 0=18787
- Hénon, M. The isochron cluster. I, 0=18808
- Hénon, M. The isochron cluster. II. Orbital calculations, 0=18809
- Hénon, M. The isochron cluster. III. Distribution function, 0=18810
- Hénon, M. The dynamic evolution of the globular clusters, 2=7018
- Hénon, M. Initial evolution of a spherical mass, 4=23849
- Hénon, M. and Heiles, C. The applicability of the third integral of motion: some numerical experiments, 4=17972
- Henoux, J.-C. Determination of the intensity and orientation of the magnetic fields in a group of sunspots, 3=18628
- Henri, V. See Berley, D., 2=22633
- Henri, V.P. See Berley, D., 4=9281
- Henri, V.P. See Boldt, E., 4=9276
- Henri, V.P. See Duboc, J., 4=12060
- Henri, V.P. See Lynch, G.R., 4=25181
- Henrich, L.R. A note on the compression of the earth's magnetic field and hypothetically related phenomena, 3=13825
- Henrich, L.R. Ionized gases at low density in axially symmetric magnetic fields, 3=19182
- Henriet, G.A. See Gilly, L.J., 3=22423
- Henriet, P. See Gilly, L., 4=17189
- Henriet, P. See Gilly, L.J., 4=25436
- Henriksen, T. E.S.R. studies on the formation of sulfur radicals in irradiated cysteine, glutathione, and djenkolic acid, 2=6231
- Henriksen, T. Radiation-induced free radicals in sulfur compounds. E.S.R. studies in the polycrystalline state, 3=3413
- Henriksen, T. E.S.R. studies on irradiated frozen aqueous solutions of sulfur compounds, 3=15392
- Henrikson, H. See Seppi, E.J., 2=20292
- Henrikson, H.E. See Seppi, E.J., 3=14940
- Henrion, W. See Eckart, F., 2=16801
- Henrion, W. See Eckart, F., 3=23385
- Henrion, W. See Eckart, F., 4=10190
- Henrion, W. See Eckart, F., 4=10191
- Henriquez, T.A. Diffraction constants of acoustic transducers, 4=8342
- Henriquez, T.A. See Sims, C.C., 3=225
- Henriquez, T.A. See Sims, C.C., 4=29717
- Henry, A. See Pohl, H.A., 3=852
- Henry, A.F. An application of reactor kinetics to the analysis of experiments, 0=13318
- Henry, A.F. and Curlee, N.J. Verification of a method for treating neutron space-time problems, 0=13349
- Henry, C. See Hadni, A., 1=9925
- Henry, C. See Joubert, J., 4=19131
- Henry, C.H., Schmitterly, S.E. and Slichter, C.P. Effect of applied fields on the optical properties of color centres, 4=28499
- Henry, G. and Plateau, J. New method of non-destructive replication for optical and electron microscopes, using an electrolytically-deposited nickel layer, 3=25798
- Henry, G., Plateau, J., Wache, X., Palmier-Gerber, M. and Crussard, C. Chromium carbide precipitates forming on dislocations in austenitic nickel-chrome alloys, 1=15146
- Henry, G. See Crussard, C., 4=4636
- Henry, G. See Schrank, G., 4=29891
- Henry, G. See Weinayb, E., 4=7666
- Henry, G.R. See Bloom, S., 4=15081
- Henry, I.G. Phase oscillations in high current synchrotrons, 0=15097
- Henry, J. Cohesive energy and equation of state of iron at high pressure [10^6 atm], 0=4257
- Henry, J. Conducting or polarizable media in motion, 0=19888
- Henry, J. Cohesive energy and equation of state of iron at high pressure, 2=551
- Henry, J. Note on the polarization of starlight by paramagnetic particles, 3=1508
- Henry, J. Interaction between spin systems by means of the lattice, 4=26259
- Henry, J.C. See Arthur, J.S., 2=13202
- Henry, J.C. See Pettengill, G.H., 3=9267
- Henry, J.F. Equation of state and conduction bands of iron at high pressures, 3=8372
- Henry, K. See DeSaussure, G., 2=6036
- Henry, L. and Amat, G. The cubic anharmonic potential function of polyatomic molecules, 1=4921
- Henry, L. and Amat, G. Coefficients of interaction between vibration and rotation in polyatomic molecules. II, 1=5991
- Henry, L. See Amat, G., 1=8829
- Henry, L. See Castaing, R., 2=22270
- Henry, L. See Emschwiller, G., 3=13165
- Henry, L.A. See Bieniek, M.P., 2=15518
- Henry, P.K. and Hoyt, G.D. Modification of a magnetic microbalance, 3=21283
- Henry, P.M. See Tourin, R.H., 1=11070
- Henry, R.J.W. See Dalgarno, A., 4=9677
- Henry, R.J.W. See Dalgarno, A., 4=19978
- Henry, R.J.W. See Dalgarno, A., 4=25764
- Henry, R.P. Measure of speed of outgassing by a method due to Oatley, 1=5309
- Henry, W.E. Saturation magnetization and ferromagnetic interaction in terbium metal, 0=2986
- Henry, W.E. Low-temperature magnetic remanence, molecular field, and approach to saturation of holmium metal, 0=4472
- Henry, W.E. Saturation magnetization and molecular fields of the acetylacetonates of chromium and iron, 0=10091
- Henry, W.E. Strong field magnetization at low temperatures and approach to absolute saturation of thulium metal, 0=11842
- Henry, W.E. Magnetization in a strong field and the approach to absolute saturation of neodymium and dysprosium, 0=13776
- Henry, W.E. The absolute saturation magnetization and remanence of substituted yttrium iron garnets- $5\text{Fe}_2\text{O}_3\text{xLa}_2\text{O}_3$, $(3-x)\text{Y}_2\text{O}_3$, and $5\text{Fe}_2\text{O}_3\text{xNd}_2\text{O}_3(3-x)\text{Y}_2\text{O}_3$, 3=1047
- Henry, W.E. Non-monotonic dependence of magnetisation on magnetic field in an itinerant electron ferromagnetic alloy, 4=1821
- Henry, W.E. Remanence and approach to saturation of $\text{Au}_{0.95}\text{Fe}_{0.05}$, 4=10278
- Henry, W.E. and Salkovitz, E.I. Reduction of saturation magnetization of $\gamma\text{-Fe}_2\text{O}_3$ and Fe_3O_4 by pile irradiation, 0=3008
- Henry, W.G. The Knight shift in alloys, 1=3949
- Henry, W.G. The isothermal Peltier coefficient and phonon-drag in copper, 3=20425
- Henry, W.G. and Meharry, M.R. Calibration of a prism spectrometer, 1=4463
- Henry, W.G. and Rogers, J.L. The magnetic susceptibilities of some diamagnetic alloys. The primary solid solutions of cadmium, indium, tin, and antimony in copper and in silver; zinc, gallium, germanium, and arsenic in silver; copper in silver and silver in copper, 0=13731
- Henry, W.G. and Schroeder, P.A. The low-temperature resistivities and thermopowers of σ -phase copper-zinc alloys, 3=20267
- Henry, W.G. See Calvert, L.D., 2=23863
- Henry, W.G. See Garber, M., 1=1194
- Henry, W.G. See Grant, R.F., 1=11494
- Henry, W.H. and Garrett, C. The Canadian standard free-air chamber for medium quality X-rays, 1=1951
- Henry, W.H. See Aitken, J.H., 4=6262
- Henschel, J.W. and Burdick, E.E. Predicting excess reactivity in the E.T.R. as a function of power-time, 4=19890
- Henschke, E.B. Collision theories of cathode sputtering of metals at low ion energies, 1=4670
- Henschke, E.B. Threshold energies in mechanical collision theories of cathode sputtering, 2=11725
- Henschke, E.B. and Derby, S.E. Full-plane threshold energies for cathode sputtering of metals with Ar^+ ions, 3=22875
- Henschke, E.B. See Weik, H., 0=6334
- Henschke, R.A. See Geiszler, T.D., 0=12702

- Hensel, F. and Franck, E. U. The electrical conductivity of aqueous salt solutions up to 130°C and 8000 torr, 4=16124
- Hensel, J. C. Low temperature, mm-wave cyclotron resonance relaxation times in silicon, 3=10640
- Hensel, J. C. Quantum effects in the cyclotron resonance of holes in the degenerate bands of germanium, 3=10771
- Hensel, J. C. and Feher, G. Valence band parameters in silicon from cyclotron resonances in crystals subjected to uniaxial stress, 0=20785
- Hensel, J. C. and Feher, G. Cyclotron resonance experiments in uniaxially stressed silicon: valence band inverse mass parameters and deformation potentials, 3=8415
- Hensel, J. C. See Bilaniuk, O. M., 0=17483
- Hensel, J. C. See Feher, G., 1=1266
- Hensler, J. H. See Cullen, G. V., 3=3237
- Hensley, M. L. and Treacy, E. B. Twenty-one centimeter traveling-wave maser for the Harvard radio telescope, 4=24881
- Henshaw, D. G. Structure of liquid oxygen by neutron diffraction, 0=12414
- Henshaw, D. G. Effect of the λ transition on the atomic distribution in liquid helium by neutron diffraction, 0=12541
- Henshaw, D. G. Pressure effect in the atomic distribution in liquid helium by neutron diffraction, 0=12542
- Henshaw, D. G. and Woods, A. D. B. Modes of atomic motions in liquid helium by inelastic scattering of neutrons, 1=4525
- Hensler, J. H. and Gifkins, R. C. The estimation of slip strain during creep, 4=26476
- Hensley, E. B. Thermionic emission constants and their interpretation, 1=2989
- Hensley, E. B. See Dueker, J. E., 4=29964
- Hensley, E. B. See Glascock, H. H., Jr., 3=20471
- Hensley, E. B. See Okumura, K., 3=9831
- Hensley, E. B. See Stevenson, J. R., 1=2988
- Henson, B. L. Mobility of positive ions in liquefied argon and nitrogen, 4=27194
- Henson, R. M., and Eisner, M. Self-pinch instabilities in solid sodium, 3=16950
- Henson, F. M. See Carroll, H. B., 4=2501
- Henson, R. W. See Goggin, P. R., 4=20760
- Hentges, J. J. See Pillinger, W. L., 1=554
- Hentschel, E., Meyer, A. F. and Wichmann, D. On the utilization of the Hall effect for the point-by-point measurement of magnetic fields, 3=12283
- Hentschel, E. See Gersch, H. U., 4=15045
- Hentschel, H. J. The dynamic properties of high pressure xenon arcs, 0=12599
- Hentschel, H. J. Effect of light intensity distribution on the limiting distance in photometry, 1=5335
- Hentschel, H. J. Calculation of the axial temperature of cylindrical arcs with strong radiation, 3=7488
- Hentschel, H. -J. Dynamic properties of electric discharges in thermal plasmas, 4=8665
- Hentze, G. Production of the magnetic fields for the acceleration of electrons in an aircored betatron, 0=1178
- Henvis, B. W. See Clark, C. D., 0=16068
- Henvis, B. W. See Hass, M., 2=18844
- Henvis, B. W. See Palik, E. D., 3=10822
- Henvey, L. G., Forbes, J. E. and Gould, N. L. A new method of automatic computation of stellar evolution, 4=10812
- Hepburn, F. Interpretation of smooth type atmospheric waveforms, 0=6486
- Hepburn, F. Constant ionosphere height for audio-frequency propagation, 0=8425
- Hepburn, F. Analysis of smooth type atmospheric waveforms, 0=18524
- Hepler, L. G. See Fu, T., 4=16282
- Hepner, G. Contribution to the study of the emission infrared of atomic and molecular spectra in the spectral region 1 - 3 μ , 2=3703
- Hepner, G. See Grenat, H., 2=6149
- Hepner, W. A. The inhomogeneous Lorentz group and the conformal group, 2=22405
- Hepp, K. Lorentz-covariant analytic functions, 3=22053
- Hepp, K. On the asymptotic condition in a local relativistic quantum field theory, 4=792
- Hepp, K. Lorentz invariant analytic S-matrix amplitudes, 4=16332
- Hepp, K., Jost, R., Ruelle, D. and Steinmann, O. Necessary restriction on Wightman functions, 2=7141
- Hepp, K. See Araki, H., 2=16108
- Hepp, K. See Jost, R., 2=7137
- Hepp, V. See Engelmann, R., 2=18250
- Heppell, G. E. Alpha-particle penetration depth in crystalline anthracene, 4=25961
- Heppner, J. P., Ness, N. F., Searce, C. S. and Skillman, T. L. Explorer 10 magnetic field measurements, 3=11466
- Heppner, J. P., Ness, N. F., Skillman, T. L. and Searce, C. S. Magnetic field measurements with the Explorer X satellite, 2=13064
- Heppner, J. P. See Cain, J. C., 1=20899
- Heppner, J. P. See Cain, J. C., 2=17145
- Heppner, J. P. See Cain, J. C., 3=9125
- Heppner, J. P. See Johnson, C. Y., 0=21333
- Heppner, J. P. See Ness, N. F., 2=13080
- Heppner, J. P. See Shapiro, I. R., 0=14161
- Heppner, J. P. See Shapiro, I. R., 1=1577
- Herai, T., Thomas, B., Manenc, J. and Bénard, J. Electron-microscope study of the pre-precipitation stage in FeO, 4=26558
- Herai, T. See Manenc, J., 4=26557
- Herak, J. N. See Galogaza, V., 3=20296
- Herak, R. M., Manojlović, Lj. M. and Malčić, S. S. An x-ray diffraction study of inorganic complexes $\text{K}(\text{HgBr}_4)_2 \cdot \text{H}_2\text{O}$ and Na_2ZrF_6 , 3=18315
- Herasyutenko, N. L. See Androsyuk, N. H., 3=21531
- Herb, R. G. Evapor-ion pump development at the University of Wisconsin, 1=4385
- Herb, R. G. Electrostatic plasma containment system and electron motion through grids, 4=18967
- Herb, R. G., Pauly, T., Welton, R. D. and Fisher, K. J. Sublimation and ion pumping in getter-ion pumps, 4=18270
- Herb, R. G. See Costello, D. G., 4=12223
- Herb, R. G. See Michael, I., 0=2405
- Herb, R. G. See Mourad, N. G., 4=18289
- Herb, R. G. See Palmer, D. W., 3=12673
- Herb, R. G. See Skofronick, J. G., 4=28030
- Herb, R. G. See Walters, W. L., 2=449
- Herb, R. G. See Walters, W. L., 2=10106
- Herbach, L. See Davidson, B., 4=23748
- Herber, R. H. and Hayter, R. G. Mössbauer effect in Cis-Trans isomers, 4=15360
- Herber, R. H. and Wertheim, G. K. Mössbauer effect in ferrocene and related compounds, 4=12585
- Herber, R. H. See Wertheim, G. K., 2=14355
- Herber, R. H. See Wertheim, G. K., 2=20909
- Herber, R. H. See Wertheim, G. K., 3=15425
- Herberg, R. J. Statistical aspects of liquid scintillation counting by internal standard technique, 3=22039
- Herberg, R. J. Statistical aspects of double isotope liquid scintillation counting by internal standard technique, 4=24947
- Herbert, D. N. See Coleman, R. F., 1=5943
- Herbert, H. See de la Perrelle, E. Y., 3=16789
- Herbert, J. D. See Medford, R. D., 0=19635
- Herbert, J. D. See Medford, R. D., 2=1450
- Herbert, D. N. See Perkin, J. L., 2=10148
- Herbert, J. D. See Wright, J. K., 1=18878
- Herbert, J. D. See Wright, J. K., 2=5350
- Herbert, P. M. See Hellawell, A., 3=1269
- Herbert, S., Rader, A. and Rader, C. P. Direct conformational assignment of the hydroxyl group, 4=9698
- Herbig, G. H. Spectral classification of faint members of the Hyades and Pleiades and the dating problem in galactic clusters, 2=15387
- Herbig, G. H. The diffuse interstellar bands. I. A possible identification of λ 4430, 3=9160
- Herbig, G. H. Some spectroscopic problems of the interstellar medium, 4=10873
- Herbig, G. H. Apparent lithium isotope ratios in F5-G8 dwarfs, 4=29380
- Herbison-Evans, D. and Richards, R. E. Quadrupole relaxation in nitrogen nuclear resonances, 4=20104
- Herbjørnsen, O. H. See Bratsberg, H. G., 3=20803
- Herbst, E. M., Schulze, D. and Wadewitz, H. Electron microscopic investigation of etch figures on electron zone-melted single crystals of tungsten, 3=20783
- Herbst, E. M., Schulze, D. and Wadewitz, H. Electron microscopic observations of etch figures of electron-beam zone-refined tungsten, 4=9967
- Herbst, L. J. and Grover, J. N. A test jig for measuring transistor current gain in the range 30-300 Mc/s, 2=17750
- Herbst, L. J. and Smith, J. R. W. Pulse-sampling voltmeter and its application to transistor testing, 1=9517
- Herbststein, F. H. Crystallographic data for potassium manganate K_2MnO_4 , 0=8220

- Herbstein, F.H. Reinterpretation of discordant X-ray results for the Debye temperature of silver, 1=17425
- Herbstein, F.H. Methods of measuring Debye temperatures and comparison of results for some cubic crystals, 2=3842
- Herbstein, F.H. Accurate determination of cell dimensions from single-crystal X-ray photographs, 3=13436
- Herbstein, F.H. and Smuts, J. Determination of Debye temperature of α -iron by X-ray diffraction, 3=17662
- Herbstein, F.H. See Fourie, J.T., 2=23907
- Herbstein, F.H. See Gafner, G., 0=1922
- Hercher, M. Relationship between the near field characteristics of a ruby laser and its optical quality, 2=22013
- Herczeg, P. A note on the general form of the pseudoscalar internucleon potential, 4=3315
- Herczog, A. Microcrystalline BaTiO₃ by crystallization from glass, 4=20725
- Herczynska, E. Surface tension of diluted Bi-U and Sn-Tl alloys, 0=19088
- Herczyńska, E. and Prószyńska, K. Adsorption isotherms of H⁺ and OH⁻ ions, 4=4674
- Herda, E. See Strunz, H., 2=8825
- Herdan, G. The statistical element in micrometrics, 3=6934
- Herdan, R. and Hughes, T.P. New values of the square of the radial integral associated with the dipole matrix elements for transitions in hydrogen-like atoms, 1=2276
- Herdan, R. and Hughes, T.P. (D-D) reaction product velocities in Sceptre III according to a two-group model, 1=9775
- Herdan, R. and Liley, B.S. Dynamical equations and transport relationships for a thermal plasma, 1=5450
- Hereford, F.L. See Booth, N.E., 0=17337
- Hereford, F.L. See Bucher, W.P., 0=455
- Hereford, F.L. See Bucher, W.P., 0=5564
- Hereford, F.L. See Moss, F.E., 3=21644
- Hereford, F.L. See Topp, S.V., 2=5526
- Herendeen, R. See Zeiger, H.J., 4=5191
- Héréguel, J. Production, transformation, and metallurgical properties of composite Mg/MgO materials, 3=15269
- Héréguel, J. See Lelong, P., 2=4515
- Héréguel, J. See Salesse, M., 3=15268
- Hereward, H.G. High-power r.f. separators, 2=20079
- Hereward, H.G. Current development of high-energy proton synchrotrons, 3=19389
- Herforth, L. and Frank, M. Thermoluminescent dosimetry with LiF for radiation therapy and radiation protection control, 3=17116
- Herforth, L. and Hilbig, H. Variation in the fluorescence of organic solutions after irradiation by ultraviolet light and β -rays, 1=18420
- Herforth, L. and Stolz, W. The effect of long wavelength ultraviolet light and β -rays on the fluorescence of anthracene in various solvents, 1=18419
- Herforth, L. See Frank, M., 2=1631
- Herforth, L. See Friedrich, K., 2=8556
- Herget, P. The elements and ephemeris of Comet Wirtanen 1948 b, 0=18726
- Herget, P. The orbit of comet Schwassmann-Wachmann 1, 1=11676
- Herget, P. On the variation of arbitrary vectorial constants, 2=6975
- Herget, W.F., Deeds, W.E., Gailar, N.M., Lovell, R.J. and Nielsen, A.H. Infrared spectrum of hydrogen fluoride: line positions and line shapes. II. Treatment of data and results, 2=20809
- Herget, W.F., Gailar, N.M., Lovell, R.J. and Nielsen, A.H. Rotational fine structure in the dimer spectrum of HF, 1=853
- Herget, W.F. See Eldreth, L.F., 4=20045
- Herget, W.F. See Herndon, J.A., 2=20808
- Herget, W.F. See Lovell, R.J., 3=2617
- Herglotz, H.K. Simple method of determining crystal perfection, 0=6346
- Herglotz, H.K. An X-ray method for the determination of faults in the structure of single crystals, 2=14426
- Herglotz, H.K. Semi-quantitative assessment of the perfection of silicon single crystals, 2=17004
- Herglotz, H.K. and Zinsmeister, G. Debye-Scherrer photographs with long-wavelength X-rays, 2=17005
- Heriart-Dubreuilh, L. See Brachet, C., 2=20140
- Herickhoff, R.J. See Arakawa, E.T., 4=17407
- Hericy, J.L. Etching reagents for micrography of dislocations in copper and the origin of structures showing slight hardening from thermal treatment, 3=8438
- Héricy, J.Le. See Le Héricy, J.
- Hérinckx, C. and Van Cakenberghe, J. Mechano-electric effect in bismuth telluride, 3=2901
- Hérinckx, C. See Hatwell, H., 4=13489
- Hérinckx, C.H. and Monfils, A. Electrical determination of the thermal parameters of semiconducting thermo-elements, 0=12574
- Heritage, J.L., Fay, W.J. and Bowen, E.D. Evidence that meteor trails produce a field-aligned scatter signal at v.h.f., 2=11803
- Heritage, J.L., Weisbrod, S. and Fay, W.J. Evidence for a 200-megacycles per second ionospheric forward scatter mode associated with the earth's magnetic field, 0=10413
- Heritage, R.J., Young, A.S. and Bott, L.B. Composition studies of evaporated nickel-iron layers, 3=18377
- Héritier, C.A. See Houriet, A., 3=2254
- Herlach, F. Nuclear quadrupole resonances, phase changes and ferroelectricity of alkali iodates, 1=14833
- Herlach, F. See Kesselring, P., 1=10797
- Herling, G.H. See Nishida, Y., 2=1855
- Herlitz, S.I. A method for computing the emission distribution in cylindrical light sources, 3=11903
- Herlitz, S.I. See Brouillard, F., 4=18964
- Herlofson, N. Diffusion of particles in the earth's radiation belts, 1=1571
- Herlofson, N. Particle diffusion in the radiation belts, 2=15269
- Herlofson, N. See Elvius, A., 0=6615
- Herm, R.R. See Wilson, K.R., 4=28288
- Herman, B.M. Note concerning the mie scattering of unpolarized incident radiation, 1=18617
- Herman, B.M. Infra-red absorption, scattering, and total attenuation cross-sections for water spheres, 2=11502
- Herman, B.M. and Battan, L.J. Calculations of Mie back-scattering from melting ice spheres, 1=19032
- Herman, B.M. and Battan, L.J. Calculations of Mie back-scattering of microwaves from ice spheres, 2=2478
- Herman, B.M. and Battan, L.J. Calculations of the total attenuation and angular scatter of ice spheres, 4=14896
- Herman, B.M. See Battan, L.J., 2=1603
- Herman, B.M. See Battan, L.J., 3=9041
- Herman, F., Kuglin, C.D., Cuff, K.F. and Kortum, R.L. Relativistic corrections to the band structure of tetrahedrally bonded semiconductors, 4=9899
- Herman, F., Glicksman, M. and Parmenter, R.H. Semiconductor alloys, 0=20891
- Herman, F. and Skillman, S. Theoretical investigation of the energy band structure of semiconductors, 2=23265
- Herman, F. See Braunstein, R., 2=2153
- Herman, F. See Hanson, H.P., 4=26627
- Herman, F. See Peterlin, A., 0=12965
- Herman, F. See Ribarič, M., 0=12967
- Herman, F. See Williams, R.C., 2=23130
- Herman, G. and Minne, R. Improvement of the thermal and dielectric properties of amorphous electrical insulating materials by incorporation of a quantity of crystalline substances, 3=8544
- Herman, H. The effects of irradiation on the formation of Guinier-Preston zones, 4=23248
- Herman, H. and Cohen, J.B. Resistivity changes due to formation of G.P. zones (clusters rich in solute), 1=20800
- Herman, H., Cohen, J.B. and Fine, M.E. Formation and reversion of Guinier-Preston zones in Al-5.3 at.% Zn, 3=8881
- Herman, J.A. See Szymanski, A., 3=16664
- Herman, J.A. See Szymanski, A., 3=21448
- Herman, J.R. Solar-flare effects on 2.5 and 5.0 Mc/s atmospheric radio noise, 2=4605
- Herman, J.R. Reliability of atmospheric radio noise predictions, 2=6918
- Herman, J.R. Polar-cap and auroral-zone absorption effects on 2.5- and 5.0- megacycles per second atmospheric radio noise, 2=21645
- Herman, J.R. See Hill, G.E., 3=11433
- Herman, J.R. On the electrical properties of blowing snow, 4=30934
- Herman, L. Emission spectrum of the aurora at College, Alaska, 1=15311
- Herman, L. Spectrographic study of aurora polaris during I.G.Y. at College, Alaska, 1=15312
- Herman, L., Akriche, J. and Grenat, H. Continuous absorption and phosphorescence spectra associated with the dissociation of SO₂ and the recombination of SO and O, 2=20878
- Herman, L. and Felenbok, P. The effect of collisions on the predissociation of S₂, 4=3922

- Herman, L., Felenbok, P. and Herman, R. Emission spectra of the radicals OH and OD, 1=14014
- Herman, L., Felenbok, P. and Herman, R. Method of formation of molecular ions of nitrogen in the presence of helium, 3=10514
- Herman, L., Ferguson, H.I.S. and Nicholls, R.W. Excitation of the first negative system of O_2^+ by a proton beam in air and oxygen, 1=9927
- Herman, L. and Herman, R. New afterglow emission associated with metastable nitrogen atoms, 1=13939
- Herman, L. and Herman, R. Rotational structure of the 4925 Å band system of the XeN molecule, 2=6168
- Herman, L. and Herman, R. Stark effect broadening of the krypton lines and emission of the Kr_2^+ molecule, 3=4751
- Herman, L. and Herman, R. Perturbations in the S_2 spectrum, 3=12831
- Herman, L. and Herman, R. Visible spectrum of XeN, 3=15341
- Herman, L. and Herman, R. Predissociation and perturbation in the selenium molecule, 4=3923
- Herman, L., Herman, R. and Akriche, J. Absorption and afterglow of CS_2 , 3=11839
- Herman, L., Herman, R. and Rakotoarijimy, D. Radiofrequency discharge through oxygen, 1=14037
- Herman, L. and Rakotoarijimy, D. Selective excitation of molecular emissions by metastable atoms of rare gases, 1=14011
- Herman, L., Séguier, J. and Herman, R. The emission process in the phosphorescence of argon, 0=13412
- Herman, L. See Abadie, D., 4=12469
- Herman, L. See Bayle, A., 3=7341
- Herman, L. See Fabre, E., 3=1948
- Herman, L. See Fabre, E., 4=9635
- Herman, L. See Grenat, H., 1=849
- Herman, L. See Grenat, H., 2=6149
- Herman, L. See Herman, R., 4=28120
- Herman, L. See Nguyen-Hoe, 4=25481
- Herman, M. Experimental study of the asymptotic luminance system in a diffusing and absorbing medium, 4=18431
- Herman, M. See Damiano, V. V., 4=6852
- Herman, R., Clark, B. C. and Ravenhall, D. G. Scattering of electrons and positrons by cobalt and bismuth: calculations, 4=1068
- Herman, R. and Duval, M. Line contours in B- and Be-stars, 2=4812
- Herman, R. and Herman, L. Perturbation of atoms by satellite collision bands of CsXe, 4=28120
- Herman, R. and Margenau, H. Frequency shifts in hyperfine splitting of alkalis: a correction, 1=8811
- Herman, R. and Rubin, R. J. Determination of the dipole moment function from infrared band intensities of diatomic molecules, 0=11543
- Herman, R. See Abadie, D., 4=6655
- Herman, R. See Benedict, W.S., 2=3727
- Herman, R. See Benedict, W.S., 4=3852
- Herman, R. See de Vries, C., 2=13805
- Herman, R. See de Vries, C., 2=22523
- Herman, R. See de Vries, C., 4=19487
- Herman, R. See Gazis, D.C., 0=13907
- Herman, R. See Gazis, D.C., 1=4400
- Herman, R. See Grenat, H., 1=849
- Herman, R. See Herman, L., 0=13412
- Herman, R. See Herman, L., 1=13939
- Herman, R. See Herman, L., 1=14014
- Herman, R. See Herman, L., 1=14037
- Herman, R. See Herman, L., 2=6168
- Herman, R. See Herman, L., 3=4751
- Herman, R. See Herman, L., 3=10514
- Herman, R. See Herman, L., 3=11839
- Herman, R. See Herman, L., 3=12831
- Herman, R. See Herman, L., 3=15341
- Herman, R. See Herman, L., 4=3923
- Herman, R. See Hofstadter, R., 1=7233
- Herman, R. See Hofstadter, R., 1=7234
- Herman, R. See Maradudin, A.A., 1=2368
- Herman, R. See Wallis, R.F., 0=5543
- Herman, R. M. Impact theory of the noble-gas-broadened HCl vibration-rotation lines, 4=1265
- Herman, R. M. Impact theory of the noble-gas-broadened HCl vibration-rotation lines, 4=9709
- Herman, V.L. The scattering of electromagnetic waves in the ionosphere and troposphere on inhomogeneities caused by turbulent pulsations, 1=12021
- Herman, V.L. The scattering of electromagnetic waves on inhomogeneities due to turbulent pulsations under non-stationary turbulent conditions, 1=12022
- Herman, V.L. The phase structure of the field and velocity of medium range radiowave distribution over the sea surface during turbulence, 1=13183
- Herman, V.L. The possibility of applying the nonlinear effect of radiowave "saturation" for absolute capacity measurements in the microwave range, 1=19021
- Herman, V.L. Possibility of applying the nonlinear effect of microwave saturation with magnetic resonance to absolute capacity measurements, 1=19022
- Herman, V.L. See Usikov, O.Ya., 2=9713
- Herman, Z. See Cermák, V., 2=161
- Hermann, A. See Suhrmann, R., 4=2133
- Hermann, K.O. and Scheer, J.A. Measurement of the photoproton spectrum from C^{12} with a semiconductor detector, 3=663
- Hermann, P. See Neumann, K., 3=25291
- Hermann, P.K. The dynamic behaviour of Bloch walls in grain-oriented sheets, 1=9026
- Hermann, W. See Reimer, L., 2=23946
- Hermans, J.Jr. The viscosity of concentrated solutions of rigid rodlike molecules. (Poly- γ -benzyl-L-glutamate in m-cresol), 3=135
- Hermans, J.J. Information regarding both molecular-weight distribution and density distribution in a polymer subjected to density-gradient centrifugation, 3=8323
- Hermans, J.J. Some relations between the sedimentation equilibrium of a polymer mixture and the distribution with respect to molecular weight and composition, 3=23554
- Hermans, L. J. F. See Brouwer, J. P., 4=24178
- Hermans, M.E.A., Kaishoven, J., Kuypers, J., Markesteyn, T., van der Plas, T., Slooten, H.S.G. and Sowden, R.G. Chemical aspects of an aqueous homogeneous suspension reactor, 3=2538
- Hermans, P. H. X-ray determination of crystallinity in high polymers, 4=7681
- Hermansdorfer, H. Investigation of the electron density in the linear pinch with 8.7 mm waves, 1=1904
- Hermansdorfer, H. and Hofmann, G. Double probe measurements using a microwave transmitter-receiver, 4=16489
- Herminijard, J. See Bonanomi, J., 2=7172
- Hermoch, V. A contribution to the study of electrode spaces of high-current short-duration electric discharges, 0=2337
- Hermoch, V. The channel of a short-time high-intensity electric discharge, 0=2338
- Hermoch, V. The vapour jets of electrode material of a short-time high-current electric discharge, 0=2339
- Hermoch, V. Processes in the electrode spaces of short-time high-intensity electric discharges, 0=3745
- Hermoch, V. On the formation of the anode space of a short-time high-intensity electric discharge, 3=19197
- Hermoch, V. The anode space of short-time high-intensity electric discharges, 3=19198
- Hermoch, V. and Teichmann, J. Plasma jets in magnetic fields, 4=19072
- Hermoch, V. See Grakov, V., 3=21721
- Herms, G. See Becherer, G., 2=8870
- Herms, W. Nuclear induction studies on flowing samples, 1=18431
- Hermesen, R.W. and Prausnitz, J.M. Entropies of vaporization of hydrocarbons and the Hildebrand rule, 1=8264
- Hermstein, W. The development of the positive pre-discharges in air leading to breakdown, 1=2957
- Hernández, J. and Sistiaga, J.M. The tensile properties of niobium, commercially pure at low temperatures, 2=10767
- Hernández, J. See Sistiaga, J.M., 1=6530
- Hernández, J. See Sistiaga, J.M., 2=10907
- Hernández, J. See Smallman, R.E., 3=20755
- Hernandez, G.J. Vacuum ultraviolet absorption spectrum of dimethyl ether, 3=12851
- Hernandez, G.J. Vacuum-ultraviolet absorption spectra of the cyclic ethers: trimethylene oxide, tetrahydrofuran, and tetrahydropyran, 3=15365
- Hernandez, G.J. Vacuum ultraviolet absorption spectrum of diethyl ether, 4=3891
- Hernandez, G.J. and Duncan, A.B.F. Vacuum ultraviolet absorption spectra of 1, 4-dioxane and 1, 3-dioxane, 2=8104
- Hernandez, G.J. and Silverman, S.M. A re-examination of Lord Rayleigh's data on the airglow 5577 (OI) emission, 4=17923
- Hernandez, H.P., Peterson, J.M., Smith, B.H. and Taylor, C.J. The Livermore variable-energy 90-inch cyclotron, 1=18956
- Hernandez, H.P. See Lucas, L.R., 1=410

- Hernandez, H. P. See Wolgast, R. C., 4=11484
- Hernandez, W. C., Jr and Kahn, A. H. A note on the galvanomagnetic and thermoelectric coefficients of tetragonal crystalline materials, 3=25317
- Herndon, J. A., Deeds, W. E., Gailar, N. M., Herget, W. F., Lovell, R. J. and Nielsen, A. H. Infrared spectrum of hydrogen fluoride line positions and line shapes. I. Experimental details, 2=20808
- Herndon, J. R. See Hopkins, T. E., 2=17060
- Herndon, R. C., Schmid, E. W. and Tang, Y. C. Variational calculations on the binding energy of the alpha particle. II. velocity-dependent potentials, 3=12559
- Herndon, R. C., Tang, Y. C. and Schmid, E. W. An analysis of the hypertriton, 4=27912
- Herndon, R. C. See Schmid, E. W., 3=12520
- Herndon, R. C. See Schmid, E. W., 3=12558
- Herndon, R. C. See Tang, Y. C., 2=16290
- Herndon, R. C. See Tang, Y. C., 4=18071
- Herndon, R. C. See Tang, Y. C., 4=25271
- Hernqvist, K. G. High-voltage electron extraction from an arc-discharge plasma, 0=15073
- Hernqvist, K. G. Thermionic converters, 0=264
- Hernqvist, K. G. Energy conversion techniques, 2=15880
- Hernqvist, K. G. See Eichenbaum, A. L., 1=3007
- Herold, H. and Decker, G. Soft X-ray emission from a magnetically compressed plasma, 4=18868
- Herold, H. See Fünfer, E., 0=1140
- Herold, H. See Fünfer, E., 3=12178
- Heroux, L. A spectroscopic method of measuring electron temperatures in plasmas, 4=2986
- Heroux, L. A spectroscopic determination of electron temperature in a high temperature plasma, 4=8722
- Heroux, L. and Hinteregger, H. E. Resistance strip magnetic photomultiplier for the extreme ultraviolet, 0=7144
- Heroux, L. and Hinteregger, H. E. Photoelectron energy distribution measurements for 10 to 50 eV photons with a planar analyzer and electron multiplier, 3=14631
- Heroux, L. See Newburgh, R. G., 3=14355
- Herpin, A. Neutron propagation in perfect crystals of finite sizes, 0=3203
- Herpin, A. Weak ferromagnetism in the molecular field approximation, 2=733
- Herpin, A. New magnetic structures, 3=3075
- Herpin, A. Radiation effects on graphite, 4=1466
- Herpin, A., Koehler, W. C. and Mériel, P. Magnetic structure of the Holmium garnet at low temperature [4.2°K], 1=2482
- Herpin, A. and Mériel, P. Magnetic behaviour of a spiral antiferromagnetic, 0=8063
- Herpin, A. and Mériel, P. Helicoidal antiferromagnetism of MnAu_2 studied by neutron diffraction, 1=14763
- Herpin, A., Mériel, P. and Villain, J. Magnetic structure of the alloy MnAu_2 , 0=1818
- Herpin, A., Mériel, P. and Villain, J. Helical antiferromagnetism, 1=12546
- Herpin, A. and Saint James, D. The [neutron] diffusion length of a crystalline powder and the distortion of the Maxwell spectrum, 1=13431
- Herpin, P. and Mériel, P. Location of hydrogen and refinement of atomic positions in KHCO_3 , 4=29132
- Herr, W. and Heine, K. Nuclear recoil in the crystalline hexachlor-complex of tetravalent Ir, 0=12109
- Herr, W., Hoffmeister, W., Hirt, B., Geiss, J. and Houtermans, F. G. Attempt to date iron meteorites by the rhenium-osmium method, 2=4758
- Herr, W., Hoffmeister, W. and Langhoff, J. The determination of rhenium and osmium in iron meteorites by neutron irradiation, 0=12273
- Herr, W. and Schmidt, G. B. Breaking of chemical binding in bromo-complexes of the noble metals as a result of the isomeric change in the Br^{80} nucleus, 2=17101
- Herr, W. See Feitknecht, J., 2=24106
- Herr, W. See Hirt, B., 2=20541
- Herr, W. See Schmidt, G., 2=852
- Herr, W. See Schmidt, G. B., 3=23553
- Herr, W. See Schmidt, G. B., 4=12822
- Herraez, M. A. See Coulson, C. A., 3=22753
- Herranz, J. The rotational structure of the fundamental infrared bands of methane-type molecules, 1=8835
- Herranz, J. Intensity of the ν_2 infrared band of methane, 2=1995
- Herranz, J. and Stoicheff, B. P. High-resolution Raman spectroscopy of gases. XVI. The ν_3 Raman band of methane, 3=22586
- Herranz, J. See Fernández Biarge, J., 2=6155
- Herranz, J. See Morcillo, J., 1=872
- Herre, F. and Reichert, G. Absolute determination of the crystallinity of plastics by X-rays, 3=18290
- Herr, W., Heine, K. and Schmidt, G. B. Thermal annealing of nuclear recoil defects in neutron-irradiated, crystalline Ir(V) and Os(IV) hexagonal complexes, 2=21006
- Herre, W. See Czekalla, J., 0=662
- Herre, W. See Czekalla, J., 0=3262
- Herreman, H. M. and Loeb, L. B. A photomultiplier and electronic study of Geiger counter pulses in air, 4=3237
- Herren, C. L. and Ham, J. S. Thermal diffusion coefficient of polystyrene in toluene, 1=15854
- Herrendörfer, G. and Eder, F. X. A new apparatus for the examination of the creep of metals with special reference to spontaneous extension, 1=9077
- Herrera, I. On a method to obtain a Green's function for a multi-layered half space, 4=27247
- Herrera, J. C. and Roman, P. The angular distribution of Delbrück scattering, 4=30147
- Herrey, E. M. J. Weight and weightlessness of elastic solids, 3=16440
- Herrick, C. E. On the computation of nearly parabolic two-body orbits, 0=18596
- Herrick, C. S. and Tevebaugh, A. D. Oxygen-controlled conduction in thin films of cuprous iodide: a mixed valency anion semiconductor, 3=13071
- Herrick, R. Liquid metal heat transfer by forced convection. A literature survey, 4=11390
- Herrinck, P. Prediction of sunspot numbers until the end of present cycle, 0=839
- Herrinck, P. Tides in the F2 ionospheric layer, 0=4797
- Herrinck, P. Study of the evolution of the ionospheric F₂ layer at Leopoldville-Binza, 1=1540
- Herrinck, P. and Goris, J. World-maps of critical frequencies of the F₂ layer for the solstice and equinox months of the years 1954 and 1957, 1=15281
- Herring, C. Spin exchange in superconductors, 0=8964
- Herring, C. The state of d electrons in transition metals, 0=9874
- Herring, C. Effect of random inhomogeneities on electrical and galvanomagnetic measurements, 0=17982
- Herring, C. The current state of transport theory, 2=23270
- Herring, C. Critique of the Heitler-London method of calculating spin couplings at large distances, 3=6385
- Herring, C. and Flicker, M. Asymptotic exchange coupling of two hydrogen atoms, 4=19990
- Herring, D. F. See Seiler, R. F., 3=22414
- Herring, J. R. and Merzbacher, E. Statistical problems in energy loss and ionization processes, 0=14959
- Herring, J. and Kyle, L. Density in a planetary exosphere, 1=18038
- Herring, J. See Arking, A., 4=10819
- Herring, J. R. Investigation of problems in thermal convection, 3=24085
- Herring, J. R. Investigation of problems in thermal convection: rigid boundaries, 4=21338
- Herring, R. N. See Hiza, M. J., 4=11424
- Herrington, K. See Grotjohann, A. G., 4=23545
- Herrington, T. M. and Staveley, L. A. K. A comparative study of the electrical conductivity of solid ammonium chloride and other ammonium salts, 4=30603
- Herriott, D., Kogelnik, H. and Kompfner, R. Off-axis paths in spherical mirror interferometers, 4=18415
- Herriott, D. R. Multiple-wavelength, multiple-beam interferometric observation of flat surfaces, 1=12980
- Herriott, D. R. Optical properties of a continuous helium-neon optical maser, 2=1263
- Herriott, D. R. Optical properties of a continuous helium-neon optical maser, 3=7317
- Herriott, D. R. A continuous helium-neon optical maser, 3=17078
- Herriott, D. R. Spherical-mirror oscillating interferometer, 4=768
- Herriott, D. R. See Javan, A., 1=7440
- Herriott, D. R. See Rigrod, W. W., 2=7346
- Herriott, D. R. See Rigrod, W. W., 3=7318
- Herriott, D. R. See Rosenberg, R., 4=29775
- Herriander, C. J. Coincidence studies on the decays of Bi^{208} and Bi^{209} , 2=1797
- Herriander, C. J. and Slätis, H. A beta-beta coincidence spectrometer of the intermediate image focusing type, 2=1678
- Herriander, C. J., Stockendal, R. and Gupta, R. K. The decay of Tl^{201} , 1=658
- Herriander, C. J. See Bergström, I., 2=3482

- Herrlander, C.J. See Wirhed, B., 3=6210
- Herrman, W., Hartmann, G. and Freyer, K. A luminescence method for depicting the extent of β -active substance in a surface, 3=6189
- Herrmann, D. and Weiss, C. F. Fields of application of the calibration methods for β -dose detectors, 4=12166
- Herrmann, D. See Burkhardt, W., 1=19068
- Herrmann, G. On a complementary energy principle in linear thermoelasticity, 1=14863
- Herrmann, G. On variational principles in thermoelasticity and heat conduction, 4=109
- Herrmann, G. On second-order thermoelastic effects, 4=26462
- Herrmann, G. and Habel, K. Absolute calibration of a counter arrangement for Sr^{90} , Y^{90} , and Ba-La^{140} , by Sr-Y^{90} standards, 0=4043
- Herrmann, G., Hauser, H. and Riedel, H.J. Critical discussion of methods for the estimation of radioactive contamination based on measurements of the total activity, 0=5679
- Herrmann, G. See Feidler, J., 3=24994
- Herrmann, G. See Rodenbusch, H., 1=19382
- Herrmann, G. See Tasi, J., 4=8286
- Herrmann, G.F. Resonance and high frequency susceptibility in canted antiferromagnetic substances, 3=15914
- Herrmann, G. F. Magnetic resonances and susceptibility in orthoferrites, 4=13260
- Herrmann, G.F. Orientation dependence of resonance second harmonic, and spin waves in anisotropic ferromagnetic crystals, 4=17672
- Herrmann, G. F. See White, R. L., 4=30733
- Herrmann, K.H. A Hall measuring arrangement for routine measurements, 2=15864
- Herrmann, K. Determination of the screw-direction of tellurium single crystals from chemical etches, 1=20413
- Herrmann, K., Müller, P. and Teltow, J. Reaction and defect electron conduction of chalcogenide-doped silver bromide and silver chloride, 3=6912
- Herrmann, K. H. and Schönborn, W. A "lock-in" circuit employing semiconducting devices, 4=27447
- Herrmann, L. R. A three-dimensional elasticity solution for continuous beams, 4=29574
- Herrmann, R. Investigation of atomizers for emission and absorption flame photometry, 1=18600
- Herrmann, R. and Lang, W. Study of atomizing chambers for emission and absorption flame photometry, 2=11003
- Herrmann, R. See Lang, W., 2=21601
- Herrmann, R. See Lang, W., 3=21548
- Herrmann, R. See Lang, W., 3=21549
- Herrmann, R. See Lang, W., 4=24371
- Herrmann, W. See Lungergan, C.D., 3=17667
- Herrmann, R. See Püschel, R., 4=29242
- Herrmann, R. See Rode, V. E., 4=20545
- Herrmann, W. See Barker, L.M., 4=15700
- Herrmann, W. See Hartmann, G., 4=14417
- Herrmannsfeldt, W. B. and Salsburg, B. L. Demagnetization of magnetic shield in the presence of the Earth's field, 4=24769
- Herrmannsfeldt, W.B. See Allen, J.S., 0=1385
- Herron, J.T. Rate of reaction of nitrogen atoms with ethylene, 1=1471
- Herron, J.T. Rate of the reaction $\text{NO} + \text{N}$, 2=2443
- Herron, J.T. and Dibeler, V.H. Studies of the evaporation of condensates containing nitrogen atoms, 0=3291
- Herron, J.T. and Dibeler, V.H. Ionization potential of fluorine, 0=16973
- Herron, J.T. and Dibeler, V.H. Mass spectrum and appearance potentials of tetrafluorohydrazine, 1=273
- Herron, J.T. and Dibeler, V.H. Mass spectrometric study of the thermal dissociation of N_2F_4 , 1=17361
- Herron, J. T. and Klein, F. S. Mass spectrometric study of the isotopic exchange rate of oxygen atoms with O_2 , NO and NO_2 , 4=23645
- Herron, J. T. See Klein, F. S., 4=29215
- Herrwerth, F. See Barz, A., 4=18292
- Hersh, C.K., Platz, G.M. and Swehla, R.J. Dielectric constant of liquid ozone and liquid ozone-oxygen mixtures, 0=14655
- Hersh, H. Color centers on KI:Tl X-rayed at low temperatures, 0=1596
- Hersh, H.N. and Markham, J.J. Effects of plastic deformation at 300°K on the X-ray production of color centres on KCl at 5 and 78°K, 0=6050
- Hersh, H.N. See Markham, J.J., 0=16065
- Hersch, J. The fundamental frequency of a vibrating membrane: evaluations by default and the maximum principle, 1=18504
- Hersch, J. On the methods of one-dimensional auxiliary problems and of domain partitioning: their application to lower bounds for the eigenvalues of Schrödinger equation, 4=24072
- Herschafft, A. and Corbett, J.D. Crystal structure of bismuth monochloride, 2=8826
- Herschbach, D.R. Analysis of reactive scattering in crossed molecular beams, 1=6064
- Herschbach, D.R., Johnston, H.S. and Rapp, D. Molecular partition functions in terms of local properties, 0=4184
- Herschbach, D. R. and Kwei, G. H. Elastic scattering of chemically reactive molecules, 4=25772
- Herschbach, D.R., Kwei, G.H. and Norris, J.A. Reactive scattering in crossed molecular beams. K atoms with CH_3I and $\text{C}_2\text{H}_5\text{I}$, 1=12336
- Herschbach, D.R. and Laurie, V.W. Anharmonic potential constants and their dependence upon bond length, 1=12273
- Herschbach, D.R. and Laurie, V.W. Influence of vibrations on molecular structure determinations. I. General formulation of vibration-rotation interactions, 3=2596
- Herschbach, D. R. and Laurie, V.W. Influence of vibrations on molecular structure determinations. III. Inertial defects, 4=22338
- Herschbach, D. R. See Cashion, J. K., 4=20129
- Herschbach, D.R. See Datz, S., 1=19680
- Herschbach, D.R. See Kwei, G.H., 0=9808
- Herschbach, D.R. See Laurie, V.W., 3=2597
- Herschbach, D. R. See Wilson, K. R., 4=2288
- Herschbach, K. Isothermal annealing of deuterium-irradiated Al and Au below 60°K, 3=13021
- Herschbach, K. See Dworschak, F., 4=8488
- Herschbach, K. See Dworschak, F., 4=10011
- Herscovitz, V.E. See Maris, T.A.J., 4=16795
- Herscovitz, V. E. See Maris, T. A. J., 4=30146
- Herse, M. See Authier, B., 4=2289
- Herse, M. See Boubil, Y., 2=11044
- Hersh, H.N. and Hadley, W.B. Phosphorescence in alkali halides containing lattice defects, 3=18054
- Hersh, H.N. See Konitzer, J., 2=6399
- Hersh, L.S. See Kleppa, O.J., 1=4333
- Hersh, L.S. See Kleppa, O.J., 1=12869
- Hersh, L.S. See Kleppa, O.J., 2=2710
- Hersh, L. S. See McCarty, F. G., 4=29622
- Hersh, S.H. Multichannel, multicolour oscilloscope, 2=17740
- Hershberger, W.D. Absorption and reflection spectrum of a plasma, 0=5409
- Hershberger, W.D. Radiation field and Q of a resonant cylindrical plasma column, 1=10698
- Hershberger, W.D. and Petroff, I. Magnetic effects in a plasma column irradiated with microwaves, 2=3035
- Hershberger, W.D. See Battocletti, J.H., 2=17803
- Hershenvov, B. See Caulton, M., 2=7662
- Hershenson, H. and Benson, S.W. Decomposition of the t-butoxy radical; evidence for pressure dependence, 3=3385
- Hershey, D. and Prados, J.W. Thermal diffusion. A non-rigorous set of equations for predicting separations in gases and liquids, 3=23872
- Hersil, J., Escobar, I., Clark, G., Olbert, S., Moore, C. and Scott, D. Extensive air showers at 4200m, 3=4507
- Hersil, J., Escobar, I., Scott, D., Clark, G. and Olbert, S. Observations of extensive air showers near the maximum of their longitudinal development, 1=3368
- Herskind, B. and Fossan, D.B. Half-lives of two excited states in Yb^{173} , 3=8009
- Herskind, B. See Fossan, D.B., 2=20527
- Herskind, B. See Fossan, D.B., 3=8003
- Herskind, B. See Yoshizawa, Y., 4=22040
- Herskovitz, S.B. See Taylor, R.L., 2=5497
- Hersping, A. The determination of the mean time constants of dielectric relaxation, 4=29854
- Hersping, A. See Blank, K., 1=1120
- Herszberg, B. See Kellersohn, C., 2=20564
- Hertel, G. R. and Koski, W. S. Cross-sections for the single charge transfer of doubly-charged rare-gas ions in their own gases, 4=24596
- Hertel, G.R. See Weiner, E.R., 4=8627
- Hertel, J. See Gobrecht, H., 4=13055
- Hertel, R. H. See Swanson, D. G., 4=11659
- Hertelendy, P. and Reynard, P. "Thumbtack" accelerometer for the 1.5-150 kc range, 4=29507
- Hertlein, F. Effective cross-section for the production of positron emitters by fast neutrons, 4=1086
- Hertsriken, S.D. Processing experimental data on self-diffusion in metals and alloys, 2=6361

- Hertsriken, S.D., Dekhtyar, I. Ya., Mikhalekov, V.S. and Madatova, E.G. Study of the state of atoms in solid iron-aluminium solutions by the electrical transport method, 1=20625
- Hertsriken, S.D., Dekhtyar, I. Ya., Mikhalekov, V.S. and Fal'chenko, V.M. Study of electrical transfer in steels by the method of inert tags, 2=6413
- Hertsriken, S.D., Lar'kov, L.N. and Nov'kov, M.M. Volume changes during a low-temperature phase transformation in nichrome, 3=20885
- Hertsriken, S.D., Larikov, L.N. and Slyusar, B.F. Determination of the latent energy of deformation in copper, copper-zinc alloys and Armco iron by the calorimetric method, 2=8733
- Hertsriken, S.D., Nov'kov, M.M. and Horid'ko, M. Ya. Determination of the density of dislocations formed during deformation of Armco iron and magnesium, 2=6344
- Hertsriken, S.D. and Nov'kov, M.M. Some physical characteristics of defects in deformed metals, 1=14247
- Hertsriken, S.D. and Nov'kov, M.M. Studying the thermal electromotive force of deformed metals, 1=14254
- Hertsriken, S.D. and Nov'kov, M.M. Using the thermo-e.m.f. method to study vacancies fixed by quenching, 1=14255
- Hertsriken, S.D., Nov'kov, M.M. and Kopan', V.S. Distribution of crystal lattice defects along the diameter of a specimen under various types of deformation, 1=14248
- Hertsriken, S.D., Nov'kov, M.M. and Kopan', V.S. The nature of the thermal e.m.f. arising as a result of metal deformation, 1=14525
- Hertsriken, S.D. and Nov'kov, N.N. Density of dislocations, due to deformation, in Ni, Ag and Al, 1=11206
- Hertsriken, S.D. and Nov'kov, N.N. The determination of the dislocation density in strained metals from microhardness measurements, 1=11209
- Hertsriken, S.D. and Nov'kov, N.N. Determination of the density of dislocations arising during the deformation in nickel, silver, aluminium and certain silver alloys, 1=12386
- Hertsriken, S.D. and Pryan'shnykov, M.P. Effect of hydrostatic pressure on self-diffusion of iron in iron alloys with small additions of aluminium, 1=11226
- Hertsriken, S.D. and Revo, A.L. Determination of the parameters of volume and boundary diffusion of Ag in Al, 1=14299
- Hertsriken, S.D. and Revo, A.L. Determination of the diffusion parameters of zinc in aluminium using the labelled atom method, 2=6380
- Hertsriken, S.D. and Revo, A.L. Investigation of the effect of small admixtures of lead and antimony on the parameters of the bulk and boundary diffusion of these admixtures into copper, 2=12451
- Hertsriken, S.D. and Slyusar, B.P. Determination of the formation energy of thermal vacancies in binary alloys, 1=11191
- Hertsriken, S.D. and Slyusar, B.F. Thermal vacancies in metals and alloys, 1=11192
- Hertsriken, S.D. and Slyusar, B.P. Determination of allotropic transformation heat in titanium, zirconium and the alloy Ti-6.5%Cr, 2=21548
- Hertweck, F. See Roberts, K. V., 4=2993
- Hertweck-Crone, I. See Deeg, E., 0=14864
- Hertz, H.G. The distance of approach of ions in water solution from the nuclear magnetic resonance line widths, 1=18398
- Hertz, H.G. Exchange rate of ions containing bromine and iodine in water solution from the nuclear magnetic resonance line widths, 1=18399
- Hertz, J.H. Improvement of selenium foil polarizers by exploitation of an interference effect, 0=10787
- Hertz, J.H. A simple helical tape microbalance for measurements in high vacua, 3=21284
- Hertz, W. Optical observations of instabilities in a linear pinch during the first contraction phase, 3=5676
- Hertzberg, M. Ion-neutral reactions, 1=20989
- Hertzberg, M., Rapp, D., Ortenburger, I.B. and Briglia, D.D. Ion-neutral reactions in the helium-hydrogen system, 1=8513
- Hertzberg, M. See Ortenburger, I.B., 0=14969
- Hervé, J. The form of paramagnetic resonance lines and the direct measurement of the moments, 0=12671
- Hervé, J. Ferromagnetic domain characterisations from nuclear resonance data, 3=8672
- Hervé, J. Influence of an external magnetic field on the nuclear resonance of ferromagnetic materials, 3=23257
- Herve, J. Measurement of electronic spin-lattice relaxation times by rapid modulation of the saturation factor, 4=24862
- Hervé, J. and Aubrun, J.N. A theoretical study of the influence of an external magnetic field on the nuclear resonance of powdered metallic cobalt, 2=12831
- Hervé, J. and Aubrun, J.N. Effect of an external magnetic field on the nuclear resonance of powdered metallic cobalt, 3=3193
- Hervé, J. and Pescia, J. Measurement of the relaxation time T_1 by modulation of the radiofrequency field and detection of the variation of magnetization along the external field direction, 1=3071
- Hervé, J. and Pescia, J. The effect of the carbonization temperature on the spin-lattice relaxation time of coals in the presence of oxygen, 4=1870
- Hervé, J., Reimann, R. and Spence, R.D. Proton magnetic resonance in DPPH at low temperature, 1=14829
- Hervé, J. and Sauzade, M. A study of the variation of magnetic moment of a single crystal of yttrium garnet by ferrimagnetic resonance at 9350 Mc/s, 0=6253
- Hervé, J. and Sauzade, M. Study of a single crystal of yttrium garnet in a ferrimagnetic resonance experiment at high power, 1=12554
- Hervé, J. and Veillet, P. Nuclear magnetic resonance of Tb^{159} in powdered metallic terbium in the ferro-magnetic state, 1=7803
- Hervé, J. See Aubrun, J.N., 2=18959
- Hervé, J. See Tchao You-Hing, 0=4534
- Herve, P. and Pescia, J. Phenomenological theory of the measurement of the relaxation time t_1 using an amplitude modulated radiofrequency field. Experimental verification for diphenylpicrylhydrazyl, 3=9962
- Hertz, H.G. See Fister, F., 4=16128
- Hertz, J. H., Lenz, K. and Rieker, R. The right-angle prism as an optical resonator, 4=19267
- Hertz, W., Koller, A., Michel, A. and Schindler, H. An electrodeless three-coil plasma gun, 4=11682
- Hertzberg, M. Coherent generation of light in gas-phase chemical reactions, 4=19282
- Hervé, J. See Pescia, J., 4=747
- Hervé, J. See Pescia, J., 4=1869
- Herwald, S.W. and Angello, S.J. Integration of circuit functions into solids, 1=1099
- Herz, A.J., Ogilvie, K.W., Olley, J. and White, R.B. Radio observations with satellite 1958 δ over Australia, 0=854
- Herz, A.J., Ogilvie, K.W., Olley, J. and White, R.B. Radiation observations with satellite 1958 over Australia, 1=3307
- Herz, A.J. See Baldassarre, F., 1=16862
- Herz, A.J. See Baldassarre, F., 2=22562
- Herz, A.J. See Bellini, G., 2=22573
- Herz, A.J. See Bellini, G., 3=7899
- Herz, A.J. See Bellini, G., 4=1097
- Herz, A.J. See Bellini, G., 4=6114
- Herz, A.J. See Burnstein, R.A., 3=22214
- Herz, A.J. See Caforio, A., 4=21891
- Herz, A.J. See Courant, H., 3=17346
- Herz, A.J. See Fretter, W.B., 3=2301
- Herz, A.J. See Quercigh, E., 3=21935
- Herz, R.H., Pitts, E. and Terry, G.C. A comparison of X-ray diffraction methods in the study of imperfections, 4=12721
- Herz, R.H. The response of photographic materials to ionizing radiations, 3=14390
- Herzberg, A. and Mandl, F. Vibrational excitation of molecules by resonance scattering of electrons, 2=22948
- Herzenberg, A. and Mandl, F. Resonant electron scattering by atoms, 3=22504
- Herzenberg, A. and Squires, E.J. On the theory of $p-\alpha$ scattering, 0=20138
- Herzberg, E.N. Temperature regulator for close temperature control, 0=14898
- Herzberg, G. Ionization potentials and Lamb shifts of the ground states of ^4He and ^3He , 0=7695
- Herzberg, G. Lamb shifts of the ground states of ^4He and ^3He , 0=11509
- Herzberg, G. The ionization potential of CH_4 , 2=548
- Herzberg, G. Spectroscopic investigations in the vacuum ultraviolet at the National Research Council of Canada, 3=7328
- Herzberg, G. and Johns, J.W.C. The red bands of CH_4 and their possible importance in the spectra of the major planets, 3=15363
- Herzberg, G. and Longuet-Higgins, H. C. Intersection of potential energy surfaces in polyatomic molecules, 4=6516
- Herzberg, G. and Monfils, A. The dissociation energies of the H_2 , HD, and D_2 molecules, 1=6052

- Herzberg, G., Monfils, A. and Rosen, B. Molecular spectra in the far ultra-violet: introductory report, 2=14284
- Herzberg, G. and Moore, H.R. The spectrum of Li^+ , 0=1481
- Herzberg, G. and Travis, D.N. The spectrum and structure of the free NCN radical, 4=28280
- Herzberg, G. and Verma, R.D. Spectra and structures of the free HSiCl and HSiBr radicals, 4=15345
- Herzberg, G. and Warsaw, P.A. Spectrum and structure of the free HNCN radical, 3=8307
- Herzberg, G. See Bauer, S.H., 4=25636
- Herzberg, G. See Durie, R.A., 0=11523
- Herzberg, G. See Gausset, L., 4=6613
- Herzberg, G. See Hart, J.F., 3=2561
- Herzberg, L. The wavelength displacements of some infrared lines between limb and center of the sun. II, 0=10511
- Herzberg, L. The possible importance of nitric oxide formation during polar-cap ionospheric absorption events, 1=20969
- Herzberger, M. Modern geometrical optics, 0=151
- Herzberger, M. Colour correction in optical systems and a new dispersion formula, 0=19381
- Herzberger, M. Allvar Gullstrand, 1=225
- Herzberger, M. Higher-order imagery, 1=4432
- Herzberger, M. Problems of geometrical optics, 2=1247
- Herzberger, M. Some recent ideas in the field of geometrical optics, 3=14309
- Herzberger, M. Kepler's laws and Newton's hypothesis, 3=23760
- Herzberger, M. and McClure, N.R. The design of superachromatic lenses, 3=16737
- Herzberger, M. and Salzberg, C.D. Refractive indices of infrared optical materials and color correction of infrared lenses, 2=7344
- Herzberger, M. and Wilder, D.R. Characteristic functions for special image formations and for a general thick lens, 4=18382
- Herzenberg, A. Geomagnetic dynamos, 0=18458
- Herzenberg, A., Kwok, K. L. and Mandl, F. The theory of the narrow resonances in the scattering of electrons by hydrogen, 4=25556
- Herzenberg, A., Kwok, K. L. and Mandl, F. Resonances and long-range effects, 4=28148
- Herzenberg, A. and Lowes, F.J. The "eddy model" of the non-dipole field and the secular variation, 0=18459
- Herzenberg, A. and Mandl, F. Resonance scattering theory, 4=6304
- Herzenberg, A. See Bardsley, J.N., 4=25748
- Herzfeld, C.M. Atoms and radicals trapped at 4°K , 0=9776
- Herzfeld, C.M. Proposed explanation of luminous particles observed in Glenn orbital flight, 2=24194
- Herzfeld, C.M. and Goldberg, H. On the nature of the crystal field approximation, 1=4963
- Herzfeld, C.M. See Berger, R.T., 3=25165
- Herzfeld, C.M. See Reed, S.G., 0=3681
- Herzfeld, K.F. Deactivation of the vibration during the collision of two diatomic molecules, 0=2754
- Herzfeld, K.F. On the theory of energy exchange in liquids by isolated binary encounters, 2=17442
- Herzfeld, K.F. Deactivation of vibration by collision in CO_2 , 3=6441
- Herzfeld, K.F. The absorption of dipole liquids in the visible, 4=29632
- Herziger, G., Lindner, H. and Weber, H. Measurement of small changes in absorption and refractive index with a laser amplifier, 4=18410
- Herziger, G. See Boersch, H., 3=14804
- Herziger, G. See Boersch, H., 3=14805
- Herziger, G. See Boersch, H., 4=11335
- Herziger, G. See Boersch, H., 4=19292
- Herziger, G. See Boersch, H., 4=27681
- Herziger, G. See Frank, F., 4=19291
- Herzoa, G. See Witzmann, H., 3=6672
- Herzog, A. H. and Groves, W. O. Preparation and evaluation of the properties of gallium arsenide. II, 4=7707
- Herzog, E. See Messenger, C., 2=17051
- Herzog, G. See Witzmann, H., 4=17596
- Herzog, G. See Witzmann, H., 4=22915
- Herzog, G. See Witzmann, H., 4=26235
- Herzog, G. See Witzmann, H., 4=28729
- Herzog, G. See Witzmann, H., 4=28730
- Herzog, G. See Witzmann, H., 4=28737
- Herzog, L.F. The physics and chemistry of ceramics, 3=8917
- Herzog, R.F.K. See Liebl, H.J., 3=21894
- Herzog, W. and Klemm, A. The mobility of Cd in the pyrosol $\text{CdCl}_2 + \text{Cd}$, 1=15200
- Herzog, W. See Fischer, W., 3=5433
- Heseltine, J. C. W., Elliott, D. W. and Wilson, O. E., Jr. Elastic constants of single-crystal benzene, 4=20645
- Hesford, J. See Wilburn, F.W., 3=9398
- Heshko, Ye. I., Kushta, H. P. and Mikhail'chenko, V. P. Temperature dependence of the intensity of X-ray interference of tungsten over a temperature range $300^{\circ}\text{--}1100^{\circ}\text{K}$, 4=12618
- Hesketh, R.V. The photocreation and destruction of F centres, 0=15859
- Hesketh, R.V. Creep of cylinders in torsion, 1=11513
- Hesketh, R.V. The formation of dislocation loops in copper during neutron irradiation, 2=12437
- Hesketh, R.V. Strain relaxation by irradiation, 2=23768
- Hesketh, R.V. A possible mechanism of irradiation creep and its reference to uranium, 3=2795
- Hesketh, R.V. The loop size distribution in neutron irradiated copper, 3=17722
- Hesketh, R.V. A transient irradiation creep in non-fissile metals, 3=20717
- Heslop, J. Creep fracture in nickel-chromium-base creep-resistant alloys, 3=3239
- Heslop, J. and Petch, N.J. The ductile-brittle transition in the fracture of α -Iron. II, 0=691
- Heslop, W.A. See Hands, R.A., 1=5343
- Hess, B. An X-ray photocell, 0=5340
- Hess, B. Variations in the natural radioactivity of the atmosphere, 3=5208
- Hess, D.C. See Diamond, H., 0=17512
- Hess, D.C. See Eberhardt, P., 0=6580
- Hess, D.C. See Geiss, J., 0=7
- Hess, D.C. See Voshage, H., 4=23899
- Hess, D.C. See Wexler, S., 3=20024
- Hess, E.H. Shadows and depth perception, 2=17323
- Hess, G. See Hellwege, K.H., 1=1164
- Hess, G. See Lau, E., 1=18560
- Hess, G. See Lau, E., 2=22071
- Hess, H. Jump conditions at the front of ionizing shock waves, 4=16174
- Hess, H. Numerical calculation of the homology solution for plane shock waves, 4=18342
- Hess, H. The propagation of cylindrical shock waves, 4=14264
- Hess, H., Kischel, K., Morgenroth, H., Rademacher, K. and Seliger, K. Experiments on spark discharges in T-shaped discharge tubes, 1=18786
- Hess, H., Kischel, K., Morgenroth, H., Rademacher, K. and Seliger, K. Spark investigations in T-shaped discharge tubes, 2=1405
- Hess, H., Kloss, H.-G., Rademacher, K., and Seliger, K. Comparison between a process for the determination of arc temperatures by means of shock waves and a spectroscopic method, 3=16920
- Hess, H., Kloss, H.G., Rademacher, K. and Seliger, K. Comparison of methods for determining the temperature of an arc using shockwaves and by spectroscopy, 3=19225
- Hess, H. and Morgenroth, H. Numerical calculation of the homology solution for cylindrical shock waves, 4=14254
- Hess, H. and Rademacher, K. Heating of the channel of a spark discharge by shock waves, 3=21740
- Hess, H. and Wantosch, H. Coupling between capture cross-section and energetic position of traps in CdS, 2=4195
- Hess, H. See Morgenroth, H., 1=18785
- Hess, H. See Morgenroth, H., 1=18787
- Hess, H. See Seliger, K., 2=9587
- Hess, H.A. See Aarons, J., 2=4618
- Hess, H.A. See Argence, E., 1=377
- Hess, H.A. See Argence, E., 4=13845
- Hess, R., Brockman, P., Grossmann, W. and Burlock, J. Experiments and theory for Hall currents in crossed electric and magnetic fields, 4=18789
- Hess, R., Lipnik, P., Perdrisat, C. F. and Sunier, J. W. The $2^{\circ} \rightarrow 2^{\circ}$ first-forbidden beta decay of Pr^{142} , 4=22074
- Hess, R., Lipnik, P. and Sunier, J.W. Ground-state spin of Pr^{144} , 3=22270
- Hess, R. See Bakken, J.F., 3=12633
- Hess, R. I. See Chung, S. U., 4=25160
- Hess, S. and Tischer, M. The equations of motion of a special two-body problem, 0=16564
- Hess, W. Compression of a plasma by azimuthal currents, 3=7564
- Hess, W.N. The radiation belt produced by neutrons leaking out of the atmosphere of the earth, 1=15332

- Hess, W.N. Discussion of paper by Pizzella, McIlwain, and Van Allen 'Time variations of intensity in the earth's inner radiation zone, October 1959 through December 1960', 3=11459
- Hess, W.N. [Ed.]. Collected papers on the artificial radiation belt from the July 9, 1962, nuclear detonation, 3=13807
- Hess, W.N. The artificial radiation belt made on July 9, 1962, 3=16286
- Hess, W.N., Canfield, E.H. and Lingenfelter, R.E. Cosmic-ray neutron demography, 1=13593
- Hess, W.N. and Killeen, J. Spatial distribution of electrons from neutron decay in the outer radiation belt, 2=4685
- Hess, W.N., Killeen, J., Fan, C.Y., Meyer, P. and Simpson, J.A. The observed outer-belt electron distribution and the neutron decay hypothesis, 1=21076
- Hess, W.N., Patterson, H.W., Wallace, R. and Chupp, E.L. Cosmic-ray neutron energy spectrum, 0=1326
- Hess, W.N. and Poirier, J.A. Energy spectrum of electrons in the outer radiation belt, 2=17210
- Hess, W.N. and Starnes, A.J. Measurement of the neutron flux in space, 0=16459
- Hess, W.N. See Atkinson, J.H., 1=12206
- Hess, W.N. See Devlin, T.J., 0=11206
- Hess, W.N. See Killeen, J., 4=4793
- Hess, W.N. See Lingenfelter, R.E., 1=18033
- Hess, W.N. See Lingenfelter, R.E., 2=19284
- Hess, W.N. See Longo, M.J., 0=3984
- Hess, W.N. See Welch, J.A., Jr., 3=16291
- Hesse, J. See Haasen, P., 4=28467
- Hesse, J.E. See Truby, F.K., 3=6416
- Hesse-Lange, G. Seasonal influence on v.h.f. aurora backscatter in middle Europe, 3=18562
- Hessel, A., Markuvitz, N. and Shmoys, J. Scattering and guided waves at an interface between air and a compressible plasma, 2=11666
- Hessel, A., Marcuvitz, N. and Shmoys, J. Conversion of transverse electromagnetic waves into a longitudinal wave at a dielectric-plasma boundary, 4=14886
- Hessel, A. Resonances in the Smith-Purcell effect, 4=21649
- Hessel, A. See Felsen, L.B., 1=10870
- Hessler, M. On nonlocal effects in weak interactions, 0=12823
- Hessler, V.P. Earth-current activity at College, Alaska, July 1959, 2=870
- Hessler, V.P. Characteristics of telluric current at land and sea based stations, 2=17117
- Hesselberg Jensen, T. See Wandel, C.F., 0=17638
- Hession, F.F. See Young, J.R., 4=18286
- Hessler, V.P. See Heacock, R.R., 3=23575
- Hesson, J.C. and Burris, L. Uranium diffusivity in liquid cadmium, 4=5167
- Hesstvedt, E. On the possibility of ice cloud formation at the mesopause, 3=1440
- Hesstvedt, E. A two-dimensional model of mother-of-pearl clouds, 3=1441
- Hesstvedt, E. On the determination of characteristic time in a pure oxygen atmosphere, 3=16208
- Hestenes, J. See Makino, M.Q., 4=22138
- Hester, J.C. and Sewell K.G. Effect of partition function cut-off upon the thermo-dynamic properties of atomic hydrogen and helium to 1000 000°K, 4=16146
- Hester, R.E. and Lamb, W.A.S. Radiative capture of protons in C¹³, 1=2211
- Hester, R.E. and Plane, R.A. Raman spectrophotometric study of complex formation in aqueous solutions of calcium nitrate, 4=8213
- Hester, R.E., Plane, R.A. and Walrafen, G.E. Raman spectra of aqueous solutions of indium sulfate, nitrate and perchlorate, 3=7211
- Hester, R.E. See Christofilos, N.C., 4=21604
- Hestir, W.A. See McMurtry, H.L., 3=17283
- Hetherington, A. See Funt, B.L., 2=15607
- Hetherington, J.H. "Slide rule" for complex numbers, 3=5323
- Hetherington, J.H. Partial wave analysis of the scattering of charged spinless particles, 3=12411
- Hetherington, J.H. and Ravenhall, D.G. Scattering of low energy K⁻ mesons by nuclei, 2=12214
- Hetherington, J.H. See Hill, R.D., 1=7284
- Hetnarski, R. B. Coupled thermoelastic problem for the half-space, 4=29577
- Hett, J.H. and Curtiss, L.E. Fiber optics duodenoscope and ureterscope, 1=8226
- Hettinger, G. and Starfelt, N. Energy and angular distribution of scattered radiation in a water tank irradiated by X-rays, 0=7330
- Hettinger, G. and Starfelt, N. Improved NaI scintillation spectrometer for the study of continuous X-ray spectra, 0=17296
- Hettner, G. and Wagner, H. Fourier analysis of the electric microfield in a plasma. II, 0=10901
- Hettinger, G. See Bjärngard, B., 1=19171
- Heubel, J. and Devrainne, P. Method of determination of the critical dimension of a parent crystal of potassium nitrate in a super-saturated solution, 2=4373
- Heubel, J. See Devrainne, P., 2=21488
- Heubner, U. See von Heimendahl, M., 4=4498
- Heuckroth, L.E. See Glass, I.I., 3=11858
- Heuer, A. See Straley, R., 0=9139
- Heuer, K. Paramagnetic electron resonance in polycrystalline substances with rhombic symmetry, 2=10694
- Heuer, K. The electron paramagnetic resonance spectra from ionic crystals with simple cubic lattices, 4=26371
- Heughebaert, D. and Heughebaert, J. Precision measurements on the Z-axis of a microscope, 0=12477
- Heughebaert, D. and Heughebaert, J. The fixing of nuclear emulsions, 0=12752
- Heughebaert, D. and Heughebaert, J. Precision depth measurements in nuclear emulsions, 1=13255
- Heughebaert, J., Igiuni, A. and Occhialini, G. The possibility of realising a wet hot-stage in development at two temperatures, 0=12753
- Heughebaert, J. See Barloutaud, R., 2=5711
- Heughebaert, J. See Barloutaud, R., 2=9893
- Heughebaert, J. See Barloutaud, R., 2=16231
- Heughebaert, J. See Barloutaud, R., 2=22560
- Heughebaert, J. See Barloutaud, R., 3=7888
- Heughebaert, J. See Gandolfi, E., 0=11326
- Heughebaert, J. See Grard, F., 2=1715
- Heughebaert, J. See Grard, F., 2=22513
- Heughebaert, J. See Grégoire, G., 4=30111
- Heughebaert, J. See Heughebaert, D., 0=12477
- Heughebaert, J. See Heughebaert, D., 0=12752
- Heughebaert, J. See Heughebaert, D., 1=13255
- Heumann, F.K. Sealed solid method for zone melting decomposable compounds, 2=11228
- Heumann, F.K. See Brown, D.M., 4=23334
- Heumann, T. and Forch, K. Two phenomena in the spreading of mercury on gold surfaces, 2=7187
- Heumann, T. and Predel, B. Determination of the enthalpy of solidification (freezing) of metals and alloys by differential thermal analysis, 0=6994
- Heumann, T. See Feller, H.G., 3=11354
- Heurtley, J.C. See Bilaniuk, O.M., 2=5286
- Heusch, C.A. Inelastic moderation of fast monenergetic neutrons, 1=13443
- Heusch, C.A. and Prescott, C. Y. Longitudinal behavior of electromagnetic showers, 4=25236
- Heusch, C.A. and Prescott, C. Y. A Čerenkov shower counter, 4=30110
- Heusch, C.A. and Springer, T. Investigation on the inelastic moderation of fast neutrons, 2=5675
- Heusinger, H. Influence of the degree of polymerization on the luminescence yield and energy transport in synthetic scintillators, 1=14649
- Heusinkveld, M. and Holzer, F. Method of continuous shock front position measurement, 4=27253
- Heusinkveld, W.A. Comparison of the temperature scales of various laboratories in the 600-3500°C range, 1=2906
- Heutter, T. See Koller, E.L., 3=10143
- Hevesi, I. See Bános, G., 1=7665
- Hevesi, J. On the relative yield and the degree of polarization of viscous fluorescent solutions quenched by KI, 3=1698
- Hevesi, J. and Kozina, L. On the applicability of Stepanov's relation in the case of viscous, quenched solutions, 4=2691
- Hevesi, J. See Dombi, J., 1=6127
- Hevesi, J. See Ketskeméty, L., 2=13346
- Hewin, I.D. See Stokes, H.J., 1=1297
- Hewish, A. Scattering of radio waves in the solar corona, 1=15534
- Hewish, A. Extrapolation of the number-flux density relation of radio stars by Scheuer's statistical method, 2=2569
- Hewish, A. The realisation of giant radio telescopes by synthesis techniques, 4=4937
- Hewish, A. and Okoye, S. E. Detection of fine structure in the Crab Nebula at 38 Mc/s, 4=30984
- Hewish, A. and Wyndham, J.D. The solar corona in interplanetary space, 4=10904
- Hewish, A. See Gorgolewski, S., 0=18749
- Hewish, A. See Ryle, M., 0=18685

- Hewish, A. See Scott, P.F., 1=12784
Hewison, V. See Ring, J., 0=16883
Hewitt, F.G. and Overn, W.M. History effect of time-limited excitation, 3=15869
Hewitt, F.J. Radio facilities in South Africa for tracking satellites and interplanetary research vehicles, 2=24191
Hewitt, G.F. and Lovegrove, P.C. The application of the light absorption technique to continuous film thickness recording in annular two-phase flow, 2=21888
Hewitt, G.F. and Lyall, E. Device for the accurate reproduction of liquid levels and some applications, 1=21166
Hewitt, G.F. and Sharratt, E.W. Gaseous diffusion in porous media with particular reference to graphite, 4=233
Hewitt, J. See Bilby, B.A., 2=14908
Hewitt, L.N. See Belrose, J.S., 4=29326
Hewitt, R.R. Temperature dependence of the nuclear quadrupole spectrum of Nb^{93} in ferroelectric KNbO_3 , 1=1288
Hewitt, R.R. and Taylor, T.T. Nuclear quadrupole resonance and the electric field gradient in metallic indium, 2=4296
Hewitt, R.R. and Williams, B.F. Nuclear quadrupole interaction of Sb^{121} and Sb^{123} in antimony metal, 3=8746
Hewitt, R.R. and Williams, B.F. Nuclear magnetic resonance in bismuth metal at 4.2°K , 4=17693
Hewitt, R.R. See Russell, A.M., 3=13993
Hewitt, T.L. See Wood, D.E., 3=21153
Hewlett, V.A. See Starkey, T.V., 1=15792
Hewson, A.C. and Ter Haar, D. On the T^3 -term in the low-temperature expansion for the magnetisation of a spin- $1/2$ Heisenberg ferromagnet, 4=1814
Hewson, A.C. and ter Haar, D. On the theory of the Heisenberg ferromagnet, 4=13132
Hewson, A.C. and ter Haar, D. The Green function method in the theory of antiferromagnetism, 4=17664
Hexner, P.E., Boyle, R.D. and Beams, J.W. Molecular weight determinations with a magnetically supported ultracentrifuge, 3=8942
Hexner, P.E., Radford, L.E. and Beams, J.W. Achievement of sedimentation equilibrium, 2=4521
Hexner, P.E. See Beams, J.W., 1=10289
Hexter, R.M. Intermolecular coupling of vibrations in molecular crystals: a vibrational exciton approach, 1=3591
Hexter, R.M. Infrared spectrum of single crystals of LiOH , LiOD , and $\text{LiOH}\cdot\text{LiOD}$, 1=6214
Hexter, R.M. Vibrational excitons. II. Degenerate vibrations, 2=14412
Hexter, R.M. Evaluation of lattice sums in the calculation of crystal spectra, 2=23030
Hexter, R.M. Excitation-modulation spectroscopy: a technique for obtaining vibrational spectra of excited electronic states, 3=12802
Hexter, R.M. Comment on "Infrared absorption spectra of LiOH and LiOD ", 3=13176
Hexter, R.M. See Fox, D., 4=28424
Hexter, R.M. See Jacox, M.E., 1=11383
Hexter, R.M. See Milligan, D.E., 1=6010
Hexter, R.M. See Swenson, C.A., 0=2939
Hey, A.W. See O'Neill, J.S., 2=4480
Hey, J.S. The radio telescope interferometer at the Royal radar establishment, 1=15527
Hey, J.S. The first discovery of point sources [introductory lecture to Part III - galactic and extragalactic radio sources], 1=15565
Hey, J.S. and Hughes, V.A. Radar observations of the moon at 10-cm wavelength, 0=18617
Hey, P. Measurement of the absolute transition probabilities of some lines of silicon I, silicon II, chlorine I and chlorine II, 0=5887
Hey, P. Pressure broadening and shifting of iron lines by argon atoms, 1=17265
Heydemann, P. The dynamic compressibility of high polymers in the frequency range from 0.1 c/s to 60 kc/s, 1=1295
Heydemann, P. A simulator for the frequency discriminating property of the ear, 3=21155
Heydemann, P. On the precise measurement of phase angles, 4=5008
Heydemann, P. and Nägerl, H. Determination of the complex shear modulus of polymers at audiofrequencies in a wide temperature range, 4=15714
Heydemann, P. and Zosel, A. Determination of the complex Young's modulus of polymers at audiofrequencies in a wide temperature range, 3=6776
Heyden, F.J. Spectrum of Venus, Jupiter, and Mars, 3=16359
Heydenburg, N.P. See Adams, H.S., 2=1878
Heydenreich, J. Experimental investigation of the image contrast in the electron mirror microscope, 3=21887
Heydenreich, J. See Bethge, H., 1=325
Heydenreich, J. See Bethge, H., 1=326
Heyderhoff, P. Nonstationary glow discharge and its impedance frequency characteristic, 3=21750
Heyding, R.D., Taylor, J.B. and Hair, M.L. Four-inch shaped pole caps for susceptibility measurements by the Curie method, 1=4695
Heydt, G. and Volland, H. Apparatus for the statistical study of atmospherics in the very long wave region, 3=23600
Heydt, G. See Volland, H., 3=23603
Heyl, G. Applicability of colour film for quantitative multi-dimensional colour schlieren analysis, 1=6960
Heylen, A.E.D. Simultaneous application of Townsend and streamer theory, 1=1897
Heylen, A.E.D. Experimental Townsend ionization coefficients for isopentane, 1=10670
Heylen, A.E.D. Calculated electron mobility in hydrogen, 1=16271
Heylen, A.E.D. Calculated electron mobility in nitrogen, oxygen and air for $0.1 \leq E/p \leq 100 \text{ V cm}^{-1} \text{ mm Hg}^{-1}$, 2=7562
Heylen, A.E.D. Bakeable ionization chamber, 2=7788
Heylen, A.E.D. The influence of the Townsend-Ramsauer effect on the electron transport coefficients of molecular gases, 3=363
Heylen, A.E.D. Influence of molecular bonding of the Townsend ionization coefficients of hydrocarbon gases, 3=9721
Heylen, A.E.D. The influence of molecular ion mass on Townsend's secondary ionization coefficient, 4=19092
Heylen, A.E.D. and Lewis, T.J. Electron energy distribution functions and transport coefficients for the rare gases, 3=5628
Heyligers, A. See Endt, P.M., 0=17505
Heym, A. Interactions of 0.2-1.3 GeV muons with electrons, 3=22159
Heym, A., Joseph, C. and Loude, J.F. Method of analysis of a beam of ions, 2=17896
Heyman, M., Jérémie, H., Kahane, J. and Sene, R. Inelastic scattering of 14 MeV neutrons by excitation of the 9.6 MeV level of carbon, 1=13806
Heyman, M., Marvaud, J. and Sene, R. Construction of a generator for 14 MeV polarized neutrons, 4=16904
Heyman, M. See Jérémie, H., 2=9932
Heyman, R.J. See Fenster, S.J., 4=5242
Heymann, D. The separation of radioactive xenon from hydrogen and deuterium by means of thermal diffusion, 0=961
Heymann, D. and Fluit, J.M. Sputtering by 20-KeV Ar^+ ions at normal incidence on meteorites, 3=1516
Heymann, D. and Kistemaker, J. Thermal diffusion of xenon at tracer concentrations, 0=8696
Heymann, D. and Schaeffer, O.A. Constancy of cosmic rays in time, 3=4491
Heymann, F. See Birkhofer, A., 4=19919
Heymann, F.F., Osmon, P.E., Veit, J.J. and Williams, W.F. Measurements of quenching of ortho-positronium in gases, 2=277
Heymann, F.F. See Aitken, D.K., 1=9663
Heymann, F.F. See Davis, D.G., 0=15411
Heymann, F.F. See Davis, D.G., 3=24730
Heymann, F.F. See Duff, B.G., 3=2252
Heymann, F.F. See Duff, B.G., 3=7839
Heymann, G. and Keizer, R.L. A method to determine particle beam energies, 4=3364
Heymann, G. See Davis, D.G., 3=24730
Heymann, M. See Mixon, F.O., 4=11427
Heymann, M. See Sliepcevich, C.M., 4=29543
Heymer, G. See Kubaschewski, O., 1=2539
Heyn, A.N.J. Electron microscope observations on the structure of calcite in avian egg shell, 2=19132
Heynacher, E. Significance of the ray-optical approximation and its application to the valuation of photographic image characteristics, 0=19369
Heynacher, E. Some observations on the problem of optical image quality assessment, 0=19371
Heynacher, E. Connection between the light peak [Lichtgebirge] and the incoherent transmission function, 0=19405
Heyne, L. and Höfgen, H. Apparatus for measuring electrical resistance during irradiation in a reactor, 2=15873
Heywang, W. The behaviour of the complex resistance of BaTiO_3 cold conductors as explained by the barrier layer model, 3=25399
Heywang, W. and Winstel, G. The logarithmic mixture rule applied to the complex plane, 4=18653

- Heywang, W. See Winstel, G., 1=11273
 Heywang, W. See Zerbst, M., 0=593
 Heywang, W. See Zerbst, M., 0=4337
 Heywood, D. R. and White, B. L. Low noise nucleonic pre-amplifier, 4=776
 Heywood, D. R. See Alexander, T. K., 2=5274
 Heywood, J. Amateur radio measurement of Soviet satellites I and II, 0=8526
 Heywood, T. R. A binding energy calculation for triton using a velocity dependent potential, 4=19607
 Hiaro, K. See Maeda, K., 2=19207
 Hiatt, R. E., Senior, T. B. A. and Weston, V. H. A study of surface roughness and its effect on the backscattering cross-section of spheres, 1=7150
 Hibbard, W. R. See Walter, J. L., 1=1424
 Hibbard, W. R., Jr. The effect of cold work on the electrical resistivity of copper solid solution alloys, 0=15888
 Hibbard, W. R., Jr. See Fleischer, R. L., 4=26482
 Hibberd, F. See Wright, R. W. H., 4=2296
 Hibberd, F. H. Self-distortion of radio waves in the ionosphere, near the gyro frequency, 0=773
 Hibberd, F. H. The effect of the ionosphere on the Doppler shift of radio signals from an artificial satellite, 0=852
 Hibberd, F. H. The Faraday fading of radio waves from an artificial satellite, 0=10450
 Hibberd, F. H. An analysis of the positions of the earth's magnetic pole in the geological past, 2=11096
 Hibberd, F. H. Q. L. and Q. T. approximations to the magneto-ionic equations and their validity, 3=1459
 Hibberd, F. H. and Thomas, J. A. The determination of the electron distribution in the upper ionosphere from satellite Doppler observations, 0=14261
 Hibberd, F. H. See Thomas, J. A., 0=6633
 Hibberd, G. E. and Wallace, W. J. The inertial contribution in a concentric cylinder rheometer, 4=29503
 Hibbs, A. R. The distribution of micrometeorites near the earth, 1=15297
 Hibbs, A. R. Author's reply to the preceding discussion on the article "The distribution of micrometeorites near the earth", 1=18063
 Hibbs, A. R. The national program for lunar and planetary exploration, 1=18225
 Hibbs, A. R. Lunar arrays of small craters, 2=11109
 Hibdon, C. T. Nuclear energy levels of Na^{24} , 0=9534
 Hibdon, C. T. Nuclear energy levels of Na^{24} in the region from 350 to 630 keV, 1=8626
 Hibdon, C. T. Nuclear energy levels of Na^{24} in the region from 630 to 860 keV, 1=16996
 Hibdon, C. T. Neutron background due to Ta backings for lithium targets, 3=2472
 Hibdon, C. T. Nuclear levels of F^{20} , 4=9395
 Hibdon, C. T. See Jaffey, A. H., 0=20513
 Hibi, T. Point cathode and resolution of electron microscope, 3=19360
 Hibi, T. and Ishikawa, K. High-temperature observation of nickel cathode by using Muller-type microscope, 2=17864
 Hibi, T. and Ishikawa, K. Study of point cathode by using Müller-type microscope, 2=17865
 Hibi, T. and Ishikawa, K. A note on the shape of cathode tip in the field emission microscope, 3=24369
 Hibi, T. and Takahashi, S. Dark-field electron microscopy and its application, 1=1465
 Hibi, T. and Tomiki, T. Electronmicroscopic observation of the additively coloured KCl crystal. II. Effects of light exposure, 0=743
 Hibi, T. and Tomiki, T. Electronmicroscopic observation of the KCl crystal containing potassium colloid particles, 0=8296
 Hibi, T. and Yada, K. Study on evaporation method for electron-microscopy, 2=4512
 Hibi, T. and Yada, K. Direct observation of crystal imperfections in KCl single crystals by electron microscope, 3=802
 Hibi, T. and Yada, K. Direct observation of crystal imperfections in KCl single crystal by electron microscope, 3=2782
 Hibi, T. and Yada, K. Evidence of the appearance and disappearance of the loop structures in KCl crystal due to electron irradiation, 3=12967
 Hibi, T. and Yada, K. Direct observation of crystal imperfections in KCl single crystal by electron microscope, 3=17711
 Hibi, T., Yada, K. and Kawamata, Y. Direct observation of crystal imperfections in KCl single crystal due to electron and X-ray irradiation, 3=22708
 Hibino, M. See Kojima, M., 3=24367
 Hibner, J., Firkowski, R., Gawin, J. and Zawadzki, A. Correlated counts of muon and nucleon components detectors in e. a. s. under a thick absorber, 4=25242
 Hibner, J. See Gawin, J., 4=25235
 Hibou, F. See Gallmann, A., 3=8132
 Hicho, G. E. See Waterstrat, R. M., 4=23206
 Hicinbotham, W. A., Jr. See Glicksman, M., 3=8386
 Hick, H., Rumpold, K. and Weinzierl, P. A high resolution Compton-spectrometer using a semiconductor detector, 4=9162
 Hickam, W. M. and Sweeney, G. G. Mass spectrograph for the analysis of solids, 3=21014
 Hickam, W. M. See Gulbransen, E. A., 3=18433
 Hickam, W. M. See Von Hoene, J., 0=5273
 Hickernell, F. S., Auten, B. H. and Sakiotis, N. G. Nonlinear effects in ferrite-filled reduced-size waveguide, 2=13683
 Hickernell, F. S., West, R. G. and Sakiotis, N. G. Effects of electrical conductivity of high-power linearity in lithium-titanium ferrite, 3=15887
 Hickey, J. R., Brett, D. A. and Drummond, A. J. On the temperature dependence of the lower wavelength cutoff of a series of Schott glass filters, 3=9606
 Hickling, R. Effects of thermal conduction in sonoluminescence, 1=18818
 Hickling, R. Analysis of echoes from a solid elastic sphere in water, 3=211
 Hickling, R. Sonoluminescence and the chemical effects of cavitation, 4=2696
 Hickling, R. Analysis of echoes from a hollow metallic sphere in water, 4=21245
 Hickling, R. and Plesset, M. S. Collapse and rebound of a spherical bubble in water, 4=8149
 Hickman, B. S., Bell, J. C., Bannister, G., Chute, J. H., McCracken, J. G. and Smith, R. Irradiation of beryllium at elevated temperatures. I. Irradiation of RIG X-17 in HIFAR, 4=4092
 Hickman, B. S., Sabine, T. M. and Coyle, R. A. X-ray diffraction studies of irradiated beryllium oxide, 2=21516
 Hickman, B. S. and Walker, D. G. Effect of microstructure on the irradiation behaviour of beryllium oxide, 4=6896
 Hickman, B. S. See Sabine, T. M., 1=19823
 Hickman, B. S. See Sabine, T. M., 3=8426
 Hickman, G. D. A miniature fast fission counter, 2=5990
 Hickman, G. D. and Leng, W. B. The calculation of effective cutoff energies in cadmium, samarium and gadolinium, 2=11958
 Hickman, G. D. and Wiedenbeck, M. L. Directional correlation of the gamma rays in W^{182} , 0=11390
 Hickman, J. B., Jr. See Caldwell, R. L., 1=17114
 Hickman, K. Pump fluids for high vacuums, 0=16740
 Hickman, R. S., Kenney, R. W., Mathewson, R. C. and Perkins, R. A. Liquid hydrogen targets of adhesive-bonded Mylar plastic, 0=2477
 Hickmott, T. W. Interaction of atomic hydrogen with glass, 0=1969
 Hickmott, T. W. Interaction of hydrogen with tungsten, 0=6424
 Hickmott, T. W. Low-frequency negative resistance in thin anodic oxide films, 2=21108
 Hickmott, T. W. Anomalous transmission of low-energy electrons through thin metal films, 3=14660
 Hickmott, T. W. Impurity conduction and negative resistance in thin oxide films, 4=22760
 Hickmott, T. W. Potential distribution and negative resistance in thin oxide films, 4=28602
 Hickok, R. L. See Draper, J. E., 1=2224
 Hicks, B. L. Generation of water waves by the wind, 1=5261
 Hicks, B. L., Knable, N., Kovaly, J. J., Newell, G. S., Ruina, J. P. and Sherwin, C. W. The spectrum of X-band radiation back-scattered from the sea surface, 0=12700
 Hicks, C. L. See Lambert, J. D., 0=8701
 Hicks, H. G., Levy, H. B., Nervik, W. E., Stevenson, P. C., Niday, J. B. and Armstrong, J. C., Jr. Further radiochemical studies of fission of the U^{236} compound nucleus, 3=688
 Hicks, H. G. See Levy, H. B., 1=17167
 Hicks, H. G. See Stevenson, P. C., 0=4139
 Hicks, J. M. See Ruby, S. L., 2=3471
 Hicks, W. T. Evaluation of vapor-pressure data for mercury, lithium, sodium, and potassium, 3=14423
 Hicks, W. T. See Brewer, L., 2=2028
 Hicter, P. See Bonnier, E., 4=17819
 Hicter, P. See Bonnier, E., 4=25865
 Hida, K. Hodograph method for treating the flow of a perfectly conducting fluid with aligned magnetic field, 3=21963
 Hida, K. Pseudoscalar charge density of spin- $1/2$ particles. I. Existence, 4=15004

- Hida, K. Extension of similarity rules for the magnetohydrodynamical flow, 4=27630
- Hida, K. Extension of the M^2 and the thin-wing expansion methods to magnetohydrodynamics, 4=30041
- Hida, N. Graphic solution for acoustical designing in auditorium, 4=14319
- Hidalgo, A. Study of the vibrations of $C \equiv N$ in nitriles, 2=18471
- Hidalgo, A. and Gonzalez-Sanchez, F. Infrared absorption spectra of benzeno-carboxylic acids. Assignment of vibrational modes to the recorded bands, 0=9803
- Hidago, A., Pastor, J. and Serratos, J.M. Effect of polarization in the distribution of energy diffracted by gratings, 2=22056
- Hidalgo, A. See Serratos, J.M., 4=15594
- Hidden, N.J. See Ehrenberg, W., 2=18652
- Hide, R. Origin of Jupiter's great red spot, 1=15430
- Hide, R., Price, N.H. and Shatford, P.A. The design, construction, instrumentation and performance of the A.E.R.E. 8×2 in. shock tube, 2=19602
- Hide, R. On the hydrodynamics of Jupiter's atmosphere, 3=18610
- Hide, R. and Roberts, P.H. On the hydromagnetic flow due to an oscillating plane, 1=5552
- Hide, R. See Dolder, K., 1=5549
- Hideshima, T. The apparent second-order transition of high polymers with special emphasis on its manifestation in the mechanical properties, 1=7879
- Hidle, N. The Halden reactor, 0=4141
- Hiebert, J. C. and Garvey, G. T. Elastic and inelastic scattering at 168 MeV in the $O^{16}-C^{12}$ system, 4=25439
- Hiebert, J.C. See Garvey, G.T., 2=5972
- Hiebert, J.C. See Garvey, G.T., 3=15101
- Hiebert, J. C. See Garvey, G. T., 4=22200
- Hiebert, R. See Ballinger, E.R., 3=21151
- Hieblot, J. See Blamont, J.E., 1=20879
- Hieblot, J. See Ecollan, J., 0=14303
- Hiedemann, E. See Klein, W.R., 3=24057
- Hiedemann, E.A. A characteristic number for the interaction between a sound field and a colloid, 4=15850
- Hiedemann, E.A. and Zankel, K.L. The study of ultrasonic wave-form by optical methods, 2=2822
- Hiedemann, E.A. See Adler, L., 2=9275
- Hiedemann, E.A. See Breazeale, M.A., 1=6964
- Hiedemann, E.A. See Breazeale, M.A., 1=10496
- Hiedemann, E.A. See Cook, B.D., 1=10601
- Hiedemann, E.A. See Hargrove, L.E., 2=2897
- Hiedemann, E.A. See Hargrove, L.E., 2=9406
- Hiedemann, E.A. See Lester, W.W., 2=7307
- Hiedemann, E.A. See Mayer, W.G., 0=6882
- Hiedemann, E.A. See Mayer, W.G., 0=10781
- Hiedemann, E.A. See Mayer, W.G., 1=1290
- Hiedemann, E.A. See Mayer, W.G., 1=20297
- Hiedemann, E.A. See Mayer, W.G., 1=8237
- Hiei, E. A model of the coronal condensation, 2=13134
- Hiei, E. Continuous spectrum in the chromosphere, 4=2434
- Hiei, E. See Kakinuma, T., 1=6742
- Hiei, E. See Suemoto, Z., 0=6604
- Hiei, E. See Suemoto, Z., 0=6605
- Hiei, E. See Suemoto, Z., 2=13135
- Hiei, E. See Suemoto, Z., 2=19304
- Hieke, M. The origin of cracks in glass disks under fixed voltages, 0=16238
- Hieke, M. Upper limit to the surface energy of brittle bodies, 2=2333
- Hieke, M. The characteristic internal stress field of a Bloch wall, 4=10258
- Hieke, M., Max, E. and Müller, H.G. The characteristic-voltage energy of the Bloch wall, 1=14712
- Hieken, M.H. Methods for generation of high intensity sound, 4=5301
- Hien, N.C. See Chadwick, G.B., 0=15350
- Hien, N.C. See Chadwick, G.B., 3=2261
- Hien, N.C. See Duke, P.J., 2=22504
- Hien, N.C. See Fujii, T., 3=2262
- Hien Tran The. See Tran The Hien, 0=4772
- Hien Zuy Pham. See Pham Zuy Hien.
- Hieronymus, H. and Weiss, H. Galvanomagnetic properties of InSb at high magnetic fields, 2=16727
- Hietala, J. Semi-micro rocking-bomb calorimeter for heat of solution measurements, 1=16165
- Hietala, J. Alkali halide solid solutions. II. Heat of formation of the sodium chloride type, 3=13390
- Hietala, J. Alkali halide solid solutions. III. Heat of formation of the cesium chloride type, 3=18230
- Hietanen, J. R. See Wolff, G. A., 4=10460
- Hietel, B. and Meyerhoff, K. Preparation of thin silicon single-crystal films by cathode bombardment, 2=841
- Hieu, N. V. See Logunov, A. A., 4=5947
- Hieu, N. V. See Logunov, A. A., 4=5948
- Higa, W.H. A maser system for radar astronomy, 3=5894
- Higaki, H. See Arikawa, T., 2=20056
- Higashi, A. and Sasaki, N. Movement of small-angle boundary of ice crystal, 3=6527
- Higashi, A. See Muguruma, J., 3=17763
- Higashi, A. See Muguruma, J., 4=4061
- Higashi, I. See Atoda, T., 2=10867
- Higashi, S. Cosmic ray hard showers below ground, 2=9953
- Higashi, S., Kitamura, T., Mishima, Y., Mitani, S., Miyamoto, S., Oshio, T., Shibata, H., Watanabe, K. and Watase, Y. Hard showers produced by high energy μ -mesons, 3=4530
- Higashi, S., Kitamura, T., Mishima, Y., Miyamoto, S., Oshio, T., Shibata, H. and Watase, Y. Extraordinary high-energy nuclear interactions of μ -mesons, 2=3436
- Higashi, S., Kitamura, T., Mishima, Y., Miyamoto, S., Oshio, T., Shibata, H. and Watase, Y. Correlation of the multiple penetrating particles with extensive air showers, 3=4499
- Higashi, S., Kitamura, T., Mishima, Y., Miyamoto, S., Shibata, H. and Watase, Y. Arrival directions of the multiple penetrating particles, 2=20457
- Higashi, S., Kitamura, T., Watase, Y., Oda, M. and Tanaka, Y. Very large burst due to high energy muons, 3=4523
- Higashi, S., Kitamura, T., Watase, Y., Oda, M. and Tanaka, Y. The high-energy muon flux at sea level obtained from an observation of the burst-size spectrum, 4=16989
- Higashi, S., Mitani, S., Oshio, T., Shibata, H., Watanabe, K. and Watase, Y. Multiple penetrating particles at 50 m.w.e. and 250 m.w.e. underground, 1=3294
- Higashi, S. See Hasegawa, H., 2=13929
- Higashimura, T., Ichikawa, Y. and Sidei, T. Dosimetry of atomic bomb radiation in Hiroshima by thermoluminescence of roof tiles, 3=12611
- Higashimura, T., Iwakura, T. and Sidei, T. Measurement of H^3 and C^{14} with a liquid scintillation counter, 0=7490
- Higashimura, T., Yamada, O., Nohara, N. and Sidei, T. External standard method for the determination of the efficiency in liquid scintillation counting, 3=4293
- Higashimura, T. See Shiomi, N., 3=24345
- Higashimura, T. See Sidei, T., 0=9340
- Higashimura, T. See Takeda, M., 0=17849
- Higashino, I. See Nagao, F., 1=18668
- Higasi, K. Dielectric relaxation and molecular structure, 1=14113
- Higatsberger, M.J. Electromagnetic separation of radioactive isotopes, 3=24886
- Higby, R.F. See Lauriente, M., 2=19764
- Higdon, W.T. and Robinson, J.D. Diffusion of water in a sodium carboxymethyl cellulose gel, 3=1403
- Higdon, W.T. See Hight, R., Jr., 1=6579
- Higdon, W.T. See Hight, R., Jr., 2=19167
- Higgin, R.M. See Cooper, R., 1=2435
- Higgins, C. S. See Carr, T. D., 4=29473
- Higgins, C.S. See Shain, C.A., 0=4857
- Higgins, C.S. See Shain, C.A., 2=4852
- Higgins, C.S. See Slee, O.B., 3=13923
- Higgins, G. C. Methods for engineering photographic systems, 4=8461
- Higgins, G.C., Lamberts, R.L. and Wolfe, R.N. Validation of sine-wave analysis for photographic systems, 0=19397
- Higgins, G. C. See Simonds, J. L., 4=8465
- Higgins, G.H. See Diamond, H., 0=17512
- Higgins, G.H. See Johnson, G.W., 0=10383
- Higgins, G.T. Secondary recrystallization in Magnox Al 80, 3=25760
- Higgins, G.T. and Pickles, B.W. Some observations of the pick-up of hydrogen in Magnox Zr 55 and its relation to mechanical properties, 3=26761
- Higgins, H.G. See Nissan, A.H., 0=6308
- Higgins, J. Method for measuring the moisture content of air, 0=4779
- Higgins, J. A note on the solution of the Fokker-Planck equation for the harmonic oscillator, 1=2712
- Higgins, J. Theory of irreversible processes I. Parameters of smallness, 2=19446
- Higgins, K. See Abou-Hadid, L., 2=3418
- Higgins, K. See Burhop, E.H.S., 3=6068
- Higgins, P.J. See Simons, S., 1=74
- Higgins, P.R.B. and Roberts, A.C. Damage in stainless steel due to fission fragments, 2=613

- Higgins, P.R.B., Westmacott, K.H. and Roberts, A.C. Fission fragment damage in several metals and alloys, 3=17803
- Higgins, P.R.B. See Adams, M.A., 1=1336
- Higgins, T.J. and Holland, D.B. The human being as a link in an automatic control system. I, 0=4385
- Higgins-Longuet, H.C. See Boer den, D.H.W., 3=729
- Higginson, G.R. A model experiment in elasto-hydrodynamic lubrication, 2=15559
- Higginson, G.S. and Kerr, L.W. The 2^3S excitation in helium, 1=8807
- Higginson, G.S. See Coulter, A.G., 4=2987
- Higginson, G.S. See Coulter, A.G., 4=18784
- Higginson, G.S. See Fleming, R.J., 3=15300
- Higginson, G.S. See Fleming, R.J., 4=19984
- Higginson, G.S. See Leckey, R.C.G., 4=2964
- Higginson, G.S. See Leckey, R.C.G., 4=5586
- Higgs, L.A. The solar red-shift, 1=12750
- Higgs, L.A. Asymmetry of solar line profiles, 2=17275
- Higgs, L.A. See Rollett, J.S., 2=2877
- Higgs, R.W. and Litovitz, T.A. Ultrasonic absorption and velocity in molten salts, 0=16696
- Higgy, R.C. See Kraus, J.D., 0=10540
- Higgy, R.C. See Kraus, J.D., 0=12338
- Higham, J.B. See Hakim, S.S., 1=10518
- Higham, J.B. See Hakim, S.S., 2=17479
- Higham, J.B. See Papadopoulos, M., 0=15002
- Highland, V. See Feldman, M., 1=2092
- Highland, V.L. and DeWire, J.W. Photoproduction of π^0 mesons from hydrogen near zero degrees, 4=3441
- Highland, V.L. See DeWire, J.W., 2=1671
- Hight, M.J. See Teale, R.W., 1=6403
- Hight, M.J. See Teale, R.W., 1=6404
- Hight, R.Jr., Higdon, W.T., Darley, H.C.H. and Schmidt, P.W. Small angle X-ray scattering from montmorillonite clay suspensions. II, 2=19167
- Hight, R.Jr., Higdon, W.T. and Schmidt, P.W. Small angle X-ray scattering study of sodium montmorillonite clay suspensions, 1=6579
- Hight, R.Jr. See Schmidt, P.W., 1=20472
- Higier, T. See Harman, G.G., 2=14529
- Higier, T. See Harman, G.G., 2=14544
- Higinbotham, W.A. Instrumentation for use with BeV accelerators, 2=7682
- Higinbotham, W.A. Recent advances in instrumentation, 4=15173
- Higinbotham, W.A. See Chase, R.L., 1=2938
- Higson, D.J. The transient performance of a turbine flow-meter in water, 4=18156
- Higson, G.R. Resistance strain gauges of low temperature sensitivity, 0=4551
- Higson, G.R. Use of the piezo-resistive effect in resin-bonded carbon for pressure measurement, 3=21288
- Higson, G.R. Recent advances in strain gauges, 4=24007
- Higuchi, J. Some calculations based on an LCGO-MO treatment, 0=5972
- Higuchi, J. Theoretical calculation of isotropic h.f.s. of the free NH_2 radical, 2=3767
- Higuchi, J. Zero-field splittings in molecular multiplets: spin-spin interaction of methylene derivatives, 3=10535
- Higuchi, J. On the effect of the bond angle in the electron spin-spin interaction. Methylene derivatives, 3=25126
- Higuchi, J. Electron spin-spin interaction in higher molecular spin multiplets, 4=1245
- Higuchi, J. Electron-spin density in irradiated oriented polyethylene, 4=3949
- Higuchi, J. Isotropic proton hyperfine interaction and properties of the CH bond, 4=6647
- Higuchi, J. Anisotropic proton hyperfine interaction in the CH bond, 4=30424
- Higuchi, J. and Aono, S. Isotropic proton hyperfine interaction in the methyl radical, 0=4217
- Higuchi, J. See Aono, S., 3=739
- Higuchi, K. On the coalescence between plane snow crystals, 0=14324
- Higuchi, K. Tyndall figures formed in crystallographic plane perpendicular to basal plane of ice crystals, 4=23310
- Higuchi, S. See Kachi, S., 3=8897
- Higuchi, W.I. and O'Konski, C.T. A test of the Becker-Doering theory of nucleation kinetics, 0=6425
- Hihara, T. α -transformation of iron sulfide single crystals, 0=4484
- Hihara, T. Magnetic and electrical properties of iron sulfide single crystals, 1=14760
- Hihara, T., Koi, Y. and Tsujimura, A. Nuclear magnetic resonance in ferromagnetic Mn compounds, 3=3198
- Hihara, T., Koi, Y. and Tsujimura, A. Nuclear magnetic resonance in ferromagnetic Mn^{2+} and Mn^{3+} , 3=15961
- Hihara, T. See Kamigaichi, T., 1=11250
- Hihara, T. See Koi, Y., 1=17949
- Hihara, T. See Koi, Y., 1=20257
- Hihara, T. See Koi, Y., 3=1199
- Hihara, T. See Masumoto, K., 2=23686
- Hihara, T. See Tsujimura, A., 2=18964
- Hiida, K. Note on anomalous K^- -decay events, 0=375
- Hiida, K. Radiative $K-\mu$ decay and quantum electrodynamics at small distances, 0=15422
- Hiida, K. Charge structure of the nucleon, 2=20342
- Hiida, K. Elastic nucleon-nucleon scattering at high energies and small angles, 2=20604
- Hiida, K. Three-neutrino hypothesis, 3=12438
- Hiida, K. Theory of spin- $\frac{1}{2}$ particles with parity-nonconserving interactions, 4=3287
- Hiida, K. Pseudoscalar charge density of spin- $\frac{1}{2}$ particles. II. Observability, 4=19396
- Hiida, K., Murota, T., Goto, M. and Sasanuma, M. Note on the radiative corrections for the electron-electron scattering, 1=16757
- Hiida, K. and Nakanishi, N. Electromagnetic structure of the nucleon. III, 0=20118
- Hiida, K. and Nakanishi, N. Electromagnetic structure of the nucleon. V. Numerical results of three-pion-state, 1=9751
- Hiida, K., Nakanishi, N., Nogami, Y. and Uehara, M. Electromagnetic structure of nucleons, 0=17319
- Hiida, K., Nakanishi, N., Nogami, Y. and Uehara, M. Electromagnetic structure of the nucleon. I, 0=20116
- Hiida, K., Nakanishi, N., Nogami, Y. and Uehara, M. Electromagnetic structure of the nucleon. II, 0=20117
- Hiida, K., Nakanishi, N. and Shiozaki, T. Electromagnetic structure of the nucleon. IV. Charge distribution of the proton, 1=3177
- Hiida, K., Nakanishi, N. and Shiozaki, T. On the charge distribution of the proton, 1=3179
- Hiida, K. and Sawamura, M. Some considerations on the high-energy electron-proton scattering and the nucleon mass difference, 0=11154
- Hiida, K., Soga, M. and Tanaka, K. Total cross sections at high energies, 2=20576
- Hiida, K., Uretsky, J.L. and Oakes, R.J. Σ breakup and the $\Sigma-A$ relative parity, 3=17345
- Hiida, K. See Drell, S.D., 1=16774
- Hijkata, K. Energy levels of F and F^+ , 0=17844
- Hijkata, K. On the fluorine molecule. I. The pilot calculation, 1=3556
- Hijkata, K. On the fluorine molecule. II. Energy levels of F_2 and F_2^+ , 1=3557
- Hijkata, K., Lin, C.C. and Baird, J.C. Electronic structure and hyperfine coupling constants for NO_2 and related molecules, 2=8110
- Hijkata, K. See Lin, C.C., 0=17800
- Hijkata, K. See Yamazaki, M., 1=9958
- Hijmans, J. Applications of Bronsted's principle of congruence to n-alkane mixtures, 0=3518
- Hijmans, J. Phenomenological formulation of the principle of corresponding states for liquids consisting of chain molecules, 1=9375
- Hijmans, J. The composition distribution of multicomponent copolymers. I. General theory, 3=8956
- Hijmans, J. The composition distribution of multicomponent copolymers. II. Applications, 3=20040
- Hijmans, J. and Holleman, T. Influence of the excluded-volume effect on the average square length of a normal alkane-type chain, 2=2034
- Hijmans, J. See Holleman, T., 2=15569
- Hikata, A., Chick, B.B. and Elbaum, C. Effect of dislocations on finite amplitude ultrasonic waves in aluminum, 4=9842
- Hikata, A., Chick, B., Elbaum, C. and Truell, R. Ultrasonic attenuation and velocity data on aluminum single crystals as a function of deformation and orientation, 2=21436
- Hikata, A., Chick, B.B., Elbaum, C. and Truell, R. Dislocation damping in dosium chloride, 3=17762
- Hikata, A., Elbaum, C., Chick, B. and Truell, R. Electrical-charge study in sodium chloride during plastic deformation, 3=23320
- Hikata, A. and Tutumi, M. Changes of ultrasonic attenuation during creep of aluminium, 1=1324
- Hikata, A. See Suzuki, T., 4=28915
- Hiki, Y. Internal friction of lead. II., 0=18245
- Hiki, Y. Internal friction of quartz, 1=9087
- Hiki, Y. Internal friction of synthetic quartz, 1=14858

- Hiki, Y. and Hasiguti, R.R. Mosaic size in lead from X-ray measurements, 1=12669
- Hiki, Y., Suzuki, T. and Yajima, K. On the scattering of electrons by stacking faults in copper and copper alloys, 3=22795
- Hikichi, K., Saito, K., Kaneko, M. and Furuichi, J. Dielectric dispersion of poly- γ -benzyl-L-glutamate, 4=26109
- Hikichi, K. See Sugai, S., 4=3913
- Hikosaka, T. On the enhancement of the line(OI) 6300 in the aurora at Niigata on February 11, 1958, 1=2574
- Hikosaka, T. High altitude red aurora and low energy protons in the Van Allen belt, 2=17188
- Hikosaka, T., Saitô, B. and Yano, K. The general circulation of the atmosphere above 100 km and the latitude effect of the airglow, 0=18482
- Hikosaka, T. and Yano, K. Low latitude red aurora and low energy protons in Van Allen belt, 2=13048
- Hilberg, W. The change in the mean magnetization through boundary displacements in a domain having central symmetry, 4=10257
- Hilbert, F. See Balarin, M., 2=1523
- Hilbert, F. See Krause, R., 4=20779
- Hilbig, H. See Bothe, H.K., 3=3225
- Hilbig, H. See Herforth, L., 1=18420
- Hilczler, B. Effect of γ Co⁶⁰ radiation on the dielectric properties of triglycine sulphate, 1=17832
- Hilczler, B. Effect of neutron irradiation on the ferroelectric properties of barium titanate ceramics, 2=10559
- Hilczler, B. Effect of an electric field on the dielectric permittivity of neutron irradiated barium titanate ceramics, 3=896
- Hilczler, B. Changes in the ferroelectric properties of BaTiO₃ ceramics caused by irradiation with Cd-transmitted neutrons, 4=26119
- Hilczler, B. and Jaskulski, J. Effect of the dose rate on the Co⁶⁰ γ -radiation induced changes in the ferroelectric properties of triglycine sulphate, 4=15561
- Hildebrand, B., O'Dell, F.W., Shapiro, M.M. and Stiller, B. Intensity of primary helium at geomagnetic latitude 3°N, 1=3320
- Hildebrand, B. P. Comments on "Properties of linear low-pass filters for non-negative signals", 4=325
- Hildebrand, J. H. Intermolecular forces between molecules of different species, 4=25763
- Hildebrand, J. H. and Archer, G. Evidence concerning liquid structure, 2=7193
- Hildebrand, J. H. See Ross, M., 4=18189
- Hildebrand, J. H. See Smith, E. B., 4=11179
- Hildebrand, J. H. See Walkley, J., 0=16705
- Hildebrand, K. An alignment telescope of which the direction of the pointing axis is defined by the normal to a fixed surface, 2=7349
- Hildebrand, R. H. Observation of μ -capture in liquid hydrogen, 2=7877
- Hildebrand, R. H. See DeShong, J. A., Jr., 4=25221
- Hildebrand, R. H. See De Shong, J. A., Jr., 4=12087
- Hildebrand, R. E. See Doede, J. H., 3=10162
- Hildebrand, R. H. See Schiff, M., 1=7271
- Hildebrandt, A. F., Barth, C. A. and Booth, F. B. Atom concentration measurements using electron paramagnetic resonance, 2=3792
- Hildebrandt, A. F., Elleman, D. D., Whitmore, F. C. and Simpkins, R. Some experimental consequences of flux conservation within multiply-connected superconductors, 2=15850
- Hildebrandt, A. F., Wahlquist, H. and Elleman, D. D. Configurations of superconducting shells required for near critical uniform magnetic fields, 2=11556
- Hildebrandt, A. F. See Barth, C. A., 1=21019
- Hildebrandt, A. F. See Elleman, D. D., 4=16620
- Hildebrandt, A. F. See Kaplan, J., 1=1525
- Hildebrandt, A. F. See Thomas, D. D., 4=20584
- Hildebrandt, G. See Borrmann, G., 0=3208
- Hildebrandt, M. See Vassiliev, A., 1=14750
- Hildebrandt, M. See Vassiliev, A., 1=20144
- Hildebrandt, M. See Vassiliev, A., 2=750
- Hildebrandt, M. See Vassiliev, A., 2=6675
- Hildebrandt, M. See Vassiliev, A., 3=13268
- Hildenbrand, D. L. Entropies of some gaseous metal dihalides, 4=21184
- Hildenbrand, D. L. and Hall, W. F. The vapor pressure and heat of sublimation of gold, 2=15806
- Hildenbrand, D. L. and Hall, W. F. The decomposition pressure of boron carbide and the heat of sublimation of boron¹, 4=24456
- Hildenbrand, D. L., Hall, W. F. and Potter, N. D. Thermodynamics of vaporization of lithium oxide, boric oxide and lithium metaborate, 3=25809
- Hildenbrand, D. L., Hawll, W. F., Ju, F. and Potter, N. D. Vapor pressures and vapor thermodynamic properties of some lithium and magnesium halides, 4=18498
- Hildenbrand, D. L. and Potter, N. D. The vapor pressure and thermodynamics of vaporisation of calcium chloride, 4=5461
- Hildenbrand, D. L., Theard, L. P. and Saul, A. M. Transpiration and mass spectrometric studies of equilibria involving BOF(g) and BOF₃(g), 4=2149
- Hildisch, L., Müller, G. O. and Schnürer, E. Dislocation-poor CdS single crystals, 3=8439
- Hildisch, L. See Möhling, W., 4=20281
- Hileman, A. R. See Wagner, C. F., 2=11033
- Hiley, B. J. and Sykes, M. F. Probability of initial ring closure in the restricted random-walk model of a macromolecule, 1=8868
- Hiley, B. J. See Domb, C., 2=16579
- Hiley, B. J. See Fisher, M. E., 1=7504
- Hilf, A. The concept of acoustic impedance, 1=1796
- Hilger, J. -P. and Faivre, R. Application of the interrupted tensile test in the study of polygonization and recrystallization processes in zinc wires, 4=7519
- Hilgevoord, J. On the reduction formulae for the S-matrix elements, 0=7294
- Hilgevoord, J. and Wouthuysen, S. A. On the spin angular momentum of the Dirac particle, 3=7771
- Hilibrand, J. and Gold, R. D. Determination of the impurity distribution in junction diodes from capacitance-voltage measurements, 0=15972
- Hill, A. See Botsaris, G., 4=10015
- Hill, A. E. See Bass, M., 2=9388
- Hill, A. E. See Franken, P. A., 1=18556
- Hill, B. J. Photographing tracks in a diffusion cloud chamber, 2=20206
- Hill, B. J. See Baker, G. A., Jr., 2=7832
- Hill, B. J. See Baker, G. A., Jr., 4=2595
- Hill, B. J. See Baker, G. A., Jr., 4=27107
- Hill, B. J. See Daly, R. A., 2=10498
- Hill, B. J. See Gammel, J. L., 0=13072
- Hill, C. R. A method of alpha particle spectroscopy for materials of very low specific activity, 2=5829
- Hill, C. R. See Osborne, R. V., 4=30283
- Hill, C. W. See Rosen, J. S., 1=9741
- Hill, D. See Stone, B., 0=9971
- Hill, D. A., Caldwell, D. O., Frisch, D. H., Osborne, L. S., Ritson, D. M. and Schluter, R. A. High resolution focusing Čerenkov detector for high energy particles, 1=4747
- Hill, D. A. and Porter, N. A. Photography of Čerenkov [Čerenkov] light from extensive air showers in the atmosphere, 1=16940
- Hill, D. A. See Cool, R. L., 2=20430
- Hill, D. A. See Porter, N. A., 2=20461
- Hill, D. A. See Wahlig, M. A., 2=11849
- Hill, D. E. Infrared transmission and fluorescence of doped gallium arsenide, 4=10175
- Hill, D. E. and King, G. D. A method of sealing evacuated wide bore silica tubing, 4=11267
- Hill, D. W. Production of accurate gas and vapour mixtures, 1=20783
- Hill, D. W., Hook, J. R. and Bell, E. G. Servo-operated respiratory waveform simulator, 1=4140
- Hill, D. W., Hook, J. R. and Mable, S. E. R. A compact cathode-ray tube gas chromatograph, 2=11001
- Hill, D. W. and Stone, R. N. A transistor-driven gas sampling pump, 3=21011
- Hill, E. See Jennings, L. D., 1=11163
- Hill, E. D. See Jennings, L. D., 0=2788
- Hill, E. J. A simple transistor characteristic curve tracer, 3=15605
- Hill, E. L. Ball lightning as a physical phenomenon, 0=16490
- Hill, E. L. Electromagnetic radiation from lightning strokes, 1=7931
- Hill, E. R. A search for radio emission at 3.5 m from the local supergalaxy, 0=6564
- Hill, E. R. and Mills, B. Y. Source corrections to the Sydney radio source survey catalogue, 3=5268
- Hill, E. R., Slee, O. B. and Mills, B. Y. A pencil-beam survey of the galactic plane at 3.5 m, 0=4861
- Hill, E. R. See Mills, B. Y., 0=4869
- Hill, E. R. See Mills, B. Y., 1=8029
- Hill, E. R. See Mills, B. Y., 2=4858
- Hill, E. R. See Pawsey, J. L., 1=8012
- Hill, F. K. Turbulent boundary layer measurements at Mach numbers from 8 to 10, 0=952
- Hill, G. E. Anomalous f_0F_2 variations in the Antarctic, 0=16446

- Hill, G.E. Ionospheric disturbances following a solar flare, 1=15270
- Hill, G.E. Effects of corpuscular emissions on the polar ionosphere following solar flares, 1=21001
- Hill, G.E. Polar cap and auroral zone absorption events during the first six months of the I.G.Y., 2=15227
- Hill, G.E. H.F. communication during ionospheric storms, 3=9954
- Hill, G.E. Sudden enhancements of F-layer ionization in polar regions, 4=10761
- Hill, G.E. and Herman, J.R. W.W.V. reception in the Arctic during ionospheric disturbances, 3=11433
- Hill, G.E. See Penndorf, R., 3=5874
- Hill, G.J. Variation of the dielectric constant of the alkali halides with pressure, 2=14603
- Hill, G.J. See Gibbs, D.F., 4=12960
- Hill, H.A., Haase, E.L. and Knudsen, D.B. High-resolution measurements of the $O^{16}(p, \alpha)N^{13}$ excitation function, 1=12197
- Hill, H.A. See Haase, E.L., 3=17428
- Hill, H.A. See Turner, K.C., 4=14042
- Hill, H.C. and Reed, R.I. The volatilization of high melting solids in a mass spectrometer, 3=14684
- Hill, H.C. See Clayton, E., 4=24760
- Hill, H.H. See Bame, S.J., 3=11457
- Hill, E.M., Jr. See Fooke, W.M., 1=11960
- Hill, J.D. Allotropic transformations in plutonium, 0=21226
- Hill, J.D. and Steer, E.A. Stabilized power supply for micro-calorimetry, 1=16214
- Hill, J.G. See Batson, A.P., 0=1279
- Hill, J.G. See Dowell, J.D., 0=1280
- Hill, J.J. A magnetic resonance demonstration model, 3=14736
- Hill, J.J., Barlow, H.M. and Essen, L. International Conference on Precision Electromagnetic Measurements, Boulder, Colorado, August, 1962, 3=9689
- Hill, J.J. See Felton, A., 3=21673
- Hill, J.S., Meyer, H. and Milner, J.H. Thermal and magnetic properties of nickel-zinc fluosilicate, 2=10650
- Hill, J.S. See Dagley, P., 0=9515
- Hill, M.J.C. AWRE apparatus for work on preferred orientation in uranium, 2=23831
- Hill, M.N. and Mason, C.S. Diurnal variation of the earth's magnetic field at sea, 2=24058
- Hill, M.P. and Pethica, B.A. Effect of chemisorbed nitrogen on the work function of tungsten, 2=15942
- Hill, M.P. and Pethica, B.A. Effect of chemisorbed nitrogen on the work function of tungsten, 3=12226
- Hill, N.A. The variation of tensile and bend properties in a beryllium sheet, 2=12845
- Hill, N.A. and Jones, J.W.S. The crystallographic dependence of low load indentation hardness in beryllium, 2=4347
- Hill, N.A. See Mackay, K.J.H., 4=4599
- Hill, N.E. Dielectric relaxation and free volume, 0=13642
- Hill, N.E. The application of Onsager's theory to dielectric dispersion — a correction, 1=17374
- Hill, N.E. Interpretation of the dielectric properties of water, 3=14176
- Hill, N.E. A possible second dielectric dispersion region in polar liquids, 4=2698
- Hill, R. Uniqueness in general boundary-value problems for elastic or inelastic solids, 1=15758
- Hill, R. Acceleration waves in solids, 2=6717
- Hill, R. Constitutive laws and waves in rigid/plastic solids, 2=10741
- Hill, R. Uniqueness criteria and extremum principles in self-adjoint problems of continuum mechanics, 2=19483
- Hill, R. See Collinson, A.J.L., 3=13215
- Hill, R.A. and Becker, E.H. A rapid scan spectrograph for plasma spectroscopy, 4=27315
- Hill, R.A. and Dyce, R.B. Some observations of ionospheric Faraday rotation on 106.1 Mc/s, 0=11060
- Hill, R.A. and Edwards, T.H. First-order centrifugal distortion in planar asymmetric molecules, 3=6380
- Hill, R.A. and Edwards, T.H. Sum rules for planar asymmetric molecules, 4=9689
- Hill, R.D. A note on the capture of negative mesons in photographic nuclear emulsions, 1=15462
- Hill, R.D. Pion resonant states, 2=11975
- Hill, R.D. Determination of charges conducted in lightning strokes, 3=18515
- Hill, R.D. Investigation of electron runaway in lightning, 4=13808
- Hill, R.D. "Barrier-reef" model of resonance particles, 4=27764
- Hill, R.D., Hetherington, J.H. and Ravenhall, D.G. K^- -meson scattering in nuclear emulsion, 1=7284
- Hill, R.D. See Condo, G.T., 3=4660
- Hill, R.D. See Condo, G.T., 4=12416
- Hill, R.D. See Davis, D.H., 1=5782
- Hill, R.E. See Abashian, A., 4=6097
- Hill, R.E. See Auerbach, L.B., 3=22160
- Hill, R.F. and Rouze, S.R., Emission characteristics of a Philips impregnated cathode, 2=11691
- Hill, R.J. The adsorption of water on tungsten, 2=8897
- Hill, R.J. Preliminary measurements of the insulating-boundary thickness behind strong shocks in argon, 3=24456
- Hill, R.J. and Jacobs, P.W.M. Field effects on chemisorbed films in electron emission microscopy, 0=5356
- Hill, R.J. See Dunn, P.D., 2=19886
- Hill, R.M. Some fringe-broadening defects in a Fabry-Perot etalon, 3=21563
- Hill, R.M. and Battrick, J.R. An investigation into the production of optical gratings by the evaporation technique, 2=2871
- Hill, R.M. and Bergman, R.S. Nonlinear response of YIG, 1=6409
- Hill, R.M. and Bruce, C.F. Limiting precision in a scanning optical interferometer, 2=19719
- Hill, R.M. and Bruce, C.F. Correction to the paper "Precision in a scanning interferometer", 3=16792
- Hill, R.M. and Ichiki, S.K. Microwave noise from low-pressure arcs, 0=10894
- Hill, R.M. and Ichiki, S.K. Polarization relaxation in triglycine sulfate above the Curie temperature, 3=2961
- Hill, R.M. and Ichiki, S.K. Paraelectric response of KD_2PO_4 , 3=10871
- Hill, R.M. and Ichiki, S.K. High-frequency behaviour of hydrogen-bonded ferroelectrics: triglycine sulphate and KD_2PO_4 , 4=4218
- Hill, R.M. and Ichiki, S.K. Optical behavior of domains in KH_2PO_4 , 4=28700
- Hill, R.M., Oechsli, R. and Marg, E. A servo-method for producing equal-quanta, equal-energy, or equal-response spectra, 1=12988
- Hill, R.M. and Tetenbaum, S.J. Harmonic generation in a cyclotron resonant plasma, 0=258
- Hill, R.M. See Bruce, C.F., 1=8814
- Hill, R.M. See Bruce, C.F., 2=22022
- Hill, R.M. See Weaver, C., 0=10463
- Hill, R.M. See Weaver, C., 0=16246
- Hill, R.M. See Weaver, C., 0=21249
- Hill, R.N. Elementary derivation of the electron-electron interaction via the phonon field, 1=17409
- Hill, R.N. See Margenau, H., 2=2633
- Hill, R.S. and Armstrong, C. Aerodynamic sound in tube banks, 2=2816
- Hill, R.W. Low-temperature calorimetry, 0=19579
- Hill, R.W. Response of $CSi(Tl)$ and $NaI(Tl)$ to low-energy charged particles, 3=7747
- Hill, R.W. and Lounasmaa, O.V. The thermodynamic properties of fluid helium, 0=19532
- Hill, R.W. and Lounasmaa, O.V. The lattice specific heats of solid hydrogen and deuterium, 0=20749
- Hill, R.W. See Ashby, V.J., 3=8112
- Hill, R.W. See Bleaney, B., 1=17422
- Hill, R.W. See Bowman, C.D., 4=9030
- Hill, R.W. See Catron, H.C., 1=11023
- Hill, R.W. See Chapman, C.J.S., 1=13684
- Hill, S.V. High-gain d.c. amplifier for biological purposes, 0=3712
- Hill, T.L. Theory of solutions. III. Thermodynamics of aggregation of polymerization, 1=9388
- Hill, T.L. Effect of intermolecular forces on macromolecular configurational changes and on other isomeric equilibria, 1=10430
- Hill, T.L. Thermodynamics of small systems, 2=17702
- Hill, T.L. and Greenschlag, S. Statistical mechanics of monatomic systems in an external periodic potential field. I. Introduction, virial expansion, and classical second virial coefficient, 1=8066
- Hill, T.L. and Plesner, I.W. Studies in irreversible thermodynamics. I. Internal equilibrium and the reciprocal relations, 4=27087
- Hill, T.L. and Saitô, N. Statistical mechanics of monatomic systems in an external periodic potential field. II. Distribution function theory for fluids, 1=8067
- Hill, W.W. See Forster, L.M., 4=2106

- Hill, W.W. See Gillespie, A.S., Jr., 2=4572
- Hillas, A.M. and Cranshaw, T.E. A comparison of the charges of the electron, proton and neutron, 0=5521
- Hillas, A.M. and Cranshaw, T.E. Comparison of the charges of the electron, proton and neutron, 0=9310
- Hillas, A.M. and Tennent, R.M. High speed counter chronometer, 0=17190
- Hillas, A.M. See Cranshaw, T.E., 1=2137
- Hille, M., Jentsch, C. and Stranski, I.N. Surface boundary phenomena on the faces of sodium chloride crystals in aqueous solutions, 4=20736
- Hille, M. and Stranski, I.N. Influence of "co-solutes" on the growth form and the dendrite orientation of sodium chloride, 2=8789
- Hille, P.F. See Bate, R.T., 3=20273
- Hilleary, D.T. See Dreyfus, M.G., 2=15194
- Hiller, C. Comparative experiments with different methods of equidensitometry, 1=5449
- Hiller, H. Entry into elliptic orbits round the moon, 3=23714
- Hiller, K.H. Impairment of strength of quartz glass through wetting by liquids, 1=1349
- Hiller, K.H. Strength reduction and length changes in porous glass caused by water vapor absorption, 4=23544
- Hiller, L.A. Jr. and Brink, I.J. Automatically controlled isothermal-adiabatic calorimeter, 2=7449
- Hiller, L.A., Jr. See Wall, F.T., 1=20725
- Hiller, M. A. and Stafsudd, O. M. Czochralski growth of doped single crystal lanthanum trifluoride (LaF_3) for lasers, 4=13542
- Hiller, R.E., Jr. and Straley, J.W. Vibrational intensities and bond moments in deuterated methanes, 0=17740
- Hiller, W. See Driescher, H., 0=3657
- Hillert, M. The kinetics of the first stage of tempering, 0=15850
- Hillert, M. A solid-solution model for inhomogeneous systems, 1=20612
- Hillert, M. On the nearest neighbour interaction model with a concentration dependent interaction energy, 3=8886
- Hilliard, J.E., Cohen, M. and Averbach, B.L. Grain-boundary energies in gold-copper alloys, 0=16344
- Hilliard, J.E., Lommel, J.M., Hudson, J.B., Stein, D.F. and Livingston, J.D. Effect of annealing under high pressures on dislocations in lithium fluoride, aluminum, copper and iron, 1=14273
- Hilliard, J. K., Fiala, W. T. and Van Houten, J. J. The air modulated loudspeaker and its application to acoustic environmental testing, 4=5307
- Hilliard, J.K. See Fiala, W.T., 0=10738
- Hillier, I. and Walkley, J. A quantum hard-sphere equation of state, 3=21434
- Hillier, I. H. and Walkley, J. Quantum cell model equation of state, 4=29663
- Hillier, I.H. See Gordon, M., 3=9357
- Hillier, M.J. Thermal stresses in reactor shells due to γ -irradiation, 0=7671
- Hillier, M.J. Thermal stresses in reactor shells due to thermal neutron irradiation. I, 0=7672
- Hillier, M.J. Thermal stresses in reactor shells due to thermal neutron irradiation. II, 1=781
- Hillier, M.J. Tensile plastic instability under complex stress, 3=7158
- Hillier, R.R. See Evans, D., 1=13254
- Hillier, R.R. See Evans, D.E., 2=9977
- Hillier, S.B. Design and performance of a five-section nuclear magnetic resonance probe for aligning precision laboratory electromagnets, 1=16478
- Hillig, W.B. Strength of bulk fused quartz, 1=12601
- Hillig, W.B. and Charles, R.J. Concerning dislocations in glass, 1=4072
- Hillion, P. Quantum theory of the nonrelativistic rotator and experimental particles of zero strangeness, 2=11872
- Hillion, P. Theory of elementary particles, 2=22394
- Hillion, P. Quantum theory of the relativistic rotator, 2=22401
- Hillion, P. Gauge group and isospace symmetries associated with a non-relativistic rotator, 3=546
- Hillion, P. Theory of elementary particles with zero strangeness, 3=2186
- Hillion, P. Weak interactions in the iso-space $\mathcal{H}(R_s^C)$, 3=7781
- Hillion, P. Gauge group and isospace symmetries associated with the relativistic rotator. Theory of weak interactions, 3=17189
- Hillion, P. Theory of elementary particles and their interactions in the iso-space $\mathcal{H}(R_s^C)$, 3=24598
- Hillion, P. Leptons in the isospace $\mathcal{H}(R_s^C)$, 3=24599
- Hillion, P. Hyperspherical harmonics and tensors, 4=5024
- Hillion, P. Some results on weak interactions, 4=5956
- Hillion, P. Extension of the Wigner-Eckart theorem from the unimodular group, 4=8055
- Hillion, P. On the generalized Wigner-Eckart theorem, 4=8056
- Hillion, P. Leptonic disintegrations of K-mesons and Σ -hyperons, 4=9270
- Hillion, P. Resonances and the $H(R_s^C)$ isospace, 4=11886
- Hillion, P. Hyperspherical harmonics and tensors, 4=21016
- Hillion, P. Hilbert spaces of complete periodic functions on the real axis, 4=27017
- Hillion, P., Stépanov, B. and Vigier, J.P. Interpretation of the mean value of internal operators in the theory of relativistic fluid masses, 0=10592
- Hillion, P., Takabayasi, T. and Vigier, J.P. Relativistic hydrodynamics of rotating fluid masses moving with the velocity of light, 1=8043
- Hillion, P. and Vigier, J.P. Mathematical study of the proper functions of the internal kinetic moments of relativistic fluid masses, 0=10591
- Hillion, P. and Vigier, J.P. Elementary fields and irreducible representations of the Lorentz group, 0=11094
- Hillion, P. and Vigier, J.P. The non-relativistic wave-functions associated with an extended particle, 0=12842
- Hillion, P. and Vigier, J.P. Possible form of the relativistic wave functions associated with the motion and structure of elementary particles, at the nuclear level, 0=15259
- Hillion, P. and Vigier, J.P. Quantization of the internal motion of relativistic fluid masses, 0=17238
- Hillion, P. and Vigier, J.P. Application of relativistic invariant groups to extended particle models in special relativity, 0=18919
- Hillion, P. and Vigier, J.P. New isotopic spin space and classification of elementary particles, 1=461
- Hillion, P. and Vigier, J.P. The waves associated with the internal structure of particles. Non-relativistic approximation, 1=6781
- Hillion, P. and Vigier, J.P. On the Yang-Mills field, 1=9715
- Hillion, P. and Vigier, J.P. On Sakurai's theory of the strong interactions, 1=10848
- Hillion, P. and Vigier, J.P. Casual interpretation of the non-linear Heisenberg equation, 2=28
- Hillion, P. and Vigier, J.P. Interaction theory in a new isobaric spin space, 2=3261
- Hillion, P. and Vigier, J.P. Gauge invariance in a theory of elementary particles invariant under the group R_3 , 2=9769
- Hillion, P. and Vigier, J.P. Waves associated with the internal structure of a particle, 2=11858
- Hillion, P. and Vigier, J.P. The equations of waves associated with the structure of bosons, 2=11859
- Hillion, P. and Vigier, J.P. The equations of waves associated with the structure of fermions, 2=11860
- Hillion, P. and Vigier, J.P. An extension of Utiyama's formalism, 2=15477
- Hillion, P. and Vigier, J.P. A second extension of the Utiyama formalism, 2=19421
- Hillion, P. and Vigier, J.P. Theory of isobaric resonances considered as internal excited states of a model of a relativistic rotator of elementary particles, 3=12406
- Hillion, P. and Vigier, J.P. A possible test of the symmetry of hypercharge, 4=27755
- Hillion, P. See Bohm, D., 1=2696
- Hillion, P. See Bohm, D., 1=10423
- Hillion, P. See de Broglie, L., 0=3442
- Hillion, P. See de Broglie, L., 3=4324
- Hillion, P. See de Broglie, L., 3=4325
- Hillion, P. See Halbwachs, F., 0=6684
- Hillion, P. See Halbwachs, F., 0=10551
- Hillion, P. See Halbwachs, F., 0=12355
- Hillix, W.A. Use of two nonacoustic measures in computer recognition of spoken digits, 4=10946
- Hillman, M. Formation cross sections for Ca^{47} using 14.5 MeV neutrons, 2=20645
- Hillman, M. Decay of So^{44} , 3=10288
- Hillman, P., Middelkoop, W.C., Yamagata, T. and Zavattini, E. The $\pi^- - \pi^0$ mass difference, 0=2568
- Hillman, P., Tyren, H. and Maris, T.A.J. Momentum distribution of protons in individual nuclear shells, 0=17587
- Hillman, P. See Birk, M., 3=10379
- Hillman, P. See Birk, M., 3=12478
- Hillman, P. See Freier, S., 2=23630
- Hillman, P. See Gatti, G., 1=16854
- Hillman, P. See Gatti, G., 4=30238
- Hillman, P. See Gilad, P., 4=10299

- Hillman, P. See Hazoni, Y., 3=4807
Hillmann, B. See Baumgardt, E., 1=4155
Hillmann, E. See Schläfer, R., 1=18594
Hillmann, H. Preformed nuclei in the preparation of iron single crystals by zone melting and the production of iron single crystals by annealing in the ϵ range, 3=13420
Hillmann, H. See Keller, H., 2=12767
Hillmann, H. See Mager, A., 1=10144
Hills, G.A. See Cruickshank, F.D., 0=5145
Hills, H.K. See Frank, L.A., 3=18616
Hills, M.E. Coordination of cobalt in doped NaCl, NaBr, and KCl crystals, 4=26186
Hills, M.E. and McBride, W.R. Absorption bands of irradiated magnesium fluoride, 4=17575
Hills, R.F., Butcher, B.R. and Howlett, B.W. The mechanical properties of quenched uranium-molybdenum alloys. I. Tensile tests on polycrystalline specimens, 4=20686
Hills, R.F. See Lehmann, J., 1=20587
Hills, T.H. See Stanford, R.W., 0=10456
Hilsson, P.J. Literature review of the Herschel effect, 2=15758
Hilmer, V.W. The crystal structure of potassium hydrometasilicate $K_2(HSiO_3)_4$, 4=26670
Hilmer, W. Structure of the high-temperature form of barium germanate $BaGeO_4$, 3=1300
Hilmer, W. The structure of the acidic potassium metasilicate $(KHSiO_3)_n$, 4=7637
Hilmer, W. See Khil'mer, W.
Hilpern, J.W., Porter, G. and Stief, L.J. Decay of the triplet state. I. First-order processes in solution, 4=11198
Hilsch, P. Behaviour of superconductors in contact with normal conductors, 2=11553
Hilsch, P. and Hilsch, R. The behaviour of superconductors in contact with normal conductors, 2=9485
Hilsch, P. and Hilsch, R. Superconduction of superimposed layers of normal and superconductors, 4=24503
Hilsch, P., Hilsch, R. and Minnigerode, G.V. The superconductivity of superimposed Pb and Cu films, 4=16348
Hilsch, R., Korn, D. and v. Minnigerode, G. Magnetic evidence on the superconductivity of evaporated metal films, 2=13515
Hilsch, R. and von Minnigerode, G. Superconductivity and structure of thin films, 3=16133
Hilsch, R., von Minnigerode, G. and Schwidtal, K. The transition temperature of superconducting films containing paramagnetic additions, 4=14532
Hilsch, R. See Bergmann, G., 4=24513
Hilsch, R. See Berthold, G., 2=10584
Hilsch, R. See Buckel, W., 0=16955
Hilsch, R. See Fischer, F., 0=6036
Hilsch, R. See Fischer, F., 0=7874
Hilsch, R. See Fischer, F., 4=5387
Hilsch, R. See Hausmann, A., 4=26416
Hilsch, R. See Hilsch, P., 2=9485
Hilsch, R. See Hilsch, P., 4=16348
Hilsch, R. See Hilsch, P., 4=24503
Hilsenrath, J. and Ziegler, G.G. Tables of Einstein functions. Vibrational contributions to the thermodynamic functions, 3=23926
Hilsum, C. Properties of p-type indium antimonide. II. Photoelectric properties and carrier lifetime, 0=4370
Hilsum, C. The absorption edge of arsenic-sulphur-selenium mixtures, 0=4404
Hilsum, C. Galvanomagnetic effects and their application, 1=3715
Hilsum, C. Polar scattering in III-V compounds, 1=3768
Hilsum, C. The semiconductor optical maser, 4=21683
Hilsum, C. and Harding, W.R. The theory of thermal imaging and its application to the absorption-edge image-tube, 2=7455
Hilsum, C. and Holeman, B. Carrier lifetime in GaAs, 2=23389
Hilsum, C., Oliver, D.J. and Tanner, J.M. The speed of response of GaAs lasers, 4=27700
Hilsum, C. and Rose-Innes, A.C. Semiconducting III-V compounds, 1=17671
Hilsum, C. and Simpson, O. The design of single-crystal infrared photocells, 0=266
Hilsum, C. See Broom, R.F., 3=19491
Hilsum, C. See Coupland, M.J., 3=13094
Hilsum, C. See Coupland, M.J., 4=8989
Hilsum, C. See Edmond, J.T., 0=13613
Hilsum, C. See Gooch, C.H., 1=17711
Hilsum, C. See Hambleton, K.G., 1=11331
Hilsum, C. See Harding, W.R., 0=17287
Hilsum, C. See Holeman, B.R., 2=8395
Hilsum, C. See Whitlock, W.S., 0=7166
Hilt, R.L. and Hubbard, P.S. Nuclear magnetic relaxation of three spin systems undergoing hindered rotations, 4=17312
Hilt, B. See Busch, G., 2=573
Hilton, A.R. and Brau, M. New high temperature infrared transmitting glasses, 4=306
Hilton, A.R. and Gamble, F. Infrared absorption of disks made from crushed silicon, 2=18843
Hilton, A.R.Jr., Jache, A.W., Beal, J.B.Jr., Henderson, W.D. and Robinson, R.J. Millimeter wave spectrum and molecular structure of oxygen difluoride, 1=6007
Hilton, D.A. Scout-vehicle aerodynamic-noise measurements, 4=221
Hilton, H.H. and Russell, H.G. An extension of Alfrey's analogy to thermal stress problems in temperature dependent linear viscoelastic media, 1=15762
Hilton, J.L. See Luce, J.S., 4=11515
Hilton, P.L. See Levee, R.D., 2=990
Hilton, W.A. Construction and use of a Fabry-Perot interferometer, 3=260
Hilton, W.A. Time switch for a corridor demonstration, 3=7083
Hilton, W.A. and Crawford, R.C. Detecting the Vanguard signal, 0=4912
Hilton, W.A. See Hughes, R.H., 1=9909
Hilton, W.F. Techniques of flow visualization, 2=17414
Hilyard, N.C. and Jerrard, H.G. Birefringence induced by acoustic waves in polystyrene solutions, 2=13339
Hilyard, N.C. and Jerrard, H.G. Theories of birefringence in liquids by ultrasonic waves, 3=1687
Himbarger, R.L. and Bjorkstam, J.L. Temperature dependence of optical harmonic generation in KH_2PO_4 (near the phase-transition temperature), 4=4269
Himelblau, H. and Keer, L.M. Space requirements for simple mechanical systems excited by random vibration, 0=982
Himes, R.C. See Miller, J.F., 0=4351
Himes, R.C. See Miller, J.F., 0=12079
Himes, R.C. See Miller, J.F., 1=1078
Himes, R.C. See Reid, F.J., 4=28566
Himes, R.C. See Reid, F.J., 4=30614
Himmelblau, D.M. See Gibbs, R.K., 3=16152
Hinchcliffe, R. The threshold of hearing as a function of age, 1=1607
Hincks, E.P. See Anderson, H.L., 2=22830
Hincks, E.P. See Anderson, H.L., 3=15311
Hincks, E.P. See Anderson, H.L., 4=3823
Hincks, E.P. See Anderson, H.L., 4=9546
Hincks, E.P. See Bercovitch, M., 0=13098
Hincks, E.P. See Johnson, C.S., 2=10230
Hind, B.M. See Eccleshall, D., 2=12140
Hindel, R. New ratio ratemeter, 3=5606
Hinder, G.W. See Iredale, P., 4=30134
Hindin, H.J. See Taub, J.J., 4=4198
Hindley, N.K. and Rhodes, P. The high temperature specific heat of palladium, 3=10600
Hindman, J.C. Nuclear magnetic resonance effects in aqueous solutions of 1-1 electrolytes, 2=7230
Hindman, J.V. Relationship between stars and gas radial velocities in the small magellanic cloud, 4=23876
Hindman, J.V., Kerr, F.J. and McGee, R.X. A low resolution hydrogen-line survey of the Magellanic system. II. Interpretation of results, 4=10920
Hindman, J.V., McGee, R.X., Carter, A.W.L., Holmes, E.C.J. and Beard, M. A low resolution hydrogen-line survey of the magellanic system. I. Observations and digital reduction procedures, 4=10919
Hindman, J.V. and Wade, C.M. The Eta Carinae Nebula NGC 3372 and Centaurus A 1354A near 1400 Mc/s, 0=4867
Hindman, J.V. See Bok, B.J., 4=30970
Hindman, J.V. See Kerr, F.J., 0=4870
Hindmarsh, W.R. Collision broadening and shift in the $\lambda 6573$ line of calcium, 0=17704
Hindmarsh, W.R. Short-range forces between atoms, 4=6512
Hindmarsh, W.R. and Thomas, K.A. Collision broadening in the argon spectrum, 1=11066
Hindmarsh, W.R. See Gompertz, G., 4=10895
Hinds, B.M. See Eccleshall, D., 2=22740
Hinds, B.M. See Hinds, S., 4=6378
Hinds, B.M. See Litherland, A.E., 3=17402
Hinds, G. See Weber, J., 3=5349
Hinds, S. and Hinds, B.M. Two nucleon stripping and the $^{16}O(^3He, p)^{18}F$ reaction, 4=6378
Hinds, S., Litherland, A.E. and Middleton, R. A doublet at 3.40 MeV excitation in Mg^{25} , 1=8582

- Hinds, S., Litherland, A.E., Middleton, R. and Pullen, D.J. Some properties of Be^{11} , 1=8581
- Hinds, S., Marchant, H. and Middleton, R. The energy levels of the magnesium isotopes of mass 25 to 28, 1=16987
- Hinds, S., Marchant, H. and Middleton, R. Some energy levels of F^{21} and Na^{25} , 2=12135
- Hinds, S., Marchant, H. and Middleton, R. Some energy level determinations of O^{18} and O^{20} , 3=637
- Hinds, S., Marchant, H. and Middleton, R. The energy levels of Na^{22} and neutron production in stars, 4=15151
- Hinds, S. and Middleton, R. An investigation of the protons, deuterons and tritons from the bombardment of ^9Be with 5.7 MeV ^3He , 0=5755
- Hinds, S. and Middleton, R. The angular distribution of some proton groups from the reaction $^{16}\text{O}(^3\text{He}, p)^{18}\text{F}$, 0=5757
- Hinds, S. and Middleton, R. The energy levels of ^{21}Ne , 0=7475
- Hinds, S. and Middleton, R. Some angular distribution measurements on the reactions $^{16}\text{O}(^3\text{He}, d)^{17}\text{F}$ and $^{16}\text{O}(^3\text{He}, \alpha)^{15}\text{O}$, 0=7578
- Hinds, S. and Middleton, R. An investigation of the $\text{Si}^{26}(\text{He}^3, d)^{29}\text{P}$ and $\text{Si}^{28}(\text{He}^3, \alpha)\text{Si}^{27}$ reactions at a bombarding energy of 9.16 MeV, 0=9642
- Hinds, S. and Middleton, R. A study of the $^9\text{Be}(^3\text{He}, p)^{11}\text{B}$ and the $^9\text{Be}(^3\text{He}, d)^{10}\text{B}$ reactions in the energy range 5.7 to 10.2 MeV, 0=11423
- Hinds, S. and Middleton, R. An investigation of the $(^3\text{He}, p)$, $(^3\text{He}, d)$ and $(^3\text{He}, \alpha)$ reactions with ^{12}C at bombarding energies between 6 and 10 MeV, 0=11424
- Hinds, S. and Middleton, R. The energy levels of ^{24}Mg and ^{26}Mg , 1=617
- Hinds, S. and Middleton, R. A study of the $^{27}\text{Al}(^3\text{He}, d)^{28}\text{Si}$ reaction, 1=2238
- Hinds, S. and Middleton, R. A study of the $(^3\text{He}, d)$ reactions leading to ^{14}C and ^{12}C , 1=12217
- Hinds, S. and Middleton, R. A study of the $\text{B}^{10}(d, p)\text{B}^{11}$ reaction at a bombarding energy of 10.1 MeV, 1=19509
- Hinds, S. and Middleton, R. Some energy level determinations of O^{14} , O^{20} , F^{21} and Na^{25} , 2=1816
- Hinds, S. and Middleton, R. A study of the $\text{B}^{10}(d, p)\text{B}^{11}$ reaction, 3=680
- Hinds, S. and Middleton, R. Proton angular distributions from the $\text{Be}^9(t, p)\text{Be}^{11}$ reaction measured at 14 MeV triton energy, 4=19822
- Hinds, S., Middleton, R. and Litherland, A.E. A doublet at 3.40 MeV excitation in Mg^{25} , 1=8623
- Hinds, S., Middleton, R. and Litherland, A.E. An energy level of ^{24}Mg at 6.44 MeV excitation, 1=13657
- Hinds, S., Middleton, R. and Litherland, A.E. Further evidence for the $(2I+1)$ rule in the $\text{Al}^{27}(d, \alpha)\text{Mg}^{25}$ reaction, 2=1913
- Hinds, S., Middleton, R., Litherland, A.E. and Pullen, D.J. New isotope of carbon: C^{14} , 1=7343
- Hinds, S., Middleton, R. and Pullen, D.J. A D.W.B.A. analysis of stripping using-measured optical model parameters, 2=16430
- Hinds, S. See Middleton, R., 1=19508
- Hinds, S. See Middleton, R., 2=14131
- Hinds, S. See Pullen, D.J. 2=18232
- Hine, E.J. See Weissler, A., 2=2817
- Hine, G.J. and Cardarelli, J.A. Conical plastic scintillators show total gamma absorption, 0=19968
- Hine, R. A computational technique for the coincidence method of sign determination, 4=4572
- Hines, A.P. and Ross, J.S. Isotope shift in the spectrum of osmium, 2=16482
- Hines, C.O. Turbulence at meteor heights, 0=10404
- Hines, C.O. On the rotation of the polar ionospheric regions, 0=10410
- Hines, C.O. An interpretation of certain ionospheric motions in terms of atmospheric waves, 0=12157
- Hines, C.O. Internal atmospheric gravity waves at ionospheric heights, 1=1529
- Hines, C.O. Ionospheric disturbances at auroral latitudes, 2=13028
- Hines, C.O. The upper atmosphere in motion, 3=11419
- Hines, C.O. The energization of plasma in the magnetosphere: hydromagnetic and particle-drift approaches, 3=13699
- Hines, C.O. Geomagnetism and the ionosphere, 3=13705
- Hines, C.O. Summary: Geomagnetism and the ionosphere, 3=13706
- Hines, C.O. Ionization irregularities in the E-region, 3=23621
- Hines, C.O. The magnetopause: a new frontier in space, 4=4958
- Hines, C.O. The relation between hydromagnetic waves and the magneto-ionic theory, 4=5766
- Hines, C.O. Correction to "Internal atmospheric gravity waves at ionospheric heights", 4=29323
- Hines, C.O. and Parker, E.N. Statement of agreement regarding the ring-current effect, 1=1580
- Hines, C.O. See Axford, W.I., 2=889
- Hines, C.O. See Axford, W.I., 2=15270
- Hines, C.O. See Axford, W.I., 2=19239
- Hines, C.O. See Axford, W.I., 4=26873
- Hines, C.O. See Pitteway, M.L.V., 4=7826
- Hines, D.C. See Rome, M., 4=21563
- Hines, J.J. See Rothman, S.J., 2=14467
- Hines, K.C. and Pollard, J.P. Slowing down of neutrons in beryllium including the effects of the $(n, 2n)$ and (n, α) reactions, 2=10118
- Hines, K.C. See Axford, T.H., 4=21876
- Hines, R.L. Ranges of 7.5 to 52 keV H_2^+ , D_2^+ , He^+ , and Ne^+ ions in quartz, 1=336
- Hines, R.L. Ranges of 5- to 27-keV deuterons in aluminum, copper, and gold, 4=1540
- Hines, R.L. Epitaxial growth of gold on mica in an ultra-high vacuum, 4=23576
- Hines, R.L. and Arndt, R. Radiation effects of bombardment of quartz and vitreous silica by 7.5 keV to 59 keV positive ions, 0=13569
- Hines, R.L. and Wallor, R. Sputtering of vitreous silica by 20 to 60 keV Xe^+ ions, 1=3026
- Hines, R.L. See Arndt, R.A., 1=14322
- Hinge, K.S. See Hoch, M., 1=11860
- Hingne, D.N. See Swarup, P., 4=16662
- Hink, W. Response of a NaI:Tl scintillation crystal in the energy region of the K and L-absorption edges of iodine (33.2 and 5.2 keV respectively) for X-rays, 2=22480
- Hink, W. Asymmetry of the pulse-height distribution in a scintillation spectrometer for monoenergetic X-rays, 2=22487
- Hink, W. Registration errors of a single-channel pulse height analyser with mean-value measurement, 3=14495
- Hink, W. Absolute intensity of K α radiation produced by electron impact in a thick Cu anticathode, 4=9664
- Hink, W. The spectral distribution of the radiation from a microfocus X-ray tube with a membrane target, 4=24774
- Hink, W. See Petzold, W., 4=26708
- Hink, W. See Schwartz, K., 2=22292
- Hinkelmann, H. On the frequency stability of special oscillator circuits, 3=14486
- Hinkelmann, H. and Ihme, H.M. An electric deep sea thermometer with short response time, 3=19053
- Hinkley, E.D. and Ewald, A.W. Oscillatory magnetoresistance in gray tin, 4=20379
- Hinkley, P.L. See Simms, D.L., 2=11535
- Hinkley, P.L. See Simms, D.L., 3=14415
- Hinman, G. See Chidley, B., 0=2686
- Hinman, G.W., Hoy, G.R., Lees, J.K. and Serio, J.C. Angular correlation studies of electric field gradients in dilute silver alloys, 4=22458
- Hinman, G.W., Hoy, G.R., Lees, J.K. and Serio, J.C. Influence of cold work and radiation damage on the angular correlation of gamma rays from In^{111} nuclei imbedded in silver, 4=22463
- Hinman, G.W., Kuncir, G.F., Sampson, J.B. and West, G.B. Accurate Doppler broadened absorption, 3=19649
- Hinman, G.W. See Giffels, C.A., 1=3588
- Hinman, G.W. See Hoy, G.R., 3=22718
- Hinman, G.W. See Kao, S.K., 0=12928
- Hinnah, H. See Flynn, T.M., 4=14473
- Hinnov, E. Interpretation of observed impurity radiation in a discharge of the C-stellarator, 4=11681
- Hinnov, E. and Hirschberg, J.G. Electron-ion recombination of dense plasmas, 2=3029
- Hinnov, E. and Hirschberg, J.G. Spectroscopic measurements of helium afterglow, 3=4105
- Hinnov, E., Hirschberg, J.G., Hofmann, F.W. and Rynn, N. Spectroscopic observations on a fully-ionized barium plasma, 4=8708
- Hinnov, E. and Hofmann, F.W. Measurement of absolute radiation intensities in the vacuum-ultraviolet region, 4=2839
- Hinnov, E. See Hirschberg, J.G., 4=18854
- Hinnov, E. See Kuckes, A.F., 1=11924
- Hinotani, K. A study on nuclear-active component in extensive air showers at mountain altitude, 2=5761
- Hinotani, K. See Miyake, S., 0=20252
- Hinotani, K. See Miyake, S., 1=2127
- Hinotani, K. See Miyake, S., 1=13555
- Hinotani, K. See Miyake, S., 2=12071

- Hinotani, K. See Miyake, S., 3=17369
 Hinotani, K. See Miyake, S., 4=966
 Hinrichs, C.K., Moyer, B.J., Poirier, J.A. and Ogden, P.M. Charge-exchange production of antineutrons and their annihilation in hydrogen, 2=18142
 Hinrichs, C.H. and Swenson, C.A. Superconducting critical field of tantalum as a function of temperature and pressure, 1=11879
 Hinrichs, C.K. See Nguyen-huu Xuong, 1=16788
 Hinrichs, E. and Wienecke, R. The effect of cathode erosion on the energy balance of a high current carbon arc, 0=5290
 Hinrichsen, H.P. See Engelhardt, W., 2=9250
 Hinsch, H. Interlinked mechanical impedances in the measurement of structure-borne sound damping at corners and at uniform joints model experiments, 1=8208
 Hinsch, H. Ultrasonic absorption and dispersion in the chloride vapours of elements of the fourth group, 2=2772
 Hintenberger, H., Franzen, J. and Schuy, K.D. Periodicities in the abundance distributions of positively and negatively charged multi-atom carbon molecules C_n^+ and C_n^- in a high frequency arc between graphite electrodes, 4=16447
 Hintenberger, H., König, H., Schultz, L. and Wänke, H. Radiogenic, spallogenic and primordial inert gases in stone meteorites, 4=23898
 Hintenberger, H., König, H., Schultz, L., Wänke, H. and Wlotzka, F. Relative production cross-sections for He^3 and Ne^{21} from Mg, Si, S and Fe in stone meteorites, 4=15934
 Hintenberger, H., König, H. and Wänke, H. Primordial inert gases in the meteorite Breitscheid, 2=15326
 Hintenberger, H., König, H. and Wänke, H. Helium and neon contents of stone meteorites and their radiogenic and cosmogenic ages, 3=13677
 Hintenberger, H. and König, L.A. Mass spectrographs with first order double focusing for all masses, exhibiting small aberrations in a large mass range over the photographic plate, 0=19786
 Hintenberger, H., Vilcsek, E. and Wänke, H. Diffusion loss from stone meteorites of radiogenic and spallogenic rare gases, 4=20913
 Hintenberger, H. and Wänke, H. Helium and neon isotopes in iron meteorites, 4=20912
 Hintenberger, H. See Dörnenburg, E., 0=2351
 Hintenberger, H. See Dörnenburg, E., 1=19077
 Hintenberger, H. See Franzen, J., 2=9533
 Hintenberger, H. See Franzen, J., 4=607
 Hintenberger, H. See Hayakawa, T., 2=951
 Hintenberger, H. See König, H., 2=6999
 Hintenberger, H. See König, H., 2=15327
 Hintenberger, H. See Schuy, K.D., 3=16989
 Hintenberger, H. See Schuy, K.D., 4=618
 Hintenberger, H. See Schuy, K.D., 4=20842
 Hintenberger, H. See Voshage, H., 0=4882
 Hintenberger, H. See Voshage, H., 0=8495
 Hintenberger, H. See Voshage, H., 2=2532
 Hintenberger, H. See Walther, V., 2=22280
 Hintenberger, H. See Walther, V., 3=14665
 Hintenberger, H. See Walther, V., 4=604
 Hinteregger, H. Interplanetary ionization by solar extreme ultraviolet radiation, 1=2598
 Hinteregger, H.E. Preliminary data on solar extreme ultra-violet radiation in the upper atmosphere, 1=20891
 Hinteregger, H.E. Monochromator measurements of Lyman series emissions of solar H and He^+ , 2=15335
 Hinteregger, H.E. Absorption spectrometric analysis of the upper atmosphere in the E.U.V. region, 3=1456
 Hinteregger, H.E. Photoelectric spectrophotometry of solar extreme ultraviolet radiation, 3=9198
 Hinteregger, H.E. On Burkard's F-region ionization model, 3=13769
 Hinteregger, H.E., Damon, K.R. and Hall, L.A. Analysis of photoelectrons from solar extreme ultraviolet, 0=10451
 Hinteregger, H.E., Hall, L.A. and Schweizer, W. Solar XUV-spectrum from 310 Å to 55 Å, 4=26933
 Hinteregger, H.E. and Watanabe, K. Photoionization rates in the E and F regions, II, 2=24036
 Hinteregger, H.E. See Hall, L.A., 4=13815
 Hinteregger, H.E. See Heroux, L., 0=7144
 Hinteregger, H.E. See Heroux, L., 3=14631
 Hinteregger, H.E. See Newburgh, R.G., 3=14355
 Hinteregger, H.E. See Watanabe, K., 2=13035
 Hintermann, H.E. See Steinemann, S., 0=14082
 Hintermann, K. and Widerbe, R. Tritium production and cycling in a fusion reactor with lithium blanket, 0=4158
 Hinton, R. See Cohen, J.B., 2=21023
 Hinton, T. See Harlow, R.G., 3=7258
 Hintz, E. Magnetic field measurements during the fast magnetic compression of a preheated deuterium plasma and their relevance, 2=11655
 Hintz, E. Effects of amplitude and polarity of internal magnetic field on the fast magnetic compression of a fully ionized, uniform plasma, 3=12165
 Hintz, E. Experiments on the heating of a deuterium plasma by fast magnetic compression, 4=8694
 Hintz, E., Kolb, A. C., Lupton, W. H. and Griem, H. R. Drift of a ϵ pinch in a ioffe multipole field, 4=14694
 Hintz, E. See Beerwald, H., 2=15909
 Hintz, E. See Beerwald, H., 3=12164
 Hintz, E. See Bogen, P., 2=11676
 Hintz, E. See Bogen, P., 3=7499
 Hintz, E. See Bogen, P., 3=12166
 Hintz, E. See Bogen, P., 4=18961
 Hintz, E. See Bogen, P., 4=29940
 Hintz, E. See Fay, H., 3=12046
 Hintz, E. See Goldenbaum, G., 4=18757
 Hintz, N.M. Coulomb effects in the direct interaction, 1=8716
 Hintz, N.M., Kavaloski, C.D., Lee, L.L. Jr. and Stovall, T. Determination of parity change from inelastic angular distributions, 1=19370
 Hintz, N.M. See Kavaloski, C.D., 4=1073
 Hintz, N.M. See Meyer, V., 0=20432
 Hintz, N.M. See Meyer, V., 1=8712
 Hintz, N.M. See Reay, N.W., 3=17464
 Hintz, N.M. See Stovall, T., 4=25384
 Hinz, W. and Skatulla, W. Electron microscopic evidence for the spiral growth of dendrites, 1=11538
 Hinze, C. See Emendörfer, D., 4=3748
 Hinze, J. and Jaffe, H.H. Electronegativity. I. Orbital electro-negativity of neutral atoms, 2=10960
 Hinze, J. and Jaffe, H.H. Slater-Condon parameters from spectral data, 3=15274
 Hinze, J., Whitehead, M.A. and Jaffé, H.H. Electronegativity. II. Bond and orbital electronegativities, 3=12807
 Hinz, J.O. Momentum and mechanical-energy balance equations for a flowing homogeneous suspension with slip between the two phases, 3=101
 Hinzner, F.W. and Stevenson, D.A. Kinetics of solution in liquid metals. Solution rate of zinc, silver, and tin into liquid mercury, 4=5156
 Hinzpeter, G. A thermionic cathode ionization gauge tube for pressure measurement up to 10^{-1} torr, 0=19228
 Hinzpeter, G. Investigations in the weak-current range of the low pressure glow discharge, 3=24240
 Hioko, R., Haradome, M. and Kukimoto, H. Photoconductivity of sintered (Cd, Zn)S layers, 3=23016
 Hippel, A. Von See Von Hippel, A.
 Hirabayashi, H. See Kiriyama, R., 4=20622
 Hirabayashi, H. See Toyoda, H., 0=20956
 Hirabayashi, H. See Waku, S., 1=1136
 Hirabayashi, M. and Muto, Y. Electrical resistance of copper-gold alloys at low temperatures, 1=17606
 Hirabayashi, M. and Weissmann, S. Study of CuAuI by transmission electron microscopy, 2=6829
 Hirabayashi, M. See Iwasaki, H., 1=11579
 Hirabayashi, M. See Weissmann, S., 1=11218
 Hiraga, K. See Yamamura, H., 0=5025
 Hirahara, E. See Fujime, S., 1=12418
 Hirahara, E. See Kasaya, M., 4=4177
 Hirahara, E. See Komatsubara, T., 3=11104
 Hirahara, E. See Murakami, M., 0=668
 Hirahara, E. See Naya, R., 1=12531
 Hirahara, E. See Ono, K., 3=995
 Hirahara, E. See Ono, K., 3=2698
 Hirahara, E. See Yadaka, H., 2=18700
 Hirai, A. Temperature dependence of T_1 of Cl^{35} in paradichlorobenzene, 1=10195
 Hirai, A. Temperature dependence of spin-lattice relaxation time of Cl^{35} in pure quadrupole resonance, 2=8695
 Hirai, A. and Kawai, T. N.M.R. pulse apparatus and its application to the investigation of internal motion of high polymer (polypropylene), 2=11814
 Hirai, A. See Abe, H., 4=4426
 Hirai, A. See Amaya, K., 4=23073
 Hirai, A. See Hashi, T., 1=1977
 Hirai, A. See Kawai, T., 1=14830
 Hirai, A. See Kawai, T., 2=4290
 Hirai, A. See Matsuura, M., 2=21387
 Hirai, A. See Sasaki, M., 1=11602

- Hirai, A. See Yasuoka, H., 2=18962
 Hirai, A. See Yasuoka, H., 3=18149
 Hirai, M. F—M conversion in additively colored KCl crystals, 0=20833
 Hirai, M. Thermal bleaching of color centers in KCl crystals containing U centers, 1=11242
 Hirai, M., Ikezawa, M. and Ueta, M. Temporary bleaching of color centers in KCl crystal, 1=17574
 Hirai, M., Ikezawa, M. and Ueta, M. F' type new absorption bands associated with complex centers in alkali halide crystals, 3=815
 Hirai, M., Ikezawa, M. and Ueta, M. F'-type new absorption bands in KCl and KBr crystals, 3=22840
 Hirai, M., Kurihara, Y., Inoue, R. and Niwa, S. Results of propagation tests at 600 Mc and 2120 Mc over long-range beyond-horizon paths, 4=7860
 Hirai, M. and Scott, A. B. Electron traps in colored KCl at —30°C, 4=20431
 Hirai, M. and Ueta, M. A new absorption band (L_4) associated with F centre, 2=12600
 Hirai, M. and Ueta, M. F'-type new bands associated with R, M and N centres in alkali halide crystals, 2=21081
 Hirai, M. See Ikezawa, M., 3=818
 Hirai, M. See Ueta, M., 1=8917
 Hirai, M. See Ueta, M., 1=10019
 Hirai, M. See Ueta, M., 1=14340
 Hirai, M. See Ueta, M., 2=23221
 Hirai, M. See Ueta, M., 3=4983
 Hirai, N. See Kim, W. K., 0=4988
 Hirakawa, H. Pulse shortening effect in linear accelerators, 4=8867
 Hirakawa, H. See Kondo, K., 1=7464
 Hirakawa, H. See Oka, T., 1=12285
 Hirakawa, K., Hashimoto, T. and Hirakawa, K. Magnetic anisotropy of KCoF₂ and KNiF₂, 1=20164
 Hirakawa, K., Hirakawa, K. and Hashimoto, T. Magnetic properties of potassium iron group fluorides KMF₂, 1=12548
 Hirakawa, K. See Hatherly, M., 4=13199
 Hirakawa, K. See Hatherly, M., 4=22990
 Hirakawa, K. See Hirakawa, K., 1=20164
 Hirakawa, K. See Tubota, H., 1=12444
 Hirakawa, K. See Tubota, H., 3=25374
 Hirakawa, K. See Hirakawa, K., 4=8884
 Hirakawa, K., Hirakawa, K. and Yoneyama, S. A simple recording magnetometer, 4=8884
 Hiraki, A. and Suita, T. Annealing of quenched-in defects in Ge crystal (dislocation density 10^4 – 10^5 etch-pits/cm²), 2=12424
 Hiraki, A. and Suita, T. Vacancies in germanium — properties of quenched-in vacancies, 3=22750
 Hiraki, A. See Itoh, J., 1=20267
 Hiraki, A. See Itoh, J., 3=23273
 Hiraki, A. See Son, P., 4=13480
 Hiraki, H., Oneda, S. and Umezawa, H. Strangeness violating weak interactions and the spin of K*, 2=12000
 Hiraki, H. See Hori, S., 2=13869
 Hiraki, H. See Oneda, S., 3=6069
 Hiram, A. See Yasuoka, H., 4=7354
 Hiramatsu, K. See Tomita, K., 3=20640
 Hiramatsu, M. See Okazaki, S., 3=20317
 Hirano, K., Agarwala, R. P., Averbach, B. L. and Cohen, M., Diffusion in cobalt-nickel alloys, 2=23202
 Hirano, K., Agarwala, R. P. and Cohen, M. Diffusion of iron, nickel and cobalt in aluminium, 2=21057
 Hirano, K., Cohen, M. and Averbach, B. L. Diffusion of nickel into iron, 1=17559
 Hirano, K., Cohen, M. and Averbach, B. L. Diffusion of iron, cobalt and nickel in silver, 3=13006
 Hirano, K., Cohen, M., Averbach, B. L. and Ujiye, N. Self-diffusion in alpha iron during compressive plastic flow, 4=6874
 Hirano, K. See Buffington, F. S., 1=17556
 Hirano, K. See Duhl, D., 3=8449
 Hirano, K. See Itô, H., 4=24675
 Hirano, K., Cohen, M. and Averbach, B. L. Reply to comment on "Diffusion of iron, cobalt and nickel in silver", 4=12801
 Hirao, K. Geomagnetic latitude dependence of electron temperature in the ionosphere, 3=25921
 Hirao, K., Akita, K. and Shiro, I. Temperature gradient and its fluctuation in the lower atmosphere, 0=14195
 Hirao, K. See Aono, Y., 3=13702
 Hirao, K. See Ichimiya, T., 1=11648
 Hirao, K. See Miyazaki, S., 2=17154
 Hirao, K. See Tao, K., 1=15267
 Hirao, T. See Wakatsuki, T., 3=6250
 Hirao, Y. Gamma rays from the proton bombardment of sulphur and the O* second excited state of S³², 2=451
 Hirao, Y. See Wakatsuki, T., 1=8591
 Hirao, Y. See Wakatsuki, T., 1=9858
 Hirao, Y. See Wakatsuki, T., 1=13661
 Hirao, Y. See Wakatsuki, T., 2=3567
 Hiraoka, H. and Hardwick, R. Dissociation of halogens in shock waves, 2=10974
 Hiraoka, H. and Hardwick, R. Thermal decomposition of nitril chloride in shock waves, 2=15133
 Hiraoka, H. and Hardwick, R. Emission and dissociation of NO₂ in shock waves, 4=3919
 Hiraoka, M. See Takamatsu, T., 4=21334
 Hiraoka, M. See Takamatsu, T., 4=21335
 Hiraoka, T. See Goto, M., 3=21926
 Hiraoka, T. See Nishimura, A., 3=22907
 Hiraoka, T. See Tatsumoto, E., 4=7257
 Hirasawa, T. Elastic waves from a spherical source: aperiodic solutions for Scholte's model, 4=21218
 Hirasawa, T. See Fukushima, N., 4=23816
 Hirata, H. See Nakayama, Y., 3=8031
 Hirata, H. See Shimizu, S., 4=22077
 Hirata, M. See Ida, M., 4=20825
 Hirata, M. See Makishima, S., 2=715
 Hirata, M. See Saito, H., 3=22934
 Hirata, M. See Saito, H., 4=6788
 Hirata, Y. See Nishimura, K., 3=24720
 Hirata, Y. See Takemoto, S., 2=7873
 Hirayama, C. The vapour pressure of germanium telluride, 3=295
 Hirayama, C. and Berg, D. Dielectric properties of glasses in the system TiO₂–Na₂O–SiO₂, 2=674
 Hirayama, C., Ichikawa, Y. and DeRoo, A. M. Vapor pressures of tin selenide and tin telluride, 3=21637
 Hirayama, C. and Lewis, D. W. The effect of neodymium environment on its absorption and emission characteristics in glass, 4=20485
 Hirayama, C. and Subbarao, E. C. Dielectric properties of bismuth borate glasses, 3=891
 Hirayama, T. Physical structure of limb flares, 3=11545
 Hirayama, T. A model of the solar quiescent prominence and the effect of the solar U. V. radiation on the prominence, 4=2452
 Hirayama, T. See Suemoto, Z., 2=13135
 Hirayama, T. See Suzuki, T., 4=29458
 Hird, B., Kuehner, J. A., Almqvist, E. and Brassard, C. Spin-parity combinations of levels in Mg²⁴ below 9.6 MeV excitation, 4=9396
 Hird, B. and Strzałkowski, A. Deuteron stripping with polarized deuterons, 0=15576
 Hird, B. See Al-Jeboori, M. A., 0=5743
 Hird, B. See Al-Jeboori, M. A., 0=15577
 Hird, B. See Budzanowski, A., 1=1452
 Hird, B. See Strzałkowski, A., 0=11401
 Hirde, J. P. See Kher, V. G., 3=16884
 Hirel, R. Separation of fast particles by means of h. f. electromagnetic fields, 4=16545
 Hiremath, G. C. and Suryanarayana Rao, K. Dielectric absorption at 3 cm. in some higher alkyl phenols, 4=29642
 Hiroike, E. Indirect nuclear spin-spin couplings in saturated hydrocarbon molecules, 1=7491
 Hiroike, E. Effect of the bond polarization on the I-I-coupling in hydrocarbons, 2=6208
 Hiroike, E. Effect of bond polarization on I-I coupling in hydrocarbon molecules, 2=14316
 Hiroike, K. On the method of "auxiliary variables", 0=14534
 Hiroike, K. A formal theory of collective behavior, 1=2716
 Hiroike, K. Radial distribution function of fluids. III, 1=8093
 Hiroike, K. A new approach to the theory of classical fluids. II. Multicomponent systems, 1=10500
 Hiroike, K. Variational study of the ground state of a Bose-Einstein fluid, 2=11297
 Hiroike, K. See Morita, T., 1=2749
 Hiroike, K. See Morita, T., 1=4277
 Hiroike, K. See Morita, T., 1=15843
 Hirokawa, K. Determination of impurities in some non-ferrous metals by fluorescent X-ray spectroscopy, 2=16648
 Hirokawa, K. On the preparation of calibration curves for X-ray fluorescent analysis of tin-lead, antimony-lead, antimony-tin, and tin-antimony-lead alloy, 2=17035

- Hirokawa, K. Application of the calibration (absorption parameter) method to X-ray fluorescent analysis of tin-lead, antimony-lead, tin-antimony, and tin-antimony-lead alloy, and analysis of actual samples, 2=17036
- Hirokawa, T. Deformation twins in white tin. I. The appearances and kinds of deformation twins, 0=4585
- Hirokawa, T. Deformation twins by tensile impact in white tin, 1=14869
- Hirokawa, T. Slipping and twin bands in the crystals of white tin, 1=14903
- Hirone, T., Adachi, K., Yamada, M., Chiba, S. and Tazawa, S. The magnetic anisotropy of pyrrhotite and iron selenide, 3=1025
- Hirone, T. and Chiba, S. On the magnetic anisotropy of single crystal of chromium telluride, 1=12527
- Hirone, T., Kaneko, T. and Kondo, K. The change of Curie temperature of ordered AuMn and of indium Heusler alloy of hydrostatic pressure, 3=11026
- Hirone, T., Miura, S. and Susuoka, T. Diffusion of nickel in silver, 2=3942
- Hirone, T., Suzuoka, T., Miura, S., Yamamoto, H. and Adachi, K. Diffusion of iron group elements in silver, 3=22814
- Hirone, T. and Yamamoto, H. Diffusion of cobalt into silver, 1=14317
- Hirone, T. See Kamigaki, K., 2=3832
- Hirone, T. See Mikami, I., 0=21040
- Hirone, T. See Sato, K., 3=1004
- Hirono, M. On the magnetic clouds responsible for variations of cosmic-ray and geomagnetic field, 0=14182
- Hirono, M. On the theory of cross relaxation in maser materials, 1=14807
- Hirono, M. On the theory of cross relaxation in maser materials. II. Harmonic spin coupling, 2=16814
- Hirono, M. Utilization of cross relaxation effect in chromium-doped rutile maser, 3=14798
- Hirono, M. and Akima, H. A study of variations of the corpuscular radiation observed by Satellite 1958 Epsilon near Japan, 1=15338
- Hirono, M., Maeda, H. and Kato, S. Wind systems and drift motions in the ionosphere deduced from the dynamo theory, 0=8378
- Hirose, H. and Wada, Y. Improved penetrometer for the routine test of asphaltic bitumens, 3=1226
- Hirose, H. and Wada, Y. Dielectric properties and d.c. conductivity of vacuum-deposited SiO films, 4=22766
- Hirose, H. See Arisawa, K., 4=4687
- Hirose, H. See Wada, Y., 1=2502
- Hirose, H. See Wada, Y., 1=11589
- Hirose, H. See Wada, Y., 1=12578
- Hirose, H. See Wada, Y., 4=10393
- Hirose, T. Mechanics of ultrasonic cavitation and cavitation intensity from the viewpoint of polymer degradation, 2=9278
- Hirose, Y. See Takasu, S., 3=1085
- Hirota, E. Rotational isomerism and microwave spectroscopy. I. The microwave spectrum of normal propyl fluoride, 2=18473
- Hirota, E. Rotational isomerism and microwave spectroscopy. II. The microwave spectrum of butyronitrile, 3=6409
- Hirota, E. Spin wave modes in ferromagnetic films, 4=13282
- Hirota, E. and Kubota, B. Magnetic property of Cr_2O_3 , 1=14759
- Hirota, E. and Yanase, A. The crystalline anisotropy energy in CrO_2 , 3=15413
- Hirota, E. and Yanase, A. Errata. The crystalline anisotropy energy in CrO_2 , 4=15397
- Hirota, E. See Kikuchi, Y., 0=2744
- Hirota, E. See Kubota, B., 1=14395
- Hirota, E. See Kubota, B., 3=1035
- Hirota, E. See Kubota, B., 4=13174
- Hirota, E. See Matsumura, C., 3=6408
- Hirota, E. See Morino, Y., 4=22382
- Hirota, I. See Suglura, M., 4=29957
- Hirota, K., Fueki, K. and Otouma, H. On the dissociation of ethanol molecular ions formed by charge-exchange-collisions with positive ions, 3=12870
- Hirota, K. See Kusumoto, H., 1=12317
- Hirota, K. See Ono, N., 4=5194
- Hirota, N. Spin distribution in ketyl radicals, 3=4777
- Hirota, N., Hutchison, C. A., Jr. and Palmer, P. Hyperfine interactions and electron spin distribution in triplet-state naphthalene, 4=23053
- Hirota, N. and Weissman, S. I. Spin-spin interaction in dimers of free radicals, 2=23012
- Hirota, R. Theory of a solid state plasma waveguide in a transverse magnetic field, 4=27657
- Hirota, R. and Tosima, S. A geometrical method of investigating dispersion relations, 3=19419
- Hirota, R., Tosima, S. and Lampert, M. A. Theory of double injection into a semiconductor of finite cross-section, 3=17838
- Hirota, R. See Fujita, S., 0=8566
- Hirota, R. See Tosima, S., 3=24312
- Hirota, R. See Tosima, S., 4=20353
- Hirota, S. and Imai, T. Electron microscope study of the decomposition process of oxide coated cathodes, 1=13104
- Hirota, T. See Azuma, T., 1=18340
- Hirotani, H. See Imai, Y., 1=1434
- Hiroyasu, H. See Tanasawa, T., 3=11363
- Hirsch, A. A. Influence of a magnetic field on the electrical resistance of thin ferromagnetic layers at low temperatures, 0=9937
- Hirsch, A. A. Electrical resistivity of thin ferromagnetic layers at low temperatures, 0=9938
- Hirsch, A. A. Double hysteresis loops in ferromagnetic crystals, 0=13782
- Hirsch, A. A. Temperature dependence of coercivity and domain structure in thin ferromagnetic layers, 3=15813
- Hirsch, A. A. Effect of cold rolling on magnetization reversal of high-purity nickel tapes, 4=13208
- Hirsch, A. A. Magnetoresistance below magnetization saturation in plastically deformed nickel down to liquid helium temperatures, 4=28533
- Hirsch, A. A. and Bazian, S. Electrical conduction of thin metallic layers at high frequencies down to liquid helium temperatures, 4=13680
- Hirsch, A. A. and Friedman, N. Induced magnetic anisotropy in thin ferromagnetic films investigated at low temperatures, 3=15847
- Hirsch, A. A. and Friedman, N. Time and field effects in the electrical conduction of thin metallic layers at low temperatures, 4=12844
- Hirsch, A. A., Friedman, N. and Gorodetsky, G. Magnetization process and domain structure from magnetoresistance measurements in thin nickel wires, 3=1087
- Hirsch, A. A., Friedman, N. and Zvikelsky, A. Dynamic magnetoresistance loops of gold worked nickel at low temperatures, 4=12861
- Hirsch, A. J. and Ketch, R. W. On the mean temporal variations of electron density at a fixed height in the F-region, 2=9003
- Hirsch, E. and Ryason, P. R. Combustion delay surfaces in the oxidation of hydrogen, 4=17858
- Hirsch, E. H. Image formation by electron bombardment of metal targets, 1=323
- Hirsch, E. H. Flow of gas through porous media in the region between molecular and viscous condition, 1=10530
- Hirsch, E. H. Vacuum measurements by means of alternating gas discharges, 2=2796
- Hirsch, E. H. Low pressure intermittent gas discharges, 2=13547
- Hirsch, E. H. Sputter-ion pumps with thermionic electron injection, 4=21192
- Hirsch, H. Photographic emulsion grains with cores. I. Evidence for the presence of cores, 2=13468
- Hirsch, H. Photographic emulsion grains with cores. II. The identification of trapped iodine, complementary to print-out silver. The mechanism of its formation and regression, 3=17259
- Hirsch, H. R. Hyperfine structure in the $^3\text{P}_1$ level of the twenty-four hour isomer of mercury 197, 1=17259
- Hirsch, H. R. and Stager, C. V. Hyperfine structure of Hg^{197} . An application of the level-crossing technique, 0=17711
- Hirsch, J. See Collings, P. R., 4=22759
- Hirsch, P. B. Observations of dislocations in metals by transmission electron microscopy, 1=970
- Hirsch, P. B. Extended jogs in dislocations in face-centred cubic metals, 2=6337
- Hirsch, P. B. Dislocation distributions and hardening mechanisms in metals, 4=28465
- Hirsch, P. B. Technique and application of transmission electron microscopy, 4=29157
- Hirsch, P. B., Cotterill, R. M. J. and Jones, M. W. Some observations on radiation damage in metals, 3=17770
- Hirsch, P. B., Howie, A. and Whelan, M. J. A kinematical theory of diffraction contrast of electron transmission microscope images of dislocations and other defects, 1=9165
- Hirsch, P. B., Howie, A. and Whelan, M. J. On the production of X-rays in thin metal foils, 3=6902
- Hirsch, P. B., Lally, J. S. and Steeds, J. Some recent studies of defects in deformed metals, 3=17732

- Hirsch, P.B., Partridge, P.G. and Segall, R.L. An electron microscope study of stainless steel deformed in fatigue and simple tension, 0=21117
- Hirsch, P.B. and Warrington, D.H. The flow stress of aluminium and copper at high temperatures, 1=14899
- Hirsch, P.B. See Bailey, J.E., 0=20813
- Hirsch, P.B. See Bailey, J.E., 2=8856
- Hirsch, P.B. See Mitchell, T.E., 4=7443
- Hirsch, P.B. See Segall, R.L., 2=6335
- Hirsch, P.B. See Silcox, J., 0=15838
- Hirsch, P.B. See Silcox, J., 0=20805
- Hirsch, P.B. See Thornton, P.R., 2=6735
- Hirsch, P.B. See Thornton, P.R., 3=1230
- Hirsch, P.B. See Tunstall, W.J., 4=9964
- Hirsch, P.B. See Valdre, U., 3=10668
- Hirsch, P.B. See Wolf, W.P., 2=12750
- Hirsch, P.R. Electron microscope studies of defects in crystals, 2=23193
- Hirsch, W. and Gidal, G. K^+ -proton elastic scattering at 910 MeV/c; polarization of the recoil protons, 4=21937
- Hirsch, W. See Muller, F., 0=11220
- Hirschberg, J.G. The use of curved slits for the placing in tandem of a diffraction grating with a Fabry-Perot interferometer with scanning by pressure variation, 0=16872
- Hirschberg, J.G. Doppler temperatures in the C stellarator, 4=16515
- Hirschberg, J.G., Hinnov, E. and Hofmann, F.W. Spectroscopic investigation of a weakly ionized plasma in a helium hollow cathode discharge, 4=18854
- Hirschberg, J.G., Kadesch, R. and Mack, J.E. An interferometric spectrometric system proposed for the university of Wisconsin, 0=16841
- Hirschberg, J.G. and Palladino, R.W. Deviations from kinetic equilibrium in a stellarator plasma, 2=1454
- Hirschberg, J.G. See Breton, C., 4=24011
- Hirschberg, J.G. See Hinnov, E., 2=3029
- Hirschberg, J.G. See Hinnov, E., 3=4105
- Hirschberg, J.G. See Hinnov, E., 4=8708
- Hirschberg, J.G. See Kukes, A.F., 1=11924
- Hirschel, L.R. and Libelo, L.F. Nuclear magnetic resonance in flowing fluids, 1=12907
- Hirschel, L.R. and Libelo, L.F. N.M.R. signal dependence on fluid velocity, 2=13354
- Hirschfeld, A. See Fehér, F., 3=3300
- Hirschfeld, A.T., Leupold, H.A. and Boorse, H.A. Superconducting and normal specific heats of niobium, 2=19817
- Hirschfeld, J.P. Upper frequency limit in calibration of piezo-electric acceleration pickups with electrodynamic vibration heads, 4=5009
- Hirschfeld, M.A. See Plyler, E.K., 3=8227
- Hirschfelder, J.O. Theory of flames produced by unimolecular reactions. II. Ignition temperature and other types of approximations, 0=211
- Hirschfelder, J.O. Diffusion coefficients in flames and detonations with constant enthalpy, 0=3679
- Hirschfelder, J.O. Mathematical bottlenecks in theoretical chemistry, 0=18426
- Hirschfelder, J.O. Classical and quantum mechanical hypervirial theorems, 0=18974
- Hirschfelder, J.O. Effect of chemical reaction order on flame propagation, 1=4095
- Hirschfelder, J.O. The classical hypervirial relations, 3=21259
- Hirschfelder, J.O. Iteration-variation procedures for quantum-mechanical perturbations, 4=1246
- Hirschfelder, J.O. Removal of electron-electron poles from many-electron Hamiltonians, 4=5088
- Hirschfelder, J.O. Some remarks on the theory of flame propagation, 4=5423
- Hirschfelder, J.O. and Coulson, C.A. Hypervirial theorems applied to molecular quantum mechanics, 2=6210
- Hirschfelder, J.O., Curtiss, C.F. and Barnett, M.P. Ignition temperature approximation for bimolecular detonations, 0=4098
- Hirschfelder, J.O. and Löwdin, P.O. Long-range interaction of two 1s-hydrogen atoms expressed in terms of natural spin-orbitals, 0=20687
- Hirschfelder, J.O. and McCone, A., Jr. Theory of flames produced by unimolecular reactions. I. Accurate numerical solutions, 0=210
- Hirschfelder, J.O. and Nazaroff, G.V. Applicability of approximate quantum-mechanical wave functions having discontinuities in their derivatives, 1=8054
- Hirschfelder, J.O., Taylor, M.H., Kihara, T. and Rutherford, R. Viscosity of two-component gaseous mixtures, 1=10527
- Hirschfelder, J.O. and Van Domelen, S.S. Propagation of flames supported by a zeroth-order chemical reaction, 0=8304
- Hirschfelder, J.O. See Brown, W.B., 4=59
- Hirschfelder, J.O. See Curtiss, C.F., 1=11619
- Hirschfelder, J.O. See Dahler, J.S., 0=3508
- Hirschfelder, J.O. See Epstein, S.T., 1=11705
- Hirschfelder, J.O. See Jepsen, D.W., 0=11536
- Hirschfelder, J.O. See Kihara, T., 0=16735
- Hirschfelder, J.O. See Konowalow, D.D., 1=6899
- Hirschfelder, J.O. See Konowalow, D.D., 0=3565
- Hirschfelder, J.O. See Konowalow, D.D., 1=7447
- Hirschfelder, J.O. See Konowalow, D.D., 1=7503
- Hirschfelder, J.O. See Konowalow, D.A., 2=1976
- Hirschfelder, J.O. See McElroy, M.B., 3=22500
- Hirschfelder, J.O. See Meath, W.J., 4=3856
- Hirschfelder, J.O. See Meath, W.J., 4=28101
- Hirschfelder, J.O. See Nazaroff, G.V., 3=22469
- Hirschfelder, J.O. See Prager, S., 4=6452
- Hirschfelder, J.O. See Robinson, P.D., 3=7127
- Hirschfelder, J.O. See Robinson, P.D., 3=11695
- Hirschfelder, J.O. See Secrest, D., 1=6567
- Hirschfelder, J.O. See Secrest, D.E., 1=9326
- Hirschfelder, J.O. See Secrest, D., 2=19428
- Hirschfelder, J.O. See Stogryn, D.E., 0=3561
- Hirschfelder, J.O. See Stogryn, D.E., 0=3567
- Hirschfelder, J.O. See Stogryn, D.E., 0=19197
- Hirschfield, A.T. See Schooley, J.F., 2=29568
- Hirschfield, J.L., Bekefi, G. and Brown, S.C. Reply to comments of L. Oster, 2=7597
- Hirschfield, J.L. and Weenink, M.P.H. Comments on 'Plasma as a microwave amplifier' by S. Rand, 2=7607
- Hirschhorn, J. See D'Antonio, C., 4=13435
- Hirschhorn, J.S. On the electrical resistivity of thin nickel films, 3=17823
- Hirschhorn, J.S. Kinetics of stacking fault growth, 4=6856
- Hirschhorn, J.S. and Ansell, G.S. Discussion on 'yielding and work-hardening in internally oxidised copper alloys', 4=26509
- Hirschhorn, J.S. and Gregg, R.A. On the theory of cellular precipitation, 4=10415
- Hirschhorn, J.S. and Maciag, R.J. Aggregate structure in thin nickel films, 3=1373
- Hirschwehr, E. Wide-band absorbers with high absorption capability, 4=5348
- Hirsh, A.J. The electron density distribution in the F-region of the ionosphere, 0=14238
- Hirsh, I.J. Békésy's audiometer, 3=3669
- Hirsh, I.J. See Burgeat, M., 1=12714
- Hirshberg, J. Motions of the magnetospheric boundary and surface magnetic activity during the flight of explorer 10, 4=10774
- Hirshberg, J. Note on ring currents in the absence of sudden commencement storms, 4=13859
- Hirshfield, A.T. See Chin, J., 4=3253
- Hirshfield, J.L. and Bekefi, G. Decameter radiation from Jupiter, 3=25979
- Hirshfield, A. See Boorse, H.A., 0=8948
- Hirshfield, A.T. See Boorse, H.A., 0=19565
- Hirshfield, M.A. See Ben-Reuven, A., 1=14030
- Hirshfield, M.A. See Jaffe, J.H., 4=1264
- Hirshfield, M.A. See Jaffe, J.H., 4=17283
- Hirshfield, J.L., Baldwin, D.E. and Brown, S.C. Cyclotron radiation from a hot plasma, 1=4608
- Hirshfield, J.L. and Brown, S.C. Incoherent microwave radiation from a plasma in a magnetic field, 1=7075
- Hirshfield, J.L. and Brown, S.C. Reply to comment of J.D. Jukes, 1=16324
- Hirshfield, J.L. and Dennis, R.N., Jr. Measurements of collisionless damping of electrostatic plasma waves, 4=19001
- Hirshfield, J.L. and Wachtel, J.M. Electron cyclotron maser, 4=21605
- Hirshfield, J.L. See Bekefi, G., 0=2370
- Hirshfield, J.L. See Bekefi, G., 1=2959
- Hirshfield, J.L. See Bekefi, G., 1=8323
- Hirshfield, J.L. See Drummond, J.E., 4=18979
- Hirshfield, J.L. See Gajewski, R., 1=10,68
- Hirshfield, M.A., Jaffe, J.H. and Kime, I.S. Pressure-induced shifts of HCl lines due to foreign gases, 0=5927
- Hirshfield, M.A. See Jaffe, J.H., 2=3743
- Hirsl, P. See Andrejev, E.M., 2=3229
- Hirst, H.S. See Osgood, T.H., 4=27003

- Hirst, R. C. and Grant, D. M. Analysis of A_2B_2 n. m. r. spectra. II. Non-symmetrical 1,2-disubstituted ethanes, 4=17314
- Hirst, R. C. See Grant, D. M., 3=8301
- Hirst, R. G. See Mohler, D., 1=7085
- Hirst, W. and Lancaster, J. K. The influence of speed on metallic wear, 1=14928
- Hirst, W. See Archard, G. D., 1=15785
- Hirst, W. See Clark, W. T., 3=8787
- Hirst, W. P. The nature of the lunar "Rays", 2=13104
- Hirt, B., Tilton, G., Herr, W. and Hoffmeister, W. The half-life of Re^{187} , 2=20541
- Hirt, B. See Herr, W., 2=4758
- Hirt, C. W. See Duff, R. E., 2=9310
- Hirt, R. C. Schmitt, R. G. Searle, N. D. and Sullivan, A. P. Ultraviolet spectral energy distributions of natural sunlight and accelerated test light sources, 0=10769
- Hirt, R. C. See Brinen, J. S., 4=8216
- Hirt, R. C. See Dutton, W. L., 0=2239
- Hirt, R. C. See Paris, J. P., 1=10126
- Hirt, R. C. See Searle, N. Z., 4=27306
- Hirth, J. P. On two dimensional nucleation, 0=21157
- Hirth, J. P. On dislocation interactions in the F.C.C. lattice, 1=8908
- Hirth, J. P. Climb-barrier to dislocation glide in f.c.c. crystals, 2=16657
- Hirth, J. P. The influence of surface structure on dislocation nucleation, 4=26484
- Hirth, J. P. and Frank, F. C. On the stability of dislocations in metal whiskers, 0=551
- Hirth, J. P. See Armstrong, R. W., 1=980
- Hirth, J. P. See Banerjee, B. R., 1=7584
- Hirth, J. P. See Hruska, S. K., 1=20445
- Hirth, J. P. See Ives, M. B., 0=13968
- Hirth, J. P. See Mullins, W. W., 4=15752
- Hirth, J. P. See Rapp, R. A., 0=12003
- Hirth, J. P. See Rapp, R. A., 1=4022
- Hirth, J. P. See Ruth, V., 4=3937
- Hirth, J. P. See Winterbottom, W. L., 2=19607
- Hirthe, W. M. and Brittain, J. O. High-temperature steady-state creep in rutile, 4=13442
- Hirthe, W. M., McCann, D. R. and Greener, E. H. Influence of a departure from stoichiometry on the microhardness of rutile at room temperature, 4=13441
- Hirthe, W. M. See Frounfelker, R. E., 3=5093
- Hirthe, W. M. See Greener, E. H., 2=8596
- Hirthe, W. M. See Greener, E. H., 2=18709
- Hirthe, W. M. See Greener, E. H., 3=8527
- Hirthe, W. M. See Greener, E. H., 3=13108
- Hirtle, P. W. See Cavanaugh, W. J., 2=9355
- Hiruta, Y. Precision thermostat for the frequency standards, 1=16162
- Hirvonen, R. A. On the statistical analysis of gravity anomalies, 3=5178
- Hisam, E. See Bez, W., 3=7464
- Hisatake, K. Decay of Rh^{102} and levels in Ru^{102} , 1=13718
- Hisatake, K., Ishizaki, Y., Isoya, A., Nakamura, T., Nakano, Y., Saheki, B., Saji, Y. and Yuasa, K. The reactions $Li^{(p,n)}Be^7$, $B^{11}(p,n)C^{11}$ and $Al^{27}(p,n)Si^{27}$ at 8 to 14 MeV, 1=8730
- Hisatake, K. See Etoh, K., 2=1888
- Hisatake, K. See Koike, M., 4=22032
- Hisatsune, I. C. and Devlin, J. P. Existence of N_2O_4 isomers, 0=2751
- Hisatsune, I. C., Devlin, J. P. and Wada, Y. Infrared spectra of some unstable isomers of N_2O_4 and N_2O_3 , 0=17750
- Hisatsune, I. C. and Jayadevappa, E. S. Vibrational intensities of benzene in the liquid phase, 0=3533
- Hisatsune, I. C. and Miller, P., Jr. Environmental effects on the infrared spectra of NOCl and NOBr solids, 3=8599
- Hiscott, J. E. and Allen, R. A. A method for the standardization of zirconium 95 - niobium 95, 4=19723
- Hisdal, B. Relative energy distribution of daylight from overcast sky, 0=14297
- Hisdal, E. Bremsstrahlung spectra corrected for multiple scattering in the target B. Numerical data and discussion, 0=17291
- Hisdal, B. Colorimetric daylight illuminant with high ultra-violet content, 1=18625
- Hisdal, B. Luminous efficiency of a thermal light source, 2=7451
- Hiskes, J. R. See Cohen, S., 0=13434
- Hiskes, J. P. Dissociation of molecular ions by electric and magnetic fields, 1=8862
- Hiskes, J. R. Inverted cascades in energetic neutral hydrogen beams, 3=12076
- Hiskes, J. R. Electric and magnetic dissociation and ionization of molecular ions and neutral atoms, 3=14516
- Hiskes, J. R. Cascade processes in energetic neutral hydrogen beams, 4=12409
- Hiskes, J. R., Tarter, C. B. and Moody, D. A. Stark lifetimes for the hydrogen atom, 4=9627
- Hiskes, J. R. See Berkner, K. H., 4=25527
- Hitaka, S. See Mikumo, T., 1=8771
- Hitaka, S. See Nonaka, I., 0=20466
- Hitaka, S. See Nonaka, I., 2=498
- Hitani, S. See Kurioka, Y., 3=23997
- Hitch, T. T. See Westwood, A. R. C., 3=25178
- Hitchcock, A., Price, V. E. and Shenton, Y. Flux changes with long-term irradiation in a reactor of the Calder Hall type, 0=7656
- Hitchcock, A. J. See Young, W. A. P., 3=16993
- Hitchcock, H. C. Pseudoreversible magnetization of Nb, 4=18589
- Hitchcock, H. C. See Aron, P. R., 2=15851
- Hitchcock, H. C. See Wolgast, R. C., 4=11484
- Hitchcock, J. A. See Neal, S. B. H. C., 3=4698
- Hitchins, R. G. See Cook, A. H., 0=3593
- Hiterman, M. Sh. and Turov, Ye. A. Phenomenological investigation of polar crystals, 1=14157
- Hitotuyanagi, Z. See Ōki, T., 3=7041
- Hitotuyanagi, Z. and Takeuti, M. The pulsation for beta Cephei stars, 4=26903
- Hitotuyanagi, Z. See Suda, K., 1=6718
- Hitschfeld, W. and Houghton, J. T. Radiative transfer in the lower stratosphere due to the 9.6 micron band of ozone, 2=2484
- Hitschfeld, W. See Clark, J., 4=10699
- Hitt, J. S. See Brandewie, R. A., 4=8995
- Hitt, J. S. See Haswell, W. T., III., 4=14949
- Hitter, V. See Koch, F. A., 4=10264
- Hitterman, R. L. See Barrett, C. S., 3=6841
- Hitterman, R. L. See Mueller, M. H., 2=10833
- Hittmair, O. Angular distributions of nuclear fission in the resonance range, 0=17631
- Hittmair, O. Level analysis in resonance fissions, 4=19840
- Hiura, J. and Shimodaya, I. Alpha-particle model for Be^9 , 4=6189
- Hiura, J. and Suekane, S. On the non-axial deformation of the medium and heavy even-even nuclei, 1=8552
- Hiura, J. and Suekane, S. On the non-axial deformation of the medium and heavy even-even nuclei, 1=10963
- Hiura, J., Suekane, S. and Tanaka, H. Stability of axially asymmetric nuclear deformation, 1=19352
- Hivert, V. See Dautreppe, D., 4=26513
- Hixson, E. L., Kahlbau, J. V. and Mikeska, E. E. Resonant side-branch acoustic filters for liquid piping systems, 2=13408
- Hixson, W. C. See Black, J. W., 0=808
- Hiza, M. J. and Herring, R. N. An apparatus to determine the solid-vapour equilibria of binary cryogenic systems, 4=11424
- Hiza, M. J. and Kidnay, A. J. A comparison of the low-temperature adsorption of nitrogen and methane from hydrogen gas on three different adsorbents, 4=13687
- Hjalmar, E. and Slätis, H. A study of the $Be^9(d,n)B^{10}$ reaction by means of nuclear emulsions, 1=5933
- Hjalmar, S. Wave equations for scalars and vector particles in gravitational fields, 1=16659
- Hjalmar, S. Some remarks on time and energy as conjugate variables, 2=17392
- Hjalmar, S. and Linder, A. Further studies on time and energy as conjugate variables, 3=21208
- Hjalmar, S. See Brulin, O., 0=329
- Hjalmar, S. See Brulin, O., 1=9309
- Hjorth, S. A simple charged particle identification system, 4=3236
- Hjorth, S. See Wickenberg, G., 4=6373
- Hjorth, S. A. and Cohen, B. L. Nuclear structure studies in the molybdenum isotopes with (d,p) and (d,t) reactions, 4=27969
- Hla Shew, Smith, F. M. and Barkas, W. H. Decay of neutral pions, 2=3374
- Hladík, A. Twisting of notched rectangularly-shaped bars, 0=14556
- Hladký, J., Chaloupka, P., Kadečka, V., Kowalski, T. and Mokřý, P. Three variations in the intensity of cosmic radiation in the first half of 1958, 0=5636
- Hladký, J., J., Kleczek, J., Křivský, L. and Mokřý, P. Cosmic ray event of May 4, 1960, 0=20288
- Hladký, J. See Krivsky, L., 0=20275

- Hlauber, A. Yu. and Muzychuk, O. M. Theory of transfer processes in liquid semiconductors, 2=19541
- Hlauber, A. Yu. and Stasyuk, I. V. Nodal elementary excitations method in the theory of semiconductors, 4=15461
- Hlauber, A. Yu. See Stasyuk, I. V., 2=8322
- Hlauber, A. Yu. See Tyablikov, S. V., 2=19540
- Hlavaty, V. Proper time, apparent time, and formal time in the twin paradox, 1=10409
- Hlinchuk, K. D. and Miselyuk, E. H. Investigation of the recombination of charge carriers in n-type germanium doped with multi-charged impurities, by means of impurity photoconductivity, 3=20307
- Hlinchuk, K. D., Miselyuk, O. H. and Fortunatova, N. M. Investigation of the recombination of charge carriers in germanium doped with some impurities. II. Fe, Co, Ni and thermoacceptors, 1=11299
- Hlinchuk, K. D. and Tkach, N. M. Extraction of Ni, Ag and Fe impurities from germanium, 2=7092
- Hlinchuk, K. D. See Byelyayev, A. D., 1=11298
- Hlinchuk, M. D. Theory of electrical migration in metal solids, 1=14298
- Hlynchuk, K. D. Measurement of the carrier diffusion length in Ge and Si by modulation of the photoconductivity, 3=20313
- Hlynchuk, K. D. Population inversion [negative temperature] states in germanium and silicon with impurities, 4=12672
- Hlynchuk, K. D., Lytovchenko, N. M. and Miselyuk, O. H. Measurement of the recombination rate of excess charge carriers in germanium by modulation of the impurity photoconductivity, 2=21144
- Hlynchuk, K. D. and Lytovchenko, P. H. Kinetics of precipitation of Fe, Co, Ni and Ag impurities from germanium, 2=19099
- Hnatowich, D. J. See Eastwood, T. A., 4=3760
- Hnatowicz, V. See Brabec, V., 2=7951
- Hnyk, R. H. See Vyshnevs'kyi, V. N., 4=1752
- Ho Bn Im and Wickham, D. G. Square-loop properties of materials in the system NiFe_2O_4 - Fe_3O_4 - MnFe_2O_4 , 4=20557
- Ho, D. V. See Meyer, R. E., 3=18898
- Ho, G. P. and Iloff, E. L. The relative deuteron/proton yield from 45 MeV bremsstrahlung irradiation of copper, 1=19443
- Ho, H. See Stirling, P. H., 0=10681
- Ho Hung-Ta and Probst, R. F. The compressible viscous layer in rarefied hypersonic flow, 2=2743
- Ho, J. C., O'Neal, H. R. and Phillips, N. E. Low temperature heat capacities of constantan and manganin, 3=20107
- Ho Kai-Yuan and Wu Pao-Ching. Magnetic torque studies of the anisotropy of a grain oriented nickel-iron alloy, 4=10282
- Ho Kuo-Chu. Focusing of partially shielded multi-electrode electron gun, 4=19097
- Ho, L. and Buhrer, C. F. Electro-optic effect of gallium arsenide, 3=23051
- Ho, L. See Buhrer, C. F., 4=21268
- Ho, L. T., Vanderslice, J. T., Fallon, R. J., Seigel, A. E. and Slawsky, Z. I. Pressure-density isentropes for argon at temperatures between 150°C and -140°C and at pressures up to 1950 atm, 1=11785
- Ho, L. T., Vanderslice, J. T., Fallon, R. J., Seigel, A. E. and Slawsky, Z. I. Determination of isentropic pressure-density curves for argon from a rapid dynamic process, 1=11789
- Ho, M. See White, C. E., 0=8795
- Ho, S. C. See Tsai, H. S., 2=20372
- Ho Sen, Su Hung-yüan and Wang Shu-fang. Decay scheme of Nd^{147} , 4=25352
- Ho Seng. See Wang Chao-Chün, 3=22346
- Ho, T. C. See Chang, S. Y., 4=26698
- Ho, T. H. See Chen, J. M., 0=5614
- Ho, T. H. See Dai, Y. B., 0=356
- Ho, T. H. See Lee, W. T., 0=5602
- Ho Tso-Hsiu. See Khé Tszo-Syu, 0=7349
- Ho Tso-Hsiu. See Khé Tszo-Syu, 0=20506
- Ho Tso-Hsiu. See Khé Tszo-Syu, 1=3211
- Ho Tso-hsiu. See Khe Tszo-syu, 1=4766
- Ho Tso-Hsiu. See Svan' Din-Chan, 1=16711
- Ho Tso-hsiung and Wang P'ei. Scattering of a μ -meson and an electron by a proton 3=17301
- Ho Yu-ping. Shallow impurity states in semiconductors, 4=1573
- Ho Yu-Ping. Hopping process and impurity conduction in valence semiconductors, 4=12870
- Ho Yu-ping and Meng Xian-zhen. The influence of rare earth ions on ferrimagnetic resonance, 4=28865
- Ho Tso-Hsiu. See Keh Tszo-syu, 0=11227
- Ho Yun -tsui. See Voyutskii, S. S., 4=7401
- Hoag, A. A. Cooled-emulsion experiments, 2=6972
- Hoag, A. A. See Tift, W. G., 4=7993
- Hoag, E. See Stekly, Z. J., 3=14456
- Hoalst, K. M. See Baily, N. A., 3=24557
- Hoan Nguyen Ngoc and Perez y Jorba, J. Study of the electro-disintegration of Be^9 , 3=4628
- Hoang Pham Tan. See Pham Tan Hoang, 0=6659
- Hoang, T. F. Analysis of K-meson production by \bar{p} annihilation, 1=4796
- Hoang, T. F. See Bellini, G., 2=22573
- Hoang, T. F. See Burleson, G. R., 3=17145
- Hoang, T. F. See Burleson, G. R., 3=17146
- Hoang, T. F. See Burleson, G. R., 3=17149
- Hoang, T. F. See Cook, V., 1=10927
- Hoang, T. F. See Fretter, W. B., 3=2301
- Hoarau, J. Calculation of the diamagnetic anisotropy of some graphitic systems, 1=3879
- Hoarau, J. See Poquet, E., 1=6254
- Hoard, J. L. See Karle, I. L., 4=29151
- Hoare, D., Robbins, A. B. and Greenlees, G. W. Polarization of 9 MeV protons elastically scattered from C and Al, 1=9851
- Hoare, F. E. and Moody, D. E. Digitized two-dial potentiometer, 2=11579
- Hoare, F. E. See Blythe, H. J., 4=11430
- Hoare, F. E. See Budworth, D. W., 1=1441
- Hoare, F. E. See Yates, B., 2=7466
- Hoare, F. E. See Zimmerman, J. E., 1=17419
- Hoare, M. Systems of oscillators with statistical energy exchange in collisions, 2=3679
- Hoare, M. Steady-state unimolecular processes in multilevel systems, 3=13596
- Hoare, M. R. See Harrington, R. E., 0=17739
- Hobart, R. and Celli, V. A solution to the Frenkel-Kontorova dislocation model, 2=2081
- Hobart, R. H. On the instability of a class of unitary field models, 3=21206
- Hobbie, R. K. A simplified treatment of the quantum-mechanical scattering problem using wave packets, 3=3755
- Hobbie, R. K. and Forbes, F. F. Differential cross sections for the reactions $\text{C}^{12}(\text{Li}^7, \alpha)\text{N}^{14}$ and $\text{C}^{12}(\text{Li}^7, \alpha)\text{N}^{15}$, 2=14143
- Hobbie, R. K., Lewis, C. W. and Blair, J. M. Differential cross-sections of the $\text{Be}^9(\text{Li}^7, \alpha)\text{B}^{12}$ and $\text{Be}^9(\text{Li}^6, \alpha)\text{B}^{11}$ reactions, 2=503
- Hobbie, R. K. and Miller, D. Neutron-proton polarization and differential cross section at 128 MeV, 1=501
- Hobbie, R. K. and Pinsonneault, L. Improving the convergence of least-squares fits to multichannel analyzer spectra, 4=11862
- Hobbie, R. K. See Blair, J. M., 3=6298
- Hobbie, R. K. See Blair, J. M., 4=19832
- Hobbie, R. K. See Miller, D., 0=11182
- Hobbie, R. K. See Miller, D., 0=11185
- Hobbis, L. C. W., Harrison, E. R. and Whitby, H. C. The injector for the Harwell proton linear accelerator, 1=9649
- Hobbis, L. C. W. See Barnfield, R. W., 2=11734
- Hobbs, D. S. See Dell, H. A., 1=101
- Hobbs, D. W. The strength of rectangular blocks of Barnsley hard coal crushed parallel to the bedding planes, 2=19008
- Hobbs, D. Y. See Ranby, P. W., 3=20523
- Hobbs, E. W. Proof of a combinatorial formula in the theory of multilevel maser systems, 3=9994
- Hobbs, G. D. and Rose, M. A. The life history of impurity atoms in a plasma possessing a time varying electron temperature and density, 3=21770
- Hobbs, G. D., McWhirter, R. W. P., Griffin, W. G. and Jones, T. J. L. The temporal variation of line radiation from impurities in Zeta, 3=7463
- Hobbs, G. R. See Gilbert, L., 2=21111
- Hobbs, P. V. and Mason, B. J. The sintering and adhesion of ice, 4=13661
- Hobbs, P. W. A study of the region of M17 at a wavelength of 3.75 cm, 1=18203
- Hobbs, R. W. See Stephenson, C. B., 1=6715
- Hobday, R. See Carter, D. H., 4=28090
- Hobden, M. V. Direct optical transitions from the split-off valence band to the conduction band in germanium, 2=16810
- Hobden, M. V. An apparatus for high field magneto-optical absorption spectroscopy of solids, 4=10158
- Hobden, M. V. and Kurti, N. Experiments on nuclear cooling, 1=4520
- Hobden, M. V. and Sturge, M. D. The optical absorption edge of gallium arsenide, 1=19970

- Hobey, W.D. and McLachlan, A.D. Dynamical Jahn-Teller effect in hydrocarbon radicals, 1-2337
- Hobgood, R.T., Goldstein, J.H. and Reddy, G.S. Proton magnetic resonance spectra of vinylmethylsilanes, 2-3782
- Hobgood, R.T., Jr., Mayo, R.E. and Goldstein, J.H. Computation of unique n.m.r. parameters for ABC systems with the aid of C^{13} -H satellite spectra, 4-3910
- Hobgood, R.T., Jr. See Goldstein, J.H., 4-22405
- Hobler, T. and Burghardt, A. Measuring gas quantities using temperature difference, 4-21162
- Hobson, J.P. First adsorbed layer of nitrogen on pyrex at 77.4°K, 0-753
- Hobson, J.P. Physical adsorption of nitrogen on pyrex at very low pressures, 1-12666
- Hobson, J.P. The pumping of nitrogen by a Bayard-Alpert ionization gauge in an ultra-high-vacuum system, 2-5080
- Hobson, J.P. Pumping at solid surfaces, 3-21454
- Hobson, J.P. and Armstrong, R.A. A study of physical adsorption at very low pressures using ultrahigh vacuum techniques, 4-7716
- Hobson, J.P. and Edmonds, T. Reversible adsorption of helium at liquid nitrogen temperature in an ionization gauge, 3-16669
- Hobson, J.P., Edmonds, T. and Verreault, R. Thermal transpiration in helium in the pressure range 10^{-8} to 20 torr, 3-18844
- Hobson, J.P. and Khan, I.H. Specular reflection in the diffraction of slow electrons near normal incidence, 1-11978
- Hobson, J.P. See Khan, I.H., 3-7645
- Hobson, J.P. See Redhead, P.A., 3-3840
- Hobson, R.M. See McLaren, T.I., 4-2773
- Hobson, R.M. See McLaren, T.I., 4-18823
- Hobson, R.M. See McLaren, T.I., 4-18896
- Hobstetter, J.N. and Renton, C.A. Point defects in p-type germanium as introduced by deformation, quenching, and Hobstetter, J.N. See Heldt, L.A., 4-1511
- Hocart, R. and Thrierr, A. On the domains of separation in solid solutions produced in the KCl-KBr system by compression of crystalline powders at ordinary temperatures, 2-12897
- Hocart, R. and Thrierr, A. Kinetics of K(Cl, Br) dominant solid solutions formed initially by compression of crystalline powders, at room temperature, 2-23799
- Hocart, R. See Bernard, M., 2-10892
- Hocart, R. See Thrierr, A., 2-17052
- Hoch, M. Order-disorder reactions in α -Ti(O) and TiO, 3-6815
- Hoch, M. Vacancy interaction energies in transition metal oxides, 3-22737
- Hoch, M. Statistical model for nonsubstitutional solutions: (a) interstitial solutions, (b) deviation from stoichiometry in inorganic compounds, 4-15440
- Hoch, M. and Hinge, K.S. Vaporization of aluminium arsenide, 1-11800
- Hoch, M., Iyer, A.S. and Nelken, J. Interaction energies of vacancies in transition metal oxides with large concentration of vacancies, 3-2785
- Hoch, M. and Johnston, H.L. A high temperature drop calorimeter. The heat capacities of tantalum and tungsten between 1000° and 3000°K, 2-2925
- Hoch, M. and Pamakrishnan, D. Thermodynamic properties of non-stoichiometric vanadium monoxide, 4-28390
- Hoch, M. See Gerrard, J.E., 2-21058
- Hoch, M. See Wyder, W.C., 4-7479
- Hoch, M. J. R. and Rushworth, F.A. A nuclear magnetic resonance study of solid cyclobutane, 4-20611
- Hoch, R. and Manning, F.S. Derivation of second-order jacobians for three-dimensional systems, 3-1622
- Hochanadel, C.J. Evidence for "thermal spikes" in the alpha-particle radiolysis of nitrate crystals, 2-12425
- Hochberg, S. See Gotsman, E., 3-12452
- Hochberg, S. See Gotsman, E., 4-9190
- Hochgraf, N. See Blakney, R.M., 3-18584
- Hocheid, B. See Radenac, A., 4-17443
- Hochheimer, B.F. See Blau, E.J., 1-7715
- Hochheimer, B.F. See Blau, E.J., 3-24518
- Hochheimer, F. See Blau, E.J., 4-28214
- Hochman, P. See Koutecký, J., 4-20087
- Hochschild, R. Electromagnetic methods of testing metals, 1-10665
- Hochstim, A.R. Electron concentration in closed form for high temperature air and air with additives, 2-3005
- Hochstrasser, G. The determination of the shape and width of very narrow lines in nuclear magnetic resonance, 1-12024
- Hochstrasser, G. and Erbeila, A. A comparison of measurements made with two n.m.r. magnetometers of different types: the solar eclipse of 15 February 1961, 4-2316
- Hochstrasser, G. See Béné, G., 3-20021
- Hochstrasser, G. See Béné, G.J., 4-3915
- Hochstrasser, R.M. Polarization of the first two electronic transitions of pyrene, 0-15755
- Hochstrasser, R.M. Electronic absorption spectrum of diphenylene in substitutional solid-solid solution, 0-18131
- Hochstrasser, R.M. Mixed dimer emission from pyrene crystals containing perylene, 2-8584
- Hochstrasser, R.M. Absorption spectrum of phenazine single crystals at 77° and 4.2°K in the region of the $n \rightarrow \pi^*$ transition, 2-10601
- Hochstrasser, R.M. The luminescence of organic molecular crystals, 2-23608
- Hochstrasser, R.M. Transfer of triplet excitation energy in benzophenone crystals, 4-7202
- Hochstrasser, R.M. The problem of defects in relation to the optical properties of organic molecular crystals, 4-10228
- Hochstrasser, R.M. Determination of the efficiency of triplet energy migration in benzophenone crystals, 4-13095
- Hochstrasser, R.M. Spectral effects of strong exciton coupling in the lowest electronic transition of perylene, 4-20249
- Hochstrasser, R.M. and Hunter, T.F. Photoprocesses involving triplet states of organic crystals, 4-20475
- Hochstrasser, R.M. and Lower, S.K. Polarization of the spectra of crystalline azobenzene and mixed crystals of azobenzene in stilbene at 77° and 4.2°K in the region of the lowest $n \rightarrow \pi^*$ transition, 2-18816
- Hochstrasser, R.M. and Lower, S.K. Polarized emission and triplet-triplet absorption spectra of aromatic hydrocarbons in benzophenone crystals, 4-13096
- Hochstrasser, R.M., Lower, S.K. and Reid, C. Experimental evidence for localized excitons in the spectra of charge-transfer complex molecular crystals, 4-28749
- Höchli, U. and Müller, K.A. Observation of the Jahn-Teller splitting of three-valent d^7 ions via Orbach relaxation, 4-28879
- Hochuli, U.E. Photoconductivity measurements in ruby and sapphire, 4-10132
- Hock, A. and Schmeer, H. An instrument for measuring the atmospheric ion concentration without a distorting field and an impulse register for the direct recording of wind velocity, 2-21622
- Hock, D.C., McMillan, F.N. and Tanguay, A.R. Photon propelled space vehicles, 0-12334
- Hock, F. [comment by]. Interferometric length measurements on long parallel end standards, 2-7394
- Hockenbury, R.W. See Moore, M.S., 4-28074
- Hockenbury, R.W. See Yeater, M.L., 2-6008
- Hockensmith, D. See Schwartz, M., 4-28575
- Hockensmith, D.A. and Foldy, L.L. Second-order hyperfine structure in hydro-genic atoms, 4-12342
- Höcker, K., Kluge, W. and Schrade, H. The pulse discharge in dense plasmas, 4-5608
- Hocker, K.H. Transient discharges across vortex stabilized arcs, 4-18805
- Höcker, K.H. See Schrade, H., 0-10898
- Hockey, J.A. and Pethica, B.A. Thermodynamic studies of adsorption on characterized silicas. I. Benzene, 3-1382
- Hocking, L.M. The flow of a conducting fluid past a magnetized cylinder at high magnetic Reynolds numbers, 2-5450
- Hocking, L.M. The upper boundary condition for atmospheric gravity waves, 3-23582
- Hockings, E.F. The thermal conductivity of silver antimony telluride, 0-7860
- Hockings, E.F. See Rosi, F.D., 1-8967
- Hodam, F. The behaviour of photographic materials and the reproduction of small isolated details, 1-18633
- Hodam, F. Two dimensional microphotometric evaluation of photographic images, 2-22070
- Hodam, F. On a new method for exact measurement of focal length, 4-2815
- Hodam, F. and Lau, E. A number of problems of the working performance of objectives, 0-3601
- Hodara, H. Elimination of re-entry radio blackout, 3-7059
- Hodara, H. and Cohn, G.I. Wave propagation in magneto-plasma slabs, 2-22332
- Hodara, H., Knop, C.M. and Curran, T.F. Plasma diagnostic and simulation through correlation techniques, 4-16651

- Hodara, H. See Tamir, T., 4=8710
- Hodby, J.W. Infra-red absorption in gallium arsenide-gallium phosphide alloys. II. Absorption in p-type material, 3=20478
- Hodby, J.W. See Allen, J.W., 3=20477
- Hodge, E.S. and Horcy, E.C., Jr. An image inverter for spectral projector comparator, 3=24021
- Hodge, E.S. See Cohen, A.J., 0=1884
- Hodge, N. and Sowden, R.G. Neutron-shield materials, 2=3668
- Hodge, P. Interactions of the planet mercury with interplanetary material, 3=16352
- Hodge, P.G. Jr. The effect of end conditions on the dynamic loading of plastic shells, 0=12393
- Hodge, P.G. and Sankaranarayanan, R. Plastic interaction curves for annular plates in tension and bending, 0=19019
- Hodge, P.W. The extragalactic distance scale, 0=12308
- Hodge, P.W. The Fornax dwarf galaxy. I. The globular clusters, 1=5164
- Hodge, P.W. The Fornax dwarf galaxy. II. The distribution of stars, 1=11682
- Hodge, P.W. The distribution of stars in the Sculptor dwarf galaxy, 1=18127
- Hodge, P.W. Distribution of stars in the Leo II Dwarf galaxy, 2=9104
- Hodge, P.W. Integrated UBV photometry of early-type galaxies, 3=16414
- Hodge, P.W. See Belton, M.J.S., 3=21103
- Hodge, P.W. See Brandt, J.C., 2=4731
- Hodge, P.W. See Wright, F.W., 2=24002
- Hodge, P. W. See Wright, F. W., 4=4894
- Hodges, A.J. See Bylander, E.G., 0=16969
- Hodges, H.L. See Kuroda, P.K., 1=7933
- Hodges, H.L. See Kuroda, P.K., 2=21639
- Hodges, H. L. See Tien, P. K., 4=11829
- Hodges, J.A. The influence of crucible material on the induced anisotropy of evaporated iron films, 3=18082
- Hodges, J.A. Magnetic anisotropy in evaporated thin films containing aluminum, 3=18084
- Hodges, J. A. See Marshall, S. A., 4=13322
- Hodges, L.R., Jr. See Harrison, G.R., 2=12747
- Hodges, P.C. and Moseley, R.D., Jr. Cinefluorography employing split-image television type image amplifiers, 0=5541
- Hodgeson, J. A., Sibert, E. E. and Curl, R. F., Jr. Dipole moment of nitrogen dioxide, 4=9744
- Hodgeson, J. A. See Bird, G. R., 4=22379
- Hodgeson, J. A. See Curl, R. F., Jr., 4=6629
- Hodgetts, G.B. A method of measuring the thermal conductivity of wire coatings, 2=17672
- Hodgkin, D. Molecules in crystals, 1=1384
- Hodgkin, D. C. See Dale, D., 4=23505
- Hodgkinson, R.J. Hot-electron emission from semiconductors, 3=883
- Hodgkinson, R.J. Impact ionization and quantum efficiency in silicon, 3=20416
- Hodgkinson, R. J. Impact ionization threshold in semiconductors, 4=6942
- Hodgkiss, D. See Henderson, S.T., 3=11406
- Hodgman, C.D., Weast, R.C. and Selby, S.M. [Eds.]. Handbook of chemistry and physics, 1=8032
- Hodgson, A.A. A comprehensive thermal analysis apparatus, 3=8988
- Hodgson, B. See Macklen, E.D., 2=8285
- Hodgson, C. and McIntosh, R. The freezing of water and benzene in porous vycor glass, 0=12118
- Hodgson, F. N. See Baun, W. L., 4=9782
- Hodgson, G. See Pugh, H.L.D., 3=13343
- Hodgson, J.H. and Langill, F.E. Bibliography of seismology January-June, 1961, 2=21614
- Hodgson, J.H. and Langill, F.E. Bibliography of seismology, 2=23993
- Hodgson, J.N. Measurements of the optical constants of mercury and mercury-indium amalgams in the spectral region 4000 to 17000 cm^{-1} , 0=16704
- Hodgson, J.N. Infra-red measurements of the optical constants of liquid silver, 0=19154
- Hodgson, J.N. The optical properties of liquid germanium, tin and lead, 1=11762
- Hodgson, J.N. The optical properties of liquid indium, cadmium, bismuth and antimony, 2=5019
- Hodgson, J.N. The optical properties of polycrystalline tellurium, 3=13151
- Hodgson, J.N. The optical properties of liquid tellurium, 3=14168
- Hodgson, J.N. The optical effective mass and absorption edge of electrons in sodium, 4=1750
- Hodgson, J.N. The optical effective mass of electrons in potassium, 4=12666
- Hodgson, L.I. and Rollett, J.S. An acceleration device and standard-deviation estimates in least-squares refinements of crystal structures, 3=13443
- Hodgson, P.E. Optical model analysis of the scattering of 96 MeV neutrons by nuclei, 1=698
- Hodgson, P.E. The elastic scattering of helium 3 by medium weight nuclei, 1=723
- Hodgson, P.E. An investigation of nuclear probes, 1=5884
- Hodgson, P.E. Radii of optical-model potentials in proton scattering at 183 MeV, 1=8726
- Hodgson, P.E. Optical model analysis of the elastic scattering of 5.5 MeV ^3He by carbon, magnesium, aluminium and copper, 1=9880
- Hodgson, P.E. Optical model analysis of polarization in neutron scattering at 2.09 MeV, 1=19479
- Hodgson, P.E. Optical model analyses of He^3 elastic scattering, 1=19524
- Hodgson, P.E. Optical model analyses of the nuclear surface, 2=1769
- Hodgson, P.E. The radial variation of the absorbing part of the nuclear optical potential, 2=22701
- Hodgson, P.E. The symmetry term in the nuclear optical potential, 3=10217
- Hodgson, P.E. Distorted wave analysis of the reaction $^{13}\text{C}(\text{d}, \text{n})^{13}\text{N}(\text{GS})$, 3=24968
- Hodgson, P. E. Neutron and proton scattering from the same nucleus as a means of determining the isospin term in the optical potential, 4=976
- Hodgson, P.E., Aguilar, J., García, A. and England, J.B.A. The elastic scattering of 19.5 MeV deuterons by krypton, 1=2228
- Hodgson, P.E. and Rook, J.R. Optical model and distorted wave analysis of (p, n) cross-sections, 3=669
- Hodgson, P.E. See Aguilar, J., 0=20463
- Hodgson, P.E. See Aguilar, J., 1=12216
- Hodgson, P.E. See Arnold, M., 1=558
- Hodgson, P.E. See Bowen, P.H., 1=5922
- Hodgson, P.E. See Buck, B., 0=20427
- Hodgson, P.E. See Buck, B., 1=19517
- Hodgson, P.E. See Buck, B., 2=5961
- Hodgson, P. E. See Buck, B., 4=6303
- Hodgson, P. E. See Budzanowski, A., 4=9558
- Hodgson, P.E. See Burge, E.J., 3=12663
- Hodgson, P. E. See Daly, P. J., 4=28033
- Hodgson, P.E. See England, J.B.A., 0=11419
- Hodgson, P.E. See García, A., 3=2493
- Hodgson, P.E. See Greenlees, G.W., 1=8774
- Hodgson, P.E. See Halton, J.H., 1=19511
- Hodgson, P.E. See Johansson, A., 1=3444
- Hodgson, P.E. See Johansson, A., 1=19475
- Hodgson, P. E. See Niewodniczański, H., 4=25421
- Hodgson, P.E. See Rook, J.R., 2=3605
- Hodgson, P.E. See Rook, J.R., 4=17198
- Hodgson, P. E. See Sen Gupta, H. M., 3=2492
- Hodgson, P.E. See Squires, E.J., 3=15051
- Hodgson, P. E. See Testoni, J., 4=12258
- Hodgson, P.E. See Thomas, R.N., 4=15205
- Hodgson, P. E. See Wilmore, D., 4=28035
- Hodgson, R. T. See Curzon, F. L., 4=540
- Hodgson, R. T. See Curzon, F. L., 4=19043
- Hódi, E. On the measurement of the refractive index and the thickness of thin layers, 4=21305
- Hódi, E. See Bencze, 2=22004
- Hodkin, E. N., Macphail, I., Thomas, P. M. and Poole, D. M. The magnesium-zirconium system-diffusion and constitutional studies, 4=23243
- Hodkinson, J.R. Some observations on light extinction by spherical particles, 4=5397
- Hodkinson, J.R. Light scattering and extinction by irregular particles larger than the wavelength, 4=14397
- Hodkinson, J. R. Refractive index and particle-extinction efficiency factors for carbon, 4=22850
- Hodkinson, J.R., Critchlow, A. and Stanley, N. Effect of ambient air speed on efficiency of thermal-precipitator, 0=10362
- Hodkinson, J.R. and Greenleaves, I. Computations of light-scattering and extinction by spheres according to diffraction and geometrical optics, and some comparisons with the Mie theory, 3=11939

- Hodnett, E.M. Hydrogen isotope effect in the oxidation of benzaldehyde-d-t with aqueous acid chromate, 0=1953
- Hodnett, E.M. and Kaplan, L. Isotope effects in the chromic acid oxidation of benzyl-d-t alcohol, 0=4712
- Hodos, G. See Stiel, L. I., 4=231
- Hoechstetter, M. N. The infrared spectra of the trimethylplatinum compounds, 4=30693
- Hoefl, J. An extension of the range of application of the focal length formula for aperture lenses, 0=271
- Hoefl, J. The microwave rotation spectrum of indium monochloride, 1=17315
- Hoefl, J. See Hosemann, R., 0=348
- Hoegl, A. Measurement of the concentration and mobility of atmospheric ions, 4=7848
- Hoegl, H. See Kohin, R. P., 3=8708
- Hoek, W. J. and Blaisse, B. S. Stress-strain measurements of face-centred cubic metals at various temperatures, 0=3144
- Hoekstra, J. P. and White, P. Simple arrangement for evaporating multilayer films through different masks in ultrahigh vacuum, 1=11802
- Hoekstra, P. and Behrendt, D. R. Energies of two interstitial configurations in a face-centered cubic crystal, 3=789
- Hoekstra, W. See Bril, A., 2=8567
- Hoelker, R. F. and Silber, R. The bi-elliptical transfer between coplanar circular orbits, 2=11189
- Hoelscher, H. E. See Sparks, R. E., 1=6836
- Hoene, J. von. See von Hoene, J.
- Hoening, S. A. and Creighton, D. L. Observing crack growth with the field emission microscope, 4=7393
- Hoening, S. A. and Stonemetz, R. Photometer for field emission studies, 3=18960
- Hoening, S. A. See Collins, D. J., 4=10683
- Hoer, C. A. and Harrington, R. D. Parallel reversible permeability measurement techniques from 50 kc/s to 3 Gc/s, 3=24423
- Hoer, C. A. and Rasmussen, A. L. Equations for the radiofrequency magnetic permeameter, 3=14720
- Hoerner, S. v. See v. Hoerner, S.
- Hoerni, J. A. Application of the free-electron theory to three-dimensional networks, 1=4977
- Hoernschemeyer, D. See Linder, B., 4=11107
- Hoesterey, D. C. Photocarrier generation in anthracene, 2=4059
- Hoesterey, D. C. Effect of dielectric breakdown on the charging of ZnO xerographic layers, 2=6529
- Hoesterey, D. C. and Letson, G. M. The trapping of photo-carriers in anthracene by anthraquinone, anthrone and naphthacene, 4=15448
- Hoesterey, D. C. and Letson, G. M. Hole photoconductivity in ferrocene, triphenylamine, and trans-stilbene, 4=26154
- Hoeve, C. A. J. Unperturbed chain dimensions of polymeric chains, 0=5999
- Hoeve, C. A. J. Unperturbed mean-square end-to-end distance of polyethylene, 1=17379
- Hoeve, H. G. See Garber, M., 1=1194
- Hoey, M. J. See Jarrett, A. H., 4=10740
- Hoey, M. J. See Jarrett, A. H., 4=26828
- Hofacker, L. See Bingel, W. A., 2=6217
- Hofacker, L. Quantum theory of chemical reactions, 4=4688
- Hofacker, L. and Preuss, H. The treatment of many-particle problems in quantum chemistry by means of the Gauss integral transform, 1=17250
- Hofelich, F. See Kröner, E., 0=20087
- Hofer, E. M. and Javet, P. X-ray study of an annealed electrolytic deposit of copper by the analysis of diffraction line profiles, 3=2817
- Hofer, H. See Breitenlohner, P., 4=6046
- Hofer, H. See Cvijanovich, C. G., 2=5638
- Hofer, L. J. E. and Toor, E. W. Magnetic balance for ferromagnetism, 2=11748
- Höfner, H. J. A filter photometer for reflection measurements, 0=2223
- Höfner, M. See Buchmann, F., 0=20111
- Hoff, G. T. Phenomenological study of pion photo-production with polarized photons, 1=7266
- Hoff, G. T. Modified K⁺ exchange model for AK⁰ production, 3=19705
- Hoff, G. T. Possible resonance at 829 MeV in AK⁰ production, 4=25193
- Hoff, R. T. De. See De Hoff, R. T.
- Hoff, R. W., Hulet, E. K. and Michel, M. C. Branching ratio of ²⁴²Am decay, 0=7508
- Hoffart, E. The "teleperm" calculator for process variables—an apparatus for pressure-temperature- and humidity-correction in the measurement of gas flows, 4=5455
- Hoffer, T. E. A laboratory investigation of droplet freezing, 2=8966
- Hoffer, T. E. and Braham, R. R., Jr. A laboratory study of atmospheric ice particles, 2=15191
- Hoffleit, D. Twenty variable stars in Sagittarius, 0=12314
- Hoffleit, D. Forty-five variable stars in VSF 193, 1=6716
- Hoffleit, D. Twelve variable stars in Sagittarius, 2=13138
- Hoffleit, D. Current work on southern zone catalogues at the Yale Observatory, 3=9226
- Hoffleit, D. See Smith, H. J., 3=23699
- Höflinger, B. and Voithländer, J. Calculation of the field gradients at the sites of the Fe and Co nuclei in Fe(C₂H₅)₂ and [Co(C₂H₅)₂]⁺. I. Quantum mechanical mean values of r⁻³ for 3d and 4p electrons, 4=6626
- Höflinger, B. and Voithländer, J. Calculation of the field gradients at the sites of the Fe and Co nuclei in Fe(C₂H₅)₂ and [Co(C₂H₅)₂]⁺. II. Construction of the field gradients without Sternheimer corrections, 4=6627
- Höflinger, V. B. and Voithländer, J. Calculation of the field gradients of the site of Fe and Co nuclei in Fe(C₂H₅)₂ and [Co(C₂H₅)₂]⁺. III. Sternheimer correction of the field gradients, 4=25708
- Hoffman, A. and Schuster, K. An experimental determination of the carrier lifetime in p-i-n diodes from the stored carrier charge, 4=30635
- Hoffman, A. A. J. See Horton, C. W., 2=15274
- Hoffman, A. A. J. See Horton, C. W., 2=15275
- Hoffman, A. R. Characterization of bolometric detectors, 4=5439
- Hoffman, A. R. See Low, F. J., 4=8495
- Hoffman, C. J. See Ottenberg, A., 3=15364
- Hoffman, C. S. Comparison of monocular and binocular colour matching, 2=25815
- Hoffman, C. W. W. and Mooney, R. W. Crystallographic data on beta-Sr₂P₂O₇, 1=1403
- Hoffman, C. W. W. See Aia, M. A., 4=4603
- Hoffman, C. W. W. See Mooney, R. W., 3=25716
- Hoffman, C. W. W. See Opinsky, A. J., 2=6861
- Hoffman, D. S. See Ehrett, W. E., 0=1064
- Hoffman, E. E. See Jansen, D. H., 0=8273
- Hoffman, G. R. and Smith, D. H. The light waveforms emitted from electroluminescent cells energized by square waves and pulses of voltages, 0=21016
- Hoffman, G. R., Turner, J. A. and Lachowicz, H. K. Variation of coercivity of magnetic materials with driving field, 3=23157
- Hoffman, G. R. See Turner, J. A., 2=1213
- Hoffman, G. R. See Turner, J. A., 4=4662
- Hoffman, H. Saturation magnetization and anisotropy field strength in thin iron films, 2=8642
- Hoffman, H. The thickness dependence of the fluctuations of preferred direction in thin ferromagnetic films, 4=22975
- Hoffman, H. and Jaenicke, W. Reaction kinetic measurements with saw-tooth shaped current impulses, 2=6876
- Hoffman, H. J. See Falkenhagen, H., 2=13352
- Hoffman, J. G. The fluctuation dissipation theorem, 2=17773
- Hoffman, J. C., Bajon, J. and Marriekchi, A. Discharge of a non-linear condenser, 3=12060
- Hoffman, J. C. See Frandon, P., 4=28581
- Hoffman, J. C. See Marrekchi, A., 4=26073
- Hoffman, J. D. and Weeks, J. J. Rate of spherulitic crystallization with chain folds in polychlorotri-fluoroethylene, 3=3272
- Hoffman, J. D. See Lauritzen, J. I., Jr, 0=8160
- Hoffman, J. D. See Lauritzen, J. I., Jr, 0=8161
- Hoffman, J. H. and Nier, A. O. Cosmic-ray-produced helium in the Keen Mountain and Casas Grandes meteorites, 0=12271
- Hoffman, J. I. See Craig, D. N., 0=19582
- Hoffman, J. M. See Narahari Rao, K., 0=4198
- Hoffman, J. M. See Narahari Rao, K., 2=6163
- Hoffman, J. M., Nielson, H. H. and Narahari Rao, K. K-type doubling in phosphine, 0=13440
- Hoffman, J. M. See Brim, W. W., 1=829
- Hoffman, K. and Seiwert, R. Inelastic collisions between excited and non-excited potassium atoms, 1=4908
- Hoffman, L. and Morpurgo, M. A 200 kG pulsed magnet for emulsion experiments, 3=21934
- Hoffman, L. See Amaldi, E., 2=22461
- Hoffman, L. C. See Statton, W. O., 0=6372

- Hoffman, M.M. Directional correlation of fission fragments and prompt gamma rays associated with thermal neutron fission, 4=9585
- Hoffman, M.V. The systems BaO-MgO-P₂O₅ and BaO-ZnO-P₂O₅ compounds and fluorescence, 4=10421
- Hoffman, M.V. See Harrison, D.E., 0=3267
- Hoffman, M.V. See Sarver, J.F., 2=4177
- Hoffman, M.Z. and Bernstein, R.B. Relative quenching cross sections in the reaction of Hg(6³P₁) atoms with isotopic N₂O molecules, 0=15650
- Hoffman, M.Z. and Porter, G. Radiationless conversion from the triplet state, 2=15610
- Hoffman, R. and Gouterman, M. Theory of polyhedral molecules. II. A crystal field model, 2=14311
- Hoffman, R. See Anderson, K.A., 0=9483
- Hoffman, R. See Winkler, J.R., 0=8402
- Hoffman, R.A. Long range spin-spin interactions in high resolution nuclear magnetic resonance and the concept of hyperconjugation, 0=504
- Hoffman, R.A. Analysis of high-resolution N.M.R. spectra by iterative methods, 1=875
- Hoffman, R.A. Proton magnetic resonance studies of unsaturated and aromatic compounds with particular regard to effects of electron delocalization, 1=2351
- Hoffman, R.A. Observations of the Van Allen radiation regions during August and September 1959. II. The Capetown anomaly and the shape of the outer belt, 2=4686
- Hoffman, R.A., Arnoldy, R.L. and Winckler, J.R., Observations of the Van Allen radiation regions during August and September 1959. III. The Inner Belt, 2=6958
- Hoffman, R.A., Arnoldy, R.L. and Winckler, J.R. Observations of the Van Allen radiation regions during August and September 1959. VI. Properties of the outer region, 3=13818
- Hoffman, R.A., Davis, L.R. and Williamson, J.M. Protons of 0.1 to 5 MeV and electrons of 20 keV at 12 earth radii during sudden commencement on September 30, 1961, 3=7955
- Hoffman, R.A., Gestblom, B. and Forsén, S. Method for the analysis of high-resolution n.m.r. spectra employing transitory selective saturation, 4=3199
- Hoffman, R.A., Gestblom, B. and Forsén, S. Analysis of high-resolution nmr spectra by means of the nuclear Overhauser effect and by transitory-selective irradiation (TSI) methods, 4=24869
- Hoffman, R.A., Gestblom, B. and Forsén, S. Relative signs of nuclear spin coupling constants by means of transitory selective irradiation experiments, 4=25736
- Hoffman, R.A., Lefrançois, J. and Thorndike, E.H. Proton-deuteron elastic triple scattering at 140 MeV, 3=12427
- Hoffman, R.A. See Arnoldy, R.L., 0=14267
- Hoffman, R.A. See Arnoldy, R.L., 1=20949
- Hoffman, R.A. See Arnoldy, R.L., 3=3515
- Hoffman, R.A. See Arnoldy, R.L., 3=13817
- Hoffman, R.A. See Forsén, S., 4=7750
- Hoffman, R.A. See Forsén, S., 4=13702
- Hoffman, R.A. See Kowalewski, V.J., 1=381
- Hoffman, R.A. See Lefrançois, J., 3=22126
- Hoffman, R.B. See Carruthers, J.R., 4=4056
- Hoffman, R.E. See Ainslie, N.G., 1=5690
- Hoffman, R.E. See Turnbull, D., 0=15857
- Hoffman, R.W. See Rosette, K.H., 3=15821
- Hoffman, R.W. See Yelon, A., 0=16359
- Hoffman, R.W. See Yelon, A., 2=8624
- Hoffman, T.A. Theoretical investigations of the spectra of fluorescein, 3=2647
- Hoffman, T.E. Reliable, continuous, closed-circuit 4°K refrigeration for a maser application, 4=11437
- Hoffman, W.C. Conditions for the persistence of purely longitudinal or purely transverse propagation, 0=15160
- Hoffman, W.C. The current-jet hypothesis of whistler generation, 0=16495
- Hoffman, W.C. The current-jet hypothesis of whistler generation, 1=10310
- Hoffman, W.C. The ionospheric wave equation in dipolar coordinates, 3=16252
- Hoffman, W.F. See Chiu Hong-Yee [Ed.], 4=8028
- Hoffman, Z., Komor, Z. and Sawicki, A. 256-channel time-of-flight analyser with magnetic memory, 4=9223
- Hoffman, Z. and Sawicki, A. Time to amplitude convertor, 4=3258
- Hoffmann, A. Basic research on the construction of light, epoxy-resin bonded quartz-skeleton mirrors for telescopes, 4=5364
- Hoffmann, A. Orientation dependent shape of the P-N interface of alloyed silicon rectifiers, 4=12931
- Hoffmann, A. Design of quartz-skeleton mirrors for telescopes, 4=16219
- Hoffmann, A., Reuschel, K. and Rupprecht, H. Measurement of the Hall effect and conductivity of super-pure silicon, 0=11698
- Hoffmann, B. Noon-midnight red shift, 1=1687
- Hoffmann, B. and Mollwo, E. On the variation of luminescence yield and electrical conductivity of ZnO with adsorption of oxygen, 3=6679
- Hoffmann, B. and Sproull, W.T. Clock rates at perihelion and aphelion, 1=12799
- Hoffmann, H. The magnetic properties of very thin iron films evaporated in vacuo and their variation with admission of air, 1=10161
- Hoffmann, H. Wave structure of the magnetization in thin permalloy films, 4=7284
- Hoffmann, H. Determination of the ferromagnetic exchange constants from the magnetic fine structure of thin films, 4=17639
- Hoffmann, H. Dependence of the magnetization oscillations. Domain breadth and dispersion of the easy axis on the film parameters of uniaxial permalloy films, 4=20550
- Hoffmann, H. Quantitative calculation of the magnetic ripple of uniaxial thin permalloy films, 4=23000
- Hoffmann, H. Quantitative description of the magnetic fine structure of uniaxial permalloy films, 4=26324
- Hoffmann, H. Wavelength and contrast of magnetization fluctuations of uniaxial permalloy films, 4=30715
- Hoffmann, H. See Jönsson, C., 4=29161
- Hoffmann, H. See Theimer, O., 0=257
- Hoffmann, H.J. See Unbehauen, R., 2=7737
- Hoffmann, H.J. A Preisach model set-up for ferromagnetic materials with variable internal coupling, 4=20533
- Hoffmann, H.J. A method of measuring complex dielectric constants of aqueous solutions with dissipation factors up to $\tan \delta = 0.87$. I. Theoretical basis, 4=21150
- Hoffmann, H.J. One of the detector characteristics of the independent decimetre wave-method for the determination of the complex dielectric constants of water and of aqueous solutions to an error factor of $\text{TAN} \delta = 0.89$. II. Experimental procedure, 4=24227
- Hoffmann, J.C. See Frandon, P., 4=17499
- Hoffmann, K. Absorption measurements in sodium vapour, 4=238
- Hoffmann, K. and Seiwert, R. Light sources for the excitation of the resonance fluorescence of alkali metals, 1=4469
- Hoffmann, K. and Seiwert, R. Light sources for stimulating resonance fluorescence, 2=13447
- Hoffmann, K. and Seiwert, R. Light sources for exciting resonance fluorescence, 3=256
- Hoffmann, K.W. Measurements on β -decay and on nuclear isomerism by means of the split anthracene crystal spectrometer, 1=3410
- Hoffmann, K.W. Delay neutrons in nuclear fission, 1=8793
- Hoffmann, K.W., Krause, I.Y., Schmidt-Ott, W.D. and Flammersfeld, A. Isomerism of Hf¹⁷⁹, 0=414
- Hoffmann, K.W., Krause, I.Y., Schmidt-Ott, W.D. and Flammersfeld, A. The isomeric atomic nuclei Yb^{169m}, Yb^{175m}, Yb^{177m}, 0=17524
- Hoffmann, K.W. See Krause, I.Y., 0=2658
- Hoffmann, K.W. See Schmidt-Ott, W.D., 0=5716
- Hoffmann, K.W. See Schmidt-Ott, W.D., 1=7359
- Hoffmann, L. and Combe, J.C. Use of a 200 kilogauss pulsed magnetic field for momentum measurements of high-energy particles in nuclear emulsions, 2=13713
- Hoffmann, L. and Combe, J.C. Use of 200 kilogauss pulsed magnetic field for bending high energy particles in nuclear emulsions, 2=18045
- Hoffmann, L. See Amaldi, E., 3=14861
- Hoffmann, L. See Citron, A., 2=6043
- Hoffmann, R. An extended Hückel theory. I. Hydrocarbons, 4=1243
- Hoffmann, R. Exciton theory by second quantization, 4=9921
- Hoffmann, R. Distribution of electronic levels in alkanes, 4=20076
- Hoffmann, R. A method for measuring the spectrum of the magnetostriction vibrations of electrical sheet steel, 4=23007
- Hoffmann, R. and Lipscomb, W.N. Theory of polyhedral molecules. I. Physical factorizations of the secular equation, 2=14310
- Hoffmann, R. and Lipscomb, W.N. Theory of polyhedral molecules. III. Population analysis and reactivities for the carboranes, 2=16526

- Hoffmann, R. and Lipscomb, W.N. Sequential substitution reactions on $B_{10}H_{10}^{-2}$ and $B_{12}H_{12}^{-2}$, 2=19134
- Hoffmann, R. and Lipscomb, W.N. Boron hydrides: LCAO-MO and resonance studies, 3=6396
- Hoffmann, T., Mazur, J., Nikliborc, J. and Rafałowicz, J. Influence of the electric field on the silver and iron whiskers growth, 1=20447
- Hoffmann, T.A. The theory of melting, 2=6291
- Hoffmann, T.A. Physical principles of the phototron, 3=524
- Hoffmann, U. See Cecernikov, V.I., 0=13757
- Hoffmann, W. Optics and structure of whewellite, 0=6169
- Hoffmann, W., Rauls, W. and Vogt, J. Embrittlement of steel by an external hydrogen atmosphere at room temperature, 2=19009
- Hoffmann, W. See Brown, W.L., 3=16019
- Hoffmann, W.C. An approximate full wave solution for low frequency electromagnetic waves in an unbounded magneto-ionic medium, 2=16073
- Hoffmann, W. F. See Chiu Hong-Yee, 4=11050
- Hoffmeister, C. Interplanetary matter and the increased nightglow, 0=8417
- Hoffmeister, C. Comet 1959d (Bester-Hoffmeister), 1=1638
- Hoffmeister, C. Intergalactic absorption cloud, 2=13098
- Hoffmeister, C. Concerning an intergalactic dust cloud, 3=16419
- Hoffmeister, W. See Feitknecht, J., 2=24106
- Hoffmeister, W. See Herr, W., 0=12273
- Hoffmeister, W. See Herr, W., 2=4758
- Hoffmeister, W. See Hirt, B., 2=20541
- Hoffner, A. Discussion of paper by W. Barclay Kamb, "The thermodynamic theory of nonhydrostatically stressed solids", 2=6720
- Hoffrogge, C. Interference comparator for testing cell-counting chambers, 4=11359
- Höfgen, H. See Heyne, L., 2=15873
- Hofinger, E. See Cap, F., 0=15117
- Hofker, W.K. Detection of radiation p-n transitions in semiconductors, 2=3216
- Hofker, W.K. The reverse current of silicon barrier radiation detectors, 4=27719
- Hofman, T., Mazur, J., Nikliborc, J. and Rafalowicz, J. The influence of an electric field on the growth of copper whiskers, 1=11547
- Hofman, Yu.V. Fast [monoenergetic] neutron capture cross-sections of magic and adjacent nuclei, 1=12205
- Hofmann, A. Study of d-d reactions in aluminium "self-targets", 3=17352
- Hofmann, A. γ -radiation from inelastic scattering of 14 MeV neutrons on calcium, oxygen and carbon, 3=17476
- Hofmann, A. See Büchler, M., 4=27986
- Hofmann, A. See Heinrich, F., 2=22297
- Hofmann, C. Notes on the de-centring of spherically surfaced, single lenses, 1=18568
- Hofmann, C. A new definition of the centring error of single spherical lenses, 1=18571
- Hofmann, C. Measurement of decentration of single lenses with spherical surfaces, with special reference to the new definition of such decentration, 2=7321
- Hofmann, C. Centring aberrations and decentring measurements, 2=7324
- Hofmann, C. Definition and measurement of the decentring spherical singlet lenses, 2=7326
- Hofmann, C. Computing decentring tolerances for optical components, 3=1791
- Hofmann, C. On the effect of mounting error on the centring of fixed optical components, 3=11885
- Hofmann, C. Centring errors and decentration measurements, 3=16740
- Hofmann, D. See Gobrecht, H., 0=1762
- Hofmann, D.J. and Winckler, J.R. Simultaneous balloon observations at Fort Churchill and Minneapolis during the solar cosmic ray events of July 1961, 3=17370
- Hofmann, F.W. Ion density measurement in a barium plasma by scattering of resonance radiation, 4=16487
- Hofmann, F.W. and Kohn, H. Optical cross section of resonance lines emitted by flames under conditions of partial thermal ionization, 1=8815
- Hofmann, F.W., Kohn, H. and Schneider, J. Determination of collision frequency of free electrons in flames by microwave absorption measurements, 0=5217
- Hofmann, F.W., Kohn, H. and Schneider, J. Microwave determination of electron concentration in flame gases used as a spectroscopic light source, 1=8234
- Hofmann, F.W. See Hinnov, E., 4=2839
- Hofmann, F.W. See Hinnov, E., 4=8708
- Hofmann, F.W. See Hirschberg, J.G., 4=18854
- Hofmann, F.W. See Schneider, J., 0=1098
- Hofmann, G. Electric probe measurements in fast high-current shock discharges, 4=528
- Hofmann, G. See Hermansdorfer, H., 4=16489
- Hofmann, H. See Fasching, G.M., 4=7264
- Hofmann, H. See Fasching, G.M., 4=24227
- Hofmann, H. See Fasching, G.M., 4=28807
- Hofmann, H.W. See Happ, H., 2=8537
- Hofmann, I. See Paul, H., 3=14964
- Hofmann, I. See Paul, H., 4=1041
- Hofmann, J.A. See Sagalyn, P.L., 2=14845
- Hofmann, J.A. See Sagalyn, P.L., 3=21997
- Hofmann, K.D. On the interaction between gravitational and electromagnetic fields according to the general theory of relativity, 2=7132
- Hofmann, K.D. On the gravitational effect of a source-free Poynting energy flow, 2=19412
- Hofmann, P.L. and Hurwitz, H., Jr. Application of minimum loading conditions to enriched lattices, 0=13336
- Hofmann, P.L. and Storm, M.L. Two-dimensional (r,z) multi-group calculation for an intermediate spectrum critical assembly, 0=13338
- Hofmann, R. A solution to special heat conduction problems, 0=16911
- Hofmann, R. The temperature dependence of the refractive index of $BaTiO_3$, 3=10903
- Hofmann, U. Measurement of the magnetic anisotropy constant K and the saturation magnetostriction λ_s , 4=7241
- Hofmann, U. and Henschik, H. Measurement of saturation magnetization by means of the torsion balance method, 4=3083
- Hofmann-Perez, M. and Gerischer, H. The problem of charge distribution at the surface of germanium electrodes in aqueous electrolytic solutions, 2=6888
- Hofmeister, E. and Weigert, A. Calculation of the outer convection zones by nonlocal mixing length, 4=20924
- Hofmeister, E. See Dehalt, O., 4=4183
- Hofmeister, E. See Ebhardt, R., 1=11319
- Hofmeister, E. See Groschwitz, E., 1=3745
- Hofmeister, E. See Groschwitz, E., 3=2859
- Hofmeister, H.K., v. Haeseler, R. and Glemser, O. Influence of flow velocity on the determination of equilibrium vapour pressures in the carrier gas method, 0=14893
- Hofmeyer, G.M. See Hart, J.B., 0=14936
- Hofmeyr, C. See Stoker, P.H., 1=19178
- Hofmokr, T., Wroblewski, A., Filipkowski, A., Michejda, L., Otwinowski, S., Sosnowski, R., Fenyves, E., Gemesy, T., Sandor, T., Sebestyen, A. and Telbisz, F. Elastic scattering of 7 GeV/c π^- -mesons on protons, 3=12488
- Hofmokr, T., Wroblewski, A., Filipkowski, A., Michejda, L., Otwinowski, S., Sosnowski, R., Fenyves, E., Gemesy, T., Sandor, T., Sebestyen, A. and Telbisz, F. Elastic scattering of 7 GeV/c mesons on protons, 4=25152
- Hofmokr, T. See Belyakov, V.A., 3=24798
- Hofmokr, T. See Belyakov, V.A., 4=3489
- Hofmokr, T. See Escoubès, B., 3=19630
- Hofstadter, R. Structure of nuclei and nucleons, 2=18224
- Hofstadter, R. Electron scattering and its application to the structure of nuclei and nucleons, 2=20600
- Hofstadter, R. Method of study of high-energy scattering events with very small energy losses, 4=21816
- Hofstadter, R., Bumiller, F. and Croissiaux, M. Splitting of the proton form factors and diffraction in the proton, 1=3178
- Hofstadter, R., de Vries, C. and Herman, R. Dirac and Pauli form factors of the neutron, 1=7233
- Hofstadter, R. and Herman, R. Electric and magnetic structure of the proton and neutron, 1=7234
- Hofstadter, R., O'Dell, E.W. and Schmidt, C.T. CaI_2 and CaI_2 (Eu) scintillation crystals, 4=19470
- Hofstadter, R. See Bumiller, F., 1=2039
- Hofstadter, R. See Bumiller, F., 2=282
- Hofstadter, R. See Chambers, B., 3=24531
- Hofstadter, R. See Collard, H., 3=17357
- Hofstadter, R. See Collard, H., 3=25065
- Hofstadter, R. See de Vries, C., 2=13805
- Hofstadter, R. See de Vries, C., 2=22523
- Hofstadter, R. See de Vries, C., 4=19487
- Hofstadter, R. See Schiff, L.I., 4=6143
- Høg, E. Note to "Problems in meridian astronomy", 1=17988
- Høgaasen, H. The Eriksen transformation in the case of particles with spin 0 and 1, 1=13304
- Høgaasen, H. Polarization operators for s=1., 4=11084

- Høgaasen, H. A covariant polarization operator for $S = 1$ particles, 4=19397
- Høgaasen, H. Possible existence of a super Ω , 4=21952
- Høgaasen-Feldman, J. A study of some approximations of the pairing force, 2=1761
- Høgaasen-Feldman, J. The equations of superconductivity, 3=19097
- Hogan, C.L. Ferrites, 2=14803
- Hogan, D.D. and Hanley, T.D. Some effects on listener accuracy of competing messages varied systematically in number, rate, and level, 3=11623
- Hogan, J.J. See Hendricks, C.D., 4=19116
- Hogan, T.K. See Doyle, H.A., 0=4768
- Hogan, W., Nicol, J. and Shapiro, S. Comment on the recent characteristics of thermistors at 4.2°K, 4=12947
- Hogan, W.S. Negative-reactivity measurements, 1=17242
- Hogan, W.T. See Fay, J.A., 2=20131
- Hogarth, C.A. The germanium filament in semiconductor research, 0=20905
- Hogarth, C.A. A method of making negative-resistance two-state switching diodes, 1=14493
- Hogarth, C.A. International conference on the physics of semiconductors, Exeter, July, 1962, 2=23260
- Hogarth, C.A. Semiconductor transducers, 4=10087
- Hogarth, C.A. See Blitz, J., 2=23054
- Hogarth, C.A. See Crees, D.E., 3=17921
- Hogarth, J.E. Cosmological considerations of the absorber theory of radiation, 2=13095
- Høgasen, H. The Cini-Touschek transformation for Dirac particles in external fields, 2=18063
- Høgasen, H. The Eriksen transformation in the case of particles with 0 and 1, 2=18073
- Høgasen, H. A study in kemmer algebra and Foldy-Wouthuysen transformations for particles with spin 0 and 1, 3=14859
- Høgasen, H., Bergheim, K. and Skarsvåg, K. Internal Mössbauer-effect in ^{57}Fe , 3=25174
- Hogasen, J. Study of the pairing force and some methods of approximation used in nuclear spectroscopy, 4=12096
- Högberg, L. and Vogel, K. Experiments with electrodeless generation and acceleration of plasma rings, 2=3053
- Högberg, T. Monte Carlo calculations of neutron thermalization in a heterogeneous system, 1=506
- Högbom, J. See Whitfield, G.R., 0=18623
- Högbom, J.A. The structure and magnetic field of the solar corona, 0=14430
- Högbom, J.A. The instantaneous position and diameter of short duration bursts of solar radio emission, 1=6739
- Högbom, J.A. See Christiansen, W.N., 1=15528
- Högbom, J.A. See Christiansen, W.N., 4=4936
- Hoge, H.J. Temperature measurement based on the viscous flow of gas in a Wheatstone-bridge network, 1=2908
- Hoge, R.R. and Niehaus, D.J. Transistorized reactor instrumentation and protective circuits, 1=13053
- Hogendijk, M. J. Random dense packing of spheres with a discrete distribution of the radii, 4=71
- Hoger, H. The rise of the discharge current initiated by a single electron in nitrogen-methane mixtures, 4=5578
- Högfeldt, E. A comparison of some methods of evaluating site distribution density functions for heterogeneous surfaces, 3=6886
- Högfeldt, E. A simple averaging approach to surface heterogeneity, 3=8929
- Hogg, A. See Conn, G.K.T., 0=19230
- Hogg, B. G. See Barber, R. C., 4=25257
- Hogg, B.G. See Clarke, H.C., 3=2774
- Hogg, B.G. See Kerr, D.P., 2=15158
- Hogg, B. G. See Kluth, E. L. E., 4=23300
- Hogg, B. G. See McLatchie, W., 4=19638
- Hogg, B.G. See Naqvi, S.I.H., 2=22776
- Hogg, B.G. See Sen, S.K., 2=16368
- Hogg, B. G. See Schriber, S.O., 4=6231
- Hogg, B.G. See Schriber, S.O., 4=16853
- Hogg, D.C. See De Grasse, R.W., 0=3855
- Hogg, G.R. See Lokan, K. H., 4=28020
- Hogg, H.S. The role of star clusters in our understanding of the Galaxy, 2=4829
- Hogg, W.R. The photoproduction of charged pions from
- Hogg, W.R. See Bellamy, E.H., 1=474
- Hogg, W.R. See Bellamy, E.H., 2=13845
- Hogg, W.R. See Lewis, G.M., 2=3378
- Hogle, D.H. Digest of literature on dielectrics. Insulating liquids and their applications, 0=2300
- Høglund, B. 21 cm observations in the Galactic anti-centre, 3=13928
- Høglund, B. and Radhakrishnan, V. A radiometer for the hydrogen line, 1=47
- Hoglund, R.F. See Kovitz, A.A., 0=10684
- Högström, U. An experimental study on atmospheric diffusion, 4=30931
- Hoh, F.C. Plasma stability and boundary condition, 0=15016
- Hoh, F.C. and Lehnert, E. Diffusion processes in a plasma column in a longitudinal magnetic field, 0=15023
- Hoh, F.C. Experiments on the positive column in a longitudinal magnetic field, 1=13072
- Hoh, F.C. Screw instability of a plasma column, 2=1434
- Hoh, F.C. Low-temperature plasma diffusion in a magnetic field, 2=22208
- Hoh, F.C. Instability of gas discharges in a magnetic field, 3=14534
- Hoh, F.C. Instability of Penning-type discharge, 3=21732
- Hoh, F. C. Simple picture of the finite Larmor radius stabilization effect, 4=3010
- Hoh, F.C. Longitudinal oscillations in a nonuniform plasma, 4=8754
- Hoh, F. C. Resistive instability in a low-pressure plasma, 4=14723
- Hoh, F. C. Instabilities due to resistivity gradients in a low-pressure plasma, 4=24707
- Hoh, F.C. and Lehnert, B. Screw instability of a plasma column, 1=13080
- Hoh, F.C. See Ekman, C., 0=19668
- Hoh, F.C. See Lowder, R.S., 3=4158
- Hohenberg, P. C. and Martin, P. C. Superfluid dynamics in the hydrodynamic ($\omega\tau \ll 1$) and collisionless ($\omega\tau \gg 1$) domains, 4=14081
- Hohenemser, C. See Yaqub, M., 2=19819
- Höhl, M. Magnetism and valence electron concentration in intermetallic phases of aluminium with transition metals, 4=4008
- Höhle, R., Suschke, E. and Zimmermann, W. Semiautomatic measurement equipment for gamma-activity comparison in ionization chambers, 2=20205
- Höhle, R., Weiss, C.F. and Reichel, G. The application and measurement of the current from uranium, 1=19378
- Höhle, R. and Zimmermann, W. Determination of radium equivalents of some gamma-radiators in ionization chambers, 3=12367
- Höhler, C. and Schmidt, W. Analysis of the photoproduction of positive pions, 4=21893
- Höhler, G. On the energy dependence of the α_{33} phase-shift, 0=17391
- Höhler, G. A new diagram for pion-nucleon resonances, 4=21912
- Höhler, G. and Dietz, K. Calculation of the pion-nucleon scattering phases from dispersion relations. I, 1=2090
- Höhler, G., Dietz, K. and Müllensiefen, A. The contribution of the Born terms to photoproduction of pions at high energies, 1=13470
- Höhler, G. and Ebel, G. The complex diagram of the pion-nucleon forward scattering amplitude, 4=6112
- Höhler, G., Ebel, G. and Zwingenberger, J. Applications of the dispersion relations for πN forward scattering, 3=2306
- Höhler, G. and Müllensiefen, A. Perturbation theoretical calculation of the self-energy and mass of the polaron, 0=1547
- Höhler, G. and Müllensiefen, A. Calculation of π^0 photoproduction from scattering data, 0=2585
- Höhler, G. See Dietz, K., 0=2577
- Höhler, G. See Dietz, K., 0=5596
- Höhler, G. See Dietz, K., 0=9424
- Höhler, H. The influence of glass striae on the quality of the optical image, 4=27292
- Hohlfeld, K. See Menzel, E., 1=18591
- Hohmann, H. Investigation of the X-ray radiation in fission of U^{235} , 3=10395
- Hohmuth, K., Müller, G. and Schintlmeister, J. The decay of Mo^{93} , 4=17093
- Hohmuth, K., Müller, G. and Schintlmeister, J. Measurement of fluorescent yields of the L-shell, 4=3774
- Hohmuth, K. See Cretzu, T., 4=30326
- Hohmuth, K. See Schintlmeister, J., 3=10356
- Höhn, K. See Asselmeyer, F., 2=7171
- Höhne, D. See Bartsch, J., 4=21920
- Höhne, E. A method for rapid calculation of atomic space coordinates from Fourier summation, 4=4573
- Höhne, E. See Khöne, E.
- Höhne, E. See Kutschabsky, L., 4=29141
- Höhne, K.H. See Schneider, F., 3=17139

- Hohne, M. Dipole relaxation of defect centre complexes in doped silver halides, 0=1704
- Hohne, M. The simplest vacancy dipoles in silver halides containing divalent anion impurities, 2=14598
- Hohne, M. Alteration of vacancy dipoles in silver halides containing divalent anion impurities, 2=14599
- Höhne, M. See Mazonaschwili, B.N., 1=19911
- Höhne, P. A mechanical velocity selector for sub-thermal neutrons and its use in the measurement of the total effective cross-section of cadmium, samarium, europium and gadolinium, 1=4801
- Hoijsink, C. J. See Buschow, K. H. J., 4=20093
- Hoijsink, G. J. Correlations between the electronic spectra of alternant hydrocarbon molecules and their mono- and di-valent ions. I. Benzene, coronene and triphenylene, 0=20648
- Hoijsink, G. J. The influence of paramagnetic molecules on singlet-triplet transitions, 0=20651
- Hoijsink, G. J. Interaction between singlet ground and excited molecules, 1=883
- Hoijsink, G. J., Townsend, J. T. and Weissman, S. I. Spin density in pyrene negative ion, 1=4940
- Hoijsink, G. J., Velthorst, N. H. and Zandstra, P. J. Correlations between the electronic spectra of alternant hydrocarbon molecules and their mono- and di-valent ions. II. Hydrocarbons with symmetry D_{2h} , 1=14055
- Hoijsink, G. J. See Bennema, P., 0=21290
- Høiland, E. Discussion of a hyperbolic equation relating to inertia and gravitational fluid oscillations, 2=15557
- Hoisa, N. I. Measurement of the albedo of large areas from an airplane, 1=15232
- Hoisington, R. W. See Nassibian, G., 2=1532
- Hoitz, H. Theodolites. I-II, 0=5147
- Hojing Kim, Hamano, H. and Hameka, H. F. Calculation of magnetic susceptibilities of diatomic molecules. III. Application to N_2 molecule, 3=8259
- Hojing Kim. See Hamano, H., 3=8253
- Hojo, H. A new method for calculation of $N(h)$. Profiles from ionospheric $L'(f)$ curves, 1=10323
- Hojvat, N. L. See Dewar, M. J. S., 1=6039
- Hojvat, N. L. See Dewar, M. J. S., 2=2009
- Hokim, D. See Martina, H., 4=5472
- Hokkeling, P. See Koch, A. J. J., 0=10135
- Hokkyo, N. Induced cyclotron model of non-thermal solar radio emission, 1=6740
- Hokkyo, N. The role of the fluctuating velocity distribution in the relaxation of charged particles in a disturbed plasma, 4=27551
- Holaday, R. E. See Dunn, D. A., 1=11974
- Holaday, R. E. See Dunn, D. A., 3=5701
- Holan, J. Solution of equations of motion on an analogue computer, 1=6813
- Holas, M. See Eckstein, J., 1=9120
- Holas, M. See Eckstein, J., 3=17704
- Holbeche, T. A. and Spence, D. A. A theoretical and experimental investigation of temperature variation behind attenuating shock waves, 4=18344
- Holbrow, C. H. and Barschall, H. H. Neutron evaporation spectra, 3=12669
- Holbrow, C. H. and Davidson, W. C. An introduction to dispersion relations, 4=30175
- Holbrow, C. H. See Poppe, C. H., 3=6290
- Holck, D. K. See Hampy, R. E., 4=24402
- Holcomb, D. F. and Cotts, R. M. Dynamation, 3=3775
- Holcomb, D. F. and Pedersen, B. Interpair nuclear magnetic relaxation in hydrated crystals, 2=16934
- Holcomb, D. F. and Pedersen, B. Structural interpretation of asymmetrically broadened n.m.r. fine-structure lines, 3=8727
- Holcomb, D. F., Pedersen, B. and Sliker, T. R. Energy transfer within a spin system, 1=14822
- Holcomb, D. F. See Carson, J. W., 0=11630
- Holcomb, D. F. See Ohlsen, W. D., 2=14471
- Holcomb, D. F. See Pedersen, B., 3=8728
- Holcomb, D. F. See Silvidi, A. A., 4=23071
- Holcomb, D. N. and Tinoco, I., Jr. Electrical birefringence at high fields, 4=8460
- Holcomb, L., Porat, D. I. and Robinson, K. Measuring position and current of an accelerated particle beam, 4=8875
- Höld, A. See Baumann, K., 0=20031
- Holdaway, H. W. See Carmichael, A. J., 1=3965
- Holdaway, H. W. See Carmichael, A. J., 1=14866
- Holden, A. N., Hoyt, E. W., Cummings, W. V. and Zimmerman, D. L. Radiation damage to boron-containing control materials, 2=18625
- Holden, D. B. See Moler, W. F., 0=8364
- Holden, F. C., Melehan, J. B., Ogden, H. R. and Jaffee, R. I. Formation and initial growth of single-asperity solid-state bonds, 0=8143
- Holden, J. The hardening and embrittlement of mild steel by cyclic stressing at the fatigue limit, 0=16242
- Holden, J. The initiation of slip in silicon-iron, 1=3984
- Holden, J. The formation of sub-grain structure by alternating plastic strain, 1=12606
- Holden, J. Observations of cyclic structure at large ranges of plastic-strain, 3=20740
- Holden, J., Holland, L. and Laurenson, L. Bakeable vacuum seals using aluminium-wire gaskets, 0=5064
- Holden, J. P. See Gillam, E., 4=23242
- Holden, S. J. and Rossington, D. R. Hydrogen adsorption on silver, gold, and aluminium. Studies of parahydrogen conversion, 4=23605
- Holden, T. S. Multipoint digital temperature recorder with punched tape output, 0=14897
- Hölder, E. Continuum-magneto-gasdynamics: the stationary rotation-symmetric flow of a completely conducting plasma, 2=1574
- Holder, M. See Bruyant, F., 4=21915
- Holdhaber, S. See Goldhaber, G., 0=17339
- Holdhus, H. The transformation of the ζ -phase in iron-silicon alloys, 3=6859
- Holdridge, D. B. See Muhleman, D. O., 1=51
- Holdt, G. and Strasheim, A. The use of scatter diagrams in emission spectroscopy, 0=12480
- Holeman, B. See Hilsum, C., 2=23389
- Holeman, B. R. and Hilsum, C. Photoconductivity in semi-insulating gallium arsenide, 2=8395
- Holeman, B. R. See Gooch, C. H., 1=17731
- Holeman, B. R. See Hambleton, K. G., 1=11331
- Holford, W. L. See Hammond III, H. K., 0=16858
- Holinnä, H. I., Lyashenko, L. V. and Sheinkman, M. K. The spectral dependence of the field effect in CdS and CdSe single crystals, 2=6496
- Holister, G. S. The photoelastic method applied to materials research, 3=13320
- Holister, G. S. Photoelastic strain gauges, 3=14092
- Holkeboer, D. H. Vacuum measurement techniques for space simulation chambers, 4=18294
- Holkov, Yu. M. and Kul'chitskii, L. A. Photoneuclear reactions involving the emission of deuterons and tritons with energies below 15 MeV, 3=6225
- Holl, H. A. See Price, A. T., 4=9988
- Holla, B. A. See Kane, R. P., 1=13567
- Holladay, W. G. Anomalous magnetic moments of baryons in a static cutoff perturbation theory, 0=1250
- Holladay, W. G. and Moravsek, P. H. Selection rules for $N\bar{N}$ annihilation into integral isospin mesons, 2=13792
- Holladay, W. G. and Moravsek, P. H. Does a generalized Pauli exclusion principle apply to nucleons and antinucleons? 2=22495
- Holladay, W. G. and Roos, C. E. Lepton conservation using isotopic displacement, 2=13753
- Holladay, W. G., Thomas, J. B., Jr. and Smith, C. R. Number of energy levels for a Debye-Hückel or Yukawa potential, 3=3746
- Holladay, W. G. See Beauchamp, N. A., 3=24797
- Holladay, W. G. See Childers, R. W., 4=3442
- Holladay, W. G. See Crow, T. T., 1=3147
- Holladay, W. G. See Good, M. L., 0=7413
- Holladay, W. G. See Meyer, H. C., III, 0=9441
- Holladay, W. G. See Thomas, B. S., 0=1305
- Hollahan, J. R. See Reitz, D. C., 1=12306
- Holland, A. C. The effects of atmospheric refraction on angles measured from a satellite, 2=4600
- Holland, B. W. Energy extremes for an electron in a periodic field, 2=20960
- Holland, B. W. The one-electron states of imperfect crystals, 3=8399
- Holland, B. W. See Grimley, T. B., 1=14212
- Holland, D. H. See Armstrong, B. H., 2=9318
- Holland, E. See Hawes, R. I., 4=27219
- Holland, J. R. See Jones, O. E., 4=23215
- Holland, L. The cleaning of glass in a glow discharge, 0=3578
- Holland, L. Theory and design of getter-ion pumps, 0=5058
- Holland, L. Sorption of activated gases by titanium, 0=10374
- Holland, L. Aluminium bakeable vacuum seal, 1=11800
- Holland, L. Sources of surface contamination in vacuum evaporation systems, 3=21461

- Holland, L. and Bateman, S.K. Effects of oil vapour contamination on the adhesion of zinc sulphide films to glass and silica, 0=14087
- Holland, L. and Harte, A. The gas sorption characteristics of Penning pumps and titanium films, 1=18480
- Holland, L. and Laurenson, L. The performance and design of a titanium getter pump of high pumping speed, 0=977
- Holland, L. and Laurenson, L. Pumping characteristics of a titanium droplet getter-ion pump, 0=16742
- Holland, L. and Laurenson, L. Secondary electron emission of evaporated titanium films, 4=3037
- Holland, L. and Laurenson, L. Secondary electron emission of evaporated titanium films, 4=3038
- Holland, L. and Laurenson, L. The secondary electron-emission characteristics of clean and contaminated titanium, 4=21566
- Holland, L., Laurenson, L. and Priestland, C. Contamination in ultra-high vacuum plant, 3=14229
- Holland, L. and Putner, T. Two-layer anti-reflexion coating for low refractive index glass, 0=5154
- Holland, L. and Putner, T. Annealing of residual stress in silicon monoxide films, 2=838
- Holland, L., Putner, T. and Ball, R. Annealing silicon monoxide films on aluminium mirrors, 0=8783
- Holland, L. See Elsworth, L., 1=183
- Holland, L. See Elsworth, L., 3=23520
- Holland, L. See Holden, J., 0=5064
- Holland, L. See Steckelmacher, W., 1=4473
- Holland, M. See Ammar, R.G., 3=4558
- Holland, M. See Ammar, R.G., 3=7974
- Holland, M. See Ammar, R.G., 3=10229
- Holland, M.G. Low temperature thermal conductivity of silicon, 2=23083
- Holland, M.G. Analysis of lattice thermal conductivity, 4=6756
- Holland, M.G. Phonon scattering in semiconductors from thermal conductivity studies, 4=15411
- Holland, M.G. and Neuringer, L.J. The effect of impurities on the lattice thermal conductivity of silicon, 3=10610
- Holland, M.G. and Paul, W. Effect of pressure on the energy levels of impurities in semiconductors. I. Arsenic, indium and aluminum in silicon, 2=23353
- Holland, M.G. and Paul, W. Effect of pressure on the energy levels of impurities in semiconductors. III. Gold in germanium, 2=23355
- Holland, M.G. and Rubin, L.G. Apparatus for the measurement of thermal conductivity in the range 1.7 to 300°K, 2=19745
- Holland, M.W. A study of nonmesic hyperfragments with $Z \geq 3$ using production analysis, 4=17005
- Holland, R., Lynch, F.J., Perlow, G.J. and Hanna, S.S. Time spectra of filtered resonance radiation of Fe⁵⁷, 0=7464
- Holland, R.E. The design of bunching magnets, 2=3107
- Holland, R.E. and Lynch, F.J. Lifetimes of excited states of nuclei with odd mass, 1=4841
- Holland, R.E. See Lynch, F.J., 0=17488
- Holland, R.E. See Simons, L., 3=4591
- Holland, R.F. See Nielsen, J.R., 0=15792
- Holland, R.F. See Nielsen, J.R., 1=14608
- Holland, R.L. See Naumann, R.J., 3=23716
- Holland, V. The propagation of plane electromagnetic waves in a horizontally stratified ionosphere, 3=512
- Holland, V.F. Investigation of the morphology associated with the dissolution process of polymer single crystals, 4=7525
- Holland, V.F. Dislocation arrays in polymer single crystals, 4=17434
- Holland, V.F. See Anderson, F.R., 0=17052
- Holland, V.F. See Lindenmeyer, P.H., 4=7683
- Holländer, E.F. The application of the thermodynamics of irreversible processes to welding arcs, 0=2343
- Holländer, E.F. On the problem of large angle grain boundaries, 0=6039
- Holländer, E.F. The basic equations of the dynamics of the continuous distribution of dislocations. I. General theory, 1=14267
- Holländer, E.F. The basic equations of the dynamics of the continuous distribution of dislocations. II. Interpretation of general theory, 1=14268
- Holländer, E.F. The basic equations of the dynamics of the continuous distribution of dislocations. III. Special problems, 1=14269
- Holländer, E.F. The geometric equation of dislocation dynamics, 2=6330
- Hollander, J.M., Nordling, C.L. and Siegbahn, K. Some properties of the levels of ¹⁰⁰FM²⁵⁺, 3=638
- Hollander, J.M. See Albridge, R.G., 1=19373
- Hollander, J.M. See Albridge, R.G., 1=15416
- Hollander, J.M. See Asaro, F., 0=5708
- Hollander, J.M. See Diamond, R.M., 1=13752
- Hollander, J.M. See Graham, R.L., 4=9410
- Hollander, J.M. See Hamilton, J.H., 1=7349
- Hollander, J.M. See Hamilton, J.H., 1=19406
- Hollander, J.M. See Horen, D.J., 4=25315
- Hollander, J.M. See Hultberg, S., 2=1848
- Hollander, J.M. See Kim, Y.E., 2=10027
- Hollander, J.M. See Novakov, T., 4=22006
- Hollander, J.M. See Valentin, 2=10015
- Hollander, J.M. See Valentin, J., 2=10016
- Hollander, L.E.Jr. Electrical conductivity and thermoelectric effect in single-crystal TiC, 1=11260
- Hollander, L.E., Jr. and Castro, P.L. Dielectric properties of single-crystal nonstoichiometric rutile (TiO₂), 3=2955
- Hollander, L.E., Jr. and Castro, P.L. Anisotropic conduction in nonstoichiometric rutile (TiO₂), 0=15966
- Hollander, L.E. and Diesel, T.J. Piezoresistive effect in p type PbTe, 0=7943
- Hollander, L.E., Jr., Diesel, T.J. and Vick, G.L. Piezoresistivity in the oxide semiconductor rutile (TiO₂), 0=7949
- Hollander, L.E., Vick, G.L. and Diesel, T.J. The piezoresistive effect and its applications, 0=6097
- Hollander, L.E. See Vick, G.L., 0=13902
- Hollander, T., Kalff, P. J. and Alkemade, C. T. J. Ionization rate constants of alkali metals in CO flames, 4=2946
- Hollander, T., Kalff, P. J. and Alkemade, C. T. Dissociation energies and excitation levels of alkaline-earth oxides, 4=28267
- Hollandsworth, C. E., Buccino, S. G. and Bevington, P. R. Precision accelerator voltage measurements with a generating voltmeter, 4=30001
- Hollandsworth, C. E. See Buccino, S. G., 4=19777
- Hollas, J.M. The fluorescence spectrum of naphthalene vapor in the 3100 Å region, 2=20856
- Hollas, J.M. See Bancroft, J.L., 2=10257
- Hollas, J.M. See Craig, D.P., 1=8844
- Hollas, J.M. See Craig, D.P., 1=8843
- Hollas, J.M. See Douglas, A.E., 1=8845
- Holle, E.G. See Gudzin, M.G., 3=5182
- Holleman, T. Application of the principle of corresponding states to the excess volumes of liquid binary normal alkane mixtures, 3=21344
- Holleman, T. On the validity of the principle of congruence for heats of mixing of normal alkanes, 3=23535
- Holleman, T. and Hijmans, J. A principle of corresponding states for thermodynamic excess functions of binary mixtures of chain molecules, 2=15569
- Holleman, T. See Hijmans, J., 2=2034
- Hollenbach, R. E. See Barker, L. M., 4=20632
- Hollenber, J.L. and Dows, D.A. Absolute infrared intensities in crystalline benzene, 2=23576
- Hollenber, J.L. and Dows, D.A. Measurements of absolute infrared absorption intensities in crystals, 1=7716
- Hollenber, J.L. See Dows, D.A., 0=12426
- Hollenber, J.L. See Schatz, P.N., 1=4343
- Holleran, E. M. See Tkachenko, E. A., 4=11228
- Holleran, R. T. Immersion null test for aspherics, 4=8400
- Holley, C.E., Jr. See Zachariasen, W.H., 3=13457
- Holley, R.W. See Cook, V., 3=12490
- Holley, W. See Beall, E.F., 3=24790
- Holliday, D. Nucleon Compton scattering. I. Dispersion relations, 4=6000
- Holliday, D. Nucleon Compton scattering. II. Comparison with experimental data, 4=6001
- Holliday, D. Statistical properties of the black body radiation field, 4=14439
- Holliday, D. and Sage, M. L. Counting correlations in boson beams, 4=29561
- Holliday, J.E. A soft X-ray spectrometer using a flow proportional counter, 0=15327
- Holliday, J.E. Soft X-ray emission spectrum of niobium, 1=14618
- Holliday, J.E. Soft X-Ray emission spectroscopy in the 13 to 44 Å region, 3=463
- Holliday, L., Mann, J., Pogany, G. A., Pugh, H. L. D. and Gunn, D. A. Ductility of polystyrene, 4=23198
- Hölling, J. See Ecker, G., 3=7618
- Hollinger, H.B. Molecular chaos and the Boltzmann equation, 2=17373
- Hollinger, H.B. and Curtiss, C.F. Kinetic theory of dense gases, 0=19194

- Hollinger, J. P., Mayer, C. H. and Mennella, R. A. Polarization of Cygnus A and other sources at 5 cm, 4=29487
- Hollinger, J. P. See Mayer, C. H., 3=18663
- Hollingsworth, C. A. and Granquist, W. T. Relaxation of laminar flow with reference to streaming birefringence decay, 1=8098
- Hollingsworth, C. A. and Granquist, W. T. Concerning relaxation of plane laminar flow, 2=7183
- Hollingsworth, C. A. and Granquist, W. T. Theory of measurement of flow birefringence by use of the Sénarmont compensator, 2=11506
- Hollingsworth, C. A., Kaiser, W. E. and Granquist, W. T. Theory of measurement of flow birefringence by use of the Sénarmont compensator. II. Effect of quarter-wave plate error and polychromatism, 4=16257
- Hollingsworth, C. A. and Schumacher, D. P. Concerning the roots of a polynomial which contains a perturbation parameter, 4=27019
- Hollis, D. P. and Selwood, P. W. Effect of chemisorbed hydrogen on the ferromagnetic resonance of finely divided nickel, 1=12551
- Hollis, J. H. A variable multidimensional dark adaptometer, 1=10353
- Holló, M. See Arkosi, K., 2=4493
- Holló, M. G. A new interpretation of the substructure of electropolished aluminium surfaces, 1=6491
- Hollo, M. G. Electronoptical investigations on the pore structure of anodic oxide layers on aluminium, 3=6918
- Hollos, G. See Toma, E., 1=1455
- Holloway, A. F. and Campbell, E. M. Scattering of Co^{60} gamma rays of concrete, 2=20534
- Holloway, D. G. The strength of glass fibres, 0=21138
- Holloway, D. G. The strength of glass, 1=1348
- Holloway, D. G. and Hastilow, P. A. P. High strength glass, 1=7829
- Holloway, D. G. See Brearly, W., 3=11175
- Holloway, D. G. See Brearley, W., 4=4464
- Holloway, H. Enthalpy of formation of oxygen vacancies in barium oxide, 2=14431
- Holloway, J. T., Lu, D. C. and Zaffarano, D. J. Large proportional counter spectrometer for the study of radioactive samples with low specific activity, 0=4037
- Holloway, L. and Fujii, A. A unitary symmetry model for photo-production, 3=22155
- Holloway, L. See Amado, R. D., 4=5961
- Holloway, L. See Frankel, S., 2=13831
- Holloway, L. See Frankel, S., 3=7876
- Holloway, L. See Frankel, S., 3=10134
- Holloway, W. J. See Barber, C. R., 4=24336
- Holloway, W. W., Jr. The calculation of nuclear magnetic moments of $^{25}\text{S}_{12}$ -atoms from hyperfine structure data, 2=9995
- Holloway, W. W., Jr., Kestigian, M. and Newman, R. Direct evidence for energy transfer between rare earth ions in terbium-europium tungstates, 4=10219
- Holloway, W. W., Jr., Kestigian, M., Newman, R. and Prohofsky, E. W. Anomalous shifts in the fluorescence of MnF_2 and KMnF_6 , 3=23102
- Holloway, W. W., Jr. and Lüscher, E. Determination of the hyperfine structure of atomic nitrogen by continuous optical orientation, 1=12256
- Holloway, W. W., Jr., Lüscher, E. and Novick, R. Hyperfine structure of atomic nitrogen, 2=14202
- Hollstein, V. and Akkerman, H. J. A new type of light-tight house for α -scintillation counters, 1=13215
- Hollway, D. L. The space-charge controlled focus of an electron beam, 3=441
- Holly, F. E., Allen, L., Jr and Johnson, R. G. Radiation measurements to 1500 kilometers altitude at equatorial latitudes, 1=21068
- Holly, F. E. and Johnson, R. G. Measurement of radiation in the lower Van Allen belt, 1=1568
- Holly, F. E. and Johnson, R. G. Composition of radiation trapped in the geomagnetic field at altitudes up to 1000 kilometers, 2=11088
- Holly, F. E. See Bame, S. J., 3=11457
- Holly, S. See Shapiro, S., 4=18562
- Hollyer, R. N., Jr. See Voss, L. R., 3=7227
- Holm, C. H. See Ibers, J. A., 1=5075
- Holm, C. H. See Ibers, J. A., 1=14077
- Holm, E. Specific friction force in a graphite brush contact as a function of the temperature in the contact spots, 2=2339
- Holm, G. See Astner, G., 3=19798
- Holm, G. B., Burwell, J. R. and Miller, D. W. Levels in Bi^{210} from the $\text{Bi}^{209}(\text{d}, \text{p})$ reaction, 0=11323
- Holm, G. B., Burwell, J. R. and Miller, D. W. (d, p) reactions in deformed heavy nuclei, 1=8770
- Holm, G. B., Fägerquist, N. and Bergström, I. The decay of 3.9 Min Xe^{137} , 4=3609
- Holm, G. B. and Martin, H. J. Jr. $\text{Ce}^{140}(\text{d}, \text{p})\text{Ce}^{141}$ reaction, 1=8769
- Holm, G. B. See Bonacalza, E. C. O., 3=17411
- Holm, J. D. and Morrish, A. H. Natural spectrum of polycrystalline Y. I. G. as a function of density, 4=13252
- Holm, K. See Harmsen, D. M., 2=3507
- Holm, L. M. See Secrest, D., 4=20020
- Holm, L. W. See Fields, P. R., 0=7498
- Holm, L. W. See Forsling, W., 1=19386
- Holm, M. W. See Eichhorn, E. L., 2=10862
- Holm, M. W. and Eichhorn, E. L. Self-consistent wave functions for ytterbium, 3=8197
- Holm, R. H. and Cotton, F. A. Magnetic investigations of spin-free cobaltous complexes. II. Tetrahedral complexes, 0=6213
- Holman, A. See Faulkner, E. A., 3=9959
- Holman, J. P. On the effects of sound waves on heat transfer, 0=5199
- Holmberg, E. A systematic effect in the redshifts of extragalactic nebulae, 1=18126
- Holmberg, E. On the dynamics of the Virgo cluster, 2=7024
- Holmberg, E. A study of external galaxies, 4=23877
- Holmberg, E. R. R. The ballistic theory of light, 1=6942
- Holmberg, N. E. See Bäckström, G., 2=20313
- Holmberg, P. See Simmons, L., 3=24867
- Holmberg, P. See Simons, L., 3=4572
- Holmberg, P. See Simons, L., 3=22307
- Holmberg, P. See Simons, L., 4=9513
- Holmberg, P. See Simons, L., 4=25398
- Holmberg, R. W., Livingston, R. and Smith, W. T., Jr. Paramagnetic-resonance study of hyperfine interactions in single crystals containing α , α -diphenyl- β -picrylhydrazyl, 0=13881
- Holmberg, R. W. See Zeldes, H., 0=6257
- Holmberg, S. See Bergström, J., 3=9798
- Holmberg, S. See Bergström, J., 3=12172
- Holmberg, S. See Bergström, J., 4=566
- Holmberg, S. See Bergström, J., 1=11346
- Holmboe, J. On the behaviour of symmetric waves in stratified shear layers, 2=21629
- Holmen, J. O. See Prosen, R. J., 2=12674
- Holmen, J. O. See Prosen, R. J., 3=1074
- Holmes, C. H. See Auld, B. A., 3=15926
- Holmes, D. See Jacobs, H., 4=19312
- Holmes, D. A. Transmission and reflection properties of an inhomogeneous semiconductor slab in rectangular waveguide, 4=16656
- Holme, D. A. and Stewart, K. The gamma dose-rate above an infinite plane source, 3=17423
- Holmen, J. O. See Prosen, R. J., 1=6321
- Holmes, D. A. Exact theory of retardation plates, 4=27341
- Holmes, D. A. and Feucht, D. L. Microwave measurement of conductivity and dielectric constant of semiconductors, 4=12880
- Holmes, D. A. and Feucht, D. L. Dominant mode propagation in Ge and Si with carrier density decaying exponentially in time, 4=28689
- Holmes, D. A., Feucht, D. L. and Jacobs, H. Microwave interaction with a semiconductor post, 4=22696
- Holmes, D. A. See Jacobs, H., 3=22019
- Holmes, D. K. The ranges of energetic atoms in solids, 3=8462
- Holmes, D. K. Terms and concepts in radiation damage theory, 4=30588
- Holmes, D. K. and Leibfried, G. Range of radiation induced primary knockons in the hard core approximation, 0=9922
- Holmes, D. K. See Oen, O. S., 3=10571
- Holmes, D. K. See Robinson, M. T., 2=6039
- Holmes, E. C. J. See Hindman, J. V., 4=10919
- Holmes, E. L. and Winegard, W. C. Grain growth in zone-refined tin, 0=16273
- Holmes, E. L. and Winegard, W. C. Effects of lead, bismuth, silver, and antimony on grain growth in zone-refined tin, 1=15152
- Holmes, E. L. and Winegard, W. C. The effect of solute atoms on grain boundary migration in pure metals, 2=804
- Holmes, E. L. See Jubb, J. T., 1=20629
- Holmes, J. A study of sunspot velocity field using a magnetically undisturbed line, 1=10385
- Holmes, J. Micrometer and photometric observations of a sunspot velocity field, 4=2429
- Holmes, J. Scattered light corrections in the measurement of Evershed effect, 4=4906
- Holmes, J. C. See Johnson, C. Y., 0=21333

- Holmes, J.E.R., Owen, B.G. and Rodgers, A.L. The Manchester high energy magnetic cosmic ray spectrograph, 1=16922
- Holmes, J.E.R., Owen, B.G. and Rodgers, A.L. Measurements of the momentum spectrum and charge ratio of cosmic ray muons at sea level in the momentum range 10 GeV/c-1000 GeV/c, 1=16945
- Holmes, J.R. and Hoover, M.E. Isotope shift in the first spectrum of silicon (Si I), 2=6097
- Holmes, J.R., Kivelson, D. and Drinkard, W.C. Proton magnetic resonance spectrum of HDO, 2=16558
- Holmes, J.R., Kivelson, D. and Drinkard, W.C. Protons exchange rates and hydrogen-bonding for water in organic solvents, 3=9449
- Holmes, J.R., Stewart, B.S. and Mackenzie, J.S. ^{19}F chemical shift of nitrosyl fluoride, 3=10540
- Holmes, L. See Schieber, M., 4=13544
- Holmes, L.B. See Weymann, H.D., 4=18340
- Holmes, L.S. See Adlam, J.H., 0=16967
- Holmes, L.S. See Adlam, J.H., 4=5640
- Holmes, L.S. See Ashby, D.E.T.F., 3=16954
- Holmes, M.F. See Metson, G.H., 0=13641
- Holmes, M.F. See Metson, G.H., 1=6183
- Holmes, O.G. See Bennett, R.M., 1=2448
- Holmes, P.J. Etch pits on dendritic germanium.
A clarification, 0=12011
- Holmes, P.J. A competitive adsorption model of steady-state growth of a crystal from a lightly-doped melt, 4=7540
- Holmes, P.J., Jennings, I.C. and Parrott, J.E. Precipitation phenomena in In_2Te_3 , 2=10917
- Holmes, P.J. and Newman, R.C. The state of etched semiconductor surfaces as revealed by electron diffraction, 0=590
- Holmes, P.J. See Gasson, D.B., 2=23417
- Holmes, P.J. See Gasson, D.B., 3=1345
- Holmes, R. and Jones, G.R. A low pressure oil manometer, 3=21459
- Holmes, R., Jones, G.R. and Pusat, N. Combined viscothermal and thermal relaxation in polyatomic gases, 4=24271
- Holmes, R., Jones, G.R., Pusat, N. and Tempest, W. Rotational relaxation in helium + oxygen and helium + nitrogen mixtures, 3=6431
- Holmes, R., Parbrook, H.D. and Tempest, W. The propagation of sound in nitrous oxide, 1=8160
- Holmes, R., Smith, F.A. and Tempest, W. Vibrational relaxation in oxygen, 3=9505
- Holmes, R., Smith, F.A. and Tempest, W. Vibrational relaxation in oxygen-argon, oxygen-helium and oxygen-hydrogen mixtures, 4=11244
- Holmes, R., Smith, F.A. and Tempest, W. The vibrational de-excitation of oxygen in heteromolecular collisions, 4=20059
- Holmes, R. and Tempest, W. The propagation of sound in monatomic gas mixtures, 0=14721
- Holmes, R. and Tempest, W. The excitation of the vibrational modes of ethylene in homo-molecular collisions, 2=61476
- Holmes, R.R. See Griffiths, J.E., 4=25679
- Holmes, R.W. See Tyler, J.E., 0=8766
- Holmes, W.T. Axisymmetric vibrations of a conical shell supporting a mass, 2=9334
- Holmgren, H.D. and Cameron, L.M. The $^7\text{Li}(t, \alpha)^4\text{He}$ reaction, 1=19530
- Holmgren, H.D. and Cameron, L.M. The $^6\text{Li}(t, d)^7\text{Li}$ and $^{10}\text{B}(t, d)^{11}\text{B}$ reactions, 2=1932
- Holmgren, H.D., Cameron, L.M. and Gutsche, G. The $^{12}\text{C}(t, \alpha)^{11}\text{B}$ reaction, 2=3630
- Holmgren, H.D., Cameron, L.M. and Johnston, R.L. Triton induced reactions on B^{10} , 4=3697
- Holmgren, H.D. and Fulmer, C.B. $\text{F}^{10}(p, t)\text{F}^{17}$ and $\text{F}^{19}(p, \alpha)\text{O}^{16}$ reactions at 22.8 MeV, 4=6338
- Holmgren, H.D. and Wolicki, E.A. Cluster effects in nuclear reactions, 1=19428
- Holmgren, H.D. and Wolicki, E.A. The $^{13}\text{C}(^3\text{He}, \alpha\gamma)^{12}\text{C}$ reaction, 1=19525
- Holmgren, H.D. and Wolicki, E.A. Angular correlations for the $\text{C}^{13}(\text{He}^3, \alpha\gamma)\text{C}^{12}$ reaction, 3=2496
- Holmgren, H.D. See Butler, J.W., 0=2661
- Holmgren, H.D. See Gutsche, G.D., 2=3631
- Holmgren, H.D. See Schwartz, R.B., 4=17191
- Holmgren, H.D. See Wolicki, E.A., 0=4102
- Holmgren, H.D. See Wolicki, E.A., 2=1928
- Holmquist, W.R. See Kooi, C.F., 3=1168
- Holmqvist, B. and Wiedling, T. A gas target with a tritium gas handling system, 4=24934
- Holmryd, S., Larsson, K.E. and Otnes, K. A neutron time-of-flight spectrometer with a semi-monochromatizing chopper, 2=5691
- Holmryd, S. See Larsson, K.E., 0=7387
- Holmryd, S. See Larsson, K.E., 1=4966
- Holmström, I. On a method for parametric representation of the state of the atmosphere, 3=25878
- Holøien, E. Some remarks on the electron affinity of atomic lithium, 0=17658
- Holøien, E. On excited bound states of negative atomic ions, 0=17665
- Holøien, E. Remarks on doubly excited states of the negative atomic hydrogen ion, 0=17666
- Holøien, E. An investigation of quasi stationary states of the two-electron atomic systems with a special study of negative atomic ions, 3=2554
- Holøien, E. The threshold energy of the $(1s2s2p)^4\text{P}_{3/2}$ metastable state of lithium, 4=17248
- Holonyak, N., Jr. Evidence for states (bands) on the forbidden gap of degenerate GaAs and InP — secondary tunnel currents and negative resistances, 1=7648
- Holonyak, N., Jr. Laser action in $\text{Ga}(\text{As}_{1-x}\text{P}_x)$ and GaAs, 4=16702
- Holonyak, N., Jr. Preparation and properties of $\text{Ga}(\text{As}_{1-x}\text{P}_x)$ p-n junction lasers, 4=24918
- Holonyak, N., Jr. and Bevacqua, S.F. Coherent (visible) light emission from $\text{Ga}(\text{As}_{1-x}\text{P}_x)$ junctions, 3=7734
- Holonyak, N., Jr. and Bevacqua, S.F. Oscillations in semiconductors due to deep levels, 3=15583
- Holonyak, N., Jr. and Bevacqua, S.F. The red-black effect in $\text{Ga}(\text{As}_{1-x}\text{P}_x)$, 4=24920
- Holonyak, N., Jr., Bevacqua, S.F., Bielan, C.V. and Lubowski, S.J. The "direct-indirect" transition in $\text{Ga}(\text{As}_{1-x}\text{P}_x)$ p-n junctions, 3=25377
- Holonyak, N., Jr., Ing, S.W., Jr., Thomas, R.C. and Bevacqua, S.F. Double injection with negative resistance in semiconductors, 2=18726
- Holonyak, N., Jr. and Wolfe, C.M. The vapour-solid interface of $\text{Ga}(\text{As}_{1-x}\text{P}_x)$ single crystals grown by Halogen-vapour transport, 4=29051
- Holonyak, N., Jr. See Aldrich, R.W., 0=1649
- Holopainen, E.O. On the dissipation of kinetic energy in the atmosphere, 3=16213
- Holopainen, E.O. Investigation of friction and diabatic processes in the atmosphere, 4=30929
- Holroyd, L.V. and Kolopus, J.L. Paramagnetic resonance of Mn^{2+} in single crystals of SrO , 4=10328
- Holroyd, L.V. See Cave, E.F., 0=13493
- Holroyd, L.V. See Macleay, R.Q., 1=4346
- Holroyd, L.V. See Srinivasan, D., 1=4345
- Holroyd, L.V. See Tompson, C.W., 3=14502
- Holscher, A.A. Surface potentials of nitrogen on individual crystal faces of tungsten, 4=29199
- Hölscher, J.G.A. Evidence for positive ion production by the Penning ionization mechanism in the column of the neon glow discharge, 3=7474
- Holscher, P.C. See Trivelpiece, A.W., 1=3065
- Holschwandner, L.H. See Bergh, A.A., 4=4655
- Holsen, J.N. and Strunk, M.R. Binary diffusion coefficients in nonpolar gases, 4=24267
- Holser, W.T. Classification of symmetry groups, 1=20402
- Holshouser, D.F., Von Foerster, H. and Clark, G.L. Microwave modulation of light using the Kerr effect, 2=87
- Holste, C. See Hecht, G., 4=27377
- Holstein, T. Studies of polaron motion. I. The molecular-crystal model, 0=4278
- Holstein, T. Studies of polaron motion. II. The "small" polaron, 0=4279
- Holstein, T. Hall effect in impurity conduction, 1=19846
- Holstein, T. See Friedman, L., 3=12950
- Holstein, T.D. See Adams, E.N., 0=2842
- Holt, A.R. See Arthurs, A.M., 4=5022
- Holt, B.D. Nonelectrical liquid nitrogen level controller, 2=11227
- Holt, C., Landmark, B. and Lied, F. Analysis of riometer observations obtained during polar radio blackouts, 3=5878
- Holt, C. and Thompson, J.E. The influence of grain interaction on the magnetostrictive behaviour of a single crystal of silicon-iron in a polycrystalline matrix, 3=5016
- Holt, C. See Boon, C.R., 3=25527
- Holt, D.B. Effects of torsion on the tensile stress-strain curve of aluminium, 0=16201
- Holt, D.B. Filled and empty dangling bonds in III-V compounds, 1=2366
- Holt, D.B. The variation with torsional strain of the Barrett anomalous after effect, 2=23748
- Holt, D.B. Defects in the sphalerite structure, 3=2793

- Holt, D. B. and Dangor, A. E. Direct observations of the geometry of defects in germanium, 4=6849
- Holt, D. B. See Nabarro, F. R. N., 4=28924
- Holt, D. L. and Backofen, W. H. The temperature dependence of cross slip during easy glide in Cu-Al alloy crystals, 3=23337
- Holt, E. H. and Stotz, K. C. Plasma waveguide cell for after-glow measurements, 4=5572
- Holt, E. H. See Haskell, R. E., 2=11669
- Holt, E. H. See Rudzki, J. E., 4=3089
- Holt, F. H. See Taft, W. C., 4=5631
- Holt, J. B. Self-diffusion of oxygen in single-crystal beryllium oxide, 4=12784
- Holt, J. M. See Iliff, W. R., 3=9947
- Holt, J. R. See Edwards, D. N., 0=3991
- Holt, M. and Schwartz, N. J. Cavitation bubble collapse in water with finite density behind the interface, 3=16599
- Holt, M. See Berger, S. A., 2=9306
- Holt, O., Landmark, B. and Lied, F. Observations of electron density and collision frequency during polar radio blackout conditions, 3=6978
- Holt, O. and Omholt, A., Auroral luminosity and absorption of cosmic radio noise, 2=17185
- Holt, O. See Bjelland, B., 0=4796
- Holt, O. See Eriksen, K. W., 1=1544
- Holt, O. See Jespersen, M., 4=26856
- Holt, O. See Ortnet, J., 2=15284
- Holt, O. See Ortnet, J., 3=9135
- Holt, R. B. See Bills, D. G., 2=1448
- Holt, R. M. and Nicholson, O. P. A study of σ -phase formation and metastability in stabilized austenitic stainless steel, 3=3337
- Holt, V. E. and Grosh, R. J. Free heat convection heat transfer up to near-critical conditions, 4=5413
- Holt, V. E., Grosh, R. J. and Geynet, R. Evaluation of the net radiant heat transfer between specularly reflecting plates, 3=7381
- Holt, V. E., Grosh, R. J. and Geynet, R. Evaluation of the net radiant heat transfer between specularly reflecting plates including computed emissivities, 4=2861
- Holte, J. E. and Lambert, R. F. Synthesis of stepped acoustic transmission systems, 1=5325
- Holte, J. E. and Lambert, R. F. Internal reflections and low frequency cutoff in nonuniform transmission structures, 1=16028
- Holte, J. E. and Lambert, R. F. Synthesis of a stepped structure for a prescribed reflection coefficient, 2=15685
- Holtebekk, T. Level structure of ^{32}P from $^{31}\text{P}(\text{d}, \text{p})^{32}\text{P}$ reactions, 2=22739
- Holtebekk, T. A double focusing magnetic spectrometer for charged particles from nuclear reactions, 4=21703
- Holtebekk, T. See Andersen, S. L., 0=5744
- Holtebekk, T. See Andersen, S. L., 1=5915
- Holtebekk, T. See Andersen, S. L., 2=20612
- Holter, M. R. and Wolfe, W. L. Optical-mechanical scanning techniques, 0=14811
- Holter, O. On the effect of a magnetic field upon extremely low frequency (elf) wave packets, 0=12713
- Holter, O. Note on the Poynting vector in a plasma, 2=22198
- Holter, Ø. Helical instabilities in solid-state plasmas, 3=8410
- Holter, Ø. Helical instabilities in solid-state plasmas. Numerical results, 3=13051
- Holthuisen, D. J. Comparison of the mean gap length in Ilford G-5 emulsion with theory, 0=19985
- Holthuisen, D. J. Resonances of elementary particles, 3=570
- Holthuisen, D. J. and Jongejans, B. Research on high energy negative π -mesons in nuclear emulsion, 0=5585
- Holton, G. On the origins of the special theory of relativity, 0=16574
- Holton, G. On the recent past of physics, 2=1
- Holton, W. C. and Blum, H. Paramagnetic resonance of F centres in alkali halides, 2=3960
- Holton, W. C., Blum, H. and Slichter, C. P. Hyperfine structure of the F center in LiF, 0=18217
- Holton, W. C., Schneider, J. and Estle, T. L. Electron paramagnetic resonance of photosensitive iron transition group impurities in ZnS and ZnO, 4=13323
- Holton, W. C. See Castner, T. Jr., 0=6373
- Holton, W. C. See Schneider, J., 4=1892
- Holton, W. C. See Slichter, C. P., 1=9060
- Holtmark, T. W., Langeland, T., Refsdal, I. N. and Ore, A. A large water prism ultraviolet monochromator, 2=13452
- Holtwijk, T. A semi-automatic apparatus for evaluating stereoscopic cloud chamber photographs, 1=16629
- Holtzberg, F., McGuire, T. R., Methfessel, S. and Suits, J. C. Ferromagnetism in rare-earth group VA and VIA compounds with Th_2P_4 structure, 4=13181
- Holtzberg, F. See Berkowitz, A. E., 4=13220
- Holtzman, A. H. and Conrad, G. P., II. Structural and magnetic properties of Mn-Co-C alloys, 0=3010
- Holtzman, A. H. See Beardmore, P., 4=26508
- Holtzman, A. H. See Cowan, G. R., 3=11195
- Holtzman, W. The application of the Verwey and Overbeek theory to the stability of Kaolinite-water systems, 2=12983
- Holuj, F., Daams, H. and Kalra, S. N. High resolution ammonia (N^{14}H_3) maser, 2=16019
- Holuj, F. and Petch, H. E. A nuclear magnetic resonance study of colemanite, 0=8089
- Holverson, E. L. See Devane, C. J., 3=17870
- Holway, L. H., Jr. Perturbation methods for reactor diffusion equations, 0=15619
- Holway, L. H., Jr. Existence of kinetic theory solutions to the shock structure problem, 4=27248
- Holwech, I. Recovery of internal friction in aluminium after plastic deformation, 0=8111
- Holwech, I. See Førsvoll, K., 3=4908
- Holwech, I. See Førsvoll, K., 3=22890
- Holweger, H. Propagation of magnetohydrodynamic waves, 3=17043
- Holweger, H. and Unsöld, A. The accuracy of model stellar atmospheres in radiative equilibrium, 3=23694
- Holweger, H. See Böhm-Vitense, E., 4=2375
- Holyk, A. Z. and Kazans'kii, V. M. Investigation of the density of a substance [Ethyl ether] near the critical state by the gamma-ray absorption method, 1=13027
- Holyk, O. Z. and Cholpan, P. P. Molecular structure, compressibility, surface tension and viscosity of certain polysiloxanes, 1=20642
- Holyk, O. Z. and Cholpan, P. P. Molecular structure and physical properties of certain polysiloxanes. II. Structure and physical properties of isoviscous polysiloxanes, 2=11350
- Holyk, O. Z. and Cholpan, P. P. Molecular structure and physical properties of certain polysiloxanes. III. Viscosity compressibility and structure of liquid cyclic polysiloxanes, 2=11351
- Holyk, O. Z. and Cholpan, P. P. Density and short-range coordination of certain liquids, 2=21893
- Holyk, O. Z. and Cholpan, P. P. Molecular structure and physical properties of certain siloxanes. IV. Density of two-component solutions of liquid siloxanes, 2=21906
- Holyk, O. Z. and Cholpan, P. P. Molecular structure and physical properties of certain siloxanes. V. Surface tension and intermolecular interaction of liquid siloxanes, 2=23016
- Holyk, O. Z. and Klassen, I. F. Viscosity and electrical conductivity of zinc and cadmium amalgams, II, 1=12872
- Holyk, O. Z. and Shymans'ka, O. T. Investigations of the critical state of matter of Teopler's method. II. Dependence on the density of hexane on the temperature in the neighbourhood of the critical point, 1=13021
- Holyinna, H. I., Fedorus, H. A. and Sheinkman, M. K. Investigation of the physical properties of ohmic and non-ohmic contacts on CdS monocrystals, 1=14511
- Holyński, R. See Bartke, J., 0=13082
- Holyński, R. See Bartke, J., 1=5262
- Holyński, R. See Bartke, J., 1=13550
- Holyński, R. See Gierula, J., 3=4382
- Holyński, R. See Gierula, J., 3=5993
- Holyshkin, V. I. See Barchuk, I. F., 2=18104
- Holywell, K. and Harvey, G. Helium speech, 4=10947
- Holz, A. See Bross, H., 3=17815
- Holz, A. See Bross, H., 4=1380
- Hözl, R. Investigation of particle collisions at energies between 6 and 30 keV, 0=10881
- Holzappel, L. Investigations in connection with the unusual increase in the intensity of the cosmic ray background in the months of July and August 1959, 0=9484
- Holzappel, L. See Bayley, R. T., 1=6227
- Holzappel, L. See Bayley, R. T., 2=6602
- Holzberlein, T. M. Direct measurement of atomic lifetimes: helium, 4=25534
- Holzer, F. and Crouch, M. F. Interpretation of thermal neutron mean lifetime experiments, 1=504
- Holzer, F. See Heusinkveld, M., 4=27253
- Holzer, T. E. See Ogier, W. T., 4=17593
- Holzhäuser, W. A simple intermediate temperature cryostat, 4=18504
- Holzhäuser, W. and Altenburg, K. The physics of plastics, 2=23023

- Holzinger, C.S. Study of permeability ratios for use in non-destructive readout of ferrite memory devices, 3=15871
- Hölzl, K., Saller, G. and Urban, P. Inelastic electron-deuteron scattering, 4=21960
- Hölzl, K. and Urban, P. On the influence of the deuteron model on inelastic electron-deuteron-cross-section, 4=27910
- Hölzl, R.A. See Huberman, M.N., 4=16520
- Holzman, M. Chebyshev optimized geophone arrays, 3=16192
- Holzmüller, W. and Dinter, R. Rotation viscometer for the determination of viscosity at high pressures, 1=106
- Holzwarth, G. and Meister, H. J. Tables of asymmetry, cross-section, and related functions for Mott scattering of electrons by screened gold and mercury nuclei, 4=25572
- Holzwarth, G.M. See Kzner, P.P., 1=8694
- Homa, C.G. Diffusion of carbon in alpha iron, 4=28488
- Homan, C.G. See Davidson, T.E., 3=16017
- Homan, C.G. See Huebener, R.P., 3=8430
- Homberg, B.R. On the elimination of the barycentric and rotational coordinates in a nuclear "shell-model" [and some of its consequences], 0=7449
- Homer, R.J., Hutchinson, G.W., McFarlane, W.K., O'Dell, A.W., Rubinstein, R. and Sacharidis, E.J. Angular dependence of polarization in p-p scattering at 970 MeV preliminary results, 0=17334
- Homer, R.J., Khan, Q.H., McFarlane, W.K., McKee, J.S.C., O'Dell, A.W., Riddiford, L., Williams, P.G. and Griffiths, D. Evidence for an anomaly in two pion production, 4=16933
- Homer, R.J., McFarlane, W.K., O'Dell, A.W., Sacharidis, E.J. and Eaton, G.H. Angular dependence of polarization in p-p elastic scattering at 970 MeV, 2=9844
- Homer, R.J. See McFarlane, W.K., 3=17276
- Homès, G.A. See Bauwens, J.C., 0=6300
- Homès, G.A. See Bauwens, J.C., 0=10273
- Homès, G.A. See Crowet, C., 4=7446
- Homès, G.A. See Crowet, C., 4=13439
- Homma, K. See Fukami, T., 4=1634
- Homma, S., Kikuchi, R. and Kitagaki, T. Multiplate shower counter for high energy gamma rays, 4=15039
- Homma, S., Kuroyanagi, T. and Morinaga, H. Decay of Ir^{195} and Ir^{197} , 1=13713
- Homma, S. and Takemoto, S. Temperature dependence of scintillation pulses in anthracene and CsI(Tl) , 1=17918
- Homma, S. See Takemoto, S., 2=725
- Homma, T. and Issiki, S. Role of CuO whisker growth in the oxidation kinetics of pure copper, 4=29212
- Hommel, C.O., Chleck, D., Brousaides, F.J. Ozone analyzer uses radioactive clathrate, 1=20779
- Hommel, R. See Cap, F., 4=27516
- Hommelen, J.R. The elimination of errors due to evaporation of the solute in the determination of surface tensions, 0=71
- Hommelen, J.R. See Defay, R., 0=3503
- Hon, A. See Veverka, A., 3=1940
- Hon, A. See Veverka, A., 3=24265
- Hon, A. See Veverka, A., 4=8601
- Hon Chung Ko. See Hu, T., 4=16282
- Hon, J.F. Nuclear magnetic resonance study of the diffusion of hydrogen in zirconium hydride, 2=6367
- Hon, J.F. and Bray, P.J. Nuclear magnetic resonance studies of neutron-irradiated alkali halides, 0=3137
- Hon, J.F. Nuclear quadrupole coupling constant of Be^9 in BeO , 1=20278
- Hon, L. See Veverka, A., 4=24616
- Honcharov, K.S. See V'yuhov, P.N., 2=5823
- Honcia, G. and Krebs, K. A new high-refractive-index material for dielectric ultraviolet mirrors, 0=2237
- Honcia, G. and Krebs, K. Highly refracting substances for dielectric mirror systems, 2=1251
- Honcia, G. and Krebs, K. Evaporation behaviour and optical properties of some dielectric substances, 2=2421
- Honcia, G. and Krebs, K. Dielectric interference filter for the ultraviolet spectral region 3000-2400 Å, 2=11493
- Honda, H. See Stauffer, H., 2=4756
- Honda, M. Spallation products distributed in a thick iron target bombarded by 3-BeV protons, 3=8101
- Honda, M. and Lal, D. Some cross sections for the production of radio-nuclides in the bombardment of C, N, O, and Fe by medium energy protons, 0=11407
- Honda, M. and Lal, D. Spallation cross sections for long-lived radionuclides in iron and light nuclei, 4=15216
- Honda, M., Umemoto, S. and Arnold, J.R. Radioactive species produced by cosmic rays in Bruderheim and other stone meteorites, 2=2528
- Honda, M. See Arnold, J.R., 2=2527
- Honda, M. See Lal, D., 0=11282
- Honda, M. See Rama, 2=2460
- Honda, M. See Rama, 2=2493
- Honda, M. See Stauffer, H., 2=24105
- Honda, N. Unified theory of relaxations in plasmas. IV. General collision terms, 4=27507
- Honda, N., Aono, O. and Kihara, T. Fluctuations in a plasma. III. Effect of the magnetic field on the stopping power, 3=12103
- Honda, R. Cleavage fracture in single crystals of silicon iron, 1=14916
- Honda, R. See Taoka, T., 0=21112
- Honda, T. Excitation of individual fission fragments at scission, 4=9590
- Honda, T., Horie, H., Kudo, Y. and Ui, H. The (d, α) reaction and cluster structure of light nuclei. The $\text{O}^{16}(d, \alpha)\text{N}^{14}$ reaction, 4=19817
- Honda, T., Kudo, Y. and Ui, H. Exchange effect in the scattering of an α -particle by light nuclei, 3=17496
- Honda, T., Kudo, Y., Ui, H. and Horie, H. The (p, α) reaction for p-shell nuclei and reduced widths for nucleon clusters, 4=22131
- Honda, T. and Nagasaki, M. On the angular distribution of (d, p) stripping reactions, 0=1417
- Honda, T. and Ui, H. Antisymmetric treatment of deuteron-stripping reaction. Stripping and heavy-particle-stripping reactions, 1=13838
- Honda, T. and Ui, H. Deuteron stripping and heavy-particle-stripping reactions, 1=13839
- Honda, T. and Ui, H. The heavy-particle-stripping reaction in (α, p) reactions. I. The $\text{C}^{12}(\alpha, p)\text{N}^{15}$ (ground state) reaction, 2=16434
- Honda, T. and Ui, H. The heavy-particle-stripping reaction in (α, p) reactions. II. The $\text{Li}(\alpha, p)\text{Be}$ and the $\text{F}(\alpha, p)\text{Ne}$ reactions, 2=16435
- Honda, T. See Aizu, K., 0=20029
- Hondros, E. and Oudar, J. Influence of dislocations on the nucleation of seeds of oxide on the surface of copper, 3=16130
- Hondros, E.D. and Moore, A.J.W. Thermal etching of silver surfaces parallel to $\{110\}$ planes, 0=18328
- Hondros, E.D. and Moore, A.J.W. Evaporation and thermal etching, 1=4013
- Hondros, G. The evaluation of Poisson's ratio and the modulus of materials of a low tensile resistance by the Brazilian (indirect tensile) test with particular reference to concrete, 0=6288
- Hone, D. Exchange and correlation corrections to the electron-phonon interaction, 1=907
- Hone, D. Self-diffusion in liquid He^3 , 1=2918
- Hone, D. Transport properties of liquid He^3 , 2=7491
- Hone, D. $\nu = 0$ pairing in superconductors, 2=13509
- Hone, D. [Transl.] Theory of interacting Fermi systems, 4=16055
- Hone, D.W. The value of transport mean free path for D_2O , 1=7250
- Honeck, H.C. The distribution of thermal neutrons in space and energy in reactor lattices, 1=17206
- Honeck, H.C. and Kaplan, I. The distribution of thermal neutrons in space and energy in reactor lattices. II. Comparison of theory and experiment, 1=17207
- Honeck, H.C. and Michael, P.; Baumann, N. P. A remark on the measurement of the diffusion coefficient of thermal neutrons, and reply, 4=3421
- Honeck, H.C. and Takahashi, H. The angular dependence of thermal neutron spectra in lattices, 3=12723
- Honeck, H.G. See Chernick, J., 2=18379
- Hones, E.W., Jr. Motions of charged particles trapped in the earth's magnetosphere, 3=13815
- Hones, E.W., Jr. See Cline, T.L., 2=18105
- Honey, R.C. See Crosby, J.K., 4=8970
- Honeycombe, R.W.K. The effect of temperature and alloying additions on the deformation of metal crystals, 2=6732
- Honeycombe, R.W.K. See Aitchison, I., 2=23663
- Honeycombe, R.W.K. See Beevers, C.J., 2=6750
- Honeycombe, R.W.K. See Beevers, C.J., 2=23785
- Honeycombe, R.W.K. See Brindley, B.J., 2=23749
- Honeycombe, R.W.K. See Corderoy, D.J.H., 4=4461
- Honeycombe, R.W.K. See Greetham, G., 1=20369
- Honeycombe, R.W.K. See Irani, J.J., 4=17762
- Honeycombe, R.W.K. See Johnson, R.H., 2=4439
- Honeycombe, R.W.K. See Johnson, R.H., 2=4474
- Honeycombe, R.W.K. See May, M.J., 4=1954
- Honeycombe, R.W.K. See Roberts, E., 0=21121
- Honeycombe, R.W.K. See Roberts, E., 3=11139

- Honeycombe, R.W.K. See Smith, M.D., 0=10462
- Honeycombe, R.W.K. See van Aswegen, J.S.T., 2=10403
- Honeycombe, R.W.K. See van Aswegen, J.S.T., 3=18357
- Honeycombe, R.W.K. See Warrington, D.H., 4=4067
- Honeycutt, C.R. See Cole, R.W., 0=2416
- Honeywell, W. I., Knobler, C. M., Smith, B. L. and Pings, C. J. Apparatus for X-ray diffraction studies of confined fluids, 4=27156
- Honeywell, W. I. See Knobler, C. M., 4=8484
- Hong, S.B. See Shin, H.M., 0=21300
- Hong Tuan Duong. See Duong Hong Tuan.
- Honig, A. Impurity spin relaxation via the conduction electrons in silicon, 0=10241
- Honig, A. Rate of electron transfer from neutral shallow donors to neutral shallow acceptors in n-type silicon at liquid helium temperatures, 2=23361
- Honig, A. Paramagnetic relaxation in small particles, 4=26374
- Honig, A. and Levitt, R. Shallow impurity traps and electron transfer dynamics in n-type silicon at liquid helium temperatures, 0=18035
- Honig, A. and Stupp, E. Electron spin-lattice relaxation in phosphorus-doped silicon, 0=4512
- Honig, A. See Abkowitz, M., 2=16083
- Honig, A. See Levitt, R.S., 2=8421
- Honig, B. H. See Turner, A. G., 4=22291
- Honig, E. P. See Ketelaar, J. A. A., 4=27166
- Honig, J. M. and Kleiner, W. H. Adaptation of lattice liquid model to gas adsorption phenomena, 4=26716
- Honig, J. M. and Kleiner, W. H. Adaptation of lattice liquid model to gas adsorption phenomena, 4=30885
- Honig, J. M. and Mueller, C. R. Adaptation of lattice vacancy theory to gas adsorption phenomena, 3=3363
- Honig, J. M. and Tarmy, B. M. Refined treatment of the theory pertaining to operating characteristics of anisotropic Nernst-Ettinghausen devices, 4=17468
- Honig, J. M. See Bumble, S., 0=14145
- Honig, J. M. See Czanderna, A. W., 0=606
- Honig, J. M. See Harman, T. C., 2=18666
- Honig, J. M. See Harman, T. C., 3=356
- Honig, J. M. See Harman, T. C., 3=357
- Honig, J. M. See Harmon, T. C., 3=9715
- Honig, J. M. See Harmon, T. C., 3=9716
- Honig, J. M. See Harman, T. C., 3=12064
- Honig, J. M. See Harman, T. C., 3=20289
- Honig, J. M. See Harman, T. C., 3=21694
- Honig, J. M. See Harman, T. C., 4=14472
- Honig, J. M. See Harman, T. C., 4=22704
- Honig, J. M. See Rao, C. N. R., 0=7895
- Honig, R. E. The sputtering of silicon carbide by positive ion bombardment, 3=4214
- Honig, R. E. Laser-induced emission of electrons and positive ions from metals and semiconductors, 3=24333
- Honig, R. E., Glass, S. S. and Woolston, J. R. Triggered low-voltage sources for positive ions, 4=19112
- Honig, R. E. and Hook, H. O. Vapor pressure data for some common gases, 1=178
- Honig, R. E. and Woolston, J. R. Laser-induced emission of electrons, ions and neutral atoms from solid surfaces, 3=14626
- Honig, R. E. See Woolston, J. R., 4=8850
- Konigsmann, B. The equilibrium form and the form of growth of crystals, 4=13524
- Honjo, G. Some recent developments in electron diffraction technique, 3=1287
- Honjo, G., Kitamura, N., Ashinuma, K., Nagahama, Y. and Watanabe, M. Tilting devices for crystalline specimens, 3=18414
- Honjo, G., Koder, S., Isobe, E., Tanaka, M., Takagi, M. and Kitamura, N. Streak pattern of electron diffraction from single crystal films, 2=23939
- Honjo, G., Koder, S. and Kitamura, N. Diffuse streak diffraction patterns from single crystals. I. General discussion and aspects of electron diffraction diffuse streak patterns, 4=20756
- Honjo, G. and Yagi, K. On electron microscopy of sodium and potassium chloride films, 4=2113
- Honjo, G. See Koder, S., 3=18297
- Honjo, G. See Maruyama, S., 3=16975
- Honjo, G. See Miyake, S., 2=4510
- Honjo, G. See Tanaka, M., 2=23938
- Honjo, G. See Tanaka, M., 4=29096
- Hönl, H. and Dehnen, H. General relativistic considerations on cosmology, 0=2074
- Hönl, H. and Dehnen, H. The question of the relative nature of rotation, 2=9175
- Hönl, H. and Dehnen, H. Significance of Ozsvath and Schücking's exact solution of the gravitational field equations, 3=3736
- Hönl, H. and Dehnen, H. On Mach and anti-Mach solutions of the gravitational field equations. I, 4=2536
- Hönl, H., Dehnen, H. and Westpfahl, K. A heuristic approach to general relativity, 1=1691
- Hönl, H. and Ruffer, J. The concept of phase waves in gravitation theory and electrodynamics, 3=23746
- Hönl, H. and Soergel-Fabricius, C. Coriolis forces in Einstein's universe and the Mach principle, 1=15654
- Hönl, H. See Dehnen, H., 2=521
- Hönl, H. See Dehnen, H., 3=5348
- Honma, A. On the magnetic susceptibility of FeF_2 , 1=9044
- Honma, A. See Oguchi, T., 1=12552
- Honma, A. See Oguchi, T., 3=15767
- Honma, H. and Tamura, M. Effect of boundary layer at MHD power generator, 4=11500
- Honma, T. Conductivity of non-equilibrium plasma in MHD power generation, 4=11602
- Honma, T. See Fushimi, K., 4=11502
- Honma, T. See Takeuchi, S., 1=1360
- Honrath-Barkhausen, M. and Rin, F. H. Rapid analysis of γ radiation from air and rainwater with the impulse spectroscopy, 2=11926
- Honrath-Barkhausen, M. See Dietrich, I., 0=2304
- Honrath-Barkhausen, M. See Dietrich, I., 1=18814
- Honrubia, V. See Butler, R. A., 3=21168
- Honrubia, V. See Fernández, C., 3=3684
- Honsaker, J. L. Levels of N^{15} near 7 MeV excitation from $\text{N}^{14}(\text{d}, \text{p})\text{N}^{15*}$, 0=20349
- Hontoy, P. and Van Eck, J. L. Resonance effects in matter, 3=5031
- Hontzas, S. and Yaffe, L. Interaction of vanadium with protons of energies up to 84 MeV, 3=24937
- Honzawa, T. See Sekido, Y., 2=12069
- Hood, C. V. and Thurston, M. O. Floating-zone refining of boron using electron beam melting, 2=10800
- Hood, F. P. See Bovey, F. A., 4=20103
- Hood, G. C. and Reilly, C. A. Ionization of strong electrolytes. VIII. Temperature coefficient of dissociation of strong acids by proton magnetic resonance, 0=3547
- Hood, G. M. and Sherwood, J. N. Growth of single crystals of cyclohexane, 3=11229
- Hood, J. D. Bone conduction: A review of the present position with especial reference to the contributions of Dr. Georg Von Békésy, 3=3668
- Hood, J. D., Jr. See Fowler, R. G., 3=1955
- Hood, J. M., Jr. A two-cavity long-base mode meteorological range meter, 4=23727
- Hood, R. F. See Biggerstaff, J. A., 2=20667
- Hood, R. J. See Binns, D. F., 4=16455
- Hoodless, I. M. and Morrison, J. A. Ionic transport and the crystallographic transition in cesium chloride, 2=12449
- Hoodless, I. M. and Thomson, S. J. Crystal fine structure, conductivity and cation self-diffusion in sodium chloride, 0=20845
- Hoodless, I. M. See Barr, L. W., 1=14323
- Hoodless, I. M. See Harrison, L. G., 1=4076
- Hooge, F. N. and Polder, D. Conditions for superlinear intrinsic photoconductivity, 4=30653
- Hoogenboom, A. M. A new method in gamma-ray spectroscopy: A two crystal scintillation spectrometer with improved resolution, 0=2458
- Hoogenboom, A. M. The sum-coincidence method and its application to gamma-ray scintillation spectroscopy, 0=17279
- Hoogenboom, A. M. Gas target for the multiple-gap, broad-range spectrograph, 2=1632
- Hoogenboom, A. M. A gas target for use with the multi-gap broad-range spectrograph, 2=9752
- Hoogenboom, A. M., Kashy, E. and Buechner, W. W. Analysis of the $\text{tn} = 1$ groups in the reaction $\text{Cl}^{35}(\text{d}, \text{p})\text{Cl}^{36}$, 1=19510
- Hoogenboom, A. M., Kashy, E. and Buechner, W. W. Stripping analysis of the (d, p) angular distributions from the $\text{Cl}^{35}(\text{d}, \text{p})\text{Cl}^{36}$ and the $\text{Cl}^{37}(\text{d}, \text{p})\text{Cl}^{38}$ reactions, 2=22841
- Hoogenboom, A. M. See Brenner, M. W., 2=18270
- Hoogenboom, A. M. See Endt, P. M., 1=13799
- Hoogenboom, A. M. See Kashy, E., 2=1796
- Hoogenboom, A. M. See Segaert, O. J., 0=11358
- Hoogenboom, A. M. See Suffert, M., 0=15574
- Hoogendoorn, A. See Koedam, M., 1=9647
- Hoogendoorn, A. See Weijssensfeld, C. H., 1=18950

- Hoogendoorn, A. See Weijzenfeld, C.H., 3=4216
 Hoogenstraaten, W. See Diemer, G., 0=13525
 Hoogland, W. See Bosgra, S.J., 4=21994
 Hoogsteen, K. The crystal structure of 1-methylthymine, 3=8869
 Hook, A.B., Gillespie, L.F. and Mastrup, F. Energy-recording microdensitometer, 2=103
 Hook, A.B. See Krause, B., 0=18358
 Hook, A.B. See Krause, B.H., 3=25714
 Hook, H.O. Optical feedback type storage light intensifiers, 0=2974
 Hook, H.O. See Honig, R.E., 1=178
 Hook, J.F. Separation of the vector wave equation of elasticity for certain types of inhomogeneous, isotropic media, 1=5321
 Hook, J.F. Generalization of a method of potentials for the vector wave equation of elasticity for inhomogeneous media, 2=7281
 Hook, J.F. Contributions to a theory of separability of the vector wave equation of elasticity for inhomogeneous media, 2=17541
 Hook, J.F. See Alverson, R.C., 4=2760
 Hook, J.F. See Karlsson, T., 4=2759
 Hook, J.L. Some observations of ionospheric absorption at geomagnetic conjugate stations in the auroral zone, 2=6939
 Hook, J.L. and Owen, L. The vertical distribution of E-region irregularities deduced from scintillations of satellite radio signals, 3=11437
 Hook, J.L. See Ortnier, J., 3=9135
 Hook, J.R. See Hill, D.W., 1=4140
 Hook, J.R. See Hill, D.W., 2=11001
 Hook, L., Davis, W.W. and Kotin, L. High-speed calculation of diffusion coefficients from Rayleigh interference fringes, 3=7356
 Hook, R.E. and Adair, A.M. On the recrystallization embrittlement of chromium, 3=16005
 Hook, R.E., Garrett, H.J. and Adair, A.M. The occurrence and partitioning of impurity phases in recrystallized chromium, 3=15485
 Hook, R.E. See Adair, A.M., 2=21420
 Hook, R.E. See Adair, A.M., 3=11150
 Hooke, W.M., Avivi, P., Brennan, M., Rothman, M.A. and Stix, T.H. Experiments on ion cyclotron waves, 4=8781
 Hooke, W.M. and Rothman, M.A. A survey of experiments on ion cyclotron resonance in plasmas, 4=19005
 Hooke, W.M., Rothman, M.A., Evivi, P. and Adam, J. Measurements on the fast hydromagnetic wave above the ion cyclotron frequency, 3=5683
 Hooke, W.M., Tenney, F.E., Brennan, M.H., Hill, H.M., Jr and Stix, T.H. Experiments on ion cyclotron waves, 1=11960
 Hooker, C.N., Ubbelohde, A.R. and Young, D.A. Thermal conductance of graphite in relation to its defect structure, 4=1415
 Hooker, C.N. See Buckle, E.R., 3=1402
 Hooker, W.J. Interpretation of heat gauge records in shock tube flows, 1=11781
 Hooker, W.J. Testing time and contact-zone phenomena in shock-tube flows, 2=1187
 Hooker, W.J. and Millikan, R.C. Shock-tube study of vibrational relaxation in carbon monoxide for the fundamental and first overtone, 3=7243
 Hoop, A.T. De. See De Hoop, A.T.
 Hoop, B., Jr. See Kelsey, C.A., 4=15063
 Hooper, E.B. Jr. See Bekefi, G., 2=22237
 Hooper, E.B., Jr. See Bekefi, G., 4=18867
 Hooper, E.T. Jr. See Krall, A.D., 0=10156
 Hooper, G.D. See Falk, R.B., 0=3036
 Hooper, G.D. See Falk, R.B., 1=6354
 Hooper, G.D. See Falk, R.B., 2=2284
 Hooper, G.W. See Bockris, J.O'M., 2=15573
 Hooper, H.L. See Culp, F.L., 1=18335
 Hooper, H.O. Lack of charge transfer in aromatic charge-transfer complexes, 4=25802
 Hooper, H.O. and Bray, P.J. Induction studies in several groups of halogen-containing organic compounds by their Cl^{35} , Br^{79} , or Br^{81} pure quadrupole resonance spectra, 0=15761
 Hooper, H.O. See Bray, P.J., 3=18148
 Hooper, J.E., Dahl-Jensen, E. and Neergaard, E.B. A compact processing plant for thick nuclear emulsions, 0=15211
 Hooper, J.E. See Bøggild, J.K., 1=5778
 Hooper, J.E. See Bøggild, J.K., 4=9034
 Hooper, J.W., Harmer, D.S., Martin, D.W. and McDaniel, E.W. Comparison of electron and proton ionization data with the Born approximation predictions, 2=9529
 Hooper, J.W., McDaniel, E.W., Martin, D.W. and Harmer, D.S. Ionization cross sections for protons on hydrogen gas in the energy range 0.15 to 1.10 MeV, 1=4555
 Hooper, J.W. See Lineberger, W.C., 4=3054
 Hooper, J.W. See McDaniel, E.W., 3=4006
 Hooper, J.W. See Martin, D.W., 4=24569
 Hooper, M.B. See Goldfarb, L.J.B., 3=17492
 Hooper, P.B. See Cary, H., 4=14399
 Hooper, R.J. See Gyftopoulos, E.P., 4=19869
 Hooper, W.W. See Shockley, W., 4=10079
 Hooton, B.W. The deposition of thin films of red phosphorus, 4=29186
 Hooton, B.W. See Dearnaley, G., 2=18265
 Hooton, D.H. and Schroft, N.W. Spin dependent quasi-elastic scattering of fast nucleons, 3=10336
 Hooton, D.J. Compound nuclear and direct contributions to neutron polarisation, 3=2471
 Hooton, D.J. Optical-model analysis of the energy dependence of neutron polarization near 1 MeV, 3=4644
 Hooton, D.J. and Allcock, G.R. Angular distributions of high energy protons inelastically scattered by light nuclei, 0=4089
 Hoover, D.B. and Washburn, J. Tensile behaviour of lithium fluoride, 2=2317
 Hoover, G.J. and Zucker, R.S. Light emission from alloyed junction gallium arsenide tunnel diodes, 4=5876
 Hoover, M.E. See Holmes, J.R., 2=6097
 Hoover, R.L. See Shearin, P.E., 1=19389
 Hoover, W. See De Rocco, A.G., 2=7248
 Hoover, W.G. High-density equation of state for hard parallel squares and cubes, 4=14066
 Hoover, W.G. and de Rocco, A.G. Sixth virial coefficient for gases of parallel hard lines, hard squares and hard cubes, 1=8082
 Hoover, W.G. and De Rocco, A.G. Sixth and seventh virial coefficients for the parallel hard-cube model, 2=17378
 Hoover, W.G. and Poirier, J.C. Determination of virial coefficients from the potential of mean force, 2=21852
 Hoover, W.G. and Poirier, J.C. Comparison of some exact and approximate results for gases of parallel hard lines, squares, and cubes, 3=7145
 Hoover, W.G. See Alder, B.J., 4=10409
 Hoover, W.G. See De Rocco, A.G., 3=11825
 Hoover, W.G. See Ree, F.H., 4=18090
 Hoover, W.G. See Ree, F.H., 4=27210
 Hooverman, R. See Graetzer, R., 3=4559
 Hooverman, R.H. Charged particle orbits in a logarithmic potential, 4=5755
 Hope, D.A. and Newman, D.E. A simple temperature programmer for a furnace to give an accurately repeatable top temperature value, 4=24422
 Hope, E.G. See Essen, L., 1=7438
 Hope, E.R. Low-latitude and high-latitude geomagnetic agitation, 1=15341
 Hope, E.R. Confirmation of outer atmospheric asymmetry postulated to explain the false zodiacal light, 2=4658
 Hope, H.J. See Berthold, W.K., 0=14165
 Hope, H.J. See Berthold, W.K., 0=16411
 Hoper, J.H. N.d.r.o. magnetic film memory mode using creep and boundary displacement switching, 4=11752
 Hopes, D.D. See Schooley, J.F., 2=20568
 Hopfield, H.S. The effect of tropospheric refraction on the doppler shift of a satellite signal, 4=2471
 Hopfield, H.S. See Newton, R.R., 1=20791
 Hopfield, J.J. A theory of edge-emission phenomena in CdS, ZnS and ZnO, 0=2956
 Hopfield, J.J. Exciton states and band structure in CdS and CdSe, 1=17475
 Hopfield, J.J. Fine structure in the optical absorption edge of anisotropic crystals, 1=19983
 Hopfield, J.J. On the energy dependence of the absorption constant and photoconductivity near a direct band gap, 2=8496
 Hopfield, J.J. Classical explanation of the anomalous magneto-resistance of bismuth, 2=21105
 Hopfield, J.J. Electron-phonon coupling in impurity states, 3=10733
 Hopfield, J.J. and Thomas, D.G. Photon momentum effects in the magneto-optics of excitons, 0=7997
 Hopfield, J.J. and Thomas, D.G. On some observable properties of longitudinal excitons, 0=11606
 Hopfield, J.J. and Thomas, D.G. Fine structure and magneto-optic effects in the exciton spectrum of cadmium sulfide, 1=7555

- Hopfield, J.J. and Thomas, D.G. Magneto-optic absorption spectrum of CdS, 2=23527
- Hopfield, J.J. and Thomas, D.G. Theoretical and experimental effects of spatial dispersion on the optical properties of crystals, 4=1705
- Hopfield, J.J., Thomas, D.G. and Gershenson, M. Pair spectra in GaP, 3=15708
- Hopfield, J.J., Worlock, J.M. and Park, K. Two-quantum absorption spectrum of KI, 4=7151
- Hopfield, J.J. See Balkanski, M., 2=16806
- Hopfield, J.J. See Barker, A.S., Jr., 4=28670
- Hopfield, J.J. See Collins, R.J., 0=20999
- Hopfield, J.J. See Dietz, R.E., 1=17477
- Hopfield, J.J. See Dietz, R.E., 2=16861
- Hopfield, J.J. See Lax, M., 1=14217
- Hopfield, J.J. See Mahan, G.D., 3=14334
- Hopfield, J.J. See Mahan, G.D., 4=20258
- Hopfield, J.J. See Mahan, G.D., 4=26181
- Hopfield, J.J. See Thomas, D.G., 0=2943
- Hopfield, J.J. See Thomas, D.G., 0=13679
- Hopfield, J.J. See Thomas, D.G., 1=3636
- Hopfield, J.J. See Thomas, D.G., 1=17881
- Hopfield, J.J. See Thomas, D.G., 2=2068
- Hopfield, J.J. See Thomas, D.G., 3=526
- Hopfield, J.J. See Thomas, D.G., 3=6651
- Hopfield, J.J. See Thomas, D.G., 3=25253
- Hopgood, F.R.A. See Emery, V.J., 3=23802
- Hopkins, B.E. See Pugh, H.L.D., 3=15991
- Hopkins, B.J. Anode surface effects in diodes containing oxide-coated cathodes, 0=7151
- Hopkins, B.J. Work function of uranium carbide, 2=11685
- Hopkins, B.J. and Marden, A.J. The coloration of activated calcium oxide coated cathodes, 3=12234
- Hopkins, B.J., Mee, C.H.B. and Parker, D. The surface potential of oxygen on vapour deposited gold on glass, 4=23598
- Hopkins, B.J. and Rivière, J.C. The work function of polycrystalline tungsten foil, 3=9825
- Hopkins, B.J. and Ross, K.J. The work function of zirconium carbide, 2=7637
- Hopkins, B.J. and Ross, K.J. Anode work function changes caused by sublimation from barium oxide under applied anode potentials, 3=19294
- Hopkins, B.J. and Ross, K.J. The contact potential difference between tungsten and niobium, 4=6931
- Hopkins, B.J. and Ross, K.J. Anode work function changes during the pyrolysis activation and early life of barium oxide coated cathodes, 4=14745
- Hopkins, B.J. and Vick, F.A. Charge localization on the surfaces of oxide-coated cathodes, 0=9071
- Hopkins, B.J. See Blott, B.H., 3=4179
- Hopkins, B.J. See Blott, B.H., 4=18499
- Hopkins, B.J. See Davies, D.E., 0=5328
- Hopkins, C.D., Jacobsson, R. and Thiessen, L. The performance of a small rotating substrate holder for vacuum deposition, 4=13677
- Hopkins, D.C. See Shaw, R.W., 0=16951
- Hopkins, D.C. See Shaw, R.W., 1=1858
- Hopkins, H.H. 21st Thomas Young oration. The application of frequency response techniques in optics, 2=11486
- Hopkins, H.H. The gaussian optics of multi-lens systems, 3=16738
- Hopkins, H.H. The application of frequency response techniques in optics, 3=16743
- Hopkins, H.P. See Stephenson, C.C., 4=24202
- Hopkins, H.W.K., Davidson, M., Lyons, L., Breare, J.M., Roaf, D. and Shaw, D.F. A 12 cm liquid deuterium bubble chamber, 2=5541
- Hopkins, H.W.K. See Bacon, T.C., 4=21854
- Hopkins, H.W.K. See Davison, M., 3=12516
- Hopkins, H.W.K. See Davison, M., 3=22129
- Hopkins, H.W.K. See Lyons, L., 3=12517
- Hopkins, I.L. Measuring large viscosities in short times, 4=4681
- Hopkins, I.L. The determination of the elastic and viscous properties of glass at temperatures below the annealing range, 4=4682
- Hopkins, J.C. and Diven, B.C. Neutron capture to fission ratios in ^{233}U , ^{235}U , ^{239}Pu , 2=8016
- Hopkins, J.C. and Diven, B.C. Prompt neutrons from fission, 4=6390
- Hopkins, J.C., Gerhart, J.B., Schmidt, F.H. and Stroth, J.E. Longitudinal polarization of O^{14} positrons, 1=3415
- Hopkins, J.C. See Jarmie, N., 3=24376
- Hopkins, J.C. See Silbert, M.G., 4=15184
- Hopkins, J.I. See Phillips, W.E., 0=15564
- Hopkins, J.W. See Jones, R.N., 2=10255
- Hopkins, J.W. See Jones, R.N., 3=14344
- Hopkin, L.M.T. See Forrest, P.G., 4=28957
- Hopkins, M. See Kestigan, M., 4=20735
- Hopkins, M.R. London symposium on electrical contacts, 1=11899
- Hopkins, M.R. and Jones, C.H. The use of radioactive contact electrodes in the measurement of metal migration in electrical contacts, 3=9690
- Hopkins, M.R. See Llewellyn Jones, F., 1=16295
- Hopkins, R.C. See Rigden, J.S., 2=2020
- Hopkins, R.E. Third-order and fifth-order analysis of the triplet, 2=7329
- Hopkins, R.E. Re-evaluation of the problem of optical design, 2=21989
- Hopkins, R.E. Optical design on large computers, 3=16731
- Hopkins, R.E. and Feder, D.P. The symposium lens—an epilogue, 4=24340
- Hopkins, R.E. and Spencer, G. Creative thinking and computing machines in optical design, 2=2865
- Hopkins, R.E. and Viswanathan, V.K. The symposium lens continued, 4=27289
- Hopkins, R.E. See Dutton, D., 4=18378
- Hopkins, R.E. See Potter, R.J., 1=2851
- Hopkins, T.E., Pasternak, R.A., Gould, E.S. and Herndon, J.R. X-ray diffraction study of arsenic trisulfide-iodine glasses, 2=17060
- Hopkins, T.E. See Giauque, W.F., 2=23069
- Hopkins, T.E. See Lyon, D.N., 1=6293
- Hopkinson, R.G. and Bradley, R.C. A study of glare from very large sources, 0=4903
- Hopley, I.B. Clerk Maxwell's experiments on colour vision, 0=6521
- Hopman, H.J. See Insinger, F.G., 4=662
- Hopmann, J. The accuracy of dynamical parallaxes: system constants for six long-period double stars, 2=11138
- Hopmann, J. "Encountering stars" (Double-stars in hyperbolic orbits), 2=11143
- Hopmann, J. Positional measurements for 140 double stars, 2=19321
- Hopmann, J. See Schrutka-Rechtenstamm, G., 0=6570
- Hoppe, R. and Dahne, W. Crystal structure of SnF_4 and PbF_4 , 2=21519
- Hoppe, R. and Schepers, B. Crystal structure of BaGa_2O_4 and BaAl_2O_4 , 0=18356
- Hoppe, R. and Vielhaber, E. New oxozincates and an oxocadmate: $\text{Na}_2\text{Zn}_2\text{O}_3$, K_2ZnO_2 and Na_2CdO_2 , 4=17818
- Hoppe, W. Some experimental results of investigation of organic molecules with diffuse X-ray scattering in crystals, 0=4617
- Hoppe, W. New way to improve the resolving power of the electron microscope, 2=7667
- Hoppe, W. Phase determination by squaring electron density in the 2 Å to 1.5 Å resolution region, 2=10850
- Hoppe, W. Phase determination in X-ray crystal structure analysis using the zero points of the Patterson function, 3=16066
- Hoppe, W. A way of improving the phases determined by the heavy atom method in X-ray crystal structure analysis, 3=16067
- Hoppe, W. Phase determination and zero points in the Patterson function (remarks on the paper "direct determination of phases by the use of linear equations between structure factors" by P. Main and M.M. Woolfson), 4=4577
- Hoppe, W. Fresnel zone correction plates for the electron microscope, 4=8838
- Hoppe, W., Anzenhofer, K. and Huber, R. Experience with two new methods for structure determination, 4=23367
- Hoppe, W. and Berkl, E. A punched-card controlled X-ray diffractometer for automatic measurements of single-crystal diffraction intensities, 2=23836
- Hopper, V.D. Comment on a paper by David Stern "Cosmic-ray variations during I.G.Y.", 4=971
- Hopper, V.D. and Laby, J.E. Electron background in nuclear emulsions, 1=413
- Hopper, V.D., Laby, J.E., Sparrow, J.G. and Unthank, E.L. Simultaneous sampling of cosmic radiation at different altitudes, 4=3500
- Hopper, V.D. See Lim, Y.K., 0=9246
- Hopper, V.D. See Wu, K.K.M., 4=15116

- Hoppes, D.D., Ambler, E., Hayward, R.W. and Kaeser, R.S. Matrix elements in the forbidden beta decay of Ce^{141} , 1=5859
- Hoppes, D.D. See Ambler, E., 0=9557
- Hoppes, D.D. See Chin, J., 4=3253
- Hoppes, D.D. See Hayward, R.W., 1=19392
- Hoppes, D.D. See Schooley, J.F., 4=18307
- Hopping, A.S. See Hutchins, C.M., 0=19327
- Hoppmann, W. H., II and Baronat, C. N. Flow generated by cone rotating in a liquid, 4=21079
- Hoppmann, W. H., II, Cohen, M. I. and Kunukasseril, V. X. Elastic vibrations of paraboloidal shells of revolution, 4=8294
- Hoppmann, W. H., II and Miller, C. E. Felural vibration of shallow orthotropic spherical shells, 2=17535
- Hoppmann, W. H., II. See Minkarah, I. A., 4=14238
- Hoppmann, W. H., II. See Seelig, J. M., 4=8287
- Hopson, J. E. Beam-generated beam-plasma system, 3=21815
- Hora, H. Dependence on polarization of the photoemission from compound cathodes and the anomalous vector effect with caesium-antimony, 1=18912
- Hora, H. Variation of the absorption of silicon evaporated layers after bombardment with 75 KeV electrons, 2=8258
- Hora, H. Changes in silicon during intense bombardment with 50 to 100 keV electrons, 2=10483
- Hora, H. Analytical proof of the uniqueness of a new spectral measurement procedure, 2=19711
- Hora, H. A spectrum analysis which avoids the use of common optical methods, 3=5520
- Hora, H. On the measurement of semiconducting and other electrical properties by a five-probe method, 3=21674
- Hora, H. An anomalous vector effect and multi-quantum excitation in the photoemission from semiconductors, 4=572
- Hora, H. and Müller, H. Phenomenological treatment of the photon-electron interaction in a plasma, 1=18918
- Hora, H. See Frischmuth-Hoffmann, G., 0=19721
- Hora, H. See Frischmuth-Hoffmann, G., 1=13112
- Hōrai, K. Electron spin resonance of trivalent gadolinium in calcium fluoride, 0=18216
- Horai, K. See Koga, H., 1=14802
- Horak, H. G. and Chandrasekhar, S. Diffuse reflection by a semi-infinite atmosphere, 1=12830
- Horak, J. A. and Rhude, H. V. Irradiation growth of zirconium-plutonium alloys, 2=3975
- Horák, Z. On the identification of the $K\alpha$ satellites. I. S region, 1=9912
- Horák, Z. Origin of the $K\beta'$ -line according to the angular momentum coupling hypothesis, 1=13941
- Horák, Z. Electromagnetic and gravitational field, 3=7108
- Horák, Z. The velocity of electromagnetic waves and the gravitational potential of the universe, 3=16504
- Horák, Z. and Pacáková, I. The theory of the spinning impact of imperfectly elastic bodies, 1=15770
- Horák, Z. See Layzer, D., 4=30367
- Horani, M. and Leach, S. The electronic excitation of a molecular stream: apparatus, use as a spectral source and for the study of trapped radicals, 2=8138
- Horani, M., Leach, S. and Rostas, J. Spectroscopic study of inelastic collisions between electrons and some molecules, 4=12474
- Horani, M. See Marx, R., 4=1325
- Horbani, I. S., Hrytsenko, Yu. I. and Rud'ko, S. M. Optical properties of impurity centres and the photoconductivity of cuprous oxide, 4=7066
- Horbatenko, M. F. Interaction of an electron beam with a plasma, 2=19944
- Horcy, E. C., Jr. See Hodge, E. S., 3=24021
- Hordiyenko, A. H., Vil'yams, A. P. [Williams], Afanas'yev, M. H. and Sydorenko, L. I. Remote-controlled long-line proton magnetometer for a wide range [2-13 kOe] of magnetic fields, 2=9675
- Hordiyenko, A. H. See Afanas'yev, N. H., 2=5434
- Hordon, M. J. Dislocation density and flow stress of copper, 3=794
- Hordon, M. J. Strain hardening of ordered Cu_3Au alloy, 3=16001
- Hordon, M. J. Yield point effect during interrupted deformation of Cu_3Au alloy, 3=25623
- Hordon, M. J. and Averbach, B. L. Expansion coefficient of plastically deformed steel, 0=19501
- Horemann, H. W. Inductive brightness depression as influenced by configurational conditions, 3=18682
- Horen, D. J., Bolotin, H. H. and Kelly, W. H. Lifetime of the 21.7 keV state in Eu^{151} , 3=17416
- Horen, D. J., Hollander, J. M. and Graham, R. L. Lifetime and multipolarity measurements in Cs^{131} , 4=25315
- Horen, D. J., Kelly, W. H. and Yaffe, L. Characteristics of the decay of Ba^{131m} , 3=8001
- Horen, D. J. See Diamond, R. M., 1=13752
- Horen, D. J. See Hansen, P. G., 1=8655
- Horen, D. J. See Hultberg, S., 2=1848
- Horen, D. J. See Kelly, W. H., 4=1048
- Horen, D. J. See Kim, Y. E., 2=10027
- Horen, D. J. See Valentin, J., 2=10015
- Horen, D. J. See Valentin, J., 2=10016
- Horeva, A. E. See Nikitina, O. I., 2=23982
- Horgan, J. D. and Edwards, D. L. Forces in dielectric fluids, 1=16239
- Hori, E. Unsteady boundary layers. IV. Calculation of boundary layer around a body with arbitrary shape by use of a series expansion method, 3=112
- Hori, G. The motion of a hyperbolic artificial satellite around the oblate earth, 1=1688
- Hori, G. The motion of a star in the galaxy, 3=11554
- Hori, G. A new approach to the solution of the main problem of the lunar theory, 3=13858
- Hori, G. and Liu, T. The velocity ellipsoid and a suggestion for the Bottlinger diagram based on an approximate Schmidt potential, 3=16421
- Hori, G. See Brouwer, D., 1=9295
- Hori, G. See Drouwer, D., 1=11689
- Hori Gen-ichiro. The motion of an artificial satellite in the vicinity of the critical inclination, 0=14470
- Hori, J. On the vibration of disordered linear lattice. II, 0=11568
- Hori, J. On the vibration of disordered linear lattice. III. 1=3593
- Hori, J. A new picture of the vibration of linear lattices, 1=12352
- Hori, J. Long-time behaviour of a random lattice, 2=10317
- Hori, J. Observations on electroluminescence in SiC single crystals, 3=6684
- Hori, J. Method of negative-factor-counting in the theory of the frequency spectrum of disordered lattices, 4=1370
- Hori, J. Remarks on time-dependent behavior of disordered lattice, 4=1379
- Hori, J. Structure of the spectra of disordered systems, 4=25833
- Hori, J. and Asahi, T. Scattering matrix and surface modes. I, 4=12606
- Hori, J. and Fukushima, M. Why have the vibrational frequency spectra of disordered chains many distinct peaks? 4=20186
- Hori, J. and Matsuda, H. Structure of the spectra of disordered systems. I. Fundamental theorems, 4=28391
- Hori, J. See Takeno, S., 4=1377
- Hori, M. Statistical aspects of fracture in concrete. I. An analysis of flexural failure of Portland cement mortar from the standpoint of stochastic theory, 0=21141
- Hori, S. On the spin of the Σ -hyperon, 0=5615
- Hori, S. On the wave functions of higher spin particles, 0=17247
- Hori, S. On the interaction Hamiltonian for the decay of Σ -hyperons, 0=17422
- Hori, S. An approach to a relativistic strong coupling theory, 2=9783
- Hori, S. Weak interactions in unitary symmetry theory, 3=22072
- Hori, S., Iida, S., Sakami, H. and Adachi, T. Radiation effects on polypropylene. I. Effects on thermal properties, 3=2728
- Hori, S., Oneda, S., Chiba, S. and Hiraki, H. Spin of $\eta(\zeta)$ -meson and decay modes of η - and ω -meson, 2=13869
- Hori, S., Oneda, S., Chiba, S. and Wakasa, A. τ , τ' and $\eta \rightarrow 3\pi$ decays and unitary symmetry, 3=22201
- Hori, S., Segawa, H. and Wakasa, A. On the longitudinal and transverse polarization of positrons in μ^+ -meson decay, 0=11190
- Hori, S. See Oneda, S., 2=22623
- Hori, S. See Oneda, S., 3=6069
- Hori, S. See Oneda, S., 4=3474
- Hori, T. See Nakagawa, Y., 1=20166
- Hori, T. See Nakagawa, Y., 3=1006
- Hori, T. See Nakagawa, Y., 3=6860
- Hori'd'ko, M. Ya. See Hertzriken, S. D., 2=6344
- Horie, C. Exciton and plasmon in insulating crystals, 0=13523
- Horie, C. Dielectric theory of plasma oscillations and its extension to the exciton problem, 3=25256
- Horie, C. and Oshima, M. Experimental study on cavitation in mixed flow pump impellers, 4=21031
- Horie, H. and Oda, T. Effect of configuration mixing on M4 transitions, 4=30309
- Horie, H. and Sasaki, K. On energy matrices for the independent particle model, 1=12145

- Horie, H. and Tanifuji, M. Cluster model in $\text{Ne}^{20}(\alpha, \text{C}^{12})\text{C}^{12}$ reaction, 3=8133
- Horie, H. and Yokozawa, T. On the hole-particle interactions in light nuclei, 4=9387
- Horie, H. See Honda, T., 4=19817
- Horie, H. See Honda, T., 4=22131
- Horie, H. See Noya, H., 0=11300
- Horie, H. See Sugie, A., 2=9981
- Horie, K. See Ejiri, H., 4=15212
- Horie, K. See Ejiri, H., 4=17046
- Horie, K. See Etoh, K., 2=1888
- Horie, K. See Ohmura, H., 1=15801
- Horii, M. See Nomura, T., 3=16383
- Horie, T. and Iwai, T. An effect of heat treatment on WO_3 single crystal. I. Various patterns, 1=15080
- Horie, T. and Kasuga, T. Statistical model including angular momentum conservation for abnormal rotation of OH^* split from water, 4=17321
- Horie, T. and Kasuga, T. Angular momentum effect in non-thermal populations of rotational states of OH^* split from hydrogen peroxide, 4=28282
- Horie, T., Nagura, T. and Otsuka, M. Radiative collisions between molecular and electron beams. V. Angular momentum distributions of CH^* separating from simple organic molecules, 1=8869
- Horie, T. See Iwai, T., 2=21050
- Horii, M. An interpretation of the yellow corona, 4=4914
- Horikawa, N. See Hayakawa, S., 4=16894
- Horikawa, N. See Hayakawa, S., 4=16981
- Horikoshi, G. and Tanaka, J. A thin vacuum gate valve of large aperture, 3=23953
- Horikoshi, G. See Kumagi, H., 3=460
- Horikoshi, H., Ozawa, Y. and Hasunuma, H. Stress in evaporated copper films, 3=11145
- Horikoshi, H. and Tamura, N. Internal stress and electrical resistivity of evaporated antimony films, 3=20701
- Höring, F. The attenuation of a plane electromagnetic wave in an interplanar region with one face covered by absorbing material, 4=14885
- Horing, N. J. and Argyres, P. N. Transport theory of electrons in electric, magnetic and phonon fields, 3=10632
- Horino, T. See Fujino, K., 3=15978
- Horita, R. See Lipsett, F. R., 3=19316
- Horita, R. E. and Burgess, R. E. Bipolar theory of metal-semiconductor contacts under arbitrary injection levels, 3=20348
- Horiuchi, S. and Yamaguchi, J. Diffusion of boron in silicon through oxide layer, 3=8453
- Horiuchi, S. and Yamaguchi, J. Diffusion of boron in silicon through oxide layer, 3=10690
- Horiuchi, S. See Yamaguchi, J., 1=14301
- Horiuchi, S. See Yamaguchi, J., 3=17789
- Horiuchi, T. See Saito, H., 3=22934
- Horiuti, S. and Miyahara, S. Tetragonal distortion of NiRh_2O_4 , 4=23460
- Horiye, H. See Wikner, E. G., 3=22859
- Horkun, Yu. I. Polaron motion in a strong electric field, 1=11181
- Horkun, Yu. I. Polaron retardation, 1=14229
- Horkun, Yu. I. Theory of the effect of the surface on galvanomagnetic phenomena in semiconductors, 2=8319
- Horkun, Yu. I. Theory of the field effect, 2=8320
- Hörl, E. M. The absorption spectrum of solid α -oxygen, 0=5945
- Hörl, E. M. Structure and structure imperfections of solid β -oxygen, 2=21509
- Hörl, E. M. Image of the Fermi surface in field emission patterns, 4=24722
- Hörl, E. M. Twinning in uranium dicarbide crystals, 4=29034
- Hörl, E. M. and Marton, L. Electron diffraction studies on solid α -nitrogen, 1=20529
- Hörl, E. M. and Suddeth, J. A. Characteristic electron energy loss measurements at low temperatures, 2=1514
- Hörl, E. M. See Klein, R., 0=6400
- Hörl, E. M. See Peyron, M., 0=4419
- Horlacher, L. See Roessler, F., 3=924
- Horlitz, G. The fundamentals and techniques of the bubble chamber, 0=3896
- Horlitz, G. and Paul, W. The bubble density in a bubble chamber under different operating conditions, 0=17162
- Horlock, J. H. Approximate equations for the properties of superheated steam, 0=14911
- Horman, M. H. Measurement of atmospheric transmissivity using backscattered light from a pulsed light beam, 1=9188
- Hormann, E. Applications of the sakata model for elementary particles, 1=8425
- Hormats, E. See Brock, E. G., 1=12489
- Hormats, E. I. See Brock, E. G., 3=6747
- Hormats, E. I. See Murphy, W. K., 4=17784
- Horn, A. See Cedarlund, R., 2=5696
- Horn, D. Leptonic space with an additive muonic number, 3=5926
- Horn, D. $K^*(725)$ as a symmetry-breaking agent, 4=6134
- Horn, D. Unitary spin selection rules for weak interactions, 4=25003
- Horn, D. and Ne'eman, Y. A remark on the inclusion of leptons in isospace, 3=2190
- Horn, D. and Ne'eman, Y. Unitary symmetry and the weak currents, 3=24611
- Horn, D. and Ne'eman, Y. Unitary symmetry and the weak currents. II, 4=11912
- Horn, D. See Englman, R., 4=25826
- Horn, E. F. and Dickey, F. P. Near-infrared emission spectrum of NO , 4=28199
- Horn, F. H. Some electrical and optical properties of simple rhombohedral boron, 0=560
- Horn, F. H. Zone-refined boron, 0=707
- Horn, F. E. Growth of single-crystal iron ferrites by the Czochralski method, 1=7847
- Horn, F. H. Barium titanate crystals grown from the melt, 2=12888
- Horn, F. H. Preparation of single-crystal cobalt ferrites from the melt, 2=21479
- Horn, G. and Genta, L. Deuteron generator and time discriminator, 3=9703
- Horn, G., Sauerbrey, G. and Tradowsky, K. An electronic counter with a large display for demonstration experiments, 1=5406
- Horn, G. See Altenbrug, K., 2=7181
- Horn, G. See Ascari, A., 0=2700
- Horn, G. See Bosanquet, C. H., 1=18378
- Horn, G. See Schlosser, E., 3=19130
- Horn, G. See Schlosser, E., 4=419
- Horn, H. R. F. Thermal evaporation without light and heat radiation falling on the object, 3=21178
- Horn, J. D. See Bean, B. R., 0=3357
- Horn, J. D. See Bean, B. R., 0=4821
- Horn, J. D. See Bean, B. R., 0=15155
- Horn, J. D. See Bean, B. R., 1=15240
- Horn, L. See Skatulla, W., 0=14091
- Horn, L. H. and Bryson, R. A. An analysis of the geostrophic kinetic energy spectrum of large-scale atmospheric turbulence, 3=13665
- Horn, L. H. See Astling, E. G., 4=17920
- Horn, P. and Benoît, G. Asymptotic behaviour of the function representing the luminous intensity scattered by solutions of anisotropic rods, 0=19449
- Horn, P. See Prémilat, S., 4=30683
- Horn, W. E. See Ogland, J. W., 4=19310
- Hornar, S. See Armeanu, V., 3=9640
- Hornback, C. E. See Barnard, A. C. L., 1=5914
- Hornbeck, R. W., Rouleau, W. T. and Osterle, F. Laminar entry problem in porous tubes, 4=5131
- Hornbogen, E. Clustering in an alpha iron-molybdenum solid solution, 1=4070
- Hornbogen, E. The role of strain energy during precipitation of copper and gold from alpha iron, 2=15063
- Hornbogen, E. Shock-induced dislocations, 3=4872
- Hornbogen, E. Guinier-Preston zones in b.c.c. iron, 3=8882
- Hornbogen, E. Two types of discontinuous precipitation in alpha iron solid solutions, 4=13492
- Hornbogen, E. See Leslie, W. C., 2=23846
- Hornbogen, E. See Wilkens, M., 4=12765
- Hornbostel, J. See Purcell, E. M., 3=10069
- Horne, F. H. and Bearman, R. J. Thermogravitational thermal diffusion in liquids. I. The formal theory, 3=7200
- Horne, F. H. and Bearman, R. J. Thermogravitational thermal diffusion in liquids. II. Experimental thermal diffusion factors for carbon tetrachloride-cyclohexane at 25°C , 3=7201
- Horne, G. T., Roy, R. B. and Paxton, H. W. Tensile properties of single crystals of iron-chromium alloys, 3=11156
- Horne, G. T. See Armstrong, R. W., 3=13338
- Horne, M. R. Elastic-plastic failure loads of plane frames, 3=21272
- Horne, R. A. Nonapplicability of certain conductance equations to acidic aqueous solutions, 4=23661

- Horne, R. A. A modification of Walden's rule applicable to the electrical conductance of aqueous electrolytic solutions under pressure, 4=27193
- Horne, R. A. and Axelrod, E. H. Proton mobility and electron exchange in aqueous media, 4=15833
- Horne, R. A. and Frysinger, G. R. The effect of pressure on the electrical conductivity of sea water, 3=18486
- Horne, R. A. See Lessoff, H., 0=2914
- Horne, R. J. See Birss, R. R., 0=11587
- Horne, R. W., McMorris, M. N. and Ottewill, R. H. Electron microscope studies on the formation of silver filaments from silver iodide crystals, 3=1268
- Horne, R. A., Myers, B. R. and Frysinger, G. R. Effect of pressure on the activation energy of electrical conduction in aqueous solution, 4=2706
- Horne, T. Cold encapsulation of cobalt, 3=22315
- Horner, F. The relationship between atmospheric radio noise and lightning, 0=1988
- Horner, F. Narrow-band atmospherics from two local thunderstorms, 1=20863
- Horner, H. Density modulation and superconductivity in a system of fermions, 4=27111
- Horner, P. Thermoelectric power of single crystals of gallium, 1=14529
- Horner, P. Thermoelectric power of gallium, 2=5027
- Horner, S. See Hellstrand, E., 1=16810
- Hörnfeldt, O. See Bergvall, P., 0=17717
- Hörnfeldt, O. The Z-dependence of energies and relative intensities in the K-LL Auger spectrum, 3=2591
- Hörnfeldt, O., Fahlman, A. and Nordling, C. Auger spectra in the intermediate coupling region, 3=2592
- Hörnfeldt, O. See Auleyner, J., 3=2758
- Hörnfeldt, O. See Fahlman, A., 3=2590
- Hörnfeldt, O. See Hagström, S., 3=1575
- Hornig, D. F. On the spectrum and structure of water and ionic solutions, 4=21139
- Hornig, D. F. See Andersen, W. H., 1=167
- Hornig, D. F. See Anderson, W. H., 1=8154
- Hornig, D. F. See Cabana, A., 4=6628
- Hornig, D. F. See Haas, C., 0=13694
- Hornig, D. F. See Hansen, K., 0=16774
- Hornig, D. F. See Hansen, K., 2=2753
- Hornig, D. F. See Kimel, S., 4=22456
- Hornig, D. F. See Levitt, B., 2=1184
- Hornig, D. F. See Linzer, M., 4=5282
- Hornig, D. F. See Miller, R. L., 1=3843
- Hornig, D. F. See Ron, A., 4=7136
- Hornig, D. F. See Sastri, M. L. N., 4=7137
- Hornig, D. F. See Savitsky, G. B., 2=14683
- Hornig, D. F. See Schiffer, J., 2=16834
- Hornig, D. F. See Schultz, J. W., 2=5021
- Hornig, D. F. See Schwartz, L. M., 4=5283
- Hornig, D. F. See Somorjai, R. L., 2=14351
- Hornig, D. F. See Vedder, W., 1=19692
- Hornig, D. H. See Ferriso, C. C., 0=6181
- Horning, S. C. Mass of elementary particles, 0=11126
- Horning, S. C. Natural constants, 2=21780
- Horning, S. C. Elementary particles, 3=14926
- Hornreich, R. M. 90° magnetization curling in thin films, 3=15834
- Hornreich, R. M. Magnetization curling in tapered edge films, 4=13158
- Hornsby, J. S. See Kirstein, P. T., 4=24739
- Hornshøj, P. See Bisgard, K. M., 3=10271
- Hornshøj, P. See Bisgard, K. M., 3=10318
- Hornstra, F., Jr. See Morris, R. G., 3=1850
- Hornstra, J. Models of grain boundaries in the diamond lattice. I. Tilt about $\langle 110 \rangle$, 0=7899
- Hornstra, J. Models of grain boundaries in the diamond lattice. II. Tilt about $\langle 001 \rangle$ and theory, 1=6109
- Hornstra, J. The role of grain boundary motion in the last stage of sintering, 1=9157
- Hornstra, J. Dislocations, stacking faults and twins in the spinel structure, 1=17544
- Hornstra, J. Type of point defects formed after crossing of dislocations, 3=4860
- Hornstra, J. and van der Pauw, L. J. Measurement of the resistivity constants of anisotropic conductors by means of plane-parallel discs of arbitrary shape, 0=7047
- Hörnström, E. See Brogren, G., 3=1318
- Hörnström, E. See Brogren, G., 3=13185
- Hornung, E. W. and Brodale, G. E. Distance detector manometer for measurement and control of liquid helium temperatures in magnetic fields, 4=14477
- Hornung, E. W. and Lyon, D. N. Characteristics of several carbon thermometer-heaters at low temperatures and in magnetic fields to 100 kilogauss, 1=10625
- Hornung, E. W. See Fisher, R. A., 3=25504
- Hornung, E. W. See Giauque, W. F., 2=23069
- Hornung, E. W. See Giauque, W. F., 3=6689
- Hornung, E. W. See Giauque, W. F., 4=8886
- Hornung, H. See Auth, J., 4=10081
- Hornung, H. See Böer, K. W., 0=18068
- Hornung, H. See Boer, K. W., 2=596
- Hornung, H. See Thiessen, K., 2=23344
- Hornyak, W. F., Ludemann, C. A. and Roush, M. L. Energy levels of B^{10} , 4=12135
- Hornyak, W. F. and Yoshiki, H. A novel fast coincidence circuit of the Dicke type, 0=17198
- Hornyak, W. F. See Ayres, R., 2=5787
- Hornyak, W. F. See Hansen, G. B., 4=3580
- Hornyak, W. F. See Levesque, R. J. A., 1=4539
- Hornyak, W. F. See Roush, M. L., 4=6082
- Hornyak, W. J., Jacmart, J. C., Riou, M., Garron, J. P., Ruhla, C. and Liu, M. Inelastic scattering of 155 MeV protons by $Si^{28}S^{32}$ and Ca^{40} , 4=19770
- Horodets'ky, D. O. and Korniyev, O. M. Apparatus for the visual observation of slow-electron diffraction, 2=11720
- Horowitz, J. See Amouyal, A., 0=7659
- Horowitz, J. See Behnken, D. W., 4=2158
- Horowitz, R., LaGow, H. E. and Giuliani, J. F. Fall-day auroral-zone atmospheric structure measurements from 100 to 188 km, 0=12196
- Horowitz, R. See Lagow, H. E., 1=7927
- Horowitz, R. See Newton, G. P., 4=20859
- Horowitz, S. and Goldman, S. C. Riometer observations of ionospheric absorption due to the solar flares of April 15, 1963, 4=13844
- Horowitz, S. See Dyce, R. B., 3=16227
- Horowitz, S. See Goldman, S. C., 4=4802
- Horrigan, F. A. See Paananen, R. A., 4=3210
- Horrigan, F. A. See Paananen, R. A., 4=8977
- Horrocks, D. L. Interaction of fission fragments with organic scintillators, 4=1119
- Horrocks, D. L. Alpha particle energy resolution in a liquid scintillator, 4=16983
- Horrocks, D. L. Measurement of sample quenching of liquid scintillator solutions with X-ray and gamma-ray sources, 4=21698
- Horrocks, D. L. Tritium produced during spontaneous fission of californium-252, 4=22240
- Horrocks, D. L. Liquid scintillator-methods for calculation of average energy required to produce one photoelectron, 4=24946
- Horrocks, D. L. and Harkness, A. L. Half-life of nickel-63, 2=5833
- Horrocks, J. K. and McLaughlin, E. Thermal conductivity of simple molecules in the condensed state, 1=15849
- Horrocks, J. K. and McLaughlin, E. Transport properties of binary regular solutions, 2=21905
- Horrocks, J. K. and McLaughlin, E. Temperature dependence of the thermal conductivity of liquids, 4=170
- Horrocks, W. DeW., Jr. See La Mar, G. N., 4=30477
- Horrocks, W. D., Jr. See McDowell, R. S., 1=4933
- Hors, M., Nguyen Ngoc, H. and Perez y Jorba, J. Study of some excited levels of Ca^{40} by inelastic electron scattering, 4=17050
- Hors, M. See Nguyen Ngoc, H., 3=12580
- Horscroft, R. C. Proton irradiation of ammonia, 4=15858
- Horsfall, F. and Jowett, A. Automatic decantation for routine sub-sieve sizing, 0=8262
- Horsfield, A., Morton, J. R. and Moss, D. G. Automatic method of magnetic field calibration using proton resonance, 1=12000
- Horsfield, A., Morton, J. R., Rowlands, J. R. and Whiffen, D. H. The electron spin resonance spectra of $CH(SO_3)_2$ and $N(SO_3)_2$, 2=16566
- Horsfield, A., Morton, J. R. and Whiffen, D. H. Electron spin resonance and structure of the ionic radical, PO_3^- , 2=2017
- Horsfield, A., Morton, J. R. and Whiffen, D. H. Electron spin resonance spectra of the free radical $(CH_3)_2C COOH$, 2=6219
- Horsfield, A. See Chantry, G. W., 2=16565
- Horsfield, A. See Chantry, G. W., 2=16565
- Horsfield, A. See Chantry, G. W., 3=6418
- Horsford, A. See Barber, C. R., 4=5478
- Horsley, G. W. The preparation of bismuth for use in a liquid-metal fuelled reactor, 0=7675
- Horsman, G. See Roest, R., 2=2019

- Horsman, J.C. See Millar, C.H., 0=13381
- Horst, R.B. Thermomagnetic figure of merit: Bismuth, 4=4141
- Horst, R.B. See Cuff, K.F., 3=22938
- Horst, R.B. See Kooi, C.F., 3=14408
- Horst, R.L. and Oberg, P.E. Rotating commutator high-sensitivity flux-meter, 3=2076
- Horst, R.R., Anderson, J.H. and Milligan, D.E. Paramagnetic centres in potassium azide irradiated at low temperature, 2=16931
- Horstik, G. See Hellwege, K.H., 2=2241
- Horstik, G. See Hellwege, K.H., 2=4156
- Horstman, H. See McGervey, J.D., 1=19436
- Horstmann, H. A method of calculating the long-term behaviour of thermal reactors with application to a two-zone reactor, 4=1140
- Horstman, H. See Kao, S.K., 0=12928
- Horstmann, M. and Meyer, G. A retarding field method of measuring the energy and angular distribution of scattered electrons, 1=3018
- Horstmann, M. and Meyer, G. Measurement of electron diffraction intensities of polycrystalline aluminium films and comparison with the kinematic and dynamic scattering formulae, 1=15053
- Horstmann, M. and Meyer, G. Effective cross-section and angular distribution of elastic and inelastic electron scattering in aluminium foils, 1=16425
- Horstmann, M. and Meyer, G. Measurement of the intensities of electrons scattered elastically by polycrystalline films of aluminium, 2=10820
- Horstmann, M. and Meyer, G. Examination of the Debye-Waller factor for electron interference in the Laue case, 3=22656
- Horstmann, U., Nöldeke, G. and Steudel, A. The fine structure of the Lu I spectrum, 4=3793
- Horszowski, S.M. Relative energy calibration of mono-energetic electron beams, 4=586
- Horta Dos Santos, J. J. and Antunes Gomes, J. P. Conductivity of aqueous solutions of sodium hydroxide and carbonate, 4=24237
- Hortig, G. Accelerators for heavy ions, 4=625
- Hortig, G., Werner, H. and Gentner, W. Gamma-ray studies of B^{11} , N^{14} , and F^{19} induced transfer reactions, 4=22209
- Hortig, G. See Gentner, W., 3=9872
- Horton, A.T. See Torgesen, J.L., 3=13413
- Horton, C.W. Acoustic impedance of an outgoing cylindrical wave, 3=209
- Horton, C.W. and Hoffman, A.A.J. Magnetotelluric fields in the frequency range 0.03 to 7 cycles per kiloseconds. I. Power spectra, 2=15274
- Horton, C.W. and Hoffman, A.A.J. Magnetotelluric fields in the frequency range 0.03 to 7 cycles per kilosecond. II. Geophysical interpretation, 2=15275
- Horton, C.W. and Innis, G.S.Jr. The computation of far-field radiation patterns from measurements made near the source, 1=10566
- Horton, C.W., King, W.R. and Diercks, K.J. Theoretical analysis of the scattering of short acoustic pulses by a thin-walled metallic cylinder in water, 3=5500
- Horton, C.W. See Diercks, K.J., 3=7271
- Horton, G.K. On the thermal expansion of metals at low temperatures, 1=3609
- Horton, G.K. and Leech, J.W. On the statistical mechanics of the ideal inert gas solids, 4=6712
- Horton, G.K. and Schiff, H. On the evaluation of equivalent Debye temperatures and related problems, 0=7850
- Horton, G.K. See Feldman, J.L., 4=3982
- Horton, G.W. Index of refraction of ice, 4=17567
- Horton, G.W. Darcy's Law, 4=24002
- Horton, K.E. and Carter, R.L. Radiation-induced hardness changes in graphite, 0=11988
- Horton, W.S. Molecule-wall collisions in porous media at low gas pressure, 4=29662
- Horvai, R. See Budó, A., 1=8126
- Horvai, R. See Dombi, J., 1=8127
- Horvai, R. See Ketskemety, I., 1=18411
- Horvai, R. See Ketskemety, I., 2=1156
- Horvai, R. See Ketskemety, I., 2=13346
- Horvai, R. See Ketskemety, I., 3=1695
- Horvat, P. Investigation of the energy levels of F^{21} using the $F^{19}(t,p)F^{21}$ reaction, 4=17037
- Horvat, P., Kump, P. and Povh, B. Low-lying states in Al^{26} , 3=19773
- Horvat, P., Pahor, J. and Vakselj, M. The photonuclear reactions (γ, d) and (γ, np) on K^{39} , 0=11437
- Horváth, J.I. Space-time structure and mass spectrum of elementary particles, 4=800
- Horváth, J.I. and Gyulai, J. Addendum to our paper "On the conservation laws of the electromagnetic field in moving dielectrics", 1=8384
- Horváth, J.I. and Vasvári, B. Generalized linear electrodynamics. I, 0=5378
- Horváth, J.I. See Bán, M.L., 1=7479
- Horváth, P., Juna, J. and Konečný, K. Slow-fast coincidence system for a fast neutron time-of-flight spectrometer, 4=6080
- Horváth, P. See Juna, J., 1=13846
- Horváth, T. See Turchányi, G., 0=7891
- Horváth, T. See Turchányi, G., 2=14961
- Horvay, G. Orthogonal edge polynomials in the variational solutions of some boundary layer problems in elasticity, 1=1712
- Horvay, G. and Cahn, J.W. Dendritic and spheroidal growth, 1=15004
- Horwath, J.A. and Mondolfo, L.F. Dendritic growth, 2=23817
- Horwitz, C. and Wood, S. A simple micropipette or micro-needle manipulator, 4=27000
- Horwitz, G., Brout, R. and Englert, F. Zero-temperature properties of the many-fermion system, 3=9370
- Horwitz, G. and Callen, H.B. Diagrammatic expansion for the Ising model with arbitrary spin and range of interaction, 2=2037
- Horwitz, G. See Callen, H.B., 3=982
- Horwitz, G. See Stinchcombe, R.B., 3=11046
- Horwitz, G. See Strieb, B., 3=15763
- Horwitz, L.P. and Mattis, D.C. Thermal screening effects in a ferromagnet, 3=20593
- Horwitz, N. and Murray, J.J. $C^{12}(p, pn)C^{11}$ cross-section from 3 to 6 BeV, 0=7555
- Horwitz, N. See Barnes, V.E., 4=16969
- Horwitz, N. See Dahl, O., 0=5617
- Horwitz, N. See Dahl, O., 0=11327
- Horwitz, N. See Dahl, O., 3=7921
- Horwitz, N. See Dahl, O.I., 1=5781
- Horwitz, N.H. and Bohm, H.V. Metal-to-glass vacuum seal for low temperatures, 1=11868
- Horwitz, N.H. and Bohm, H.V. Energy gap and critical field of superconducting molybdenum obtained by ultrasonic measurements, 3=3958
- Horwitz, N.H. See Bohm, H.V., 4=16377
- Horýd'ko, M. Ya. See Kuz'menko, P.P., 4=1588
- Horýd'ko, N. Ya. See Kuz'menko, P.P., 4=7396
- Hörz, G. See Dürrschnabel, W., 4=10032
- Horzelski, J. See Corfield, M.G., 2=1161
- Hosack, H.H. See Davis, R.H., 3=10861
- Höschl, P. and Koňák, Č. A study of the solid state-gaseous phase equilibrium in CdSe and its application to the growing of single crystals from the gaseous phase by Frerich's method, 3=20977
- Höschl, P. and Koňák, Č. Preparation of CdSe by reaction of components, 3=25823
- Höschl, P. and Koňák, Č. Growing of CdTe single crystals by sublimation in Cd vapours, 4=7547
- Höschl, P. and Koňák, Č. Growing of CdTe single crystals by static sublimation on a cool wall under the pressure of one of the components, 4=15758
- Höschl, P. See Matyáš, M., 3=4920
- Höschler, G. See Ritzl, F., 4=25334
- Hosea, J. See Geller, R., 3=19259
- Hösel, S. The phase diagram of the ternary system Bi-Ca-Mg including a correction to the border system Bi-CA, 2=21539
- Hoselitz, K. Recent advances in magnetic analysis, 1=6250
- Hoselitz, K. Some methods and results in the study of cubic ferrites, 1=10168
- Hosemann, R. X-ray evidence for the "point-structure" of electrons, 0=1270
- Hosemann, R. Principles and applications of diffraction microscopy over the wavelength range from visible light to gamma rays, 0=3614
- Hosemann, R. Crystalline and paracrystalline order in high polymers, 3=11275
- Hosemann, R. and Hoelt, J. A new electrode system for an X-ray tube with a finely focused spot, 0=348
- Hosemann, R., Lemm, K. and Krebs, H. Termination effect and its influence on the atomic distribution curves of amorphous materials and liquids, 4=23614
- Hosemann, R. and Voigtlaender-Tetzner, G. The temperature dependence of the structure of atoms in solids, 0=4603

- Hosemann, R. See Bialas, D., 0=8214
Hosemann, R. See Bialas, D., 4=4651
Hosemann, R. See Bonar, R., 2=9371
Hosemann, R. See Bonart, R., 0=12089
Hosemann, R. See Canut, M., 4=26128
Hosemann, R. See Lindemeyer, P.H., 3=11276
Hosford, W.F. and Fleischer, R.L. Dislocation barriers and cross slip, 0=17933
Hosford, W.F., Jr. Microstructural changes during deformation of [011] fiber-textured metals, 4=15803
Hosford, W.F., Jr., Fleischer, R.L. and Backofen, W.A. Tensile deformation of aluminum single crystals at low temperatures, 0=18253
Hosford, W.F., Jr. See Chin, G.Y., 4=23123
Hosford, W.F., Jr. See Chin, G.Y., 4=30765
Hoshi, K. See Yamamoto, M., 1=20411
Hoshi, R. See Hayashi, C., 2=15271
Hōshi, R. See Hayashi, C., 3=21114
Hoshino, H. and Takayama, M. Observation of oscillatory photocurrent decay in silicon, 4=4234
Hoshino, K. See Inada, T., 3=12241
Hoshino, M. See Mizushima, M., 4=20558
Hoshino, M. See Ohta, K., 2=18919
Hoshino, R. Proton magnetic resonance in ferroelectric $(\text{CH}_3\text{NH}_4)\text{AlSO}_4 \cdot 12\text{H}_2\text{O}$, 1=20271
Hoshino, R. Proton magnetic resonance in $(\text{glycine})_3 \cdot \text{H}_2\text{SO}_4$, 2=6710
Hoshino, R. See Kume, K., 1=12572
Hoshino, R. See Sato, N., 4=17701
Hoshino, S. An evidence for existence of a third phase in NaNc_2 , 4=17769
Hoshino, S., Sato, S. and Toyoda, K. Crystal structure and phase transition of di-glycine nitrate, 4=7653
Hoshino, S. and Shibuya, I. Anomalous temperature dependence of lattice constants of ferroelectric sodium nitrite, 1=20560
Hoshino, S. See Miyake, S., 3=1280
Hoshino, S. See Sasaguri, K., 4=7448
Hoshino, S. See Shibuya, I., 3=6481
Hoshino, S. See Yamada, Y., 4=7512
Hoshino, T. See Hara, K., 4=5533
Hoshizaki, N. p-p scattering at 660 MeV, II, 4=11995
Hoshizaki, N., I.Lin. and Machida, S. Nonstatic one-boson-exchange potentials, 2=3287
Hoshizaki, N. and Machida, S. Two nucleon potential with full recoil. I. General formalism and one-pion-exchange potential, 1=10864
Hoshizaki, N. and Machida, S. Two-nucleon potential with full recoil. II, 2=11938
Hoshizaki, N. and Machida, S. Absorption, polarization phenomena and two-baryon interactions, 3=10060
Hoshizaki, N. and Machida, S. p-p scattering at 660 MeV, 3=10113
Hoshizaki, N. and Machida, S. (3,3)-resonance and energy dependence of a normal spin-correlation coefficient in p-p scattering, 4=11992
Hoshizaki, N., Otsuki, S., Tamagaki, R. and Watari, W. Phase shift analysis of proton-proton scattering at 52 MeV and spin-orbit force. I, 4=3405
Hoshizaki, N., Otsuki, S., Tamagaki, R. and Watari, W. Proton-proton scattering at 52 MeV, 3=24721
Hoshizaki, N., Otsuki, S., Watari, W. and Yonezawa, M. Nuclear forces and bosons, 2=16151
Hoshizaki, N. See Hama, Y., 4=27848
Hoshizaki, N. See Hama, Y., 4=27849
Hoskins, H. See Jamieson, J.C. 3=9527
Hoskins, R.H. Spin-level inversion and spin-temperature mixing in ruby, 0=1828
Hoskins, R.H. and Pastor, R.C. Charred dextrose as a paramagnetic resonance standard, 0=16159
Hoskins, R.H. and Soffer, B.H. Observation of Cr^{4+} in $\alpha\text{-Al}_2\text{O}_3$, 4=7322
Hoskins, R.H. and Soffer, B.H. Stimulated emission from $\text{Y}_2\text{O}_3\text{:Nd}^{3+}$, 4=10199
Hoskins, R.H. See Carson, J.W., 1=9053
Hoskins, R.H. See Maiman, T.H., 1=11391
Hoskins, R.H. See Pastor, R.C., 0=3310
Hoskins, R.H. See Soffer, B.H., 4=17602
Hosler, C.L. and Hallgren, R.E. The aggregation of small ice crystals, 1=11541
Hosler, C.L. See Zettlemoyer, A.C., 4=13538
Hosler, W.R. See Becker, J.H., 3=22955
Hosler, W.R. See Frederikse, H.P.R., 2=23413
Hosler, W.R. See Hudson, R.P., 1=9015
Hosler, W.R. See Schooley, J.F., 4=18602
Hosoda, M. First resonances in the violated unitary symmetry, 4=9075
Hosoda, M. Boson and baryon scattering in the violated octet model, 4=11893
Hosoda, M. and Miyamoto, Y. Broken symmetry and κ meson, 4=25158
Hosoda, M. and Miyamoto, Y. Boson and baryon resonances in the octet model, 4=30164
Hosoda, M. and Shimoda, H. Application of the Sawada transformation to multichannel problem, 3=19580
Hosoe, M. and Suzuki, S. Gamma-rays from neutron inelastic scattering of magnesium, aluminum, iron and bismuth, 0=20502
Hosoi, A. See Yamaguchi, T., 2=4479
Hosokawa, I. A refinement of the linearized transonic flow theory, 1=6884
Hosokawa, I. Transonic flow past a wavy wall, 1=12909
Hosokawa, I. Theoretical prediction of the pressure distribution on a non-lifting, thin symmetrical aerofoil at various transonic speeds, 1=12910
Hosono, K. See Okubo, H., 3=6799
Hosoya, S. A note on the absolute intensity of X-ray scattering factor of powder samples of metals, 4=20751
Hosoya, S. See Kuriyama, M., 1=14770
Hosoya, S. See Kuriyama, M., 2=17017
Hosoya, S. See Kuriyama, M., 3=12890
Hosoya, S. See Kuriyama, M., 4=4587
Hosoya, S. See Miyake, S., 4=27600
Hossain, A., Votruba, M.F. and Wataghin, A. Multiple scattering measurements in nuclear emulsions exposed to momentum-analysed particle beams from the CERN proton synchrotron, 1=19450
Hossain, A., Votruba, M.F., Wataghin, W. and Evans, D. On the behaviour of the multiple scattering constant, K, for nuclear emulsions, at large cell sizes, 2=5554
Hossain, A. See Ali, M.I., 1=556
Hossain, A. See Ali, M.I., 2=18177
Hossain, A. See Baldassarye, F., 22562
Hossain, A. See Caforio, A., 4=21891
Hossain, A. See Evans, D., 2=22492
Hossain, A. See Husain, A., 1=13475
Hossenlopp, I.A. See Scott, D.W., 2=3702
Hossenlopp, I.A. See Scott, D.W., 2=15822
Hossenlopp, I.A. See Scott, D.W., 2=20847
Hossenlopp, I.A. See Scott, D.W., 3=8291
Hossenlopp, M.T. See Nikitine, S., 3=10934
Hoste, J. See De Soete, D., 1=17297
Hoste, J. See De Soete, D., 2=20290
Hostellier, M.N. and Kahane, A. Variation of the birefringence of ice as a function of temperature, 2=8481
Hostetler, R.L. See Bame, S.J., 3=15066
Hostettler, H.U. and Bernstein, R.B. Observation of quantum effects in the scattering of a monoenergetic Li beam by a crossed Hg beam, 1=820
Hostettler, H.U. and Bernstein, R.B. Comparison of exp-6, L.-J. (12,6) and Sutherland potential functions applied to the calculation of differential scattering cross sections, 0=5993
Hostettler, H.U. and Bernstein, R.B. Improved slotted disk type velocity selector for molecular beams, 0=15796
Hostettler, H.U. See Morse, F.A., 2=18497
Hostettler, H.U. See Schneider, H., 2=19977
Hostler, L. Coulomb Green's functions and the furry approximation, 4=18067
Hostler, L. and Pratt, R.H. Coulomb Green's function in closed form, 3=18730
Hotchkiss, D.R. Ruby-laser-induced photocurrents and luminescence in ZnO, 4=26153
Hother-Lushington, S. See Warburton, F.L., 1=7811
Hotinli, M. Observations of the solar chromosphere during 1957, 1=24
Hotinli, M. See Balli, E., 1=18082
Hotinli, M. See Gökdoğan, N., 3=5253
Hotston, E.S. Correction term for dielectric measurements with cavity resonators, 1=5415
Hotta, A. See Sugawara, M., 3=12653
Hotta, K. See Magari, S., 2=7678
Hotta, K. See Magari, S., 4=21598
Hotta, K. See Magari, S., 4=24761
Hotta, T. See Stein, R.S., 4=22836
Hottel, H.C. Radiation as a diffusion process, 2=11531
Hotter, Ø. and Tjøtta, S. On the internal electromagnetic energy in a plasma, 2=9565

- Hötzsch, G. See Boček, M., 4=30791
- Hou, S.L. See Foner, S., 2=12802
- Hou Bai-yü. Spinor wave functions and operators in the local coordinate system, 4=804
- Hou Pei-yu. Three-directional expansion of Green functions and the δ function, 4=18024
- Hou Pei-yu. The transformation group of scattering metrics leaving angular distribution invariant, 4=30184
- Hou Sên. See Khoe Sen¹.
- Houard, J.C. and Juvet, B. Study of a model field with zero renormalization constant, 1=7198
- Houard, J.C. See Juvet, B., 0=13013
- Houard-Cabannes, M.P. See Ader, M., 1=16634
- Houard-Cabannes, M.P. See Ader, M., 1=16635
- Houchang, R. Application of the projection method to the calculation of electromagnetic transitions, 4=9373
- Houck, F.S. and Miller, J.M. Reactions of alpha particles with iron-54 and nickel-58, 1=11034
- Houck, J. R. and Bowers, R. New type of flux meter for the measurement of high magnetic fields at low temperatures, 4=27604
- Houde, A.L. Observations of cross-tie domain walls by the Faraday effect, 1=10151
- Houde, A.L. Observations of the fine structure of domains and reversible rotation of the magnetization in thin permalloy films by the Faraday effect, 3=1079
- Houde, A.L. Use of a recording automatic microbalance in the vacuum evaporation of permalloy and indium antimonide thin films, 4=5263
- Hougardy, J. See Korn, T.S., 0=16799
- Hougardy, R. W. and Saxon, D. S. Propagation of electromagnetic waves in an anisotropic stratified medium, 4=5800
- Hougen, J.T. Anomalous Faraday dispersion of O₂, 0=7772
- Hougen, J.T. Rotational energy levels of a linear triatomic molecule in a ²I electronic state, 2=3724
- Hougen, J.T. The rotational energy levels of diatomic molecules in ⁴Σ electronic states, 2=12317
- Hougen, J.T. Vibronic and rotational energy levels of a linear triatomic molecule in a ²I electronic state, 2=12319
- Hougen, J.T. Fermi resonance in linear triatomic molecules in ²I electronic states, 2=18436
- Hougen, J.T. Classification of rotational energy levels for symmetric-top molecules, 2=22935
- Hougen, J.T. Energies of, and transition intensities associated with, the rotational levels of nearly degenerate A₁A₂ pairs of vibronic states in molecules of symmetry C_{3v}, 3=10490
- Hougen, J.T. Classification of rotational energy levels. II, 3=25080
- Hougen, J.T. Rotational structure of singlet-triplet transitions in near symmetric tops, 4=15317
- Hougen, J.T. Vibronic interactions in molecules with a fourfold symmetry axis, 4=25607
- Hougen, J.T. Theoretical interpretation of the Zeeman effect in the near-ultraviolet bands of CS₂, 4=25671
- Hougen, J.T. On the use of time reversal in crystal-field problems, 4=28309
- Hougen, J.T. and Jesson, J.P. Anharmonic corrections in triatomic molecules exhibiting the Renner effect, 3=12800
- Hougen, J.T., Leroi, G.E. and James, T.C. Application of ligand field theory to the electronic spectra of gaseous CuCl₂, NiCl₂, and CoCl₂, 1=8848
- Hougen, J.T. and Singh, S. Electronic Raman effect in Pr³⁺ ions in single crystals of PrCl₃, 3=15694
- Hougen, J.T. and Singh, S. Electronic and vibrational Raman spectra of PrCl₃ and LaCl₃, 4=9746
- Hougen, J.T. See Leroi, G., 2=14274
- Hough, P.V.C. Performance of a nuclear emulsion scanner, 0=19987
- Hough, P.V.C. and Powell, B.W. A method for faster analysis of bubble chamber photographs, 1=5618
- Hough, P.V.C. See Barnes, V.E., 4=16969
- Hough, P.C.V. See Franck, J.V., 3=24561
- Hough, W.S. See McCauley, J.W., 0=12201
- Houghton, A. Specific heat and spin susceptibility of dilute alloys, 2=2052
- Houghton, G. Differential equations for the behaviour of suspensions, 2=4565
- Houghton, G. An analysis of vapor void profiles in heated channels, 2=11516
- Houghton, G. The behaviour of particles in a sinusoidal velocity field, 3=7181
- Houghton, G. Theory of bubble pulsation and cavitation, 3=23862
- Houghton, G. Cubic cell model for self-diffusion in liquids, 4=16101
- Houghton, G. See Leonard, J.H., 1=12857
- Houghton, G. K. See Young, J.C., 4=21878
- Houghton, J. T. Absorption in the stratosphere by some water-vapour lines in the ν_2 band, 4=2188
- Houghton, J. T. The absorption of solar infra-red radiation by the lower stratosphere, 4=2196
- Houghton, J. T., Hughes, N. D. P., Moss, T. S. and Seeley, J. S. An atlas of the infrared solar spectrum from 1 to 6.5 μ observed from a high-altitude aircraft, 1=18079
- Houghton, J. T. and Seeley, J. S. Spectroscopic observations of the water-vapour content of the stratosphere, 1=20818
- Houghton, J. T. and Shaw, J. H. The deduction of stratospheric temperature from satellite observations of emission by the 15 μ CO₂ band, 4=29270
- Houghton, J. T. See Dobson, G. M. B., 2=11013
- Houghton, J. T. See Hitschfeld, W., 2=2484
- Houghton, J. T. See Seeley, J. S., 2=8951
- Houghton, J. T. See Shaw, J. H., 4=22350
- Houri, A. See Benoit, R., 2=7766
- Houri, A. See Benoit, R., 3=6974
- Houret, A. and Héritier, C. A. The nucleon-nucleon interaction at low energies, 3=2254
- House, A. S. On vowel duration in English, 1=12708
- House, A. S. See Bell, C. G., 2=4890
- House, A. S. See Brady, P. T., 1=15373
- House, A. S. See Paul, A. P., 4=10949
- House, A. S. See Stevens, K. N., 3=7068
- House, D. C. The divergence equation as related to severe thunderstorm forecasting, 2=11018
- House, D. G. and Vernon, E. V. Determination of the elastic moduli of tin single crystals, and their variation with temperature, 0=10255
- House, H. See Zaky, A. A., 3=23900
- House, H. See Zaky, A. A., 4=2704
- House, L. L., Athay, R. G. and Zirin, H. The Balmer: Paschen ratio in the chromosphere and the equilibrium populations of hydrogen angular-momentum states, 1=5155
- House, L. L. and Sawyer, G. A. Neon VII and VIII wavelengths in the vacuum ultraviolet, 4=15283
- House, L. L. See Athay, R. G., 2=15353
- House, L. L. See Athay, R. G., 3=11543
- House, L. L. See Eddy, J. A., 1=2287
- House, R. N., Jr. Maximum power criterion for the vibrating free edge disk, 1=6916
- Houssaux, O. See Cordier, H., 0=14871
- Houser, T. J., Lykos, P. G. and Mehler, E. L. One-center wavefunction for the hydrogen molecule ion, 3=8255
- Houska, C. R. A theoretical treatment of atomic configurations found in some iron-aluminum solid solutions, 3=6871
- Houska, C. R. Thermal expansion and atomic vibration amplitudes for TiC, TiN, ZrC, ZrN, and pure tungsten, 4=17376
- Houska, C. R., Averbach, B. L. and Cohen, M. The cobalt transformation, 0=18374
- Houska, C. R. and Averbach, B. L. Atom arrangements in some iron-aluminum solid solutions, 3=13505
- Houska, C. R. and Keplin, E. J. High-temperature furnace for quantitative X-ray intensity measurements, 4=10517
- Housley, R. M. and Dash, J. G. Interpretation of Mössbauer effect measurements on the magnetism of dilute alloys, 4=25817
- Housley, R. M. See Smith, G. W., 0=6279
- Houston, A. See Barakat, R., 4=2817
- Houston, A. See Barakat, R., 4=5392
- Houston, A. See Barakat, R., 4=18386
- Houston, A. See Barakat, R., 4=27290
- Houston, B. B. and Norr, M. K. Dislocation etch pits on p-type lead telluride, 0=8171
- Houston, B. B. Jr. See Allgaier, R. S., 3=10829
- Houston, D. H. See Young, J. C., 4=17222
- Houston, J. K. A coincidence-setting micrometer eye-piece, 3=18971
- Houston, J. T. See Stiegler, J. O., 4=13507
- Houston, R. E., Jr. The effect of certain solar radiations on the lower ionosphere, 0=2008
- Houston, R. W. Fast neutron dosimetry in pile irradiations, 0=12997
- Houston, T. See Heeger, A. J., 4=13240
- Houston, T. W. and Heeger, A. J. Determination of the cone angles in the ferrimagnetic spiral MnCr₂O₄, 4=23019
- Houston, T. W., Johnson, L. F., Kisliuk, P. and Walsh, D. J. Temperature dependence of the refractive index of optical maser crystals, 4=7092
- Houston, T. W. See Heeger, A. J., 4=26453
- Houstoun, R. A. Note on the theory of optical activity, 0=19455

- Houtermans, F.G. Maser-action in the optical range and the possibility of absolute negative absorption in certain molecular spectra (the "light-avalanche"), 1=13173
- Houtermans, F.G. See Debrunner, H., 0=17445
- Houtermans, F.G. See Debrunner, H., 1=3372
- Houtermans, F.G. See Debrunner, H., 2=18209
- Houterman, F.G. See Gfeller, C., 2=4751
- Houtermans, F.G. See Herr, W., 2=4758
- Houtermans, H. and Miguel, M. 4π - ρ - γ coincidence counting for the calibration of nuclides with complex decay schemes, 2=14011
- Houtermans, H. See Jaeger, R.G., 3=641
- Houtgast, J. Report of the Netherlands Expedition for the observation of the total solar eclipse on October 2 1959, 1=5151
- Houtgast, J. and Koelbloed, D. Intensities of weak lines at the solar limb, 4=2433
- Houtgast, J. and van Sluiter, A. A new estimate of the strength of the magnetic field of the planet Venus, 3=5244
- Houtsager, H. See Androulakis, J.G., 3=17125
- Houziaux, L. The origin of the continuous spectrum of comets, 0=2077
- Houziaux, L. The ionization and excitation of oxygen in the neighbourhood of hot stars, 0=6610
- Houziaux, L. The visibility of lines of low intensity in stellar spectra, 0=8514
- Houziaux, L. Relative intensities of O I forbidden lines in an expanding atmosphere, 0=18844
- Houziaux, L. Ionization and excitation of neutral oxygen in the vicinity of hot stars, 1=1653
- Houziaux, L. Comparative results of photoelectric photometry and photographic spectrophotometry, 1=9772
- Houziaux, L. Utilization of a "grid" of grey-body models for determining the characteristics of a stellar atmosphere, 1=12769
- Houziaux, L. Density of C₂ molecules in the head of the Comet Mrkos 1955e, 1=15431
- Houziaux, L. Forbidden nitrogen I lines in the infrared solar spectrum, 2=4758
- Houziaux, L. Stark effect for the higher lines of hydrogen, 2=4810
- Houziaux, L. Stark and Doppler broadening for high Balmer and Paschen lines. I. The absorption coefficient, 2=6091
- Houziaux, L. Measurement and spectral distribution of the energy received from stars, 2=21730
- Houziaux, L. Contributions to the study of "envelope" stars, 3=21117
- Houziaux, L. The mean optical depth of formation of hydrogen discontinuities and the calculation of line strengths near series limits, 3=25041
- Houziaux, L. High hydrogen lines in early-type stars, 4=2360
- Houziaux, L. Oscillator strengths for several ultraviolet multiplets of astrophysical interest, 4=3781
- Houziaux, L. The possibility of observing Lyman rays in near stars of type AOV, 4=26911
- Houziaux, L. and Sadoline, M.P. Transition probabilities and oscillator strengths for elements of astrophysical interest, 1=13917
- Houzvicka, F., Parker, S.G. and Wilson, O. Apparatus for obtaining homogeneous ingots, 4=17785
- Hove, J.E. See Carniglia, S.C., 2=3845
- Hove, L. Van. See Van Hove, L.
- Hovenier, J. See Rethmeier, J., 3=2464
- Hovenier, J.W. See Rethmeier, J., 3=6011
- Hovestadt, D., Armbruster, P. and Eidens, J. Decay of Sr⁹⁰, 4=17092
- Hovestadt, D. See Armbruster, P., 4=22247
- Hovestadt, D. See Bodenstein, E., 0=7540
- Hovestadt, D. See Bodenstein, E., 0=17481
- Hovestadt, D. See Bodenstein, E., 1=632
- Hovi, M. Statistical aspects of fracture in concrete. II. Statistical relationship between fracture and creep properties of Portland cement mortar in bending, 2=6740
- Hovi, V. On the configuration free energy of KCl-KBr solid solutions, 0=12071
- Hovi, V., Arell, A. and Varteva, M. Direct measurement of the transition energy of CsNO₃ at 153.8°C, 0=18372
- Hovi, V. and Aurela, A. A coincidence telescope for the teaching of cosmic ray physics, 0=11263
- Hovi, V. and Aurela, A. On the north-south asymmetry of cosmic rays near sea level at great zenith angles in high latitudes, 0=13091
- Hovi, V. and Aurela, A. On the origin of the north-south asymmetry of cosmic rays in high altitudes, 2=9971
- Hovi, V., Heiskanen, K. and Varteva, M. X-ray investigation of the modifications II and III of NH₄Br at temperatures between 22° and -125°C, 4=23419
- Hovi, V. and Ketolainen, P. On the colloidal absorption bands in rubidium chloride and rubidium bromide crystals coloured with sodium, 4=17580
- Hovi, V., Luukkala, M. and Punkkinen, M. Second order correction of the quadrupole splitting in the nuclear magnetic resonance of Na²³ in NaClO₃, 4=20623
- Hovi, V., Luukkala, M. and Punkkinen, M. Second order correction of the quadrupole splitting in the nuclear magnetic resonance of Na²³ in NaClO₃, 4=23078
- Hovi, V. and Mansikka, K. On the lattice energy of alkali halides, 0=7841
- Hovi, V. and Mansikka, K. Entropy of long range order in β -brass, 0=12072
- Hovi, V. and Mansikka, K. Electronic specific heat of α and β -brasses at low temperatures, 0=12073
- Hovi, V. and Mansikka, K. Entropy of long range order in Cu₃Au and Ni₃Fe, 0=16346
- Hovi, V., Mansikka, K. and Mäkelä, M. On the rate of solidification of a pure substance in the case of cylindrically symmetrical heat flow, 2=19772
- Hovi, V. and Mäntysalo, E. Ultrasonic investigation of the elastic constants of solid carbon dioxide, 0=11965
- Hovi, V. and Mäntysalo, E. On the dark current conductivity of potassium iodide crystals containing R'-centers, 1=14389
- Hovi, V., Mäntysalo, E. and Ketolainen, P. On the Gyulai-Hartly effect in single crystals of potassium iodide at temperatures between 77 and 297°K, 1=14390
- Hovi, V., Mäntysalo, E. and Ketolainen, P. On the Gyulai-Hartly effect in single crystals of potassium iodide at temperatures between 77° and 297°K, 2=4067
- Hovi, V. and Näsänen, R. On the velocity of sound and the second virial coefficient in O₂, 0=16764
- Hovi, V. and Niemelä, L. Determination of the mean beta disintegration energy of S³⁵ by means of an isothermal microcalorimetric method, 1=13716
- Hovi, V. and Niemelä, L. Measurements of the mean beta disintegration energies of P³² and Pm¹⁴⁷ at low temperatures, 2=18282
- Hovi, V., Niemelä, L. and Varonen, J. On the mean beta disintegration energies of Pr¹⁴³, S³⁵, and Pm¹⁴⁷, 4=22075
- Hovi, V. and Paalassalo, P. Dilatometric investigation of the order-disorder transition in Mg₂Cd, 4=23277
- Hovi, V. and Pautamo, Y. On the determination of the electron density in atoms of sodium chloride according to the Fourier integral method, 0=18351
- Hovi, V. and Pautamo, Y. On the frequency spectra of solids as calculated from experimental specific heats, 1=14161
- Hovi, V. and Pautamo, Y. On the vibrational and zero point energies of alkali halides, 1=14162
- Hovi, V., Pöyhönen, J. and Paalassalo, P. Anomalous thermal expansion of NH₄NO₃ at 125.8° and 84.1°C, 0=17899
- Hovis, W.A., Jr. Time-resolved spectra of rare-earth ions, 2=14204
- Hovnanian, H.P. Scanning-mechanism hypothesis of vision, 0=18551
- Hovorka, F. See Booker, J., 4=16108
- Hovorka, F. See Stuehr, J., 3=8952
- Howard, A. J. and Watson, W. W. Isotope separation by thermal diffusion in ternary systems, 4=12412
- Howard, A. J. See Paul, R., 4=5239
- Howard, A. J. See Watson, W. W., 3=11823
- Howard, B. B. Electrostatic contribution to the energy of the hydrogen bond in hydrogen fluoride dimer. I. Utilizing approximate evaluation of multicenter integrals, 4=3875
- Howard, B. B., Linder, B. and Emerson, M. T. Effect of dispersion interaction on nuclear magnetic resonance shifts, 2=3789
- Howard, B. B. See Jumper, C. F., 2=2703
- Howard, D. G. and Lindquist, R. H. Electron spin resonance of chromia on alumina, 3=13297
- Howard, F. L. Leak-resistant rotation seal for vacuum applications, 4=8276
- Howard, F. T. Catalogue of isochronous cyclotrons, 3=5748
- Howard, F. T. See Livingston, R. S. [Eds.], 1=1937
- Howard, J. Secondary recrystallisation in the (100)[001] or (110)[001] texture in 3½ pct silicon-iron rolled from sintered compacts, 4=26599
- Howard, J. N. The transmission of the atmosphere in the infrared, 0=8421
- Howard, J. N. Errors in infrared absorption measurements due to wall adsorption of water vapour, 4=5247

- Howard, J.N. and Garing, J.S. The transmission of the atmosphere in the infrared—a review, 3=3468
- Howard, J.N. and Garing, J.S. Infrared transmission along a slant path in the atmosphere, 4=4770
- Howard, J.N. and Garing, J.S. The infrared telluric absorption spectrum introductory report, 4=29297
- Howard, J.N. See Garing, J.S., 2=22032
- Howard, K.J. See Coupland, J.H., 3=5751
- Howard, N.R. Avalanche multiplication in silicon junctions, 3=4932
- Howard, N.R. A simple pulse generator for semiconductor lifetime measurements, 3=12050
- Howard, P.R. See Forrest, J.S., 3=7450
- Howard, R. Preliminary solar magnetograph observations with small apertures, 2=19294
- Howard, R. On the relation of major solar flares with changes in sunspot areas, 4=10905
- Howard, R. and Babcock, H.W. Magnetic fields associated with the solar flare of July 16, 1959, 0=14429
- Howard, R., Cragg, T. and Babcock, H.W. Magnetic field associated with a great solar flare, 0=9
- Howard, R., Curzon, F.L. and Powell, E.R. TE_{0mn} modes of a quasi-co-axial resonant cavity, 3=19441
- Howard, R. and Harvey, J.W. Photospheric magnetic fields and chromospheric features, 4=23913
- Howard, R. and Severyn, A. Solar magnetic fields and the great flare of July 16, 1959, 3=16380
- Howard, R. See Curzon, F.L., 2=1444
- Howard, R. See Curzon, F.L., 2=22196
- Howard, R. See Curzon, F.L., 3=9762
- Howard, R.A. See Osborne, W.Z., 2=10001
- Howard, R.E. and Lidiard, A.B. Kinetic interpretation of the thermodynamic theory of impurity diffusion in solids, 3=22803
- Howard, R.E. and Lidiard, A.B. Matter transport in solids, 4=25955
- Howard, R.E. and Manning, J.R. Theory of thermal diffusion in dilute alloys, 2=6359
- Howard, R.E. and Smoluchowski, R. Formation of interstitials in alkali halides by ionizing radiation, 0=1593
- Howard, R.E., Vosko, S. and Smoluchowski, R. Mechanism for production of interstitials in KCl by X rays at low temperatures, 1=8922
- Howard, R.E. See Boswarva, I.M., 2=18797
- Howard, R.E. See Boyle, W.S., 2=2231
- Howard, R.E. See Hasegawa, H., 2=8062
- Howard, R.E. See Simmons, J.A., 4=29063
- Howard, R.J. See Barrow, A.W., 2=5538
- Howard, R.L. See Lowe, I.J., 2=5496
- Howard, R.L. See Peterson, L.E., 2=4707
- Howard, R.M. See Peck, R.A., Jr., 0=1443
- Howard, V.C. See Sutton, A.L., 3=8371
- Howard, W. See Hutson, A.R., 0=6085
- Howard, W.E. III, Barrett, A.H. and Haddock, F.T. Measurement of microwave radiation from the planet Mercury, 3=3623
- Howard, W.E. and Dickel, H.R. An investigation of the supernova remnant IC443 at 8000 Mc/s, 4=4954
- Howard, W.E., Fang, F.F., Dill, F.H., Jr. and Nathan, M.I. C.W. Operation of a GaAs injection laser, 4=5871
- Howard, W.E. See Esaki, L., 4=12926
- Howard, W.E. See Fang, F.F., 4=12927
- Howard, W.E. See Fowler, A.B., 3=2988
- Howard, W.E. See Hawkins, G.S., 0=22204
- Howard, W.E. III. Effects of antenna scan rate and radiometer time constant on receiver output, 1=19142
- Howard, W.E., III., Wentzel, D.G. and McGee, R.X. On a correlation between the radial velocities of optical and radio interstellar lines, 4=10861
- Howard, W.E., III. See Maxwell, A., 1=15547
- Howard, W.M. Density field for rarefied flow through an orifice, 1=5290
- Howarth, C.I. On-off interaction in the human electroretinogram, 1=4157
- Howarth, C.I. See Gibbins, K., 1=10351
- Howarth, G. See Hearne, K.R., 4=18705
- Howarth, J.L. and Pick, V.J. The use of a new multi-field isodose contour plotter, 0=8437
- Howarth, L.E. and Gilbert, J.F. Determination of free electron effective mass of n-type silicon, 3=10797
- Howarth, L.E. See Crowell, C.R., 2=22251
- Howarth, L.E. See Kaiser, W., 2=21236
- Howarth, L.E. See Spitzer, W.G., 2=14643
- Howarth, M.E.F. See Farnell, G.C., 4=333
- Howarth, O.W. and Richards, R.E. The nuclear electric quadrupole moment of ^{50}V , 4=25263
- Howatson, A.M. Excitation in a transient arc discharge, 0=19643
- Howatson, A.M. See Kharadly, M.M.Z., 3=19230
- Howe, D.A. and Langer, L.M. Once-forbidden beta spectrum of Ti^{200} , 1=17028
- Howe, D.A., Langer, L.M., Spejewski, E.H. and Wortman, D.E. Beta spectrum of Mn^{56} , 3=4592
- Howe, D.A., Langer, L.M. and Wortmann, D. Search for a $\frac{1}{2}^+$ level at 1.5 MeV in Y^{89} , 2=22746
- Howe, F.A. See Muggleton, A.H.F., 2=4488
- Howe, F.A. See Muggleton, A.H.F., 2=4492
- Howe, F.A. See Muggleton, A.H.F., 4=29180
- Howe, H.A. See Jacobi, T.H., 0=5699
- Howe, J.A. Microwave spectrum of CIS 1-chloro-2-fluoroethylene, 1=7462
- Howe, J.A. Empirical C-F resonance integral, 4=25704
- Howe, J.A. Observations on the maser-induced graphite jet, 4=5881
- Howe, J.A. and Flygare, W.H. Strong field Stark effect, 2=6136
- Howe, J.A. and Molloy, T.V. Graphite jet velocity by a probe method, 4=25787
- Howe, J.A., Muirhead, J.S. and Goldstein, J.H. Simpler molecular orbital theory of the dichloroethylenes, 2=6209
- Howe, J.A. See Flygare, W.H., 2=3741
- Howe, J.A. See Giordmaine, J.A., 4=5181
- Howe, J.A. See Muirhead, J.S., 2=14290
- Howe, L.L. See Douglas, A.E., 2=6167
- Howe, L.M. Radiation damage in zirconium zircaloy-2 and 410 stainless steel, 3=11171
- Howe, L.M., Gilbert, R.W. and Piercy, G.R. Direct observation of radiation damage produced in copper below 30°K during ion bombardment in the electron microscope, 4=6897
- Howe, L.M., Jervis, R.E. and Eastwood, T.A. The development of a dilute aluminium-gold alloy for thermal and resonance neutron flux measurements, 2=7871
- Howe, L.M. and McGurn, J.F. Direct observation of disappearance and collapse of stacking-fault tetrahedra in gold foils during ion bombardment in the electron microscope, 4=20285
- Howe, L.M. and Thomas, W.R. The effect of neutron irradiation on the tensile properties of Zircaloy-2, 1=20379
- Howe, L.M., Whitton, J.L. and McGurn, J.F. Observation of dislocation movement and interaction in zirconium by transmission electron microscopy, 2=21039
- Howe, L.M. See Piercy, G.R., 3=24126
- Howe, S. and Elbaum, C. The relation between the plastic deformation of aluminium single crystals and polycrystals, 1=3975
- Howe, S. and Elbaum, C. Dislocation-free aluminum crystals, 1=12383
- Howe, S. and Elbaum, C. The occurrence of dislocations in crystals grown from the melt, 1=19780
- Howe, S., Liebmann, B. and Lücke, K. High temperature deformation of aluminum single crystals, 1=14905
- Howe, W. See Poole, M.J., 0=19825
- Howell, B.F., Jr., Andrews, J.B. and Huber, R.E. Photomechanical method of frequency analysis of seismic pulses, 0=8350
- Howell, V.T.S., See Gabriel, A.H., 1=5476
- Howells, I.D. The multiple scattering of waves by weak random irregularities in the medium, 1=8242
- Howells, I.D. On the spectrum of electron density produced by turbulence in the ionosphere in the presence of a magnetic field, 0=12171
- Hower, C.O. and Fairhall, A.W. Ranges of Be^+ ions in gold and aluminum, 3=2048
- Hower, G.L. See Peterson, A.M., 3=16228
- Howerton, H.K. See Price, J.M., 2=17469
- Howes, J.E., Jr. See Elleman, T.S., 2=4577
- Howes, J.E., Jr. See Townley, C.W., 2=4577
- Howes, V.R. Observations on the development of electroplating deposit structures on single crystals of copper, 0=1892
- Howes, V.R. Critical stress for the production of pressure crack figures on diamond faces, 0=8129
- Howes, V.R. A strength-area relationship for diamond, 2=16967
- Howes, V.R. The graphitization of diamond, 2=21460
- Howerton, H. International Conference on Spectroscopy, 1962, 3=3876
- Howerton, R.J. See Schuster, S.H., 4=22242
- Howgate, D.W. Dissociation of the hydroxyl radical in an r.f. discharge, 2=2029

- Howick, L.C. See Boston, C.R., 4=5185
- Howie, A. The electrical resistivity of stacking faults, 0=20794
- Howie, A. A possible explanation of the results of the preceding note regarding scattering of electrons by stacking faults in lithium, 2=2086
- Howie, A. Inelastic scattering of electrons by crystals. I. The theory of small-angle inelastic scattering, 3=4856
- Howie, A. Inelastic scattering of electrons and anomalous absorption effects, 3=20963
- Howie, A. Small-angle inelastic scattering of electrons by crystals, 3=20964
- Howie, A. and Swann, P.R. Direct measurements of stacking-fault energies from observations of dislocation nodes, 1=19797
- Howie, A. and Valdrè, U. The nature of deformation stacking faults in F.C.C. alloys, 4=6861
- Howie, A. and Whelan, M.J. Diffraction contrast of electron microscope images of crystal lattice defects. II. The development of a dynamical theory, 1=20710
- Howie, A. and Whelan, M.J. Diffraction contrast of electron microscope images of crystal lattice defects. III. Results and experimental confirmation of the dynamical theory of dislocation image contrast, 2=14447
- Howie, A. See Basinski, Z.S., 4=6843
- Howie, A. See Booker, G.R., 4=6859
- Howie, A. See Chester, G.V., 3=2686
- Howie, A. See Hashimoto, H., 0=19768
- Howie, A. See Hashimoto, H., 2=19126
- Howie, A. See Hirsch, P.B., 1=9165
- Howie, A. See Hirsch, P.B., 3=6902
- Howie, A. See Mazey, D.J., 3=4870
- Howitt, D. See Harris, C.C., 0=16341
- Howl, D.A. and Davis, A.F. An apparatus for the determination of total hemispherical emissivities of metals, 2=11532
- Howl, D.A. and Davis, A.F. The emissivities of various niobium surfaces in the temperature range 500-1100°C, 2=11533
- Howland, B. Improved square wave inductance bridge, 0=12568
- Howland, B. See Berg, R.S., 1=16208
- Howlett, B.W. The alloy system uranium-titanium-zirconium, 0=8277
- Howlett, B.W. and Bever, M.B. Thermodynamic properties of antimony telluride and bismuth telluride, 4=27396
- Howlett, B.W., Eycott, A.J., Kang, I.K. and West, D.R.F. The kinetics of the isothermal decomposition of a gamma-phase Uranium-6 atomic %, 3=25764
- Howlett, B.W., Leach, J.S.L., Ticknor, L.B. and Bever, M.B. Liquid metal solution calorimeter, 2=15796
- Howlett, B.W. See Hills, R.F., 4=20686
- Howlett, L.E. The new standard for the metre, 1=8036
- Howlett, L.E. Mass and force, 3=21213
- Howlett, L.E. See Baird, K.M., 3=13987
- Howling, D.H. Surface and groove noise in disk recording media. I, 0=142
- Howling, D.H. Surface and groove noise in disk recording media. II, 0=143
- Howson, R.P. The preparation and study of the optical absorption edge of thin films of gallium arsenide, 4=22859
- Hoxton, L.G. Interference pattern of beats, 3=23985
- Höy, E. See Budal, K., 0=141
- Hoy, G.R., Hinman, G.W. and Lees, J.K. Valence and size contributions to electric field gradients in dilute alloys of silver, 3=22718
- Hoy, G.R. See Hinman, G.W., 4=22458
- Hoy, G.R. See Hinman, G.W., 4=22463
- Hoy, H.C. See Stirling, W.L., 4=5690
- Hoyaux, M. and Gans, P. Recent progress in particle physics. I, 1=5696
- Hoyer, F. See Gleu, K., 4=12167
- Hoyer, F. See König, K.H., 4=15115
- Hoyer, G.A. See Erwin, A.R., 2=20391
- Hoyer, G.A. See Erwin, A.R., 3=17317
- Hoyer, W.A. See Nolle, A.W., 3=23987
- Hoyland, J.R. Many-center wavefunctions for the hydrogen molecule and the hydrogen molecular ion, 4=22356
- Hoyland, J.R. Two-center wavefunctions for ABH_n systems. Illustrative calculations on H_2^+ and H_n , 4=28173
- Hoyland, J.R. and Goodman, L. A modification of Koopman's theorem for conjugated hydrocarbons, 0=17803
- Hoyland, J.R. and Goodman, L. Open-shell wave functions for conjugated hydrocarbons, 1=12294
- Hoyland, J.R. and Goodman, L. Charge distributions in positive ions and ionization energies of conjugated hydrocarbons, 2=2011
- Hoyland, J.R. and Goodman, L. Charge distribution in negative ions and the electron affinities of conjugated hydrocarbons, 2=2012
- Hoyland, J.R. and Lampe, F.W. Single-centre single-determinant calculation of the relative energies of CH_3^+ , CH_3 , CH_4 , and CH_4^+ . The proton affinity of methane, 2=20850
- Hoyland, J.R. and Parr, R.G. Magnetic properties of molecules from one-center wavefunctions. Theory and application to the hydrogen molecule, 3=17565
- Hoyland, J.R. See Bishop, D.M., 3=22564
- Hoyland, J.R. See Bishop, D.M., 4=9691
- Hoyland, J.R. See Goodman, L., 3=25128
- Hoyland, J.R. See Turner, A.G., 4=22291
- Hoyle, F. Astronomical observation with the aid of artificial satellites, 0=10534
- Hoyle, F. A covariant formulation of the law of creation of matter, 0=18599
- Hoyle, F. On the possible consequences of a variability of the elementary charge, 0=18607
- Hoyle, F. On the origin of the solar nebula, 0=18690
- Hoyle, F. Radio-source problems, 0=18653
- Hoyle, F. On the main-sequence band and the Hertzsprung gap, 0=18869
- Hoyle, F. Observational tests in cosmology (44th Guthrie Lecture), 1=4188
- Hoyle, F. The age of the galaxy, 1=12763
- Hoyle, F. The relation of radio astronomy to cosmology, 2=2522
- Hoyle, F. Stellar models and evolution: Introductory report, 2=2542
- Hoyle, F. Concluding lecture—mechanisms of solar and cosmic emission. Part VI, 2=2568
- Hoyle, F. X-rays from outside the solar system, 3=18588
- Hoyle, F. Formation of planets, 4=7965
- Hoyle, F. On the origin of cosmic rays, 4=25227
- Hoyle, F. Cosmological tests of gravitational theories, 4=29349
- Hoyle, F. and Ellis, G.R.A. On the existence of an ionized layer about the galactic plane, 3=11601
- Hoyle, F. and Fowler, W.A. Nucleosynthesis in supernovae, 1=2638
- Hoyle, F. and Fowler, W.A. On the nature of strong radio sources, 3=9255
- Hoyle, F. and Fowler, W.A. Nature of strong radio sources, 3=9258
- Hoyle, F., Fowler, W.A., Burbidge, G.R. and Burbidge, E.M. On relativistic astrophysics, 4=23821
- Hoyle, F. and Harwit, M. Plasma dynamics in comets. I. Plasma instability, 2=15319
- Hoyle, F. and Harwit, M. On the fate of intergalactic bridges, 2=24163
- Hoyle, F. and Ireland, J.G. On the magnetic field of the galaxy, 0=18826
- Hoyle, F. and Ireland, J.G. Note on the transference of angular momentum within the galaxy through the agency of a magnetic field, 0=18829
- Hoyle, F. and Ireland, J.G. Note on the magnetic structure of the galaxy, 1=12775
- Hoyle, F. and Narlikar, J.V. On the counting of radio sources in the steady-state cosmology, 2=2555
- Hoyle, F. and Narlikar, J.V. The steady state model and the ages of galaxies, 2=15296
- Hoyle, F. and Narlikar, J.V. Mach's principle and the creation of matter, 3=5235
- Hoyle, F. and Narlikar, J.V. On the counting of radio sources in the steady-state cosmology. II, 3=9254
- Hoyle, F. and Narlikar, J.V. Mach's principle and the creation of matter, 3=11502
- Hoyle, F. and Narlikar, J.V. Time symmetric electrodynamics and the arrow of time in cosmology, 4=7950
- Hoyle, F. and Narlikar, J.V. On the avoidance of singularities in C-field cosmology, 4=17963
- Hoyle, F. and Wickramasinghe, N.C. A note on the origin of the sun's polar field, 1=18067
- Hoyle, F. and Wickramasinghe, N.G. On graphite particles as interstellar grains, 3=3537
- Hoyle, F. and Wickramasinghe, N.C. On the deficiency in the ultraviolet fluxes from early type stars, 4=7953
- Hoyle, F. See Burbidge, E.M., 4=4378
- Hoyle, F. See Burbidge, G.R., 3=23710
- Hoyle, F. See Burbidge, G.R., 4=23827
- Hoyle, F. See Crampin, J., 0=18868

- Hoyle, F. See Crampin, D. J., 4=29412
 Hoyle, F. See Faulkner, J., 3=21104
 Hoyle, F. See Fowler, W. A., 0=14394
 Hoyle, F. See Fowler, W. A., 1=10373
 Hoyle, F. See Fowler, W. A., 2=11107
 Hoyle, F. See Gold, T., 0=18763
 Hoyle, F. See Gold, T., 2=2523
 Hoyle, F. See Harwit, M., 2=15320
 Hoyle, F. See Wasserburg, G. J., 0=5684
 Hoyle, F. See Woltjer, L., 4=23948
 Hoyt, E. W. See Holden, A. N., 2=18625
 Hoyt, G. D. See Henry, P. K., 3=21283
 Hozumi, H., Kamiryo, K. and Shibata, Y. Proposal for a traveling-wave tube using photoelectron cathode, 3=2130
 Hozumi, H. See Kamiryo, K., 3=2131
 Hraskó, P. See Adám, A., 4=9524
 Hraskó, P. See Györgyi, G., 4=19608
 Hratsians'kii, M. M., Vdovenko, I. D. and Baturins'ka, N. L. Formation and structure of surface layers on indium-lead and iron-nickel alloys during the process of corrosion, 3=20913
 Hrazdira, I. Effect of ultrasound on the electrical conductivity of deionized water, 3=18830
 Hrbek, A. On the effect of vapours on the Geiger point counter, 0=5435
 Hrbek, J. Theory of flow curves in the pseudo-plastic flow region, 3=18198
 Hrbek, J. Solution of a differential equation for the determination of the free surface of a liquid under the action of gravity, 4=131
 Hrehuss, G. A new method of mass discrimination, 1=16616
 Hren, J. A. The effect of atomic order and ferromagnetism on the elastic and anelastic properties of Fe-25 atom% Al, 3=25605
 Hren, J. A. See Thomas, G., 3=18356
 Hrianca, J. See Rothenstein, B., 1=18980
 Hrianca, J. See Rothenstein, B., 1=20312
 Hrianca, J. See Rothenstein, B., 3=19403
 Hričnyev, V. N., Minakov, V. M. and Trefilov, V. I. The resistance to deformation of metals in the case of phase transformation, 1=15137
 Hridnyev, V. N. and Trefilov, V. I. Phase transformations in [carbon] steel with electrotempering, 1=12644
 Hrishayev, I. A., Terekhov, B. A., Moyakushko, L. K. and Fursov, H. L. A titanium pump, 1=12931
 Hrishayev, I. A. See Kharchenko, I. F., 3=21908
 Hrishayev, I. O., Parlah, O. M., Sikora, D. I., Shkoda, U. I. Yanov, V. O. and Shramenko, B. I. Determination of the basic characteristics of photonuclear reactions for a number of chemical elements and the possibilities of their practical application, 2=18317
 Hrisoho, A. and Souček, B. High voltage pulse generator for a Kerr cell shutter, 4=21444
 Hristev, A. See Popovici, A., 4=9062
 Hristoskov, L. See Baev, G., 4=29299
 Hristov, S. Generalized approximate expressions of potential barrier penetration, 4=11063
 Hristov, V., Damyanov, D. and Romanov, G. Portable transistor radiometer for neutrons operating with corona counters, 4=21880
 Hrivnák, L. Stationary states of an electron in the field of a hole in an ionic crystal, 0=2804
 Hrivnák, L. The potential energy of the electron-hole interaction in ionic crystals, 0=4280
 Hrivnák, L'. Temperature dependence of energy levels of excitation in Cu₂O, 0=15834
 Hrivnák, L. New derivation of Bardeen-Shockley formula for mobility of electrons in homopolar semiconductors, 1=17656
 Hrivnák, L. Determination of energy gap width in some semiconductors, 2=6431
 Hrivnák, L. Interaction of conduction electrons in solids, 3=22675
 Hrivnák, L. The dependence of current density on the electric field strength in homopolar semi-conductors, 4=26018
 Hrizo, J. and Subbarao, E. C. Sample holder for dielectric measurements up to 700°C, 3=7420
 Hrkál, Z. See Kubal, J., 0=3901
 Hrom, V. S. See Kuz'menko, P. P., 2=6365
 Hromadnik, H. See Baldoni, B., 3=5998
 Hromov, G. S. Role of light pressure in the dynamics of planetary nebulae, 4=10344
 Hroshev, I. M. See Kucherenko, Ye. T., 2=22275
 Hroshev, I. N. See Korchevii, Yu. P., 2=19887
 Hrostowski, H. J. and Alder, B. J. Evidence for internal rotation in the fine structure of the infrared absorption of oxygen in silicon, 0=20986
 Hrubý, A. Some metallographic observations on Ge single crystals with small density of edge dislocations, 1=17541
 Hruby, A. Spiral etch pits on dislocation free germanium single crystals, 2=4371
 Hrubý, A., Beránková, J. and Mísková, V. Growth of ZnSb single crystals, 3=8807
 Hrubý, A. and Kašpar, J. Etchants for CdSb and ZnSb, 3=13407
 Hrubý, A. and Stourač, L. Electrical properties of CdSb single crystals doped with silver, 4=20356
 Hrubý, A. See Šmirous, K., 3=5087
 Hrubý, A. See Šmirous, K., 3=20325
 Hruška, A. The collisions of two plasma streams, 0=12605
 Hruška, A. Plasma oscillations and dynamical friction, 1=18895
 Hruška, A. Propagation of radio waves across a velocity discontinuity in a zero temperature plasma, 4=24654
 Hruska, F., Schaefer, T. and Reilly, C. A. The signs of H'-C-H' and H'-C-O-H' nuclear magnetic resonance coupling constants, 4=24249
 Hruska, F. See Schaefer, T., 4=9767
 Hruška, K. The influence of an electric field on the frequency of piezoelectric cuts, 1=17855
 Hruska, K. An attempt at a phenomenological interpretation of the influence of a polarizing field on piezoelectric resonators, 2=16796
 Hruška, K. Tensor of polarizing correction terms of quartz elastic coefficients, 3=23009
 Hruška, K. Non-linear equations of state of second-order electromechanical effects, 4=26135
 Hruska, S. J. Reformulation of vapor-solid nucleation kinetics, 3=16843
 Hruska, S. J. and Hirth, J. P. A discussion of the growth and evaporation of potassium whiskers, 1=20445
 Hrycak, P. Thermodynamic analysis of new gas refrigeration cycle, 3=16848
 Hryniewicz, A. Z. The application of magnetic nuclear resonance in fluid hydrodynamics, 0=16674
 Hryniewicz, A. Z. On the differential method of g-factor measurements of short-lived excited nuclear states, 3=634
 Hryniewicz, A. Z. and Kulgawczuk, D. S. Hyperfine structure of the 14.4 keV gamma line of ⁵⁷Fe in some iron oxy-hydroxides investigated with the Mössbauer effect, 4=22465
 Hryniewicz, A. Z., Szymczyk, S., Walczak, T., Zapalski, G., Baldeweg, F. and Stiller, G. Coulomb excitation of bismuth with α -particles, 4=3584
 Hryniewicz, A. Z. and Waluga, T. On nuclear magnetic resonance in flowing liquid, 0=5036
 Hryniewicz, A. Z., Waluga, T. and Zapalski, G. An experiment on nonadiabatic passage in nuclear magnetic resonance, 0=5037
 Hryniewicz, A. Z. See Bara, J., 3=575
 Hryniewicz, A. Z. See Bozek, E., 2=10013
 Hryniewicz, A. Z. See Bozek, E., 2=14002
 Hryniewicz, A. Z. See Bozek, E., 2=20557
 Hryniewicz, A. Z. See Bozek, E., 3=12058
 Hryniewicz, A. Z. See Bozek, E., 4=1049
 Hryniewicz, A. Z. See Bozek, E., 4=25317
 Hryniewicz, A. Z. See Dézsi, I., 4=15402
 Hryšhaev, I. O., Dem'yanov, O. V., Sýkora, D. I. and Shromenko, B. Y. Study of the efficiency of a secondary emission monitor in the electron energy range 15-70 MeV, 4=6026
 Hryšhaev, I. O., Kolosov, V. I., M'yakota, V. I. and Yakymov, B. V. Eliminating the effect of the deleterious magnetic field component in a magnetic undulator, 1=13126
 Hrytsenko, Yu. I. See Horban', I. S., 4=7066
 Hseuh, Y. W. See Christy, R. W., 3=13143
 Hsia Sung-Chiang. See Sya Sun-Tszan.
 Hsia, Y. C. See Graham, C. H., 0=6528
 Hsiao, C. C. Time dependent tensile strength of solids, 0=11983
 Hsiao, C. C. and Chow, S. T. Effect of reactor irradiation on the tensile strength of uniaxially oriented polyethylene terephthalate, 0=18273
 Hsiao, C. C., Das, Y. C. and Haynes, A. Strength of irradiated drawn and undrawn nylon, 0=11980
 Hsiao, C. C., Osborn, J. E. and Rozendal, D. B. Orientation dependent mechanical breakdown of a model high polymer solid, 1=14909
 Hsiao, C. C. and Yang, J. W. Effect of initial straining and γ irradiation on strength of polyethylene, 2=21438
 Hsiao, C. C. See Haynes, A., 0=18274
 Hsiao, C. C. See Robinson, A., 0=16235
 Hsiao Chien. See Wang Ao., 3=17255
 Hsiao Jên-hsi, I. Chung-yuan, Chang Ying and Huang Sheng-niang. Measurement of the neutron spectra from fission of U²³⁵ and Pu²³⁹, 4=3715

- Hsieh, Din-Yu and Plesset, M.S. Theory of rectified diffusion of mass into gas bubbles, 1=4313
- Hsieh, D.Y. and Plesset, M.S. Reply to comments of P.W. Smith, Jr., 2=9277
- Hsieh, Din-Yu and Plesset, M.S. On the propagation of sound in a liquid containing gas bubbles, 1=11813
- Hsieh, Din-Yu. See Plesset, M.S., 1=133
- Hsieh, D.Y. See Plesset, M.S., 1=10507
- Hsieh, Din-Yu. See Plesset, M.S., 4=29579
- Hsieh Hsi-teh, Shih Chin-hsing and Hsieh Hsing-pin. Study of the temperature dependence of the voltage-current characteristic of tunnel diodes, 4=4186
- Hsieh Hsing-pin. See Hsieh Hsi-teh, 4=4186
- Hsieh Kuang-Chun, Wang Chao-Chun, Chu Shang-Ken and Cheng Lin-Sheng. The decay of Gd^{158} . Investigation of the excited levels of the strongly deformed rare earth nuclei. II, 3=22340
- Hsieh, P.C. See Young, O.B., 2=5759
- Hsieh, P.Y. Surface energy distributions of a homogeneous surface and a heterogeneous surface from argon absorption isotherms, 4=23550
- Hsieh, S. and Miyachi, S. Investigation of p-p and p-n scatterings at 10 MeV by dispersion relation, 3=10116
- Hsieh, S.H. On the observability of a new hyperon, 0=9436
- Hsieh, S.-H. Photodisintegration of the deuteron near 11 MeV, 0=9444
- Hsieh, S.H. Ratio of hyperons produced by cosmic rays, 0=9495
- Hsieh, S.H. Natures of nuclear force indicated by the photodisintegration of the deuteron. III, 0=15501
- Hsieh, S.-H. Photodisintegration of the deuteron at high energies, 0=17430
- Hsieh, S.H. Natures of nuclear forces indicated by the photodisintegration of the deuteron. IV, 0=17459
- Hsieh, S.-H. Research of p-p scattering at 10 MeV by the dispersion relation, 2=16194
- Hsieh, S.H. and Lin, C.R. On the anomalous behaviour of $d(\gamma, p)n$ near 15 MeV, 0=454
- Hsieh Shih-Hui. Properties of nuclear forces indicated by $d(\gamma, p)n$, 0=15458
- Hsien Ding-chang. See Syan' Din-chan., 1=19229
- Hsien Ding-chang. See Syan' Din-chan., 2=22554
- Hsien Ting-Chang. See Logunov, A.A., 4=21793
- Hsien Ting-chang. See Logunov, A.A., 4=30180
- Hsien Ting Ch'ang. See Syan' Din Chan, 0=20193
- Hsien Ting-Ch'ang. See Syan' Din-Chan, 0=20218
- Hsien Ting-Ch'ang. See Syan' Din-Chan, 1=16711
- Hsien Ting-ch'ang. See Syan' Din-chan., 1=19160
- Hsien, Ting-ch'ang. See Syan' Din-chan, 2=22466
- Hsui Yen-sheng. See Syui Yan'-shen, 2=17945
- Hsin Shien-chieh. Method of simulating a helically invariant magnetic field, 4=643
- Hsin Shien-chieh, Tsao Chai-lin and Wu Tsai-de. Resistance network analogue for magnetic field with both axial and plane symmetry, 4=642
- Hsin Yang Yeh. Measurability of gravitational field strengths, 2=7122
- Hsiu T'ing-Pau. See Sya Tin-Bau.
- Hsiung Chi-hua and Gordus, A.A. Momentum transfer to an atom in a molecule: internal excitation and bond dissociation, 2=6129
- Hsiung Chi-Hua and Gordus, A.A. Interpretation of hot-atom data, 4=7778
- Hsiung Chi-hua, Verosub, K. L. and Gordus, A. A. Energy-distribution function for hot atoms produced by nuclear transformations, 4=28042
- Hsiung Chi-hua. See Gordus, A.A., 2=6130
- Hsiung Hsien-chih. See Chi-hua Hsiung, 1=4179
- Hsiung Hsu. Three-dimensional parametric interactions of waves and quasi-particles, 3=5886
- Hsu Bay-Sung. Distribution of depression in paper surface: a method of determination, 2=7160
- Hsu Chang. Analysis of static and quasidynamic behavior of magnetostatically coupled thin magnetic films, 3=13258
- Hsu Chang. Coupled biaxial films, 4=11756
- Hsü Chih-P'ing. The light output of a phosphor, taking account of recombination, 3=20503
- Hsü Dsen-I. On the ferromagnetic resonance line width caused by the fluctuation of the exchange interactions, 4=26360
- Hsu, F.S.L. and Kunzler, J.E. Magnetoresistance probe for measuring magnetic field intensity in a small space, 3=14721
- Hsu, F.S.L. See Kunzler, J.E., 1=3037
- Hsu, F.S.L. See Kunzler, J.E., 1=5399
- Hsu, F.S.L. See Kunzler, J.E., 1=17457
- Hsu, F.S.L. See Kunzler, J.E., 3=2743
- Hsu Hwei-Piao. Aperture fields in the diffraction by a slit, 0=17103
- Hsu Hwie-Piao. Surface current determination from electric-fields distribution measurement, 4=5806
- Hsu Lung-Tao and Zharkov, G. F. Magnetic moments of small superconductors, 4=11467
- Hsü Lung-tao. See Syui Lun-dao.
- Hsu Shao-hung and Chang Kuang-ti. A calorimetric method of measurement of the power absorption in electro-luminescence, 4=4289
- Hsu Sheng-Mei. A study of the physical mechanism of the "carrier effect" in spectrographic analysis, 4=26224
- Hsu Tun-liang. See Syui Dun-Lyan.
- Hsü Tung-liang. See Litvinov, R. O., 4=20386
- Hsu, Y.C., Huang, C.Y., Tseng, P.K. and Tai, Y.K. Neutron total cross-section of arsenic at 14 MeV, 3=22402
- Hsu, Y.C. See Tai, Y.K., 3=22218
- Hsu You-san. See Ming Nay-ben., 4=2030
- Hsü Yun-ch'ang. See Syui Yun-chan., 1=19265
- Hsu Yun-ch'ang. See Syui Yun-chan, 2=22581
- Hsuang-ming, L. See Syuan-min, L., 1=19226
- Hsuang-ming, L. See Egorov, L.B., 2=22548
- Hsueh, Y. W. and Christy, R. W. Thermoelectric power of $CuCl$ containing $CdCl_2$, 4=7085
- Hsui Lung-Tao. See Zharkov, G. F., 4=11466
- Hsun Hu. The formation of (110) [001] recrystallization texture in a cold-rolled and annealed (110) [001] crystal of silicon-iron, 1=1423
- Hsun Hu. Microbands in a rolled Si-Fe crystal and their role in recrystallization, 3=8912
- Hsun Hu. Reply to "comments on 'microbands in a silicon-iron crystal'", 3=25740
- Hsun Hu. An electron-transmission study of rolled and annealed silicon-iron crystals with (111) [112] orientation, 4=23171
- Hsun Hu and Cline, R.S. Temperature dependence of rolling textures in high-purity silver, 1=7873
- Hsun Hu and Goodman, S.R. Texture transition in copper, 4=7481
- Hu, C., Kato, S., Oda, Y. and Takeda, M. Elastic and inelastic scattering of 22 MeV alpha particles by light elements, 0=17607
- Hu, C., Kikuchi, K., Kobayashi, S., Matsuda, K., Nagahara, Y., Oda, Y., Takano, N., Takeda, M. and Yamazaki, T. Elastic and inelastic scatterings of protons from Ti, Cr, Ni, Zn, and O at 8 to 14 MeV, 0=20453
- Hu, C. (d, α) reactions on some light nuclei, 1=11029
- Hu, C. See Oda, Y., 0=20452
- Hu, C. See Oda, Y., 1=8724
- Hu, C. See Takeda, M., 1=8761
- Hu Ch'ih. See Khu Chi.
- Hu, H., Cline, R.S. and Goodman, S.R. Texture transition in high-purity silver and its correlation with stacking fault frequency, 1=10279
- Hu, H. and Wiener, G. Correlation of energy losses with perfection of crystal orientation and domain structure, 0=3022
- Hu, L.W. and Pae, K.D. Inclusion of the hydrostatic stress component in formulation of the yield condition; 3=25625
- Hu, M. Modified Zernike polynomials and their application to the analysis of Fresnel region fields of circular apertures with nonuniform and nonsymmetric illumination, 3=5528
- Hu, N., Huang, N.N. and Wang, P. The influence of strong interaction on decay processes, 0=1314
- Hu, N. and Yang, G. Z. The s-wave π - π scattering, 4=19560
- Hu Ning. Possible resonances in π - π scattering, 0=3993
- Hu Ning. Up-down asymmetries of Λ and Σ decays, 3=17341
- Hu Ning. Derivation of one-particle Green's function by the method of dispersion relations, 3=24666
- Hu Ning. On π - π interaction, 3=24777
- Hu Ning. π - π interaction in three pion states, 4=927
- Hu Ning. See Chin Che-tzhu, 4=25188
- Hu Ning. See Ning Hu.
- Hu Ren-Chao. The lightning spectra in the visible and ultra-violet regions with grating spectrograph, 1=4113
- Hu Ren-Yu. Cavity chamber measurement of dose rate of radium γ -rays, 3=24884
- Hu Shih-ke. See Khu Shi-ke, 2=22554
- Hu Shih-ke. See Syan' Din-chan, 1=19229
- Hu Shih-Ko and Wang Yung. A plausible model of Λ -particle production in high-energy π -collision, 2=9925
- Hu Shih-ko'. See Barashenkov, V.S., 3=6040

- Hu Shih-ko'. See Khu Shi-ke, 2=7884
 Hu Shih-ko. See Khu Shi-ke, 2=22555
 Hu Shih - k'o. See Khu Shi - ke.
 Hu Shih-ko. See Smorodinskii, Ya.A., 1=19230
 Hu Sze-wan. See Yang Whi-ning, 4=25167
 Hu, T., Hon Chung Ko and Hepler, L.G. Calorimetric investigations of molten salts, 4=16282
 Hua Chang. See Chang Hua.
 Huan Nen-Ning. See Barashenkov, V.S., 0=11158
 Huang Chaang. See Ling Shu-len, 4=28448
 Huang Chaang. See Shin Shih-Kong, 4=29187
 Huang, C.H., Chenette, E.R. and van der Ziel, A. Noise picked up by external probes in electrodeless gas discharge, 3=21725
 Huang Chao-Yuan and Inoue, M. Symmetrical normal coordinates of a cubic XY_3 cluster, 4=29025
 Huang Chii-Sheng, Wu Czu-Chiang and Tian Zhung-in. Electrical conductivity, Hall effect and magnetoresistance effect of InSb under temperatures 80-500°K, 4=26048
 Huang Chun-Ming. Some abnormalities in the variations of F_2 -layer critical frequency during the period of high solar activity of solar cycle 8-19, 0=14254
 Huang Chung Fang. See Blokhintseva, T.D., 4=11863
 Huang, C.M. A note on the method of least squares for linear approximation [in ionograms], 3=11432
 Huang, C.Y. See Hsu, Y.C., 3=22402
 Huang De-Tsang. See Azhgirey, L.S., 3=15189
 Huang, F. T. See Okamoto, Y., 4=26064
 Huang Hung-Chia. Theory of coupled waveguides, 3=24471
 Huang Hung-Chia. Notes on discontinuity problems in coupled wave theory, 3=24478
 Huang, H.C. See Loeb, L.B., 1=10679
 Huang Hsi-Yi. Intensity of the absorption bands of ruby, 4=20467
 Huang Heng-chi. See Chen Chen-chia, 4=28483
 Huang Hung-chia. Generalized theory of coupled local normal modes in multiwave guides, 4=714
 Huang, J. and Kovacs, J. Final state interaction in kaon production, 2=13878
 Huang Jing-sen. Method for revealing the positions of a diffused silicon p-n junction, 4=20383
 Huang Jing-sen. Method for removing the film grown on a silicon surface after boron diffusion, 4=20384
 Huang, K. Energy levels of a Bose-Einstein system of particles with attractive interactions, 0=49
 Huang, K. Equation of state of a Bose-Einstein system of particles with attractive interactions, 0=14531
 Huang, K. Bose-Einstein system with attractive forces, 1=5225
 Huang, K. Method to measure the lifetime of the Σ^0 hyperon, 3=4469
 Huang K'o-Chih. See Khuan Ké-Chzi., 1=11509
 Huang, K.K., Matumoto, S., Sekiguchi, M., Ohnuma, H., Sugawara, A. and Nogami, Y. Experiment on $Fe^{54}(p, \gamma)Co^{55}$ reaction, 3=17472
 Huang, K.K., Yagi, K., Awaya, T., Ohnuma, H., Fujioka, M. and Nogami, Y. Experiment on $O^{18}(p, \gamma)F^{19}$ reaction, 3=19843
 Huang, N.N. See Hu, N., 0=1314
 Huang Nien-ning. Problem of ambiguity in the phase shift analysis of scattering processes, 4=839
 Huang Nien-ning. Ambiguity in the partial wave analysis of the pion photoproduction process, 4=16929
 Huang Nien-ning. On the ambiguity in the partial wave analysis of photo-pion production process, 4=30248
 Huang, S. See Lewis, J., 3=11988
 Huang, S.-S. Velocity modification of an astronomical body for capture by the earth, 2=13093
 Huang, S.-S. The problem of nitrogen peroxide in the atmospheres of planets, 2=13111
 Huang, S.-S. Preliminary study of orbits of interest for moon probes, 2=17311
 Huang, S.-S. A stellar model of mixed opacity and its variations with the mass, chemical compositions, opacity coefficients, and energy-generation coefficient, 2=19325
 Huang, S.S., Milligan, J.E. and Stecher, T.P. A suggestion concerning the boundary condition of B stars, 3=3601
 Huang Sheng-niang. See Hsiao Jên-hsi, 4=3715
 Huang Shu-shun. See Kou Tsing-tsun, 3=25034
 Huang Su-Shu. A perturbation method in the theory of stellar structure, 0=6624
 Huang Su-Shu. The spectral and luminosity anomaly of secondary components of early-type spectroscopic binaries, 0=14444
 Huang Su-Shu. Geometric broadening of stellar spectral lines, 1=2637
 Huang, Su-Shu. Some dynamical properties of natural and artificial satellites, 1=6751
 Huang, Su-Shu. Modes of mass ejection by binary stars and the effect on their orbital periods, 4=2335
 Huang, Su-Shu. Transfer of angular momentum between ejected particles and the binary system, 4=2336
 Huang Tieh-Ch'iang. See Khuan De-Tsyan.
 Huang Tsu-chan. See Barashenkov, V.S., 3=6040
 Huang Tsu-chan. See Khuan Tszu-chzhan
 Huang Tzu-chang. See Barashenkov, B.V.S., 3=19700
 Huang Tzu-Tzan. See Barashenkov, V.S., 1=16809
 Huang, T.S., Swift, G.W. and Kurata, F. High pressure, low temperature, glass-to-metal seal, 4=23989
 Huang, W.F. and Ritter, R.C. $B^{11}(d, n)C^{12*4.43}(\gamma - n)$ angular correlations at 0.94 and 0.62 MeV, 3=15226
 Huang, Y.K. and Davids, N. Shock dynamics of hypervelocity impact of metals, 3=21486
 Huang, Yinn-Nien. The hysteresis variation of the semi-thickness of the F_2 -layer and its relevant phenomena at Kokubunji, Japan, 4=7929
 Huang, Y.S. See Ké, T.S., 3=25611
 Huart, J. and Durif, A. Investigation of a double iodide of mercury and thallium, 4=2082
 Huart, J. and Durif, A. Crystallographic study of a mercuric thallium bromide ($HgTl_2Br_6$) and of its solid solution with the mercuric thallium iodide counterpart, 4=23458
 Hub, D.R. Measurements of velocity and attenuation of sound in iron up to the melting point, 4=15413
 Hubach, R.A. Observations of the cosmic-ray equator in the Pacific Ocean area, 1=16944
 Hubach, R.A. Probe for the measurement of albedo [end-reflected] electron flux in a high-energy ion beam, 3=5718
 Hubaut, X. Metric connection associated with a non-singular electromagnetic field, 0=18904
 Hubaut, X. A class of spaces with metric connection connected to vacuum spaces in relativity, 4=5038
 Hubbard, E.C. See Cohen, C.J., 0=18597
 Hubbard, E.C. See Cohen, C.J., 2=6974
 Hubbard, E.L. Nuclear particle spectrometers for satellites and space probes, 2=17981
 Hubbard, E.L., Main, R.M. and Pyle, R.V. Neutron production by heavy-ion bombardments, 0=9647
 Hubbard, E.L., Baker, W.R., Ehlers, K.W., Gordon, H.S., Main, R.M., Norris, N.J., Peters, R., Smith, L., Van Atta, C.M., Voelker, F., Anderson, C.E., Beringer, R., Gluckstern, R.L., Knox, W.J., Malkin, M.S., Quinton, A.R., Schwarcz, L. and Wheeler, G.W. Heavy-ion linear accelerator, 1=10749
 Hubbard, E.L. See Ehlers, K.W., 3=14667
 Hubbard, E.L. See Fleischer, R.L., 4=11866
 Hubbard, E.L. See Heckman, H.H., 3=7447
 Hubbard, E.L. See Price, P.B., 4=22244
 Hubbard, E.L. See Tuzzolino, A.J., 2=2195
 Hubbard, H.H. and Maglieri, D.J. Noise characteristics of helicopter rotors at tip speeds up to 900 feet per second, 0=16806
 Hubbard, J. The friction and diffusion coefficients of the Fokker-Planck equation in a plasma, 1=16320
 Hubbard, J. The friction and diffusion coefficients of the Fokker-Planck equation in a plasma. II, 1=16321
 Hubbard, J. Electron correlations in narrow energy bands, 4=6812
 Hubbard, J. Electron correlations in narrow energy bands. II. The degenerate band case, 4=9895
 Hubbard, J. Electron correlations in narrow energy bands. III. An improved solution, 4=28405
 Hubbard, J. See Thompson, W.B., 1=5446
 Hubbard, J.R., Berge, J.P., Kalbfleisch, G.R., Shafer, J.B., Solnitz, F.T., Stevenson, M.L., Wojcicki, S.G. and Wohlmuth, P.G. Lifetimes of the Ξ^- and Ξ^0 hyperons, 4=21951
 Hubbard, J.R. See Stevenson, M.L., 4=25200
 Hubbard, P.S. Quantum-mechanical and semiclassical forms of the density operator theory of relaxation, 1=12815
 Hubbard, P.S. Nuclear magnetic resonance and relaxation of four spin molecules in a liquid, 3=147
 Hubbard, P.S. Nuclear magnetic relaxation by inter-molecular dipole-dipole interactions, 3=17616
 Hubbard, P.S. Theory of nuclear magnetic relaxation by spin-rotational interactions in liquids, 3=18833
 Hubbard, P.S. See Hackleman, W.R., 4=2715
 Hubbard, P.S. See Hilt, R.L., 4=17312
 Hubbard, P.S. See Rugheimer, J.H., 3=21412
 Hubbard, R. See Shafer, J.B., 3=15028

- Hubbard, R.L. Application of the redundancy relationships between force constants, 1=9824
 Hubbard, W. H. See Wang, F. E., 4=23443
 Hubbard, W.M. and Adams, E. Intermetallic compounds of iron and cobalt with gadolinium, 3=1000
 Hubbard, W.M., Adams, E. and Gilfrich, J.V. Magnetic moments of alloys of gadolinium with some of the transition elements, 0=11823
 Hubbard, W.M. See Brown, R.E., 3=9666
 Hubbell, J. H. Dose fields from plane sources using point-source data, 4=6008
 Hubbell, J. H. A power-series buildup factor formulation. Application to rectangular and off-axis disk source problems, 4=9158
 Hubbell, J.H., Bach, R.L. and Lamkin, J.C. Radiation field from a rectangular source, 0=16916
 Hubbell, J.H. and Spencer, L.V. Shielding against gamma rays, neutrons, and electrons from nuclear weapons. A review and bibliography, 4=17078
 Hubel, D.H. Integrative processes in central visual pathways of the cat, 3=5307
 Hübel, H., Roh, P. and Scheer, M. Cross-section for the absorption of quanta through pair-formation, 0=5534
 Hubenet, H. The occurrence of chemical elements in the universe, 1=15411
 Huber, D. Field dependence of the direct-process spin-lattice relaxation time in rare-earth salts, 3=18144
 Huber, E.E., Jr. and Ridgley, D.H. Magnetic properties of a single crystal of manganese phosphide, 3=15735
 Huber, E. E., Jr. and Ridgley, D. H. Magnetic properties of a single crystal of manganese phosphide, 4=28819
 Huber, E.E., Jr. and Smith, D.O. Properties of permalloy films having a magnetoelastic easy axis normal to the film, 0=3058
 Huber, E.E., Jr. See Cohen, M.S., 0=11867
 Huber, E.E., Jr. See Dwight, K., 0=2300
 Huber, E.E., Jr. See Smith, D.O., 0=11869
 Huber, F. Piezoeffects in p-n junctions of semiconducting titanium oxide films, 3=13127
 Huber, F. Thin film titanium oxide diodes, 3=17915
 Huber, F. P-N junction photovoltaic effect in anodically formed oxide films of titanium, 4=4237
 Huber, F. and Rottersman, M. Graded p-n junctions in thin anodic oxide films of titanium, 3=4929
 Huber, F. See Schmidt, P.F., 1=18749
 Huber, G.B. See Abrahamson, G.R., 0=3313
 Huber, H. Electron bremsstrahlung in the field of a neutral atom, 1=13384
 Huber, H., Galster, S. and Schopper, H. The influence of multiple scattering on the measurement of the circular polarization of γ -rays, 3=12433
 Huber, H. J. and Rogers, K. C. High frequency properties of peak-ing strip probes, 4=21518
 Huber, H.J. See Brauer, P., 1=9010
 Huber, K. See Behrend, H. J., 4=6690
 Huber, K.P. The Rydberg series in the NO molecule absorption spectrum, 2=3735
 Huber, K.P., Huber, M. and Miescher, E. Rydberg series of the NO molecule in the visible and infrared emission spectrum, 3=10518
 Huber, K.P. and Miescher, E. Absorption spectrum of the NO molecule. III. The heterogeneous perturbation $H^2\Sigma^+ - H'^2\Pi$, 3=19986
 Huber, L. M. and Thorson, W. R. $X^1\Sigma_g^- \leftarrow A^3\Sigma_u^+$ excitation energy in N_2 , 4=28196
 Huber, M. Non-stoichiometry and lattice defects, 4=1454
 Huber, M. See Goffin, J., 1=15093
 Huber, M. See Grenot, M., 3=13486
 Huber, M. See Grenot, M., 4=15740
 Huber, M. See Huber, K.P., 3=10518
 Huber, O. See Kern, J., 0=3876
 Huber, O. See Kern, J., 0=7240
 Huber, P., Durisch, J., Gleyvod, R. and Baumgartner, E. Measurement of the polarization strength of oxygen for d, d-neutrons of 2.5-3.2 MeV energy, 2=20631
 Huber, P., Lewandowski, Z., Plattner, R., Poppelbaum, C. and Wagner, R. Inelastic scattering of 14.7 MeV neutrons by U^{238} , 2=5925
 Huber, P., Lewandowski, Z., Plattner, R., Poppelbaum, C. and Wagner, R. A time-of-flight spectrometer for fast neutrons, 2=9867
 Huber, P., Lewandowski, Z., Plattner, R., Poppelbaum, C. and Wagner, R. Neutron spectrum from a Pu-Be source, 3=10131
 Huber, P., Plattner, R., Poppelbaum, C. and Wagner, R. Fast neutron scattering by elements near and at closed shells, 3=22395
 Huber, P. See Baumgartner, E., 0=17431
 Huber, P. See Baumgartner, E., 2=20632
 Huber, P. See Comunetti, A., 1=13068
 Huber, P. See Durisch, J., 3=22392
 Huber, P. See Frosch, R., 2=22747
 Huber, P. See Frosch, R., 4=6265
 Huber, P. See Galli, R., 1=16443
 Huber, P. See Gleyvod, R., 3=22393
 Huber, P. See Hunzinger, W., 2=20633
 Huber, P. See Lewandowski, Z., 2=5645
 Huber, P. See Niklaus, P., 2=3583
 Huber, P. See Plattner, R., 4=12126
 Huber, P. See Poppelbaum, C., 3=8104
 Huber, P. See Rudin, H., 1=7288
 Huber, P. See Schaller, L., 2=5304
 Huber, P. See Schaller, L., 3=12081
 Huber, P. See Seiler, F., 3=676
 Huber, P. See Striebel, H.R., 2=22528
 Huber, P. See Wagner, R., 2=7672
 Huber, P. See Wagner, R., 2=19845
 Huber, P.W. Experiments with plasmas produced by alkali-metal-seeded cyanogen-oxygen flames for study of electro-magnetic wave propagation at the Langley Research Centre, 2=3036
 Huber, R. Determination of the tint and greyness of diffusing plastics (polyethylene) using a reflection photometer, 1=245
 Huber, R. See Hoppe, W., 4=23367
 Huber, R.E. See Howell, B.F., Jr., 0=8350
 Huber, R.J., Baker, G.S. and Gibbs, P. Damping effects of thin surface films, 2=678
 Huber, R.J., Baker, G.S. and Gibbs, P. High-temperature kilocycle internal friction in Al_2O_3 single crystals, 2=2315
 Huber, W. Simon, G. and Kuhn, H. Analogy methods and analogue computation in the handling of the π -electron correlation. I, 2=18441
 Huber, W. See Bär, F., 0=4235
 Huber, W. See Kuhn, H., 0=4234
 Huber, W. See Seelig, F.F., 2=18442
 Huber, W.K. Partial pressure measurements in high and ultra-high vacuum systems. I., 4=5261
 Huber, W.K. Partial pressure measurements in vacuum and ultra-high vacuum systems. II, 4=8273
 Huber, W.K. and Trendelenburg, E.A. Recent development of ultra-high vacuum systems using oil diffusion pumps, 1=2793
 Huber, W.K. See Hengevoss, J., 3=11842
 Huberman, M.N. Partial ionic stopping power and the energy expended in electron capture and loss collisions of protons in hydrogen gas. II, 2=18428
 Huberman, M.N. and Holzl, R.⁴. Thermionic emission of vapour-deposited molybdenum cathodes, 4=16520
 Huberman, M.N., Kamegai, M. and Morrisson, G.C. Absolute cross sections and angular distributions for charged particles from lithium-lithium nuclear reactions, 3=6300
 Hubert, A. The magnetostriction of ferromagnetic crystals, 4=28797
 Hubert, A. See Kranz, J., 3=20590
 Hubert, A. See Kranz, J., 4=26329
 Hubert, P. Very low pressure discharge in static crossed fields, 3=4088
 Hubert, P. Injection of charged particles into a static magnetic bottle having symmetry of revolution, 4=21527
 Hubert, P. and Crémieu-Alcan, E. Proceedings of the Sixth International Conference on ionization phenomena in gases. Vol. I. [Comptes Rendus de la VI Conférence Internationale sur les Phénomènes d'ionisation dans les Gaz], 4=11506
 Hubert, P. and Crémieu-Alcan, E. [Ed.]. Proceedings of the Sixth International Conference on ionization phenomena in gases. Vol. 4, 4=11507
 Hubert, P. and Crémieu-Alcan, E. [Edited by]. Proceedings of the Sixth International Conference on Ionization Phenomena in Gases. Vol. 3. [Comptes Rendus de la VI Conférence Internationale sur les Phénomènes d'ionisation dans les Gaz], 4=18671
 Hubert, P. and Crémieu-Alcan, E. [Ed.]. Proceedings of the Sixth International Conference on Ionization Phenomena in Gases. Vol. 2. [Comptes Rendus de la VI Conférence Internationale sur les Phénomènes d'ionisation dans les Gaz], 4=18670
 Hubert, P., Joly, R. and Signarbieux, G. A mechanical selector to eliminate interference due to higher order diffractions in a crystal spectrometer, 0=9380
 Hubert, P. See Bineau, M., 0=19662

- Hubert, P. See Consoli, T., 0=19769
 Hubert, P. See Prévot, F., 0=3762
 Hubert, P.L. See Campbell, W.S., 1=20913
 Hubert, W.E. See Masterson, J.E., 1=20888
 Hubig, W. On physical geometry, 2=17349
 Hubig, W. Physical geometry — reply to criticism, 3=23754
 Hubli, S.S. and Badkas, D.J. A new impulse peak volt-meter, 2=15865
 Hübner, A. and Schneider, H. Lifetime measurement of the 46 keV level of As^{72} , 4=27967
 Hübner, G. The spiral-probe method of measuring stationary sound pressure-fields, 0=8756
 Hübner, H.J. and Ohzu, H. Investigation of the wavelength dependence of the Λ -transformation, 0=5189
 Hübner, K. Measurement of magnetic fields in a plasma using the Zeeman effect, 4=18916
 Hubner, K. and Shockley, W. Transmitted phonon drag measurements in silicon, 0=13602
 Hubner, K. and Shockley, W. Transmitted phonon drag measurements in silicon, 2=23053
 Hubner, K. and Shockley, W. Measurements of phonon scattering by a small angle grain boundary in silicon, 3=10794
 Hubner, K. See Gereth, R., 4=12616
 Hubner, K. See Quiesser, H.J., 1=11228
 Hübner, R. See Skorka, S.J., 4=1006
 Hübner, W. and Klett, C. The influence of oxygen and water vapour admixtures in the ion mobilities and electron-attachment probabilities in nitrogen, 3=5624
 Huby, R. Formulae for non-degenerate Rayleigh-Schrödinger perturbation theory in any order, 1=18269
 Huby, R. Convergence of Born series and the existence of bound states, 3=21248
 Huby, R. and Mines, J.R. Convergence of Born series and the existence of bound states. II, 4=21046
 Huc, J. See Bruyant, F., 4=21915
 Huch, W.F. See Ney, E.P., 1=2589
 Huch, W.F. See Ney, E.P., 1=5152
 Huch, W.L. See Gergen, J.L., 0=12203
 Hucher, M. Study of faults emerging at the surface of cleavage of sodium chloride, shown by condensation of gold under vacuum, 2=16994
 Huck, A. See Walter, G., 4=16733
 Hück, J. Production of low energy electron pairs, 0=17315
 Hücke, E.E. See Stickels, C.A., 4=15724
 Hücke, E.E. See Stickels, C.A., 4=23533
 Hucks, J.S. and Gaines, A.L. Conduction heat-flow transients, 0=12509
 Hudda, F.G. See Ehrlich, G., 0=7838
 Hudda, F.G. See Ehrlich, G., 1=1456
 Hudda, F.G. See Ehrlich, G., 1=20742
 Hudda, F.G. See Ehrlich, G., 2=6885
 Hudda, F.G. See Ehrlich, G., 2=17072
 Hudda, F.G. See Ehrlich, G., 4=613
 Huddar, B.B. See Mani, A., 0=1984
 Huddar, B.B. See Mani, A., 3=18513
 Huddar, B.B. See Venkiteshwaran, S.P., 3=18512
 Huddleston, C.M., Lane, R.O., Lee, L.L., Jr and Mooring, F.P. Total neutron cross section for C^{12} from 500 keV to 1350 keV, 0=5791
 Huddleston, C.M. See Egger, C., 0=12999
 Hudec, P. and Schiller, P. A continuous-operation high-precision level gauge, 3=3779
 Hudec, W.S. See Gordon, M.M., 3=5760
 Hudimoto, B. An approximate method for calculating turbulent boundary layer in incompressible fluids, 2=21881
 Hudis, J., Dostrovsky, I., Friedlander, G., Grover, J.R., Porile, N.T., Remsberg, L.P., Stoerner, R.W. and Tanaka, S. Energy dependence of product yields in copper spallation by protons between 3 and 30 GeV, 3=4641
 Hudis, J. See Cumming, J.B., 1=11008
 Hudis, J. See Cumming, J.B., 2=18326
 Hudis, J. See Cumming, J.B., 3=6252
 Hudis, J. See Cumming, J.B., 4=15218
 Hudis, J. See Dostrovsky, I., 1=12198
 Hudoklin, A. See Cvelbar, F., 2=16181
 Hudoklin, A. See Cvelbar, F., 3=10366
 Hudyryna, L.L. See Nikitina, O.I., 2=23982
 Hudson, B. Formation of "absorption contrast effect in b.c.c. metals", 4=17823
 Hudson, B. and Makin, M.J. The diffraction analysis of vacancy loops in quenched aluminium-1% magnesium, 3=22752
 Hudson, B., Westmacott, K.H. and Makin, M.J. Dislocation loops and irradiation growth in alpha uranium, 2=8222
 Hudson, B. See Makin, M.J., 3=17721
 Hudson, C.I., Jr., Walker, W.S. and Berko, S. Differential elastic scattering of 15.2 MeV neutrons by Ta, Bi, Th, and U, 3=2467
 Hudson, C.M. See Meyerhof, W.E., 0=1404
 Hudson, D.E. See Elmgren, J.A., 3=2975
 Hudson, D.E. See Trulson, O.C., 1=14143
 Hudson, E.D., Lord, R.S., Marshall, M.B., Smith, W.R. and Richardson, E.G., Jr. Achievement and measurement of the O.R.I.C. magnetic field, 3=5752
 Hudson, E.D. See Cohen, B.L., 1=1938
 Hudson, E.D. See Jones, R.J., 3=5734
 Hudson, E.D. See Livingston, R.S., 3=5779
 Hudson, G.E. and Atkinson, W. On the redefinition of the second and the velocity of light, 4=5007
 Hudson, G.E. See Saenger, R.A., 0=14730
 Hudson, G.G. and Loeb, L.B. Streamer mechanism and main stroke in the filamentary spark breakdown in air as revealed by photomultipliers and fast oscilloscopic techniques, 1=10678
 Hudson, G.H., McCoubrey, J.C. and Ubbelohde, A.R. Energy transfer in polyatomic molecules. I. Catalysis of energy transfer with isotopic molecules, 1=19675
 Hudson, J.A. Love waves in a heterogeneous medium, 2=11446
 Hudson, J.A. The total internal reflection of SH waves, 2=15176
 Hudson, J.A. S.H. waves in a wedge-shaped medium, 3=23962
 Hudson, J.A. See Knopoff, L., 4=8300
 Hudson, J.B. Nucleation of zinc on glass, 2=6781
 Hudson, J.B. The kinetics of two-dimensional condensation, 4=7721
 Hudson, J.B. and Dickey, F.E. Low-impedance electronic coulometer, 0=2297
 Hudson, J.B., Donnelly, T. L. and Sears, G.W. A modulated beam technique for the measurement of very low molecular beam intensities, 4=20137
 Hudson, J.B., Sears, G.W. and Donnelly, T. L. Ionization-type vacuum gauge with electron multiplier output, 4=8270
 Hudson, J.B. See Donnelly, T. L., 4=14437
 Hudson, J.B. See Hilliard, J.E., 1=14273
 Hudson, J.B. See Sears, G.W., 3=14195
 Hudson, J.B. See Sears, G.W., 4=10602
 Hudson, J.F.P. Landau damping for non-Maxwellian distributions, 2=3059
 Hudson, R.D. Atomic absorption cross section of sodium vapor between 2400 and 1000 Å, 4=28137
 Hudson, R.D. See Ditchburn, R.W., 0=19220
 Hudson, R.H. See Muhleman, D.O., 1=51
 Hudson, R.L. See Foner, S.N., 2=13537
 Hudson, R.L. See Foner, S.N., 2=15131
 Hudson, R.L. See Foner, S.N., 3=2571
 Hudson, R.P. Paramagnetic substances for nuclear orientation, 1=14153
 Hudson, R.P. Cryogenics and nuclear physics, 2=1617
 Hudson, R.P. and Hosler, W.R. Magnetic susceptibility of cerous magnesium nitrate, 1=9015
 Hudson, R.P. and Mangum, B.W. Spin-lattice relaxation in two rare earth double nitrates, 2=14836
 Hudson, R.P. See Ambler, E., 0=9557
 Hudson, R.P. and Kaeser, R.S. Spin-lattice relaxation in cerous magnesium nitrate, 1=12566
 Hudson, R.P. and Mangum, B.W. Audiofrequency dispersion effects in lanthanide salts at low temperatures, 3=23243
 Hudson, W. See Ruben, R.J., 2=7069
 Hudspeth, E.L. See Nelson, J.W., 2=3574
 Hudspeth, E.L. See Smith, D.M., 0=4118
 Hue, J. Effect of charge transfer on paramagnetic relaxation, 1=9061
 Hue, J. Wave-functions of potassium ferricyanide, 2=18509
 Hue, J. Spin-lattice relaxation in $\text{K}_3\text{Fe}(\text{CN})_6$, 2=23067
 Huebener, R.P. and Homan, C.G. Pressure effect on vacancy formation in gold, 3=8430
 Huebner, D. See Dale, E. B., 4=20808
 Huebner, W.F. Relations between plasma physics and astrophysics. Comment about Comet tails, 1=15432
 Huebotter, P.R. and Seitz, W.R. The utilization of a cold trap to stabilize suspensions of UO_2 in NaK, 0=14143
 Huebschmann, B. See Ben-David, G., 3=2283
 Huebschmann, B. See Ben-David, G., 3=6218
 Huefner, J. See Daniel, H., 4=28001
 Huet, P. See Colombani, A., 0=13813
 Huet, P. See Colombani, A., 0=21253
 Huet, P. See Colombani, A., 2=10440
 Huet, P. See Colombani, A., 2=12495
 Huet, P. See Colombani, A., 3=6564
 Huet, P. See Colombani, A., 3=8517

- Huet, P. See Colombani, A., 3=22904
- Hueter, T. F. and Currie, W. E. Three-element stagger-tuned transducer array for broadband operation, 1=11820
- Hueter, T. F. and Moose, P. H. Optimum hydrophone design for low frequencies, 1=18534
- Huetter, L. J. See Stadelmaier, H. H., 0=16324
- Huetter, T. See Bierman, E., 3=19689
- Huetter, T. See Koller, E. L., 3=4455
- Huetter, T. See Koller, E. L., 3=7925
- Huetz, J. See Huetz-Aubert, M., 0=14694
- Huetz, J. See Huetz-Aubert, M., 1=6905
- Huetz, J. See Huetz-Aubert, M., 2=1197
- Huetz, J. See Huetz-Aubert, M., 2=15648
- Huetz, J. See Huetz-Aubert, M., 2=19621
- Huetz, J. See Huetz-Aubert, M., 4=28164
- Huetz, M. See André, S., 4=14210
- Huetz-Aubert, M., Dang Ngoc Minh and Huetz, J. General expression for the vibrational relaxation time of a diatomic gas when excited states are taken into account, 2=1197
- Huetz-Aubert, M., Dang Ngoc Minh. and Huetz, J. Establishing the general relaxation equation for the molecular vibrations of a diatomic gas, taking account of l excited states, 2=15648
- Huetz-Aubert, M., Dang Ngoc Minh and Huetz, J. Physical meaning of the general equations and of the relaxation time of vibration for a diatomic gas, 2=19621
- Huetz-Aubert, M., Dang Ngoc Minh and Huetz, J. Vibrational equation of relaxation of a diatomic gas, taking account of dissociation, 4=28164
- Huetz-Aubert, M. and Huetz, J. Ultrasonic absorption and dispersion in polyatomic gases. The sources of intramolecular irreversibility, 0=14694
- Huetz-Aubert, M. and Huetz, J. Measurement of relaxation times of gases, 1=6905
- Huey, R. M. and Lancaster, B. J. Tunable galvanometer amplifier, 0=8969
- Huey, R. M. and Taylor, R. McK. Anomalous discharges in ferro-electrics, 3=13120
- Huff, N. T. See Ellison, F. O., 3=17560
- Huff, N. T. See Ellison, F. O., 4=1178
- Huff, N. T. See Ellison, F. O., 4=6551
- Huff, R. See Blankenbecler, R., 0=20215
- Huff, R. W. Decay rate of bound muons, 2=1974
- Huff, R. W. Pseudoscalar and vector exchanges in the production of vector mesons, 4=12053
- Huff, R. W. See Culler, G. J., 2=15848
- Huff, R. W. See Smith, G. A., 4=21918
- Huffaker, J. N. and Greuling, E. Induced effects in β decay, 4=1037
- Huffaker, R. M. See Adams, E. W., 2=15324
- Huffaker, R. M. See Adams, E. W., 3=3562
- Huffine, C. L. See Sears, G. W., 1=11549
- Huffine, C. L. See Williams, J. M., 2=6379
- Huffington, J. D. Internal friction in fibre assemblies, 1=3961
- Huffington, J. D. Method for the measurement of surface microtopography; experiments with gelatine models, 2=4483
- Huffington, J. D. Technique of surface examination using friction measurements, 4=4657
- Huffington, J. D. A study of the microtopography of some surfaces by means of a friction technique, 4=23549
- Huffman, D. A. A linear circuit viewpoint on error-correcting codes, 0=2122
- Huffman, D. A. Notes on information-lossless finite-state automata, 0=2123
- Huffman, D. R. and Norwood, M. H. Specific heat and elastic constants of calcium fluoride at low temperatures, 0=6018
- Huffman, E. H. Stimulated optical emission of a terbium ion chelate in a vinyllic resin matrix, 4=5875
- Huffman, E. H. Stimulated optical emission of a Tb^{3+} chelate in a vinyllic resin matrix, 4=9001
- Huffman, F. Open circuit voltages in the cesium diode, 2=209
- Huffman, F. N. See Bearden, A. J., 4=4583
- Huffman, R. E., Hunt, W. W., Jr., Tanaka, Y. and Novack, R. L. New emission continuum of helium in the vacuum ultraviolet region, 1=12248
- Huffman, R. E., Larrabee, J. C. and Tanaka, Y. Absorption coefficients of oxygen in the 1060-580-A wavelength region, 4=9723
- Huffman, R. E., Larrabee, J. C. and Tanaka, Y. Absorption coefficients of carbon monoxide in the 1006-600-A wavelength region, 4=20038
- Huffman, R. E., Tanaka, Y. and Larrabee, J. C. New vacuum-ultraviolet emission continua of helium produced in high-pressure discharges, 2=16473
- Huffman, R. E., Tanaka, Y. and Larrabee, J. C. Fluorescence and pre-ionization in nitrogen excited by vacuum ultraviolet radiation, 3=14220
- Huffman, R. E., Tanaka, Y. and Larrabee, J. C. Helium continuum light source for photoelectric scanning in the 600-1100 Å region, 3=16782
- Huffman, R. E., Tanaka, Y. and Larrabee, J. C. Absorption coefficients of krypton in the 600 to 886 Å wavelength region, 3=23934
- Huffman, R. E., Tanaka, Y. and Larrabee, J. C. Absorption coefficients of xenon and argon in the 600-1025 Å wavelength regions, 3=25056
- Huffman, R. E., Tanaka, Y. and Larrabee, J. C. Absorption coefficients of nitrogen in the 1000-580 Å wavelength region, 3=25101
- Huffman, R. E., Tanaka, Y. and Larrabee, J. C. Helium and argon emission continua and their use in absorption cross-section measurements in the vacuum ultraviolet, 4=11345
- Huffman, R. E., Tanaka, Y., Larrabee, J. C. and Novack, R. Spectroscopic studies of rare gas continua in the vacuum ultraviolet, 3=7462
- Huffman, R. E. See Hunt, W. W., Jr., 4=8863
- Huffman, R. E. See Hunt, W. W., Jr., 4=8864
- Huffman, R. E. See Tanaka, Y., 3=7246
- Huffstutler, M. C., Jr. and Thomas, G. Specimen tilting device for use in the Hitachi H.U. 10 electron microscope, 1=4091
- Huffstutler, M. C. See Thomas, G., 2=8836
- Hufnagel, F. Microwave absorption of diphenyl compounds in dilute solution, 0=19149
- Hufnagel, F. and Kilp, H. The exceptional properties of cyclohexane as a solvent of polar molecules with respect to the dielectric relaxation, 4=197
- Hufnagel, F. and Klages, G. A waveguide interferometer for dielectric studies of dilute solutions of polar molecules, 0=10664
- Hufnagel, F., Klages, G. and Knobloch, P. Absorption measurements in the microwave region on diphenyl, 2=11382
- Hufnagel, R. E. and Stanley, N. R. Modulation transfer function associated with image transmission through turbulent media, 4=10724
- Hüfner, A. See Dobler, H., 4=27978
- Hüfner, S. The matrix elements for the electron configuration f^4 . I. The coefficients of fractional parentage and the matrix elements for spin coupling, 1=17252
- Hüfner, S. The matrix elements for the electron configuration f^4 . II. The energy levels for Ho^{3+} ion, 1=17253
- Hüfner, S. Matrix elements for the 4f electronic configuration. III. The eigenstates of the Ho^{3+} ion, 1=19584
- Hüfner, S. Electronic levels of promethium-3, 2=8060
- Hüfner, S. Electron terms of the trivalent erbium ion up to 40000 cm^{-1} , 2=14680
- Hüfner, S. On the crystal field splitting in the ethyl sulphates of some rare earths, 2=20906
- Hüfner, S. Ultraviolet spectrum of trivalent holmium in crystalline salts, 3=3008
- Hüfner, S. Zero field splitting in holmium ethyl sulphate, 3=8600
- Hüfner, S. Hyperfine structure splitting in holmium ethyl sulphate, 3=10572
- Hüfner, S., Kalvius, M., Kienle, P., Wiedemann, W. and Eicher, H. Quadrupole moment of the 8.42 keV level of Tm^{169} , 3=24841
- Hüfner, S. See Hellwege, K. H., 1=1165
- Hüfner, S. See Hellwege, K. H., 2=2241
- Hüfner, S. See Hellwege, K. H., 2=4156
- Hüfner, S. See Hellwege, K. H., 2=12605
- Hüfner, S. See Hellwege, K. H., 3=10944
- Hüfner, S. See Hellwege, K. H., 3=10945
- Hüfner, S. See Zinn, W., 4=26335
- Hugenoltz, C. A. J. See Ornstein, L. T. M., 4=18914
- Hugenoltz, N. Application of field-theoretical methods to many-boson systems, 4=8107
- Hugenoltz, N. M. Ground state of a system of interacting bosons, 1=5221
- Hugenoltz, N. M. and Pines, D. Ground-state energy and excitation spectrum of a system of interacting bosons, 0=2132
- Hugenin, P. Absorption of π -mesons by nuclei, 2=10130
- Hugentobler, E., Hahn, B. and Steinrisser, F. Relativistic rise of bubble density along the tracks of fast particles in a freon bubble chamber, 4=3261
- Hugentobler, E. See Hahn, B., 0=15199
- Hugentobler, E. See Hahn, B., 1=407
- Hugentobler, E. See Joyet, G., 2=9817
- Hugentobler, E. See Peacock, R. N., 2=8002
- Huggett, R. W. See Settles, R. D., 4=11985

- Huggins, A. W. F. Distortion of the temporal pattern of speech: interruption and alternation, 4=23958
- Huggins, C. M. and Cannon, P. Diamonds containing controllable impurity concentrations, 2=18943
- Huggins, C. M. and Sharbaugh, A. H. Dielectric properties of some powdered organic semiconductors, 3=8557
- Huggins, C. M. See McCall, D. W., 1=5273
- Huggins, R. A. See Bush, R. H., 4=23121
- Huggins, R. A. See Dils, R. R., 1=13146
- Huggins, R. A. See Dils, R. R., 3=8808
- Huggins, R. A. See Klein, M. J., 2=6817
- Huggins, R. A. See Klein, M. J., 2=8230
- Huggins, R. A. See Neumann, L., 2=11229
- Huggins, R. A. See Nix, W. D., 1=3899
- Huggins, R. A. See Nix, W. D., 4=26305
- Huggins, R. A. See Rudee, M. L., 4=17427
- Huggins, R. A. See Rudee, M. L., 4=20284
- Huggins, R. A. See Stoebe, T. G., 4=17697
- Hughes, A. J. and Lawson, A. W. Cylindrical approximation and the α - β quartz transition, 2=14918
- Hughes, A. J. See Callaway, J., 2=23024
- Hughes, A. N. and Caley, J. R. The effects of neutron irradiation at elevated temperatures on the tensile properties of some austenitic stainless steels, 4=10386
- Hughes, B. Effect of rotation on internal gravity waves, 4=23721
- Hughes, B. See Renaud, A., 3=24887
- Hughes, C. J. See Hunter, J. J., 1=4297
- Hughes, D. G. Nuclear magnetic resonance in lithium and dilute lithium-magnesium alloys, 0=21085
- Hughes, D. G. and MacDonald, D. K. C. Some properties of resonance line-shape functions, 1=12247
- Hughes, D. G. and Rowland, T. J. Theoretical line shapes associated with anisotropic Knight shifts and quadrupole interactions in polycrystalline samples, 4=15678
- Hughes, D. G. See Andrew, E. R., 2=10724
- Hughes, D. J. New "world-average" thermal cross-sections, 0=5806
- Hughes, D. J. Neutron spectroscopy with nuclear explosions, 0=20483
- Hughes, D. J., Pavlevsky, H., Kley, W. and Tunkelo, E. Atomic motions in water by scattering of cold neutrons, 0=80
- Hughes, D. J., Pavlevsky, H., Kley, W. and Tunkelo, E. Atomic motions in water by scattering of cold neutrons, 0=14649
- Hughes, D. J., Pavlevsky, H., Bolotin, H. and Chrien, R. Transition probabilities of capture gamma rays in U^{238} , 1=8667
- Hughes, D. J. See Seidl, F. G. P., 0=17348
- Hughes, D. O. Note on the thermoelectric power of a nickel ferrite, 4=30670
- Hughes, D. S., Gourley, L. E. and Gourley, M. F. Shock-wave compression of iron and bismuth, 1=9090
- Hughes, D. S., Nishitake, T. and Doty, J. P. Elastic wave velocities in iron at high pressures (4.5 to 18 kbar), 4=4470
- Hughes, E. B., Marsden, P. L., Brooke, G., Meyer, M. A. and Wolfendale, A. W. Neutron production by cosmic ray protons in lead, 4=9336
- Hughes, E. B., Marsden, P. L., Meyer, M. A. and Wolfendale, A. W. Neutron production in lead by cosmic ray protons, 2=14100
- Hughes, E. B. See Fieldhouse, P., 2=13913
- Hughes, E. B. See Meyer, M. A., 3=4526
- Hughes, E. B. See Meyer, M. A., 4=9337
- Hughes, E. B. See Yearian, M. R., 4=21955
- Hughes, E. E. Purification and vapor pressure of nitric oxide, 2=132
- Hughes, E. E. and Mann, W. B. The half-life of carbon-14: comments on the mass-spectrometric method, 4=15183
- Hughes, E. E. See Mann, W. B., 2=5831
- Hughes, E. E. G., Syers, K. and Thomas, J. M. Illumination system for micrography of opaque objects, 2=19691
- Hughes, E. E. G. and Thomas, J. M. Topography of oxidized graphite crystals, 2=12884
- Hughes, E. E. G., Williams, B. R. and Thomas, J. M. Etching of graphite surfaces with oxygen, 3=1260
- Hughes, E. E. G. See Thomas, J. M., 3=13405
- Hughes, E. E. G. See Thomas, J. M., 3=25662
- Hughes, E. J. See Barton, P. W., 4=20652
- Hughes, E. J. See Johnson, A. A., 4=23157
- Hughes, E. O. and Greenwood, J. W. Contamination and cleanup of NRU, 0=5823
- Hughes, E. W. See Cash, A. H., 1=20533
- Hughes, F. Comment on g-shifts in the electron paramagnetic resonance of F-centers, 4=20312
- Hughes, F. and Allard, J. G. Electron paramagnetic resonance in irradiated CsCl, 2=4253
- Hughes, F., Kirk, R. D. and Patten, F. W. Radiolysis of simple aromatics in boric acid glass, 4=13742
- Hughes, F. and Rabin, H. Investigation of optical absorption in irradiated CsF, 3=15676
- Hughes, F. L. See Matarrese, L. M., 0=21163
- Hughes, G., Thomas, J. M., Marsh, H. and Reed, R. Origin of etch pits on graphite surfaces, 4=22599
- Hughes, H. G. Technique of shunting pulsed, high field magnetic coils, 1=13152
- Hughes, H. G. See Fowler, R. G., 1=2785
- Hughes, H. K. Beer's law and the optimum transmittance in absorption measurements, 3=24041
- Hughes, I. S. and Sinclair, D. The multiple scattering of particles of opposite charge, 0=20165
- Hughes, I. S. See Block, M. M., 0=1372
- Hughes, J. B. A generalized Hamiltonian dynamics for relativistic particles with spin. I, 2=3253
- Hughes, J. B. A generalized Hamiltonian dynamics for relativistic particles with spin. II, 2=3254
- Hughes, J. D. H. See Wilson, E. J., 0=2238
- Hughes, J. D. H. See Wilson, E. J., 1=13683
- Hughes, J. E. See Ratcliffe, S., 1=6171
- Hughes, J. L. Possible application of the mass-energy cycle on a micro- and macro-scopic scale in the universe, 3=11501
- Hughes, J. L. See Cox, W. D. G., 4=4837
- Hughes, J. L. See Morris, D. P., 3=3312
- Hughes, J. L. See Morris, D. P., 4=4607
- Hughes, J. L. See Morris, D. P., 4=7494
- Hughes, J. L. See Morris, D. P., 4=13590
- Hughes, J. L. See Roberts, G., 3=20814
- Hughes, J. M. See Cook, G. E., 2=15414
- Hughes, J. P. See Rothman, S. J., 2=3948
- Hughes, J. V. and Nomicos, G. N. Trajectories for continuously applied propulsive thrust, 2=11187
- Hughes, J. W. See Pike, E. R., 0=4609
- Hughes, M. P. Summary of spectral observations of solar radio emission during July 1959, 1=18146
- Hughes, M. P. Solar radio emissions and geophysical disturbances during July 1959, 1=18167
- Hughes, M. P. and Harkness, R. L. Spectral observations of solar radio bursts. IV. The excitors of fast-drift bursts, 3=23704
- Hughes, M. P. See Maxwell, A., 3=13919
- Hughes, N. D. P. and Moss, T. S., Some solar lines in the infra-red spectrum observed from a high-flying aircraft, 1=9268
- Hughes, N. D. P. See Houghton, J. T., 1=19079
- Hughes, O. H. See Branwood, A., 2=14512
- Hughes, R. D. See Chang, K. K. N., 3=10864
- Hughes, R. E. See Forsman, W. C., 3=15403
- Hughes, R. E. See Forsman, W. C., 3=15404
- Hughes, R. E. See Forsman, W. C., 3=15405
- Hughes, R. E. See Parkes, A. S., 3=25729
- Hughes, R. E. See Parkes, A. S., 4=7586
- Hughes, R. E. See von Frankenberg, C., 1=12337
- Hughes, R. F. Oscillator strength of the NO γ -band system, 0=13432
- Hughes, R. F., Hurwitz, H., Jr and Roe, G. M. Transmission function for bands with Doppler-Lorentz line shapes, 0=3621
- Hughes, R. H. Isotope shifts in the spectra of Mo and Ru, 1=2292
- Hughes, R. H. Optical observation of the dissociation of molecular hydrogen ions, 1=11132
- Hughes, R. H., Hilton, W. A. and Sharpton, F. A. Some isotopic shifts in the spark spectrum of Te, 1=9509
- Hughes, R. H., Lin, S. and Hatfield, L. L. Balmer emissions induced by proton impact on molecular hydrogen, 3=15278
- Hughes, R. H., Philpot, J. L. and Fan, C. Y. Spectra induced by 200 keV proton impact on nitrogen, 1=13944
- Hughes, R. H. and Sharpton, F. A. Isotope shifts in palladium, 1=5975
- Hughes, R. H., Waring, R. C. and Fan, C. Y. Spectra induced by 200 keV proton impact on helium, 1=7435
- Hughes, R. H. and Weaver, L. D. Excitation of the He II $\lambda 686$ A line by electron impact, 4=1225
- Hughes, R. H. See Dodd, J. G., 4=25485
- Hughes, R. H. See Hatfield, L. L., 3=25043
- Hughes, R. H. See Philpot, J. L., 4=9716
- Hughes, R. W. See Collins, S. C., 2=5214
- Hughes, T. J. and Brittain, J. O. Theoretical analysis of the effect of substitutional point defects on thermal expansion, 4=28374
- Hughes, T. P. A new method for the determination of plasma electron temperature and density from Thomson scattering of an optical maser beam, 2=15926

- Hughes, T.P. Time-resolved interferometry of ruby laser emission, 3=11907
- Hughes, T.P. and Young, K.M. Mode sequences in ruby laser emission, 3=9986
- Hughes, T.P. See Allen, N.L., 3=7596
- Hughes, T.P. See Allen, N.L., 4=5685
- Hughes, T.P. See Bockasten, K., 3=10448
- Hughes, T.P. See Hallin, R., 1=13945
- Hughes, T.P. See Herdan, R., 1=2276
- Hughes, T.P. See Herdan, R., 1=9775
- Hughes, T.P. See Kaufman, A.S., 1=235
- Hughes, T.R., Jr. Proton magnetic resonance studies in sodium-ammonia solutions, 3=7222
- Hughes, V.A. Roughness of the moon as a radar reflector, 0=14384
- Hughes, V.A. Radio wave scattering from the lunar surface, 2=1009
- Hughes, V.A. Discussion of paper by Daniels, "A theory of radar reflections from the Moon and Planets", 2=11154
- Hughes, V.A. Diffraction theory applied to radio wave scattering from the lunar surface, 3=1512
- Hughes, V.A. See Hey, J.S., 0=18617
- Hughes, V.W. Mach's principle and experiments on mass anisotropy, 4=11056
- Hughes, V.W. The Lyttleton-Bondi universe and charge equality, 4=15905
- Hughes, V.W. Muon resonance, 4=25128
- Hughes, V.W., McCollm, D.W., Ziocck, K. and Prepost, R. Formation of muonium and observation of its Larmor precession, 0=17365
- Hughes, V.W., Robinson, H.G. and Beltran-Lopez, V. Upper limit for the anisotropy of inertial mass from nuclear resonance experiments, 0=10561
- Hughes, V.W. See Bailey, J.M., 4=25129
- Hughes, V.W. See Blanpied, W.A., 4=9475
- Hughes, V.W. See Drake, C.W., 1=13524
- Hughes, V.W. See Ford, K.W., 1=13979
- Hughes, V.W. See Ford, K.W., 3=4730
- Hughes, V.W. See Greenberg, J.S., 0=20382
- Hughes, V.W. See Lurio, A., 0=17669
- Hughes, V.W. See Prepost, R., 1=3202
- Hughes, V.W. See Radford, H.E., 1=11067
- Hughes, V.W. See White, J.A., 0=2712
- Hughes, V.W. See Ziocck, K., 2=18169
- Hughes, V.W. See Zorn, J.C., 3=10091
- Hughes, W. An installation to avoid direct radiation hazards in X-Ray analysis, 3=462
- Hughes, W. and Taylor, C.A. Safe universal mounting and alignment system for X-ray goniometers, 1=20457
- Hughes, W.E. Maser operation at 96 kMc with pump at 65 kMc, 3=523
- Hughes, W.E. and Moulton, W.G. Electron spin resonance of irradiated KH_2PO_4 , 4=4414
- Hughes, W.F. Relativistic magnetohydrodynamics and irreversible thermodynamics, 1=18998
- Hughes, W.F. and Osterle, J.F. On the adiabatic couette flow of a compressible fluid, 1=2735
- Hughes, W.F. See Elco, R.A., 2=16009
- Hughes, W.F. See Elco, R.A., 4=14287
- Hughes, W.F. See Kuhn, H.A., 2=21889
- Hughes, W.F. See Young, F.J., 2=11761
- Hughes, W.F. See Young, F.J., 3=24457
- Hughes, W.H. Thermal force on particulate material at high Knudsen numbers in the absence of a thermal gradient, 1=1767
- Hughmark, G.A. A statistical analysis of nucleate-pool-boiling data, 2=15816
- Hughmark, G.A. Pressure drop in horizontal and vertical cocurrent gas-liquid flow, 4=5130
- Hughson, J.T. The calculation of total-intensity magnetic anomalies for certain bodies by digital computer, 4=15900
- Hugill, J. The measurements of random radio frequency fields by the use of short electric and magnetic dipoles, 2=9111
- Hugill, J. See Budden, K.G., 4=10759
- Hügli, H. See Graf, P., 2=20535
- Huglin, A.S. See Khan, M.H., 4=22669
- Huglin, A.S. See Lane, G.S., 4=28538
- Hugo, J.A. and Phillips, V.A. A versatile jet technique for thinning metals for transmission electron microscopy, 3=11333
- Hugo, J.A. See Phillips, V.A., 2=19129
- Hugo, J.A. See Phillips, V.A., 3=25795
- Hugo, J.P. See Bassi, G., 0=556
- Hugo, T.J. and Lessing, N.v.d.W. Determination of long radii of curvature of positive lenses, 4=18334
- Hugolin, L. and Lallemand, C. New transistor circuits in prospecting apparatus, 1=13054
- Hugon, L. See Avan, M., 1=8,50
- Hugon, M. See Rüsch, J., 0=837
- Hugot, C. See Amram, Y., 1=2031
- Huguenin, G.B. See Roberts, M.S., 3=21130
- Huguenin, P. Relation between neutrons and protons emitted in the absorption of π mesons, 3=10372
- Huguenin, P. See Amiet, J.-P., 3=22254
- Huguenin, R. and Rivier, D. Hall effect in dilute Ni-Fe alloys at low temperatures, 2=6420
- Huguenin, R. See Rivier, D., 4=20324
- Hugus, Z.Z. See Meehan, J.E., 1=4478
- Hugus, Z.Z. Jr. See Britton, D., 1=3565
- Hugus, Z.Z., Jr. See Britton, D., 4=17280
- Huhn, G. Study of the divergence of an ion beam in an electromagnetic isotope separator, 4=9681
- Huhn, H. See Noch, R., 0=4980
- Huiskamp, W.J., Lubbers, J. and Bloembergen, P. Rotational cooling of a cobalt nuclear spin system by means of anisotropic hyperfine structure coupling, 4=16306
- Huiskamp, W.J. See Hulsizer, R.I., 0=9598
- Huiskamp, W.J. See Miedema, A.R., 0=13738
- Huiskamp, W.J. See Miedema, A.R., 2=6282
- Huiskamp, W.J. See Miedema, A.R., 4=7252
- Huiskamp, W.J. See Miedema, A.R., 4=17648
- Huiskamp, W.J. See Postma, H., 1=8643
- Huiskamp, W.J. See Van Kempen, H., 4=9856
- Huisman, H.F. See Overbeek, J.Th.G., 4=14144
- Huizenga, J.R., Chaudhry, R. and Vandenbosch, R. Helium-ion-induced fission of Bi, Pb, Tl, and Au, 2=10156
- Huizenga, J.R., Clarke, K.M., Gindler, J.E. and Vandenbosch, R. Photofission cross sections of several nuclei with mono-energetic gamma rays, 2=14150
- Huizenga, J.R. and Igo, G. Theoretical reaction cross-section for alpha particles with an optical model, 2=5966
- Huizenga, J.R. and Vandenbosch, R. Interpretation of isomeric cross-section ratios for (n,γ) and (γ,n) reactions, 0=20423
- Huizenga, J.R. and Vandenbosch, R. Photoexcitation in the isomeric states of Cd^{111} and In^{115} with mono-energetic gamma rays, 2=13984
- Huizenga, J.R., Vandenbosch, R. and Warhanek, H. Reaction cross sections of U^{222} and U^{238} with 18-43 MeV helium ions, 2=1937
- Huizenga, J.R. See Bate, G.L., 3=19898
- Huizenga, J.R. See Bate, G.L., 4=12289
- Huizenga, J.R. See Bishop, C.T., 4=25437
- Huizenga, J.R. See Chaudhry, R., 2=10157
- Huizenga, J.R. See Gindler, J.E., 0=1455
- Huizenga, J.R. See Unik, J.P., 4=15246
- Huizenga, J.R. See Vandenbosch, R., 0=20424
- Huizenga, J.R. See Vandenbosch, R., 1=16960
- Huizenga, J.R. See Vandenbosch, R., 2=510
- Huizenga, J.R. See Vandenbosch, R., 2=16445
- Huizenga, J.R. See Wing, J., 1=12169
- Huizenga, J.R. See Wing, J., 2=22812
- Hujner, J. See Daniel, H., 4=1046
- Huke, K. and Iwata, G. Voltage programming of radio frequency accelerations in an alternating-gradient proton synchrotron, 3=24409
- Hukuda, K. A proposal of a gamma-source with improved homogeneity of radiation field, 0=1263
- Hukuda, K. Electron spin resonance of some γ -irradiated polymers, 0=18221
- Hukuda, K., Ishii, J. and Miduno, Z. The kinetics of radical reactions in γ -irradiated polyvinyl chloride, 1=1489
- Hukuo, N., Kozuka, T., Fujishiro, I. and Yoshida, M. Measurement of brightness temperature by a photomultiplier, 2=11522
- Hukuo, N., Kozuka, T., Fujishiro, I. and Yoshida, M. Measurement of temperature in solar furnace. I, 3=1857
- Hulbert, J.A. The temperature dependence of the paramagnetically limited critical field in a superconductor of the second kind, 4=11472
- Hulbert, J.A. See Butcher, P.N., 2=8377
- Huldt, L. Determination of free carrier lifetimes in semiconductors from the relaxation time of photo-excited infrared absorption, 0=4326
- Huldt, L. and Staflin, T. Infrared absorption of free carriers in silicon, 2=23574
- Huldt, L. See Staflin, T., 1=19989
- Hulet, E.K. See Conway, J.G., 2=2248
- Hulet, E.K. See Conway, J.G., 2=12288

- Fulet, E.K. See Hoff, R.W., 0=7508
Hulet, L.D. See Day, M.C., 0=19872
Huli, M.H.Jr., Lassila, K.E., Ruppel, H.M., McDonald, F.A. and Breit, G. Phase-parameter representation of neutron-proton scattering from 13.7 to 350 MeV, 1=8461
Hullin, M. A contribution to the theoretical study of the electronic energies and the lattice properties of crystals of tellurium, 4=12680
Hull, A. Van. See Van Hull, A.
Hull, A.W. Cathode spot, 2=13554
Hull, A.W. The Bertele arc, 2=22194
Hull, A.W. A basic theory of the mercury cathode spot, 4=11557
Hull, D. Nucleation of cracks by the intersection of twins in -iron, 0=692
Hull, D. Twinning and fracture of single crystals of 3% silicon iron, 0=16279
Hull, D. The initiation of slip at the tip of a deformation twin in α -iron, 2=8214
Hull, D. The role of twinning in the fracture of body-centred cubic metals, 2=19037
Hull, D. Spontaneous transformation of metastable β -brass in thin foils, 2=23869
Hull, D. Twinning dislocations in body-centred cubic metals, 3=20191
Hull, D. Orientation and temperature dependence of plastic deformation processes in 3-25% silicon iron, 3=20713
Hull, D., McIvor, I.D. and Owen, W.S. The variation of flow stress with substructure in tantalum, 4=28985
Hull, D. and Mogford, I.L. Precipitation and irradiation hardening in iron, 1=12652
Hull, D. and Rimmer, D.E. The growth of grain-boundary voids under stress, 0=21142
Hull, D. and Rosenberg, H.M. The deformation of sodium and potassium at low temperatures: tensile and electrical resistivity experiments, 0=1850
Hull, D. and Rosenberg, H.M., The deformation of lithium, sodium and potassium at low temperatures: Tensile and resistivity experiments, 0=16215
Hull, D. See Gaggero, J., 3=8891
Hull, D. See Hamer, F.M., 4=20664
Hull, D. See Jolly, W., 4=10526
Hull, D. See Mogford, I.L., 3=11168
Hull, D. See Noble, F.W., 4=28457
Hull, D. See Westmacott, K.H., 1=966
Hull, D. See Westmacott, K.H., 1=17511
Hull, D.E. Tracing of water flow by means of radioactive isotopes and scintillation counters, 0=14605
Hull, E.H. Diamond replication of freezing metal structures, 3=8811
Hull, G.W.Jr. See Geballe, T.H., 1=8285
Hull, G.W., Jr. See Geballe, T.H., 2=17726
Hull, G.W., Jr. See Geballe, T.H., 3=3962
Hull, G.W., Jr. See Geller, S., 3=19110
Hull, G.W., Jr. See Geller, S., 4=14518
Hull, G.W., Jr. See Matthias, B.T., 3=1990
Hull, G.W., Jr. See Matthias, B.T., 3=7404
Hull, G.W., Jr. See Matthias, B.T., 4=18622
Hull, G.W., Jr. See Raub, C.J., 4=8575
Hull, J.A. See Ziegler, C.A., 4=14198
Hull, M.H., Jr. Lassila, K.E., Ruppel, H.M., McDonald, F.A. and Breit, G. Phase-parameter representation of neutron-proton scattering from 13.7 to 350 MeV, II, 3=585
Hull, M.H.Jr., McDonald, F.A., Ruppel, H.M. and Breit, G. Significance of neutron-proton polarization measurements in the 20 MeV energy range, 2=18121
Hull, M.H. See Breit, G., 1=5138
Hull, M.H., Jr. See Breit, G., 0=7342
Hull, M.H., Jr. See Breit, G., 0=11157
Hull, M.H.Jr. See Breit, G., 1=499
Hull, M.H., Jr. See Breit, G., 1=4807
Hull, M.H., Jr. See Breit, G., 1=7217
Hull, M.H.Jr. See Breit, G., 1=19181
Hull, M.H., Jr. See Breit, G., 3=584
Hull, M.H., Jr. See Lassila, K.E., 2=11895
Hull, R.J. and Stroke, H.H. Nuclear moments and isotope shifts in Tl^{199} , Tl^{200} , Tl^{201} , Tl^{202} , and Tl^{204} — isotope shifts in odd-odd nuclei, 1=8567
Hull, R.J. and Stroke, H.H. Hyperfine-structure separations, isotope shifts, and nuclear magnetic moments of the radioactive isotopes Tl^{199} , Tl^{200} , Tl^{201} , Tl^{202} , and Tl^{204} , 1=17261
Hull, R.J. and Stroke, H.H. ^{51}S , hyperfine-structure separations and isotope shifts of radioactive Cd^{107} , Cd^{108} , and of stable Cd isotopes, 3=25049
Hull, T.E. See Clayton, D.D., 1=7389
Hulliger, F. The relationship between magnetism and electrical conductivity in compounds of transition elements, 0=7934
Hullinger, F. New sulvanite-type semiconducting compounds, 2=6813
Hullinger, F. Semiconducting compounds with the skutterudite structure, 2=8358
Hulliger, F. Semiconductivity in CoSb-type compounds, 3=20329
Hulliger, F. Marcasite-type semiconductors, 4=1618
Hulliger, F. Electrical properties of pyrite-type and related compounds with zero spin moment, 4=20336
Hulliger, F. New semi-conducting arsenopyrite-type compounds, 4=26056
Hulliger, F. and Mooser, E. Electrical properties of anomalously composed daltonides, 3=10762
Hulliger, F. and Müller, J. Superconductivity and semi-conductivity in cobaltite- and pyrite-type compounds, 3=21663
Hulliger, F. See Busch, G., 1=10040
Hulliger, F. See Busch, G., 1=14475
Hulliger, F. See Busch, G., 4=1838
Hulliger, F. See Busch, B., 4=17649
Hulliger, F. See Busch, G., 4=28773
Hullinger, F. See Guggenheim, J., 2=5241
Hulm, J.K. and Blaugher, R.D. Superconducting solid solution alloys of the transition elements, 1=11882
Hulm, J.K., Blaugher, R.D., Geballe and Matthias, B.T. Superconductivity of niobium-molybdenum alloys below 1°K, 2=1338
Hulm, J.K., Chandrasekhar, B.S. and Riemersma, H. High-field superconducting magnets, 4=19158
Hulm, J.K. See Blaugher, R.D., 1=18718
Hulm, J.K. See Blaugher, R.D., 2=2958
Hulm, J.K. See Blaugher, R.D., 2=7520
Hulm, J.K. See Blaugher, R.D., 2=7522
Hulm, J.K. See Blaugher, R.D., 4=16356
Hulm, J.K. See Chandrasekhar, B.S., 3=16881
Hulm, J.K. See Chandrasekhar, B.S., 3=19119
Hulm, J.K. See Chandrasekhar, B.S., 4=3093
Hulm, J.K. See Hein, R.A., 4=18569
Hulm, J.K. See Jones, C.K., 4=18617
Hulm, J.K. See Riemersma, H., 3=3971
Hulm, J.K. See Riemersma, H., 4=16619
Hulm, J.K. See Schawlow, A.L., 0=2293
Hulme, K.F. Indium antimonide tunnel diodes, 2=2177
Hulme, K.F. and Kemp, J.E. The diffusion coefficient of zinc in indium antimonide, 0=9920
Hulme, K.F. and Mullin, J.B. Facets and anomalous solute distributions in indium-antimonide crystals, 0=21154
Hulme, K.F. and Mullin, J.B. Indium antimonide—A review of its preparation properties and device applications, 2=21154
Hulme, K.F. See Buckingham, J.H., 3=20362
Hulme, K.F. See Butcher, P.N., 2=8377
Hulme, K.F. See Butcher, P.N., 3=8537
Hulme, K.F. See Mullin, J.B., 1=17520
Hulmston, N.J. Plastic-carbon replication for electron microscopy, 2=23944
Hulpe, E., Paul, E. and Paul, W. Determination of oscillator strengths from lifetime measurements of the first excited levels for the elements Ba, Sr, Ca, In and Na, 4=6469
Hulsizer, R.I. Development of a bubble chamber data analysis using several scanning-measuring-projectors on-line to a digital computer, 3=19520
Hulsizer, R.I., Huiskamp, W.J., Wheatley, J.C. and Anderson, A.C. Nuclear alignment of ^{58}Co and ^{60}Co , 0=9598
Hulsizer, R.I. See Davey, P.G., 4=27302
Hulst, d'. See d' Hulst.
Hulst, H.C. van de. See van de Hulst, H.C.
Hult, J. Mechanics of a beam subject to primary creep, 2=10759
Hult, J. On the measurement of stresses in solids, 4=7362
Hult, J. See Odqvist, F.K.G., 2=4342
Hultberg, S. A study of the photoelectric effect and its application to the determination of gamma-ray intensities, 0=7688
Hultberg, S., Horen, D.J. and Hollander, J.M. Measurements of internal conversion coefficients, 2=1848
Hultberg, S., Nagel, B. and Olsson, P. Relativistic differential and total K-shell photoelectric cross-sections and photo-electron polarizations, 2=3709

- Hultberg, S., O'Connor, T. and Hamilton, J.H. Angular distributions of photoelectrons ejected from uranium by 1.118 MeV gamma rays, 1=5875
- Hultberg, S. and Stockendal, R. On the determination of absolute internal conversion coefficients by the comparison of conversion lines and photolines. An application to the 662 keV transition in the decay of Cs^{137} , 0=7517
- Hultberg, S. and Sujkowski, Z. Beta-spectrometric study of the angular distribution of the K-, L-, and M + N + . . . -shell photoelectron from uranium, 0=468
- Hultberg, S. See Bergkvist, K.E., 4=30315
- Hultberg, S. See Frey, W.F., 2=10062
- Hultberg, S. See Frey, W.F., 3=22366
- Hultberg, S. See Hamilton, J.H., 2=20523
- Hultberg, S. See Jansen, J.F.W., 3=656
- Hultberg, S. See Stockendal, R., 0=5719
- Hultgren, R. See Day, G.F., 2=23867
- Hultgren, R. See Orr, R.L., 1=2541
- Hultgren, R. See Roy, P., 2=2402
- Hulthén, E., Järlsäter, N. and Koffman, L. On the absorption spectrum of ICl. II. Chlorine isotopes in iodine chloride, 1=14012
- Hulthén, E., Johansson, N. and Pilsäter, U. On the absorption spectrum of ICl. I, 0=7757
- Hulthén, L. See Eriksson, B., 4=12076
- Hulthén, L. See Rudberg, E., 0=12345
- Hulthén, L. See Rudberg, E., 2=19361
- Hulthén, L. See Rudberg, E., 4=24001
- Hultqvist, B. Auroral isochasms, 0=793
- Hultqvist, B. On the interpretation of ionization in the lower ionosphere occurring on both day and night side of the earth within a few hours after some solar flares, 0=2007
- Hultqvist, B. On lower ionosphere electron detachment- and recombination coefficients obtained from measurements of nondeviative ionospheric absorption, 0=8375
- Hultqvist, B. Auroral frequency lines, 0=8407
- Hultqvist, B. On the orientation of auroral arcs, 2=4669
- Hultqvist, B. Circular symmetry in the geomagnetic plane for auroral phenomena, 2=9018
- Hultqvist, B. On auroral isochasms and the orientation of auroral arcs, 2=13042
- Hultqvist, B. On the height distribution of the ratio of negative ion and electron densities in the lowest ionosphere, 3=16278
- Hultqvist, B. Sunrise and sunset effects on cosmic noise absorption associated with aurora and magnetic storms, 4=2284
- Hultqvist, B. Reply to "On the height distribution of the ratio of negative ion and electron densities in the lowest ionosphere", 4=17938
- Hultqvist, B. On the height of auroral absorption. I, 4=26830
- Hultqvist, B., Aarons, J. and Ortner, J. Effects of the solar flares of 7 July 1958. Observed at Kiruna Geophysical Observatory, Sweden, 0=2036
- Hultqvist, B., Egeland, A. and Gustafsson, F. A morning discontinuity in the orientation of quiet auroral arcs, 2=4678
- Hultqvist, B. and Gustafsson, G. On the magnetic time dependence of the auroral zone currents, 1=1594
- Hultqvist, B. and Ortner, J. Strongly absorbing layers below 50 km, 1=6615
- Hultqvist, B. and Ortner, J. The height of the polar cap absorption layer, 1=20945
- Hultqvist, B., Thunberg, A., Lindell, S. and Heikkilä, K.E. An automatic digital recording and reducing system for geomagnetic standard data, 2=6960
- Hultqvist, B. See Aarons, J., 2=4618
- Hultqvist, B. See Egeland, A., 0=10444
- Hultqvist, B. See Egeland, A., 1=20853
- Hultqvist, B. See Egeland, A., 2=19243
- Hultqvist, B. See Gustafsson, G., 2=6951
- Hultqvist, B. Liszka, L., 2=7047
- Hultqvist, B. See Ortner, J., 2=15284
- Hultqvist, B. See Ortner, J., 3=9135
- Hultqvist, B. See Pfozter, G., 2=9023
- Hults, M. and Mrozowski, S. Multipole lines in spectra of elements from the fifth group, 4=19949
- Hultsch, R.A. and Barnes, R.G. Pressure dependence of self-diffusion in lithium and sodium, 2=10415
- Hultsch, R.A. See Doane, J.W., 4=10344
- Hulubei, H., Auslander, J.S., Friedlander, E.M. and Titeica, S. Angular distribution of muons in π - μ decay at rest, 3=10142
- Hulubei, H., Berinde, A., Neamu, I., Franz, J., Martalogu, N. and Ivascu, M. Mechanism of elastic and inelastic scattering of low energy protons from Ne^{20} , 3=6233
- Hulubei, H., Besliu, C., Berinde, A., Ivascu, M. and Martalogu, N. Method for the absolute measurement of thermal neutron flux, 1=5735
- Hulubei, H., Beşliu, C., Beşliu, T., Constantinescu, A., Gavrilas, M., Mihul, A., Balea, E., Balea, O., Balint, V., Curelaru, I., Makarovitsch, I., Mumuianu, D., Ponta, T., Potoceanu, C. and Sabau, M. On the neutral pion multiplicity in reaction $\pi^- + p \rightarrow \pi^- + p + \eta\pi^0$ at 7 to 8 GeV, 4=30257
- Hulubei, H., Besliu, C., Constantinescu, A., Gavrilas, M., Mihul, A., Balea, E., Balea, O., Balint, V., Curelaru, I., Makarovitsch, I., Mumuianu, D., Ponta, T., Potoceanu, C. and Sabau, M. The analysis of two-pion resonances in two-prong π -p interactions at 7-8 GeV, 4=942
- Hulubei, H., Frants, Zh., Martalogu, N., Skýntei, N., Ivashku, M., Berinde, A. and Nyamu, I. Scattering of protons with energies below 5 MeV on Ne^{20} , 4=9489
- Hulubei, H., Martalogu, N., Frantz, J., Ivascu, M., Scintei, N., Berinde, A. and Neamu, I. $S^{32}(p, p'\gamma)$ angular correlations from 5.7 to 6.34 MeV, 2=14092
- Hulubei, H., Martalogu, N., Ivascu, M., Besliu, C., Berinde, A., Neamu, I. and Franz, J. Angular distribution of 6.2 MeV protons elastically and inelastically scattered by S^{32} , 2=5803
- Hulubei, H., Martalogu, N., Ivascu, M., Scintei, N., Berinde, A., Neamu, I. and Franz, J. $\text{Ne}^{20}(p, p'\gamma)$ angular correlations at low energy, 4=1076
- Hulubei, H., Neamu, I., Franz, J., Martalogu, N., Scintei, N., Ivascu, M. and Berinde, A. Scattering of 4.90 and 5.30 MeV protons on aluminium, 4=9491
- Hulubei, H., Purica, I., Rosescu, T. and Sabau, M. On local modification of the neutron spectrum in the internal thermal columns at the VVR-S reactor, 4=12319
- Hulubei, H. See Khulubei, Kh., 2=9884
- Hulubei, H. See Khulubei, Kh., 3=6029
- Hulyer, P. J. See Beeforth, T. H., 4=7247
- Hulývetz, N. Y. and Radchenko, Y. V. New method for converting experimental X-ray scattering intensities to an absolute scale, 4=7591
- Hum, D. M. See Butcher, P. N., 4=25871
- Hum, R. See Geiger, K. W., 4=22133
- Humason, M. L., Gomes, A. M. and Kearns, C. E. The 1960 Palomar Supernova search, 1=18132
- Humason, M. L. See Zwicky, F., 1=2642
- Humason, M. L. See Zwicky, F., 1=8007
- Humberston, J. W. Low-energy elastic scattering of neutrons by deuterons, 2=1690
- Humberston, W. J. The application of Kohns variational method to the elastic scattering of low energy neutrons by deuterons, 4=21857
- Humble, P. See Forty, A. J., 3=11190
- Humblet, J. Analytic properties of the cross-section for elastic scattering of nuclear particles, 2=5591
- Humblet, J. Theory of nuclear reactions. III. Physical quantities and channel radii, 4=1057
- Humblet, J. Theory of nuclear reactions. IV. Coulomb interactions in the channels and penetration factors, 4=9466
- Humblet, J. Theory of nuclear reactions. VI. Unitarity, open and closed channels, 4=28008
- Humblet, J. and Lebon, G. Perturbation of resonance levels of atomic nuclei, 4=17014
- Humblet, J. and Rosenfeld, L. Theory of nuclear reactions. I. Resonant states and collision matrix, 1=17065
- Hume-Rothery, W. The valence state of metallic lead, 0=4256
- Hume-Rothery, W. The face-centred cubic solid solutions in transition metal alloys of the first long period, 1=20623
- Hume-Rothery, W. The theory of the alloys of copper, 2=4432
- Hume-Rothery, W. Close-packed hexagonal alloys of iron and nitrogen, 3=8884
- Hume-Rothery, W. Note on the self-diffusion in iron, 4=1514
- Hume-Rothery, W. Note on "a statistical approach to equilibrium diagrams", 4=13469
- Hume-Rothery, W. and Anderson, E. Eutectic compositions and liquid immiscibility in certain binary alloys, 0=21244
- Hume-Rothery, W., Brown, P. J., Forsyth, J. B. and Taylor, W. H. Electron distribution in transition metals, 0=515
- Hume-Rothery, W. and Buckley, R. A. Liquidus = solidus relations in iron alloys: ideal solutions, 4=24430
- Hume-Rothery, W. and Buckley, R. A. Liquidus = solidus relations in the system iron-manganese, 4=24431
- Hume-Rothery, W. and Roaf, D. J. On the theory of solid solutions in copper, silver and gold, 1=4061
- Hume-Rothery, W. See Anderson, E., 0=20725
- Hume-Rothery, W. See Buckley, R. A., 3=11285
- Hume-Rothery, W. See Buckley, R. A., 3=13526

- Hume-Rothery, W. See Rivlin, V.G., 3=6855
- Humes, R.M., Dell, G.F., Jr., Ploughe, W.D. and Hausman, H.J. (p, n) cross sections at 6.75 MeV, 3=12875
- Huml, K. and Bohun, A. Optical and electrical phenomena in LiF crystals with Co, 3=8588
- Huml, K. See Bohun, A., 3=18008
- Hummel, C. See Hauk, V., 3=18401
- Hummel, F.A. and Sarver, J.F. The cathode luminescence of Mn^{2+} - and Fe^{3+} -activated magnesium aluminate spinel, 4=17603
- Hummel, F.A. See Brown, J.J., 4=10444
- Hummel, F.A. See Brown, J.J., 4=26573
- Hummel, F.A. See Brown, J.J., 4=30796
- Hummel, F.A. See Sarver, J.F., 0=2953
- Hummel, F.A. See Sarver, J.F., 1=9005
- Hummel, F.A. See Sarver, J.F., 2=4177
- Hummel, F.A. See Sarver, J.F., 4=1775
- Hummel, H.H., Levenson, M., Link, L.E., Machery, R.E. and Simmons, W.R. Using photonium in fast reactors, 3=22458
- Hummel, H.H. and Meneghetti, D. Diffusion of intermediate energy neutrons into a thick resonance absorber, 1=13435
- Hummel, H.H. See Meneghetti, D., 0=12952
- Hummel, H.H. See Meneghetti, D., 0=13276
- Hummel, J.P. Isomer ratio for the $Sn^{118}(\gamma, p)$ reaction, 1=11005
- Hummel, J.P. See Bishop, C.T., 4=25437
- Hummel, J.P. See Dyal, P., 0=1437
- Hummel, J.P. See Dyal, P., 2=20598
- Hummel, J.P. See Wolfe, J.H., 1=11002
- Hummel, R.W. and Hearne, J.A. The nitrous oxide dosimeter, 1=3094
- Hummer, D.G. Non-coherent scattering. I. The redistribution functions with Doppler broadening, 3=7358
- Hummer, D.G. The ionization structure of planetary nebulae. II. Collisional cooling of pure hydrogen nebulae, 3=21121
- Hummer, D.G. The mean number of scatterings by a resonance-line photon, 4=29371
- Hummer, D.G. and Seaton, M.J. Excitation of H 2s electron impact, 1=11077
- Hummer, D.G. and Seaton, M.J. The ultra-violet radiation of the central stars of planetary nebulae, 2=17295
- Hummer, D.G. and Seaton, M.J. The ionization structure of planetary nebulae. I. Pure hydrogen nebulae, 3=21120
- Hummer, D.G. and Seaton, M.J. The ionization structure of planetary nebulae. III. The ionization of helium, 4=20902
- Hummer, D.G., Stebbings, R.F., Fite, W.L. and Branscomb, L.M. Charge transfer and electron production in $H^- + H$ collisions, 0=13409
- Hummer, D.G. See Fite, W.L., 0=1467
- Hummer, D.G. See Fite, W.L., 0=13408
- Hummer, D.G. See Stebbings, R.F., 0=17689
- Humphrey, B. See Patton, C.E., III, 4=13162
- Humphrey, F.B. Magnetic character of very thin permalloy films, 3=15832
- Humphrey, F.B. Flux reversal at low temperatures, 4=13218
- Humphrey, F.B. and Johnston, A.R. Sensitive automatic torque balance for thin magnetic films, 3=14707
- Humphrey, F.B. See Copeland, J.A., 3=15845
- Humphrey, W.E., Kirz, J. and Rosenfeld, A.H. Evidence for low rates for β decay of Σ^- and Λ hyperons, 1=12121
- Humphrey, W.E. and Ross, R.R. Low-energy interactions of K^- mesons in hydrogen, 2=18181
- Humphrey, W.E. See Byers, N., 2=12008
- Humphrey, W.E. See Davey, P.G., 4=27302
- Humphrey, W.E. See Kalbfleisch, G.R., 4=27891
- Humphreys, C.J. Progress of radiometric observation of infrared atomic emission spectra, 1=797
- Humphreys, C.J. Interferometric measurement of wavelengths of infrared atomic emission lines in the extraphotographic region, 4=2827
- Humphreys, C.J. and Andrew, K.L. Extension of observations and analysis of Ge I, 4=28123
- Humphreys, C.J. and Paul, E., Jr. First spectrum of chlorine; an extension based on observations in the 7000 to 25 000 Å region, 0=477
- Humphreys, C.J. and Paul, E., Jr. Interferometric measurements of wavelength for I.R. emission lines in the region 1 to 2μ , 0=16854
- Humphreys, C.J. and Paul, E., Jr. The observation of extra-photographic infrared atomic emission spectra, 3=18983
- Humphreys, C.J. and Paul, E., Jr. Pure pair coupling exemplified by the 5g levels of the noble gases, 4=28116
- Humphreys, C.J. See Paul, E., Jr., 0=478
- Humphreys, H.R. The present state of architectural acoustics, 4=295
- Humphreys, J.R., Jr. See Hammond, R.P., 4=19900
- Humphreys, R. See Barakat, R., 4=29737
- Humphreys, W.C. See Armstrong, W.A., 4=25118
- Humphreys-Owen, S.P.F. Comparison of reflection methods for measuring optical constants without polarimetric analysis, and proposal for new methods based on the Brewster angle, 1=9467
- Humphreys-Owen, S.P.F. See Taurel, L., 0=11619
- Humphries, C.M., Walsh, A.D. and Warsop, P.A. Absorption spectra of the hydrides, deuterides and halides of group 5 elements, 4=6581
- Humphries, C.M., Walsh, A.D. and Warsop, P.A. Absorption spectrum of chlorine dioxide in the vacuum ultra-violet, 4=6589
- Humphries, D.E. See Carpenter, L.G., 4=4660
- Humphries, J.W. The calibration of the weights built into a balance, 0=19038
- Humphris, R.R. See Catlin, A., 4=10486
- Hunaerts, J. Study of the $\lambda 3883$ CN band in the spectrum of the comet MRKOS 1957 d, 0=18725
- Hunaerts, J. The mean life of the rotational states of the ground state of the CN molecule, 0=20611
- Hund, F. The problem of the structure of matter and its solution, 3=19915
- Hund, M. and Kuttruff, H. Pressure chamber procedure for measurement of the acoustic impedances of small bodies (microphones) in fluids, 3=7285
- Hundhausen, E. and Pauly, H. Study of the interaction potential of Van der Waals molecules by means of rainbow scattering, 4=30487
- Hundhausen, E. See Gersing, E., 3=4788
- Hundt, G. See Flietner, H., 3=6586
- Hunebelle, G. See Verly, W.G., 0=4756
- Hunemuller, F.J. See Tufts, B.J., 3=1408
- Hung Cheng. Meromorphic property of the S matrix in the complex plane of angular momentum, 2=17366
- Hung Cheng and Miller, P.B. Nonlinear optical theory in solids, 4=17543
- Hung Cheng and Nuñez-Lagos, R. The uniqueness of the analytic continuation of partial wave amplitude in the complex plane of the angular momentum, 2=22430
- Hung, J.W. Transfer function and error probability of a digital magnetic tape recording system, 0=11008
- Hung Tsung Chen. See Othmer, D.F., 3=7231
- Hungar, K. and Larenz, R.W. Critical remarks on the theory of pressure broadening of spectral lines, 2=2875
- Hungar, M. See Fedders, H., 2=10535
- Hunger, G. Variations of the metal-carbon evaporation impression in electromicroscopic preparation, 1=20707
- Hunger, K. and Larenz, R.W. Microfields in plasma, 1=16312
- Hunger, K. and Larenz, R.W. Short article on the plasma micro-field. Observations on a note by E. Hantzsch and G. Vojta, 4=518
- Hunkins, K. and Kutschale, H. Shallow-water propagation in the Arctic Ocean, 3=13652
- Hunsucker, R.D. Auroral-zone absorption effects on an HF arctic propagation path, 4=26831
- Hunsucker, R.D. and Owen, L. Auroral sporadic-E ionization, 3=1463
- Hunt, A.G. See Medford, R.D., 3=7582
- Hunt, A.G. See Wright, J.K., 2=5350
- Hunt, A.G. See Torok, E.J., 2=23664
- Hunt, A.L., Damm, C.C. and Popp, E.C. Attainment of ultrahigh vacuum, reduction in surface desorption, and the adsorption of hydrogen by evaporated molybdenum, 1=15974
- Hunt, A.L., Damm, C.C. and Popp, E.C. Gettering of residual gas and the adsorption of hydrogen on evaporated molybdenum films at liquid-nitrogen temperatures, 4=11265
- Hunt, A.L., Taylor, C.E. and Omohundro, J.E. Adsorption of hydrogen on solidified-gas films, 4=13686
- Hunt, A.L. See Damm, C.C., 2=15912
- Hunt, A.M. and Pashley, D.W. Electron microscope studies of the mechanism of nucleation and growth of CuAu II from the disordered state, 3=8902
- Hunt, B.E. and McKeag, A.H. Copper and tin-activated halophosphate phosphors, 0=4444
- Hunt, C. See Carter, D.H., 4=28090
- Hunt, D.C. and Van Zandt, T.E. Photoionization heating in the F region of the atmosphere, 1=20987
- Hunt, E.R. and Carr, H.Y. Nuclear magnetic resonance of Xe^{129} in natural xenon, 3=16666

- Hunt, F.V. Stress and strain limits on the attainable velocity in mechanical vibration, 0=16749
- Hunt, F.V. Role of time integration in the discrimination of frequency response patterns, 2=4900
- Hunt, F.V. Automatic synchronous excitation of suspended systems, 4=2925
- Hunt, F.V. Electropolishing and pointing thin beryllium wires, 4=4994
- Hunt, F.V. Remarks on the mean free path problem, 4=14322
- Hunt, F.V. See Barger, J.E., 4=27270
- Hunt, G.R., Perry, C.H. and Ferguson, J. Far-infrared reflectance and transmittance of potassium magnesium fluoride and magnesium fluoride, 4=17579
- Hunt, G.R. and Wilson, M.K. Infrared spectra and potential constants of some monohaloacetylenes, 1=7472
- Hunt, G.R. See Gebbie, H.A., 4=17295
- Hunt, H.H. See Rolsten, R.F., 4=11135
- Hunt, H.H. See Rolsten, R.F., 4=20668
- Hunt, J.B. See Agarwala, U., 0=14103
- Hunt, J.B. See Colvin, C.J., 3=20988
- Hunt, J.D. and Chilton, J.P. An investigation of the lamella \rightarrow rod transition in binary eutectics, 3=25758
- Hunt, J.D. and Chilton, J.P. An experimental investigation of the under-cooling at the solid/liquid interface of the lead-tin eutectic, 4=4550
- Hunt, J.L. and Welsh, H.L. Analysis of the profile of the fundamental infrared band of hydrogen in pressure-induced absorption, 4=20044
- Hunt, J.L. See Welsh, H.L., 4=9683
- Hunt, J.N. On the damping of gravity waves propagated over a permeable surface, 0=8348
- Hunt, J.N. Oscillations in a viscous liquid with an application to tidal motion, 1=10492
- Hunt, J.N. Dissipation in water waves, 4=16083
- Hunt, J.N., Palmer, R. and Penney, W. Atmospheric waves caused by large explosions, 1=7928
- Hunt, J.P. and Dodgen, H.W. Exchange rates of NH_3 between aqueous NH_4OH and copper and nickel ammine complexes, 2=4525
- Hunt, M.D. and Smith, R.W. Macromosaic structures in dilute tin alloys, 2=23862
- Hunt, M.D., Spittle, J.A. and Smith, R.W. The decanted interface, 3=23393
- Hunt, M.D. See Spittle, J.A., 4=4634
- Hunt, N.A., Russell, P.C., Stewardson, E.A. and Wilson, J.E. Recording projection micrometer, 0=4982
- Hunt, P.J. See Klanberg, F., 3=13316
- Hunt, P.P. and Smith, H.A. The separation of hydrogen, deuterium and hydrogen deuteride mixtures by gas chromatography, 1=13977
- Hunt, R. Automatic correction for paralysis in Geiger counting, 0=3877
- Hunt, R.A. A compact anticoincidence counter for tropical conditions, 3=7416
- Hunt, R.P. See Epstein, D.J., 1=6366
- Hunt, S.E. An evaluation of the deuteron velocity spectrum in Sceptre III, 0=11476
- Hunt, S.E., Cheetham, F.C. and Evans, W.W. The performance and conditioning of "inverted cone" Van de Graaff accelerating, 3=9885
- Hunt, S.E. and Fellows, E.C. A Van De Graaff beam deflecting system employing two 45° deflecting magnets, 3=456
- Hunt, S.E., Pope, R.A., Evans, W.W. and Hancock, D.A. γ -ray yield and spectra produced by irradiating backing materials with protons, 0=7557
- Hunt, S.E., Pope, R.A., Freck, D.V. and Evans, W.W. Redetermination of (p,y) resonant energies used as fixed points on the high-energy scale, 1=690
- Hunt, S.E. See Allen, N.L., 3=7596
- Hunt, S.E. See Chick, D.R., 0=19831
- Hunt, T.K. and Mercereau, J.E. Fluxoid conservation by superconducting thin film rings, 4=27408
- Hunt, T.K. See Mercereau, J.E., 2=13513
- Hunt, T.K. See Mercereau, J.E., 4=16370
- Hunt, W.E. See Mehta, M.K., 4=3702
- Hunt, W.W., Jr., Huffman, R.E. and McGee, K.E. Observation and identification of ion dissociation processes occurring in the drift tube of a time-of-flight mass spectrometer, 4=8863
- Hunt, W.W., Jr., Huffman, R.E., Saari, J., Wassel, G., Betts, J.F., Pauve, E.H., Wyess, W. and Fluegge, R.A. Time-of-flight mass spectrometer adapted for studying charge transfer, ion dissociation, and photoionization, 4=8864
- Hunt, W.W., Jr. See Huffman, R.E., 1=12248
- Hunt, W.W., Jr. See McGee, K.E., 4=27449
- Hunten, D.M. A condenser memory unit for improving signal-noise ratios, 0=7050
- Hunten, D.M. Resonance scattering by atmospheric sodium. VIII. An improved method of deducing the vertical distribution, 0=16472
- Hunten, D.M. Temperatures deduced from aurora and airglow spectra, 1=21039
- Hunten, D.M. Transmission functions for twilight studies, 2=11073
- Hunten, D.M. The production of N_2^+ in the atmosphere, 3=13787
- Hunten, D.M. Optics of the upper atmosphere, 4=13819
- Hunten, D.M. Metallic emissions from the upper atmosphere, 4=29313
- Hunten, D.M., Rawson, E.G. and Walker, J.K. Rapid measurement of N_2^+ rotational temperatures in aurora, 3=9104
- Hunten, D.M., Vallance Jones, A., Ellyett, C.D. and McLauchlan, E.C. Sodium twilight at Christchurch, New Zealand, 4=10742
- Hunten, D.M. See Broadfoot, A.L., 4=23789
- Hunten, D.M. See Bullock, W.R., 1=21024
- Hunten, D.M. See Chamberlain, J.W., 0=2029
- Hunten, D.M. See Donahue, T.M., 0=2033
- Hunten, D.M. See Gault, W.A., 3=18554
- Hunten, D.M. See Jones, A.V., 0=6472
- Hunten, D.M. See Lytle, E.A., 0=6473
- Hunten, D.M. See Lytle, E.A., 0=14194
- Hunten, D.M. See Lytle, E.A., 2=24045
- Hunten, D.M. See Maartense, I., 4=4789
- Hunten, D.M. See Rundle, H.N., 0=14287
- Hunten, D.M. See Sullivan, H.M., 2=17179
- Hunten, D.M. See Sullivan, H.M., 2=24028
- Hunten, D.M. See Sullivan, H.M., 4=23782
- Hunter, A.N. and Jones, T.B. The Debye effect in electrolytes and colloids, 2=23965
- Hunter, A.N., Legge, R. and Matsukawa, E. Measurements of acoustic attenuation and velocity in sand, 2=73
- Hunter, C. The instability of the collapse of a self-gravitating gas cloud, 3=3530
- Hunter, C. The structure and stability of self-gravitating disks, 4=10787
- Hunter, C. The development of gravitational instability in a self-gravitating gas cloud, 4=17970
- Hunter, E.T. and Miller, J.M. Spallation of bismuth by 380 MeV protons, 0=435
- Hunter, G., Rush, D.G. and Pritchard, H.O. Scaling and the virial theorem, 4=11232
- Hunter, G. See Gray, B.F., 4=3775
- Hunter, G.J. and Mitchell, V.F. Tables of factors for correcting for radioactive decay, 3=15135
- Hunter, H.H. Measuring coefficient of friction, 3=8788
- Hunter, H.W. and Trent, P.T. Observations on narrow showers of mesons below ground, 2=9952
- Hunter, J. and Mull, F.R. Acoustic treatment of the Cleveland Public Auditorium, 1=9461
- Hunter, J.H., Jr. See Abt, H.A., 3=3605
- Hunter, J.J. Precision temperature measuring equipment, 3=282
- Hunter, J.J. and Hughes, C.J. Shaft position indicator for use with journal bearings, 1=4297
- Hunter, J.L. and Francavilla, T.L. Ultrasonic measurements in liquid sulphur, 4=2677
- Hunter, J.L., Lewis, T.B. and Montrose, C.J. Ultrasonic relaxation in linear polysiloxanes, 3=11793
- Hunter, J.L., Montrose, C.J. and Shively, J.H. Viscoelastic constants of a short-chain polymer, 4=24189
- Hunter, J.L., Welch, T.J. and Montrose, C.J. Excess absorption in mercury, 4=2675
- Hunter, L.P. Effect of fission recoil fragments on the thermal conductivity of graphite, 0=1578
- Hunter, M.W., Jr. Single-stage spaceships should be our goal, 3=21138
- Hunter, R.J. The calculation of ξ -potential from mobility measurements, 3=6921
- Hunter, R.S. New reflectometer and its use for whiteness measurement, 0=149
- Hunter, R.S. Tests for the uniformity of $45^\circ 0'$ reflectometers, 3=5510
- Hunter, R.S. and Yeatman, J.N. Direct-reading tomato colorimeter, 1=8243
- Hunter, S.C. The Hertz problem for a rigid spherical indenter and a viscoelastic half-space, 1=14924
- Hunter, S.C. Tentative equations for the propagation of stress, strain and temperature fields in viscoelastic solids, 1=20337
- Hunter, S.C. See Davis, C.D., 1=14925

- Hunter, T. F. See Hochstrasser, R. M., 4=20475
- Hunter, W. and Parkin, D. W. Cosmic dust in recent deep-sea sediments, 0=6582
- Hunter, W. See Parkin, D. W., 2=11121
- Hunter, W. B. and Ziemkiewicz, O. C. Effect of temperature variations across the lubricant films in the theory of hydrodynamic lubrication, 0=8611
- Hunter, W. R. High reflectance coatings for the extreme ultraviolet, 2=17641
- Hunter, W. R. Optical constants of aluminium from 300 to 800 Å, 3=25434
- Hunter, W. R. Optical constants of metals in the extreme ultraviolet. I. A modified critical-angle technique for measuring the index of refraction of metals in the extreme ultraviolet, 4=10146
- Hunter, W. R. Optical constants of metals in the extreme ultraviolet. II. Optical constants of aluminium, magnesium, and indium at wavelengths shorter than their critical wavelengths, 4=13019
- Hunter, W. R. On the optical constants of metals at wavelengths shorter than their critical wavelengths, 4=22844
- Hunter, W. R. and Tousey, R. Transmittance of thin films in the extreme ultraviolet, 4=22882
- Hunter, W. R. See Angel, D. W., 1=16070
- Hunter, W. R. See Canfield, L. R., 4=22869
- Hunting, C. E. Proton spectra from the nitrogen bombardment of fluorine, 1=11041
- Hunting, C. E. and Wall, N. S. Differential cross sections of some (d,p) reactions, 0=445
- Hunting, C. E. See Halbert, M. L., 0=7590
- Hunting, C. E. See Halbert, M. L., 1=19535
- Huntington, H. B. Point defects — an evaluation, 4=30550
- Huntington, H. B. and Ghate, P. B. New technique for calculating correlations for vacancy diffusion, 2=18594
- Huntington, H. B. and Grone, A. R. Current-induced marker motion in gold wires, 2=2095
- Huntington, H. B. and Johnson, R. A. Image force influence on the relaxation strength of point defects, 2=20990
- Huntington, H. B., Miller, N. C. and Nerses, V. Self-diffusion in 50—50 gold—cadmium, 1=14306
- Huntington, H. B. and Siu-Chung Ho. Electromigration in metals, 3=22829
- Huntington, H. B. See Reinitz, K., 2=10389
- Huntley, D. J. See Berman, R., 3=8375
- Huntley, D. J. See Berman, R., 4=8537
- Huntoon, R. D. and McNish, A. G. Present status of research on the physical constants at the (United States) National Bureau of Standards, 1=1676
- Hunyadi, I. See Csikai, J., 3=22407
- Hunyadi, I. See Csikai, J., 4=9528
- Hunzinger, R. R. Heat transfer and Reynolds' analogy in a turbulent flow with heat release, 0=19070
- Hunzinger, R. R. The flow about a charged body moving in the lower ionosphere, 1=10320
- Hunziker, W. Regularity properties in scattering amplitude in case of potential scattering, 2=3276
- Hunziker, W. Potential scattering at high energies, 4=8073
- Hunziker, W. Proof of a conjecture of S. Weinberg, 4=27073
- Hunzinger, W. and Huber, P. Differential reaction cross-section of oxygen-16 for neutrons in the MeV energy region, 2=20633
- Huo Ming-hsia. See Tang-Pu-shan., 4=4168
- Huo Yü-P'ing. See Kho Yui-Pin.
- Huong, P. van. See van Huong, P.
- Hüper, R. Interpretability of a quantum theory of indefinite metric, 2=17363
- Hupert, J. J. See Buckley, J. K., 1=7146
- Huq, A. M. Z. and Tropper, H. Conduction current pulses in organic insulating liquids under electrical stress, 4=16120
- Huq, M. Simple Cerenkov detector for the measurement of the energy of relativistic charged particles, 0=17155
- Hurd, C. M. Stabilized high-intensity light source, 0=14836
- Hurd, C. M. Liquid nitrogen cryostat for electrical measurements on crystal samples in magnetic and light fluxes, 1=572
- Hurd, C. M. The Demer and photoelectromagnetic effects in semi-insulating gallium arsenide, 2=4075
- Hurd, F. K. and Mullins, J. C. Aerosol size distribution from ion mobility, 2=8935
- Hurd, J. D. See Branwood, A., 2=14512
- Hurd, J. D. See Branwood, A., 3=2962
- Hurd, R. A. Diffraction by a unidirectionally conducting half-plane, 0=2441
- Hurd, R. A. An electromagnetic diffraction problem involving unidirectionally conducting surfaces, 0=17104
- Hurd, R. A. A note on the diffraction of a scalar wave by a small circular aperture, 1=18613
- Hurd, R. A. On the possibility of intrinsic loss occurring at the edges of ferrites, 2=20146
- Hurd, R. A. Intrinsic loss at the edges of anisotropic plasmas, 4=735
- Hurd, R. A. See Makow, D. M., 3=19133
- Hurd, R. M., Schmid, G. M. and Snively, E. S., Jr. Electrostatic fields: their effect on the surface tension of aqueous salt solutions, 2=11347
- Huret, J. See Mailfert, A., 4=8580
- Hurford, G. J. See Corinaldesi, R., 4=20042
- Hurlbert, R. C. and Konecny, J. O. Diffusion of hydrogen through palladium, 1=4890
- Hurlbut, F. C. Influence of pressure history on momentum transfer in rarefied gas flows, 0=14670
- Hurlbut, F. C. Note on conductive heat transfer from a final wire, 4=21336
- Hurlbut, F. C. and Mansfield, R. J. Calculated and observed pumping speeds of a shielded cryogenic pumping surface, 4=11260
- Hurlbut, F. C. See Stein, R. P., 1=11986
- Hurlbut, F. C. See Stein, R. P., 2=3093
- Hurle, D. T. J. Mechanisms of growth of metal single crystals from the melt, 2=14958
- Hurle, D. T. J., Jones, O. and Mullin, J. B. Growth of semi-conducting compounds from non-stoichiometric melts, 2=14959
- Hurle, D. T. J. and Weintraub, S. Technique for determining the orientation of single crystals of bismuth, 0=6347
- Hurle, D. T. J. and Weintraub, S. The electrical resistivity of monocrystalline and liquid bismuth, 1=3713
- Hurle, D. T. J. See Bardsley, W., 2=10382
- Hurle, D. T. J. See Bardsley, W., 3=13414
- Hurle, D. T. J. See Bardsley, W., 3=13415
- Hurle, D. T. J. See Bardsley, W., 3=25665
- Hurle, I. R. and Gaydon, A. G. Vibrational relaxation and dissociation of carbon dioxide behind shock waves, 0=5893
- Hurle, I. R., Russo, A. L. and Hall, J. G. Spectroscopic studies of vibrational nonequilibrium in supersonic nozzle flows, 4=18232
- Hurle, I. R. See Clouston, J. G., 0=14732
- Hurle, I. R. See Gaydon, A. G., 1=15943
- Hurle, I. R. See Gaydon, A. G., 3=14246
- Hurley, A. C. Electronic structure of the first row hydrides BH, CH, NH, OH and FH. I. Ground states, 0=7774
- Hurley, A. C. The electronic structures of the first row hydrides BH, CH, NH, OH and FH. II. Excited states, 0=7775
- Hurley, A. C. Electronic structure and binding energy of carbon monoxide, 0=17835
- Hurley, A. C. Improved molecular orbitals and the valence-bond theory, 0=17788
- Hurley, A. C. Equivalence of Rydberg-Klein-Rees and simplified Dunham potentials, 2=10273
- Hurley, A. C. Potential energy curves for doubly positive diatomic ions. II. predicted states and transitions of N_2^{2+} , O_2^{2+} , and NO^{2+} , 2=20816
- Hurley, A. C. Virial theorem for polyatomic molecules, 2=23014
- Hurley, A. C. Elimination of atomic errors from molecular calculations, 4=12432
- Hurley, A. C. and Maslen, V. W. Potential curves for doubly positive diatomic ions, 1=8946
- Hurley, A. C. See Carroll, P. K., 2=3734
- Hurley, A. C. See Coulson, C. A., 2=20772
- Hurley, J. Interaction of a streaming plasma with the magnetic field of a line current, 1=3047
- Hurley, J. Interaction of a streaming plasma with the magnetic field of a two-dimensional dipole, 1=10705
- Hurley, J. Drift velocity of a charged particle in an inhomogeneous magnetic field, 1=18986
- Hurley, J. Analysis of the transition region between a plasma and its confining magnetic field, 2=1437
- Hurley, J. Analysis of the transition region between a uniform plasma and its confining magnetic field. II, 3=7566
- Hurley, J. See Bazer, J., 3=9917
- Hurley, J. P., Brown, R. M. and Mandeville, C. E. Some gamma rays of Cd^{115m} , 3=24899
- Hurley, J. P. and Ferguson, J. M. Measurement of K-conversion coefficient of 279 keV gamma radiation in Tl^{203} , 1=17657
- Hurley, M. and Roberts, P. H. On highly rotating polytropes. III, 4=29366
- Hurley, W. P. See Kao, S.-K., 3=9029

- Hürlimann, T. and Schmid, P. Analysis of the stable neutron period in the presence of a neutron source, 4=3754
- Hurrell, J. P. See Baker, J. M., 4=4425
- Hurrell, J. P. See Baker, J. M., 4=26449
- Hurs'ka, A. P. See Karal'nik, S. M., 2=18853
- Hurst, C. A. On the equivalence of current loops and magnetic shells, 1=8299
- Hurst, C. A. The supplementary condition in quantum electrodynamics, 1=13281
- Hurst, C. A. Solution of plane Ising lattices by the Pfaffian method, 3=16542
- Hurst, C. A. Applicability of the Pfaffian method of combinatorial problems on a lattice, 4=8085
- Hurst, C. A. and Green, H. S. New solution of the Ising problem for a rectangular lattice, 0=20739
- Hurst, C. A. and Huxley, L. G. H. The distribution of ions formed by attachment of electrons moving in a steady state of motion through a gas, 0=12588
- Hurst, G. S., O'Kelly, L. B. and Bortner, T. E. Dissociative electron capture in water vapor, 1=13065
- Hurst, G. S., O'Kelly, L. B. and Stockdale, J. A. Quasi-trapping of low-energy electrons in water vapour, 2=22170
- Hurst, G. S., O'Kelly, L. B., Wagner, E. B. and Stockdale, J. A. Time-of-flight investigations of electron transport in gases, 3=23940
- Hurst, G. S., Stockdale, J. A. and O'Kelly, L. B. Interaction of low-energy electrons with water vapor and with other polar molecules, 3=16902
- Hurst, G. S. See Stockdale, J. A., 4=25753
- Hurst, H. G. and Ruppel, W. Tunnel currents through Al_2O_3 films for contacts of various work functions, 4=22761
- Hurst, R. P. Three-term Hylleraas-function atomic scattering factors for the two-electron ions, 1=17287
- Hurst, R. P., Karplus, M. and Das, T. P. Magnetic properties of hydrogen fluoride. II. Susceptibility, 2=20807
- Hurst, R. P. and Levitt, J. M. H. Quantum-mechanical cell model of the liquid state. II. Application to the zero-point properties of close-packed crystals, 1=3605
- Hurst, R. P. See Levitt, J. M. H., 0=3506
- Hurst, R. P. See McMullan, J. T., 4=28113
- Hurst, R. P. See Sidwell, T. W., 2=18394
- Hurst, R. P. See Yoshimine, M., 4=25478
- Hurt, W. B. See Collins, C. B., 4=24612
- Hurty, W. C. and Rubinstein, M. F. On the effect of rotatory inertia and shear in beam vibration, 4=29684
- Huruhata, M. Aurora and airglow observations on February 11, 1958, 1=2573
- Huruhata, M. and Kitamura, M. A new photoelectric photometer with electronic refrigerator, 2=11098
- Huruhata, M. and Nakamura, J. Airglow observations on board the "Soya", Japanese expedition ship to Antarctic, 0=14285
- Huruhata, M., Nakamura, T., Tanabe, H. and Tohmatsu, T. Oxygen red line in the night airglow and ionospheric F2 region, 0=21381
- Huruhata, M. and Tohmatsu, T. The transfer problem of nightglow and its applications to photoelectric photometry, 0=14296
- Huruhata, M. See Takahashi, C., 2=15364
- Hurukawa, K. See Fujinami, S., 3=9177
- Hurvich, L. M. Contributions to color-discrimination theory: review, summary and discussion, 3=5306
- Hurvich, L. M. See Jameson, D., 1=4161
- Hurvich, L. M. See Jameson, D., 4=26998
- Hurwicz, H. See Spindler, R. J., 2=2909
- Hurwitz, S. See Intrater, J., 1=12631
- Hurwitz, C., Spencer, S. J., Esterlund, R. A., Pate, B. D. and Reynolds, J. B. Angular momentum effects on the decay of compound nuclei, 4=22190
- Hurwitz, C. E. and McWhorter, A. L. Growing helical density waves in semiconductor plasmas, 3=8504
- Hurwitz, C. E. and McWhorter, A. L. Growing helical density waves in semiconductor plasmas, 4=17406
- Hurwitz, H. See Aziz, F. K., 1=4571
- Hurwitz, H. See Sanfeld, A., 2=12973
- Hurwitz, H., Jr. Calculational technique for stability integral gradients, 4=21536
- Hurwitz, H., Jr., Kilb, R. W. and Sutton, G. W. Influence of tensor conductivity on current distribution in a m.h.d. generator, 1=3051
- Hurwitz, H., Jr., MacMillan, D. B., Smith, J. H. and Storm, M. L. Kinetics of low source reactor startups. I, 3=12734
- Hurwitz, H., Jr., MacMillan, D. B., Smith, J. H. and Storm, M. L. Kinetics of low source reactor startups. II, 3=12735
- Hurwitz, H. Jr. and Nelkin, M. S. The thermal neutron spectrum in a diffusing medium, 0=12980
- Hurwitz, H. Jr., Nelkin, M. S. and Habetler, G. J. Neutron thermalization. I. Heavy gaseous moderator, 0=12968
- Hurwitz, H. Jr. See Alpher, R. A., 1=5548
- Hurwitz, H. Jr. See Auer, P. L., 0=10973
- Hurwitz, H., Jr. See Auer, P. L., 1=11557
- Hurwitz, H., Jr. See Auer, P. L., 2=9578
- Hurwitz, H., Jr. See BenDaniel, D. J., 3=1986
- Hurwitz, H., Jr. See BenDaniel, D. J., 3=18836
- Hurwitz, H., Jr. See Greebler, P., 0=13270
- Hurwitz, H., Jr. See Hofmann, P. L., 0=13336
- Hurwitz, H., Jr. See Hughes, R. F., 0=3621
- Hurwitz, H., Jr. See Kilb, R. W., 3=412
- Hurwitz, H., Jr. See Kilb, R. W., 3=21798
- Hurwitz, H., Jr. See Westendorp, W. F., 1=11920
- Hurwitz, L. Eccentric dipoles and spherical harmonic analysis, 0=21308
- Hurwitz, L. and Nelson, J. H. Proton vector magnetometer, 0=15103
- Hurzeler, H. See Morrison, J. D., 0=17720
- Husa, V. and Kriz, J. Measurement of lifetimes in silicon, 0=2888
- Husain, A., Siddiqui, M. H., Haque, M. and Husain, S. R. Nuclear interaction of 500 MeV/c negative K-mesons with nuclear emulsion, 3=603
- Husain, A., Siddiqui, M. H. and Hossain, A. Mean free path of 4.5 BeV π -mesons in Ilford G5 emulsions, 1=13475
- Husain, A. and Spanner, D. C. A Soxhlet micro-extractor, 4=13982
- Husain, M. K. See Connor, R. D., 1=2992
- Husain, S. A. and Jaffe, A. A. The proportional counter as a charged particle spectrometer, 0=19965
- Husain, S. F. A. See Trew, V. C. G., 1=20047
- Husain, S. I. The total radiation in Einstein's unified field theory, 0=6673
- Husain, S. R. See Husain, A., 3=603
- Husain, T. Single crystal gamma-ray scintillation spectrometer, 2=13762
- Husain, T. Three crystal gamma-ray scintillation pair spectrometer, 2=13763
- Husain, T. Energy levels of C^{12} from $Be^9(\alpha, n_\gamma)C^{12}$ reaction, 2=16316
- Husain, T. Energy levels of C^{14} from $C^{13}(p, \gamma)N^{14}$ reaction, 2=16323
- Husain, T. Energy levels of B^{10} from $Be^9(p, \gamma)B^{10}$ reaction, 3=667
- Husain, T. Voltage stabilizer for the 1 MeV Cockcroft-Walton generator, 3=9882
- Hušák, V. See Frána, J., 1=17031
- Huschilt, J. See Anderson, R. L., 2=20273
- Huschitt, E. See Sălceanu, C., 0=5081
- Husév, S. M. Magnetoresistance of CdSb, 4=26035
- Huseva, N. K. See Lyskovych, O. B., 3=20490
- Hush, N. S. Crystal-field stabilization and site deformation in crystals and complexes containing transition ions, 0=20729
- Hushfar, F. See Donahue, T. M., 0=1102
- Hushfar, F. See Donahue, T. M., 0=19622
- Hushfar, F. See Donahue, T. M., 1=16277
- Husimi, K. 180° domain wall motions in BaTiO₃ crystal, 1=10080
- Husimi, K. and Katoaka, K. Nondestructive measuring method of polarization for the study of ferroelectrics, 0=7977
- Husimi, K., Nishiguchi, K. and Suzuki, T. Ultrasonic measurement of magnetization in Mn-ferrite single crystal, 1=12539
- Husing, W. H. See Penner, C. J., 2=7163
- Huson, F. R. and Fretter, W. B. Interactions of 17 GeV/c negative pions, 4=25135
- Huson, R. See Ronne, B., 4=19458
- Hussain, A. See Barbaro-Galtieri, A., 4=6132
- Hussain, M. See Astbury, A., 0=2687
- Hussain, M. See Astbury, A., 1=8472
- Hussain, M. See Astbury, A., 2=1701
- Hussain, M. See Astbury, A., 2=1702
- Hussain, M. See Hasted, J. B., 4=24597
- Hussain, M. See Morrison, G. C., 4=22220
- Hussain, M. A. See Lagnaux, J. P., 3=17489
- Husson, R. See Gudefin, E., 3=19162
- Hussonois, M. (p,xn) and (p,pxn) reactions with U^{238} , U^{235} and U^{232} , 4=17139
- Hussonnois, M. Formation cross-section of the isotope Pa^{226} produced in Thorium by 155 MeV protons, 4=30340
- Hussonnois, M. See Boussières, G., 1=2215
- Hust, J. G. See Morris, R. G., 1=19731

- Huster, E. and Rausch, W. The production of very thin electrical conductors. Preparation data for absolute β -counting, 0=17310
- Huster, E. See Franke, G., 2=17983
- Hustin-Breton, M. See Bouny, A., 2=4796
- Huston, N.E. See Backus, J., 0=5275
- Huszy, D. A new contribution to the theory of sound radiation, 4=14271
- Hutber, F.W. See Fenning, F.W., 3=24997
- Hutcheon, I.C. Use of an electronic analogue computer with resistance network analogues, 0=10467
- Hutcheson, C.G. See Evans, F.P., 4=6877
- Hutchin, W.H. See Bonner, N.A., 2=16341
- Hutchings, J. See Wadsworth, N.J., 0=702
- Hutchings, M.T. and Ray, D.K. Investigation into the origin of crystalline electric field effects on rare earth ions. I. Contribution from neighbouring induced moments, 3=10569
- Hutchings, M.T. and Wolf, W.P. Observation of paramagnetic g-value shifts by exchange interactions, 4=7318
- Hutchings, M.T. and Wolf, W.P. Crystal field for Yb^{3+} in garnets, 4=12560
- Hutchings, M.T. and Wolf, W.P. Crystal field for Yb^{3+} in garnets, 4=25806
- Hutchings, M.T. See Ball, M., 4=20566
- Hutchings, M.T. See Garton, G., 4=30731
- Hutchings, M.T. See Wolf, W.P., 3=1052
- Hutchins, C.M., Hopping, A.S. and Saunders, F.A. Subharmonics and plate tap tones in violin acoustics, 0=19327
- Hutchins, D.L. and Newton, J.C. Preliminary studies of cathode spot behaviour on thin films electrodes, 2=13552
- Hutchins, D.L. See Ramaswamy, M.K., 1=2198
- Hutchins, D.L. See Ramaswamy, M.K., 1=8608
- Hutchinson, D.A. Role of atomic valence state energies in the determination of shapes of hydride molecules, 3=721
- Hutchinson, D.A. A note on self consistent bond lengths for tetracene and pentacene, 3=1341
- Hutchinson, D.A. and Hamka, H.F. Interaction effects on lifetimes of atomic excitations, 4=30387
- Hutchinson, D.P., Menes, J. and Shapiro, G. Negative muon polarization in phosphorus and fluorine, 3=15314
- Hutchinson, D.P., Menes, J., Shapiro, G. and Patlach, A.M. Magnetic moment of the positive muon, 3=19663
- Hutchinson, D.P., Menes, J., Shapiro, G. and Patlach, A.M. Magnetic moment of negative muons, 3=19664
- Hutchinson, D.P., Menes, J., Shapiro, G., Patlach, A.M. and Penman, S. Magnetic moments of positive and negative muons, 1=16833
- Hutchinson, D.P. See Garwin, R.L., 0=9392
- Hutchinson, F. See Corner, W.D., 0=11877
- Hutchinson, F. See Person, S., 3=14984
- Hutchinson, G.W. Changing instrumentation of high energy physics, 2=3188
- Hutchinson, G.W. A comment in address systems for two-dimensional pulse analysis, 2=9497
- Hutchinson, G.W., Rubinstein, R. and Wells, W.H. A transistorized ring scaler of resolving time 0.3 μs , 1=1881
- Hutchinson, G.W., Wells, W.H. and White, D.H. Fast scaling
- Hutchinson, G.W. See Booth, N.E., 0=17337
- Hutchinson, G.W. See Booth, N.E., 0=19844
- Hutchinson, G.W. See Homer, R.J., 0=17334
- Hutchinson, G.W. See White, D.H., 0=17185
- Hutchinson, H.P. and Arendt, P.R. Ionospheric scintillations of satellite signals, 0=14314
- Hutchinson, J.M.R. See Gardinkel, S.B., 3=10278
- Hutchinson, J.W. Plastic deformation of b.c.c. polycrystals, 4=13374
- Hutchinson, J.W. Plastic stress-strain relations of f.c.c. polycrystalline metals hardening according to Taylor's rule, 4=13370
- Hutchinson, P. Diagram expressions useful in the theory of fluids, 4=24130
- Hutchinson, P. and Rushbrooke, G.S. On the hyper-chain equation of state of a hard-sphere gas, 3=18845
- Hutchinson, P. See Rushbrooke, G.S., 1=12868
- Hutchinson, R. and Shuman, B. Rocket measurements of the magnetic field above New Mexico, 1=21086
- Hutchinson, R.I. See Presland, A.E.B., 3=17773
- Hutchinson, R.I. See Presland, A.E.B., 4=23532
- Hutchinson, T.E. Direct observation of the nucleation of crystallites by electron beam heating in amorphous Nb films, 4=2031
- Hutchinson, W.C.A. Ice-crystal contact electrification, 1=17861
- Hutchinson, W.C.A. See Evans, D.G., 4=2202
- Hutchinson, W.C.A. See Latham, J., 4=23768
- Hutchison, C.A., Jr. Paramagnetism of photoexcited triplet states of organic molecules, 3=1181
- Hutchison, C.A., Jr. and Mangum, B.W. Effect of deuterium substitution on the lifetime of the phosphorescent triplet state of naphthalene, 0=10231
- Hutchison, C.A., Jr. and Mangum, B.W. Paramagnetic resonance absorption in naphthalene in its phosphorescent state, 1=6234
- Hutchison, C.A., Jr. and O'Reilly, D.E. Densities of solutions of potassium in liquid ammonia and deuterio-ammonia, 1=4332
- Hutchison, C.A., Jr. and O'Reilly, D.E. Electronic paramagnetic relaxation times in potassium-ammonia and potassium-deuteroammonia solutions, 1=6873
- Hutchison, C.A., Jr., Tung Tsang and Weinstock, B. Magnetic susceptibility of neptunium hexafluoride in uranium hexafluoride, 2=18890
- Hutchison, C.A., Jr. and Weinstock, B. Paramagnetic resonance absorption in neptunium hexafluoride, 0=3126
- Hutchison, Jr., C.A. See Brandon, R.W., 2=21370
- Hutchison, C.A., Jr. See Brandon, R.W., 3=4775
- Hutchison, C.A., Jr. See Hirota, N., 4=23053
- Hutchison, D.A. Experimental threshold laws for ionization in the rare gases, 4=24595
- Hutchison, M.M. The temperature dependence of the yield stress of polycrystalline iron, 3=8768
- Hutchison, M.M. and Bullen, F.P. Solute-dislocation interaction in copper-antimony solid solutions, 2=23165
- Hutchison, M.M. and Louat, N. On the temperature dependence of the yield strength in iron, 2=10756
- Hutchison, M.M. See Bullen, F.P., 2=23771
- Hutchison, M.M. See Bullen, F.P., 3=18201
- Hutchison, M.M. See Bullen, F.P., 4=13416
- Hutchison, M.M. See Gillin, L.M., 3=6870
- Hutchison, R.I. See Presland, A.E.B., 2=16998
- Hutchison, T.S. Ultrasonic absorption in solids, 0=17884
- Hutchison, T.S. and McBride, S.L. Recovery of cold-worked aluminium at low temperatures, 2=23773
- Hutchison, T.S., McBride, S.L. and Rogers, D.H. Dislocation pinning in aluminum at low temperatures, 2=21017
- Hutchison, T.S. and Rogers, D.H. Ultrasonic damping at kilocycle frequencies in aluminum at low temperatures, 2=8708
- Hutchison, T.S. See Chopra, K.L., 0=232
- Huth, F. The viscosity of liquid neon, 3=21310
- Huth, G.C., Bergeson, H.E. and Trice, J.B. Stable, high field silicon p-n junction radiation detectors, 4=5890
- Huth, G.C., Trice, J.B. and McKinney, R.A. Internal pulse amplification in silicon p-n junction radiation detection junctions, 4=28589
- Huth, J.H. See Cole, J.D., 0=1198
- Hutson, A.R. Piezoelectricity and conductivity in ZnO and CdS, 0=16027
- Hutson, A.R. Piezoelectric scattering and phonon drag in ZnO and CdS, 1=17857
- Hutson, A.R. Acoustoelectric explanation of non-ohmic behaviour in piezoelectric semiconductors and bismuth, 3=2876
- Hutson, A.R., McFee, J.H. and White, D.L. Ultrasonic amplification in CdS, 2=3833
- Hutson, A.R., Paul, W., Howard, W. and Zeterstrom, R.B. Pressure dependence of the resistivity of zinc oxide, 0=6085
- Hutson, A.R. and White, D.L. Elastic wave propagation in piezoelectric semiconductors, 2=1220
- Hutson, V. The circular plate condenser at small separations, 3=3994
- Huttel, G. See Liewers, P., 4=3757
- Hüttig, R. See Quitzsich, K., 4=5458
- Hüttner, W. See Zeil, W., 2=8096
- Hüttner, W. See Zeil, W., 3=4769
- Hutton, C.L. See Curry, E.T., 0=16507
- Hutton, D.R. and Troup, G.J. Paramagnetic resonance of Cr^{3+} in kyanite, 4=13309
- Hutton, D.R. and Troup, G.J. Paramagnetic resonance of Gd^{3+} in zircon, 4=15673
- Hutton, D.R. See Elliston, P.R., 4=3189
- Hutton, E. See Stevens, B., 1=181
- Hutton, E. See Stevens, B., 3=13212
- Hutton, E.H. Causality and the theory of elementary particles, 3=5330
- Hutton, J.F. Fracture of liquids in shear, 4=16081
- Hutton, J.F. See Bramhall, A.D., 0=14577
- Hutton, J.F. See Bagley, E.B., 4=27151
- Hutton, P.J. The growth of droplets: progress report No. II (Final), 1=6849

- Hutton, P.J. Growth of small ions in supersaturated water vapour, 3=21712
- Hutton, P.J. Growth of small ions in supersaturated water vapour, 4=457
- Hutton, P.J. See Clarke, J.D., 4=18762
- Hutton, R. Regular micropulsations of the earth's field at the equator, 0=14178
- Hutton, R. The solar and lunar daily variations of earth currents near the magnetic equator, 2=21676
- Hutton, R. Equatorial micropulsations and ionospheric disturbance currents, 2=24033
- Hutton, R. The S variation of earth currents near the magnetic equator, its seasonal changes, and its relation to variations of the magnetic field, 3=23579
- Hutton, R. The disturbance daily variation of the earth's field near the magnetic equator, 3=25941
- Hutton, R. and Wright, R.W.H. Diurnal variation of earth currents at the equator, 1=15216
- Hutton, V.R. Equatorial micropulsations, 2=15279
- Huu Xuong Nguyen, See Nguyen Huu Xuong.
- Huus, T. Coulomb excitation, 2=5794
- Huwe, D.O. See Alvarez, L.W., 3=15039
- Huwe, D.O. See Murray, J.J., Jr., 4=9268
- Huwe, D.O. See Shafer, J.B., 3=15038
- Huwe, D.O. See Shafer, J.B., 4=21946
- Huxley, L.G.H. The structure of a stream of electrons and ions drifting and diffusing in a gas when ionization by collision and molecular attachment are present, 0=5272
- Huxley, L.G.H. A discussion of the motion in nitrogen of free electrons with small energies with reference to the ionosphere, 0=14973
- Huxley, L.G.H. Free path formulae for the coefficient of diffusion D and velocity of drift W of ions and electrons in gases, 1=274
- Huxley, L.G.H. The general theory of the motions of ions and electrons in gases, 1=8512
- Huxley, L.G.H., Crompton, R.W. and Bagot, C.H. A new method for measuring the attachment of slow electrons in gases, 0=8995
- Huxley, L.G.H. See Hurst, C.A., 0=12588
- Huxtable, G.B. See Allaby, J.V., 1=5725
- Huxtable, G.B. See Ashmore, A., 0=5559
- Huxtable, G.B. See Bowen, P.H., 2=1691
- Huxtable, G.B. See Bowen, P.H., 2=7987
- Huxtable, G.B. See Bowen, P.H., 2=13810
- Huxtable, G.B. See Bowen, P.H., 3=2278
- Huxtable, G.B. See Bowen, P.H., 3=8105
- Huxtable, G.B. See Bowen, P.H., 3=10349
- Huybrechts, G. See Chiltz, G., 3=11356
- Huybrechts, M. The determination of a tangent to the trajectory of a charged particle, 0=10979
- Huybrechts, M. Application of the maximum likelihood method to the estimation of angles between charged particle trajectories in bubble chamber, 2=7799
- Huybrechts, M. Application of the maximum likelihood method to the estimation of the magnetic curvature of charged particle trajectories in bubble chamber, 2=7800
- Huyen-Dang-Vu. The current theorem in the Einstein-Schrodinger theory, 0=16594
- Huyett, M.J. See Lundberg, J.L., 0=12066
- Huyghe, J. and Mondin, H. Heat transfer on admixture of liquid and gas by forced turbulent convection with slight vaporization of the liquid phase, 2=1292
- Huyghe, J. and Mondin, H. Heat transfer by a liquid film and mist with slight vaporization of the liquid phase, 2=1293
- Huyghe, J. and Mondin, H. and Villeneuve, J. Heat transfer on admixture of liquid and gas by forced turbulent convection with slight vaporization of the liquid phase, 2=1291
- Huynen, A.M., Piret-Meunier, J. and van Meerssche, M. Structure of kosolite, 4=7622
- Huynen, A.M. and van Meerssche, M. Confirmation of the structure of sklodowskite, 3=16085
- Huynh, V.D. See Bianchi, G., 2=9865
- Huynh, V.-D. See Bianchi, G., 4=17153
- Huynh, V.D. See Bianchi, G., 4=17154
- Huynh, V.D. See Bianchi, G., 4=17155
- Huynh, V.D. See Bianchi, G., 4=17156
- Huynh, V.-D. See Corge, C., 1=13828
- Huynh, V.-D. See Corge, C., 1=17112
- Huynh, V.D. See Corge, C., 2=295
- Huynh, V.D. See Corge, C., 2=388
- Huynh, V.D. See Corge, C., 2=415
- Huynh, V.D. See Corge, C., 2=416
- Huynh, V.-D. See Julien, J., 1=16569
- Huynh, V.D. See Julien, J., 3=4645
- Huynh, V.D. See Julien, J., 4=28036
- Huyskens, P., Claes, P. and Gailiez, J.L. Description of a thermistor cryometer, and cryometry by the method of completion of melting, 0=3676
- Huyskens, P. See Claes, P., 4=27568
- Huzan, E., Abbiss, C.P. and Jones, G.O. Thermal expansion of aluminium at low temperatures, 1=4971
- Huzan, E. See Figgins, B.F., 0=8844
- Huzimura, R. and Ato, Y. Effects of electron bombardment on germanium. I. Changes in conductivity, 0=11687
- Huzimura, R., Ato, Y. and Oishi, M. Effects of electron bombardment on germanium. II. Effects of local irradiation and subsequent heating, 2=10463
- Huzimura, R., Ato, Y. and Oishi, M. Radioactive self-luminous compounds. V. Trapping center and cross-section of excitation, 4=26233
- Huzimura, R. See Ato, Y., 4=7169
- Huzinaga, S. One-center expansion of molecular wave function. II. Lower excited states of H_2 , 0=7794
- Huzinaga, S. One-center expansion of molecular wave function. III. He-He repulsive potential, 0=7795
- Huzinaga, S. The repulsive potential between two normal helium atoms, 0=9756
- Huzinaga, S. Molecular orbital treatment of $1s2p\sigma^2\Sigma_u$ state of H_2 , 0=13451
- Huzinaga, S. On the orbital approach to the many-electron problem in molecule, 0=13452
- Huzinaga, S. Applicability of Roothaan's self-consistent field theory, 0=20675
- Huzinaga, S. A note on the first Born approximation in collisions of electron with helium, 1=3519
- Huzinaga, S. Analytical methods in Hartree-Fock self-consistent field theory, 1=7421
- Huzinaga, S. Variational calculation of ethylene, 2=3772
- Huzinaga, S. Self-consistent field theory for electrons in solids, 2=12394
- Huzinaga, S. Validity of the concept of the semi-united atom, 3=8223
- Huzinaga, S. and Hasino, T. Electronic energy levels of polyene chains, 0=9831
- Huzinaga, S. See Hasino, T., 0=15677
- Huzinaga, S. See Tsuji, M., 0=17839
- Huzita, H. A method of analysis of events involving multiple meson production, 0=1289
- Huzita, H. See Camerini, U., 0=381
- Huzita, H. See Camerini, U., 0=15524
- Huzita, H. See Camerini, U., 2=22624
- Huzita, H. See Ely, R.P., 2=18173
- Huzita, H. See Ely, R.P., 2=22613
- Hvam, T. and Smedsdal, M. A voltage-sensitive tunnel diode discriminator, 3=24189
- Hveding, D. See Hvinden, T., 1=9823
- Hvinden, T., Hveding, D., Lillegraven, A. and Small, S.H. Caesium-137 fall-out over Norway since September 1956, 1=9823
- Hwa, C.Y. Theory of linearity of hot-cathode ionization gauge, 4=249
- Hwa, C.Y., Wang, S.Y. and Chang, Z.C. Ultrahigh vacuum ionization gauges with directly heated electrodes, 4=250
- Hwa, R.C. Singularities in the unphysical sheets and the isobar model, 3=17210
- Hwa, R.C. On the analytic structure of production amplitudes, 4=19447
- Hwa, R.C. and Feldman, D. Interpretation of the pion-hyperon resonances, 2=11978
- Hwa, R.C. and Feldman, D. Study of pion-hyperon resonances by dispersion relations in the unphysical sheet, 3=12483
- Hwang, C.F., Clausnitzer, G., Nordby, D.H., Suwa, S. and Williams, J.H. Polarization of 40-MeV protons by complex nuclei, 3=24731
- Hwang, C.F., Nordby, D.H., Suwa, S. and Williams, J.H. Polarization in proton- He^4 scattering at 38 MeV, 2=20337
- Hwang, C.F., Ophel, T.R., Thorndike, E.H. and Wilson, R. Depolarization and time reversal in p-p scattering at 142 MeV, 0=12926
- Hwang Ching-Lai, and Fan Liang-Tseng. A finite difference analysis of laminar magneto-hydrodynamic flow in the entrance region of a flat rectangular duct, 4=5773
- Hwang, J.L. New scheme for calculating nuclear radii, 3=22272
- Hwang, J.-L. and Wang, C.-S. Frequency counting in lattice dynamics, 3=2705

- Hwang, J. L. and Yee, S. H. Green's independent particle model and nuclear size, 4=981
- Hwang Jenn-Lin. Angular momentum distributions in the Thomas-Fermi model, 4=17237
- Hwang Jenn-Lin. See Lee Tun-Chien, 4=20185
- Hwang Sheau-Juang, Chung Ming and Chung Gwo-Yang. Current stabilizer for the magnetic field of a heavy-particle magnetic spectrometer, 4=612
- Hwang Shoi-Yean and Davids, N. Graphical analysis of the formation of shock fronts in materials, 1=168
- Hwoschtschew, A. N. See Basow, N. G., 3=4923
- Hyam, E. D. and Sumner, G. Irradiation damage to beryllium, 3=8471
- Hyams, B. D. See Backenstoss, G., 1=8478
- Hyams, B. D. See Backenstoss, G., 2=22549
- Hyams, B. D. See Backenstoss, G., 3=10087
- Hyams, B. D. See Backenstoss, G., 3=10139
- Hyams, B. D. See Backenstoss, G., 3=17101
- Hyams, B. D. See Backenstoss, G., 4=16939
- Hyams, B. D. See Backenstoss, G. K., 0=15337
- Hybl, A. and Marsh, E. Structure factor and least-squares calculation for orthorhombic systems with anisotropic vibrations, 2=10843
- Hyde, E. K. See Crespo, V. P., 3=22387
- Hyde, E. K. See Yaffe, L., 3=22339
- Hyde, F. J. and Roberts, H. J. Minority carrier lifetime in the base regions of transistors, 2=4055
- Hyde, F. J., Roberts, H. J. and Buckingham, B. E. Excess high-frequency noise in junction transistors, 2=6480
- Hyde, F. J. See Mahapatra, S., 3=1912
- Hyde, F. W. and Fulford-Jones, R. An investigation into the use of colour filters in visual observation, 2=24214
- Hyde, G. M. See Pettengill, G. H., 2=13174
- Hyde, J. Approximate solutions of the general relativity field equations with a scalar meson field, 4=2544
- Hyde, J. S. Magnetic resonance and rapid passage in irradiated LiF, 0=16171
- Hyde, J. S. Saturation of the magnetic resonance absorption in dilute inhomogeneously broadened systems, 0=16172
- Hyde, J. S. and Brown, H. W. E.P.R. Study of tetracene positive ion, 2=18477
- Hyde, J. S. and Maki, A. H. Endor of a free radical in solution, 4=22434
- Hyder, C. L. See Athay, R. G., 3=9211
- Hyder, H. R. See Day, D. H., 3=22149
- Hyder, S. B. Numerical calculations of direct interaction cross-sections for (n,np) processes, 1=19494
- Hyder, S. B. and Bansigir, K. G. Direct detection of small size scattering centres in doped alkali halides, 3=17779
- Hyder, S. B. and Bansigir, K. G. Etching of dislocation sites in sodium chloride crystals, 4=2020
- Hyder, S. B. and Gupta, B. K. Radio-luminescence in sodium chloride and potassium chloride, 1=20012
- Hyder, S. B. and Rao, A. V. A circuit for measurement of decay times of phosphors, 3=14478
- Hyett, B. J. See Spreiter, J. R., 3=13828
- Hygh, E. H. See Taylor, T. T., 3=8332
- Hyland, R. W. See Wexler, A., 4=23732
- Hylleraas, E. A. On the practical solution of the relativistic one-electron equation. II, 2=1064
- Hylleraas, E. A. The representation of spinors, 2=11870
- Hylleraas, E. A. On the inversion of eigenvalue problems, 4=8072
- Hylleraas, E. A. Reminiscences from early quantum mechanics of two-electron atoms, 4=12336
- Hylleraas, E. A. Determination of a perturbing potential from its scattering phase shift and bound states energy levels, 4=27805
- Hyman, J. Jr. Low impedance bridge for the measurement of level of liquid metals, 1=10473
- Hyman, J., Jr. Measurement of the resistivity of cesium at elevated temperatures, 1=15900
- Hyman, L. See Guerriero, L., 0=19980
- Hyman, L. G. Scattering of photons by protons, 2=7855
- Hyman, L. G., Schwarcz, R. M. and Schluter, R. A. Study of high speed photomultiplier systems, 4=16528
- Hyman, L. G. See Chrétien, M., 3=24787
- Hynchuk, K. D., Lýtovchenko, N. M. and Miselyuk, O. H. Investigation of the recombination of charge carriers in germanium, doped with impurities. III. Germanium doped with Ag and Au, 2=18683
- Hyndman, D. and Origlio, G. F. N.M.R. absorption in teflon fibers, 0=21225
- Hynds, R. J. Time variations of the electronic component of the cosmic radiation, 2=9974
- Hynds, R. J. See Durney, A. C., 3=6967
- Hynds, R. J. See Durney, A. C., 4=29354
- Hynds, R. J. See Elliot, H., 1=3357
- Hynek, D. P. See Millman, G. H., 4=2271
- Hynek, D. P. See Pineo, V. C., 3=7720
- Hynek, D. P. See Pineo, V. C., 4=2268
- Hyneman, R. F. Closely-spaced transverse slots in rectangular waveguide, 0=5412
- Hyodo, S. Possibility of supersonic velocity of glass fracture, 1=12604
- Hyodo, S. and Okuda, F. Glass cracking caused by underwater spark, 1=12603
- Hyodo, S. See Takahashi, M., 4=13406
- Hyodo, T. Backscattering of gamma rays, 2=7841
- Hyodo, T. and Makino, F. Response function of a three-inch diameter by three-inch long NaI(Tl) scintillator to gamma-rays, 3=3045
- Hyodo, T. and Shimizu, S. Some experiments on gamma-ray back-scattering, 1=13373
- Hysell, R. E. See Elliott, J. F., 0=10759
- Hysell, R. E. See Ozarow, V., 2=23408
- Hyslop, J. First-collision probabilities associated with linearly anisotropic flux distributions in cylindrical geometry, 3=25009
- Hytha, M. Energy relations in electromagnetic field disturbed by magnetodielectric body, 3=21945
- Hyung Kyu Shin. See Giddings, J. C., 2=4533
- Hyvärinen, L. P. The coherent scattering of X-rays in the direction of the primary beam, 0=17294

- I Chung-yuan. See Hsiao Jên-hsi., 4=3715
- Iachello, F. Presence and absence of the solid angle in some classical relationships in electromagnetism, 4=5750
- Iaci, G., Quercia, I.F. and Turrisi, E. Positrons annihilation in water and ice with an external magnetic field, 2=13776
- Iakovlev, V.I. See Dovzenko, O.I., 1=3290
- Ianculovici, B. Use of Geiger-Müller counters with halogens in the intermediate current region, 3=17096
- Iandelli, A. The magnetic susceptibility of some semimetallic compounds of samarium and gadolinium, 2=8605
- Ianniello, L. and Burr, A. Effect of some rare-earth elements on the h.c.p.-b.c.c. transformation of zirconium, 2=21546
- Iannini, A.A. See Lavine, J.M., 2=18724
- Iannini, A.A. See Lavine, J.M., 3=888
- Iannini, A.A. See Lavine, J.M., 4=8805
- Iannini, A.A. See Schaufele, R.F., 3=25458
- Iannuzzi, M. and Minnaja, N. Pressure effect on the microwave absorption of oxygen, 4=6579
- Iannuzzi, M. and Polacco, E. On the possibility of observing Faraday rotation using the Mössbauer effect, 4=13010
- Iannuzzi, M. See Alcock, A.J., 4=8811
- Iannuzzi, M. See Battaglia, A., 3=21983
- Iannuzzi, M. See Battaglia, A., 3=22562
- Iannuzzi, M. See Battaglia, A., 3=23938
- Iannuzzi, M. See Gozzini, A., 1=16595
- Iano, P. See Austern, N., 0=20309
- Ianovici, M. See Iliescu, C.C., 3=24429
- Iarygin, P.I. See Bekkerman, I.M., 2=1739
- Iastrebov, S.S. Magnetic-field automatic scanning in the mass spectrometer MS-2M, 2=1525
- Ibach, H. See Giessen, B.C., 4=15744
- Iball, J. and Wilson, H.R. Structure of guanine hydrochloride dihydrate, 4=4633
- Iball, J. See Ferrier, R.P., 0=8243
- Iball, J. See Ferrier, R.P., 0=10318
- Ibbotson, M. See Bondar, L., 3=19678
- Ibele, W.E. See Eckert, E.R.G., 2=7424
- Ibele, W.E. See Eckert, E.R.G., 3=275
- Ibele, W.E. See Eckert, E.R.G., 3=7364
- Ibele, W.E. See Eckert, E.R.G., 3=11971
- Ibele, W.E. See Eckert, E.R.G., 3=24071
- Ibele, W.F. See Eckert, E.R.G., 4=2860
- Ibele, W.E. See Eckert, E.R.G., 4=11381
- Ibele, W.E. See Eckert, E.R.G., 4=29780
- Ibele, W.E. See Eckert, E.R.G., 4=29781
- Iben, I., Jr. Massive stars in quasi-static equilibrium, 4=10810
- Iben, I., Jr. See Bahcall, J.N., 3=13879
- Ibers, J.A. Nuclear magnetic resonance study of polycrystalline NH_4ClO_4 , 0=11958
- Ibers, J.A. Comments on Carpenter's paper "Density of the bonding electrons in diamond", 0=16307
- Ibers, J.A. Remarks on potential peak shapes and on the direction of light atoms in the presence of heavy atoms, 2=319
- Ibers, J.A. Remarks on electron density peak shapes, 2=820
- Ibers, J.A. Effects of bonding on electron diffraction values of bond distances involving hydrogen atoms in solids, 2=10824
- Ibers, J.A. Current status of electron scattering factor calculations, 2=22915
- Ibers, J.A. Crystal structure of cobaltous chloroaluminate, $\text{Co}(\text{AlCl}_4)_2$, 3=1330
- Ibers, J.A. Refinement of Peterson and Levy's neutron diffraction data on KHF_2 , 4=10545
- Ibers, J.A. Structure of dibenzene chromium, 4=22389
- Ibers, J.A. Potential function for the stretching region in potassium acid fluoride, 4=22468
- Ibers, J.A. The nature of the hydrogen bond in the bifluoride ion, 4=28308
- Ibers, J.A. and Hamilton, W.C. Xenon tetrafluoride: crystal structure, 3=6846
- Ibers, J.A. and Hamilton, W.C. Dispersion corrections and crystal structure refinements, 4=23389
- Ibers, J.A. and Holm, C.H. The O-H...O bond in orthoboric acid, 1=14077
- Ibers, J.A., Holm, C.H. and Adams, C.R. Proton magnetic resonance study of polycrystalline HCrO_2 , 1=5075
- Ibers, J.A., Kumamoto, J. and Snyder, R.G. Structure of potassium hydroxide: an X-ray and infrared study, 0=21201
- Ibers, J.A. and Smith, G.W. Crystal structure of a sodium cobalt molybdate, 4=10547
- Ibers, J.A. and Swalen, J.D. Paramagnetic resonance line shapes and magnetic parameters of polycrystalline substances, 21359
- Ibers, J.A. See Hamilton, W.C., 3=1334
- Ibers, J.A. See Hamilton, W.C., 4=4629
- Ibers, J.A. See Hamilton, W.C., 4=7613
- Ibers, J.A. See Kumamoto, J., 1=15037
- Ibers, J.A. See McGaw, B.L., 4=4623
- Ibers, J.A. See Snyder, R.G., 0=20987
- Ibers, J.A. See Snyder, R.G., 2=6203
- Ibers, J.A. See Stevenson, D.P., 0=17856
- Ibers, J.A. See Swalen, J.D., 2=12308
- Ibers, J.A. See Swalen, J.D., 2=16528
- Ibbotson, M. See Aderholz, M., 4=21914
- Ibbotson, M. See Aderholz, M., 4=21919
- Ibbotson, M. See Aderholz, M., 4=25151
- Ibbotson, M. See Bartsch, J., 4=21920
- Ibbotson, M. See Bartsch, J., 4=30264
- Ibbotson, M. See Bondar, L., 4=944
- Ibragimov, Kh. I., Pokrovskii, N. L., Pyrachevich, P. P. and Semchenko, V. K. An investigation of the surface tension of the tin-bismuth alloy system, 4=21112
- Ibragimov, M.K., Subbotin, V.I. and Ushakov, P.A. Investigation of heat transfer for turbulent flow of heavy liquid metals in
- Ibragimov, M.K. See Subbotin, V.I., 2=15769
- Ibragimov, M. Kh. See Subbotin, V. I., 4=339
- Ibragimov, N.I. and Kuliev, A.A. Electrical transport of thallium in polycrystalline selenium, 2=18611
- Ibragimov, N.I., Shakhhtakhtinskii, M.G. and Kuliev, A.A. Diffusion and electrical migration of thallium in tellurium, 3=17791
- Ibragimov, N.I., Shakhhtakhtinskii, M.G. and Kuliev, A.A. Influence of an electric field on diffusion of thallium in germanium single crystals, 3=25345
- Ibragimov, N.I. See Aliev, N.A., 0=11589
- Ibragimov, S.S., Lyashenko, V.S. and Zavyalov, A.I. An investigation of the structure and properties of several steels and other metals after irradiation with fast neutron, 2=12489
- Ibragimov, Sh.Sh. The effect of fast neutrons on certain properties of iron-carbon alloys, 2=23767
- Ibragimov, Sh. Sh. and Dimitriev, V. D. Effect of bombardment on the K-state formation in nickel-chrome alloy, 4=23282
- Ibragimov, Sh.Sh. and Lyashenko, V.S. The effect of fast neutrons on the properties of metals, 1=10021
- Ibragimov, Sh. Sh. and Voronin, I. M. Neutron bombardment strengthening of iron and nickel, 4=23165
- Ibragimov, Sh.Sh. See Boronin, I.M., 2=10430
- Ibragimova, D.M. and Moiseev, A.I. An internal friction peak observed during tests on deformed aluminium, 1=6445
- Ibrahim Ali Abdel-Kerim. See Ali Abdel-Kerim Ibrahim.
- Ibrahimov, Sh. Sh. and Karmilov, A. G. A study of the properties of neutron-bombarded iron, 4=28509
- Ibuki, S. Induced conductivity of CdS by β - and γ -rays, 0=20933
- Ibuki, S. On the crystal growth of cadmium sulphide, 0=21160
- Ibuki, S., Komiya, H. and Yamashita, H. Anomalous photovoltaic effect of CdS single crystals, 1=14507
- Ibuki, S. and Langer, D. Energy terms of ZnS: Tm and Ho, 4=13089
- Ibuki, S. and Langer, D. Phonon coupling in optical spectra of ZnS:Mn, 4=22903
- Ibuki, S. and Langer, D.W. Strong blue emission in ZnS: Tm, 3=13210
- Ibuki, S. and Yamashita, H. Diffusion of Cu into CdS single crystals through dislocations, 1=3684
- Ibuki, S. See Nakada, M., 4=28876
- Ibuki, S. See Yamashita, H., 2=2262
- Ibuki, S. See Yamashita, H., 3=13219
- Ichihara, E. See Kitamura, K., 4=7014
- Ichijo, B. and Arai, T. Highly stabilized and sensitive reactance meter, 1=4534
- Ichikawa, Y. See Higashimura, T., 3=12611
- Ichikawa, Y. See Coles, J.A., 3=18409
- Ichikawa, Y. See Hirayama, C., 3=21637
- Ichikawa, Y.H. Equilibrium properties of classical electron gas in uniform positive ion distribution, 0=15019
- Ichikawa, Y.H. A possible size effects on the plasma oscillation of electrons in solids, 0=15831
- Ichikawa, Y.H. Stopping power of high temperature plasma — effects of ionic collective motion, 1=2968
- Ichikawa, Y.H. On the kinetic equation for a high temperature plasma, 1=11922
- Ichikawa, Y.H. Electron transit time effects in a high frequency [Langmuir] probe, 3=16952
- Ichikawa, Y. H. Finite transit time effect in the radio-frequency probe, 4=18935
- Ichikawa, Y.H. and Ikegami, H. Theory of resonance probe, 3=21806

- Ichikawa, Y.H. and Sasakura, Y. On the structure of generalized Fokker-Planck equation of a high temperature plasma, 1=16319
- Ichikawa, Y.H. and Yamamoto, M. Bremsstrahlung in high density media at high energies, 1=3156
- Ichikawa, Y.H. See Hasegawa, K., 0=17599
- Ichikawa, Y.J. Theory of collective oscillation of electrons in solids, 0=11594
- Ichiki, S.K. See Hill, R.M., 0=10894
- Ichiki, S.K. See Hill, R.M., 3=2961
- Ichiki, S.K. See Hill, R.M., 3=10871
- Ichiki, S.K. See Hill, R.M., 4=4218
- Ichiki, S.K. See Hill, R.M., 4=28700
- Ichimaru, S. Theory of fluctuations in a plasma, 3=415
- Ichimaru, S. Wave properties of a plasma with a doubly humped velocity distribution, 3=2002
- Ichimaru, S. Hydrodynamic fluctuations and correlations in a plasma, 4=27554
- Ichimaru, S., Pines, D. and Rostoker, N. Observation of critical fluctuations associated with plasma-wave
- Ichimescu, A. See Agirbiceanu, I., 2=8102
- Ichimescu, A. See Agirbiceanu, I., 4=1748
- Ichimiya, T., Takayama, K. and Aono, Y. Measurement of positive ion density in the ionosphere, 1=1535
- Ichimiya, T., Takayama, K., Dote, T., Aono, Y., Hirao, K., Miyazaki, S., Sugiyama, T. and Muraoka, T. Measurement of positive-ion density in the ionosphere by sounding rocket, 1=11648
- Ichimiya, T. See Dote, T., 2=6942
- Ichimiya, T. See Dote, T., 3=12180
- Ichimiya, T. See Dote, T., 3=19280
- Ichimiya, T. See Miyazaki, S., 2=17154
- Ichimura, H. Quantum statistical mechanics of electron-phonon systems. II. Specific heat and spin paramagnetic susceptibility, 0=11592
- Ichimura, H. A note on the cluster expansion for quantum gases, 4=27097
- Ichimura, H. and Tanaka, S. The de Haas-van Alphen effect and coulomb interaction, 1=11411
- Ichimura, H. and Tanaka, S. Quantum statistics of interacting electron gas in a strong magnetic field, 1=12370
- Ichimura, K. See Yamashita, Y., 1=15755
- Ichimura, M. A generalization of Brémond-Valatin method for four-body correlation and its application to a charge independent pairing interaction, 4=27931
- Ichimura, M. and Yazaki, K. Some properties of the φ -meson, and its effects on the decay of the η -meson, 4=9265
- Ichimura, M. See Fujii, Y., 4=30155
- Ichinohe, S. See Narita, S., 0=2764
- Ichinokawa, T. Observation of dynamic changes of domain structures in ferromagnetic thin films by electron microscope, 3=18088
- Ichinokawa, T. and Yamada, Y. Measurements of evaporated film thickness and concentration by electron probe X-ray microanalyser, 4=2122
- Ichinose, H. and Kuczynski, G.C. Role of grain boundaries in sintering, 2=8872
- Ichinose, N., Chiba, S. and Kurihara, K. Ferromagnetic resonance in calcium ferrite containing Gd^{3+} , 4=26359
- Ichinose, N. and Kurihara, K. A new ferrimagnetic compound, 4=10289
- Ichinose, N. and Kurihara, K. Electrical properties of Y_2O_3 -doped calcium diferrite, 4=6951
- Ichtchenko, G. See Consoli, T., 2=19958
- Ichtchenko, G. See Consoli, T., 3=9783
- Ichtchenko, G. See Consoli, T., 3=9784
- Ichtchenko, G. See Consoli, T., 3=16951
- Ichtchenko, G. See Consoli, T., 3=19252
- Ichtchenko, G. See Consoli, T., 4=5619
- Ichtchenko, G. See Consoli, T., 4=18981
- Ichtchenko, G. See Consoli, T., 4=18994
- Ichtenko, G. See Consoli, T., 2=1418
- Ickert, I. Problems of heterogeneous nucleation. II. The role of the surface structure of the foreign substrate, 4=2026
- Ickert, L. Problems of heterogeneous nucleation. I. Influence of the metrics, chemistry, adsorption and kinetics, 4=2025
- Ickert, L. See Kleber, W., 3=20805
- Ickert, L. See Kleber, W., 4=26612
- Iczkowski, R.P. and Margrave, J.L. Electronegativity, 1=18754
- Iczkowski, R.P., Margrave, J.L. and Robinson, S.M. Effusion of gases through conical orifices, 3=18851
- Iczkowski, R.P. See Grosser, A.E., 3=12883
- Ida, M. On the systematization of the strongly interacting particles, 0=3940
- Ida, M. Some remarks on the scattering problem, 0=15407
- Ida, M. On the relation between the phase shift and the number of bound states, 0=17264
- Ida, M. Integral representations of Bethe-Salpeter amplitudes, 1=3136
- Ida, M. Space-time description of collision and decay processes, 1=10860
- Ida, M. A semi-classical picture for the high-energy scattering, 3=17217
- Ida, M. Phenomenological analysis of the high-energy collision of elementary particles, 3=17218
- Ida, M. Decay of the π meson and Goldberger-Treiman relation, 4=926
- Ida, M. Vertex functions and the unitarity relation, 4=25042
- Ida, M., Hirata, M. and Kawada, S. The changes in dielectric properties of water during adsorption by solids, 4=20825
- Ida, M. and Kawada, S. Dielectric behaviour of water adsorbed on solid surfaces at very low frequencies, 3=17950
- Ida, M. and Maki, K. On vertical representation of Bethe-Salpeter amplitudes, 2=3266
- Ida, Y. and Akao, Y. Resonance of surface-charge waves on a cylindrical plasma, 4=5624
- Ida, Y. See Akao, Y., 3=19254
- Ida, Y. See Akao, Y., 4=27535
- Idchak, E. F. The effect of evaporation conditions on the optical properties of thin chromium films, 4=7115
- Iddings, C.K. and Platzman, P.M. Meson corrections to the hyperfine structure in hydrogen, 0=466
- Iddings, C.K. and Platzman, P.M. Two-nucleon L-S potential in pseudoscalar meson theory, 0=17263
- Iddings, C.K., Shaw, G. L. and Tsai, Y. S. Depolarization of spin- $\frac{1}{2}$ particles by electromagnetic scatterings, 4=27815
- Iddings, C.K. See de Swart, J.J., 3=4468
- Iddings, C.K. See de Swart, J.J., 3=10176
- Iddings, C.K. See Feynman, R.P., 2=18557
- Iddings, C.K. See Nath, P., 4=11930
- Iddings, G.M. See Bonner, N.A., 2=16341
- Ideguchi, Y. See Miyazawa, T., 3=6444
- Ideguchi, Y. See Miyazawa, T., 3=17624
- Ideguchi, Y. See Otani, M., 4=15696
- Idenbom, V. L. See Kratochvil, J., 4=15476
- Idnurm, M. Simple transistorized logarithmic time base, 3=24173
- Idnurm, M. and Landecker, K. Experiments with Peltier junctions pulsed with high transient currents, 3=15639
- Idnurm, M. See Reid, R.J., 1=12138
- Idnurm, M. See Reid, R.J., 3=4504
- Idrestedt, I. See Brosset, C., 4=23475
- Ieda, M., Kosaki, M. and Shinohara, V. Electric conduction of irradiated polyethylene, 4=1657
- Ieda, M., Sawa, G. and Shinohara, U. Negative point-to-plane corona in discharge space with insulating film at atmospheric pressure, 4=8661
- Ieda, M. and Shinohara, U. Effect of impurities on dielectric breakdown in plasticized polyvinyl chloride, 0=18108
- Ieremiya, V. See Purika, I., 3=25011
- Iernetti, G. See Cernigoi, C., 1=2991
- Iernetti, G. See Cernigoi, C., 1=13224
- Iernetti, G. See Cernigoi, C., 2=1487
- Iernetti, G. See Cernigoi, C., 3=4435
- Iernetti, G. See Gabrielli, I., 3=18940
- Ievins, A. See Ozol, Ya., 4=30848
- Ievin'sh, A. See Ozol, Ya., 3=20862
- Ievin'sh, A. F. See Ozolin'sh, G. V., 3=20836
- Ievin'sh, A. F. See Ozolin'sh, G. V., 4=4606
- Iftode, I., Tsapu, K. and Dobresku, K. Investigation of the non-linear dynamics of the VVR-S reactor by means of an analogue computer, 3=25022
- Iga, K. See Suematsu, Y., 4=14952
- Igaki, K. and Ōhashi, N. Controlled deviation from stoichiometry in PbSe, 3=22736
- Igarashi, A. Simultaneous Wiener-Hopf equations and their application to diffraction problems in electromagnetic theory, 4=27643
- Igarashi, T. Broadband maser utilizing the cross maser effect, 4=24880
- Igarashi, Y. Coloring of ionic crystals by electron bombardment, 1=17570
- Igarashi, Y. and Beck, L. Directional localization of sound from two plane-wave sources, 4=26992
- Igarashi, Y. See Imai, T., 0=19714
- Igarashi, Y. See Mizushima, Y., 1=13101
- Igarasi, S., Izumo, K. and Udagawa, T. On the intermediate resonance levels in nuclear reactions, 0=17579

- Igata, N. See Haisguti, R.R., 3=22648
- Igel, E.A. and Deem, T.E. Manufacture of shadowgraph slits by metal evaporation, 0=6916
- Igata, N. See Hasiguti, R.R., 2=21407
- Igata, N. See Hasiguti, R.R., 2=23884
- Igata, N. See Hasiguti, R.R., 4=28958
- Igenbergs, P. See Fünfer, E., 3=12178
- Igi, K. Dispersion relations for K-meson-nucleon scattering, 0=13054
- Igi, K. Dispersion relation for K-meson-nucleon scattering and its application, 0=13055
- Igi, K. Possibility for or against the existence of a neutral scalar meson, 1=3197
- Igi, K. On the $KK\pi\pi$ interactions, 1=12116
- Igi, K. Dispersion relations for kaon-nucleon scattering and $KK\pi\pi$ interaction, 1=13506
- Igi, K. π -N scattering lengths and singularities in the complex J plane, 2=20402
- Igi, K. Two vacuum poles and pion-nucleon scattering, 3=12492
- Igi, K. and Kawarabayashi, K. Meson-meson interaction, 0=17384
- Igi, K. and Miyamoto, Y. Resonance in the K- π system, 2=5734
- Igi, K. and Shimoida, H. Kaon-nucleon dispersion relation and the hyperon excited states, 2=1668
- Igi, K. and Teplitz, V.L. Experimental test for Regge cuts, 3=24655
- Igiuni, A. and Occhialini, G. Handling of K5 emulsions with the Brussels semi-automatic processing plant, 0=12750
- Igiuni, A. See Heughebaert, J., 0=12753
- Iglesias, L. The third spectrum of gold (Au III), 1=17266
- Iglesias, L. Third spectrum of vanadium (V III), 3=8195
- Iglesias, L. and Velasco, R. The spectrum of the Mn⁺ ion, 4=25503
- Iglesias, L. See Velasco, R., 3=19948
- Iglitsyn, M.I. and Fistul', V.I. Inductive properties of thin electron-hole transitions in semiconductors, 3=17910
- Iglitsyn, M.I. and Kolesnik, L.I. The influence of linear dislocations on the recombination of charge carriers in hole-conductivity type germanium, 0=18020
- Iglitsyn, M.I. and Kontsevoi, Yu.A. The determination of the physical parameters of the recombination centres produced by copper in germanium, 0=13592
- Iglitsyn, M.I. and Mordkovich, V.N. The effect of copper on the recombination process in silicon, subjected to thermal treatment, 1=17707
- Iglitsyn, M.I. See Fistul', V.I., 2=23336
- Iglitsyn, M.I. See Kontsevoi, Yu.A., 1=14518
- Iglitsyn, M.I. See Kontsevoi, Yu.A., 1=17804
- Ignaczak, J. A plane dynamic problem of thermoelasticity concerning a circular hole, 1=84
- Ignaczak, J. and Nowacki, W. The plane dynamic problem of thermo-elasticity, 2=13287
- Ignaczak, J. See Piechocki, W., 1=86
- Ignat, M. Recent research on the structure of elementary particles, 2=11906
- Ignat, M. New research on nuclear matter and its properties, 3=24832
- Ignatchenko, V.A. Spontaneous magnetization of thin ferromagnetic films, 2=742
- Ignatchenko, V.A., Chistyakov, N.S. and Tarasenko, V.I. Ultra-high-frequency power absorption as a result of the magnetic reversal of a thin ferromagnetic film, 4=1827
- Ignatchenko, V.A., Degtyarev, I.F. and Zakharov, Yu.V. The behaviour of domain structure during magnetization, 3=25531
- Ignatchenko, V.A. and Vonsovskii, S.V. On the form of the expression for the magnetoelastic energy of ferromagnetics, 1=1232
- Ignatchenko, V.A. and Zakharov, Yu.V. Domain structure of thin ferromagnetic films, 3=1149
- Ignatchenko, V.A. See Kirenskii, L.V., 2=741
- Ignatchenko, V.A. See Kirenskii, L.V., 2=14817
- Ignatchenko, V.A. See Polivanov, K.M., 1=10147
- Ignatchenko, V.A. See Rodichev, A.M., 1=10146
- Ignatenko, A.E. Transitions between hyperfine structure levels in μ -mesic atoms, 0=20566
- Ignatenko, A.E. Processes of depolarization of negative muons, 1=5746
- Ignatenko, A.E., Krivitsky, V.V., Mukhin, A.I., Pontecorvo, B., Reut, A.A. and Tarakanov, K.I. The extraction of high-energy particle-beams through the yoke of the synchrocyclotron electromagnet, 0=5370
- Ignatenko, A.E., Kupstov, A.B., Li, S.-M., Petrascu, M.G., Yegorov, L.B. and Zhuravlev, G.V. Spin dependence of weak interaction in the process $\bar{\mu} + p \rightarrow n + \nu$, 2=14232
- Ignatenko, A.E., Petrascu, M.G. and Chultem, D. Electronic activation of mesic atoms, 2=14228
- Ignatenko, A.E., Petrashku, M.G. and Chultem, D. Electronic activation of mesic atoms, 2=22930
- Ignatenko, A.E., Petrashku, M.G. and Chultem, D. Electronic activation of mesic atoms, 3=6373
- Ignatenko, A.E. See Egorov, L.B., 0=7704
- Ignatenko, A.E. See Egorov, L.B., 1=5988
- Ignatenko, A.E. See Egorov, L.B., 1=17298
- Ignatenko, A.E. See Egorov, L.B., 1=19226
- Ignatenko, A.E. See Egorov, L.B., 2=22548
- Ignatenko, A.E. See Egorov, L.B., 3=2593
- Ignatenko, A.E. See Egorov, L.B., 3=15312
- Ignatenko, V.P. Principles of formation and focusing of intense beams of charged particles, 2=7664
- Ignatenko, V.P. The electrostatic focusing of intense beams of charged particles in cylindrical-cathode systems, 2=15965
- Ignatenko, V.P. Calculating the electrical conductivity of alkali metal and copper vapours, 2=21949
- Ignatenko, V.P. Production of convergent ribbon beams of charged particles with high current densities, 2=22277
- Ignatenko, V.P. The formation of a relativistic ribbon beam of charged particles, 3=12246
- Ignatenko, V.P. Ion compensation of the space charge of a relativistic electron flow, 3=19338
- Ignatenko, V.P. Simulation of focusing properties for intense ion beams, 3=19366
- Ignatenko, V.P. Propagation of relativistic beams of charged particles with high current density in accelerating and retarding electrostatic fields, 3=21895
- Ignat'ev, K.G., Kirpichnikov, I.V. and Sukhoruchkin, S.I. A neutron spectrometer with a "pulsed" cyclotron beam, 2=1696
- Ignat'ev, K.G., Kirpichnikov, I.V. and Sukhoruchkin, S.I. Spin dependence of resonance level density [in neutron capture], 4=6352
- Ignat'ev, K.G., Kirpichnikov, I.V. and Sukhoruchkin, S.I. The measurement of η and the partial cross-sections of the isotopes U^{235} and Pu^{239} for resonance energy neutrons, 4=17140
- Ignat'ev, K.G. See Kirpichnikov, I.V., 4=19841
- Ignat'ev, N.K. Spectral analysis of "beats" between two-dimensional stereoscopic cinematography systems [moiré patterns], 1=4475
- Ignat'eva, I.V. See Lur'e, M.S., 0=16013
- Ignat'eva, I.V. See Lur'e, M.S., 2=16789
- Ignat'eva, L.A. See Kolontsova, E.V., 1=15058
- Ignat'eva, M. I., Zavadovskaya, E. K. and Melik-Gaikazyan, I. Ya. Effect of divalent impurities on the irradiation stability of alkali-halide crystals, 4=6895
- Ignatius, A. See Trivelpiece, A.W., 1=3065
- Ignatkov, V.D. and Kosenko, V.E. Solubility of silver and iron in germanium alloyed with antimony and phosphorus, 0=16351
- Ignatkov, V.D. and Kosenko, V.E. Vaporization of germanium in tellurium vapours, 1=11858
- Ignatkov, V.D. and Kosenko, V.E. Diffusion of tellurium in germanium, 2=21063
- Ignatkov, V.D. and Kosenko, V.E. Diffusion of tellurium in germanium, 3=2825
- Ignatov, A.A. See Yurova, L.N., 2=18127
- Ignatov, D.V. and Lebedev, Yu.N. Universal apparatus for determining rates of evaporation and decomposition of various substances in a vacuum, 4=17854
- Ignatovich, V.K. See Babak, V.G., 4=16808
- Ignatovich, Ya.L. See Murin, A.N., 1=14314
- Ignatowski, A.J. See Mueller, C.R., 0=10655
- Ignatyeva, T.A. See Lazarev, B.G., 4=16367
- Ignatyuk, V.A. See Panin, V.E., 4=15723
- Igo, G. Optical-model analysis of excitation function data and theoretical reaction cross sections for alpha particles, 0=1419
- Igo, G. Optical model analysis of the scattering of alpha particles from helium, 0=5629
- Igo, G., Hansen, L.F. and Gooding, T.J. Evidence for "alpha-particle" clusters in several nuclei from the ($\alpha, 2\alpha$) reaction at 0.91 BeV, 3=17385
- Igo, G., Lorenz, W. and Schmidt-Rohr, U. Elastic scattering of 11.8 MeV deuterons from several elements, 2=478
- Igo, G., Lorenz, W. and Schmidt-Rohr, U. Elastic scattering of 11.8 MeV deuterons from several elements, 2=10132
- Igo, G. and Wilkens, B.D. 10 MeV proton reaction cross-sections, 3=8095

- Igo, G. and Wilkins, B.D. Alpha-particle reaction cross sections at 40 MeV, 3=19884
- Igo, G. See Chase, L.F., Jr, 0=1360
- Igo, G. See Conzett, H.E., 0=5628
- Igo, G. See Conzett, H.E., 4=16897
- Igo, G. See Darriulat, P., 4=15237
- Igo, G. See Gooding, T.J., 1=12222
- Igo, G. See Wilkins, B., 3=6292
- Igo, G. See Wilkins, B.D., 3=10340
- Igo, G. See Wilkins, B., 4=22219
- Igo, T. Passage effect in the electron spin resonance of Fe-doped silicon, 1=20216
- Igo, T. Effect of compensation on the spin lattice relaxation of donor electrons in silicon, 3=23244
- Igonin, L.A., Ovshinnikov, Yu.V. and Kargin, V.A. The effect of high pressures on dielectric losses of polymers, 0=2927
- Igonin, V.V. See Zatspeina, G., 4=1066
- Igosheva, T.N. See Kikoin, I.K., 1=1237
- Igosheva, T.N. See Kikoin, I.K., 1=17622
- Igosheva, T.N. See Kikoin, I.K., 4=12846
- Igosheva, T.N. See Kikoin, I.K., 4=22982
- Igras, E. Mapping of the electric structure of semiconductor surfaces by the method of the electron mirror, 1=17668
- Igras, E. Electron mirror observation of electrical field around edge dislocations in Ge single crystals and other electrical inhomogeneities on semiconductor surfaces, 3=10783
- Igratskii, A.L. Optimal focusing of an electron beam in the region of transit through the input waveguide of a travelling-wave tube with a periodic magnetic field, 0=10948
- Iguchi, K. Exciton processes in molecular crystals. I. Vibrationally perturbed excitons, 2=23122
- Iguchi, K. Exciton processes in molecular crystals. II. Extinction of fluorescence in impure crystals, 3=20144
- Iguchi, K. Exciton processes in molecular crystals. III. Photoconductivity of anthracene, 4=1439
- Iguchi, M. See Sugiura, M., 4=29957
- Ihantola, H. K. J. and Moll, J. L. Design theory of a surface field-effect transistor, 4=22752
- Ihara, C. Pion-nucleon interaction, anomalous magnetic moment of nucleon and composite model for pion, 1=3215
- Ihara, C. Electromagnetic structure of the nucleon and the composite model for pion, 1=12082
- Ihara, C. On the G_A/G_V ratio in β -decay, 1=16821
- Ihara, C. On the G_A/G_V ratio in β -decay. II, 1=16822
- Ihara, C. Nambu model for elementary particles and the composite model for pion, 2=1703
- Ihara, C. The meson-nucleon phenomena and the many body problem, 4=21748
- Ihara, C. and Hatano, S. Composite model of pion and pion-nucleon interaction, 0=13024
- I'Haya, Y. Some studies in molecular orbital theory. I, 0=15764
- I'Haya, Y. Some studies in molecular orbital theory. II, 0=15765
- I'Haya, Y. A semi-empirical theory of the electronic structure of ethylene with particular reference to the ionization potential, 1=14086
- I'Haya, Y. A further study on the electronic structure and spectrum of ethylene, 1=14087
- Ihme, H.M. See Hinkelmann, H., 3=19053
- Iida, A. See Iizuka, T., 4=23017
- Iida, S. The role of cation vacancy in magnetic annealing of iron-cobalt ferrites, 0=10174
- Iida, S. Mechanism of disaccommodation in ferrites, 2=6673
- Iida, S. The difference between Gilbert's and Landau-Lifshitz's equations, 3=15772
- Iida, S. A study of rotational switching, 3=15873
- Iida, S. Anomalous magnetostriction of $Tb_3Fe_2O_{12}$ and $Eu_3Fe_2O_{12}$, 4=1845
- Iida, S. and Inoue, T. Theoretical and experimental study of the induced anisotropy in iron-cobalt ferrites and disaccommodation phenomena in ferrites, 3=1032
- Iida, S. and Kushida, T. Shifts of mode spectra with current in GaAs laser, 4=16704
- Iida, S., Sugita, Y. and Nomura, M. Vapor etching of germanium by germanium tetraiodide, 4=15750
- Iida, S. See Hori, S., 3=2728
- Iida, S. See Inoue, T., 1=14703
- Iida, S. See Kodera, H., 3=18805
- Iida, S. See Kohn, K., 4=20783
- Iida, S. See Okada, T., 4=28864
- Iida, S. See Siratori, K., 1=11451
- Iida, S. See Siratori, K., 1=15079
- Iida, S. See Siratori, K., 1=17957
- Iida, S. See Siratori, K., 2=23079
- Iida, S. See Tasaki, A., 1=14686
- Iida, S. See Tasaki, A., 1=20110
- Iida, S. See Tasaki, A., 3=1021
- Iida, S. See Tasaki, A., 3=25523
- Iida, S. See Van Uiter, L.G., 2=21264
- Iida, Y. See Kubota, B., 4=13174
- Iijima, K. See Kato, H., 2=13528
- Iijima, K. See Nakayama, N., 4=23983
- Iijima, S. Resonance absorption and the resonance disadvantage factor, 4=3733
- Iijima, S. and Saburi, Y. Frequency determination of the maser in Tokyo (Radio Research Laboratories) as compared with the Atomichron (Naval Research Laboratory), 1=19018
- Iijima, T. and Bonham, R.A. The theory of electron scattering from molecules. III. Hydrogen molecule ion, 4=9708
- Iijima, T. See Bonham, R.A., 4=6521
- Iijima, T. See Morino, Y., 0=5897
- Iijima, T. See Morino, Y., 2=10267
- Iijima, T. See Morino, Y., 2=22954
- Iijima, T. See Nagata, T., 4=4827
- Iijima, T. and Bonham, R.A. X-ray scattering factor of a hydrogen atom in a hydrogen molecule, 4=3812
- Iijima, T., Bonham, R.A. and Ando, T. The theory of electron scattering from molecules. I. Theoretical development, 4=1234
- Iino, R. See Namiki, M., 0=45
- Iinoya, K. See Burson, J.H., 4=4999
- Iinuma, T.A. Operating characteristics of large diameter photomultipliers. I. Scintillation-spectrometric performance, 3=19319
- Iinuma, T.A. Operating characteristics of large diameter photomultipliers. II Noise, 4=24735
- Iinuma, T.A. and Burch, P.R.J. The γ -ray performance of a large volume plastic scintillator, 2=20294
- Iinuma, Y. Evolutionary model sequence of a star of ten solar masses, 1=18110
- Iisaka, J. See Furui, S., 4=27767
- Iitaka, Y. The crystal structure of β -glycine, 0=4661
- Iitaka, Y. and Nowacki, W. A redetermination of the crystal structure of galenobismuthite, $PbBi_2S_4$, 2=15035
- Iizima, S. and Kikuchi, M. Avalanche breakdown in CdS single crystal, 1=10060
- Iizima, S. and Kikuchi, M. Electroluminescence in gallium phosphide single crystals, 1=20030
- Iizima, S. and Kikuchi, M. Preparation of gallium phosphide crystals and their etch pattern, 2=809
- Iizima, S. and Kikuchi, M. Observations of GaP diffused junctions, 3=8532
- Iizima, S. and Kikuchi, M. A simple method for measuring capacity versus voltage characteristics of reverse-biased GaP diffused junctions, 4=10076
- Iizima, S. See Kikuchi, M., 0=20932
- Iizima, S. See Kikuchi, M., 0=21014
- Iizima, S. See Kikuchi, M., 1=1366
- Iizima, S. See Kikuchi, M., 1=10061
- Iizuka, J. $K\pi$ resonance effect to the form factors in the KL_3 decays, 2=3398
- Iizuka, J. A remark on the anomalous magnetic moment of the hyperons, 2=20426
- Iizuka, J. and Klein, A. Theory of single pion production in proton-proton collisions, 1=10906
- Iizuka, J. and Klein, A. Dispersion relations for virtual pion-nucleon scattering, 1=13491
- Iizuka, J. and Miyamoto, Y. A remark on the symmetry approaches to strong and weak interactions, 4=27790
- Iizuka, J. and Ohme, R. Model of pionic hyperon decay, 2=9923
- Iizuka, J. and Toda, A. $\Delta S = \pm \Delta Q$ rule and the K_{S3} decays, 3=602
- Iizuka, J. and Toda, A. A phenomenological analysis of the K_{L3} decays, 3=22191
- Iizuka, K. An experimental investigation on the behavior of the dipole antenna near the interface between the conducting medium and free space, 4=14907
- Iizuka, K. An experimental study of the insulated dipole antenna immersed in a conducting medium, 4=19240
- Iizuka, K. A new technique for measuring an electromagnetic field by a coil spring, 4=8926
- Iizuka, K. Photoconductive probe for measuring electromagnetic fields, 4=3097
- Iizuka, K. and King, R.W.P. Effect of a dissipative medium of finite size on antenna measurement, 3=21977
- Iizuka, T. and Iida, A. Electron diffusion and the induced anisotropy of $Co_{1-2x}Fe_{2-2x}O_4$ at low temperature, 4=23017

- Iizuka, T., Kanasaki, K. and Kikuchi, M. Generation of large dislocation loops in silicon crystals, 4=1481
- Iizuka, T., Kikuchi, M. and Kanasaki, K. Infrared observation of anomalous patterns in highly doped silicon, 3=20170
- Iizuka, T., Kikuchi, M. and Kanasaki, K. Anomalous etch patterns in highly doped silicon, 3=20171
- Iizuka, T., Kikuchi, M. and Kanasaki, K. Hexagonal platelets observed in nickel diffused silicon, 3=25667
- Iizuka, T. See Kikuchi, M., 1=10048
- Iizuka, T. See Mori, S., 3=15579
- Ikaunieks, Ya. Statistical relations of the titanium long period variable stars, 2=21718
- Ikaunieks, Ya. Period-luminosity relation of the titanium long-period variable stars, 2=21719
- Ikawa, H., Matumura, O. and Suzuki, H. Gamma-ray induced conductivity of CdSe, 3=2908
- Ikebe, Y. See Okamoto, S., 0=431
- Ikeda, H. See Kikuchi, S., 1=7113
- Ikeda, H. See Kumagi, H., 3=460
- Ikeda, I. Measurement of small displacement by using Newton's rings and an objective micrometer, 0=1041
- Ikeda, I. Precise determination of wavelength with an ultrasonic interferometer, 2=7308
- Ikeda, K. Cluster theory of condensing systems, 0=12094
- Ikeda, K. Some remarks on the Born-Green-Rodriguez theory of condensation, 1=2914
- Ikeda, K. Generalized theory of condensing systems, 2=131
- Ikeda, K. A note on Yang and Lee's theory of condensation, 3=7393
- Ikeda, K. Collective excitation of unlike pair states in heavier nuclei, 4=19657
- Ikeda, K., Fujii, S. and Fujita, F.I. On resonance peaks in the (p, n) reactions, 2=20619
- Ikeda, K., Fujii, S. and Futita, J.I. The (p, n) reactions and beta decays, 3=8096
- Ikeda, K., Kobayasi, M., Marumori, T., Nagata, S. and Shiozaki, T. Foundation of deformed potential model for nuclear rotation, 0=15504
- Ikeda, K., Kobayasi, M., Marumori, T., Shiozaki, T. and Takagi, S. On the roles of effective interactions in nuclear collective motion, 0=20314
- Ikeda, K., Marumori, T. and Takada, K. First 0^+ state in ^{16}O , 2=20520
- Ikeda, K., Nagata, S. and Takada, K. Nuclear deformation and nuclear force, 1=8537
- Ikeda, K., Nagata, S. and Takada, K. Nuclear deformation and nuclear force, II, 1=10952
- Ikeda, K. See Fujita, J.I., 4=9441
- Ikeda, K. See Yosida, T., 2=15810
- Ikeda, M. On Einstein's relativistic theory of the non-symmetric field, 0=8549
- Ikeda, M. Study of interrelations between mechanisms at threshold, 4=4988
- Ikeda, M. Further use of the summation index for the study of color vision, 4=10985
- Ikeda, M. On strong interaction symmetries based on simple lie groups, 4=15019
- Ikeda, M. and Boynton, R.M. Effect of test-flash duration upon the spectral sensitivity of the eye, 2=13223
- Ikeda, M. and Maekawa, T. On the violation of the full symmetry in leptonic decays of baryons and mesons, 4=3299
- Ikeda, M., Maekawa, T., Miyachi, Y., Senba, K. and Shohno, N. An approach to the problem of bound states. I, 4=815
- Ikeda, M., Maekawa, T., Miyachi, Y., Senba, K. and Shohno, N. On bound states in the full symmetry theory, 4=19392
- Ikeda, M. and Miyachi, Y. Coordinate systems in general relativity and geometrical representation for physical quantities, 0=10584
- Ikeda, M. and Miyachi, Y. On the static and spherically symmetric solutions of the Yang-Mills field, 2=11852
- Ikeda, M., Miyachi, Y. and Ogawa, S. Symmetry in Sakata's model and weak interactions, I, 1=10845
- Ikeda, M., Miyachi, Y. and Ogawa, S. Symmetry in Sakata's model and weak interactions. II, 1=13324
- Ikeda, M., Miyachi, Y., Ogawa, S., Sawada, S. and Yonezawa, M. A possible symmetry in Sakata's model for bosons-baryons system. III, 1=10846
- Ikeda, M., Ogawa, S. and Ohnuki, Y. A possible symmetry in Sakata's model for bosons-baryons system, 0=20053
- Ikeda, M., Ogawa, S. and Ohnuki, Y. A possible symmetry in Sakata's model for bosons-baryons system. II, 1=3119
- Ikeda, M., Ogawa, S. and Ohnuki, Y. The full symmetry theory of the Sakata model, 2=11911
- Ikeda, M. See Boynton, R.M., 1=6671
- Ikeda, M. See Boynton, R.M., 4=26997
- Ikeda, M. See Fujitani, T., 2=7134
- Ikeda, M. See Fujitani, T., 2=7135
- Ikeda, M. See Fujitani, T., 2=15473
- Ikeda, M. See Shibata, T., 1=12798
- Ikeda, R.M. Flash-absorption spectroscopy of free radicals in shock waves, 0=17760
- Ikeda, S. Orientation birefringence of macromolecular solutions in shear flow and electric field, 3=16617
- Ikeda, S. See Fushimi, K., 4=11501
- Ikeda, S. See Gotō, H., 3=11278
- Ikeda, S. See Takeuchi, S., 1=1360
- Ikeda, S. See Takeuchi, T., 3=15992
- Ikeda, S. See Takeuchi, T., 4=13413
- Ikeda, S. See Takeuchi, Y., 3=23335
- Ikeda, T. A few quaternary systems of perovskite type $\text{A}^2 + \text{B}^4 + \text{O}_3$ solid solutions, 0=21236
- Ikeda, T. Diffusion of Cd in sodium chloride, 4=23491
- Ikeda, T. Antiferroelectric phase in the system $\text{PbTiO}_3 - \text{PbZrO}_3 - \text{LaFeO}_3$, 4=28633
- Ikeda, T. and Fushimi, S. Preliminary study on the growth of lead zirconate-titanate crystals, 2=21475
- Ikeda, T. and Okano, T. Piezoelectric ceramics of lead zirconate-titanate modified by bismuth ferrite, 4=7049
- Ikeda, T. and Okano, T. Piezoelectric ceramics of $\text{Pb}(\text{Zr-Ti})\text{O}_3$ modified by $\text{A}^1\text{B}^{5+}\text{O}_3$ of $\text{A}^3\text{B}^{3+}\text{O}_3$, 4=12974
- Ikeda, T., Okano, T. and Watanabe, M. A ternary system $\text{PbO-TiO}_2-\text{ZrO}_2$, 3=3255
- Ikeda, T., Tanaka, Y. and Toyoda, H. Piezoelectric properties of triglycine sulphate, 2=6531
- Ikeda, T., Tanaka, Y. and Toyoda, H. Piezoelectric properties of triglycine sulphate, 2=23508
- Ikeda, T., Tanaka, Y. and Toyoda, H. Piezoelectric properties of triglycine sulphate, 3=15624
- Ikeda, T. See Fukushima, S., 4=17786
- Ikeda, T. See Iwasaki, H., 3=13394
- Ikeda, T. See Yoshida, S., 0=9923
- Ikeda, Y. Extension of the Rayleigh-Gans theory, 4=14394
- Ikegami, H. Nuclear structure of ^{120}Sn , 1=622
- Ikegami, H., Sugiyama, K., Yamazaki, T. and Sakai, M. Structure of platinum nuclei. I. New decay scheme of Au^{198} , 3=10274
- Ikegami, H., Takayama, K., Hagiwara, S. and Kojima, S. Resonance probe, 4=18930
- Ikegami, H. and Udagawa, T. Structure of Sn^{120} and the effect of the pairing correlation on the reduction of E2 transition in Sn^{118} and Sn^{120} , 2=384
- Ikegami, H. and Udagawa, T. Effect of pairing correlations on nuclear gamma-ray transitions, 4=12131
- Ikegami, H., Yamazaki, T., Sakai, M. and Sugiyama, K. New level scheme of Pt^{196} , 2=10022
- Ikegami, H. See Ichikawa, Y.H., 3=21806
- Ikegami, H. See Kawamura, M., 1=16998
- Ikegami, H. See Kimura, K., 2=15970
- Ikegami, H. See Miyazaki, S., 2=17154
- Ikegami, H. See Sakai, M., 0=20419
- Ikegami, H. See Sakai, M., 1=12181
- Ikegami, H. See Sakai, M., 1=19176
- Ikegami, H. See Sakai, M., 2=20567
- Ikegami, H. See Sakai, M., 4=15046
- Ikegami, H. See Sakai, M., 4=15161
- Ikegami, H. See Sakai, M., 4=19702
- Ikegami, H. See Sugiyama, K., 0=20415
- Ikegami, H. See Takayama, K., 0=19698
- Ikegami, H. See Yamazaki, T., 1=8610
- Ikegami, H. See Yamazaki, T., 1=8620
- Ikegami, H. See Yamazaki, T., 2=5855
- Ikegami, H. See Yamazaki, T., 2=20571
- Ikegami, H. See Yamazaki, T., 4=1352
- Ikegami, S. Mechanism of microwave dielectric dispersion in polycrystalline BaTiO_3 , 3=25398
- Ikegami, S. Raman spectrum of BaTiO_3 , 4=13021
- Ikegami, S. and Ueda, I. Semiconductive single crystal of BaTiO_3 reduced in hydrogen atmosphere, 4=15533
- Ikegami, S., Ueda, I. and Ise, Y. Optical absorption and electrical conductivity of reduced BaTiO_3 single crystal, 2=2224
- Ikegami, S., Ueda, I., Kisaka, S., Mitsuishi, A. and Yoshinaga, H. Far infrared reflectivity of BaTiO_3 , 2=23515
- Ikegami, S. See Kisaka, S., 0=20957
- Ikegami, S. See Ogihara, H., 2=18775
- Ikegami, S. See Ueda, I., 3=4948
- Ikegami, S. See Ueda, I., 4=28627
- Ikemoto, Y. See Inamura, T., 4=19695
- Ikemoto, Y. See Iwashita, T., 4=3577

- Ikenberry, D. See Chan, S.I., 4=28191
 Ikenberry, D. See Chan, S.I., 4=30435
 Ikenberry, L.D. and Rice, S.A. On the kinetic theory of dense fluids. XIV. Experimental and theoretical studies of thermal conductivity in liquid Ar, Kr, Xe, and CH₄, 4=169
 Ikenoue, K. Rotational structure of the band spectrum of S₂ molecule. II, 2=6154
 Ikenoue, K. and Sasada, Y. Study of the luminescence in collision of liquid mercury in the quartz tube. I. On the spectrum, 3=14171
 Ikenoue, K. and Sasada, Y. Study of the luminescence in collision of liquid mercury in the quartz tube. II. On the electrification, 3=14172
 Ikezawa, M. Temporary bleaching of the M band in KBr and KCl, 4=20317
 Ikezawa, M., Hirai, M. and Ueta, M. Temporary bleaching of color centers in KCl crystal, 3=818
 Ikezawa, M. and Ueta, M. F₂⁺-centre of KBr crystal, 3=20240
 Ikezawa, M. See Hirai, M., 1=17574
 Ikezawa, M. See Hirai, M., 3=815
 Ikezawa, M. See Hirai, M., 3=22840
 Ikezawa, M. See Ueta, M., 1=14340
 Ikhsanov, R.N. and Uritskii, Z.I. Theory of generation-recombination noise in semiconductors, 3=17834
 Ikhsanova, V. Solar observations with the large Pulkovo radio telescope at 3.2 cm wavelength, 1=2649
 Ikhsanova, V.M. See Gelfreich, G.B., 1=6733
 Ikoma, H. Current oscillations in n-InSb, 4=20372
 Ikoma, H., Kuru, I. and Hataya, K. Optical phonon effects in GaAs, 4=17392
 Ikoma, H., Kuru, I. and Hataya, K. New type of oscillations in InSb, 4=20370
 Ikonnikov, D.S. See Gusev, V.M., 2=13606
 Ikonnikova, G.M. and Izergin, A.P. On the entry of lead impurities into KCl crystals under the influence of vibration, 4=30821
 Kornikova, N.Yu. The solution process of calcite in aqueous solutions of chlorides at high temperatures and pressures, 1=15863
 Kornikova, N.Yu. Artificial crystals of rhodochrosite and spherocobaltite, 3=18267
 Krina, M.A. See Kozyrev, B.M., 4=15377
 Ikushima, A. Diffusion of nickel in single crystals of copper, 1=2394
 Ikushima, A. and Suzuki, T. Internal friction of LiF at low temperatures, 2=8709
 Ikushima, A. and Suzuki, T. Problems relating to the Bordoni peak, 3=23294
 Ikushima, A. See Imura, T., 3=22796
 Ikushima, H. See Hayakawa, S., 2=23155
 Kuta, K. and Taniuti, T. An example of the non-adiabatic motion of a charged particle in an external magnetic field, 4=666
 Il Tong Cheon. Effects of nuclear correlation on direct nuclear reactions, 4=30332
 Ilakovac, K. and Knapp, V. Proposals for the investigation of fast neutron capture by the lightest nuclei, 3=14987
 Ilakovac, K., Kuo, L.G., Petravic, M. and Slaus, I. Attempt to determine the n-n scattering length from the reaction D(n, p) 2n, 2=1689
 Ilakovac, K., Kuo, L.G., Petravic, M. and Slaus, I. An attempt to determine the n-n scattering length from the reaction D(n, p) 2n, 2=1729
 Ilakovac, K., Kuo, L.G., Petravić, M., Šlaus, I. and Tomaš, P. Proton spectra from D(n, p) 2n reaction at 14.4 MeV, 1=7290
 Ilakovac, K., Kuo, L.G., Petravic, M., Slaus, I. and Tomas, P. Deuteron angular distributions from the reaction V⁵¹(n, d) Ti⁵⁰ at 14.4 MeV, 2=1900
 Ilakovac, K., Kuo, L.G., Petravić, M., Šlaus, I. and Tomaš, P. Breakup of deuterons by 14.4 MeV neutrons, 3=17350
 Ilakovac, K., Kuo, L.G., Petravić, M., Šlaus, I., Tomaš, P. and Satchler, G.R. Reaction V⁵¹(n, d) Ti⁵⁰ at 14.4 MeV, 3=4652
 Ilakovac, K. See Cerineo, M., 2=1693
 Ilakovac, K. See Cerineo, M., 4=12098
 Ilakovic, K., Kuo, L.G., Petravic, M., Slaus, I. and Thomas, P. Proton spectra from the reaction D(n, p) 2n at 14.4 MeV, 2=1728
 Ilasavsky, U.V. See Averkina, A.A., 3=10832
 Il'chenko, L.N. See Sedov, V.L., 3=4829
 Il'chenko, V.I. See Khodov, Z.L., 1=20308
 Il'enko, B.P. and Zykov, V.G. An experimental determination of the region of magnetic surfaces bounded by a separatrix, 2=19972
 Il'enko, O.S. The inverse motion of the cathode spot of an arc in a magnetic field, 4=24626
 Il'enko, P.B. See Zykov, V.G., 3=14724
 Iler, R.K. Adsorption of colloidal silica on alumina and of colloidal alumina on silica, 4=23684
 Iles, P.A. The present status of silicon solar cells, 2=11602
 Iles, P.A. and Coppen, P.J. Location of p-n and l-h junctions in semiconductors, 0=7919
 Iles, P.A. and Leibenhaut, B. Diffusant impurity-concentration profiles in thin layers on silicon, 2=23208
 Ilgunas, V. See Kukshas, B., 4=3119
 Ilgūnas, V.I. See Paulauskas, V.K., 4=290
 Ilgūnas, V. See Kubilyūnė, O., 4=21131
 Ilgunas, V. See Yapertas, A., 4=24327
 Ilias, D. A recording microwave spectrometer for the study of gases at medium pressures, 0=19951
 Ilias, D. and Boudouris, G. A recording microwave spectrograph, 1=8395
 Ilias, D. See Anastassiades, M., 1=20915
 Ilias, D. See Anastassiades, M., 2=11052
 Ilias, D. See Anastassiades, M., 4=23929
 Iliasavskii, Yu.V., The piezoresistance effect in PbTe and PbSe, 2=21225
 Ilic, R.P. See Jovanovic, D.T., 2=7681
 Ilić, R.P. See Jovanović, D.T., 3=14481
 Il'ichev, V. The frequency of the formation of cavitations in turbulent boundary layers and the accompanying flow, 1=15804
 Il'ichev, V.I. and Lesunovskii, V.P. On the noise spectra associated with hydrodynamic cavitation, 4=291
 Il'ichev, V.I. See Akulichev, V.A., 4=5143
 Iliescu, C., Haltrich, S. and Leibovici, I. The determination of polepiece shape and the experimental testing of the field exponents in the betatron (synchrotron) and on models, 4=631
 Iliescu, C., Leibovici, I. and Haltrich, S. On the accuracy of the magnetic field index measurements with search coils, 2=22294
 Iliescu, C. See Burea, V., 3=17009
 Iliescu, C. See Ciorascu, F., 2=20084
 Iliescu, C.C. Magnetic field distribution generated by pole face windings of nuclear instrument magnets, 2=11755
 Iliescu, C.C. Study of typical values of the magnetic fields used in nuclear apparatus with strong or weak focusing, 2=22284
 Iliescu, C.C. Magnetic field distribution for weak-, strong- and ftag-focusing particle accelerators and other nuclear instruments, 3=9880
 Iliescu, C.C. Ideal pole faces for weak-, strong- and ftag focusing particle accelerators and other nuclear instruments, 3=9881
 Iliescu, C.C. Parameters of the magnetic fields used by weak and strong focusing nuclear instruments, 3=19598
 Iliescu, C.C. Study of ideal polar surfaces required by nuclear apparatus with weak or strong focusing, 3=21898
 Iliescu, C.C. Ideal pole faces for nuclear apparatus with weak or strong focusing, 3=24396
 Iliescu, C.C., Iancovic, M., Dutescu, N. and Ionescu, V.T. Laboratory electromagnet for intense fields, 3=24429
 Iliescu, E. See Boca, I., 4=25387
 Iliescu, E. See Maratalog, N., 3=22371
 Iliescu, G., Bărbulescu, D., Savin, G. and Petrescu, V. The study of magnetic viscosity in carbon steels as a function of fatigue, 0=10132
 Iliescu, G. See Luca, E., 4=5731
 Iliescu, N. See Bally, D., 2=7698
 Iliescu, N. See Balli, D., 2=14698
 Iliescu, N. See Bally, D., 2=23583
 Iliescu, N. See Benes, L., 3=21919
 Iliescu, N. See Van Nal-yan', 4=25406
 Iliescu, N. See Zeliger, D., 4=6359
 Iliesku, É. See Vasilevskii, I.M., 1=2057
 Iliesku, É. See Vasilevskii, I.M., 4=3407
 Iliff, W.R. and Holt, J.M. Use of surface refractivity in the empirical prediction of total atmospheric refraction, 3=9947
 I Lin. See Hoshizaki, N., 2=3287
 Ilin, G.G. The effect of radial changes in spectral line shape on the integral characteristics of nonuniform light sources, 4=29757
 Il'in, G.G. See Fishman, I.S., 4=11348
 Ilin, G.G., See Fishman, I.S., 4=16457

- Il'in, N.P. Universal X-ray spectrograph for investigation of the chemical composition in microvolumes, 2=17110
- Il'in, N.P. On the possibility of quantitative analysis by means of X-ray spectra without the use of standards, 3=6942
- Il'in, O. G. and Shenderovich, A. M. An investigation of the characteristics of pulsed magnets, 4=21625
- Il'in, O. G. and Shenderovich, A. M. An investigation of the characteristics of pulsed magnets with ferrite cores, 4=21624
- Il'in, R. N. and Solov'ev, E. S. Ionization of argon by nitrogen and oxygen ions, 2=11617
- Il'in, R. N. See Afrosimov, V. V., 0=10977
- Il'in, R. N. See Afrosimov, V. V., 2=153
- Il'in, R. N. See Afrosimov, V. V., 3=365
- Il'in, R. N. See Fedorenko, N. V., 3=7427
- Il'in, R. N. See Solov'ev, E. S., 2=13540
- Il'in, R. N. See Solov'ev, E. S., 3=5620
- Il'in, R. N. See Solov'ev, E. S., 4=2944
- Il'in, R. N. See Solov'ev, E. S., 4=24566
- Il'in, V. E. Dislocation etch figures in InSb, 2=18580
- Il'in, V. E. Dislocation etch figures in InSb, 2=21030
- Il'in, V. E. and Gorbacheva, I. E. The effect of annealing on the electric and galvanomagnetic properties of indium antimonide, 1=14470
- Il'in, V. E. and Lebedev, S. V. Destruction of electrodes by electric discharges of high current density, 3=9746
- Il'in, V. V. See Berlovich, E. E., 2=13989
- Il'in, V. V. See Berlovich, E. E., 2=13990
- Il'in, V. V. See Berlovich, E. E., 3=6175
- Il'in, V. V. See Berlovich, E. E., 3=15121
- Il'in, V. V. See Berlovich, E. E., 3=19788
- Il'in, V. V. See Berlovich, E. Ye., 3=4573
- Il'in, V. V. See Polivanov, V. V., 3=1911
- Il'in, V. V. See Polivanov, V. V., 4=16540
- Il'in, Yu. I. See Vasil'ev, Yu. A., 0=13305
- Il'ina, E. V. and Gol'dfarb, V. M. Determination of the mean imprisonment time of atoms and the diffusion coefficient in the plasma of an arc discharge, 4=486
- Il'ina, E. V. See Gol'dfarb, B. M., 2=7585
- Il'ina, M. A. and Kurova, I. A. Effect of unilateral compression on the electric properties of p-type Ge at low temperatures, 2=634
- Il'ina, M. A. and Kurova, I. A. Effect of unilateral compression on the electric properties of p-type Ge at low temperatures, 2=23346
- Il'ina, M. A. See Itskevich, E. S., 4=5526
- Il'ina, V. A., Kritskaya, V. K. and Kurdyumov, G. V. Investigation of the intensity of X-ray reflections from cold-deformed metals, 2=23931
- Il'ina, V. A. See Batenin, I. V., 0=1917
- Il'ina, V. A. See Batenin, I. V., 1=3698
- Il'ina, V. A. See Vasichev, B. N., 4=16867
- Illinger, K. H. Dispersion and absorption of microwave in gases and liquids, 2=19626
- Il'inskaya, T. A. See Bak, M. A., 2=1939
- Il'inski, A. I., Kardonskii, V. M. and Perkas, M. D. On the part played by distortions of the second order in strengthening of metals, 0=18262
- Il'inskii, A. I. See Palatnik, L. A., 2=6745
- Il'inskii, A. I. See Palatnik, L. S., 1=20374
- Il'inskii, A. I. See Palatnik, L. S., 2=8876
- Il'inskii, A. I. See Palatnik, L. S., 3=3166
- Il'inskii, A. I. See Palatnik, L. S., 3=6783
- Il'inskii, A. I. See Palatnik, L. S., 3=22733
- Il'inskii, A. I. See Palatnik, L. S., 4=23149
- Il'inski, A. M. Improved adhesion of metallic film deposited on quartz in vacuo, 1=10002
- Il'inskii, I. See Palatnik, L. S., 4=23571
- Ilisavskii, Yu. V. The piezoresistance effect in p-type Bi₂Te₃, 2=4028
- Ilisavskii, Yu. V. Elastic constants of Bi₂Te₃ at 300°K, 2=8702
- Ilisavskii, Yu. V. Elastic constants of Bi₂Te₃ at 300°K, 2=10733
- Ilisavskii, Yu. V. Effect of uniaxial deformation on the electrical conductivity of bismuth telluride and bismuth selenide, 2=16716
- Ilisavskii, Yu. V. Effect of uniaxial deformation on the electrical conductivity of bismuth telluride and bismuth selenide, 2=18695
- Ilisavskii, Yu. V. The piezoresistance effect in PbTe and PbSe, 2=18783
- Ilisavskii, Yu. V. and Yakhkind, E. Z. Piezoresistance effect in n-type PbS, 2=23403
- Ilisavskii, Yu. V. and Yakhkind, E. Z. Piezoresistance effect in n-type PbS, 3=6599
- Ilisavsky, U. V. See Averkin, A. A., 3=10832
- Il'kiv, G. M. I. See Kavich, I. V., 4=13049
- Illarionov, S. V. See Platkov, M. A., 3=15398
- Illarionov, S. V. See Tsarev, B. M., 3=20437
- Illenberger, A. See Düker, H., 3=5710
- Illenberger, A. See Düker, H., 3=19354
- Illenberger, A. See Düker, H., 4=3022
- Illényi, A. Analysis of a stereophonic sound field, 4=5309
- Illinger, K. H. Digest of literature on dielectrics. Tables of dielectric constants, dipole moments and dielectric relaxation times, 0=2300
- Illinger, K. H. Atomic polarization. V. Normal mode polarizability and the additivity of the vibrational polarization, 1=12277
- Illinger, K. H. Erratum and addendum: atomic polarization. IV. Temperature dependence of the vibrational polarization of gases, 2=8073
- Illinger, K. H. and Freeman, D. E. Temperature dependence of infrared and Raman intensities, 2=22945
- Illinger, K. H. and Smyth, C. P. Atomic polarization. I. Vibrational polarization of gases, 0=5904
- Illinger, K. H. and Smyth, C. P. Atomic polarization. II. Vibrational polarization of liquids, 1=11754
- Illinger, K. H. and Smyth, C. P. Atomic polarization. III. Vibrational polarization terms associated with forbidden transitions in polyatomic molecules, 1=12275
- Illinger, K. H. and Smyth, C. P. Atomic polarization. IV. Temperature dependence of the vibrational polarization of gases, 1=12276
- Illingworth, C. R. Fluctuating flow at small Reynolds number, 4=11147
- Illingworth, R. Grain boundary luminescence in an alkali halide phosphor, 1=9008
- Illingworth, R. Diffusion of thallous ions in single crystals of KBr, 3=6536
- Illingworth, R. The surfaces of melt-grown potassium bromide ingots, 3=23502
- Ilisavsky, U. V. See Ilisavskii, U. V.
- Ilisley, E. G. See Wolicki, E. A., 0=4102
- Iloff, E. L. See Ho, G. P., 1=19443
- Ilshner, B. and Reppich, B. Creep of NaCl single crystals from 500° to 750°C, 4=4488
- Il'yasov, A. V., Garif'yanov, N. S. and Timerov, R. Kh. On the nature of spin-lattice relaxation in magnetically diluted free radicals, 4=2710
- Il'yasov, A. V. See Garif'yanov, N. S., 1=1268
- Il'yasov, A. V. See Kozyrev, B. M., 4=15377
- Il'yenkov, A. I. and Tkhor'yk, Yu. A. Measurement of the short lifetimes of current carriers in semiconductor devices by the pulse method, 4=17497
- Il'yin, O. G. See Grishaev, I. O., 4=5745
- Il'yin, O. G. See Grishaev, I. O., 4=5746
- Ilyin, R. N., Kikiani, B. I., Oparin, V. A., Solovyov, E. S. and Fedorenko, N. V. Dissociation of H₂⁺ ions in collision with atoms and molecules of gases, 4=20118
- Ilyin, V. V. See Berlovich, E. Ye., 2=22765
- Il'yins'kii, O. I. See Palatnyk, L. S., 2=19021
- Ilyukhin, V. S., Pokhil, P. F., Rozanov, O. K. and Shvedova, N. S. Measurement of the shock adiabatic curves of cast trotyl, crystalline hexogene and nitromethane, 0=16676
- Ilyukhin, V. V. Some notes on statistical analysis of intensities when the acentric unit cell contains a heavy atom, 3=23429
- Ilyukhin, V. V. and Belov, N. V. Derivation of the structure of lovozerite from sections of the three-dimensional Patterson function, 1=4057
- Ilyukhin, V. V. and Belov, N. V. The crystal structure of rubidium DI (meta) fluoroberyllate (RbBe₃F₆) and its relationship to silicate sheet structures with [Si₂O₆] units, 3=13484
- Ilyukhin, V. V. and Nikitin, A. V. Some observations on the use of the statistical analysis of intensities, 3=23430
- Imada, H. See Nisimura, K., 3=24720
- Imada, H. See Nisimura, K., 4=15056
- Imaeda, K. Characteristics of Fuji nuclear emulsion type ET-7A, 0=9245
- Imaeda, K. An investigation of jets based on the fireball model, 3=2336
- Imaeda, K. An investigation of jets based on meson-nucleon collision. Interpretation of nucleon-nucleon collision, 3=17364
- Imaeda, K. and Avidan, J. P. distribution of the secondary particles of cosmic-ray jets, 4=21973

- Imaeda, K. and Kazuno, M. Impact parameter approach to the experimental study of high-energy jets, 3=7949
- Imaeda, K., Kazuno, M., Fujisawa, S., Koseki, Y., Miyauchi, A. and Takao, Y. The characteristics of Fuji type ET-7A nuclear emulsions, 0=12741
- Imaeda, K., Kazuno, M. and Ito, N. Emission of ^6Li , ^7Li and ^8B fragments from stars produced by 4.3 GeV π^- -mesons in nuclear emulsion, 1=11028
- Imaeda, K. and Shaikat, M. A. The nature of the neutral particles emitted in $K\theta_3$ decay, 0=1304
- Imaeda, Y. Impurity shift of pure quadrupole resonance frequency, 1=6438
- Imaeda, Y. Impurity shift of pure quadrupole resonance frequency, 1=14832
- Imagawa, F. See Shimizu, T., 3=9225
- Imai, I. On flows of conducting fluids past bodies, 1=5573
- Imai, I. Electrical properties of stannic oxide films, 1=10051
- Imai, I. Experimental study of exciton absorption in PbI_2 , 2=8518
- Imai, I. General principles of magneto-fluid dynamics, 4=11774
- Imai, I. and Ishiguro, K. Preliminary study of the exciton absorption spectrum of PbI_2 , 1=1161
- Imai, I. See Fukai, M., 2=23135
- Imai, I. See Fukai, M., 4=12714
- Imai, I. See Ishiguro, K., 0=1623
- Imai, I. See Kawamura, H., 3=15580
- Imai, I. See Kawamura, H., 4=20256
- Imai, I. I. See Kawamura, H., 3=10776
- Imai, N. Interaction between polyions and low molecular ions, 1=20750
- Imai, N. Aggregation of polyelectrolytes in solutions, 2=7049
- Imai, N. See Ohnishi, T., 1=8114
- Imai, T. The effect of uniaxial stress on Ge p-n junctions with various doping densities, 3=25378
- Imai, T., Kamata, K., Kawasaki, S., Murakami, K. and Ogita, N. On the altitude variation of extensive air showers in the upper half of the atmosphere, 2=13919
- Imai, T., Kamata, K., Kawasaki, S., Murakami, K. and Takeuchi, H. The altitude variation of air showers, 2=3433
- Imai, T., Kamata, K., Kawasaki, S. and Murakami, K. F.M. chamber applied to zenith angle detection of air shower particles, 2=3434
- Imai, T., Mizushima, Y. and Igarashi, Y. New cold cathode using magnesium oxide, 0=19714
- Imai, T. See Hirota, S., 1=13104
- Imai, T. See Mizushima, Y., 1=13101
- Imai, Y. and Hirotani, H. A study on the dispersion-strengthened steel, 1=1434
- Imai, Y. and Kumazawa, M. Study of sintering process of titanium carbide by measuring the change in electrical resistivity, 2=6842
- Imai, Y. and Miyazaki, T. Study on A_3 transformation of dispersion-strengthened iron, 2=23868
- Imai, Y. and Miyazaki, T. Mechanical and physical properties of dispersion-strengthened iron, 4=17733
- Imaizumi, M. See Kamitsubo, H., 4=25385
- Imaizumi, M. See Kobayashi, S., 4=25116
- Imamov, R. M. See Chzhou Tsein-Lyan [Chou Ching-Liang], 3=18383
- Imamura, G. and Takiguchi, T. The characteristics of ion or electron beam from the Van de Graaff type particle accelerator model VC-3, 3=4224
- Imamura, G. See Ogura, S., 4=30226
- Imamura, G. See Ryu, N., 2=17905
- Imamura, S. Electrical properties of alkali antimonides, 0=20927
- Imamura, S. Photoelectrical properties of alkali antimonides, 0=20928
- Imamura, S. Remarks on the electrical properties of alkali antimonides, 3=25351
- Imamura, S. See Chikawa, J., 1=15081
- Imamura, T. A new approach to a bound state, 0=9284
- Imamura, T. Quantized meson field in a classical gravitational field, 0=9287
- Imamura, T. Criticism on the assumptions in the formal scattering theory, 0=9294
- Imamura, T. and Kobayakawa, K. Field theoretical interpretation of multiple meson production, 0=17406
- Imamura, T. See Kobayakawa, K., 1=3206
- Imamura, T. See Siegel, A., 4=2637
- Imamura, Y. See Takeda, M., 0=17849
- Imamutdinov, F. S. Fine structure and hyperfine structure of paramagnetic resonance rotation, 2=14830
- Imamutdinov, F. S., Neprimerov, N. N. and Shekun, L. Ya. Magnetic double refraction of microwaves in paramagnetics, 0=2982
- Imanishi, S. See Ito, M., 0=7791
- Imangulova, N. I. See Sytaya, E. P., 2=17862
- Imangulova, N. I. See Sytaya, E. P., 2=20012
- Imanov, L. M. and Kadzhar, Ch. O. Superhigh-frequency spectrum and dipole moment of the ethyl alcohol molecule, 3=20002
- Imarisio, G. Recent advances on the preparation of sinterable uranium dioxide, 0=14056
- Imas, Ya. A. Detection of illumination pulses by a bolometer, 2=2858
- Imazu, S., Uesaka, Y., Sukegawa, T. and Nakano, Y. E-vs-B curve hysteresis in the positive column in a magnetic field, 4=18737
- Imazu, S. See Shimamoto, S., 3=16915
- Imbaud, J.-P. and Berthet, G. Dynamic nuclear polarization in semiquinone organic solutions, 3=23908
- Imbaud, J. P. See Battut, R., 1=18432
- Imbaud, J. P. See Battut, R., 4=25733
- Imbaud, J. P. See Berthet, C., 1=12311
- Imbert, P. A study of the Faraday effect in the vicinity of the absorption lines of Fe^{57} using the Mössbauer effect, 4=17571
- Imbert, P. and Gérard, A. A study of the Mörtin transition in a single crystal of natural haematite by means of the Mössbauer effect, 4=4379
- Imbert, P., Gérard, A. and Wintenberger, M. Study of the sulphide, sulpharsenide and arsenide of natural iron by the Mössbauer effect, 4=1341
- Imbert, P. See Chappert, J., 4=3961
- Imbusch, G. F., Yen, W. M., Schawlow, A. L., McCumber, D. E. and Sturge, M. D. Temperature dependence of the width and position of the $^2E \rightarrow ^4A_2$ fluorescence lines of Cr^{3+} and V^{2+} in MgO , 4=10216
- Imbusch, G. F. See Mollenauer, L. F., 4=21294
- Imbusch, G. F. See Moos, H. W., 3=21561
- Imelik, B. See Fraissard, J., 2=19172
- Imelik, B. See Fraissard, J., 4=4720
- Imenkov, A. N. See Burdukov, Yu. M., 1=12452
- Imhof, W. L., Grench, H. A. and Johnson, R. G. The $\text{C}^{14}(\text{d}, \text{n})\text{N}^{15}$ reaction, 4=9559
- Imhof, W. L., Johnson, R. G., Vaughn, F. J. and Walt, M. Cross sections for the $\text{B}^{11}(\text{n}, \gamma)\text{B}^{12}$ reaction, 2=5935
- Imhof, W. L. See Cladis, J. B., 1=21075
- Imhof, W. L. See Smith, R. V., 3=16285
- Imhof, W. L. See Vaughn, F. J., 0=9676
- Imhof, W. L. See Vaughn, F. J., 4=17161
- Imianitov, I. M. and Mikhailovskaya, V. V. Aircraft instrument for measuring the charge on particles of precipitation, 1=16215
- Imoto, M. Essential limitations and T-Nt diagram for self-sustaining fusion systems, 1=9893
- Imoto, M., Tominaga, G. and Fujii, S. T - Nt diagram for fusion researches, 0=4157
- Imoto, M. See Fujii, S., 0=17637
- Impallomeni, A. G. See Mannino, G., 4=4950
- Imre, K. Oscillations in a relativistic plasma, 2=9606
- Imre, K. and Özlümir, E. Correlations in plasmas. I. Ternary correlations, 4=18806
- Imre, K. and Özlümir, E. Correlations in plasmas. II. Correlation functional representation of the Bogoliubov formalism, 4=29901
- Imre, L., Fábri, G. and Dézsi, I. New method for producing RaD-standards, 2=12150
- Imrie, D. C. See Griffith, T. C., 3=17275
- Imrie, D. C. See Lush, G. J., 4=25099
- Imrie, K. S. Simple peak voltmeter for nanosecond pulses, 2=11582
- Imrie, K. S. See Landecker, K., 1=8385
- Imrie, K. S. See Ponsonby, J. E. B., 4=29474
- Imshennik, V. S. Isothermal expansion of a cloud of gas, 0=12433
- Imshennik, V. S. On the thermal conductivity of plasma, 2=5329
- Imshennik, V. S. Structure of shock waves in a high temperature dense plasma, 2=7601
- Imshennik, V. S. Structure of shock waves in a high temperature dense plasma, 3=5661
- Imshennik, V. S. Numerical integration of differential equations for a structure of shock waves in a plasma, 4=18840
- Imshennik, V. S. and Morozov, Yu. I. Instability of a beam of charged particles in an electron plasma, 2=11649
- Imshennik, V. S. See D'yachenko, V. F., 4=18841
- Imura, T., Suzuki, T., Ikushima, A. and Marukawa, K. Effects of solute atoms on the stacking-fault energies in copper alloys, 3=22796

- Imura, T., Weissmann, S. and Slade, J. J., Jr. A study of age-hardening of Al-3.85% Cu by the divergent X-ray beam method, 2=19094
- Imura, T. See Weissmann, S., 3=22765
- Imyanitov, I. M. and Chubarina, E. V. Structure of the electrostatic field in the free atmosphere from the results of investigations made during the international geophysical year, 0=14304
- Imyanitov, I. M., Gdalevich, G. L. and Shvarts, Ya. M. Measurements of the electrostatic field strength near the surface of geophysical rockets in the upper atmosphere, 4=26817
- Imyanitov, I. M. and Shifrin, K. S. Present state of research on atmospheric electricity, 3=25889
- Imyanitov, I. M. and Shvarts, Ya. M. Measurement of the electrostatic field strength on artificial earth satellite III, 4=26816
- Imyanitov, I. M. and Starovoitov, A. T. Theory of electrostatic charging of bodies in air currents, 3=21688
- In Seb Do. See Do In Seb.
- In' Shi-duan' [Yin Shih-tuan] and Regel' A. R. The effect of the defects of tellurium films on the magnitude of the ratio between the mobilities for electrons and holes, 2=2172
- In' Shi-duan' [Yin Shih-tuan] and Regel' A. R. Electric properties of amorphous tellurium films and the effect of impurities on the conditions of their crystallization, 2=8284
- In' Shi-duan' [Yin Shih-tuan] and Regel' A. R. Electric properties of amorphous tellurium films and the effect of impurities on the conditions of their crystallization, 2=14500
- In Tao-lo, Chang King-long and Kong Chin-ho. Dislocation distribution in the vicinity of a subgrain boundary in NaCl, 4=17429
- Inaba, H. and Siegman, A. E. Microwave photomixing of optical maser outputs with a PIN-junction photodiode, 2=22016
- Inaba, H., Ueda, N. and Hayasaka, S. Concentration effect on chromium-doped rutile maser, 4=5842
- Inada, T., Kawashima, K., Hoshino, K. and Matsuzawa, H. Energy spectra of electrons emerging from lead exposed to 320 kVp white X-rays, 3=12241
- Inada, T. See Macklin, R. L., 2=24082
- Inada, T. See Macklin, R. L., 3=10354
- Inada, T. See Macklin, R. L., 3=10364
- Inada, T. See Macklin, R. L., 3=17478
- Inagaki, H. The apparent specific volume of polymers in solution, 3=14154
- Inagaki, M. and Noda, T. Determination of degree of crystalline orientation in graphite products, 4=13516
- Inagaki, T. See Fukuda, N., 3=9668
- Inami, Y. H. and Ramsey, J. B. Spectroscopic evidence for the enhancement by dissolved salts of the mole ratio of the gauche to the trans form of ethylene chloride, 0=2770
- Inamura, T., Iwashita, T., Ikemoto, Y. and Kageyama, S. Gamma-gamma angular correlations in Sb^{125} , 4=19695
- Inamura, T. See Iwashita, T., 4=3577
- Inamura, T. See Kobayashi, A., 3=22931
- Inawashiro, S. Diffraction of electromagnetic waves from an electric dipole by a conducting circular disc, 3=12312
- Inawashiro, S. See Katsura, S., 1=8059
- Inawashiro, S. See Katsura, S., 4=26280
- Inawashiro, S. See Nomura, Y., 1=9446
- Inchauspé, N. See Brown, F. C., 1=5028
- Inchauspé, N. See Knox, R. S., 0=2810
- Indenbaum, G. V. and Fishman, Yu. M. The distribution of dislocations and impurities in, and their behaviour during annealing of, aluminium single crystals grown from a melt under non-equilibrium conditions, 4=20278
- Indenbaum, G. V., Novikov, I. I. and Chistyakov, Yu. D. Recrystallization and polygonization as a result of the annealing of dendritic single crystals of pure aluminium, 3=3335
- Indenbaum, G. V., Novikov, I. I. and Popov, D. N. Channels and macroscopic etch figures in single crystals of pure aluminium, 2=12885
- Indenbaum, G. V., Novikov, I. I. and Popov, D. N. Channels and macroscopic etch figures in single crystals of pure aluminium, 2=19043
- Indenbaum, G. V. and Popov, D. N. Substructure of spherical single crystals of aluminium depending on crystallization conditions, 3=23463
- Indenbaum, G. V., Tiraspolskii, V. I. and Chistyakov, Yu. D. Distribution of etching figures in single crystals of pure aluminium (99.994 wt.%) after fission, 3=15497
- Indenbaum, G. V., Tiraspolskii, V. I. and Fishman, Yu. M. Substructure of pure aluminium single crystals obtained by deformation and annealing, 4=26590
- Indenbaum, G. V. See Zelikman, A. N., 2=4422
- Indenbom, V. L. The reciprocity theorems and influence functions for the dislocation density tensor and for the tensor of incompatible deformations, 0=7882
- Indenbom, V. L. Relation of the antisymmetry and colour symmetry groups to one-dimensional representations of the ordinary symmetry groups. Isomorphism of the Shubnikov and space groups, 0=18288
- Indenbom, V. L. The theory of hardening of glass and its comparison with experiment, 0=18382
- Indenbom, V. L. Phase transitions without change in the number of atoms in the unit cell of the crystal, 1=4033
- Indenbom, V. L. Irreducible representations of the magnetic groups and allowance for magnetic symmetry, 1=14944
- Indenbom, V. L. On fracture criteria in dislocation theories of strength, 2=10769
- Indenbom, V. L. Thermodynamic theory of ferroelectricity, 2=16772
- Indenbom, V. L. Theory of stress and dislocation formation in the growth of crystals, 4=30815
- Indenbom, V. L., Belov, N. V. and Neronova, N. N. The colour-symmetry point groups (colour classes), 1=14943
- Indenbom, V. L., Nikitenko, V. I. and Milevskii, L. S. Observations of internal stresses around dislocations in silicon, 2=6725
- Indenbom, V. L., Nikitenko, V. I. and Milevskii, L. S. Optical polarization analysis of the dislocation structure in a crystal, 2=12431
- Indenbom, V. L., Nikitenko, V. I. and Milevskii, L. S. Optical polarization analysis of the dislocation structure in a crystal, 2=4441
- Indenbom, V. L. and Orlov, A. N. Physical theory of plasticity and strength, 2=18993
- Indenbom, V. L. and Orlov, A. N. Principal research problems in the physics of the ductility and strength [of metals and alloys], 4=13373
- Indenbom, V. L. and Tomilovskii, G. E. The measurement of internal stresses in crystals of synthetic corundum, 0=13543
- Indenbom, V. L. See Nikitenko, V. I., 1=20321
- Indenbom, V. L. See Rozhanskii, V. N., 1=11200
- Indenbom, V. L. See Rozhanskii, V. N., 1=12381
- In der Schmitten, W. and Haasen, P. Dislocation density and flow stress of sodium chloride, 1=14287
- In der Smitten, F. J. and Lange, H. Investigations into the magnetic behaviour of thin layers of $\gamma\text{-Fe}_2\text{O}_3$ under the influence of fields of short duration, 2=12761
- Indira, K. S. See Rajagopalan, S. R., 4=21302
- Indiresan, P. V. Interrupted speech and the possibility of increasing communication efficiency, 3=11622
- Indmathi, S. See Bhamathi, G., 2=1654
- Indreas, G. Magnetometer based on the phenomena of nuclear magnetic resonance, 2=7703
- Indreas, G. Motion of ions in the central zone of the cyclotron, 3=21914
- Indreas, Gr. See Apostolescu, S., 3=22139
- Indreash, G., Linev, A. F., Lobanov, Yu. V., Markov, B. N. and Oganesyan, Yu. Ts. Gamma-rays in the resonance system of a cyclotron, 3=24419
- Indreas, G. and Oganesyan, Y. Acceleration of multi-charged ions in a cyclotron of 120 cm polar diameter (Y-120), 2=7687
- Indreash, G. and Oganesyan, Yu. Ts. Acceleration of heavy ions with the "U-120" 120 c.m. cyclotron, 2=7688
- Indreash, G. and Oganesyan, Yu. Adjusting of the cyclotron under the conditions of the acceleration of multiply charged ions, 3=4228
- Indreash, G. I. and Oganesyan, Yu. Ts. Adjusting a cyclotron for acceleration of multicharged ions, 2=11738
- Indumathi, S. See Bhamathi, G., 1=9768
- Indumathi, S. See Bhamathi, G., 1=9808
- Indumathi, S. See Bhamathi, G., 2=5745
- Indumathi, S. See Bhamathi, G., 2=13884
- Indumathi, S. See Bhamathi, G., 4=21993
- Indumathi, S. See Ramakrishnan, A., 2=3244
- Indumathi, S. See Ramakrishnan, A., 2=5744
- Indumathi, S. See Ramakrishnan, A., 3=610
- Indyk, L. See Filler, A. S., 1=9475
- Indyukov, N. N. See Strel'tsov, N. S., 4=14796
- Infante, C. Pulse height discriminator employing distributed amplification, 1=18735
- Infante, C. See Alberigi-Quaranta, A., 0=20002
- Infante, E. F. See Doughty, S. P., Jr., 4=29571
- Infeld, E. On the solutions of linearized equations of magneto-hydrodynamics in nonhomogeneous magnetic fields, 4=14872

- Infeld, E. Some exact solutions of the equations of magneto-hydrodynamics for magnetic plane-symmetrical fields, 4=27621
- Infeld, E. Transverse magnetohydrodynamic waves in the magnetic field of a dipole, 4=27622
- Infeld, E. See Demianski, M., 2=11260
- Infeld, E. See Demiański, M., 3=3739
- Infeld, E. See Demiański, M., 4=2608
- Infeld, L. A new form of the geodesic line equation, 1=2689
- Infeld, L. The E.I.H. and the k-approximation methods, 1=15629
- Infeld, L. On the most Cartesian-like co-ordinate system, 1=15630
- Infeld, L. Theory of the red shift and the nature of Planck's constant, 1=18004
- Infeld, L. Is Planck's constant a constant in a gravitational field?, 2=17341
- Infeld, L. Planck's constant and the theory of the red shift, 3=1606
- Infeld, L. "Uniformly accelerated" motion and relativity, 3=7103
- Infeld, L. The Lagrangian in general relativity theory and radiation, 4=2539
- Infeld, L. The equations of motion of a radiating electron and its Lagrangian, 4=19165
- Ing, S.Jr. See Heinecke, W.J., 1=11612
- Ing, S. W., Jr, Jensen, H. A. and Stern, B. GaAs p-si-n negative resistance infrared emitting diode at liquid N₂ and room temperatures, 4=20481
- Ing, S.W., Jr, Morrison, R.E. and Sandor, J.E. Gas permeation study and imperfection detection of thermally grown and deposited thin silicon dioxide films, 2=10943
- Ing, S.W.Jr. See Alt, L. L., 4=2118
- Ing, S.W., Jr. See Holonyak, N., Jr, 2=18726
- Ingalls, R. Variational calculation of the Sternheimer factors for the ferrous ion, 3=2567
- Ingalls, R. Electric-field gradient tensor in ferrous compounds, 4=9808
- Ingalls, R. See DeBenedetti, S., 1=6261
- Ingalls, R.B., Goodspeed, F.D. and Hardy, J.R. Temperature control of irradiations in a Co-60 hollow cylinder source, 2=17681
- Ingalls, R.B. and Kivelson, D. Analysis of e.s.r. spectra observed in irradiated aromatic systems, 3=15372
- Ingalls, R. B., Spiegler, P. and Norman, A. Thermal-spike model of low L.E.T. radiolysis: temperature dependence of reactions induced by radiolysis in liquid toluene, 4=26762
- Ingalls, R.B. and Wall, L.A. Electron spin resonance spectra of free-radical intermediates formed by reaction of polystyrene with atoms of hydrogen and deuterium, 1=17340
- Ingalls, R.I. See Lang, L.G., 3=996
- Ingalls, R.I. See Lang, L. G., 4=12587
- Ingalls, R.P., James, J.C. and Stone, M.L. A study of u.h.f. space communication through an aurora using the moon as a reflector, 2=11809
- Ingalls, R.P. See Fricker, S.J., 2=4840
- Ingalls, R.P. See James, J.C., 0=8408
- Ingalls, R.P. See James, J. C., 4=13949
- Ingard, K.U. See Yildiz, M., 3=14763
- Ingard, U. On the reflection of sound from a grating, 1=9450
- Ingard, U. and Kraushaar, W.L. An introduction to mechanics, matter and waves, 1=6806
- Ingard, U. and Maling, G.C., Jr. On the effect of atmospheric turbulence on sound propagated over ground, 3=21043
- Ingard, U. and Maling, G. C., Jr. Amplitude fluctuations of sound in atmospheric turbulence, 4=7866
- Ingard, U. and Wiley, D.S. Instabilities of a liquid conductor, 3=7686
- Ingarden, R.S. Phenomenological electrodynamics and electro-thermodynamics in low temperatures, 0=9148
- Ingarden, R.S. The problem of optimum optical systems, 0=19368
- Ingarden, R.S. Composite variational problems, 1=2584
- Ingarden, R.S. Quantum phenomena in optical images, 1=18262
- Ingarden, R.S. Information theory, the Bohr-Rosenfeld uncertainty principles and the problem of optimized optical imagery, 1=18574
- Ingarden, R.S. A simplified axiomatic definition of information, 4=16
- Ingarden, R.S. Information theory and variational principles in statistical theories, 4=5072
- Ingarden, R.S. and Michalczyk, J. On optimum field homogeneity of high energy coil magnets, 0=19879
- Ingarden, R.S. and Urbanik, K. Information as a fundamental notion of statistical physics, 1=15393
- Ingarden, R.S. and Urbanik, K. Quantum informational thermodynamics, 2=11291
- Ingebretsen, F. See Andersen, S. L., 4=22005
- Ingelstam, E. Some experimental fourier methods for examining the form of spectral lines, 0=16834
- Ingelstam, E. Experimental and practical aspects of the contrast transfer function [CTF], 1=1812
- Ingelstam, E. International Commission for Optics: Nomenclature for Fourier transforms of spread functions, 2=92
- Ingelstam, E. Nomenclature for Fourier-transformed and light-distribution functions, 2=5147
- Ingelstam, E. Nonlinear transfer terms for optical and photographic image formation. Some attempts at a theoretical and experimental treatment, 2=13436
- Ingemann, F. See Liberman, A.M., 0=810
- Ingemansson, S. and Kihlman, T. Sound insulation of frame walls, 0=19348
- Ingham, H.S., Jr, and McDade, P.J. Dislocation content in epitaxially vapor-grown Ge crystals, 0=17938
- Ingham, H.S., Jr and Smoluchowski, R. Ionic conductivity of gamma irradiated sodium chloride, 0=6067
- Ingham, M.F. Observations of the zodiacal light from a very high altitude station. IV. The nature and distribution of the interplanetary dust, 1=12748
- Ingham, M.F. The nightglow spectrum. I. $\lambda\lambda 3700-4650$ Å, 3=6991
- Ingham, M.F. The nightglow spectrum. II. H α radiation in the night sky, 3=6992
- Ingham, M. F. The profile of an absorption line in the spectrum of the zodiacal light, 4=10891
- Ingham, M. F. Scattering by interplanetary and cislunar dust particles, 4=15936
- Ingham, M.F. See Blackwell, D.E., 0=8411
- Ingham, M.F. See Blackwell, D.E., 1=1553
- Ingham, M.F. See Blackwell, D.E., 1=12745
- Ingham, M.F. See Blackwell, D.E., 1=12746
- Ingham, M.F. See Blackwell, D.E., 1=12747
- Inghram, M. See Elder, F.A., 2=17781
- Inghram, M.G. See Burns, R.P., 3=12010
- Inghram, M. G. See Burns, R. P., 4=16300
- Inghram, M. G. See Burns, R. P., 4=18497
- Inghram, M.G. See DeMaria, G., 0=965
- Inghram, M.G. See DeMaria, G., 0=10699
- Inghram, M.G. See Diamond, H., 0=17512
- Inghram, M.G. See Drowart, J., 0=2324
- Inghram, M.G. See Drowart, J., 0=10698
- Inghram, M.G. See Grimley, R.T., 0=14971
- Inghram, M.G. See Grimley, R.T., 1=4513
- Inghram, M.G. See Grimley, R.T., 1=11864
- Inghram, M.G. See Morrison, J.D., 0=17720
- Inghram, M. G. See Murad, E., 4=21466
- Inghram, M. G. See Murad, E., 4=25759
- Inghram, M.G. See Steiner, B., 1=7494
- Ingle, G.W., Stockton, F.D. and Hemmendinger, H. Analytic comparison of colour-difference equations, 2=19674
- Ingles, A.R. Energy variation with pressure and temperature in a sonic stationary wave, 0=5100
- Ingles, A. R. Effect of pressure reduction and temperature variation on the performance of a double form of Helmholtz resonator, 4=21255
- Ingles, O.G. Corrections applicable in mercury porosimeter measurements, 0=6377
- Inglis, D.R. Rearrangement and the barrier at the edge of a nucleus, 1=8538
- Inglis, D.R. Completeness of quantum mechanics and charge-conjugation correlations of theta-particles, 1=9322
- Inglis, D.R. Nuclear models, threshold states and rearrangement energy, 2=5781
- Inglis, D.R. Heavy-particle stripping and the structure of Li⁹, 2=14142
- Inglis, D.R. Nuclear models and surfaces, 2=20489
- Inglis, D.R. Phase relation in nuclear scattering, 3=17447
- Inglis, D. R. Simple interference concepts in scattering and stripping, 4=22193
- Inglis, D. R. Reverse rotation of gamma-ray angular pattern with changing alpha-scattering angle, 4=25432
- Inglis, D. R. On the theory of stripping reactions, 4=28055
- Inglis, D.R. See Lee, K., 0=20318
- Ingold, J.H. Calculation of the maximum efficiency of the thermionic converter, 1=8300
- Ingold, J.H. Thermionic properties of HfC, 2=3070

- Ingold, J.H. Thermionic properties of some refractory metal carbides, 3=16974
- Ingold, J.H. See Blue, E., 3=5820
- Ingraham, J. C. and Brown, S. C. Electron energy decay in the helium afterglow, 4=11542
- Ingraham, J. C. and Philp, S. F. Effect of surface charge in electrification measurements, 1=13059
- Ingraham, J. N. See Swoboda, T. J., 1=6272
- Ingraham, R. Charge and current densities in the Faraday disc, 1=13159
- Ingraham, R. L. A free nucleon theory, 0=12914
- Ingraham, R. L. Note on the tidal theory of the S_q magnetic field, 0=14171
- Ingraham, R. L. Some partition problems with analogies in quantum statistics, 1=15713
- Ingraham, R. L. Theory of the potential well produced by multipacting electrons. I. Very low-pressure regime, 2=1400
- Ingraham, R. L. Stochastic Lorentz observers and the divergences in quantum field theory, 2=16110
- Ingraham, R. L. Relativistic invariance and the tacit uniqueness postulate in quantum field theory, 2=22388
- Ingraham, R. L. Stochastic field theory: The S-matrix, 3=7792
- Ingraham, R. L. Consequences of a fundamental length in very-high-energy scattering, 4=19433
- Ingraham, R. L. and Bailey, D. T. Nucleon form factors with a fundamental length, 4=30220
- Ingraham, R. L. and Melvin, M. A. Lepton isodoublets, 4=3296
- Ingram, D. J. E. Radiophysics conference at Pisa, 1=13184
- Ingram, D. J. E. From radar to spectroscopy: new regions of the spectrum, 1=19046
- Ingram, D. J. E. Electron spin resonance underlying principles and practical applications, 2=20175
- Ingram, D. J. E. Twelfth Colloquium Ampère, Bordeaux, September 1963, 4=4396
- Ingram, D. J. E. Electron spin resonance, 3=21986
- Ingram, D. J. E. Paramagnetic resonance in biological materials, 4=25722
- Ingram, D. J. E. and Smith, M. J. A. Investigations on u.v. irradiated lithium hydride crystals by electron resonance, 1=14798
- Ingram, D. J. E. See Allen, T., 1=11115
- Ingram, D. J. E. See Carrington, A., 0=21069
- Ingram, D. J. E. See Doyle, W. T., 0=1598
- Ingram, D. J. E. See Fujimoto, M., 0=20662
- Ingram, D. J. E. See Gibson, J. F., 1=873
- Ingram, D. J. E. See Lainé, D. C., 4=19253
- Ingram, D. J. E. See Smith, M. J. A., 2=16933
- Ingram, D. J. E. See Wilmshurst, T. H., 3=516
- Ingram, G., McCulloch, D. B. and Sanders, J. E. Neutron lifetime measurements in the fast reactors Zeus and Zephyr, 1=766
- Ingram, G. E. See Thunborg, S., Jr., 4=10997
- Ingram, G. R. See Adams, R. O., 2=11418
- Ingram, J. D. See Levin, F. K., 3=6945
- Ingram, P. and Jerrard, H. G. Theories of the dielectric properties of macromolecular solutions, 2=1162
- Ingram, P. and Jerrard, H. G. Measurement of relaxation times of macromolecules by the Kerr effect, 3=8319
- Ingram, P. and Jerrard, H. G. Study by the Kerr effect of the action of enzymes on macromolecules, 3=23537
- Ingrao, H. C., Kahn, F. J. and Menzel, D. H. New developments of the ferroelectric bolometer for astronomical application, 4=27369
- Ingrao, H. C. and Menzel, D. H. Instrumentation for observations of planets in the far infrared, 3=16349
- Ingrao, H. C. and Pasachoff, J. M. The responsivity profile of photomultipliers, 1=16387
- Inkin, V. D. See Almazov, V. Ya., 3=17120
- Inkinen, O. The experimental structure factors of trigonal sodium nitrate and the atomic scattering factors of the sodium ions, 1=1402
- Inkinen, O. and Lahti, L. X-ray crystal analysis of calcite. I. Experimental structure amplitudes, 4=23427
- Inkinen, O. and Lahti, L. X-ray crystal analysis of calcite. II. The "correct crystal model", 4=23428
- Inkinen, O. and Suortti, P. X-ray measurement of the atomic scattering factors of nickel, 4=25506
- Inkov, A. Ya. See Gorin, B. N., 3=1949
- Inman, D. A glass-contained reference electrode for molten nitrate solvents, 2=17095
- Inman, D. See Blomgren, E., 1=4105
- Inman, M. C. and Barr, L. W. Diffusion of antimony in copper single crystals, 0=17971
- Inman, M. C. and Khan, A. R. The interfacial energy of coherent twin boundaries in copper, 1=20404
- Inman, M. C., McLean, D. and Tipler, H. R. Interfacial free energy of copper-antimony alloys, 3=16096
- Inn, E. C. Y. Origin of the D-region, 1=11649
- Inn, E. C. Y. Further comments on the origin of the D-region, 2=11060
- Inn, E. C. Y. Martian airglow, 4=29429
- Inn, E. C. Y. See Gunton, R. C., 2=3030
- Inn, E. C. Y. See Tanaka, Y., 1=6021
- Innas, Ali, M. On the radio-frequency system of a 30 MeV microtron. II, 2=1541
- Innes, F. R. and Oldenberg, O. Metastable atoms and the auroral afterglow of nitrogen, 3=2570
- Innes, F. R. and Oldenberg, O. Lifetime of $N(S^6)$, 4=3796
- Innes, K. K. See Ginter, M. L., 1=14041
- Innes, J. See Aleby, S., 4=24776
- Innes, J. G. See Bassel, R. H., 3=5764
- Innes, K. K. See Callomon, J. H., 3=12852
- Innes, K. K. See Ginter, D. S., 4=9639
- Innes, K. K. See Mathews, C. W., 4=22371
- Innis, G. S. Jr. See Horton, C. W., 1=10566
- Innishi, Y. See Edagawa, H., 4=4155
- Ino, H. See Sugeno, T., 3=23293
- Ino, S., Watanabe, D. and Ogawa, S. Epitaxial growth of metals on rocksalt faces cleaved in vacuum, 2=16996
- Ino, S., Watanabe, D. and Ogawa, S. Epitaxial growth of metals on rocksalt faces cleaved in vacuum. I., 4=29070
- Ino, T. Studies on the radial distribution analysis in diffraction methods. III. Extrapolation of intensity data to small scattering angle, 2=2439
- Ino, T. Diffraction intensity by a bounded radial distribution function, 2=22958
- Ino, T. See Bauer, S. H., 0=17854
- Ino, T. See Kakinoki, J., 0=8281
- Inohara, K. See Fukuda, A., 4=28698
- Inoki, M. An interpretation of 550 m μ particles, 1=2071
- Inoki, M. An image intensifier spark tube, 1=13213
- Inoki, M. See Yasaki, T., 1=3225
- Inokuchi, H. and Harada, Y. Photoelectric emission of the complexes between caesium and polycyclic aromatic compounds, 3=16975
- Inokuchi, H., Harada, Y. and Kondow, T. Measurement of the intensity of vacuum-ultraviolet light: the application of aromatic hydrocarbons, 4=22932
- Inokuchi, H. See Eley, D. D., 1=7655
- Inokuchi, S. See Sakurai, Y., 4=15259
- Inokuma, T. The magnetic properties of iron-germanium alloys, 2=10651
- Inokuti, M. Molecular size distribution and gelation of irradiated copolymers, 1=2357
- Inokuti, M. Elastic scattering of fast electrons by the helium atom and the interelectronic correlation, 1=13968
- Inokuti, M. Note on Magee-Funabashi's theory of excitation migration, 2=13281
- Inokuti, M. Ionization of the methane molecule by electron impact, 3=1929
- Inokuti, M. Erratum: Note on Magee-Funabashi's theory of excitation migration, 3=8305
- Inokuti, M. Weight-average and z-average degree of polymerization for polymers undergoing random scission, 3=10560
- Inokuti, M. Gel formation in polymers resulting from simultaneous crosslinking and scission, 3=17625
- Inokuti, M. and Dole, M. Analysis of molecular weight changes and gel data of some irradiated vinyl polymers, 3=17626
- Inokuti, M. and Katsuura, K. On the viscosity of irradiated polymers. II, 0=20701
- Inokuti, M., Katsuura, K. and Mimura, H. Ground state of a system consisting of two oppositely charged particles in a Coulomb field, 1=4263
- Inokuti, M. and Matsuzawa, M. Effect of impurity on excitation migration in a linear chain of molecules, 4=25909
- Inokuti, M. See Amemiya, A., 1=20767
- Inokuti, M. See Dole, M., 3=25810
- Inokuti, M. See Frost, A. A., 4=24061
- Inokuti, M. See Katsuura, K., 4=3939
- Inokuti, M. See Katsuura, K., 4=15393
- Inokuti, M. See Katsuura, K., 4=28423
- Inönü, E. See Guth, E., 0=10618
- Inönü, E. See Guth, E., 1=8463
- Inopin, E. See Vadia, V., 4=6326

- Inopin, E.V. Structure of the giant resonance in photonuclear reactions, 0=13129
- Inopin, E.V. Relations between intrinsic parities and spins in collision and decay processes, 3=14899
- Inopin, E.V. Polarization of particles with arbitrary spin in nuclear reactions, 4=6309
- Inopin, E.V. and Mohamed Abd El-Moaty. Alpha-particle stripping reactions, 3=15236
- Inopin, E.V. and Shehata, S. Inelastic diffraction scattering, 3=2424
- Inopin, E.V. and Shehata, S. Angular correlation of γ -rays in inelastic diffraction scattering, 4=9383
- Inopin, E.V. and Tishchenko, B.I. Scattering of electrons by light non-spherical nuclei, 0=9651
- Inopin, E.V. and Tishchenko, B.I. Scattering of electrons by nuclei according to the α -particle model, 0=13255
- Inopin, E.V. See Tishchenko, B.I., 3=10203
- Inopin, E.V. See Volkov, D.V., 1=4821
- Inopin, E.V. See Volkov, D.V., 1=8555
- Inopin, Ye.V. Stripping of alpha particles from Be^9 , C^{12} and O^{16} nuclei, 2=8011
- Inopin, Ye.V. and Berezhnoi, Yu.A. Effect of smearing out of nucleus boundaries on diffraction scattering, 2=20578
- Inopin, Ye.V. and Tishchenko, B.I. Scattering of high-energy electrons on light nonspherical nuclei, 1=13777
- Inopin, Ye.V. and Tishchenko, B.I. Deformation of light nuclei, 2=12103
- Inoue, E. Micrometeorological research in Japan, 3=11391
- Inoue, H., Ruan, J., Yasukawa, S. and Yoshizawa, Y. Study of the cadmium isotopes. VI. Beta and gamma ray spectroscopy of Ag^{112} , 3=650
- Inoue, K. See Okuda, S., 1=18337
- Inoue, K. See Yamashita, J., 0=11688
- Inoue, M. Landau levels and cyclotron resonance in graphite, 2=16640
- Inoue, M. Calculations of the effect of orbit-lattice interaction on the static susceptibility and g-factor of rare earth compounds, 4=7336
- Inoue, M. Surface decoration of germanium and silicon, 4=13646
- Inoue, M., Kishita, M. and Kubo, M. Magnetically different crystal modifications of copper (II) salicylate, 3=23374
- Inoue, M. and Mizuno, H. The purification of KCl by the zone refining method, 1=15001
- Inoue, M., Teramoto, I. and Takayanagi, S. Etch pits and polarity in CdTe crystals, 2=19044
- Inoue, M., Teramoto, I. and Takayanagi, S. Cd and Te dislocations in CdTe, 3=10664
- Inoue, M. See Huang Chao-Yuan, 4=29025
- Inoue, M. See Kumabe, I., 4=15236
- Inoue, M. See Mizuno, H., 0=20838
- Inoue, M. See Mizuno, H., 1=11240
- Inoue, M. See Sasaki, W., 3=25344
- Inoue, M. See Teramoto, I., 4=4542
- Inoue, N. Zeeman splitting parameters of nuclear quadrupole spectra for spin 5/2, 1=5823
- Inoue, N. Zerosplitting cone on the Zeeman effect of nuclear quadrupole resonance, spin 9/2, 1=14831
- Inoue, N. See Kokame, J., 4=28063
- Inoue, N. See Kumabe, I., 3=24934
- Inoue, N. See Kumabe, I., 3=24935
- Inoue, R. See Hirai, M., 4=7860
- Inoue, S. See Sakai, T., 0=8439
- Inoue, T. Linear potential barrier model for nuclear surface, 1=15599
- Inoue, T. On the generalized Nilsson diagram, 2=5795
- Inoue, T., Mizuta, H. and Iida, S. The effect of cation vacancies on the magnetic annealing of $\text{Co}_x\text{Fe}_{3-x}\text{O}_4$, 1=14703
- Inoue, T. See Iida, S., 3=1032
- Inoue, T. See Sugiyama, A., 2=16287
- Inoue, Y. On the importance of the resonance-lines of atomic oxygen to the ionospheric ionization, 0=8377
- Inoue, Y. See Sugiura, T., 4=24758
- Inoue, Y. See Teranishi, E., 2=12187
- Inouye, G.T. See Crook, G.M., 3=16306
- Inouye, H. A new mass spectrometer of helicoid type, 4=21590
- Inouye, H. Successive detection of positive and negative ions by a mass spectrometer of helicoid type, 4=27490
- Inowaki, S. See Ishikawa, Y., 3=10849
- Inozemtseva, G.I. See Blokh, Ya.L., 1=3346
- Inozemtseva, O.I. See Glokova, E.S., 1=3354
- Insinger, F. G., Hopman, H. J. and Kistemaker, J. Particle behaviour in independently established rotating E- and B-fields, 4=662
- Insinger, F. G. See Bannenberg, J. G., 4=18922
- Insinger, F. G. See Bannenberg, J. G., 4=21516
- Inskeep, C.N. Considerations in the development and use of very thin diffused-junction counters suitable for $\Delta E/\Delta x$ detection, 2=18018
- Intrater, J. High temperature horizontal diffractometer attachment, 1=20459
- Intrater, J. and Hurwitt, S. High temperature, high vacuum, diffractometer attachment, 1=12631
- Intrater, J. and Machlin, E.S. Grain-boundary sliding in copper bicrystals, 1=20361
- Inui, T. See Hanamura, E., 2=16638
- Inui, T. See Hanamura, E., 3=20247
- Inuishi, Y. and Hamaguchi, C. Mobility of hot carriers in Ge and Si, 3=10793
- Inuishi, Y., Kotani, K. and Tsurumi, I. Surface field effect and noise in Ge grain boundary, 2=2145
- Inuishi, Y. and Matsuura, K. Radiation damage and annealing of carrier life-time in silicon, 3=22933
- Inuishi, Y., Shirafuji, J. and Hamaguchi, C. Effects of crystal imperfections on photoconduction of CdS single crystals, 2=12544
- Inuishi, Y., Sumitomo, H. and Hayata, K. Dielectric properties of γ -ray irradiated methyl-methacrylate and polymethyl-methacrylate, 0=6803
- Inuishi, Y. and Sung, Y. Electric conduction and breakdown in γ -ray irradiated KCl single crystals, 2=12572
- Inuishi, Y. and Sung, Y.K. Photoconduction of γ -ray irradiated KCl single crystals at higher electric field, 2=4066
- Inuishi, Y., Uematsu, S. and Shirafuji, J. X-ray pulse induced photoconductivity in CdS single crystal, 2=12543
- Inuishi, Y. and Yung-Kwon Sung. Electron conduction and breakdown in gamma ray irradiated KCl crystals, 3=23020
- Inuishi, Y. See Chong, P., 1=12899
- Inuishi, Y. See Chong, P., 1=18427
- Inuishi, Y. See Chong, P., 2=9288
- Inuishi, Y. See Chong, P., 2=11384
- Inuishi, Y. See Dawabe, K., 4=7047
- Inuishi, Y. See Edagawa, H., 1=17776
- Inuishi, Y. See Edagawa, H., 2=21164
- Inuishi, Y. See Edagawa, H., 3=4930
- Inuishi, Y. See Edagawa, H., 3=13189
- Inuishi, Y. See Edagawa, H., 3=17866
- Inuishi, Y. See Edagawa, H., 4=7564
- Inuishi, Y. See Edagawa, H., 4=12911
- Inuishi, Y. See Hamaguchi, C., 4=6967
- Inuishi, Y. See Hamaguchi, C., 4=30620
- Inuishi, Y. See Komatsubara, K., 1=14485
- Inuishi, Y. See Kubo, U., 2=9600
- Inuishi, Y. See Kubo, U., 3=8795
- Inuishi, Y. See Kubo, U., 4=8711
- Inuishi, Y. See Matsuura, K., 1=14458
- Inuishi, Y. See Matsuura, K., 1=17714
- Inuishi, Y. See Matsuura, K., 2=18691
- Inuishi, Y. See Matsuura, K., 2=23223
- Inuishi, Y. See Nakano, T., 3=15581
- Inuishi, Y. See Nakano, T., 4=28513
- Inuishi, Y. See Shirafuji, J., 1=11522
- Inuishi, Y. See Shirafuji, J., 1=14509
- Inuishi, Y. See Tanaka, T., 4=15508
- Inuishi, Y. See Tanaka, T., 4=15509
- Inuzuka, K. See Ito, M., 0=7791
- Inyutin, E.I. See Morozov, I.G., 3=25000
- Iodko, E.A. Analytical method for deriving the [rate of] solidification of bodies of simple shape, 4=5453
- Iodko, M.G., Romanov, V.A. and Tuchkevich, V.V. Relative intensities of Lu^{169} and Lu^{171} conversion electrons, 2=16364
- Iodko, M.G., Tuchkevich, V.V., Romanov, V.A. and Kresin, O.M. Investigation of the relative intensities of some conversion lines in the spectrum of neutron-deficient lutetium isotopes, 0=13212
- Iodko, M.G. See Romanov, V.A., 0=13211
- Iodko, M.G. See Tuchkevich, V.V., 2=16366
- Iofe, V.K. See Dneprovskaya, I.A., 3=16232
- Ioffe, A.F. Two mechanisms of heat conduction, 0=545
- Ioffe, A.F. The importance of effective masses and mobilities for thermoelements, 0=3732
- Ioffe, A.F. Two mechanisms of the movement of free charges, 0=9952
- Ioffe, A.F., Moizhes, B.Ya. and Stil'bans, L.S. Power applications of thermoelectric devices, 1=11904
- Ioffe, A.F. and Regel, A.R. Non-crystalline, amorphous and liquid electronic semiconductors, 1=6137

- Ioffe, A.F. See Ioffe, A.V., 0=15819
- Ioffe, A.V. Dependence of the thermal conductivity of the crystal lattice on the degree of ionicity of the compound, 4=9869
- Ioffe, A.V. and Ioffe, A.F. The thermal conductivity of solid solutions of semiconductors, 0=15819
- Ioffe, B.L. Analyticity and unitarity in the scattering of scalar mesons on a static nucleon, 0=7392
- Ioffe, B.L. Capture of μ^- -mesons by light nuclei, 0=9692
- Ioffe, B.L. Renormalization in the parity nonconservation theory, 0=12837
- Ioffe, B.L. Limits of applicability of the weak interaction theory, 0=20037
- Ioffe, B.L. Violation of the $\Delta Q = \Delta S$ rule in leptonic decays of K-mesons and behaviour of weak interactions of high energies, 2=18179
- Ioffe, B.L. Violation of the $\Delta Q = \Delta S$ rule in leptonic decays of K-mesons and behaviour of weak interactions at high energies, 3=6062
- Ioffe, B.L. A η -resonance, 3=7916
- Ioffe, B.L. and Okun, L.B. Long-term reactivity changes in nuclear reactors, 0=4149
- Ioffe, B.L. and Terent'ev, M.V. Region of applicability of perturbation theory in electrodynamics of vector mesons, 4=30149
- Ioffe, B.L. See Galanin, A.D., 0=7343
- Ioffe, B.L. See Galanin, A.D., 0=17324
- Ioffe, B.L. See Galanin, A.D., 0=9351
- Ioffe, B.L. See Geshkenbein, B.V., 3=14875
- Ioffe, B.L. See Geshkenbein, B.V., 3=14930
- Ioffe, B.L. See Geshkenbein, B.V., 3=19539
- Ioffe, B.L. See Geshkenbein, B.V., 3=24648
- Ioffe, B.L. See Geshkenbein, B.V., 4=3342
- Ioffe, B.L. See Geshkenbein, B.V., 4=3344
- Ioffe, B.L. See Geshkenbein, B.V., 4=16880
- Ioffe, B.L. See Gribov, V.N., 2=20264
- Ioffe, B.L. See Gribov, V.N., 3=5960
- Ioffe, B.S. See Vitman, F.F., 1=16001
- Ioffe, B.S. See Vitman, F.F., 4=20684
- Ioffe, I.V. Fluctuation theory in magnetohydrodynamics, 4=676
- Ioffe, I.V. Theory of plasma compression with electromagnetic waves, 4=14662
- Ioffe, I.V. See Gurevich, L.E., 3=17830
- Ioffe, I.V. See Gurevich, L.E., 3=20284
- Ioffe, M.S., Sobolev, R.I., Tel'kovskii, V.G. and Yushmanov, E.E. Magnetic-mirror confinement of a plasma, 1=18872
- Ioffe, M.S., Sobolev, R.I., Tel'kovskii, V.G. and Yushmanov, E.E. [Anomalous rapid] loss of plasma from a magnetic-mirror system. II, 1=18873
- Ioffe, M.S. and Yushmanov, E.E. Experimental investigation of plasma instability in a magnetic mirror trap, 3=12214
- Ioffe, M.S. See Baiborodov, Yu. T., 4=5644
- Ioffe, M.S. See Gott, Yu. V., 4=8744
- Ioffe, M.S. See Raiko, V.I., 1=13975
- Ioffe, S.B. and Drichko, N.M. A birefringent filter for astrophysical studies of the sun in the k line of ionized calcium, 2=928
- Ioffe, S.B., Drichko, N.M., Prokof'eva, I.A. and Sobolev, V.M. Observation of chromosphere on the solar disc and at the edge, in the K-line radiation of ionized Ca, with an interference-polarization filter, 0=2081
- Ioffe, V.A. and Khvostenko, G.I. The electrical conductivity of sodium aluminium silicate glasses, 0=11659
- Ioffe, V.A., Leonov, A.I. and Yanchevskaya, I.S. Nature of the high permittivity of cerium aluminates with perovskite structure, 2=21207
- Ioffe, V.A., Leonov, A.I. and Yanchevskaya, I.S. Nature of the high permittivity of cerium aluminates with perovskite structure, 3=6617
- Ioffe, V.A., Patrino, I.B. and Poberovskaya, I.S. Electrical properties of certain semiconducting oxide glasses, 0=15942
- Ioffe, V.A. and Yanchevskaya, I.S. Resonant dielectric loss in aluminium silicates, 2=21208
- Ioffe, V.A. and Zonn, Z.N. Glasses with high dielectric permeability, 2=4084
- Ioffe, V.I. See Gurevich, L.E., 2=23295
- Ioffe, V.I. See Gurevich, L.E., 3=6572
- Ioffe, V.I. See Gurevich, L.E., 4=10036
- Ioffe, Yu.K. and Sukhodrev, A.M. A scintillation counter for soft X-rays, and some results from its use in a high-speed diffractometer, 0=13975
- Ioffe, Z.M. On the influence of electron inertia on the width of a shock front in magnetohydrodynamics, 4=16642
- Iogansen, A.A. See Gordienko, A.I., 3=24186
- Iogansen, A.V. Methods for measuring the integrated intensity of infrared bands with double-beam spectrophotometers, 4=29753
- Iogansen, A.V. See Kurkchi, G.A., 3=3798
- Iogansen, L.V. Effect of interaction on the phase motion of electrons in a synchrotron, 0=10997
- Iogansen, L.V. Resonance diffraction of waves in lamellar inhomogeneous media, 2=117
- Iogansen, L.V. On the role of dimensional limitations of total reflection resonance filters, 2=7380
- Iogansen, L.V. Totally reflecting resonance filter of limited size. I, 2=15738
- Iogansen, L.V. Theory of resonant electromagnetic systems that use total internal reflection, 3=2123
- Iogansen, L.V. Resonance diffraction of waves in lamellar inhomogeneous media, 3=3891
- Iogansen, L.V. Totally reflecting resonance filter of limited size. II, 3=4268
- Iogansen, L.V. Finite totally reflecting resonance filter. III, 3=17050
- Iogansen, L.V. The possibility of the resonance passage of electrons in crystals through a system of barriers, 4=4033
- Iogansen, L.V. Theory of resonant electromagnetic systems with total internal reflection. II, 4=19208
- Iogansen, L.V. Resonance tunnelling of electrons in crystals, 4=25882
- Iogansen, L.V. and Rabinovich, M.S. Coherent electron radiation in a synchrotron. II, 0=9124
- Iogansen, L.V. See Rabinovich, M.S., 0=12662
- Iolin, E. See Veldre, V., 4=27485
- Iolin, E.M. Influence of anharmonicity on the temperature shift in the Mössbauer effect, 3=20062
- Iolin, E.M. The change of phonon degeneracy on deformation and scattering of low-frequency phonons on high-frequency ones, 3=20086
- Iolin, E.M. See Damburg, R.Ya., 2=18411
- Iolin, E.M. See Damburg, R.Ya., 3=6348
- Iomtev, M.B. See Tsekhanskaya, Yu.V., 2=17502
- Ion, D.B. See Mihul, E.C., 4=30250
- Ion, I.X. See Braccini, P.L., 4=3391
- Ion, I.X. See Bracini, P.L., 4=27832
- Iona, M. Lines with ends to describe $\text{DIV } \pm \vec{B} = 0$, 3=19395
- Ionescu, D. See Cramariuc, R., 3=19384
- Ionescu, G. Calculation of gamma-doses received by moving bodies, 2=5827
- Ionescu, S. and Gherghescu, A. Study of the processes [occurring] at the metal-solution interface in the system Cd/Cd²⁺, by means of Cd¹¹⁵ as tracer, 2=21589
- Ionescu, S. See Constantinescu, M., 3=18453
- Ionescu, S. See Kelusharu, A., 4=7775
- Ionescu, S. See Rusi, A., 3=8472
- Ionescu, T.V. The activation potential of negative molecular ions (H₂⁻), 2=157
- Ionescu, T.V. Absorption and emission of energy by the negative ions of molecular hydrogen and oxygen, 2=5306
- Ionescu, T.V. On the collision frequency of negative molecular ions of hydrogen and oxygen, 4=8626
- Ionescu, T.V. On the conditions of measuring the characteristic frequencies of negative molecular ions, 4=9688
- Ionescu, T.V. and Gheorghiu, O.C. A study of the absorption frequencies of negative molecular oxygen ions in the frequency range 3 to 44 Mc/s, 0=4795
- Ionescu, T.V. and Gheorghiu, O.C. Absorption frequencies of negative hydrogen molecule ions between 2.5 and 44 Mc/s, 0=9806
- Ionescu, V.T. See Iliescu, C.C., 3=24429
- Ionescu-Bujor, C. Optical transformations, 2=11467
- Ionescu-Pallas, N. See Ionescu-Pallas, N.
- Ionescu-Pallas, N. See Popescu Iovitsu, I., 0=9000
- Ionescu-Pallas, N.I. The pure vibrational spectra of diatomic homopolar molecules, 1=3533
- Ionescu-Pallas, N.I. See Agarbichanu, I.I., 1=19342
- Ionescu-Pallas, N.J. Nuclear magnetic moments from hyperfine structure data, 0=5657
- Ionescu-Pallas, N.J. The nuclear compressibility from isotope shift data, 0=13393
- Ionescu-Pallas, N.J. The equation for Debye crystals, 0=17867
- Ionescu-Pallas, N.J. Isotope shift and Fermi-Dirac formula, 0=20339
- Ionescu-Pallas, N.J. The entropy of gas mixtures, 1=4517
- Ionescu-Pallas, N.J. A new derivation of Schmidt's formula, 1=13923

- Ionescu-Pallas, N.J. Theory of isotope shifts in heavy atoms, 1=13925
- Ionescu-Pallas, N.J. Calculation of effective quantum numbers of heavy atoms, 2=6085
- Ionescu-Pallas, N.J. Contributions to the statistical theory of heavy nuclei, 2=12113
- Ionescu-Pallas, N.J. Relativistic developments of hyperfine structure, 2=18399
- Ionescu-Pallas, N.J. Theory of second order isotope shift, 3=8216
- Ionescu-Pallas, N.J. Dynamical consequences of relativity, 4=35
- Ionescu-Pallas, N.J. Estimation of nuclear distortion from isotope shift data, 4=986
- Ionescu-Pallas, N.J. The concept of mass in the [special] theory of relativity, 4=8042
- Ionescu-Pallas, N.J. and Velculescu, V.G.A. Selective filling of Zeeman levels in atoms of alkali metals. II, 4=6468
- Ionescu-Pallas, N. See Agarbiceanu, I.L., 0=5656
- Ionescu-Pallas, N.J. See Hafner, H., 3=21220
- Ionescu-Pallas, N.J. See Hafner, H., 4=11027
- Ionescu-Pallas, N.J. See Hafner, H., 4=24071
- Ionescu-Pallas, N.J. See Popescu-Iovitzu, I., 0=14977
- Ionescu-Pallas, N.Zh. Selective filling of Zeeman levels in atoms of alkali metals, 2=1962
- Ionescu-Pallas, N. Zh. See Draganescu, V., 4=22300
- Ionesku, E. See Filip, A., 2=6047
- Ionesku, S. and Kélusharu, A. Radiolysis of ammonium complexes of nickel in aqueous solutions, 4=4713
- Ionezas, V.A. See Yakovleva, A.V., 3=23581
- Ionides, P.A. General equivalence theorem in vector field theory, 2=1649
- Ioniscu, E. See Constantinescu-Mociutchi, L., 1=14368
- Ionita, G. Relativistic metrics of toroidal systems, 2=7714
- Ionov, N.I. On the theory of vacuum thermionic diodes, 1=4643
- Ionov, N.I. Mechanism for prebreakdown conductivity in vacuum interelectrode gaps, 1=10691
- Ionov, N.I. Investigation of gas discharge and cosmic plasma by means of multielectrode probes (review), 4=21519
- Ionov, N.I. An investigation into cosmic plasma using three-electrode probes, 4=2477
- Ionov, N.I. and Karataev, V.I. A two-stage magnetic mass spectrometer for the analysis of small impurities, 3=4222
- Ionov, N.I. and Karataev, V.I. Distribution of initial velocities of electrons, K^+ ions, and Cl^- ions formed by surface ionization of KCl on tungsten and tantalum, 3=5632
- Ionov, N.I. and Mittsev, M.A. Determination of the first ionization potentials of the neodymium and praseodymium atoms by a surface ionization method, 0=14964
- Ionov, N.I. and Mittsev, M.A. Atomic first ionization potentials determined by the method of surface ionization, 1=18758
- Ionov, N.I. and Tontegode, A. Ya. Probe characteristics measured by different kinds of probe in mercury and caesium gas discharge plasmas, 4=14688
- Ionov, N.I. See Ageev, V.N., 4=17845
- Ionov, N.I. See Bakulina, I.N., 0=10874
- Ionov, N.I. See Bakulina, I.N., 4=18678
- Ionov, N.I. See Belyakov, Yu.I., 0=10373
- Ionov, N.I. See Belyakov, Yu.I., 1=6114
- Ionov, N.I. See Belyakov, Yu.I., 1=11227
- Ionov, N.I. See Zanberg, E. Ya., 1=4567
- Ionov, N.I. See Zandberg, E. Ya., 2=3086
- Ionov, N.I. See Zandberg, E. Ya., 3=2016
- Ionov, V.A. See Boltneva, L.I., 3=5185
- Ionov, V.P. and Kon'kov, A.A. Emission spectra of adiabatically compressed diatomic gases, 4=14216
- Ionov, V.P. See Kon'kov, A.A., 3=11835
- Ionychev, N.N. A comparison of the characteristics of electrodynamic and photoelectric seismic tiltmeters, 4=2181
- Iordanishvili, E.K. The efficiency of refrigerating thermoelements, 0=3733
- Iordanishvili, E.K. and Trakhbrot, B.M. Thermoelectric properties of $Bi_2Te_3-Bi_2Se_3$ in the temperature range 77-630°K, 2=16763
- Iordanishvili, E.K. and Trakhbrot, V.N. Thermoelectric properties of $Bi_2Te_3-Bi_2Se_3$ in the temperature range 77-630°K, 2=18756
- Iordanov, D. Diffusion from stationary surface point source at free convection in boundary layer [with a] variable coefficient of horizontal and vertical exchange, 4=5238
- Iordanov, D. and Krýstanov, L. Profile of the wind in the layer of air close to the earth under conditions of unstable equilibrium, 4=29275
- Iordanskii, S.V. Electron plasma oscillations between two electrodes, 2=7634
- Iordanskii, S.V. Excitation of magneto-sonic waves in conducting fluids, 3=17037
- Iordanskii, S.V. Resonance excitation of waves in a liquid with infinite conductivity, 3=21958
- Iordanskii, S.V. Hydrodynamics of a rotating Bose system below the condensation point, 4=8545
- Iordanskii, S.V. Energy spectrum of a Bose gas with weak attraction at large distances, 4=27104
- Iordanskii, S.V. and Kulikovskii, A.G. On the stability of higher correlation functions in plasma, 4=8770
- Iordanskii, S.V. and Kulikovskii, A.G. General stability conditions of higher order correlation functions in plasma, 4=21533
- Iordansky, S.V. and Kulikovskiy, A.G. A quasilinear approximation and the correlation functions for a plasma, 4=18504
- Iorgulescu, A. and Oncescu, M. Radioactivity fall-out in 1960 in Bucharest, 2=7936
- Iorgulescu, A. See Blanu, D., 2=7937
- Iorgulescu, S. See Bally, D., 2=7698
- Iorgulescu, St. Problems and perspectives of X-ray microscopy, 4=7662
- Iorgulescu, St. See Benes, L., 3=21919
- Iori, I. and Mani, G.S. The "spin cut-off factor" and correlation energy for Si^{29} , 4=17163
- Iori, I. See Bassani, G., 2=20646
- Iori, I. See Cassagnou, Y., 4=3694
- Iori, I. See Cassagnou, Y., 4=6374
- Iori, I. See Cassagnou, Y., 4=15233
- Iori, I. See Cassagnou, Y., 4=17188
- Iori, I. See Cassagnou, Y., 4=22098
- Iori, I. See Colli, L., 0=20494
- Iori, I. See Colli, L., 1=8749
- Iori, I. See Colli, L., 1=16493
- Iori, I. See Colli, L., 2=14117
- Iori, I. See Colli, L., 2=20650
- Iori, I. See Colli, L., 3=2473
- Iori, I. See Colli, L., 3=15212
- Iori, I. See Facchini, U., 0=15593
- Iori, I. See Mani, G.S., 4=19793
- Iorish, Yu.I. Vibration studies in the Soviet Union. A review, 0=6845
- Iorulesku, Sh. See Balli, D., 2=14698
- Ioselevich, M.L. and Fistul', V.I. Experiments on the variation of surface conductivity in germanium and silicon, 1=14454
- Ioshpa, B.A. and Obridko, V.N. Photoelectric analysis of polarized light, 4=5402
- Iosifescu, B. Variation with temperature of the work function of molybdenum, 0=19710
- Iosifescu, B. The temperature dependence of the work function of molybdenum, 0=9061
- Iosifescu, B. See Cavaleru, A., 4=10615
- Iosifescu, B. See Comsa, G., 1=5488
- Iosifescu, B. See Comsa, G., 1=8340
- Iosifescu, B. See Comsa, G., 2=7262
- Iosifescu, B. See Comsa, G., 2=7264
- Iosifescu, B. See Comsa, G., 3=18862
- Iosifescu, B. See Gel'berg, A., 1=14693
- Iosifescu, B. See Komsha, G., 2=17860
- Iosifescu, M. α - γ angular correlation for the favour α -transitions, 2=12155
- Iosifescu, M. See Brânduș, I., 4=9445
- Iosifescu, M. See Săndulescu, A., 1=13695
- Iosilevskii, Ya. A. and Kagan, Yu. Impurity atoms in lattices with optical oscillation modes. The Mössbauer effect. Infrared absorption, 4=25838
- Iosilevskii, Ya. A. See Kagan, Yu., 2=8156
- Iosilevskii, Ya. See Kagan, Yu., 3=22627
- Iosilevskii, Ya. See Kagan, Yu., 3=25187
- Iosilevskii, Ya. See Kagan, Yu., 4=6740
- Iosilevskii, Ya. A. See Kagan, Yu., 3=6461
- Iost, K.G. [Jost, K.H.]. See Tilo, E. [Thilo], 4=13605
- Iouleas, P.G. See Anastassiades, M., 2=11052
- Iova, I. See Badareu, E., 0=7081
- Iova, I. See Badareu, E., 2=1407
- Iovan, M. See Gelberg, A., 2=7793
- Iovitsu, I. Popescu. See Popescu Iovitsu, I.

- Iovitzu-Popescu, I. and Ionescu-Pallas, N.J. On resonant charge for positive ions, 0=14977
- Iovnovich, M. L. Acceleration of a plasma burst by a plasma flux in a magnetic field, 4=11643
- Iovnovich, M. L. Acceleration of a plasma by a high-frequency field, 4=18888
- Iovnovich, M. L. The radiation from charges and dipoles accelerated in a waveguide, 4=27635
- Iovnovich, M. L. See Askar'yan, G. A., 3=12174
- Ipatkin, I. S., Stepanov, B. M. and Shatsukevich, A. F. Recording of an X-ray pulse by an electron multiplier, 2=7697
- Ipatov, L. G. The vibrations of a ferromagnetic material in an alternating magnetic field, 0=12445
- Ipatov, L. G. The propagation of an electromagnetic wave in a ferromagnetic, 0=17102
- Ipatov, L. G. The magnetic characteristics of a ferromagnetic in an oscillatory régime, 0=21050
- Ipatova, I. and Kazarinov, R. F. The Faraday effect for excitons, 2=23125
- Ipatova, I. P. and Eliashberg, G. M. Spin waves and paramagnetic relaxation in a Fermi liquid [liquid He³], 3=14435
- Ipatova, I. P. and Kazarinov, R. F. The Faraday effect for excitons, 2=589
- Ipatova, I. P. See Gurevich, L. E., 0=7923
- Ipatova, I. P. See Gurevich, L. E., 2=23525
- Ipatova, I. P. See Gurevich, L. E., 3=10589
- Ipatova, I. P. See Gurevich, L. E., 3=15661
- Ipatova, I. P. See Gurevich, L. E., 4=3984
- Ippolitov, V. T. Angular distribution of the polarization of elastically scattered fast deuterons, 4=30347
- Ippolito, F. The Italian nuclear programme after the Second Geneva Conference, 0=3872
- Ippolito, F., Cacciari, A. and Focella, A. The organic reactor and the uranium-thorium cycle programmes of C.N.E.N., 1=7412
- Irani, J. J. and Honeycombe, R. W. K. Dislocations and precipitation in retained austenite, 4=17762
- Irani, K., Sinha, A. P. B. and Biswas, A. B. Crystal distortion in spinels containing Mn²⁺ ions, 1=20556
- Irani, K. S. and Gingerich, K. A. Structural transformation of zirconium phosphide, 4=2003
- Irani, K. S., Sinha, A. P. B. and Biswas, A. B. Effect of temperature on the structure of manganites, 2=14923
- Irani, R. R. and Adamson, A. W. Transport processes in liquid systems. III. Thermodynamic complications in the testing of existing diffusional theories, 0=14634
- Irani, R. R. and Ames, D. P. Size of irregular particles, 2=1099
- Iredale, P. The non-proportional response of NaI(Tl) crystals to γ -rays, 2=5519
- Iredale, P. The effect of the non-proportional response of NaI(Tl) crystals to electrons upon the resolution for γ -rays, 2=5520
- Iredale, P. The sensitivities of scintillators, image intensifiers and television systems in observing beams of nuclear particles, 4=9012
- Iredale, P. Calculations of electron transit times in two electron optical structures, 4=29981
- Iredale, P. and Hinder, G. W. The use of an electroluminescent image-intensifier panel in detecting beams of nuclear particles, 4=30134
- Iredale, T. See Akon, C. D., 1=7808
- Ireland, H. J. D. See Greatorex, C. A., 4=13978
- Ireland, J. G. On the effect of a helical magnetic field on the polarization of starlight, 1=15507
- Ireland, J. G. On the synchrotron radiation from the disk of the galaxy, 2=1016
- Ireland, J. G. See Hoyle, F., 0=18826
- Ireland, J. G. See Hoyle, F., 0=18829
- Ireland, J. G. See Hoyle, F., 1=12775
- Ireland, J. V. and Gilbody, H. B. Experimental study of proton-atom hydrogen collisions in the energy range 60-450 keV, 4=24577
- Ireland, J. V. See Gilbody, H. B., 3=19185
- Ireland, J. V. See Gilbody, H. B., 4=5558
- Ireland, J. V. See Gilbody, H. B., 4=16426
- Ireland, J. V. See Islam, M., 2=13539
- Ireland, W. and Mawdsley, J. Radio echoes from field-aligned ionization at the magnetic equator, 2=20164
- Irfan, M. and Jack, W. The (n, α) reaction in Al²⁷ at 15 MeV using a counter telescope technique, 3=12692
- Irfan, M. and Jack, W. The energy distributions of alpha-particles emitted from Fe⁵⁴, Cu⁶³, Zn⁶⁴ and Ag¹⁰⁷ bombarded with neutrons of 15 MeV, 3=12693
- Irgens, F. See Gjessing, D. T., 4=14909
- Iribarne, J. V. See Cohan, N. V., 2=14597
- Iribarne, J. V. See De Pena, R. G., 2=22101
- Iribarne, J. V. See Norscini, R., 4=21353
- Iribarne, J. V. See Weissmann, M., 4=22455
- Irie, T. Thermoelectric properties of the single-phase of AgSbTe₂, 3=13144
- Irie, T., Takahama, T. and Ono, T. The thermoelectric properties of AgSbTe₂-AgBiTe₂, AgSbTe₂-PbTe and -SnTe systems, 3=10900
- Irie, T. See Ono, T., 2=18759
- Irimiciuc, N. Dynamics of solid state with constraints, 3=9385
- Irish, D. E., McCarroll, B. and Young, T. F. Raman study of zinc chloride solutions, 4=5184
- Irish, D. E. See Bidinosti, D. R., 1=7405
- Irish, D. E. See Griffiths, J. E., 4=22376
- Irish, D. E. See Walrafen, G. E., 2=19562
- Irish, D. E. See Walrafen, G. E., 4=15355
- Irisova, N. A. and Dianov, E. M. Very-high-frequency absorption of CH₃GeF₃, 1=2323
- Iriye, H. See Fukushima, M., 4=26798
- Irkhin, Yu. P. The electrical conductivity of antiferromagnetic metals, 0=4312
- Irkhin, Yu. P. Theory of electrical conductivity of antiferromagnetic metals [based on an s-d exchange model], 1=3606
- Irkhin, Yu. P. Theory of the X-ray K-absorption spectra of transition metals, 2=8542
- Irkhin, Yu. P. Theory of the X-ray k-absorption spectra in transition metals, 2=23580
- Irkhin, Yu. P. and Shavrov, V. G. Contribution to the theory of the spontaneous Hall effect in ferromagnetics, 2=14505
- Irkhin, Yu. P. and Shavrov, V. G. Contribution to the theory of the spontaneous Hall effect in ferromagnetics, 3=6562
- Irkhin, Yu. P. See Abel'skii, Sh. Sh., 3=22918
- Irkhin, Yu. P. See Abel'skii, Sh. Sh., 4=6917
- Irkhin, Yu. P. See Gitterman, M. Sh., 0=7915
- Irekhin, Yu. P. See Shepeleva, I. M., 2=8543
- Irkhin, Yu. P. See Shepeleva, I. M., 3=3030
- Irkhin, Yu. P. See Turov, E. A., 1=1012
- Irkhin, Yu. P. See Turov, E. A., 4=26054
- Irland, M. J. and Schermer, E. B. Dichroic multiple beam interferometer microscope, 3=16793
- Irland, M. J. and Schermer, E. B. A method for evaluating the abrasion resistance of optical surfaces and thin films, 4=23112
- Irmay, S. Exact linearization of steady flow equations of ideal fluids, 2=15550
- Irmay, S. The general solution of incompressible potential flows of the Laplace type $U = \nabla \phi$ and of the Poisson type $U = K(x, y, z) \nabla \phi$, 4=29601
- Irmer, J. Behaviour of defect electrons in investigations on AgBr crystals using the print-out effect, 3=3406
- Irmer, J. and Süptitz, P. The drift mobility and lifetime of photo-electrons in AgBr at room temperature, 2=4070
- Irons, E. J. Notes on two optical aberration problems, 4=8373
- Irons, H. See Riel, G. K., 2=9510
- Irons, H. R. All-magnetic logic elements using strained permalloy wire, 2=13639
- Iroshnikov, R. S. The turbulence of a conducting fluid in a strong magnetic field, 4=3124
- Irsa, A. P. and Friedman, L. Collision-induced dissociation of HD⁺, 1=7495
- Irsa, A. P. See Friedman, L., 2=9525
- Irvin, J. C. See Nelson, J. T., 0=2875
- Irvine, J. A. and Harper, P. A portable photointegrating meter for use in crops, 4=13998
- Irvine, J. M. See Flowers, B. H., 4=15129
- Irvine, J. M. See Flowers, B. H., 4=21987
- Irvine, J. W., Jr. See Bowen, L. H., 2=20671
- Irvine, J. W., Jr. See Shore, B. W., 1=11013
- Irvine, J. W., Jr. See Williams, D. C., 3=10385
- Irvine, T. F., Jr. See Eckert, E. R. G., 0=12507
- Irvine, T. F., Jr. See Eckert, E. R. G., 0=16906
- Irvine, T. F., Jr. See Eckert, E. R. G., 2=7424
- Irvine, T. F., Jr. See Eckert, E. R. G., 3=275
- Irvine, W. M. Electrodynamics in a rotating system of reference, 4=21637
- Irvine, W. M. See van de Hulst, H. C., 3=16339
- Irvine, W. R. See Armstrong, W. M., 3=8773
- Irvine, W. R. See Armstrong, W. M., 3=25632
- Irving, B. A. Shapes of etch hillocks and pits and their correlation with measured etch rates, 0=1899
- Irving, B. A. The preparation of thin films of germanium and silicon, 1=4079

- Irving, B.A. The chemical polishing of germanium, 2=8780
 Irving, E. Paleomagnetism of the Narrabeen Chocolate Shales and the Tasmanian Dolerite, 3=18579
 Irving, E., Robertson, W.A. and Stott, P.M. The paleomagnetism of some mesozoic rocks from eastern Australia: preliminary remarks, 3=18578
 Irving, E., Robertson, W.A. and Stott, P.M. The significance of the paleomagnetic results from mesozoic rocks of Eastern Australia, 3=18582
 Irving, E., Stott, P.M. and Ward, M.A. Demagnetization of igneous rocks by alternating magnetic fields, 1=4138
 Irving, J. See Cilliers, W.A., 4=5637
 Irving, J.W., Jr. See Williams, D.C., 3=10384
 Irwin, E.J., Jr. See Enge, H.A., 0=441
 Irwin, E.J., Jr. See Lomon, E., 1=12111
 Isa, T. See Takeyama, M., 1=18839
 Isaac, E.D. Domain structures on thin sheets of magnetoplumbite, 0=8050
 Isaac, E.D. See Bates, L.F., 0=10151
 Isaac, E.D. See Bates, L.F., 2=10656
 Isaac, E.D. See Carey, R., 3=11098
 Isaac, E.D. See Carey, R., 3=23161
 Isaac, E.D. See Carey, R., 4=15650
 Isaac, E.D. See Carey, R., 4=17633
 Isaac, E.D. See Craik, D.J., 1=3898
 Isaacs, G.G. See Cook, K.G., 0=7153
 Isaacs, G.G. See Fraser, D.A., 2=11601
 Isaacs, J.D. and Tyler, J.E. On the observation of unresolved surface features of a planet, 1=1631
 Isaacs, L.D., Price, W.C. and Ridley, R.G. A monochromator for the vacuum ultraviolet, 0=19418
 Isaacs, L.L. and Garland, C.W. Heat capacity of crystalline polyethylene from 1.8°K to 5.3°K, 2=14380
 Isaacs, L.L. and Pops, H. A cryogenic stage for optical metallography, 4=20771
 Isaacs, L.L. See King, H.W., 4=7618
 Isaacs, P.B. See Smith, G.S., 4=23445
 Isaacs, T. See Swanson, H.E., 1=15066
 Isaacson, L. See Wentink, T.Jr., 4=28185
 Isaacson, R.A. See Fowler, C.A., Jr., 3=18103
 Isaak, G.R. An atomic beam spectrophotometer, 1=6954
 Isaak, G.R. See Champeney, D.C., 4=31
 Isaak, G.R. See Champeney, D.C., 4=11043
 Isabelle, D.B. and Bishop, G.R. Excitation of O^{16} by the inelastic scattering of electrons, 2=432
 Isabelle, D.B. and Bishop, G.R. Study of the giant resonance in O^{16} by inelastic electron scattering, 3=19836
 Isabelle, D.B. and Roy, P.H. Factors influencing the stability of a secondary electron monitor, 3=17112
 Isabelle, D.B. See Bishop, G.R., 2=20521
 Isabelle, D.B. See Bishop, G.R., 3=4627
 Isabelle, D.B. See Bishop, G.R., 4=17028
 Isabelle, D.B. See Bishop, G.R., 4=19675
 Isabelle, D.B. See Bishop, G.R., 4=22121
 Isabelle, D.B. See Maximon, L.C., 4=11975
 Isacchi, S. and Lenoble, J. Experimental study of the multiple scattering of light, 1=244
 Isaenko, V.I. and Travlev, G.N. Study of the electrical characteristics of flash tubes during repeated discharges, 3=1921
 Isaenko, V.I. See Egorova, F.F., 2=22185
 Isaenko, V.I. See Vanyukov, M.P., 2=19716
 Isaenko, V.I. See Vanyukov, M.P., 3=1950
 Isaenko, V.I. See Vanyukov, M.P., 3=21743
 Isaenko, V.I. See Vanyukov, M.P., 3=24509
 Isaenko, V.I. See Vanyukov, M.P., 3=25444
 Isaenko, V.I. See Vanyukov, M.P., 4=19261
 Isaenko, V.O. See Vanyukov, M.P., 4=772
 Isaev, A.A. and Khimunin, A.S. Ultrasonic density meter, 3=14089
 Isaev, B.M. See Bregadze, Iu.I., 2=18033
 Isaev, F.K. See Khalilov, A.Kh., 2=23601
 Isaev, I.L. See Sobolev, N.N., 0=973
 Isaev, L.N. See Akishin, A.I., 4=12825
 Isaev, P.S., Lend'el, V.I. and Meshcheryakov, V.A. Partial πN scattering waves taking into account $\pi\pi$ interaction, 4=3456
 Isaev, P.S. and Meshcheryakov, V.A. Effect of $\pi\pi$ interaction on S and P waves of πN scattering, 3=15017
 Isaev, P.S. and Sewerynski, M. Approximate equations for partial $\pi^- K$ scattering amplitudes, 1=5768
 Isaev, P.S. and Sewerynski, M.V. Scattering of π -mesons on K-mesons at low energies, 1=16875
 Isaev, P.S. and Zlatev, I.S. Application of dispersion relations for testing quantum electrodynamics at small distances, 0=12818
 Isaev, P.S. See Zlatev, I., 0=2538
 Isaev, P.S. See Zlatev, I.S., 0=9324
 Isaev, P.S. See Zlatev, I.S., 0=12819
 Isaeva, N.F. See Sedov, N.N., 3=3373
 Isaeva, R.V. Level gauge for liquid helium, 4=377
 Isaikov, V.K. See Vereshchagin, L.F., 4=20995
 Isakov, A.I. Non-stationary elastic slowing down of neutrons in graphite and iron, 2=471
 Isakov, A.I. Non-stationary elastic slowing down of neutrons in graphite and iron, 2=22827
 Isakov, A.I., Popov, Yu.P. and Shapiro, F.L. Measurements of the energy dependence of the radiative capture of neutrons in Fe, Ag and Au in the energy region up to 30 keV, 0=15599
 Isakovich, M.A. Finite-amplitude flexural waves that retain their profile during propagation, 1=2807
 Isakovich, M.A. Non-linear effects in some acoustic problems, 1=4401
 Isakovich, M.A. A resonance device of solid material for the focusing of ultrasound, 2=21982
 Isakovich, M.A. and Roi, N.A. An acoustic method for the measurement of the mechanical parameters of meteorites, 2=13119
 Isard, J.O. Non-polarizing electrodes for dielectric measurements on glasses, 3=19129
 Isard, J.O. See Milnes, G.C., 3=2945
 Isard, J.O. See Savage, J.A., 3=3401
 Isberg, H.B.S. See Eriksson, K.B.S., 3=8179
 Isberg, H.B.S. See Eriksson, K.B.S., 3=22487
 Ischenko, G., Seyboth, D. and Wegener, H. Measurement of the anisotropy of the β - α angular distribution in the decay of Li^8 , 3=24891
 Ischenko, I.M. Photographic photometry of star trails, 4=13879
 Ise, N. On the polyelectrolyte-simple-electrolyte interaction parameter, 1=20748
 Ise, N. Second virial coefficient of polyelectrolytes, I, 2=17456
 Ise, N. Second virial coefficient of polyelectrolytes, 3=21347
 Ise, N. and Ander, P. Second virial coefficient of polyelectrolytes. III, 4=161
 Ise, N. See Sakurada, I., 1=108
 Ise, Y. See Ikegami, S., 2=2224
 Isebeck, K. See Matthews, J.W., 3=17754
 Iselin, F. 25 Mc/s scalars with flexible print-punch facilities, 3=19140
 Isenberg, C. Moment calculations in lattice dynamics. I. F. C. C. lattice with nearest-neighbor interactions, 4=9830
 Isenberg, C. See Domb, C., 2=12381
 Isenberg, C. See Domb, C., 4=17339
 Isenberg, I. See Bersohn, R., 1=19670
 Isenberg, I. See Bersohn, R., 4=22933
 Isenor, N.R. Metal ion emission velocity dependence on laser giant pulse height, 4=19111
 Isenor, N.R. High-energy ions from a Q-switched laser, 4=27576
 Isenor, N.R., Barber, R.C. and Dichworth, H.E. Some recent determinations of atomic masses in the strontium-zirconium region, 0=11494
 Iseplyaev, V.I. The isothermal shock in magnetohydrodynamics, 0=15132
 Iserentant, C. See Robbrecht, G., 2=12390
 Iserentant, C. See Robbrecht, G., 2=12391
 Iserentant, C.M., Robbrecht, G.G. and Doclo, R.J. On the magnetic transitions in α -Fe₂O₃, 4=28857
 Ishchenko, E.D. and Roshchina, G.P. Structure of liquid systems with a eutectic state diagram. I. Density of liquid binary systems with a eutectic state diagram, 4=11177
 Ishchenko, E.D. and Roshchina, G.P. Structure of liquid systems with a eutectic state diagram. II. Rate of propagation of ultrasound and the adiabatic compressibility of liquid binary systems with a simple eutectic state diagram, 4=11178
 Ishchenko, E.D. See Roshchina, H.P., 1=11759
 Ishchenko, E.D. See Roshchina, G.P., 3=21365
 Ishchuk, V.A. See Zingerman, Ya.P., 1=15182
 Ishchuk, V.A. See Zingerman, Ya.P., 1=20694
 Ishchuk, V.A. See Zingerman, Ya.P., 3=14615
 Ishi, Z. Observations of dislocation images in Ge by anomalous transmission method, 2=16659
 Ishibashi, Y. See Kinase, W., 4=20193
 Ishibashi, Y. See Kinase, W., 4=20416
 Ishibashi, Y. See Takahasi, H., 1=8912

- Ishibe, Y. See Enjōji, H., 3=5656
- Ishida, K. Analysis of neutron-electron interaction in the relativistic perturbation theory, 0=11176
- Ishida, K. On the absorptive range in the pion-nucleon collision at high energies, 0=17379
- Ishida, K. On the absorptive range in the pion-nucleon collision at high energies, 0=17380
- Ishida, K. A note on the dispersion-theoretic approach to the one additional pion production by pion-nucleon collision, 0=20212
- Ishida, K. Some considerations on the low-energy pion-nucleon scattering, 1=10917
- Ishida, K. The effect of pion-pion interaction on the pion-nucleon small P-wave phase shifts, 1=13489
- Ishida, K. The effect of the pion-pion interaction of the pion-nucleon scattering, 1=13490
- Ishida, K. S-wave pion-nucleon phase shifts, 1=16705
- Ishida, K. and Aoki, S. Remarks on the evolution of galaxies, 4=2379
- Ishida, K., Shimokawa, J. and Yamamoto, Y. Effect of the surface diffusion on the separation efficiency, 2=7238
- Ishida, K., Takahashi, A. and Ueda, Y. Pion-pion interaction and pion-nucleon scattering, 1=3212
- Ishida, R. Ionization of alkali elements in flame, 2=3002
- Ishida, R. Plasma jet applied spectroscopic source for alkali earth analysis, 4=10672
- Ishida, S. Remarks on the final state interaction in Fermi's theory of multiple particle production, 0=20042
- Ishida, S. On the semi-classical treatments of the meson-nucleon scattering, 1=10918
- Ishida, S. Pion-nucleon scattering and pion-pion interaction, 1=10919
- Ishida, S., Iso, C. and Sato, M. Comparison between hydrodynamical model and fire-ball model in multiple production of particles, 1=2118
- Ishida, S. and Nakazawa, K. Pion-pion interaction: resonances corresponding to ρ and ω^0 -particles, 2=9912
- Ishida, S. See Furui, S., 4=9086
- Ishida, S. See Kadota, N., 1=5504
- Ishida, T. See Furutsu, K., 1=10782
- Ishida, T. See Furutsu, K., 1=15395
- Ishida, Y. Adiabatic compressibility of aqueous solution of inorganic acid, 1=1736
- Ishida, Y. A new method to determine hydration energy of ion, 1=15196
- Ishida, Y. See Sugata, E., 3=9854
- Ishida, Y. See Tanaka, T., 1=8970
- Ishidzu, T. Statistical nuclei with repulsive core interaction, 0=17462
- Ishigame, M. PEM effect in germanium, 4=26150
- Ishigame, M. See Sakurai, T., 4=28652
- Ishiguro, E. See Kotani, M., 0=17819
- Ishiguro, E. See Shimizu, M., 3=8175
- Ishiguro, F. See Shibayama, K., 4=17706
- Ishiguro, K. and Sasaki, T. Detailed charts of the reflectivities for determining the complex index of refraction, 3=11926
- Ishiguro, K., Sasaki, T., Arai, T. and Imai, I. Plasma oscillation in the electrically conductive tin oxide film, 0=1623
- Ishiguro, K., Sasaki, T. and Nomura, S. Numerical tables for the reflectivities at the solid surface, 1=11831
- Ishiguro, K. and Tako, T. An estimation of Smith-Purcell effect as the light source in the infrared region, 1=5576
- Ishiguro, K. See Imai, I., 1=1161
- Ishiguro, K. See Sasaki, T., 2=18787
- Ishiguro, K. See Sasaki, T., 3=18994
- Ishiguro, M. and Sugioka, E. Dichroism in additive coloured KCl : OH, 2=10419
- Ishiguro, M., Sugioka, E. and Takeuchi, N. Dichroism of Z bands, 1=8918
- Ishiguro, M. and Takeuchi, N. Dichroism of Z_4 and F bands, 1=11243
- Ishiguro, M. See Takeuchi, N., 3=23235
- Ishiguro, T. See Kawasaki, T., 4=17524
- Ishiguro, T. See Murakami, H., 4=28640
- Ishiguro, T. See Uchida, I., 4=21236
- Ishiguro, Y. and Ushita, T. Characteristics of the special spark-gap possessing protruding needle, 2=9543
- Ishihara, A. Theory of dielectric polarization in non-polar fluids, 1=18422
- Ishihara, M. Decay of zinc 72, 3=24896
- Ishihara, N. See Tani, Y., 3=18265
- Ishihara, T. Lattice thermal conductivity in AgSbTe₂-SnTe as deduced from the calculation of electronic thermal conductivity, 2=18538
- Ishihara, T. On the ambiguity of cut-off process in the theory of quantum field, 4=21723
- Ishihara, T. On some topologies in the universal Hilbert space, 4=21724
- Ishihara, T., Tamagaki, R., Tanaka, H. and Yasuno, M. Energy gap in nuclear matter, 4=6190
- Ishihara, T. and Yamagata, H. On distributions and spaces of sequences. I. General theory, 3=3705
- Ishihara, T. and Yamagata, H. On distributions and spaces of sequences. II. 3=10016
- Ishihara, T. and Yasuno, M. Remarks on interacting many-fermion system, 2=1669
- Ishihara, T. See Yamagata, H., 3=4313
- Ishihara, T. See Yasuno, M., 4=984
- Ishihara, Y. See Nakada, I., 4=22809
- Ishii, B. See Sato, R., 3=811
- Ishii, C. An analysis of the charged particles emitted following negative muon absorptions in photographic emulsions, 0=17367
- Ishii, C., Kimura, M., Ohnuki, Y. and Shoda, K. Absorption of medium high energy gamma rays in NaI(Tl) scintillator, 0=9326
- Ishii, C. and Takahashi, K. A gamma ray in Ti⁴⁶ decay, 1=9836
- Ishii, C. See Kodama, M., 0=15494
- Ishii, C. See Morinaga, H., 1=2222
- Ishii, J. See Hukuda, K., 1=1489
- Ishii, K. Deformation twinning of tin single crystals under impact loading, 0=21115
- Ishii, K. Repeated yielding of impure tin crystals under successive impact loading, 1=3985
- Ishii, K. and Kihō, H. Incorporation of slip dislocations in mechanical twins of tin crystals, 3=25658
- Ishii, K. and Kihō, H. Resistive stress for the thickening of twins in tin crystal, 3=25659
- Ishii, K. See Jaskolski, S. V., 4=21647
- Ishii, K. See Kōji Uo, K., 3=1990
- Ishii, K. See Kumagi, H., 3=460
- Ishii, K. See Suzuki, Y., 3=3706
- Ishii, K. See Wang, F. F. Y., 1=14780
- Ishii, M. See Takekoshi, E., 4=22076
- Ishii, T. The thermal reorientation of the M center, 0=17964
- Ishii, T. Oscillator strength of I⁻ -absorption band in KCl crystal, 1=19981
- Ishii, T. On the U → F conversion and photoconductivity in alkali halide crystals, 3=20248
- Ishii, T., Tomiki, T. and Ueta, M. On the preferential bleaching of the M band in KCl crystal with polarized light, 0=20834
- Ishii, T. and Ueta, M. Photoconductivity of CsBr crystals containing color centers, 4=4231
- Ishii, T. See Goto, T., 4=4226
- Ishii, T. See Kuethe, A. M., 4=29658
- Ishii, T. See Ueta, M., 0=21004
- Ishii, T. See Ueta, M., 2=23221
- Ishii, Z. Studies on the boundary between etched and ground regions of Ge and Si single crystal surfaces by X-ray diffraction topography, 1=14959
- Ishii, Z., Furuoya, T., Sasaki, Y. and Kohra, K. Observation of layer structure in dislocation free silicon crystals with the use of X-ray anomalous transmission, 1=11197
- Ishii, Z. and Kohra, K. X-ray observation of the strain field in germanium single crystals with the use of anomalous transmission, 1=6451
- Ishikawa, H. and Noyes, W. A., Jr. Photosensitization by benzene vapour: biacetyl. The triplet state of benzene, 2=20844
- Ishikawa, H. See Edagawa, H., 3=4930
- Ishikawa, H. See Yamaguti, T., 4=31000
- Ishikawa, K. See Hibi, T., 2=17864
- Ishikawa, K. See Hibi, T., 2=17865
- Ishikawa, K. See Hibi, T., 3=24369
- Ishikawa, M. See Arisawa, K., 4=4687
- Ishikawa, M. See Miya, K., 0=19947
- Ishikawa, M. See Miya, K., 1=6621
- Ishikawa, M. See Miya, K., 2=9721
- Ishikawa, M. See Sugai, S., 0=2170
- Ishikawa, S. and Muramatsu, K. On the observational results of Γ_{min} at Yamagawa, 1=15268
- Ishikawa, S. See Ueda, H., 0=16412
- Ishikawa, T. Effect of the plasma-jet in a double electrode spark gap, 4=18764

- Ishikawa, T. See Nagai, K., 2=10895
 Ishikawa, V. Superparamagnetism in magnetically dilute systems, 4=13112
 Ishikawa, Y. An order-disorder transformation phenomenon in the $\text{FeTiO}_3\text{-Fe}_2\text{O}_3$ solid solution series, 0=670
 Ishikawa, Y. Magnetic properties of ilmenite-hematite system at low temperature, 3=1022
 Ishikawa, Y. Superparamagnetism in the $\text{ZnFe}_2\text{O}_4\text{-NiFe}_2\text{O}_4$ system, 3=8645
 Ishikawa, Y. Magnetic properties of ilmenite-hematite system at low temperature, 3=8655
 Ishikawa, Y. and Chikazumi, S. Design of high power electromagnet, 3=2085
 Ishikawa, Y. and Chikazumi, S. Erratum: Design of high power electromagnets, 4=27609
 Ishikawa, Y., Sasaki, Y., Seki, Y. and Inowaki, S. Rectifying action and the electromotive forces of the films of Ta_2O_5 and SiO_2 at high temperatures, 3=10849
 Ishikawa, Y. and Syono, Y. Reverse thermo-remanent magnetism in the $\text{FeTiO}_3\text{-Fe}_2\text{O}_3$ system, 3=1496
 Ishikawa, Y. and Syono, Y. Order-disorder transformation and reverse thermo-remanent magnetism in the $\text{FeTiO}_3\text{-Fe}_2\text{O}_3$ system, 3=13255
 Ishikawa, Y. See Ito, A., 4=4510
 Ishikawa, Y. See Ōno, K., 3=995
 Ishikawa, Y. See Ōno, K., 3=8334
 Ishikawa, Y. See Shirane, G., 0=21200
 Ishikawa, Y. See Syono, Y., 4=4381
 Ishikawa, Y. See Syono, Y., 4=4382
 Ishikawa, Y. See Syono, Y., 4=13194
 Ishikawa, Y. See Yagi, M., 1=20275
 Ishikura, O. and Sakata, T. Electrical properties of hot-pressed rutile at room temperature, 4=30627
 Ishimaru, A. Unidirectional waves in anisotropic media, 4=687
 Ishimaru, A. and Held, G. Analysis and synthesis of radiation patterns from circular apertures, 0=2451
 Ishimaru, A. See Dobrott, D., 2=7770
 Ishimaru, A. See Hasserjian, G., 2=16010
 Ishimaru, A. See Tyras, G., 3=21978
 Ishimaru, A. See Tyras, G., 4=680
 Ishimatsu, K. Continuous γ -ray spectrometry with scintillation counters, 3=17237
 Ishimatsu, T. The $\text{N}^{14}(\text{d}, \alpha)\text{C}^{12}$ ground-state reaction in the energy range of deuterons from 1.5 to 3.0 MeV, 1=17146
 Ishimatsu, T., Nakashima, T., Kato, N. and Morita, S. 90° -excitation functions for the $\text{N}^{14}(\text{d}, \alpha)\text{C}^{12}$ ground-state and first excited state reactions, 2=20664
 Ishimatsu, T., Takano, N., Hachiya, Y. and Nakashima, T. Angular distributions and excitation functions of the $\text{Be}^9(\text{d}, \text{p})\text{Be}^{10}$ ground-state reaction, 1=13843
 Ishimatsu, T. See Maki, T., 2=20665
 Ishimatsu, T. See Morita, S., 2=489
 Ishimura, T. See Itô, H., 4=24675
 Ishimura, T. See Sawada, M., 1=11386
 Ishino, S., Nakazawa, F. and Haseguti, R.R. Annealing of γ -ray irradiated n-type germanium, 3=25313
 Ishioka, S. and Suzuki, H. Phonon scattering by dislocations, 3=22646
 Ishisaki, Y. See Nonaka, I., 3=8100
 Ishiwari, R. Elastic and inelastic scattering of protons by Be^9 in the energy region from 6.1 to 7.3 MeV, 2=5899
 Ishiwari, R. See Kimura, K., 2=5898
 Ishiwari, R. See Kimura, K., 2=15970
 Ishiyama, M., Nagahara, Y., Okano, M., Takano, M. and Takeuchi, M. A method for the estimation of the weak gamma-activity distributed in the thick medium, 3=12431
 Ishizaki, Y. Inelastic scattering of deuterons from C^{12} , Mg^{24} and Ni^{60} , 1=13837
 Ishizaki, Y. See Furukawa, M., 1=12195
 Ishizaki, Y. See Hisatake, K., 1=8730
 Ishizaki, Y. See Yagi, K., 4=25305
 Ishizawa, K. See Wakai, N., 3=13773
 Ishizu, K. See Nishiguchi, H., 4=15378
 Ishizuka, H. See Kawashima, N., 3=24288
 Ishizuka, H. See Suzuki, Y., 4=24655
 Ishizuka, T. See Kimura, M., 3=22376
 Ishizuka, T. See Shoda, K., 2=12180
 Ishizuka, T. See Shoda, K., 2=12181
 Ishizuka, T. See Shoda, K., 2=16381
 Ishizuka, T. See Shoda, K., 3=4614
 Ishizuka, T. See Shoda, K., 3=15172
 Ishkhanov, B. S., Kapitonov, I. M., Kornienko, E. N., Shevchenko, V. G. and Yur'ev, B. A. Photoprotons from calcium, 4=22117
 Ishkhanov, B. S., Kapitonov, I. M., Shevchenko, V. G. and Yur'ev, B. A. (γ, p) cross-section for Mg, P and S, 4=19752
 Ishkhanov, B. S., Kornienko, E. N., Sorokin, Yu. I., Shevchenko, V. G. and Yur'ev, B. A. Cross-section of the $\text{Rh}^{103}(\gamma, \text{p})$ reaction, 4=3641
 Ishkhanov, B. S. See Dushkov, I. I., 4=25376
 Ishkin, I. P. See Brodyanskii, V. M., 4=11434
 Ishkin, I. P. See Filippova, G. P., 2=5031
 Ishkin, I. P. See Filippova, G. P., 2=9291
 Ishler, W. E., Apple, E. F. and Froelich, H. C. Effect of cooling rate on the calcium halophosphate luminescence, 3=3038
 Ishlinskii, A. Yu. and Barenblatt, G. I. The impact of an elastoplastic bar on a rigid barrier, 2=21858
 Ishlinskii, A. Yu. and Barenblatt, G. I. The impact of an elastoplastic bar on a rigid barrier, 3=1644
 Ishmukhametov, B. Kh. See Vlasov, K. V., 4=11136
 Ishmukhametov, B. Kh. Interaction of sound with spin waves. I, 4=20209
 Ishmukhametov, B. Kh. Interaction of sound with spin waves. II, 4=25845
 Ishmukhametov, B. Kh. See Vlasov, K. B., 0=10712
 Ishmukhametov, B. Kh. See Vlasov, K. B., 0=10713
 Ishmukhametov, B. Kh. See Vlasov, K. B., 2=23642
 Ishmukhametov, B. Kh. See Vlasov, K. B., 2=8598
 Ishu, H. and Nakayama, K. A serious error caused by mercury vapour stream in the measurement with McLeod gauge in the cold trap system. (Effect of the diffusion of nitrogen in the mercury vapour), 2=11433
 Isihara, A. Theory of the dielectric constant of a nonpolar fluid, 3=16575
 Isihara, A. Use of the Thiele semi-invariants in the theory of dielectric fluids, 4=8254
 Isihara, A. Theory of light scattering from a flexible chain molecule, 4=14141
 Isihara, A. and Hanks, R. V. Statistical theory of dielectric fluids, 2=2679
 Isirikyan, A. A. and Kiselev, A. V. Adsorption isotherms of nitrogen, benzene, and n-hexane and the heats of adsorption of benzene and n-hexane on graphitized carbon blacks. II. Adsorption on graphitized channel blacks, 2=10944
 Isirikyan, A. A. and Kiselev, A. V. Adsorption isotherms of nitrogen, benzene and n-hexane and the heats of adsorption of benzene and n-hexane on graphitized carbon blacks. III. The thermodynamic characteristics of adsorption equilibria, 2=10945
 Iskiakov, G. I. See Ayukhanov, A. Kh., 0=19809
 Iskra, B. D. See Samoilovich, A. G., 2=6440
 Iskra, V. D. Acoustoelectric effect in n-type Ge and Si, 4=10050
 Iskra, V. D. See Pilat, I. M., 0=1660
 Iskra, V. D. See Samoilovich, A. G., 1=14166
 Iskra, V. D. See Samoilovich, A. G., 2=3893
 Iskra, V. D. See Samoilovich, A. G., 2=8202
 Iskra, B. D. See Samoilovich, A. G., 2=10454
 Islam, M., Hasted, J. B., Gilbody, H. B. and Ireland, J. V. Charge transfer reactions of doubly charged ions, 2=13539
 Islam, M. M. Low energy K^- p scattering and KN bound states, 2=5739
 Islam, J. N. Modified Mandelstam representation for heavy particles, 3=5921
 Islam, J. N. Anodes and cusps and the Mandelstam representation, 3=19559
 Islam, J. N. Leading Landau curves of some Feynman diagrams, 4=3313
 Islam, J. N., Landshoff, P. V. and Taylor, J. C. Singularity of the Regge amplitude, 3=17203
 Islam, M. See Ali, M. I., 1=556
 Islam, M. See Mason, E. A., 4=24268
 Islam, M. A. Mathematical analysis on the effect of a prolate spheroidal core in a magnetic dipole field, 3=24436
 Islam, M. A. Scattering of electromagnetic waves by a composite cylinder, 4=16652
 Islam, M. M. Pion-hyperon scattering, 1=8494
 Islam, M. M. K-meson-nucleon scattering, 1=12117
 Islam, M. M. High-energy quasielastic proton-proton scattering and final-state interaction, 3=24719
 Islam, M. M. Pion as a Regge pole, 4=6092
 Islam, M. M. and Piñon, R. Pion as a Regge pole. II., 4=9235
 Islam, M. M. and Piñon, R. Study of the $\pi^- \pi^+$ system in $\pi^- + \rho \rightarrow \pi^- + \pi^+ + n$ reaction, 4=19556
 Islam, M. M. and Priest, T. W. Backward peak in high-energy n-p elastic scattering, 4=9209
 Islam, M. S. See Kellermann, E. W., 0=17449
 Islamov, A. A. See Begzhanov, R. B., 3=22303

- Islamov, A. A. See Begzhanov, R. B., 4=22103
 Islamov, A. A. See Begzhanov, R. B., 4=30312
 Islamov, A. A. See Kaipov, D. K., 3=2429
 Isles, G. L. See Dixon-Lewis, G., 2=7352
 Ismail, A. Z. M., Kenyon, I. R., Key, A. W., Lokanathan, S. and Prakash, Y. The π -decay of a helium hyper-nucleus, 2=18247
 Ismail, A. Z. M., Kenyon, I. R., Key, A. W., Lokanathan, S. and Prakash, Y. Study of hyperfragments produced in 800 MeV/c K^- interactions. I. Mesonic decays, 3=10228
 Ismail, A. Z. M., Kenyon, I. R., Key, A. W., Lokanathan, S. and Prakash, Y. Binding energy of ^{13}C , 3=22274
 Ismail, A. Z. M., Kenyon, I. R., Key, A. W., Lokanathan, S. and Prakash, Y. On the analysis of short-range hyper-fragments, 4=3546
 Ismail, A. Z. M., Lokanathan, S. and Prakash, Y. The study of $(\Sigma-\pi)$ resonance 1405 MeV in emulsions, 4=25194
 Ismail, A. Z. M. See Goodhead, D. T., 4=25272
 Ismail, A. Z. M. See Kenyon, I. R., 4=9363
 Ismail, L. See Chackett, K. F., 2=20623
 Ismailzade, I. G. X-ray diffraction studies of some new ferro-electrics with laminar structure, 2=17026
 Ismail-Zade, T. A. See Kashkai, M. A., 1=5140
 Ismail-Zade, T. A. See Kashkai, M. A., 1=10384
 Ismailov, F. I., Guseinova, E. S. and Akhundov, G. A. Optical absorption edge of GaS and GaSe single crystals, 4=28687
 Ismailov, Z. A. See Amirkhanov, Kh. I., 4=6977
 Ismailzade, I. G. The results of a preliminary examination of samples of $\text{Pb}(\text{Nb}_{0.8}\text{Sc}_{0.2})\text{O}_3$ and $\text{Pb}(\text{Ta}_{0.8}\text{Sc}_{0.2})\text{O}_3$, 1=1405
 Ismailzade, I. G. An X-ray study of the BaNb_2O_6 - CaNb_2O_6 and BaNb_2O_6 - SrNb_2O_6 systems, 1=4053
 Ismailzade, I. G. An X-ray study of the $\text{Pb}_3\text{NiNb}_2\text{O}_9$ - $\text{Pb}_3\text{MgNb}_2\text{O}_9$ system, 1=11572
 Ismailzade, I. G. An X-ray diffraction study of phase transitions in sodium tantalate, 3=23377
 Ismailzade, I. G. An X-ray study of some compounds of composition $\text{A}(\text{B}'_x\text{B}''_{2-x})\text{O}_6$, $(\text{A}'_{0.8}\text{A}''_{0.2})\text{Nb}_2\text{O}_6$ and $(\text{Ba}_{0.8}\text{Sr}_{0.2}, \text{Ca}_{0.8})\text{TiO}$ ($\text{A} = \text{Sr}, \text{Ba}$; $\text{B}' = \text{Fe}, \text{Mg}$; $\text{B}'' = \text{Nb}, \text{A}' = \text{K}$; $\text{A}, \text{A}'' = \text{La}, \text{Bi}$), 4=10549
 Ismailzade, I. G. X-ray studies of the metatantalates of strontium, lead and barium and of the $(\text{Pb}, \text{Ba}, \text{Sr}, \text{Ca})\text{Nb}_2\text{O}_6$ and $(\text{Pb}, \text{Sr}, \text{Ba})\text{Nb}_2\text{O}_6$ systems, 0=14035
 Ismailzade, I. G. New data from an X-ray study of phase transformations in sodium niobate, 4=10438
 Ismailzade, I. G. X-ray investigation of the ferroelectric phase transition in $\text{Ba}_2\text{Bi}_4\text{Ti}_5\text{O}_{18}$ and phase transitions in the compounds $\text{A}_{m+1}\text{Bi}_m\text{B}_m\text{O}_{3m+3}$ ($\text{A} = \text{Ca}^{2+}, \text{Sr}^{2+}, \text{Ba}^{2+}, \text{Pb}^{2+}, \text{Bi}^{3+}$; $\text{B} = \text{Nb}^{5+}, \text{Ta}^{5+}, \text{Ti}^{4+}$), 4=23255
 Ismailzade, I. G., Annagiev, M. Kh. and Abdullaeva, Kh. M. X-ray study of the phase transition in NaNO_3 , 3=13397
 Ismatov, E. Deuteron splitting in a field of deformed nuclei, 3=22426
 Ismatov, E. Proton spectra from the reaction $\text{He}^4(d, np)\text{He}^4$, 4=21959
 Ismatov, E. and Kashuba, I. E. The splitting of deuterons during scattering by nuclei, 4=1103
 Ismatov, Ye. Angular distribution of γ -quanta emitted from a deformed nucleus, 4=1000
 Ismatov, Ye. Effect of the diffuseness of the boundary of a nucleus on the angular distribution of particles scattered by the nucleus, 4=25364
 Ismatov, Ye. See Sitenko, A. G., 4=25419
 Iso, C. Hypothesis of invariance of CP alone and conservation of parity in strong interactions, 0=12833
 Iso, C. Selection rules imposed by the symmetrical Sakata model, 2=20245
 Iso, C. Two-neutrino hypothesis and lepton-baryon symmetry, 2=22546
 Iso, C., Mori, K. and Namiki, M. Applicability conditions of the hydrodynamical model of multiple production of particles from the point of view of quantum field theory, 0=9290
 Iso, C., Mori, K. and Namiki, M. Applicability conditions of the hydrodynamical model of multiple production of particles from the point of view of quantum field theory, 0=20044
 Iso, C. Weak interaction mediated by Regge particles, 3=24608
 Iso, C., Kawaguchi, M. and Miyamoto, Y. Composite model and the nature of vector interactions in strangeness-violating decays, 1=10834
 Iso, C. and Kobayashi, T. On the possibility of the existence of a new meson, 1=10898
 Iso, C. See Barshay, S., 2=9914
 Iso, C. See Feld, B. T., 1=13413
 Iso, C. See Ishida, S., 1=2118
 Iso, C. See Namiki, M., 0=9291
 Iso, G. See Amai, S., 0=7395
 Iso, O. Strong Fermi-type interaction and its application to the G_A/G_V ratio in β -decay and the anomalous magnetic moment of nucleon, 0=17233
 Isobe, E. See Honjo, G., 2=23939
 Isobe, M. See Takasaki, H., 4=14400
 Isobe, T. See Namba, S., 4=2643
 Isola, A. See Nurmia, M., 1=13714
 Isotova, T. P. See Drokin, A. I., 4=26338
 Isoya, A. Studies of low-lying levels of erbium and tungsten isotopes with (d,p) reactions, 3=10270
 Isoya, A. and Marrone, M. J. Polarization of protons from deuteron stripping reactions with a zero orbital angular momentum transfer, 3=682
 Isoya, A., Micheletti, S., Marrone, M. J. and Reber, L. H. Measurements of proton polarization in deuteron stripping at 15 MeV, 1=19512
 Isoya, A., Micheletti, S. and Reber, L. Polarization of protons from deuteron stripping reactions with $l=1$ orbital angular momentum transfer, 3=683
 Isoya, A. See Conzett, H. E., 4=22194
 Isoya, A. See Hisatake, K., 1=8730
 Isoya, A. See Kikuchi, S., 1=7113
 Ispirian, K. A. See Harutyunian, V. M., 4=2856
 Ispiryan, K. A. and Oganessian, A. G. Coincidence and anticoincidence circuit using ferrites, 3=14500
 Ispiryan, K. A. See Alikhanyan, A. I., 2=3295
 Ispiryan, K. A. See Alikhanyan, A. I., 3=4368
 Ispiryan, K. A. See Alikhanyan, A. I., 4=5883
 Ispiryan, K. A. See Arutyunyan, V. M., 4=9154
 Israel, G. Determination of the atmospheric pressure from a Véronique rocket, 2=6928
 Israel, G., Roether, W. and Schumann, G. Seasonal variations of bomb-produced tritium in rain, 3=25896
 Israël, G. and Vassy, A. Mesospheric temperatures obtained by means of rockets: relationship with ozone, 2=11012
 Israël, G. See Bricard, J., 0=21295
 Israel, G. See Ehrl, D., 3=25892
 Israël, G. W. Tritium measurement in rain over the year 1960-61 after isotope enrichment in a separation column, 3=3478
 Israël, G. W. New method for the direct measurement of atmospheric thoron content, 4=23770
 Israël, G. W. See Israel, H., 3=1401
 Israël, H. Determining the radioactivity in earth, water and air. II, 0=1373
 Israël, H. Comparability of radioactivity measurements, 2=8978
 Israël, H. and Israël, G. W. A new method for the separation of radioactive aerosols, 3=1401
 Israel, H. and Stiller, S. Climatological aspects of the natural radioactivity, 3=18520
 Israel, M. H. See Doede, J. H., 3=10162
 Israel, W. Discontinuities in spherically symmetric gravitational fields and shells of radiation, 0=8536
 Israel, W. Relativistic theory of shock waves, 0=19277
 Israel, W. Evolution in general relativity, 1=11
 Israel, W. Relativistic kinetic theory of a simple gas, 3=23927
 Israel, W. and Khan, K. A. Collinear particles and Bondi dipoles in general relativity, 4=24052
 Israel, W. and Trollope, R. New possibilities for a unified field theory, 2=27
 Israeli, M. See Braner, A. A., 4=7176
 Issa, R. See Karagounis, G., 3=8932
 Issa, R. M. See Karagounis, G., 3=5152
 Issakovitch, M. A. and Sirotuk, M. G. A solid resonant device for ultrasound focusing, 4=14288
 Issendorff, H. v. See v. Issendorff, H., 4=23874
 Isserstedt, J. and Schmidt-Kaler, T. Interstellar coloration and galactic spiral structure, 4=23874
 Isshiki, N. See Murakami, I., 0=6801
 Issi, J. P. See Luyckx, A., 2=14504
 Issi, J. P. See Luyckx, A., 2=14586
 Issiki, S. See Homma, T., 4=29212
 Issinskii, I. B. and Myzinkov, K. P. Measurement of the current in the internal beam of a synchrocyclotron by means of the $\text{C}^{12}(\text{p}, \text{pn})\text{C}^{11}$ reaction, 3=14700
 Isted, G. A. See Eastwood, E., 1=6632
 Istomin, V. G. Mass-spectrometric measurements of the ionic state of the upper atmosphere by the third artificial Sputnik, 0=3342
 Istomin, V. G. Magnesium and calcium ions in the upper atmosphere of the earth, 1=10321
 Istomin, V. G. Grids for radio-frequency mass spectrometers, 1=11982

- Istomin, V.G. Nitrogen ions in the upper atmosphere of the earth and the nocturnal ionization of the E region, 1=12699
- Istomin, V.G. Investigation of the composition of the Earth's atmosphere on geophysical rockets 1957-1959, 2=8981
- Istomin, V.G. Some results of positive-ion mass spectrum measurements on Sputnik III, 2=8987
- Istomin, V.G. Variation in positive-ion concentration with altitude from data of mass-spectrometry measurements on the third satellite, 2=8989
- Istomin, V.G. Rocket and satellite studies of the ionic composition of the earth's atmosphere, 2=13021
- Istomin, V.G. Investigation of the composition of the earth's atmosphere on geophysical rockets 1957-1959, 2=15214
- Istomin, V.G. Absolute concentrations of the ion components of the earth's atmosphere at heights between 100 and 200 km, 2=19222
- Istomin, V.G. Ions of extra-terrestrial origin in the earth's atmosphere, 2=19223
- Istomin, V.G. Absolute concentrations of the ion components of the earth's atmosphere at heights between 100 and 200 km, 3=21049
- Istomin, V.G. Ions of extraterrestrial origin in the earth's atmosphere, 3=21050
- Istomin, V.G. Suprathermal O⁺ ions in the upper atmosphere, 4=26863
- Istomina, A.G. and Kerim-Markus, I.B. Maximum permissible fluxes of intermediate energy neutrons and their measurements, 2=13204
- Istratov, A. G. and Librovich, V. B. On the stability of the solutions in the steady theory of a thermal explosion, 4=8316
- Isupov, V.A. Ferroelectric properties of lead metatantalate, 0=2920
- Isupov, V.A. Puckering phase transitions, 0=13654
- Isupov, V.A. Permittivity of BaO-MgO-TiO₂ samples with compositions close to BaTiO₃, 0=16016
- Isupov, V.A. See Smolenskii, G.A., 2=2206
- Isupov, V.A. The problem of the causes of phase-transition broadening and relaxation nature of the dielectric polarization of some ferroelectrics, 3=17935
- Isupov, V.A., Agranovskaya, A.I. and Brŷzhina, M.F. Crystal-chemical and certain physical properties of compounds with hexagonal tungsten oxygen bronze structures, 3=25390
- Isupov, V.A., Agranovskaya, A.I. and Khuchua, N.P. Some physical properties of ferroelectric lead ferroniobate and ferrotantalate, 2=18769
- Isupov, V.A. and Kosyakov, V.I. Dielectric polarization and piezoelectric properties of certain ferroelectric solid solutions based on sodium niobate, 0=630
- Isupov, V.A. and Skubitskii, V.N. Elastic and piezoelectric properties of cadmium pyroniobate in strong electric fields, 4=4459
- Isupov, V.A. See Smolenskii, G.A., 0=631
- Isupov, V.A. See Smolenskii, G.A., 0=636
- Isupov, V.A. See Smolenskii, G.A., 0=637
- Isupov, V.A. See Smolenskii, G.A., 0=638
- Isupov, V.A. See Smolenskii, G.A., 0=1698
- Isupov, V.A. See Smolenskii, G.A., 0=6154
- Isupov, V.A. See Smolenskii, G.A., 1=6195
- Isupov, V.A. See Smolenskii, G.A., 1=14560
- Isupov, V.A. See Smolenskii, G.A., 3=6614
- Itabashi, K. Parity-nonconservation and the spins of the strange particles, 0=11235
- Itabashi, K. Possible experimental tests on the decay interactions of hyperons, 0=13063
- Itabashi, K. On the $|\Delta I| = \frac{1}{2}$ rule for the decay of Σ , 0=15444
- Itabashi, K. Double pion photoproduction in the 1.2-BeV region, 1=13471
- Itabashi, K. Regge pole hypothesis and high energy behavior of the single pion photoproduction, 3=19672
- Itabashi, K. and Ebata, T. ($\gamma, 3\pi$) vertex and double π^0 photoproduction, 3=7895
- Itabashi, K. and Ebata, T. ($\frac{3}{2}, \frac{3}{2}$) resonance effect in the reaction $\pi + N \rightarrow N + 2\pi$. Two-pion-exchange process, 4=3447
- Itabashi, K., Kato, M., Nakagawa, K. and Takeda, G. The theory of the nucleon level structure in terms of the pion-pion resonance. I, 1=10880
- Itabashi, K. and Tanaka, K. Consequences of crossing symmetry in SU₃, 4=24984
- Itagaki, H., Kanazawa, T. and Yoshiki, M. A study on the propagation of a brittle fracture—3rd report (dynamical stress and speed of a propagating crack), 4=26489
- Itagaki, K. and Koenuma, S. Altitude distribution of fallout contained in rain and snow, 3=9053
- Itakura, M. and Toyoda, H. Electrical conductivity and Hall coefficient of CdS single crystal, 3=25360
- Itakura, M. and Toyoda, H. Surface properties of CdS single crystals, 4=22707
- Itakura, M. See Toyoda, H., 2=16793
- Itami, K., Nakamura, S., Mugibayashi, N. and Tanikawa, Y. On the intermediate boson hypotheses of weak interactions, 4=30178
- Itami, K. See Nakamura, S., 2=1658
- Itaya, M. See Nagai, H., 4=6193
- Ithell, A.H. The measurement of the acoustical input impedance of human ears, 3=21156
- Ithell, A.H. A determination of the acoustical input impedance characteristics of human ears, 4=2480
- Itikawa, Y. Transport coefficients of plasmas. Applications of the unified theory, 4=498
- Itikawa, Y. Ion-electron temperature relaxation in a plasma in a magnetic field, 4=21534
- Itikawa, Y. See Kihara, T., 4=494
- Iti Takizawa Éi. See Éi Iti Takizawa.
- Ito, A. and Ono, K. Multipolarity of Coulomb excitation of As⁷⁵ and Pt¹⁹⁵, 2=10008
- Ito, A., Ono, K. and Ishikawa, Y. A study of the low temperature transition in magnetite, 4=4510
- Ito, A. See Ono, K., 2=16918
- Ito, A. See Ono, K., 3=995
- Ito, A. See Ono, K., 3=2698
- Ito, A. See Ono, K., 3=8334
- Ito, A. See Ono, K., 4=28768
- Ito, D. Nucleon structure and BeV interactions, 1=3173
- Itô, D., Furui, S., Fujii, K. and Sakuma, T. On the universality of the weak interactions, 1=10842
- Itô, D., Iwata, K., Furui, S., Fujii, K. and Sakuma, T. Phenomenological model of elementary particle interactions, 1=5666
- Ito, D., Kobayashi, T., Yamazaki, M. and Minami, S. $\pi^- - p$ interaction in high energy region, 0=11205
- Ito, D., Minami, S. and Tanaka, H. Multipole model of elementary particles. I. Pion-baryon interactions, 0=20051
- Ito, D., Minami, S., Tanaka, H., Takahashi, Y. and Yamazaki, M. Multipole model of elementary particles. II. Non conservation of parity and baryon-lepton interactions, 0=20052
- Ito, D., Ragusa, S. and Zimmerman, A.H. On the universality of weak interactions, 2=9780
- Ito, D., Yamazaki, M., Kobayashi, T. and Mori, K. Pion production in pion-nucleon collision with assumption of strong pion-pion interaction, 1=530
- Ito, D., Zimmerman, A.H., Ragusa, S. and Miyazima, T. On the phenomenological analysis of the S-matrix in multiple production, 1=13340
- Itô, D. See Fujii, K., 1=3214
- Itô, D. See Fujii, K., 4=21764
- Itô, D. See Nagai, H., 1=4806
- Itô, D. See Nagai, H., 1=4816
- Itô, H., Ishimura, T., Nishiguchi, K., Hirano, K., Ozaki, A., Shinanô, K. and Takahashi, S. On the experiment of cusp injection, 4=24675
- Ito, H. and Yajima, N. Motion of charged particles confined in a helically invariant magnetic field, 3=21940
- Itô, I. See Kumagi, H., 3=460
- Ito, K. Thermorheological simplicity in extrusion flow curves of high polymers, 1=14884
- Ito, K. Erinnerungsdennhung in high polymer solids, 1=20345
- Ito, K. Creep strain recovery method for measuring temperature dependence of rheological behaviors of high polymer solids, 1=20346
- Ito, K. Stellar synthesis of the proton-rich heavy elements, 2=6983
- Ito, K., Watanabe, H. and Kubo, M. Proton and B¹¹ magnetic resonance of borazole, 0=7807
- Ito, K., Watanabe, H. and Kubo, M. Proton magnetic resonances of some borazole derivatives, 1=6046
- Ito, K., Watanabe, M., Yanaka, T., Suzuki, S., Naniwada, R. and Nagahama, Y. 150 kV electron microscope, 3=19350
- Ito, K. See Hasegawa, H., 1=13866
- Ito, K. See Hasegawa, H., 2=1744
- Ito, K. See Hasegawa, H., 2=18203
- Ito, K. See Hayakawa, S., 0=388
- Ito, K. See Hayakawa, S., 1=3328
- Ito, K. See Kurita, Y., 0=15772
- Ito, K. See Shinoda, K., 2=2431
- Ito, K. See Watanabe, H., 3=25543
- Ito, M. The effect of temperature on ultraviolet absorption spectra and its relation to hydrogen bonding, 0=5950

- Ito, M. Analysis of the output of rocket-borne magnetometers, 3=21140
- Ito, M. Raman spectra of polycrystalline chloromethanes at liquid nitrogen temperature, 4=22905
- Ito, M. Raman spectra of polycrystalline methyl iodide, 4=28715
- Ito, M., Inuzuka, K. and Imanishi, S. Correlation between solvent-induced frequency shifts of the $n-\pi^*$ ultra-violet absorption and the infrared C=O band of ketones, 0=7791
- Ito, N. See Imaeda, K., 1=11028
- Ito, N. See Miyake, S., 1=13555
- Ito, N. See Miyake, S., 2=12071
- Ito, N. See Miyake, S., 3=17369
- Ito, N. See Miyake, S., 4=966
- Ito, N. See Miyake, S., 4=3507
- Ito, R. Ionized impurity scattering in N-type germanium and N-type silicon, 4=6780
- Ito, R. and Shogenji, K. Temperature dependence of piezo-resistance in p-type PbTe, 4=6981
- Ito, R. See Mizushima, T., 0=14630
- Ito, R. See Mizushima, T., 2=21901
- Ito, R. See Mizushima, T., 4=2665
- Ito, R. See Okabe, S., 2=1503
- Ito, R. See Okabe, S., 4=27570
- Ito, R. See Wada, Y., 2=6732
- Ito, S. The existence and the uniqueness of regular solution of non-stationary Navier-Stokes equation, 2=21869
- Ito, S. See Kikuchi, S., 1=7113
- Ito, S. See Miyajima, S., 2=195
- Ito, S. See Yamamoto, K., 3=4119
- Ito, T. and Yamamoto, M. An ammonia beam maser on the 2, 2 line, 4=24879
- Ito, T. See Morino, Y., 2=22957
- Ito, T. See Okada, Y., 1=10103
- Ito, Y. On the possibility of one neutrino, 4=11970
- Itō, Y. See Fujii, K., 4=12068
- Itoh, F., Tsuchida, T. and Takaki, H. Hall effect of the solid solutions of $\text{TiC}_x\text{N}_{1-x}$ and $\text{Ti}_x\text{V}_{1-x}\text{C}$, 4=17479
- Itoh, H. See Muto, J., 3=24936
- Itoh, H. See Ogata, H., 1=11006
- Itoh, H. See Ogata, H., 1=11012
- Itoh, H. See Ogata, H., 2=10099
- Itoh, J., Asayama, K., Masuda, Y. and Kobayashi, S. Nuclear magnetic resonance in antiferromagnetic α -Mn metal, 3=15960
- Itoh, J. and Kamiya, Y. Magnetic resonance studies of some copper salts, 3=1208
- Itoh, J., Kusaka, R. and Saito, Y. Nuclear magnetic resonance studies of ammonium halides. I. Proton magnetic resonance in single crystals of ammonium chloride and ammonium bromide, 2=10719
- Itoh, J. and Sato, S. Double proton magnetic resonance by a side band method, 1=1978
- Itoh, J., Satoh, M. and Hiraki, A. Na nuclear magnetic relaxation of NaCl crystals containing divalent impurity ions, 3=23273
- Itoh, J., Satoh, M. and Hiraki, A. Nuclear magnetic resonance study of NaCl crystal containing Ca impurities, 1=20267
- Itoh, J. and Takeda, T. Overhauser effect and spin-lattice relaxation time of proton in sodium-ammonia solution, 4=14187
- Itoh, J. and Yamagata, Y. Nuclear magnetic resonance by RbBr, 0=4531
- Itoh, J. and Yamagata, Y. Nuclear magnetic resonance experiments on ammonium halides. II. Halogen nuclear magnetic resonance, 2=10720
- Itoh, J. See Asayama, K., 2=18957
- Itoh, J. See Asayama, K., 3=15959
- Itoh, J. See Kawamori, A., 4=7344
- Itoh, J. See Kobayashi, S., 4=7347
- Itoh, J. See Kusumoto, H., 1=12317
- Itoh, J. See Masuda, Y., 4=20619
- Itoh, K. and Miyagawa, I. Electron spin resonance of irradiated single crystals of alanine: proton-deuteron exchange reaction of a free radical in the solid state, 4=23043
- Itoh, K. See Gondō, Y., 3=15919
- Itoh, K. See Miyagawa, I., 2=14821
- Itoh, K. See Miyata, N., 4=7267
- Itoh, K. See Morino, Y., 3=8872
- Itoh, K. See Usami, S., 3=20630
- Itoh, M. The unified electromagnetic equation and its properties in curvilinear coordinate systems, 0=1188
- Itoh, N. and Suita, T. Photoconduction and darkening AgCl crystals at low temperatures, 0=20940
- Itoh, N. and Suita, T. Effect of re-crystallization on the temperature dependence of photocurrent of silver chloride crystals, 1=3783
- Itoh, N. and Suita, T. Thermal bleaching of F-centres of gamma-irradiated KCl at low temperatures, 1=14337
- Itoh, N. and Suita, T. Optical bleaching of gamma-irradiated KCl at room temperature, 1=14338
- Itoh, N. and Suita, T. Bleaching of F-centres and formation of complex centres in gamma-irradiated KCl at room temperature, 2=10420
- Itoh, N. and Suita, T. Effects of impurities on the photoelectric properties of silver chloride crystals, 2=23473
- Itoh, N. and Suita, T. Sensitization of thermoluminescence of LiF for low level dosimetry of gamma rays and thermal neutrons, 3=11018
- Itoh, N. See Akasaka, K., 2=12638
- Itoh, R. Effect of the basic strength of attached groups on light absorption spectra. IV. Proton dissociations of some aromatic molecules in their excited state, 1=827
- Itoh, R. Roles of the hydrogen bond system in biologically important molecules, 2=7049
- Itoh, T. Electronic bombardment furnace for the melting of semiconductors without contamination, 4=4554
- Itoh, T. Ionic waves in a plasma generated by an electron beam, 4=8772
- Itoh, T. and Musha, T. Monte Carlo calculations of the motions of electrons in helium, 0=10879
- Itoh, T. and Musha, T. Monte Carlo calculations of motion of electrons in helium, 1=11910
- Itoh, W. See Pohl, H. A., 4=22732
- Itchner, D. See Kesselring, P., 1=10797
- Itskevich, E. S. Specific heat of bismuth telluride at low temperatures, 0=8858
- Itskevich, E. S. Electric resistance of cerium at low temperatures and high pressures, 2=14490
- Itskevich, E. S., Il'ina, M. A. and Sukhoparov, V. A. Effect of pressure on the superconductivity transition temperature of Nb₃Sn and Nb-Zr alloys, 4=5526
- Itskevich, E. S., Popova, S. V. and Atabaeva, E. Ya. The effect of pressure on the resistivity of bismuth telluride, 4=10044
- Itskevich, E. S. See Brandt, N. B., 4=28760
- Itskevich, E. S. See Gaidukov, Yu. P., 4=4023
- Itskovich, F. I. See Gogadze, G. A., 4=16517
- Itzel, J. F., Jr. See Poole, C. P., Jr., 4=7124
- Itzel, J. F., Jr. See Poole, C. P., Jr., 4=26350
- Itzykson, C., Jacob, M. and Chan, C. H. Phenomenological approach to high-energy lepton-nucleon scattering, 4=16810
- Itzykson, C. See Bessis, D., 3=7859
- Itoh, N. and Suita, T. Low temperature bleaching of F centers in irradiated alkali halides, 3=22843
- Itoh, N. See Akasaka, K., 3=11017
- Itskevich, E. S. Electric resistance of cerium at low temperatures and high pressures, 3=6558
- Itterbeck, A. van. See van Itterbeek, A.
- Itterbeek, A. Van. See Van Itterbeek, A.,
- Ittner, W. B., III. Critical fields of thin superconducting films, 0=16954
- Ittner, W. B., III and Kraus, C. J. Superconducting computers, 2=15859
- Ittner, W. B. See Budnick, J. I., 0=8955
- Ittner, W. B., III. See Quinn, D. J., III, 2=11562
- Itzhaki, R. F. and Alexander, P. The effect of polonium alpha rays on the physical properties of polyethylene and of polymethyl methacrylate, 2=4478
- Itzkan, I. Solutions of the equations of space charge flow for radial flow between concentric spherical electrodes, 0=9080
- Itzykson, C. and Jacob, M. A possible determination of the spin and relative parity of the hyperon isobars, 3=6082
- Itzykson, C. and Jacob, M. Polarization effects in proton-proton high-energy scattering, 3=14979
- Iucci, N. See Bachelet, F., 0=2609
- Iucci, N. See Bachelet, F., 1=2150
- Iucci, N. See Bachelet, F., 4=16988
- Iucci, N. See Conforto, A. M., 1=13586
- Iuchi, S. See Mizushima, T., 0=14630
- Iuchi, S. See Mizushima, T., 1=18646
- Iudovich, V. I. See Ukhovskii, M. R., 4=14427
- Iuliu Pop. See Chechernikov, V. I., 4=1807
- Iuliu Pop. See Chechernikov, V. I., 4=20519
- Iuliu Pop. See Chechernikov, V. I., 4=23032
- Iuliu, Pop. See Chechernikov, V. I., 4=28778
- Iurato, S. Functional implications of the nature and submicroscopic structure of the tectorial and basilar membranes, 3=3661

- Iutkin, M.G. See Abramov, A.I., 1=19565
 Ivakhnenko, G. K. See Sydyain, V.G., 4=4164
 Ivakin, B. A. and Suetin, P. E. Diffusion coefficients of some gases measured by the optical method, 4=11241
 Ivakin, B. A. and Suetin, P. E. An investigation of the temperature dependence of the diffusion coefficients of gases, 4=27216
 Ivakin, B.A. See Suetin, P.E., 2=65
 Ivakin, B. N. and Aver'yanov, A. G. Modelling of seismic waves in layered-heterogeneous media on two-dimensional perforated models, 4=7814
 Ivan, E. See Constantinescu, C., 3=13057
 Ivan, E. See Constantinescu, C., 4=4232
 Ivanchenko, A. M. and Kibal'chich, G. A. A pulse amplitude analyser with automatic recording, 2=1359
 Ivanchenko, V. A. and Sena, L. A. The investigation of the potential distribution in a layer of positive ion space charge, 0=17046
 Ivanchenko, V. A. and Sena, L. A. The investigation of the potential distribution in a layer of positive ion space charge, 1=4653
 Ivanchenko, Yu. M. See Bratashevskii, Yu. A., 3=18133
 Ivanchik, I. I. Angular distribution for the diffraction scattering of deuterons, 0=2663
 Ivanchik, I. I. The theory of the degenerate p-n junction, 1=12449
 Ivanchik, I. I. Macroscopic theory of ferroelectrics, 2=8466
 Ivanchik, I. I. Macroscopic theory of ferroelectrics, 2=14639
 Ivanchik, I. I. Concerning the criterion of ferroelectricity in the microscopic theory, 3=15616
 Ivanchuk, V. I. See Vsekhsvyatskii, S. K., 2=24118
 Ivanchukov, N. S. See Blinder, S. M., 2=3778
 Ivanenko, D. Non-linear generalizations of the field theory and the constant of minimal length, 0=20011
 Ivanenko, D. and Kurdgelaidze, D. F. Commutation function of a nonlinear meson field, 1=16716
 Ivanenko, D. and Lulka, V. On mesonic decays of the hypernucleus ${}^3\text{H}\Lambda$, 0=17508
 Ivanenko, D. and Startsev, A. The classification of the elementary particles, 2=7834
 Ivanenko, D. See Brodskii, A. M., 0=15247
 Ivanenko, D. See Brodskii, A. M., 2=14
 Ivanenko, D. See Brodskii, A. M., 2=15463
 Ivanenko, D. See Brodskii, A. M., 3=30
 Ivanenko, D. D. and Kurdgelaidze, D. F. Classification of elementary particles, 3=22056
 Ivanenko, D. D., Lyul'ka, V. A. and Filimonov, V. A. The theory of hypernuclei, 1=2165
 Ivanenko, D. D. and Mitskevich, N. V. Taking account of the gravitational energy, 0=10560
 Ivanenko, D. D. See Braginskii, V. B., 1=55
 Ivanenko, D. D. See Brodskii, A. M., 0=11090
 Ivanenko, D. D. See Brodskii, A. M., 0=11099
 Ivanenko, D. D. See Brodsky, A. M., 0=7283
 Ivanenko, I. P. See Belen'kii, S. Z., 1=9786
 Ivanenko, I. P. See Guzhavin, V. I., 1=3298
 Ivanenko, I. P. See Guzhavin, V. V., 0=11266
 Ivanenko, I. P. See Guzhavin, V. V., 0=13086
 Ivanenko, I. P. See Guzhavin, V. V., 1=19315
 Ivanenko, I. P. See Guzhavin, V. V., 3=4488
 Ivanenko, I. P. See Vernov, S. N., 0=9469
 Ivanenko, I. P. See Vernov, S. N., 0=20263
 Ivanenko, I. P. See Vernov, S. N., 1=3309
 Ivanenko, I. P. See Volkonskaya, T. G., 0=1328
 Ivanenko, I. P. See Volkonskaya, T. G., 1=3299
 Ivanenko, V. M. See Cherdyn'tsev, V. V., 1=3304
 Ivanenko, V. V., Kolodin, G. N., Melent'ev, B. N. and Pamfilova, L. A. Apparatus for determination of the solubility of radioactive substances at elevated temperatures and pressures, 4=8170
 Ivanii, G. M. De-excitation effect of X-rays, 3=13197
 Ivanilov, Yu. P. Rolling waves in an inclined channel, 4=14119
 Ivanitskaya, O. S. Levashev, A. E., 3=21226
 Ivanitskii, P. G. See Pasechnik, M. V., 3=2489
 Ivanitskii, P. G. See Pasechnik, M. V., 3=24972
 Ivanitsky, P. G. Study of the [13.6 MeV] stripping reaction on chromium isotopes [Cr^{50} , Cr^{52-4}], 3=19878
 Ivankina, M. S. See Zavadovskaya, E. K., 0=12075
 Ivankina, M. S. See Zavadovskaya, E. K., 1=12374
 Ivanov, A. See Andrejtschin, R., 3=23015
 Ivanov, A. See Andreiĉin, R., 4=12983
 Ivanov, A. A., Lytkina, V. M., Matalin, L. A. and Chubarov, S. I. Millimicro-second time-amplitude converter, 2=19859
 Ivanov, A. A. and Matalin, L. A. Time converter based on a cathode-ray tube, 3=14498
 Ivanov, A. A. and Nesterenko, V. S. A time-to-amplitude converter
 Ivanov, A. A. See Urtin, V. D., 3=24108
 Ivanov, A. G. and Novikov, S. A. Rarefaction shock waves in iron and steel, 2=2758
 Ivanov, A. G. and Novikov, S. A. Rarefaction shock waves in iron and steel, 3=3852
 Ivanov, A. G., Novikov, S. A. and Sinitsyn, V. A. Investigation of elastoplastic waves in iron and steel produced by explosive loading, 3=18885
 Ivanov, A. G., Novikov, S. A. and Tarasov, Yu. I. Spalling in iron and steel, due to rarefaction shock waves, 2=12865
 Ivanov, A. G., Novikov, S. A. and Tarasov, Yu. I. Spalling in iron and steel, due to rarefaction shock waves, 2=14904
 Ivanov, A. O. Electrical conductivity of mixed alkali glasses of the $\text{Na}_2\text{O}-\text{K}_2\text{O}-\text{GeO}_2$ system, 4=10094
 Ivanov, A. P. The effect of strong illumination on the absorptive power of complex molecules, 0=15714
 Ivanov, A. P. Study of scattering of light in objects subject to fading, 2=11501
 Ivanov, A. P. Nonlinear optical phenomena in scattering media, 3=14371
 Ivanov, A. P. Colours and absorption spectra of dyes adsorbed on light-scattering materials, 3=21515
 Ivanov, A. P. and Khobos, E. B. Scattering of light in media with variable optical parameters, 0=14846
 Ivanov, A. P. and Makarevich, S. A. The influence of thickness of a light beam on the depth of its penetration into a surrounding medium, 4=16242
 Ivanov, A. P. See Stepanov, B. I., 3=488
 Ivanov, A. T. See Zhdanov, G. S., 0=11967
 Ivanov, A. V. L_{α} X-ray emission spectra of sulphur in sulphides, 3=23096
 Ivanov, A. V. See Kapitsa, M. L., 4=8810
 Ivanov, B. A. See Vorob'ev, A. A., 0=8991
 Ivanov, B. I. See Zagorodnov, O. G., 2=5342
 Ivanov, B. S. and Troitskii, V. S. Formation of directivity patterns of molecular beams, 3=25156
 Ivanov, D. P. and Kirillov, V. D. Investigation of a toroidal discharge in a rapidly changing longitudinal magnetic field, 1=309
 Ivanov, D. P. and Kirillov, D. D. Investigation of a toroidal discharge in a rapidly changing longitudinal magnetic field, 1=5463
 Ivanov, D. P., Komar, A. P. and Korobochko, Yu. S. Investigation of the transient current in a betatron, 0=9129
 Ivanov, D. P., Komar, A. P. and Korobochko, Yu. S. Investigation of electron capture in a betatron with a fixed gap field, 0=11003
 Ivanov, D. P., Komar, A. P. and Korobochko, Yu. S. Method of measuring the total charge of accelerated electrons in a betatron, 0=11004
 Ivanov, D. P. and Korobochko, Yu. S. Effectiveness of different portions of the injection pulse for electron capture in a betatron, 0=12658
 Ivanov, D. P. and Razumova, K. A. Investigation of a toroidal discharge in a varying longitudinal magnetic field, 3=12208
 Ivanov, D. P. See Bezbatchenko, A. L., 0=5312
 Ivanov, D. P. See Denisov, S. G., 0=19860
 Ivanov, E., Alevra, A., Plostinaru, D., Martalogu, N. and Dumitrescu, R. An isomeric state of Sn^{115} excited by the $\text{In}^{115}(\text{p}, \text{n})$ reaction, 4=22035
 Ivanov, E., Martalogu, N., Plostinaru, D., Alevra, A. and Dumitrescu, R. Study of the cascade de-excitation of Sn^{115} in the reaction $\text{In}^{115}(\text{p}, \text{n})$, 3=8098
 Ivanov, E. See Martalogu, N., 1=7328
 Ivanov, E. See Macovei, M., 2=20078
 Ivanov, E. See Martalogu, N., 2=5808
 Ivanov, E. See Martalogu, N., 2=5809
 Ivanov, E. A. Horizontal magnetic dipole between two discs, 4=19224
 Ivanov, E. N. Theory of rotational Brownian movement, 4=5073
 Ivanov, G. A. The electrical properties of alloys of bismuth. IV. On the calculation of the electrical properties of binary alloys of bismuth, 0=1659
 Ivanov, G. A. Electrical properties of single crystals of solid solutions of tellurium in bismuth in the temperature range $77^{\circ}-300^{\circ}\text{K}$, 4=10045
 Ivanov, G. A. and Chistyakov, B. I. The electrical properties of ternary bismuth-based alloys in the $77-450^{\circ}\text{K}$ temperature interval. II, 4=12884
 Ivanov, G. A. and Popov, A. M. Mean free path of carriers in bismuth and its alloys with antimony, 3=20323

- Ivanov, G. A. and Popov, A. M. Concerning the change in the weak magnetic field region in bismuth and its alloys with antimony as a function of temperature, 4=4139
- Ivanov, G. A. and Popov, A. M. Electrical properties of bismuth-antimony alloys, 4=10042
- Ivanov, G. A., Popov, A. M. and Chistyakov, B. I. Electrical properties of binary bismuth alloys over a wide temperature range. I. Polycrystalline solid solutions of tin, antimony, and tellurium in bismuth, 4=26034
- Ivanov, G. A. See Demidov, B. A., 4=431
- Ivanov, G. A. See Gitsu, D. V., 0=15891
- Ivanov, G. A. See Gitsu, D. V., 0=15892
- Ivanov, G. A. See Gitsu, D. V., 2=14590
- Ivanov, G. A. See Gitsu, D. V., 2=18755
- Ivanov, G. A. See Gitsu, D. V., 3=20322
- Ivanov, G. A. See Gomoyunova, M. V., 0=10940
- Ivanov, G. K. The problem of the scattering of neutrons by molecules, 2=12304
- Ivanov, G. K. Scattering of neutrons by molecules with large energy transfer, 3=22516
- Ivanov, G. K. and Sayasov, Yu. S. Scattering theory in the impulse approximation, 4=5071
- Ivanov, G. K. and Sayasov, Yu. S. The theory of vibrational excitation using the impulse approximation, 4=20130
- Ivanov, G. K. See Sayasov, Yu. S., 1=17366
- Ivanov, G. M. See Yurasova, V. E., 4=29993
- Ivanov, G. V. On the variational methods in the theory of creep, 4=15692
- Ivanov, I. G. See Pines, B. Ya., 0=16224
- Ivanov, I. G. See Pines, B. Ya., 0=17972
- Ivanov, I. G. See Pines, B. Ya., 2=21059
- Ivanov, I. G. See Pines, B. Ya., 3=6532
- Ivanov, I. G. See Pines, B. Ya., 3=15996
- Ivanov, I. N. See Zhuravlev, A. A., 3=9889
- Ivanov, K. G. Height of the explosion of the Tungus meteorite, 3=16367
- Ivanov, K. P. Characteristic equation of a helix containing gyromagnetic medium, 4=21658
- Ivanov, L. I. and Yanushkevich, V. A. The mechanism of steady creep of b.c.c. metals at elevated temperatures. Creep of zirconium, 4=13455
- Ivanov, M. A. and Krivoglaz, M. A. Damping of phonons in solid solutions, 4=30507
- Ivanov, M. A. See Efremov, A. I., 2=19298
- Ivanov, M. A. See Efremov, A. I., 3=9151
- Ivanov, M. I. See Vitman, F. F., 4=20684
- Ivanov, N. P. Luminescence efficiency of chlorophyll in different solvents, 2=15602
- Ivanov, O. I. See Balandin, M. P., 4=17180
- Ivanov, O. S. and Virgiliev, Yu. S. The decomposition of the γ -uranium base solid solutions as revealed by X-ray investigations, 2=21555
- Ivanov, P. P. See Veksler, V. I., 0=5369
- Ivanov, R. B., Krivokhatskii, A. S., Krizhanskii, L. M., Nedovesov, V. G. and Yakunin, M. I. Determination of the partial period of alpha-decay of Pu^{241} , 4=9460
- Ivanov, R. B., Krivokhatskii, A. S. and Nedovesov, V. G. Energies of alpha-particles from some curium isotopes, 4=1054
- Ivanov, R. B., Popov, A. I. and Sorokin, P. V. An improved sensing head for an autodyne nuclear magnetometer, 2=17926
- Ivanov, R. B. See Dzhelepov, B. S., 2=3503
- Ivanov, R. B. See Dzhelepov, B. S., 2=14015
- Ivanov, R. B. See Dzhelepov, B. S., 3=4606
- Ivanov, R. B. See Dzhelepov, B. S., 3=17446
- Ivanov, R. B. See Dzhelepov, B. S., 4=6299
- Ivanov, R. B. See Dzhelepov, B. S., 4=19739
- Ivanov, R. D., Spivak, G. V. and Kislova, G. K. Properties of ferromagnetic films prepared by cathode sputtering, 3=8674
- Ivanov, R. D. See Sedov, N. N., 4=10580
- Ivanov, R. D. See Spivak, G. V., 2=15094
- Ivanov, R. D. See Spivak, G. V., 2=21320
- Ivanov, R. D. See Spivak, G. V., 3=13266
- Ivanov, R. N. Effect of wave action on the water pile-up and drive-away phenomena along the seashores, 3=18485
- Ivanov, R. N., Forshkov, V. K., Anikina, M. P., Kukavadze, G. M. and Ershler, B. V. Yields of some heavy fragments in the fission of U^{238} , 0=11455
- Ivanov, R. N. See Anikina, M. P., 0=11363
- Ivanov, R. N. See Gorshkov, V. K., 0=7648
- Ivanov, R. N. See Kukavadze, G. M., 2=8885
- Ivanov, S. Method for determining the components of the complex dielectric permeability, 0=10010
- Ivanov, S. Study of the frequency variation of a parallel oscillatory circuit as a function of the reactance inserted in series with the measuring condenser containing a semi-conducting dielectric, 1=367
- Ivanov, S. See Grigorov, G., 4=27234
- Ivanov, T. F. See Dregicheskii, M., 3=24746
- Ivanov, T. F. Determination of periodic motions of conservative systems with one degree of freedom, 2=11436
- Ivanov, T. F. Determination of periodic motions of conservative systems with one degree of freedom, 2=17522
- Ivanov, V. A. and Pelekhov, V. I. Internal conversion electrons emitted in thermal neutron capture by Er^{157} and Er^{168} , 4=9415
- Ivanov, V. A. See Bychkov, Yu. F., 4=23281
- Ivanov, V. A. See Groshev, L. V., 2=5799
- Ivanov, V. A. See Groshev, L. V., 2=7930
- Ivanov, V. A. See Groshev, L. V., 3=15118
- Ivanov, V. A. See Groshev, L. V., 4=6239
- Ivanov, V. E. See Vereshchagin, L. F., 2=2690
- Ivanov, V. E. See Verkhorobin, L. F., 2=23205
- Ivanov, V. E., Amonenko, V. M., Tikhinskii, G. F. and Kruglykh, A. A. Refining of beryllium by vacuum distillation, 1=12654
- Ivanov, V. E. and Lebedev, V. V. The relationship between the phonon and electron components of thermal conductivity, 3=12930
- Ivanov, V. E., Nechiporenko, E. P., Osipov, A. D. and Zmii, V. I. Influence of stresses on the imperfection of silicide layers on molybdenum, 4=7704
- Ivanov, V. E., Nechiporenko, E. P. and Zmii, V. I. A study of reactive diffusion in the molybdenum-silicon system, 4=12795
- Ivanov, V. E., Nechiporenko, E. P., Zmii, V. I., Glushko, P. I., Aleksandrov, O. M. and Dorokhov, V. I. Oxidation of molybdenum disilicide at elevated temperatures, 4=13716
- Ivanov, V. E., Shapoval, B. I. and Amonenko, V. M. Investigation of phase transformations in zirconium, and beryllium using the method of internal friction, 2=8844
- Ivanov, V. E., Shapoval, B. I. and Amonenko, V. M. Investigation of phase transformations in zirconium, and beryllium by the internal friction method, 2=21544
- Ivanov, V. E., Vereshchagin, L. F. and Demyashkevich, V. P. High-pressure hydraulic compressors working with oil and water, 4=14109
- Ivanov, V. E. See Amonenko, V. M., 3=3297
- Ivanov, V. E. See Amonenko, V. M., 3=20908
- Ivanov, V. E. See Amonenko, V. M., 3=25272
- Ivanov, V. E. See Amonenko, V. M., 4=26498
- Ivanov, V. E. See Gumenyuk, V. S., 4=342
- Ivanov, V. F. See Grishaev, I. A., 4=16572
- Ivanov, V. F. See Mocheshnikov, N. I., 4=16614
- Ivanov, V. G., Osipenko, V. T., Petrov, N. I. and Rusakov, V. A. Cross-sections for elastic scattering of 195 MeV positive pions by carbon and lithium nuclei, 0=11450
- Ivanov, V. G. See Budagov, Yu. A., 3=17131
- Ivanov, V. G. See Davidenkova, N. N., 2=20939
- Ivanov, V. G. See Petrov, N. I., 0=11451
- Ivanov, V. G. See Van Gan-Chan, 0=9415
- Ivanov, V. G. See Van Gan-Chan [Pang Kang-Ch'ang], 0=15358
- Ivanov, V. G. See Van Gan-Chan., 1=2099
- Ivanov, V. G. See Van Gan-Chan, 1=16902
- Ivanov, V. G. See Wang Kang-Ch'ang, 3=19702
- Ivanov, V. G. See Wang Kang-Ch'ang, 3=22208
- Ivanov, V. I. The effect of polar molecules on the absorption at the resonant mercury line at 2537 Å, 1=13938
- Ivanov, V. I. A simple diffractometer for monocrystals to be used with the URS-501 X-ray unit, 1=15031
- Ivanov, V. I. The spatial distribution of ions in a liquid, 2=1165
- Ivanov, V. I. Diffraction of short plane waves on a parabolic cylinder, 4=19222
- Ivanov, V. I., Keirim-Markus, I. B. and Kovalev, E. E. Cosmic radiation doses, 3=3633
- Ivanov, V. I. and Osipov, K. A. An investigation of the kinetics of grain-growth in high purity α -iron, 1=20608
- Ivanov, V. I. and Osipov, K. A. A study of the kinetics of recovery of thermoelectric power in cold-deformed iron, 2=8452
- Ivanov, V. I. and Osipov, K. A. Investigation of the kinetics of recovery of the thermoelectromotive force in cold-deformed iron, 2=23485
- Ivanov, V. M. See Vvedenskii, V. T., 2=19839
- Ivanov, V. N. Turbulent energy dissipation in the atmosphere, 3=9030
- Ivanov, V. N. and Stratonovich, R. L. The Lagrange characteristics of turbulence, 4=14106
- Ivanov, V. N. See Fridrikhov, S. A., 4=29967

- Ivanov, V.N. See Tsvang, L.R., 4=4734
- Ivanov, V.P. and Marshak, I.S. New IFK 15-1 photoflash lamp with capacitorless power supply, 4=14415
- Ivanov, V.P. and Sidorenko, V.V. Choice of parameters for pulsed supply of gas-discharge counters, 2=20180
- Ivanov, V.P. See Lazukov, N.A., 1=750
- Ivanov, V.P. See Sidorenko, V.V., 2=20301
- Ivanov, V.P. See Sidorenko, V.V., 3=14945
- Ivanov, V.V. Chromospheric line profiles, 2=980
- Ivanov, V.V. Diffusion of resonance radiation in stellar atmospheres and nebulae. I. Semi-infinite medium, 3=9240
- Ivanov, V.V. Concerning the article of I.M.Gordon and L.D.Pichakhchi "Radiation from hydrogen atoms excited by the synchrotron radiation of relativistic electrons", 3=11570
- Ivanov, V.V. Diffusion of resonance radiation in stellar atmospheres and nebulae. II. Layer of finite thickness, 3=16403
- Ivanov, V.V. Light scattering in a plane layer, 4=14391
- Ivanov, Yu.L. Cross-sections for capture of a photon and an electron by the third level of copper in germanium, 3=15630
- Ivanov, Yu.L. Temperature dependence of the activation energies of the second and third copper levels in germanium, 3=17849
- Ivanov, Yu.L. and Ryvkin, S.M. Optical charge exchange in impurity centres and the kinetics of impurity photoconductivity, 2=21193
- Ivanov, Yu.L. and Ryvkin, S.M. Optical charge exchange in impurity centres and the kinetics of impurity photoconductivity, 3=2968
- Ivanov, Yu. L. and Ryvkin, S. M. Photoelectret effect in silicon, 4=26134
- Ivanov, Yu.L. See Ryvkin, S.M., 0=1628
- Ivanov, Yu.L. See Ryvkin, S.M., 0=15905
- Ivanov, Yu.M. and Fesenko, A.I. The μ^+ -meson depolarization in nuclear emulsions with different gelatin content, 0=2565
- Ivanov, Yu.M. and Fesenko, A.I. Investigation of μ^+ -meson depolarization in nuclear emulsions, 1=16836
- Ivanov, Yu.M. See Smirnov, B.M., 3=2291
- Ivanov, Yu.N. See Grodzovskii, G.L., 1=15602
- Ivanov, Yu.N. Optimal variation of power for the motion of a body of variable mass in a gravitational field, 4=4961
- Ivanov, Yu., Nikol'skii, B.A., Smirnov, B.M. and Surkova, L.V. Depolarization of μ^+ -mesons in an electric field, 3=7877
- Ivanov, Yu.S. and Yakushkin, V.E. Numbering of Wilson-Chamber stereophotographic frames, 4=16766
- Ivanov, Yu. S. See Burshtein, E. L., 4=14811
- Ivanov, Yu. S. See Vasil'ev, A. A., 4=14813
- Ivanov-Kholodnyi, G.S. The part played by and source of particles observed in the ionosphere and aurorae, 3=13798
- Ivanov-Kholodnyi, G.S. and Antonova, L.A. Ionization in the night ionosphere (corpuscular hypothesis), 1=20970
- Ivanov-Kholodnyi, G.S. and Nikol'skii, G.M. The ionization and excitation of hydrogen. II. The number of observed lines in a series, 1=19596
- Ivanov-Kholodnyi, G.S. and Nikol'skii, G.M. Ultraviolet solar radiation and the transition layer between the chromosphere and the corona, 2=978
- Ivanov-Kholodnyi, G.S. and Nikol'skii, G.M. A prediction of solar line emission in the extreme ultraviolet, 2=24117
- Ivanov-Kholodnyi, G.S. and Nikol'skii, G.M. Extreme ultraviolet solar radiation and the structure of the solar atmosphere in active and undisturbed regions, 3=23686
- Ivanov-Kholodnyi, G.S., Nikol'skii, G.M. and Gulyaev, R.A. Ionization and excitation of hydrogen. I. Elementary processes for the upper levels, 1=19595
- Ivanov-Kholodnyi, G.S. See Kazachevskaya, T.V., 0=18779
- Ivanov-Kholodnyi, G.S. See Kazachevskaya, T.V., 4=7880
- Ivanov-Kholodnyi, G.S. See Kazachevskaya, T.V., 4=7881
- Ivanov-Kholodnyi, G.S. See Kazachevskaya, T.V., 4=13825
- Ivanov-Kholodnyi, G.S. See Kazachevskaya, T.V., 4=15879
- Ivanov-Kholodnyi, G.S. See Pikel'ner, S.B., 0=18839
- Ivanov-Omskii, V.I., Kiseleva, N.K. and Kolomiets, B.T. The production of double crystals of indium antimonide and gallium antimonide, 1=20439
- Ivanov-Omskii, V.I. and Kolomiets, B.T. Certain properties of [n-type] InSb-GaSb alloy, 0=611
- Ivanov-Omskii, V.I. and Kolomiets, B.T. Equilibrium solid solutions in the InSb-GaSb system, 0=730
- Ivanov-Omskii, V.I. and Kolomiets, B.T. The dependence of the energy gap on composition for the system InSb-GaSb, 0=1726
- Ivanov-Omskii, V.I. and Kolomiets, B.T. Electrical properties of the equimolecular alloy InSb.GaSb, 0=15959
- Ivanov-Omskii, V.I. and Kolomiets, B.T. Thermomagnetic effects in n-type gallium antimonide and its alloys with indium antimonide, 2=10487
- Ivanov-Omskii, V.I. and Kolomiets, B.T. The mobility of charge carriers and the effective mass of electrons in alloys in indium and gallium antimonide, 2=14559
- Ivanov-Omskii, V.I. and Kolomiets, B.T. Thermomagnetic effects in n-type gallium antimonide and its alloys with indium antimonide, 2=8360
- Ivanov-Omskii, V.I. and Kolomiets, B.T. The mobility of charge carriers and the effective mass of electrons in alloys in indium and gallium antimonide, 2=12530
- Ivanov-Omskii, V.I., Kolomiets, B.T. and Chzhou-Khuan [Chou-Huang]. The mobility and effective mass of holes in gallium antimonide, 2=18703
- Ivanov-Omskii, V.I. See Romanenko, V.N., 0=4685
- Ivanov-Shits, K.M. and Rozhin, F.V. Investigation of surface waves in air, 1=2817
- Ivanova, A.N. See Ivanova, A.V., 4=19925
- Ivanova, A.V. Relation between matrix elements of coordinate and momentum in approximate quantum-mechanical calculations, 4=19933
- Ivanova, A.V., Ivanova, A.N., Prikozhenko, A.I., Pyatetskii-Shapiro, I.I. and Tarnopol'skii, V.L. Hartree-Fock calculations of electronic shells of some ions, 4=19925
- Ivanova, A.V. See Gol'danskii, V.I., 4=28436
- Ivanova, H. See Andreichin, R., 3=25418
- Ivanova, H. See Andreichin, R., 4=28647
- Ivanova, I.V. See Efendiev, G.A., 2=12879
- Ivanova, I.V. See Efendiev, G.A., 2=19027
- Ivanova, I.V. See Efendiev, G.A., 4=7505
- Ivanova, L.N. See Gelfand, I.M., 1=19199
- Ivanova, L.N. See Gelfand, I.M., 3=4392
- Ivanova, L.N. See Veinberg, V.B., 3=241
- Ivanova, L.V., Chuvaev, V.F. and Rebinder, P.A. The kinetics of the instantaneous elastic deformation of polymers in the elastic state, 1=14871
- Ivanova, L.V., Chuvaev, V.F. and Rebinder, P.A. The kinetics of the instantaneous elastic deformation of polymers in the elastic state, 1=20322
- Ivanova, N.I., Tarasova, L.I. and Zhukovskii, A.P. Origin of the long wavelength luminescence bands of alkali halide phosphors, 3=943
- Ivanova, N.I. and Zhukovskii, A.P. Luminescence centres of alkali halide phosphors with bivalent-metal impurity, 3=18022
- Ivanova, N.I. See Zamyatnin, Yu.S., 0=9683
- Ivanova, N.I. Zamyatnin, Yu.S., 0=11442
- Ivanova, N.I. See Zamyatnin, Yu.S., 1=19482
- Ivanova, N.K. See Nikitina, O.I., 2=23982
- Ivanova, N.S., Ostroumov, V.I. and Pavlov, Yu.V. Production of multicharged particles on photographic emulsion nuclei by 280 MeV π^+ -mesons, 0=7630
- Ivanova, N.S. See Assovskaia, A.S., 1=17135
- Ivanova, N.S. See Gagarin, Yu.F., 4=9548
- Ivanova, N.S. See Perfilov, N.A., 0=9622
- Ivanova, S.P. and Kalinkin, B.N. On elastic scattering of heavy ions, 3=24978
- Ivanova, S.P. and Kalinkin, B.N. Cross-section for compound-nucleus formation in heavy-ion-induced reactions, 3=24979
- Ivanova, T.M. See Shorygin, P.P., 4=6621
- Ivanova, T.M. See Shorygin, P.P., 4=6637
- Ivanova, T.V., Kudryashov, O.I. and Sveshnikov, B.Ya. The duration of ultraviolet fluorescence of certain aromatic compounds, 1=15889
- Ivanova, T.V., Kudryashov, P.I. and Sveshnikov, B.Ya. The duration of ultraviolet fluorescence of certain aromatic compounds, 1=12868
- Ivanova, V.D. and Mikhalevskii, V.S. The dispersion characteristics of a helix situated in a plasma, 1=12018
- Ivanova, V.S. A new relation for the fatigue fracture of metals, 0=1870
- Ivanova, V.S. See Oding, I.A., 3=23347
- Ivanova, V.V., Kapyshev, A.G., Venetsev, Yu.N. and Zhdanov, G.S. X-ray determination of the symmetry of the ferroelectric compounds $(K_{0.5}Bi_{0.5})TiO_3$ and $(Na_{0.5}Bi_{0.5})TiO_3$ and the high temperature phase transitions in $(K_{0.5}Bi_{0.5})TiO_3$, 3=20851
- Ivanova, V.V. See Solov'ev, S.P., 2=3813
- Ivanova, V.V. See Solov'ev, S.P., 2=16774
- Ivanova, V.V. See Venetsev, Yu.N., 1=15018
- Ivanova, V.V. See Zhdanov, G.S., 1=14151
- Ivanovskaya, I.A., Kuznetsov, E.V., Mal'tsev, E.I., Prokesh, A., Stashkov, G.M. and Chuvilo, I.V. A possible neutral cascade meson decay, 0=20222
- Ivanovskaya, I.A., Kuznetsov, E.V., Prokesh, A. and Chuvilo, I.V. Transverse polarization of Λ hyperons, generated by 2.8 BeV/c pions on xenon nuclei, 1=19501

- Ivanovskaya, I.A., Kuznetsov, E.V., Prokesh, A. and Chuvilo, I.V. Angular distribution of decay products of Λ -hyperons produced by $2.8 \text{ Be V/c } \pi^-$ -mesons on xenon nuclei, 3=2484
- Ivanovskaya, I.A., Kuznetsov, E.V., Prokesh, A. and Chuvilo, I.V. Production of strange particles by $2.8 \text{ BeV/c } \pi^-$ -mesons on xenon nuclei, 3=24796
- Ivanovskaya, I.A. and Rakobol'skaya, I.V. On the spectrum of the electron-photon component of extensive air-showers, 0=15476
- Ivanovskaya, I.A. See Gramenitskii, I.M., 4=28054
- Ivanovskii, V.I. Some magnetic properties of precipitation hardening Fe-Mo and Cu-Ni-Fe alloys, 1=3896
- Ivanovsky, M.N. See Subbitt, V.I., 2=15769
- Ivansvskii, N.N. See Subbitt, V.I., 3=3909
- Ivanter, I.G. Polarization correlation for the Coulomb scattering of electrons and μ -mesons on light nuclei including radiative corrections, 0=2673
- Ivanter, I.G. Polarization in pair production by circularly polarized quanta, 0=9329
- Ivanter, I.G. Relation between the gravitational constant, the charge to mass ratio of the electron, and the fine structure constant, 0=10550
- Ivanter, I.G. $K^+ \rightarrow \pi^+ + \pi^0 + e^+ + e^-$ decay, 1=19262
- Ivanter, I.G. Determination of the $K^+ \rightarrow 2\pi + \gamma$ decay amplitude from the dispersion equations and unitarity conditions, 1=19263
- Ivanter, I.G. $K^+ \rightarrow \pi^+ + \pi^0 + e^+ + e^-$, 2=22618
- Ivanter, I.G. Determination of the $K^+ \rightarrow 2\pi + \gamma$ decay amplitude from the dispersion equations and unitarity conditions, 2=22619
- Ivanter, I.G. Topological structure of space and the elementary particle mass spectrum, 3=14873
- Ivanter, I.G., Popova, A.M. and Ter-Martirosyan, K.A. Behaviour of the cross-section for the inelastic process $a + b \rightarrow c + d + e$ at high energies, 4=16813
- Ivantsov, G. I. See Levin, Ya. N., 4=20789
- Ivantsov, I. G. See Amonenko, V. M., 4=12794
- Ivantsov, L. M. See Vinogradova, A. K., 0=3615
- Ivantsov, V. G. See Esel'son, B. N., 2=13498
- Ivantsov, V. G. See Esel'son, B. N., 3=5567
- Ivantsov, V. G. See Esel'son, B. N., 3=24131
- Ivanýts'kiĭ, P. H. Angular distribution of α -particles from $\text{Be}^0(d, \alpha)\text{Li}^+$ reactions, 3=22425
- Ivanýtskĭi, P. H. Differential cross-section of (d, p) reactions on Ni isotopes, 2=10139
- Ivanýtskĭi, P. H. See Pasichnyk, M. V., 2=10138
- Ivascu, M. See Hulubei, H., 1=5735
- Ivascu, M. See Hulubei, H., 2=5903
- Ivascu, M. See Hulubei, H., 2=14092
- Ivascu, M. See Hulubei, H., 3=6233
- Ivascu, M. See Hulubei, H., 4=1076
- Ivascu, M. See Hulubei, H., 4=9491
- Ivascu, M. See Martalogu, N., 2=7794
- Ivascu, M. See Martalogu, N., 2=20635
- Ivash, E. V. Some observations concerning multipole fields, 0=30
- Ivash, E. V. Conversion-electron angular correlations for stripping reactions, 2=5956
- Ivash, E. V. and Sweet, R. F. Mass anisotropy and planetary motion, 2=4742
- Ivash, E. V. See Scherr, C. W., 3=23727
- Ivash, E. V. See Smith, W. R., 3=2487
- Ivash, E. V. See Smith, W. R., 3=17493
- Ivashchenko, N. I. The effect of the temperature factor on heat transfer in the turbulent flow of a gas in pipes, 3=9489
- Ivashchenko, Yu. N. See Eremenko, V. N., 4=8186
- Ivashka, M. See Khulubei, H., 3=6240
- Ivashku, M. See Hulubei, H., 4=9489
- Ivashku, M. See Khulubei, H., 2=16403
- Ivensen, V. A. The diffusion theory of sintering, 0=3167
- Ivensen, V. A. and Koval'skii, A. E. Dependence of the electrical resistivity of the alloy of tungsten carbide and cobalt on its structure, 3=13497
- Ivensen, V. A., Koval'skii, A. E., Semenovskaya, S. V. and Eidule, O. N. Anisotropy of the elastic properties of the monocarbide of tungsten, 3=6775
- Iveronova, V. I. X-ray investigations of ordering in alloys, 4=1979
- Iveronova, V. I., Kagan, A. S. and Nikolaeva, S. M. Measurement of relative intensities in X-ray diffraction investigations of textured specimens, 3=23526
- Iveronova, V. I. and Katsnel'son, A. A. The short-range order and the characteristic X-ray diffraction temperature in Ni_3Pt , 1=4066
- Iveronova, V. I. and Katsnel'son, A. A. Method of measuring the diffuse-scattering intensities of polycrystals, 1=20477
- Iveronova, V. I. and Katsnel'son, A. A. Dimensional effect in X-ray diffractograms of polycrystals, 2=8821
- Iveronova, V. I. and Katsnel'son, A. A. Size effect in X-ray photographs of polycrystals, 2=21505
- Iveronova, V. I. and Katsnel'son, A. A. Effect of short-range order on the hardness and characteristic temperature of Ni_3Pt , 3=8906
- Iveronova, V. I. and Katsnel'son, A. A. Effect of preliminary treatment on short-range order in Ni_3Pt alloy, 4=1999
- Iveronova, V. I. and Katsnel'son, A. A. Diffuse and double Bragg reflection by polycrystalline copper, 4=15804
- Iveronova, V. I. and Osipenko, N. N. Recrystallization of powders of pure metals, 1=6541
- Iveronova, V. I., Popova, I. I. and Revkevich, G. P. The effect of stacking faults on the intensity of the Debye lines, 1=15059
- Iveronova, V. I. and Zvyagina, A. P. Phonon spectrum and some thermodynamic characteristics of CsCl-type lattices, 4=1382
- Iveronova, V. I., Zvyagina, A. P. and Aynbinder, B. Yu. Problem of the effect of the spectrum shape of thermal vibrations of a CsCl type lattice on thermal capacity, the mean square displacement of atoms from the equilibrium position and the speed of sound, 4=3974
- Iveronova, V. I. See Belov, K. P., 4=30720
- Iveronova, V. I. See Krylov, Ya., 3=18186
- Iveronova, V. I. See Vlasova, E. N., 4=15789
- Iveronova, V. I. See Zvyagina, A. P., 0=6008
- Iveronova, V. I. See Zvyagina, A. P., 3=20079
- Iverson, A. The measured resistivity of pure water and determination of the limiting mobility of OH^- from 5 to 55° , 4=24238
- Ives, M. B. Orientation-dependent dissolution of lithium fluoride, 1=12614
- Ives, M. B. On kink kinetics in crystal dissolution, 3=11221
- Ives, M. B. and Hirth, J. P. Dissolution kinetics at dislocation etch pits in single crystals of lithium fluoride, 0=13968
- Ives, M. B. See Frank, F. C., 0=21174
- Ivey, H. F. Absorption of nonparallel radiation, 3=5526
- Ivey, H. F. Color and efficiency of luminescent light sources, 3=24005
- Ivko, V. M. See Sapogin, L. G., 0=19586
- Ivkov, V. P. See Beresnev, B. I., 2=21775
- Ivkovic, V. and Mavrodiev, G. Adjustable gas leak, 0=12643
- Ivlev, D. D. Isotropic hardening of plastic bodies, 0=1854
- Ivlev, D. D. The theory of an ideally hardening medium, 0=6321
- Ivlev, D. D. Linearized equations for three-dimensional problems of idealized plasticity theory, 0=8115
- Ivlev, D. D. The general equations of ideal plasticity theory and the statics of loose materials, 1=3977
- Ivlev, D. D. Discontinuous solutions of space problems in the theory of ideal plasticity, 1=6811
- Ivlev, D. D. The structure of the hydrodynamics of a viscous fluid, 1=6827
- Ivlev, D. D. The structure of the hydrodynamics of a viscous fluid, 1=10478
- Ivlev, D. D. Formulation of a theory of elasticity, 1=14844
- Ivlev, D. D. Some particular solutions of the equations of the axially symmetrical problem of the theory of ideal plasticity and a generalization of the Prandtl solution for the compression of a plastic layer by two rough plates, 1=14886
- Ivlev, D. D. Formulation of a theory of elasticity, 1=20287
- Ivlev, D. D. Mathematical description of the behavior of an elastic isotropic solid by means of a piecewise linear potential, 2=17385
- Ivlev, D. D. Contribution to the theory of compound media, 3=18173
- Ivlev, D. D. On perfectly plastic flow of material with residual microstresses taken into account, 4=4447
- Ivlev, D. D. and Martynova, T. N. On the calculation of compressibility in the theory of ideally plastic media, 2=21861
- Ivlev, D. D. See Ershov, L. V., 2=1091
- Ivlev, V. F., Pak, N. G. and Kan, S. V. Hysteresis loops of plane ferromagnetic films, 3=20600
- Ivlev, V. F. and Prokopenko, V. S. Nucleation and the Barkhausen effect in ferromagnetic films, 2=14783
- Ivon, P. See Marchal, A., 1=13688
- Ivory, J. E. Rapid method for measuring Seebeck coefficient as ΔT approaches zero, 2=23490
- Ivukina, A. K. See Sýrkin, L. N., 3=20614
- Iwadare, J. Proton-proton scattering below 50 MeV, 1=13416

- Iwadare, J. and Matsumoto, M. Photodisintegration of the deuteron in medium energy range and the pion theoretical nuclear forces, 1=10935
- Iwadare, J., Matsumoto, M., Otsuki, S., Tamagaki, R. and Watari, W. Photodisintegration of deuterons in the presence of the pion-theoretical potential, 0=5625
- Iwadare, J. See Hamada, T., 0=20072
- Iwadare, J. See Hamada, T., 0=20126
- Iwadare, J. See Hamada, T., 1=3172
- Iwai, A. See Otsu, J., 0=1983
- Iwai, A. See Otsu, J., 2=13007
- Iwai, T. Temperature dependence of the optical absorption edge of tungsten trioxide single crystal, 1=12486
- Iwai, T. Optical study of aniline hydrobromide single crystal, 1=19942
- Iwai, T. and Horie, T. An effect of heat treatment on WO_3 single crystal II. Green stripes, 2=21050
- Iwai, T. See Horie, T., 1=15080
- Iwakura, T. See Higashimura, T., 0=7490
- Iwamoto, F. Cluster expansion of the ground state of a Bose particle system, 0=14529
- Iwamoto, F. An illustrative example of the nuclear collective motion, 0=17471
- Iwamoto, F. Inclusion of hole motions in the Brueckner theory, 1=583
- Iwamoto, F. Inclusion of hole motions in Brueckner theory, 1=3144
- Iwamoto, F. Theorem on energy shifts due to a potential in a large box, 3=16533
- Iwamoto, F. and Sawada, K. Stability of the plane wave Hartree-Fock ground state, 2=11304
- Iwamoto, F. and Yamada, M. Cluster development method in the quantum mechanics of many particle system. II. Saturation of nuclear forces, 0=12884
- Iwamoto, F. See Fukuda, N., 4=27094
- Iwamoto, M. See Kawai, T., 3=4143
- Iwamoto, M. See Kawai, T., 4=2977
- Iwamoto, M. See Kawai, T., 4=8733
- Iwamoto, R. T. See Nelson, I. V., 3=23546
- Iwanaga, H. See Shibata, N., 3=25801
- Iwanaga, M. See Hashimoto, H., 3=1285
- Iwanaga, M. See Kobayashi, K., 3=11334
- Iwaniszewski, H. See Gorgolewski, S., 2=13156
- Iwanov-Schitz, K. M., Rachevkin, S. N. and Welischanina, K. A. Effect of a sound absorber covering a vibrating surface on the radiation of sound, 4=5314
- Iwanowska, W. and Burnicki, A. The population assignment of novae, 4=2365
- Iwanowska, W. and Opaska-Burnicka, A. The population assignment of white dwarfs, 4=2347
- Iwantscheff, G. Problem of producing solid materials of high purity, particularly for semiconductor work, 0=2065
- Iwao, S. A theory of hyperfragments. I. Binding energies and level structure, 0=17507
- Iwao, S. Double hyperfragments and relative parity of Λ and Σ hyperons, 1=13515
- Iwao, S. A theory of hyperfragments. II. Mesic decay of hyperfragments, 2=5792
- Iwao, S. On the interaction of the pion and cascade particle, 2=7895
- Iwao, S. Preliminary determination of Σ - Λ parity using pole, 2=9929
- Iwao, S. A comment on the Σ - Λ parity and resolution between the bound state model and the isobar model of Y^* , 2=12009
- Iwao, S. K-N scattering in the Mandelstam representation. I. Analyticity of the amplitude and the effect of baryon pole on $K^- + p \rightarrow Y + \pi$ reaction, 2=20420
- Iwao, S. A theory of hyperfragments. III. NA - $N\Sigma$ exchange forces and π^- -mesic decay, 2=20499
- Iwao, S. Projection theorem for energy levels, 3=12575
- Iwao, S. K-N scattering in the Mandelstam representation. II. Regge trajectory of K^* meson, 3=19699
- Iwao, S. Inner bremsstrahlung in isovector vector meson decays, 4=6124
- Iwao, S. S-wave meson-nucleon interactions and unitary symmetry, 4=25121
- Iwao, S. S-wave two-baryon interactions and unitary symmetry, 4=30172
- Iwao, S. and Leitner, J. The pion spectrum in radiative hyperon decay, 2=3407
- Iwao, S. and Sudarshan, E. C. G. Low-energy parameters of hyperon-nucleon interaction and Λ hyperfragments, 0=7485
- Iwao, S. and Viano, G. A. Some evidence of Regge trajectory, 3=4477
- Iwao, S. See Eberle, E., 4=3481
- Iwao, S. See Eberle, E., 4=12058
- Iwao, S. See Eberle, E., 4=16968
- Iwao, S. See French, J. B., 1=8580
- Iwao, S. See French, J. B., 1=8624
- Iwao, S. See Sudarshan, E. C. G., 0=17506
- Iwasa, S. See Nishizawa, J., 3=882
- Iwasaki, H. On the superstructure of the ordered alloy $\text{Au}_2\text{Zn}[\text{R}]$, 1=2542
- Iwasaki, H. Etching patterns on (100) planes of the single crystal $\text{K}_2\text{Co}(\text{CN})_6$, 1=14960
- Iwasaki, H. Studies on the system $(1-x)\text{NaNbO}_3 \cdot x\text{KTaO}_3$, 2=14919
- Iwasaki, H. Study on the ordered phases with long period in the gold-zinc alloy system. II. Structure analysis of $\text{Au}_3\text{Zn}[\text{R}_2]$ $\text{Au}_3\text{Zn}[\text{R}_2]$ and Au_3Zn , 4=1990
- Iwasaki, H. Systems NaNbO_3 - NaSbO_3 and NaNbO_3 - KSbO_3 , 4=7035
- Iwasaki, H. Dislocations in ferroelectric tri-hydrogen lithium selenite single crystals, 4=9969
- Iwasaki, H. Dislocations in ferroelectric try-hydrogen lithium selenite single crystals, 4=12750
- Iwasaki, H., Hirabayashi, M., Fujiwara, K., Watanabe, D. and Ogawa, S. Study on the ordered phases with long period in the gold-zinc alloy system. I. Survey of crystal structures and calorimetric measurement, 1=11579
- Iwasaki, H. and Ikeda, T. Studies on the system $\text{Na}(\text{Nb}_{1-x}\text{Ta}_x)\text{O}_3$, 3=13394
- Iwasaki, H. and Kestin, J. The viscosity of argon-helium mixtures, 4=8242
- Iwasaki, H., Kestin, J. and Nagashima, A. Viscosity of argon-ammonia mixtures, 4=18242
- Iwasaki, H. See Uyeda, H., 1=18027
- Iwasaki, H. See Waku, S., 1=1136
- Iwasaki, H. See Waku, S., 1=11336
- Iwasaki, M., Fritsch, F. N. and Hedberg, K. Least-squares refinement of molecular structures from gaseous electron-diffraction sector-microphotometer intensity data. II. Adaptation to automatic computation, 4=20035
- Iwasaki, M. and Hedberg, K. Potential constants of PCl_3 from amplitudes of vibration and normal vibration frequencies, 2=6123
- Iwasaki, M. and Hedberg, K. Centrifugal distortion of bond distances and bond angles, 2=14233
- Iwasaki, M. and Hedberg, K. Centrifugal distortion of bond distances and bond angles in polyatomic molecules, 3=2607
- Iwasaki, M. See Hedberg, K., 2=6122
- Iwasaki, M. See Hedberg, K., 2=22955
- Iwasaki, M. See Hedberg, K., 4=20034
- Iwashita, T., Inamura, T., Ikemoto, Y. and Kageyama, S. Decay of Ce^{144} , 4=3577
- Iwashita, T. See Inamura, T., 4=19695
- Iwasa, Y. General theory on steady behaviours of open channel flows by means of one dimensional procedures of analysis, 1=119
- Iwata, G. Separable dynamical systems of Staeckel in flat space, 0=12679
- Iwata, G. Perfect imaging dynamical systems, 0=12680
- Iwata, G. Applications of Mellin transforms to some problems of statistical mechanics, 1=11715
- Iwata, G. A method for evaluating a class of partition functions. I., 4=11100
- Iwata, G. See Arikawa, T., 2=20056
- Iwata, G. See Huke, K., 3=24409
- Iwata, H. See Chikazumi, S., 1=7746
- Iwata, K. See Fujii, K., 0=12827
- Iwata, K. See Fujii, K., 0=12828
- Iwata, K. See Fujii, K., 0=12829
- Iwata, K. See Fujii, K., 0=12830
- Iwata, K. See Fujii, K., 0=15230
- Iwata, K. Universality of coupling constants and individual Γ_π -invariance, 1=9732
- Iwata, K. See Ito, D., 1=5666
- Iwata, M., Iwata, T. and Yamamoto, M. Several experiments on the memory effect in α Fe_2O_3 , 2=2280
- Iwata, M., Iwata, T. and Yamamoto, M. On the memory effect of the remanent magnetization through the low-temperature magnetic transition in $\alpha\text{Fe}_2\text{O}_3$, 3=1020
- Iwata, M. See Iwata, T., 1=1217
- Iwata, M. See Sawaki, T., 4=23561
- Iwata, M. See Tabata, S., 0=19240
- Iwata, M. See Tabata, S., 2=6850
- Iwata, M. See Tabata, S., 4=5256
- Iwata, S. Isomeric cross-section ratios in alpha-particle reactions, 3=684
- Iwata, S., Fujiwara, I., Nishi, T., Goda, S., Tabushi, M. and Shigematsu, T. The half-life of Tb^{167} , 3=22341

- Iwata, S. See Fujiwara, I., 4-9453
 Iwata, S. See Porile, N.T., 3-17474
 Iwata, S. See Tanaka, S., 1-2241
 Iwata, S. See Tanaka, S., 1-8776
 Iwata, S. See Tanaka, S., 1-8779
 Iwata, S. See Tanaka, S., 1-12219
 Iwata, S. See Tanaka, S., 1-12220
 Iwata, S. See Yoshizawa, Y., 3-19822
 Iwata, T. Correlation of the magnetically induced directional order with the AB_3 -type superlattice, 2-8850
 Iwata, T. Concentration dependence of the magnetically induced directional order in face-centered cubic non-ideal solid solutions, 2-8858
 Iwata, T. Correlation of the magnetically induced directional order with an AB_3 superlattice, 3-18072
 Iwata, T. Concentration dependence of the magnetically induced directional order in face-centred cubic non-ideal solid solutions, 3-18073
 Iwata, T. Mechanism of the memory phenomenon in α - Fe_2O_3 , 4-4378
 Iwata, T. A generalized model for the memory phenomenon in α - Fe_2O_3 , 4-22991
 Iwata, T., Fujita, F.E. and Suzuki, H. On the energy of the interstitial atom in graphite, 1-12400
 Iwata, T., Iwata, M. and Yamamoto, M. Magnetic annealing effect in α - Fe_2O_3 , 1-1217
 Iwata, T. See Iwata, M., 2-2280
 Iwata, T. See Iwata, M., 3-1020
 Iwayanagi, H. See Hashimoto, K., 1-18494
 Iwazumi, T. See Hayashi, S., 4-3756
 Iwinski, J. Thin foil thickness gauges MGB-1, 2-15528
 Iyengar, I. See Bansiger, K.G., 0-6170
 Iyengar, K.N. See Nair, K.G., 1-13813
 Iyengar, K.S. See Bansigier, K.G., 2-12580
 Iyengar, K.S. See Hasan, M.M., 4-2647
 Iyengar, K.T.S.R. and Chandrashekhara, K. On the theory of the indentation test for the measurement of tensile strength of brittle materials, 2-21857
 Iyengar, K.V.K. and Peck, R.A., Jr. Elastic scattering of polarized 2.8 MeV neutrons, 2-3582
 Iyengar, P.K. Neutron spectrometry at Trombay, 4-23412
 Iyengar, P.K. A "window filter" for neutron spectrometry, 4-16920
 Iyengar, P.K., Dasannacharya, N.A., Vijayaraghavan, P.R. and Roy, A.P. Neutron diffraction study of antiferromagnetism in $FeSn_2$, 2-8660
 Iyengar, P.K., Dasannacharya, B.A., Vijayaraghavan, P.R. and Roy, A.P. Neutron diffraction study of antiferromagnetism in $FeSn_2$, 3-1111
 Iyengar, R.S. Burst-type signal from small-field aurora, 2-21669
 Iyengar, R.S. Photoelectric tracking of instantaneous motions in aurora, 3-3513
 Iyengar, R.S. Auroral-zone magnetic events, 4-23817
 Iyengar, R.S. and Shepherd, G.G. Observations of auroral luminosity fluctuations, 2-4667
 Iyengar, S.B.D., Mani, G.S., Ramanna, R. and Umakanth, N. Slowing down and diffusion of neutrons in beryllium oxide, 0-9374
 Iyengar, S.B.D., Mani, G.S., Ramanna, R. and Umakanth, N. Temperature dependence of the slowing down and diffusion constants of neutrons in beryllium oxide, 0-9375
 Iyengar, S.B.D. See Deniz, V.C., 0-9369
 Iyer, A.S. See Hoch, M., 3-2785
 Iyer, H.M. A frequency-velocity-energy diagram for the study of dispersive surface waves, 4-13768
 Iyer, K.S.S. See Srinivasan, S.K., 4-6162
 Iyer, K.S.S. See Srinivasan, S.K., 4-24078
 Iyer, S.A. See Dharmatti, S.S., 3-8739
 Izadian, H. Physical protection against X-rays, 1-15360
 Izakov, M.N. Measurement of the atmospheric density by means of devices mounted on unoriented satellites, 4-26823
 Izakov, M.N. A procedure for measuring atmospheric temperature with instruments carried by a satellite, 4-26824
 Izatt, J.R. See Daw, H.A., 4-30095
 Izatt, R.M. See Hale, J.D., 4-8198
 Izbicki, H. Treatment of isotope preparation by graph theory, 2-5928
 Izergin, A.M. The vertical convective electrical current in the atmosphere, 3-5203
 Izergin, A.P. See Ikonnikova, G.M., 4-30821
 Izergin, A.P. See Presnov, V.A., 3-25364
 Izhak, I.A. Kolomoitsev, F.J., 0-10019
 Izidinov, S.O., Borisova, T.I. and Veselovskii, V.I. Features of the photoelectrochemical behaviour of Si-alkali boundary, 3-6923
 Izidinov, S.O. See Lazorenko-Manevich, R.M., 1-20746
 Izlyumov, Yu.A. The spectrum of elementary excitations of the electron system of a monatomic non-conducting crystal. I. Z Electrons per atom, 0-2808
 Izlyumov, Yu.A. A note concerning the formalism of Holstein and Primakoff, 0-6228
 Izjumov, Ju. A. See Vonsorskij, S.V., 4-22519
 Izmailov, N.A., Kruglyak, Yu.A., Gashpar [Gáspár], R. and Tamassi-Lentei [Tamásy-Lentei], I. Quantum mechanical calculation of proton affinity, 1-18397
 Izmailov, S.V. The theory of kinetic, ion-induced electron emission in metals. II, 0-1150
 Izmailov, S.V. On the theory of secondary electron emission from metals subjected to the action of the fast neutral atoms, III, 0-1151
 Izmailov, S.V. Theory of ion-electron emission from metals. II. Comparison with experiment, 0-2384
 Izmailov, S.V. Theory of secondary electron emission from metals under the action of fast-moving ions or neutral atoms, 2-1491
 Izmailov, S.V. Theory of secondary electron emission from metals under the action of fast-moving ions or neutral atoms, 2-7655
 Izmailov, S.V. Theory of secondary electron emission, 3-15321
 Izmailov, S.V. and P'yanov, I.I. Production of tritium in collisions of fast protons with heavy nuclei, 2-447
 Izmailov, S.V. and P'yanov, I.I. Production of tritium in collisions of fast protons with heavy nuclei, 2-22815
 Izmailova, D.N. See Zakhariya, N.F., 4-7798
 Izmailov, E.A., Gorbach, V.G. and Yakhontov, A.G. X-ray diffraction study by a microbeam technique of the structure of martensite and austenite formed in an iron-nickel alloy during direct and reverse martensitic transformation, 4-23271
 Izokh, V.V. and Efimchik, M.K. A scaling circuit using tunnel diodes, 3-3985
 Izotov, I.N. and Yagn, Yu.I. The study of plastic deformation in a metal showing deformation anisotropy due to preliminary loading, 1-20331
 Izotov, V.P. See Kolomoitsev, F.I., 2-14737
 Izotov, V.P. See Stauer, E.V., 1-11330
 Izotova, T.P. See Savchenko, M.K., 3-11082
 Izraël', Yu. A. Calculation of the dose-rate inside a spherical source of γ -radiators with a Gaussian distribution, 4-3376
 Izrailev, I.M. Photo-electric yield for soft X-rays, 3-14638
 Izrailev, I.M. and Kolutukhin, V.A. Production of ultra-soft X-rays of high intensity, 2-17920
 Izrailev, I.M. See Ganeev, A.S., 1-6220
 Izrailev, I.M. See Ganeev, A.S., 2-208
 Izraileva, L.K. Regarding the asymmetry of the $K\alpha_1$ and $K\alpha_2$ lines of atoms of the iron group, 3-8184
 Izrailevich, I.S. See Goshchitskii, B.N., 3-9491
 Izsák, I. Motions in solar prominences. II. Description of the erupting prominence of 18 July 1956, 1-9273
 Izsák, I. Motions in solar prominences. III. Currents in the erupting prominence of 13 July 1950, 1-9274
 Izsak, I.G. Periodic drag perturbations of artificial satellites, 0-18882
 Izsak, I.G. On satellite orbits with very small eccentricities, 1-6746
 Izsak, I.G. A determination of the ellipticity of the earth's equator from the motion of two satellites, 1-9296
 Izsak, I.G. A note on perturbation theory, 4-4843
 Iztykson, C., Jacob, M., Pham, F. and Alles, W. Decay of the ω and η mesons, 2-13868
 Izui, K. Observations of lattice defects in graphite by Moiré patterns, 1-3672
 Izui, K. and Fujita, F.E. Electron microscopic study of fission fragment damage in molybdenite crystals, 3-15526
 Izui, K. and Fujiwara, T. Cr-preshadowed carbon replica by single stage process, 0-4703
 Izui, K. and Fujita, F.E. Observation of lattice defects in fission fragment-irradiated graphite, 1-17515
 Izui, K. and Fujita, F.E. Observation of the tracks of fission fragments in molybdenite, 1-19549
 Izui, K., Kino, T. and Fujiwara, T. Slip patterns on the quenched hardened aluminium single crystal plates, 0-3152
 Izui, K. and Suzuki, H. Observations of fission fragment damage in some crystals, 3-22855
 Izui, K. See Fujita, F.E., 1-12388
 Izui, K. See Fujiwara, T., 0-3188

- Izyumov, Yu.A. The scattering of polarized neutrons by a helical magnetic structure, 2=21335
- Izyumov, Yu.A. Different methods in the theory of ferromagnetic resonance, 2=21351
- Izyumov, Yu.A. The spin-wave theory of magnetic resonance absorption in an antiferromagnetic metal, 2=21357
- Izyumov, Yu.A. The scattering of polarized neutrons by a helical magnetic structure, 3=6718
- Izyumov, Yu.A. Time formalism in the Born approximation in the theory of the scattering of neutrons by a substance, 3=6905
- Izyumov, Yu.A. Green's function method in the theory of ferromagnetism, 3=25512
- Izyumov, Yu. A. Theory of scattering of slow neutrons in magnetic crystals, 4=13578
- Izyumov, Yu.A. and Malyeev, S.V. On scattering of polarized neutrons in ferromagnetic and antiferromagnetic substances, 2=4231
- Izyumov, Yu.A. and Malyeev, S.V. On scattering of polarized neutrons in ferromagnetic and antiferromagnetic substances, 3=3121
- Izyumov, Yu.A. and Men', A.N. The theory of slow neutron scattering in solid solutions with spinel type structure as a function of the composition and degree of inversion, 3=20830
- Izyumov, Yu.A. and Noskova, L.M. The effective magnetic moment of a transition metal atom in a dilute alloy with a simple metal, 2=12754
- Izyumov, Yu.A. and Noskova, L.M. The effective magnetic moment of a transition metal atom in a dilute alloy with a simple metal, 2=14760
- Izyumov, Yu.A. and Polyak, Yu.Ya. The S-D exchange interaction and resonance in ferromagnetic metals, 1=6391
- Izyumov, Yu.A. and Skrotskii, G.V. Spin resonance of the conduction electrons in ferromagnetic metals, 0=18212
- Izyumov, Yu.A. and Yakovlev, E.N. On the theory of Heisenberg's model of a ferromagnetic with several electrons per lattice site, 1=1418
- Izyumov, Yu.A. See Vonsovskii, S.V., 0=13750
- Izyumov, Yu.A. See Vonsovskii, S.V., 1=14218
- Izyumov, Yu.A. See Vonsovskii, S.V., 3=17676
- Izyumov, Yu.A. See Vonsovskii, S.V., 4=12668
- Izyumova, T.G. and Skrotskii, G.V. The theory of double electron and nuclear resonance in systems with hyperfine interaction, 1=14816
- Izyumova, T.G. See Skrotskii, G.V., 0=18180
- Izyumova, T.G. See Skrotskii, G.V., 1=1145
- Izyumova, T.G. See Skrotskii, G.V., 2=8068
- Iz'yurov, A.V. An instrument for measuring the instability of a high voltage, 2=17736
- Iz'yurov, A.V. High-voltage source with a high degree of regulation, 3=1910
- Izyurov, A.V. See Polivanov, V.V., 4=16540
- Izumi, I. and Kokubu, M. A precision regulated transistorized high voltage supply, 4=29849
- Izumi, I. and Okano, M. An improved solid-state logarithmic amplifier, 3=24167
- Izumi, K. See Mannami, M., 4=29007
- Izumi, K. See Tanaka, K., 2=6313
- Izumi, K., See Tanaka, K., 3=13493
- Izumi, K. See Tanaka, K., 3=22731
- Izumi, K. See Tanaka, S., 4=17463
- Izumi, O. Rolling structure and elastic anisotropy of cold-rolled α brass, 1=1300
- Izumi, O. Research on the structure and low-temperature annealing effect in cold-rolled α -brass. I. Structure and change in hardness, 1=1431
- Izumi, O. Research on the structure and low-temperature annealing effect in cold-rolled α -brass. II. Structures cold-rolled and annealed at low temperatures, 1=1432
- Izumo, K. Partial equilibrium model for nuclear reactions, 2=5880
- Izumo, K. See Igarasi, S., 0=17579
- Izumo, K. See Kawai, M., 2=12185
- Izumo, K. See Muto, T., 0=20248
- Izuyama, T. Electron interaction in very long linear conjugated molecules. II. Elementary excitations in a system with small energy gap, 0=20708
- Izuyama, T. Collective excitations of electrons in degenerate bands. I. Spin waves in Stoner's model of ferromagnetism, 1=3883
- Izuyama, T. Collective excitation of electrons in degenerate bands. II. Collective excitations in a metallic p-band, 1=11179
- Izuyama, T. An expansion theorem for the electric conductivity of metals. I. Electric conductivity for longitudinal electric field, 1=17597
- Izuyama, T. A remark on localised states in metals, 4=4322
- Izuyama, T. Anomalous susceptibility due to paramagnetic impurities, 4=10255
- Izuyama, T. Spin wave interactions between ferromagnetic itinerant electrons, 4=26283
- Izuyama, T. Remark on the low-temperature behaviour of spin waves in metals, 4=26356
- Izuyama, T., Duk-Joo Kim and Kubo, R. Band theoretical interpretation of neutron diffraction phenomena in ferromagnetic metals, 3=25540
- Izuyama, T. and Kubo, R. Some considerations on the magnetic carriers in ferromagnetic transition metals, 4=13130
- Izuyama, T. and Pratt, G.W., Jr. Theory of the magnetoelectric effect in Cr_2O_3 , 3=15739
- Izuyama, T. See Kubo, R., 3=986
- Izuyama, T. See Mizuno, Y., 0=9302
- Izuyama, T. See Mizuno, Y., 0=17859
- Izuyama, T. See Mizuno, Y., 0=17863
- Izuyama, T. See Mizuno, Y., 0=20686
- Izuyama, T. See Shimizu, M., 0=17862
- Izvekov, V.I., Gorbunov, N.S. and Babad-Zakhryapin, A.A. Diffusion iron in titanium dioxide, 2=6369
- Izvekov, V.I., Gorbunov, N.S. and Babad-Zakhryapin, A.A. Iron diffusion in haematite, 3=22807
- Izvekov, V.I. See Babad-Zakhryapin, A.A., 4=7664
- Izvekov, V.I. See Gorbunov, N.S., 1=11221
- Izvozhnikov, V.A. Sorption processes on photoconductive lead oxide, 2=4065
- Izvozhnikov, V.A. Sorption processes on photoconductive lead oxide, 2=8439
- Izvozhnikov, V.A. Nature of photoactive centres in lead oxide, 2=10532
- Izvozhnikov, V.A. Investigation of the temperature dependence of the activation energy of lead oxide using diffuse-reflection spectra, 3=17978
- Izvozhnikov, V.A. and Bordovskii, G.A. Photoconducting single crystals of PbO , 3=6635
- Izvozhnikov, V.A. See Kosman, M.S., 1=12462
- Izyumov, Yu.A. Note concerning the Holstein-Primakoff formalism, 0=1539
- Izyumov, Yu.A. The effect of heterogeneity of the magnetic structures on the width of the ferromagnetic resonance lines, 1=7776
- Izyumov, Yu.A. The resonance frequency spectrum of a ferromagnetic metal, 1=14766
- Izyumov, Yu.A. Time formalism in the Born approximation of the theory of scattering of neutrons in matter, 2=7858
- Izyumov, Yu.A. Spin-wave theory of magnetic resonance absorption in an antiferromagnetic metal, 2=8664
- Izyumov, Yu.A. Magnetic scattering of slow neutrons in dilute alloys of transition metals with simple metals, 2=12787
- Izyumov, Yu.A. Magnetic scattering of slow neutrons in dilute alloys of transition metals with simple metals, 2=14797
- Izyumov, Yu.A. Theory of the magnetic scattering of slow neutrons in crystals, 2=21332

- Jääskeläinen, P. On microwave conductivity, noise, and oscillation of gas discharge plasma, 1=18784
 Jabbur, R.J. and Pratt, R.H. High-frequency region of the spectrum of electron and positron bremsstrahlung, 3=4374
 Jabbur, R.J. and Pratt, R.H. High-frequency region of the spectrum of electron and positron bremsstrahlung. II, 4=11965
 Jabbur, R.J. See Harris, S.M., 4=19492
 Jabiol, M.A. See Alitti, J., 2=16229
 Jabiol, M.A. See Alitti, J., 2=18156
 Jabiol, M.A. See Berthelot, A., 1=19281
 Jabiol, M.A. See Daudin, A., 4=6125
 Jabiol, M.A. See Daudin, A., 4=30260
 Jablonska, H. A photographic method for the measurement of stationary sound-pressure-fields, 0=16793
 Jabłoński, A. Decay of photoluminescence of solutions, 0=6810
 Jabłoński, A. Depolarization of fluorescence of liquid solutions, 1=2760
 Jablonski, A. On the decay processes of polarized photoluminescence, 1=14650
 Jabłoński, A. On the notion of emission anisotropy, 1=16123
 Jabłoński, A. Pressure effects on spectral lines, 3=15273
 Jabłoński, A. A note on the notion of emission anisotropy, 3=18017
 Jablonski, F.E. and DiMeglio, A.F. Use of aluminium as a threshold neutron detector, 0=12996
 Jabotinsky, E. A mathematical model for turbulent flow, 2=15554
 Jabotinsky, E.J. Hydrodynamical applications of a theorem on spherical means, 1=5370
 Jaccard, C. Paramagnetic nitrogen oxides in irradiated potassium halides, 1=14350
 Jaccard, C. Thermoelectric effects in ice crystals. I. Theory of the steady state, 3=10899
 Jaccard, C. and Levi, L. Segregation of impurities in ice, 1=17518
 Jaccarino, V. N.M.R. and the conduction electron polarization in rare earth metals, 1=6431
 Jaccarino, V. Nuclear magnetic resonance in XAl_2 compounds, 3=8730
 Jaccarino, V., Matthias, B.T., Peter, M., Suhl, H. and Wernick, J.H. Magnitude and sign of the conduction electron polarization in rare-earth metals, 1=1277
 Jaccarino, V. and Peter, M. Ultra-high-field superconductivity, 3=3964
 Jaccarino, V., Peter, M. and Wernick, J.H. Nuclear magnetic resonance in α and β manganese, 0=18229
 Jaccarino, V. and Walker, L.R. N.M.R. in antiferromagnetic Mn^{19}F_2 , 0=13893
 Jaccarino, V. and Wertheim, G.K. Calibration of the isomer shift using "almost-free" atoms, 4=20163
 Jaccarino, V. See Blumberg, W.E., 0=18228
 Jaccarino, V. See Blumberg, W.E., 0=19561
 Jaccarino, V. See Burgiel, J.C., 1=7807
 Jaccarino, V. See Clogston, A.M., 1=5062
 Jaccarino, V. See Clogston, A.M., 0=6272
 Jaccarino, V. See Clogston, A.M., 3=336
 Jaccarino, V. See Clogston, A.M., 4=17699
 Jaccarino, V. See Clogston, A.M., 4=20625
 Jaccarino, V. See Davis, J.L., 0=3107
 Jaccarino, V. See Gossard, A.C., 1=17950
 Jaccarino, V. See Gossard, A.C., 2=12685
 Jaccarino, V. See Gossard, A.C., 3=1197
 Jaccarino, V. See Gossard, A.C., 3=1202
 Jaccarino, V. See Gossard, A.C., 3=3192
 Jaccarino, V. See Gossard, A.C., 4=10348
 Jaccarino, V. See Gossard, A.C., 4=28891
 Jaccarino, V. See Kistner, O.C., 4=20164
 Jaccarino, V. See Scott, W.R., 4=12649
 Jaccarino, V. See Shaltiel, D., 4=15672
 Jaccarino, V. See Stroke, H.H., 1=12152
 Jaccarino, V. See Walker, L.R., 1=6262
 Jaccarino, V. See Walker, L.R., 3=2699
 Jaccarino, V. See Wertheim, G.K., 4=12602
 Jaccarino, V. See Wertheim, G.K., 4=22457
 Jaccarino, V. See Yafet, Y., 4=13334
 Jacchia, L.G. Artificial earth satellites, 1=48
 Jacchia, L.G. A variable atmospheric-density model from satellite accelerations, 1=15222
 Jacchia, L.G. Irregularities in atmospheric densities deduced from satellite observations, 2=2465
 Jacchia, L.G. A working model for the upper atmosphere, 2=4619
 Jacchia, L.G. Variations in the earth's upper atmosphere as revealed by satellite drag, 4=13818
 Jacchia, L.G. Influence of solar activity on the earth's upper atmosphere, 4=29310
 Jacchia, L.G. and Slowe, J. Atmospheric heating in the auroral zones, 4=20860
 Jacchia, L.G. and Whipple, F.L. Precision orbits of 413 photographic meteors, 2=6996
 Jacchia, L.G. See Wright, F.W., 0=12270
 Jaccodine, R.J. Use of modified free energy theorems to predict equilibrium growing and etching shapes, 2=16983
 Jaccodine, R.J. Stacking faults in epitaxial material, 3=20204
 Jaccodine, R.J. Surface energy of germanium and silicon, 3=25177
 Jaccodine, R.J. Diffusion-induced dislocation networks in Si, 4=17433
 Jaccodine, R.J. See Juenker, D.W., 4=11695
 Jach, J. The thermal decomposition of NaBrO_3 . I. Unirradiated material, 3=6910
 Jach, J. Thermal decomposition along dislocations, 3=8958
 Jache, A.W. See Bird, G.R., 4=22379
 Jache, A.W. See Hilton, A.R.Jr., 1=6007
 Jache, A.W. See Neuvay, E.W., 3=22572
 Jachimowski, C.J. See McQuarrie, D.A., 4=23629
 Jachimowski, M. See Wesołowski, J., 1=14658
 Jachym, B. Ion mobility in liquid cyclohexane, 4=14180
 Jachym, B. Mobility of ions in dielectric liquids of high viscosity, 4=27190
 Jachym, B. Induced conduction and ion mobility in silicone oils ionized by X-rays, 4=29640
 Jack, T.H. See Forster, L.M., 4=2106
 Jack, W. and Ward, A. A study of protons emitted from medium weight nuclei bombarded with neutrons of 14 MeV, 0=15600
 Jack, W. See Irfan, M., 3=12692
 Jack, W. See Irfan, M., 3=12693
 Jack, W. See Robertson, J.C., 2=2257
 Jack, W. See Storey, R.S., 0=11446
 Jacka, F. See Bond, F.R., 1=1558
 Jacka, A. See Bond, F.R., 2=19234
 Jacka, F. See Bond, F.R., 4=10745
 Jacka, F. See Cole, K.D., 2=2511
 Jäkel, H. A method for calculating the quasistationary change of temperature with a controlled heat conduction process in a solid body, 0=14867
 Jackerott, I.M. See Ungstrup, E., 3=18518
 Jackets, B.P. and Dyson, D.J. Dependence on temperature of the interlayer spacing of irradiated graphites, 3=2737
 Jackisch, E. Microvariability and its relation to other properties of stars, 4=13880
 Jackiw, R.W. See Van Patter, 1=8734
 Jäkle, W. Measurement of the complex permittivity of Rochelle salt at a frequency of 10 Gc/s as a function of temperature and electric bias-field, 0=10017
 Jacklyn, R.M. The apparent sidereal and anti-sidereal daily variations of cosmic ray intensity, 2=16277
 Jacklyn, R.M. The apparent sidereal daily variation of cosmic-ray intensity at 42m w.e. underground at Hobart, Tasmania. I. Results of observations in 1958, 4=3513
 Jacklyn, R.M. A solar anisotropy in cosmic radiation, viewed from a terrestrial frame of reference, 4=19623
 Jacklyn, R.M. See Fenton, A.G., 2=3447
 Jackman, V. Instrument for automatic recording of surface tension, 0=14607
 Jackobs, J. See Feltner, C.E., 4=7371
 Jackson, A. See Flude, M.J.C., 1=18587
 Jackson, A. See Gates, J.W., 0=96
 Jackson, A. See Habell, K.J., 4=2824
 Jackson, B.D. See Lieb, D.P., 2=14568
 Jackson, C.M. See Wait, J.R., 3=19442
 Jackson, D.A. Precision measurements with the Fabry-Perot double etalon, 0=16886
 Jackson, D.A. The spherical Fabry-Perot interferometer as an instrument of high resolving power for use with external or with internal atomic beams, 1=18609
 Jackson, D.A. and Duong Hong Tuan. Isotope shifts in the resonance line of the arc spectrum of barium, 3=22477
 Jackson, D.A. and Duong Hong Tuan. Hyperfine structures of the resonance line of the arc spectra and nuclear quadrupole moments of the isotopes 135 and 137 of barium, 4=25496
 Jackson, D.A. and Narahari Rao, K. Resolving power in the near infrared of the Fabry-Perot interferometer with gold and with silver coatings, 3=11934
 Jackson, D.A. and Tuan, D.H. Hyperfine structure of the resonance line of the arc spectra of the isotopes 135 and 137 of barium, 4=9638

- Jackson, D.D., Barton, G.W., Jr., Krikorian, O.H. and Newbury, R.S. Vaporization of thorium dicarbide, 4=24461
- Jackson, D.F. Form factors of the nucleus ${}^6\text{Li}$, 1=598
- Jackson, D.F. Comparison between cluster and shell models for ${}^6\text{Li}$, 2=9987
- Jackson, D.F. The scattering of high energy neutrons from Li^6 , 2=16414
- Jackson, D.F. Partial wave analysis of the high energy pickup reaction, 4=22130
- Jackson, D.F. and Elton, L.R.B. Exact calculations on the inelastic scattering of high energy nucleons from Li^6 , 3=15183
- Jackson, D.F. See Elton, L.R.B., 1=19480
- Jackson, D.F. See Elton, L.R.B., 2=16415
- Jackson, D.M., Newkirk, J.B. and Urban, M.J. Method for evaluating the quality of an epitaxial overgrowth layer of silicon on a single-crystal silicon seed, 2=14965
- Jackson, E.A. Drift instabilities in a Maxwellian plasma, 0=17006
- Jackson, E.A. Non linear oscillations in a cold plasma, 0=19700
- Jackson, E.A. Nonlinear coupled oscillators. I. Perturbation theory; ergodic problem, 3=11714
- Jackson, E.A. Perturbations of nonlinear traveling waves in a cold plasma, 3=19289
- Jackson, E.A. Nonlinear coupled oscillators. II. Comparison of theory with computer solutions, 4=5089
- Jackson, E.A. See Astheimer, R.W., 2=1028
- Jackson, E.A. See Becker, R.S., 3=15360
- Jackson, E.E. See Wait, E., 3=10699
- Jackson, E.G. See Dixon-Lewis, G., 0=3616
- Jackson, E.M. See Mitchell, J.T.D., 0=5838
- Jackson, E.W. See Boocock, G., 4=2154
- Jackson, F.J. Sonically induced microstreaming near a plane boundary. II. Acoustic streaming field, 0=19308
- Jackson, F.J. Further studies of the influence of acoustic microstreaming on the photographic development process, 1=11815
- Jackson, F.J. and Nyborg, W.L. Sonically-induced microstreaming near a plane boundary. I. The sonic generator and associated acoustic field, 0=19307
- Jackson, F.J. See Adams, C.E., 1=11812
- Jackson, F.L., Kittinger, G.W. and Krause, F.P. Efficient tritium labeling with an electric discharge, 0=20369
- Jackson, G. and Livingston, R. Unimolecular decay of the triplet state of anthracene in fluid and viscous media, 2=1159
- Jackson, H.E. Direct observation of resonant p-wave neutron capture, 2=20653
- Jackson, H.E. Properties of capture gamma-ray spectra of S-wave and P-wave resonances in Zr, Nb, and Mo, 3=24958
- Jackson, H.E. Total radiation widths for s-wave and p-wave neutron capture in Nb^{93} , 4=6360
- Jackson, H.E. Fluctuations in the partial radiation widths of U^{238} , 4=19705
- Jackson, H.E. and Bollinger, L.M. Isotopic identification of neutron resonances of Cd, Sb, Os, and Pt from capture gamma-ray spectra, 2=469
- Jackson, H.E., Bollinger, L.M. and Coté, R.E. Capture of slow neutrons by nuclei bound in crystals, 1=5927
- Jackson, H.E., DeWire, J.W. and Littauer, R.M. Photoproduction of π^0 mesons from hydrogen in the region 900 to 1200 MeV, 0=15415
- Jackson, H.E. and Lynn, J.E. Resonant absorption of neutrons by crystals, 2=18520
- Jackson, H.E. See Coté, R.E., 4=22024
- Jackson, H.G. See Baker, S.C., 1=2936
- Jackson, H.L.W. See Power, G., 0=7054
- Jackson, H.L.W. See Power, G., 0=12347
- Jackson, H.L.W. See Power, G., 1=16146
- Jackson, H.L.W. See Power, G., 2=17741
- Jackson, H.R. and Vandenheuvel, F.A. Orthogonal projections of stereomodel molecules by photography, 4=21327
- Jackson, H.W. and Feenberg, E. Perturbation method for low states of a many-particle boson system, 1=15736
- Jackson, H.W. and Feenberg, E. Energy spectrum of elementary excitations in helium II, 3=5566
- Jackson, J. See Logie, H.J., 1=14360
- Jackson, J.A. Detection of oxygen-17 n.m.r. in solid MgO , 3=20682
- Jackson, J.A., Lemons, J.F. and Taube, H. Nuclear magnetic resonance studies on hydration of cations, 0=3546
- Jackson, J.A., Lemons, J.F. and Taube, H. Oxygen-17 n.m.r. shifts caused by Cr^{++} in aqueous solutions, 3=9481
- Jackson, J.A. See Lewis, W.B., 2=5029
- Jackson, J.D. Longitudinal plasma oscillations, 1=9627
- Jackson, J.D. On the equivalence of different treatments of two-body final-state interactions, 2=20269
- Jackson, J.D. A note on the relationship between static hole error and velocity distribution in the boundary layer, 3=5406
- Jackson, J.D. and Kane, G.L. Final state enhancement factors, 2=11940
- Jackson, J.D. and Pilkuhn, H. On the production of vector mesons and isobars in the peripheral model, 4=25120
- Jackson, J.D. Weak interactions, 4=21771
- Jackson, J.D. See Fried, B.D., 1=9628
- Jackson, J.D. See Gottfried, K., 4=15100
- Jackson, J.D. See Gottfried, K., 4=24997
- Jackson, J.E. Some multivariate statistical techniques used in color matching data—addenda and errata, 2=13434
- Jackson, J.E. and Bauer, S.J. Rocket measurement of a daytime electron-density profile up to 620 kilometers, 2=11063
- Jackson, J.E., Fasset, D.W., Riley, E.C. and Sutton, W.L. An evaluation of the variability in audiometric procedures, 2=7063
- Jackson, J.E. and Kane, J.A. Measurement of ionospheric electron densities using an RF probe technique, 0=12146
- Jackson, J.E. and McGervey, J.D. Mean lives of positrons in aqueous solutions, 3=8955
- Jackson, J.E., Whale, H.A. and Bauer, S.J. Local ionospheric disturbance created by a burning rocket, 2=19217
- Jackson, J.E. See Bauer, S.J., 2=19216
- Jackson, J.E. See Kane, J.A., 3=6972
- Jackson, J.E. See Seddon, J.C., 0=21349
- Jackson, J.J. The influence of strains on retained vacancy supersaturations in rapidly cooled metals, 4=1462
- Jackson, J.K. See Stair, R., 4=2840
- Jackson, J.L. Electric field distribution in a dense plasma, 1=300
- Jackson, J.L. and Coriell, S.R. Effective diffusion constant in a poly-electrolyte solution, 3=9447
- Jackson, J.L. and Coriell, S.R. On associated ions in poly-electrolytes and trapped Brownian trajectories, 4=17864
- Jackson, J.L. and Coriell, S.R. On trapped trajectories in Brownian motion, 4=27084
- Jackson, J.L. and Klein, L.S. Potential distribution method in equilibrium statistical mechanics, 4=11582
- Jackson, J.L. and Klein, L.S. Continuum theory of a plasma, 4=11583
- Jackson, J.L., Levine, D.B. and Piccirelli, R.A. Plasma with net charge, 2=5334
- Jackson, J.L. See Coriell, S.R., 4=2666
- Jackson, J.L. See Gornick, F., 3=11233
- Jackson, J.L. See Klein, L.S., 4=11569
- Jackson, J.L. See Lifson, S., 2=13331
- Jackson, J.S. A symmetrical fourfold helical fracture in titanium oxide, 0=18282
- Jackson, K.A. On surface roughness, 0=21214
- Jackson, K.A. The nucleation of dislocation loops from vacancies, 2=23186
- Jackson, K.A. On the origin of dislocations, 3=2796
- Jackson, K.A. See Blakely, J.M., 2=19059
- Jackson, L.C. The magnetic susceptibility of ferrous fluosilicate at low temperatures, 0=18164
- Jackson, L.C. and Rai, R. Molecular orbital theory of trigonally distorted $(\text{Co}, 6\text{H}_2\text{O}^{2+})$ complex, 4=28307
- Jackson, L.C. See Gribbon, P.W.F., 3=19084
- Jackson, L.C. and Grimes, L.G. The thickness of the moving helium II film, 0=8913
- Jackson, L.C. See Grimes, L.G., 0=19534
- Jackson, L.C. See Grimes, L.G., 0=19535
- Jackson, P.J. Electrostatic binding energy in a body-centered structure of parallel charge doublet chains, 1=11135
- Jackson, P.J. See Nabarro, F.R.N., 0=550
- Jackson, P.L. Use of a large thermocouple junction to locate temperature disturbances, 2=9524
- Jackson, P.L. Signal enhancement through an ensemble presentation, 3=18475
- Jackson, P.L. Time-varying spectra through optical diffraction scanning, 4=23700
- Jackson, P.W. See Wiggins, T.A., 0=7049
- Jackson, R. See Pearcey, B.J., 3=20724
- Jackson, R. See Pierce, L., 2=3737
- Jackson, R.C., Lee, E.W. and Troughton, A.G.H. The influence of the method of demagnetization on the reversible permeability of a high-permeability nickel-iron alloy, 0=8039
- Jackson, R.F., Scurlock, R.G., Utton, D.B. and Wilmhurst, T.H. Distributions of H_{eff} at Co in Co/Fe alloys from "n.m.r. spin-echo spectra", 4=30742

- Jackson, R. F., Scurlock, R. G., Utton, D. B., Wilmschurst, T. H. and Rubinstein, M. Nuclear magnetic resonance in ferromagnetic Mn_2Ge_3 at low temperatures, 4=1906
- Jackson, R. H. See Laurie, V. W., 3=6410
- Jackson, R. H. See Pierce, L., 2=8278
- Jackson, R. S. The performance of acoustic hoods at low frequencies, 2=19664
- Jackson, R. S., King, A. J. and Maguire, C. R. Determination of the static and dynamic elastic properties of resilient materials, 0=18235
- Jackson, R. S. and Overend, G. E. The determination of the dynamic elastic properties of supported films, 3=23284
- Jackson, R. W., Webb, P. P. and Williams, R. L. Improvements in encapsulated silicon junction alpha detectors, 1=3252
- Jackson, R. W. See Webb, P. P., 1=3251
- Jackson, W. D. See Fischbeck, K. H., 4=18822
- Jackson, W. J. The effect of heat-treatment on the magnetic properties of carbon-steel castings, 0=4485
- Jackson, W. M. and McNesby, J. R. Thermal isomerization of isopropyl-1, 1, 1-d₃ radicals, 2=14236
- Jackson, W. M., McNesby, J. R. and Darwent, B. de B. Reaction of methyl-d₃ radicals with isobutane, isobutane-2-d, and propane, 3=3384
- Jackson, W. M., McNesby, J. R. and Darwent, B. de B. Thermal reactions of isobutyl radicals, 3=3390
- Jackson, W. M. See McNesby, J. R., 3=8948
- Jacmart, J. C., Garron, J. P., Riou, M. and Ruhla, C. Inelastic scattering of 155 MeV protons on light nuclei, 4=15202
- Jacmart, J. C., Liu, M., Ricci, R. A., Riou, M. and Ruhla, C. Inelastic scattering of 155 MeV protons on Na^{23} , Al^{27} , P^{31} , K^{39} , Ti^{48} , Cr^{52} , Fe^{56} , and Co^{59} , 4=15203
- Jacmart, J. C. See Garron, J. P., 1=13783
- Jacmart, J. C. See Garron, J. P., 2=455
- Jacmart, J. C. See Garron, J. P., 2=01893
- Jacmart, J. C. See Garron, J. P., 2=01895
- Jacmart, J. C. See Garron, J. P., 2=20265
- Jacmart, J. C. See Hornyak, W. J., 4=19770
- Jacmart, J. C. See Ruhla, C., 2=20617
- Jacmart, J. C. See Ruhla, C., 4=1080
- Jacmart, J. C. See Ruhla, C., 4=22135
- Jacob, G. Quasi-free scattering of protons, 1=8717
- Jacob, G. and Maris, T. A. J. Quasi-free diffraction scattering, 1=3439
- Jacob, G. and Maris, T. A. J. Quasi-free p-p scattering in medium and heavy nuclei, 1=8718
- Jacob, G. and Maris, T. A. J. Shell structure investigation by electron scattering on nuclear protons, 1=19327
- Jacob, G. and Maris, T. A. J. Quasi-free electron-proton scattering, 2=10089
- Jacob, G. and Maris, T. A. J. Quasi-free electron-proton scattering. II, 2=10090
- Jacob, G. See Berggren, T., 2=14089
- Jacob, G. See Berggren, T., 3=2448
- Jacob, G. See Berggren, T., 4=1078
- Jacob, G. See Brody, T. A., 0=17469
- Jacob, G. See Brown, G. E., 3=12556
- Jacob, G. and Maris, T. A. J. Investigation of medium and heavy nuclei by quasi-free proton-proton scattering, 0=20447
- Jacob, G. See Eichler, J., 0=1366
- Jacob, G. See Maris, T. A. J., 4=16795
- Jacob, G. See Maris, T. A. J., 4=30146
- Jacob, J. Infrared spectra of acetylene in solution, 0=9802
- Jacob, J. Infrared spectra of carbonic anhydride under pressure in solution in organic solvents, 1=18412
- Jacob, J. See Vincent-Geisse, J., 4=18202
- Jacob, K. P., Mihelich, J. W., Harmatz, B. and Handley, T. H. Electron capture decay of Tm^{168} and Tm^{166} , 0=5714
- Jacob, L. Detection of single slow ions: a method of pressure measurement, 4=2738
- Jacob, L. The detection of single atoms and molecules, 4=21196
- Jacob, L., Noble, R. and Yee, H. Photomultiplier soft X-ray spectrometer, 1=1953
- Jacob, L. See Adams, M. J., 0=20873
- Jacob, L. See Chisholm, M., 0=5332
- Jacob, L. See Cornforth, A., 4=2960
- Jacob, L. See McKenzie, A. S. V., 1=16278
- Jacob, M., Mahoux, G. and Omnes, R. $\pi\pi$ interaction in final state processes, 2=9896
- Jacob, M., Mahoux, G. and Omnes, R. Some results on $\pi\pi$ interaction phase shifts, 2=22594
- Jacob, M. and Mathews, J. Connection between neutral pion decay and proton Compton scattering, 0=5582
- Jacob, M. and Morel, A. Polarization of the ω meson, 4=9267
- Jacob, M., Varoqui, R., Klenine, S. and Daune, M. Measurements of diffusion, translation, and sedimentation of macromolecular chains in solvent θ . Effects of concentration and velocity, 3=9454
- Jacob, M. See Bessis, D., 3=7859
- Jacob, M. See Bessis, D., 4=3470
- Jacob, M. See Froissart, M., 4=25192
- Jacob, M. See Itzykson, C., 2=13868
- Jacob, M. See Itzykson, C., 3=8082
- Jacob, M. See Itzykson, C., 3=14979
- Jacob, M. See Itzykson, C., 4=16810
- Jacob, M. See Varoqui, R., 2=11359
- Jacob, P. J. and Narasimhamurthy, T. S. Photoelastic properties of barium fluoride, 3=916
- Jacob, R. and Sachs, R. G. Mass and lifetime of unstable particles, 1=2024
- Jacobi, G. See Witzmann, H., 3=2925
- Jacobi, H. See Brehler, B., 4=13594
- Jacobi, N. and Jaffe, J. H. Influence of vibration-rotation interaction on spectral line intensities of linear molecules, 3=8232
- Jacobi, N. See Jaffe, J. H., 2=1255
- Jacobi, T. H., Howe, H. A. and Richardson, J. R. Radiation from Ga^{64} , 0=5699
- Jacobi, W. and Andr  , K. The vertical distribution of radon 222, radon 220 and their decay products in the atmosphere, 3=25899
- Jacobs, A. Two-group albedo theory and application to temperature coefficient calculations, 0=13353
- Jacobs, A. See Alexander, E., 3=9593
- Jacobs, A. See Kline, D. E., 0=20531
- Jacobs, A. J. Diffusion of oxygen in tungsten and some other transition metals, 4=17446
- Jacobs, A. J. See Katz, G., 2=15051
- Jacobs, B. E. See Smith, W. V., 2=16564
- Jacobs, E. Fresnel region power transfer, 4=730
- Jacobs, E. See Robbrecht, G., 2=12390
- Jacobs, E. See Robbrecht, G., 2=12391
- Jacobs, G., Fiermans, L. and van de Wiele, F. Optical absorption of cesium halides with excess halogen, 1=8990
- Jacobs, G. and Henglein, A. Method of studying slow electrons from the excitation and ionization of molecules by electron bombardment, 4=29868
- Jacobs, G., Vandewiele, L. G. and Hamerlinck, A. Mobility of bromine vacancies in KBr single crystals, 2=14432
- Jacobs, G. See Cape, J., 0=9910
- Jacobs, G. See Henglein, A., 3=21714
- Jacobs, G. D. See Schwendeman, R. H., 2=6126
- Jacobs, G. D. See Schwendeman, R. H., 2=6151
- Jacobs, G. D. See Schwendeman, R. H., 4=12500
- Jacobs, G. H. See De Valois, R. L., 3=11643
- Jacobs, H., Holmes, D., Brand, F. A. and Hatkin, L. Five layer optical maser amplification, 4=19312
- Jacobs, H., Holmes, D. A., Hatkin, L. and Brand, F. A. Maximum gain for forward- and backward-wave optical maser amplifiers, 3=22019
- Jacobs, H. See Holmes, D. A., 4=22696
- Jacobs, H. [Ed.]. Advances in the astronomical sciences. Vol. 8, 4=10931
- Jacobs, I. S. Evidence for triangular moment arrangements in $\text{MO.Mn}_2\text{O}_3$, 0=3097
- Jacobs, I. S. Evidence for triangular moment arrangements in $\text{MO.Mn}_2\text{O}_3$, 0=4499
- Jacobs, I. S. High-field magnetization study of ferrimagnetic arrangements in chromite spinels, 0=11901
- Jacobs, I. S. Spin-flopping in MnF_2 by high magnetic fields, 1=6380
- Jacobs, I. S. High field magnetization study of ferrimagnetic arrangements in chromite spinels, 1=20146
- Jacobs, I. S. Metamagnetism of siderite (FeCO_3), 3=15749
- Jacobs, I. S. and Bean, C. P. Fine particles, thin films and exchange anisotropy (effect of finite dimensions and interfaces on the basic properties of ferromagnets), 4=17637
- Jacobs, I. S. and Kouvel, J. S. Exchange anisotropy in mixed manganites with the hausmannite structure, 1=6255
- Jacobs, I. S. and Kouvel, J. S. Exchange anisotropy in mixed manganites with the hausmannite structure, 1=7768
- Jacobs, I. S., Kouvel, J. S. and Lawrence, P. E. Magnetic behavior of disordered and ordered Au_3Mn , 3=1003
- Jacobs, I. S. and Lawrence, P. E. An exchange anisotropy memory effect, 0=13841
- Jacobs, I. S. and Lawrence, P. E. Metamagnetism and exchange in ferrous bromide, 4=13269

- Jacobs, I.S. and Schmitt, R.W. Electrical and magnetic behavior of dilute alloys: Co in Cu, Mn in Cu, 0=10092
- Jacobs, I.S. See Bean, C.P., 0=11843
- Jacobs, I.S. See Kouvel, J.S., 0=13853
- Jacobs, I.S. See Rodbell, D.S., 3=20628
- Jacobs, I.S. See Silverstein, S.D., 4=26270
- Jacobs, J.A. Temperatures within the earth's core, 0=8354
- Jacobs, J.A. Characteristics of geomagnetic pulsations, 2=13085
- Jacobs, J.A. and Jolley, E.J. Geomagnetic micropulsations with periods 0.3-3 sec (Pearls), 2=19268
- Jacobs, J.A., Kato, Y., Matsushita, S. and Troitskaya, V.A. Classification of geomagnetic micropulsations, 4=17959
- Jacobs, J.A., Lokken, J.E. and Wright, C.S. Notation and classification of geomagnetic micropulsations, 4=2325
- Jacobs, J.A. and Sinno, K. Occurrence frequency of geomagnetic micropulsations, Pc, 0=12135
- Jacobs, J.A. and Sinno, K. World-wide characteristics of geomagnetic micropulsations, 0=21310
- Jacobs, J.A. and Sinno, K. Some characteristics of geomagnetic micropulsations (Pc), 0=21311
- Jacobs, J.A. and Watanabe, T. Propagation of hydromagnetic waves in the lower exosphere and the origin of short period geomagnetic pulsations, 2=17197
- Jacobs, J.A. and Watanabe, T. The equatorial enhancement of sudden commencements of geomagnetic storms, 3=16302
- Jacobs, J.A. and Watanabe, T. Trapped charged particles as the origin of short period geomagnetic pulsations, 3=25955
- Jacobs, J.A. and Watanabe, T. A model of geomagnetic micropulsations with long periods, 4=10772
- Jacobs, J.A. See Carlson, R.R., 1=7370
- Jacobs, J.A. See Nishida, A., 2=9036
- Jacobs, J.A. See Nishida, A., 2=13070
- Jacobs, J.A. See Nishida, A., 3=11470
- Jacobs, J.A. See Westphal, K.O., 2=15261
- Jacobs, J.E., Berger, H. and Collis, W.J. An investigation of the limitations to the maximum attainable sensitivity in acoustical image converters, 4=5334
- Jacobs, J.J. See Smit, J. van R., 0=4719
- Jacobs, K.C. See Platzman, P.M., 4=17412
- Jacobs, L. See Alexander, G., 3=7924
- Jacobs, L. See Miller, D.H., 3=19698
- Jacobs, M.H. and Pashley, D.W. The changes which occur in the structure of a thin surface deposit when it is detached from its substrate, 3=20930
- Jacobs, M.L. and Pape, L. A total body irradiation chamber and its uses, 1=15363
- Jacobs, P.F. See Grey, J., 2=17680
- Jacobs, P.F. See Grey, J., 4=14682
- Jacobs, P.W.M. and Maycock, J.N. Polarization effects in the ionic conductivity of alkali halide crystals. I. AC capacity, 3=22977
- Jacobs, P.W.M., Tompkins, F.C. and Young, D.A. The photolysis of barium azide in the solid state, 1=2558
- Jacobs, P.W.M. See Allnatt, A.R., 1=14527
- Jacobs, P.W.M. See Allnatt, A.R., 2=2112
- Jacobs, P.W.M. See Allnatt, A.R., 2=8300
- Jacobs, P.W.M. See Allnatt, A.R., 2=8455
- Jacobs, P.W.M. and Maycock, J.N. Conductance of strontium-doped potassium chloride crystals, 4=20407
- Jacobs, P.W.M. and Papazian, H.A. Photochemical behavior of alkali halide crystals containing OH^- and SO_4^{2-} ions, 2=19161
- Jacobs, P.W.M. See Bray, A.R., 0=10337
- Jacobs, P.W.M. See Grassano, U.M., 4=26760
- Jacobs, P.W.M. See Hill, R.J., 0=5356
- Jacobs, R.B. Liquid requirements for the cool-down of cryogenic equipment, 4=11436
- Jacobs, R.B. Theory of boil-off calorimetry, 4=21348
- Jacobs, R.B. See Miller, C.E., 3=7183
- Jacobs, R.B. See Purcell, J.R., 4=12851
- Jacobs, R.T. and Merrill, J.A. The application of statistical methods of analysis for predicting burnout heat flux, 1=17216
- Jacobs, S., Gould, G. and Rabinowitz, P. Coherent light amplification in optically pumped Cs vapor, 2=6101
- Jacobs, S. See Rabinowitz, P., 2=20139
- Jacobs, S.F. See Gould, G., 4=18430
- Jacobs, S.F. See LaTourette, J.T., 4=30085
- Jacobs, S.F. See Rabinowitz, P., 2=7385
- Jacobs, T.A. Further shock-tube studies by infrared emission of the decomposition of ammonia, 3=20026
- Jacobs, T.A. and Giedt, R.R. Dissociation of Cl_2 in shock waves, 3=25147
- Jacobs, T.A. and Giedt, R.R. The applicability of Beer's law for a broad spectral bandpass, 4=2680
- Jacobs, T.A., Hartunian, R.A., Giedt, R.R. and Wilkins, R. Direct measurements of recombination rates in a shock tube, 3=18905
- Jacobs, W.R. See Tsakonas, S., 4=27257
- Jacobs, W.R. See Tsakonas, S., 4=29707
- Jacobsen, C. See Lindberg, L., 1=8334
- Jacobsen, C.T. See Lindberg, L., 0=7115
- Jacobsen, E. See Bryrup, E., 0=9714
- Jacobsen, E. See Bryrup, E., 0=9715
- Jacobsen, E.H. Sources of sound in piezoelectric crystals, 0=14733
- Jacobsen, E.H. Microwave ultrasonics, 2=19649
- Jacobsen, E.H. Anomalous dispersion of elastic waves by electron spins, 4=15416
- Jacobsen, E.H. Microwave ultrasonics and studies of the solid state, 4=9837
- Jacobsen, E.H. and Stevens, K.W.H. Interaction of ultrasonic waves with electron spins, 3=8351
- Jacobsen, E.H. See Bryrup, E., 0=9716
- Jacobsen, R.T. Optical constants of biaxial crystals from the exact Drude equation, 4=30671
- Jacobsen, T. Notes on a simple microphotographic method for measurements of "jets", 2=11844
- Jacobsen, T. See Breivik, F.O., 3=12380
- Jacobsen, T. See Ghesquiere, C., 4=19575
- Jacobsmeier, V.P. See Brungs, R.A., 4=25897
- Jacobsohn, B.A. Relations involving the forward scattering amplitude in a Fermi gas, 1=5231
- Jacobsohn, B.A. and Ryndin, R.M. Test for K^- -hyperon relative parity, 1=3231
- Jacobsohn, B.A. and Ryndin, R.M. An absolute detector and producer of nuclear alignment, 1=8565
- Jacobsohn, B.A. See Henley, E.M., 2=20407
- Jacobsohn, B.A. See Henley, E.M., 3=2227
- Jacobson, A.D. Luneberg-Kline analysis of scattering from a sinusoidal dielectric interface, 3=7704
- Jacobson, B. and Lindberg, B. X-ray spectrophotometer for simultaneous analysis of several elements, 4=30009
- Jacobson, B. and Nordberg, L. X-ray tube with a built-in secondary target for exciting K lines, 3=14702
- Jacobson, J.D. See Wood, W.W., 4=29558
- Jacobson, H.C. See Margenau, H., 3=11837
- Jacobson, H.C. See Margenau, H., 3=12820
- Jacobson, M.I. On the yield point of body-centred-cubic metals, 3=6788
- Jacobson, M.J. Optimum envelope resolution in an array correlator, 1=11819
- Jacobson, M.J. Space-time correlation in spherical and circular noise fields, 2=17549
- Jacobson, M.J. Effect of noise dependence on correlation detection and measurement, 3=9556
- Jacobson, M.J. Output probability distribution of a correlation detector with signal-plus-noise inputs, 3=18935
- Jacobson, M.J. Output probability distribution of a multiplier-averager with partially correlated inputs, 4=5335
- Jacobson, M.J. and Talham, R.J. Angular deviation in directional receiver correlation, 0=14747
- Jacobson, M.J. and Talham, R.J. Comparison analysis on four directional receiver correlators, 1=8198
- Jacobson, M.J. See Liggett, W.S., Jr., 4=21257
- Jacobson, R.A. See Mighell, A.D., 3=18302
- Jacobson, R.L. See Mueller, R.K., 1=7838
- Jacobson, R.L. See Mueller, R.K., 2=14453
- Jacobson, R.L. See Mueller, R.K., 4=20371
- Jacobsson, R. Optical properties in the near infrared of thin Ge-ZnS films produced by simultaneous evaporation from two sources, 3=10952
- Jacobsson, R. Optical properties of a class of inhomogeneous thin films, 4=8442
- Jacobsson, R. Matching a multilayer stack to a high-refractive index substrate by means of an inhomogeneous layer, 4=18246
- Jacobsson, R. On the production and properties of inhomogeneous thin films, 4=23559
- Jacobsson, R. See Hopkins, C.D., 4=13677
- Jacobus, F.B. See Helmer, J.C., 0=7826
- Jacobus, G.F., Madden, R.P. and Canfield, L.R. Reflecting films of platinum for the vacuum ultraviolet, 3=19005
- Jacobus, G.F. See Cox, J.T., 1=10580
- Jacobus, W.N., Jr. See Weil, R., 4=30870
- Jacodine, R.J. and Kline, R.K. Whisker growth from quartz, 1=6505
- Jacox, M.E. Solid-state vibrational spectra of ethylene and ethylene-d₄, 2=2237

- Jacox, M.E. and Hexter, R.M. Solid-state vibrational spectra of the methyl and methyl-d₃ halides, 1=11383
- Jacox, M. E. and Milligan, D. E. Low-temperature infrared study of intermediates in the photolysis of HNCO and DNCO, 4=23674
- Jacox, M. E. and Milligan, D. E. Low-temperature infrared studies of the chemistry of free radicals, 4=25757
- Jacox, M.E. See Milligan, D.E., 2=15157
- Jacox, M.E. See Milligan, D.E., 3=3402
- Jacox, M.E. See Milligan, D.E., 3=17586
- Jacox, M.E. See Milligan, D.E., 3=22584
- Jacox, M. E. See Milligan, D. E., 4=20122
- Jacox, M. E. See Milligan, D. E., 4=28209
- Jacq, J. and Chateau, M. Anomaly in the distribution of temperature in the surface layers of a solid, 1=18654
- Jacq, J. and Chateau, M. Anomaly in the distribution of temperature in the surface layers of a solid at a heated or cooled boundary, 1=18655
- Jacquard, P. and Séguier, P. Movement of two fluids in contact inside a porous medium, 3=16579
- Jacquelin, M.H. Effect of an axial magnetic field on the flow in the nozzle of a plasma generator, 1=16346
- Jacquemin, A. and Kessler, P. Branching rates of the different decay modes of the mu-meson, 2=5700
- Jacquemin, A. See Kessler, P., 1=13334
- Jacquemin, J., Friedewold, H. and Cooper, W.M. Subcritical experiments for FRJ-1 (Merlin-Jülich reactor), 2=12258
- Jacquemin, J., Porschen, W. and Solari, P.A. Determination of the critical masses for different core arrangements in the FRJ-1 Merlin, 3=4692
- Jacquesson, J. Relation between the deformation by shock waves stronger than 130 kbar and the $\alpha \rightarrow \gamma$ phase transformation in iron, 2=02322
- Jacquesson, J. Enumeration of nuclear processes involving the simultaneous emission of several neutrons, 4=1111
- Jacquesson, R. See Lagarde, A., 0=8109
- Jacquesson, R. See Mazot, P., 3=16111
- Jacquet, P.A. A non destructive technique for examining surfaces: application to metallurgy and mechanics, 0=2064
- Jacquet, P.A. Structural heterogeneities of the surface layers of the magnetic alloy mumetal, heated in the air, 0=18394
- Jacquet, P. A. On the structure of electrolytic deposits of chromium, 4=10579
- Jacquet, P.A. and Weaver, C.W., Micrographic observation of dislocations in chromium, 2=3922
- Jacquet, P.A. See Azam, N., 1=7891
- Jacquez, A. E. See Caddes, D. E., 4=18371
- Jacquiot, J., Leloup, C., Poffe, J. P. and Waelbroeck, F. Expansion of a plasma puff in a longitudinal magnetic field, 4=18800
- Jacquiot, P. Fourier spectroscopy, 2=22029
- Jacquiot, P. Characteristics common to the new methods of interferometric spectroscopy; the factor of merit, 0=16836
- Jacquiot, P. Extension of the concept of Fourier space to spectroscopy, 0=19411
- Jacquiot, P. New developments in interference spectroscopy, 1=1820
- Jacquiot, P. and Roizen-Dossier, B. Character and applications of subsequent ("a posteriori") apodization, 4=304
- Jacquiot, F. and Roizen-Dossier, B. Apodisation, 4=18338
- Jacquiot, P. See Amat, G., 2=13427
- Jacquiot, P. See Brochard, J., 0=7694
- Jacquiot, P. See Brochard, J., 0=9766
- Jacquiot, P. See Chabbal, R., 2=7382
- Jacquot, A. See Cranberg, L., 3=15225
- Jacquot, F. See Bonnelle, C., 1=7864
- Jacrot, B. and Cribier, D. Some applications of inelastic neutron scattering to the study of magnetic couplings, 3=3120
- Jacrot, B. and Gobert, G. A mechanical slow-neutron selector, 0=9379
- Jacrot, B. See Cribier, D., 0=20776
- Jacrot, B. See Cribier, D., 1=9386
- Jacrot, B. See Cribier, D., 1=9970
- Jacrot, B. See Cribier, D., 2=20922
- Jacrot, B. See Cribier, D., 3=1117
- Jacrot, B. See Cribier, D., 4=18591
- Jacrot, B. See Ericson, M., 0=13804
- Jacrot, B. See Ericson, M., 0=16137
- Jacrot, B. See Gobert, G., 0=20156
- Jacrot, B. See Hautecler, S., 2=12397
- Jacobowicz, J., Motchane, J. L. and Uebersfeld, J. Double resonance for inhomogeneous lines, 4=1308
- Jacobowicz, M. The application of magnetic double resonance techniques to the study of carbons, 4=3195
- Jacobowicz, M. and Uebersfeld, J. The Overhauser and double effects in liquids adsorbed on carbon, 0=4736
- Jae Shi Choi and Moore, W. J. Diffusion of nickel in single crystals of nickel oxide, 3=2828
- Jaegel, R. Aspects of vacuum physics in the light of recent developments, 1=5300
- Jaegel, R. Diffusion pumps and their physical and technical developments, 1=8168
- Jaegel, R. and Peperle, W. The dependence of the condensation coefficient over a crystal surface on the partial pressure, 0=11994
- Jaegel, R. and Peperle, W. Dependence of evaporation coefficients on the partial pressure over the evaporating crystal face, 2=7477
- Jaegel, R. and Teloy, E. Electrical gas clean-up by excitation of metastable conditions, 1=15984
- Jaegel, R. and Wagner, B. Photo-electric measurement of the work function of metals and its alteration after gas adsorption, 4=8794
- Jaegel, R. See Eberhagen, A., 0=2303
- Jaegel, R. See Eschbach, H. L., 0=8725
- Jaegel, R. See Eschbach, H. L., 4=4073
- Jaegel, R. See Gersing, E., 0=5866
- Jaeger, J. See Donnet, J. B., 3=3925
- Jaeger, J. See Donnet, J. B., 3=25804
- Jaeger, J. C. Diffusion in branching regions, 0=5192
- Jaeger, J. C. The use of complete temperature-time curves for determination of thermal conductivity with particular reference to rocks, 0=5202
- Jaeger, J. C. An introduction to the Laplace transformation with engineering applications, 1=5113
- Jaeger, J. C. and Sass, J. H. A line source method for measuring the thermal conductivity and diffusivity of cylindrical specimens of rock and other poor conductors, 4=29786
- Jaeger, J. F. Investigation of gas discharges with a rotational component, 4=21501
- Jaeger, R. G. and Houtermans, H. Comments on the definition of the Curie, with special reference to natural radioactive materials, 3=641
- Jaegle, P. Calculation of the resolving power of a spectrograph with two concave gratings at glancing incidence, 0=14827
- Jaeglé, P. Calculation of the useful width of a system of two concave gratings at grazing incidence, 3=21565
- Jaek, I. V. See Luscik, C. B., 2=23211
- Jaenicke, W. Transport number of defect electrons in silver bromide at room temperature, 3=6487
- Jaenicke, W. and Albert, L. Latent charge photographs in the electron microscope using non-light sensitive films, 2=17670
- Jaenicke, W. and Lorenz, B. The half-tone process and characteristic curve of electrophotography, 2=11512
- Jaenicke, W. See Albert, L., 0=6331
- Jaenicke, W. See Albert, L., 0=13960
- Jaenicke, W. See Albert, L., 1=20705
- Jaenicke, W. See Hoffmann, H., 2=6876
- Jaensch, P. and Kohlhaas, R. The magnetization dependence of magnetostriction, 3=13260
- Jaetsch, K. See Ehrlich, G., 2=23984
- Jaffe, A. A. Double stripping reactions, 1=8678
- Jaffe, A. A., Barros, F. de S., Forsyth, P. D., Muto, J., Taylor, I. J. and Ramavartaram, S. Some (t, p) reactions in light nuclei, 1=731
- Jaffe, A. A., Taylor, I. J. and Forsyth, P. D. The first T = 1 level in ¹⁸F, 0=17495
- Jaffe, A. A. See Barros, F. de S., 1=8785
- Jaffe, A. A. See Barros, F. de S., 1=9887
- Jaffe, A. A. See Forsyth, P. D., 0=5754
- Jaffe, A. A. See Husain, S. A., 0=19965
- Jaffe, A. A. See Moreh, R., 4=25295
- Jaffe, A. A. See Moreh, R., 4=25296
- Jaffe, A. A. See Muto, J., 0=20462
- Jaffe, A. A. See Taylor, I. J., 0=11422
- Jaffe, A. M. and Kim, Y. S. Complex angular momentum in two-channel problems, 2=20276
- Jaffe, A. M. and Kim, Y. S. Asymptotic behavior of the S matrix for high angular momentum, 3=10055
- Jaffe, B. See Berlincourt, D., 4=4216
- Jaffe, B. See Berlincourt, D., 4=26123
- Jaffe, B. See Koenig, J., 4=20419
- Jaffe, B. M. and Kallmann, H. P. The response of a poor conductor to alternating electric fields, 4=30642

- Jaffe, D. and Shewmon, P. G. Thermal diffusion of substitutional impurities in copper, gold and silver, 4=17440
- Jaffe, H. and Smith, C. S. Elastic constants of ammonium dihydrogen phosphate (ADP) and the Laval theory of crystal elasticity, 1=6444
- Jaffe, H. See Berlincourt, D., 3=8556
- Jaffe, H. See Berlincourt, D., 4=4216
- Jaffe, H. See Berlincourt, D., 4=12973
- Jaffe, H. See Cook, W. R., Jr., 0=2300
- Jaffe, H. See Gainon, D. J. A., 4=15562
- Jaffe, H. See Gerson, R., 3=25400
- Jaffe, H. H. See Hinz, J., 2=10960
- Jaffe, H. H. See Hinz, J., 3=12807
- Jaffe, H. H. See Hinz, J., 3=15274
- Jaffe, H. H. See Whitehead, M. A., 1=11125
- Jaffe, H. H. See Whitehead, M. A., 2=6226
- Jaffe, J., Cassotta, L. and Feldstein, S. Markovian model of time patterns of speech, 4=26985
- Jaffe, J. H. High resolution spectroscopy of absorption spectra in the near infrared using the Fabry-Perot interferometer, 0=16848
- Jaffe, J. H. Examination of the interference pattern by rotation of the Fabry-Perot interferometer, 0=16874
- Jaffe, J. H. and Benedict, W. S. The strength of the ν_3 -vibration of H_2O , 3=15347
- Jaffe, J. H., Friedmann, H., Hirshfeld, M. A. and Ben-Reuven, A. Pressure-induced shifts of molecular lines in emission and in absorption, 4=1264
- Jaffe, J. H., Goldring, H. and Oppenheim, U. Infrared dispersion of absorbing liquids by critical angle refractometry, 0=83
- Jaffe, J. H., Hirshfeld, M. A. and Ben-Reuven, A. Pressure-induced shifts of DC1 lines due to HCl: shift oscillation, 4=17283
- Jaffe, J. H., Kimmel, S. and Hirshfeld, M. A. Refraction spectrum of gases in the infrared intensities and widths of lines in the 2--0 band of HCl, 2=3743
- Jaffe, J. H., Landau, A. and Ben-Reuven, A. Temperature dependence of pressure-induced shifts of HCl lines due to xenon, 2=12320
- Jaffe, J. H., Meiron, J. and Jacobi, N. Instrumental corrections in measurements of gas dispersion. A three-slit problem, 2=1255
- Jaffe, J. H. See Ben-Reuven, A., 1=14030
- Jaffe, J. H. See Ben-Reuven, A., 3=17607
- Jaffe, J. H. See Hirshfeld, M. A., 0=5927
- Jaffe, J. H. See Jacobi, N., 3=8232
- Jaffe, J. H. See Plyler, E. K., 3=8227
- Jaffe, J. H. See Thibault, R. J., 3=12817
- Jaffe, L. D., Gordon, E. and Cotter, F. W. Hardenability of titanium alloys, 4=23218
- Jaffe, L. D. See Martens, E. E., 0=11981
- Jaffe, N. and Dorn, J. E. Effect of stress and recovery on the creep of high-purity polycrystalline aluminum at intermediate temperatures, 4=13391
- Jaffe, P. M. On the theory of electroluminescence deterioration, 2=2261
- Jaffe, P. M. Two unusual effects in H_2 -fired $CaO:Mn, Li$ phosphors, 3=3039
- Jaffe, P. M. Electroluminescent (Zn, Mg)S:Cu, halide phosphors, 4=4311
- Jaffe, P. M. and Banks, E. Iron activated ZnS phosphors, 4=10222
- Jaffe, S. See Ford, H. W., 3=18456
- Jaffe, S. S. See Brummet, B. D., 4=27453
- Jaffee, R. I. See Allen, B. C., 4=7424
- Jaffee, R. I. See Holden, F. C., 0=8143
- Jaffee, R. I. See Ratliff, J. L., 4=23220
- Jaffee, R. I. See Williams, D. N., 4=17771
- Jaffee, R. I. See Young, A. P., 4=4490
- Jaffey, A. H. Statistical tests for counting, 1=11046
- Jaffey, A. H., Hibdon, C. T. and Sjolom, R. Thermal neutron $\bar{\nu}$ for ^{241}Pu , 0=20513
- Jaffrain, M. See Freymann, M., 3=22987
- Jaffray, J. and Majourel, M. T. Observations on the epitaxy of yellow mercuric iodide and mercuric bromide on mica, 0=12012
- Jagannadha Rao, M. See Ramamurty, S., 0=5956
- Jaganmohana Rao, P. See Ramanadham, R., 3=11408
- Jagatheesan, S. See Venkateswarlu, K., 4=12503
- Jager, C. de. See de Jager, C.,
- Jäger, E. See Haubenreisser, W., 4=20528
- Jäger, F. W. and Oetken, L. Theory and practice of instrumental polarization, 4=8459
- Jäger, F. W. and Pflug, K. Methods for determining the intensity decrement at the solar limb during a total eclipse, 2=11727
- Jäger, G. and Otto, W. Drift velocities of ions and electrons in argon and hydrogen, 2=22172
- Jäger, G. See von Ardenne, M., 3=12786
- Jäger, H. See Kronmüller, H., 2=14898
- Jäger, J. and Wallis, G. The calculation of energy distribution of relativistic electrons from their synchrotron radiation. Application to the Crab nebula, 1=7068
- Jäger, J. See Behlke, H., 4=5629
- Jäger, P. Measurement of the velocity dependence of the β - γ circular correlation in Co^{60} , 0=7516
- Jaggi, R. Potentials in a conductor of varying cross section, 1=7018
- Jaggi, R., Jain, A. L. and Weibel, H. Pressure dependence of the galvanomagnetic effects in bismuth, 4=6922
- Jaggi, R. and Sommerhalder, R. Measurement of the penetration depth in superconducting hollow bodies, 0=8931
- Jaggi, R. See Jain, A. L., 4=26032
- Jaggi, R. K. On the stability of a gravitating sphere in a magnetic field, 0=7207
- Jaggi, R. K. Loss of particles in a pinched discharge in an axial magnetic field, 2=197
- Jaggi, R. K. On magnetohydrodynamic stability of a self-gravitating plasma, 2=11657
- Jaggi, R. K. Wave motion in a two-component plasma with anisotropic pressure, 2=15920
- Jaggi, R. K. Wave motion in a plasma with anisotropic pressure, 2=19961
- Jaggi, R. K. The stability of the pinch with anisotropic pressure, 3=12144
- Jaggi, R. K. The role of plasma instabilities in the origin of solar flares, 4=2449
- Jaggi, R. K. See Tidman, D. A., 2=19247
- Jagodzinski, H. On disorder phenomena in crystals, 4=23381
- Jahn, P. See Daniel, H., 2=13773
- Jahn, E. The dependence of the aperture error of an electromagnetic single lens on magnification, 4=19104
- Jahn, G. Curves of equal loudness for octave bandpass noise, 0=2050
- Jahn, G. The difference between the curves of equal loudness in the plane wave and in the diffuse sound field, 0=14333
- Jahn, G. and Vogelsang, S. The directional characteristic of one ear in human hearing, 0=6504
- Jahn, G. See Kraak, W., 0=14744
- Jahn, H. Derivation of a strong-coupling approximation in the Chew-Low formalism, 0=336
- Jahn, H. Approximate treatments of weak and strong coupling for charged scalar theory using the Chew-Low formalism, 1=417
- Jahn, H. The strong coupling and the resonance problem in the meson-nucleon region, 1=13333
- Jahn, H. Two pictures of the strong-coupling method, 1=16703
- Jahn, H. Pion-nucleon processes above the first maximum according to the strong-coupling method, 2=11984
- Jahn, P. New developments in field emission electron microscopy, 2=1510
- Jahn, R. E. Spectroscopic measurements of the temperature of plasma jets, 3=4151
- Jahn, R. E. Temperature distribution and thermal efficiency of low power arc-heated plasma jets, 3=21810
- Jahn, R. E. Measurements of temperature distribution in an arc between tungsten electrodes in argon, 4=18778
- Jahn, R. G., von Jaskowsky, W. and Casini, A. J. Gas-triggered inverse pinch switch, 4=11652
- Jahn, R. G. See Albini, F. A., 1=3057
- Jahn, R. G. See Harwell, K. E., 4=11522
- Jahn, T. L. A possible mechanism for the amplifier effect in the retina, 3=13965
- Jahn, W. The radioactivity of optical glass containing thorium, 1=9820
- Jahnberg, L. See Andersson, S., 4=7647
- Jahne, E. See Böer, K. W., 2=4099
- Jahne, E. See Böer, K. W., 3=15588
- Jahne, E. See Dewitz, W., 3=4998
- Jahne, E. See Dewitz, W., 4=639
- Jahnke, L. See Breuer, G., 4=25397
- Jahoda, F. C., Little, E. M., Quinn, W. E., Ribe, F. L. and Sawyer, G. A. Plasma experiments with a 570-kJ theta-pinch, 4=24678
- Jahoda, F. C., Little, E. M., Quinn, W. E., Sawyer, G. A. and Stratton, T. F. Continuum radiation in the X-ray and visible regions from a magnetically compressed plasma (Scylla), 0=13386
- Jahoda, F. C., Ribe, F. L. and Sawyer, G. A. Zeeman-effect magnetic field measurement of a high-temperature plasma, 3=16955

- Jahoda, F. C., Ribe, F. L., Sawyer, G. A. and McWhirter, R. W. P. Analysis of the O VIII Lyman spectrum from a transient laboratory plasma, 4=19963
- Jahoda, F. C., Ribe, F. L., Sawyer, G. A. and Stratton, T. F. X-ray spectroscopic measurements of high-temperature plasma, 3=7581
- Jahoda, F. C. and Sawyer, G. A. Pickup-coil measurement of the plasma magnetic field in the scylla 1 theta pinch, 4=529
- Jahoda, F. C. See Sawyer, G. A., 3=7503
- Jahoda, F. C. See Sawyer, G. A., 3=24296
- Jahr, R. Study of the reactions $F^{19}(\alpha, t)Ne^{20}$ at 18.5 MeV and $F^{19}(He^3, d)Ne^{20}$ at 13.0 MeV, 3=4670
- Jahr, R., Müller, K. D., Oswald, W. and Schmidt-Rohr, U. Elastic and inelastic scattering of deuterons on C, Mg, Ti, Fe, Ni, Cu and Zn at 11.8 MeV, 1=3455
- Jahr, R. See Doehring, A., 0=13244
- Jáidar, A., López, G., Mazari, M. and Domínguez, R. Determination of excitation energies of light and nuclei intermediate through (d, p) and (d, α) reaction, 2=5800
- Jáidar, A. See Tejera, A., 2=5881
- Jaimes, A. C. N. See Brody, T. A., 4=30131
- Jain, A. and Tewary, V. K. Electron effects on alpha decay and thermonuclear reactions, 2=5838
- Jain, A. and Tewary, V. K. Nuclear size correction to the relativistic Thomas Fermi equation of state and effect on Chandrasekhar's mass limit, 3=19924
- Jain, A. C. On the nature of the boundary layer near the leading edge of a flat plate with uniform suction, 2=1108
- Jain, A. C. Görtler's new series method for steady laminar boundary layer flows with suction, 2=4989
- Jain, A. L. Pressure dependence of the elastic shear constants of Li, 1=11503
- Jain, A. L. and Jaggi, R. Piezo-galvanomagnetic effects in bismuth, 4=26032
- Jain, A. L. and Koenig, S. H. Electrons and holes in bismuth, 2=16631
- Jain, A. L. See Jaggi, R., 4=6922
- Jain, A. P. Diffuseness of the nuclear surface from S-wave strength functions, 4=992
- Jain, A. P. S and p wave strength functions and the surface absorption optical model, 4=9527
- Jain, A. P. Relationship between the optical model and the resonance theory, 4=15126
- Jain, A. P., Chrien, R. E., Moore, J. A. and Palevsky, H. Parameters of the 132 eV neutron resonance in Co^{59} , 4=17166
- Jain, A. P. See Chrien, R. E., 2=3581
- Jain, A. P. See Palevsky, H., 3=17285
- Jain, D. C. Franck-Condon factors and r-centroids for the band system of the RbH molecule, 3=4757
- Jain, D. C. Influence of vibration-rotation interaction on the true vibrational wavefunctions, 3=10492
- Jain, D. C. Potential energy curves of some electronic states of the N_2 molecule, 4=9720
- Jain, D. C. Transition probability parameters of the Swan and the Fox-Herzberg band systems of the C_2 molecule, 4=22348
- Jain, D. C. and Sah, P. A method for obtaining the vibrational wave functions appropriate to the true potential energy curves of diatomic molecules, 2=18433
- Jain, D. C. and Sah, P. Perturbation in the $B^3\Pi_g$ state of the C_2 molecule, 2=22961
- Jain, D. C. and Sah, P. Potential-energy curves of the excited states of alkali hydride molecules, 3=12815
- Jain, D. C. See Singh, N. L., 1=11095
- Jain, D. C. See Singh, N. L., 2=544
- Jain, D. C. See Singh, N. L., 2=6181
- Jain, D. C. See Singh, N. L., 2=10238
- Jain, D. C. See Singh, N. L., 2=12316
- Jain, D. V. S. and Kapoor, M. M. Thermodynamic properties of free radicals. I, 1=15193
- Jain, D. V. S. and Kapoor, M. M. Thermodynamic properties of free radicals. II, 1=15194
- Jain, D. V. S. See Benson, S. W., 0=1949
- Jain, J. P. See Gupta, P. C., 3=10279
- Jain, K. P. See Ammar, R. G., 1=607
- Jain, M. K. See Agarwal, J. P., 2=13671
- Jain, M. K. On the slow steady rotation of a sphere in a visco-elastic liquid, 2=15544
- Jain, M. K. On extremal point collocation method for fluid flow problems, 3=5407
- Jain, M. K. and Srinivasan, J. Finite deformations in the interior of the earth, 3=13644
- Jain, P. C. On Chandrasekhar's theory of turbulence, 0=6759
- Jain, P. C. Density fluctuations in turbulence in an inviscid compressible fluid, 0=6761
- Jain, P. C. Isotropic temperature fluctuations in isotropic turbulence, 2=21880
- Jain, P. C. See Bhomik, B., 2=18190
- Jain, P. C. See Bhomik, B., 1=15496
- Jain, P. C. See Bhomik, B., 4=12059
- Jain, P. C. See Bhomik, B., 4=12065
- Jain, P. C. See Bhomik, B., 4=19596
- Jain, P. L. Peripheral collisions at ultra-high energies, 4=11984
- Jain, P. L. Energy determination of heavy primaries in nuclear emulsion, 0=17442
- Jain, P. L. Angular distribution of shower particles from 1000 BeV [per] nucleon alpha particles on emulsion nuclei, 1=10943
- Jain, P. L. Nucleon-nucleon interactions at energies greater than 10^{12} eV, 2=3328
- Jain, P. L. Energetic electromagnetic cascade produced in a high energy nucleon-nucleon interaction, 2=5762
- Jain, P. L. Meson-nucleon interaction in the $(10^{10} \div 10^{12})$ eV energy range, 2=13826
- Jain, P. L. Analysis of an alpha-particle interaction of energy $\sim 10^{12}$ eV per nucleon, 2=14140
- Jain, P. L. and Glahe, H. C. Energy determination from multiple meson production by 6.3 BeV protons in nuclear emulsion, 0=1283
- Jain, P. L., Glahe, H. A., Srivastava, G. N. and Bharadwaj, P. D. Interaction of protons from Brookhaven alternate gradient-synchrotron with nuclear emulsion, 2=283
- Jain, P. L., Glahe, H. C., Rinaldo, J. D. and Bharadwaj, P. D. Transverse momentum of secondary particles produced in high-energy nuclear interactions, 4=19550
- Jain, P. L. See Barkow, A. G., 1=7238
- Jain, P. L. See Haskin, D. M., 1=3322
- Jain, R. D. Asymptotic distribution of thermal neutron flux in an infinite medium of beryllium containing a constant plane source, 4=12019
- Jain, R. D. and Lawande, S. V. The effect of Bragg cutoff on the diffusion of thermal neutrons in a semi-infinite slab of beryllium, 2=7859
- Jain, R. D. See Bhandari, R. C., 0=5801
- Jain, R. K. On the stability of inviscid parallel flow in hydromagnetics, 1=16517
- Jain, R. K. and Mehta, K. N. Laminar hydromagnetic flow in an annulus with por walls, 3=2101
- Jain, R. K. See Kapur, J. N., 0=19893
- Jain, R. K. See Kapur, J. N., 1=16530
- Jain, R. K. See Kapur, J. N., 2=11773
- Jain, R. K. See Kapur, J. N., 3=7685
- Jain, R. K. See Mehta, K. N., 3=9920
- Jain, R. K. See Nanda, V. S., 4=3946
- Jain, S. C. Radiation from inside a long cylinder as approximation to that from a black body, 3=14409
- Jain, S. C. and Dahake, S. L. Activation energy for migration of cation vacancies in NaCl, 3=12962
- Jain, S. C. and Dahake, S. L. Ionic conductivity of sodium chloride crystals doped with nickel and other impurities, 4=17467
- Jain, S. C. and Mehendru, P. C. The effect of trace and deliberately introduced impurities on the thermo-luminescence and the thermal bleaching of F-centres in KCl crystals, 3=20246
- Jain, S. C. and Parashar, D. C. F and Z bands in alkali halide crystals doped with calcium, cadmium and cobalt, 3=13012
- Jain, S. C. and Sotha, G. D. Effect of F-centres on the electrical conductivity of potassium chloride, 2=12500
- Jain, S. C. See Krishnan, K. S., 1=17511
- Jain, S. P. See Seshadri, T. N., 1=8258
- Jain, S. R. and Soundararajan, S. Dipole moments and structure of molecular compounds of zinc and cadmium halides, 3=15358
- Jain, V. C. See Mitra, A. P., 4=2264
- Jain, V. K. See Sodha, M. S., 0=8712
- Jainski, P. Contrast sensitivity of the human eye with different illuminants, 0=14350
- Jainski, P. Acuity of vision under different kinds of light, 0=18561
- Jainski, P. Reduction of contrast sensitivity due to glare from different kinds of light, 2=7082
- Jaiswal, N. K. Application of finite Hankel transform to a problem in perfect fluid flow, 0=6741
- Jaiswal, R. M. P. $\pi^* \leftarrow n$ System in the electronic spectra of o-, m- and p-bromobenzaldehyde vapours, 4=28239
- Jakes, W. C. Jr. A transatlantic communication experiment via Echo I satellite, 1=18233

- Jakeways, R. and Rosser, W.G.V. The decay of ^{147}Pm , 0=7512
 Jakeways, R. See Pagden, I.M.H., 4=6290
 Jaklevic, R.C., Donald, D.K., Lambe, J. and Vassell, W.C. Injection electroluminescence in CdS by tunneling films, 3=15719
 Jaklevic, R.C. and Juenker, D.W. Field dependence of photoelectric emission from molybdenum, 2=7643
 Jaklevic, R.C., Lambe, J., Silver, A.H. and Mercereau, J.E. Quantum interference effects in Josephson tunneling, 4=16333
 Jaklevic, R.C., Lambe, J.J., Silver, A.H. and Mercereau, J.E. Quantum interference from a static vector potential in a field-free region, 4=18531
 Jaklevic, R.C. See Lambe, J., 4=24498
 Jakovlev, U.P. See Goritchev, P.A., 2=14151
 Jakobson, M.J. Photodisintegration of Be^9 from threshold to 5 MeV, 1=10999
 Jakšić, B. Asymptotic behaviour of phase shift for large λ , 4=55
 Jakšić, B. See Fronsdal, C., 1=2042
 Jakubček, O. See Rozkoš, M., 0=13256
 Jakubiszyn, S., Nikliborc, J., Wolniewicz, H. and Szaynok, A. Electrification of the dust of NaCl and KCl whiskers, 2=14645
 Jakubka, K. See Datlov, J., 3=9886
 Jakubowski, B. See Wesołowska, C., 4=28686
 Jalaluddin, A.K. and Sinha, D.B. Effect of an electric field on the superheat of liquids, 3=14420
 Jalaluddin, A.K. See Sinha, D.B., 1=15850
 Jamattona, B. and Goodman, L. Electric dipole nature of pyrazine 3700 Å $T \rightarrow S$ emission, 4=20092
 Jambunathan, R., Gunye, M.R. and Saraf, B. Gamma transitions following the decay of nickel-65, 1=655
 Jambunathan, R. See Gunye, M.R., 1=17040
 Jambunathan, R. See Saraf, B., 0=11357
 Jambunathan, R. See Saraf, B., 1=17041
 Jameel, M. Dispersion relations for scattering by spin-dependent potentials, 4=30186
 Jamerson, F.E. See Abrams, R.H., 1=13102
 Jamerson, F.E. See Luke, K.P., 1=8347
 James, A. See Kelly, B.T., 3=10433
 James, A.N. The $\text{C}^{12}(\text{d}, \text{n})\text{N}^{13}$ reaction up to 1.35 MeV, 1=5936
 James, A.N. The $\text{C}^{13}(\text{d}, \text{n})\text{N}^{14}$ reaction, 1=8768
 James, A.N. γ -rays from the 1.14 MeV resonance in $\text{B}^{10}(\text{p}, \gamma)\text{C}^{11}$, 1=9856
 James, A.N., Ferguson, A.T.G. and Johnson, C.M.P. The $\text{B}^{10}(\text{d}, \text{n})\text{C}^{11}$ reaction, 1=12211
 James, A.N. and Pugh, H.G. Quasi-elastic proton-alpha collisions in carbon, 3=12551
 James, A.N. See Allaby, J.V., 3=7855
 James, B.W. and Yates, B. Indium resistance thermometry, 3=9645
 James, C.G. and Meneley, D.A. An investigation of the flux distribution in a branched thermal column, 2=16448
 James, C.G. and Sugden, T.M. Photometric investigations of alkali metals in hydrogen flame gases. III. The source of the alkali metal continuum, 0=1517
 James, C.G. and Till, C.E. The determination of the effectiveness of nuclear reactor control rods by means of exponential experiments, 2=18380
 James, C.G. See Brewer, L., 3=5514
 James, C.G. See Hart, K., 0=17641
 James, D.B. See Diercks, K.J., 3=5483
 James, D.I. Measurement of friction between rubber-like polymers and steel, 1=11525
 James, D.W., Boston, C.R. and Smith, G.P. Far-uv spectra of NO_3^- and I^- in molten salt media, 4=15338
 James, D.W. See Janz, G.J., 1=11764
 James, D.W. See Janz, G.J., 2=1265
 James, D.W. See Janz, G.J., 3=9460
 James, D.W. See Janz, G.J., 3=9461
 James, E., Jr. See Urizar, M.J., 1=4099
 James, E.M. The magneto-hydrodynamic boundary layer in the two-dimensional steady flow past a semi-infinite flat plate. II. The Falkner-Skan problem, 3=14754
 James, G. See Gunnersen, E., 1=5792
 James, G.D. The fission cross section of U^{232} from 4 eV to 400 eV, 4=25443
 James, G.W. See Kaye, B.H., 2=17401
 James, H.J. See Buchanan, J.S., 0=5086
 James, H.M. See Mendelson, K.S., 4=25901
 James, H.M. See Tait, W.C., 4=30493
 James, J.C., Bird, L.E., Ingalls, R.P., Stone, M.L., Day, J.W.B., Lockwood, G.E.K. and Presnell, R.I. Observed characteristics of an ultra-high-frequency signal traversing an auroral disturbance, 0=8408
 James, J.C. and Ingalls, R.P. Radar observations of Venus at 38 Mc/sec, 4=13949
 James, J.C. See Abel, W.G., 2=9113
 James, J.C. See Chisholm, J.H., 4=29479
 James, J.C. See Ingalls, R.P., 4=11809
 James, J.C. See Meeks, M.L., 0=14389
 James, J.F. Method of double-beam spectrophotometry in the vacuum ultra-violet, 0=5167
 James, J.F. Doublet splitting in the $^2\Sigma-^2\Pi$ band of C-H at 3900 Å, 1=2332
 James, J.F. and Sternberg, R.S. Change in velocity of light emitted by a moving source, 4=30
 James, J.F. See Ring, J., 4=23903
 James, J.F. See Sternberg, R.S., 4=13265
 James, J.F.P. See Warburton, F.L., 1=7811
 James, L.H. and Carter, G. The wall potential in low pressure diode ion pumps, 2=2786
 James, L.H. and Carter, G. Bombardment induced re-emission of ionically pumped inert gas from a glass surface, 2=3091
 James, L.H. and Carter, G. Ion bombardment induced re-emission studies of argon in an ionization pump, 3=9518
 James, L.H., Leck, J.H. and Carter, G. Ion bombardment induced emission of sorbed gas from glass surfaces, 4=23593
 James, L.H. See Carter, G., 2=21957
 James, M.F. See Codd, J., 2=20708
 James, L.W. See Denison, A.B., 4=20614
 James, P.B. and Lavik, M.T. The crystal structure of MoSe_2 , 4=7626
 James, P.F. See Evans, T., 4=7492
 James, P.N. Application of linear programming to the design of polygonal delay lines, 3=210
 James, P.R. The design and construction of a device for recording small displacements, 1=935b
 James, P.W. The correlation analysis of the fading of radio signals received from satellites, 2=11055
 James, R.A. The structure and stability of rotating gas masses, 4=29367
 James, R.A. and Bingham, C.D. Isomeric states of Nd^{141} and Sm^{143} , 0=5728
 James, R.H., Overn, W.M. and Lundberg, C.W. Flux distribution in ferrite cores under various modes of partial switching, 1=7121
 James, R.H. See Brown, F., 3=19858
 James, T.C. Rotation-vibration interaction in electronic transitions. Application to rotational "temperature" measurements, 0=15695
 James, T.C. Wave functions and intensity calculations for a rotating anharmonic oscillator, 1=13991
 James, T.C. Intensity distribution in the forbidden $^1\Sigma-^3\Pi$ transition of SiO , 3=10523
 James, T.C. Intensity of the forbidden $\text{X } ^2\Pi_{3/2}-\text{X } ^2\Pi_{1/2}$ satellite bands in the infrared spectrum of nitric oxide, 4=12465
 James, T.C. Rotation-vibration interaction and other corrections to the spin doublet separation in $^2\Pi$ diatomic molecules, 4=25611
 James, T.C. and Klemperer, W. Intensity of the quadrupole fundamental of molecular hydrogen. Rotation-vibration interaction correction, 4=12448
 James, T.C., Norris, W.G. and Klemperer, W. Infrared spectrum and dipole moment function of lithium hydride, 0=5935
 James, T.C. and Plyler, E.K. Linewidths in the 2-0 band of carbon monoxide broadened by nitrogen and hydrogen, 4=12444
 James, T.C. and Thibault, R.J. Pressure broadening of DCl by HCl and of HCl by DCl. A comparison of experimental results with Anderson's theory, 4=9702
 James, T.C. See Hough, J.T., 1=8848
 James, T.C. See Leroy, G.E., 2=14274
 James, T.H. Some views on the mechanism of development, 3=11953
 James, W., Lemaire, R. and Bertaut, F. Magnetic structure of the alloys YCo_5 and HoCo_5 , 3=8682
 James, W.G.G. Experimental hyperfragment binding energies, 2=22715
 James, W.J. and Straumanis, M.E. Comment on "evidence of metallic bonding in TiN ", 4=22451
 James, W.J. See Straumanis, M.E., 1=10258
 James, W.J. See Straumanis, M.E., 2=6811
 Jameson, C.J. and Gutowsky, H.S. Calculation of chemical shifts. I. General formulation and the Z dependence, 4=17270
 Jameson, C.J. and Gutowsky, H.S. Calculation of chemical shifts. II. The xenon fluorides, 4=20074
 Jameson, D. and Hurvich, L.M. Opponent chromatic induction: experimental evaluation and theoretical account, 1=4161

- Jameson, D. and Hurvich, L. M. Theory of brightness and color contrast in human vision, 4=26998
- Jameson, P. W. and Whitehouse, D. R. Electron energy streaming in a collisionless plasma, 4=18993
- Jameson, R. L., Lukasik, S. J. and Pernick, B. J. Electrical resistivity measurements in detonating composition B and pentolite, 4=14267
- Jameson, W. J., Jr and Aroeste, H. Short-range interaction between a hydrogen molecule and a hydrogen atom. II, 0=4244
- Jamieson, A. See Baird, J. D., 4=26515
- Jamieson, D. T. Condensation coefficient of water, 4=21360
- Jamieson, D. T. See Grunberg, L., 3=25644
- Jamieson, J. A. Preamplifiers for non-image-forming infrared systems, 0=14882
- Jamieson, J. A. Special electronic circuits for the non-image-forming infrared systems, 0=14885
- Jamieson, J. A. Inference of two-dimensional Wiener spectra from one-dimensional measurements, 2=7361
- Jamieson, J. C. Crystal structure at high pressures of metallic modifications of silicon and germanium, 3=11210
- Jamieson, J. C. Crystal structures at high pressures of metallic modifications of compounds of indium, gallium, and aluminium, 3=11211
- Jamieson, J. C. Crystal structures adopted by black phosphorus at high pressures, 3=13399
- Jamieson, J. C. Crystal structures of titanium, zirconium, and hafnium at high pressures, 3=13451
- Jamieson, J. C. X-ray diffraction studies on dysprosium at high pressures, 4=30849
- Jamieson, J. C. and Hoskins, H. The measurement of shear-wave velocities in solids using axially polarized ceramic transducers, 3=9527
- Jamieson, J. C. and Lawson, A. W. X-ray diffraction studies in the 100 kilobar pressure range, 2=8811
- Jamieson, J. C., Lawson, A. W. and Nachtrieb, N. D. New device for obtaining X-ray diffraction patterns from substances exposed to high pressure, 0=3195
- Jamieson, J. C. See de Carli, P. S., 0=6324
- Jamieson, W. D. See Peters, R. J. W., 4=23660
- Jamil, A. K. See Bradley, R. S., 2=14511
- Jamin-Changeart, F. and Talbot-Besnard, S. Iron sulphide growth spirals, 4=26601
- Jamison, R. E. See Blewitt, T. H., 1=20391
- Jamnick, P. M. See Megill, L. R., 0=18517
- Jamnick, P. M. See Megill, L. R., 1=16050
- Jamnik, D. Energy control of a 31 MeV betatron, 0=19861
- Jamnik, D. and Axel, P. Plane polarization of 15.1 MeV bremsstrahlung from 25 MeV electrons, 0=3950
- Jamnik, D. See Bezic, N., 4=19469
- Jamnik, D. See Hall, H. E., 3=10079
- Jamnik, D. See Miklavzic, U., 2=11921
- Jan, J. P. Effective electronic mass tensor, electrical conductivity, and Hall effect for spherical energy surfaces, 2=14484
- Jan, J. P. Hall effect in the equiatomic AgZn alloy, 3=838
- Jan, J. P. Small-angle scattering of X-rays, 3=18402
- Jan, J. P. and Pearson, W. B. Electrical properties of AuAl_2 , $^4\text{uGa}_2$ and AuIn_2 , 3=10718
- Jan, J. P. and Pearson, W. B. Anisotropic thermoelectric power of AuSn , 3=17972
- Jan, J. P., Pearson, W. B., Kjekshus, A. and Woods, S. B. On the structural, thermal, electrical, and magnetic properties of AuSn , 4=7619
- Jan, J. P., Steinemann, S. and Dinichert, P. The lattice parameters and density of ruby, 0=12044
- Jan, J. P., Steinemann, S. and Dinichert, P. The density and lattice parameters of ruby, 0=14008
- Jan, J. P. See Beck, A., 3=12944
- Jan, J. P. See Chollet, L., 3=1349
- Jan, R. v. See v. Jan, R.,
- Janáček, F. See Frána, J., 0=4449
- Janak, J. F. Dynamics of diffusion-damped domain wall motion, 3=15797
- Janak, J. F. Diffusion-damped domain-wall motion, 4=4343
- Janak, J. F. Erratum: Diffusion-damped domain-wall motion, 4=13137
- Janak, J. F. Quantum theory of domain-wall motion, 4=15635
- Janarek, F. J. See Mann, H. M., 2=18021
- Janarek, F. J. See Mann, H. M., 2=22364
- Janarek, F. J. See Mann, H. M., 3=2930
- Jancel, R. Properties of macroscopic observables and quantum ergodic theory, 0=4954
- Jancel, R. Comparison between the classical and quantal aspects of ergodic theory, 0=10602
- Jancel, R. and Kahan, T. Statistical mechanics of plasmas: applications of the Boltzmann and Fokker-Planck equations, 0=12604
- Jancel, R. and Kahan, T. Statistical mechanics of an inhomogeneous and anisotropic Lorentzian plasma: a study of the electron distribution, 0=15005
- Jancel, R. and Kahan, T. Statistical mechanics, dynamics and magnetohydrodynamics of plasmas, 1=16502
- Jancel, R. and Kahan, T. Relations between the various solutions of Boltzmann's integro-differential equation, 2=13368
- Jancel, R. and Kahan, T. The role of eigenfunctions of the linear Maxwellian operator in the solution of Boltzmann's equation, 2=19614
- Jancel, R. See Basu, D., 3=7517
- Jancel, R. See Basu, D., 4=14625
- Jancel, R. See Bertrand, P., 4=8675
- Jancel, R. See Bertrand, P., 4=11508
- Jancel, R. See Cavaillès, P., 0=12603
- Jancel, R. See Cavaillès, P., 0=15038
- Jancel, R. See Maroni, P., 3=369
- Jancel, R. See Maroni, P., 3=16912
- Jancovici, B. On the role of non-central forces in nuclear structure, 0=396
- Jancovici, B. Spin-orbit coupling and tensor forces, 0=20313
- Jancovici, B. On the derivation of the optical potential in infinite nuclear matter, 1=2156
- Jancovici, B. A model for the calculation of the optical potential in some finite nuclei, 1=3380
- Jancovici, B. On the relativistic degenerate electron gas, 3=1634
- Jancovici, B. Quasi-boson approximation and quantum electro-dynamics, 4=21731
- Jander, J. See Bärnighausen, H., 2=17018
- Jane, M. See Binnie, D. M., 3=17153
- Jane, M. R. See Binnie, D. M., 3=10081
- Jänecke, J. The Coulomb energies of light atomic nuclei, 0=17486
- Jänecke, J. The half-lives of some positron emitters with superallowed transitions, 0=17535
- Jänecke, J. The lowest $T = 0$ states in the odd $N = Z$ nuclei with $A > 40$, 2=7925
- Jänecke, J. The reaction $\text{Ti}^{46}(\text{p}, \text{n})\text{V}^{46}(\beta^+)\text{Ti}^{46}$, 4=1077
- Jänecke, J. The $\text{Ca}^{40}(\text{d}, \text{n})\text{K}^{38}$ reaction and the nuclear structure of K^{38} , 4=3695
- Jänecke, J. and Jung, H. Superallowed positron decay in $\text{K}^{39\text{m}}$, Sc^{42} and Ti^{44} , 1=19402
- Jänecke, J. See Jung, H., 2=1486
- Janes, G. S. Scaling relations for plasma devices, 1=16341
- Janes, G. S. and Koritz, H. High-power pulse steepening by means of exploding wires, 0=2310
- Janes, G. S. and Koritz, H. Numerical calculation of absolute bremsstrahlung intensity for a fully ionized fully dissociated hydrogenic gas, 0=7322
- Janes, G. S. See Smotrich, H., 4=19057
- Janes, H. B. See Norton, K. A., 3=12321
- Janes, H. B. See Thompson, M. C., Jr, 0=12205
- Janes, H. B. J. See Thompson, M. C., Jr, 0=14568
- Janeschitz-Kriegl, H. New apparatus for measuring flow birefringence, 0=3656
- Janeschitz-Kriegl, H. See Van Kuik-Van Meerten, E., 2=11505
- Janeschitz-Kriegl, H., Schiff, J. and Telgenkamp, J. A. M. A temperature probe for flowing polymer melts, 3=19052
- Janicke, O. Specific flow resistance of wire meshes, 3=7225
- Janik, E. Production of single crystals from degenerate p-type germanium, 4=6971
- Janik, J. Determination of the density of liquids and their saturated vapours as a function of temperature at pressures higher than 1 atm. III. Measurements with hydrogen sulphide, 3=14147
- Janik, J. and Janik, J. A. Determination of the density of liquids and their saturated vapours as a function of temperature at pressures higher than one atmosphere. I. Measurements with ammonia, 1=15836
- Janik, J. and Janik, J. A. Determination of the density of liquids and their saturated vapours as a function of temperature at pressures higher than one atmosphere. II. Measurements with methyl mercaptan $[\text{CH}_3\text{SH}]$, 1=15837
- Janik, J. See Tubbs, N., 3=4733
- Janik, J. A. Cold neutron investigation of the structure of liquids, 4=24165
- Janik, J. A., Janik, J. M., Mellor, J. and Palevsky, H. Study of molecular rotations in solids and liquids by the inelastic scattering of cold neutrons, 4=30413

- Janik, J.A., Ržany, H. and Sciesiński, J. Scattering of slow neutrons by NH_3 molecules. II. Scattering by liquid NH_3 , 3=14140
- Janik, J.A., Janik, J., Krasnicki, S., Maniowski, F., Murasik, A., Ržany, H., Szkatula, A., Sciensinski, J. and Wanic, A. Scattering of thermal neutrons in the molecules [of gases] containing hydrogen [molecules], 2=292
- Janik, J.A., Janik, J. and Wanic, A. Scattering of slow neutrons by NH_3 molecules. I, scattering by gaseous NH_3 , 1=5730
- Janik, J. See Janik, J.A., 1=5730
- Janik, J.A. See Grotowski, A., 0=5912
- Janik, J.A. See Janik, J., 1=15836
- Janik, J.A. See Janik, J., 1=15837
- Janik, J.A. See Tubbs, N., 3=4733
- Janik, J.M. See Janik, J.A., 4=30413
- Janin, J. See Déjardin, G., 0=9993
- Janin, J. See Déjardin, G., 1=7075
- Janin, J. See Déjardin, G., 1=9006
- Janin, J. See D'Incan, J., 4=9732
- Janin, J. See Gaume, F., 1=9003
- Janin, J. See Gaume-Mahn, F., 4=1774
- Janin, J. See Linarès, C., 4=26237
- Janis, A.I. See Newman, E.T., 0=3441
- Janitschek, F. Correlations between burn-up of U^{235} , the MWd-figure and temperature, 3=2534
- Jankiewicz, Cz. See Yankevich, Ch.
- Jankovic, Z. On the collective model wave functions, 0=7454
- Janković, Z. Remarks on the paper by K. Stiegler: "On the mechanical foundation of the theory of special relativity", 0=16576
- Jankovic, Z. On the inelastic scattering by deformed nuclei, 0=17578
- Janković, Z. On the Coulomb wave functions, 1=18272
- Jankowski, A. Equidensitograph for autoradiograms, 4=16264
- Janků, V. See Vyšín, V., 4=14057
- Janelli, S. and Mezzanares, F. Diffraction scattering of 4.5 GeV π mesons in emulsions, 2=18345
- Janelli, S. See Emma, V., 2=423
- Jannelli, S. See Emma, V., 3=6220
- Jannelli, S. See Feminò, S., 4=9242
- Janner, A. The master equation for the interference term and the approach to equilibrium in quantum many-body systems, 2=7144
- Janner, A. Ergodicity of quantum many-body systems, 3=11716
- Janner, A. On the electrical conductivity of metals by the resolvent method, 4=6914
- Janner, A., van Hove, L. and Verboven, E. The evolution to quantum statistical equilibrium for a simple model. The strong coupling limit, 3=5380
- Janin, E.A. See Shlykov, Y.P., 3=16821
- Janin, J., d'Incan, J., Stringat, R. and Magnaval, J. New analysis of the $\text{D}^0\pi^- \rightarrow \text{A}^0\pi^-$ system of the N_2^+ molecule, 3=22547
- Janin, J. and Dunand, R. Phosphoroscope intended for the study of the decay of luminescence at different temperatures, 3=18020
- Janin, J., Josserson, G., Soullait, J.C. and Déjardin, G. Thermoluminescence and decay of luminescence of magnesium fluorogermanate, 3=18053
- Janin, J. See Déjardin, G., 3=2978
- Janin, J. See Déjardin, G., 3=25837
- Janninck, R.F. and Whitmore, D.H. Electrical conduction in nonstoichiometric $\alpha\text{-Nb}_2\text{O}_5$, 3=6602
- Janninck, R.F. and Whitmore, D.H. Thermoelectric power in nonstoichiometric $\alpha\text{-Nb}_2\text{O}_5$, 3=23026
- Jannussis, A. Thermal neutron spectrum in absorbent media, 3=12721
- Jannuzzi, A. Theory of lattice electrons in an external homogeneous magnetic field, 4=25877
- Jannuzzi, N. and Porto, S.P.S. Table of energy levels of a slightly asymmetrical top rotor, 0=15687
- Jannuzzi, N. See Porto, S.P.S., 4=6566
- Janos, W.A. The weak-field Lorentz gas and a perturbation theory of approximate solution to the Boltzmann equation, 3=3772
- Janos, W.A. Formulation of the Fokker-Planck equation including excitation effects, 4=11585
- Janos, W.A. Wave propagation in a Brownian plasma, 4=18873
- Jánosi, A. The structure of tetragonal cuprous sulphide, 4=15788
- Jánossy, L. On the determination of the energy of a particle from its track in an emulsion, 0=5465
- Jánossy, L. On the simultaneous distribution of the sagittas of a track in emulsion in the case of background noise, 1=416
- Jánossy, L. A hydrodynamical model of quantum mechanics, 2=19431
- Jánossy, L. and Kiss, D. On the statistics of the determination of the mean life of μ -mesons, 0=5579
- Jánossy, L. and Náray, Z. The interference phenomena of light at very low intensities, 0=6942
- Jánossy, L., Náray, Z. and Varga, P. Experimental investigation of the correlation of coherent light beams, 2=11461
- Jánossy, L. and Rózsa, P. Maximum likelihood determination of the scattering constant of an emulsion track in the presence of noise, 1=13253
- Jánossy, L. and Rupp, E. The determination of parameters characterizing the absorption of nuclear-active cosmic ray particles, 2=9972
- Jánossy, L. and Ziegler, M. The hydrodynamical model of wave mechanics. I. The motion of a single particle in a potential field, 3=21235
- Jánossy, L. and Ziegler-Náray, M. The hydrodynamical model of wave mechanics. II. The motion of a single particle in an external electromagnetic field, 4=24058
- Jánossy, L. See Békéssy, A., 0=312
- Jánossy, L. See Bozóki, G., 0=11240
- Jánossy, L. See Bozóki, G., 1=8460
- Jánossy, L. See Gombosi, E., 4=24958
- Jánossy, L. See Graff, G., 0=5122
- Janot, C. The influence of local mass variations on crystal lattice dynamics, 4=6703
- Janot, C. and Hadni, A. Low-frequency secondary spectra of alkali halides, 1=7711
- Janot, C. and Hadni, A. Background infrared reflection on the "Echelette" system, 2=11471
- Janot, C. and Hadni, A. Polarization of light in the far infrared by echelette gratings, 4=14403
- Janot, C. See Champier, G., 4=6710
- Janot, C. See Hadni, A., 0=6927
- Janot, C. See Hadni, A., 0=8810
- Janot, C. See Hadni, A., 0=19442
- Janot, C. See Hadni, A., 1=18596
- Janouch, F. On the probability of double beta decay, 0=13188
- Janouch, F. Circular polarization of internal bremsstrahlung in unique [Y^0] first-forbidden beta transitions, 3=22332
- Janouch, F. Internal bremsstrahlung in $0^- \rightarrow 0^+$ beta-transitions, 1=12176
- Janouch, F. and Vinduška, M. Radiative μ -meson capture in nuclei, 4=6364
- Janouch, F. and Winternitz, P. Angular distribution of gamma quanta in the capture of polarized μ^- -mesons by atomic nuclei, 2=16422
- Janouch, F. See Chin Chen-Zhui, 0=12900
- Janoušek, A. See Beneš, J., 3=6671
- Janousek, V. and Fouskova, A. The impedance of ferroelectric triglycinefluoroberylate crystals during switching in pulse electric field, 4=1665
- Janousek, V. See Fousková, A., 2=18771
- Janoušek, V. See Glanc, A., 4=7052
- Janoušek, V. See Misařová, A., 1=17835
- Janoušek, V. See Misařová, A., 1=17840
- Janovec, V. Anti-parallel ferroelectric domains in surface space-charge layers of BaTiO_3 , 0=4383
- Janovec, V., Březina, B. and Glanc, A. Asymmetric hysteresis loop of single BaTiO_3 crystals with non-equivalent electrodes, 1=17839
- Janovec, V. and Dvořák, V. Remarks on BaTiO_3 ion models, 4=12612
- Janovec, V. See Březina, B., 0=11744
- Janovec, V. See Březina, B., 4=12969
- Janovec, V. See Dvorak, V., 2=20918
- Janovec, V. See Dvořák, V., 4=22789
- Janovec, V. See Glanc, A., 4=7052
- Janovec, V. See Glogar, P., 3=20381
- Janovec, V. See Muzikář, Č., 3=8559
- Janowski, J.R. and Conrad, H. Dislocations in ruby laser crystals, 4=22589
- Jansen, B. A rapid and accurate method for measuring the thickness of diffused layers in silicon and germanium, 2=12941
- Jansen, C.G.J. and Venema, A. A McLeod manometer with prescribed volumes for use as a standard instrument, 1=4389
- Jansen, D.H., Hoffman, E.E. and Shepherd, D.M. Lead-lithium shielding alloy-metallurgical studies, 0=8273
- Jansen, F. Influence of condensation on the upward movement of vapour bubbles, 4=24152

- Jansen, H.G. Experiments on the superconductivity of the Nb-Sn system and of the mixed crystals Nb₃Sn-Ta₃Sn, 1=6999
- Jansen, J.F.W., Hultberg, S., Goudsmitt, P.F.A. and Wapstra, A.H. E2 internal conversion coefficients of $2^+ \rightarrow 0^+$ transitions from the decay of ^{170}Tm , ^{198}Au and ^{200}Tl , 3=656
- Jansen, J.F.W. See Hamilton, J.H., 3=22335
- Jansen, J.F.W. See Lark, N.L., 2=16330
- Jansen, J.F.W. See Wapstra, A.H., 2=12168
- Jansen, L. Systematic analysis of many-body interactions in molecular solids, 2=10295
- Jansen, L. Contribution of three-body interactions to the energy of vacancy formation in solid argon, 3=20163
- Jansen, L. Absolute stability of cubic crystal structures of heavy rare gas atoms. I, 3=23441
- Jansen, L. Stability of crystals of rare-gas atoms and alkali halides in terms of three-body interactions. I. Rare-gas crystals, 4=28304
- Jansen, L. and Lombardi, E. Stability of alkali halide crystals in terms of many-body interactions, 4=17745
- Jansen, L. and Zimmering, S. Absolute stability of cubic crystal structures of heavy rare gas atoms. II, 3=23442
- Jansen, L. See Schneider, W., 4=10343
- Jansen, R. See Bertaut, E. F., 4=13267
- Jansen, R. See Bertaut, E. F., 4=28800
- Jansen, R. See Forrat, F., 3=15670
- Janson, L.E. See Hellström, B., 0=16922
- Janssen, J.H. A method for the calculation of the speech intelligibility under conditions of reverberation and noise, 0=14327
- Janssen, J.H. A note on reciprocity in linear passive acoustical systems, 0=14737
- Janssen, J.H. Simple calibration of small vibration pickups, 0=19323
- Janssen, J.H. See Kosten, C.W., 0=14725
- Janssen, J.H. See Tukker, J.C., 1=11733
- Janssen, K. See Bärn, W., 1=6343
- Janssen, T.W.J.M. On the classical limit of the diagram expansion in quantum statistics, 1=5206
- Janssens, P. See Demeur, M., 0=17630
- Jansson, R. See Düring, G., 4=30233
- Jäntschi, O. Inversion behaviour of silicon rectifiers in moist gases, 0=9982
- Jäntschi, O. Inverse characteristics with the surface breakdown of silicon p-Sp_n rectifiers, 0=11702
- Jäntschi, O. Apparent resistance and reverse characteristic of silicon p-n junctions with a surface inversion layer, 2=18719
- Jäntschi, O. Reverse characteristics of silicon rectifiers with special regard to the surface influence, 4=1815
- Jantzen, O. Magnetic and dielectric bulk-material constants of the transformation series Fe₃O₄- γ -Fe₂O₃- α -Fe₂O₃, 3=18071
- Janus, A. R. See Shapiro, S., 4=18625
- Janus, A. R. See Shapiro, S., 4=18562
- Janusonis, A. See Heidberg, J., 4=28247
- Janusz, T. and Fies, W. Observations on field emission surface noise, 4=3020
- Januszajtis, A. Dependence of ionization current in saturated hydro-carbon liquids on radiation energy, 4=27186
- Janz, G. J., Baddiel, C. and Kozłowski, T. R. Vibrational spectra of molten mercuric halides. IV. HgCl₂-KCl-KNO₃, 4=18204
- Janz, G. J. and James, D. W. Raman spectra and ionic interactions in molten nitrates, 1=11764
- Janz, G. J. and James, D. W. Vibrational spectra of molten halides of mercury. II. trichloro- and tetrachloro-mercurate ions, 3=9461
- Janz, G. J. and James, D. W. Vibrational spectra of molten halides of mercury. I. mercuric chloride, mercuric bromide and mercury chlorobromide, 3=9460
- Janz, G. J. and Kelly, F. J. Fusion and prefusion in silver nitrate, 4=15430
- Janz, G. J., Kelly, F. J. and Pérano, J. L. Melting and pre-melting effects in the alkaline earth halides, 4=8501
- Janz, G. J. and Kozłowski, T. R. Vibrational spectra of molten mercuric halides. III. Mercuric chloride-thallos nitrates mixtures, 4=180
- Janz, G. J. and Kozłowski, T. R. Raman spectra of simple ionic mixtures in molten nitrates, 4=16115
- Janz, G. J. and Lorenz, M. R. Precise measurement of density and surface tension at temperatures up to 1000°C in one apparatus, 0=2161
- Janz, G. J. and Lorenz, M. R. Electrical conductance cell assembly for precise measurements with carbonates, oxides, and fluorides up to 1000°C, 1=4535
- Janz, G. J. and Mikawa, Y. The evaluation of Urey-Bradley force constants in planar XY₃ type molecules, 0=17723
- Janz, G. J., Mikawa, Y. and James, D. W. Light source, excitation, and high temperature cell assembly for Raman spectroscopy, 2=1265
- Janz, G. J., Neuenschwander, E. and Kelly, F. J. High-temperature heat content and related properties for Li₂CO₃, Na₂CO₃, K₂CO₃, and the ternary eutectic mixture, 3=22663
- Janz, G. K., Kozłowski, T. R. and Wait, S. C. Raman spectrum and vibrational assignment for molten thallos nitrate, 4=181
- Janz, I. See Ritzl, F., 4=25334
- Jaoul, B. and Gonzalez, D. Plastic deformation of iron single crystals, 1=20350
- Japavaire, R. See David, J. P., 3=17875
- Japolsky, N. S. Deflexion of light in the gravitational field of the sun, 1=11693
- Japolsky, N. S. Apparent recession of nebulae and the nature of radio stars, 1=18002
- Jarchow, O. H. The improved structure of two-dimensional disordered sodium metaphosphates, Na₂H₂P₂O₁₂, 4=30855
- Jarczyk, L., Knoepfel, H., Lang, J., Müller, R. and Wölfi, W. The nuclear reactor as a high intensity source for discrete gamma rays up to 11 MeV, 2=5612
- Jarczyk, L., Knoepfel, H., Lang, J., Müller, R. and Wölfi, W. Photo-peak efficiency and response function of various NaI(Tl) and CsI(Tl) crystals in the energy range up to 11 MeV, 3=6670
- Jarczyk, L., Lang, J., Müller, R. and Wölfi, W. Investigation of the reaction Bi²⁰⁹(n, γ)Bi²¹⁰ by a γ - γ coincidence method, 2=3591
- Jarczyk, L., Lang, J., Müller, R. and Wölfi, W. Photogain and response function of some crystal scintillators for γ -rays of energy up to 11 MeV, 2=7795
- Jarczyk, L., Lang, J., Müller, R. and Wölfi, W. (n, γ) spectra and cross-sections for Li, Be and C, 2=5939
- Jarczyk, L., Lang, J., Müller, R. and Wölfi, W. Investigation of the reaction Bi²⁰⁹(n, γ)Bi²¹⁰ with a gamma-gamma coincidence method, 2=12212
- Jarem, J. and Watson, M. Taylor instability of an incompressible plasma under variable acceleration, 3=7531
- Jarka, R. See Konitzer, J., 2=6399
- Järslätter, N. See Hulthén, E., 1=14012
- Jarmain, W. R. Klein-Dunham potential energy functions in simplified analytical form, 0=2737
- Jarmain, W. R. Simplified analytical representation of Klein-Dunham potential energy functions, 0=5902
- Jarmain, W. R., Ebisuzaki, R. and Nicholls, R. W. Franck-Condon factors and r-centroids for some bands of the CO fourth positive (A¹ Π - X¹ Σ) band system, 0=7776
- Jarmain, W. R. Franck-Condon factors from Klein-Dunham potentials for bands of the Schumann-Runge system of O₂, 3=10521
- Jarmain, W. R. Franck-Condon factors from Klein-Dunham potentials for the v'' = 0 progression of the Schumann-Runge system of O₂, 4=6577
- Jarmain, W. R. and Nicholls, R. W. A theoretical study of the O₂ x³ Σ_u^- - B³ Σ_u^- photodissociation continuum, 4=28273
- Jarmain, W. R. See McGregor, A. T., 1=17308
- Jarmain, W. R. See Nicholls, R. W., 0=7793
- Jarmain, W. R. See Nicholls, R. W., 0=11518
- Jarman, M. See Gibbs, D. F., 2=23494
- Jarman, P. Sonoluminescence: A discussion, 0=19163
- Jarman, P. D. and Taylor, K. J. Light emission from cavitating water, 4=11166
- Jarmie, N. Concerning the existence of rare light nuclei, 2=12117
- Jarmie, N. and Diven, B. C. Li(t,n)Be thick target yields, 4=17190
- Jarmie, N. and Silbert, M. G. Nuclear energy levels of N¹⁷, O¹⁸, and O²⁰, 0=20350
- Jarmie, N. and Silbert, M. G. Nuclides A⁴² and C¹³⁰, 1=10955
- Jarmie, N. and Silbert, M. G. Energy levels of N¹⁷, O¹⁸, and O²⁰, 1=8583
- Jarmie, N., Silbert, M. G. and Hopkins, J. C. Ion source operation with dilute tritium, 3=24376
- Jarmie, N., Silbert, M. G. and Smith, D. B. The two-stage nuclear reaction N¹⁴(t,n)O¹⁶*(p)N¹⁵, 1=13865
- Jarmie, N., Silbert, M. G., Smith, D. B. and Loos, J. S. Proton-triton elastic scattering below 1 MeV, 3=15047
- Jarmie, N. See Silbert, M. G., 1=10967
- Jarmie, N. See Silbert, M. G., 1=12154
- Jarmie, N. See Smith, D. B., 3=7939

- Jarmoc, E. A. See Melehy, M. A., 4=4188
- Jarnagin, R. C., Gilliland, J., Jr., Kim, J. S. and Silver, M. Physical and chemical effects at the anthracene-electrolyte interface due to photoelectrolysis, 3=23549
- Jarnagin, R. C. See Silver, M., 2=14578
- Jarnagin, R. C. See Silver, M., 2=23259
- Jarnagin, R. C. See Silver, M., 3=10887
- Jarnagin, R. C. See Silver, M., 3=20339
- Jarnagin, R. C. See Silver, M., 4=7078
- Jarnagin, R. C. See Weisz, S. Z., 4=15621
- Jarnagin, R. C. See Weisz, S. Z., 4=22531
- Järnefelt, G. On the satellite observation work done in Finland, 3=7055
- Jarosch, H. See Alterman, Z., 0=8518
- Jarosch, H. See Alterman, Z., 1=9182
- Jarosch, H. See Pekeris, C. L., 1=10302
- Jarosch, H. See Pekeris, C. L., 1=20797
- Jarosiewicz, I. See Chojnacki, S., 4=30327
- Jarre, G. The analogy for the simultaneous exchange of quantities of momentum, heat, and mass. I. Homogeneous gases, 0=19177
- Jarrell, D. L. See Enge, H. A., 0=13238
- Jarrett, A. A. See Greenfield, M. A., 0=12994
- Jarrett, A. A. See Greenfield, M. A., 0=12998
- Jarrett, A. H. Instrumental optics and problems of the earth's atmosphere, 3=3509
- Jarrett, A. H. and Hoey, M. J. A ground-level photographic observation of the day airglow emission of atomic oxygen at 6300 Å, 4=10740
- Jarrett, A. H., Hoey, M. J. and Paffrath, L. Observations of the 6300 Å OI emission of the nightglow with a pressure scanning Fabry-Perot interferometer, 4=26828
- Jarrett, A. H., McGrattan, G. J. and Rees, J. A. The measurement of high altitude wind velocities from vapour releases. I. Projector method, 4=7877
- Jarrett, A. H., McGrattan, G. J. and Smith, F. J. The measurement of high altitude wind velocities from vapour releases. III. Trails released from flights SL16 and SL63 at Woomera, 4=7879
- Jarrett, A. H. and von Klüber, H. Interferometric investigation of emission lines of the solar corona during the total solar eclipse of 1958 October 12, 1=9272
- Jarrett, H. S. Generalization of crystal field theory to include covalent bonding, 0=4254
- Jarrett, H. S. Mechanism of the ferrimagnetic to antiferromagnetic transition in $\text{Mn}_{1-x}\text{Cr}_x\text{Sb}$, 4=17661
- Jarrett, H. S., Bierstedt, P. E., Darnell, F. J. and Sparks, M. Magnetic anisotropy and electrical resistivity in exchange inversion compounds, 1=6375
- Jarrett, H. S., Cloud, W. H., Darnell, F. J., Bierstedt, P. E., Bither, T. A., Walter, P. H. L. and Swoboda, T. J. An antiferromagnetic to ferrimagnetic first-order phase transition, 3=1026
- Jarrett, H. S. See Bierstedt, P. E., 2=6677
- Jarrett, H. S. See Cloud, W. H., 1=1242
- Jarrett, H. S. See Darnell, F. J., 3=13282
- Jarrett, H. S. See Haas, C. W., 4=28785
- Jarrett, H. S. See Swoboda, T. J., 0=11916
- Jarrett, H. S. See Tahir-Kheli, R. A., 4=28786
- Jarrett, S. M. Spin-exchange cross section for Rb^{85} - Rb^{87} collisions, 4=9676
- Jarrett, S. M. See Walter, W. T., 4=27690
- Jarry, G. See Perrot, M., 2=7553
- Jarvis, C. J. D., Dixon, W. R. and Storey, R. S. Energy and angular distributions for the $\text{Al}^{27}(\text{n}, \alpha)\text{Na}^{24}$ reaction with 14 MeV neutrons, 3=19863
- Jarvis, C. J. D. See Geiger, K. W., 2=3620
- Jarvis, C. J. D. See Geiger, K. W., 4=22133
- Jarvis, N. L. The effect of monomolecular films on surface temperature and convective motion at the water/air interface, 2=22096
- Jarvis, N. L. and Kagarise, R. E. Determination of the surface temperature of water during evaporation studies. A comparison of thermistor with infrared radiometer measurements, 2=22095
- Jarvis, O. N., Rose, B., Eaton, G. H. and Van Zyl, C. P. A measurement of the Wolfenstein R' parameter in p-p scattering at 140 MeV, 4=11993
- Jarvis, O. N., Rose, B., Eaton, G. H. and van Zyl, C. P. Determination of the R' parameter in 140 MeV proton scattering, 4=19510
- Jarvis, O. N., Rose, B., Scanlon, J. P. and Wood, E. A measurement of the Wolfenstein A parameter in p-p scattering at 143 MeV, 3=12457
- Jarvis, O. N. See Greenlees, G. W., 1=8708
- Jarvis, O. N. See Greenlees, G. W., 2=5908
- Jarvis, R. G. See Cross, W. G., 0=7609
- Jarvis, R. J. See Carter, C., 2=3664
- Jarvis, T. Thermionic conversion-state of the art, 2=11606
- Jarvis, T. F. See Crowley-Milling, M. C., 1=18952
- Jarzynski, J. Ultrasonic propagation in liquid bismuth and mercury, 3=9457
- Jarzynski, J. and Litovitz, T. A. Ultrasonic absorption in liquid sodium-potassium alloys, 4=27173
- Jasani, B. M. See Barton, J. C., 2=16092
- Jasani, B. M. See Barton, J. C., 4=29365
- Jaschek, C. and Jaschek, M. Note on the random fragmentation in star formation, 2=4822
- Jaschek, C. and Jaschek, M. Some considerations on the asteroid families, 3=11516
- Jaschek, C. O. R. Earth satellites and lunar formations, 0=18698
- Jaschek, M. See Jaschek, C., 2=4822
- Jaschek, M. See Jaschek, C., 3=11516
- Jaseja, T. S. The microwave spectrum of methyl cyanide and 1-type doubling in CH_3CN , CH_3NC , CH_3CCH and CF_3CCH , 1=839
- Jaseja, T. S. Microwave spectrum of IBr and the determination of the molecular and nuclear parameters, 1=4931
- Jaseja, T. S. and Anderson, R. S. Electron spin resonance study of radiation damage in single crystals of urea compounds, 2=2106
- Jaseja, T. S. and Anderson, R. S. Electron spin resonance study of α -irradiated single crystals of dl-isovaline, 2=8126
- Jaseja, T. S. and Anderson, R. S. Electron spin resonance study of radiation damage in single crystals of dl-aspartic acid, 2=14482
- Jaseja, T. S., Javan, A., Murray, J. and Townes, C. H. Test of special relativity or of the isotropy of space by use of infrared masers, 4=11042
- Jaseja, T. S., Javan, A. and Townes, C. H. Frequency stability of He-Ne masers and measurements of length, 3=19496
- Jaseja, T. S. See Venkateswarlu, P., 0=2738
- Jasieński, Z. See Truskowski, W., 4=23142
- Jasinski, A., Kownacki, J., Lancman, H., Ludziejewski, J., Chojnacki, S. and Yutlandov, I. The decay scheme of Yb^{168} , 3=10310
- Jasiński, A. See Ambrozy, B., 1=16995
- Jasinski, A. See Ambrozy, B., 2=1821
- Jasinski, A. See Chojnacki, S., 1=670
- Jaśkiewicz, A. Dipole arrangement in perovskite-type ferroelectrics, 1=17829
- Jaśkiewicz, A. Antinucleation processes in ferromagnetics, 1=20091
- Jaśkiewicz, A. Nucleation process in barium titanate at cubic-tetragonal phase transitions, 3=4942
- Jaśkiewicz, A. Field induced nucleation at the phase transition in barium titanate, 3=4943
- Jaśkiewicz, A. and Konwent, H. Ferroelectric and antiferroelectric arrangements in perovskite-type substances, 1=6196
- Jaskiewicz, A. and Konwent, H. Dipole array of ferroelectrically active A-ions in ABO_3 substances, 2=2211
- Jaśkiewicz, A. and Konwent, H. Ferroelectrically active A-ions in Abo_3 substances, 3=2950
- Jaśkiewicz, A. and Terpilowski, J. Anomalous delay effect in polycrystalline BaTiO_3 , 3=15617
- Jaskóla, M., Osakiewicz, W., Turkiewicz, J. and Wilhelmi, Z. Energy spectrum of alpha particles from the $\text{La}^{139}(\text{n}, \alpha)\text{Cs}^{136}$ reaction with 14.1 MeV neutrons, 4=19801
- Jaskóla, M. See Yaskula, M., 4=3068
- Jaskolski, S. V. and Ishii, K. Millimeter-wave generation with X-band tunnel diodes, 4=21647
- Jaskowsky, J. See Reuter, B., 0=4366
- Jaskulski, J. See Hlczar, B., 4=15561
- Jason, A. C. and Lees, A. Resistance thermometer spear for field measurement, 0=5219
- Jason, A. C. and Lees, A. An automatic timer for determination of D_2O concentrations in water by measurements on drops falling in o-fluorotoluene, 2=11231
- Jason, A. J. See Burns, R. P., 4=16300
- Jason, A. J. See Burns, R. P., 4=16497
- Jasperse, J. R., Marram, E. P., Plendl, J. N., Mansur, L. C. and Gleisse, P. J. Temperature dependence of the infrared spectra for LiF and MgO, 4=30684
- Jasperse, J. R. See Blau, H. H., Jr., 4=14443
- Jasselette, P. Remarks on the generators of the SU_3 group, 4=16015
- Jastram, P. S. See Ramaswamy, M. K., 0=7519
- Jastram, P. S. See Ramaswamy, M. K., 0=11379
- Jastram, P. S. See Ramaswamy, M. K., 0=13170

- Jastram, P.S. See Ramaswamy, M.K., 0=20381
 Jastram, P.S. See Ramaswamy, M.K., 0=20396
 Jastram, P.S. See Ramaswamy, M.K., 1=2198
 Jastram, P.S. See Ramaswamy, M.K., 1=8608
 Jastram, P.S. See Wood, G.T., 2=14030
 Jastrow, E. and Cameron, A.G.W. [Eds.]. Origin of the solar system, 3=23668
 Jastrow, R. Outer atmospheres of the earth and planets, 0=10494
 Jastrow, R. Geophysical effects of the trapped particle layer, 1=11652
 Jastrow, R. The exploration of the Moon, 2=15309
 Jastrow, R. and Bryant, R. Variations in the orbit of the echo satellite, 2=9116
 Jastrow, R. and Cameron, A. G. W. Origin of the solar system, 4=7961
 Jastrow, R. See Harris, I., 1=5176
 Jastrow, R. See Harris, I., 1=6601
 Jastrzebski, J. Decay of Ba^{139} , 1=7341
 Jastrzebski, J. Transition probabilities of the first excited states in the nuclei Au^{193} , Au^{196} and Au^{197} , 3=8017
 Jastrzebski, J. and Kilcher, P. Study of Mercury-192 disintegration, 1=9829
 Jastrzebski, J. and Kilcher, P. The first excited levels of platinum 150, 1=16952
 Jastrzebski, J. and Kilcher, P. Transitions in the odd-odd nuclei Au^{190} and Au^{192} , 2=409
 Jastrzebski, J. and Kilcher, P. Mean life of the first excited states of the nuclei of gold 192, 193 and 195, and of mercury 195, 2=10012
 Jastrzebski, J. and Kilcher, P. Decay of Hg^{193} , 3=22350
 Jastrzebski, J., Picard, F., Schapira, J.P. and Picou, J.L. Angular distribution of the $O^{16}(d, \alpha)N^{14}$ and $C^{12}(d, \alpha)B^{10}$ reactions, 3=8124
 Jastrzebski, J. See Gastebois, J., 2=487
 Jastrzebski, J. See Vergnes, M., 2=369
 Jastrzebski, J. See Żylicz, J., 3=12639
 Jaswal, S.S. and Montgomery, D. J. Lattice-vibration eigenvectors and applications thereof for NaCl and KCl, 4=28361
 Jaswon, M.A. Integral equation methods in elasticity, 3=16561
 Jaswon, M.A. Integral equation methods in potential theory. I, 3=23733
 Jaswon, M.A. and Bhargava, R.D. Two-dimensional elastic inclusion problems, 1=14841
 Jaswon, M.A. and Dove, D.B. The crystallography of deformation twinning, 0=8155
 Jaswon, M.A. and Shaw, B.J. A note on non-equilibrium elastic constants, 1=9079
 Jaszczyzn. See Yashchin, P.B.,
 Jaszczyzn, P. The effect of infrared radiation on the transfer of energy in ZnS:Mn, 0=16090
 Jaszczyzn, P. The influence of irradiation by fast neutrons on the ZnS:Mn phosphor, 2=2252
 Jaszczyzn, P. The extinction and enhancement of the luminescence of ZnS-Mn by infrared irradiation, 2=8560
 Jaszczyzn, P. Quenching of luminescence in activated ZnS-powders irradiated in an atomic pile, 3=18039
 Jaszczyzn, P. See Wrzesinska, A., 3=4987
 Jatar, D.P. The falling current potential characteristic in hydrogen under silent electric discharge, 0=7095
 Jatar, D.P. and Chandrakar, K.R. Electron temperature in air under low frequency electric discharges excited by external sleeve electrodes, 3=12084
 Jatar, D.P. and Sharma, H.D. Joshi effect in air and the associated change in the light output, 0=7096
 Jatar, D.P. and Sharma, H.D. Corona relationship under low frequency silent electric discharge, 0=16986
 Jatar, D.P. and Sharma, H.D. The falling current-potential characteristic under the silent electric discharge. I. The influence of different detectors, 1=4580
 Jatar, D.P. See Shrivastava, R.K., 3=370
 Jatar, S.K.K. and Deshpande, D.D. Ultrasonic relaxation in polyatomic gases and vapours, 1=8162
 Jatzlau, M. See Hauser, I., 4=9199
 Jauch, J.M. On Pauli's transformation, 0=15267
 Jauch, J.M. Systems of observables in quantum mechanics, 1=5194
 Jauch, J.M. Symmetries in classical and modern physics, 2=4903
 Jauch, J.M. Gauge invariance as a consequence of Galilei-invariance for elementary particles, 4=24980
 Jauch, J.M. and Misra, B. Supersymmetries and essential observables, 2=2627
 Jauch, J.M. and Misra, B. Supersymmetries and essential observables, 2=15482
 Jauch, J.M. and Piron, C. Can hidden variables be excluded in quantum mechanics? 4=8061
 Jauch, J.M. See Finkelstein, D., 2=9192
 Jauch, J.M. See Finkelstein, D., 2=22399
 Jauch, J.M. See Finkelstein, D., 3=7089
 Jauch, J.M. See Finkelstein, D., 3=16524
 Jauhari, M. See Vachaspati, 1=13313
 Jauho, P. Subcritical assemblies with spontaneous fission source, 0=13334
 Jauhri, G.S. See Saksena, B.D., 2=14289
 Jauhri, G.S. See Saksena, B.D., 3=13171
 Jaumann, J. and Marnet, C. Dielectric losses in non-polar insulating liquids due to [carrier] accumulation boundary layers, 1=18426
 Jauman, J. and Clemens, K.H., 3=10919
 Jaumann, J. See Breuer, W., 2=23655
 Jaumann, J. See Breuer, W., 3=10918
 Jaumann, J. See Dietz, G., 2=12379
 Jaumann, J. See Haacke, G., 0=16136
 Jauncey, D. L. See Bray, A. D., 4=19617
 Jauncey, D.L. See Campbell, M.J., 2=12079
 Jauneau, L., Morellet, D., Nguyen-Khac, U., Petiau, P., Rousset, A., Bingham, H., Cundy, D.C., Koch, W., Ronne, B., Sletten, H., Bullock, F.W., Common, A.K., Esten, M.J., Henderson, C., Stannard, F.R., Scarr, J.M., Sparrow, J., Wilson, A.G., Halsteinslid, A. and Møllerud, R. Direct measurement of Ξ^- and Ξ^0 mean lives, 3=12511
 Jauneau, L., Morellet, D., Nguyen-Khac, U., Rousset, A., Six, J., Bingham, H.H., Cundy, D.C., Koch, W., Nicolici, M., Ronne, B., Skjeggstad, O., Sletten, H., Common, A.K., Esten, M.J., Henderson, C., Fisher, C.M., Scarr, J.M., Thomas, R.H., Haatuft, A.A., Møllerud, R. and Myklebost, K. Ξ^- properties, 3=19708
 Jauneau, L. See Berley, D., 4=9281
 Jaunet, J., Sella, C. and Trillat, J. J. Nucleation of metals on alkaline halides cleared in air and under vacuum, 4=13547
 Javan, A. Possibility of production of negative temperature in gas discharges, 0=1109
 Javan, A. Several-quanta transitions and maser amplification in two-level systems, 0=16181
 Javan, A., Ballik, E.A. and Bond, W.L. Frequency characteristics of a continuous-wave He-Ne optical maser, 2=5155
 Javan, A., Bennett, W.R., Jr and Herriott, D.R. Population inversion and continuous optical maser oscillation in a gas discharge containing a He-Ne mixture, 1=7440
 Javan, A. See Jaseja, T.S., 3=19496
 Javan, A. See Jaseja, T.S., 4=11042
 Javan, A. See Szöke, A., 3=19944
 Javelas, R. See Bernard, R., 2=842
 Javelas, R. See Bernard, R., 3=24372
 Javet, P. See Hofer, E.M., 3=2817
 Javornicky, J. Remarks on the analysis of birefringence in photoplasticity, 2=10576
 Javrishvili, A.K. See Andronikashvili, E.L., 3=4505
 Jaworowski, Z. A low-background beta scintillation counting method, 4=9432
 Jax, J. See Ebel, H., 3=19394
 Jayadevan, N.C. See Chackraburty, D.M., 4=7606
 Jayadevappa, E.S. See Hisatsune, I.C., 0=3533
 Jayanthan, R. The flare of 1957 September 19, 1=1647
 Jayanthan, R. See Ramanathan, A.S., 3=11537
 Jayarama Reddy, P. and Bhimasenachar, J. Temperature dependence of elastic compliances of garnet, 4=7427
 Jayarama Reddy, P. and Bhimasenachar, J. Variation with temperature of the elastic compliances of potassium iodide, 4=7450
 Jayaraman, A. Optical properties and unit cell parameters of nickel nitrate hexahydrate, 0=7991
 Jayaraman, A. The luminescence spectra of diamond, 1=20004
 Jayaraman, A. See Kennedy, G.C., 2=11544
 Jayaraman, A. Fusion curve of europium, fusion and f. c. c. - b. c. c. transformation in ytterbium at high pressures, 4=29022
 Jayaraman, A., Klement, W., Jr. and Kennedy, G.C. Melting and polymorphism at high pressures in some Group IV elements and III-V compounds with the diamond/zincblende structure, 3=14417
 Jayaraman, A., Klement, W., Jr. and Kennedy, G.C. Melting and polymorphic transitions for some group II-VI compounds at high pressures, 3=16016

- Jayaraman, A., Klement, W., Jr. and Kennedy, G.C. Melting and polymorphism of barium at high pressures, 3=16834
- Jayaraman, A., Klement, W., Jr. and Kennedy, G.C. Solid-solid transitions in titanium and zirconium at high pressures, 3=20887
- Jayaraman, A., Klement, W., Jr. and Kennedy, G.C. Phase diagrams of calcium and strontium at high pressures, 4=4505
- Jayaraman, A., Klement, W., Jr., Newton, R.C. and Kennedy, G.C. Fusion curves and polymorphic transitions of the group III elements—aluminum, gallium, indium and thallium—at high pressures, 3=6814
- Jayaraman, A., Newton, R.C. and Kennedy, G.C. Melting and polymorphism of indium antimonide at high pressures, 1=18678
- Jayaraman, A., Newton, R.C. and Kennedy, G.C. High pressure studies on diamond and zincblende structures melting and polymorphism, 4=5448
- Jayaraman, A. and Sherwood, R.C. Pressure-induced phase transformation in gadolinium and its effect on the magnetic behaviour, 4=15733
- Jayaraman, A. and Sherwood, R.C. Phase transformation in samarium induced by high pressure and its effect on the antiferromagnetic ordering, 4=17768
- Jayaraman, A. See Geller, S., 4=14518
- Jayaraman, A. See Klement, W., Jr., 3=8795
- Jayaraman, A. See Klement, W., Jr., 3=18227
- Jayaraman, A. See Klement, W., Jr., 3=19067
- Jayaraman, A. See McWhan, D.B., 4=4624
- Jayaraman, A. See Newton, R.C., 2=17688
- Jayaraman, A. See Robinson, L.B., 4=13183
- Jayaraman, A. See Tittmann, B., 4=16378
- Jayaraman, K.S. See Sarma, N., 3=17461
- Jayarathne, O.W. and Mason, B.J. The coalescence and bouncing of water drops at an air/water interface, 4=24154
- Jayarathne, O.W. See Mason, B.J., 3=14132
- Jayasimha, P. and Murty, G.S. On the theory of stability of a current-carrying annular mercury cylinder, 4=5774
- Jaycock, M.J. and Parfitt, G.D. Errors involved in using the Rayleigh equation for interpretation of light-scattering data beyond its normally accepted limits, 2=13460
- Jaye, W.E., Dyce, R.B. and Leadbrand, R.L. Radar echoes obtained from earth satellites 1957 Alpha and 1957 Beta, 1=9302
- Jaye, W.E. See Leadbrand, R.L., 1=21062
- Jayme, G. See Fengel, D., 3=25799
- Jayme, G. See Fengel, D., 4=2101
- Jaynes, E.T. Information theory and statistical mechanics, 4=14061
- Jaynes, E.T. See Heims, S.P., 2=23629
- Jdanov, A.P., Kartujanski, A.L., Kuzmin, V.N., Ryjkova, I.V., Fedotov, P.I. and Chour, L.I. The preparation of nuclear emulsions and the mechanism of hypersensitization with triethanolamine, 0=12738
- Jean, A.G. and Crary, J.H. Very-low-frequency phase observations on the ionospheric effects of the solar flare of September 28th, 1961, 3=16264
- Jean, A.G., Taylor, W.L. and Wait, J.R. V.L.F. phase characteristics deduced from atmospheric wave forms, 0=14311
- Jean, M. Note on the collective interpretation of the first two $2+$ levels of even nuclei, 1=612
- Jean, M. The vibrational excitation of even-even nuclei, 1=13640
- Jean, M. and Touchard, J. The introduction of collective coordinates for the description of nuclei, 0=9501
- Jean, M. and Touchard, J. Excited levels of even-even nuclei in intermediate regions, 0=9527
- Jean, A.G. See Crombie, D.D., 4=30951
- Jean, A.G. See Taylor, W.L., 0=3355
- Jean, M. See Ricci, R.A., 3=2371
- Jean, R. and Liot, R. Pumping of linear accelerators, 0=2407
- Jean-Louis, M. See Bernard, M., 4=5864
- Jeanes, R. Jr. Pulsed laser beam pictures, 4=16225
- Jeanmaire, J. Flow behind the shockfront in a T-tube, 4=18831
- Jeanmaire, L. See Lansiait, A., 1=7951
- Jeanmaire, L. See Lansiait, A., 1=9819
- Jeanmaire, P., Klingenberg, H. and Reichenbach, H. Investigation of shock and luminous front in an electromagnetic shock tube, 4=271
- Jeanne, M. L. Simple formula for whiteness; its application to cements, 4=27284
- Jeannet, E. and Rossel, J. Experimental study of the spallation mechanism, 4=3671
- Jeannet, E. See Bovet, C.A., 1=10822
- Jeannet, E. See Urech, S., 2=3592
- Jeannet, J.-C. and Vassy, A. Interferometric measurements of the green line of polar aurorae, 3=16281
- Jeannotte, D. and Machlin, E.S. Quenching-in and annealing-out of point defects in degassed gold held in clean and dirty atmospheres, 4=6829
- Jech, A. See Bergström, I., 1=5855
- Jech, C. Release of radioactive inert gas label from surfaces of solids during hydration and dehydration, 1=15184
- Jech, Č. Release of inert gas label from ionic crystals during thermal treatment, 3=823
- Jech, Č. Release of inert gas label from discharge treated solids, 4=12816
- Jech, R.W., Springborn, R.H. and McDaniels, D.L. Apparatus for stress-rupture testing of filaments in a controlled environment, 4=17719
- Jecht, U. and Kessler, W. Excitation mechanism of A.H.F. torch discharge at 2400 Mc/s, 4=11547
- Jecht, U. See Kessler, W., 4=29239
- Jedlicka, M. Fatigue of Sb-Cs photocathodes, 2=15945
- Jedlicka, J.R. and Stine, H.A. Axial flow through the wall-constricted direct-current arc—comparison of theory and experiment, 4=14736
- Jedynak, L. Vacuum insulation of high voltages utilizing dielectric coated electrodes, 4=24536
- Jeener, J. Frequency stabilization scheme for the Pound-Watkins r.f. spectrometer, 1=3073
- Jeener, J., Eisendrath, H. and Van Steenwinkel, R. Thermodynamics of spin systems in solids, 4=7209
- Jeener, J. See Philippot, J., 3=23254
- Jefferies, J. and Pottasch, S. The Nova outburst. III. The ionization of hydrogen gas by an exciting star, 0=14450
- Jefferies, J.T. Thermally broadened Stark profiles of some high Balmer lines, 0=12286
- Jefferies, J.T. Source function in a non-equilibrium atmosphere. VII. The interlocking problem, 1=4207
- Jefferies, J.T. Line transfer problems, 4=2361
- Jefferies, J.T. and Orrall, F.Q. On the interpretation of prominence spectra. II. The line and continuous spectrum of the spray-type limb event of March 7, 1959, 1=7990
- Jefferies, J.T. and Orrall, F.Q. On the interpretation of prominence spectra. III. The line and continuous spectrum of a loop prominence and limb flare, 1=7991
- Jefferies, J.T. and Orrall, F.Q. On the interpretation of prominence spectra. IV. The Balmer and Paschen continua in a quiet prominence, 2=4784
- Jefferies, J.T. and Orrall, F.Q. On the interpretation of prominence spectra. VI. Temperature determination and a model for quiescent prominences, 3=16384
- Jefferies, J.T., Pecker, C.W. and Thomas, R.N. The structure of regions of coronal-line emission, 2=17280
- Jefferies, J.T. and Thomas, R.N. The source function in a non-equilibrium atmosphere. V. Character of the self-reversed emission cores of $\text{Ca}^+ \text{H}$ and K , 0=12249
- Jefferies, J.T. and Thomas, R.N. A comment on the NRL solar Lyman-alpha results, 1=5154
- Jefferies, J.T. and White, O.R. Source function in a non-equilibrium atmosphere. VI. The frequency dependence of the source function for resonance lines, 1=4206
- Jefferies, J.T. See Dunn, R.B., 1=1649
- Jefferies, J.T. See Giovanelli, R.G., 1=15491
- Jefferies, T. and Orrall, F.Q. On the interpretation of prominence spectra. V. The emission lines in quiescent prominences, 2=4785
- Jeffers, H.M. and Gibson, J. Observations of comets and of Icarus (1566), 0=12274
- Jefferson, C.F. and West, R.G. Ferrite system for application at lower microwave frequencies, 1=6373
- Jefferts, K.B. See Dehmelt, H.G., 2=6229
- Jefferts, K.B. See Jones, E.D., 4=28902
- Jeffery, B.M. and Williamson, G.K. The use of electron probe microanalyses with gamma-active materials, 4=13634
- Jeffery, P.M. and Reynolds, J.H. Concerning Xe^{136} in the meteorite Abee, 1=18066
- Jeffery, J.W. A successful version of the Beever's—Macewan Fourier synthesizer using dekatron counters, 1=5118
- Jeffery, J.W. A simple photometer for measuring the optical density of integrating Weissenberg reflections, 3=23999
- Jeffery, J.W. The symmetry of phases in the reciprocal lattice, 4=7576
- Jeffrey, J.W. Partial Fourier syntheses, 4=23361

- Jeffery, J. W. and Bertaut, E. F. The symmetry of phases in the reciprocal lattice. A correction, 4=29073
- Jeffery, J. W. and Rose, K. M. Absorption and other errors in the measurement of the intensities of X-ray reflections from single crystals, 4=23386
- Jeffery, J. W. See Chatterji, S., 4=20727
- Jeffery, J. W. See Rose, K. M., 4=7587
- Jefferys, W. H., III. Relative positions and proper motions in the region of M37, 2=24154
- Jeffress, L. A. Absolute pitch, 2=17318
- Jeffress, L. A. Stimulus-oriented approach to detection, 4=20972
- Jeffress, L. A., Blodgett, H. C. and Deatherage, B. H. Effect of interaural correlation on the precision of centering a noise, 2=21760
- Jeffress, L. A., Blodgett, H. C. and Deatherage, B. H. Masking and interaural phase. II. 167 cycles, 2=24201
- Jeffress, L. A. and Blodgett, H. C. Effect of switching earphone channels upon the precision of centering, 2=24207
- Jeffress, L. A. and Robinson, D. E. Formulas for the coefficient of interaural correlation for noise, 3=3677
- Jeffress, L. A. and Taylor, R. W. Lateralization versus localization, 1=9220
- Jeffress, L. A. See Blodgett, H. C., 2=21756
- Jeffress, L. A. See Craig, J. H., 1=12706
- Jeffress, L. A. See Craig, J. H., 3=3679
- Jeffress, L. A. See Diercks, K. J., 2=17321
- Jeffress, L. A. See Moushegian, G., 0=2051
- Jeffress, L. A. See Robinson, D. E., 4=10961
- Jeffress, L. A. See Tobias, J. V., 2=21754
- Jeffress, L. A. See Whitworth, R. H., 1=11661
- Jeffrey, A. Some properties of transport flux and current at the surface of grey plates, 1=18325
- Jeffrey, A. A note on the derivation of the discontinuity conditions across contact discontinuities, shocks and phase fronts, 4=21071
- Jeffrey, A. Magnetoacoustic simple waves in a polytropic gas, 4=24802
- Jeffrey, G. A. and Kinoshita, Y. The crystal structure of cytosine monohydrate, 3=8868
- Jeffrey, G. A. and McMullan, R. K. Polyhedral clathrate hydrates. IV. The structure of the tri n-butyl sulfonium fluoride hydrate, 3=3309
- Jeffrey, G. A. and Shiono, R. A comparison of anisotropic differential Fourier and least-squares refinement, 0=10302
- Jeffrey, G. A. and Slaughter, M. The structure of aluminium tetroxycarbide, 3=11268
- Jeffrey, G. A. and Wu, V. Y. The structures of the aluminum carbonitrides, 3=18320
- Jeffrey, G. A. See Allen, K. W., 3=18312
- Jeffrey, G. A. See Amma, E. L., 1=4052
- Jeffrey, G. A. See Beurskens, G., 4=7656
- Jeffrey, G. A. See Beurskens, P. T., 4=13620
- Jeffrey, G. A. See Beurskens, P. T., 4=23502
- Jeffrey, G. A. See Beurskens, G., 4=29130
- Jeffrey, G. A. See Beurskens, G., 4=29131
- Jeffrey, G. A. See Bonamico, M., 3=3308
- Jeffrey, G. A. See Feil, D., 1=20569
- Jeffrey, G. A. See McMullan, R., 0=3255
- Jeffrey, G. A. See McMullan, R. K., 4=7655
- Jeffrey, J. W. and Murty, T. S. X-ray analysis of parallel growth and disorder in silicon carbide crystals, 2=14943
- Jeffreys, H. Faults in a material that hardens when it yields, 0=8125
- Jeffreys, H. The clock paradox in special relativity, 0=8540
- Jeffreys, H. Imperfections of elasticity in the small bodies of the solar systems, 0=18688
- Jeffreys, H. The moon's libration in longitude, 0=18697
- Jeffreys, H. The secular accelerations of satellites, 0=18704
- Jeffreys, H. The effect of tidal friction on eccentricity and inclination, 1=10376
- Jeffreys, H. Dissipative interaction between satellites, 1=10381
- Jeffreys, H. On two methods of Brown and Shook, 1=10401
- Jeffreys, H. On the figure of the moon, 1=15420
- Jeffreys, H. A canonical transformation for treating small coordinates, 4=8121
- Jeffreys, H. How soft is the earth? 4=23698
- Jeffreys, H. On the expression of gravity formulae, 4=29251
- Jeffreys, H. and Sells, C. S. H. from a source in the lower layer, 3=23963
- Jeffreys, W. H., III. On computational technique for photographic astrometry with overlapping plates, 3=11484
- Jeffries, C. D. Dynamic orientation of nuclei by forbidden transitions in paramagnetic resonance, 0=5654
- Jeffries, C. D. Dynamic nuclear orientation, 1=14154
- Jeffries, C. D. A proposal for nuclear spin cooling, 3=19077
- Jeffries, C. D. Observation of the phonon bottleneck, 4=26429
- Jeffries, C. D. See Abraham, M., 0=5655
- Jeffries, C. D. See Axe, J. D., 1=6420
- Jeffries, C. D. See Chamberlain, O., 4=9253
- Jeffries, C. D. See Leifson, O. S., 1=10185
- Jeffries, C. D. See Ruby, R. H., 2=14839
- Jeffries, C. D. See Schmugge, T. J., 2=23722
- Jeffries, C. D. See Scott, P. L., 2=14838
- Jeffries, C. D. See Stapleton, H. J., 1=20223
- Jeffries, M. Modification of the Rosenblum spark counter, 4=9007
- Jeffries, R. A., Seely, L. B. and Fowler, R. G. Influence of the end plate on shock reflection in the high-explosive shock tube, 4=29701
- Jeffries-Harris, M. J. and Poindexter, E. H. Double-resonance parameters for solutions of fresh asphaltene, 3=7221
- Jefimenko, O. Demonstration of the electric fields of current-carrying conductors, 2=1561
- Jefimenko, O. Semiclassical model of atomic interactions, 3=2573
- Jefimenko, O. Suppression of the doublet fine structure in the spectra of gaseous mixtures, 4=9674
- Jefimenko, O. Satellite bands in the spectra of gaseous mixtures and the shape of potential curves for neutral atoms and molecules in the state of collision, 4=25594
- Jefimenko, O. Satellite bands in the spectra of gaseous mixtures and the shape of potential curves for neutral atoms and molecules in the state of collision, 4=25781
- Jefimenko, O. and Exton, R. J. Absorption spectrum of Cs in the presence of isomeric hydrocarbons, 3=22478
- Jegaden, G., Voinchet, J. and Rocquet, P. Rapid and accurate experimental determination of the anisotropy and plasticity of deep-drawing sheets, 2=21429
- Jehan, A. See Chaudhri, R. M., 4=22913
- Jehanno, C. and Labeyrie, J. Artificial radioactivity in the stratosphere, 0=21325
- Jehanno, G. and Perio, P. Structure of AuCu II, 3=8880
- Jehle, H. Intermolecular forces and biological specificity, 4=4963
- Jehle, H., Parke, W. C. and Rossi, C. E. Decomposition of Lorentz and Foldy-Wouthuysen transformations, 4=24019
- Jehlicka, B. See Pátek, K., 4=7167
- Jehn, W. See Medicus, G., 3=3843
- Jelen, J. A contribution to the theory of T-shaped shock tube, 4=5288
- Jelenski, A. A parametric spectrograph for quadrupole resonance, 1=12025
- Jelenski, A. Magnetic resonance parametric spectroscopy, 3=24485
- Jelenski, A. See Bertein, F., 0=7215
- Jelinek, F. J. See Gerstein, B. C., 2=21346
- Jelinek, G. See Slutsky, L. J., 3=8348
- Jelinek, G. E. See Slutsky, L. J., 4=9828
- Jelley, J. V. Time discrimination in solid-state infrared quantum counters, 0=12529
- Jelley, J. V. Čerenkov radiation in the atmosphere, 1=5798
- Jelley, J. V. Comments on a recent theory of the decametre radio storms on Jupiter, 3=21132
- Jelley, J. V. and Cooper, B. F. C. An operational ruby maser for observations at 21 centimeters with a 60-foot radio telescope, 1=4214
- Jelley, J. V. and Petford, A. D. A preliminary search for short-period H γ activity from the planet Jupiter during the apparition of 1960, 3=18609
- Jelley, J. V. and Porter, N. A. Čerenkov [Čerenkov] radiation from the night sky, and its application to γ -ray astronomy, 4=10795
- Jelley, J. V. See Fruin, J., 4=21969
- Jelley, J. V. See Goldsmith, P., 0=20099
- Jellinek, F. Sulfides of the transition metals of groups IV, V and VI, 3=23449
- Jellinek, F. See Chevreton, M., 3=16095
- Jellinek, F. See Rundqvist, S., 0=18360
- Jellinek, G. Can linearly polarized X-rays become elliptically polarized in total reflection? 4=634
- Jellinek, H. H. G. Liquidlike layers on ice, 1=14932
- Jellinek, H. H. G. Plastic deformation of thick-walled snow-ice cylinders under hydrostatic pressure, 2=23757
- Jellinek, H. H. G. Ice adhesion, 2=23798
- Jellinghaus, W. Susceptibility measurements on Fe-C alloys in austenitic region, 3=15785
- Jellinghaus, W. and de Andrés, M. P. Hall effect and conductivity of iron-nickel alloys, 0=6081

- Jellinghaus, W. and de Andrés, M.P. Hall effect and resistance in the iron-cobalt series, 1=3714
- Jellinghaus, W. and de Andrés, M.P. Influence of periodic-table neighbours of iron on the hall effect of iron-rich mixed crystals, 1=6128
- Jellinghaus, W. and de Andrés, M.P. Measurements of the Hall effect in the binary mixed crystal range of iron, 1=10031
- Jelly, D.H. Polar cap absorption events identified from h.f. vertical ionosonde data, 2=11800
- Jelly, D.H. The effects of polar-cap absorption on h.f. oblique-incidence circuits, 3=14783
- Jelly, D.H. and Collins, C. Some observations of polar-cap absorption in the northern and southern hemispheres, 2=17158
- Jelly, D.H., Matthews, A.G. and Collins, C. Study of polar cap and auroral absorption at h.f. and v.h.f. frequencies, 3=5876
- Jelly, D.H. See Collins, C., 1=3069
- Jelly, D.H. See Collins, C., 1=6606
- Jelly, J.V. Cerenkov radiation: its origin, properties and applications, 2=22477
- Jelsma, L. F. See Bolgiano, L. P., Jr, 4=21272
- Jeltsch, E. Matrix formulation of the two-group theory for neutron diffusion, 2=6001
- Jen, C.K., Bowers, V.A., Cochran, E.L. and Foner, S.N. Electron spin resonance of alkali atoms in inert-gas matrices, 2=14823
- Jen, C.K. See Foner, S.N., 0=7889
- Jen, C.K. See Massey, J.T., 1=4930
- Jen Lang. A dipole aerial embedded in a prolate dielectric spheroid, 3=17046
- Jen Lang. The scattering of an arbitrary uniform plane electromagnetic wave by an infinite metal rod of elliptical cross-section in an infinite homogeneous isotropic medium with finite conductivity, 3=17052
- Jen Lang. An amendment to "A dipole antenna embedded in a prolate dielectric spheroid", 4=30062
- Jen, M. and Lide, D.R., Jr. Molecular structure of chloroform, 2=16542
- Jen, M. See Lide, D.R., Jr, 3=12849
- Jen, M. See Lide, D.R., Jr, 4=15371
- Jen Tsi Yang. Non-Newtonian viscosity and flow birefringence of rigid particles: tobacco mosaic virus, 1=12842
- Jenc, F. See Read, S.M., 2=18451
- Jendrasic, V. See Green, M., 3=17689
- Jeng Seng-ju [Zhén Zein-Zhu]. The effect of distortion and noise on the measurement of multiple Coulomb scattering in nuclear emulsions and its elimination, 4=19342
- Jēng Sing-Ju. See Wang Shu-Fen, 4=934
- Jenkin, J.G., Earwaker, L.G. and Titterton, E.W. The $B^{10}(p, He^3)Be^8$ reaction, 3=17463
- Jenkin, J.G., Earwaker, L.G. and Titterton, E.W. The $F^{19}(p, n)Ne^{18}$ reaction between 5 and 11 MeV, 3=17466
- Jenkin, J. G., Earwaker, L. G. and Titterton, E. W. The $B^{10}(p, \alpha)Be^7$ reaction between 2 and 11 MeV, 4=12220
- Jenkin, J.G. See Earwaker, L.G., 2=22754
- Jenkin, J.G. See Earwaker, L.G., 3=12671
- Jenkin, J.G. See Earwaker, L.G., 4=9391
- Jenkin, J.G. See Shamu, R.E., 4=21859
- Jenkins, A.E. See Harris, B., 0=3393
- Jenkins, A.W. and Parker, H.M. Electromagnetic support arrangement with three-dimensional control. I. Theoretical, 0=2425
- Jenkins, A.W., Jr and DuVall, E.W. A possible mechanism for magnetic effects from meteors, 3=13844
- Jenkins, A.W., Jr, Phillips, C.A., Jr and Maple, E. Observed magnetic effects from meteors, 0=16407
- Jenkins, A.W., Jr. See Tierlikkis, L., 1=10145
- Jenkins, D.A. See Astbury, A., 4=28052
- Jenkins, D.A. See Auerbach, L.B., 3=22160
- Jenkins, D.J. See Gorsuch, T.T., 4=9427
- Jenkins, D.R. A variable two-way flow stopcock, 3=16587
- Jenkins, D.R. See Curl, R.F. Jr., 1=3536
- Jenkins, E.B. See Beard, D.B., 2=24056
- Jenkins, E.B. See Beard, D.B., 3=21072
- Jenkins, E.W. See Baker, W.F., 2=20627
- Jenkins, E.W. See Baker, W.F., 3=7854
- Jenkins, E.W. See Baker, W.F., 3=10169
- Jenkins, E.W. See Baker, W.F., 4=25093
- Jenkins, E.W. See Cocconi, G., 4=9193
- Jenkins, E.W. See Cool, R.L., 2=20430
- Jenkins, E.W. See Diddens, A.N., 3=22183
- Jenkins, E.W. See Diddens, A.N., 4=6133
- Jenkins, E.W. See Fischer, G.E., 0=2578
- Jenkins, F.A. Extension of the spectral range of the high reflectance of dielectric multilayers, 0=16880
- Jenkins, F.A. See Baumeister, P.W., 0=175
- Jenkins, G.M. Analysis of the stress-strain relationships in reactor grade graphite, 2=4316
- Jenkins, G.M. The effect of irradiation on strain in stressed graphite, 2=23742
- Jenkins, G.M. Transient creep and recovery in graphite, 3=18196
- Jenkins, G.M., Turnbull, J.A. and Williamson, G.K. Electron microscope studies of graphitization and deformation in carbon film, 3=13395
- Jenkins, G.M., Turnbull, J.A. and Williamson, G.K. Graphitization and deformation in carbon films, 4=15731
- Jenkins, G.M. and Williamson, G.K. Deformation of graphite by thermal cycling, 3=23308
- Jenkins, J.M. See Tiren, L.I., 2=20721
- Jenkins, J.M. See Tiren, L.I., 3=25028
- Jenkins, K.R. See Webb, W.L., 2=4627
- Jenkins, L.F. Summary of the parallaxes of ninety-one stars from plates obtained with the Yale 26-inch telescope, 2=11135
- Jenkins, P.M. See McNally, J.R., Jr., 3=14556
- Jenkins, R.A. Perception of pitch, timbre, and loudness, 1=21118
- Jenkins, R.J. and Butler, C.P. Thermal properties of meteoritic iron from -150° to 300° Celsius, 3=11528
- Jenkins, R.J. See Butler, C.B., 4=10886
- Jenkins, R.J. See Parker, W.J., 1=13006
- Jenkins, R.J. See Rudkin, R.L., 2=2906
- Jenkins, R.O. The theory of ballast tubes or barretters, 0=3728
- Jenkins, R.O. Leak testing during the manufacture of sealed-off vacuum devices, 1=15982
- Jenkins, R.O. and Trodden, W.G. Evaporation of thorium from carburized thoriated tungsten cathodes, 0=7135
- Jenkins, R.O. and Trodden, W.G. The poisoning of impregnated cathodes, 0=9072
- Jenkins, R.O. and Trodden, W.G. Physical processes in small titanium ion pumps, 1=18481
- Jenkins, R.O. and Trodden, W.G. Evaporation from barium nickel matrix cathodes, 2=3068
- Jenkins, R. O. and Trodden, W. G. Contamination of xenon gas fillings by nitrogen from iron components, 4=21207
- Jenkins, R. O. See Trodden, W. G., 4=21560
- Jenkins, R.W. and Paghis, I. Criteria for the association of solar flares with geomagnetic disturbances, 3=21110
- Jenkins, T.L. See Moe, M.K., 4=16736
- Jenkins, T.L. See Swanson, W.P., 1=527
- Jenkins, T.L. See Swanson, W.P., 1=531
- Jenkins, W.D. and Willard, W.A. Creep of cold-drawn nickel, copper, 70 percent nickel-30 percent copper, and 30 percent nickel-70 percent copper alloys, 2=10760
- Jenkins, W.J. See Cathey, L., 2=18196
- Jenkinson, D.S. Scintillation counting of carbon-14, 0=15193
- Jenks, G.J. See Andrew, E.R., 1=6430
- Jenks, G.J. See Andrew, E.R., 1=10187
- Jenks, G.J. See Andrew, E.R., 2=21385
- Jenks, G.J. See Eades, R.G., 1=7160
- Jenn Lin Hwang. Angular momentum distributions in the Thomas-Fermi and Thomas-Fermi-Dirac models of the atom, 4=25473
- Jenn Lin Hwang and Yah-Shian Yang. Radii, surface diffuseness, and binding energies of atomic nuclei, 4=25265
- Jenn Lin Hwang. See Chia Yi Huang, 4=16750
- Jenneiahn, R.H. See Bartleson, C.J., 3=14382
- Jennings, J.R. Jr. An empirical assessment of the effect of quenching on the infrared optical properties of polytrifluorochloroethylene, 0=12473
- Jennings, J.R., Jr. Reflection-reducing coatings to improve the performance of semiconductor photo-detectors, 1=11852
- Jenney, J.A. See Meredith, R.E., 4=7113
- Jennings, A.P.H. Recording integrator for gas chromatography, 1=2561
- Jennings, D.A. and Tantilla, W.H. Particle-size effect on nuclear spin-lattice relaxation time, 0=10243
- Jennings, D.A. and Tantilla, W.H. Interruption of nuclear spin diffusion, 3=3186
- Jennings, D.A. See Bender, P.A., 0=4532
- Jennings, D.A. See Hall, J.L., 4=7199
- Jennings, D.A. See Takuma, H., 4=21675
- Jennings, I.C. See Gasson, D.B., 2=23417
- Jennings, I.C. See Gasson, D.B., 3=1345
- Jennings, I.C. See Gasson, D.B., 3=16828
- Jennings, L.D. See Gerstein, B.C., 2=23032
- Jennings, I.C. See Holmes, P.J., 2=10917
- Jennings, J.E. and Burland, J.B. Rand soil-pressure cell for low pressures, high accuracy and long-term stability, 0=8590

- Jennings, K.R. and Cvetanović, R.J. Relative rates of addition of hydrogen atoms to olefines, 1=20732
- Jennings, K.R. and Linnett, J.W. Emission spectra of flames supported by active nitrogen, 1=13942
- Jennings, K.R. See Cvetanovic, R.J., 1=20752
- Jennings, K.R. See Cvetanovic, R.J., 1=20753
- Jennings, L.D. Design of mutual inductance bridge for cryogenic measurements, 1=2025
- Jennings, L.D., Chipman, D.R. and DeMarco, J.J. Measurement of the scattering factor of copper in a perfect crystal, 4=29107
- Jennings, L.D., Hill, E.D. and Spedding, F.H. Heat capacity of samarium from 13 to 350°K, 0=2788
- Jennings, L.D., Hill, E. and Spedding, F.H. Heat capacity of thulium from 15° to 360°K, 1=11163
- Jennings, L.D., Miller, R.E. and Spedding, F.H. Lattice heat capacity of the rare earths. Heat capacities of yttrium and lutetium from 15-350°K, 1=3605
- Jennings, L.D. See Chipman, D.R., 4=3797
- Jennings, L.D. See Stanton, R.M., 0=6016
- Jennings, L.D. See Vossos, P.H., 0=12047
- Jennings, R.E. and Kalmus, P.I.P. A gas Čerenkov detector for the accurate determination of electron beam energy, 1=397
- Jennings, R.E. The microtron, 2=17917
- Jennings, R.E. Čerenkov radiation, 2=20303
- Jennings, R.E. and Rand, R.E. Elimination of the dead space between channels in a Hutchinson-Scarrott pulse height
- Jennings, R.E. See Aitken, D.K., 1=9663
- Jennings, R.E. See Aitken, D.K., 4=3247
- Jennings, R.E. See Davies, G.R., 1=16467
- Jennings, R.E. See Hague, J.F., 4=9178
- Jennings, R.E. See Heddle, D.W.O., 3=14214
- Jennings, V.J. and Knight, R.D. Continuous deionized water washing system for semiconductor devices, 0=4724
- Jennison, R.C. A phase sensitive interferometer technique for the measurement of the Fourier transforms of spatial brightness distributions of small angular extent, 0=3
- Jennison, R.C. The detection of coherent harmonics in certain solar outbursts, 0=833
- Jennison, R.C. The structure of the Cassiopeia-A and Cygnus-A radio sources measured at 127 Mc/s and 3000 Mc/s, 1=18177
- Jennison, R.C. The Michelson stellar interferometer: a phase sensitive variation of the optical instrument, 1=18608
- Jennison, R.C. Ray paths in a rotating system, 4=2533
- Jennison, R.C. and Latham, V. The brightness distribution within the radio sources Cygnus A (19N4A) and Cassiopeia A (23N5A), 0=16530
- Jennison, R.C. and McDonnell, J.A.M. A technique for the detection and determination of the velocity, mass, radiant, charge and flux of micrometeorite particles in space, 4=26931
- Jennison, R.C. See Davies, R.D., 0=4868
- Jennison, R.C. See Davies, R.D., 1=2664
- Jennison, R.C. See Davies, R.D., 1=2665
- Jennison, R.C. See Davies, R.D., 4=29490
- Jennison, R.C. See Haselgrove, C.B., 1=15531
- Jenny, D.A. and Wysocki, J.J. Temperature dependence and lifetime in semiconductor junctions, 0=1631
- Jensen, B.S. Note on the preparation of anhydrous rare-earth chlorides for the electromagnetic isotope separator, 0=17677
- Jensen, B.S., Nielsen, O.B. and Skilbreid, O. On the decay of 5.8 d Sb¹²⁰, 5.1 h Sb¹¹⁸ and 1 h Sb¹¹⁶, 1=2190
- Jensen, C.A. and Libby, W.F. Intense - 584-A light from a simple continuous helium plasma, 4=27305
- Jensen, C.E. Energy transformation and vertical flux processes over the northern hemisphere, 1=20822
- Jensen, C.E. See Christiansen, J.A., 2=858
- Jensen, E. On the dynamics of prominences and coronal condensations, 0=6592
- Jensen, E. General theory on spin-echoes for any combination of any number of pulses. Introduction of a simple "spin-echo diagram", 0=15512
- Jensen, E. Distribution of elements over the surface of a magnetic star, 2=15376
- Jensen, E. See Ringnes, T.S., 2=2536
- Jensen, E. Mass losses through evaporation from a completely ionized atmosphere with applications to the solar corona, 4=2444
- Jensen, E. and Orrall, F.Q. Observational study of macroscopic inhomogeneities in the solar atmosphere. IV. Velocity and intensity fluctuations observed in the K line, 4=2420
- Jensen, E.H. See Bryrup, E., 0=9716
- Jensen, E.N. See Daniel, H., 0=5710
- Jensen, E.N. See Nichols, R.T., 1=5847
- Jensen, E.N. See Nichols, R.T., 1=7346
- Jensen, E.N. See Schupp, G., 0=17546
- Jensen, H.A. See Ing, S.W., Jr., 4=20481
- Jensen, H.A. See Lesk, I.A., 2=8378
- Jensen, H.H. and Saermark, K. On the theory of the Rayleigh-disk and the sound pressure radiometer, 0=14749
- Jensen, H.W. See Vogt, K.J., 2=12147
- Jensen, H.W. See Vogt, K.J., 3=5205
- Jensen, J.D. See Mitchel, D.L., 3=17984
- Jensen, J.E. See Barnes, V.E., 4=16969
- Jensen, J.T. Jr. See Haas, G.A., 0=12626
- Jensen, J.T., Jr. See Hass, G.A., 4=5695
- Jensen, J.W. See Schwaneke, A.E., 2=12737
- Jensen, L.H. See Kraut, J., 3=8871
- Jensen, L.H. See Peterson, J., 0=8234
- Jensen, L.H. See Stewart, R.F., 4=20769
- Jensen, M.A. See Hamilton, D.C., 4=5516
- Jensen, M.A. See Kuper, C.G., 4=14523
- Jensen, M.A. See Merriam, M.F., 3=14453
- Jensen, M.W. See Almer, H.E., 4=29505
- Jensen, O.J. See Hansen, P.G., 1=19394
- Jensen, R.C. and Fairhall, A.W. Fission of Ra²²⁶ by deuterons and helium ions, 0=9710
- Jensen, R.E. Colloid absorption band in CsBr, 3=25451
- Jensen, R.V. See Rosi, F.D., 0=2915
- Jensen, R.V. See Rosi, F.D., 0=11711
- Jensen, T.H. and Voorhies, H.G. Interaction between a plasma and the external current and flux, 3=7598
- Jensen, T.H. See Brown, W.K., 4=24274
- Jensen, V.O. See Wandel, C.F., 2=19992
- Jenson, J.E. See Androulakis, J.G., 3=17125
- Jenson, V.G. Viscous flow round a sphere at low Reynolds numbers (< 40), 0=6745
- Jenovsky, L. See Hadinec, I., 2=824
- Jenssen, O. Note on the influence of variable viscosity on the critical Rayleigh number, 3=21297
- Jentsch, C. See Hille, M., 4=20736
- Jentzsch, J. See Bogenschütz, A.F., 2=21864
- Jentschke, W. Invited summary and closing speech [at the Instrumentation for High-Energy Physics Conference, Geneva, 1962], 3=17094
- Jentschke, W. The electron accelerator Desy, 4=16592
- Jentschke, W. and Stähelin, P. The German electron synchrotron, 4=8876
- Jeong, M. See Umeda, J., 3=6861
- Jeong, T.H. and Johnston, L.H. Absolute gas pressure measurement and regulation near one torr, 4=14192
- Jeong, T.H., Johnston, L., Suwa, S. and Chiang, H.B. Proton-argon elastic scattering at 9.8 MeV, 4=30396
- Jeong, T.H., Johnston, L.H., Young, D.E. and Waddell, C.N. Proton-proton scattering at 25 MeV, 0=11165
- Jephcott, D.F. Magnetohydrodynamic waves, 2=22315
- Jephcott, D.F. and Malein, A. Experimental study of fast hydromagnetic waves in an argon plasma, 4=14714
- Jephcott, D.F. See Ashby, D.E.T.F., 3=19276
- Jeppesen, M.A. and Sloan, W.A. Optical observation of ferrimagnetic domains, 1=17972
- Jeppesen, M.A. Photoelectric emittance from gold films as a function of film thickness, 3=425
- Jeppesen, M.A. and Barlow, R.B., Jr. Determination of particle size of colloidal gold from absorption spectra, 2=4571
- Jeppesen, M.A., Flagg, S.R. and Rancourt, J.D. Laboratory experiments on the Hall effect using evaporated metal films, 4=4112
- Jeppesen, M.A. See Baumeister, P.W., 0=175
- Jeppesen, M.A. See Burns, S.H., 1=1383
- Jeppen, D.W. and Friedman, H.L. Cluster expansion methods for systems of polar molecules: Some solvents and dielectric properties, 3=10552
- Jepsen, D.W. and Hirschfelder, J.O. Calculation of the coupling terms neglected in performing the Born-Oppenheimer separation for the hydrogen molecule ion, 0=11536
- Jepsen, D.W. and Somorjai, G.A. Evaporation mechanism and vapor composition, 4=371
- Jepsen, D.W. and ter Haar, D. A derivation of the hydrodynamic equations from the equations of motion of collective coordinates, 2=1104
- Jepsen, D.W. and Wallis, R.F. Effect of quartic anharmonicity on the infrared absorption of alkali halide crystals, 2=8532
- Jepsen, D.W. See Somorjai, G.A., 4=27388
- Jepsen, D.W. See Somorjai, G.A., 4=27389
- Jepsen, R.L. Important characteristics of a new type of getter-ion pump, 0=107

- Jepsen, R.L. Magnetically confined cold-cathode gas discharges at low pressures, 2=1401
- Jepsen, R.L. Harmonic generation and frequency mixing in ferromagnetic insulators, 2=3154
- Jepsen, R. L. See Francis, A. B., 4=21202
- Jepsen, R. L. See Hayward, W. H., 4=18285
- Jepsen, R.L. See Helmer, J.C., 2=5309
- Jepson, K.S. See Brown, A.R.G., 3=11132
- Jepson, K. S. See Brown, A. R. G., 4=23295
- Jepson, K.S. See Clarke, D., 3=13502
- Jepson, W. B. Distribution of space charge in homogeneous metal oxide films, 4=4197
- Jepson, W.B. See Aylmore, D.W., 1=5246
- Jepson, W.B. See Gregg, S.J., 0=3572
- Jerde, D.A. See Johnson, R.R., 2=19941
- Jerde, D.A. See Johnson, R.R., 4=8648
- Jeremie, H. An angular correlation experiment in the $\text{Be}^9(n,2n)\text{Be}^8$ reaction with 14 MeV neutrons, 1=7386
- Jérémie, H. Contribution to the study of the $(n,2n)$ reaction at 14 MeV, 3=24950
- Jérémie, H. Angular correlation of neutrons emitted in the reaction $\text{Be}^9(n,2n)\text{Be}^8$ and $\text{Bi}^{209}(n,2n)\text{Bi}^{208}$ at 14 MeV, 4=17159
- Jérémie, H., Heyman, M. and Kahane, J. Energy spectrum of neutrons emitted in the reaction $d(n,2n)p$ at 14 MeV, 2=9932
- Jérémie, H. See Bormann, M., 0=13289
- Jérémie, H. See Heyman, M., 1=13806
- Jérémie, É., Orcel, J. and Sandra, A. P. The St. Margaret, Comines (N), meteorite fall of 9 June, 1962, 3=3559
- Jerger, J. and Dirks, D. Binaural hearing aids. An enigma, 1=9224
- Jerger, J.F., Tillman, T.W. and Peterson, J.L. Masking by octave bands of noise in normal impaired ears, 0=4826
- Jerhume, R. W. See Maker, P. D., 4=21134
- Jeric, S., Robin, J. and Robin-Kandare, S. Preparation of thin films of cadmium and the study of their ultraviolet absorption, 3=11318
- Jerič, S. See Robin-Kandare, S., 4=10164
- Jernakoff, G. See McElligott, P. E., 4=6668
- Jerome, D. and Galleron, G. Dynamic polarization of metallic sodium in a small field at liquid helium temperature, 4=15679
- Jérome, D. and Winter, J.M. Electron spin resonance on interacting donors in silicon, 4=17683
- Jeronymo, J.M.F. and Lerner, E. A study of the $\text{Na}^{23}(d,n)\text{Mg}^{24}$ reaction with nuclear emulsions, 2=12215
- Jeronymo, J.M.F., Mani, G.S., Olkowsky, J., Sadeghi, A. and Williamson, C.F. Absolute cross-sections for some (n,p) , (n,α) and $(n,2n)$ reactions, 3=24949
- Jeronymo, J.M.F., Mani, G.S., Olkowsky, J., Sadeghi, A. and Williamson, C. Measurement of cross sections [for reactions] induced by neutrons, 4=17151
- Jeronymo, J.M.F., Mani, G.S., Picard, F. and Sadeghi, A. The $\text{Li}^6(d,\alpha)\alpha$ reaction, 3=678
- Jeronymo, J.M.F., Mani, G.S., Picard, F. and Sadeghi, A. Excited states in N^{14} from $\text{C}^{12}+d$ reactions, 3=17400
- Jeronymo, J.M.F., Mani, G.S. and Sadeghi, A. The $\text{Li}^6(p,\alpha)\text{He}^3$ reaction, 3=17460
- Jeronymo, J.M.F., Mani, G.S. and Sadeghi, A. Angular distribution and cross-section for the $\text{Li}^6(p,\text{He}^3)\text{He}^4$ reaction, 4=17127
- Jeronymo, J.M.F. See Ballini, R., 2=9874
- Jeronymo, J.M.F. See Cassagnou, Y., 2=452
- Jeronymo, J.M.F. See Cassagnou, Y., 2=1887
- Jeronymo, J.M.F. See Cassagnou, Y., 2=16408
- Jeronymo, J.M.F. See Freeman, R., 4=17041
- Jeronymo, J.M.F. See Freeman, R., 4=17185
- Jerrard, H.G. and Simmons, B.A.W. Dielectric studies of deoxyribonucleic acid, 0=6802
- Jerrard, H. G. Birefringence induced in liquids and solutions by ultrasonic waves, 4=21133
- Jerrard, H.G., Fisher, T.A. and Simmons, B.A.W. Apparatus for the study of the dielectric properties of macromolecular solutions under flow, 0=12421
- Jerrard, H. G. and McNeill, D. B. A dictionary of scientific units including dimensionless numbers and scales, 4=5004
- Jerrard, H.G. and Sellen, D.B. A new apparatus for light scattering studies, 2=15746
- Jerrard, H.G. See Hilyard, N.C., 2=13339
- Jerrard, H.G. See Hilyard, N.C., 3=1687
- Jerrard, H.G. See Ingram, P., 2=1162
- Jerrard, H.G. See Ingram, P., 3=8319
- Jerrard, H.G. See Ingram, P., 3=23537
- Jerrard, R.P. Vibration of quartz crystal plates, 0=19254
- Jervis, R.E. See Howe, L.M., 2=7871
- Jeschke, D. and Stuart, H.A. The dependence of diffusion and permeation of gases in high polymers on crystallinity and on temperature, 1=19800
- Jeshke, D. See Draiback, H.C., 2=23923
- Jeschke, J.C. See Mee, C.D., 3=15880
- Jespersen, J. L. and Kamas, G. Satellite scintillation observations at Boulder, Colorado, 4=20873
- Jespersen, J.L. See Lawrence, R.S., 1=10397
- Jespersen, M., Petersen, O., Rybner, J., Bjelland, B., Holt, O., Landmark, B. and Kane, J. A. Electron and ion density observations in the D-region during auroral absorption, 4=26856
- Jesse, W.P. The ionization by polonium alpha particles in air and the average energy $[W]$ to make an ion pair, 0=19613
- Jesse, W.P. Alpha-particle ionization in polyatomic gases and the energy dependence of W , 1=8310
- Jesse, W.P. Isotope effect in the ionization of polyatomic gases by beta particles, 3=19171
- Jesse, W. P. Isotope effect in the ionization of polyatomic gases by metastable atoms, 4=29866
- Jesse, W.P. and Platzman, R.L. An isotope effect in the probability of ionizing a molecule by energy transfer from a metastable noble-gas atom, 3=2675
- Jessel, M. Scanning operators and the generalization of Huygens' principle, 2=21786
- Jessen, K. On the invar-properties of iron-palladium alloys, 3=2734
- Jessen, K. See Kussmann, A., 3=998
- Jessen, K.H. See Dodi, E., 2=1033
- Jesson, J.P. and Thompson, H.W. Intensities of Raman vibration bands. I, 2=15596
- Jesson, J.P. See Hough, J.T., 3=12800
- Jessop, A.M. Heat flow in a system of cylindrical symmetry, 3=19032
- Jessop, A. M. A lead-compensated thermistor probe, 4=24415
- Jessup, R.S. Precise measurement of heat of combustion with a bomb calorimeter, 1=16169
- Jessup, R.S. See Armstrong, G.T., 0=7007
- Jester, A. and Minor, A. Influence of a CsF atmosphere on the electron emission of W [in thermionic converters], 4=18662
- Jeszenszky, B. A contribution to the mechanism of NaCl crystal growth, 0=16256
- Jeszenszky, B. and Hartmann, E. Visible twist on sodium chloride whiskers, 1=6504
- Jeszenszky, B. and Kiss, J. New measurements of conductivity of deformed rock salt crystals, 2=8302
- Jeszenszky, B. and Kiss, J. Newer measurements on the conductivity of deformed rock salt crystals, 3=890
- Jeszenszky, B. See Gyulai, Z., 2=2368
- Jeszenszky, F. Some remarks on the quantum mechanical concept of physical quantities, 0=18941
- Jette, A.N. See Das, T.P., 4=17453
- Jeudon, A. See Guidini, J., 2=13532
- Jeunehomme, M. See Colin, R., 4=16301
- Jeverdan, G.T. Series of nuclear energy levels for the Hofstadter potential distribution, 3=24851
- Jeverdan, G. T., Lozneau, E. and Jeverdan, M. Isotopic shift in the hypothesis of a nonhomogeneous charge distribution in the nucleus, 4=12346
- Jeverdan, G. T. and Rusu, G. I. The structure in layers and the Roche nuclear density, 4=997
- Jeverdan, G. T. and Rusu, G. I. Contributions to the study of the energy levels and the characteristic wave-functions of atomic nuclei with a non-homogeneous distribution, 4=998
- Jeverdan, M. See Jeverdan, G. T., 4=12346
- Jewell, R. W. See Corman, E. G., 4=22110
- Jewell, R.W., Jr. See Chupp, E.L., 1=552
- Jewell, T.R. and Ward, S.H. The influence of conductivity inhomogeneities upon audio-frequency magnetic fields, 3=16230
- Jewett, R. P. and Mack, D. J. Further investigation of copper-aluminum alloys in the temperature range below the $\beta = \alpha + \gamma_2$ eutectoid, 4=4506
- Jewett, R. P. See Voruz, T.A., 4=12764
- Jewitt, P.A. and Barden, S.E. First collision probability, P_C in regions with circular symmetry, 0=6699
- Jezak, E. See Bolsterli, M., 4=25084
- Jeżewski, M., Morstin, T. and Wierzbicki, M. On the immersion method of measuring the dielectric permittivity of solids, as compared to other methods, 4=26098
- Jezowska-Trzebiatowska, B. Electronic structure of uranium in its tri- and tetravalent compounds, 4=1216
- Jha, S. Decay of $3.5\text{-min } {}_{81}^{122}\text{I}$, 4=6285

- Jha, S. and Devare, H.G. Further work on the decay of thallium 202, 0=1376
- Jha, S., Devare, H.G., Narayana Rao, M. and Pramila, K.G.C. Sum-coincidence technique for γ -ray studies, 1=663
- Jha, S., Devare, H.G. and Singru, R.M. On the decay of ^{138}Cs , 1=5868
- Jha, S., Gupta, R.K. and Devare, H.G. On the gamma rays emitted in the decay of ^{140}Pr , 0=15562
- Jha, S., Gupta, R.K., Devare, H.G. and Pramila, G.C. Further studies of the decay of ^{132}Cs , 1=13749
- Jha, S., Gupta, R.K., Devare, H.G. and Pramila, G.C. The decay of ^{147}Eu and ^{148}Eu , 2=16376
- Jha, S., Gupta, R.K., Devare, H.G., Pramila, G.C. and Gopinathan, K.P. On the decay scheme of ^{138}Cs , 1=8637
- Jha, S., Gupta, R.K., Devare, H.G., Pramila, G.C. and Raghavan, R.S. Recoilless emission and absorption of 26 keV γ -ray of ^{161}Dy , 1=5829
- Jha, S., Segnan, R. and Lang, G. On the 22 keV state of Sm^{149} , 2=22744
- Jha, S., Segnan, R. and Lang, G. Recoilless nuclear resonant absorption in I^{129} , 3=2367
- Jha, S. See Gupta, R.K., 1=8664
- Jha, S. See Nainan, T.D., 4=25350
- Jha, S.S. Energy distribution of thermal neutrons in a finite solid moderator assembly, 1=16794
- Jha, S.S. Nuclear magnetic resonance spectra for a system ABC of spin $\frac{1}{2}$ nuclei and their linewidths, 1=19667
- Jha, S.S. and Kino, G.S. A variational technique for determining the propagating modes of a finite plasma, 3=12134
- Jhingan, M.L. See Kondaiah, E., 1=17124
- Jibuti, R. I. and Kopaleishvili, T. I. Absorption of π^- mesons and the correlation of nucleons in light nuclei, 4=25416
- Jibuti, R. I., Kopaleishvili, T. I. and Mamasakhlisov, V. I. Nucleon clusters in light nuclei, 4=15124
- Jibuti, R.I. See Kopaleishvili, T.I., 3=19834
- Jiménez, B. Dielectric discontinuity in ferroelectrics, 4=4210
- Jimenez, C. See Lowe, L. F., 4=8542
- Jin, Y.S. Proof of dispersion relations for pion-hyperon scattering, 0=5591
- Jin, Y.S. Analytic properties of Kaon-pion scattering amplitude, 2=20421
- Jin, Y.S. Proof of dispersion relations and unitarity of the S-matrix, 3=5944
- Jin, Y.S. Physical interpretation of the unphysical region, 3=22076
- Jin, Y. S. and Martin, A. Connection between the asymptotic behavior and the sign of the discontinuity in one-dimensional dispersion relations, 4=27788
- Jin, Y. S. and Martin, A. Number of subtractions in fixed-transfer dispersion relations, 4=27789
- Jindo, H. See Sao, K., 4=4774
- Jindra, J. See Eckstein, J., 1=9120
- Jindra, J. See Eckstein, J., 3=17704
- Jireš, M. See Chaloupka, P., 1=16943
- Jirlow, K. See Brune, D., 4=6358
- Jirlow, K. See Dahlberg, R., 2=7994
- Jirlow, K. See Kushneriuk, S.A., 3=10405
- Jitsu, H. and Agatsuma, T. Application of ultrasonic vibration to solidification, 4=23328
- Jnanananda, S. See Lakshminarayana, V., 1=8695
- Jnanananda, S. See Raju, M.R., 2=16186
- Jnanananda, S. See Raju, M.R., 2=16346
- Jnanananda, S. See Rama Rao, J., 2=4431
- Jnanananda, S. See Rama Rao, J., 3=12655
- Jnanananda, S. See Rama Rao, J., 4=888
- Jnanananda, S. See Rama Rao, J., 4=3392
- Jnanananda, S. See Sastry, D. L., 4=25412
- Jnanananda, S. See Sastry, B. S., 4=9175
- Jnanananda, S. See Sastry, V. V. G., 4=27993
- Jnanananda, S. See Seshagiri Rao, A., 4=3632
- Jnanananda, S. See Seshagiri Rao, A., 4=12154
- Jnanananda, S. See Seshagiri Rao, A., 4=22037
- Jnanananda, S. See Venkatapathi Raju, B. B., 4=27864
- Jnanananda, S. See Visweswara Rao, V., 4=6263
- Jnanananda, S. See Visweswara Rao, V., 4=17061
- Jnanananda Swami. See Visweswara Rao, V., 4=15189
- Jo, S.H. See Shin, H.M., 0=21300
- Joachain, C. Nuclear polarization in mesic atoms of tritium, He^3 and He^4 , 1=12270
- Joachain, C. Variation scattering by a non-local potential, 2=2199
- Joachain, C. and Wantiez, N. Application of the improved Born-Oppenheimer method to the three-charge problem, 2=16577
- Joachain, C. See Demeur, M., 0=17485
- Joachain, C. See Demeur, M., 0=18944
- Joachain, C. See Demeur, M., 1=13628
- Joachain, C. See Demeur, M., 1=19128
- Joachim, K. The solion, 3=16887
- Joanou, G. D. and Fenech, H. Fast-neutron cross sections and Legendre expansion coefficients for oxygen-16, 4=9532
- Joanou, G.D., Goodjohn, A.J. and Wikner, N.F. Moments calculations of the Fermi age in moderators and moderator-metal mixtures, 2=16203
- Joanou, G.D., Triplett, J.R. and Wagner, R.M. An eigenvalue method for the calculation of nuclear burnup, 4=17229
- Joanou, G. D. See Wikner, N. F., 4=19897
- Job, E.M. See Edwards, D.H., 3=198
- Jobert, G. Non-hydrostatic tensions in a gravitating planet, 1=18037
- Jobert, G. Nonhydrostatic stresses in a gravitating planet, 2=17260
- Jobert, G. Models for the density distribution in the terrestrial planets, 2=19282
- Jobert, G. Measurable parameters in the presence of earth vibrations, 3=23562
- Jobert, G. and Le Mouél, J. Thermoelastic tensions due to difference in thermal conductivity, 4=23699
- Jobert, G. See Blum, P.A., 2=21607
- Jobert, N. Excitation of natural torsional oscillations in the earth, 3=11379
- Jobes, F. C. and McIntyre, J. A. Neutron transfer to the ground state of N^{15} in the $\text{N}^{14}(\text{N}^{14}, \text{N}^{15})\text{N}^{15}$ reaction, 4=12283
- Jobes, F.C., McIntyre, J.A. and Becker, L.C. A system for the simultaneous detection of twenty positron-emitting sources, 3=12610
- Jobes, F. C. See Becker, L. C., 4=22227
- Jobes, F.C. See McIntyre, J.A., 0=15584
- Jobes, F.C. See McIntyre, J.A., 2=9748
- Jobes, F.C. See McIntyre, J.A., 3=12609
- Jobes, M. See Dodd, P., 2=22508
- Jobes, M. See Doran, G.A., 2=5544
- Jobes, M. See Rushbrooke, J. G., 4=30227
- Jobst, W. Measurement of the thermal conductivity of gases and liquids by a non-steady state method, 4=5418
- Jobst, W. Measurement of thermal conductivities of organic aliphatic liquids by an absolute unsteady-state method, 4=24204
- Jochems, P.J.W. See Courvoisier, J.C., 3=23511
- Jochim, K.E. See Shirer, H.W., 0=6492
- Jochmann, H. The theoretical distortion basis of the perspective photograph of a small part of the earth's surface and its application to the orientation problem in photogrammetry, 2=9361
- Jodogne, J.C., Macq, P.C. and Steyaert, J. Angular distribution and backward scattering of 15 to 22.7 MeV alpha particles by C^{12} , N^{14} and O^{16} , 3=2494
- Jodogne, J.C. See Demortier, G., 1=13841
- Joebstl, J.A. Irradiation studies on cleavage planes of alkali halides and alkali azides, 3=20254
- Joeckle, R. See Mecke, R., 2=17769
- Joeckle, R. See Mecke, R., 2=17771
- Joel, N. Reflection and polarization of elastic waves in a LiF crystal: mode conversion from longitudinal to transverse, 1=11808
- Joel, N. Two new formulae for determining the angle $2V$ from measurements of extinction, 4=13013
- Joel, N. Changes in the polarization state of elastic waves, 4=22484
- Joel, N. and Wooster, W.A. On six new relations between the elastic constants of crystals, 1=20290
- Joel, N. and Wooster, W.A. New measurements of the elastic constants of A.D.P. and their relation to the theories of crystal elasticity, 1=20291
- Joenk, R.J. Theory of exchange resonance in antiferromagnetic $\text{CuCl}_2 \cdot 2\text{H}_2\text{O}$, 2=10691
- Joenk, R.J. Magnetic field dependence of thermodynamic properties of antiferromagnets; adiabatic magnetization, 3=3143
- Joenk, R.J. Second anisotropy constant in cubic ferromagnetic crystals, 3=13246
- Joenk, R.J. Adiabatic magnetization of antiferromagnets, 3=15909
- Joenk, R.J. Magnetization reversal in weak ferromagnets, 4=13147
- Joffe, A.D. Comparative surface areas of dust samples as measured by light and electron microscopes, 3=18461
- Joffe, A.F. New ways for the study of semiconductors, 3=843

- Joffe, A.F., Moyzes, B.Ya. and Stilbans, L.S. Unresolved problems of thermoelectricity, 2=23483
- Joffe, I.I. See Candes, P., 0=2412
- Joffrin, C. See Arcas, P., 3=24023
- Joffrin, J. See Geurmeur, R., 4=26361
- Joffrin-Graffouillere, C., Caubarrere, J.L. and Barchewitz, P. Performance of an infrared Ebert-Fastie type spectrometer, 3=11916
- Johannes, R. See Haas, W., 1=12230
- Johannes, R. See Ramanathan, K., 3=20544
- Johannesson, J.K. The preparation of thin films of V.Y.N.S. resin for 4π beta-counting, 2=18030
- Johannin, P. See Le Neindre, B., 4=18194
- Johannin, P. See Vermesse, J., 3=14190
- Johannsen, D.E. See Wulfeck, J.W., 0=8451
- Johansson, G., Von Der Osten, W., Schinkmann, M. and Waidelich, W. Phonon-free colour-centre transitions in NaF single crystals, 4=28495
- Johansen, C. See Gardner, J.H., 3=24492
- Johansen, E.R. See Bjørnholm, S., 4=25331
- Johansen, H.A. and Cleary, J.G. High-temperature electrical conduction in the system $\text{UO}_2\text{-ZrO}_2$, 3=10882
- Johansen, H.A. and Cleary, J.G. High-temperature electrical conductivity in the systems CaO-ZrO_2 and CaO-HfO_2 , 4=10093
- Johansen, H.S., Jørgensen, M., Nielsen, O.B. and Sidenius, G. Three-particle excitations in Lu^{17} at 1230 and 1240 KeV, 4=12159
- Johansen, I.J.T. See Powers, D.A., 1=11345
- Johansen, O.E. and Omholt, A. Variations in the Doppler profile of $\text{H}\alpha$ in aurorae, 4=7891
- Johanson, A.E. and Jones, A.V. Variations with height and form of N_2^+ rotational temperatures in aurora, 2=4674
- Johanson, E.W. See Mueller, M.H., 1=15032
- Johansons, N. See Eriksson, B., 4=12076
- Johansson, A. and Sakamoto, Y. Quasi-free proton-proton scattering in Li^6 and Li^7 , 3=15190
- Johansson, A., Svanberg, U. and Hodgson, P.E. The elastic scattering of 180 MeV protons from nuclei, 1=19475
- Johansson, A., Svanberg, U. and Sundberg, O. Total nuclear reaction cross-sections for 180 MeV protons, 1=19474
- Johansson, A., Tibell, G., Parker, K. and Hodgson, P.E. The elastic scattering of 160 MeV protons from lithium, aluminium, indium and gold, 1=3444
- Johansson, A. See Collard, H., 3=25065
- Johansson, A. See de Vries, C., 4=19487
- Johansson, A. See Schiff, L.I., 4=6143
- Johansson, B. Coincidence arrangement with high time resolution used together with a 100-channel pulse-height analyzer, 0=17179
- Johansson, B. A new solution of the finite rise time problem by means of a distributed amplifier with automatic gain control, 1=1871
- Johansson, B. and Alfvén, T. The high-frequency deflection method for measuring short half-lives. I. Principle and some measurements, 0=17518
- Johansson, B. and Alfvén, T. Proposition for a new method for measuring short half-lives, 0=20371
- Johansson, B., Smars, E.A. and Wilner, B.E. A linear high-current discharge at atmospheric pressure, 4=18700
- Johansson, B. See Kjeilman, J., 0=5676
- Johansson, C.H. Apparent intermediate supersonic velocity of detonation, 1=12912
- Johansson, C.H. The deformation mechanism in linear compression of Plexiglas, 2=12848
- Johansson, C.H. Heat pulses at initiation of liquid explosives, 2=12964
- Johansson, C.H. and Sjölin, T. Emission and absorption of light behind the detonation front, 0=8306
- Johansson, C.H. and Sjölin, T. The initiation of P.E.T.N. and T.N.T by shock waves from aluminium, 2=10978
- Johansson, C.H. and Sjölin, T. Luminosity at the transmission of detonation in water, 3=21379
- Johansson, C.H. and Sjölin, T. Light emission from shock-front compressed air layers in tubes, 4=16172
- Johansson, C.H. and Sjölin, T. Light emission from shock-front compressed gas layers, 4=18324
- Johansson, C.M. See Axensten, S., 0=5652
- Johansson, C.M. See Lindgren, I., 0=7457
- Johansson, E. and Jonsson, E. Measurements of neutron spectra with a fast chopper, 2=18137
- Johansson, E., Lampa, E. and Sjöstrand, N.G. A fast chopper and its use in the measurement of neutron spectra, 1=13446
- Johansson, E. See Dahlberg, R., 2=7994
- Johansson, G. The crystal structure of a basic aluminum selenate, 3=13468
- Johansson, G. On the crystal structure of the basic aluminum sulfate $13\text{Al}_2\text{O}_3 \cdot 6\text{SO}_3 \cdot x\text{H}_2\text{O}$, 3=13469
- Johansson, G. On the crystal structure of a basic gallium sulfate related to alunite, 3=13470
- Johansson, G. Proportional thermoregulator using thyristors, 4=18469
- Johansson, I. The infrared spectrum of Li I, 0=5883
- Johansson, I. Spectra of the alkali metals in the lead-sulphide region, 2=1991
- Johansson, I. A scanning grating spectrograph with a lead-sulphide detector. II. The method of wavelength determination, 2=2880
- Johansson, I. A study of the transition $3d-4f$ and the configuration $4f$ in Ne I, 4=6479
- Johansson, I. and Starfelt, N. A scanning grating spectrograph with a lead-sulphide detector. I. The experimental equipment, 2=2879
- Johansson, I. and Svensson, K.F. Wavelength measurements in the spectrum of a mercury arc at different voltages, 0=6937
- Johansson, I. See Eriksson, K.B.S., 1=19592
- Johansson, K. See Gustafsson, S., 4=25323
- Johansson, K.B. See Bockasten, K., 4=15286
- Johansson, L. The spectrum of ionized beryllium, Be II, 1=19586
- Johansson, L. The spectrum of the neutral beryllium atom, 3=2563
- Johansson, L. An investigation of the CI spectrum in the region 3420-9659 Å, 4=12364
- Johansson, N. See Hulthén, E., 0=7757
- Johansson, N. See Sjögren, B., 2=3487
- Johansson, N.G.E. See Wickenberg, G., 4=6373
- Johansson, P. An experimental investigation of X-ray excitation states in solids, 1=6088
- Johansson, P. On the structure near the short wave-length limit of the continuous X-ray spectrum, 1=6217
- Johansson, R.B. and Smårs, E.A. A low-pressure spark-gap switch with wide voltage range, 3=4048
- Johansson, R.B. See Alfvén, H., 3=12198
- Johansson, R.B. See Smårs, E.A., 1=11945
- Johansson, S.A.E. Nuclear octupole deformation and the mechanism of fission, 1=5825
- Johansson, S.A.E. On the possibility of using model experiments to study shielding problems, 3=4693
- Johansson, S.A.E. and Forkman, B. Photodisintegration of calcium, 2=18315
- Johansson, S.A.E. See Forkman, B., 1=2248
- Johansson, S.A.E. See Forkman, B., 1=19081
- Johansson, T. The dependence of the bubble density for an ionizing particle on the temperature and pressure in a bubble chamber. II. Comparison between theories and experimental results, 2=249
- Johansson, T. See Alfredsson, B., 2=248
- Johari, O. and Thomas, G. Factors affecting dislocation substructures in deformed copper, 4=20282
- Johari, O. and Thomas, G. Substructures in explosively deformed Cu and Cu-Al alloys, 4=29164
- Johari, O. and Thomas, G. A general method for calculating electron-diffraction patterns containing twin reflections in isometric crystals, 4=29084
- Johler, J.R. Magneto-ionic propagation phenomena in low- and very-low-radiofrequency waves reflected by the ionosphere, 1=4731
- Johler, J.R. On the analysis of LF ionospheric radio propagation phenomena, 2=5485
- Johler, J.R. Magneto-ionic propagation phenomena in low- and very-low-radiofrequency waves reflected by the ionosphere, 2=7771
- Johler, J.R. Propagation of the low-frequency radio signal, signal, 2=11807
- Johler, J.R. Radiowave reflections at a continuously stratified plasma with collisions proportional to energy and arbitrary magnetic induction, 3=16256
- Johler, J.R. Radio pulse propagation by a reflection process at the lower ionosphere, 4=2257
- Johler, J.R. The propagation time of a radio pulse, 4=5799
- Johler, J.R. Concerning limitations and further corrections to geometric-optical theory for lf/vlf propagation between the ionosphere and the ground, 4=16665
- Johler, J.R. and Berry, L.A. Propagation of terrestrial radio waves of long wavelength—theory of zonal harmonics with improved summation techniques, 3=5855
- Johler, J.R. and Harper, J.D., Jr. Reflection and transmission of radio waves at a continuously stratified plasma with arbitrary magnetic induction, 2=16072

- Johler, J.R. and Lilley, C.M. Ground-conductivity determinations at low radio-frequencies by an analysis of the spheric signatures of thunderstorms, 2=2459
- Johler, J.R. and Walters, L.C. On the theory of reflection of low- and very-low-radiofrequency waves from the ionosphere, 0=17122
- Johler, J.R. See Walters, L.C., 2=16036
- John, F.F. See Faust, J.W., Jr, 0=13965
- John, H.F. See Faust, J.W., 1=5088
- John, H.F. See Faust, J.W., Jr., 1=15007
- John, H.F. See Faust, J.W., Jr., 1=15008
- John, H.F. See Faust, J.W., Jr, 1=15009
- John, H.F. See Faust, J.W., Jr, 2=19053
- John, H.F. See Faust, J.W., Jr, 3=3263
- John, H.F. See Faust, J.W., Jr, 4=2013
- John, M.N. Standard curves and formulae for neutron kinetics calculations, 3=10417
- John, P.T. An apparatus for determining vapour pressure and moisture transfer in a porous medium, 4=5228
- John, P.T. Vapour pressure and relative humidity in a porous medium: a semi-empirical treatment, 4=10592
- John, T.L. Exchange effects on the photo-detachment cross-section of H^- , 0=14960
- John, T.L. The photo-detachment of H^- , 0=17668
- John, T.L. The numerical solution of the exchange equations for slow electron collisions with hydrogen atoms, 1=2297
- John, T.L. The free-free transitions of the negative hydrogen ion in the exchange approximation, 4=28147
- John, W. and Martin, F.V. Measurement of the polarization of photoneutrons from deuterium, 2=323
- John, W. and Prosser, J.M. Photodisintegration cross section of beryllium near threshold, 2=16386
- John, W. See Chupp, E.L., 1=552
- John, W. See Corman, E.G., 3=22291
- John, W. See Corman, E.G., 4=22110
- Johnaon, R.R. and Jerde, D.A. Stability of the positive column in a time-dependent magnetic field, 4=8648
- Johns, D.H. and Alexander, O.R. Magnetic domains complicate beta-backscatter technique, 2=745
- Johns, H.E. See Bruce, W.R., 3=7062
- Johns, H.E. See Skarsgard, L.D., 1=7173
- Johns, H.E. See Skarsgard, L.D., 1=15362
- Johns, I.B., Ulmer, H.E. and Edwards, J.W. Reversible phase transition of phosphorus pentoxide, 1=20398
- Johns, J.W.C. The absorption spectrum of BO_2 , 2=2004
- Johns, J.W.C. On the absorption spectrum of H_2C and D_2O in the vacuum ultraviolet, 3=8276
- Johns, J.W.C. A new assignment of some CO_2^+ bands, 4=30442
- Johns, J.W.C. and Barrow, R.F. The ultra-violet spectra of HF and DF, 0=9818
- Johns, J.W.C., Priddle, S.H. and Ramsay, D.A. Electronic absorption spectra of HCO and DCO radicals, 4=6594
- Johns, J.W.C. and Ramsay, D.A. The absorption spectrum and dissociation energy of SH, 1=3572
- Johns, J.W.C. See Bauer, S.H., 4=25636
- Johns, J.W.C. See Herzberg, G., 3=15363
- Johns, M.W. and MacArthur, J.D. Zero spin of the 1265 keV state in Pt^{194} , 0=4018
- Johns, M.W. See Artna, A., 2=1838
- Johns, M.W. See Burke, D.G., 3=8042
- Johns, M.W. See Burke, D.G., 4=6289
- Johns, M.W. See Chapman, C.J.S., 1=13684
- Johns, M.W. See Goodman, R.H., 4=22067
- Johns, M.W. See MacArthur, D., 3=649
- Johns, T.F. Isotope separation by multistage methods, 0=20571
- Johnsen, I. and Tjøtta, S. Theoretical and experimental investigation of the quartz wind [streaming], 0=6880
- Johnsen, K. Features of the next generation of proton accelerators, 4=16598
- Johnson, A.A. The effect of grain size on the tensile properties of high-purity molybdenum at room temperature, 0=16236
- Johnson, A.A. The embrittlement of molybdenum by neutron irradiation, 1=3993
- Johnson, A.A. The low temperature tensile properties of niobium, 1=6454
- Johnson, A.A. Theory of the deformation and fracture of body-centred cubic transition metals, 1=11506
- Johnson, A.A. The ductile-brittle transition in body-centred cubic transition metals, 2=6749
- Johnson, A.A. On the determination of the yield stress parameters σ_1 and k_y from a single stress-strain curve, 3=6782
- Johnson, A.A., Hughes, E. J. and Barton, P.W. Age-hardening in a gold-nickel alloy, 4=23157
- Johnson, A.A., Milasin, N. and Zein, F.N. The embrittlement of body-centred cubic transition metals by neutron irradiation, 3=8784
- Johnson, A.A. and Peacock, D.E. Some new yield phenomena in molybdenum, 0=21106
- Johnson, A.A. See Barton, P.W., 4=20652
- Johnson, A.A. See Kerridge, J.F., 0=1589
- Johnson, A.A. See Kerridge, J.F., 3=2787
- Johnson, A.A. See Peacock, D.E., 2=23151
- Johnson, A.A. See Peacock, D.E., 3=22769
- Johnson, A.A. See Sargent, G.A., 3=1237
- Johnson, A.A. See Sethna, D.N., 1=20377
- Johnson, A.A. See Wronski, A.A., 3=4881
- Johnson, A.A. See Wronski, A.S., 2=6752
- Johnson, A.A. See Wronski, A.S., 3=20730
- Johnson, A.D. See Czerlinsky, E.R., 3=22944
- Johnson, A.E., Henderson, J. and Khan, B. Creep of a solid metallic bar or thick-walled tube of circular section, at elevated temperatures, when subject to various combinations of uniform bending moment, torque and axial load, 2=14890
- Johnson, A.F. See Bywater, S., 4=25796
- Johnson, A.W. See Young, B.G., 3=14598
- Johnson, B.C. See Dear, D.J.A., 3=16131
- Johnson, B.L. Charge transfer scattering in high-velocity neutral particle production, 2=6111
- Johnson, B.P. and Coulson, C.A. Lower bounds for the energy of H_2^+ , 4=25643
- Johnson, C. Production of liquid drops, 3=23857
- Johnson, C., Stein, H., Young, T., Wayland, J. and Leivo, W. Photo-effects and related properties of semiconducting diamonds, 4=28642
- Johnson, C.A. The growth of prismatic dislocation loops during annealing, 1=967
- Johnson, C.A., Diffraction by face-centered cubic crystals containing extrinsic stacking faults, 3=18299
- Johnson, C.A. See Keh, A.S., 3=23163
- Johnson, C.A. See Louat, N., 3=6521
- Johnson, C.C. Theory of fast-wave parametric amplification, 0=5398
- Johnson, C.C. An investigation of the magnetic transverse waves on an electron beam, 2=17884
- Johnson, C.C. See Berrett, P.O., 4=14665
- Johnson, C.C. See Gilson, V., 4=14619
- Johnson, C.C. See Gould, R.W., 1=3011
- Johnson, C.C. See Grow, R.W., 4=14678
- Johnson, C.C. See Kikushima, L., 4=14756
- Johnson, C.D. and Britton, D. Shock waves in chemical kinetics: the use of reflected shock waves, 3=13594
- Johnson, C.E., Marshall, W. and Perlow, G.J. Electric quadrupole moment of the 14.4 keV state of Fe^{57} , 2=12123
- Johnson, C.E., Marshall, W. and Perlow, G.J. Electric quadrupole moment of the 14.4 keV state of Fe^{57} , 4=15157
- Johnson, C.E. and Meyer, H. Thermal and magnetic properties of cerium ethyl sulphate between 0.02 and $1^{\circ}K$, 0=10102
- Johnson, C.E., Ridout, M.S., Cranshaw, T.E. and Madsen, P.E. Hyperfine field and atomic moment of iron in ferromagnetic alloys, 1=10135
- Johnson, C.E., Ridout, M.S. and Cranshaw, T.E. The Mössbauer effect in iron alloys, 3=25521
- Johnson, C.E., Ridout, M.S. and Cranshaw, T.E. Hyperfine fields in alloys of iron, 4=12559
- Johnson, C.E., Schooley, J.F. and Shirley, D.A. Nuclear orientation of iodine by electric h.f.s. alignment, 1=616
- Johnson, C.E., Schooley, J.F. and Shirley, D.A. Nuclear orientation of Tb^{160} , 1=623
- Johnson, C.E. See Chernick, C.L., 3=17634
- Johnson, C.E. See Grace, M.A., 0=20786
- Johnson, C.E. See Grace, M.A., 2=22731
- Johnson, C.E. See Haag, J.N., 1=2162
- Johnson, C.E. See Marshall, W., 3=8342
- Johnson, C.E. See Marshall, W., 4=20513
- Johnson, C.E., Jr. Single-domain magnetization curves for the general ellipsoid, 2=16904
- Johnson, C.E., Jr and Brown, W.F., Jr. Stoner-Wohlfarth calculation on particle with both magnetocrystalline and shape anisotropy, 0=3000
- Johnson, C.E., Jr and Brown, W.F., Jr. Shape distribution of magnetite powders, 0=3048
- Johnson, C.E., Jr. and Brown, W.F., Jr. Theoretical magnetization curves for particles with cubic anisotropy, 1=6312
- Johnson, C.E., Jr. See Brown, W.F., Jr., 2=21308

- Johnson, C.H., Pleasonton, F. and Carlson, T.A. Precision measurement of the recoil energy spectrum from the decay of He^6 , 4=3597
- Johnson, C.H. and Trail, C.C. Neutron spectra from $\text{Li}^7(\text{d}, \text{n})\text{Be}^8$ and $\text{F}^{19}(\text{d}, \text{n})\text{Ne}^{20}$ for 1.98-MeV deuterons, 4=12262
- Johnson, C.H. See Carlson, T.A., 3=10182
- Johnson, C.H. See Pleasonton, F., 4=9433
- Johnson, C.H.J. An exact solution to a problem in heat transfer, 2=124
- Johnson, C.H.J. Heat transfer and mass transfer from the sphere at low Reynolds numbers, 2=17674
- Johnson, C.M.P., Jones, G.A., Phillips, W.R. and Wilkinson, D.H. A study of the levels in ^{19}F following the β -decay of ^{19}O , 0=9560
- Johnson, C.M.P. See Beall, E.F., 2=11992
- Johnson, C.M.P. See James, A.N., 1=12211
- Johnson, C.M.P. See Jones, G.A., 0=20467
- Johnson, C.S. The polarization of cosmic-ray muons, 1=2122
- Johnson, C.S. Polarization of cosmic-ray muons at sea level, 1=9791
- Johnson, C.S., Hincks, E.P. and Anderson, H.L. μ -mesonic X-rays in the iron region, 2=10230
- Johnson, C.S. See Anderson, H.L., 2=22830
- Johnson, C.S. See Anderson, H.L., 3=15311
- Johnson, C.S. See Anderson, H.L., 4=3823
- Johnson, C.S. See Anderson, H.L., 4=9546
- Johnson, C.S., Jr. Nuclear transverse relaxation in electron-transfer reactions, 4=4690
- Johnson, C.S., Jr. and Gutowsky, H.S. High-resolution e.s.r. spectra of photochemically generated free radicals: the viologens, 3=20028
- Johnson, C.S., Jr. and Tully, J.C. Effects of electron transfer on high-resolution n.m.r. spectra, 4=17313
- Johnson, C.S., Jr., Visco, R.E., Gutowsky, H.S. and Hartley, A.M. E.S.R. spectrum and spin densities for the biquaternary bipyridyl radical cation, 3=2654
- Johnson, C.S., Jr. and Waugh, J.S. Nuclear relaxation in gases: mixtures of methane and oxygen, 2=1210
- Johnson, C.S., Jr. and Waugh, J.S. Nuclear relaxation in adulterated hydrogen, 2=14332
- Johnson, C.S., Jr., Waugh, J.S. and Pinkerton, J.N. On the mechanism of nuclear relaxation in gaseous and liquid CHF_3 , 1=17349
- Johnson, C.S., Jr. See Waugh, J.S., 3=14222
- Johnson, C.Y. Aeronomical parameters from mass spectrometry, 2=881
- Johnson, C.Y., Heppner, J.P., Holmes, J.C. and Meadows, E.B. Results obtained with rocket-borne ion spectrometers, 0=21333
- Johnson, D. See Foote, R.S., 4=27724
- Johnson, D.A. See Arnette, T.I., 3=5770
- Johnson, D.A. See DiDomenico, M., Jr., 2=12563
- Johnson, D.C. See Olsen, D.A., 4=8158
- Johnson, D.C. See Palmer, P.W., 4=20777
- Johnson, D.L. and Clarke, T.M. Grain boundary and volume diffusion in the sintering of silver, 4=28482
- Johnson, D.L. and Cutler, I.B. Diffusion sintering. I. Initial stage sintering models and their application to shrinkage of powder contacts, 4=13662
- Johnson, D.L. and Cutler, I.B. Diffusion sintering. II. Initial sintering kinetics of alumina, 4=13663
- Johnson, D.L. See Brown, E.A., 1=16136
- Johnson, D.L. and Kobler, A.L. The man-computer relationship, 3=5324
- Johnson, D.P. See Brombacher, W.G., 0=12429
- Johnson, D.S. Meteorological measurements from satellites, 3=5189
- Johnson, D.W. and Kavadas, A. A rocket-borne electric field probe, 4=10942
- Johnson, E. Consequences of leptonic isospin, 2=20251
- Johnson, E. and Sawyer, R.F. Mass formulae for the meson, baryon and isobar states in Schwingers group, W_3 , 4=19389
- Johnson, E.A. See Price, W.C., 1=852
- Johnson, E.F. See Scheidegger, A.E., 1=4304
- Johnson, E.H., Filinski, I. and Fan, H.Y. Absorption and emission of excitons and impurities in GaSb, 3=10948
- Johnson, E.R. and Lloyd, K.H. Determination of diffusion coefficients from observations on grande glow clouds, 4=10737
- Johnson, E.R. See Forten, J., 1=15202
- Johnson, E.W. A.S.W.E.P.S. shipboard system - A new concept in the automated collection of oceanographic data, 3=5186
- Johnson, F.A. The application of a neutron identification circuit to the study of fast-neutron interactions in stilbene, 3=14489
- Johnson, F.A. Display of the g_1 - g_3 family of characteristic curves of a $6\text{BN}6$, 3=21684
- Johnson, F.A. Lattice vibration spectra of semiconductors, 4=25834
- Johnson, F.A. and Cochran, W. The application of the shell model to infra red lattice absorption bands of semiconductors, 3=10927
- Johnson, F.A., Fray, S.J. and Jones, R.H. Lattice absorption bands in indium antimonide, 2=23572
- Johnson, F.A. and Loudon, R. Critical-point analysis of the phonon spectra of diamond, silicon and germanium, 4=28355
- Johnson, F.A. See Cochran, W., 1=17898
- Johnson, F.A. See Colburn, C.B., 1=6054
- Johnson, F.A. See Ettinger, R., 1=12326
- Johnson, F.A. See Fray, S.J., 1=1159
- Johnson, F.A. See Fray, S.J., 1=6212
- Johnson, F.A. See Fray, S.J., 3=18961
- Johnson, F.A. See Neilson, G.C., 0=2552
- Johnson, F.A. See Piette, L.H., 1=17543
- Johnson, F.R. Acoustical design of La Grande Salle, A 3000 seat multi-use auditorium, Montreal, Canada, 4=5346
- Johnson, F.R., Beranek, L.L., Newman, R.B., Bolt, R.H. and Klepper, D.L. Orchestra enclosure and canopy for the Tanglewood Music Shed, 1=8205
- Johnson, F.R. See Beranek, L.L., 4=24332
- Johnson, F.R. See Watters, B.G., 3=16722
- Johnson, F.S. Telluric origin of the whistler medium, 0=10446
- Johnson, F.S. The ion distribution above the F_2 maximum, 0=14250
- Johnson, F.S. Pressure and temperature equalization at 200-Km altitude, 0=16415
- Johnson, F.S. The distribution of hydrogen in the telluric hydrogen corona, 1=5131
- Johnson, F.S. The exosphere and upper F region, 1=15285
- Johnson, F.S. The gross character of the geomagnetic field in the solar wind, 1=21101
- Johnson, F.S. and Fish, R.A. The telluric hydrogen corona, 0=8413
- Johnson, F.S. See Beard, D.B., 0=10538
- Johnson, F.S. See Beard, D.B., 1=18223
- Johnson, F.S. See Beard, D.B., 2=4871
- Johnson, F.S. See Hanson, W.B., 2=15222
- Johnson, F.S. See Patterson, T.N.L., 4=2412
- Johnson, G.A. See Goldfarb, J., 3=3417
- Johnson, G.E. See MacChesney, J.B., 4=28620
- Johnson, G.L. and Wuerker, R.F. Reflectance measurements at carbon K and beryllium K wavelengths, 4=28675
- Johnson, G.W. The solubility of krypton in liquid cadmium and indium, 2=52
- Johnson, G.W. Measurements of the room temperature thermoelectric parameters of lead telluride, 2=14592
- Johnson, G.W. The Seebeck coefficient and electrical resistivity of n-type PbTe between 20°C and 550°C , 4=22813
- Johnson, G.W., Higgins, G.H. and Violet, C.E. Underground nuclear detonations, 0=10383
- Johnson, G.W. and Shuttleworth, R. The solubility of krypton in liquid lead, tin, and silver, 0=19120
- Johnson, H.C. See Blattner, D.J., 4=14755
- Johnson, H.L. Infrared stellar photometry, 2=4709
- Johnson, H.L. and Svolopoulos, S.N. Galactic rotation determined from radial velocities and photometric distances of galactic clusters, 2=4823
- Johnson, H.L. See Borgman, J., 2=11144
- Johnson, H.L. See Borgman, J., 4=29419
- Johnson, H.L. See Low, F.J., 4=23860
- Johnson, H.L. See Sinton, W.M., 0=3402
- Johnson, H.M. See McClay, D.B., 3=17016
- Johnson, H.P. See Ligon, J.T., 3=7191
- Johnson, H.R. The equilibrium of sodium (NaI) in the solar atmosphere, 2=2533
- Johnson, H.R. The singlet-to-triplet intensity ratio of neutral helium in the solar chromosphere, 2=4771
- Johnson, H.R. The equilibrium of NaI in the solar photosphere, 2=9074
- Johnson, H.R. Abundance of trace elements and non-equilibrium effects, 3=13881
- Johnson, H.R. See Athay, R.G., 0=6602
- Johnson, H.R. See Frost, R.D., 2=20027
- Johnson, I. See Cafasso, F.A., 2=19551
- Johnson, J. See Thun, R.E., 0=13974

- Johnson, J.B. Contribution of Thomas A. Edison to thermionics, 1=1910
- Johnson, J.C. See Eldridge, R.G., 2=15198
- Johnson, J.E. Microsecond response of electroluminescent cells, 1=20029
- Johnson, J.E. See Flack, F.C., 2=3534
- Johnson, J.F. See Porter, R.S., 1=18350
- Johnson, J.F. See Porter, R.S., 3=9441
- Johnson, J.F. See Porter, R.S., 3=9442
- Johnson, J.F. See Porter, R.S., 4=7773
- Johnson, J.H. Theoretical and experimental analysis of the ferromagnetic explosively shocked current pulse generator, 0=2307
- Johnson, J.L. Hydromagnetic stability of force-free toroidal fields, 0=17086
- Johnson, J.L. and Greene, J.M. Hydromagnetic stability of toroidal equilibria with an externally imposed rotational transform, 1=19004
- Johnson, J.L., Greene, J.M. and Coppi, B. Effect of resistivity on hydromagnetic instabilities in multipolar systems, 3=21949
- Johnson, J.L., Greene, J.M. and Weimer, K.E. Hydromagnetic stability of toroidal equilibria with an externally imposed rotational transform, 2=15998
- Johnson, J.L., Greene, J.M. and Weimer, K.E. Equilibrium and stability for systems with small curvature, 3=12191
- Johnson, J.L. See Greene, J.M., 1=10706
- Johnson, J.L. See Greene, J.M., 2=5459
- Johnson, J.L. See Greene, J.M., 2=11769
- Johnson, J.L. See Greene, J.M., 2=20128
- Johnson, J.W. and Cubicciotti, D. The critical temperature and coexistence curve for bismuth chloride, 4=29812
- Johnson, J.W. See Moak, C.D., 4=19138
- Johnson, K. Quantum electro-dynamics in the infinite energy limit, 0=17215
- Johnson, K. Current-charge density commutation relations, 1=12041
- Johnson, K. Solution of the equations for the Green's functions of a two dimensional relativistic field theory, 1=13271
- Johnson, K. Relation between the bare and physical masses of vector mesons, 1=13458
- Johnson, K. Canonical commutation relations for vector fields, 2=9800
- Johnson, K. γ_5 invariance, 3=19546
- Johnson, K., Baker, M. and Willey, R.S. Quantum electro-dynamics, 4=9055
- Johnson, K., Klippert, T. and Ramler, W.J. A non-intercepting accelerator beam position sensor, 2=9656
- Johnson, K. and Sudarshan, E.C.G. Inconsistency of the local field theory of charged spin $\frac{1}{2}$ particles, 1=7189
- Johnson, K. and Zumino, B. Gauge dependence of the wave-function renormalization constant in quantum electro-dynamics, 0=1242
- Johnson, K. See Baker, M., 4=9084
- Johnson, K.A. and Wayman, C.M. The crystallography of the austenite-martensite transformation in an Fe-Cr-C alloy, 3=18346
- Johnson, K.A. See Federbush, P.G., 1=2009
- Johnson, K.E. and Piper, T.S. Spectra of Co^{2+} and Ni^{2+} in molten and solid sulphate media, 2=17463
- Johnson, K.H. and Esposito, R.J. Plasma-interband coupling in β' CuZn, 4=15587
- Johnson, K.L. The influence of elastic deformation upon the motion of a ball rolling between two surfaces, 1=4293
- Johnson, K.L. Reversed plastic flow during the unloading of a spherical indenter, 4=4444
- Johnson, K.M. Variation of dielectric constant with voltage in ferroelectrics and its application to parametric devices, 2=18772
- Johnson, K.W. Vibration control, 3=14231
- Johnson, L. and Levinstein, H. Infrared properties of gold in germanium, 0=6140
- Johnson, L.E., Conklin, J.B. and Pratt, G.W., Jr. Relativistic effects in the band structure of PbTe, 4=12693
- Johnson, L.F. Optical maser characteristics of Nd^{3+} in CaF_2 , 2=8608
- Johnson, L.F. Continuous operation of the $\text{CaF}_2:\text{Dy}^{3+}$ optical maser, 2=23549
- Johnson, L.F. Optical maser characteristics of rare-earth ions in crystals, 3=12350
- Johnson, L.F. New optical maser materials incorporating trivalent rare earths, 3=23055
- Johnson, L.F., Boyd, G.D., Nassau, K. and Soden, R.R. Continuous operation of a solid state optical maser, 2=12588
- Johnson, L.F., Dietz, R.E. and Guggenheim, H.J. Optical maser oscillation from Ni^{2+} in MgF_2 involving simultaneous emission of phonons, 4=5878
- Johnson, L.F., Dietz, R.E. and Guggenheim, H.J. Spontaneous and stimulated emission from Co^{2+} ions in MgF_2 and ZnF_2 , 4=30089
- Johnson, L.F. and Kahng, D. Piezoelectric optical-maser modulator, 3=3875
- Johnson, L.F. and Soden, R.R. Optical maser characteristics of Nd^{3+} in SrMoO_4 , 2=8509
- Johnson, L.F. and Thomas, R.A. Maser oscillations at 0.9 and 1.35 microns in $\text{CaWO}_4:\text{Nd}^{3+}$, 3=25447
- Johnson, L.F., Van Uitert, L.G., Rubin, J.J. and Thomas, R.A. Energy transfer from Er^{3+} to Tm^{3+} and Ho^{3+} ions in crystals, 4=7180
- Johnson, L.F. See Ferguson, J., 3=19993
- Johnson, L.F. See Houston, T.W., 4=7092
- Johnson, L.F. See Nelson, D.F., 4=28644
- Johnson, L.G. The microwave spectrum of quinuclidine, 0=17743
- Johnson, L.K. See Weber, J.T., 0=13328
- Johnson, M. Cosmic ray exchanges between galactic halo and centre, 0=1324
- Johnson, M. The interpretation of some changes in orientation of a binary star orbit, 1=12765
- Johnson, M. Problems of cosmic ray sources in astronomical situations, 2=3428
- Johnson, M.A. See Clemmow, P.C., 0=14209
- Johnson, M.D. and March, N.H. Long-range oscillatory interaction between ions in liquid metals, 3=9439
- Johnson, M.E. See Barsis, A.P., 3=5856
- Johnson, M.H. and Lippmann, B.A. Electromagnetic signals from nuclear explosions in outer space, 0=15136
- Johnson, M.H. See Colgate, S.A., 0=17437
- Johnson, M.W., Jr. Some variational theorems for non-Newtonian flow, 1=112
- Johnson, N.L. See Grunfest, I.J., 4=5138
- Johnson, N.M. and Daniels, F. Luminescence during annealing and phase change in crystals, 1=7731
- Johnson, N.R. Decay of Re^{184} isomers and the level scheme in W^{184} , 3=8014
- Johnson, N.R., Eichler, E., O'Kelley, G.D., Chase, J.W. and Wasson, J.T. Decay of I^{134} , 1=8640
- Johnson, N.R., O'Kelley, G.D. and Eichler, E. Decay of Rb^{90} , 4=22068
- Johnson, N.R. See Eichler, E., 2=16321
- Johnson, N.R. See Hansen, P.G., 4=25355
- Johnson, N.R. See Robinson, R.L., 1=9847
- Johnson, N.R. See Robinson, R.L., 2=22767
- Johnson, N.R. See Robinson, R.L., 4=1017
- Johnson, N.R. See Wolke, R.L., 3=10180
- Johnson, O.E. and Smith, W.G. Beta decay of Cd^{115m} , 0=2636
- Johnson, O.E. and Smith, W.G. Beta decay of Y^{91} , 0=11364
- Johnson, O.E. See Lucas, B.T., 4=12274
- Johnson, O.E. See Lucas, B.T., 4=22182
- Johnson, O.E. See Rhode, J.L., 3=6205
- Johnson, O.E. See Rhode, J.L., 3=7838
- Johnson, O.E. See Rhode, J.L., 3=19815
- Johnson, O.E. See Robinson, E.L., 0=20417
- Johnson, O.E. See Robinson, E.L., 1=7356
- Johnson, O.E. See Robinson, E.L., 1=7347
- Johnson, O.W. and Gibbs, P. Fracture of Ge and Al_2O_3 , 3=23351
- Johnson, P. A sedimentation study of gel systems, 4=17873
- Johnson, P.C., Stein, B.A. and Davis, R.S. Temperature dependence of shock-induced phase transformations in iron, 2=6821
- Johnson, P.D. Some optical properties of powder and crystal halophosphate phosphors, 1=6200
- Johnson, P.D. Dichroic color centers in calcium fluoro-phosphate, 1=7600
- Johnson, P.D. Quantum efficiencies of some inorganic phosphors, 1=17908
- Johnson, P.D. Optical absorption and diffuse reflectance of powders, 4=13005
- Johnson, P.D., Rautenberg, T.H., Jr and Harris, B. Mechanism of afterglow in neon flashtubes, 4=14597
- Johnson, P.D. and Williams, F.E. Simplified configuration coordinate model for KCl:Tl , 0=6033
- Johnson, P.D. See Rautenberg, T.H., Jr, 0=8790
- Johnson, P.D. See Rautenberg, T.H., Jr, 4=18785
- Johnson, P.D. See Segall, B., 2=23700
- Johnson, P.G. See Rom, F.E., 3=16434
- Johnson, P.M. See Vincow, G., 3=25560
- Johnson, P.O. See Wilson, R.K., 3=10099
- Johnson, P.S. Cerenkov radiation spectra for a cold magneto-active plasma, 2=7594

- Johnson, P.V. See Balakrishna, S., 2=12988
- Johnson, Q. C., Smith, G. S., Wood, D. H. and Cramer, E. M. A new structure in the magnesium-rich region of the cerium-magnesium system, 4=23430
- Johnson, Q.C. and Templeton, D.H. Madelung constants for several structures, 1=9965
- Johnson, Q.C. See Sands, D.E., 2=21517
- Johnson, Q.C. See Sands, D.E., 3=8839
- Johnson, R. See Wells, D.K., 0=17059
- Johnson, R.A. Interstitials and vacancies in α iron, 4=20271
- Johnson, R.A. and Brown, E. Point defects in copper, 2=16642
- Johnson, R.A. and Damask, A.C. Point defect configurations in irradiated iron-carbon alloys, 4=17426
- Johnson, R.A. See Huntington, H.B., 2=20990
- Johnson, R.C. On the effect of proton spin-orbit distortion in a (d,p) reaction, 1=19513
- Johnson, R.C. First order effects of spin-dependent distortion in direct reactions, 1=19514
- Johnson, R.C. The effects of spin-orbit distortion in deuteron stripping reactions, 2=16428
- Johnson, R.C. and Little, W.A. Experiments on the Kapitza resistance, 3=12017
- Johnson, R.C., Weatherly, T.L. and Williams, Q. Dipole moment of CClF_3 , 2=3721
- Johnson, R.C., Williams, Q. and Weatherly, T.L. Centrifugal stretching of CClF_3 and some other symmetric tops, 2=8089
- Johnson, R.C. See Goldfarb, L.J.B., 0=20420
- Johnson, R.C. See Goldfarb, L.J.B., 1=4853
- Johnson, R.C. See Goldfarb, L.J.B., 1=8674
- Johnson, R.C. See Goldfarb, L.J.B., 1=19431
- Johnson, R.E. See Derr, V.E., 0=19918
- Johnson, R.F. See Bradshaw, P., 3=18840
- Johnson, R.F. See Cook, C.S., 0=20362
- Johnson, R.G., Chase, L.F.Jr. and Vaughn, F.J. An investigation of the $\text{C}^{13}(\text{He}^3, \text{n})\text{O}^{16}$ and the $\text{C}^{14}(\text{He}^3, \text{n})\text{O}^{16}$ reactions, 1=19528
- Johnson, R.G. See Barlow, J., 4=25123
- Johnson, R.G. See Chase, L.E., Jr., 1=718
- Johnson, R.G. See Chase, L.F., Jr., 2=18349
- Johnson, R.G. See Holly, F.E., 1=1568
- Johnson, R.G. See Holly, F.E., 1=21068
- Johnson, R.G. See Holly, F.E., 2=11088
- Johnson, R.G. See Imhof, W.L., 2=5935
- Johnson, R.G. See Imhof, W.L., 4=9559
- Johnson, R.G. See Levine, L. P., 4=18257
- Johnson, R.G. See Sakamoto, M., 3=127
- Johnson, R.G. See Vaughn, F.J., 0=9676
- Johnson, R.G. See Vaughn, F.J., 4=17161
- Johnson, R.H. and Greenwood, G.W. Deformation of uranium during alpha/beta cycles under small stresses and a quantitative interpretation of the mechanical weakness of metals undergoing phase transformations, 3=1354
- Johnson, R.H. and Greenwood, G.W. The strength of metals during change in crystal structure, 4=28960
- Johnson, R.H. and Honeycombe, R.W.K. The structure and heat treatment of some thorium-zirconium alloys, 2=4439
- Johnson, R.H. and Honeycombe, R.W.K. The solid solubility of zirconium in α -thorium, 2=4474
- Johnson, R.H. See Aitchison, I., 2=23883
- Johnson, R.H. See Alpher, R.A., 1=5548
- Johnson, R.I. Thin liquid β source for correlation studies, 3=10094
- Johnson, R.R. Measurements of the internal magnetic field associated with the supercritical operation of the positive column, 4=11673
- Johnson, R.R. and Jerde, D.A. Instability of a plasma column in a longitudinal magnetic field, 2=19941
- Johnson, R.R. See van Vliet, K.M., 4=24727
- Johnson, R.S. See Adler, S.B., 2=22337
- Johnson, R.T. Demonstration of the transition from the particle approach to the wave approach, 4=27006
- Johnson, R.T., Jr. See Dragsdorf, R.D., 2=6332
- Johnson, R.W. Use of induction heating for floating zone melting above 2000°C , 3=11238
- Johnson, R.W. and Daane, A.H. Electron requirements of bonds in metal borides, 3=8330
- Johnston, D.R. and Cole, R.H. Dielectric constants of imperfect gases. II. Carbon dioxide and ethylene, 2=2780
- Johnston, D.R., Oudemans, G.J. and Cole, R.H. Dielectric constants of imperfect gases. I. Helium, argon, nitrogen, and methane, 0=19204
- Johnston, D.R. See Wong, E.Y., 3=20481
- Johnston, D.R. See Wong, E.Y., 3=23072
- Johnston, F.J., Halperin, J. and Stoughton, R.W. The thermal neutron absorption cross-section of ^{233}Th and the resonance integrals of ^{232}Th , ^{233}Th and ^{60}Co , 1=17130
- Johnston, F.J. See Halperin, J., 3=22434
- Johnston, G.B. See Morrish, A.H., 4=10279
- Johnston, H.F., Russell, J.L., Jr and Silvernail, W.L. Relative control rod worths of some rare earth oxides, 0=13377
- Johnston, H.L. See Hoch, M., 2=2925
- Johnston, H.L. See Rubin, T., 2=10339
- Johnston, H.L. See Rubin, T., 2=16610
- Johnston, H.L. See White, D., 1=1766
- Johnston, H.M. On a feature of the galactic radio emission, 1=2662
- Johnston, H.S. Continuity of bond force constants between normal molecules and Lennard-Jones pairs, 4=25625
- Johnston, H.S. and Goldfinger, P. Theoretical interpretation of reactions occurring in photochlorination, 2=19159
- Johnston, H.S. and Hecklen, J. Tunnelling corrections for unsymmetrical Eckart potential energy barriers, 2=10964
- Johnston, H.S. and Kornegay, W. Rate and mechanism of the thermal ionization of xenon, 1=18788
- Johnston, H.S. and Tschuikow-Roux, E. Hydrogen-deuterium kinetic isotope effect at very high temperature, 2=4532
- Johnston, H.S. and Woolfolk, R. Reaction rates of xenon fluorides with oxides of nitrogen, 4=23630
- Johnston, H.S. See Carmichael, H., 4=30895
- Johnston, H.S. See Chiltz, G., 3=11356
- Johnston, H.S. See Herschbach, D.R., 0=4184
- Johnston, H.S. See Kornegay, W.M., 3=14515
- Johnston, H.S. See Rapp, D., 0=16374
- Johnston, H.S. See Sharp, T.E., 2=23955
- Johnston, I.D. See Hamada, T., 2=3330
- Johnston, I.D. See Hamada, T., 2=13780
- Johnston, I.D.S. See Butler, S.T., 4=19976
- Johnston, I.D.S. See Butler, S.T., 4=24716
- Johnston, L. See Jeong, T.H., 4=30396
- Johnston, L.H. and Young, D.E. Proton-proton scattering at 10 MeV, 0=2542
- Johnston, L.H. and Yung Su Tsai. Proton-proton scattering at 90° from 28 to 68 MeV, 0=1282
- Johnston, L.H. See Durig, J.R., 2=23536
- Johnston, L.H. See Jeong, T.H., 0=11165
- Johnston, L.H. See Jeong, T.H., 4=14192
- Johnston, L.H. See Young, D.E., 0=12925
- Johnson, S. See Lewis, C.H., 2=7091
- Johnson, S. See Rudd, D.W., 2=10411
- Johnson, T.R. and Martin, J.J. Benzene in water is simple reliable gamma dosimeter, 2=5533
- Johnson, U. See Hellwege, K.H., 3=2078
- Johnson, V. See Gold, L., 1=1381
- Johnson, V.A. Theory of the Seebeck effect in semiconductors, 0=20943
- Johnson, V.J., Valenta, M.W., Dougherty, J.E., Douglass, P.M. and Meadows, J.W. $\text{Pb}(\text{Sc}_{0.5}\text{Nb}_{0.5}\text{O}_{1-x}\text{O}_3)$, perovskite-type ferroelectric solid solutions possessing relatively large spontaneous polarizations, 3=6616
- Johnson, V.R. and Grow, R.W. Gamma irradiation effects in ruby, 4=17607
- Johnson, V.R. See Gabrysh, A.F., 3=23129
- Johnson, W. and Kudo, H. Plane strain compression between rough inclined plates, 0=6714
- Johnson, W. and McShane, I.E. A note on calculations concerning the plastic compression of thin material between smooth plates under conditions of plane strain, 0=6713
- Johnson, W. and Mellor, P.B. Elastic-plastic behaviour of thick-walled spheres of non-work-hardening material subject to a steady-state radial temperature gradient, 2=15517
- Johnson, W. See Andrews, K.W., 0=6345
- Johnson, W. See Haddow, J.B., 2=14882
- Johnson, W. See Lippmann, H., 0=13910
- Johnson, W. See Mahrenholtz, O., 2=15515
- Johnson, W. See Vasudevan, M., 3=14406
- Johnson, W.B. See Auerbach, L.B., 2=20393
- Johnson, W.B. See Wiegand, C.E., 2=11962
- Johnson, W.C., Jr. See Sinanoglu, O., 2=13371
- Johnson, W.H., Jr. See Bhanot, V.B., 0=17673
- Johnson, W.H., Jr. See Damerow, R.A., 4=3533
- Johnson, W.H., Jr. See Ries, R.R., 4=3532
- Johnson, W.P. and Miller, D.W. (d, p) polarization measurements of excited-state reactions, 2=488
- Johnson, W.P. See Miller, D.W., 2=1917
- Johnson, W.R., Buss, D.J. and Carroll, C.O. Single-quantum annihilation of positrons, 4=28154

- Johnson, W.R., Carroll, C.O. and Mullin, C.J. Radiative corrections to the Coulomb scattering asymmetry function, 2=11285
- Johnson, W.R. and Deck, R.T. Continuum Coulomb wave-function, 2=9193
- Johnson, W.R. and Mullin, C.J. Approximate relativistic Coulomb scattering wave function, 0=15286
- Johnson, W.R., O'Connell, R.F. and Mullin, C.J. Coulomb field effects on the decay of bound polarized muons, 2=536
- Johnson, W.R. and Rozics, J.D. Bremsstrahlung from polarized electrons, 2=22475
- Johnson, W.R., Weber, T.A. and Mullin, C.J. Coulomb scattering of polarized electrons, 1=4859
- Johnson, W. R. See Rozics, J.D., 4=21837
- Johnson, W. T. K. See Moss, S.J., 4=27399
- Johnsrud, A.E., Silbert, M.G. and Barschall, H.H. Energy dependence of fast-neutron activation cross sections, 0=2680
- Johnston, A.R. and Emeleus, K.G. Note on a pinch effect in a low pressure arc, 1=4583
- Johnston, A.R. See Humphrey, F.B., 3=14707
- Johnston, A. S. See Nainan, T. D., 4=25350
- Johnston, B. See West, H.I., Jr. 1=1988
- Johnston, D.F. Group theory in solid-state physics, 1=2361
- Johnston, D. F. The direct magnetic contribution to the transferred hyperfine interaction for trivalent rare earth ions, 4=26454
- Johnston, D.F. See Gabriel, J.R., 2=553
- Johnston, D.F. See Powell, M.J.D., 0=17913
- Johnston, R. See Goad, W., 0=13325
- Johnston, R.G. See Maki, A.G., 0=16917
- Johnston, R.G. See Stair, R., 0=19490
- Johnston, R. H. W. The development of a method for measuring the concentration of suspended solids, 4=13746
- Johnston, R.H.W. and Prowse, D.J. The plateau-to-minimum ionization ratio in moderately developed K5 emulsions, 0=12769
- Johnston, R.H.W. See K⁻-collaboration, 0=1308
- Johnston, R.H.W. See K⁻-Collaboration, 0=15430
- Johnston, R.L. See Gutsche, G.D., 2=3631
- Johnston, R. L. See Holmgren, H.D., 4=3697
- Johnston, R.L. See Wolicki, E.A., 0=4102
- Johnston, R.L. See Wolicki, E.A., 2=1928
- Johnston, R.R. The nucleon-nucleus second-order optical potential, 2=18227
- Johnston, R.R. and Watson, K.M. The second-order optical potential for pion-nucleus scattering, 2=1905
- Johnston, R.W. See Bell, M.B., 4=17877
- Johnston, T.F. Comment on "Sound-speed measurements utilizing the bathyscaph Trieste", 2=21618
- Johnston, T.L. Fracture mechanisms in crystalline ceramics, 3=23356
- Johnston, T.L., Stokes, R.J. and Li, C.H. The ductile-brittle transition in ionic solids, 0=21145
- Johnston, T.L., Stokes, R.J. and Li, C.H. Crack nucleation in magnesium oxide Bi-crystals under compression, 2=6754
- Johnston, T. L. See Ku, R. C., 4=13423
- Johnston, T.L. See Stokes, R.J., 0=21143
- Johnston, T.L. See Stokes, R.J., 1=1342
- Johnston, T.L. See Stokes, R.J., 1=3596
- Johnston, T.L. See Stokes, R.J., 1=20365
- Johnston, T.L. See Stokes, R.J., 2=2335
- Johnston, T. L. See Stoloff, N., 3=11185
- Johnston, T. L. See Stoloff, N.S., 4=4484
- Johnston, T.W. Cartesian tensor scalar product and spherical harmonic expansions in Boltzmann's equation, 0=18989
- Johnston, T.W. Time-averaged effects on charged particles in a.c. fields, 1=4698
- Johnston, T.W. Waves in warm quiescent plasmas, 2=19963
- Johnston, T. W. and Shkarofsky, I. P. Effects of Coulomb collisions on longitudinal plasma oscillations, 4=8745
- Johnston, T.W. See Bachynski, M.P., 1=16313
- Johnston, T.W. See Shkarofsky, I.P., 2=3007
- Johnston, W. C., Kotler, G.R. and Tiller, W. A. The influence of electromagnetic stirring on the nucleation of tin and tin-lead alloys, 4=5455
- Johnston, W.D. The role of selenium vapor pressure in the formation of silver doped manganese selenide, 2=19086
- Johnston, W.D., Heikes, R.R. and Petrolo, J. The preparation of fine powder hexagonal Fe₂C and its coercive force, 1=20420
- Johnston, W.G. An observation of crack formation in MgO, 1=3999
- Johnston, W.G. Effect of impurities on the flow stress of LiF crystals, 2=14883
- Johnston, W.G. Yield points and delay times in single crystals, 2=18994
- Johnston, W.G. and Gilman, J.J. Dislocation multiplication in lithium fluoride crystals, 0=7884
- Johnston, W.G., Nadeau, J.S. and Fleischer, R.L. The hardening of alkali-halide crystals by point defects, 3=23364
- Johnston, W.G. and Stein, D.F. Stress dependence of dislocation velocity inferred from strain-rate sensitivity, 3=13341
- Johnston, W.G. See Gilman, J.J., 0=7885
- Johnston, W.G. See Nadeau, J.S., 2=2329
- Johnston, W.H. See Conway, D.C., 0=4053
- Johnston, W.H. See Wolf, C.J., 2=3511
- Johnston, W.H. See Vestal, M., 2=23951
- Johnson, W. V. and Scott, A. B. Z-center energy levels, 4=28500
- Johnston, W. V. See Kramer, D., 4=3759
- Johnstone, I. P. See Flowers, B.H., 4=21987
- Johnstone, S.T.M. See Wain, H.L., 3=3236
- Johoda, J.A. See Erdmann, J.C., 3=9667
- Johsson, E. See Cederlöf, H., 4=2481
- Joigneau, S. See Berger, J., 0=6010
- Joigneau, S. See Berger, J., 0=15806
- Joiner, W. C. and Blaughner, R. D. Magnetic and resistive transitions of some Mo-Re alloys, 4=18586
- Joisce, J. See Sheridan, K.V., 4=17912
- Jokić, T. See Perović, B., 4=19120
- Joksch, C. Core-magnet systems, 4=24787
- Joliet, J.F. The critical volumes and molecular dimensions of organic compounds, 1=7466
- Joliet, J.F. and Bernard, M. Note on the Eötvös constant, 1=18387
- Jolivet, A. Solutions in spherical coordinates of general equations of particles with spin, 3=2230
- Jolivet, A. Solution of an irreducible wave equation, in spherical co-ordinates, describing a particle with a total maximum spin of 2, 3=10023
- Jolivet, A. On the radial wave equations for a particle of any spin interacting with a central potential, 4=16038
- Jolley, D. G. and McLaughlan, S. D. Microwave inversion efficiency of orange ruby, 4=14950
- Jolliffe, B.W. See Powell, R.W., 3=272
- Jolliffe, K.H. See Andrade, E.N. da C., 3=6793
- Jolliffe, K.H. See da C. Andrade, E.N., 0=8121
- Jolliffe, K.H. See da C. Andrade, E.N., 1=10218
- Jolliffe, S.A.W. See Burt, R.B., 3=25965
- Jolly, E.J. See Jacobs, J.A., 2=19268
- Jolly, H.P., Jr. High energy transitions in O¹⁶, 3=24927
- Jolly, R.K., Lin, E.K. and Cohen, B.L. Studies of 15-MeV inelastic deuteron scattering, 3=6281
- Jolly, R.K., Lin, E.K. and Cohen, B.L. Angular distributions from elastic scattering of 15 MeV deuterons, 3=15220
- Jolly, W. and Hull, D. The crystallography of the martensitic transformation in β -brass, 4=10526
- Jolly, W. L. The symmetrical deformation frequencies of methyl, silyl, and germyl groups, 4=3853
- Jolly, W. L. See Drake, J.E., 3=12863
- Joly, M. Application of rheoturbidity to the measurement of interaction energies between particles in solution, 2=19168
- Joly, R. See Beil, H., 4=918
- Joly, R. See Blaise, S., 0=9708
- Joly, R. See Genin, R., 1=13906
- Joly, R. See Genin, R., 3=12467
- Joly, R. See Gewin, R., 0=20504
- Joly, R. See Hubert, P., 0=9380
- Joly, R. See Michaudon, A., 1=13868
- Jona, F. Kinetics of vapor solvent growth in the system ZnS: Hcl, 3=13412
- Jona, F., Lever, R. F. and Wendt, H. R. Chemical equilibria in the germanium-iodine and germanium-bromine systems by weight-loss measurements, 4=26596
- Jona, F. and Mandel, G. Theoretical calculation of vapor transport of solid in the ZnS:HCl system, 3=8945
- Jona, F. and Mandel, G. Solid transport rate in the vapor-solvent growth system ZnS:I, 4=15768
- Jona, F. and Shirane, G. Effect of hydrostatic pressure on the ferroelectric properties of tri-glycine sulfate and selenate, 0=4379
- Jona, F. See Boutin, H., 4=7050
- Jona, F. See Lever, R. F., 4=4561
- Jona, F. See Subbarao, E.C., 0=8218
- Jona-Lasinio, G. and Munczek, H. Positive pion photoproduction near threshold, 0=3995
- Jona-Lasinio, G. See Cassandro, M., 3=19570

- Jona-Lasinio, G. See Ferrari, E., 0=15249
 Jona-Lasinio, G. See Nambu, Y., 1=7193
 Jona-Lasinio, G. See Nambu, Y., 1=16665
 Jonás, P. The integral relations for stationary laminar flow with closed streamlines in a nearly circular region, 1=15796
 Jonassen, H.B. See Boudreaux, E.A., 3=20560
 Jonasson, L.G. Low noise solid state amplifiers for semiconductor detectors, 4=16748
 Jonathan, N., Gordon, S. and Dailey, B.P. Chemical shifts and ring currents in condensed ring hydrocarbons, 2=14328
 Jonathan, N.B.H. Relations between force constants, bond orders, bond lengths, and bond frequencies for some nitrogen-oxygen bonds, 0=5899
 Jonathan, N.B.W. See Jones, R.N., 3=14344
 Joncher, A.K. The physics of the tunnel diode, 2=4048
 Jones, A. See Colard, J., 1=13662
 Jones, A. See Creutz, E., 2=12145
 Jones, A. See Creutz, E., 4=25319
 Jones, A.C. See Dannenberg, H., 0=6925
 Jones, A.C. See Tunnicliff, D.D., 2=105
 Jones, A.E. See De Valois, R.L., 3=11643
 Jones, A.H. See Dew-Hughes, D., 0=2856
 Jones, A.R. On the radiation-induced gas-phase polymerizations of acetylene and benzene, 0=6418
 Jones, A.R. Ambient radiation monitor, 0=19976
 Jones, A.R. Uses of semiconductor detectors in health-physics monitoring, 1=1993
 Jones, A.R. A portable gamma-ray spectrometer, 1=2029
 Jones, A.R. Radiolyses by transferred energy of compounds dispersed in alkali halide matrices, 1=20761
 Jones, A.R. The measurement of gamma dose with silicon junction counters, 3=2167
 Jones, A.R. See Creagan, R.J., 4=6406
 Jones, A.S. See Grow, R.W., 4=14678
 Jones, A.V. An analysis of a spectrogram of the red aurora of February 10/11, 1958, in the wavelength range 7300-8700 Å, 0=6471
 Jones, A.V. Metallic emissions in the twilight and their bearing on atmospheric dynamics, 3=13791
 Jones, A.V. The telluric emission spectrum in the range 1μ to 3mm: introductory report, 4=29311
 Jones, A.V. and Harrison, A.W. Δ_g - Σ_g -O₂ infrared emission band in the twilight airglow spectrum, 0=2028
 Jones, A.V. and Huxten, D.M. Rotational and vibrational intensity distribution of the first negative N₂⁺ bands in sunlit auroral rays, 0=6472
 Jones, A.V. and McPherson, D.H. The seasonal variation of the intensity ratio of the D-lines in twilight, 0=2032
 Jones, A.V. See Harrison, A.W., 0=801
 Jones, A.V. See Harrison, A.W., 0=6474
 Jones, A.V. See Johanson, A.E., 2=4674
 Jones, A.V. See McPherson, D.H., 0=14284
 Jones, A.V. See Montalbetti, R., 0=792
 Jones, A.V. See Montbriand, L.E., 2=24048
 Jones, A.V. See Montbriand, L.E., 4=2235
 Jones, A.V. See Noxon, J.F., 0=14295
 Jones, A.V. See Noxon, J.F., 1=1563
 Jones, A.V. See Noxon, J.F., 2=4661
 Jones, A.V. See Shemansky, D.E., 2=913
 Jones, A.V. See Tinsley, B.A., 2=11070
 Jones, B., Sanjeevaiah, B., Zakrzewski, J., Bizzeti, P.G., Lagnaux, J.P., Rene, M., Beniston, M.J., Brown, S.A., Burhop, E.H.S., Davis, D.H., Ferreira, D., Frota-Pessoa, E., Lasich, W.B., Raina, N.N., Amerighi, M.C., Bonetti, A., Di Corato, M., Dilworth, C.C., Fedrighini, C.A., Quercigh, E., Sichirollo, A.E. and Vegni, G. On the observation of fast Σ -hyperons emitted from the interactions of K⁻-mesons with emulsion nuclei, 1=8500
 Jones, B.B. A method for obtaining accurate half-intensity widths of spectral lines photographed in the vacuum ultraviolet, 2=15734
 Jones, B.B. and Wilson, R. Spectroscopic studies of ion energies in Zeta, 4=8700
 Jones, B.B. See Fawcett, B.C., 2=1201
 Jones, B.B. See Fawcett, B.C., 4=19065
 Jones, B.B. See Fawcett, B.C., 4=25490
 Jones, B.B. See Fawcett, B.C., 4=19065
 Jones, B.B. See Hearn, A.G., 2=7620
 Jones, B.D., Malos, J., Galbraith, W. and Manning, G. A new type of microphone for use in acoustic spark chambers, 4=29718
 Jones, B.D., Sanjeevaiah, B., Zakrzewski, J., Csejthey-Barth, M., Lagnaux, J.P., Sacton, J., Beniston, M.J., Burhop, E.H.S. and Davies, D.H. Production of hyperfragments from interactions of 800 MeV/c K⁻-mesons, 1=19502
 Jones, B.D., Sanjeevaiah, B., Zakrzewski, J., Csejthey-Barth, M., Lagnaux, J.P., Sacton, J., Beniston, M.J., Burhop, E.H.S. and Davis, D.H. Production of hyperfragments from the interactions of 800-MeV/c K⁻ mesons with emulsion nuclei, 2=16241
 Jones, B.D., Sanjeevaiah, B., Zakrzewski, J., Csejthey-Barth, M., Lagnaux, J.P., Sacton, J., Beniston, M.J., Burhop, E.H.S. and Davis, D.H. On the production of hyperfragments from the interactions of 800 MeV/c K⁻ mesons with emulsion nuclei, 2=22834
 Jones, B.D., Sanjeevaiah, B., Zakrzewski, J. and Davis, D.H. Absorptions in flight of Σ^- hyperons in emulsion nuclei, 1=9772
 Jones, B.D. See Davis, D.H., 0=2595
 Jones, B.D. See Davis, D.H., 1=5782
 Jones, B.D. See Davis, D.H., 1=19498
 Jones, B.D. See Evans, D., 0=20359
 Jones, B.D. See Evans, D., 1=13521
 Jones, B.D. See Evans, D., 1=19267
 Jones, B.D. See Sacton, J., 2=10128
 Jones, B.K. The attenuation of ultrasound by electrons in aluminium, 4=12633
 Jones, B.K. See Barber, D.J., 4=4540
 Jones, B.K. See Chambers, R.G., 3=840
 Jones, B.K. See Guban, D., 3=10726
 Jones, B.L. Photogrammetric refraction angle: satellite viewed from earth, 1=20842
 Jones, C. and Jordan, D.W. Time lags in the transmission of pressure disturbances along long lengths of small bore tubing, 2=17492
 Jones, C.E. Consistency of the strip approximation, 4=21804
 Jones, C.E. and Teplitz, V.L. Singularities of partial-wave amplitudes arising from the third double-spectral function, 4=11937
 Jones, C.E. See Chew, G.F., 4=21803
 Jones, C.H. and Schenk, H.L. A.C. losses in hard superconductors, 4=11482
 Jones, C.H. See Hopkins, M.R., 3=9690
 Jones, C.H. See Seiler, R.F., 3=22414
 Jones, C.K. and Brown, C.S. The growth rate dependence of the internal friction of synthetic quartz, 2=10740
 Jones, C.K. and Brown, C.S. The effect of ionizing radiation on the internal friction of synthetic quartz, 3=23302
 Jones, C.K., Hulm, J.K. and Chanorasekhar, B.S. Upper critical field of solid solution alloys of the transition elements, 4=18617
 Jones, C.K., Klemens, P.G. and Rayne, J.A. Temperature dependence of ultrasonic attenuation in fused quartz up to 1 kMc/s, 4=12627
 Jones, C.K. and Rayne, J.A. Magnetoacoustic effect in molybdenum near 1 Gc/s, 4=15423
 Jones, C.K. See Bömmel, H.E., 4=6725
 Jones, C.K. See Chandrasekhar, B.S., 3=19119
 Jones, C.M., Phillips, G.C., Harris, R.W. and Beckner, E.H. The scattering of alpha particles from C¹², 2=20673
 Jones, C.M., Phillips, G.C. and Miller, P.D. Alpha-alpha scattering in the energy range 5 to 9 MeV, 0=4005
 Jones, C.M. See Barnard, A.C.L., 4=12001
 Jones, C.M. See Barnard, A.C.L., 4=12082
 Jones, C.M. See Bair, J.K., 4=19524
 Jones, C.M. See Beckner, E.H., 1=11007
 Jones, C.M. See Harris, R.W., 3=2446
 Jones, C.M. See Tombrrello, T.A., 3=6005
 Jones, C.M. See Willard, H.B., 4=21858
 Jones, C.R. See Jones, F.Llewellyn., 1=16295
 Jones, D. Transistorized vacuum trip unit, 1=2802
 Jones, D. See Anderson, R.L., 2=22625
 Jones, D. See Kelly, B.T., 3=10433
 Jones, D. See Thom, H., 4=9296
 Jones, D.A., Baker, J.M. and Pope, D.F.D. Electron spin resonance of Gd³⁺ in lanthanum fluoride, 0=6263
 Jones, D.A. and Jones, R.V. Growth of cadmium fluoride crystals from the melt, 2=6767
 Jones, D.A. and Ward, A. The efficiency and main decay time of CsI(Tl) for electrons and alpha particles in crystals with different thallium concentrations, 0=16103
 Jones, D.A. See Baker, J.M., 0=6267
 Jones, D.E. See Barath, F.T., 3=18618
 Jones, D.E. The microwave temperature of Venus, 2=4747
 Jones, D.E. See Barath, F.T., 4=13954

- Jones, D.E.A. The suitability of materials used for the measurement of the half-value thickness for X-ray beams, 2=5422
- Jones, D.G., Taylor, F.E. and Wolfendale, A.W. The Durham cosmic ray spectrograph. II. The electronic and automatic recording systems, 2=20470
- Jones, D.G., West, R.H. and Wolfendale, A.W. The rate of energy loss of cosmic ray muons in a neon-methane mixture, 3=24821
- Jones, D.G. See Gardener, M., 2=20480
- Jones, D. G. C. See Allen, L., 4=8407
- Jones, D.L. Strong blast waves in spherical, cylindrical and plane shocks, 1=12911
- Jones, D.L. Precursor electrons ahead of cylindrical shock waves, 3=1759
- Jones, D.M. See Culpin, M.F., 0=3683
- Jones, D.M.A. The shape of raindrops, 0=8431
- Jones, D.P., Murphy, P.G., O'Neill, P.L. and Wormald, J.R. Redetermination of the Panofsky ratio for negative pions stopped in hydrogen, 1=3223
- Jones, D.P. See Cassels, J.M., 0=5583
- Jones, D.S. High-frequency refraction and diffraction in general media, 3=9931
- Jones, D.S. Diffraction at high frequencies in a stratified medium, 4=3146
- Jones, D.S. and Noble, B. The low-frequency scattering by a perfectly conducting strip, 1=19030
- Jones, D.T.L. See Long, D.A., 3=15344
- Jones, D.T.L. See Long, D.A., 3=19998
- Jones, D.T.L. See Long, D.A., 3=22570
- Jones, D.W. Principles and practice of N.M.R. and its uses in the study of solids, 3=3189
- Jones, D. W. A note on vacuum to atmosphere apertures in electron beam systems, 4=8281
- Jones, D.W. and McQuillan, A.D. Magnetic susceptibility and hydrogen affinity of b.c.c. alloys of Nb-Mo Nb-Re and Mo-Re, 3=3084
- Jones, D.W., Pessall, N., and McQuillan, A.D. Correlation between magnetic susceptibility and hydrogen solubility in alloys of early transition elements, 1=10130
- Jones, D.W. and Smith, J.A.S. Hydrogen bonding in calcium orthophosphates, 3=8865
- Jones, D.W. See Cruickshank, D.W.J., 3=25723
- Jones, E. Use of high-strength ceramics in vibration transducers, 4=21235
- Jones, E., Edelman, S. and Sizemore, K.S. Calibration of vibration pickups at large amplitudes, 1=18500
- Jones, E., Edelman, S. and Sizemore, K.S. Errata: Calibration of vibration pickups at large amplitudes, 2=9348
- Jones, E. and Jones, F.Llewellyn. Theory of secondary emission of electrons in hydrogen, 2=17880
- Jones, E. See Davies, D.K., 3=24214
- Jones, E. See Dutton, J. (Conf. Rep.), 0=2314
- Jones, E. See Jones F.Llewellyn, 0=10871
- Jones, E. See Schmidt, V.A., 1=9454
- Jones, E. See Ward, A.L., 1=7042
- Jones, E. A. See Lassetre, E. N., 4=12395
- Jones, E. A. See Lassetre, E., 4=12450
- Jones, E. C., Jr. See Tesk, J. A., 4=10010
- Jones, E.D. Zeeman modulator for nuclear quadrupole resonance spectroscopy, 2=20176
- Jones, E. D. and Jefferts, K. B. Zero-field manganese nuclear magnetic resonance in antiferromagnetic manganese fluoride, 4=28902
- Jones, E.D. and Uehling, E.A. Nuclear quadrupole resonance of As^{75} in $\text{Na}_2\text{HAsO}_4 \cdot 7\text{H}_2\text{O}$, 2=8690
- Jones, E.D. and Uehling, E.A. Nuclear magnetic resonance of arsenic and antimony in liquid AsF_5 and SbCl_5 , 2=11391
- Jones, E.D. See Bjorkstam, J.L., 2=18971
- Jones, E. D. See Gossard, A. C., 4=28891
- Jones, E.E. Inductance of an eccentric tubular conducting system, 0=8981
- Jones, E.E. Solution of the Poisson equation related to a boundary-value problem for the sphere, 0=18573
- Jones, E.P. and Williams, D.L. The anisotropy of the nuclear magnetic resonance in white tin, 2=14854
- Jones, E.P. See Bloom, M., 2=14847
- Jones, E.S.O. See Beynon, W.J.G., 3=6987
- Jones, F.C. Design of a gamma-ray spectrometer using the phoswich technique for rejection of charged particles, 1=3153
- Jones, F.C. Cosmic-ray production of low-energy gamma rays, 1=16952
- Jones, F. C. The energy spectrum of galactic electrons produced by cosmic rays, 4=974
- Jones, F.E. Evaporated-film electric hygrometer elements, 3=1425
- Jones, F. E. and Castle, A. B., Sr. Magnetically retained evaporation mask, 4=4991
- Jones, F.E. and Wexler, A. A barium fluoride film hygrometer element, 0=16414
- Jones F.Llewellyn and Jones, E. Experimental determination of the individual secondary ionization coefficients in hydrogen and their dependence on cathode work function, 0=10871
- Jones, F. Llewellyn and Nicholas, D.J. The theory and design of an analyser for investigating the electron emission characteristics of surfaces in gases, 3=418
- Jones, F. Llewellyn and Owen, W. D. Initiatory electron emission and vacuum breakdown, 4=8652
- Jones, F.Llewellyn. See Davies, D.K., 2=19898
- Jones, F.Llewellyn. See Davies, D.K., 3=9725
- Jones, F. Llewellyn. See Davies, D. K., 4=8619
- Jones, F.Llewellyn. See Davies, A.J., 4=29886
- Jones, F.Llewellyn. See Jones, E., 2=17880
- Jones, F.Llewellyn. See also Llewellyn-Jones, F.
- Jones, F. O. and Wood, K. O. The melting point of thin aluminium films, 4=8499
- Jones, F.S. See Menzel, D.H., 3=3583
- Jones, G. Time-sorter for use in the nanosecond range, 0=15219
- Jones, G. Fast trigger circuit, 4=434
- Jones, G. and Gordy, W. Extension of submillimeter wave spectroscopy below a half-millimeter wavelength, 4=24858
- Jones, G. and Warren, J.B. The lifetimes of positrons in metals, 2=593
- Jones, G. A. Ferromagnetic domain structure at an inclusion in a thin film, 4=22977
- Jones, G.A., Johnson, C.M.P. and Wilkinson, D.H. The reaction of $^7\text{Li}(\alpha, \gamma)^{10}\text{B}$, 0=20467
- Jones, G.A. See Bader, R.F.W., 3=12843
- Jones, G.A. See Bader, R.F.W., 3=17587
- Jones, G. A. See Bader, R. F. W., 4=1263
- Jones, G. A. See Black, J. L., 4=22185
- Jones, G.A. See Carver, J.H., 0=437
- Jones, G.A. See Carver, J.H., 0=4031
- Jones, G.A. See Carver, J.H., 0=20445
- Jones, G.A. See Carver, J.H., 1=9879
- Jones, G.A. See Dearnaley, G., 2=18265
- Jones, G.A. See Gemmell, D.S., 2=13894
- Jones, G.A. See Johnson, C.M.P., 0=9560
- Jones, G.D. and Runciman, W.A. The infra-red absorption spectra of potassium manganicyanide and vanadium
- Jones, G.D. See Hayes, W., 3=8710
- Jones, G.H.S. and Hallett, A.C.Hollis. The specific heat of crystalline quartz between 2°K and 4°K , 0=9852
- Jones, G.H.S. See Bugden, A.R., 0=14140
- Jones, G. L. The influence of initial correlations on the approach to equilibrium, 4=18105
- Jones, G.L. and Kobett, D.R. Interaction of elastic waves in an isotropic solid, 3=7269
- Jones, G.O., Martin, D.H., Mawer, P.A. and Perry, C.H. Spectroscopy at extreme infrared wave-lengths. II. The lattice resonances of ionic crystals, 1=17894
- Jones, G.O. and Smith, B.L. The refractive indices of liquid and solid argon, 0=19153
- Jones, G.O. See Bastin, J.A., 4=17896
- Jones, G.O. See Bloor, D., 1=16077
- Jones, G.O. See Bowen, D.H., 0=8939
- Jones, G.O. See Dean, T.J., 0=8837
- Jones, G.O. See Dean, T.J., 0=19495
- Jones, G.O. See Figgins, B.F., 0=8844
- Jones, G.O. See Huzar, E., 1=4971
- Jones, G. R. Optical surface observations of roughened spheres, 4=30874
- Jones, G.R. See Holmes, R., 3=6431
- Jones, G.R. See Holmes, R., 3=21459
- Jones, G. R. See Holmes, R., 4=24271
- Jones, G.W. See Fenimore, C.P., 4=2153
- Jones, G.W. See Fenimore, C. P., 4=30897
- Jones, H. Accelerated flames and detonation in gases, 0=8746
- Jones, H. Concentrated solid solutions of normal metals, 3=8915
- Jones, H. Electronic specific heats of dilute solid solutions, 1=17359
- Jones, H.F. Dispersion theory of the deuteron form factor and elastic e-d scattering, 3=2329

- Jones, H.E. See Wickens, A.J., 1=12766
 Jones, H.F. Dispersion theory of the deuteron form factor and elastic e-d scattering, 3=17354
 Jones, H.F. See Parkinson, R.W., 0=8530
 Jones, H.M. See Shapiro, I.L., 1=50
 Jones, H.M. See Shapiro, I.L., 1=5178
 Jones, H.M. See Shapiro, I.L., 1=18221
 Jones, H.M. See Shapiro, I.L., 2=4865
 Jones, H.M. See Shapiro, I.L., 4=30995
 Jones, H.W., McCormick, W.W. and Sawyer, R.A. Time-resolved intensity patterns of the radiation from various regions of a vacuum spark discharge, 1=10683
 Jones, H.W. and Saunders, P.A.H. Swept Langmuir probe system for intense gas discharges, 1=279
 Jones, H.W. See Rusbridge, M.G., 1=9633
 Jones, I.H. See Dean, P.J., 4=13072
 Jones, I.L. Further observations of radio stellar scintillation, 0=18673
 Jones, I.L. See Fooks, G.F., 1=20930
 Jones, I.R. Calculation of the optimum dimensions of collimators for neutron diffraction, 3=6831
 Jones, I.R. and Bartolini, W. Suppression of total reflection of neutrons from collimator surfaces, 3=7867
 Jones, I.R. and Wuerker, R.F. Generation of high power radio-frequency pulses by means of an exploding wire technique, 1=15171
 Jones, I.R. See Weibel, E.S., 1=15060
 Jones, I.W. and Rowlinson, J.S. Gas-liquid critical temperatures of binary mixtures, 4=369
 Jones, J.A. See Cullen, A.L., 4=19275
 Jones, J.D. and Matthews, P.W. Three-phase superconducting motor, 4=18626
 Jones, J.I.P. A band-pass filter technique for recording atmospheric turbulence, 3=5603
 Jones, J.I.P. Continuous computation of the standard deviations of longitudinal and lateral wind velocity components, 4=17880
 Jones, J.J. and Kalbach, R.M. Investigation of spurious scattering in nuclear emulsion, 4=9035
 Jones, J.L., Leslie, C.B. and Barton, L.E. Acoustic characteristics of underwater bottoms, 4=10689
 Jones, J.L., Paschen, K.W. and Nicholson, J.B. Performance of curved crystals in the range 3 to 12A, 4=633
 Jones, J.M. Method of density determination on a micro-scale, 1=10468
 Jones, J.M. Method for establishing a liquid column of graded density, 1=21165
 Jones, J.M. Self-excited plasma surface-waves, 3=21840
 Jones, J.P. Rayleigh waves in a porous, elastic, saturated solid, 1=10561
 Jones, J.P. Effect of a uniform flow on elastic waves in a porous, saturated elastic solid, 2=21966
 Jones, J.P. and Bhuta, P.G. Vibrations of a whirling Rayleigh beam, 3=18879
 Jones, J.P. See Bhuta, P.G., 3=9529
 Jones, J.P. See Bhuta, P.G., 3=18874
 Jones, J.R. A boundary-layer in a non-Newtonian fluid, 2=11334
 Jones, J.R. and Monk, C.B. Some aspects of liquid scintillation counting of tritiated compounds, 3=17099
 Jones, J.S. See Garland, C.W., 4=7410
 Jones, J.S. See Garland, C.W., 4=28303
 Jones, J.W. The preparation of pole figures for polymers by computer techniques, 4=10628
 Jones, J.W. See Caldwell, D.O., 2=22611
 Jones, J.W.S. See Hill, N.A., 2=4347
 Jones, J.W.S. See Williams, J., 2=6351
 Jones, K.W. See Baicker, J.A., 0=17589
 Jones, K.W. See McDermott, L.C., 0=9645
 Jones, K.W. See Sayres, A.R., 1=9779
 Jones, K.W. See Seiler, R.F., 3=22414
 Jones, K.W. See Smotrich, H., 1=7404
 Jones, L.H. A π electron interaction potential function for $\text{Ni}(\text{CO})_4$ and related molecules, 0=17766
 Jones, L.H. Equilibrium constant for isotope exchange in ammonia from infrared spectra, 1=11610
 Jones, L.H. Cyanide stretching vibrations of $[\text{Co}(\text{CN})_6]^{-3}$ ion dissolved in solid KCl or NaCl, 2=8516
 Jones, L.H. Vibrational spectrum and structure of single crystals of $\text{K}_3\text{Co}(\text{CN})_6$, 2=8530
 Jones, L.H. A resonance interaction valence force field for octahedral $\text{M}(\text{XY})_6$ molecules, 2=10235
 Jones, L.H. Vibrational spectrum and force constants for molybdenum hexacarbonyl, 2=14245
 Jones, L.H. A molecular-orbital approach to the development of vibrational potential functions: CO force constant and stretch-stretch interaction constants for metal hexacarbonyls, 2=20775
 Jones, L.H. Vibrational spectrum and structure of $\text{K}_3\text{Ir}(\text{CN})_6$, $\text{K}_3\text{Rh}(\text{CN})_6$ and $\text{K}_3\text{Co}(\text{CN})_6$, 4=25842
 Jones, L.H., Brim, W.W. and Narahari Rao, K. ν_3 and ν_1 bands of the NT_3 molecule, 4=6576
 Jones, L.H. and McDowell, R.S. Force constants of methane, infrared spectra and thermodynamic functions of isotopic methanes, 0=5898
 Jones, L.H. See McDowell, R.S., 2=16530
 Jones, L.H. See McDowell, R.S., 2=22980
 Jones, L.H. See Narahari Rao, K., 2=6163
 Jones, L.L. See Davidson, E.R., 3=1610
 Jones, L.L. See Davidson, E.R., 3=2616
 Jones, L.L. See Davidson, E.R., 3=6392
 Jones, L.M., Fischbach, F.F. and Peterson, J.W. Satellite measurements of atmospheric structure by refraction, 2=24001
 Jones, L.M., Peterson, J.W., Schaefer, E.J. and Schulte, H.F. Upper-air density and temperature: some variations and an abrupt warming in the mesosphere, 0=12160
 Jones, L.W. A statistical interpretation of large angle proton-proton elastic scattering, 4=15053
 Jones, L.W. and De Raad, B. Experimental utilization of proton storage rings, 3=17003
 Jones, L.W., Lai, K., Newsome, R. and Perl, M.L. Bevatron experience with a homogeneous luminescent chamber, 1=3101
 Jones, L.W. and Perl, M.L. An image intensifier-scintillator device for determination of profiles and images of weak beams of ionizing particles or X-rays, 2=3204
 Jones, L.W. See Bleuler, E., 3=24565
 Jones, L.W. See Cadwell, D.O., 4=15091
 Jones, L.W. See Damouth, D.E., 4=3460
 Jones, L.W. See Fast, G., 3=7909
 Jones, L.W. See Fowler, R.G., 3=14549
 Jones, L.W. See Lai, K.W., 1=16870
 Jones, L.W. See Peck, C.C., 2=13844
 Jones, L.W. See Perl, M.L., 0=15197
 Jones, L.W. See Perl, M.L., 4=3448
 Jones, L.W. See Perl, M.L., 4=3463
 Jones, L.W. See Ting, C.C., 3=6050
 Jones, M.C. and Sondheimer, E.H. Cyclotron resonance in metals at high frequencies, 1=17487
 Jones, M.C. and Sondheimer, E.H. Cyclotron resonance in the extreme anomalous relaxation region, 4=12717
 Jones, M.C. and Sondheimer, E.H. A generalisation of Kohler's rule, 4=28527
 Jones, M.D. and Mee, C.H.B. Photoluminescence of calcium oxide cathodes, 4=17601
 Jones, M.E. Ammonia equilibrium between vapor and liquid aqueous phases at elevated temperatures, 3=21336
 Jones, M.E. See Cronin, G.R., 4=4539
 Jones, M.E. See Gaertner, E.R., 0=13302
 Jones, M.H. and Brown, W.F., Jr. Acoustic detection of crack initiation in sharply notched specimens, 4=15697
 Jones, M.N. See Cunliffe, A., 4=26411
 Jones, M.N. See Garlick, G.F.J., 2=10409
 Jones, M.T. Electron spin resonance absorption of tris-p-nitrophenylmethyl, 1=17342
 Jones, M.T. Electron spin exchange in aqueous solutions of $\text{K}_2(\text{SO}_3)_2\text{NO}$, 3=16639
 Jones, M.T. Spin-lattice relaxation in some T.C.N.Q. ion-radical salts, 4=17684
 Jones, M.T. and Chesnut, D.B. Triplet spin exchange in some ion radical salts, 3=11109
 Jones, M.T., LaLancette, E.A. and Benson, R.E. E.S.R. of substituted cyclobutane anions, 4=25726
 Jones, M.T. See Daniels, W.B., 1=12729
 Jones, M.W. See Cotterill, R.M.J., 4=4065
 Jones, M.W. See Hirsch, P.B., 3=17770
 Jones, N.R. and McChesney, M. Equilibrium ionization calculations for normal and oblique shock waves in argon, 3=23973
 Jones, O. See Hurle, D.T.J., 2=14959
 Jones, O.C. An impedance converter for use with digital voltmeters, 3=9702
 Jones, O.C. and Clarke, F.J.J. A new photometric technique using a variable shutter device, 1=18561
 Jones, O.C., Maddever, R.S. and Sanders, J.H. Radiosonde measurement of vertical electrical field and polar conductivity, 0=4784

- Jones, O.C., Maddever, R.S. and Sanders, J.H. Sealed-room experiments on the equilibrium of ionization in air, 0=14957
- Jones, O.C. and Sanders, C.L. A high-precision photoelectric photometer, 1=2836
- Jones, O.C. See Berry, R.G., 4=8370
- Jones, O.C. See Sanders, C.L., 2=15715
- Jones, O.E. and Holland, J.R. Bauschinger effect in explosively loaded mild steel, 4=23215
- Jones, O.E., Neilson, F.W. and Benedick, W.B. Dynamic yield behavior of explosively loaded metals determined by a quartz transducer technique, 3=1224
- Jones, P. See Shaw, D., 2=16665
- Jones, P.B. Elastic scattering of K^- mesons by nuclei, 0=5609
- Jones, P.B. The optical model of light nuclei, 0=7447
- Jones, P.B. The sign of the K^- -nucleus potential, 0=20231
- Jones, P.B. Convergence of the cluster expansion for the optical model potential, 1=5815
- Jones, P.B. The A^0 -nucleon interaction in light hypernuclei, 1=13635
- Jones, P.B. Some properties of high angular momentum partial wave scattering amplitudes, 1=19135
- Jones, P.B. See Chadwick, G.B., 0=362
- Jones, P.B. See Chadwick, G.B., 4=6135
- Jones, P.B. See Engler, A., 0=7348
- Jones, P.F. See Bearman, R.J., 0=19092
- Jones, P.G. See Parker, J.B., 2=5653
- Jones, P.J. See Wanklyn, J.N., 3=695
- Jones, P.L. and Pethica, B.A. The chemisorption of nitrogen on polycrystalline tungsten ribbon: kinetic and contact potential studies, 1=1479
- Jones, P.M.S., Gibson, R. and McKenna, N.J. The permeation and diffusion of hydrogen isotopes in niobium, 4=6876
- Jones, P.M.S. See Evans, F.P., 4=6877
- Jones, P.R., Costigan, P. and Van Dyk, G. Resonant electron capture and stripping in Ne^+-Ne collisions at energies of several keV, 3=4725
- Jones, P.R., Van Dyk, G. and Eddy, N. Resonant electron capture in collisions of Ne^+ on Ne and Ar on Ar^+ , 4=24588
- Jones, P.S.H. See Caine, C.A., 3=17360
- Jones, R. Torsional vibrational experiments on rectangular concrete beams, 0=6853
- Jones, R. Surface wave technique for measuring the elastic properties and thickness of roads: theoretical development, 2=4301
- Jones, R. See Del Fabbro, R., 4=25088
- Jones, R.A. See Barton, S.S., 4=26759
- Jones, R.A. See Behrndt, K.H., 2=1307
- Jones, R.A. See Morton, J.Y., 0=4827
- Jones, R.A. See Morton, J.Y., 0=6498
- Jones, R.A.Y. Nuclear magnetic resonance, 3=17065
- Jones, R.B. See Harris, J.E., 4=12796
- Jones, R.C. Noise in radiation detectors, 0=8841
- Jones, R.C. Energy detectable by radiation detectors, 0=14878
- Jones, R.C. Proposal of the detectivity D^{**} for detectors limited by radiation noise, 0=19492
- Jones, R.C. Information capacity of radiation detectors, 1=253
- Jones, R.C. Information capacity of photographic films, 1=16128
- Jones, R.C. Information capacity of a beam of light, 2=11459
- Jones, R.C. Ultimate performance of polarizers for visible light, 2=13463
- Jones, R.C. Immersed radiation detectors, 2=22087
- Jones, R.C. Information capacity of radiation detectors II, 3=3922
- Jones, R.C. Information capacity of radiation detectors and of light, 3=11909
- Jones, R.C. Terminology in photometry and radiometry, 4=5361
- Jones, R.C. See Brown, H.W., 2=23006
- Jones, R.C. See Brown, H.W., 3=8310
- Jones, R.C. See Fellgett, P., 0=5123
- Jones, R.C. See Kelton, G., 4=358
- Jones, R.E. and Pennebaker, W.B. Temperature transients in thin films, 4=9867
- Jones, R.E. and Toxen, A.M. Thermal conductivity of pure indium, 0=20755
- Jones, R.E. See Chang, G.K., 2=7510
- Jones, R.E. See Chang, G.K., 2=16615
- Jones, R.E. See Gendron, M.F., 2=13514
- Jones, R.E. See Toxen, A.M., 2=11561
- Jones, R.E. See Waters, R.T., 3=4097
- Jones, R.E. See Waters, R.T., 4=14604
- Jones, R.E. See Waters, R.T., 4=14605
- Jones, R.E. Jr. A thermodynamic treatment of dilute superconducting alloys, 0=12556
- Jones, R.H. Hall coefficient and electrical conductivity measurements on lead selenide single crystals grown from the vapour, 1=3771
- Jones, R.H. See Fray, S.J., 1=1159
- Jones, R.H. See Goodwin, D.W., 1=16608
- Jones, R.H. See Johnson, F.A., 2=23572
- Jones, R.J. Remarks on tune-up of analogue II, 3=5783
- Jones, R.J., Hudson, E.D., Livingston, R.S., Lord, R.S., Marshall, M.B., Smith, W.F., White, W.H., Jr and Worsham, R.E. Unique features in the Oak Ridge isochronous cyclotron, 3=5734
- Jones, R.J. See Livingston, R.S., 3=5779
- Jones, R.J. See White, W.H., Jr, 3=5793
- Jones, R.L. See Atkinson, G., 4=29626
- Jones, R.N., Seshadri, K.S. and Hopkins, J.W. The objective evaluation of the positions of infrared absorption maxima, 2=10255
- Jones, R.N., Seshadri, K.S., Jonathan, N.B.W. and Hopkins, J.W. A statistical approach to the analysis of infrared band profiles, 3=14344
- Jones, R.P. See Surplice, N.A., 3=17969
- Jones, R.P. See Surplice, N.A., 3=25209
- Jones, R.P. See Surplice, N.A., 3=25426
- Jones, R.P. See Surplice, N.A., 4=22705
- Jones, R.P.N. The effect of small changes in mass and stiffness on the natural frequencies and modes of vibrating systems, 1=5318
- Jones, R.T. Conformal coordinates associated with uniformly accelerated motion, 1=4247
- Jones, R.S., Gerber, H.J., Hanson, A.O. and Wattenberg, A. Deuteron Compton effect, 3=2233
- Jones, R.T. Extending the Lorentz transformation by characteristic coordinates, 0=866
- Jones, R.T. Analysis of [rectilinear] accelerated motion in the theory of relativity, 0=16587
- Jones, R.T. Conformal coordinates associated with space-like motions, 3=11682
- Jones, R.V. The detection of thermal radiation using linear expansion, 0=2266
- Jones, R.V. The Physical Society's Exhibition — London, 1959, 0=3434
- Jones, R.V. Velocity of light in a magnetic field, 0=12466
- Jones, R.V. Some developments and applications of the optical lever, 1=2854
- Jones, R.V. The velocity of light in a transverse magnetic field, 1=12958
- Jones, R.V. Anti-distortion mountings for instruments and apparatus, 1=21163
- Jones, R.V. Sub-acoustic waves from large explosions, 2=8980
- Jones, R.V. Some uses of elasticity in instrument design, 2=11234
- Jones, R.V. and Forbes, S.T. A microbarograph, 2=17406
- Jones, R.V. and Forbes, S.T. Sub-acoustic waves from recent nuclear explosions, 3=9060
- Jones, R.V. and Pollard, J.H. The scintillation properties of cadmium fluoride, 2=6635
- Jones, R.V. and Richards, J.C.S. Recording optical lever, 0=5150
- Jones, R.V. See Collins, M.F., 3=1106
- Jones, R.V. See Comly, J.B., 3=15922
- Jones, R.V. See Jones, D.A., 2=6767
- Jones, R.V. See Kaminow, I.P., 1=11468
- Jones, R.V. See Nowlin, C.H., 3=15777
- Jones, R.V. See Rodrigue, G.P., 0=11931
- Jones, R.V. See Schlömann, E., 0=3111
- Jones, R.V. See Smith, A.B., 3=14714
- Jones, S. Electroluminescence in oxide phosphors, 4=22911
- Jones, T.B. See Hunter, A.N., 2=23965
- Jones, T.G. See Edwards, D.H., 0=6862
- Jones, T.H. The nonproportional response of a NaI(Tl) crystal to diffracted X-rays, 2=12621
- Jones, T.J.L. See Hobbs, G.D., 3=7463
- Jones, T.P. On the accuracy of realization of the international temperature scale above 1063°C, 1=16158
- Jones, T.P. The stability of tungsten strip lamps as secondary standard sources in photoelectric pyrometry, 3=9643
- Jones, T.P. See Middlehurst, J., 1=6980
- Jones, W., March, N.H. and Sampanthar, S. The energy and the Dirac density matrix of a non-uniform electron gas, 2=20978
- Jones, W.A. See Muirhead, J.C., 4=18337

- Jones, W.B. Pair production in the field of the electron from total photon absorption in liquid hydrogen from 155 MeV to 255 MeV, 0=11149
- Jones, W.B. New isomers of astatine-212, 3=15157
- Jones, W.B. and Gallet, R.M. Representation of diurnal and geographic variations of ionospheric data by numerical methods, 2=15225
- Jones, W.B. and Gallet, R.M. Methods for applying numerical maps of ionospheric characteristics, 3=9071
- Jones, W.B. See Harvey, B.G., 4=17201
- Jones, W.B. See Richardson, J.R., 3=5733
- Jones, W.D. Huckel theory: an effective Hamiltonian, 0=2748
- Jones, W.D. and Brooks, F.L., Jr. Evaluation of one-center electron repulsion integrals between certain s-type atomic orbitals, 0=4232
- Jones, W.D. and Simpson, W.T. Calculation of delocalization contribution to infrared intensity, 0=15743
- Jones, W.D. See Alexeff, I., 4=19021
- Jones, W.H., Jr., Garbaty, E.A. and Barnes, R.G. Nuclear magnetic resonance in metal tungsten bronzes, 2=4287
- Jones, W.H., Jr., Graham, T.P. and Barnes, R.G. Knight shift in potassium, indium and yttrium metals, 1=7799
- Jones, W.H., Jr., Graham, T.P. and Barnes, R.G. Nuclear magnetic resonance line shapes resulting from the combined effect of nuclear quadrupole and anisotropic shift interactions, 4=7339
- Jones, W.H., Jr. and Milford, F.J. Knight shift and quadrupole interaction in Tc metal, 2=6707
- Jones, W.H., Jr. See Barnes, R.G., 1=9069
- Jones, W.H., Jr. See Barnes, R.G., 2=4294
- Jones, W.J., Stoiceff, B.P. and Tyler, J.K. High-resolution Raman spectroscopy of gases. VII. The pure rotational Raman spectrum of iodoacetylene, 4=6624
- Jones, W.J.D. See Andrade, E.N., da C., 2=19000
- Jones, W.M., Barnard, A.C.L., Young, K.M., Taylor, E.D., Waters, D.G. and Mundy, H.B. Nuclear plate cameras for the measurement of proton energies emitted from a toroidal discharge in deuterium, 0=20143
- Jones, W.M. and Mills, D. Porosity and surface area of a granular bed from measurements of the flow of air through the bed and measurements of the granular shape factors, 1=6558
- Jones, W.M., Waters, D.G. and Rout, V.M. The angular distributions of charged particle groups from the deuteron bombardment of nitrogen, 1=13849
- Jones, W.M. and Waters, D.G. The angular distributions of proton groups from the deuteron bombardment of neon, 4=1107
- Jones, W.M. and Williams, I.B. Relaxation effects in the transition from streamline to turbulent flow in tubes and in micropores, 4=5219
- Jones, W.M., Young, K.M. and Barnard, A.C.L. Measurements of the proton energies from Sceptre III, 1=9619
- Jones, W.M. See Chick, D.R., 0=19831
- Jones, W.M. See Rout, V.M., 2=5535
- Jones, W.M. See Rout, V.M., 2=16427
- Jones, W.M. See Rout, V.M., 2=22843
- Jones, W.M. See Rout, V.M., 3=22419
- Jones, W.P. See Spreiter, J.R., 3=25958
- Jones, W.R.D. and Das, P.P. The mechanical properties of aluminium-lithium alloys, 1=20372
- Jong, M.de. See de Jong, M.,
- Jongeans, B. On the grain density in Ilford G-5 emulsion of singly charged relativistic particles, 0=15206
- Jongeans, B. The elastic scattering and absorption of 5.7 GeV/c π^- on emulsion nuclei, 2=22593
- Jongeans, B. On small-angle scattering and absorption of negative pions with a momentum of 5.7 GeV/c in nuclear emulsion, 3=7906
- Jongeans, B. See Holthuizen, D.J., 0=5585
- Jongeans, B. See Lynch, G.R., 4=25181
- Jongeans, B. See Tenner, A.G.C., 1=5621
- Jongen, H.F. Electrons and photons in cosmic radiation, 3=2344
- Jongenburger, H.S. See Wood, R.H., 4=24525
- Jongenburger, P. The influence of plastic deformation on the transverse magnetoresistance of polycrystalline copper, silver and gold, 2=2122
- Jongenburger, P. The influence of stationary extended dislocations on the shear modulus, 3=25616
- Jongenburger, P. See Druyvesteyn, W.F., 2=18982
- Jongerius, H.M. Measurements of optical excitation functions of the mercury atom (excitation by electrons), 2=14221
- Jongerius, H.M., van Koevinge, J.L. and Oskam, H.J. Argon-xenon bands, 0=7766
- Jongerius, H.M. See Oskam, H.J., 0=9813
- Jonker, C.C. See Boeker, E., 4=1064
- Jonker, C.C. See Boersma, H.J., 4=9307
- Jonker, C.C. See Dubbeldam, P.S., 0=7606
- Jonker, C.C. See Dubbeldam, P.S., 0=17346
- Jonker, C.C. See Rethmeier, J., 2=5270
- Jonker, C.C. See Rethmeier, J., 3=2464
- Jonker, C.C. See Rethmeier, J., 3=6011
- Jonker, C.H. Energy levels of impurities in transition metal oxides, 2=23308
- Jonkman, R.M. See Beenakker, J.J.M., 2=19611
- Jonkman, R.M. See Sluijter, C.G., 4=29675
- Jonscher, A.K. p-n junctions at very low temperatures, 1=16221
- Jonscher, A.K. Physics of semiconductor switching devices, 2=16746
- Jonscher, A.K. Solid state plasma phenomena, 4=15464
- Jönsson, C. Electron interference at several artificially-produced fine slits, 1=3016
- Jönsson, C. and Hoffmann, H. Influence of charging on the current density distribution in the electron shadow projection of thin foils, 4=29161
- Jonsson, E. See Johansson, E., 2=18137
- Jonsson, I. See Aurivillius, B., 2=23855
- Jonsson, V.K. See Sparrow, E.M., 3=14410
- Joon Sang Moon and Keeler, R.N. A theoretical consideration of directional effects in heat flow at the interface of dissimilar metals, 3=1846
- Joos, H. Theory of representations of the inhomogeneous Lorentz group as a basis for quantum mechanical kinematics, 4=2552
- Joos, H. Group-theoretical models of local-field theories, 4=11869
- Joos, H. and Kramer, G. Photoproduction of ρ - and ω -mesons in the peripheral model, 4=19582
- Joos, P. Measurement of the polarization of synchrotron radiation [of electrons], 0=15317
- Joos, P. See Borgia, B., 4=19595
- Joos, P. See McDaniel, B.D., 0=5616
- Joos, P. See Ruyssen, R., 2=15168
- Jopson, R.C., Khan, J.M., Mark, H., Swift, C.D. and Williamson, M.A. Fluorescence yields of the L_{II} and L_{III} shells in heavy elements, 4=9652
- Jopson, R.C., Mark, H. and Swift, C.D. Production of characteristic X-rays by low-energy protons, 2=20757
- Jopson, R.C., Mark, H. and Swift, C.D. L-shell fluorescence yields of Pt, Tl, and Pb, 3=4711
- Jopson, R.C., Mark, H., Swift, C.D. and Williamson, M.A. L-shell fluorescence yields in heavy elements, 3=19953
- Jopson, R.C., Mark, H., Swift, C.D. and Williamson, M.A. L-shell fluorescence yields in elements between Z = 40 and 51, 4=30386
- Jopson, R.C., Mark, H., Swift, C.D. and Zenger, J.H. L to K ratios in the electron capture decay of W^{181} and Ta^{180} , 1=17050
- Jopson, R.C., Wright, R.E. and Mark, H. Thin fibre scintillation counter for determining particle beam distributions in accelerators, 0=17149
- Jopson, R.C. See Hansen, L.F., 2=7984
- Jorand, M. The depth of formation of the Lindholm effect, 1=15449
- Jorand, M. Contributions to the study of effects influencing the displacement towards the red of solar absorption spectra, 2=15329
- Jorand, M. and Pecker, J.C. The depth of formation of the Lindholm effect, 4=15939
- Jorba, J.P. Perez y. See Perez y Jorba, J.P.
- Jorba, Y. See Delcourt, B., 4=6122
- Jordan, A.G. A note on the inductive properties of filamentary transistors, 3=22965
- Jordan, A.G., Lade, R.W. and Scharfetter, D.L. A note on Fermi levels, quasi-Fermi levels, and terminal voltages in semiconductor devices, 3=20347
- Jordan, A.G. See Gregory, B.L., 4=20377
- Jordan, A.G. See Lade, R.W., 2=21165
- Jordan, A.G. See Lade, R.W., 3=4931
- Jordan, A.G. See Nathanson, H.C., 3=13093
- Jordan, A.G. See Szedon, J.R., 4=7008
- Jordan, B., Payne, R.M., Pope, R.A. and Hansen, N.R. Scintillation counter observations of the X-ray emission in Sceptre IIIA, 2=7631
- Jordan, B. See Allen, N.L., 3=7596
- Jordan, B. See Allen, N.L., 4=5685
- Jordan, B. See Dekkers, D., 4=30258

- Jordan, C. See Fielder, G., 2=9057
- Jordan, C. B. Metastable simple cubic structure in the indium-antimony system, 4=4609
- Jordan, D. P. and Leppert, G. Nucleate boiling characteristics of organic reactor coolants, 0=13359
- Jordan, D. P. and Leppert, G. Pressure drop and vapor volume with subcooled nucleate boiling, 2=19781
- Jordan, D. W. Method for calculating boundary value problems in heat conduction for the cylindrical cavity and the half space, by means of convolution integrals, 1=1837
- Jordan, D. W. and Evans, I. Approximate theoretical solutions to the problem of an elastic square with rigid indenters, 2=2665
- Jordan, D. W. See Jones, C., 2=17492
- Jordan, E. C. and King, R. W. P. Advances in the field of antennas and propagation since World War II. I. Antennas, 2=16049
- Jordon, E. C. [Ed.]. Electromagnetic theory and antennas, 3=12308
- Jordan, E. D. See Kaufmann, J. F., 2=3643
- Jordan, E. L. A diffusion mask for germanium, 1=19895
- Jordan, H. L. Methods for the production of high density, high temperature plasma by magnetic compression under controlled initial conditions, 2=9566
- Jordan, H. L. Methods for the production of high density, high temperature plasmas by magnetic compression under controlled initial conditions, 3=12163
- Jordan, H. L., Kever, H. and Schindler, K. Notes on fast magnetic compression of plasmas, 0=19664
- Jordan, J. E. See Amdur, I., 1=8825
- Jordan, J. E. See Amdur, I., 4=25777
- Jordan, K. C. See Engel, T. K., 4=21349
- Jordan, N. F. and Eringen, A. C. On the static nonlinear theory of electromagnetic thermoelastic solids. I, 4=24118
- Jordan, N. F. and Eringen, A. C. On the static nonlinear theory of electromagnetic thermoelastic solids. II, 4=24119
- Jordan, P. The present state of Dirac's cosmological hypothesis, 0=2071
- Jordan, P. Boundaries of validity of quantum mechanics, 3=1609
- Jordan, P. Geophysical consequences of Dirac's hypothesis, 3=5177
- Jordan, P. Irreversibility and the direction of time, 4=27001
- Jordan, P., Ehlers, J. and Kundt, W. Exact solutions of the field equations of general relativity, 2=7127
- Jordan, P., Ehler, S. J. and Kundt, W. Quantitative data on the Dirac gravity hypothesis, 4=18038
- Jordan, P., Ehlers, J. and Sachs, R. K. Exact solutions of the field equations of general relativity. II. Contributions to the theory of pure gravitational radiation, 2=7128
- Jordan, P. and Kundt, W. Exact solutions of the field equations of general relativity, III. Geometrodynamics in the null case, 2=7129
- Jordan, P. C. Lower electronic levels of the radicals PH and PH₂, 4=28200
- Jordan, P. C. H. and Longuet-Higgins, H. C. The lower electronic levels of the radicals CH, CH₂, CH₃, NH, NH₂, BH, BH₂ and BH₃, 2=12336
- Jordan, P. L. See Allen, R. D., 0=14876
- Jordan, R. D. and Alger, R. S. Specific ionization measurements and energy requirements for F-center formation, 0=7892
- Jordan, T. F. The quantum-mechanical scattering problem, 2=13264
- Jordan, T. F. The quantum-mechanical scattering problem. II. Multichannel scattering, 2=13265
- Jordan, T. F. and Ghielmetti, F. Quantum theory of interference of light from two lasers, 4=24389
- Jordan, T. F., Macfarlane, A. J. and Sudarshan, E. C. G. Hamiltonian model of Lorentz invariant particle interactions, 4=8077
- Jordan, T. F. and Mukunda, N. Lorentz-covariant position operators for spinning particles, 4=2555
- Jordan, T. F., Mukunda, N. and Pepper, S. V. Irreducible representations of generalized oscillator operators, 3=21253
- Jordan, T. F., Pinsky, M. A. and Sudarshan, E. C. G. Dynamical mappings of density operators in quantum mechanics. II. Time-dependent mappings, 2=21816
- Jordan, T. F. and Sudarshan, E. C. G. Dynamical mappings of density operators in quantum mechanics, 2=30
- Jordan, T. F. and Sudarshan, E. C. G. Lie group dynamical formalism and the relation between quantum mechanics and classical mechanics, 2=1066
- Jordan, T. F. and Sudarshan, E. C. G. Reduction of operator rings and the irreducibility axiom in quantum field theory, 2=20218
- Jordan, T. F. See Cannon, J. T., 4=14015
- Jordan, T. F. See Currie, D. G., 4=826
- Jordan, T. H., Smith, H. W., Streib, W. E. and Lipscomb, W. N. Single-crystal X-ray diffraction studies of α -N₂ and β -N₂, 4=26662
- Jordan, T. H., Streib, W. E. and Lipscomb, W. N. Single-crystal X-ray diffraction study of β -fluorine, 4=26648
- Jordan, T. H., Streib, W. E., Smith, H. W. and Lipscomb, W. N. Single-crystal studies of β -F₂ and γ -O₂, 4=23441
- Jordan, T. H. See Streib, W. E., 3=6839
- Jordan, W. See Zeitlin, H., 4=25711
- Jordan, W. C. See Gibson, G., 0=7123
- Jordan, W. C. See Gibson, G., 0=19654
- Jordan, W. C. See Gibson, G., 3=7567
- Jordan, W. C. See Gibson, G., 3=7568
- Jordan, W. C. See Gibson, G., 3=12199
- Jørgensen, C. K. Ligand field bands of four-coordinated paramagnetic nickel (II) complexes, 0=2749
- Jørgensen, C. K. d and f electrons in complexes of the transition elements, 0=5958
- Jørgensen, C. K. Electron transfer spectra of hexahalide complexes, 0=20650
- Jørgensen, C. K. Absorption spectra of actinide compounds, 0=20656
- Jørgensen, C. K. The interelectronic repulsion and partly covalent bonding in transition-group complexes, 1=866
- Jorgensen, C. K. Relevant and irrelevant symmetry components. Are the Bloch energy bands the best one-electron functions? 2=23102
- Jørgensen, C. K. Optical electronegativities of 3d group central ions, 3=8222
- Jørgensen, C. K. M. O. description of diatomic molecules containing a transition group atom, 4=20030
- Jorgensen, C. K. and Brinen, J. S. Far ultra-violet absorption bands of osmium (IV), iridium (IV), platinum (IV) hexahalides, 2=22981
- Jorgensen, C. K. and Brinen, J. S. Far ultraviolet absorption spectra of cerium (III) and europium (III) aqua ions, 4=2685
- Jørgensen, C. K., Pappalardo, R. and Rittershaus, E. Reflection spectra of lanthanides in thorium (IV) oxide and the large nephelauxetic effect of oxide ligands or vacancies, 4=20462
- Jørgensen, C. K., Pappalardo, R. and Schmidtke, H. H. Do the "ligand field" parameters in lanthanides represent weak covalent bonding? 4=1276
- Jørgensen, C. K. and Schmidtke, H. H. On a model for the description of covalent complex compounds, 4=3851
- Jørgensen, C. K. See Pappalardo, R., 4=22900
- Jørgensen, C. K. See Ryan, J. L., 4=5186
- Jørgensen, C. K. See Sinha, S. P., 4=20501
- Jørgensen, C. K. See Trees, R. E., 1=12249
- Jorgenson, G. V. and Will, E. Improved ion drag pump, 2=2785
- Jorgensen, D. W. "Near field" noise from turbulent jets, 1=11822
- Jorgensen, D. W. Noise from cavitating submerged water jets, 1=16045
- Jorgensen, M., Nielsen, O. B. and Sidenius, G. Three-particle excitation in Lu¹⁷⁷, 2=20516
- Jørgensen, M., Nielsen, O. B. and Skilbreid, O. Levels in Ho¹⁶³ and Dy¹⁶², 1=8622
- Jorgensen, M. See Gallagher, C. J., Jr., 2=16347
- Jørgensen, M. See Johansen, H. S., 4=12159
- Jørgensen, M. See Kristensen, L., 4=12158
- Jørgensen, M. See Toth, K. S., 0=1379
- Jørgensen, M. H., Meyer, N. I. and Schmidt-Tiedemann, K. J. Conductivity anisotropy of warm and hot electrons in silicon and germanium, 4=10068
- Jørgensen, M. H. See Bell, R. E., 0=9342
- Jorgensen, P. J. Effect of an electric field on silicon oxidation, 2=19143
- Jorgensen, T., Jr. See Kuyatt, C. E., 3=14641
- Jorgensen, T., Jr. See Rudd, M. E., 3=19177
- Jorgensen, T. S. and Ungstrup, E. Direct observation of correlation between aurorae and hiss in Greenland, 2=17193
- Jorgenson, G. V. and Wehner, G. K. Pinholes in thin films, 4=20800
- Jortner, J. Cation-electron interaction in metal-ammonia solutions, 1=5275
- Jortner, J. Dielectric medium effects on loosely bound electrons, 2=15582
- Jortner, J., Choi Sang-Il, Katz, J. L. and Rice, S. A. Triplet energy transfer and triplet-triplet interaction in aromatic crystals, 4=9880

- Jortner, J. and Coulson, C.A. Environmental effects on atomic energy levels, 2=1955
- Jortner, J., Meyer, L., Rice, S.A. and Wilson, E.G. Energy transfer phenomena in liquid helium, 4=18517
- Jortner, J., Ottolenghi, M., Rabani, J. and Stein, G. Conversion of solvated electrons into hydrogen atoms in the photo- and radiation chemistry of aqueous solutions, 3=3405
- Jortner, J., Raz, B. and Stein, G. Spectrum and radius of OH^- in solution, 1=1128
- Jortner, J., Rice, S.A. and Wilson, E.G. Speculation concerning the nature of binding in xenon fluorine compounds, 3=20000
- Jortner, J. and Sokolov, U. Absorption spectra of oxygen and nitric oxide in solution, 2=5020
- Jortner, J. and Treinin, A. Intensities of the absorption bands of halide ions in solution, 2=19564
- Jortner, J. See Katz, J.I., 4=1430
- Jortner, J. See Katz, J.L., 4=6805
- Jortner, J. See Pysh, E.S., 4=17298
- Jory, R.L. See Crompton, R.W., 3=12251
- Jory, R.L. See Rees, J.A., 4=29873
- Jose, P., Pant, L.M. and Biswas, A.B. The crystal structure of nickel β -alanine dihydrate, 4=7654
- Joseph, A.S. and Gordon, W.L. Low-field de Haas-van Alphen effect in zinc, 2=10641
- Joseph, A.S., Gordon, W.L., Reitz, J.R. and Eck, T.G. Evidence for spin-orbit splitting in the band structure of zinc and cadmium, 1=19737
- Joseph, A.S. and Thorsen, A.C. Magnetic breakdown in rhenium, 3=23137
- Joseph, A.S. and Thorsen, A.C. De Haas-van Alphen effect and Fermi surface in nickel, 4=9907
- Joseph, A.S. and Thorsen, A.C. De Haas-Van Alphen effect and Fermi surface in rhenium, 4=12696
- Joseph, A.S. and Thorsen, A.C. Low-field De Haas-Van Alphen effect in copper, 4=17622
- Joseph, A.S. and Thorsen, A.C. Low-field de Haas-van Alphen effect and Fermi surface in Ag and Au, 4=28772
- Joseph, A.S. and Tomasch, W.J. Experimental evidence for delayed entry of flux into a Type-II superconductor, 4=24506
- Joseph, A.S. See Gordon, W.L., 1=17456
- Joseph, A.S. See Thorsen, A.C., 3=25502
- Joseph, A.S. See Tomasch, W.J., 4=16350
- Joseph, B.W. See Schreiber, T.P., 0=10773
- Joseph, C., Alder, J.C., Grin, G.A., Loude, J.F. and Vaucher, B. Measurement of the light output of NE 213 liquid scintillator for recoil protons, 3=2266
- Joseph, C. See Grin, G.A., 2=7536
- Joseph, C. See Heym, A., 2=17896
- Joseph, C. See Vaucher, B., 2=20375
- Joseph, D.D. Incompatibility of Beltrami flow with viscous adherence, 4=18134
- Joseph, D.W. Electron pair production in $\pi^- + d$ capture, 0=12912
- Joseph, D.W. Electron pair creation in $\pi^- + p$ capture reactions from rest, 0=15393
- Joseph, D.W. Coordinate covariance and the particle spectrum, 2=9148
- Joseph, D.W. and Wada, W.W. The Lee model applied to the virtual deuteron, 3=12512
- Joseph, D.W. and Wada, W.W. The Lee model and the ρ^- meson, 4=12062
- Joseph, D.W. See Moravek, P.H., 4=3276
- Joseph, J. and Pilkuhn, H. The double-peripheral model, and its application to inelastic pion-nucleon collisions, 4=30253
- Joseph, L. See Mazur, J., 3=1562
- Joseph, L. See Tompkins, J.E., 0=9220
- Joseph, P.M. See Blumenthal, R.B., 4=9473
- Joseph, R.I. and Schlömann, E. Theory of magnetostatic modes in long, axially magnetized cylinders, 1=11445
- Joseph, R.I., Schlömann, E. and White, R.M. Higher-order spin-wave instability excited by parallel pumping, 3=23146
- Joseph, R.I. and Silverman, B.D. Optical modes of the perovskite structure, 4=7042
- Joseph, R.I. and Silverman, B.D. Nonlinear dielectric constant of a paraelectric material, 4=10092
- Joseph, R.I. and Silverman, B.D. Infrared active modes in KTaO_3 , 4=30513
- Joseph, R.I. and Van Vleck, J.H. Influence of dipole-dipole coupling on specific heat of a paramagnetic salt, 0=11578
- Joseph, R.I. See Schlömann, E., 1=6401
- Joseph, R.I. See Schlömann, E., 1=11446
- Joseph, R.I. See Schlömann, E., 3=11096
- Joseph, R.I. See Schlömann, E., 4=7228
- Joseph, R.I. See Schlömann, E., 4=7231
- Joseph, R.I. See Schlömann, E., 4=26282
- Joseph, R.I. See Silverman, B.D., 3=8547
- Joseph, R.I. See Wojtowicz, P.J., 4=28789
- Josephs, R.M. See Dousmanis, G.C., 3=10773
- Josephs, R.M. See Weisberg, L.R., 1=14359
- Josephson, B., Jr. and Strandberg, M.W.P. The effect of color centres on the nuclear spin-lattice relaxation time in lithium fluoride, 2=10710
- Josephson, B., Jr. See Stevens, K.W.H., 0=1181
- Josephson, B.D. Temperature-dependent shift of γ -rays emitted by a solid, 0=11314
- Josephson, B.D. Possible new effects in superconductive tunnelling, 3=1895
- Josephson, B.D. Coupled superconductors, 4=21394
- Josephson, J. On the structure of electro-convective eddies, 0=3354
- Josephson, V. Superfast pinch experiment, 1=310
- Josephson, V., Dazey, M.H. and Wuerker, R.F. Instability mechanisms in transverse pinches, 1=1903
- Josephson, V., Dazey, M.H. and Wuerker, R.F. A neutron-producing mechanism in transverse pinches, 1=2976
- Josephson, V. and Hales, W. Parametric study of the conical shock tube, 1=4272
- Josey, A.D. See Eaton, D.R., 2=18466
- Josey, A.D. See Eaton, D.R., 4=6649
- Josh, M.J. See Dale, J.R., 4=12924
- Joshi, B.C. See Rao Ramakrishna, V., 3=236
- Joshi, B.R. Orbital electron capture ratio and beta spectrum of ^{90}Tl , 1=10989
- Joshi, B.R. and Lewis, G.M. On the measurement of orbital electron capture with particular reference to ^{131}Cs , 1=2193
- Joshi, B.R. and Lewis, G.M. Determination of the Fierz interference term from the K-capture/ β^+ ratio for the pure Gamow-Teller decay of ^{58}Co , 2=3519
- Joshi, B.R., Lewis, G.M. and Smith, K.M. Internal source scintillation spectrometry, 3=24547
- Joshi, B.R. See Smith, K.M., 4=6287
- Joshi, G.C. See Mathur, V.S., 4=9436
- Joshi, G.H. Energy conversion mechanism in a bounded magnetized current-carrying plasma, 1=11925
- Joshi, G.H. Energy conversion mechanism in a magnetized current-carrying plasma, 3=757
- Joshi, K.C. The absorption spectrum of the BiF molecule in the ultra-violet region, 1=17324
- Joshi, K.C. Emission spectrum of CuSe molecule in the visible region, 2=10258
- Joshi, K.C. and Majumdar, K. The band spectrum of a CuAg molecule in the visible region, 1=14040
- Joshi, K.M. and Saxena, S.C. Viscosity of polar gases, 1=8145
- Joshi, K.M. and Saxena, S.C. Comments on the viscosity of polar gases, 2=5032
- Joshi, K.M. See Saxena, S.C., 3=1722
- Joshi, K.M. See Saxena, S.C., 3=2672
- Joshi, K.M. See Saxena, S.C., 4=8249
- Joshi, M. Precise measurement of the position of radiosources at 169 Mc/s, 3=9274
- Joshi, M. See Blum, E.J., 1=15526
- Joshi, M.C., Kulkarni, V.G., Panat, C.V. and Thosar, B.V. Longitudinal polarisation of beta particles from Rb^{86} , $\text{Pr}^{144}\text{Co}^{60}$, 1=641
- Joshi, M.C., Subbarao, B.N. and Thosar, B.V. Decay of samarium-153, 0=2639
- Joshi, M.C. and Thosar, B.V. 191 keV transition in Au^{197} , 1=8665
- Joshi, M.C., Thosar, B.V. and Prasad, K.G. Low energy levels in Au^{199} , 3=17422
- Joshi, M.C., Thosar, B.V. and Prasad, K.G. Nuclear levels of ^{199}Au , 4=15169
- Joshi, M.C. See Ambive, K.S.Y., 1=856
- Joshi, M.C. See Ambive, K.S.Y., 1=17021
- Joshi, M.C. See Gopinathan, K.P., 4=3619
- Joshi, M.C. See Gopinathan, K.P., 4=17098
- Joshi, M.C. See Thosar, B.V., 4=9382
- Joshi, M.M. and Sharma, D. Near ultraviolet absorption spectrum of diatomic silver fluoride molecule, 3=12832
- Joshi, M.S. and Tolansky, S. Optical studies of spirals on synthetic quartz crystals, 1=14566
- Joshi, M.S. and Vagh, A.S. Micro-disk patterns on prism faces of natural and cultured quartz, 4=30878
- Joshi, R.K. and Saxena, S.C. Simpler formulae for the Chapman-Cowling second approximation to the thermal diffusion factor of binary gas mixtures, 4=21178

- Joshi, R.K. See Saxena, S.C., 2=21937
 Joshi, R.K. See Saxena, S.C., 3=7235
 Joshi, R.K. See Saxena, S.C., 3=11822
 Joshi, R.K. See Saxena, S.C., 3=18843
 Joshi, R.K. See Saxena, S.C., 3=21438
 Joshi, R. K. See Saxena, S. C., 4=232
 Joshi, R. K. See Saxena, S. C., 4=8240
 Joshi, R.V. Temperature dependence of the ultraviolet and visible phosphorescence in KCl:Tl, 1=20007
 Joshi, R.V. Ultra-violet and visible thermal glows of KCl(Tl) phosphors, 2=8595
 Joshi, R.V. Phosphorescence decay of X-ray irradiated KCl: Tl phosphors, 4=13082
 Joshi, R.V. and Menon, A.K. Trap distribution changes in quenched KCl by heating or pressure, 4=17606
 Joshi, R. V. and Menon, A. K. Electron traps in KCl quenched from the melt, 4=25986
 Joshi, R.V. See Ewles, J., 0=8016
 Joshi, S. and Hemkar, M.P. Dispersion of lattice waves in copper, 1=9971
 Joshi, S.B. See Chiplonkar, V.T., 1=18802
 Joshi, S.B. See Chiplonkar, V.T., 2=22191
 Joshi, S.K. Number of 3d electrons in iron, 0=20768
 Joshi, S.K. Debye temperature of orthorhombic crystals at 0°K, 1=914
 Joshi, S.K. On the quasi-crystalline model of water, 2=1135
 Joshi, S.K. On the Θ values of the temperature dependence of the Laue-Bragg scattering, 2=3843
 Joshi, S.K. Θ -values in the electrical resistance of metals, 2=3978
 Joshi, S.K. Resonance absorption in solid cyclohexane, 3=8352
 Joshi, S.K. and Gupta, R. Dispersion of phonons in silver chloride, 2=12378
 Joshi, S.K., Gupta, R. and Das, T.P. Dependence of nuclear quadrupole relaxation times in ionic crystals on the phonon spectrum, 4=17702
 Joshi, S.K. and Hemkar, M.P. Vibrational spectrum of gold, 1=7530
 Joshi, S.K. and Hemkar, M.P. Vibrational spectrum and specific heat of potassium, 1=17400
 Joshi, S.K. and Hemkar, M.P. Vibrational spectrum of sodium, 2=14371
 Joshi, S.K. and Kashyap, B.M.S. Electrical and thermal resistivities and the fermi surface of monovalent metals, 2=12399
 Joshi, S.K. and Kashyap, B.M.S. On the debye temperature of crystals, 3=772
 Joshi, S.K. and Mitra, S.S. Debye characteristic temperature of solids, 1=915
 Joshi, S.K. and Mitra, S.S. Debye ν of some crystals, 1=14184
 Joshi, S.K., Sanyal, N.K. and Mitra, S.S. On transmission and reflection echelons, 0=19429
 Joshi, S.K. See Hemkar, M.P., 2=16592
 Joshi, S.K. See Mitra, S.S., 0=17878
 Joshi, S.K. See Mitra, S.S., 1=8884
 Joshi, S.K. See Mitra, S.S., 1=9980
 Joshi, S.K. See Mitra, S.S., 1=9981
 Joshi, S.K. See Mitra, S.S., 1=11151
 Joshi, S.K. See Mitra, S.S., 1=13999
 Joshi, S. K. See Sharma, P. K., 4=1368
 Joshi, S. K. See Sharma, P. K., 4=2713
 Joshi, S. K. See Sharma, P. K., 4=3976
 Joshi, S. K. See Sharma, P. K., 4=12604
 Joshi, S. K. See Sharma, P. K., 4=12657
 Joshi, S.K. See Sharma, P.K., 4=17690
 Joshi, S. K. See Sharma, P. K., 4=23063
 Joshi, S.K. See Verma, G.S., 0=17887
 Joshi, S.K. See Verma, G.S., 1=903
 Joshi, S.K. See Verma, G.S., 1=3597
 Joshi, S. N. See Chiplonkar, V. T., 4=29884
 Joshi, Y.N. Note on $n^2 F$ terms in $n^1 s^2 n f$ configuration, 4=12361
 Joshi, Y. N. See Crooker, A. M., 4=17251
 Josias, C.S. Radiation instrumentation electronics for the Pioneers III and IV space probes, 0=15184
 Josien, M.L. See Forel, M.T., 1=845
 Josien, M.L. See Lascombe, J., 0=4199
 Joss, J. and List, R. Radar reflection from ice-water mixture, 4=8951
 Jøssang, T., Skjeltstad, K. and Lothe, J. Theory of thermal activation of dislocations over the Peierls barrier, in a revised Seeger-Donth formulation, 4=25937
 Joss, E.J. and Ross, D.S. Conformal transformations by analogue computer, 1=5117
 Josse, R. and Lamure, C. Acoustic transmission by a smooth wall, 4=27274
 Jossem, E. L. Undergraduate curricula in physics: a report on the Princeton Conference on Curriculum S, 4=18003
 Josserand, P. See Dupin, P., 2=1606
 Josseron, G. See Janin, J., 3=18053
 Jost, F. and Harrand, M. Effect of the relative position of two C = O bonds on the Raman spectrum, 2=18465
 Jost, K. and Kessler, J. Spatial distribution of medium velocity electrons with multiple scattering, 4=887
 Jost, K. See Fink, M., 3=12256
 Jost, K.H. Structure of potassium polyphosphate $(KPO_3)_x$, 2=17023
 Jost, K.H. The structure of the acid sodium phosphate, 3=1337
 Jost, K.H. Adjustment of crystals by means of oscillation photographs, 3=11213
 Jost, K.H. The structure of Maddrell's salt: $(NaPO_3)_x$, 3=16079
 Jost, K.H. Structure of Kurrol sodium salts $(NaPO_3)_x$, type B, 3=18321
 Jost, K.H. Structure of potassium polyphosphates $(KPO_3)_x$, 3=18323
 Jost, K.H. Arrangement of anion chains in lead polyphosphate, 4=7623
 Jost, R. The normal form of a complex Lorentz transformation, 1=12797
 Jost, R. T.C.P. Invariance of the S-matrix and interpolating fields, 3=12408
 Jost, R. Poisson brackets (an unpedagogical lecture), 4=21062
 Jost, R. and Hepp, K. Matrix elements of the translation operator, 2=7137
 Jost, R. See Hepp, K., 2=7141
 Jost, R.W. On the CTP theorem, 0=7267
 Jost, W. A thermodynamic problem, 0=14902
 Jost, W. On the kinetics of oxidation reactions, 3=20981
 Jost, W., Michel, K.W., Troe, J. and Wagner, H.G. Study of the thermal decomposition of N_2O in shock waves, 4=15834
 Joubert, J., Henry, C. and Eyraud, C. Study of the trajectories of submicronic particles in ionizing fields, 4=19131
 Joubert, J. C., Brunel, M., Waintal, A. and Durif, A. Crystallographic study of lithium gallate and of its solid solution with the aluminate, 4=2080
 Joubert, J. C. and Durif, A. Crystallographic study of a lithium-chromium vanadate $[Li_3CrV_2O_6]$, 4=13593
 Joubert, J. C. and Durif, A. Study of two types of order in the spinal $Mn_3Li_2ZnO_6$, 4=26656
 Joubert, J. C. and Durif-Varambon, A. Study of the substitution for iron in $FeCuO_2$ and $FeNaO_2$, 4=2079
 Joubert, J. C. See Durif, A., 3=5112
 Joubert, J. C. See Durif-Varambon, A., 3=8856
 Jouffrey, B. Defects created by ion bombardment of thin gold films, 4=1489
 Jouffrey, B. See Castaing, R., 1=3020
 Jouffrey, B. See Castaing, R., 1=14345
 Jouquet, G. and Rappeneau, J. Mechanical properties of irradiated graphite: modification of the hardness after radiation and annealing, 2=23766
 Jourdain, P. and Thureau, P. On the resistance variation of thin metal films under deformation in various directions, 4=4107
 Jourdain, P. See Thureau, P., 4=20355
 Jourdan, P. See Alidieres, M., 3=9777
 Jousseau, C. See Leroy, J.L., 3=19654
 Jousset, J.C. and Quéré, Y. Changes in resistivity of uranium quenched from 100° to 4°2°K, 3=20270
 Jousset-Dubien, J. The magnetic susceptibility of gases, 1=182
 Jousset-Dubien, M. Diamagnetic susceptibilities at high frequencies, 2=15980
 Jouty, M.R., Régis, R. and Régis, M. Study of iron whiskers by electron diffraction, 4=7570
 Jouty, R. and Régis, R. Resistance to oxidation of iron whiskers, 2=12960
 Jouve, P., Teulier, M. and Levi, G. Solvent effects on the width of the infrared absorption bands and on the chemical nuclear magnetic resonance shift, 4=29630
 Jouve, P., Widenlocher, G. and Dayan, E. Simple method of studying compounds by n.m.r. in the vapour phase, 4=759
 Jouvot, B. Gauge invariance, the mass of the photon and the asymptotic form of the photon propagator, 1=2012
 Jouvot, B. Classical gauge invariances of quantum electrodynamics, 1=8412
 Jouvot, B. Use of the infinities of the characteristic photon energy for determining the asymptotic form of its canonical propagator, 2=18057

- Jouvet, B. Anomalous properties of the vector fields in interaction with Dirac's current, 3=548
- Jouvet, B. A test of the composite nature of the ρ - meson in terms of the nucleon form factors, 4=9263
- Jouvet, B., Abillon, J.M. and Bordes, G. The ρ meson in the electron and K productions of N_{33}^* , 4=9262
- Jouvet, B. and Adam, J.P. Composite particles and fields resulting from interactions between several currents, 4=3301
- Jouvet, B. and Goldzahl, L. Limits on the anomalous interactions of muons and their manifestations in high energy nuclear scattering, 1=5744
- Jouvet, B. and Houard, J.C. Electrons from μ -capture and the radius of fermi interactions, 0=13013
- Jouvet, B. See Adam, J.P., 3=22068
- Jouvet, B. See Bordes, G., 4=895
- Jouvet, B. See Chahine, C., 1=17019
- Jouvet, B. See Chahine, C., 4=9170
- Jouvet, B. See Houard, J.C., 1=7198
- Jouy, A.D. See Audran, R., 2=7414
- Jovanović, D.S. The influence of the fluid and the powder concentration on orthokinetic flocculation in suspensions. I. Calculation of averages by numerical integration, 4=10653
- Jovanović, D.S. The influence of the fluid and the powder concentration on orthokinetic flocculation in suspensions. II. Investigation of metal aluminum suspensions, 4=10654
- Jovanovic, D.T. and Ilic, R.P. A condenser-type accelerator beam-current integrator without relay use, 2=7681
- Jovanović, D.T., Stojanović, B.M. and Ilic, R.P. A transistorized stabilized high voltage power supply 0-2000 V, 3 mA, 3=14481
- Jovanovic, D.T. See Gutmann, P.F., 1=1877
- Jovanovic, S. and Smith, C.S. Elastic modulus of amorphous nickel films, 1=5078
- Jovanovich, J.V. See Standing, K.G., 2=11920
- Jover, P. Control of the melusine reactor, 1=2258
- Jović, D.M. See Živanović, M.D., 1=14987
- Jovic, D.M. See Zivanovic, M.D., 2=3356
- Jowett, A. See Harris, C.C., 3=21278
- Jowett, A. See Horfall, F., 0=8262
- Jowitt, R. See McCracken, A.K., 2=22540
- Joy, A.S. An all-metal apparatus for the determination of specific surface by gas adsorption, 0=18449
- Joy, H.W. Integrals of products of associated legendre functions, 3=7085
- Joy, H.W. and Libby, W.F. Size effects among isotopic molecules, 0=21265
- Joy, H.W., Schaad, L.J. and Handler, G.S. Constant energy and minimum energy orthogonalization, 4=30366
- Joy, H.W. See Handler, G.S., 4=22297
- Joy, H.W. See Saturno, A.F., 3=17561
- Joyal, M. and Le Grand, Y. Visual acuity and image clarity in extrafoveal vision, 1=21134
- Joyce, B.A. A pulse staining method for delineating $N-N^+$ and $P-P^+$ junctions in silicon, 2=18717
- Joyce, B.A., Bicknell, R.W., Charig, J.M. and Stirland, D.J. Epitaxial deposition of silicon on quartz, 4=4563
- Joyce, B.A. See Charig, J.M., 3=5091
- Joyce, B.D. and Baldrey, J.A. Selective epitaxial deposition of silicon, 2=21494
- Joyce, P.L. See Andrae, J.H., 0=6791
- Joyce, P.L. See Andrae, J.H., 2=21907
- Joyet, G. Standard free-air chamber with magnetic field for X or γ -rays up to about 50 MeV, 4=5886
- Joyet, G., Hugentobler, E. and Mysyrowicz, A. Air-equivalent materials for γ -ray dosimetry from 10 keV to 50 MeV, 2=9817
- Joyner, P.A. See Nicholas, M.E., 2=1126
- Joyner, P.A. See Olsen, D.A., 2=15560
- Joyner, W.T. Reaction mechanism in $Mg^{24}(p, p'\gamma)$ at low energies, 3=6234
- Józefowicz, E.T. Absolute measurements of beta activities in ^{24}Na , 2=5850
- Józefowicz, E.T. Absolute thermal neutron density measurements by the activation method using liquid scintillators, 4=9221
- Józefowicz, E.T. Thermal neutron activation cross-section of some nuclides used in activation measurements, 4=9529
- Józefowicz, E.T. See Mikke, K., 2=296
- Ju, F. See Hildenbrand, D.L., 4=18498
- Ju, F. D. On the logarithmic hypothesis of plane dislocation stress potential functions, 4=2618
- Ju, F. D., Kana, D. D. and Sieger, W. J. Applications of logarithmic theory of plane elastic dislocations, 4=2619
- Juan, C. and Gutowsky, H. S. Valence-bond studies of the dependence upon substituents of $C^{13}-H$ and $Si^{29}-H$ coupling, 3=2661
- Juan, C. See Gutowsky, H.S., 2=16563
- Juan, M. See Blanc, D., 4=5561
- Jubb, J.T., Holmes, E.L. and Winegard, W.C. Concerning the distribution coefficient of gold in lead, 1=20629
- Judd, A.M. Neutron flux measurements by resonance activation of foils, 3=19653
- Judd, B. and Lindgren, I. Theory of Zeeman effect in the ground multiplets of rare-earth atoms, 1=9501
- Judd, B.R. The matrix elements of tensor operators for the electronic configurations, 0=6006
- Judd, B.R. The matrix elements of tensor operators for configurations of three equivalent electrons, 0=7685
- Judd, B.R. An analysis of the fluorescence spectrum of neodymium chloride, 0=8015
- Judd, B.R. Exchange interactions in antiferromagnetic salts of iridium. III. Theory of the interaction, 0=8069
- Judd, B.R. An analysis of the fluorescence spectrum of europium ethyl sulphate, 0=21001
- Judd, B.R. Low-lying levels in certain actinide atoms, 2=3685
- Judd, B.R. Double-tensor operators for configurations of equivalent electrons, 2=14186
- Judd, B.R. Optical absorption intensities of rare-earth ions, 2=18421
- Judd, B.R. Configuration interaction in rare earth ions, 4=6484
- Judd, B.R. and Loudon, R. Spin-orbit interaction in the configuration f^3 , 0=7686
- Judd, B.R., Lovejoy, C.A. and Shirley, D.A. Anomalous quadrupole coupling in europium ethylsulfate, 3=3173
- Judd, B.R. and Marquet, L.C. Energy levels of Er II, 2=10201
- Judd, B.R. See Abraham, M., 3=13299
- Judd, B.R. See Bauche, J., 4=9647
- Judd, B.R. See Blaise, J., 3=6354
- Judd, B.R. See Conway, J. G., 4=30377
- Judd, D.B. Appraisal of Land's work on two-primary color projections, 0=6522
- Judd, D.B. Maxwell and modern colorimetry, 2=1244
- Judd, D.B., Chamberlin, G.J. and Haupt, G.W. The ideal Lovibond color system, 2=15718
- Judd, D.B., Chamberlin, G.J. and Haupt, G.W. Ideal Lovibond color system, 2=15719
- Judd, D. B., MacAdam, D. L. and Wyszecki, G. Spectral distribution of typical daylight as a function of correlated color temperature, 4=29294
- Judd, D.B. See Keegan, H.J., 2=17582
- Judd, D.L. Electric dissociation of negative hydrogen ions in cyclotrons and synchrocyclotrons, 3=5737
- Judd, D.L. and Bludman, S.A. Aberrations and fringing effects in a 180° double focussing magnetic spectrometer, 0=19788
- Judd, D.L. See Cohen, S., 0=13458
- Judd, D.L. See Cohen, S., 0=13459
- Judd, D.L. See Garren, A.A., 3=5788
- Judd, D.L. See Neil, V.K., 1=8365
- Judd, F.S. See Garnell, G.C., 1=2519
- Judd, F.V.H. Theory for correlating attenuation data for cylindrical passages, 2=17560
- Judeikis, H. See Siegel, S., 4=25831
- Judeikis, H. S. Errors in the evaluation of moments of a paramagnetic resonance line, 4=27668
- Judeikis, H.S., Flournoy, J.M. and Siegel, S. Isotope effects and the mechanism of atom production in gamma-irradiated ice at $4.2^\circ K$, 3=2669
- Judek, B. The mounting and development of large stacks of emulsion pellicles, 0=12751
- Judek, B. Reduction of spurious scattering in Ilford G-5 and K-5 emulsions, 0=15207
- Judek, B. Fading of minimum tracks in Ilford G-5 and K-5 emulsions, 0=15208
- Judek, B. See van Heerden, I.J., 0=20260
- Judge, D. On the uncertainty relation for L and φ , 3=18734
- Judge, D. On the uncertainty relation for angle variables, 4=8063
- Judge, D. and Lewis, J.T. On the commutator $[L_z, \varphi]$, 3=18735
- Judge, D., Shimodaira, H. and Takahashi, Y. On the substitution law in quantum field theory, 1=4752
- Judge, D.L. and Coleman, P.J., Jr. Observations of low-frequency hydromagnetic waves in the distant geomagnetic field: Explorer 6, 3=9127

- Judge, D. L., Morse, A. L. and Weissler, G. L. Wavelength analysis of fluorescence from gases excited by vacuum ultraviolet radiation, 4=20004
- Judge, D. L. See Coleman, P. J., Jr, 0=21317
- Judge, D. L. See Schoen, R. I., 3=4753
- Judge, D. L. See Smith, E. J., 0=21318
- Judge, D. L. See Sonett, C. P., 0=10390
- Judge, D. L. See Sonett, C. P., 0=10394
- Judge, D. L. See Sonett, C. P., 0=12133
- Judge, J. T. and Stein, R. S. Growth of crystals from molten cross-linked oriented polyethylene, 1=20426
- Judge, O., Shimodaira, H. and Takahashi, Y. On the substitution law in quantum field theory, 0=17211
- Judish, J. See Moak, C. D., 4=19138
- Judson, L. V. Calibration of line standards of length and measuring tapes at the National Bureau of Standards, 0=12396
- Judson, L. V. Units of weight and measure (United States customary and metric): definitions and tables of equivalents, 1=18238
- Juenke, E. F. and Bartram, S. F. Crystallographic data on UO_2WO_4 and UO_2MoO_4 , 4=23499
- Juenker, D. W., Waldron, J. P. and Jaccodine, R. J. Vectorial photoelectric effect in clean molybdenum, 4=11695
- Juenker, D. W. See Gumnick, J. L., 0=1148
- Juenker, D. W. See Jaklevic, R. C., 2=7643
- Juenker, D. W. See LeBlanc, L. J., 4=22877
- Juenker, D. W. See Waldron, J. P., 4=13050
- Juergens, W. See Bauer, H. J., 4=26320
- Jugaku, J. See Cayrel, R., 4=10827
- Jugaku, J. See Hayashi, C., 0=8516
- Jugaku, J. See Hayashi, C., 1=38
- Jugaku, J. See Hayakawa, S., 1=3328
- Jugaku, J. See Hayashi, C., 2=987
- Jugle, D. B. See Darby, J. B., Jr., 3=16614
- Juillard, A. The preparation of thin sources of S^{36} and its study at very low energies, 1=13673
- Juillard, A. and Boubil, C. Spectrum of internal conversion electrons of the decay of $\text{Tb}^{161} \rightarrow \text{Dy}^{161}$, 2=20562
- Juillard, A. and Moussa, M. A. A conjugate method of pre-acceleration and post-acceleration for the study of electron spectra of very weak energy, 0=10967
- Juillard, A. and Moussa, A. Study of Auger L electrons following the autoionization of Po, 2=413
- Juillard, A. See Marguier, G., 4=17064
- Juillard, A. See Moret, R., 4=19491
- Jukes, J. See Aitken, K., 4=8740
- Jukes, J. D. Electrostatic instabilities in ohmically heated plasmas, 1=9552
- Jukes, J. D. Plasma cyclotron radiation and fusion reactors, 1=9618
- Jukes, J. D. High-frequency tail of cyclotron radiation from a hot plasma, 1=16323
- Jukes, J. D. Stability of the sharp pinch and unpinch with finite conductivity, 2=1440
- Jukes, J. D. Gravitational resistive instabilities in plasma with finite larmor radius, 4=8783
- Jukes, J. D. On magnetic traps, 4=11653
- Jukes, J. D. Micro-instabilities in magnetically confined, inhomogeneous plasma, 4=29949
- Jukes, J. D. See Bickerton, R. J., 0=7678
- Juldašbaev, T. S. See Azimov, S. A., 3=6108
- Julesz, B. Stereopsis and binocular rivalry of contours, 3=18680
- Julesz, B. See Guttman, N., 3=13962
- Julg, A. Improved L.C.A.O. treatment of conjugated molecules. I. General theory. Application to hydrocarbons, 0=9825
- Julg, A. and Carles, P. Study of the conjugation of the electron doublet of nitrogen with an unsaturated system (improved L.C.A.O. method), 3=4774
- Julg, A., Francois, P. and Mourre, R. Investigation of the electronic structure of naphthalene by a modified L.C.A.O. method, 2=22992
- Julian, D. B. See Gledhill, R. J., 3=5539
- Julian, F. A. and Riviere, A. C. Suggested new method of injection into two tandem accelerators, 2=17907
- Julich, H. Generation of sinusoidal light intensity, 3=18969
- Julien, C. Variation of the surface recombination of germanium with thermal treatment under vacuum, 4=6974
- Julien, C. A. See Campbell, R. B., 1=6288
- Julien, C. A. See Campbell, R. B., 1=6525
- Julien, J. Existence of an interference effect in the resonance scattering of neutrons of energies of 215 and 232 eV in Praseodymium 141, 1=13811
- Julien, J., Bianchi, G., Corge, C., Huynh, V. D., Le Poittevin, G., Morgenstern, J., Netter, F. and Samour, C. Variation of strength function with spin, 4=28036
- Julien, J., Corge, C., Huynh, V. D., Netter, F. and Simic, J. Partial transition widths for the levels of spin $J = 1$ in W^{184} and Pt^{196} excited by [resonance] nuclear capture, 1=16999
- Julien, J., Corge, C., Huynh, V. D., Morgenstern, J. and Netter, F. Anomalies in the observed partial widths in some neutron resonances, 3=4645
- Julien, J., Corge, C., Vinh-Dinh, Huynh, Morgenstern, J. and Netter, F. Detailed properties of neutron absorption resonances for some medium weight nuclei, 2=18332
- Julien, J., Vinh-Dinh Huynh, Morgenstern, J. and Netters, F. Multidimensional analysis of radiation emitted during the resonant capture of neutron in various nuclei, 2=18333
- Julien, J. See Bianchi, G., 2=9865
- Julien, J. See Bianchi, G., 4=17153
- Julien, J. See Bianchi, G., 4=17154
- Julien, J. See Bianchi, G., 4=17155
- Julien, J. See Bianchi, G., 4=17156
- Julien, J. See Corge, C., 1=12090
- Julien, J. See Corge, C., 1=13828
- Julien, J. See Corge, C., 1=17112
- Julien, J. See Corge, C., 2=295
- Julien, J. See Corge, C., 2=388
- Julien, J. See Corge, C., 2=415
- Julien, J. See Corge, C., 2=416
- Julien, J. See Corge, C., 2=18334
- Julien, J. See Netter, F., 1=9870
- Julius, A. L., Jr. Possible physical effect of solar particles on meteorological parameters in Alaska, 1=10305
- Jull, E. V. An investigation of near-field radiation patterns measured with large antennas, 2=22323
- Jull, E. V. Diffraction by a conducting half-plane in an anisotropic plasma, 4=27644
- Jull, E. V. and Deloli, E. P. An accurate absolute gain calibration of an antenna for radio astronomy, 4=30975
- Jull, G. W. and Pettersen, G. W. E. Origin of non-reciprocity on high-frequency ionospheric paths, 4=20864
- Jull, G. W. See Budden, K. G., 4=8952
- Jullien, Y. Transverse vibrations in a ribbed plate supported on its edges, 0=5068
- Jullien, Y. Vibrations of beams loaded discontinuously, 0=16754
- Julliot, C., Lansiaut, A. and Nordemann, D. Detection of leakages of heavy water in a reactor into the light water of its exchangers, 1=2259
- Julliot, C. See Brunet, M., 3=21865
- Jumper, C. F., Emerson, M. T. and Howard, B. B. Self-association constant of chloroform from N.M.R. chemical shifts, 2=2703
- Juna, J., Horváth, P. and Konečný, K. Measurement of neutron spectra from (d,n) reactions on light nuclei, 1=13846
- Juna, J. and Konečný, K. On the occurrence of gamma-radiation at the interaction of deuterons and Li, 4=25427
- Juna, J. See Horváth, P., 4=6080
- June, R. K. See Wilcox, J. D., 2=2693
- Jung, B. and Andersson, G. Low mass odd-odd isomers of thallium, 0=7514
- Jung, B., Andersson, G. and Stenström, T. The internal decays of Pb^{197m} and Pb^{199m} , 2=18305
- Jung, B. and Svedberg, J. The electron spectrum of $_{81}\text{Tl}^{199}$, 1=643
- Jung, B. and Svedberg, J. Levels in $_{80}\text{Hg}^{196}$, populated in the decays of Tl^{196} (1.2 h) and Hg^{196m} (40 h), 2=373
- Jung, B. and Svedberg, J. Nuclear spectroscopy on $_{81}\text{Tl}^{197}$ sources, 2=412
- Jung, B. See Arberman, E., 2=2991
- Jung, B. See Häller, I. B., 4=17067
- Jung, B. See Siivola, A., 4=17073
- Jung, B. See Svedberg, J., 2=411
- Jung, H. Fast time-to-pulse-height converter, 4=9020
- Jung, H., Panussi, P. and Jänecke, J. Reversible gain variations of photomultipliers by different counting rates, 2=1486
- Jung, H. See Jänecke, J., 1=19402
- Jung, M. Broadening of the spectral lines of neutral oxygen by local fields, 4=9646
- Jung, P. Transistorized frequency stabilisation for reflex klystrons used in magnetic resonance, 0=17128
- Jung, P. Transistorized current regulator for a 12 inch Varian magnet, 1=7005
- Jung, P. Multiple quantum transitions, 1=17339
- Jung, P. and van Cakenberghe, J. Application of electron spin resonance to the measurement of the earth's magnetic field, 4=2315

- Jung, P., Van Cakenberghe, J. and Uebersfeld, J. Paramagnetic resonance along the direction of the polarizing field, 0=16179
- Jung, P., Van Cakenberghe, J. and Uebersfeld, J. Paramagnetic resonance applied to molecular amplification, 1=19048
- Jung, V. and Schmidt-Rohr, U. Deuteron-gamma angular correlation in $Mg^{24}(d, d^-\gamma)Mg^{24*}$ (1.37 MeV) reaction at 11.8 MeV, 4=19812
- Jung Wang. See Wang Jung.
- Jungclaus, G. Two-dimensional laminar boundary-layers and jets in magneto-fluid dynamics, 1=5555
- Jungclaussen, H. On the calculation of the form of scintillation counter pulses, 4=30108
- Jungclaussen, H., Schintlmeister, J. and Sodan, H. Measurements on the decay scheme of I^{131} , 3=15152
- Junge, C., Löwe, G., Rademacher, K., Rompe, R. and Singer, O. A searchlight with a 2-kW high pressure mercury vapour lamp for atmospheric scatter and extinction measurements, 0=171
- Junge, C.E. Note on the exchange rate between the northern and southern atmosphere, 2=17137
- Junge, C.E. Global ozone budget and exchange between stratosphere and troposphere, 3=6953
- Junge, C.E. Sulphur in the atmosphere, 3=25871
- Junge, C.E. Studies of global exchange processes in the atmosphere by natural and artificial tracers, 3=25907
- Junge, C.E. Air chemistry and radioactivity, 4=10698
- Junge, C.E., Chagnon, C.W. and Manson, J.E. A world-wide stratospheric aerosol layer, 1=10306
- Junge, C.E. and Manson, J.E. Stratospheric aerosol studies, 1=20815
- Junge, C.E., Oldenberg, O. and Wasson, J.T. On the origin of the sodium present in the upper atmosphere, 2=13018
- Junge, C.E. See Chagnon, C.W., 2=8964
- Junge, C.E. See Wasson, J.T., 2=15181
- Junge, H. The application of the Snoek damping method to the determination of gas desorption from metals, 4=10621
- Junge, K. A contribution to the trapping state spectroscopy of CdS crystals, 3=23101
- Junge, W. and Fleischmann, R. Investigations on thin alkali metal films. II. Phase difference and loss of light when light traverses thin potassium films with vector-dependent absorption, 3=18386
- Junger, J.C. See Decroocq, D., 1=8152
- Junger, M. C. See Rattayya, J. V., 4=21217
- Jungerman, J.A., Gardner, M.E., Patten, C.G. and Peek, N.F. A precision solenoidal beta ray spectrometer, 2=13774
- Jungerman, J.A., Peek, N.F. and Patten, C.G. A preliminary report on the 22-inch spiral ridge cyclotron at the University of California, Davis, 3=5747
- Jungerman, J.A. and Patten, C.G. Solenoid pair for production of a seventh-order external field, 0=5374
- Jungerman, J.A. See Gardner, M.E., 0=17066
- Junghähnel, G. Experiments with photoelements. III. The temperature dependence of some properties of photoelements, 2=1484
- Junghähnel, G. and Stegmann, H. Physical investigations on mass-produced selenium photoelectric elements, 0=1147
- Junghähnel, G. See Hausmann, E., 4=111
- Junginger, H.G. See Bross, H., 4=17401
- Jungk, G. and Menniger, H. On measurement of diffusion length of minority carriers in semiconductors, 4=22700
- Jungk, G., Menniger, H. and Thiessen, K. Amplification and quenching of the p-n photoeffect in silicon, 4=26151
- Jungk, G. and Thiessen, K. The spectral dependence of the p-n photoeffect in silicon carbide, 2=4069
- Jungk, G., Thiessen, K. and Witt, F. Stationary photoconductivity and p-n photoeffect in SiC, 3=13136
- Jungk, G. See Eckart, F., 1=3748
- Jungk, G. See Eckart, F., 2=21140
- Jungk, G. See Thiessen, K., 2=10539
- Jungk, G. See Thiessen, K., 3=8571
- Jungk, G. See Thiessen, K., 4=10119
- Jungner, H. See Simmons, L., 3=24867
- Jungner, H. See Simons, L., 3=4572
- Jungner, H. See Simons, L., 3=22307
- Jungner, H. See Simons, L., 4=9513
- Jungner, H. See Simons, L., 4=25398
- Jungnickel, J.L. See Coppinger, G.M., 3=20003
- Jünger, W. and Schmicker, D. Transverse polarization of K- and L-conversion electrons following the beta decay of Hg^{203} , 3=10314
- Junius, W. Apparatus for the automatic evaluation of sound reflections, 0=19345
- Junius, W. [Architectural] acoustical investigations in the Liederhalle, Stuttgart, using a new measuring techniques, 1=222
- Junker, J. See Grossmann-Doerth, U., 3=12104
- Junker, J. See Grossmann-Doerth, U., 4=8703
- Junkes, J. Concerning the loss of light in spectrographs by diffraction, 0=10772
- Junkes, J. Some further notes concerning the loss of energy by diffraction in a spectrograph, 1=1825
- Junkes, J. and Salpeter, E.W. Line widths in photographic spectrophotometry. I. On the history of photographic photometry in astronomy and spectroscopy, 0=6923
- Junkes, J. and Salpeter, E.W. Effective line widths in photographic spectral photometry, 0=6930
- Junkes, J. and Salpeter, E.W. Line widths in photographic spectrophotometry. II. The optical line profile, 2=22024
- Junkes, J. and Salpeter, E.W. Linewidths in photographic spectrophotometry. III. The photographic profile and its measurement, 4=21301
- Junkison, A.R. See Wait, E., 3=10699
- Junod, A., Sängler, R. and Thams, J.C. Direct recording of the spectrum of small atmospheric ions, 2=23999
- Junod, P. See Busch, G., 0=565
- Junod, P. See Busch, G., 0=7946
- Junod, P. See Busch, G., 0=13605
- Junod, P. See Busch, G., 3=11038
- Junod, P. See Busch, G., 4=1838
- Junod, P. See Busch, B., 4=17649
- Jupiter, C.P., Hansen, N.E., Shafer, R.E. and Fultz, S.C. Radiations from high-energy positrons incident on a beryllium target, 1=2044
- Jupiter, C.P. See Fultz, S.C., 3=6221
- Jupp, C. See Andrae, J.H., 0=5010
- Jura, G. See Alder, B.J., 0=11555
- Jura, G. See McWhan, D., 4=7500
- Jura, G. See Nicol, M., 4=9814
- Jura, G. See Schmidt, H.H., 1=7519
- Jura, G. See Schmidt, H.H., 1=7520
- Jura, G. See Souers, P.C., 3=17899
- Jura, G. See Souers, P.C., 4=30607
- Jurain, G. and Mailliot, J.P. A rapid radiometric determination of uranium and of thorium in complex ores, 0=18455
- Jurek, B. Strictly aplanatic systems with two surfaces, 0=19363
- Jurek, B. Microscope objective made from two spherical mirrors, 1=18590
- Jurek, B. Visibility of interference fringes for small path differences, 3=3886
- Juren, J.A.de. See de Juren, J.A.
- Juretschke, H.J. Electromagnetic theory of d.c. effects in ferromagnetic resonance, 0=13856
- Juretschke, H.J. D.C. detection of spin resonance in thin metallic films, 3=15934
- Juretschke, H.J. See Coren, R.L., 1=6320
- Juretschke, H.J. See Coren, R.L., 2=12777
- Juretschke, H.J. See Epstein, S., 3=8513
- Juretschke, H.J. See Freedman, S.J., 1=9853
- Juretschke, H.J. See Freedman, S.J., 1=19833
- Jurewicz, A. See Yurevich, A., 1=19233
- Jurewicz, A. and Świącki, M. Fixed-angle dispersion relations for the $K + N \rightarrow \pi + Y$ amplitudes near and below threshold, 4=19588
- Jurewicz, A. See Białkowski, G., 0=2593
- Jurewicz, A. See Białkowski, G., 0=17419
- Jurewicz, A. See Białkowski, G., 0=20164
- Jurewicz, A. See Białkowski, G., 3=4422
- Jurewicz, A. See Białkowski, G., 4=12028
- Jurić, M., Winterhalter, W. and Dordević, M. A possibility for the measurement of thermal neutron flux with emulsions in gel form, 1=13451
- Juric, M. See Stanojevic, D., 2=22839
- Juric, M.K. Angular distribution of protons from $C^{12}(d, p)C^{13}$ reaction, 0=17602
- Juric, M.K. Angular distribution of protons from $O^{16}(d, p)O^{17}$ reaction, 0=17603
- Juric, M.K. and Cirilov, S.D. Elastic scattering of deuterons on Be^9 , 0=17601
- Juric, M.K. Determination of α -radioactivity in the atmosphere by means of photonuclear plates, 2=5830
- Juric, M.K. See Cirilov, S.D., 0=20459
- Juric, M.K. See Stanojevic, D.M., 2=3606

- Juricic, H. The adjustment of the orientation of a plane surface by an auto-collimation method, 0=12475
- Jurisson, J. and Oakes, R.J. Flux trapping, 2=22114
- Jursa, A.S., Nakamura, M. and Tanaka, Y. Molecular oxygen distribution in the upper atmosphere, 4=10734
- Jursa, A.S., Tanaka, Y. and LeBlanc, F. Nitric oxide and molecular oxygen in the earth's upper atmosphere, 1=6586
- Jursa, A.S. See Tanaka, Y., 0=7779
- Jursa, A.S. See Tanaka, Y., 0=7780
- Jursa, A.S. See Tanaka, Y., 1=1770
- Jursa, A.S. See Tanaka, Y., 1=6021
- Jursa, A.S. See Tanaka, Y., 1=17310
- Jursa, A.S. See Tanaka, Y., 1=17320
- Jursa, A.S. See Tanaka, Y., 2=13535
- Jursa, A.S. See Tanaka, Y., 4=22364
- Jursa, A.S. See Watanabe, K., 4=28218
- Jursik, J. See Malý, L., 4=25358
- Jusofie, M. J. Sound directional distribution in a reverberation room at 2000 c/s and edge diffraction at absorbing materials, 4=297
- Jussila, J. See Rieder, W., 3=4079
- Just, D. A new method of determining the diffusion profiles in solids, 3=20228
- Just, D. Semiconductor diodes, 3=20352
- Just, D. See Haul, R., 2=3953
- Just, D. See Haul, R., 2=14456
- Just, K. The motion of mercury according to the theory of Thiry and Lichnerowicz, 0=32
- Just, K. The interaction between clusters of nebulae, 0=2087
- Just, K. The collapse of a contracting universe, 1=10570
- Just, K. Equality of renormalizations, 4=3300
- Just, K., Harmann, I. and v.Ossowski, H. Extended 3-point functions in Heisenberg's theory, 0=2116
- Just, K. and Krause, K. Spherically symmetric models in relativistic and Newtonian cosmology, 2=19273
- Just, W. See Cuevas, J., 4=3545
- Justi, E. Advanced energy conversion, 2=9517
- Justi, E. The thermoelectric behaviour of $Zn_xCd_{1-x}Sb$, 2=23487
- Justi, E. and Auch, K. Changes of electrical resistance of potassium at 4.2°K in pulsed longitudinal magnetic fields up to 110 kG, 4=4121
- Justi, E., Neumann, G. and Schneider, G. Thermoelectric studies on $Zn_xCd_{1-x}Sb$, 0=2904
- Justi, E. and Schneider, G. Thermo-electric power and electrical conductivity of ZnSb at low temperatures, 2=657
- Justi, E. See Emeljanenko, O.V., 2=4042
- Justi, E.W. Seventy years fuel cell research, 4=5549
- Justice, B.H. and Westrum, E.F., Jr. Thermophysical properties of the lanthanide oxides. I. Heat capacities, thermodynamic properties, and some energy levels of lanthanum (III) and neodymium (III) oxides from 5 to 350°K, 3=20104
- Justice, B.H. and Westrum, E.F., Jr. Thermophysical properties of the lanthanide oxides. II. Heat capacities, thermodynamic properties and some energy levels of samarium (III) gadolinium (III), and ytterbium (III) oxides from 10 to 350°K, 3=20105
- Justice, B.H. See Westrum, E.F., Jr., 3=20106
- Justin, J. See Watson, E.S., 4=26773
- Justus, C.G. See Edwards, H.D., 3=21045
- Justus, C.G. See Edwards, H.D., 4=13833
- Justusson, W.M. Transformation kinetics of gamma-phase uranium-molybdenum-niobium alloys, 2=4453
- Jutzi, W. Inhomogeneous lines with variable loss angle of the characteristic admittance along their length, 2=11789
- Jutzi, W. Circuit measures at the output of short, continuously inhomogeneous attenuating lines, 2=17963
- Jutzi, W. Angular dependence of the reflection factor of [microwave] absorbers composed of several lossy homogenous layers followed by a short-circuit plate, 3=4270
- Juul, N.H. Determination of the thermal diffusivity for polycrystalline graphites as a function of temperature, 4=28384
- Juulman, C.O.L. The magnetic effect of dissolved oxygen in diamagnetic liquids, 0=19165
- Juulman, C.O.L. See Bradley, D.J., 4=18895
- Juulman, C.O.L. See Bradley, D.J., 4=21289
- Juza, R., Deneke, K. and Puff, H. Ferrimagnetism of mixed crystals of Mn_4N with chromium, iron and nickel, 0=671
- Jużków, E. On a modification of the Femo method in the case of benzophenone, 1=14080
- Jyoti, B.G. See Berglund, S., 4=5678
- Jyoti, B.G. See Tawde, N.R., 1=14010

- K⁻-collaboration (Bhowmik, B., Evans, D., Falla, D., Hassan, F., Kamal, A. A., Nagpaul, K. K., Prowse, D. J. J., René, M., Alexander, G., Johnston, R. H. W., O'Ceallaigh, C., Keefe, D., Burhop, E. H. S., Davis, D. H., Kumar, R. C., Lasich, W. B., Shaikat, M. A., Stannard, F. R., Bacchella, M., Bonetti, A., Dilworth, C., Occhialini, G., Scarsi, L., Grilli, M., Geurrierio, L., von Lindern, L., Merlin, M. and Salandin, A.). The interaction of K⁻-mesons with photographic emulsion nuclei. II. The emission of hyperons from K⁻-interactions at rest, 0=1308
- K⁻-Collaboration (Evans, D., Hassan, F., Nagpaul, K. K., Prowse, D. J. J., René, M., Alexander, G., Johnston, R. H. W., Keefe, D., Davis, D. H., Lasich, W. B., Shaikat, M. A., Stannard, F. R., Bonetti, A., Dilworth, C., Merlin, M. and Salandin, A.). The interaction and decay of K⁻-mesons in photographic emulsion. III, 0=15430
- Kämbre, H. and Bohun, A. Thermoluminescence and exoelectron emission of KCl phosphors, activated by mercury-like ions, 4=13081
- Kabachenko, A. P. See Korotkov, K. A., 3=22327
- Kabachnik, N. M. See Balashov, V. V., 4=22163
- Kabalkina, S. S. Certain peculiarities of compressibility of molecular crystals, 3=15985
- Kabalkina, S. S., Popova, S. V., Serebryanaya, N. R. and Vereshchagin, L. F. A new modification of Ag₂O with a layered structure, 4=10551
- Kabalkina, S. S. and Troitskaya, Z. V. An investigation of the structure of cadmium sulphide at high pressures up to 90 kilobars, 4=4502
- Kabalkina, S. S. and Vereshchagin, L. F. An X-ray investigation of the effect of hydrostatic pressures up to 18 000 kg/cm² on the structure of lead titanate, 2=12915
- Kabalkina, S. S. and Vereshchagin, L. F. An X-ray investigation of the effect of hydrostatic pressures up to 18 000 kg/cm² on the structure of lead titanate, 2=21522
- Kabalkina, S. S., Vereshchagin, L. F. and Mylov, V. P. Phase transitions in antimony at high pressures, 4=4501
- Kabalkina, S. S., Vereshchagin, L. F. and Shulenin, B. M. X-ray investigation of the influence of hydrostatic pressure on the structure of barium titanate, 3=3302
- Kabalkina, S. S., Vereshchagin, L. F. and Shulenin, B. M. X-ray investigation of the influence of hydrostatic pressure on the structure of barium titanate, 3=6848
- Kabalkina, S. S., Vereshchagin, L. F. and Shulenin, B. M. Phase transformations in tellurium at high pressures, 4=13503
- Kabalkina, S. S. See Vereshchagin, L. F., 4=29003
- Kabanov, A. N. A universal high resolution electrostatic analyzer for electrons having energies of 75 keV, 4=16541
- Kabanov, A. N. and Kushnir, Yu. M. Some applications of universal electrostatic analyzer of electron velocities at 75 kV, 2=1513
- Kabanov, A. N., Kushnir, Yu. M. and Fetisov, D. V. Objective method of recording electron energy spectra with an electrostatic analyser, 3=2039
- Kabanov, A. N. See Borovskii, I. B., 0=20763
- Kabanov, A. N. See Fetisov, D. V., 3=1738
- Kabanov, A. N. See Fetisov, D. V., 697
- Kabanov, A. N. See Kushnir, Yu. M., 2=2035
- Kabanov, A. N. See Kushnir, Yu. M., 3=2040
- Kabanov, A. N. See Spivak, G. V., 3=2034
- Kabanov, B. N. See Kashcheev, V. D., 3=13611
- Kabanov, V. Ya. Application of dilatometry to the study of the process of crystallization of salts from aqueous solutions, 4=26609
- Kabanov, V. Ya. See Chuvaev, V. F., 4=23461
- Kabara, J. J., Spafford, N., McKendry, M. A. and Freeman, N. L. Recent developments in simultaneous C¹⁴ and tritium counting, 4=15179
- Kabardin, O. F. See Prokof'ev, A. M., 0=7102
- Kabayashi, K. Fixing of magnetic moment of ferromagnetic fine precipitates in Cu-Co alloy during aging, 1=11425
- Kabe, S., Kato, K., Kifune, T., Kimura, Y., Kobayashi, M., Kondo, K. and Nishikawa, T. Effect of 3-3 resonance on photopion production from carbon nuclei, 4=25372
- Kabemoto, S. See Kino, T., 1=6105
- Kabemoto, S. See Kino, T., 3=22746
- Kabemoto, S. See Kino, T., 4=12772
- Kabemoto, S. See Yoshida, S., 3=22891
- Kabin, S. P. See Volodin, V. P., 2=21392
- Kabir, P. K. Effect of lepton non-conservation on π -decay, 1=2078
- Kabir, P. K. The spin of the μ -meson, 2=5702
- Kabir, P. K. Lepton conservation laws and the existence of two neutrinos, 3=12439
- Kabler, M. See Celli, V., 3=17730
- Kabler, M. See Celli, V., 3=23288
- Kabler, M. N. Dislocation mobility in germanium, 3=17729
- Kabler, M. N., Miller, M. G. and Slifkin, L. M. Dislocation-impurity interactions and strain aging in AgCl, 3=17718
- Kabler, M. N. See Klick, C. C., 3=20244
- Kac, M. and Helfand, F. Study of several lattice systems with long-range forces, 3=23779
- Kac, M., Uhlenbeck, G. E. and Hemmer, P. C. On the van der Waals theory of the vapor-liquid equilibrium. I. Discussion of a one-dimensional model, 3=12005
- Kac, M. See Hemmer, P. C., 4=8506
- Kac, M. See Uhlenbeck, G. E., 3=12006
- Kachalov, N. N. and Grigor'eva, L. F. Polishing of crystals in relation to their physico-mechanical properties, 0=8139
- Kachalov, V. P. Sensitive Bi I lines in the solar spectrum, 3=9195
- Kachalov, V. P. See Yakovleva, A. V., 3=23581
- Kachanov, L. M. On the solution of problems of non-stationary creep, 2=14892
- Kachanova, Zh. P., Voevodskii, V. V. and Pural'm, A. P. Electrical conductivity of the MnO₂ semiconductor [catalyst] during oxidation of CO, 1=5111
- Kachare, N. R. See Mani, A., 3=18513
- Kacharskaya, L. V., Komarov, L. I. and Fisher, I. Z. Hypersound and the scattering of slow neutrons in liquids, 4=24205
- Kachhava, C. M. and Saxena, S. C. On Pauling's theory of ionic crystals and molecules, 4=20149
- Kachhawa, C. M. and Saxena, S. C. On the determination of the energy per cell in a diatomic crystal lattice, 3=22621
- Kachi, S., Bando, Y. and Higuchi, S. The phase transformation of iron rich iron-nickel alloy in fine particles, 3=8897
- Kachi, S., Momiyama, K. and Shimizu, S. An electron diffraction study and a theory of the transformation from γ -Fe₃O₄ to α -Fe₃O₄, 3=11204
- Kachi, S., Takada, T. and Kosuge, K. Electrical conductivity of vanadium oxides, 4=12841
- Kachi, S. See Kosuge, K., 3=15779
- Kachinskii, V. N. The anisotropy of the Hall effect in tin, 1=3717
- Kachinskii, V. N. Transverse potential difference in tin which is even with respect to magnetic field, 2=624
- Kachinskii, V. N. Transverse potential difference in tin which is even with respect to magnetic field, 2=23252
- Kachinskii, V. N. Peculiarities of the Hall effect in tin in a large effective magnetic field, 3=15555
- Kachinskii, V. N. See Starostina, L. S., 4=23322
- Kachinskii, V. N. See Volkenshtein, N. V., 4=4022
- Kachkacheva, M. M., Dryabchuk, A. A., Rusakov, L. Z. and Smazhevskaya, E. G. High-temperature piezoelectric accelerometer sensing elements, 2=14618
- Kachlishvili, Z. S. Scattering of non-localized excitons on F-centres, 1=10015
- Kachlishvili, Z. S. Scattering of non-localized excitons on f-centres, 1=11234
- Kachlishvili, Z. S. The elastic scattering of a non-localised exciton on U-centres, 1=19812
- Kachlishvili, Z. S. The elastic scattering of a non-localised exciton on U-centres, 2=8257
- Kachlishvili, Z. S. The elastic scattering of a nonlocalised exciton by impurity centres, 2=10358
- Kachlishvili, Z. S. Interaction of a nonlocalised exciton with an F'-centre, 2=18555
- Kachlishvili, Z. S. See Tsertsvadze, A. A., 2=20899
- Kachlishvili, Z. S. See Tsertsvadze, A. A., 3=6451
- Kacner, A. Heat conduction equations for thin plates, 2=13474
- Kachurin, L. G. and Bekryaev, V. I. An investigation of the process of electrification of crystallizing water, 0=10858
- Kachurin, L. G., Gashin, L. I. and Osipov, Yu. G. Control of the structure of crystals grown in a stream of supercooled aerosol, 3=18252
- Kachlishvili, Z. S. Elastic scattering of a Mott exciton on a Na⁺ ion in the Born approximation, 0=6035
- Kacprowski, J. The duality of the four-terminal network equations of electromechanical transducers and their electrical four-terminal equivalent circuits, 0=16784
- Kacprowski, J. and Ryll-Nardzewski, J. An acoustic method of fault-detection in ceramic lining plates, 4=16000
- Kacprzyński, J. The dynamic problem of the thermoelasticity of a circular cone, 3=3774
- Kacser, C. Second Born approximation to the Bremsstrahlung differential cross-section, 0=9328
- Kacser, C. 3π decay modes of K[±] and η , 3=10186
- Kacser, C. Analytic structure of partial-wave amplitudes for production and decay processes, 4=5945

- Kacser, C. See Aitchison, I. J. R., 4=11873
 Kacser, C. See Barton, G., 1=16880
 Kacser, C. See Barton, G., 2=313
 Kacser, C. See Barton, G., 2=13835
 Kacser, C. See Barton, G., 3=12501
 Kacser, C. See Bronzan, J. B., 4=5944
 Kaczér, J. Maze patterns on silicon iron, 0=3040
 Kaczér, J. Bloch walls with div $I \pm 0$, 0=13800
 Kaczér, J. Domain configurations of the uniaxial infinite cylinder, 2=14776
 Kaczér, J. Recording photocompensating torsion balance with automatic arresting device, 3=19397
 Kaczér, J. and Gemperle, R. A contribution to the domain structure of iron whiskers, 0=3032
 Kaczér, J. and Gemperle, R. Note on a paper by L. Špaček entitled "The surface structure of closure domains in the (100) planes in iron", 0=10147
 Kaczér, J. and Gemperle, R. The thickness dependence of the domain structure of magnetoplumbite, 1=14707
 Kaczér, J. and Gemperle, R. The rotation of Bloch walls, 1=14711
 Kaczér, J. and Gemperle, R. Remanent structure on magnetoplumbite, 1=17954
 Kaczér, J. and Gemperle, R. Honeycomb domain structure, 1=20089
 Kaczér, J., Gemperle, R. and Hauptman, Z. Domain structure of cobalt whiskers, 0=4489
 Kaczér, J., Gemperle, R., Zelený, M., Pačes, J., Suda, P., Frait, Z. and Ondris, M. On domain structure and magnetization processes, 3=1062
 Kaczér, J. and Zelený, M. Dependence of energy and orientation of 90° Bloch wall on stress, 1=14713
 Kaczér, J., Zelený, M. and Suda, P. Transitional periodic domain structure in thin films of magnetically uniaxial materials, 4=7233
 Kaczér, J. See Kamberský, V., 1=16481
 Kaczér, J. See Katser, Ya., 3=18112
 Kaczkowski, Z. Effect of heat-treatment on Q-factor of Ni-span C-type alloys, 2=12844
 Kaczkowski, Z. The coefficients of magnetostrictive equations and their relationship, 3=3077
 Kaczkowski, Z. Hysteresis of the magnetomechanical parameters of type E1 magnetostrictive ferrite, 4=4369
 Kaczkowski, Z. The influence of the polarizing field on the value of magneto-mechanical coupling coefficient at remanance in magnetostrictive ferrite E1, 4=7289
 Kaczkowski, Z. Dependence of the mechanical resonance frequency on magnetic polarization and temperature in Ni-ferrite with Mn and Co admixtures, 4=7290
 Kaczkowski, Z. See Smoliński, A. K., 0=3150
 Kaczmarek, E. Evaluation of certain integrals in optics of the solid state, 2=10574
 Kaczmarek, E. Equations for the reduced distribution functions of a mixture of particles, 3=14048
 Kaczmarek, E. Anisotropy corrections to the valence band in the magnetic field, 4=6785
 Kaczmarek, F. Dielectric properties of triglycine sulfate (TGS) and guanidine aluminium sulfate hexahydrate (GASH) in the microwave region, 3=23005
 Kaczmarek, M. and Malewski, S. Absolute measurement of the activities of sources by the 4π counter, 4=3589
 Kadaba, P. K. and Garg, S. K. Nonresonant dispersion and absorption of certain polar gases as compressed gas mixtures in helium, 4=24273
 Kadanoff, L. P. Boltzmann equation for polarons, 3=12951
 Kadanoff, L. P. Failure of the electronic quasiparticle picture for nuclear spin relaxation in metals, 4=7341
 Kadanoff, L. P. and Martin, P. C. Theory of many-particle systems. II. Superconductivity, 1=18699
 Kadanoff, L. P. and Martin, P. C. Hydrodynamic equations and correlation functions, 4=5104
 Kadanoff, L. P. and Revzen, M. Green's function formulation of the Feynman model of the polaron, 4=25911
 Kadanoff, L. P. See Ambegaokar, V., 2=2953
 Kadanoff, L. P. See Baym, G., 1=15744
 Kadanoff, L. P. See Langreth, D. C., 4=9923
 Kadanoff, L. P. See Markowitz, D., 3=19100
 Kadanoff, L. P. See Martin, P. C., 0=231
 Kadanoff, L. P. See Prange, R. E., 4=17389
 Kadashevich, Yu. I. On the interrelation of two basic problems in the theory of flow which considers residual microstresses, 4=7385
 Kadashevich, Yu. I. and Novozhilov, V. V. The theory of plasticity allowing for residual microstresses, 1=3976
 Kaddoura, A. See Bowler, M. G., 3=4536
 Kaddoura, A. See Bowler, M., 3=4537
 Kaddoura, A. See Duthie, J., 1=3257
 Kaddoura, A. See Duthie, J., 1=3258
 Kaddoura, A. See Duthie, J., 2=12102
 Kaddoura, A. See Duthie, J. G., 1=3364
 Kaddoura, A. See Duthie, J. G., 1=3365
 Kadečka, V. See Hladký, J., 0=5636
 Kadečková, S. and Šesták, B. Stabilization of floating liquid zone in preparation of Fe-Si alloy single crystals, 4=7557
 Kadečková, S. and Šesták, B. Preparation of oriented Fe-3% Si alloy single crystals by recrystallization, 4=30820
 Kadeev, V. T. See Fabrikov, V. A., 3=6738
 Kaderka, M. Dielectric losses of NaCl crystals with Ca admixture irradiated with X-rays, 2=660
 Kaderka, M. The influence of the OH^- radical on the dielectric losses in NaCl crystals, 2=12558
 Kaderka, M. Influence of CO_3^{2-} and OH^- groups on dielectric losses of NaCl crystals, 3=20375
 Kaderka, M. Dielectric losses of hydrolyzed and unhydrolyzed NaCl crystals, 4=20409
 Kaderka, M. See Bohun, A., 1=4348
 Kaderka, M. See Bohun, A., 3=4985
 Kaderka, M. See Trnka, J., 4=12961
 Kadesch, R. See Hirschberg, J. G., 0=16841
 Kadikov, G. M. See Andrejev, E. M., 2=3229
 Kadish, I. Ya. See Demirkhanov, R. A., 4=18717
 Kadmenskii, S. G. The optical potential and the Green's function method, 4=3624
 Kadmenskii, S. G. See Rapoport, L. P., 0=9519
 Kadmenskii, S. G. See Rapoport, L. P., 1=13610
 Kadokawa, Y. See Suzuki, J., 3=13948
 Kadokawa, Y. See Suzuki, J., 3=25998
 Kadomtsev, B. B. Stability of a low-pressure plasma, 0=7124
 Kadomtsev, B. B. Equilibrium of a plasma under helical symmetry conditions, 0=9032
 Kadomtsev, B. B. Instability of the electron cloud in a magnetron, 0=9081
 Kadomtsev, B. B. Convective pinch instability, 0=10896
 Kadomtsev, B. B. Magnetic traps with a "corrugated" field, 1=7064
 Kadomtsev, B. B. Turbulent convection of a plasma in a magnetic field, 2=15913
 Kadomtsev, B. B. Turbulent loss of particles from a discharge in a strong magnetic field, 2=15932
 Kadomtsev, B. B. Convection of the plasma of a positive column in a magnetic field, 2=17833
 Kadomtsev, B. B. Plasma turbulence in a magnetic-mirror system, 1=18874
 Kadomtsev, B. B. "Anomalous" diffusion of a rarefied plasma with a current in a magnetic field, 3=14573
 Kadomtsev, B. B. Turbulent plasma in a strong magnetic field, 3=21836
 Kadomtsev, B. B. Turbulent diffusion of a rarefied plasma in a strong magnetic field, 4=5666
 Kadomtsev, B. B. Turbulent discharge in a longitudinal magnetic field, 4=8687
 Kadomtsev, B. B. and Nedospasov, A. V. Instability of the positive column in a magnetic field and the "anomalous" diffusion effect, 1=9533
 Kadomtsev, B. B. and Petviashvili, V. I. A weakly turbulent plasma in a magnetic field, 3=16968
 Kadomtsev, B. B. and Rokotyan, V. E. Stability of a plasma in the field of a magnetic dipole, 0=19676
 Kadomtsev, B. B. and Rokotyan, V. E. Stability of a plasma in the field of a magnetic dipole, 1=5458
 Kadomtsev, B. B. and Timofeev, A. V. Drift instability of non-uniform plasma in magnetic field, 3=16960
 Kadomtsev, B. B. See Braginskii, S. I., 1=7065
 Kadomtsev, B. B. See Volkov, T. F., 4=535
 Kadomtseva, A. M. See Belov, K. P., 0=13834
 Kadomtseva, A. M. See Belov, K. P., 1=1239
 Kadomtseva, A. M. See Belov, K. P., 3=8683
 Kadomtseva, A. M. See Belov, K. P., 3=15867
 Kadomtseva, A. M. See Belov, K. P., 4=28847
 Kadomtseva, A. M. See Belov, K. P., 4=30720
 Kadomtseva, A. M. See Zakharov, A. I., 4=26314
 Kadosch, M. Deflection of jets by adherence to a convex wall, 0=19075
 Kadota, N. and Ishida, S. Ion optics of sector-type magnetic focusing fields, 1=5504

- Kadyk, J.A. See Brown, J.L., 0=4003
 Kadyk, J.A. See Brown, J.L., 1=8515
 Kadyk, J.A. See Brown, J.L., 2=5730
 Kadyk, J.A. See Brown, J.L., 2=20417
 Kadyk, J.A. See Brown, J.L., 3=12500
 Kadyk, J.A. See Goldhaber, G., 4=19555
 Kadyk, J.A. See Roe, B.P., 2=3399
 Kadyk, J.A. See Zipf, T.F., 4=16741
 Kadykov, G.M. See Andreev, E.M., 2=18041
 Kadykova, G.N. and Sosnin, V.V. Cubic texture of a 0.01-0.05 mm thick transformer-steel sheet, 2=8852
 Kadykova, G.N. and Sosnin, V.V. Cube texture in transformer steel strip 0.01-0.05 mm thick, 2=23928
 Kadyševich, A.E. Present state and future development of the optical pyrometry of flames, 2=19750
 Kadyševich, A.E. See Beilin, V.M., 4=1391
 Kadyševskii, V.G. On the question of the mass-spectrum and fundamental length in the theory of fields, 0=11093
 Kadyševskii, V.G. The theory of discrete space-time, 1=4237
 Kadyševskii, V.G. On the theory of quantization of space-time, 2=5561
 Kadyševskii, V.G. On the theory of quantization of space-time, 3=4310
 Kadyševskii, V.G. Various parametrizations in the theory of quantized space-time, 3=7119
 Kadyševskii, V.G. Model of the scalar field theory in quantized space-time, 3=14852
 Kadyševskii, V.G. A relativistic equations for the S-matrix in the p-representation. I. Unitarity and causality conditions, 4=16833
 Kadzhar, Ch.O. See Imanov, L.M., 3=20002
 Kaegi-Nardone, M.C. See Breene, R.G., 4=27222
 Kaekina, T.M. See Viktorov, I.A., 4=8333
 Kaempfer, F.A. On the possible existence of a derivative coupling in quantum electrodynamics, 0=1241
 Kaempfer, F.A. Representation of space inversion, time reversal, and particle conjugation in quantum field theory, 1=3117
 Kaempfer, F.A. The distance correlation between photons in black body radiation, 1=10620
 Kaeppler, H.J. See Geiger, W., 3=11855
 Kaeppler, H.J. A statistical description of fully ionized plasmas, 0=2362
 Kaeppler, H.J. See Schrade, H., 0=10898
 Kaeser, R.S. See Ambler, E., 4=11442
 Kaeser, R.S. See Foppes, D.D., 1=5859
 Kaeser, R.S. See Hudson, R.P., 1=12566
 Kaesz, H.D. See Flitcroft, N., 3=22602
 Kafalas, J.A., Brebrick, R.F. and Strauss, A.J. Evidence that SnTe is a semiconductor, 4=15577
 Kafalas, J.A., Gatos, H.C., Lavine, M.C. and Banus, M.D. High pressure phase transition in mercury selenide, 3=3253
 Kafalas, J.A. and Mariano, A.N. High-pressure phase transition in tin telluride, 4=17770
 Kafalas, J.A. See Banus, M.D., 2=17729
 Kafalas, J.A. See Banus, M.D., 3=20771
 Kafalas, P. and Heinrich, R.R. Capture and fission patterns of U^{235} in EBR-I (Mark II), 0=13281
 Kafalas, P., Masters, J.I. and Murray, E.M.E. Photosensitive liquid used as a nondestructive passive Q-switch in a ruby laser, 4=24930
 Kafalas, P. See Hasse, R.A., 0=7617
 Kaftan-Kassim, M.A. A study of neutral hydrogen in a region in Cygnus, 1=7977
 Kaftanov, V.S. and Liubimov, V.A. Spark chamber use in high-energy physics, 3=17148
 Kaftanov, V.S. See Alikhanov, A.I., 2=11969
 Kaftanov, V.S. See Alikhanov, A.I., 3=6024
 Kaftanov, V.S. See Babaev, A.I., 2=18147
 Kaftanov, V.S. See Babaev, A.I., 3=6025
 Kaftanov, V.S. See Babaev, A.I., 3=17298
 Kagan, A.S. The influence of texture on the shape of X-ray diffraction lines, 4=17801
 Kagan, A.S. Intensity of diffraction reflections from a sample with axial texture, 4=29081
 Kagan, A.S., Polyak, B.T. and Shil'shtein, S.Sh. The influence of surface relief on the intensity of X-ray diffraction maxima, 0=8192
 Kagan, A.S. and Snovidov, V.M. Analysis of the shape of X-ray diffraction lines by the method of moments, 4=23393
 Kagan, A.S., Somenkov, V.A. and Umanskii, Ya. A camera for the study of diffuse scattering by polycrystals, 1=12629
 Kagan, A.S., Somenkov, V.A. and Umanskii, Ya.S. Diffuse scattering of X-rays by Cu-Al alloys, 1=15139
 Kagan, A.S. and Umanskii, Ya.S. Anomalies in the X-ray thermal scattering factor for Ni-Cr, Cu-Zn, and Ni-V alloys, 0=16317
 Kagan, A.S. and Umanskii, Ya.S. The dependence of the X-ray temperature factor on the lattice vibration, 2=2379
 Kagan, A.S. and Umanskii, Ya.S. The dependence of the X-ray temperature factor on the lattice vibration spectrum, 2=6801
 Kagan, A.S. See Iveronova, V.I., 3=23526
 Kagan, G.I. See Popov, E.M., 2=16548
 Kagan, M.R. See Filipescu, N., 3=4990
 Kagan, M.R. See McAvoy, N., 4=22906
 Kagan, R.L. On the calculation of instrument inertia during meteorological measurements, 4=29266
 Kagan, V.D. See Gurevich, V.L., 3=17653
 Kagan, V.K. See Adamov, M.N., 1=17338
 Kagan, Ya. Ya. See Antsyferov, M.S., 4=26781
 Kagan, Yu. Cyclotron resonance in germanium and silicon and the effect of negative effective masses, 1=3755
 Kagan, Yu. Determination of the frequency spectrum of phonons in crystals, 1=14169
 Kagan, Yu. On the particular role of the optical branch in the Mössbauer effect, 1=19695
 Kagan, Yu. The anisotropy of the Mössbauer effect, 2=2043
 Kagan, Yu. The anisotropy of the Mössbauer effect, 2=10309
 Kagan, Yu. Inelastic scattering of slow neutrons on arbitrary crystals and the general problem of reconstruction of the phonon spectrum, 2=16603
 Kagan, Yu. On the particular role of the optical branch in the Mössbauer effect, 2=23045
 Kagan, Yu. Inelastic scattering of slow neutrons on arbitrary crystals and the general problem of reconstruction of the phonon spectrum, 3=6474
 Kagan, Yu. Theory of the temperature red shift and broadening of Mössbauer lines, 4=25814
 Kagan, Yu. The theory of the thermal red shift of the Mössbauer line, 4=25815
 Kagan, Yu. and Afanas'ev, A.M. Contribution to the kinetic theory of gases with rotational degrees of freedom, 2=2767
 Kagan, Yu. and Afanas'ev, A.M. Contribution to the kinetic theory of gases with rotational degrees of freedom, 3=1727
 Kagan, Yu. and Iosilevskii, Ya.A. The Mössbauer effect for an impurity nucleus in a crystal, 2=8156
 Kagan, Yu. and Iosilevskii, Ya. The Mössbauer effect for an impurity nucleus in a crystal. II, 3=22627
 Kagan, Yu. and Iosilevskii, Ya. Neutron scattering on crystals with impurity nuclei and the problem of reconstruction of the vibrational spectrum, 3=25187
 Kagan, Yu. and Iosilevskii, Ya. Anomalies in the behaviour of the specific heat of crystals with heavy atom impurities, 4=6740
 Kagan, Yu. and Iosilevskii, Ya.A. The Mössbauer effect for an impurity nucleus in a crystal, 3=6461
 Kagan, Yu. and Maksimov, L. Transfer phenomena in paramagnetic gas, 1=18475
 Kagan, Yu. and Maksimov, L. Transfer phenomena in a paramagnetic gas, 3=171
 Kagan, Yu. and Maslov, V.A. The Mössbauer effect in mono- and diatomic cubic lattices, 2=556
 Kagan, Yu.M. and Mustafin, K.S. The distribution function of electrons by their velocities in the positive column of a medium-pressure discharge, 1=4571
 Kagan, Yu. See Afanas'ev, A.M., 3=15430
 Kagan, Yu. See Afanas'ev, A.M., 4=6688
 Kagan, Yu. See Bryukhanov, V.A., 4=6687
 Kagan, Yu. See Iosilevskii, Ya. A., 4=25838
 Kagan, Yu. See Zhdanov, V., 2=15635
 Kagan, Yu. See Zhdanov, V., 3=5463
 Kagan, Yu.M. and Koretskii, Ya.P. A direct method of measuring the mean lifetime of excited ionic levels, 2=8066
 Kagan, Yu. M., Luizova, L. A., Lyagushchenko, R. I. and Khakhaev, A. D. The excitation of inert gases in the positive column of a direct current discharge at medium pressures. III. Upper levels of neon and argon, 4=14598
 Kagan, Yu.M. and Lyagushchenko, R.I. Electron energy distribution function in the positive column of a neon discharge, 2=168
 Kagan, Yu.M. and Lyagushchenko, R.I. Electron velocity distribution, excitation, and ionization in the positive column of a neon discharge, 2=19909
 Kagan, Yu.M. and Lyagushchenko, R.I. Theory of photoelectric currents in gases, 3=7250
 Kagan, Yu.M. and Lyagushchenko, R.I. Energy distribution of electrons in a positive discharge column, 3=21746

- Kagan, Yu. M., Lyagushchenko, R. I. and Khakhaev, A. D. Excitation of inert gases in the positive column of a discharge at medium pressures, 3=24238
- Kagan, Yu. M., Lyagushchenko, R. I. and Khakhaev, A. D. The excitation of inert gases in the positive column of a discharge at medium pressures. II. Argon, 4=5570
- Kagan, Yu. M. and Lyagushchenko, R. I. On the energy distribution function for electrons in a positive column discharge, 4=21485
- Kagan, Yu. M. and Mustafin, K. S. The distribution function of electrons by their velocities in the positive column of a medium-pressure discharge, 0=16981
- Kagan, Yu. M. and Perel', V. I. Theory of ion current in a probe, 4=18931
- Kagan, Yu. M. and Perel', V. I. Probe methods in plasma research, 4=27542
- Kagan, Yu. M., Perel', V. I. and Chaika, M. P. Theory of optical signal amplification by a medium with negative absorption, 2=17602
- Kagan, Yu. M. See Goldanskii, V. I., 2=4559
- Kagan, Yu. M. See Vorob'eva, N. A., 4=2957
- Kagan, Yu. M. See Vorob'eva, N. A., 4=21486
- Kagan, Yu. M. See Vorob'eva, M. A., 4=14599
- Kagan, Yu. M. See Zakharova, V. M., 0=5283
- Kagan, Yu. M. See Zakharova, V. M., 0=19690
- Kagan, Yu. M. See Zakharova, V. M., 2=1395
- Kagan, Yu. M. See Zakharova, V. M., 2=15901
- Kaganov, M., Mikhailov, I. and Rashba, E. VIIIth All-Union Conference on Low-temperature Physics (Kiev, October 13-20, 1961), 3=24124
- Kaganov, M. A. and Kaganova, T. I. Direct measurement of the relative humidity of gases, 4=244
- Kaganov, M. A. and Lisker, I. S. Effect of contact temperature meters on the accuracy of determination of thermal properties, 4=5428
- Kaganov, M. A. and Lisker, I. S. The response time of electric resistance thermometers, 4=24413
- Kaganov, M. A., Lisker, I. S. and Chudnovsky, A. F. The velocity method of determining the heat conduction of semiconductor materials, 2=5197
- Kaganov, M. A. and Mushkin, I. G. A semiconductor thermometer with temperature compensation, 2=19590
- Kaganov, M. A. and Rozenshtok, Yu. L. The accuracy of heat flow measurements using heat flux meters of various shapes, 3=9635
- Kaganov, M. A., Lisker, I. S. and Mushkin, I. G. Concerning the measurement of the thermoelectric properties of semiconductors, 0=1688
- Kaganov, M. I. Excitation of standing spin waves in a film, 0=21035
- Kaganov, M. I. Inelastic scattering of particles and the Cherenkov radiation, 2=20312
- Kaganov, M. I. Inelastic scattering of particles and the Cherenkov radiation, 3=7828
- Kaganov, M. I. and Chikvashvili, Ya. M. A theory of sound absorption in uniaxial ferromagnetic dielectrics, 1=14170
- Kaganov, M. I. and Chupis, I. E. Threshold absorption of magnetic energy in a uniaxial antiferromagnetic, 3=25551
- Kaganov, M. I. and Chupis, I. E. Threshold absorption of sound in a uniaxial antiferromagnetic, 4=6733
- Kaganov, M. I., Kucherov, R. Ya. and Rikenglaz, L. E. Kinetic theory of a low-pressure plasma converter, 2=11707
- Kaganov, M. I. and Lifshits, I. M. Nonthreshold internal photo-effect in metals with intersecting bands, 4=6915
- Kaganov, M. I. and Peschanskii, V. G. Galvanomagnetic effects in metals with nearly equal numbers of electrons and holes, 0=2848
- Kaganov, M. I. and Peschanskii, V. G. Theory of the absorption of sound in solids, 4=9841
- Kaganov, M. I. and Tsukernik, V. M. Nonresonance absorption of the energy of an alternating magnetic field by a ferromagnetic dielectric, 0=10170
- Kaganov, M. I. and Tsukernik, V. M. Nonresonance absorption of the energy of a variable magnetic field by a ferromagnetic dielectric. II, 0=11821
- Kaganov, M. I. and Tsukernik, V. M. On the theory of the nonresonance absorption of an alternating magnetic field by a ferromagnetic dielectric, 0=21032
- Kaganov, M. I. and Tsukernik, V. M. High-frequency susceptibility tensor of an uniaxial antiferromagnetic crystal in a longitudinal magnetic field, 2=756
- Kaganov, M. I. and Tsukernik, V. M. High-frequency susceptibility [tensor] of an uniaxial antiferromagnetic crystal in a longitudinal magnetic field, 2=23691
- Kaganov, M. I. and Tsukernik, V. M. Contribution to the theory of nonresonance absorption of an alternating magnetic field by a ferromagnetic dielectric at low temperatures, 3=661
- Kaganov, M. I. and Tsukernik, V. M. Concerning a mechanism of absorption of the longitudinal magnetic field by a ferromagnetic dielectric, 3=8662
- Kaganov, M. I., Tsukernik, V. M. and Chupis, I. E. The theory of relaxation processes in an antiferromagnetic, 1=11456
- Kaganov, M. I. and Yui Lu [Yu Lu]. Effect of the boundary condition for the magnetic moment on spin-wave resonance in metals, 3=13289
- Kaganov, M. I. See Agranovich, V. M., 2=20974
- Kaganov, M. I. See Agranovich, V. M., 3=2767
- Kaganov, M. I. See Akhiezer, A. I., 1=7739
- Kaganov, M. I. See Akhiezer, A. I., 1=11417
- Kaganov, M. I. See Aleksandrov, B. N., 2=2114
- Kaganov, M. I. See Aleksandrov, B. N., 2=23240
- Kaganov, M. I. See Bar-yakhtar, V. G., 3=9821
- Kaganov, M. I. See Bass, F. G., 0=9210
- Kaganov, M. I. See Bass, F. G., 3=17240
- Kaganov, M. I. See Bass, F. G., 4=5798
- Kaganov, M. I. See Lifshits, I. M., 0=11596
- Kaganov, M. I. See Lifshits, I. M., 1=3633
- Kaganov, M. I. See Lifshits, I. M., 1=19816
- Kaganov, M. I. See Lifshits, I. M., 3=25218
- Kaganova, T. I. See Kaganov, M. A., 4=244
- Kaganovskii, A. Ya. See Mikhailov, N. N., 2=7446
- Kaganovskii, A. Ya. See Mikhailov, N. N., 2=19754
- Kaganskii, M. G., Kaminskii, D. L. and Klyucharev, A. N. Coherent oscillations in a high-frequency Penning discharge, 4=24609
- Kaganskii, M. G. See Antonova, S. F., 0=9566
- Kaganskii, M. G. See Antonova, S. F., 0=9567
- Kaganskii, M. G. See Antonova, S. F., 0=13210
- Kaganskii, M. G. See Badalov, N. B., 3=22347
- Kaganskii, M. G. See Badalov, N. B., 4=6283
- Kaganskii, M. G. See Vasilenko, S. S., 1=19401
- Kaganskii, M. G. See Vasilenko, S. S., 2=18303
- Kaganskii, M. G. See Vasilenko, S. S., 2=20318
- Kagarise, R. E. Infrared dispersion of some organic liquids, 0=84
- Kagarise, R. E. Determination of absorption coefficients from infrared dispersion data, 0=2174
- Kagarise, R. E. Bismuth-coated Fabry-Perot etalon for use on the 2.5-10 μ region, 1=10599
- Kagarise, R. E. See Jarvis, N. L., 2=22095
- Kageyama, K. See Kimura, M., 3=22376
- Kageyama, K. See Mutsuro, N., 1=2206
- Kageyama, K. See Mutsuro, N., 3=4615
- Kageyama, K. See Mutsuro, N., 3=4616
- Kageyama, K. See Mutsuro, N., 3=19832
- Kageyama, M. See Furubayashi, B., 4=3561
- Kageyama, M. See Teranishi, E., 2=12187
- Kageyama, M. See Teranishi, E., 4=9220
- Kageyama, S. Some flow patterns around a circular cylinder in a high subsonic flow observed by using Schlieren and shadow methods, 1=5288
- Kageyama, S. See Inamura, T., 4=19695
- Kageyama, S. See Iwashita, T., 4=3577
- Kagiwada, R. See Finch, R. D., 4=18520
- Kagiwada, R. See Levy, M., 4=6729
- Kagiwada, R. See Levy, M., 4=16355
- Kagiwada, R. See Stern, R., 3=12040
- Kagle, B. J. See Taylor, A., 2=2349
- Kahalas, S. L. Magnetohydrodynamic wave propagation in the ionosphere, 0=12158
- Kahalas, S. L. On the frequency cut-off hydromagnetic waves in the upper atmosphere, 3=16304
- Kahalas, S. L. Coupling of magnetohydrodynamic to electromagnetic waves at a plasma discontinuity. II. The non-propagating field, 3=16963
- Kahalas, S. L. Erratum: coupling of magnetohydrodynamic to electromagnetic waves at a plasma discontinuity. II. The nonpropagating field, 4=5625
- Kahalas, S. L. and McNeill, D. A. Coupling of magnetohydrodynamic to electromagnetic and acoustic waves at a plasma-neutron gas interface, 4=29912
- Kahalas, S. L. and Nesbet, R. K. Quadrupole moment of Li^7 and quadrupole coupling constant of Li^7 , 1=12150
- Kahalas, S. L. and Nesbet, R. K. Electronic structure of LiH and quadrupole moment of Li^7 , 3=25099
- Kahalas, S. L. See Ek, F., 2=7599
- Kahalas, S. L. See Ullah, N., 3=9818

- Kahan, A. See Lipson, H. G., 4=10179
- Kahan, A. On the determination of absorption and reflection coefficients, 4=14376
- Kahan, G. J. DeLano, R. B. Jr, Brennemann, A. E. and Tsui, R. T. C. Superconducting tin films of low residual resistivity, 0=10854
- Kahan, T. See Basu, D., 3=7517
- Kahan, T. See Basu, D., 4=14625
- Kahan, T. See Bertrand, P., 4=8675
- Kahan, T. See Bertrand, P., 4=11508
- Kahan, T. See Cairo, L., 1=3064
- Kahan, T. See Cairo, L., 3=5849
- Kahan, T. See Cavaillès, P., 0=12603
- Kahan, T. See Cavaillès, P., 0=15038
- Kahan, T. See Jancel, R., 0=12604
- Kahan, T. See Jancel, R., 0=15005
- Kahan, T. See Jancel, R., 1=16302
- Kahan, T. See Jancel, R., 2=13368
- Kahan, T. See Jancel, R., 2=19614
- Kahan, T. See Maroni, P., 3=369
- Kahan, T. See Maroni, P., 3=16912
- Kahan, W. Detection of the microwave ν_{27} -line of molecular oxygen produced in the high atmosphere, 2=21640
- Kahan, W. Frequency and antenna temperature of coronal N VII h.f.s. transitions, 4=2462
- Kahana, S. Positron annihilation in metals, 0=3960
- Kahana, S. Ratio of long to short range forces in finite nuclei, 2=9979
- Kahana, S. Positron annihilation in metals, 3=8412
- Kahana, S. See Lafleur, M. S., 3=24693
- Kahane, A. Low-frequency vibrations of the crystal lattice of ice, 0=7843
- Kahane, A. The Debye temperature of ice, 1=7540
- Kahane, A. Polarization waves in solids, 3=25388
- Kahane, A. Calculation of the electronic polarizability of ions in crystals of non-cubic symmetry, 4=1641
- Kahane, A. See Hotellier, M. N., 2=8481
- Kahane, A. See Magnan, D., 3=22980
- Kahane, A. See Zarembovitch, A., 4=17350
- Kahane, J. Radiative corrections to π -e scattering, 4=27882
- Kahane, J. and Vergazac, F. Construction of a time-of-flight spectrometer using the He^3 particles associated with the neutrons in the D(d,n)He^3 reaction, 4=16980
- Kahane, J. See Heyman, M., 1=13806
- Kahane, J. See Jeremie, H., 2=9932
- Kahane, J. See Vergezac, P., 4=21710
- Kahl, G. D. and Wedemeyer, E. H. Interferometric analysis of axisymmetric plasma flow, 4=16467
- Kahl, G. D. See Sedney, R., 2=2749
- Kahlbau, J. V. See Hixson, E. L., 2=13408
- Kahle, H. G. Spectrum and structure of trivalent europium in europium bromate, 0=647
- Kahle, H. G. Zeeman effect of trivalent europium in europium bromate, 0=648
- Kahle, H. G. Zeeman effect of trivalent europium in europium chloride, $\text{EuCl}_3 \cdot 6\text{H}_2\text{O}$, 0=649
- Kahle, H. G. Spectrum, Zeeman effect and electron terms of trivalent erbium in crystalline salts. III. Term scheme and eigen-states of Er^{3+} ions, 1=10099
- Kahle, H. G. and Kalbfleisch, H. Spectra, Zeeman effect and electron terms of trivalent terbium in crystalline salts, 2=6574
- Kahle, H. G. See Grohmann, I., 1=1158
- Kahle, H. G. See Grohmann, I., 1=19987
- Kahle, H. G. See Hellwege, K. H., 1=1164
- Kahle, H. G. See Hellwege, K. H., 1=1165
- Kahle, W. See Berger, H., 3=8924
- Kähler, E. The Dirac-equation, 2=13725
- Kahler, E. The crystal structure of dolerophanite $\text{Cu}_2\text{O}(\text{SO}_4)$, an example of 5-coordinated copper, 2=21523
- Kahlow, P. Line displacement in the recording of curved spectral lines, 4=14369
- Kahn, A. B. Large-scale atmospheric spectra at 200 mb, 2=17130
- Kahn, A. H. Electron scattering in high magnetic field, 0=13575
- Kahn, A. H. Phase-shift method for one-dimensional scattering, 1=2707
- Kahn, A. H. and Leyendecker, A. J. Electronic energy bands in strontium titanate, 4=28414
- Kahn, A. H. See Hernandez, W. C., Jr, 3=25317
- Kahn, D. Longitudinal wave propagation in a fully ionized gas, 4=21532
- Kahn, D. and Glass, A. J. Photocapacitance effects in additively colored alkali halide crystals, 1=17828
- Kahn, D. and Glass, A. J. Photocapacitance effects in additively colored alkali halide crystals, 2=23468
- Kahn, F. Star formation — A general survey, 1=12756
- Kahn, F. D. On the stability of ionization fronts, 0=12251
- Kahn, F. D. Sound waves trapped in the solar atmosphere, 1=15444
- Kahn, F. D. Sound waves trapped in the solar atmosphere. II, 2=15331
- Kahn, F. D. Gas in clusters of galaxies, 4=10857
- Kahn, F. D. Dynamics of the interstellar gas, 4=13907
- Kahn, F. D. and Menon, T. K. Evolution of gaseous nebulae, 2=4832
- Kahn, F. D. and Woltjer, L. Intergalactic matter and the galaxy, 0=10472
- Kahn, F. J. See Ingrao, H. C., 4=27369
- Kahn, H. L. Multiplication and division using silicon diodes, 2=7112
- Kahn, H. L. Further comments on "Multiplication and division using silicon diodes", 4=11016
- Kahn, H. L. and Slavin, W. An atomic absorption spectrophotometer, 3=24025
- Kahn, J. S. and Wadleigh, W. Preliminary observations on the sintering of BeO, 3=18368
- Kahn, J. S. See Cline, C. F., 4=1931
- Kahn, J. S. See Smith, D. K., 4=10525
- Kahn, P. B. Energy level spacing distributions, 3=9362
- Kahn, P. B. and Porter, C. E. Statistical fluctuations of energy levels: the unitary ensemble, 4=5084
- Kahn, P. B. See Dresden, M., 3=535
- Kahn, P. B. See Fox, D., 4=18083
- Kahn, W. See Bergstein, L., 2=22019
- Kahneman, D. See Flom, M. C., 3=21171
- Kahng, D. A hot electron transistor, 2=21176
- Kahng, D. Conduction properties of the Au-N-type-Si Schottky barrier, 3=20355
- Kahng, D., Thomas, C. O. and Manz, R. C. Anomalous impurity diffusion in epitaxial silicon near the substrate, 3=22824
- Kahng, D., Thomas, C. O. and Manz, R. C. Epitaxial silicon junctions, 3=23418
- Kahng, D. See Johnson, L. F., 3=3875
- Kahng, D. See Smith, G. E., 2=21171
- Kahng, D. See Sze, S. M., 4=26081
- Kahng, D. See Thomas, C. O., 3=10650
- Kahrstedt, A. Elementary principles of trajectory construction, 2=9059
- Kai, J. and Miki, M. Quantitative analysis by means of double-focusing mass spectrograph for solids, 4=21596
- Kai, K. Some characteristics of type I burst, 2=19348
- Kai, K. Linear polarization of solar radio emission of spectral type IV, 3=23707
- Kai, K. See Morimoto, M., 2=2561
- Kai, K. See Morimoto, M., 2=13161
- Kai, K. See Takakura, T., 1=15544
- Kai-da Chsian. See Kondorsky, E. I., 3=832
- Kaidanovskii, N. C. See Gelfreich, G. B., 1=6733
- Kaidanovskii, N. L. See Khaikin, S. E., 1=2643
- Kaidanovskii, N. L. See Zakharenkov, V. F., 3=13933
- Kaifer, R. C. See Bloom, S. D., 1=3080
- Kaifu, Y. Some optical properties of lead activated potassium halide phosphors, 1=17890
- Kaifu, Y. See Mataga, N., 2=19568
- Kaifu, Y. See Tomura, M., 1=1175
- Kaifu, Y. See Tomura, M., 1=7721
- Kaifu, Y. See Tomura, M., 1=10120
- Kaigorodov, V. R. Einstein spaces with maximum mobility, 3=5346
- Kaihara, M. See Price, J. M., 2=17469
- Kail, J. A. E. See Luszczyński, K., 0=6779
- Kail, J. A. E. See Powles, J. G., 0=3139
- Kail, J. A. E. See Powles, J. G., 0=13894
- Kaila, K. L. See Saha, N. K., 0=5703
- Kaila, T. R. See Rama Krishna Rao, V., 3=9604
- Kaine, D. See Vincent, C. H., 2=17748
- Kaine, D. See Vincent, C. H., 2=20169
- Kainuma, S. and Tsuya, N. Domain patterns in electrodeposited nickel-iron thin films, 3=11085
- Kainuma, T. See Karashima, S., 3=2812
- Kainuma, T. See Karashima, S., 3=3256
- Kainuma, Y. A diffraction pattern caused by temperature diffuse scattering. I. General theory, 1=12634
- Kainuma, Y. and Lipscomb, W. N. P_g function in electron diffraction, 1=15051
- Kainuma, Y. See Fujimoto, F., 3=1311

- Kainuma, Y. See Fujimoto, F., 4=13629
 Kainuma, Y. See Yoshioka, H., 3=1296
 Kainz, J. See Buser, R.G., 3=24510
 Kaipov, D. K., Begzhanov, R. B., Kuzminov, A. V. and Shubnyi, Yu. K. Resonance scattering of γ -quanta on Cu^{65} and Ti^{46} nuclei, 4=1019
 Kaipov, D.K., Shakhrostov, V.N. and Kosyak, Yu.G. Production of pions in condensed media by cosmic rays in the stratosphere, 0=15420
 Kaipov, D.K. and Shubnyi, Yu.K. The influence of the effect of collisions of recoil nuclei on the resonance scattering cross-section of γ -rays by the nucleus Ni^{60} , 0=20338
 Kaipov, D.K., Shubnyi, Yu.K., Begzhanov, R.B. and Islamov, A.A. Resonance scattering of γ -quanta on Sn^{116} nuclei, 3=2429
 Kaipov, D. K., Shubnyi, Yu. K., Kosyak, Yu. G. and Begzhanov, R. B. Resonance scattering of γ -rays from liquid and solid sources of Sn^{116} and Cu^{65} nuclei, 4=3543
 Kaipov, D.K. See Akkerman, A.F., 1=16974
 Kaipov, D.K. See Akkerman, A.F., 3=15149
 Kaipov, D.K. See Batalin, S.S., 3=24200
 Kaipov, D.K. See Begzhanov, R.B., 3=22303
 Kaipov, D. K. See Shubnyi, Yu. K., 4=25369
 Kaischew, R. On the theory of rate of crystallization, 0=18297
 Kaiser, E. T. and Eargle, D. H., Jr. Electron spin resonance study of the anion radicals of cis- and trans- thianthrene-5, 10-dioxide, 4=3906
 Kaiser, H. Measurement of the unperturbed angular correlation of successive nuclear radiations in thin evaporated films, 2=7934
 Kaiser, H. The nuclear quadrupole interaction of excited nuclear states in thin metal foils, 2=12138
 Kaiser, H. A laboratory apparatus for electron diffraction on thin films, 3=6901
 Kaiser, H. Theory of the calibration function in spectrochemical analysis, 4=29237
 Kaiser, H., Mielenz, K.D. and Rosendahl, F. A study of the image of a plane-grating Ebert spectrograph, 0=5164
 Kaiser, H. See Bergmann, G., 1=10596
 Kaiser, H.J. An investigation of the new Tamm-Dancoff method, 1=428
 Kaiser, H.J. Trace calculation on electronic computer, 3=16488
 Kaiser, H. J. Influence of the polarizability on the slope of the neutron electric form factor, 4=27859
 Kaiser, H.J. See Barashenkov, V.S., 1=13404
 Kaiser, H.J. See Barashenkov, V.S., 2=9778
 Kaiser, H.J. See Barashenkov, V.S., 3=571
 Kaiser, H. J. See Barashenkov, V. S., 4=6034
 Kaiser, H. J. See Barashenkov, V.S., 4=11958
 Kaiser, H.K. See Schütte, K., 1=18211
 Kaiser, R. On the theory of the spectrophone, 0=1033
 Kaiser, R. Double resonance technique for the elimination of proton spin-spin splitting in high resolution p.m.r. spectra, 0=17125
 Kaiser, R. Use of the nuclear Overhauser effect in the analysis of high-resolution nuclear magnetic resonance spectra, 4=3909
 Kaiser, R.H. See Kaiser, W., 2=21236
 Kaiser, T.R. The absorption spectrum of calcium vapour in the vacuum ultra-violet, 0=9761
 Kaiser, T.R. The determination of the incident flux of radio-meteors, 0=18683
 Kaiser, T.R. Progress in aeronomy, 1=1523
 Kaiser, T.R. The incidence of interplanetary dust, 1=18016
 Kaiser, T.R. The determination of the incident flux of radiometeors, 2=4848
 Kaiser, T.R. The admittance of an electric dipole in a magneto-ionic environment, 3=2121
 Kaiser, T.R. The behaviour of an electric dipole in a magneto-ionic environment, 3=16262
 Kaiser, T.R. See Bullough, K., 0=797
 Kaiser, W. Electrical and optical investigations of the donor formation in oxygen-doped germanium, 2=14534
 Kaiser, W. Electrical and optical properties of oxygen in silicon and germanium, 2=23352
 Kaiser, W. The optical maser, 3=9965
 Kaiser, W. and Bond, W.L. Nitrogen, a major impurity in common type I diamond, 0=652
 Kaiser, W. and Garrett, C.G.B. Two-photon excitation in $\text{CaF}_2:\text{Eu}^{2+}$, 1=17910
 Kaiser, W., Garrett, C.G.B. and Wood, D.L. Fluorescence and optical maser effects in $\text{CaF}_2:\text{Sm}^{2+}$, 1=11397
 Kaiser, W. and Keck, M.J. Scattering losses in optical maser crystals, 2=8496
 Kaiser, W. and Lessing, H. Effects of an electric field on the laser emission of ruby, 3=19485
 Kaiser, W. and Lessing, H. Effects of an electric field on the laser emission of ruby, 4=8998
 Kaiser, W., Spitzer, W.G., Kaiser, R.H. and Howarth, L.E. Infrared properties of CaF_2 , SrF_2 , and BaF_2 , 2=21236
 Kaiser, W., Sugano, S. and Wood, D.L. Splitting of the emission lines of ruby by an external electric field, 1=12505
 Kaiser, W. and Thurmond, C.D. Solubility of oxygen in germanium, 1=3662
 Kaiser, W. and Wheatley, G.H. Hot electrons and carrier multiplication in silicon at low temperature, 0=592
 Kaiser, W. See Bond, W.L., 1=7578
 Kaiser, W. See Collins, R.J., 0=21007
 Kaiser, W. See Fuller, C.S., 1=14446
 Kaiser, W. See Fuller, C.S., 1=17697
 Kaiser, W. See Garrett, C.G.B., 2=2244
 Kaiser, W. See Wood, D.L., 2=14717
 Kaiser, W.C., Baker, S.I., MacKay, A.J. and Sherman, I.S. Response of NaI(Tl) to X-rays and low-energy gamma rays, 2=18000
 Kaiser, W.E. See Pollingsworth, C.A., 4=16257
 Kaitmazov, S.D. and Prokhorov, A.M. Paramagnetic resonance of the free radicals obtained by freezing a plasma of H_2S , 0=502
 Kaitmazov, S.D. and Prokhorov, A.M. Electronic paramagnetic resonance spectra of frozen OH radicals, 0=13868
 Kaitmazov, S.D. and Prokhorov, A.M. Cavities for observing electron paramagnetic resonance at low temperatures, 2=1611
 Kaitmazov, S.D. and Prokhorov, A.M. E.S.R. spectra of HO_2 , OH , DO_2 and OD radicals, 3=20012
 Kaitna, R. and Urban, P. Light propagation in a homogeneous magnetic field, 4=30150
 Kaiyoh, H. See Nakada, I., 2=6494
 Kajfosh, J. See Kopecký, J., 0=4039
 Kajfosh, J. See Kopecký, J., 0=13266
 Kajfosh, J. See Urbanec, J., 0=4124
 Kajfosh, J. See Urbanec, J., 1=7392
 Kajfosh, J. See Urbanec, J., 1=17121
 Kajfosh, J. See Urbanec, J., 4=6294
 Kaji, I. and Kito, M. Plasma oscillations in a magnetic field, 1=10724
 Kaji, I. See Kito, M., 4=18968
 Kaji, I. See Ozawa, Y., 3=14611
 Kaji, I. See Ozawa, Y., 4=18983
 Kajikawa, R. Direct measurement of shower electron with "glass-metal" spark chambers, 4=3508
 Kajikawa, R. and Watari, W. Inelastic scattering of nucleons by light nuclei, 0=9626
 Kajikawa, R. See Fukui, S., 2=3340
 Kajikawa, R. See Fukui, S., 4=24957
 Kajikawa, R. See Hayakawa, S., 4=16894
 Kajikawa, R. See Hayakawa, S., 4=16981
 Kajiland, A. See Cederlöf, H., 4=2481
 Kajiwar, S. See Nishiyama, Z., 3=25736
 Kajiyama, M. The propagation of sound waves in a rectangular duct with porous material, 3=14260
 Kajland, A. See Hammarfors, P., 4=292
 Kakac, S. A reflected reactor with a flat thermal flux distribution in the core, 3=10407
 Kakhramanov-Dzhazairov, V., See Danelyan, L.S., 4=9540
 Kakigi, S. See Nakamura, T., 2=5913
 Kakigi, S. See Yanabu, T., 2=8007
 Kakigi, S. See Yanabu, T., 2=16425
 Kakigi, S. See Yanabu, T., 3=22418
 Kakinoki, J., Katada, K., Hanawa, T. and Ino, T. Electron diffraction study of evaporated carbon films, 0=8281
 Kakinoki, J. One dimensionally disordered crystal with a special reference to the anti-phase domain structures, 3=810
 Kakinoki, J. and Komura, Y. Comments on Allegra's paper "A simplified formula for the calculation of the X-ray intensity diffracted by a monodimensionally disordered structure", 2=10838
 Kakinuma, T. and Hiei, E. Unusual decrease of microwave solar radio emission during flare on November 30, 1959, 1=6742
 Kakinuma, T. and Swarup, G. A model for the sources of the slowly varying component of microwave solar radiation, 3=3618
 Kakinuma, T. See Christiansen, W.N., 0=18732
 Kakinuma, T. See Swarup, G., 3=16424
 Kakinuma, T. See Tanaka, H., 0=18647

- Kakinuma, T. See Tanaka, H., 1=6732
 Kakinuma, T. See Tanaka, H., 4=29478
 Kakinuma, U. Electron as a fundamental elementary particle. I. 3=10030
 Kakinuma, U. Electron as a fundamental elementary particle. II. 4=884
 Kakiuchi, Y. See Kume, K., 1=9074
 Kakiuchi, Y. See Kume, K., 1=14078
 Kakiuchi, Y. See Nagumo, M., 0=19170
 Kakudo, M. See Kasai, N., 0=8330
 Kakudo, Y., Goto, T. and Nakasima, R. π -N interactions in GeV region, 0=13025
 Kakudo, Y., Kammuri, T. and Nakasima, R. Absorption effects in antinucleon phenomena, 0=15343
 Kakudo, Y., Kammuri, T. and Nakasima, R. Absorption effects in antinucleon phenomena. II. 0=17329
 Kakudo, Y. and Kobayakawa, K. The production ratio of K^+ to K^- mesons, 0=13059
 Kakushadze, L.E. See Aleksenko, Yu.N., 1=17586
 Kakushadze, T.I. Group transitions in solid luminophors, 1=14651
 Kakushadze, T.I. The role of group transitions in the production of certain satellites. I. 2=580
 Kakushadze, T.I. Electron heat capacity in transition metals and alloys. II. 2=581
 Kakushadze, T.I. Effect of group transition on magnetic properties of transition metals. III. 2=582
 Kakushadze, T.I. Group transitions in crystalline phosphors, 2=2245
 Kakuta, C. The magnetic torque on the impulsive change of the rotation of the earth, 2=15180
 Kakutani, S. See Dvoretzky, A., 0=10611
 Kakutani, S. See Dvoretzky, A., 0=12370
 Kakutani, T. Axially symmetric stagnation-point flow of an electrically conducting fluid under transverse magnetic field, 1=8376
 Kakutani, T. Effect of transverse magnetic field on the flow due to an oscillating flat plate. II. 1=9673
 Kakutani, T. Hydromagnetic flow over a plane wall with uniform suction, 2=7725
 Kakutani, T. Hydromagnetic flow due to a rotating disk, 3=479
 Kakutani, T. The hydromagnetic stability of the modified plane Couette flow in the presence of a transverse magnetic field, 4=27626
 Kakutani, T. See Yosinobu, H., 1=357
 Kakuyama, T. See Kumagi, H., 3=460
 Kalab, B. New quenching circuit of high quenching power and high sensitivity, 1=9519
 Kalab, B. and Broda, E. Unpurified carbon dioxide as a filling gas for counters, 2=16085
 Kalaba, R. Dynamic programming, Fermat's principle and the eikonal equation, 1=16051
 Kalaba, R. See Aroesty, J., 4=228
 Kalaba, R. See Bellman, R., 0=5568
 Kalaba, R. See Bellman, R., 0=16616
 Kalaba, R. See Bellman, R., 0=19004
 Kalaba, R. See Bellman, R., 0=19005
 Kalaba, R. See Bellman, R., 1=4285
 Kalaba, R. See Bellman, R., 1=9350
 Kalaba, R. See Bellman, R., 1=15746
 Kalaba, R. See Bellman, R., 2=9
 Kalabin, M.M. and Sharavskii, P.V. On the surface conductivity of cuprous oxide rectifiers, 0=13624
 Kalabukhov, N.P. The nature of stimulated luminescence in KCl crystals, 1=14633
 Kalabukhov, N.P. and Gorbenco, P. K. Kinetics of the photochemical conversion of F centers into M centers in KCl crystals, 4=25972
 Kalabukhov, N.P. and Yurachkovskii, P.A. Ultraviolet absorption of X-rayed KCl crystals, 3013
 Kalachev, A.I. On the relationship between nonlinearities in gases and liquids, 4=5176
 Kalachev, B. V. Investigation of pulsed discharges in a high-velocity air flow, 4=2959
 Kalachev, A.I. See Zverev, V.A., 1=16036
 Kalachov, P.D. Some radio telescopes in the U.S.S.R., 4=4938
 Kalachyov, B.V., Nikolsky, S.I., Pomansky, A.A. and Tukish, E.I. On fluctuation in number of μ -mesons in extensive air showers, 1=2131
 Kalashnikov, A.G. On the distribution of residual magnetization in cubes and cylinders from rocks, 0=1972
 Kalashnikov, A.G., Some results of investigation of magnetic properties of rocks and geological bodies, 0=8355
 Kalabukhov, N.P. and Sidiyakin, V.G. Measurement of the mobility of photo-current carriers in additively-colored KCl crystals, 1=1108
 Kalashnikov, C.G. and Tissen, K.P. The cross-section of capture of electrons and holes by atoms of nickel in germanium, 0=11691
 Kalashnikov, N.P. Bremsstrahlung of an ultrarelativistic electron in a crystal, 4=1445
 Kalashnikov, N. P. and Ryazanov, M. I. Ionization losses in an inhomogeneous medium, 4=2938
 Kalashnikov, S.G. and Konstantinesku, K. A possible method for the determination of the ratio of capture cross-sections at recombination centres in semiconductors, 0=6091
 Kalashnikov, S.G. and Kurova, I.A. The electrical conductivity of germanium at low temperatures, 0=20898
 Kalashnikov, S.G. and Mednikov, A.K. Effect of copper impurity atmospheres at dislocations on recombination in germanium, 1=2407
 Kalashnikov, S.G. and Mednikov, A.K. Effect of copper impurity atmospheres at dislocations on recombination in germanium, 1=6147
 Kalashnikov, S.G. and Mednikov, A.K. The distribution of nickel in a germanium-lead system and interaction of nickel with structural defects, 1=17517
 Kalashnikov, S.G. and Morozov, A.I. The temperature dependence of the trapping coefficient of electrons at neutral levels of copper in germanium, 0=6106
 Kalashnikov, S.G. and Morozov, A.I. A study of trapping at copper atoms in germanium, 1=3750
 Kalashnikov, S.G. and Tissen, K.P. Trapping and recombination at many-electron capture centres in semiconductors, 1=1033
 Kalashnikov, S.G. See Alekseeva, V.G., 1=17685
 Kalashnikov, S.G. See Alexeeva, V.G., 2=8398
 Kalashnikov, S.G. See Eliseev, P.G., 3=17847
 Kalashnikov, S.G. See Karpova, I.V., 2=18675
 Kalashnikov, S.G. See Karpova, I.V., 2=21131
 Kalashnikov, S.G. See Karpova, I.V., 3=10785
 Kalashnikov, S.G. See Karpova, I.V., 3=17848
 Kalashnikov, S.G. See Kurova, I.A., 0=6108
 Kalashnikov, S.G. See Kurova, I.A., 2=21194
 Kalashnikov, S.G. See Kurova, I.A., 3=2976
 Kalashnikov, S.G. See Kurova, I.A., 4=10051
 Kalashnikov, S.G. See Landsberg, E.G., 1=17687
 Kalashnikov, S.G. See Landsberg, E.G., 3=17853
 Kalashnikov, S.G. See Morozov, A.J., 2=6456
 Kalashnikov, S.G. See Morozov, A.I., 2=10467
 Kalashnikov, V.I., Lebedev, V.I., Mikaelyan, L.A. and Pevzner, M.I. The number of neutrons emitted by Pu^{239} upon thermal- and epithermal-neutron-induced fission, 0=2693
 Kalashnikov, V.N. Stagnation temperature of a two-phase turbulent jet in a high velocity gas flow, 4=14127
 Kalashnikov, V. F. Collective definition of the conduction electrons of a metal in external fields, 4=6770
 Kalashnikov, V. P. Paramagnetic resonance absorption of sound in metals, 4=6727
 Kalashnikov, V. P. The phonon radiation power of conduction electrons in the range of acoustic instability, 4=20233
 Kalashnikov, V. P. and Pomortsev, R. V. Nonlinear theory of galvanomagnetic phenomena in semiconductors, 4=20343
 Kalashnikov, V. P. Quantum oscillations of thermomagnetic coefficients, 4=26158
 Kalashnikov, V. F. Current-voltage characteristics of a semi-metal in crossed electric and magnetic fields, 4=28522
 Kalashnikov, V. P. See Ziryayev, P.S., 2=187
 Kalashnikov, V. P. See Ziryayev, P.S., 3=402
 Kalashnikov, Ya.A. See Bilevich, A.V., 2=17490
 Kalashnikova, I.V. See Magnitsky, V.A., 3=13648
 Kalashnikova, V.I., Lebedev, V.I. and Spivak, P.E. Relative measurements of the mean number of neutrons emitted per fission induced in ^{233}U , ^{235}U , and ^{239}Pu by thermal neutrons and "fission" neutrons, 0=7645
 Kalashnikova, V.I. See Lebedev, V.I., 1=3477
 Kalashnikova, V.I. See Samoilovich, D.M., 3=2180
 Kalashnikov, S.G. Recombination on impurity centres in germanium and silicon, 2=23348
 Kalbach, R.M. and Piserchio, R.J. Nucleon-pion Q-values, 3=19624
 Kalbach, R.M. See Abraham, F.F., 3=2259
 Kalbach, R.M. See Jones, J.J., 4=9035
 Kalbach, R.M. See Piserchio, R.J., 3=2260
 Kalbfleisch, G.R. Cross section and decay asymmetries of neutral V particles produced in copper by π^- mesons, 1=4811

- Kalbfleisch, G.R. Two-parameter statistical model, 2=18069
- Kalbfleisch, G.R., Alexander, G., Dahl, O.I., Miller, D.H., Rittenberg, A. and Smith, G.A. Study of the $I = 2L\pi$ system in $\pi + N$ interactions, 3=17349
- Kalbfleisch, G.R., Alvarez, L.W., Barbaro-Galtieri, A., Dahl, O.I., Eberhard, P., Humphrey, W.E., Lindsey, J.S., Merrill, D.W., Murray, J.J., Rittenberg, A., Ross, R.R., Shafer, J.B., Shively, F.T., Siegel, D.M., Smith, G.A. and Tripp, R.D. Observation of a non-strange meson of mass 959 MeV, 4=2789
- Kalbfleisch, G.R. See Alexander, G., 2=20427
- Kalbfleisch, G.R. See Alexander, G., 3=7924
- Kalbfleisch, G.R. See Alvarez, L.W., 3=15039
- Kalbfleisch, G.R. See Button, J., 0=13067
- Kalbfleisch, G.R. See Button, J., 1=5727
- Kalbfleisch, G.R. See Button, J., 2=13802
- Kalbfleisch, G.R. See Chung, S.U., 4=25160
- Kalbfleisch, G.R. See Crawford, F.S., Jr., 0=1316
- Kalbfleisch, G.R. See Crawford, F.S., Jr., 0=1317
- Kalbfleisch, G.R. See Hubbard, J.R., 4=21951
- Kalbfleisch, G.R. See Lynch, G.R., 3=19633
- Kalbfleisch, G.R. See Lynch, G.R., 3=19634
- Kalbfleisch, G.R. See Maglič, B.C., 1=13472
- Kalbfleisch, G.R. See Miller, D.H., 3=19698
- Kalbfleisch, G.R. See Smith, G.A., 4=21918
- Kalbfleisch, G.R. See Stevenson, M.L., 4=25200
- Kalbfleisch, G.R. See Wojcicki, S.G., 4=16966
- Kalbfleisch, G.R. See Wojcicki, S.G., 4=25180
- Kalbfleisch, H. See Kahle, H.G., 2=6574
- Kalbitzer, S. Experiments on the diffusion of rare gases in alkali halide single crystals, 3=15508
- Kalboryanu, A. and Mynzatu, I. Calculation of fast neutron polarization angular distribution in elastic scattering on C^{12} , 3=19857
- Kalboryanu, A. See Mynzatu, I., 4=9520
- Kalckar, J. SU₂ symmetry and the existence of a ninth vector meson, 3=24612
- Kalckar, J. See Cutkosky, R.E., 2=13827
- Käld, L. See Simons, L., 1=17061
- Käld, L. See Simons, L., 2=1842
- Käld, L. See Simons, L., 2=14059
- Käld, L. See Simons, L., 3=4591
- Käld, L. See Simons, L., 4=9513
- Käld, L. See Simons, L., 4=25398
- Káldor, M. and Vero, J.A. A method to reveal austenitic grain size in hardenable steels, 1=20609
- Kalebin, S.M. and Vladimirkii, V.V. Mechanical neutron chopper suspended in a magnetic field, 3=2279
- Kalejis, J. See Magarvey, R.H., 3=14133
- Kalff, P.J. See Hollander, T., 4=2946
- Kalff, P.J. See Hollander, T., 4=28267
- Kaliain, A.V., Levenberg, I.Iu. and Yakovlev, V.A. Positron activities of neutron-deficient isotopes of letetium, ytterbium and holmium, 2=3520
- Kaliain, A.V., Murin, A.N., Preobrazhenskii, B.K. and Titov, N.E. Yield of rare-earth elements from the spallation of bismuth by 660 MeV protons, 0=11408
- Kalibjian, R. See Wouters, L.F., 2=22253
- Kalibjian, R. See Wouters, L.F., 3=4180
- Kalikhevich, N.S. The diurnal term in time service observations, 2=24068
- Kalikhman, V.L. and Umanskii, Ya.S. Determination of the orientation of the diffusional submicropores in α -brass by the small angle X-ray scattering method, 1=15117
- Kalikstein, K., Rosenberg, L. and Spruch, L. Low energy proton-deuteron and neutron-deuteron scattering, 4=9197
- Kalimbet, A.Z. See Gobov, G.V., 3=18043
- Kalin, T. See Čopič, M., 4=19892
- Kalinenkov, N.D. and Stolov, A.L. An intensity-recording microphotometer, 3=11485
- Kalnets, L.A. Temperature dependence of the elastic anisotropy of KI, 0=16205
- Kalinichenko, S.S. See V'yugov, P.N., 3=4411
- Kalinin, J.D. See Afanasieva, V.I., 1=18084
- Kalinin, J.K. See Rokitskiy, I.I., 4=26669
- Kalinin, O.M. The spectrum of fluctuations in complex physical systems, 0=14526
- Kalinin, P.D. and Kuznetsov, A.K. Programmed temperature regulation, 1=11857
- Kalinin, S.P. See Artemov, K.P., 0=9359
- Kalinin, S.P. See Bogdanov, G.F., 0=7551
- Kalinin, S.P. See Brill'O.D., 1=11021
- Kalinin, S.P. See Brill'O.D., 1=12207
- Kalinin, S.P. See Vlasov, N.A., 0=9638
- Kalinin, S.P. See Vlasov, N.A., 0=9639
- Kalinin, S.P. See Vlasov, N.A., 1=728
- Kalinin, S.P. See Vlasov, N.A., 1=4798
- Kalinin, S.P. See Vlasov, N.A., 1=17142
- Kalinin, S.P. See Vlasov, N.A., 1=17149
- Kalinin, S.P. See Vlasov, N.A., 2=14133
- Kalinin, V.A. and Trubitsyn, V.P. Attenuation of surface waves in a layer on a half-space, 3=14240
- Kalinin, V.A. See Zharkov, V.N., 1=3610
- Kalinin, V.A. See Zharkov, V.N., 1=9983
- Kalinin, V.A. See Zharkov, V.N., 3=3430
- Kalinin, V.A. See Zharkov, V.N., 3=4827
- Kalinin, V.G. See Tarosova, L.V., 4=18754
- Kalinin, V.M. See Dunaev, F.N., 2=23672
- Kalinin, V.M. See Dunaev, F.N., 3=3116
- Kalinin, V.M. See Dunaev, F.N., 3=6712
- Kalinin, V.M. See Dunaev, F.N., 4=4360
- Kalinin, V.M. See Dunaev, F.N., 4=10284
- Kalinin, V.M. See Dunaev, F.N., 4=15647
- Kalinin, Yu.S. See Rudnevskii, N.K., 3=25840
- Kalinkevich, I.F. See Afrosimov, V.V., 1=9608
- Kalinkevich, I.F. See Afrosimov, V.V., 1=9609
- Kalinkevich, I.F. See Afrosimov, V.V., 4=8701
- Kalinkevish, I.F. See Mamyryn, B.A., 4=430
- Kalinkin, B.N. Resonance scattering of low-energy gamma rays on nuclei, 0=9655
- Kalinkin, B.N. Heavy-ion Coulomb excitation of nuclei accompanied by radiation of γ -quanta, 0=20471
- Kalinkin, B.N. and Grabowski, J. The angular distribution of the transfer reaction products, 4=19829
- Kalinkin, B.N., Kochkina, T.P. and Pustyl'nik, B.I. The quasi-classical analysis of the elastic scattering of complex nuclei, 4=19828
- Kalinkin, B.N., Kochkina, T.P. and Pustyl'nik, B.I. The quasi-classical analysis of the elastic scattering of complex nuclei, 4=22195
- Kalinkin, B.N. and Pustyl'nik, B.I. Elastic scattering of heavy ions in the quasiclassical approximation, 3=15232
- Kalinkin, B.N. See Grabowski, J., 3=17448
- Kalinkin, B.N. See Ivanova, S.P., 3=24978
- Kalinkin, B.N. See Ivanova, S.P., 3=24979
- Kalinkin, I.P., Sergeeva, L.A., Aleskovskii, V.B. and Strakhov, L.P. Obtaining single crystal layers of cadmium selenide, 2=4380
- Kalinkin, I.P., Sergeeva, L.A., Aleskovskii, V.B. and Strakhov, L.P. Obtaining single crystal layers of cadmium selenide, 2=6768
- Kalinkin, I.P., Sergeeva, L.A., Aleskovskii, V.B. and Strakhov, L.P. Investigation of the structure of thin cadmium selenide films deposited on the (100) and (110) faces of rocksalt monocrystals, 3=18378
- Kalinkin, I.P., Sergeeva, L.A., Aleskovskii, V.B. and Strakhov, L.P. Electron diffraction study of the structure of monocrystalline films of cadmium selenide, 4=15819
- Kalinkin, I.P. See Strakhov, L.P., 3=23014
- Kalinkin, L.F., Melioranskii, A.S. and Estulin, I.V. Certain gamma transitions in ^{128}Ba and in neodymium isotopes, 0=11381
- Kalinkin, L.F., Melioranskii, A.S. and Estulin, I.V. Cascade γ -quanta in the $\text{Rh}^{103}(n, \gamma)\text{Rh}^{104}$ reaction, 2=16420
- Kalinkin, L.F., Melioranskii, A.S. and Estulin, I.V. Cascade γ -quanta in the $\text{Rh}^{103}(n, \gamma)\text{Rh}^{104}$ reaction, 3=6272
- Kalinkin, L.F., Melioranskii, A.S. and Estulin, I.V. Remarks on the excited energy states of the odd-odd nuclei Ho^{166} and Cs^{134} , 3=12600
- Kalinkin, L.F. See Estulin, I., 0=11325
- Kalinkin, L.F. See Estulin, I.V., 1=8648
- Kalinkin, L.F. See Estulin, I.V., 3=15215
- Kalinkin, L.F. See Estulin, I.V., 4=17060
- Kalinkin, L.F. See Melioranskii, A.S., 0=13149
- Kalinkin, L.F. See Melioranskii, A.S., 1=13659
- Kalinkin, L.F. See Melioranskii, A.S., 4=16524
- Kalinkin, N. and Grabowski, J. The angular distribution of the transfer reaction products, 4=22206
- Kalinkina, I.N. Magnetic specific heat of antiferromagnetic Co, Ni, Mn and Fe carbonates, 3=17659
- Kalinkina, I.N. See Borovik-Romanov, A.S., 2=4237
- Kalinkina, I.N. See Borovik-Romanov, A.S., 3=3145
- Kalinkina, O.M. See Bădescu, A., 1=13694
- Kalinovich, D.F. Electric transport in interstitial solid solutions, 1=14352
- Kalinovich, D.F., Kovenskii, I.I. and Smolin, M.D. Diffusion and electrical transport of chromium in molybdenum, 2=8241

- Kalinovich, D.F., Kovenskii, I.I. and Smolin, M.D. The question of defining partial rates of electrical transport with the aid of labelled atoms, 2=21054
- Kalinovich, D.F., Kovenskii, I.I. and Smolin, M.D. Diffusion and the electrolytic transport of chromium in molybdenum, 2=23201
- Kalinovich, D.F., Kovenskii, I.I. and Smolin, M.D. Electron transport of tungsten in cobalt, 3=17782
- Kalinovich, D. F., Kovenskii, I. I. and Smolin, M. D. Partial and total mass transfer in the nickel-chromium system, 4=12788
- Kalinovich, D.F., Kovenskii, I.I. and Smolin, M.D. Diffusion of components of nickel-chromium alloys in a wide composition range, 4=20302
- Kalinovich, D. F., Kovenskii, I. I. and Smolin, M. D. Investigation of electro-transport in binary metal alloys, 4=25968
- Kalinovich, D.F., Kovenskii, I.I., Smolin, M.D. and Frantsevich, I.N. Mobility of chromium atoms in a nickel-chromium alloy under the influence of a constant electric field, 1=7596
- Kalinovich, D.F., Kovenskii, I.I., Smolin, M.D. and Frantsevich, I.N. Diffusion of nickel in nickel-molybdenum alloy in an electric field, 2=6372
- Kalinovich, D.F. See Frantsevich, I.N., 0=732
- Kalinovich, D.F. See Frantsevich, I.N., 3=20235
- Kalinovich, D.F. See Frantsevich, I.N., 3=20237
- Kalinovich, D. F. See Frantsevich, I. N., 4=6875
- Kalinowski, J. and Dera, J. Luminescence of fluorescent dielectric liquids under the influence of high electric fields, 4=24222
- Kalinyak, A.A. and Kamionko, L.A. Microphotometric analysis of the emission flare in the central peak of Alphonsus on the spectrogram of November 3, 1958, 2=13102
- Kalinyak, A.A. and Kamionko, L.A. Microphotometric analysis of the emission flare in the central peak of Alphonsus on the spectrogram of November 3, 1958, 2=17240
- Kalish, R. See Rosner, B., 3=14966
- Kalish, Y. A proposal for a new type of gamma scintillation spectrometer, 3=19606
- Kalish, Y. and Nardi, E. A three crystal NaI(Tl) gamma ray scintillation spectrometer, 4=21828
- Kaliski, S. Plane shock waves in solids with perfect electric conductivity in a magnetic field, 2=5047
- Kaliski, S. The Cauchy problem for a perfect conductor, isotropic and transversally isotropic, in a magnetic field, 2=5442
- Kaliski, S. The Cauchy problem for a real, isotropic elastic conductor in a magnetic field, 2=5443
- Kaliski, S. The Cauchy problem for an elastic dielectric in magnetic field, 2=5444
- Kaliski, S. Rayleigh waves between perfectly conducting fluid and solid body in a magnetic field, 2=17938
- Kaliski, S. Propagation of magneto-elastic and plastic waves in a dielectric semi-space under mechanical impulse, 3=5824
- Kaliski, S. Magnetoelastic vibration of perfectly conducting plates and bars assuming the principle of plane sections, 3=16679
- Kaliski, S. Magnetoelastic resonance vibration of a perfectly conducting plate in a magnetic field, 3=16680
- Kaliski, S. Waves produced by a mechanical impulse on the surface of a semi-space constituting a real conductor in magnetic field, 3=16691
- Kaliski, S. Rayleigh waves in an elastic dielectric in a magnetic field, 3=19435
- Kaliski, S. On the Cherenkov radiation effect in a dielectric liquid for a moving mechanical impulse in magnetic field, 4=5270
- Kaliski, S. Čerenkov [Cherenkov] radiation in a perfect elastic conductor in a magnetic field of isotropic action, produced by a moving mechanical impulse, 4=5271
- Kaliski, S. The Čerenkov [Cherenkov] radiation in an elastic dielectric contained in a magnetic field, 4=16167
- Kaliski, S. Čerenkov [Cherenkov] radiation in a perfect elastic conductor in a magnetic field of anisotropic action, excited by a moving impulse, 4=16168
- Kaliski, S. Mechanical generation of Čerenkov radiation in a contacting, perfectly conducting elastic solid and liquid in a magnetic field of isotropic action, 4=24288
- Kaliski, S. Mechanical generation of Čerenkov radiation in contacting perfectly conducting elastic solid and liquid in a magnetic field of anisotropic action, 4=24289
- Kaliski, S. Absorption of magneto-viscoelastic surface waves in a real conductor in a magnetic field, 4=24806
- Kaliski, S. Attenuation of surface waves between perfectly conducting fluid and solid in a magnetic field normal to the contact surface, 4=24807
- Kaliski, S. and Michalec, J. The resonance amplification of a magnetoelastic wave radiated from a cylindrical cavity, 3=18890
- Kaliski, S. and Nowacki, W. Excitation of mechanical-electro-magnetic waves induced by a thermal shock, 2=11439
- Kaliski, S. and Nowacki, W. Combined elastic and electromagnetic waves produced by thermal shock in the case of a medium of finite electrical conductivity, 2=19645
- Kaliski, S., Plochocki, Z. and Rogula, D. The asymmetry of the stress tensor and the angular momentum conservation for a combined mechanical and electromagnetic field in a continuous medium, 2=21800
- Kaliski, S., Plochocki, Z. and Rogula, D. The asymmetric stress tensor and the angular momentum conservation law in the equations of combined mechanical and electromagnetic field in a continuous medium, 3=19420
- Kaliski, S. and Rogula, D.R. Rayleigh's electric waves on cylindrical surfaces in magnetic fields, 2=7279
- Kaliski, S. and Solarz, L. Aero-magneto-flutter of a plate flown past by a perfectly conducting gas in a magnetic field with isotropic action, 3=24449
- Kaliski, S. and Solarz, L. Aero-magneto-flutter of a plate flown past by a perfectly conducting gas in a magnetic fluid with anisotropic action, 3=24450
- Kaliski, S. See Malecki, I., 0=983
- Kalisky, A. See Lustig, C. D., 4=21505
- Kalisz, J. Transistorized radiation-detector relay unit MST-2, 4=5903
- Kalisz, J. and Korbel, K. Device for absolute measurement of the capacitance, 4=24519
- Kaliszewski, T. Laboratory observations of the Luxembourg effect in free space plasma columns, 3=9805
- Kaliszewski, T. On the use of an asymmetric model in the theory of radio echo from meteor trails, 3=11599
- Kaliszewski, T. On the scattering of short waves from low density meteor trails, 3=23709
- Kaliszewski, T. The interactometer: a free-space microwave system for plasma diagnostics, 4=18907
- Kaliteevskii, N.I., Chaika, M.P., Pacheva, I.Kh. and Fradkin, E.E. Nuclear moments of the odd isotopes of gadolinium, 0=13123
- Kaliteevskii, N.I., Chaika, M.P., Pacheva, I.Kh. and Fradkin, E.E. Spectroscopic determination of the nuclear moments of the odd gadolinium isotopes, 0=13420
- Kaliteevskii, N.I., Chaika, M.P., Pacheva, I.Kh. and Fradkin, E.E. Nuclear moments of odd gadolinium isotopes, 2=16298
- Kaliteevskii, N.I., Fradkin, E.E. and Chaika, M.P. Quadrupole moments of odd barium isotopes, 1=19345
- Kaliteevskii, N.I., Fradkin, E.E. and Chaika, M.P. Quadrupole moments and isotope shifts of barium isotopes, 3=12562
- Kaliteevskii, N.I., Malyshev, G.M. and Chaika, M.P. A photoelectric spectrometer with a Fabry-Perot interferometer, 0=3634
- Kalitzin, N.N. Thomas-Fermi atomic model with quantum and exchange corrections, 0=20533
- Kalitsin, N. The existence of a non-singular stationary solution of Eddington's gravitational equations, capable of representing a material body, 4=11031
- Kalitsin, N.S. Concerning Ryabushko's work "On the equations of motion of rotating masses in the general theory of relativity", 0=12356
- Kalitsin, N.S. Class of exact solutions of Einstein's gravitational equations in vacuum and of the Riemannian equations $R_{iklm} = 0$, 2=4925
- Kalitsin, N.S. Expanding galactic systems and a new application of Einstein's general theory of relativity, 2=6980
- Kalitsin, N.S. On radiation in a medium which is caused by photons moving in a rectilinear channel in the medium, 4=27632
- Kalitzin, G.S. See Kalitzin, N.S., 0=19182
- Kalitzin, N. New cosmological theory, 4=13870
- Kalitzin, N.S. Approximate theory of an axially-symmetrical gyro with variable mass, 0=8579
- Kalitzin, N.S. Expanding galactic systems and a new application of Einstein's general theory of relativity, 1=12737
- Kalitzin, N.S. On the "Nagoya model" of the elementary particles, 1=13309
- Kalitzin, N.S. Relativistic mechanics of a fluid in a non-inertial and irrelativistic system, 4=27136
- Kalitzin, N.S. and Kalitzin, G.S. A possibility of increasing rocket thrust, 0=19182

- Kalitzin, N.S. and Nedjalkov, I.P. On relativistic rocket dynamics, 0=18923
- Kalitzin, N.St. An exact derivation of the time independent Schrödinger equation for the theory of stability of motion in classical mechanics, 2=7115
- Kaljabina, I.A. and Yuhvidin, Ya.A. Experience in using mass-spectrometric methods in electro-vacuum technology, 1=9430
- Kalkstein, M.I. Rhodium-102 high altitude tracer experiment, 3=3457
- Kalkstein, M.I. Movement of material from high altitude deduced from tracer observations, 3=25906
- Kalkwarf, D.R. Chemical protection from radiation effects, 0=14138
- Källén, G. Selected problems in renormalization theory, 0=3912
- Källén, G. Quantum electrodynamics, 0=7264
- Kallen, G. The analyticity domain of the four-point function, 1=13272
- Kallen, G. Topics in quantum electrodynamics 4=11881
- Källén, G. and Toll, J. Integral representations for the vacuum expectation value of three scalar local fields, 1=5196
- Kaller, A. What happens during the polishing of glass, 1=9160
- Kallio, A. and Kolltveit, K. An application of the separation method in shell-model calculation, 4=19674
- Kallistov, O.V. The effect of velocity gradient of the intrinsic viscosity of solutions of high-molecular-weight polymer fractions, 0=8599
- Kallistratova, M.A. Experimental investigation of sound scattering in a turbulent atmosphere, 0=6878
- Kallistratova, M.A. Procedure for investigation sound scattering in the atmosphere, 1=2827
- Kallistratova, M.A. and Tatarskii, V.I. Allowance for wind turbulence in the calculation of sound scattering in the atmosphere, 1=20875
- Kallistratova, M.A. See Bovsheverov, V.M., 4=26944
- Kallmann, H. Theory of fluorescence time constant measurements in liquid and rigid solutions, 0=3536
- Kallmann, H. Stimulated emission, 4=19257
- Kallmann, H., Gallagher, J. and Wotherspoon, N. Paramagnetic resonance of trapped electrons in ZnCdS phosphors, 3=23238
- Kallmann, H., Kramer, B., Haidemenakis, E., McAleer, W.J., Barkemeyer, H. and Pollak, P.I. Photovoltages in silicon and germanium layers, 1=6181
- Kallmann, H., Kramer, B., Shain, J. and Spruch, G.M. Photovoltaic effects in CdS crystals, 0=7959
- Kallmann, H., Kramer, B., Spagnolo, F. and Spruch, G.M. Positive hole motion and photovoltaic effects in zinc cadmium sulfide phosphors, 1=12464
- Kallman, H., Kramer, B. and Spruch, G.M. A.C. impedance measurements on insulated CdS crystals, 0=2906
- Kallmann, H., Krasnansky, V.J. and Orenstein, A. Photoconductivity in α -methylnaphthalene, 4=22811
- Kallmann, H. and Luchner, K. Effect of infrared irradiation on ZnS:Cu phosphors, 1=14641
- Kallmann, H. and Pope, M. Positive hole injection into organic crystals, 0=4371
- Kallmann, H. and Pope, M. Surface controlled bulk conductivity in organic crystals, 0=9999
- Kallmann, H. and Pope, M. Bulk conductivity in organic crystals, 0=10070
- Kallmann, H. and Pope, M. Decomposition of water by light, 1=1488
- Kallmann, H., Rennert, J. and Sidran, M. Infrared photography using persistent internal polarization in phosphor plates, 2=9414
- Kallman, H. See Brown, F.H., 0=18146
- Kallmann, H. See Brown, F.H., 1=6864
- Kallmann, H. See Brown, F.H., 2=2253
- Kallmann, H. See Furst, M., 0=6808
- Kallmann, H. See Furst, M., 3=5902
- Kallmann, H.K. Electron distribution in a new model of the ionosphere, 0=2013
- Kallmann, H.K. A preliminary model atmosphere based on rocket and satellite data, 0=8366
- Kallmann, H.P. and Pope, M. Theory of hole injection and conductivity in organic materials, 2=14521
- Kallmann, H.P. See Freeman, J.R., 2=4089
- Kallmann, H.P. See Furst, M., 3=1702
- Kallmann, H.P. See Jaffe, B.M., 4=30642
- Kallmann, H.P. See Luchner, K.M., 3=6677
- Kallman, H.P. See Mark, P., 2=21184
- Kallmann, H.P. See Pope, M., 2=14579
- Kallmann, H.P. See Pope, M., 3=18051
- Kallmann, H.P. See Shionoya, S., 1=5054
- Kallmann-Bijl, H.K. Daytime and nighttime atmospheric properties derived from rocket and satellite observations, 1=20885
- Kallmann-Bijl, H.K. Variations of atmospheric properties with time and solar activity, 3=1426
- Kallmann-Bijl, H.K. and Sibley, W.L. Diurnal variation of temperature and particle density between ~ 100 and ~ 500 km, 4=13817
- Kalló, D., Preszler, I. and Payer, K. Circulating pump and flowmeter for kinetic reaction apparatus, 4=23636
- Kalloghjan, A. On the dynamical instability of several groups of galaxies, 2=9099
- Kálmán, A. On the application of X-ray intensity statistics in the case of inorganic substances. Method for determination of crystal symmetries and space groups, 4=2048
- Kalman, G. Nonlinear oscillations and nonstationary flow in a zero temperature plasma. I. Initial and boundary value problems, 0=12620
- Kalman, G. Nonlinear oscillations and nonstationary flow in a zero temperature plasma. II. General characteristics of the motion, 0=12621
- Kalman, G. Statistical distribution of the magnetic microfield in a plasma, 1=4591
- Kalman, G. Collective motions in a plasma due to magnetic interaction, 1=9624
- Kalman, G. Lagrangian formalism in relativistic dynamics, 1=10424
- Kalman, G. Liouville equation in relativistic dynamics, 2=11274
- Kalman, G. Dyson equation technique in non-equilibrium statistical mechanics, 4=27088
- Kalman, G. and Ron, A. Interaction of a test particle with a plasma. II. Energy loss of the test particle, 2=3027
- Kalman, G. See Ron, A., 1=5440
- Kalman, G. See Ron, A., 1=11926
- Kalman, O.F. and Decius, J.C. Absolute infrared intensities of the CS₂ fundamentals in CCl₄ solution and of the Fermi 768-797 cm⁻¹ doublet of CCl₄ in cyclohexane solution, 2=1153
- Kalman, O.F. See Roberti, D.M., 0=16700
- Kalman, Z.H. Simultaneous diffraction in anthracene, 4=7652
- Kalman, Z.H. See Brafman, O., 4=22807
- Kalman, Z.H. See Schieber, M., 1=20567
- Kalmanson, A.E. See Chernyakovskii, F.P., 1=5072
- Kalmer, J. and Górski, W. Studies on a spectrometric leak detector, 1=4390
- Kalmus, E.H. Preparation of aerosols for electron-microscopy, 1=20712
- Kalmus, G.E. See Birge, R., 3=22192
- Kalmus, G.E. See Ely, R.P., 3=19703
- Kalmus, P.I.P. A simple flexible vacuum joint, 1=5431
- Kalmus, P.I.P. See Aitken, D.K., 1=9663
- Kalmus, P.I.P. See Jennings, R.E., 1=397
- Kalmus, P.I.P. See Barbier, M., 3=17002
- Kalmus, P.I.P. See Burleson, G.R., 3=17146
- Kalmus, P.I.P. See Burleson, G.R., 3=17145
- Kalmus, P.I.P. See Burleson, G.R., 3=17149
- Kalmus, H.P. Double modulation photometer, 0=14781
- Kalmykov, A. See Fisher, P.S., 3=19846
- Kalmykov, A. See Measday, D.F., 3=19838
- Kalmykov, A.A., Tereshin, V.I. and Poltavtsev, N.S. An investigation of the energy spectrum of a conical electrode plasma source, 4=29958
- Kalmykov, A.A., Tereshin, V.I., Trubchaninov, S.A. and Safronov, B.G. Interaction of plasmoids with a spatially periodic magnetic field, 3=7547
- Kalmykov, A.A., Timofeev, A.D., Pankrat'ev, Yu. I., Tereshin, V. I., Trubchaninov, S.A., Nozdrachev, M.G., Naboka, V.A. and Safronov, B.G. Plasma guns investigation, 4=19070
- Kalmykov, A.A., Trybchaninov, S.A., Naboka, V.A. and Zlatopol'skii, L.A. The energy spectra and structure of plasma blobs from a coaxial plasma source, 4=24637
- Kalmykov, A.A. See Fogel', Ya., 0=10877
- Kalmykov, A.A. See Fogel', Ya.M., 0=14978
- Kalmykov, A.A. See Safronov, B.G., 2=15939
- Kalmykov, N.N. Application of the Kolmogorov-Dmitriev method to calculation of nuclear cascades, 3=22233
- Kalmykova, S. See Shestopalov, V.P., 2=240
- Kalmykova, S.S. On the problem of matching plasma waveguides, 2=20149
- Kalmikova, S.S. Excitation of a plasma waveguide by a coaxial line, 4=16657
- Kalmykova, S.S. Reflection of an electromagnetic wave at the open end of a waveguide, 4=24852
- Kalmykova, S.S. and Kurilko, V.I. The diffraction of surface waves by a perfectly conducting wedge, 4=19221

- Kalmýkova, S.S. and Shestopalov, V.P. Theory of a modified spiral with reverse winding, 0=17111
- Kalmýkova, S.S. and Shestopalov, V.P. Theory of a modified spiral with reverse winding, 1=5585
- Kal'na, H.I. See Kuz'menko, P.P., 1=12643
- Kal'na, H.I. See Kuz'menko, P.P., 1=12645
- Kal'na, H.I. See Kuz'menko, P.P., 3=23479
- Kal'na, H.I. See Kuz'menko, P.P., 3=23480
- Kal'na, H.I. See Kuz'menko, P.P., 4=7503
- Kalnajs, J. See Mykolajewycz, R., 4=23151
- Kalnajs, J. See Smakula, A., 1=1677
- Kalnajs, J. See Smakula, A., 4=14347
- Kalnais, J. See Von Hippel, A., 2=14359
- Kalnín, R. A method of measuring the complex magnetic permeability of a ferrite material, 0=18201
- Kalnín, T. Investigation of a model of a magnetic β -spectrometer with permanent magnets, 0=1235
- Kalnins, A. On vibrations of shallow spherical shells, 1=11805
- Kalnins, A. Remarks on "flexural vibration of shallow orthotropic spherical shells", 3=7265
- Kalnins, A. Effect of bending on vibrations of spherical shells, 4=8288
- Kalnins, A. Free vibration of rotationally symmetric shells, 4=24287
- Kalnins, A. and Naghdi, P.M. Axisymmetric vibrations of shallow elastic spherical shells, 0=5071
- Kalnins, I.L. See Flaschen, S.S., 0=6105
- Kalnýn, R. and Sermons, G. An optimal geometry of finite magnetic cores in homogeneous fields, 4=27608
- Kalogeropoulos, T.E. See Brown, H.N., 2=12013
- Kalogeropoulos, T.E. See Samios, N.P., 2=20392
- Kalogeropoulos, T.E. See Ferbel, T., 3=4395
- Kalos, M.H. Monte Carlo calculations of the alpha particle ground state, 1=19295
- Kalos, M.H. Monte Carlo calculations of the ground state of three- and four-body nuclei, 3=2358
- Kalos, M.H. Importance sampling in Monte Carlo shielding calculations. I. Neutron penetration through thick hydrogen slabs, 3=22456
- Kalos, M.H. On the estimation of flux at a point by Monte Carlo, 3=24739
- Kalra, G. L. and Talwar, S. P. Magnetogravitational instability of unbounded plasma with Hall effect, 4=23886
- Kalra, S.N. Frequency measurement of standard frequency transmission against caesium-beam resonator standard, 0=4915
- Kalra, S.N. Frequency measurement of standard frequency transmissions, 0=10546
- Kalra, S.N. Frequency measurement of standard frequency transmissions, 0=12343
- Kalra, S.N. Frequency measurement of standard frequency transmissions, 0=18893
- Kalra, S.N. Frequency measurement of standard frequency transmissions, 1=2726
- Kalra, S.N. Frequency measurement of standard frequency transmissions, 1=4301
- Kalra, S.N. Frequency measurement of standard frequency transmissions, 1=6819
- Kalra, S.N. Frequency measurement of standard frequency transmissions, 1=9363
- Kalra, S.N. Frequency measurement of standard frequency transmissions, 1=9364
- Kalra, S.N. See Holuj, F., 2=16019
- Kalra, S.N. See Preston-Thomas, H., 0=10628
- Kalsch, E. See Bienlein, J. K., 4=9446
- Kalshoven, J. An aqueous homogeneous zero-energy suspension reactor. IV. The measurement of the colloid chemical stability of suspensions, 2=12268
- Kalshoven, J. See Hermans, M.E.A., 3=2538
- Kal'sina, M. V. See Khazanova, N. E., 4=29618
- Kaltenbrunner, M., Sizmann, R. and Wenzl, H. Reaction kinetics analysis of the energy release of irradiated graphite, 4=12832
- Kalter, H. See Bölger, B., 3=9982
- Kaltwasser, K. See Schuhmann, H., 2=21549
- Kalugin, B.A. and Mikhailov, I.G. A new ultrasonic method for measuring the elastic properties of solids at high temperatures, 2=4299
- Kalugin, K.S. See Belou, I.P., 2=3218
- Kalust'yan, R.T. See Dombrovskii, R.V., 3=16716
- Kaluzhinova, N.V. See Pines, B. Ya., 0=15855
- Kal'venas, S. P. and Pozhela, Yu. K. Absorption of microwave power in a waveguide by a semiconductor, 4=740
- Kalvenas, S. P. and Pozhela, Yu. K. Investigation of transition processes in semiconductors using microwave techniques, 4=1581
- Kal'venas, S. P. and Pozhela, Yu. K. Recombination of hot carriers in high electric fields in germanium in the region of intrinsic conductivity, 4=22713
- Kalvius, M. Information on the hyperfine structure splitting of the 8.42 keV γ -ray of Tm^{169} from the Mössbauer effect in Tm_2O_3 , 2=12367
- Kalvius, M., Kienle, P., Böckmann, K. and Eicher, H. Hyperfine structure splitting of recoilless γ -lines. II. The 8.42 keV level in Tm^{169} , 2=5811
- Kalvius, M., Kienle, P., Eicher, H., Wiedemann, W. and Schüller, C. Magnetic and quadrupole moments of the 8.42 keV state of Tm^{169} from the hyperfine structure splitting in Tm metal, 3=8008
- Kalvius, M., Wiedemann, W., Koch, R., Kienle, P. and Eicher, H. Hyperfine structure splitting of recoilless gamma lines. V. Temperature dependence of the hyperfine structure splitting of the 8.42 keV state in Tm^{169} in the temperature region between 300° and 14°K, 3=2416
- Kalvius, M., Zahn, U., Kienle, P. and Eicher, H. Hyperfine structure of the 14.4 keV state of Fe^{57} , bound in various iron carbonyls, 2=18245
- Kalvius, M. See Hüfner, S., 3=24841
- Kalvius, M. See Kienle, P., 4=12589
- Kalvius, M. See Zinn, W., 3=25522
- Kalvius, M. See Zinn, W., 4=26335
- Kalweit, C. See Schaaffs, W., 1=16039
- Kalyamin, A.V., Murin, A.N. and Preobrazhenskii, B.K. Concerning the yields of the spallation reaction of Bi^{209} , 3=10348
- Kalyamin, A.V. See Belyaev, B.N., 1=19472
- Kalyamin, A.V. See Belyaev, B.N., 2=7985
- Kalyamin, A.V. See Belyaev, B.N., 3=10316
- Kalyamin, A.V. See Belyaev, B.N., 3=10317
- Kalyamin, A.V. See Belyaev, B.N., 3=22317
- Kalyamin, A.V. See Belyaev, B.N., 3=24914
- Kal'yanov, B.I. and Nozdrev, V.F. Investigation of the velocity and absorption coefficient of ultrasound in ethyl acetate with a constant density, 0=8652
- Kal'yanova, S.M. See Gorelik, S.S., 1=10007
- Kalyatskii, I. I. and Kasserov, G. M. An investigation of the pulse breakdown of some solid dielectrics in a vacuum, 4=30643
- Kalyatskii, I. I. and Kassirov, G. M. The effect of electrode material on the pulsed electrical strength of a high vacuum gap, 4=14589
- Kalýnových, D.F. See Frantsevých, I.N., 1=12657
- Kalýnových, D.F. See Frantsevých, I.N., 1=12656
- Kalýnových, D.F. See Frantsevých, I.N., 1=12655
- Kalyush, A.V. See Yakovlev, V.A., 1=3594
- Kalyuzhnaya, G.K. See Gross, E.F., 2=10600
- Kam Li. Flux reversal in ferrite cores under the effect of a transverse field, 2=13637
- Kamachi, K. and Watanabe, M. A consideration on brittle fracture of pearlite-free iron, 2=23786
- Kamachi, K. See Watanabe, M., 2=10770
- Kamada, K. Low field magneto-resistance effect of plastically deformed n-type silicon, 1=8950
- Kamadzhiev, P.R. See Elistratov, A.M., 0=21192
- Kamadzhiev, P.R. See Elistratov, A.M., 1=15159
- Kamadzhiev, P.R. See Elistratov, A.M., 3=23486
- Kamaev, A. V. See Dubovskii, B. G., 4=12300
- Kamaev, A. V. See Dubovskii, B. G., 4=12316
- Kamaev, A.V. See Gromova, Z.I., 0=7667
- Kamaev, B.D. See Kosterin, S.I., 3=14197
- Kamal, A.A. K capture frequency in hydrogen, 1=5783
- Kamal, A.A. and Rao, G.K. A note on Castagnoli's formula, 3=4484
- Kamal, A. A., Rao, G. K. and Rao, Y. V. Re-determination of the scattering constant at long cell lengths, 4=19341
- Kamal, A.A. See K^- -collaboration, 0=1308
- Kamal, A.A. See Rao, G.K., 3=4483
- Kamal, A. K., Levine, M. W. and Fuller, F. L. Cathodoluminescence of ruby, 4=28735
- Kamal, A. K. and Subramanian, M. Laser power and energy measurement using nonlinear polarization in crystals, 4=19274
- Kamal, A.N. P-wave pion-pion resonance, 1=8496
- Kamal, A.N. The pion-nucleon coupling constant, 2=13850
- Kamal, A. N. The $\pi\pi \rightarrow K\bar{K}$ reaction and low energy p-wave πK scattering, 4=21932

- Kamal, A. N. Radiative corrections to $\pi \rightarrow \mu$ (or e) + ν with finite neutrino mass, 4=30245
- Kamal, A. N. See Allcock, G. R., 1=7272
- Kamal, I. and McLaughlin, E. Pressure and volume dependence of the thermal conductivity of liquids, 4=18193
- Kamarov, V. I. See Akimov, Yu. K., 4=16731
- Kamas, G. See Jespersen, J. L., 4=20873
- Kamashima, K. See Makino, S., 4=12966
- Kamashima, K. See Sugai, S., 4=3913
- Kamata, K. Zenith angle distribution of extensive air showers at 8500 m above sea level, 2=5765
- Kamata, K. and Nishimura, J. The lateral and the angular structure functions of electron showers, 0=389
- Kamata, K. See Imai, T., 2=3433
- Kamata, K. See Imai, T., 2=3434
- Kamata, K. See Imai, T., 2=13919
- Kamath, G. S., Craig, R. S. and Wallace, W. E. Order-disorder transformation in Cd-rich Mg-Cd alloys, 3=16103
- Kamb, W. B. The crystal structure of zunyite, 0=4651
- Kamb, W. B. Accuracy of atomic positions in the zunyite structure, 0=4652
- Kamb, W. B. The thermodynamic theory of nonhydrostatically stressed solids, 1=20325
- Kamb, W. B. The glide direction in ice, 2=795
- Kamb, W. B. Author's reply to discussions of the paper "The thermodynamic theory of nonhydrostatically stressed solids", 2=6722
- Kamb, W. B. and Datta, S. K. Crystal structure of the high-pressure forms of ice: Ice III, 0=16319
- Kambe, K. Intensity measurement of medium velocity electrons by means of the conductivity effect in CdS and application to electron diffraction in amorphous germanium, 3=4198
- Kambe, K. Theory of the silhouettes of dislocation lines in X-ray transmission diagrams, 4=6850
- Kambe, R. See Makishima, S., 2=715
- Kamber, K. T. See Choh-Yi Ang., 4=7411
- Kamberský, V. and Gontarz, R. Easy axis reversal in oblique-incidence iron films, 3=11087
- Kamberský, V., Málek, Z., Frait, Z. and Ondris, M. The dependence of the uniaxial magnetic anisotropy in evaporated films on the angle of incidence, 1=14718
- Kamberský, V., Málek, Z. and Kaczér, J. Equipment for the deposition and measurement of the magnetic anisotropy of thin films in a high vacuum, 1=16481
- Kambersky, V. See Andrä, W., 2=10657
- Kamberský, V. See Frait, Z., 1=17962
- Kamberský, V. See Frait, Z., 3=20596
- Kamberský, V. See Málek, Z., 2=4228
- Kamberský, V. See Ondris, M., 1=20101
- Kamberský, V. See Schüppel, W., 2=23667
- Kamborov, Kh. See Amov, B., 1=7337
- Kambour, R. P. Optical properties and structure of crazes in transparent glassy polymers, 3=8579
- Kamburov, C., Vankov, I., Derjansky, A. and Popov, I. Study of the possibilities of utilising the method of two counters for the measurement of weak activities, 4=27984
- Kamburov, Kh. Method of determining the long-term activity in atmospheric aerosols by changing the half-value period of Thorium-B, 2=6922
- Kamdar, M. H. See Westwood, A. R. C., 3=16006
- Kameda, T. On the high energy soft component near sea level, 1=9790
- Kameda, T. and Maeda, T. On the high energy soft components at 2770 m altitude, 1=10941
- Kameda, T., Maeda, T. and Toyoda, Y. On extensive air showers at 2770 m above sea-level, 1=2126
- Kameda, T., Toyoda, Y. and Maeda, T. On the electronic component of extensive air showers near the axis, 1=12137
- Kameda, T., Toyoda, Y. and Maeda, T. Cloud chamber study of extensive air showers near the sea-level, 3=4512
- Kamefuchi, S. On Salam's equivalence theorem in vector meson theory, 0=20065
- Kamefuchi, S. Quantization, statistics, and elementary particles, 4=11885
- Kamefuchi, S., O'Riartaigh, L. and Salam, A. Change of variables and equivalence theorems in quantum field theories, 2=3240
- Kamefuchi, S. and Strathdee, J. A generalization of field quantization and statistics. II. Interacting fields, 3=12388
- Kamefuchi, S. and Takahashi, Y. Invariance and the S-matrix, 0=17259
- Kamefuchi, S. and Takahashi, Y. A generalization of field quantization and statistics, 2=17371
- Kamefuchi, S. and Umezawa, H. The mass of gauge particles and the self-consistent method of quantum field theory, 4=19349
- Kamefuchi, S. and Umezawa, H. Bose fields and inequivalent representations, 4=9083
- Kamefuchi, S. See Fuiii, Y., 4=30144
- Kamefuchi, S. See Umezawa, H., 1=5633
- Kamefuchi, S. See Umezawa, H., 4=15005
- Kamegai, M. Studies of alpha particles from the Li^6 - Li^6 nuclear reaction, 3=22430
- Kamegai, M. See Allison, K., 1=16433
- Kamegai, M. See Allison, S. K., 4=22215
- Kamegai, M. See Huberman, M. N., 3=6300
- Kamei, H. See Nagami, H., 4=9614
- Kamei, I. Anti-rime roof for cosmic ray observation, 0=17454
- Kamei, O., Kobayashi, T. and Namiki, M. Many-body theoretical approach to the fire-ball model in multiple production of particles, 3=4545
- Kamei, O., Kobayashi, T. and Namiki, M. Many-body theoretical approach to the fire-ball model in multiple production of particles, 3=22156
- Kamei, O. See Ezawa, H., 1=3170
- Kamei, O. See Ezawa, H., 1=13481
- Kamei, O. See Watanabe, K., 1=13284
- Kamei, T. See Kumagi, H., 3=460
- Kamel, R. Vacancy precipitation in quenched gold from internal friction measurements, 0=17952
- Kamel, R. Natural pitting on cleaved surfaces of zinc crystals, 3=22787
- Kamel, R. Annealing out of vacancies in quenched gold, 4=22561
- Kamel, R. Transient changes of internal friction and elastic modulus effected by rapid quenching of pure gold, 4=23156
- Kamel, R. and Attia, E. A. On the release of cold-work in cadmium in terms of mechanical properties, 0=21125
- Kamel, R. and Attia, E. A. Annealing spectrum of cold-worked silver, 2=4335
- Kamel, R. and Attia, E. A. Annealing spectrum of cold-worked silver-cadmium alloys, 4=23290
- Kamel, R. and Bessa, F. A. Anomalous creep in polycrystalline zinc, 3=18190
- Kamel, R. and Bessa, F. A. Observations on work-hardening and fracture of pure polycrystalline zinc in tension, 3=18200
- Kamel, R. and Mahmoud, K. A. Lattice and grain boundary diffusion in cadmium by a tracer method, 0=17975
- Kamenetskaya, D. S., Rakhmanova, E. P. and Spektor, E. Z. Crystallization of supercooled binary alloys, 3=21624
- Kamenetskaya, D. S., Rakhmanova, E. P., Spektor, E. Z. and Shiryayev, V. I. On the mechanism of the influence of aluminium on the crystallization of iron, 0=3173
- Kamenetskaya, D. S. See Antekar', I. L., 4=1977
- Kamenetskaya, D. S. See Aptekar', I. L., 2=12924
- Kamenetskaya, D. S. See Aptekar', I. L., 3=25663
- Kamenetskii, V. D. The theory and calculations of slow-electron collisions with atoms, 0=20556
- Kamenetskii, V. D. The collision of slow electrons with hydrogen atoms, 3=2578
- Kamenev, Yu. G. See Frisman, E. V., 4=25788
- Kamenskaya, D. S. See Kreimer, G. S., 4=23221
- Kamenskii, E. I. See Aleksandrov, K. S., 1=16013
- Kamentssev, I. E. See Afanas'eva, N. A., 0=14021
- Kameswara Rao, A. Laminar natural convection flow with suction or injection, 3=99
- Kameswara Rao, K. V. and Ramakrishna Rao, V. The effect of the angle of a prism on its dispersion and dispersive power, 1=5342
- Kameswara Rao, N. See Balasubrahmanyam, V. K., 2=20448
- Kameswara Rao, N. See Daniel, R. R., 0=12923
- Kameswara Rao, N. See Ganguli, S. N., 2=12084
- Kameswara Rao, N. See Ganguli, S. N., 3=19757
- Kameswara Rao, N. See Ganguli, S. N., 4=3506
- Kamhi, S. R. On the structures of vaterite, CaCO_3 , 3=25727
- Kami, H. See Sasakura, H., 4=17462
- Kami, H. See Umemura, T., 3=9883
- Kamieniecki, E. On some optical properties of thin $\text{Cd}_{0.9}\text{Hg}_{0.1}\text{Te}$ layers, 4=13026
- Kamiński, E. See Gauk, W., 4=19918
- Kamigaichi, T. Electrical and magnetic properties of chromium sulphides, 1=14465
- Kamigaichi, T., Masumoto, K. and Hihara, T. Electrical properties of chromium sulfides, 1=11250

- Kamigaichi, T. See Masumoto, K., 2=23686
 Kamigaichi, T. See Tatsumoto, E., 2=14771
 Kamigaki, K. Ultrasonic attenuation in tin single crystals at low temperatures, 1=14175
 Kamigaki, K. Ultrasonic attenuation in magnetite at low temperatures, 1=14174
 Kamigaki, K. and Hirone, T. Ultrasonic attenuation in Al and Al-Cu alloys at low temperatures, 2=3832
 Kamigaki, K. See Kayano, H., 3=8353
 Kamigaki, K. See Koda, S., 3=22650
 Kamigaki, T. See Suzuki, T., 0=21098
 Kamijo, F. Vibrational transition probabilities of the ${}^1\Pi_u-{}^1\Sigma_g^+$ system (Phillips system) of carbon molecule, 1=15505
 Kamijo, F. A theoretical study on the long period variable star, 3=5262
 Kamijo, F. A theoretical study on the long period variable star. II. A cause of the semiregular variability, 3=16399
 Kamil, Z. See Goldring, G., 0=17176
 Kamilov, I. K. A study of the thermal conductivity of solids in the range 80 - 500°K, 3=4831
 Kamilov, I. K. Thermal conductivity of nickel-zinc ferromagnetic semiconductors in the temperature range 80-500°K, 3=17669
 Kamilov, I. K. See Mikryukov, V. E., 3=4825
 Kamimura, H. Anisotropic spin-orbit coupling of d^3 and d^8 solutes in corundum, 3=2694
 Kamimura, H. Selection rules for cyclotron resonance of holes in germanium and silicon, 3=6506
 Kamimura, H. Theory of antiferromagnetic resonance absorption in CoF_2 , 4=13301
 Kamimura, H., Koide, S., Sekiyama, H. and Sugano, S. Magnetic properties of the Pd and Pt group transition metal complexes, 1=10128
 Kamimura, H. and Sugano, S. Luminescence processes in the KCl:Tl phosphor in a multidimensional configuration space, 0=21005
 Kamimura, H. and Tanabe, Y. Antiferromagnetic ordering effect on the infrared absorption spectrum of CoF_2 , 3=15673
 Kamimura, H. See Dietz, R. E., 4=4042
 Kamimura, H. See Dillon, J. F., Jr., 3=919
 Kamimura, H. See Dillon, J. F., Jr., 3=15656
 Kamimura, H. See Ferguson, J., 3=19993
 Kaminer, N. S. On the variability of the meteorological coefficients of the hard component of cosmic radiation, 1=3339
 Kaminer, N. S. See Blokh, Ya. L., 1=3345
 Kaminer, N. S. See Blokh, Ya. L., 1=3347
 Kaminer, N. S. See Blokh, Ya. L., 1=19308
 Kaminishi, T. Calculation of the dose rate of a hollow cylindrical source, 0=20365
 Kaminishi, T. Scattering of gamma-rays. III. A monochromatic gamma-ray source using Compton scattering, 3=4369
 Kaminishi, T. Scattering of gamma-rays. IV. Backscattering from some scatterers of a finite thickness (1), 4=3371
 Kaminishi, T. and Kojima, C. Production of nuclear isomers. I. Production of nuclear isomers with bremsstrahlung, 2=18271
 Kaminishi, T. and Kojima, C. Production of nuclear isomers. II. Precise measuring equipment for half-life of second order, 3=645
 Kaminishi, T. and Kojima, C. Production of nuclear isomers. IV. Some irradiating conditions affecting activation rate, 3=8067
 Kaminishi, T. and Kojima, C. Production of nuclear isomers from stable nuclides with bremsstrahlung, 3=24856
 Kaminishi, T. and Nakashima, Y. Detection of low energy electron in beta-ray spectrometry, 4=21840
 Kaminisi, K. Distribution of hydrogen and helium in the interior of the star, 1=5161
 Kaminisi, K. Numerical integrations for the highly degenerate isothermal cores of collapsed stars, 4=20893
 Kaminker, D. M. See Abrosimov, N. K., 4=14841
 Kaminker, D. M. See Berestovoi, A. M., 4=6236
 Kaminker, D. M. See Dukarevich, Yu. V., 3=17483
 Kaminker, D. M. See Dukarevich, Yu. V., 4=22160
 Kaminow, I. P. Volume dependence of ferrimagnetic resonance properties in $\text{Ni}_{1-x}\text{Co}_x\text{Fe}_2\text{O}_4$, 0=10207
 Kaminow, I. P. Microwave modulation of the electro-optic effect in KH_2PO_4 , 1=12484
 Kaminow, I. P. Splitting of Fabry-Perot rings by microwave modulation of light, 3=22024
 Kaminow, I. P. Balanced optical discriminator, 4=18368
 Kaminow, I. P. Strain effects in electrooptic light modulators, 4=18369
 Kaminow, I. P. and Harding, G. O. Complex dielectric constant of KH_2PO_4 at 9.1° C/sec, 3=8553
 Kaminow, I. P. and Jones, R. V. Pressure dependence of the microwave resonance properties of some spinel and garnet ferrites, 1=11468
 Kaminow, I. P. See Dymanus, A., 1=6395
 Kamińska, U. See Glowacki, J., 3=7212
 Kaminskii, D. L. See Vasilenko, S. S., 1=19401
 Kaminskii, D. L. See Vasilenko, S. S., 2=18303
 Kaminskii, D. L. See Vasilenko, S. S., 2=20318
 Kaminskii, A. A., Kornienko, L. S., Makarenko, L. V., Prokhorov, A. M. and Fursikov, M. M. Investigation of the induced radiation of Nd^{3+} in CaF_2 at room temperature, 4=15613
 Kaminskii, A. K. and Lonskii, E. S. A thick-walled ionization chamber as a monitor for γ -rays with energy $0 < W < 100$ MeV, 4=16861
 Kaminskii, D. L., Novik, K. M., Alekseev, N. I. and Varshalovich, L. S. The hyperfine splitting of the ground state of Tm^{169} , 4=12378
 Kaminskii, D. L. See Alekseev, N. I., 4=29983
 Kaminskii, D. L. See Antonova, S. F., 0=9566
 Kaminskii, D. L. See Antonova, S. F., 0=9567
 Kaminskii, D. L. See Antonova, S. F., 0=13210
 Kaminskii, D. L. See Badalov, N. B., 3=22347
 Kaminskii, D. L. See Badalov, N. B., 4=6283
 Kaminskii, D. L. See Kaganskii, M. G., 4=24609
 Kaminskii, M. G. Some problems of the theory of the galvanometer when used in phosphorescent measurements, 2=2873
 Kaminskii, V. A. and Orlov, Yu. V. Interaction in the initial and final states in direct nuclear reactions, 3=15164
 Kaminskii, V. A. and Orlov, Yu. V. Direct nuclear reactions and interaction in the initial and final states, 4=1059
 Kaminskii, V. A. See Timashev, S. F., 0=9595
 Kaminskii, Yu. L. See Bershtein, I. Ya., 4=16114
 Kaminsky, G. See Lee, C. A., 0=1636
 Kaminsky, G. See Lee, C. A., 0=6122
 Kaminsky, G. See Lee, C. A., 0=18045
 Kaminsky, M. Sputtering experiments in the Rutherford collision region, 2=13609
 Kaminsky, M. See Chupka, W. A., 2=2030
 Kaminsky, V., Orlov, Yu., Marchenko, N. and Orevkov, Yu. Nuclear optical model and bound states, 4=6180
 Kaminsky, V. A. and Orlov, Yu. V. Interaction in the initial and final states in direct nuclear reactions, 3=22352
 Kaminsky, V. A. and Orlov, Yu. V. Direct nuclear reactions and interaction in the initial and final states, 4=6308
 Kamionko, L. A. See Kalinyak, A. A., 2=13102
 Kamionko, L. A. See Kalinyak, A. A., 2=17240
 Kamiryo, K., Hozumi, H., Shibata, Y. and Fukushima, Y. Traveling-wave tube experiments at six millimeter wavelengths. II. Measurements of field patterns for a comb-type slow-wave structure, 3=2131
 Kamiryo, K. See Hozumi, H., 3=2130
 Kamitsubo, H. Coulomb excitation of As^{75} , 2=10007
 Kamitsubo, H., Ohnuma, H., Ono, K., Uchida, A., Shinohara, M., Imaizumi, M., Kobayashi, S. and Sekiguchi, M. Elastic scattering of 55 MeV protons by heavy nuclei, 4=25385
 Kamiya, K. A simple method for marking the vacuum ultraviolet spectra with the intensity scale, 4=16240
 Kamiya, K. Theory of Fresnel Zone Plate, 4=24390
 Kamiya, K. and Yoshihara, K. Effect of gas pressure on the sensitivity of pneumatic cell, 2=2932
 Kamiya, Y. Cosmic-ray storms and solar radio emissions, 0=11254
 Kamiya, Y. A new fine focus X-ray tube, 0=20108
 Kamiya, Y. Solar magnetic cloud producing cosmic-ray storm, magnetic storm and type IV solar radio outburst, 2=12037
 Kamiya, Y. Solar magnetic cloud producing cosmic-ray storm, magnetic storm and type IV solar radio outburst, 2=20478
 Kamiya, Y. The east-west asymmetry of cosmic rays with high energy and positive excess, 3=24828
 Kamiya, Y. Effect of inelastic scattering on mean and anomalous absorption coefficients of electrons in magnesium oxide crystals studied by electron microscope, 3=25802
 Kamiya, Y., Ando, K., Nonoyama, M. and Uyeda, R. Dislocation networks and moiré patterns of molybdenite, 1=12387
 Kamiya, Y., Nonoyama, M. and Uyeda, R. Electron microscopic observation of the superlattice in serpentine, 0=21259

- Kamiya, Y., Sagisaka, S., Ueno, H., Kato, S. and Sekido, Y. Directional and momentum dependence of the positive excess of the cosmic-ray mesons, 2=12076
- Kamiya, Y., Ueno, H., Sagisaka, S. and Sekido, Y. Energy-dependence of the positive excess of cosmic-ray μ -mesons, 4=3505
- Kamiya, Y. and Uyeda, R. Effect of incoherent waves on the electron microscopic images of crystals, 1=15045
- Kamiya, Y. and Uyeda, R. An electron microscopic study on the crystal growth of silver evaporated on molybdenite, 1=20429
- Kamiya, Y. and Uyeda, R. Effect of incoherent waves on the electron microscopic images of crystals, 3=1298
- Kamiya, Y. and Uyeda, R. Absorption of electrons in crystals, 3=20965
- Kamiya, Y. and Wada, M. Cosmic-ray storms and solar radio outbursts, 0=20280
- Kamiya, Y. See Brooke, G., 4=6156
- Kamiya, Y. See Brooke, G., 4=19614
- Kamiya, Y. See Itoh, J., 3=1208
- Kamiya, Y. See Kimoto, K., 4=4645
- Kamiya, Y. See Sekido, Y., 1=2141
- Kamiya, Y. See Sekido, Y., 2=12067
- Kamiyama, H. The ionospheric storm at middle latitudes, 2=6943
- Kamiyama, H. Morphology of ionospheric storms, 2=13037
- Kamiyama, H. Intensity variation of oxygen red line in the night airglow, 3=1468
- Kamiyama, H. The spiral distribution of the sporadic E ionization in the polar region, 4=4816
- Kamiyama, M., Haradome, M. and Kukimoto, H. High-voltage photovoltaic effect in evaporated CdTe films, 3=2973
- Kamiyama, M., Tohyama, Y., Namba, S. and Kim, P. H. Fluorescence of laser ruby rods, 4=1776
- Kamiyama, M. See Karube, N., 3=13600
- Kamiyama, M. See Karube, N., 3=23516
- Kamiyoshi, K. and Fujimura, T. Dielectric absorption of some alcohols, 2=17478
- Kamiyoshi, K. and Fujimura, T. Microwave absorption of a mixture of two polar liquids, 2=19576
- Kamiyoshi, K. and Yamakami, T. Study on the phase transition of ammonium nitrate by dielectric observation and by differential thermal analysis, 1=1356
- Kamiyoshi, K. and Yamakami, T. Some observations on plastic deformation and slip lines of sodium chloride whisker, 1=14901
- Kamiyoshi, K. and Yamakami, T. Observations on growth shape, plastic deformation and slip line of sodium chloride whisker, 1=20448
- Kamiyoshi, K. See Fujimura, T., 2=8460
- Kamjo, F. A theoretical study on the long period variable star. III. Formation of solid or liquid particles in the circumstellar envelope, 4=13886
- Kamke, D. Energy spectrum and angular distribution of alpha particles of the reaction $B^{11}(p, \alpha)Be^{8*}$ (2.9 MeV) in the region of the 163 keV resonance. I, 0=428
- Kamke, D. Energy spectrum and angular distribution of the α -particles of the reaction $B^{11}(p, \alpha)Be^{8*}$ (2.9 MeV) in the region of the 163 keV resonance. II, 0=439
- Kamke, D. and Kramer, P. Energy loss and range of alpha-particles in boron in the energy range 0.2-5.3 MeV, 2=16249
- Kamke, D. and Krüger, H. Density of deuterons in a self-target in gold, 3=12514
- Kamke, D. and Richter, F. W. On the mechanism of the canal-ray discharge. II, 3=21729
- Kamke, D. See Dehnhard, D., 2=1833
- Kamke, D. See Dehnhard, D., 2=10038
- Kamke, D. See Dehnhard, D., 3=8061
- Kamke, D. See Haun, S., 1=18734
- Kamm, G. N. and Alers, G. A. Low-temperature elastic moduli of aluminum, 4=13390
- Kamm, G. N. and Bohm, H. V. Instrumentation for ultrasonic attenuation studies, 2=21983
- Kamm, G. N. and Bohn, H. V. Magnetoacoustic measurements of the Fermi surface of aluminum, 3=17682
- Kamm, G. N. and Bohm, H. V. 342 Mc/s magnetoacoustic measurements in aluminum, 4=15453
- Kammash, T. Elastic-plastic thermal stresses in tubes subjected to uniform heat generation. Evaluation of experimental results obtained using graphite tubes, 1=20341
- Kammash, T. and Gombert, H. J. Interaction of radiation and matter, a part of the nuclear engineering curriculum, 2=5993
- Kammash, T. and Heckrotte, W. Stable longitudinal oscillations in anisotropic plasma, 3=24309
- Kammash, T. and Heckrotte, W. Stable longitudinal oscillations in anisotropic plasma. II, 4=8751
- Kammash, T. B., Murch, S. A. and Naghdi, P. M. The elastic-plastic cylinder subjected to radially distributed heat source, lateral pressure and axial force with application to nuclear reactor fuel elements, 1=1310
- Kammer, E. W. Transducer-thickness effects in measuring ultrasonic velocities, 4=27266
- Kammer, E. W. See Smith, R. J., 2=14488
- Kammerer, A. The measurement of the elastic coefficients of materials, 0=4547
- Kämmerer, C. Various types of equations and problems of technical dimensions, 1=4233
- Kammerer, O. F. See Kelsch, J. J., 1=2246
- Kammerer, O. F. See Kelsch, J. J., 2=10426
- Kammerer, O. F. See Kelsch, J. J., 3=13015
- Kammerer, O. F. See Kelsch, J. J., 3=17802
- Kammerer, O. F. See Strongin, M., 4=18582
- Kämmerer, W. Digital computer with programming by mathematical formula, 1=12731
- Kammuri, T. Compound nucleus processes in the reactions between complex nuclei, 1=12224
- Kammuri, T. Semiclassical analysis of the multinucleon transfer reactions between complex nuclei, 3=8066
- Kammuri, T. Angular momentum effect on neutron evaporation, 3=17499
- Kammuri, T. Pairing correlations in excited nuclei with specified angular momentum, 4=27932
- Kammuri, T. and Nakashima, R. Angular distributions of $(^{14}N, \alpha)$ reactions, 1=740
- Kammuri, T. and Nakasima, R. Distorted wave analysis of nuclear transfer reactions, 4=22208
- Kammuri, T., Nakasima, R. and Takgi, S. On the exchange effect in the stripping reactions, 0=9636
- Kammuri, T. See Kakudo, Y., 0=15343
- Kammuri, T. See Kakudo, Y., 0=17329
- Kamnev, A. B. See Goryunov, N. N., 1=2128
- Kamochkin, B. A. and Tovchigrechko, S. S. A photoelectric device for a printing chronograph, 2=21866
- Kamoldinov, M. G. and Reikhrudel', E. M. Photoconductivity and quantum yield in germanium under the action of X-rays, 1=19849
- Kamoldinov, M. G. and Reikhrudel', E. M. Photoconductivity and quantum yield in germanium under the action of X-rays, 2=4064
- Kamoshita, G. See Hasiguti, R. R., 2=21407
- Kamp, P. van de. See van de Kamp, P.
- Kampen, N. G. van. See van Kampen, N. G.
- Kamper, R. A. Paramagnetic resonance, 0=4505
- Kamper, R. A. See Bowers, K. D., 0=9821
- Kamper, R. A. A.C. loss in superconducting lead-bismuth, 3=3956
- Kamper, R. A. The critical current of a superconductor of the second kind, 3=19112
- Kamper, R. A. and Chester, P. F. A.C. experiments on hard superconductors, 4=16362
- Kamper, R. A. See Harvey, J. S. M., 1=3932
- Kampermann, H. See v. Fragstein, C., 3=11943
- Kamphausen, H. A. Method for making multiple glass-tungsten rod seals, 4=2748
- Kamphouse, J. L. Correlation of neutron monitor pressure coefficient and the solar cycle, 4=9335
- Kamphusmann, J. On the initial value problem of the Dirac equation, 3=16529
- Kamprath, W. Infrared absorption of amorphous selenium with added arsenic, 1=5050
- Kamprath, W. The optical absorption of amorphous selenium with additions of tellurium, arsenic and bismuth, 3017
- Kamshilina, V. M. Quenching of the resonance radiation of mercury in a gaseous discharge, 3=19938
- Kamysheva, L. N. Effect of doping with chromic oxide on some dielectric piezoelectric properties of borium titanate, 2=16791
- Kan Chan-Khé. See Eliseev, P. G., 3=20179
- Kan, L. S., Lazarev, B. G. and Makarov, V. I. The superconductivity of tin and indium under pressure, 1=18723
- Kan, S. K. See Sauzade, M., 4=8957
- Kan, S. V. See Ivlev, V. F., 3=20600
- Kan, S. V. See Kirenskii, L. V., 2=21321
- Kan, S. V. See Kirenskii, L. V., 2=21322

- Kan, S.V. See Kirenskii, L.V., 3=11081
- Kan Tze-chao. Theory of tunnelling processes in germanium tunnel diodes. I. Impurity-induced current, 4=1635
- Kan Tze-ghao. Theory of tunnelling processes in germanium tunnel diodes. II. Phonon-assisted current, 4=1636
- Kan, V.L. and Kelzon, A.S. Stable and unstable trajectories of proportional navigation, 0=6717
- Kan, Ya.S. and Polyakov, L.M. A method of measuring tangential stresses in a medium transmitting high pressure, 2=17408
- Kan, Ya.S. and Polyakov, L.M. A method of measuring tangential stresses in a medium transmitting high pressure, 2=19508
- Kana, D.D. See Ju, F.D., 4=2619
- Kanada, H., Nagata, S., Otsuki, S. and Sumi, Y. On nucleon-He⁴ interaction and nuclear forces, 4=3498
- Kanada, H. and Watanabe, K. Phase shifts of pion-pion scattering, 4=30261
- Kanaev, A.A. and Ya. Veiler, S. Elastic-kinetic phenomena in friction in cases of plastic deformation of metals, 4=26483
- Kanai, T., Nii, R. and Watanabe, N. Electrical properties of lead telluride, 3=867
- Kanai, Y. Electrical properties of n-type InSb in high electric field at 77°K, 0=20917
- Kanai, Y. Hot holes in tellurium, 1=1085
- Kanai, Y. The change in electron mobility in indium antimonide at low electric field, 1=8954
- Kanai, Y. Helicon oscillation in PbTe, 3=2920
- Kanai, Y. Helicon waves in PbTe, 3=13079
- Kanai, Y., Nii, R. and Watanabe, N. Oscillatory magnetoresistance in n-type PbTe, 1=14379
- Kanai, Y., Nii, R. and Watanabe, N. Electrical properties of lead telluride, 1=17747
- Kanai, Y. and Shohno, K. Dielectric constant of PbTe, 3=13106
- Kanai, Y. See Watanabe, N., 4=28747
- Kanal, M. Theory of current collection of moving cylindrical probes, 4=24676
- Kanal, M. See Nagy, A.F., 4=13843
- Kanamori, H. A new method for downward continuation of two-dimensional gravity distribution, 4=13764
- Kanamori, H. A new definition of information volumes on radiographs from density-to-thickness curves, 4=14843
- Kanamori, H. The determination of the optimum density and the density-range of radiographs from visual effects, 4=24782
- Kanamori, H. See Okanishi, S., 0=3748
- Kanamori, J. Superexchange interaction and symmetry properties of electron orbitals, 0=2802
- Kanamori, J. Theory of the magnetic properties of ferrous and cobaltous oxides. I, 0=8070
- Kanamori, J. Theory of the magnetic properties of ferrous and cobaltous oxides. II, 0=8071
- Kanamori, J. Crystal distortion in magnetic compounds, 0=10114
- Kanamori, J. Magnetic properties of the iron-group anhydrous chlorides, 0=13848
- Kanamori, J. Electron correlation and ferromagnetism of transition metals, 4=1839
- Kanamori, J. Anisotropy and magnetostriction of ferromagnetic and antiferromagnetic materials, 4=22970
- Kanamori, J. and Minatono, H. The magnetic anisotropy constant in the case of strong anisotropy, 3=8658
- Kanamori, J. and Sugimoto, K. The magnetic field at the nucleus of Sm⁺⁺⁺ induced by paramagnetism of 4f-electrons, 0=402
- Kanamori, J. and Tachiki, M. Collective motion of spins in ferro- and antiferromagnets, 3=984
- Kanamori, J. and Tachiki, M. Collective motion of spins in ferro- and antiferromagnets, 3=985
- Kanamori, J. See Date, M., 2=6418
- Kanamori, J. See Okiji, A., 4=28410
- Kanamori, J. See Portis, A.M., 2=14762
- Kanamori, J. See Portis, A.M., 2=14843
- Kanamori, Y. See Tamura, K., 4=24941
- Kanania, S. and Ueno, K. Propagation mechanism of high frequency waves related to the annular eclipse of 19th April, 1958, 0=19940
- Kanarek, T. See Gramenitskii, I.M., 4=28054
- Kanaris, A.D. See Cohen, R.C., 4=923
- Kanaris, A.D. See Cohen, R.C., 4=25600
- Kanaris, A.D. See Cohen, R.C., 4=28053
- Kanaris, A.D. See Edwards, S.F., 2=16220
- Kanasaki, K. See Iizuka, T., 3=20170
- Kanasaki, K. See Iizuka, T., 3=20171
- Kanasaki, K. See Iizuka, T., 3=25667
- Kanasaki, K. See Iizuka, T., 4=1481
- Kanasewich, E.R. Approximate age of tectonic activity using anomalous lead isotopes, 3=7024
- Kanasewich, E.R. and Savage, J.C. Dirac's cosmology and radioactive dating, 4=4835
- Kanavets, V.P., Levintov, I.I. and Morozov, B.V. Limiting values of the π^+p scattering amplitude, 1=19258
- Kanavets, V.P., Levintov, I.I. and Morozov, B.V. Limiting values of the p scattering amplitude, 2=22601
- Kanavetz, V.P., Levintov, I.I. and Morozov, B.V. Comparison of $\pi-p$ and $p-p$ elastic scattering on the basis of a model with three Regge poles, 3=14983
- Kanavets, V.P., Levintov, I.I. and Morozov, B.V. Comparison of elastic πp and pp -scattering on the basis of the three Regge pole model, 4=3461
- Kanavetz, V.P., Levintov, I.I., Morozov, B.V. and Shafranov, M.D. Polarization in $p-p$ scattering at the proton energy of 8.5 GeV, 4=6047
- Kanavets, V.P., Levintov, I.I., Morozov, B.V. and Shafranov, M.D. Polarization in $p-p$ scattering at 8.5 BeV, 4=9195
- Kanavets, V.P. and Morozov, B.V. A photomultiplier output stage, 3=24185
- Kanavets, V.P. See Barmin, V.V., 1=19324
- Kanavets, V.P. See Pershin, I.I., 2=3227
- Kanaya, K., Kato, A. and Yamayi, I. Asymmetric images due to misalignment in the electron microscope, 0=15078
- Kanaya, K. and Kawakatsu, H. Electro-static stigmators used in correcting second and third order astigmatisms in the electron microscope, 2=11717
- Kanaya, K., Kawakatsu, H. and Matsui, S. Electron beam trajectory tracing by caustic and shadow image, 3=24360
- Kanaya, K., Kawakatsu, H., Matsui, S., Yamazaki, H., Okazaki, I. and Tanaka, K. Micro color recording, etching and machining by means of high voltage ion beam, 4=29998
- Kanaya, K., Kawakatsu, H., Okazaki, I. and Takizawa, T. Magnetic deflection of electron beams and caustic patterns, 4=11708
- Kanaya, S. and Yokoi, H. The bearing of WWV signals, Washington, D.C., observed at Tokyo, 2=3174
- Kanaya, S. See Miya, K., 0=15156
- Kanayama, M. Temperature distribution and its changes in a solid bombarded by a beam of charged particles. I, 2=16619
- Kanayama, M. See Kiyono, S., 3=21918
- Kanazawa, A. On the static approximation of the γ_5 meson theory, 0=12871
- Kanazawa, A. Foldy transformation in the pion-hyperon system, 0=13026
- Kanazawa, A. The electric polarizability of the neutron in the static meson theory, 1=8437
- Kanazawa, A. Resonance model of $\Lambda-K^0$ production, 1=10924
- Kanazawa, A., Furui, S. and Sakuma, T. Electromagnetic properties of nucleons, 0=12916
- Kanazawa, A. and Sakuma, T. Electromagnetic form factors of nucleon, 3=22115
- Kanazawa, A., Sugawara, M. and Tanaka, K. Intermediate vector boson and radiative lepton decay of the K meson, 1=7282
- Kanazawa, A. and Tani, S. Electric polarizability of the neutron, 1=19205
- Kanazawa, A. and Tokuda, N. ω Meson and a bound state of $p-\pi$ system, 4=27892
- Kanazawa, A. and Tokuda, N. K* resonance, 4=3479
- Kanazawa, A., Tokuda, N. and Kurata, Y. A soluble model of the partial wave dispersion equation and the bootstrap approximation, 4=9137
- Kanazawa, A. See Sakuma, T., 0=15394
- Kanazawa, A. See Sugawara, M., 0=1254
- Kanazawa, A. See Sugawara, M., 0=17393
- Kanazawa, A. See Sugawara, M., 1=12060
- Kanazawa, A. See Sugawara, M., 2=16166
- Kanazawa, A. See Tokuda, N., 3=19675
- Kanazawa, A. See Tsuchida, T., 0=15406
- Kanazawa, H. Note on Bloch-Nordsieck transformation and electron lattice interaction, 0=9870
- Kanazawa, H. On the subsidiary conditions in the Bohm-Pines theory of electron plasma, 0=11595
- Kanazawa, H. On positronium in metals, 0=13520
- Kanazawa, H. On the plasma oscillations in metal foils, 2=6305
- Kanazawa, H. Energy losses by fast electrons in thin solid foils, 4=12720
- Kanazawa, H. and Matsudaira, N. Green function method for electron gas. III. Diamagnetism, 1=3647
- Kanazawa, H. and Matsudaira, N. Diamagnetism of a dense electron gas, 1=3876

- Kanazawa, H., Misawa, S. and Fujita, E. Green function method for electron gas. II. Dispersion relation of plasmons, 1=3646
- Kanazawa, H. and Tani, S. Effect of electron exchange on the dispersion relation of plasma oscillations, 0=12608
- Kanazawa, H. and Watabe, M. Green function method in quantum-statistics, 1=68
- Kanazawa, H. and Watabe, M. Green function method for electron gas. I. General formulation, 1=3645
- Kanazawa, H. See Donovan, B., 0=15111
- Kanazawa, K. K. and Brown, F. C. Cyclotron resonance in cadmium telluride, 4=28432
- Kanazawa, T. See Itagaki, H., 4=26489
- Kanazawa, T. See Miyake, Y., 2=6924
- Kanazirski, C. M. See Zlatanov, Z. M., 4=11997
- Kanazirski, Kh. M. See Zlatanov, Z. M., 4=27854
- Kanazirski, Kh. M. See Zlatanov, Z. M., 4=27855
- Kanda, E. See Haseda, T., 0=10222
- Kanda, E. See Haseda, T., 3=1060
- Kanda, E. See Haseda, T., 4=20512
- Kanda, E. See Kobayashi, H., 1=12517
- Kanda, E. See Ohtsubo, A., 0=10096
- Kanda, E. See Ohtsubo, A., 3=1059
- Kanda, E. See Ohtsubo, A., 3=14709
- Kanda, E. See Tsujikawa, I., 0=13695
- Kanda, E. See Tsujikawa, I., 4=4261
- Kanda, E. See Ueki, K., 2=3841
- Kanda, F. A. See Vang, F. E., 3=11266
- Kanda, F. A. See Wang, F. E., 3=20838
- Kanda, S. and Kawaguchi, S. Electrical conductivity of some coordination polymers, 1=8928
- Kanda, S. See Kobayashi, H., 3=11103
- Kanda, Y. See Blackwell, L. A., 0=10067
- Kanda, Y. See Spomer, H., 4=13097
- Kanda, Y. See Sugiyama, K., 1=12170
- Kandare, S. See Robin-Kandare, S., 4=7119
- Kandare, S. See Robin-Kandare, S., 4=10164
- Kandare, S. See Robin-Kandare, S., 4=22849
- Kandaurova, G. S. and Shur, Ya. S. Some magnetic properties of manganese-bismuth alloy powder, 1=7750
- Kandaurova, G. S. and Shur, Ya. S. Domain structure of a cobalt single crystal, 4=22979
- Kandaurova, G. S. and Shur, Ya. S. Some specific features of the domain structure of magnetoplumbite single crystals, 4=26313
- Kandaurova, G. S., Shur, Ya. S. and Maslennikova, F. V. Dependence of the magnetic structure of a cobalt crystal on its size, 0=6233
- Kandaurova, G. S., Shur, Ya. S. and Shtol'ts, E. V. Magnetic properties of magneto-anisotropic specimens composed of ferromagnetic powders. II. Anisotropy of the magnetic properties, 0=3302
- Kandaurova, G. S. See Shur, Ya. S., 1=3903
- Kandaurova, G. S. See Shur, Ya. S., 4=28818
- Kandel, R. Deviation from equilibrium and abundances in solar and stellar photospheres. V. The abundance of titanium, 1=15452
- Kandel, P. See Balli, E., 1=18032
- Kandel, R. J. Methane-tritium system. I. Mass spectra of tritium-substituted methanes, 4=3921
- Kandiah, K. High speed intermediate storage systems, 2=9494
- Kandilarov, B. Eigenfrequencies of finite one-dimensional crystal lattice with epitaxial structure, 4=6700
- Kandilarov, B. The eigenfrequencies of a finite one-dimensional crystal lattice with epitaxial structure, 4=12603
- Kandilarov, B. See Stainov, G., 4=28392
- Kandyba, V. V. Measurement of temperatures in flames, gas flow, and plasmas from spectral line intensities, 4=29933
- Kandýba, V. V. See Kantor, P. B., 2=18529
- Kandýba, V. V. See Lazareva, L. S., 2=8173
- Kandýba, V. V. See Lazareva, L. S., 2=23074
- Kane, B. See Straley, R., 0=9139
- Kane, D. C. Bismuth-antimony thermojunctions, 3=15640
- Kane, E. O. Zener tunneling in semiconductors, 0=4332
- Kane, E. O. Phonon broadening of impurity lines, 0=11756
- Kane, E. O. Theory of tunneling, 1=2404
- Kane, E. O. Spectral moments and continuum perturbation theory, 2=2596
- Kane, E. O. Report on the symposium on electronic tunnelling in solids, Philadelphia, 1961, 2=12412
- Kane, E. O. Theory of photoelectric emission from semiconductors, 2=17870
- Kane, E. O. Multiphonon processes in tunneling, 2=23279
- Kane, E. O. Energy bands in impure semiconductors, 3=10742
- Kane, E. O. Thomas-Fermi approach to impure semiconductor band structure, 3=17678
- Kane, E. O. Perturbation-moment method: application to band structure of impure semiconductors, 3=22683
- Kane, E. O. Implications of crystal momentum conservation in photoelectric emission for band-structure measurements, 4=14746
- Kane, E. O. See Braunstein, R., 3=2753
- Kane, E. O. See Gobeli, G. W., 4=14748
- Kane, E. O. See Morgan, J. V., 0=2880
- Kane, G., McDaniel, R. E., Barkow, A. G. and O'Friel, Z. Flux density of primary cosmic rays at the geomagnetic equator, 3=7946
- Kane, G. See Alumkal, A., 0=17575
- Kane, G. See Barkow, A. G., 3=17312
- Kane, G. L. Study of a self-consistent calculation of the Ω^- as a $\bar{K} \Xi$ bound state, 4=25191
- Kane, G. L. and Spearman, T. D. Modified phase shift analysis of pion-nucleon scattering data, 3=24779
- Kane, G. L. See Jackson, J. D., 2=11940
- Kane, J. A surface wave antenna as a boundary value problem, 4=5819
- Kane, J. and Karp, S. N. A simplified theory of diffraction at an interface separating two dielectrics, 4=11799
- Kane, J. and Osterberg, H. Optical characteristics of planar guided modes, 4=14381
- Kane, J. and Spence, J. Rayleigh wave transmission on elastic wedges, 4=4740
- Kane, J. A. Re-evaluation of ionospheric electron densities and collision frequencies derived from rocket measurements of refractive index and attenuation, 3=6983
- Kane, J. A., Jackson, J. E. and Whale, H. A. R. F. impedance probe measurements of ionospheric electron densities, 3=6972
- Kane, J. A. See Jackson, J. E., 0=12146
- Kane, J. A. See Jespersen, M., 4=26856
- Kane, J. R., Siegel, R. T. and Suzuki, A. Improved noble liquid scintillation counter, 3=22034
- Kane, J. R., Siegel, R. T. and Suzuki, A. Scintillations in normal and superfluid helium, 4=380
- Kane, J. V., Pixley, R. E., Schwartz, R. B. and Schwarzschild, A. Lifetimes of the first excited states of F^{17} and O^{17} , 0=17551
- Kane, J. V., Pixley, R. E. and Wilkinson, D. H. Isotopic spin selection rules. XIV. Transitions between mirror states in ^{13}C and ^{13}N , 0=20353
- Kane, J. V., Pixley, R. E. and Wilkinson, D. H. Radiative capture of protons by F^{19} at a bombarding energy of 669 keV, 0=20442
- Kane, J. V. and Spinrad, R. J. A stored program computer as a multi-parameter radiation analyzer, 4=11844
- Kane, J. V. and Spinrad, R. J. A stored-program computer as a multi-parameter radiation analyzer, 4=21694
- Kane, J. V. See Donovan, P. F., 1=10964
- Kane, J. V. See Donovan, P. F., 4=22188
- Kane, J. V. See El-Wahab, M. A., 2=13706
- Kane, J. V. See Elwyn, A., 0=4100
- Kane, J. V. See Elwyn, A. J., 1=720
- Kane, J. V. See Guggenheim, H., 4=23667
- Kane, J. V. See Lowe, J., 2=13981
- Kane, J. V. See Pixley, R. E., 0=20352
- Kane, J. V. See Pixley, R. E., 0=20406
- Kane, J. V. See Schwarzschild, A., 1=7358
- Kane, P. P. Nonconservative nature of electric fields in d.c. networks containing sources of e.m.f., 2=11600
- Kane, P. P. and Holzwarth, G. M. Coherent scattering of 1.17 MeV and 1.33 MeV gamma rays through small angles, 1=8694
- Kane, R. A., McGarvey, J. J. and McGrath, W. D. Vibrational energy distribution of the molecular oxygen produced by the reaction of atomic oxygen with NO_2 , 3=25818
- Kane, R. A. See Dixon, T. E., 3=23413
- Kane, R. P. Some characteristics of the daily variation of cosmic-ray intensity, 2=13908
- Kane, R. P. Relationship between primary cosmic rays and their secondary components, 2=16258
- Kane, R. P. Solar and terrestrial relationships of daily variation of cosmic rays during the I.G.Y., 2=22685
- Kane, R. P. Correlated changes between the daily mean intensity and the daily variation of cosmic ray intensity during the I.G.Y., 3=7958
- Kane, R. P. Effect of world-wide changes of isotropic cosmic ray intensity on the daily variation of cosmic rays, 1=15570
- Kane, R. P. A critical appraisal of some cosmic ray data for the I.G.Y., 1=16948
- Kane, R. P. Energy spectrum of variations of cosmic-ray daily mean intensity recorded during the I.G.Y., 3=7960

- Kane, R.P. On the temperature-effect of the daily variation of cosmic ray meson intensity, 3=22244
- Kane, R.P. Characteristics of daily variation of cosmic-ray neutron intensity recorded during I. G. Y., 4=973
- Kane, R.P. Recovery times of geomagnetic storms, 4=2322
- Kane, R.P. Long-term changes in the energy spectrum of primary cosmic rays and their effect on coupling constants of secondary components, 4=9328
- Kane, R.P. Energy spectrum of daily variation of cosmic-ray intensity, 4=19626
- Kane, R.P., Kane, S.R. and Holla, B.A. Day to day changes in the daily mean intensity of cosmic rays, 1=13567
- Kane, R.P. and Thakore, S.R. Latitude dependence of the daily variation of cosmic ray intensity, 1=16949
- Kane, S.R. See Kane, R.P., 1=13567
- Kane, T.R. and Shore, S. A generalized principle of virtual work, 3=9386
- Kane, W.E. See Palmer, D.W., 3=12673
- Kane, W.E. See Walters, W.L., 2=449
- Kane, W.E. See Walters, W.L., 2=10106
- Kane, W.M. and Wood, C. Electrical conduction in thin films of silver telluride, 1=8957
- Kane, W.M. See Gottlieb, G.E., 1=17757
- Kane, W.M. See Spratt, J.P., 1=8925
- Kane, W.M. See Wood, C., 1=3772
- Kane, W.R., Emery, G.T., Scharf-Goldhaber, G. and McKeown, M. Studies of decay schemes in the osmium-iridium region. II. Decay of 12-day Ir^{190} , 0=17564
- Kane, W.R., Fiebigler, N.F. and Fox, J.D. Coincidence studies of the thermal neutron capture gamma rays of chromium, 2=10119
- Kane, W.R. See Crasemann, B., 4=3618
- Kane, W.R. See Emery, G.T., 0=9607
- Kane, W.R. See Emery, G.T., 3=10313
- Kaneda, E. See Nagata, T., 1=21035
- Kaneda, E. See Nagata, T., 2=4672
- Kaneda, E. See Nagata, T., 2=15250
- Kaneda, E. See Nagata, T., 3=23634
- Kaneda, E. See Tohmatsu, T., 2=11076
- Kaneda, H., Nagata, S., Otsuki, S. and Sumi, Y. On p-He⁴ effective potential and nuclear forces, 3=22256
- Kaneda, S. See Sugata, E., 2=11715
- Kaneda, S. See Sugata, E., 2=11716
- Kanev, M. A. See Niyazova, O. R., 4=9985
- Kaneff, W. Secondary electron emission of antimony-rubidium layers, 0=12630
- Kanekar, C.R. See Dharmatti, S.S., 0=4229
- Kanekar, C.R. See Dharmatti, S.S., 1=12902
- Kanekar, C.R. See Dharmatti, S.S., 3=738
- Kaneko, M. See Krigbaum, W.R., 0=16694
- Kaneko, M. See Krigbaum, W.R., 2=2035
- Kaneko, M. See Kuwahara, N., 2=14249
- Kaneko, M. See Kuwahara, N., 2=19556
- Kaneko, S. Electrical polarizabilities of rare gas atoms by the Hartree-Fock wave functions, 0=20554
- Kaneko, S. Transport coefficients of plasmas in a magnetic field, 1=11930
- Kaneko, S. Viscosity coefficient of a plasma in a magnetic field, 2=9576
- Kaneko, S. Transport coefficients of a magnetoplasma in an alternating electric field, 3=9774
- Kaneko, S., Kusumoto, O., Matsumoto, S. and Takahata, M. Nucleon-nucleon collisions of energies between 10 and 100 GeV, 0=9452
- Kaneko, S. See Arikawa, T., 2=20056
- Kaneko, S. See Kihara, T., 1=8325
- Kaneko, S. See Kim, C.Y., 1=8471
- Kaneko, S. See Takayanagi, K., 1=14002
- Kaneko, S. See Takayanagi, K., 2=6148
- Kaneko, T. Volume magnetostriction of cobalt-nickel alloys, 1=9029
- Kaneko, T. The change of the Curie temperature of iron-nickel alloys due to hydrostatic pressure, 1=12513
- Kaneko, T. A study of core structure in extensive air showers by means of large cloud chamber, 4=27920
- Kaneko, T., Ohnuki, Y. and Watanabe, K. Diagonalization of the particle mixture interaction, 4=3317
- Kaneko, T. See Hirone, T., 3=11026
- Kaneko, T. See Miyake, S., 0=20252
- Kaneko, T. See Miyake, S., 1=2127
- Kaneko, T. See Miyake, S., 1=13555
- Kaneko, T. See Miyake, S., 2=12071
- Kaneko, T. See Miyake, S., 3=17369
- Kaneko, T. See Miyake, S., 4=966
- Kaneko, T. See Miyake, S., 4=3507
- Kaneko, Y. Ionization efficiency curves for A^+ , Kr^+ , N_2^+ and CO^+ by electron impact, 1=18761
- Kaneko, Y. Single and double ionization of Na, K and Mg by electron impact, 2=1392
- Kaneko, Y. and Kanomata, I. Single and double ionization of Ca by electron impact, 4=8617
- Kaneko, Y. See Nagakura, S., 3=20884
- Kanellakos, D.P., Chan, K.L. and Villard, O.G., Jr. On the altitude at which some solar-flare-induced ionization is released, 2=17161
- Kanellakos, D.P. and Villard, O.G., Jr. Ionospheric disturbances associated with the solar flare of September 28, 1961, 2=19219
- Kanellakos, D.P. See Chan, K.L., 2=19262
- Kanematsu, F. A sensitive vacuum leak detector using a radio-frequency mass spectrometer, 1=9428
- Kanematsu, K. Covalent bond and spin scheme in the intermetallic compound with B8₂ type, 2=6833
- Kanematsu, K., Yasukochi, K. and Ohoyama, T. Antiferromagnetism of FeSn_2 , 1=14761
- Kanematsu, K., Yasukochi, K. and Ohoyama, T. Magnetic property of $(\text{Co}, \text{Ni})_{1.67}\text{Ge}$, 2=16891
- Kanematsu, K., Yasukochi, K. and Ohoyama, T. Magnetic properties and phase transition of Fe_3Ge , 4=1833
- Kanematsu, K., Yasukochi, K. and Ohoyama, T. Magnetic properties of $(\text{Fe}, \text{Co})_{1.67}\text{Ge}$ and $(\text{Fe}, \text{Ni})_{1.67}\text{Ge}$, 4=4330
- Kanematsu, K. See Ohoyama, T., 1=15144
- Kanematsu, K. See Ohoyama, T., 4=7621
- Kanematsu, K. See Yasukochi, K., 1=1249
- Kanematsu, K. See Yasukochi, K., 1=12544
- Kanematsu, K. See Yasukochi, K., 1=14682
- Kanematsu, K. See Yasukochi, K., 1=14764
- Kanematsu, K. See Yasukochi, K., 3=1005
- Kaneno, T. On a possible generalization of quantum mechanics, 1=2004
- Kaner, E.A. Contribution to the theory of absorption of ultrasonic waves by metals in a strong magnetic field, 1, 0=6012
- Kaner, E.A. Theory of absorption of ultrasound by metals in a strong magnetic field. II, 1=19703
- Kaner, E.A. Theory of acoustic cyclotron resonance in metals, 2=20983
- Kaner, E.A. Theory of acoustic cyclotron resonance in metals, 3=8416
- Kaner, E.A. Anomalous penetration of metals by an electromagnetic field, 4=1557
- Kaner, E.A. and Bass, F.G. A note on the statistical theory of radiowave propagation over an ideally conducting plane, 0=299
- Kaner, E.A. and Fal'ko, V.L. Magnetoacoustic size effects in metallic plates, 4=20210
- Kaner, E.A. and Nabutovskii, B.M. Effect of a slightly non-uniform magnetic field on resonance phenomena in metals, 2=18560
- Kaner, E.A., Peschanskii, V.G. and Privorotskii, I.A. Contribution to the theory of magneto-acoustic resonance in metals, 1=14172
- Kaner, E.A. and Skobov, V.G. Theory of resonance excitation of weakly decaying electromagnetic waves in metals, 4=4034
- Kaner, E.A. and Skobov, V.G. Electromagnetic waves in metals with an arbitrary electron dispersion law, 4=17408
- Kaner, E.A. and Yakovenko, V.M. The theory of transition radiation, 2=9588
- Kaner, E.A. and Yakovenko, V.M. The theory of transition radiation, 3=5681
- Kaner, E.A. See Azbel, M.Ya., 1=955
- Kaner, E.A. See Bass, F.G., 2=6921
- Kaner, E.A. See Galkin, A.A., 0=20758
- Kaner, E.A. See Galkin, A.A., 1=17402
- Kaner, E.A. See Gantmakher, V.F., 4=6916
- Kaner, E.A. See Skobov, V.G., 4=12622
- Kaner, E.A. See Skobov, V.G., 4=20254
- Kanert, O. and Kappler, E. The effect of dislocations on the intensity of a nuclear magnetic resonance signal, 4=4418
- Kaneström, I. See Hansteen, J.M., 4=3705
- Kanetsyan, A.R. See Tumanyan, V.A., 2=354
- Kanetsyan, A.R. See Arustamova, M.E., 3=24849
- Kanev, A.N. See Uflyand, Ya.S., 2=22319
- Kanev, S. Electrically stimulated currents in CdS single crystals, 1=3762
- Kanev, S., Stojanov, V. and Šekerdžiski, V. New high-sensitivity photoresistors from sintered cadmium sulphide, 4=26156

- Kanev, V. The two component system antimony-rubidium as a secondary electron source, 0=19727
- Kānev, V. and Nikolov, P. Heat conduction vacuum gauge with saturation diodes, 4=24279
- Kānev, V. See Nanev, K., 4=27564
- Kanevskii, I.N. Analysis of distortion in the field of a plane piezoelectric radiator, 0=6867
- Kanevskii, I.N. Calculation of diffraction of a convergent cylindrical wave by a sphere, 0=6875
- Kanevskii, I.N. Experimental investigation of cylindrical focussing systems, 1=2815
- Kanevskii, I.N. Study of the field structure of a cylindrical ultrasonic concentrator, 1=16019
- Kanevskii, I.N. Steady forces arising in a sound field, 1=18514
- Kanevskii, I.N. A simple method for the visualization of ultrasonic fields and streams, 2=15696
- Kanevskii, I. N. Some features in the behavior of converging wave fronts in a dissipative medium, 4=11307
- Kanevskii, I. N. and Rozenberg, L. D. Cylindrical focusing systems with a nonuniform amplitude distribution, 4=27260
- Kanevskii, Yu. P. See Efremov, Yu. P., 0=16895
- K'ang Ch'ang-ho. See Kan Chan-Khé, 3=20179
- Kang Fu-Si. See Gan' Fu-Si, 0=6152
- Kang, G. See Blitzer, L., 3=18665
- Kang, G. See Flitzer, L., 2=7042
- Kang, I. -J. and Brown, L.M. Higher born approximations for the Coulomb scattering of a spinless particle, 3=1341
- Kang, I.K. See Howlett, B.W., 3=25764
- Kang Il Koo. See Entwistle, K.M., 3=6796
- Kang, K. Theory of low-energy π - π scattering, 4=21908
- Kang, Y., Takahashi, T. and Hamada, T. Externally quenched hydrogen counter for tritium measurement and its application to absolute assay of tritiated water, 3=644
- Kang, Y.H. See Yuzuri, M., 3=1024
- Kang, Y.W., Kwak, N., Schneps, J. and Smith, P.A. π^+ decay of a $^4\text{He}_\Lambda$ hyperfragment, 2=7909
- Kang, Y.W., Kwak, N., Schneps, J. and Smith, P.A. Lifetime of helium hyperfragments, 3=15088
- Kang, Y.W. See Schneps, J., 1=8511
- Kangas, T. See Stergis, C.G., 0=777
- Kangas, T. See Stergis, C.G., 0=778
- Kanicheva, I.R. and Burtsev, V.A. Investigation of the passage of electrons with energies from 0.5 to 16 keV through collodion and gold films, 0=7163
- Kanicheva, I. R. See Shul'man, A. R., 4=9935
- Kanicheva, I. R. See Shul'man, A. R., 4=9936
- Kanicheva, I.R. and Barzdo, B. F. Deceleration and inelastic scattering of electrons in thin free films of copper, 4=8835
- Kankeleit, E. An investigation of the conversion electrons from the Mossbauer effect in tungsten-182 using a magnetic spectrometer, 1=19348
- Kankeleit, E. Velocity spectrometer for Mössbauer experiments, 4=9817
- Kankeleit, E., Boehm, F. and Hager, R. Mössbauer effect in Tm^{169} and total internal conversion of the 8.42-keV transition, 4=19700
- Kankeleit, E. See Alexander, P., 4=9416
- Kankeleit, E. See Barnes, R. G., 4=3965
- Kankeleit, E. See Barnes, R. G., 4=30497
- Kankeleit, E. See Muir, A.H., Jr., 3=19814
- Kankeleit, E. See Zinn, W., 3=25522
- Kankelwitz, B., Krug, W. and Lau, E. Contrast controlling photographic images by colour developing, 2=7415
- Kankelwitz, B., Krug, W. and Lau, E. Determining the contrast of photographic images by multicolour development, 2=22072
- Kanki, T. Note on the pion propagator in the composite theory, 1=13307
- Kanki, T. Subtraction in the Chew-Mandelstam equation and determination of the low-energy scattering amplitude, 2=3274
- Kanki, T. Use of the generalized Jost function in quantum field theory. An extension of the Levinson theorem, 3=10061
- Kanki, T. N/D method and inverse-amplitude method, 4=795
- Kanki, T. Mechanism of high energy inelastic collision and the shrinkage of diffraction peak, 4=9136
- Kanki, T. and Ogimoto, T. Restriction on the coupling constant from analyticity and unitarity of the S-matrix, 3=10062
- Kanki, T. and Yamamoto, K. The proton-neutron mass difference and the inner structure of the nucleon, 1=10882
- Kanki, T. and Yokomi, H. On the theoretical interpretation of 3-3 resonance in π -N scattering, 4=15094
- Kannan, K.K. See Viswamitra, M.A., 2=14975
- Kannagara, M.L.T. See Dahanayake, C., 3=19722
- Kanne, H. See Ecker, G., 4=18825
- Kannelaud, J. See Culshaw, W., 3=2145
- Kannelaud, J. See Culshaw, W., 4=8982
- Kannellopoulos, T. and Wildermuth, K. Antisymmetrization of "cluster model" wave functions and their expansion in "shell model" wave functions, 0=4012
- Kannewurf, C.R. and Cashman, R.J. Optical absorption and photoconductivity in germanium selenide, 2=8520
- Kannewurf, C.R. See Sedlewicz, P.G., 4=17503
- Kanno, K. See Akutsu, J., 4=11847
- Kanno, M. Departures from LTE in the higher levels of H, 2=4770
- Kanno, M. A tubular capacitor of stable value, 4=27456
- Kanno, M. See De Jager, C., 2=4803
- Kanno, T. World-wide distribution of diurnal variation of the neutron intensity of cosmic rays, 2=340
- Kanno, T. and Murakami, K. On the world-wide distribution of the daily variation of the cosmic-ray neutron intensity and its variation, 2=12046
- Kanno, T. See Azuma, T., 1=18340
- Kanno, Y. See Katsuki, Y., 3=3683
- Kanô, G. Schottky emitter type metal base transistor, 4=28600
- Kano, T. See Okada, T., 2=8801
- Kano, T. See Okada, T., 4=7551
- Kano, Y. Equations governing the propagation of second order correlations in non-stationary electromagnetic fields, 2=9683
- Kano, Y. and Wolf, E. Temporal coherence of black body radiation, 3=1784
- Kanofsky, A. Integral discharge capacitor for spark chambers, 4=3264
- Kanomata, I. See Kaneko, Y., 4=8617
- Kanomata, I. See Oguri, T., 4=29195
- Kanou, K. See Kawasaki, K., 0=7927
- Kanou, K. See Kawasaki, K., 4=12921
- Kanskaya, L.M. See Gross, E.F., 1=17885
- Kanskaya, L.M. See Ryskin, A. Ya., 2=10599
- Kansky, E. and Otrin, B. Influence of residual gas pressure on dark currents in photomultiplier tubes, 4=21564
- Kant, A. Dissociation energies of diatomic molecules of the transition elements. I. Nickel, 4=28272
- Kantardzhyan, L.T. See Adamov, V.S., 2=9284
- Kantardzhyan, L.T. See Adamov, V.S., 3=3032
- Kantardzhyan, L.T. See Grigoryan, E.V., 2=15606
- Kantele, J. On the level structure of B^0 , 0=13133
- Kantele, J. Gamma spectrometry with high-efficiency sum-peak coincidence spectrometer, 3=2234
- Kantele, J. Isomeric state in Yb^{176} , 3=4579
- Kantele, J. Radioactive decay of Sc^{48} , Sc^{50} and Sc^{50m} , 3=12622
- Kantele, J. An 850 μs isomeric state in Yb^{174} , 4=27980
- Kantele, J., Broom, K. M. and Chittenden, D. M., II. A 0.46 μsec isomer in Gd^{157} , 4=15164
- Kantele, J. and Fink, R.W. Coincidence summing and non-linearity studies with a two-crystal scintillation gamma spectrometer, 2=5606
- Kantele, J. and Fink, R.W. An integral-bias summing spectrometer for gamma-gamma coincidence and angular correlation studies, 2=13765
- Kantele, J. and Fink, R.W. Disintegration of Te^{119} isomers, 3=15151
- Kantele, J. and Gardner, D.G. Some activation cross sections for 14.7 MeV neutrons, 2=16419
- Kantele, J. and Karras, M. New isotope In^{122} , 3=4553
- Kantele, J. and Karras, M. Nuclear levels of even Sn isotopes populated in the decay of In isomers, 4=22071
- Kantele, J. and Marttila, O. J. Proposal for a versatile coincidence spectrometer employing an anti-Compton annulus, 4=24943
- Kantele, J. See Fink, R.W., 2=1851
- Kantele, J. See Karras, M., 3=24894
- Kantelhardt, D. and Schott, O. Determination of the mass-thickness of metallic evaporation films by electron scattering, 3=21280
- Kanter, B. Z. Use of a thermo-field emission cathode in a microtron, 4=8801
- Kanter, H. Electron scattering by thin foils for energies below 10 keV, 1=1922
- Kanter, H. Energy dissipation and secondary electron emission in solids, 1=3005
- Kanter, H. Contribution of backscattered electrons to secondary electron formation, 1=3006
- Kanter, E. Backscattering of kilovolt electrons from thin films, 4=16535

- Kanter, H. Slow electron transfer through evaporated Au films, 4=8799
- Kanter, H. and Feibelman, W.A. Electron emission from thin Al-Al₂O₃-Au structures, 3=4177
- Kanter, H. and Sternglass, E.J. Interpretation of range measurements for kilovolt electrons in solids, 2=12409
- Kanter, H. See Goetze, G., 2=2903
- Kanter, M. and Galil, U. Simple tunnel diode coincidence circuit for liquid scintillation counting, 2=2978
- Kanter, M.A. and Kazmierowicz, C.W. Galvanomagnetic properties of ferromagnetic uranium monosulfide, 4=12842
- Kantola, M. and Hämäläinen, M. X-ray diffraction method for studying the interdiffusion in Cu-Ni powder compacts, 3=2823
- Kantola, M. and Luova, P. On the diffusion X-ray scattering of KCl-KBr solid solution, 0=16323
- Kantola, M. and Sutela, V. Decay scheme of Fe⁵⁹, 3=648
- Kantola, M. and Vilhonen, E. X-ray measurements of the thermal expansion of sodium nitrate, 0=15814
- Kantor, F.W. Image force velocity selector for charged particles, 3=4379
- Kantor, G. See Klobuchar, J., 2=6937
- Kantor, K. Interferometric length measurements on long parallel end standards, 2=7394
- Kántor, K. See Bakos, J., 2=1277
- Kántor, K. See Bakos, J., 2=7388
- Kántor, K. See Bakos, J., 2=11233
- Kántor, K. See Bakos, J., 2=11489
- Kántor, K. See Bakos, J., 2=11490
- Kántor, K. See Erdőkúrti, Z., 3=19009
- Kántor, K. See Erdőkúrti, Z., 3=19010
- Kántor, K. See Erdőkúrti, Z., 3=21562
- Kantor, P.B. Nucleon-nucleon scattering and the meson resonances, 4=16885
- Kantor, P.B., Kisel', A.M. and Fomichev, E.N. Enthalpy and heat capacity measurements of silicon from 1200 to 1900° K, 2=6277
- Kantor, P.B., Krasovitskaya, R.M. and Kisel', A.N. Determination of the enthalpy and the specific heat of beryllium at 600-2200°K, 1=6074
- Kantor, P.B., Lazaryeva, L.S., Kandýba, V.V. and Fomichev, Ye.M. Experimental measurements of enthalpy, temperature and heat of melting of α -Al₂O₃ from 1200° to 2500°K, 2=18529
- Kantor, P.B. See Lazareva, L.S., 2=8173
- Kantor, P.B. See Lazareva, L.S., 2=23074
- Kantor, R.H. See Buffler, C.R., 2=2293
- Kantor, R.H. See Roger, R.M., 2=1553
- Kantor, W. Direct first-order experiment on the propagation of light from moving source, 2=19666
- Kantorovich, A. Reduction of triple product of septets in the G₂ symmetry model, 4=19379
- Kantorovitz, S. A property of the spherical approximation in a minimum-energy problem, 0=6772
- Kantorski, J.W. See Everhart, E., 0=10471
- Kantorwicz, G. New ionization gauge with crossed electric and magnetic fields, 4=8269
- Kantrowitz, A. See Fishman, F.J., 1=5453
- Kantrowitz, A.R., Brogan, T.R., Rosa, R.J. and Louis, J.F. The magneto-hydrodynamic power generator-basic principles, state of the art, and areas of application, 2=11607
- Kantrowitz, A.R. See Camac, M., 3=12216
- Kantseryavichyus, A. Oscillator strengths, transition probabilities and the lifetime of the excited states for helium and lithium-like atoms, 4=1205
- Kantseryavichya, A. Selection of the initial data for numerical solving of [Fock's] self-consistent field equations, 4=1194
- Kantseryavichyus, A.I. Theoretical consideration of the excited states of lithium-like atoms, 4=1208
- Kantúrek, J. and Suk, K. The influence of Cd on the absorption of NaCl, 1=17877
- Kantúrek, J. and Suk, K. Absorption and dispersion of NaCl:Ni [and NaCl:Cd] crystals, 2=23564
- Kantúrek, J. and Suk, K. Scattering patterns in NaCl crystals containing Ni as impurity, 3=20451
- Kantúrek, J. and Suk, K. Line scattering images on crystals of NaCl with nickel. II, 4=15597
- Kantúrek, J. and Suk, K. Line scattering images on admixtures in alkali halides, 4=15598
- Kantúrek, J. See Bohun, A., 1=17584
- Kantúrek, J. See Bohun, A., 3=813
- Kantúrek, J. See Bohun, A., 3=4985
- Kantúrek, J. See Bohun, A., 3=18008
- Kantúrek, J. See Dolejší, J., 0=6192
- Kantz, A.D. Average neutron energy of reactor spectra and its influence on displacement damage, 3=17517
- Kantz, A.D. See Pierce, C.B., 2=23428
- Kantz, A.D. See Pierce, C.B., 3=17918
- Kanunnikov, V.N. Design problems of the ring phasotron magnet, 4=3069
- Kanunnikov, V.N. Design calculations for magnets with distributed windings, 4=16579
- Kanunnikov, V.N. and Fateev, A.P. Design of a magnet for a frequency-modulated ring cyclotron, 0=9117
- Kanunov, M.A. and Sokovishin, V.A. A laboratory vacuum manipulator, 2=1217
- Kanwal, R.P. Impulsive rotatory motion of a circular disk in a viscous fluid, 0=19053
- Kanwal, R.P. Flow behind shock waves in conducting gases, 1=166
- Kanwal, R.P. Slow rotation of an axially symmetric body in a viscous electrically conducting fluid, 1=9676
- Kanwal, R.P. On magnetohydrodynamic shock waves, 1=16531
- Kanwal, R.P. Expansion coefficient of wave fronts in continuum mechanics, 4=21021
- Kanwal, R.P. and Truesdell, C. Fluid and magnetic distortion carried by magnetosonic waves, 2=9698
- Kanz, J.A. See Shortes, S.R., 4=22616
- Kanzaki, H. and Kido, K. Purification of alkali halide crystals through fractional distillation and normal freezing, 1=10213
- Kanzaki, H., Kido, K. and Ninomiya, T. Ionic conduction in zone-refined KCl, 2=3981
- Kanzaki, H., Kido, K. and Ohzora, S. Equilibrium of vacancies with dislocations in alkali halides, 3=22749
- Kanzaki, H., Ninomiya, T. and Kido, K. Photoconductivity in zone-refined KCl, 2=8423
- Kanzaki, H. See Ninomiya, T., 3=10891
- Känzig, W. Electronic structure of the "antimorph" of the F centre, 0=6053
- Känzig, W. Paramagnetic resonance of the antimorph of the F-center, 1=20217
- Känzig, W. Paramagnetic resonance study of radiation damage in lithium fluoride, 1=20218
- Känzig, W. Paraelasticity, a mechanical analog of paramagnetism, 1=20315
- Känzig, W. Paraelasticity, a mechanical analog of paramagnetism, 2=14362
- Känzig, W. Trapped holes in alkali halides, 2=23103
- Känzig, W. and Cohen, M.H. Paramagnetic resonance of oxygen in alkali halides, 0=3127
- Känzig, W. See Cohen, M.H., 0=4298
- Känzig, W. See Zeller, H.R., 4=10006
- Kanzler, G. Electron emission from quinine sulphate and dickite, 1=18915
- Kanzler, G. On the problem of secondary electron and induced photoemission from germanium and silicon, 1=18924
- Kanzler, G. See Hanle, W., 1=8344
- Kanzler, R.J. See Glasser, L.G., 3=5175
- Kao, K.C. Electric breakdown of liquid dielectrics—interim report, 0=15003
- Kao, K.C. Some electromechanical effects on dielectrics, 1=19937
- Kao, K.C. A new electrode system for the measurement of surface resistance, 2=11578
- Kao, K.C. The measurement of surface resistance, 3=9692
- Kao, K.C. The effects of a thin dielectric layer covering metallic electrodes on the electric breakdown characteristics of fluids, 4=29641
- Kao, S.-K. Nonlinear oscillations of a particle in a long wave in a rotating fluid, 0=10642
- Kao, S.K. Stationary flow in the planetary boundary layer with an inversion layer and a sea breeze, 0=14190
- Kao, S.-K. Nonlinear oscillations of a particle in a long wave in a rotating, viscous fluid, 2=13317
- Kao, S.-K. Large-scale turbulent diffusion in a rotating fluid with applications to the atmosphere, 2=17415
- Kao, S.K. Turbulence criteria for a circumpolar vortex in a rotating gravity field, 4=18148
- Kao, S.K., Forstman, H. and Hinman, G.W. Small-angle proton-proton scattering at 435 MeV, 0=12928
- Kao, S.-K. and Hurley, W.P. Variations of the kinetic energy of large-scale eddy currents in relation to the jet stream, 3=9029
- Kao Shih-Kung. Turbulent transfer in the boundary layer of a stratified fluid, 0=6827
- Kao Ts'ao-Lang. See Li Hsien-Shu, 3=17553
- Kao, Y.H. Cyclotron resonance studies of the Fermi surfaces in bismuth, 3=8413

- Kao, Yi-Han. See Price, P.J., 1=17710
- Kapadnis, D.G. See Doloupil, Z., 1=255
- Kapanadze, B.N. See Kvartskhava, I.F., 3=12157
- Kapanov, M. I. See Achiezer, A. I., 4=7226
- Kapany, N.S. Fiber optics. VIII. The focon, 1=2845
- Kapany, N.S. Electro-optical systems using fibre optics, 1=2846
- Kapany, N.S. Optical image assessment, 1=5340
- Kapany, N.S. Fiber optics, 2=15720
- Kapany, N.S. and Burke, J.J. Fiber optics. IX. Waveguide effects, 1=12975
- Kapany, N.S. and Burke, J.J. Various image assessment parameters, 3=1800
- Kapany, N.S., Burke, J.J. and Shaw, C.C. Fiber optics. X. Evanescent boundary wave propagation, 3=17060
- Kapany, N.S. and Capellaro, D.F. Fiber optics. VII. Image transfer from Lambertian emitters, 1=2844
- Kapany, N.S. and Pontarelli, D.A. Photorefractometer. I. Extension of sensitivity and range, 3=11897
- Kapany, N.S. and Pontarelli, D.A. Photorefractometer. II. Measurement of N and K, 4=5370
- Kapany, N.S. See Reiffel, L., 0=18150
- Kaparthi, R. and Licht, W. Deformation and oscillation of liquid drops falling through water, 3=7196
- Kaparthi, R. See Narayanaswami, V., 4=24408
- Kaparthi, R. See Sadasiva Rao, P., 3=23856
- Kapasi, K. B. See Rangaswamy, S., 4=13852
- Kapchigashev, S. P. and Popov, Yu. P. Capture cross-sections of neutrons with energies up to 50 keV by Cr, Cr³⁰, Cr³² and Cr⁵³ nuclei, 4=19795
- Kapchinskii, I. M. Realization of limiting injection currents in a strong-focusing proton synchrotron, 4=632
- Kapin, A. T. See Plyutto, A. A., 4=29935
- Kapitonov, I. M. See Dushkov, I. I., 4=25376
- Kapitonov, I. M. See Ishkhanov, B. S., 4=19752
- Kapitonov, I. M. See Ishkhanov, B. S., 4=22117
- Kapitonova, M. M. See Grum-Grzhimailo, S. V., 3=3001
- Kapitsa, M. L., Fridrikhov, S. A. and Shul'man, A. R. Characteristics of energy loss on reflection of electrons from single crystals of alkali halides, 0=10941
- Kapitsa, M. L., Grigor'ev, L. M. and Ivanov, A. V. Spectral characteristics of the W-Ba system in polarized light, 4=8810
- Kapitsa, M. L., Nemchenok, R. L. and Filippov, Yu. E. Spectral characteristics of the system W-BaO in polarized light, 2=13586
- Kapitsa, M. L. See Shul'man, A. R., 1=13106
- Kapitsa, P. L. Design of a helium-liquefying cycle with expansion engines connected in cascade, 0=8967
- Kapitsa, P. L. and Danilov, I. B. Expansion engine for liquefaction of helium, 2=133
- Kapitsa, P. L. and Danilov, I. B. Cascade compression helium liquifier with no external refrigeration, 3=5560
- Kapitsa, P. L., Fok, V. A. and Vainshtein, L. A. Static boundary problem for a hollow cylinder of finite length, 0=8975
- Kapitsa, P. L., Fok, V. A. and Vainshtein, L. A. Symmetric electric oscillation of an ideally conducting hollow cylinder of finite length, 0=9206
- Kapitsa, S. P. Method of bunching fast electrons, 0=9086
- Kapitsa, S. P. Laboratory electromagnet, 1=4694
- Kapitsa, S. P. The radiation from a charge moving in an inhomogeneous medium, 1=19163
- Kapitsa, S. P. Absolute measurements of electromagnetic energy, 3=14762
- Kapitsa, S. P., Býkov, V. P. and Melekhin, V. N. An efficient large current microtron, 1=18966
- Kapitsa, S. P., Bykov, V. P. and Melekhin, V. N. An efficient large current microtron, 2=22289
- Kapitsa, S. P. and Vainshtein, L. A. Radiation of electron bunches in the microtron, 2=13617
- Kapitsa, S. P. and Vainshtein, L. A. Radiation of electron bunches in the microtron, 3=5800
- Kapitsa, P. L. High power electronics, 4=11786
- Kaplan, A. Magnetic core losses resulting from a rotating flux, 1=5531
- Kaplan, B. See Zneimer, J. E., 4=13245
- Kaplan, B. L. See Evdokimov, G. S., 2=15673
- Kaplan, C. and Catani, L. Measurement of high intensity direct currents by means of the Isoshunt, 4=8452
- Kaplan, D., Mesnard, G. and Uzan, R. Tunnel effect across thin films of beryllium oxide, 4=7017
- Kaplan, D. See Emshwiller, M., 0=9226
- Kaplan, D. E. Paramagnetic resonance spectrometer for the measurement of relaxation times, 2=11812
- Kaplan, D. E., Browne, M. E. and Cowen, J. S. Pulsed X-band e.p.r. spectrometer, 2=3177
- Kaplan, D. E. and Hahn, E. L. Double irradiation experiments in magnetic resonance by impulse method, 0=16187
- Kaplan, D. E. See Cowen, J. A., 1=20204
- Kaplan, D. E. See Cowen, J. A., 3=1195
- Kaplan, E. G. Classification of molecular terms using the total nuclear spin, 0=11537
- Kaplan, H. Effect of an impurity layer on surface waves, 2=6267
- Kaplan, H. Remarks on force-constant models for lattice dynamics, 2=8150
- Kaplan, H. Impurity states associated with subsidiary energy-band minima, 4=15449
- Kaplan, H. and Sullivan, J. J. Lattice vibrations of zincblende structure crystals, 3=10580
- Kaplan, H. See Stocker, H. J., 4=17531
- Kaplan, I. Application of the method of coefficients of fractional parentage to molecular term calculations, 4=20024
- Kaplan, I. See Duquesne, M., 1=9420
- Kaplan, I. See Duquesne, M., 1=9421
- Kaplan, I. See Honeck, H. C., 1=17207
- Kaplan, I. C. Coordinate [fractional] parentage coefficients for a configuration consisting of several shells, 2=22696
- Kaplan, I. G. The transformation permutation group matrix and construction of the coordinate wave function of a multishell configuration, 1=18275
- Kaplan, I. G. On the diamagnetism of a system of interacting particles, 1=18300
- Kaplan, I. G. Coordinate [fractional] parentage coefficients for a configuration consisting of several shells, 1=19325
- Kaplan, I. G. The transformation permutation group matrix and construction of the coordinate wave function of a multishell configuration, 2=21827
- Kaplan, I. G. On the computation of the energy matrix of a system of identical particles in a state with given spin, 4=2558
- Kaplan, I. T. See Ripps, H., 1=12722
- Kaplan, J., Barth, C. A. and Schade, W. J. N₂, O₂, and NO afterglows, and the far ultraviolet spectra of the nightglow and aurorae, 2=15252
- Kaplan, J., Schade, W. J., Barth, C. A. and Hildebrandt, A. F. Atomic reactions in the upper atmosphere, 1=1525
- Kaplan, J. See Barth, C. A., 0=5954
- Kaplan, J. I. Correlation times, line widths, and cross relaxation of spin systems in solids, 0=8082
- Kaplan, J. I. Magneto-dipole induced normal mode in gadolinium iron garnet, 0=13833
- Kaplan, J. I. Electron spin resonance of crystalline free radicals, 1=11473
- Kaplan, J. I. Nonlinear effects of Z-directed spin waves in thin films, 1=14717
- Kaplan, J. I. Oscillations of the Knight shift, 2=18958
- Kaplan, J. I. Perturbation theory using a reduced set of states, 3=5360
- Kaplan, J. I. Criterion for continuous amplitude oscillations of optical masers, 4=5855
- Kaplan, J. I. and Zier, R. Model for transient oscillations in a Kaplan, L. See Hodnett, E. M., 0=4712
- Kaplan, L. D. A new interpretation of the structure and CO₂ content of the Venus atmosphere, 2=6991
- Kaplan, L. D. The spectroscopy as a tool for atmospheric sounding by satellites, 2=8954
- Kaplan, L. D. The structure of the Venus atmosphere, 3=16357
- Kaplan, L. D. Spectroscopic investigations of Venus, 4=13922
- Kaplan, L. D., Münch, G. and Spinrad, H. An analysis of the spectrum of Mars, 4=10882
- Kaplan, L. D. See Benedict, W. S., 4=22439
- Kaplan, L. D. See Chase, S. C., 3=18617
- Kaplan, L. D. See Chase, S. C., 4=10884
- Kaplan, L. D. See Spinrad, H., 3=23674
- Kaplan, M. Recoil properties of Sm¹⁴² from nuclear reactions induced by heavy ions. II. Europium and gadolinium compound systems, 4=15243
- Kaplan, M. and Coryell, C. D. Yields of krypton isotopes from the deuteron and alpha bombardment of heavy nuclei, 2=1938
- Kaplan, M. and Fink, R. D. Recoil properties of Sm¹⁴² from nuclear reactions induced by heavy ions. I. Samarium compound systems, 4=15242
- Kaplan, M. and Fink, R. D. Recoil range studies of nuclear reactions induced by heavy ions, 4=22233
- Kaplan, M. and Shirley, D. A. Nuclear orientation of paramagnetic impurity ions, 1=7518
- Kaplan, M. and Shirley, D. A. Identification of a spin 5 state in Cr⁵², 2=22708

- Kaplan, M. See Barrett, P.H., 3=25220
 Kaplan, M. See Coryell, C.D., 1=9862
 Kaplan, M. See Kleppa, O.J., 2=2716
 Kaplan, M. See Shirley, D.A., 1=11147
 Kaplan, M. See Shirley, D.A., 2=20498
 Kaplan, M. See Grant, R.W., 4=9811
 Kaplan, M.H. See Wunderlich, B., 4=7736
 Kaplan, N., Ofer, S. and Rosner, B. The g-factor of the 2.083 MeV 4^+ state of the Ce^{140} nucleus, 3=8002
 Kaplan, N., Ofer, S. and Zmora, H. The 26.8 keV state of I^{129} , 4=15163
 Kaplan, N. See Cohen, S.G., 4=4009
 Kaplan, R. and Bray, P.J. Electron-spin paramagnetic resonance studies of neutron-irradiated LiF , 3=11114
 Kaplan, R., Nethercot, A.H., Jr and Boores, H.A. Frequency dependence of the surface resistance of superconducting tin in the millimeter wavelength region, 0=1080
 Kaplan, R. See Kim, Y.W., 0=4511
 Kaplan, R. See Kim, Y.W., 1=3935
 Kaplan, R.A. Optical waveguide of macroscopic dimensions in single-mode operation, 4=14345
 Kaplan, R.A. The pump-power chart for evaluation of modes in a laser oscillator, 4=19269
 Kaplan, R.L. See Tolstoi, D.M., 4=10367
 Kaplan, S. The property of finality and the analysis of problems in reactor space-time kinetics by various modal expansions, 2=6005
 Kaplan, S. Some new methods of flux synthesis, 2=14164
 Kaplan, S. and Klimishin, I.A. Some notes on the emission of light by shock waves under cosmic conditions, 2=62
 Kaplan, S., Paulikas, G.A. and Pyle, R.V. Dissociation of H_3^+ ions by a magnetic field, 1=16267
 Kaplan, S. and Sivers, V.N. The general problem of the scattering of light in a one-dimensional medium with a moving boundary, 2=118
 Kaplan, S.A. The effect of anisotropic conductivity in a magnetic field on the structure of a shock wave in magneto-hydrodynamics, 0=9178
 Kaplan, S.A. On the "Larmoron" plasma theory, 0=15004
 Kaplan, S.A. Cosmic force-free fields, 0=18602
 Kaplan, S.A. On the theory of propagation and decay of hydromagnetic waves in an anisotropic medium, 1=5561
 Kaplan, S.A. Magnetogasdynamics and problems of cosmogony, 1=12735
 Kaplan, S.A. Shock waves in stars, 1=18451
 Kaplan, S.A. The theory of light scattering in a non-steady state medium, 3=82
 Kaplan, S.A. and Klimishin, I.A. Shock waves in stellar envelopes, 0=18856
 Kaplan, S.A. and Klimishin, I.A. Methods of analysis of interstellar turbulence, 4=23888
 Kaplan, S.A. and Klimishin, I.A. On the structure of a shock wave with emission, 4=29688
 Kaplan, S.A., Klimishin, I.A. and Sivers, V.N. The scattering of light in a medium with a moving boundary, 0=19448
 Kaplan, S.A. and Kurt, V.G. Expansion of a sodium cloud in interplanetary space, 1=18018
 Kaplan, S.A., Lohvynenko, A.A. and Pidstryhach, T.S. Calculation of gasomagnetic shock-wave parameters, 1=13167
 Kaplan, S.A. See Zaitsev, V.V., 4=16848
 Kaplan, S.A. See Dibai, E.A., 4=29417
 Kaplan, S.N., Paulikas, G.A. and Pyle, R.V. Electron detachment from neutral hydrogen by a magnetic field, 3=19176
 Kaplan, S.N., Paulikas, G.A. and Pyle, R.V. Electron detachment from 20-MeV D^+ ions by a magnetic field, 3=24213
 Kaplan, S.N. See Baijal, J.S., 4=9682
 Kaplan, S.N. See Berkner, K.H., 4=18676
 Kaplan, S.N. See Berkner, K.H., 4=25527
 Kaplan, S.N. See Diaz, J.A., 3=8145
 Kaplan, T.A. Classical spin-configuration stability in the presence of competing exchange forces, 0=1813
 Kaplan, T.A. Classical theory of spin configurations in the cubic spinel, 0=11898
 Kaplan, T.A. Classical theory of spin configurations in the cubic spinel, 0=16145
 Kaplan, T.A. Some effects of anisotropy on spiral spin-configurations with application to rare-earth metals, 1=14668
 Kaplan, T.A. Theory of the effects of anisotropy on spiral spin-configurations with application to rare earth metals, 3=974
 Kaplan, T.A. Thermodynamic self-consistent theory of indirect exchange in metals, 3=15406
 Kaplan, T.A., Dwight, K., Lyons, D. and Menyuk, N. Classical theory of the ground spin state in spinels, 1=6349
 Kaplan, T.A. and Lyons, D.H. Theory of indirect exchange interactions in rare-earth metals, 3=10642
 Kaplan, T.A. See Lyons, D.H., 1=935
 Kaplan, T.A. See Lyons, D.H., 3=11100
 Kaplan, T.A. See Lyons, D.H., 4=26277
 Kaplan, T.A. See Menyuk, N., 2=21341
 Kaplan, I. Measurements of reactor parameters in subcritical and critical assemblies, 4=25454
 Kaplon, M.F. Isotopic composition, 2=20456
 Kaplon, M.F., Melissinos, A.C. and Yamanouchi, T. The lifetime of the Σ^+ -hyperon, 0=4002
 Kaplon, M.F. and Yamanouchi, T. A survey of relativistic transformations, 0=15262
 Kaplon, M.F. See Aly, H.H., 4=19459
 Kaplon, M.F. See Appa Rao, M.V.K., 1=13549
 Kaplon, M.F. See Appa Rao, M.V.K., 2=20453
 Kaplon, M.F. See Appa Rao, M.V., 3=7948
 Kaplon, M.F. See Davis, D.F., 0=5607
 Kaplon, M.F. See Davis, D.F., 0=5608
 Kaplon, M.F. See Duthie, J.G., 3=17363
 Kaplon, M.F. See Engler, A., 1=8542
 Kaplon, M.F. See Yamanouchi, T., 0=374
 Kaplow, R. and Averbach, B.L. X-ray diffractometer for the study of liquid structures, 3=14704
 Kaplun, V.A. See Pistol'kors, A.A., 1=5592
 Kaplunova, E.I. Many-electron theory of the hole band in diamond-type crystals, 0=2858
 Kaplyanskii, A.A. Luminescence lines in X-ray irradiated crystals of lithium fluoride, 0=1748
 Kaplyanskii, A.A. The effect of elastic deformation, produced by uniaxial compression or tension, on the spectra of local anisotropic centres in a cubic lattice. I. Method, 0=9908
 Kaplyanskii, A.A. The effect of elastic deformation, produced by uniaxial compression or tension, on the spectra of local anisotropic centres in a cubic lattice. II. Experimental part, 0=9909
 Kaplyanskii, A.A. Band-splitting in the spectra of cubic crystals subjected to oriented deformation, 1=17879
 Kaplyanskii, A.A. Piezospectroscopic effect in anisotropic centres in cubic crystals, 2=16847
 Kaplyanskii, A.A. Noncubic centers in cubic crystals and their piezospectroscopic investigation, 4=28441
 Kaplyanskii, A.A. and Feofilov, P.P. Spectra of the bivalent rare earth ions in the crystals of alkaline-earth fluorides. II. Europium and ytterbium, 3=3000
 Kaplyanskii, A.A. and Feofilov, P.P. Low-temperature spectra of divalent samarium in alkali-halide single crystals, 4=22887
 Kaplyanskii, A.A., Medvedev, V.N. and Feofilov, P.P. Spectra of trivalent cerium ions in alkaline-earth fluoride crystals, 3=25452
 Kaplyanskii, A.A. and Moskvina, N.A. Piezospectroscopic effect in lithium fluoride crystals activated by hexavalent uranium, 3=8619
 Kaplyanskii, A.A. and Moskvina, N.A. Combined magneto-electric dipole transitions in the spectra of crystals of alkali fluorides with hexavalent uranium, 3=20516
 Kaplyanskii, A.A. and Moskvina, N.A. Piezospectroscopic study of luminescence centres in alkali fluoride crystals activated by hexavalent uranium, 3=25478
 Kaplyanskii, A.A., Moskvina, N.A. and Feofilov, P.P. Investigation of the electric and magnetic series in the luminescence spectra of alkali fluorides activated by hexavalent uranium, 4=28731
 Kaplyanskii, A.A., Moskvina, N.A. and Przhnevskii, A.K. Band splitting in the luminescence spectra of anisotropic centres in LiF and CaF_2 :Eu crystals subjected to oriented deformation, 2=712
 Kaplyanskii, A.A. and Przhnevskii, A.K. Piezospectroscopic effect in ruby crystals, 2=10578
 Kaplyanskii, A.A. and Przhnevskii, A.K. Piezospectroscopic effect in ruby crystals, 2=14669
 Kaplyanskii, A.A. and Przhnevskii, A.K. Deformation splitting of lines in the spectra of alkali-earth fluoride crystals activated by Sm and Eu divalent ions, 3=18025
 Kaplyanskii, A.A. See Agekyan, V.T., 3=18001
 Kaplyanskii, A.A. See Feofilov, P.P., 2=18785
 Kaplyanskii, A.A. See Feofilov, P.P., 2=21242
 Kaplyanskii, A.A. See Gross, E.F., 0=11762
 Kaplyanskii, A.A. See Gross, E.F., 0=13680
 Kaplyanskii, A.A. See Gross, E.F., 1=3829
 Kaplyanskii, A.A. See Gross, E.F., 1=12496
 Kaplyanskii, A.A. See Gross, E.F., 1=17876

- Kaplyanskii, A.A. See Gross, E.F., 1=19967
 Kaplyanskii, A.A. See Gross, E.F., 2=21245
 Kaplyanskii, A.A. See Gross, E.F., 3=15650
 Kaplyanskii, A.A. See Gross, E.G., 3=3005
 Kaplyanskii, A.A. See Kaplyansky, A.A.
 Kaplyanskij, A.A. The study of oriented strain effect on the optical spectra of crystals, 2=23559
 Kaplyansky, A.A. See Gross, E.F., 3=10631
 Kapoor, M.M. See Jain, D.V.S., 1=15193
 Kapoor, M.M. See Jain, D.V.S., 1=15194
 Kapoor, S.S. and Ramanna, R. Emission of prompt gamma rays in the thermal-neutron fission of U^{235} , 4=9583
 Kapoor, S.S., Ramanna, R. and Rama Rao, P.N. Emission of prompt neutrons in the thermal neutron fission of U^{235} , 3=17504
 Kapoor, S.S. See Ramanna, R., 1=9889
 Kapoor, S.S. See Ramanna, R., 3=8144
 Kaporskii, A.V. See Gringauz, K.I., 2=8998
 Kaporskii, A.V. See Gringauz, K.I., 2=17153
 Kaporskii, L.N., Pedos, F.Z., Sventitskii, N.S. and Shlepkova, Z.I. Atlas of vacuum discharge spectra, 3=25035
 Kaporskii, L.N. and Sventitskii, N.S. Excitation of ionic spectra by a low-voltage discharge in vacuum, 3=24230
 Kapors'kii, L.M. and Sventitskii, M.S. Some investigations of a low-voltage discharge in vacuum, 2=17801
 Kapp, R.O. See Swart, E.R., 2=15464
 Kapp, W. and Stangler, F. Variation of the electronic structure of aluminium caused by α -irradiation, 0=1621
 Kappallo, W., Lund, N. and Schiffer, K. Intermolecular forces between molecules of the same and different kinds derived from virial coefficients, 3=25154
 Kappler, E. See Bonse, U., 0=4291
 Kappler, E. See Bonse, U., 4=4544
 Kappler, E. See Bonse, U., 4=8402
 Kappler, E. See Bonse, U., 4=17798
 Kappler, E. See Bonse, U., 4=17802
 Kappler, E. See Derner, P., 0=4562
 Kappler, E. See Derner, P., 1=11510
 Kappler, E. See Frinken, H., 0=11977
 Kappler, E. See Grewe, H.G., 4=28943
 Kappler, E. See Grewe, H.G., 4=30867
 Kappler, E. See Kanert, O., 4=4418
 Kapranova, L.E. See Benderskii, V.A., 4=26155
 Kaprielian, Z.A. See Stewart, G.E., 3=4147
 Kaprielian, Z.A. See Wada, J.Y., 2=11678
 Kaprielian, Z.A. See Yeh, C., 3=7703
 Kaprielian, Z.A. See Yeh, C., 3=24431
 Kaprielian, Z.A. See Stewart, G.E., 4=18908
 Kapshukov, I.I. and Ugai, Ya.A. Asymmetry of the $K_{\alpha 12}$ lines of zinc in its semiconducting compounds with antimony, 1=11387
 Kapteltsev, A.M. See Sergeev, G.Ia., 2=12927
 Kapteyn, Th.S. See Verheul, H., 3=14963
 Kaptsov, L.N. Lecture demonstration of ponderomotive forces in electrostatics with the aid of a soap film, 4=8598
 Kapur, J.N. On axially symmetric superposable flows, 0=4992
 Kapur, J.N. Transverse component of velocity in a plane symmetrical forced jet of a compressible fluid, 0=4994
 Kapur, J.N. Superposability in magnetohydrodynamics. II, 0=7203
 Kapur, J.N. Some problems in hydrodynamics of non-Newtonian viscous liquids with variable coefficient of cross-viscosity, 1=111
 Kapur, J.N. On axially symmetric superposable flows. II, 1=6829
 Kapur, J.N. On the existence and uniqueness of flows behind three-dimensional curved shocks, 2=11405
 Kapur, J.N. On construction of three-dimensional solutions of magnetogasdynamics from two-dimensional solutions of gasdynamics and magnetogasdynamics, 2=16007
 Kapur, J.N. On the two-dimensional jets of an incompressible pseudoplastic fluid, 2=21882
 Kapur, J.N. On steady rotational flows of ideal gases for which velocity magnitude is constant along streamlines, 2=21927
 Kapur, J.N. Pressure-temperature curve for the ideal solid-propellant rocket motor, 3=1546
 Kapur, J.N. The motion of a power-law fluid past a suddenly accelerated plane wall, 3=11756
 Kapur, J.N. Some aspects of superposability and self-superposability of fluid motions in gas dynamics, 3=14098
 Kapur, J.N. A note on the boundary layer equations for power-law fluids, 3=14109
 Kapur, J.N. Flows of power-law fluids past a flat plate with uniform suction and between two parallel plates with uniform suction and injection, 3=14110
 Kapur, J.N. A substitution principle for steady magnetogas-dynamic flows, 3=14748
 Kapur, J.N. Flow of a non-Newtonian fluid between rotating cylinders with suction and injection, 3=16589
 Kapur, J.N. Flow of Reiner-Rivlin fluids in a magnetic field, 4=5767
 Kapur, J.N. On incompressible viscous flows having constant velocity magnitude along each stream line, 4=11148
 Kapur, J.N. Characterisation of axially-symmetric self-superposable hydromagnetic flows, 4=11783
 Kapur, J.N. and Bhatia, B.L. Flow of a viscous incompressible fluid in an annulus with variable suction and injection along the walls, 4=11163
 Kapur, J.N. and Gupta, R.C. Flow on Reiner-Rivlin fluids in the inlet region of a channel, 4=18153
 Kapur, J.N. and Jain, R.K. Comments on "laminar steady-state magnetohydrodynamic flow in an annular channel", 0=19893
 Kapur, J.N. and Jain, R.K. On the stability of a solution in hydromagnetics in the presence of dissipative forces, 1=16530
 Kapur, J.N. and Jain, R.K. Hydromagnetic turbulent flow between parallel plates, 2=11773
 Kapur, J.N. and Jain, R.K. Parallel flow in an annular channel in hydromagnetics. I, 3=7685
 Kapur, J.N. and Rath, R.K. Flow of a conducting visco-elastic fluid between two plates under a transverse magnetic field and with suction and injection, 4=5772
 Kapur, J.N. and Shashi Goel. A stability theorem for general non-Newtonian fluid, 3=14097
 Kapur, J.N. and Srivastava, R.C. Axially-symmetric and two-dimensional stagnation point flows of a certain visco-elastic fluid, 3=11770
 Kapur, J.N. and Srivastava, R.C. Similar solutions of the boundary layer equations for power law fluids, 4=8138
 Kapuścik, E. The amplitude of virtual Compton scattering on nucleons, 4=21818
 Kapuścik, E.E. See Barashenkov, V.S., 4=11958
 Kapuścińska, M.I. See Skalinski, T., 1=13936
 Kapustin, A.P. The kinetics of growth and the solution of single crystals in an ultrasonic field, 4=7538
 Kapustin, A.P. The effects of ultrasound on the kinetics of crystallization, 4=10463
 Kapustin, A.P. and Dmitriev, L.M. Effects of ultrasonics on the domain structures of liquid crystals, 3=18798
 Kapustin, A.P. and Kovalyunaite, V.E. The growth of potash alum crystals in an ultrasonic field, 3=25668
 Kapustina, O.A. Ultrasonic absorption in a three-component system, 3=14262
 Kapustina, O.A. Effect of radiated power on the degree and efficiency of ultrasonic degassing of liquids, 4=24206
 Kapustinskii, A.F. On the theory of isomorphism, 2=2370
 Kapustinsky, A.F. Ionic radii and the electron theory of the structure of solids, 0=514
 Kapuy, E. The use of one-center atomic orbitals for the building up of hydrogen orbitals in a tetrahedral symmetric hydrid molecule, 0=5974
 Kapuy, E. Density matrices for wave functions built up of two-electron orbitals, 0=9823
 Kapuy, E. Calculation of the energy expression in case of a wave function built up from two electron orbits, 0=20536
 Kapuy, E. Derivation of approximate two-electron orbitals, 1=861
 Kapuy, E. An exact derivation of orthogonal two-electron orbitals, 1=4261
 Kapuy, E. Configuration interaction for wave functions built up from orthogonal two-electron orbitals, 1=18297
 Kapuy, E. Configuration interaction for wave-functions constructed from orthogonal many-electron group orbitals, 2=8054
 Kapuy, E. Derivation of "almost" orthogonal two-electron orbitals, 2=10270
 Kapuy, E. On a localized group model for N-electron systems, 2=19461
 Kapuy, E. Derivation of orthogonal many-electron group orbitals and the effect of small external perturbation on a system consisting of loosely coupled electron groups, 3=6338
 Kapuy, E. On the correlation problem in the theory of atoms and molecules, 3=12743
 Kapýlov, G.I., Kulyukina, L.A. and Polubarinov, I.V. Photoproduction of electron and muon pairs on electrons, 4=19494
 Kapýshev, A.G. See Ivanova, V.V., 3=20851

- Kapyshev, A.G. See Venevtsev, Yu.N., 1=15018
- Kar, C.K. On the process of β -emission, 0=17528
- Kar, K.C. On linearisation of the relativistic Hamiltonian, 0=17239
- Kar, K.C. Note on the linearisation of the relativistic Hamiltonian, 0=17240
- Kar, K.C. Note on Dirac method of linearising the relativistic Hamiltonian, 1=7192
- Kar, K.C. On the perturbation theory with time-dependent wave functions, 1=7210
- Kar, K.C. Fallacies in Dirac method of linearising the relativistic Hamiltonian, 2=16125
- Kar, K.C. Theory of pair production without assuming Dirac's hole, 3=22112
- Kar, K.C. and Bhattacharyya, A.K. Theory of alpha disintegration, 2=3498
- Kar, K.C. and Dutta, C. Extension of Kar formula for minimum bowing pressure, 0=16750
- Kar, K.C. and Dutta, C. Note on the dynamical coefficient of friction, 0=19035
- Kar, K.C. and Paria, B.N. A simple theory of bremsstrahlung without Dirac matrices, 0=17290
- Kar, K.C. and Paria, B.N. A new derivation of Klein-Nishina formula without matrices, 0=17302
- Kar, K.C. and Paria, B.N. Note on the wave statistical derivation of Klein-Nishina formula for Compton scattering, 1=7210
- Kar, K.C. and Purkayastha, S. Linear relativistic Hamiltonian and the electromagnetic field, 1=60
- Kar, K.C. and Purkayastha, S. Wavestatics and the theory of wave field, 3=40
- Kara, R. and Zarembovitch, A. The absolute determination of the velocity of propagation of ultrasonic waves in transparent solids, 4=16187
- Karabanov, N.I. See Sokolov, M.M., 0=12121
- Karabaševa, V. See Simova, P., 3=731
- Karabatsos, P.J. See Grunwald, E., 0=14118
- Karabekov, I.P. Non-destructive measurement of beam cross-section inside an accelerator, 4=11727
- Karabekov, I.P. A gas-discharge phase discriminator, 4=16390
- Karabekov, I.P. and Martirosyan, M.A. The design and construction of signal electrodes in accelerators, 3=5726
- Karabekov, I.P. and Martirosyan, M.A. The design and construction of signal electrodes in accelerators, 4=619
- Karabekov, I.P., Marikeyan, G.A. and Kharitonov, V.M. A new method of collecting pulses from Geiger-Mueller counters, 4=16723
- Karabin, M. See Saha, A.K., 3=16243
- Karachentsev, I.D. Intergalactic absorption, 2=24158
- Karachentsev, I.D. Intergalactic absorption, 3=3610
- Karachentseva, Z.V. See Zaslavskii, A.I., 3=20846
- Karachun, A.M., Kuz'min, A.D. and Salomonovich, A.E. Observations of some discrete radio sources on a wavelength of 3.2 cm, 2=1017
- Karachun, A.M., Kuz'min, A.D. and Salomonovich, A.E. A study of some electric parameters of the aerial of the FIAN SSSR 22 metre radiotelescope, 2=1018
- Karadeniz, C. A slide rule to work out nuclear particles track lengths, 1=17983
- Karadeniz, C. Sampling and track measurements in fast neutron spectroscopy using emulsion techniques, 2=16105
- Karadeniz, C. and Lemeille, C. Measurement of neutron spectrum from the [reaction of] 2 MeV Li^7 ions with Li^6 , 4=17205
- Karadjow, G. See Malinowski, J., 4=11374
- Karadzhev, K.V. and Man'ko, V.I. Polarization of protons scattered on O^{16} , 0=20451
- Karadzhev, K.V. See Gavrilovskii, B.V., 3=24733
- Karadzhev, K.V., Mar'ko, V.I. and Chukreev, F.E. Angular distribution of particles from the $\text{O}^{18}(\text{p}, \alpha_0)\text{N}^{15}$ reaction, 3=24932
- Karadzhev, K.V. See Gavrilovskii, B.V., 4=777
- Karafakioglu, B. Measurement of the acoustic characteristic of a "deaf" (dead, anechoic) room, 0=2219
- Karagaplov, Yu.A. See Zhilich, A.G., 2=3876
- Karageorgiev, K. See Purika, I., 3=25011
- Karageorgii-Alkalaev, P.M. See Avak'yants, G.M., 1=17768
- Karagezyan, A.G. Thermal conductivity and electrical resistivity of α -titanium and the titanium alloys T3, T4, VT5, T6 and T8 in a wide range of temperatures, 2=20952
- Karagezyan, A.G. See Mikryukov, V.E., 2=12393
- Karagounis, G. and Issa, R.M. I.R. and Raman spectra of adsorbed molecules, 3=5152
- Karagounis, G. and Issa, R. Raman spectra of adsorbed molecules: quenching of fluorescence by adsorption, 3=8932
- Karakhanov, V.Ya., Kucherov, R.Ya. and Tatishvili, D.G. An investigation of the current-voltage characteristics and oscillations of current in the circuit of low pressure thermionic converters, 4=14564
- Karakuła, S. and Wdowczyk, J. The μ meson content in a photon-electron cascade initiated by a primary photon of energy 10^{15} eV, 4=15118
- Karakulin, I.E. See Smushkov, I.V., 1=10267
- Karakushan, E.I. and Stafeev, V.I. Magnetodiodes, 1=14481
- Karakushan, E.I. and Stafeev, V.I. Large-area magnetodiodes, 2=10513
- Karakushan, E.I. See Vorob'ev, L.E., 3=17909
- Karal, F.C., Jr. and Karp, S.N. Diffraction of a plane wave by a right-angled wedge which sustains surface waves on one face, 3=5847
- Karal, F.C., Jr. and Karp, S.N. Propagation of electromagnetic waves along unidirectionally conducting screens, 4=3175
- Karal, F.C. Jr. and Keller, J.B. Elastic, electromagnetic, and other waves in a random medium, 4=18016
- Karal, F.C., Jr. See Karp, S.N., 0=19928
- Karal, F.C. Jr. See Keller, J.B., 0=11036
- Karal, F.C., Jr. See Keller, J.B., 4=11273
- Karal'nik, S.M. Employing a URS-251 [ionization] diffractometer for a study of the characteristic absorption of X-rays, 1=11995
- Karal'nik, S.M., Hurs'ka, A.P. and Dobrovol'skiy, V.D. Study of the characteristic absorption of X-rays by germanium in alloys with aluminium, 2=18853
- Karal'nyk, S.M. and Krivitskiy, V.P. Study of the characteristic K-absorption of X-rays at the temperature of liquid oxygen, 4=4243
- Karal'nik, S.M., Nikolayeva, L.H. and Korolenko, Yu.I. Study of the characteristic absorption of X-rays in Ti compounds [Ti, TiO_2 , TiN, TiC, TiH], 1=14621
- Karal'nik, S.M., Nikolayeva, L.H., Morkina, A.S. and Buyanov, Y.I. A study of the characteristic absorption of zinc and copper in their alloys with aluminium and magnesium, 2=6590
- Karal'nik, S.M., Nikolaeva, L.G. and Nefedov, N.D.N. High temperature X-ray studies of Invar alloys, 2=17030
- Karal'nik, S.M. See Neshpor, V.S., 2=8546
- Karal'nyk, S.M. See Nikolaeva, L.H., 1=11588
- Karal'nyk, S.M. See Nikolayeva, L.H., 1=20585
- Karam, H.J. Viscometers and their use, 3=14113
- Karam, R.A. and Parkinson, T.F. Neutron decay spectrometer, 4=19537
- Karam, R.A. See Bisselle, C.A., 4=30206
- Karamara, A. Permanent magnetic effects due to repeated impacts, 3=3099
- Karamyan, A.S., Dorofeev, G.A. and Klochkov, D.S. Neutron emission from strongly excited nuclei, 1=17155
- Karamyan, A.S., Kuzev, B.I., Kress, R.P., Silin, Yu.S., Stukov, G.M., Shebolev, V.T. and Yaritsyna, I.A. The absolute determination of neutron source output using a coincidence technique, 4=16909
- Karamyan, A.S. and Pleva, A.A. Production of compound nuclei by bombardment of V and Nb with O^{16} , C^{12} , and C^{13} ions, 0=9650
- Karamyan, A.S. and Pleva, A.A. Investigation of the $\text{V}^{51}(\text{C}^{12}, 2n)\text{Cu}^{61}$ reaction, 1=19538
- Karamyan, A.S. and Pleva, A.A. Investigation of the $\text{V}^{51}(\text{C}^{12}, 2n)\text{Cu}^{61}$ reaction, 3=4674
- Karamyan, A.S., Rusinov, L.I. and Fomichev, V.A. Production of $\text{Mo}^{93\text{m}}$ in the reaction Se^{80} , 0=11335
- Karamyan, A.S. See Flevov, G.N., 0=7497
- Karamyan, S.A. See Blinov, V.A., 4=3252
- Karan, A.A. See Vitman, V.D., 1=17046
- Karan, A.A. See Vitman, V.D., 3=8012
- Karan, A.A. See Vitman, V.D., 3=8054
- Karan, C. See Barson, F., 0=15933
- Karandeev, K. B., Daev, D. S., Pas'ko, E. B. and Shtamberger, G. A. Design principles for apparatus for geophysical prospecting by alternating-current methods, 4=29256
- Karapetyan, G.O. Luminescence of copper-activated glasses, 2=14720
- Karapetyan, G. O., Ksendzatskaya, Yu. N. and Yudin, D. M. An e.p.r. study of the formation kinetics of a ZnS-Mn crystal phosphor, 4=20596
- Karapetyan, G.O., Lunter, S.G. and Yudin, D.M. Luminescence of chromium-activated glasses, 3=25483
- Karapetyan, G.O., Tsekhomskii, V. A. and Yudin, D.M. Study of the structure of semiconductor glasses based on iron

- oxides, 4=2137
- Karapetyan, G.O. and Yudin, D.M. A study of the effect of γ -irradiation on phosphate glasses by the method of electron paramagnetic resonance, 1=19809
- Karapetyan, G.O. and Yudin, D.M. Investigation of the effect of ionizing radiation on glasses of the $\text{Na}_2\text{O} \cdot \text{B}_2\text{O}_3 \cdot \text{SiO}_2$ system using electron spin resonance, 3=17795
- Karapetyan, R. V. See Bunkin, F. V., 4=25746
- Karapetyan, V. A. See Khrimyan, A. V., 3=2158
- Karapetyan, V. A. See Khrimyan, A. V., 4=5994
- Karapetyan, V. A. See Khrimyan, A. V., 4=5995
- Karapetyan, V. E., Maksakov, B. I. and Feofilov, P. P. Absorption and luminescence of divalent samarium in alkali-halide single crystals, 3=23079
- Karasawa, T. See Kikuchi, S., 1=7113
- Karasawa, T. See Suwa, S., 0=19856
- Karasev, V. M. See Alaeva, T. I., 2=20173
- Karaseva, N. L. See Galavanov, V. V., 3=17883
- Karashewicz, E. and Kwiek, M. Study of concert halls using models by the impulse method, 2=21985
- Karashima, S. Electron microscope studies of deformed α -brass. I. General arrangements of dislocations, 3=17738
- Karashima, S. and Kainuma, T. Anomaly observed in boundary- and stacking-fault fringes, 3=2812
- Karashima, S. and Kainuma, T. Change in the crystal orientation due to dislocation array on slip plane, 3=3257
- Karasik, V. R. Investigation of the Hall effect and transverse magnetoresistance in germanium in fields up to 400 kOe, 0=9960
- Karasik, V. R. Strong magnetic fields (review), 3=24428
- Karasik, V. R., Akchurin, R. Sh. and Akhmedov, S. Sh. Superconductive magnet with induction excitation, 3=19410
- Karasik, A. A., Akchurin, R. Sh. and Akhmedov, S. Sh. A superconducting magnet with inductive excitation, 4=14858
- Karasik, V. R. and Kurganov, G. B. Concentration effect in germanium, 1=1046
- Karasik, V. R. See Savitskiĭ, E., 4=27612
- Karaskiewicz, E. and Kwiek, M. Acoustic quality of halls and the Haas effect, 3=14293
- Karaśkiewicz, E. See Kwiek, M., 0=6898
- Karasz, F. E. and Pople, J. A. A theory of fusion of molecular crystals. II. Phase diagrams and relations with solid state transitions, 2=1309
- Karasz, F. E. See Hamblin, D. J., 2=2924
- Karasz, F. E. See Pople, J. A., 2=8180
- Karataev, V. I. A fast-acting mass-spectrometer vacuum sluice, 2=22282
- Karataev, V. I. See Ionov, N. I., 3=4222
- Karataev, V. I. See Ionov, N. I., 3=5632
- Karateev, A. D. See Býkov, S. B., 4=4194
- Karatoteva, T. See Peeva, A., 1=13202
- Karatoteva, T. See Peeva, A., 1=13203
- Karatoteva, T. See Peeva, A., 2=13701
- Karavaev, G. F., Kudryactseva, N. V. and Chaldýshev, V. A. Structure of the electron energy spectrum in Th_3P_4 -type crystals, 3=22678
- Karavayeva, V. V. See Sukhovarov, V. F., 4=23284
- Karavičová, M. and Madár, J. A contribution to the crystal structure of $\text{Cu}(\text{NH}_4)(\text{NO}_3)_3$, 1=9140
- Karayianis, N. The phenomenological description of a relativistic three-particle emission, 3=22066
- Karayianis, N. and Morrison, C. A. Physical basis for Hund's rule, 4=12338
- Karayianis, N., Morrison, C. A. and Wortman, D. E. Long-range order of the linear antiferromagnetic chain, 2=12798
- Karazija, R. I. See Zhukauskas, K. P., 4=21039
- Karban, O. See Bém, P., 3=2444
- Karban, O. See Bém, P., 4=22125
- Karban, O. See Bém, P., 4=25098
- Karbo, D. J. Effects of shading on minor-lobe level and beamwidth in symmetrical uniformly spaced six- and four-element arrays, 4=21239
- Karbon, J. A. See Aler, G. A., 3=3212
- Karbowiak, A. E. Solution of the exact excitation problem on tubular waveguides, 4=3157
- Karbowiak, A. E. Mechanical analogue of electron spin inversion and maser action with a simple description of maser operation, 4=7317
- Karbowiak, A. E. Guided waves in statistically random media, 4=11802
- Karchevskii, A. I. Electrocaloric effect in polycrystalline barium titanate, 1=19927
- Karchevskii, A. I. Electrocaloric effect in polycrystalline barium titanate, 2=8465
- Karchevskii, A. I. and Buryak, E. M. Magnetization and the magnetocaloric effect in uranium hydride and deuteride, 3=8673
- Karchevskii, A. I. and Nikolaev, V. I. The Hall effect [and paramagnetic susceptibility] of the metamagnetic alloy MnAu_2 , 2=8292
- Karchevskii, A. I. and Nikolaev, V. I. Hall effect in the metamagnetic alloy MnAu_2 , 2=23243
- Karchevskii, A. I. and Nikolaev, V. I. Hall effect in the metamagnetic alloy MnAu_2 , 3=2854
- Karchevskii, A. I. See Babichev, A. P., 2=3026
- Karchevskii, A. I. See Babichev, A. P., 3=1958
- Karchevskii, A. I. See Babichev, A. P., 3=1960
- Karchevskii, A. I. See Babichev, A. P., 3=12089
- Karchevskii, A. I. See Babichev, A. P., 3=12108
- Karchevskii, A. I. See Babichev, A. P., 4=24682
- Karchevskii, A. I. See Nikolaev, V. I., 4=3969
- Karchevskii, A. I. See Nikolaev, V. I., 4=4362
- Karchevskii, A. I. and Buryak, E. M. The magnetic properties of the β -modification of uranium hydride and deuteride, 2=10642
- Karczewski, B. Fraunhofer diffraction of an electromagnetic wave, 1=370
- Karczewski, B. Polarization of diffracted electromagnetic wave, 1=3059
- Karczewski, B. Approximate formulas for the diffracted electromagnetic wave. I, 1=3060
- Karczewski, B. Fraunhofer diffraction of an electromagnetic wave, 1=13181
- Karczewski, B. On approximate electromagnetic theories of diffraction. I, 1=16106
- Karczewski, B. Approximate formulae for the diffracted electromagnetic wave. II, 1=16565
- Karczewski, B. On Kottler's theory of diffraction, 1=19028
- Karczewski, B. Degree of coherence of the electromagnetic field, 3=19437
- Karczewski, B. The fresnel field in Kottler's diffraction theory, 4=698
- Karczewski, B. Coherence theory of the electromagnetic field, 4=8367
- Karczewski, B. and Wolf, E. Polarization properties of the electromagnetic field diffracted from an aperture, 4=5810
- Karchevskii, A. I. and Buryak, E. M. The magnetic properties of the β -modification of uranium hydride and deuteride, 3=6692
- Kard, P. G. On elimination of the doublet structure in the transmission band of a total-reflection light filter, 0=1030
- Kard, P. G. New recurrent formulae in the theory of multi-layered optical coatings, 0=19425
- Kard, P. G. Theory of reduction of reflection by metal films, 1=2875
- Kard, P. G. Fundamentals of a theory dealing with synthesis of absorbing antireflection coatings, 1=2876
- Kard, P. G. Theory of multilayer asymmetric reflectors, 2=112
- Kard, P. G. Optical principle of reversibility and its application in the theory of thin-layer coatings, 2=5133
- Kard, P. G. New formulae for the calculation of multi-layer films, 3=14360
- Kard, P. G. and Knittl, Z. On some degenerate cases of thin film interference, 1=16102
- Kardash, A. A. See Kulakov, F. M., 4=14823
- Kardashev, D. A., Stavinskii, V. S., Broder, D. L., Lashuk, A. I. and Sadokhin, I. P. Excitation function analysis of the levels in Fe^{56} by inelastic neutron scattering in the optical model of the nucleus, 4=1018
- Kardashev, N. S. The possibility of detection of allowed lines of atomic hydrogen in the radiofrequency spectrum, 0=20591
- Kardashev, N. S. Non-stationarity of spectra of young sources of nonthermal cosmic radio emission, 2=24184
- Kardashev, N. S. Non-stationarity of spectra of young sources of nonthermal cosmic radio emission, 3=3614
- Kardashev, N. S., Lozinskaya, T. A. and Sleptsova, N. F. The spiral structure of the galaxy from observations at 21 cm, 4=29483
- Kardashev, N. S. See Lozinskaya, T. A., 3=13915
- Kardashev, N. S. See Lozinskaya, T. A., 3=23712
- Kardashev, N. S. See Shklovskii, I. S., 4=23842
- Kardon, B., Kiss, D., Lovas, I. and Zamori, Z. γ - γ angular correlation in the $\text{Ti}^{48}(\text{n}, \gamma)\text{Ti}^{49}$ reaction, 1=8651
- Kardon, B. See Dorchoman, D., 4=19799
- Kardonskii, V. M. Concerning the evaluation of extinction coefficients, 1=12636
- Kardonskii, V. M. X-ray diffraction topography of crystals, 3=17752

- Kardonskii, V.M., Kurdyumov, V.G., Kurdyumov, G.V. and Perkas, M.D. The effect of crystal properties and grain substructure on strength. I. Fe-Ni and Fe-Si alloys, 2=8740
- Kardonskii, V.M., Kurdyumov, V.G., Kurdyumov, G.V. and Perkas, M.D. The influence of crystal properties and grain substructure on hardness I. Fe-Ni and Fe-Si alloys, 2=23790
- Kardonskii, V.M., Kurdyumov, G.V. and Perkas, M.D. The effect of crystal properties and grain substructure on strength. II. Iron and nickel, 2=8741
- Kardonskii, V.M., Kurdyumov, G.V. and Perkas, M.D. The influence of crystal properties and grain substructure on hardness. II. Iron and nickel, 2=23791
- Kardonskii, V.M., Kurdyumov, G.V. and Perkas, M.D. The fine structure of cold-worked high-carbon steel, 4=15806
- Kardonskii, V.M. and Perkas, M.D. Investigation of the sub-microstructure of deformed nickel, 0=16253
- Kardonskii, V.M. and Perkas, M.D. Disordering of quenched and plastically deformed iron, 3=8903
- Kardonskii, V.M. See Il'inskii, A.I., 0=18262
- Karekar, R.N. See Chiplonkar, M.W., 1=20862
- Karekar, R.N. See Chiplonkar, M.W., 2=4604
- Karekar, R.N. See Chiplonkar, M.W., 2=17124
- Karekar, R.N. See Chiplonkar, M.W., 3=9046
- Karekar, R.N. See Chiplonkar, M.W., 3=9048
- Karekar, R.N. See Chiplonkar, M.W., 4=2209
- Karekar, R.N. See Chiplonkar, M.W., 4=17902
- Karel, F. and Soucková, L. Cathodoluminescence of aluminium nitride, 3=13213
- Karelin, N.A. Variation in thermoelectric force of iron during plastic deformation, 3=13141
- Karelin, N.A. See Gladkovskii, V.A., 3=13357
- Karetnikov, D. V. See Egorov, V. A., 4=16551
- Karev, V.N. See Bondar', A.D., 2=19114
- Karev, V.N. See Bondar', A.D., 2=21556
- Karev, V.N. See Bondar', A.D., 2=21563
- Kargapolov, Yu.A. See Cherepanov, V.I., 2=4140
- Kargapolov, Yu.A. See Cherepanov, V.I., 2=8513
- Kargin, V. A., Azori, M., Platé, N. A. and Banduryan, S. I. Direct electron-microscopic observation of polymerization of crystalline monomers, 4=15842
- Kargin, V. A., Sogolova, T. I. and Shaposhnikova, T. K. Control of super-molecular structure of polymers by introducing artificial crystallisation embryos, 4=29152
- Kargin, V. A. See Andrianova, G. P., 4=7447
- Kargin, V.A. See Berestnev, V.A., 1=20654
- Kargin, V.A. See Berestnev, V.A., 2=4481
- Kargin, V.A. See Igonin, L.A., 0=2927
- Kargin, V.A. See Selikhova, V. I., 4=20474
- Kargin, V. A. See Stesikov, V. P., 4=20827
- Kargin, V.A. See Vinogradov, G.V., 3=21351
- Kargin, V. A. See Vinogradov, G. V., 4=15695
- Kargin, V. A. See Vinogradov, G. V., 4=23197
- Kargon, R. William Rowan Hamilton, Michael Faraday, and the revival of Bosconichean atomism, 4=29513
- Karkhanin, Yu.I., Kozhevnikov, V.Ye. and Peka, H.P. Effect of organic dyes on the condenser photo-effect of germanium and cuprous oxide, 2=8437
- Karim, S.M. Radioactive fall-out and atmospheric radioactivity, 2=24026
- Karimov, R. See Azimov, S.A., 1=3274
- Karimov, P. See Azimov, S.A., 1=19227
- Karimov, Yu.S., Chibrikov, V.M. and Shchegolev, I. F. A study of hyperfine interaction in cations of dibenzenechromium and ditoluenechromium, 4=15383
- Karimov, Yu.S. and Shchegolev, I.F. Hyperfine interaction in the diphenyl-picrylhydrazyl molecule, 1=14093
- Karimov, Yu.S. and Shchegolev, I.F. Nuclear resonance of Sn^{119} in metallic tin, 1=20268
- Karimov, Yu.S. and Shchegolev, I.F. Nuclear magnetic resonance in metallic thallium, 2=787
- Karimov, Yu.S. and Shchegolev, I.F. Nuclear magnetic resonance in metallic thallium, 2=23721
- Karimov, Yu.S. and Shchegolev, I.F. Nuclear resonance of Sn^{119} in metallic tin, 3=5052
- Karimov, Yu.S. and Shchegolev, I.F. Study of the magnetic properties of the iodides of dibenzene-chromium and ditoluene-chromium at very low temperatures, 4=17669
- Karimova, R. See Azimov, S.A., 0=13157
- Karioris, F.G. and Fish, B.R. An exploding wire aerosol generator, 2=8936
- Karioris, F. G. See Barkow, A. G., 4=10659
- Karipides, A. See Piper, T.S., 2=23524
- Karipides, A. G. and Piper, T.S. Optical activity of coordination compounds. II. A molecular orbital model and an analysis of experimental data for complexes of trigonal symmetry, 4=12419
- Kariss, Ya.E. and Feofilov, P.P. The absorption, luminescence and laser action of neodymium in SrF_2 crystals, 3=20482
- Kariss, Ya. E. and Feofilov, P. P. Absorption and emission of divalent holmium and erbium ions in fluorite-type crystals, 4=13038
- Kariss, Ya.E. See Bonch-Bruevich, A.M., 2=6641
- Kariss, Ya. E. See Bonch-Bruevich, A. M., 4=5852
- Kark, V. Ya., Lushchik, Ch.B. and Yaék, I.V. Sensitized phosphorescence of halide phosphor crystals, 0=10072
- Karkhanin, Yu.I. and Peka, G.P. Inversion layer at the surface of cuprous oxide, 2=23380
- Karkhanin, Yu.I., Peka, G.P. and Yarmola, T.M. Quenching of infrared luminescence of cuprous oxide by hydrogen ions, 3=18028
- Karkhanin, Yu.I. and Vorob'ev, Yu.V. Relaxation time of the short-wavelength luminescence bands of Cu_2O , 3=3041
- Karkhanin, Yu.I. See Peka, G.P., 2=4172
- Karkhanin, Yu.I. See Peka, G.P., 2=3572
- Karkhanin, Yu.I. See Peka, G.P., 3=22942
- Karkhanin, Yu.I. See Vorob'ev, Yu.V., 1=14629
- Karkhanin, Yu.I. See Vorob'ev, Yu.V., 3=18029
- Karkhanavala, M.D. and Momin, A. C. The formation of urania-thoria solid solution, 4=13462
- Karkhanavala, M.D. See George, A.M., 4=1625
- Karkhanin, Yu.I. and Vorob'ev, Yu. V. Mechanism and kinetics of the electroluminescence of cuprous oxide, 4=13070
- Karkhanin, Yu.I. See Vorob'ev, Yu. V., 4=1728
- Karkhanin, Yu.I. See Vorob'ev, Yu. V., 4=10212
- Karkhov, A.N. Frequency spectrum analyser for studying the cyclotron radiation of hydrogen ions, 2=19861
- Karkhov, A.N. See Bazhanova, A.E., 3=12202
- Karklin, A. Yu. See Sauka, Ya. Ya., 3=16083
- Karklina, E.A. See Zaidel', A.N., 3=24250
- Karklina, E.A. See Zhiglinskii, A.G., 2=171
- Karl, D.J. and Dye, J.L. The effect of the exponential distribution function on the electrophoretic contribution to the conductance of 1-1 electrolytes, 2=10984
- Karl, G. and Polanyi, J.C. Infrared emission arising from electronic-vibrational energy transfer; $\text{Hg}^* + \text{CO}$, 3=10506
- Karle, I.L. and Karle, J. Determination of the molecular structures of CF_3NO_2 and CBr_3NO_2 by electron diffraction, 2=14234
- Karle, I. L., Karle, J., Owen, T. B., Broge, R. W., Fox, A. H. and Hoard, J. L. The configuration of C_8F_{12} , a saturated dimer of hexafluorobutadiene, 4=29151
- Karle, J. Excited states of molecules and the scattering of fast electrons, 1=1700
- Karle, J. and Bonham, R. A. Calculation of electron scattering factors. I. Nonrelativistic theory, 4=15298
- Karle, J. and Hauptman, H. A unified program for phase determination, type 3P, 2=10839
- Karle, J. and Hauptman, H. A unified program for phase determination, type 4P, 2=10840
- Karle, J. and Hauptman, H. Positivity, point atoms, and Pattersons, 4=23374
- Karle, J. See Bonham, R.A., 2=22914
- Karle, J. See Hauptman, H., 0=4621
- Karle, J. See Hauptman, H., 1=15062
- Karle, J. See Hauptman, H., 2=15002
- Karle, J. See Karle, I.L., 2=14234
- Karle, J. See Karle, I. L., 4=29151
- Karle, J. See Swick, D.A., 2=3760
- Karlén, I. See Olsson, I.U., 2=10034
- Karlikov, V.P. A contribution to the theory of axially symmetric flow of gases, 0=19174
- Karlikov, V.P. A contribution to the theory of axially symmetric flow of gases, 1=5289
- Karlikov, V.P. and Korobeinikov, V.P. Disturbances in an electromagnetic field caused by shock waves under the influence of a sudden increase in conductivity, 2=17954
- Karlikov, V.P. See Korobeinikov, V.P., 0=19911
- Karlikov, V.P. See Korobeinikov, V.P., 1=5542
- Karlikov, V.P. See Korobeinikov, V.P., 3=21485
- Karlin, J.E. See Munson, W.A., 2=15426
- Karlov, N.V. and Chikhachev, B.M. The sensitivity of a low-noise radiometer (in the quantum region), 1=4215
- Karlov, N.V. and Chikhachev, B.M. The sensitivity of a radio-telescope at low input-noise levels, 1=4216
- Karlov, N. V., Margerie, J. and Merle-D'Aubigné, Y. Optical pumping of F-centres in KBr, 4=10000

- Karlov, N.V. and Prokhorov, A.M. Sensitivity of quantum electro-magnetic radiation receivers, 3=19478
- Karlov, N.V. See Basov, N.G., 2=7459
- Karlov, N.V. See Emel'yanova, E.N., 3=25569
- Karlov, N.Y. See Zverev, G.M., 3=24505
- Karlovsky, J. Simple method for calculating the tunneling current of an Esaki diode, 2=18716
- Karlovský, J. and Marek, A. On an Esaki diode having the curvature coefficient greater than e/kT , 1=17765
- Karlson, E.T. Motion of charged particles in an inhomogeneous magnetic field, 2=9582
- Karlson, E.T. On the streaming of a plasma through the geomagnetic field, 2=12054
- Karlson, E.T. Streaming of a plasma through a magnetic dipole field, 3=16935
- Karlson, E.T. Streaming of a plasma in an inhomogeneous magnetic field, 4=21502
- Karlsons, D. and Falvey, T. Q-switched $\text{CaWO}_4:\text{Nd}^{3+}$ laser, 4=5856
- Karlsson, A., Lerjefors, C.A. and Matthias, E. The gyromagnetic ratio of the 155 keV rotational level in Os^{188} , 1=12156
- Karlsson, B.E. An instrument for the study of moments of excited nuclear states by angular correlation method. I. Principles of measurements with a 4-detector system and applied external fields. Construction of a new 60 000 gauss electromagnet based on these principles, 2=12126
- Karlsson, B.E., Matthias, E. and Lerjefors, C.A. An instrument for the study of moments of excited nuclear states by angular correlation methods. II Electronic equipment. Test methods and performance of the system, 2=12127
- Karlsson, E., Matthias, E. and Ogaza, S. The gyromagnetic ratio of the first rotational state in Hf^{178} , 2=12137
- Karlsson, E. and Siegbahn, K. A new design for a beta-ray spectrograph for relative measurements, 1=2041
- Karlsson, E. See Gustafsson, S., 4=25323
- Karlsson, E. See Lerjefors, C.A., 1=12157
- Karlsson, E. See Marklund, I., 2=12160
- Karlsson, E. See Matthias, E., 2=10014
- Karlsson, S.-E., Bergman, O. and Scheuer, W. The decay of Rh^{105} , 4=19724
- Karlsson, S.E. See Brabec, V., 4=19735
- Karlsson, S.E. See Hagström, S., 4=19935
- Karlsson, S.E. See Siegbahn, K., 4=25066
- Karlsson, S.K.F. See Lambert, R.B., 4=18144
- Karlsson, T. and Hook, J.F. Lamb's problem for an inhomogeneous medium with constant velocities of propagation, 4=2759
- Karłykov, D.M. X-ray investigation of short-range order liquid solutions of zinc in mercury, 1=12860
- Karman, T.von. See von Karman, T.
- Karmanov, F.V. See Afonin, I.P., 3=19283
- Karmasin, M. See Benda, F., 2=15971
- Karmasin, M. See Zhuravlev, A.A., 3=9889
- Karmasis, M. See Kult, K., 4=21609
- Karmen, K.N. Influence of exposure to X-rays on the anomalous properties of Rochelle salt, 0=11741
- Karmen, K.N. The effect of a constant electric field on the hysteresis of a ferroelectric salt, 0=18095
- Karmen, K.N. The effect of unipolarity of Rochelle salt on its electrical properties, 1=19922
- Karmen, K.N. Polarization of a ferroelectric under conditions of short-time electric pulses, 4=20415
- Karmilov, A.G. See Ibrahimov, Sh.Sh., 4=28509
- Karmin, I. The resolving anemometer, 0=756
- Karmohapatro, S.B. Improved transmission of ions with inhomogeneous magnetic fields, 0=7170
- Karmohapatro, S.B. A magnetic spectrometer for charged particles, 0=15221
- Karmohapatro, S.B. Charge exchange between argon ions and atoms, 1=4563
- Karmohapatro, S.B. A two-directional focussing high-intensity mass-spectrometer, 1=13132
- Karmohapatro, S.B. Charge exchange between krypton ions and atoms, 2=160
- Karmohapatro, S.B. See Narasinhham, A.V., 4=4105
- Karnaikhov, I.M. See Fogel', M., 0=17044
- Karnaikhov, I.M. See Fogel', Ya.M., 1=4652
- Karnaikhov, V.A. Interaction of accelerated nitrogen nuclei with bismuth, 0=13249
- Karnaikhov, V.A. Anomalous α -emitters in the Po-Ra region, 2=14014
- Karnaikhov, V.A. Anomalous α -emitters in the Po-Ra region, 3=6193
- Karnaikhov, V.A., Khalizev, V.I. and Flerov, G.N. Emitters of α -particles with energies of about 9 and 12 MeV, 0=9552
- Karnaikhov, V.A. and Mikheev, V.L. A device for measuring the full thickness of α -active layers, 4=16718
- Karnaikhov, V.A. and Oganessian, Yu.Ts. Gamma-rays accompanying interaction of accelerated C^{12} ions with Sn nuclei, 0=13250
- Karnaikhov, V.A. and Tarantin, N.I. On the possibility of proton decay of nuclei, 1=19379
- Karnaikhov, V.A., Ter-Akop'yan, G.M., Petrov, L.A. and Subbotin, V.G. Experimental observation of radioactive decay with proton emission, 4=6279
- Karnaikhov, V.A., Ter-Akopian, G.M. and Subbotin, V.G. Search for proton emitters among the products of heavy ion induced reactions, 4=28067
- Karnaikhov, V.A. See Donets, E.D., 2=22855
- Karnaikhov, V.A. See Donets, E.D., 3=8138
- Karnaikhov, V.A. See Flevov, G.N., 0=7497
- Karnaikhov, V.A. See Flerov, G.N., 4=30319
- Karnaikhov, V.A. See Kumpf, H., 4=19833
- Karnaikhov, V.A. See Polikanov, S.M., 2=16442
- Karnaikhov, V.A. See Polikanov, S.M., 3=6315
- Karni, Z. The Euler-Lagrange equations and the curvilinear derivative, 2=15520
- Karnik, M.B. A new explanation of the generation of electrical oscillation in a.c. discharge, 3=9740
- Karnik, N.V. See Vanek, I., 2=19187
- Karnis, A., Goldsmith, H.L. and Mason, S.G. Axial migration of particles in poiseuille flow, 4=5139
- Karnowsky, M.M. and Estill, W.B. Scratch test for measuring adherence of thin films to oxide substrates, 4=30761
- Karo, A.M. Lattice vibrations in alkali halide crystals. I. Lithium and sodium halides, 0=2782
- Karo, A.M. Electron-population analysis and the dipole moment of the $\text{LiH } ^2\Sigma^+$ excited state, 0=5976
- Karo, A.M. Lattice vibrations in alkali halide crystals. II. Potassium and rubidium halides; cesium fluoride, 0=13480
- Karo, A.M. and Allen, L.C. LCAO wave functions for hydrogen fluoride with Hartree-Fock atomic orbitals, 0=1511
- Karo, A.M. and Hardy, J.R. Lattice dynamics and specific-heat data for rocksalt-structure alkali halides, 3=8350
- Karo, A.M., McCombie, C.W. and Murray, A.M. Breadth of the F band in NaCl, 0=13554
- Karo, A.M. See Allen, L.C., 0=17821
- Karo, A.M. See Allen, L.C., 3=12814
- Karo, A.M. See Hardy, J.R., 0=20743
- Karo, D. Extension of the field of use of the ballistic galvanometer, 3=24163
- Karol, I.L. The effect of turbulent diffusion in the direction of the wind upon the distribution of concentration of material which is spreading in the atmosphere, 0=12177
- Karol, I.L. An estimate of the rate at which natural radioactive aerosols are removed from the atmosphere by clouds and rain, 4=15877
- Karol, A.R., Angström, A.K. and Drummond, A.J. Dependence on atmospheric pressure of the response characteristics of thermopile radiant energy detectors, 0=14880
- Karolus, A. Physical principles of the electro-optical determination of distances, 0=14569
- Karolus, A. and Helmberger, J. A new electro-optic distance meter with an accuracy of $1 \cdot 10^4$, 1=12838
- Karolus, A. and Thiesbürger, K. The effect of gravity on the frequency of tuning forks, 2=19643
- Károlyházy, F. Phase operators in radiation theory, 1=18554
- Károlyházy, F. Coherence properties of "incoherent" scattered radiation, 2=11462
- Károlyházy, F. Mach's principle and general relativity, 4=18049
- Károlyházy, F. and Marx, G. Strong interactions in the four-dimensional isotopic space, 0=5484
- Karosas, I.B. See Karosiene, A.V., 4=1200
- Karosiene, A.V. See Bandzaitis, A.A., 4=14051
- Karosiene, A.V. See Zhvironaite, S.A., 4=19928
- Karosiene, A.V., Karosas, I.B. and Yutsis, A.P. Some results of the estimation of Hartree parameters for the hydrogen-type one-electron wave functions, 4=1200
- Karosiene, A.V., Vizbaraitė, J.I. and Yutsis, A.P. The matrix elements of the electrostatic energy operator for the configuration p^2l in different coupling schemes, 4=1185
- Karosiene, A.V., Vizbaraitė, Ya.I. and Yutsis, A.P. Coupling schemes in atoms characterized by the configuration p^2l , 4=1190
- Karosiene, A.V. and Yutsis, A. Transformation matrix between LS and JI coupling schemes for configurations p^4l , p^3l and p^2l , 4=1188

- Karovič, K. Method of experimental study of the line of sight of levelling instruments, 4=16215
- Karovič, K., Bolí, J. and Kubáček, L. A new method for the experimental investigation of the position of the line of sight for an optical telescope system, 3=18973
- Karp, A. Tritanopia and two-colour image synthesis, 1=4159
- Karp, A. See Shaw, H. J., 4=12628
- Karp, D. See Heart, F. E., 4=30996
- Karp, S. N. Far field amplitudes and inverse diffraction theory, 2=7747
- Karp, S. N. Systematic improvement of quasistatic calculations, 3=24461
- Karp, S. N. and Karal, F. C., Jr. Vertex excited surface waves on one face of a right angled wedge, 0=19928
- Karp, S. N. and Keller, J. B. Multiple diffraction by an aperture in a hard screen, 1=5357
- Karp, S. N. See Bazer, J., 2=16067
- Karp, S. N. See Kane, J., 4=11799
- Karp, S. N. See Karal, F. C., Jr., 3=5847
- Karp, S. N. See Karal, F. C., Jr., 4=3175
- Karp, S. N. See Morgan, R. C., 4=11797
- Karp, S. N. See Zitron, N., 1=6934
- Karp, S. N. See Zitron, N., 1=6935
- Karpacheva, G. P. See Volkov, D. I., 3=3081
- Karpechenko, V. G. See Grechanik, L. A., 1=10047
- Karpenko, A. G., Belyaev, L. M., Vitovskii, B. V. and Dobrzhanskii, G. F. Crystallizer for crystal growing by the evaporation method, 2=4389
- Karpenko, A. G. See Belyaev, L. M., 2=4390
- Karpenko, B. V. On the problem of the existence of superconductive state in antiferromagnetic metals, 1=9511
- Karpenko, B. V. On the question of the existence of superconducting antiferromagnetics, 1=9512
- Karpenko, B. V. Effect of the scattering of conduction electrons by the spin waves of a ferromagnetic on the temperature of transition to the superconducting state, 1=11876
- Karpenko, B. V. and Berdyshev, A. A. Indirect interaction of d-electrons of the transition metals. II. Antiferromagnetism, 0=11908
- Karpenko, B. V. and Berdyshev, A. A. Exchange interaction via carriers in ordered semiconducting magnetic materials, 4=7208
- Karpenko, B. V. and Berdyshev, A. A. Indirect exchange interaction through current carriers in semiconductors, 4=26019
- Karpenko, B. V., Berdyshev, A. A., Zaks, R. B. and Noskova, L. M. The role of indirect exchange interaction in the theory of magnetism of the transition metals and rare earths. II. Antiferromagnetism, 1=3917
- Karpenko, B. V. See Vonsovskii, S. V., 0=13750
- Karpenko, I. K. See Demirkhanov, R. A., 3=8215
- Karpenko, I. K. See Demirkhanov, R. A., 4=16557
- Karpenko, I. V. See Vol'kenshtein, F. F., 4=20816
- Karpenko, I. V. See Wolkenstein, T., 2=4496
- Karpenko, N. M. See Mal'yshev, I. F., 4=14801
- Karpinskii, V. N. Compensation of Rowland's "ghosts" in spectrographs with double diffraction at the grating, 0=14832
- Karplus, M. Note on the internal-rotation barrier in ethanic compounds, 0=15709
- Karplus, M. "Average energy approximation" in spin-coupling calculations, 0=17797
- Karplus, M. Weak interactions in molecular quantum mechanics, 0=17846
- Karplus, M. The analysis of molecular wave functions by nuclear magnetic resonance spectroscopy, 1=3562
- Karplus, M. Proton spin coupling by π electrons, 1=3568
- Karplus, M. Theory of proton coupling constants in unsaturated molecules, 1=4949
- Karplus, M. Variation-perturbation approach to the interaction of radiation with matter, 3=7129
- Karplus, M. Refractive index of the hydrogen molecule, 4=25642
- Karplus, M. and Das, T. P. Theory of localized contributions to the chemical shift. Application to fluorobenzenes, 1=8853
- Karplus, M. and Fraenkel, G. K. Theoretical interpretation of carbon-13 hyperfine interactions in electron spin resonance spectra, 1=17344
- Karplus, M., Kern, C. W. and Lazdins, D. Shielding anisotropies in xenon fluorides, 4=23069
- Karplus, M. and Kolker, H. J. Magnetic interactions of lithium hydride, 2=3770
- Karplus, M. and Kolker, H. J. Magnetic susceptibility of diatomic molecules, 3=10494
- Karplus, M. and Kolker, H. J. A variation-perturbation approach to the interaction of radiation with atoms and molecules, 4=1172
- Karplus, M. and Kolker, H. J. Time-dependent variation-perturbation method for many-electron systems, 4=6451
- Karplus, M. and Parr, R. G. An approach to the internal rotation problem, 3=12801
- Karplus, M. and Pople, J. A. Theory of carbon N.M.R. chemical shifts in conjugated molecules, 3=17557
- Karplus, M., Porter, R. N. and Sharma, R. D. Dynamics of reactive collisions: The $\text{H} + \text{H}_2$ exchange reaction, 4=17857
- Karplus, M. and Raff, L. M. Theoretical investigations of reactive collisions in molecular beams: $\text{K} + \text{CH}_3\text{I}$, 4=28290
- Karplus, M. and Shavitt, I. Multi-center π -electron integrals for the benzene molecule, 3=12847
- Karplus, M. See Adrian, F. J., 4=25732
- Karplus, M. See Brown, T. H., 3=25151
- Karplus, M. See Brown, T. H., 3=12860
- Karplus, M. See Das, T. P., 2=14239
- Karplus, M. See Gutowsky, H. S., 0=2742
- Karplus, M. See Hurst, R. P., 2=20807
- Karplus, M. See Kern, C. W., 4=12453
- Karplus, M. See Kolker, H. J., 2=6225
- Karplus, M. See Kolker, H. J., 4=1256
- Karplus, M. See Kolker, H. J., 4=28259
- Karplus, M. See Lazdins, D., 4=9769
- Karplus, M. See Mukherji, A., 3=8256
- Karplus, M. See Porter, R. N., 4=12480
- Karplus, M. See Schrader, D. M., 4=17323
- Karplus, M. See Schug, J. C., 1=19660
- Karplus, M. See Schug, J. C., 2=18479
- Karplus, M. See Shavitt, I., 2=6197
- Karplus, R. Radiation of hydromagnetic waves, 0=17088
- Karplus, R. Beginning a study in elementary school science, 2=1038
- Karplus, R., Francis, W. E. and Dragt, A. J. The attenuation of hydromagnetic waves in the ionosphere, 3=9074
- Karplus, R. and Rodberg, L. S. Inelastic final-state interactions: K^+ absorption in deuterium, 0=380
- Karplus, R. and Yamaguchi, Y. Quasi-elastic nucleon-nucleus scattering at high energy, 1=19187
- Karplus, R. See Dessler, A. J., 0=8400
- Karplus, R. See Dessler, A. J., 1=21074
- Karplus, R. See Dragt, A. J., 2=22428
- Karplus, R. See Dragt, A. J., 4=9123
- Karplus, R. See Francis, W. E., 1=15256
- Karplus, R. See Freund, P. G. O., 1=16698
- Karplus, R. See Freund, P. G. O., 1=16700
- Karplus, R. See Freund, P. G. O., 2=22419
- Karplus, R. See Hamlin, D. A., 1=15327
- Karplyuk, K. S. and Lebitskii, S. M. The dispersion equations for an electron flux in a plasma in a magnetic field, 4=29915
- Karpman, V. I. The microscopic theory of the Fermi fluid, 0=20085
- Karpman, V. I. Nonlinear effects in the electrodynamics of a transparent medium, 3=24468
- Karpman, V. I. Theory of weakly turbulent plasma, 4=14627
- Karpman, V. I. Structure of the shock front propagating at an angle to a magnetic field in a low-density plasma, 4=11607
- Karpman, V. I. and Sagdeev, R. Z. The stability of the structure of a shock-wave front moving across a magnetic field in a rarefied plasma, 4=8697
- Karpman, V. I. See Berezin, Yu. A., 4=18969
- Karpman, V. I. See Galeev, A. A., 3=21844
- Karpman, V. I. See Zakharov, V. E., 3=2006
- Karpov, G. I. See Popov, L. E., 0=8271
- Karpov, G. I. See Popov, L. E., 2=10909
- Karpov, G. I. See Popov, L. E., 2=15058
- Karpov, G. I. See Popov, L. E., 4=1998
- Karpov, I. K. See Mikhali'chenko, G. A., 4=13079
- Karpov, R. G. Measurement of small and rapidly-varying capacitances, 4=16386
- Karpov, R. G. Measurement of small phase differences of two sinusoidal voltages, 4=14540
- Karpov, V. L. See Kuzminskii, A. S., 0=6419
- Karpov, V. L. See Tikhomirova, N. S., 0=12064
- Karpov, Yu. S. Temperature dependence of low frequency fluctuations of conductivity in reverse-biased germanium p-n junctions, 1=14482
- Karpov, Yu. S. Temperature dependence of low frequency fluctuations of conductivity in reverse-biased germanium p-n junctions, 1=17770

- Karpov, Yu.S. Experimental confirmation of the presence of two low-frequency fluctuations components in device utilizing p-n junctions, 2=2180
- Karpov, Yu.S. See Mirlin, D.N., 2=16756
- Karpov, Yu.S. See Mirlin, D.N., 2=18744
- Karpova, I.V., Alekseeva, V.G. and Kalashnikov, S.G. Recombination properties of gold in n-type germanium, 2=18675
- Karpova, I.V., Alekseeva, V.G. and Kalashnikov, S.G. Recombination properties of gold in n-type germanium, 2=21131
- Karpova, I.V. and Kalashnikov, S.G. Lifetime of electrons and holes in heavily doped germanium, 3=10785
- Karpova, I.V. and Kalashnikov, S.G. Electron and hole lifetimes in strongly doped germanium, 3=17848
- Karpova, I.V. See Alekseeva, V.G., 1=17685
- Karpova, I.V. See Alexeeva, V.G., 2=8398
- Karpova, O.V. An absolute method of measurement of dielectric properties of a solid using a π -shaped resonator, 0=3717
- Karpovich, I.A. and Shilova, M.V. High-voltage photo-e.m.f. in Sb₂S₃ films, 4=26141
- Karpovich, I.A. See Lukirskii, A.P., 0=8815
- Karpovich, I.A. See Lukirskii, A.P., 1=13109
- Karpovich, I.A. See Rumsh, M.A., 4=16606
- Karpovich, I.R. See Ozerov, R.P., 1=11551
- Karpukhin, O.A. See Belovintsev, K.A., 0=7181
- Karpukhin, O.A. See Gol'danskii, V.I., 1=492
- Karpukhin, O.A. See Gol'danskii, V.I., 1=4786
- Karpukhin, O.A. See Gol'danskii, V.I., 4=16852
- Karpukhin, O.A. See Goldanskii, V.I., 0=20137
- Karpukhin, V.I. and Nikolaenko, V.A. Remote-controlled apparatus for X-ray structural analysis of radioactive specimens, 4=17822
- Karpuchin, V.I. See Pravdyuk, N.F., 2=18389
- Karpukhin, V.T. See Bazhanova, A.E., 3=12202
- Karpus, A.S. and Batarūnas, I.V. Complex band structure of semiconductors of Sb₂S₃ type, 4=1434
- Karpus, A.S., Batarunas, I.V. and Mikal'kevichyus, M.F. Electrical properties of Sb₂S₃ single crystals and their dependence on chemical bond, crystalline state and band structure, 4=1590
- Karpus, A.S. and Mikal'kevičius, M.P. The influence of the partial pressure of sulfur atmosphere on the growth of Sb₂S₃ single crystals from the gaseous phase and the electrical conductivity, 4=2023
- Karpushkina, E.I. See Sokolov, Yu.L., 3=21807
- Karr, H.J., Knapp, E.A. and Osher, J.E. Energy loss from a toroidal pinch discharge, 1=5465
- Karr, H., Knapp, E. and Reisenfeld, W. Plasma resonance interaction with a spatially rotating static magnetic field, 3=12223
- Karr, H.J. See Bendt, P.J., 0=13345
- Karr, H.J. See Dreicer, H., 3=12122
- Karr, P.R. Generalized "cross-correlation" field quantities as solutions of field equations, 3=21203
- Karras, H. Coloration spectra of strontium fluoride single crystals, 1=19808
- Karras, H. Proposed model for some absorption bands of coloured and uncoloured strontium fluoride crystals, 2=3957
- Karras, H. Additive coloration of strontium fluoride, 2=3958
- Karras, H. See Bruch, H., 4=12787
- Karras, H. See Görlich, P., 0=11759
- Karras, H. See Görlich, P., 1=14329
- Karras, H. See Görlich, P., 2=2264
- Karras, H. See Görlich, P., 2=4110
- Karras, H. See Görlich, P., 2=4111
- Karras, H. See Görlich, P., 2=21078
- Karras, H. See Görlich, P., 3=2837
- Karras, H. See Görlich, P., 3=6541
- Karras, H. See Görlich, P., 3=8593
- Karras, H. See Görlich, P., 3=20406
- Karras, H. See Görlich, P., 3=20470
- Karras, H. See Görlich, P., 3=25298
- Karras, H. See Görlich, P., 4=4082
- Karras, H. See Görlich, P., 4=4295
- Karras, H. See Görlich, P., 4=4302
- Karras, H. See Görlich, P., 4=27696
- Karras, M. On the natural radioactivity of samarium, 1=13703
- Karras, M., Andersson, G. and Nurmia, M. Search for alpha activity in neutron deficient isotopes of Pb, Tl, Hg, Pt, and Te, 3=659
- Karras, M. and Kantele, J. New nuclear species Sc^{50m} and Rh¹¹⁰, 3=24894
- Karras, M. and Nurmia, M. Natural radioactivity of samarium and neodymium, 0=11346
- Karras, M. New isotope In¹²⁴, 4=27994
- Karras, M. See Kantele, J., 3=4593
- Karras, M. See Kantele, J., 4=22071
- Karras, M. See Nurmia, M., 1=13714
- Karrer, S. See Kiess, C.C., 1=1632
- Karriker, F.P. See Newson, H.W., 1=13653
- Karsai, M. and Tarnóczy, T. Absorption measurements for the calibration of a small reverberating chamber, 4=5338
- Karstens, G.E. See Alekseevskii, N.E., 3=4909
- Karstens, G.E. See Alekseevskii, N.E., 4=26012
- Karstensen, F. The diffusion into germanium crystals containing a grain boundary, 0=2829
- Kartaschoff, P. Operation and improvements of a cesium beam standard having 4-meter interaction length, 3=13992
- Kartaschoff, P. See Bonanomi, J., 4=24006
- Kartaschoff, P. See De Prins, J., 2=3161
- Kartaschoff, P. See de Prins, J., 2=5466
- Kartaschoff, P. See de Prins, J., 4=770
- Kartashev, A.I. Optical systems with high resolving power, 1=2847
- Kartashev, A.I. See Batarchukova, N.R., 2=19708
- Kartashev, A.I. See Bataruchkova, N.R., 3=16797
- Kartashev, K.B. See Gorbunov, E.P., 4=8685
- Kartashov, G.R., Burgov, N.A. and Davydov, A.V. Shape of the β -spectrum of Ar⁴¹, 3=6202
- Kartashov, G.R. See Burgov, N.A., 0=13180
- Kartashov, G.R. See Burgov, N.A., 2=3506
- Kartashov, G.R. See Burgov, N.A., 2=5622
- Kartashov, G.R. See Burgov, N.A., 3=2418
- Kartashov, N.P. and Popov, G.A. Determination of aerosol concentrations of the short-lived radon decay products, 2=20531
- Kartashov, N.V. See Venikov, N.I., 4=3071
- Kartashov, N.V. See Venikov, N.I., 4=16586
- Kartashov, V.M. See Kovrigin, O.D., 4=1026
- Kartha, V.B. See Bayly, J.G., 4=11199
- Kartmazov, G.N. See Amonenko, V.M., 4=23489
- Kartmazov, G.N. See Vasyutinskii, B.M., 1=1436
- Kartmazov, G.N. See Vasyutinskii, B.M., 3=5100
- Kartmazov, G.N. See Vasyutinskii, B.M., 4=10483
- Kartmazov, G.N. See Vasyutinskiy, B.M., 4=13710
- Kartmazov, H.M. See Vasyutyn's'kyi, B.M., 2=23847
- Kartujanski, A.L. See Jdanov, A.P., 0=12738
- Kartushova, R.E. See Fomin, V.V., 0=4735
- Kartuzhanskii, A.L. An estimate of losses during the formation of a latent photographic image by ionizing particles, 1=13248
- Kartuzhanskii, A.L. Elementary photographic processes in an electric field, 2=5195
- Kartuzhanskii, A.L. and Shur, L.I. Energy of activation of the thermally-induced fading of the latent photographic, 0=10789
- Kartuzova, I.A. See Galavanov, V.V., 1=19879
- Kartuzova, I.A. See Galavanov, V.V., 2=8363
- Kartzmark, E.M. See Campbell, A.N., 2=15148
- Karube, N. Calculated divergence of laser beam from generalized spherical mirror cavities, 4=27680
- Karube, N., Yamamoto, K. and Kamiyama, M. Thermal oxidation of silicon, 3=13600
- Karube, N., Yamamoto, K. and Kamiyama, M. Investigations of films of silicon dioxide obtained by thermal oxidation of silicon, 3=23516
- Karule, E. See Veldre, V., 4=24578
- Karule, E. See Veldre, V., 4=27485
- Karule, E.M. See Damburg, R.Ya., 3=17542
- Karumidze, G.S. Some results of measurements of Cherenkov radiation intensity in the IRT-2000 reactor by means of a FEU-19M photomultiplier, 4=1162
- Karunes, B. See Mitra, M.N., 2=4321
- Karvelis, M.D. See Lutz, H.F., 3=14924
- Karvelis, M.D. See Lutz, H.F., 4=1085
- Karyagin, S.V. A possible cause of the asymmetry of the doublet components of the Mössbauer absorption spectrum in certain powdery compounds of tin, 3=20059
- Karyagin, S.V. Shape of the Mössbauer spectrum line in relation to the scatter of the local electric-field gradients, 4=1342
- Karyagin, S.V. and Korst, N.N. Calculation of the paramagnetic relaxation time in viscous media, 3=1713
- Karyagin, S.V. See Gol'danskii, V.I., 3=8340
- Karyagin, S.V. See Gol'danskii, V.I., 4=25812
- Karyagina, Z.V. The energy distribution in the spectrum of zodiacal light, 2=955

- Karyakin, A.V. Spectral investigation of the luminescence of malignant tumours, 3=11618
- Karyakin, A.V. See Chibisov, A.K., 4=15364
- Karyakin, A.V. See Yukhnovich, G.V., 4=22384
- Karyev, V.M., Klyucharyev, O.P., Nazarova, T.S., Nýkolaichuk, A.D. and Reshetova, L.M. Investigation of foils obtained by the thermal dissociation method, 4=3233
- Karyev, V.M. See Matyushenko, H.M., 4=13601
- Karýmov, A.A. Determination of forces and moments due to light pressure acting on a body in motion in cosmic space, 4=2475
- Karzas, W.J. and Latter, R. Electromagnetic radiation from a nuclear explosion in space, 2=14158
- Karzas, W.J. and Latter, R. The electromagnetic signal due to the interaction of nuclear explosions with the earth's magnetic field, 3=7717
- Karzhavin, Yu.A. See Almazov, V.Ya., 3=17120
- Karzhavina, E.N. See Levshin, V.L., 0=1753
- Karzhavina, E.N. See Wang Nai-yen, 4=9537
- Karzhavina, E.N. See Van Nai-yan, 4=25406
- Karzmark, C.J. Automatic frequency control system for a microwave linear electron accelerator, 2=17910
- Kasabov, I. Possibility of the simultaneous measurement of drift mobility and lifetime of charge carriers in semiconductors, 2=12504
- Kasabov, I. and Popova, L. Single crystal silicon needles free from dislocations grown from vapour phase, 4=4560
- Kasabov, I., Vitkov, A. and Gerova, E. Measurement of the lifetime and drift mobility of current carriers in silicon by the constant emitter current method, 2=18685
- Kasabov, I.D. See Mikhailova, D.N., 2=21072
- Kasabov, I.D. See Mikhailova, D.N., 3=2833
- Kasabov, J. Vacuum apparatus without quartz tube for floating zone melting of silicon, 3=25677
- Kasahara, A. and Platzman, G.W. Interaction of a hurricane with the steering flow and its effect upon the hurricane trajectory, 4=23745
- Kasahara, K. Radiation mode of S waves from a deep-focus earthquake as derived from observations, 3=18476
- Kasahara, T. See Wada, Y., 4=10393
- Kasai, A. See Kittaka, S., 0=10860
- Kasai, M. See Nakashima, Y., 4=3431
- Kasai, M. See Takemoto, S., 0=251
- Kasai, N. The study on the structure of finely divided solids by X-ray small angle scattering. II. Particle size determination of carbon black, 2=10931
- Kasai, N., Kakudo, M. and Watase, T. The study on the structure of finely divided solids by X-ray small angle scattering. Particle size determination of silica gel, 0=8330
- Kasai, P.H. Electron paramagnetic resonance study of Mn^{2+} ion in polycrystalline calcium fluorophosphate, 2=14831
- Kasai, P.H. Electron spin resonance studies of donors and acceptors in ZnO, 3=13309
- Kasai, P.H. and Otomo, Y. Paramagnetic resonance detection of luminescent centers and traps in self-activated ZnS phosphors, 1=14642
- Kasai, P.H. and Otomo, Y. Electron paramagnetic resonance studies of the ZnS-A and -B centres, 2=23605
- Kasai, P.H. See Brown, T.H., 4=21157
- Kasai, P.H. See Otomo, Y., 3=23112
- Kasai, P.H. See Otomo, Y., 3=23131
- Kasai, T. See Tsurumi, S., 3=16224
- Kasal, P.H. See Blukis, U., 3=17596
- Kasarov, R.E. See Andronikashvili, E.L., 1=2130
- Kasatkin, A.M. See Aver'yanov, I.R., 3=23566
- Kasatkin, A.P., Petrov, T.G. and Treivus, E.B. Crystallization of KIO_3 , 3=23405
- Kasatkin, A.P. Influence of supersaturation on the activity of growth centres, 4=15764
- Kasatkin, B.P. See Aglintsev, K.K., 2=12158
- Kasatkin, S.N. See Goman'kov, V.I., 4=17805
- Kasatochkin, V.I. and Finkel'shtein, G.B. Homogeneous and heterogeneous crystallization of carbon, 3=18256
- Kasaya, M., Komatsubara, T. and Hirahara, E. Negative magnetoresistance of $Zn_{1-x}Mn_xAs_2$, 4=4177
- Kaschlunn, F. A field-theoretical generalization of the impulse approximation, 0=3992
- Kaschlunn, F. On the asymptotic and causality conditions in quantum field theory. II, 0=20020
- Kaschlunn, F. On local but non-causal current operators in S-matrix theories, 2=7826
- Kaschlunn, F. Pion-deuteron dispersion relations in impulse approximation, 4=6118
- Kaschlunn, F. and Wieczorek, E. Nonuniqueness in the S-matrix reduction by means of the asymptotic condition. I, 4=21801
- Käsemann, E. Progress in the production of dichroic sheet polarizers, 2=9410
- Kasemir, H.W. A contribution to the electrostatic theory of a lightning discharge, 0=16483
- Kasen, M.B. and Polonis, D.H. Vacancy condensation phenomenon in a copper-silicon alloy, 2=20998
- Kasen, M.B. and Polonis, D.H. The role of lattice vacancies in the $\alpha \rightarrow \kappa$ transformation of a copper-silicon alloy, 3=1353
- Kasen, M.B. and Polonis, D.H. Abnormal thermal etching behaviour in a copper-silicon alloy, 4=26583
- Kash, S.W. A comparison of ion and plasma propulsion, 0=12615
- Kash, S.W. Efficiency considerations in electrical propulsion, 1=16343
- Kash, S.W. [Ed.] Plasma acceleration. The Fourth Lockheed Symposium on Magnetohydrodynamics, 1=10694
- Kash, S.W., [Ed.] Plasma acceleration. The Fourth Lockheed symposium on magnetohydrodynamics, 2=1414
- Kasha, H. On extragalactic cosmic rays, 1=9782
- Kasha, H., Oren, Y. and Sitte, K. Cerenkov radiation associated with extensive air showers, 2=12063
- Kasha, H. See Allan, H.R., 1=577
- Kasha, H. See Sitte, K., 0=11241
- Kasha, M. Commentary on the scheme of the semi-empirical molecular orbital calculation, 2=8119
- Kasha, M. Energy transfer mechanisms and the molecular exciton model for molecular aggregates, 4=9796
- Kasha, M. See Ashraf El-Bayoumi, M., 1=11156
- Kasha, M. See El-Sayed, M.F.A., 1=7478
- Kasha, M. See Khan, A.U., 4=5195
- Kasha, M. See McGlynn, S.P., 4=8214
- Kasha, M. See Ramsey, B., 1=19641
- Kasha, M. See Strickler, S.J., 1=8124
- Kasha, M. See Strickler, S.J., 4=3878
- Kasha, M.A. See Ashby, D.E.T.F., 3=16954
- Kashaev, A.A. See Drits, V.A., 1=10265
- Kashaev, A.A. See Drits, V.A., 2=2383
- Kashcheev, B.L. and Lebedinets, V.N. On the structure of the Geminid meteor shower, 0=18718
- Kashcheev, B.L. and Lebedinets, V.N. The structure of the quadrantal meteor stream, 0=18719
- Kashcheev, B.L., Lebedinets, V.N. and Lagutin, M.F. Radar determination of the orbits of individual meteors, 2=4843
- Kashcheev, V. Theory of magnetic neutron scattering from an addition centre in a crystal, 4=25927
- Kashcheev, V. On the theory of the Mössbauer effect, 4=28320
- Kashcheev, V. Role of optical phonons in phonon relaxation, 4=28350
- Kashcheev, V. Theory of magnetic neutron scattering in crystals, 4=28793
- Kashcheev, V. See Bilenskii, V., 2=21333
- Kashcheev, V. See Oshurkov, P., 1=5067
- Kashcheev, V.D., Kabanov, B.N. and Leikis, D.I. The anodic activation of iron, 3=13611
- Kashcheev, V.H. On the problem of wear due to friction between similar metals, 4=23113
- Kashcheev, V.N. Spin-spin and spin-phonon interaction effects in the energy distribution of scattered neutrons on antiferromagnetic materials, 2=18914
- Kashcheev, V.N. Spin-spin and spin-phonon interaction effects in the energy distribution of scattered neutrons on antiferromagnetic materials, 2=21347
- Kashcheev, V.N. Theory of magneto-vibrational scattering of slow neutrons in a uniaxial antiferromagnetic, 2=21348
- Kashcheev, V.N. Theory of magneto-vibrational scattering of slow neutrons in a uniaxial antiferromagnetic, 3=3149
- Kashcheev, V.N. Theory of inelastic magnetic scattering of slow neutrons in impurity ferromagnetics, 3=15857
- Kashcheev, V.N. Theory of the infrared absorption of light in crystals, allowing for the three-phonon interaction, 3=20460
- Kashcheev, V.N. Effect of spin-spin interaction on the scattering of slow neutrons in ferrites, 3=25541
- Kashcheev, V.N. Effect of the spin-phonon interaction on one-quantum scattering of slow neutrons in ferrites, 3=25542
- Kashcheev, V.N. Theory of infrared absorption of light in crystals. Four-phonon interaction, 4=1711
- Kashcheev, V.N. Form of the energy distribution of one-proton coherent scattering of monochromatic neutrons, 4=9832

- Kashcheev, V. N. Effects of spin-phonon interaction in a ferromagnetic on the Debye-Waller factor, 4=10496
- Kashcheev, V. N. Thermodynamics of a Heisenberg ferromagnetic, 4=20529
- Kashcheev, V. N. Theory of ferromagnetics with hexagonal structures. I. The ferromagnetic spiral, 4=28783
- Kashcheev, V. N. Theory of ferromagnetics with helicoidal structures. II. Interaction of the wave branches, 4=28784
- Kashcheev, V. N. and Krivoglaз, M. A. Effect of spin-spin and spin-phonon interactions in a ferromagnetic on the energy distribution of scattered neutrons, 1=14731
- Kashcheev, V. N. and Krivoglaз, M. A. Effect of spin-spin and spin-phonon interactions in a ferromagnetic on the energy distribution of scattered neutrons, 1=17971
- Kashcheev, V. N. and Krivoglaз, M. A. The influence of anharmonicity on the energy distribution of anelastically scattered neutrons I. The case of weak interactions, 1=19481
- Kashcheev, V. N. and Krivoglaз, M. A. The theory of inelastic scattering of neutrons by impurity centres in crystals, 1=20502
- Kashcheev, V. N. and Krivoglaз, M. A. The theory of inelastic scattering of neutrons by impurity centres in crystals, 2=8817
- Kashchlik, K. See Eckardt, A., 3=24536
- Kashchukeev, N. T. See Belovitskii, G. E., 0=9709
- Kasheev, V. N. and Glazkov, V. M. Abrasive wear of previously deformed nickel, 4=7438
- Kashihabara, S. See Kimura, Y., 3=17652
- Kashima, T. See Nonaka, M., 4=5699
- Kashirin, V. B. See Shvets, A. D., 3=2087
- Kashiwabara, H. Electron spin resonance studies of irradiated high polymers: polyethylene, 2=3779
- Kashiwabara, H. A consideration on the change of e.s.r. spectral shape of irradiated polyethylene near 240°K, 2=14833
- Kashiwabara, H. An interpretation of electron paramagnetic resonance spectra of irradiated polyethylene, 4=1334
- Kashiwabara, H. Electron spin resonance studies of irradiated polyethylene. II. Considerations on the decays of free radicals, 4=28276
- Kashiwabara, H. and Shinohara, K. The behaviours of free radicals trapped in γ -irradiated polyethylene, 1=14344
- Kashiwagi, M. Relation between e.s.r. spectra and molecular orientation in irradiated polyethylene, 2=4264
- Kashiwagi, M. and Kurita, Y. Torsional oscillation of methylene groups in free radicals studied by E. S. R., 4=12531
- Kashiwagi, M. and Kurita, Y. Electron spin resonance of irradiated single crystals of ϵ -caprolactam, 4=23044
- Kashiwamura, S. Motion of an impurity atom in one-dimensional lattice, 2=6324
- Kashiwamura, S. Statistical dynamical behaviors of a one-dimensional lattice with an isotopic impurity, 2=12369
- Kashiwamura, S. and Teramoto, E. Effect of an isotopic impurity on the heat flow in one-dimensional coupled harmonic oscillators, 4=1409
- Kashiwamura, S. See Takeno, S., 4=1374
- Kashiwase, Y. See Harada, J., 2=15009
- Kashkai, M. A., Ismail-Zade, T. A. and Aliiev, V. I. Magnetic properties of the Yarymlynskiy iron meteorite, 1=5140
- Kashkai, M. A., Ismail-Zade, T. A. and Aliiev, V. I. Magnetic properties of the Yarymlynskiy iron meteorite, 1=10384
- Kashkarov, L. L. See Cherdyn'tsev, V. V., 1=3304
- Kashkarov, V. P. See Vulis, L. A., 2=15647
- Kashtalyan, Yu. A. A relay regulator for maintaining stable gas pressure, 4=16132
- Kashtan, M. S. and Khlopina, T. N. Increase of precision in isotope spectral analysis, 2=865
- Kashtan, M. S. and Khlopina, T. N. Discharge tube with hollow cathode, 3=7469
- Kashtan, M. S., Sobotov, E. V. and Khlopina, T. N. Improvement of the sensitivity of the isotopic spectral analysis of lead, 0=13419
- Kashtanova, A. M., Kurtseva, N. N. and Skanavi, G. I. An investigation of relaxation polarization and phase composition of the $\text{SrTiO}_3\text{--Bi}_2\text{O}_3\text{--nTiO}_2$ ($n = 2, 3$) system, 1=14538
- Kashtanova, A. M. See Gorina, Yu. I., 2=4097
- Kashtanova, A. M. See Gubkin, A. N., 1=12474
- Kashtanova, A. M. See Gubkin, A. N., 3=15620
- Kashuba, I. E. See Ismatov, E., 4=1103
- Kashuba, I. E. See Pasetchnik, M. V., 1=8707
- Kashukeev, N., Antonov, A. and Zadorozhnyi, G. Stationary distribution of electric charge in photoelectrets, 2=10563
- Kashukeev, N., Antonov, A. and Zadorozhnyi, G. The theory of thermal depolarization of photoelectrets, 2=10564
- Kashukeev, N. T., Popov, Yu. P. and Shapiro, F. L. Measurements of the energy dependence of the cross-section of the $\text{Cl}(n, \gamma)$ reaction, 2=3594
- Kashukeev, N. T., Popov, Yu. P. and Shapiro, F. L. Measurement of the energy dependence of the cross section of the $\text{Cl}(n, \gamma)$ reaction, 4=15224
- Kashukeev, N. See Dragnev, T., 4=25441
- Kashukeev, N. T. See Golovin, B. M., 0=2924
- Kashukeev, N. T. See Golovin, B. M., 0=10001
- Kashukeev, N. T. See Golovin, B. M., 0=13661
- Kashy, E. Low lying Sc^{44} levels from the $\text{Sc}^{44}(\text{p}, \text{d})\text{Sc}^{44}$ reaction, 4=17051
- Kashy, E. and Conlon, T. W. Shell-model states and configuration mixing in the Ti isotopes by the (p, d) reaction, 4=25400
- Kashy, E., Hoogenboom, A. M. and Buechner, W. W. Level structure Ar^{41} from the $\text{Ar}^{40}(\text{d}, \text{p})\text{Ar}^{41}$ reaction, 2=1796
- Kashy, E., Perry, R. R. and Risser, J. R. Excited states in N^{14} from $\text{C}^{12}(\text{d}, \text{d})\text{C}^{12}$, $\text{C}^{12}(\text{d}, \text{p})\text{C}^{13}$, and $\text{C}^{12}(\text{d}, \text{p})\text{C}^{13*}$, 0=7474
- Kashy, E., Perry, R. R., Steele, R. L. and Risser, J. R. Excited states in N^{14} from the elastic scattering of protons by C^{13} , 1=7324
- Kashy, E., Sperduto, A., Enge, H. A. and Buechner, W. W. Shell-model states in Ca^{48} , 4=27966
- Kashy, E. See Belote, T. A., 1=7327
- Kashy, E. See Brenner, M. W., 2=18270
- Kashy, E. See Hoogenboom, A. M., 1=19510
- Kashy, E. See Hoogenboom, A. M., 2=22841
- Kashyap, B. M. S. See Joshi, S. K., 2=12399
- Kashyap, B. M. S. See Joshi, S. K., 3=772
- Kasim, M. M. See Baldassarre, F., 2=22562
- Kasim, M. M. See Caforio, A., 4=21891
- Kasim, M. M. See Evans, D., 2=22492
- Kasimov, B. S. and Zigmund, F. F. Free flow of thin layers of viscous fluid on a vertical surface, 4=11161
- Kasimov, R. M. See Shakhparonov, M. I., 3=21386
- Kasimov, S. See Averkin, A. A., 3=22948
- Kask, N. E., Kornienko, L. S., Mandel'shtam, T. S. and Prokhorov, A. M. Spin-lattice relaxation of Ti^{3+} ions in corundum, 4=1890
- Kask, N. E., Kornienko, L. S., Prokhorov, A. M. and Fakir, M. Electron paramagnetic resonance and spin-lattice relaxation of Nd^{3+} impurity ions in CaWO_4 single crystals, 4=1884
- Kask, N. E., Kornienko, L. S. and Smirnov, A. I. Paramagnetic relaxation of the Fe^{3+} ion in corundum, 3=20649
- Kaska, V. See Boček, M., 4=13453
- Kaskan, W. E. Abnormal excitation of OH in $\text{H}_2/\text{O}_2/\text{N}_2$ flames, 0=1519
- Kaskan, W. E., Mackenzie, J. D. and Millikan, R. C. Origin of the green bands in the boron-oxygen system, 1=4937
- Kaskan, W. E. and Millikan, R. C. Source of green bands from boron-containing flames, 0=7767
- Kasner, W. H. Electron-ion recombination coefficients in nitrogen and oxygen, 2=3008
- Kašpar, J. See Hruby, A., 3=13407
- Kaspar'yants, A. A. Nonstationary radiation of sound by a piston, 0=19282
- Kasper, B. I. See Sheiman, B. A., 3=23920
- Kasper, E. Theoretical investigation of the possibility of stigmatic focusing in electron optics by arbitrary stationary spatially limited electromagnetic fields, 4=21572
- Kasper, E. Theory of the directional beam function for electro-optical systems with any curved axis, 4=24741
- Kasper, J. E. Geomagnetic effects on cosmic radiation for observation points above the earth, 0=11278
- Kasper, J. E. See Ray, E. C., 3=473
- Kasper, J. S. and Kouvel, J. S. The antiferromagnetic structure of NiMn , 0=11922
- Kasper, J. S. and Richards, S. M. The crystal structures of new forms of silicon and germanium, 4=23471
- Kasper, J. S. See Abrahams, S. C., 2=21350
- Kasper, J. S. See Kouvel, J. S., 3=13284
- Kasper, J. S. See Wilson, R. H., 4=10540
- Kasper, U. The general relativity analogue of the Coulomb field in a dielectric, 4=29525
- Kasperkovitz, P. Jacobi coordinates in a formal resonance theory, 4=3309
- Kassabov, J. New method for measuring p-n junction depth in silicon solar cells, 4=26075
- Kasserov, G. M. See Kalyatskii, I. I., 4=30643
- Kassimatis, C., Surdin, M. and Weill, J. On the measurement of low reactivities by source modulation, 3=15257
- Kassimatis, C. See Surdin, M., 4=1125

- Kassimatis, C. See Surdin, M., 4=19870
 Kassimatis, C. See Surdin, M., 4=19883
 Kassirov, G. M. and Koval'chuk, B. M. Investigation of the delay time of a discharge in the electrical breakdown of vacuum gaps, 4=18755
 Kassirov, G. M. and Mesyats, G. A. Breakdown mechanism for small gaps in a vacuum, 4=29888
 Kassirov, G. M. See Kalyatskii, I. I., 4=14589
 Kassner, D. A. See Androulakis, J. G., 3=17125
 Kast, W. Analysis of heat transfer in bubble columns, 2=15777
 Kastal'skii, A. A. Method for determining trapping-level parameters in CdS-type semiconductors, 3=25231
 Kasteleyn, P. W. The statistics of dimers on a lattice. I. The number of dimer arrangements on a quadratic lattice, 2=1072
 Kasteleyn, P. W. Dimer statistics and phase transitions, 3=14043
 Kasteleyn, P. W. A soluble self-avoiding walk problem, 4=8083
 Kasten, F. Note on the unit solid angle, 4=21002
 Kasten, P. R. An evaluation of thermal breeding, 4=9602
 Kastha, G. S. Influence of interatomic resonance on the frequency of re-emitted resonance radiation, 0=17713
 Kastha, G. S. and Medhi, K. C. Application of electrostatic model of hydrogen bond to hydrogen bonding in some aliphatic alcohols and phenol compounds in solutions of polar solvents, 4=30449
 Kastler, A. On the possibility of demonstrating the phase coherence in resonance scattering of γ -rays on nuclei, 0=7594
 Kastler, A. On the graphical representation of the properties of a body in thermodynamics, 0=19529
 Kastler, A. On the relation between Hanle's experiment and optically-induced spin precession. Application to the study of excited atomic states, 1=13958
 Kastler, A. Atoms inside a Fabry-Perot interferometer, 2=6103
 Kastler, A. Role of anomalous dispersion in the functioning of optical masers, 2=16013
 Kastler, A. Atoms inside a Perot-Fabry interferometer, 3=7352
 Kastler, A. The dispersion effects connected with resonant fluorescence absorption in atomic nuclei, 3=10811
 Kastler, A. Displacement of energy levels of atoms by light, 3=17539
 Kastler, A. Recent developments of optical methods of magnetic resonance, 3=21985
 Kastler, A. A note on the localised temperature that may be obtained by concentrating the light from a laser, 4=14433
 Kastler, A. The application of the Franck-Hertz excitation method to the investigation of the paramagnetic resonance of excited atoms, 4=1220
 Kastler, A. See Decomps, B., 3=9359
 Kastler, D. See Haag, R., 4=24960
 Kastler, D. See Souriau, J. M., 3=10031
 Kästner, G. See Bethge, H., 1=10278
 Kastner, G. See Bethge, H., 2=12859
 Kastner, J. See Potter, R. M., 3=13207
 Kastner, L. J. and Williams, T. J. Pressurized discharge of liquid from a closed vessel, 0=10693
 Kastner, S. O. and Neupert, W. M. Image construction for concave gratings at grazing incidence, by ray tracing, 3=24055
 Kastner, S. O. See Crandell, M. E., 4=27448
 Kastrup, H. A. The physical significance of conformal space-time transformations, and the analysis of their representation theory, 3=3712
 Kastrup, H. A. On the relationship between the scale transformation and the asymptotic Regge-behaviour of the relativistic scattering amplitude, 3=12429
 Kastrup, H. A. Some experimental consequences of conformal invariance at externally high energies, 3=12430
 Kasturi Rangan, L. See Harris, G. I., 0=19820
 Kasuga, T. On the adiabatic theorem for the Hamiltonian system of differential equations in the classical mechanics. I, 2=4939
 Kasuga, T. On the adiabatic theorem for the Hamiltonian system of differential equations in the classical mechanics. II, 2=4940
 Kasuga, T. On the adiabatic theorem for the Hamiltonian system of differential equations in the classical mechanics. III, 2=4941
 Kasuga, T. See Horie, T., 4=17321
 Kasuga, T. See Horie, T., 4=28282
 Kasuta, T. and Kojima, T. Internal motions of hydrazine, 3=10509
 Kasuya, I. On the occurrence of the $F1_{1/2}$ -layer at Tokyo, 0=8388
 Kasuya, I. The spiral patterns of the polar ionospheric disturbance, 4=10758
 Kasuya, T. Superconductivity of ferromagnetic metals, 0=14932
 Kasuya, T. Effects of s-d interaction on transport phenomena, 0=20753
 Kasuya, T. Microwave spectrum of ethyl iodide. II, 1=9928
 Kasuya, T. and Koide, S. A theory of impurity conduction. II, 0=11670
 Kasuya, T. and LeCraw, R. C. Relaxation mechanisms in ferromagnetic resonance, 1=7781
 Kasuya, T. and Oka, T. Microwave spectrum of ethyl iodide, 1=838
 Kasuya, T. and Oka, T. Microwave spectrum of ethyl iodide. I, 1=7403
 Kasuya, T. See LeCraw, R. C., 3=11043
 Kasuya, T. See LeCraw, R. C., 3=15886
 Kasuya, T. See Nakajima, S., 0=10832
 Kas'yan, V. A. Photoconductivity of thin indium antimonide layers, 4=1685
 Kas'yankov, P. P. Calculation of cathode lens aberrations, 2=13599
 Kas'yankov, P. P. and Dutova, K. P. Concerning aberration of electron-optical systems, 3=2029
 Kasymbekova, K. K. See Melikhov, V. D., 4=10420
 Kasymbikova, K. K. and Presnyakov, A. A. Certain properties of the γ -phase in the Cu-Zn system, 4=13481
 Kasymov, A. Kh. See Arifov, U. A., 3=12240
 Kasymova, R. S. See Arkad'eva, E. N., 1=19904
 Kasymova, R. S. See Arkad'eva, E. N., 2=4063
 Kasymova, R. S. See Berkovskii, F. M., 4=1692
 Kasyznski, G. The disturbance of sound fields by obstacles of various shapes, 4=5317
 Katada, K. Electron diffraction study of thin films of polymers of para-halogeno-styrene, 3=1368
 Katada, K. See Kakinoki, J., 0=8281
 Kataev, D. I. See Mal'tsev, A. A., 1=4938
 Kataev, G. A., Presnov, V. A., Batueva, E. N., Kataev, Yu. G. and Lyuze, L. L. Effect of the adsorption of certain amines on a semiconductor surface on the principal parameters of germanium transistor triodes, 4=20399
 Kataev, G. I. Ferromagnetic anomaly of Young's and rigidity moduli of Invar-type alloys, 2=8699
 Kataev, G. I. Ferromagnetic anomaly in Young's modulus and the shear modulus in alloys of the Invar class, 2=23732
 Kataev, G. I. and Sirota, Z. D. Anomalies in Young's modulus and internal friction of the Fe_2Pt alloy, 0=11972
 Kataev, G. I. See Belov, K. P., 0=11971
 Kataev, Yu. G. See Kataev, G. A., 4=20399
 Katagiri, M. The boundary layer of an incompressible fluid with periodic motion magnetohydrodynamics, 0=19895
 Katagiri, S. and Tadano, B. Properties of astigmatism in electron lens, 3=21879
 Kataja, E. See Oksman, J., 3=9070
 Kataja, E. See Rose, G., 2=6927
 Kataja, E. See Tuominen, J., 0=18672
 Katakis, D. and Taube, H. Some photochemical reactions O_3 in the gas phase, 2=4548
 Katakis, D. See Bersis, D., 4=17860
 Katalinić, M. Conical analyser, 0=5185
 Katal'nikov, V. V. See Zhdanov, V. A., 2=18514
 Katal'nikov, V. V. See Zhdanov, V. A., 2=23042
 Katal'nikov, V. V. See Zhdanov, V. A., 4=28368
 Katamadze, I. M. Measurement of the power of the reactor IRT-2000 by using gamma-activity of the coolant, 3=25032
 Katana, P. K. Many-particle quantum Green's functions in the theory of many-phonon transitions, 2=23098
 Katana, P. K. Many-particle quantum Green's functions in the theory of many-phonon transitions, 3=6485
 Katano, R. See Shibata, R., 4=25316
 Katano, Y. See Kubo, K., 1=14274
 Katanov, L. M. See Rybalko, F. P., 1=10251
 Kataoka, K. See Husimi, K., 0=7977
 Kataoka, S. Multiplying action by the magnetoresistance effect in semiconductors and its application to the power measurement, 4=11493
 Kataoka, S. and Fujisada, H. Geometrical influence on the magneto-resistance effect, 4=6936
 Kataoka, Y. Some properties of evaporated silicon films, 2=16709
 Katase, A. Angular distributions of fragments in fission of uranium and thorium induced by 14 MeV neutrons, 2=14155

- Katase, A., Seki, M., Akiyoshi, T., Yoshimura, A. and Sonoda, M. Experiments on the existence of di-neutrons, 2=20341
- Katase, A. See Kimura, K., 2=5898
- Katase, A. See Kimura, K., 2=15970
- Katase, A. See Seki, M., 0=19770
- Katase, A. See Seki, M., 4=15247
- Katase, A. See Sonda, M., 2=5433
- Katase, A. See Sonoda, M., 1=11984
- Katasev, L.A. The theory of the determination of the height of the homogeneous atmosphere and the extra-atmospheric velocity of a meteor, 3=5220
- Katasev, L.A., Korpusov, V.N. and Orlyanskii, A.D. Radar-echo observations of meteors using two receivers of different sensitivity, 0=18684
- Katayama, K. X-ray line broadening in polyethylene filaments, 1=26697
- Katayama, M. Double quantum transition in electron spin resonance of gamma-irradiated acetyl-d, 1-alanine, 2=12815
- Katayama, M. Electron spin resonance of gamma-irradiated single crystal of acetyl-L-glutamic acid, 3=3164
- Katayama, M. and Gordy, W. Electron spin resonance of γ -irradiated glycylglycine, 1=11485
- Katayama, M. See Narasimha Rao, D.V.G.L., 2=18942
- Katayama, T. On the mounting of concave grating suitable for photoelectric-spectrometric use. IV. Generalized Seya mounting, 2=17616
- Katayama, T. and Miyake, K.P. The evaluation of optical image by spot diagram, 4=24347
- Katayama, T. and Miyake, K.P. Accuracy of interpolation method in spot diagram plotting, 4=24348
- Katayama, T. See Miyake, K.P., 2=17614
- Katayama, T. See Miyake, K.P., 2=17615
- Katayama, T. See Nakamura, Y., 4=26316
- Katayama, Y. On the weak interactions, 1=2005
- Katayama, Y. On the axial vector current conservation, 1=13358
- Katayama, Y. On the quaternary intermediate boson in the weak interaction, 2=5575
- Katayama, Y. Mass formula for resonance states, 2=20378
- Katayama, Y. On the mass levels of particles and resonance states, 3=541
- Katayama, Y. Validity of $\Delta Q = \Delta S$ rule in the leptonic decays of strange particles, 4=12070
- Katayama, Y. and Matumoto, K. New description of the strangeness changing weak interactions, 4=828
- Katayama, Y. and Matumoto, K. New approach to the strangeness changing weak interaction, 4=11917
- Katayama, Y., Matumoto, K., Tanaka, S. and Yamada, E. Possible unified models of elementary particles with two neutrinos, 3=543
- Katayama, Y., Matumoto, K. and Yokoyama, K. Intermediary fields based on the lack of the self-current weak interaction, 4=11918
- Katayama, Y. and Taketani, M. On the structure of lepton, 2=11913
- Katayama, Y., Taketani, M., Ragusa, S. and de Oliveira, D.R. On the electromagnetic structure of nucleons and their mass difference, 1=3167
- Katayama, Y., Vigier, J.P. and Yukawa, H. A theory of weak interaction based on a rotator model, 3=19543
- Katayama, Y., Vigier, J.P. and Yukawa, H. An approach to the unified theory of elementary particles, 3=19542
- Katayama, Y. See Leal Ferreira, J., 1=3164
- Katayama, Y. See Taketani, M., 1=9722
- Katayama, Y. See Taketani, M., 2=11930
- Katayama, Y. See Tanaka, S., 4=13080
- Katayev, G.I. See Belov, K.P., 0=10256
- Katcoff, S. Fission product yields from neutron induced fission, 1=11049
- Katcoff, S. See Baker, E.W., 0=7548
- Katcoff, S. See Baker, E.W., 1=11015
- Katcoff, S. See Baker, E.W., 2=10158
- Katcoff, S. See Cumming, J.B., 2=10107
- Katcoff, S. See Cumming, J.B., 4=22140
- Katcoff, S. See Dostrovsky, I., 4=6281
- Katcoff, S. See Poskanzer, A.M., 4=12221
- Kates, D.F. See Glick, R.E., 0=17786
- Kath, U. and Kuhl, W. Influence on diffusing surfaces and dimensions of the reverberating room on the measured sound absorption coefficient, 2=82
- Kath, U. and Kuhl, W. Measurement on the sound absorption of persons on unpadded chairs, 4=11314
- Kath, U. See Kuhl, W., 1=9459
- Kathavate, Y.V. and Rihani, G.D. Volatilization of boron in the direct current arc, 3=19220
- Kathren, R. L. See Day, W. C., 4=25117
- Katibnikov, M.A. and Konev, S.V. Universal attachment for the SF-4 spectrophotometer, 2=22028
- Katilyus, R. V. See Dagis, R. S., 4=22282
- Katkov, V.P., Nikolsky, Y.V. and Stolyarov, G.A. A determination of the ratio of effective fission cross-sections for Pu^{239} and U^{235} in slugs in uranium-water lattices, 0=2692
- Katle, J. and Hauptman, H. Seminvariants for non-centrosymmetric space groups with conventional centered cells, 2=6805
- Katman, T. See Williamson, R.M., 0=7585
- Katnack, F.L. See Sarver, J.F., 0=2953
- Kato, A. See Kanaya, K., 0=15078
- Kato, H., Lobayashi, T. and Kato, T. Single-crystallization of Si by floating zone in vacuum, 3=18276
- Kato, H., Muta, T. and Iijima, K. Shot peening (III). Condenser type converter (ii), 2=13528
- Kato, H. and Muta, T. Shot peening. IV. Electronic characters of microcapacity circuit, 3=3976
- Kato, H. and Takayanagi, S. Diffusion of indium in cadmium telluride, 3=22806
- Kato, K. Oscillations in a plasma in a weak magnetic field, 1=8338
- Kato, K., Ogawa, K., Yoseli, M. and Shimahara, H. Observation of the ion resonance by an r.f. probe, 4=14681
- Kato, K. See Kabe, S., 4=25372
- Kato, K. See Kawasaki, K., 0=4819
- Kato, K. See Kojima, S., 0=19701
- Kato, K. See Kojima, S., 1=18886
- Kato, K. See Kojima, S., 4=5655
- Kato, K. See Kojima, S., 4=14713
- Kato, K. See Nishiyama, Z., 1=14281
- Katō, K. See Tatsuta, H., 3=14820
- Kato, M. Photopion production and ($\gamma, 3\pi$) interaction, 1=12099
- Kato, M. and Kawaguchi, M. Photopion production and ($\gamma, 3\pi$) interaction. II. Polarization of the recoil proton, 3=2296
- Kato, M. and Takeda, G. Conservation laws in the isotopic spin space and their violation by the electromagnetic interaction, 0=11087
- Kato, M. and Takeda, G. The level structure and electromagnetic structure of the nucleon, 4=3394
- Kato, M. See Itabashi, K., 1=10880
- Kato, M. See Takeda, G., 0=15441
- Kato, M. See Takeda, G., 1=19269
- Kato, N. The energy flow of X-rays in an ideally perfect crystal: comparison between theory and experiments, 0=8193
- Kato, N. Dynamical X-ray diffraction theory of spherical waves, 0=12021
- Kato, N. A theoretical study of Pendellösung fringes. I. General considerations, 1=20487
- Kato, N. A theoretical study of Pendellösung fringes. II. Detailed discussion based upon a spherical wave theory, 1=20488
- Kato, N. Recent development of dynamical theory of diffraction of waves in crystals, 3=1301
- Kato, N. Dynamical diffraction theory of waves in distorted crystals. I. General formulation and treatment for perfect crystals, 3=13440
- Kato, N. Dynamical diffraction theory of waves in distorted crystals. II. Perturbation theory, 3=13441
- Kato, N. Pendellösung fringes in distorted crystals. I. Fermat's principle for Bloch waves, 4=7596
- Kato, N. Pendellösung fringes in distorted crystals II. Application to two-beam cases, 4=13575
- Kato, N. Wave-optical theory of diffraction in single crystals, 4=23362
- Katō, N. See Ishimatsu, T., 2=20664
- Katō, N. See Maki, T., 2=20665
- Kato, R. Improved continuously sensitive bubble chamber, 1=13245
- Kato, R. Optical properties of irradiated LiF crystals in the extreme ultraviolet, 1=14584
- Kato, R. Optical constants of LiF in the extreme ultraviolet, 1=19941
- Kato, R. Optical properties of LiF in the extreme ultraviolet, 2=4123
- Kato, R. and Kōno, T. A 200-kV Cockcroft-Walton type accelerator using selenium rectifiers, 2=13612
- Kato, R. and Kono, T. Rupture of foam by nuclear ionized particles, 3=17122

- Kato, R., Nakamura, K., Matsui, A. and Uchida, Y. Reflection and absorption spectra of LiF in the extreme ultraviolet region, 1=14591
- Kato, R., Nakashima, S., Nakamura, K. and Uchida, Y. Optical properties of irradiated LiF crystals in the extreme ultraviolet region, 1=19980
- Kato, R. See Fukuda, K., 1=10104
- Kato, R. See Kōji Uo, K., 3=1990
- Kato, R. See Nakamura, K., 2=2230
- Kato, R. See Uchida, Y., 0=20997
- Kato, R. See Uchida, Y., 3=13178
- Kato, S. Ionized irregularities and wind motion in the ionosphere, 0=21339
- Kato, S. A differential method of optical calculation. I. Variables, 2=2861
- Kato, S. A differential method of optical calculation. II. Ray tracing, 2=2862
- Kato, S. A differential method of optical calculation. III. Differential calculation, 2=2863
- Kato, S. A differential method of optical calculation. IV. Differential, 2=2864
- Kato, S. The effect of the variation of the super-adiabatic temperature gradient on the convective motion, 2=15380
- Kato, S. Joule heating and temperature in the upper atmosphere, 3=9064
- Kato, S. Theory of movement of irregularities in the upper atmosphere, 3=23605
- Kato, S. On the generation of acoustic noise from turbulent atmosphere. II, 3=25914
- Kato, S. The scattering of sound waves in atmospheric turbulent media, 3=25915
- Kato, S. Joule heating at the magnetic equator, 4=7897
- Kato, S. Movement of ionized irregularities in the upper atmosphere, 4=15883
- Kato, S. and Kumar, S.S. On gravitational instability. I, 1=15606
- Kato, S., Lipskey, S. and Braun, C.L. Variation with exciting wavelength of the fluorescence efficiencies of some alkyl benzenes, 2=19569
- Kato, S. and Unno, W. Convective instability in polytropic atmospheres. II, 1=15511
- Kato, S. See Braun, C.L., 4=1286
- Kato, S. See Hirono, M., 0=8378
- Kato, S. See Hu, C., 0=17607
- Kato, S. See Kamiya, Y., 2=12076
- Kato, S. See Maeda, K., 0=2011
- Kato, S. See Oda, Y., 0=20452
- Kato, S. See Shinoda, G., 2=9637
- Kato, S. See Shinoda, G., 2=17899
- Kato, S. See Takeda, M., 1=8761
- Kato, S. See Unno, W., 1=15510
- Kato, S. See Unno, W., 3=11540
- Kato, S. See Yamabe, S., 1=12191
- Kato, S. See Yamabe, S., 2=16399
- Kato, T. Non-existence of bound states with positive energy, 0=10599
- Kato, T., Kobayashi, T. and Namiki, M. Formal theory of Green functions, 1=15734
- Kato, T. and Kuroda, S.T. A remark on the unitarity property of the scattering operator, 0=4945
- Kato, T. and Nishi, Y. Redistribution of diffused boron in silicon by thermal oxidation, 4=25967
- Kato, T. See Fujita, H., 0=2066
- Kato, T. See Fujiwara, T., 1=14355
- Kato, T. See Kato, H., 3=18276
- Kato, Y. Interactions of hydromagnetic waves, 0=15127
- Kato, Y. Nuclear quadrupole coupling in the NH_3 molecule, 1=4952
- Kato, Y. Some converging examples of the perturbation series in the quantum field theory, 1=16722
- Kato, Y. Vibrational effect on the nuclear quadrupole coupling in ND_3 , 1=17356
- Kato, Y. Magnetohydrostatic equilibrium for fluid enclosed in an axisymmetric toroidal surface, 1=19000
- Kato, Y. Geomagnetic micropulsations, 2=11091
- Kato, Y. Geomagnetic pulsations and hydromagnetic oscillations of exosphere, 2=19265
- Kato, Y. On the spin-spin interaction in paramagnetic salts, 2=21380
- Kato, Y. Nuclear magnetic relaxation in solid hydrogen, 2=21386
- Kato, Y., Hayes, E. F. and Duncan, A. B. F. Molecular orbital description of the lowest excited $^1\Sigma_g^+$ state of H_2 , 4=28188
- Kato, Y. and Mugibayashi, N. Regular perturbation and asymptotic limits of operators in quantum field theory, 3=24579
- Kato, Y. and Mugibayashi, N. On the definition of the total Hamiltonian in the fixed-source theory, 4=9051
- Kato, Y. and Nakahara, O. Evaluation of the nuclear quadrupole moment of N^{14} , 0=20333
- Kato, Y. and Saito, T. Preliminary studies on the daily behaviour of rapid pulsation, 0=2000
- Kato, Y. and Saito, T. Morphological study of geomagnetic pulsations, 2=13081
- Kato, Y. and Tamao, T. Hydromagnetic waves in the earth's exosphere and geomagnetic pulsations, 2=13082
- Kato, Y., Tamao, T. and Saito, T. Geomagnetic pulsation accompanying with the intense solar flare, 0=1997
- Kato, Y. and Taniuti, T. Hydromagnetic plane steady flow in compressible ionized gases, 0=17082
- Kato, Y. and Watanabe, T. Particles of aurorae and geomagnetic pulsations, 0=1995
- Kato, Y. See Jacobs, J.A., 4=17959
- Kato, Y. See Mugibayashi, N., 4=19354
- Kato, Y. See Narumi, H., 0=20331
- Kato, Y. See Narumi, H., 0=20332
- Kato, Y. See Nishioka, A., 1=9154
- Kato, Y. See Tatsumoto, E., 2=14771
- Kato, Y. See Tatsumoto, E., 3=6700
- Katoh, T., Gotoh, H. and Yoshizawa, Y. Decay of In^{108} , 3=15150
- Katoh, T., Nozawa, M. and Yoshizawa, Y. Study of the cadmium isotopes. II. Beta and gamma ray spectroscopy of In^{110} , 2=12177
- Katoh, T., Nozawa, M., Yoshizawa, Y. and Koh, Y. Beta- and gamma-ray spectroscopy of Mn^{55} , 1=12175
- Katoh, T., Nozawa, M., Yoshizawa, Y. and Koh, Y. Study of the cadmium isotopes. III. Beta- and gamma-ray spectroscopy of In^{108} , 2=18253
- Katoh, T., Yamasaki, S. and Yoshizawa, Y. Interaction of beta-decay and second forbidden spectrum of Cs^{137} , 0=17542
- Katoh, T. and Yoshizawa, Y. Study of the cadmium isotopes. I. Beta and gamma ray spectroscopy of $\text{Ag}^{110\text{m}}$, 2=12176
- Katoh, T. See Mizobuchi, A., 1=11014
- Katamina, R.V. See Gurvich, A.M., 2=14735
- Katon, J. E. and Wildi, B. S. Semiconducting organic polymers derived from nitriles. Thermoelectric power and thermal conductivity measurements, 4=20228
- Katona, G.P. The effect of the phosphor-embedding medium on the performance of electroluminescent cells, 3=967
- Katona, J. See Árkosi, K., 2=4493
- Katori, K. See Yagi, K., 2=16397
- Katori, K. See Yagi, K., 3=12583
- Katorski, A., Eberhart, J.G. and White, D. Separation of the isotopes HT and ortho- D_2 by adsorption at low temperatures, 1=12267
- Katorski, A. and White, D. Theory of isotope separation of homo and heteronuclear diatomic molecules by adsorption at low temperatures, 3=22513
- Katorski, A. and White, D. Theory of adsorption of the isotopic hydrogen molecules at low temperatures, 4=23595
- Katrich, G.A. and Sarbei, O.G. Photoelectron emission from gold and chromium, 2=1482
- Katrich, G.A. and Sarbei, O.G. Surface conductivity of gold-doped germanium, 4=10052
- Katrich, G.A. See Borzyak, P.G., 2=11686
- Katrus, O.A. Dependence of coercive force on the thickness of magnetically soft rolled powder materials, 4=1829
- Katrých, H.A. See Sarbei, O.H., 2=11698
- Kats, A. Hydrogen in alpha-quartz, 2=21009
- Kats, A. and Haven, Y. Infra-red absorption bands in α -quartz in the 3μ -region, 0=18128
- Kats, A. See van Wieringen, J.S., 3=22832
- Kats, M.L. Absorption and emission of activator trapping centres in alkali halide phosphors, 3=20504
- Kats, M.L., Gyunsberg, K.E. and Golubentseva, L.I. Exciton excitation of luminescence in activated alkali iodides at low temperature, 2=14710
- Kats, M.L. and Nikol'skii, V.K. Absorption and luminescence spectra of the $\text{KBr}(\text{In})$ phosphor and their change under the action of X-rays, 0=10065
- Kats, M.L. See Andrianov, A.S., 2=8575
- Kats, M.L. See Andrianov, A.S., 3=948
- Kats, M.Ya. Measurement of the density of solid bodies with a gradient tube, 4=5
- Kats, S.A. A method of calculating complex spectra of impulse functions by means of an amplitude analyser, 4=18023
- Katsanis, D.J. A generalised flow equation, 3=21296

- Katsaurov, L.N. See Gladyshev, V.A., 4=3232
 Katsaurov, L.N. See Gladyshev, V.A., 4=16751
 Katsenelenbaum, B.Z. On the theory of irregular acoustic waveguides, 2=5105
 Katsenelenbaum, B.Z. Diffraction by a large object in a broad waveguide, 2=22335
 Katsenelenbaum, B.Z. Diffraction by a large object in a broad waveguide, 3=496
 Katsenelenbaum, B.Z. Diffraction on a broad aperture in a broad waveguide, 4=715
 Katsnel'son, A.A. See Zhuravlev, N.N., 0=16291
 Katser, Ya. [J.Kaczer]. Hexagonal anisotropy and magnetization curves of antiferromagnetic CoCO_3 , 3=18112
 Katser, Ya. and Kreines, N.M. Hexagonal anisotropy in MnCO_3 and CoCO_3 , 3=3098
 Katser, Yan. The domain structure of uniaxial ferromagnetics, 4=20534
 Katser, Yan and Kreines, N.M. Hexagonal anisotropy in MnCO_3 and CoCO_3 , 2=6666
 Katsev, A. See Azmanov, M., 4=5403
 Katsev, I.L. See Stepanov, B.I., 3=488
 Katskova, O. N. and Kraiko, A. N. Calculation of axially symmetric isentropic motion of a real gas, 4=18230
 Katsnel'son, A.A. Effect of relief and the surface adjustment of specimens on the intensity of diffuse scattering, 3=11251
 Katsnel'son, A.A. The effect of plastic deformation on short-range order in nickel-platinum alloys, 4=13499
 Katsnel'son, A.A. See Belov, K. P., 4=30720
 Katsnel'son, A.A. See Iveronova, V.I., 1=4066
 Katsnel'son, A.A. See Iveronova, V.I., 1=20477
 Katsnel'son, A.A. See Iveronova, V.I., 2=8821
 Katsnel'son, A.A. See Iveronova, V.I., 2=21505
 Katsnel'son, A.A. See Iveronova, V.I., 3=8906
 Katsnel'son, A.A. See Iveronova, V.I., 4=1999
 Katsnel'son, A.A. See Iveronova, V.I., 4=15804
 Katsnel'son, L.B., Kogan, F.I. and Shorin, E.L. A device for measuring the voltage at a given point on a periodic waveform, 3=24153
 Katsube, S. See Sawaki, T., 4=23561
 Katsuki, A. See Shimizu, M., 3=8363
 Katsuki, A. See Shimizu, M., 3=13228
 Katsuki, A. See Shimizu, M., 3=23143
 Katsuki, A. See Shimizu, M., 3=25509
 Katsuki, A. See Shimizu, M., 4=13134
 Katsuki, A. See Van Ostenburg, D. O., 4=7356
 Katsuki, A. See Shimizu, M., 4=28780
 Katsuki, Y., Suga, N., and Kanno, Y. Neural mechanism of the peripheral and central auditory system in monkeys, 3=3683
 Katsumata, I. Density spectrum of charged particles in extensive air showers, 4=27921
 Katsumata, I. See Miyake, S., 0=20252
 Katsumata, I. See Miyake, S., 1=2127
 Katsumata, I. See Miyake, S., 1=13555
 Katsumata, I. See Miyake, S., 2=12071
 Katsumori, H. Mass differences of Σ^+ , Σ^- and Σ^0 hyperons, 0=11228
 Katsumori, H. Anomalous magnetic moments of hyperons and mirror theorem, 0=11229
 Katsumori, H. Mass levels and relative parities of baryons, 0=12845
 Katsumori, H. Electromagnetic mass shift for spinless particles, 0=15426
 Katsumori, H. Electromagnetic mass difference of elementary particles, 1=10831
 Katsumori, H. Electromagnetic vertex for $\Sigma^0 \rightarrow \Lambda^0 + \gamma$, 1=13519
 Katsumori, H. Electromagnetic mass shift of Σ hyperons, 1=13520
 Katsumori, H. Anomalous magnetic moments of baryons in Vigier's rotator model, 4=808
 Katsumori, H. Mass spectra of baryons, mesons and leptons, 4=27762
 Katsumori, H. and Shimada, M. Estimate of the nucleon mass difference from Hofstadter's new form factors, 2=278
 Katsumori, H. and Shimoura, K. Baryon mass spectrum, 0=17245
 Katsura, S. Fourth virial coefficient for the square well potential, 0=966
 Katsura, S. Cluster sums and related coefficients of the Ising model, 0=11815
 Katsura, S. Statistical mechanics of the anisotropic linear Heisenberg model, 2=21302
 Katsura, S. Tables of representations of permutation groups for molecular integrals, 3=22525
 Katsura, S. Singularities in first-order phase transitions, 4=8098
 Katsura, S. and Abe, Y. Irreducible cluster integrals of hard-sphere gases, 4=224
 Katsura, S. and Harumi, K. A note on the Born-Green linearized integral equation, 0=14621
 Katsura, S. and Inawashiro, S. On Green and Leipnik's method for solution of the association problem, 1=8059
 Katsura, S. and Inawashiro, S. Linear Heisenberg model of ferro- and antiferromagnetism, 4=26280
 Katsura, S. See Nomura, Y., 3=493
 Katsuragi, H. See Miyake, S., 3=1280
 Katsuragi, S. The thermalization and diffusion of neutrons in heavy gaseous moderators, 2=18128
 Katsuragi, Y. See Miyake, Y., 2=6924
 Katsuraki, H., Takada, H. and Suzuki, K. Neutron diffraction study of ϵ phase Cu-Mn-Al alloys, 3=11093
 Katsuraki, H. Neutron diffraction study of $\text{Fe}_{1.75}\text{Ge}$ single crystals, 4=28810
 Katsuura, K. On the viscosity of irradiated polymers. III. Effect of branching, 1=14135
 Katsuura, K. Excitation migration in one-dimensional molecular random lattices, 4=22523
 Katsuura, K. and Inokuti, M. Excited states of a linear molecular chain containing an impurity, 4=3939
 Katsuura, K. and Inokuti, M. Errata. Excited states of a linear molecular chain containing an impurity, 4=15393
 Katsuura, K. and Inokuti, M. Exciton impurity level and its implications to radiation chemistry, 4=28423
 Katsuura, K. See Inokuti, M., 0=20701
 Katsuura, K. See Inokuti, M., 1=4263
 Katsuura, K. See Mori, M., 4=19991
 Kattawar, G.W. and Eisner, M. Nuclear magnetic relaxation of a three-spin asymmetric molecule in a liquid, 2=12344
 Katti, M.R. On the evaluation of α_s and $\omega_s x_s$ from three constant potential energy functions, 2=20766
 Katti, M.R. and Batra, D.P. Potential-energy function for diatomic molecules, 3=12812
 Katti, M.R. and Batra, D.P. On the potential energy function of diatomic molecules, 3=22537
 Katti, M. R. and Sharma, M. M. Superiority of Hulburt-Hirschfelder function to some three-constant potential energy functions, 4=25618
 Katti, M.R. See Tawde, N.R., 2=20768
 Katti, P.K. and Chaudhri, M.M. Effect of strong electric fields on the boiling points of some alcohols, 1=10629
 Katti, P.K. and Chaudhri, M.M. Note on the boiling points and surface tensions of binary mixtures of acetone and isopropanol, 1=15858
 Katti, P.K. and Chaudhri, M.M. Effect of strong electrical fields on the boiling points of some alcohols, 2=7472
 Katti, P.K. See Ramakrishna, V., 3=16839
 Kattwinkel, W. Determination of the specific activity of a fluid from the dose-rate measured at the surface of cylindrical containers or pipes, 1=627
 Kattwinkel, W. Fast and thermal neutron flux at the surface of cylindrical containers as the result of N^{17} activity induced in water, 1=17185
 Katul, J. and Zahlan, A.B. Evidence for the existence of surface excitons in tetracene microcrystals, 1=6090
 Katulin, V.A. See Striganov, A.R., 2=16483
 Katykhin, G.S. See Dzhelepov, B.S., 3=24910
 Katyshev, Yu. V. See Birger, N.G., 2=3391
 Katyshev, Yu. V. See Dzhelepov, V. P., 4=25205
 Katyshev, Yu. V. See Dzhelepov, V. P., 4=27909
 Katyshev, Yu. V. See Golovin, B.M., 2=3361
 Katyshev, Yu. V. See Van Gan-ghan [Wang Kang-ch'ang], 3=2302
 Katyshev, Yu. V. See Van Gan-Chan, 0=9415
 Katz, A. On a modified Bethe-Goldstone equation, 0=17271
 Katz, A. Many-body perturbation methods in a soluble model, 1=586
 Katz, A. On the treatment of a perturbation in a system of paired fermions, 1=15727
 Katz, A. The analytic structure of many-body perturbation theory, 2=4965
 Katz, A. Boson-like behaviour of pairs of fermions. I, 3=14061
 Katz, A. Boson-like behaviour of pairs of fermions. II, 3=14062
 Katz, A. Corrections to the Goldstone expansion, 3=14063
 Katz, A. Nonequilibrium statistical mechanics based on information theory, 4=29544
 Katz, A. and Blatt, J. The moment of inertia of rotating nuclei, 1=5826

- Katz, A., de-Shalit, A. and Talmi, I. The superconducting state in the Bethe-Goldstone approximation, 0=14924
- Katz, A. and Lipkin, H. J. A dynamical model for $\omega-\varphi$ mixing, 4=6129
- Katz, A. See Frishman, Y., 4=30203
- Katz, D. See Heller, A., 2=1158
- Katz, E. See Bychkov, Yu. A., 3=17160
- Katz, E. See Read, P. L., 1=1025
- Katz, E. J. Initial wave scattering by an inhomogeneous medium and its application to shallow water waves, 3=7272
- Katz, G. and Jacobs, A. J. Lattice constants of the intermetallic compounds, UAl_3 and UF_3 , 2=15051
- Katz, J. Trajectories independent of mass, 0=3476
- Katz, J. Poisson brackets of the constraints for the gravitational field, 2=9167
- Katz, J. Note on the canonical formalism of the theory of constrained fields, 2=11270
- Katz, J. Hamiltonian form of the gravitational field equations, 4=5041
- Katz, J. E. See Talbot, L., 3=12184
- Katz, J. I., Rice, S. A., Choi, Sang-il and Jortner, J. On the excess electron and hole band structures and carrier mobility in naphthalene, anthracene, and several polyphenyls, 4=1430
- Katz, J. L., Jortner, J., Choi, S. I. and Rice, S. A. Triplet exciton bands in aromatic crystals, 4=6805
- Katz, J. L., Powers, B. F. and Kleppa, O. J. Volume change on mixing in liquid sodium-potassium nitrates, 1=15860
- Katz, J. L. See Jortner, J., 4=9880
- Katz, J. L. See Reiss, H., 1=13026
- Katz, J. L. See Reiss, H., 2=1137
- Katz, J. M. See Seiden, P. E., 0=11896
- Katz, L. Betatron energy calibration, 0=1177
- Katz, L. Photonuclear reactions - experimental, 1=8684
- Katz, L. Desirable linear electron accelerator characteristics for nuclear research, 2=5399
- Katz, L. and Lokan, K. H. The generation of positrons in a thick target bombarded by fast electrons, 2=5625
- Katz, L. See Baerg, A. P., 0=1451
- Katz, L. See Dickson, J. G., 1=15100
- Katz, L. See Falk, W. R., 2=16862
- Katz, L. See Kelsey, D. J., 4=26655
- Katz, L. See King, H., 0=1435
- Katz, L. See Martin, J. P., 3=22252
- Katz, L. See Sitte, K., 0=9455
- Katz, L. See Thorson, I. M., 1=3435
- Katz, M. J. Piezoresistance in degenerate n-type, 3=10787
- Katz, O. M. and Gulbransen, E. A. Permeability and diffusivity of hydrogen through a palladium tube, 0=12069
- Katz, R. The magnetic pole in the formulation of electricity and magnetism, 2=1342
- Katz, R. and Curnutte, B., Jr. Phase-space occupation of electron, proton, and photon beams, 4=29560
- Katz, R. and Parnell, D. R. Two proposed experiments for the detection of the Dirac monopole, 0=1258
- Katz, S. Configuration of a plasma in an axially symmetric magnetic field, 1=2967
- Katz, S. Lagrangean density for an inviscid, perfect, compressible plasma, 1=4592
- Katz, S. On a moving boundary problem, 1=4594
- Katz, S., Latos, E. J. and Raisen, E. The plasma jet in high temperature research, 0=12606
- Katz, S. See Ahrens, T. J., 3=223
- Katz, S. See Behnken, D. W., 4=2158
- Katz, S. See Freeman, M. P., 0=14786
- Katz, S. See Freeman, M. P., 3=24004
- Katz, S. See Razimas, V., 3=25093
- Katz, T. J. and Strauss, H. L. Spectrum of cyclooctatetraenyl radical anion, 0=15734
- Katz, U. The seeding of ice crystals with copper oxides and copper sulphides, 1=1373
- Katz, U. Cloud-chamber investigations of the ice nucleating activity of some selected materials, 3=1273
- Katz, U. See Barnes, G. T., 2=14947
- Katzenstein, J. Acceleration of plasma by travelling electromagnetic waves, 2=15928
- Katzenstein, J. A simple stability criterium for accelerated plasmas, 4=561
- Katzenstein, J. and Sydor, M. Exploding wire as fast dynamic pinch, 2=7588
- Katzin, G. H. See Davis, W. R., 3=19
- Katzin, G. H. See Davis, W. R., 4=11037
- Katzin, G. H. See Murray, R. L., 0=13351
- Katzin, J. C. See Ament, W. S., 4=24850
- Katzin, L. I. Energy value of the octahedral-tetrahedral coordination change, 1=12328
- Katzin, L. I. Ionization differences between coordination states of a cation. Octahedral-tetrahedral equilibrium of transition-element chlorides in dimethylformamide, 2=15153
- Katzin, L. I. and Spinrad, B. I. U-233 breeder-U-235 converter reactor, 0=13309
- Katzin, M. See Ament, W. S., 4=24850
- Katzman, J. The sun as a source of cosmic rays of intermediate energies, 0=1325
- Katzman, J. Changes in the diurnal hour of maximum of the cosmic-ray intensity, 1=19319
- Katzman, J. and Rose, D. C. Changes in the intensity level of cosmic rays at four stations in Canada, 2=22686
- Katzman, J. and Venkatesan, D. A world-wide study of the daily variation of the nucleonic component of cosmic rays, 0=17443
- Katzman, M. and Strozky, J. W. Regular and irregular spiking in a multimode spherical ruby laser, 4=14953
- Kauder, L. N. See Monse, E. U., 0=11497
- Kauder, L. N. See Monse, E. U., 3=13592
- Kauder, L. N. See Stern, M. J., 1=7900
- Kauder, L. N. See Stern, M. J., 2=4527
- Kauer, E., Klinger, O. E. and Rabenau, A. On conductivity measurements in the system ZrO_2-MgO , 0=4321
- Kauer, E. See Ford, R. A., 3=20072
- Kauer, E. See Groth, R., 2=2240
- Kauer, E. See Groth, R., 3=23993
- Kauer, E. See Planker, K. J., 0=18014
- Kauer, E. See Reik, H. G., 4=13041
- Kauffman, J. W. See Kloske, R., 2=10379
- Kauffman, J. W. See Meshii, M., 0=20863
- Kauffman, J. W. See Meshii, M., 0=21150
- Kauffman, J. W. See Meshii, M., 2=6409
- Kauffman, J. W. See Mori, T., 2=21001
- Kauffman, J. W. See Nenno, S., 1=7576
- Kauffman, J. W. See Ward, J. B., 1=11256
- Kauffman, J. W. See Bauer, W., 3=2846
- Kauffman, J. W. See Oner, K., 4=15701
- Kauffman, J. W. See Tesk, J. A., 4=10010
- Kaufman, A. M. Elimination of the background integral in the Regge formula, 3=7796
- Kaufman, A. N. Plasma viscosity in a magnetic field, 0=15022
- Kaufman, A. N. Definition of macroscopic electrostatic field, 1=11893
- Kaufman, A. N. Plasma transport theory, 1=15724
- Kaufman, A. N. Maxwell equations in nonuniformly moving media, 2=15467
- Kaufman, A. N. Statistical derivation of hydrodynamics for a Coulomb system, 4=5126
- Kaufman, A. N. and Soda, T. Microscopic basis of macroscopic magnetostatic energy, 3=2089
- Kaufman, A. N. and Watson, K. M. Linked-diagram expansion for the equation of state of a gas of molecules, 1=10544
- Kaufman, A. N. and Watson, K. M. Statistical theory of the dielectric constant of an imperfect gas, 1=11793
- Kaufman, A. N. and Watson, K. M. Elementary derivation of the dielectric constant of an imperfect gas, 2=2781
- Kaufman, A. N. See Glassgold, A. E., 0=18984
- Kaufman, A. N. See Newcomb, W. A., 1=4611
- Kaufman, A. S. See Avivi, P., 4=8668
- Kaufman, A. S. See Avivi, P., 4=8669
- Kaufman, A. S. See Avivi, P., 4=11634
- Kaufman, A. S. See Goldsmith, S., 3=10459
- Kaufman, B. and Lipkin, H. J. Momentum transfer to atoms bound in a crystal, 2=14365
- Kaufman, B. See Gillis, J., 2=13314
- Kaufman, B. A. System for displaying thin-film plated wire switching characteristics under disturbed conditions, 4=27614
- Kaufman, C. Influence of atomic binding on the recoil distribution in electron-field pair production, 4=27834
- Kaufman, C. and Winter, R. G. Classical models of radiative decay, 2=5560
- Kaufman, D. F. See Levine, E. D., 4=20647
- Kaufman, F. Studies of atomic recombination of nitrogen, hydrogen, and oxygen by paramagnetic resonance, 3=25068
- Kaufman, F. Aeronomic reactions involving hydrogen. A review of recent laboratory studies, 4=13718
- Kaufman, F. and Del Greco, F. P. Formation, lifetime, and decay of OH radicals in discharge-flow systems, 2=6232
- Kaufman, F. and Kelso, J. R. Catalytic effects in the dissociation of oxygen in microwave discharges, 0=7737
- Kaufman, F. and Kelso, J. R. Rate constant of the reaction $O + 2O_2 \rightarrow O_3 + O_3$, 4=15836

- Kaufman, F. See Gerdien, D.M., 4=6580
- Kaufman, H. Thermodynamical relations in two-component two-phase systems, 0=10815
- Kaufman, I. and Steier, W.H. A plasma antenna and wave filter, 4=3161
- Kaufman, I. See Douthett, D.D., 1=14751
- Kaufman, I. See Douthett, D.D., 2=9710
- Kaufman, I. See Risley, A.S., 2=13681
- Kaufman, J.G. and Knoll, A.H. Kahn-type tear tests and crack toughness of aluminum alloy sheet, 4=20642
- Kaufman, J.J. Some theoretical aspects of bonding in N-F compounds, 2=20836
- Kaufman, J.J., Koski, W.S. and Anacreon, R. The infrared spectra of some B¹¹ labeled diboranes, 4=1272
- Kaufman, J.V.R. and Clark, C.D. Identification of color centers in lithium fluoride, 3=10694
- Kaufman, J.V.R. and Clark, C.D. The colour centres in lithium fluoride, 3=22836
- Kaufman, J.V.R. See Cerny, J., 4=17871
- Kaufman, J.W. See Nenno, S., 0=20792
- Kaufman, L. The lattice stability of metals. I. Titanium and zirconium, 0=15800
- Kaufman, L. Calculation of the effect of pressure on the phase transformations in thallium, 2=10777
- Kaufman, L., Clougherty, E.V. and Weiss, R.J. The lattice stability of metals. III. Iron, 3=13523
- Kaufman, L., Leyenaar, A. and Harvey, J.S. The effect of hydrostatic pressure on the potency of martensitic embryos, 1=6531
- Kaufman, L. and Ringwood, A.E. High pressure equilibria in the iron-nickel system and the structure of metallic meteorites, 2=2399
- Kaufman, L. and Rock, I. The moon illusion, I, 2=21767
- Kaufman, L. and Rock, I. The moon illusion, 3=1570
- Kaufman, L. See Clougherty, E.V., 3=25746
- Kaufman, L. See Radcliffe, S.V., 3=5122
- Kaufman, L. See Rock, I., 2=21768
- Kaufman, M. Semiempirical electron affinities, 3=17519
- Kaufman, M. See Wharton, L., 2=20796
- Kaufman, R.N. Complete system of solutions of the linearized Navier-Stokes equations and its application to boundary value problems involving flow about spheres, 3=23836
- Kaufman, S. Reactions of protons with Ni⁵⁸ and Ni⁶⁰, 0=7562
- Kaufman, S. Isobaric yields in the reactions of 2.9 BeV protons with arsenic-75, 2=12194
- Kaufman, S. Nuclear charge distributions in the interaction of 2.9 GeV protons with heavy elements, 3=8149
- Kaufman, S., Lapinski, W.L. and McCaa, R.C. Response of a single-degree-of-freedom isolator to a random disturbance, 1=11804
- Kaufman, S. See Cumming, J.B., 3=6252
- Kaufman, S. See Payne, R.M., 0=5304
- Kaufman, S. See Williams, R.V., 0=8857
- Kaufman, S.A. See Buryak, E.V., 3=17852
- Kaufman, V. Wavelengths, energy levels, and pressure shifts in mercury 198, 2=16481
- Kaufman, V. and Andrews, K.L. Germanium vacuum ultraviolet Ritz standards, 2=22031
- Kaufmann, C. and Naumann, R. Semiconductor detectors for nuclear radiation, 3=12375
- Kaufmann, C. See Schintlmeyer, J., 3=10356
- Kaufmann, H. See Aderholz, M., 4=21914
- Kaufmann, H. See Aderholz, M., 4=21919
- Kaufmann, H. See Aderholz, M., 4=25151
- Kaufmann, H. See Bartsch, J., 4=21920
- Kaufmann, H. See Bartsch, J., 4=30264
- Kaufmann, H. See Debye, P., 2=17450
- Kaufmann, H.H. A current stabilizer with positive feedback in the regulator amplifier, 3=21893
- Kaufmann, J.F. and Jordan, E.D. Breeding potential of thermal reactors, 2=3643
- Kaufmann, M. See Zwicker, H., 4=27505
- Kaufmann, R. Experimental tests for the acceleration of trapped particles, 3=11458
- Kaufmann, R. and Wolfgang, R. Complex nucleon transfer reactions of heavy ions, 0=447
- Kaufmann, R. and Wolfgang, R. Nucleon transfer reactions in grazing collisions of heavy ions, 1=735
- Kaufmann, R. and Wolfgang, R. Single-nucleon transfer reactions of F¹⁹, O¹⁶, N¹⁴, and C¹², 1=736
- Kaufmann, R.L. See Welch, J.A., Jr., 3=16291
- Kaufmann, S. Colour variation of illuminated cellulose, 2=6891
- Kaufmann, S. See Klebe, J., 2=7399
- Kaufmann, W. Theory of interaction of charged particles with all the plasma-electrons, 4=8678
- Kaufmann, W. Theory of the interaction of charged particles with the totality of plasma electrons, 4=14645
- Kaufmann, W. and Wüffler, H. A search for parity-forbidden alpha-decay from the 8.88 MeV (2-) state in O¹⁶, 1=8634
- Kaufmann, W. See Schlegelmilch, W., 4=5482
- Kaul, C.N. On singular surfaces in hydromagnetics, 1=16513
- Kaul, O.N. A study of development defects and track structures in nuclear emulsions using amidol developers, 1=13249
- Kaul, O.N. On the processing of nuclear emulsions, 2=5550
- Kaul, O.N. Alpha particles from the interaction of 14 MeV neutrons with arsenic, 2=5934
- Kaul, O.N. Energy and angular distribution of alpha particles from the Na²³(n, α)F²⁰ reaction induced by 14 MeV neutrons, 2=16418
- Kaul, O.N. α -particles emitted from 14 MeV neutron interactions with light and medium-weight nuclei, 3=6265
- Kaul, R.D. See Dodd, J.N., 4=22305
- Kaul, R.K. and McCoy, J.J. Propagation of axisymmetric waves in a circular semiinfinite elastic rod, 4=18309
- Kaul, R.K. and Mindlin, R.D. Vibrations of an infinite, monoclinic crystal plate at high frequencies and long wavelengths, 3=5480
- Kaul, R.K. and Mindlin, R.D. Frequency spectrum of a monoclinic crystal plate, 3=5481
- Kaul, W. Lifetimes of excited reactants in the neutral reactions X* + Y \rightarrow XY* + e, 4=13717
- Kaul, W. and Fuchs, R. Mass-spectrometric investigations of argon-nitrogen mixtures and nitrogen, 0=12584
- Kaul, W., Lauterbach, U. and Fuchs, R. Formation of the heteronuclear molecular ion AKr⁺, 0=16971
- Kaul, W., Seyfried, P. and Taubert, R. The lifetime of excited reactants in neutral reactions. I, 4=2145
- Kaul, W. and Taubert, R. Secondary reactions in the inert gas-inert gas and inert gas-nitrogen mixtures, 2=9534
- Kaul, W. See Fuchs, R., 0=12583
- Kaula, W.M. Development of the lunar and solar disturbing functions for a close satellite, 2=17312
- Kaula, W.M. Tesseral harmonics of the gravitational field and geodetic datum shifts derived from camera observations of satellites, 3=11375
- Kaula, W.M. Determination of the earth's gravitational field, 4=7811
- Kaulgud, M.V. Ultrasonic velocity in liquid binary mixtures, 1=18402
- Kaulgud, M.V. Ultrasonic velocity in liquid binary mixtures, 3=9455
- Kauman, W.G. On the flow and exchange diffusion of electrons and negative ions formed by molecular attachment, 1=4561
- Kaun, K.G. See Anton'eva, N.M., 1=13750
- Kaun, K.H. See Funke, L., 4=25318
- Kaunisto, L. See Lounasmaa, O.V., 0=16933
- Kaupilla, J.E. Cadmium sulfide unipolar surface transistor, 3=13097
- Kaupilla, J.E. See Bockemuehl, R.R., 1=10059
- Kauranen, P. Alpha branching in the decay of Pb²¹⁰ and Bi²¹⁰, a new mercury isotope was Hg²⁰⁶, 2=10035
- Kauranen, P. See Nurmi, M., 1=13714
- Kauranen, P. See Nurmi, M., 2=18280
- Kauranen, P. See Siivola, A., 4=17073
- Kaurova, A.S. See Roshchina, G.P., 4=24174
- Kaus, P. Regge trajectories for potential scattering at negative angular momenta, 3=24630
- Kaus, P. and Pearson, C.J. Jost functions and determinantal method in potential scattering, 3=14902
- Kaus, P.E. and Watson, W.K.R. Dispersion relations for Bloch functions, 0=17871
- Kaus, P.E. and Watson, W.K.R. Composite pions, 2=5705
- Kaus, P.E. See Frautschi, S.C., 4=11949
- Kausch-Blecken von Schmeling, H.H. The scintillation response of organic scintillators for 1-2 keV electrons, 1=1185
- Kaushal, N.N. See Yergin, P.F., 4=25374
- Kaushik, S.B. See Majumdar, N.C., 4=4769
- Kautz, B.R. See Skudrzyk, E.J., 1=2805
- Kautz, H. See Mandelkorn, J., 4=28649
- Kautzleben, H. Objective representation of geophysical field quantities in maps, 4=20843
- Kautzleben, H. and Lucke, O. Shock waves, 3=18892
- Kautzleben, H. and Mundt, W. On the derivation of analytic models for the geomagnetic field from observational data on the earth's surface, 3=18565

- Kauzmann, W. See Sovers, O., 1=12298
 Kauzmann, W. See Sovers, O., 3=10533
 Kauzmann, W. See Tobias, I., 1=12297
 Kavadas, A. Absorption measurements near the auroral zone, 3=5872
 Kavadas, A. See Johnson, D.W., 4=10942
 Kavaloski, C.D., Bassani, G. and Hintz, N.M. (p, d) nuclear structure studies on nuclei between $A = 12$ and $A = 48$, 4=1073
 Kavaloski, C.D. See Hintz, N.M., 1=19370
 Kavalov, R. L. See Aleksanyan, A.S., 4=30270
 Kavanagh, D.L. Uranium-235 neutron cross sections from a Breit-Wigner analysis, 0=13277
 Kavanagh, R.W. Proton capture in Be^7 , 0=7550
 Kavanagh, R.W. Protons from deuteron bombardment of Be^7 , 0=20456
 Kavanagh, R.W. Q values for $\text{B}^{10}(\text{He}^3, n)\text{N}^{12}$ and N^{12*} , 4=12276
 Kavanagh, R.W. See Bashkin, S., 0=2660
 Kavanagh, R.W. See Parker, P.D., 3=24809
 Kavanagh, R.W. See Seeger, P.A., 3=12581
 Kavanagh, R.W. See Seeger, P.A., 4=9392
 Kavanagh, T.M. Decay of Au^{198m} , 0=20413
 Kavanagh, T.M. and Bell, R.E. Cross sections of (p, p π n) reactions in Au^{197} , 1=17098
 Kavanagh, T.M., Lee, J. K. P. and Link, W. T. A precise measurement of the C^{11} production cross section for 98 MeV protons on carbon, 4=28029
 Kavanagh, T.M. See Kirkby, P., 4=9413
 Kavečanský, V., Hajko, V. and Daniel-Szabó, J. The effect of successive remagnetization on the domain structure of polycrystalline Fe-Si plates, 4=1834
 Kavečanský, V. See Hajko, V., 3=23158
 Kavich, I. V. and Il'kiv, G. M. I. Effect of iodine impurities on the structure of the I-series of mercury in HgS , 4=13043
 Kavlakov, S. Averaging intervals in calculating meteorological corrections of cosmic ray intensity, 4=25226
 Kavlakov, S. Counter telescope for combined measurements of cosmic ray intensity, 4=6151
 Kavlakov, S., Mitrani, L. and Betev, B. Cosmic ray intensity decreases during the magnetic storm of February 11th, 1958, 1=7302
 Kavlakov, S. See Ahababian, N., 4=30289
 Kavlakov, Sh. See Bozoki, G., 2=336
 Kavlakov, Sh. See Bozoki, G., 2=22684
 Kavlakov, Sh. See Bozoki, G., 4=27926
 Kavlakov, Sh. See Mitrani, L., 1=7301
 Kavlakov, Sh. See Mitrani, L., 2=5767
 Kavtaradze, N. N. and Sokolova, N. P. Adsorption of carbon monoxide on copper and the structure of its surface compounds, based on the results of infrared spectra, 3=11322
 Kawabata, A. See Toyoda, K., 1=14554
 Kawabata, A. See Toyoda, K., 3=25406
 Kawabata, A. See Toyoda, K., 4=4184
 Kawabata, C. See Umeda, K., 1=13615
 Kawabata, H. Course of the potential change in the human electroretinogram during light adaptation, 0=8450
 Kawabata, H. Changes on the human electroretinogram during early dark adaptation, 3=7071
 Kawabata, K. The radiation emitted within ionized gas in the presence of a magnetic field, 0=19682
 Kawabata, K. A model of the coronal condensation, 1=15489
 Kawabata, K. The relationship between post-burst increases of solar microwave radiation and sudden ionospheric disturbances, 2=4633
 Kawabata, K. Transfer of the gyro-resonance radiation, 4=29476
 Kawabata, K., Kondō, I., Murakami, K. and Wada, M. On the unusual increase and the modulation of cosmic rays, 0=15464
 Kawabata, S. On the atmosphere of the late-type component of Zeta Aurigae-type stars, 3=9237
 Kawabata, Y. See Ueda, H., 0=16412
 Kawabe, K. Optical studies on the effect of electric fields on the transitions of barium titanate, 0=20958
 Kawabe, K. Domain structure in orthorhombic aniline hydrobromide single crystals, 2=19063
 Kawabe, K. Pleochroism in aniline hydrobromide and -iodide, 3=4965
 Kawabe, K. and Inuishi, Y. Resistivity anomaly in oxygen deficient single crystals of BaTiO_3 , 4=7047
 Kawabe, K. See Watanabé, T., 3=3259
 Kawabe, R. A remark on the paradox of Einstein, Podolsky and Rosen, 0=44
 Kawabe, R. Some remarks on the Goldhaber model for strange particles, 0=11230
 Kawabe, R. See Hayashi, H., 4=25073
 Kawabe, R. See Taguchi, Y., 0=13061
 Kawabe, T. See Kojima, S., 4=14713
 Kawabe, U., Yanagi, T. and Sawada, S. Ferroelectricity in $\text{Rb}_x\text{K}_{1-x}\text{NO}_3$ mixed crystal, 4=26125
 Kawada, S. See Ida, M., 3=17950
 Kawada, S. See Ida, M., 4=20825
 Kawada, T. See Yamamoto, M., 1=20412
 Kawaguchi, I. On the emission curves of growth of Fe I and Ti II in the lower chromosphere, 0=6584
 Kawaguchi, I. Helium lines at the extreme limb on the solar disc, 1=15473
 Kawaguchi, M. Ambiguity in the mixing parameter for nucleon-nucleon scattering, 0=20124
 Kawaguchi, M. Polarization of the recoil nucleon from the photoproduction of pion, 1=3207
 Kawaguchi, M. Approximate solution of the Bethe-Salpeter equation for two fermions, 1=12050
 Kawaguchi, M. Hypothesis of the isotopic spin independence in extremely high energy region, 2=1659
 Kawaguchi, M. Hypothesis of the isotopic spin independence. II., 2=22404
 Kawaguchi, M. Hypothesis of isotopic spin independence, peripheral and central interactions in the high energy limit, 3=7808
 Kawaguchi, M., Miyamoto, Y. and Fujii, Y. Effects of the $\gamma-3\pi$ interaction on photoreactions, 1=5759
 Kawaguchi, M., Shimoida, H., Sumi, Y. and Ueda, T. Feasible complete experiments of pion photoproduction, 4=6096
 Kawaguchi, M., Shimoida, H., Sumi, Y. and Ueda, T. Feasible complete experiments of pion photoproduction, 4=27874
 Kawaguchi, M. and Yokomi, H. Effects of the pion-pion interaction on photonuclear reactions, 3=15016
 Kawaguchi, M. See Barshay, S., 4=21931
 Kawaguchi, M. See Fujii, Y., 2=1731
 Kawaguchi, M. See Hayakawa, S., 0=369
 Kawaguchi, M. See Iso, C., 1=10834
 Kawaguchi, M. See Kato, M., 3=2296
 Kawaguchi, S. See Kanda, S., 1=8928
 Kawaguchi, Y. See Tadokoro, H., 1=12279
 Kawaguchi, Y. See Tadokoro, H., 3=10557
 Kawaguti, M. The flow of a viscous fluid past a porous flat plate, 2=2674
 Kawaguti, M. A hydrodynamical model for the sedimentation, 0=2152
 Kawaguti, M. The flow of a viscous fluid past a triangular cylinder, 1=116
 Kawaguti, M. Reversal flow theorem concerning Oseen's approximation, 1=117
 Kawaguti, M. Numerical solution of the Navier-Stokes equations for the flow in a two-dimensional cavity, 2=1107
 Kawaguti, M. The flow of a perfect fluid around two moving bodies, 4=29583
 Kawaharada, H. Critical potentials of soft X-rays emitted from nickel, 1=20001
 Kawaharada, H. The fine structure in the $\text{L}_{II, III}$ -absorption spectrum of cadmium, 2=10611
 Kawaharada, H. The fine structure in the K-absorption spectrum of germanium, 3=6659
 Kawaharada, H. The fine structure in the K-absorption spectrum of beryllium, 4=1723
 Kawahata, H. Reflectance and transmittance of turbid media, 2=10992
 Kawahata, H. Size and refractive index of particles in paint layers, 2=10993
 Kawai, A. See Murakami, I., 4=23075
 Kawai, H. See Fujino, K., 3=15978
 Kawai, H. See Keedy, D. A., 1=7703
 Kawai, H. See Nishiwaki, Y., 3=2156
 Kawai, K. See Stammreich, H., 0=11528
 Kawai, K. See Stammreich, H., 2=1999
 Kawai, K. See Stammreich, H., 2=2000
 Kawai, M. The semi-classical model for the nuclear reactions at intermediate energies, 2=7977
 Kawai, M. and Nagasaki, M. Note on the collision matrix for the nuclear reactions. I, 0=11391
 Kawai, M., Nagasaki, M., Soga, M., Terasawa, T., Ui, H. and Wada, Y. Cloudy crystal ball model for neutron reactions at higher energies, 0=9664
 Kawai, M. and Terasawa, T. The dipole giant resonance in the high energy proton scattering, 0=20449
 Kawai, M., Terasawa, T. and Izumo, K. The spin-flip scattering of high energy protons by light nuclei, 2=12185
 Kawai, M. See Jun-ichi Fujita, 2=5776

- Kawai, N. On the alpha-particles from the $N^{14}(d, \alpha)C^{12}$ ground state reaction, 1=9877
- Kawai, N. On the protons from the $N^{14}(d, p)N^{15}$ reaction, 1=12215
- Kawai, N. and Kume, S. Observation of magnetic chronic drag over geologic time, 0=14163
- Kawai, N. and Otsuki, T. On the acoustic field by a vibrating source arbitrarily distributed on a ribbon plate. II, 3=21495
- Kawai, N. See Morita, S., 1=8766
- Kawai, N. See Morita, S., 1=12213
- Kawai, N. See Morita, S., 1=12214
- Kawai, N. See Morita, S., 2=489
- Kawai, N. See Takada, T., 3=1095
- Kawai, N. See Yamabe, S., 2=16399
- Kawai, T. Study on the internal motions of some acryl- and methacryl-group high polymers by pulsed N.M.R. method, 1=14158
- Kawai, T. A study of the effect of high energy irradiation upon the internal motion of polyethylene by pulsed n.m.r. method, 3=13546
- Kawai, T. and Keller, A. On the density of polyethylene single crystals, 3=20766
- Kawai, T. and Keller, A. On the gradient column method for measuring densities; with particular reference to its application to polymer single crystals, 4=8001
- Kawai, T., Kondo, H., Sugimoto, M., Iwamoto, M. and Tobita, T. Magnetic compression of toroidal plasma, 4=2977
- Kawai, T., Kondo, H., Sugimoto, M., Iwamoto, M., Toshioka, K. and Tobita, T. Magnetic compression of toroidal plasma, 4=8733
- Kawai, T. and Masuda, N. Non-existing region of the resonance poles in the scattering amplitudes with unstable particles, 4=19425
- Kawai, T. and Masuda, N. Trajectories of the resonance poles in the multi-channel scattering amplitudes, 4=19437
- Kawai, T., Sasaki, M., Hirai, A., Hashi, T. and Odajima, A. Measurement of temperature dependence of T_1 of proton in some high polymers by pulsed N.M.R. technique, 1=14830
- Kawai, T., Sugimoto, M., Kondo, H. and Iwamoto, M. Report on the toroidal pinch experiments with some discussions on the problems of switching ignitrons, 3=4143
- Kawai, T., Yoshimi, Y. and Hirai, A. Effects of tacticity upon the temperature dependence T_1 of proton in high polymers, 2=4290
- Kawai, T. See Hashi, T., 1=1977
- Kawai, T. See Hirai, A., 2=11814
- Kawai, T. See Kobayashi, K., 4=17528
- Kawai, T. See Sasaki, M., 1=11602
- Kawai, T. See Suzuki, Y., 3=14022
- Kawai, Y. See Kita, H., 4=19356
- Kawai, Y. See Saito, T., 1=1738
- Kawaji, A. Some properties of junction triode laser, 4=30090
- Kawaji, S. A.C. and d.c. field effects on cleaned germanium surfaces, 1=7639
- Kawaji, S. Surface conductance and field-effect on the surface conductance of $\{111\}$ and $\{\bar{1}\bar{1}\bar{1}\}$ surfaces on InSb, 4=28564
- Kawaji, S. and Takishima, Y. Field-effect in cleaved silicon surfaces, 4=28573
- Kawaji, S. See Kobayashi, A., 1=1048
- Kawaji, S. See Sato, S., 4=28591
- Kawajiri, N. See Hasegawa, S., 4=7930
- Kawakami, I. The conservation laws in the lepton process and two kinds of neutrinos, 0=12831
- Kawakami, I. On ratios of the renormalized and the bare coupling constants in the beta decay interaction, 1=10844
- Kawakami, I. and Sato, M. Gravitational instability in a plasma in a magnetic field. I. Ideal magnetohydrodynamics, 4=2975
- Kawakami, I. See Sato, M., 3=21778
- Kawakami, K. See Aono, Y., 0=20298
- Kawakatsu, H. See Kanaya, K., 2=11717
- Kawakatsu, H. Caustic and shadow images due to asymmetrical aberrations and their measuring and compensating methods, 3=4196
- Kawakatsu, H. See Kanaya, K., 3=24360
- Kawakatsu, H. See Kanaya, K., 4=11708
- Kawakatsu, H. See Kanaya, K., 4=29998
- Kawakatsu, H. See Tsukahara, S., 4=26300
- Kawakubo, T. and Nakagawa, T. Phase transition in VO_2 , 4=20718
- Kawakubo, T., Yanagi, T. and Nomura, S. Some properties of titanium sesquioxides containing vanadium ions, 1=17640
- Kawakubo, T. See Nakagawa, T., 4=1399
- Kawakubo, T. See Nomura, S., 1=14183
- Kawakubo, T. See Nomura, S., 1=20548
- Kawakubo, T. See Nomura, S., 2=12567
- Kawakubo, T. See Nomura, S., 3=8864
- Kawamata, S. A simplified method calculating the laminar boundary layer, 1=12848
- Kawamata, S. See Sugiyura, M., 4=29957
- Kawamata, Y. See Hibi, T., 3=22708
- Kawamiya, N. See Hasiguti, R. R., 4=22724
- Kawamori, A. and Itoh, J. Nuclear magnetic resonance of Cl^{35} in a single crystal of $NaClO_3$, 4=7344
- Kawamori, A. and Sakiyama, M. Proton magnetic resonance of the silver perchlorate-dioxane complex, $AgClO_4$.
- Kawamori, A. and Suzuki, K. Proton magnetic resonance of Würster's blue perchlorate, 4=28906
- Kawamoto, M. and Kimura, K. On non-propagating cracks in fatigue of metals, 1=1343
- Kawamoto, M., Tanaka, T., Nakajima, H. and Nonaka, T. Effect of heating and cooling speed and hold time on thermal fatigue, 4=23211
- Kawamura, H., Fukai, M. and Hayashi, Y. Hot electron effect in cyclotron resonance of germanium, 2=16639
- Kawamura, H., Fukai, M., Hayashi, Y. and Hashimura, T. Linewidth of cyclotron resonance of pure germanium, 1=19757
- Kawamura, H., Fukai, M., Imai, I. and Tomishima, K. Cyclotron resonance of hot electrons in germanium, 3=10776
- Kawamura, H., Fukai, M., Saji, H. and Sekido, K. Cyclotron resonance line broadening due to carrier-carrier interaction, 4=22553
- Kawamura, H., Fukai, M., Sekido, K. and Imai, I. Measurement of the relaxation time for electrons in silicon by cyclotron resonance, 3=15580
- Kawamura, H., Hayashi, Y. and Fukai, M. Cyclotron resonance of hot electrons in germanium, 2=3885
- Kawamura, H. and Okubo, Y. ESR study of trapping of Mn ions along dislocation lines in NaCl, 2=4261
- Kawamura, H., Saji, H., Fukai, M., Sekido, K. and Imai, I. Cyclotron resonance line broadening due to carrier-carrier interaction in germanium, 4=20256
- Kawamura, H. See Fukai, M., 2=23135
- Kawamura, H. See Fukai, M., 4=12714
- Kawamura, H. See Ohnishi, T., 4=13981
- Kawamura, H. See Onuki, M., 1=950
- Kawamura, H. See Otsuka, E., 1=2497
- Kawamura, H. See Tanaka, T., 1=1092
- Kawamura, M. $E2 + M1$ mixed transitions in heavy odd A nuclei, 0=9580
- Kawamura, M. Angular correlation measurements in the decay of In^{116m} , 1=7352
- Kawamura, M., Aoki, A. and Ikegami, H. The second excited state of Sn^{120} , 1=16998
- Kawamura, N. Anisotropy of critical field in low-temperature electrical breakdown in uncompensated n-type germanium, 4=10055
- Kawamura, N. See Abe, K., 4=21607
- Kawamura, N. See Cheon, I. T., 4=3657
- Kawamura, N. See Kimura, M., 3=22376
- Kawamura, N. See Shoda, K., 2=12180
- Kawamura, N. See Shoda, K., 2=16381
- Kawamura, N. See Shoda, K., 3=15172
- Kawamura, R., Mishima, N. and Monda, M. Note on unitary symmetry in bootstrap method, 4=6119
- Kawamura, R. See Adachi, T., 4=30187
- Kawamura, T. On the angular momentum of the total system of secondary particles in a jet shower, 4=25233
- Kawamura, T. and Hayashi, K. The preparation of silicon carbide single crystals, 3=5085
- Kawamura, Y. See Taniguchi, I., 4=11624
- Kawane, K. See Hara, J., 4=21488
- Kawano, O. See Murakami, Y., 1=1430
- Kawano, O. See Murakami, Y., 2=21554
- Kawano, O. See Murakami, Y., 4=13473
- Kawano, O. See Murakami, Y., 4=23250
- Kawaoka, K. and Kearns, D. R. Emission properties of tetracene-pyrene and pentacene-pyrene mixed crystals, 4=30692
- Kawarabayashi, K. Global symmetry and the branching ratios for the K^- capture by the nucleon, 0=13057
- Kawarabayashi, K. Branching ratios for the K^- capture from hydrogen at low energy, 1=546
- Kawarabayashi, K. Low-energy limit theorems and dispersion relations, 1=13357

- Kawarabayashi, K. A note on the final state interaction in K_{π}^+ decay, 1=13497
- Kawarabayashi, K. Some remarks on ω and ϕ meson widths and R-conjugation invariance in strong interaction, 4=19578
- Kawarabayashi, K. and Machida, S. Electromagnetic structure of the nucleon, 1=10881
- Kawarabayashi, K. and Miyazawa, H. S-wave pion-nucleon scattering, 1=3217
- Kawarabayashi, K. and Sato, A. A model of three-pion resonance in terms of the strong P-wave two-pion resonance, 2=13859
- Kawarabayashi, K. and Sato, A. Electromagnetic structure of the nucleon. Effects of pion correlation on the iso-scalar form factors, 2=20325
- Kawarabayashi, K. and Sato, A. Electromagnetic structure of the nucleon. II. Upper limits for contributions from the three-pion state, 3=2255
- Kawarabayashi, K. and Sato, A. Decay rates of the ω -meson and γ -3 π interaction, 3=6077
- Kawarabayashi, K. and Sato, A. A note on the effects of multi-pion resonances for electron-positron colliding beam experiments, 3=7833
- Kawarabayashi, K. and Sato, A. Isoscalar electromagnetic structure of the nucleon, 3=14968
- Kawarabayashi, K. and Sato, A. Isoscalar nucleon structure and multi-pion resonances, 3=24710
- Kawarabayashi, K. and Sawada, T. S-wave pion- Σ -hyperon scattering, 1=3218
- Kawarabayashi, K. See Hara, Y., 0=12918
- Kawarabayashi, K. See Igi, K., 0=17384
- Kawarabayashi, K. See Nakamura, S., 3=5933
- Kawarabayashi, T. See Chong, P., 2=11384
- Kawasaki, E. See Kojima, S., 1=18896
- Kawasaki, K. A subjective generalisation of statistical mechanics, 1=4279
- Kawasaki, K. An entropy concept in statistical mechanics, 1=4280
- Kawasaki, K. On the variation of electrical resistance of a polymer as a function of the extent and nature of sorbed water, 2=6429
- Kawasaki, K. Phon-phonon interaction in liquid He II, 2=11548
- Kawasaki, K. Sound attenuation in liquid helium II at very low temperatures, 2=11549
- Kawasaki, K. On the behaviour of thermal conductivity near the magnetic transition point, 3=20121
- Kawasaki, K. On the collective motion of spins at finite temperatures, 3=20571
- Kawasaki, K. Spin-wave interaction in the itinerant-electron model of ferromagnetism, 4=28790
- Kawasaki, K. and Kanou, K. Effect of eater vapour on the electrical resistance of anthracene, 4=12921
- Kawasaki, K., Kanou, K. and Sekita, Y. Interaction of water vapour with germanium real surface, 0=7927
- Kawasaki, K. and Kato, K. Size distribution of radioactivity of the natural radioactive dust, 0=4819
- Kawasaki, K. and Mori, H. On the green function of the spin system. I, 1=17942
- Kawasaki, K. and Mori, H. On the green function of the spin system. II, 1=17943
- Kawasaki, K. and Mori, H. Ultrasonic attenuation in liquid helium, 3=7399
- Kawasaki, K. and Oppenheim, I. Triple collision operators in the transport theory of dense bases, 4=27213
- Kawasaki, K. and Senzaki, K. Permeation of helium gas through glass, 3=2826
- Kawasaki, K. and Sugita, T. Surface phenomena at ultra-high vacuum. I. The production and measurement of ultra-high vacuum by Alpert's method, 0=14699
- Kawasaki, K. and Sugita, T. Ultra-high vacuum technology technology, 3=179
- Kawasaki, K., Sugita, T., Kohno, I. and Watanabe, J. Study of pumping action of a diode type getter ion pump for inert gases by the tracer technique, 3=14224
- Kawasaki, K., Sugita, T., Kohno, I., Watanabe, J. and Hayashi, N. Clean up of inert gases in a penning discharge studied by a tracer technique, 4=14227
- Kawasaki, K. See Kawasaki, T., 4=13226
- Kawasaki, K. See Mori, H., 1=14732
- Kawasaki, K. See Mori, H., 2=2287
- Kawasaki, K. See Mori, H., 2=10692
- Kawasaki, K. See Mori, H., 2=12759
- Kawasaki, K. See Mori, H., 3=988
- Kawasaki, K. See Mori, H., 3=8704
- Kawasaki, K. See Sugita, T., 3=18864
- Kawasaki, S. and Yamaguchi, A. On the solar daily variation of cosmic rays observed with inclined counter telescopes, 3=12536
- Kawasaki, S. See Furui, S., 4=9086
- Kawasaki, S. See Imai, T., 2=3433
- Kawasaki, S. See Imai, T., 2=3434
- Kawasaki, S. See Imai, T., 2=13919
- Kawasaki, T., Ishiguro, T. and Tanaka, T. Anisotropic piezo-resistance of cadmium antimonide, 4=17524
- Kawasaki, T., Kawasaki, K., Tanaka, M. and Tomita, K. Paramagnetic susceptibility of a ferrimagnet, 4=13226
- Kawasaki, T. and Tanaka, T. Anisotropic electrical properties of cadmium antimonide, 4=4143
- Kawasaki, T. See Tomita, K., 3=20640
- Kawasaki, Y. See Sumino, K., 4=1937
- Kawashima, K. See Inada, T., 3=12241
- Kawashima, K. See Moriuchi, Y., 0=1262
- Kawashima, M. See Kumabe, I., 0=20435
- Kawashima, M. See Ogata, H., 1=11006
- Kawashima, M. See Ogata, H., 1=11012
- Kawashima, M. See Ogata, H., 2=10099
- Kawashima, N. The interaction of a plasma stream with a three-dimensional dipole, 4=14692
- Kawashima, N. and Ishizuka, H. Interaction of a plasma stream with a three-dimensional magnetic dipole, 3=24288
- Kawashima, T. See Maeda, K., 3=12261
- Kawashima, Y. Sound propagation in a fibre block as a composite medium, 1=8184
- Kawaski, K. and Mori, H. On the Green's functions of the Heisenberg spin systems, 3=1136
- Kawata, S. Study on spark counters of the Rosenblum type for counting α particles and neutrons, 1=12034
- Kawata, S. and Aragaki, T. Multiple-wire spark counters for counting α -particles and neutrons, 2=5508
- Kawatra, M.P. The effect of exchange and correlation on binding energy of compressed atoms, 1=13921
- Kawatra, M.P. and Bajaj, K.K. The study of Thomson scattering coefficient in degenerate systems, 2=5355
- Kawatra, M.P. See Pathria, R.K., 2=11299
- Kawatra, M.P. See Pathria, R.K., 2=15495
- Kawatra, M.P. See Pathria, R.K., 3=5379
- Kawazu, A. See Aoki, M., 3=2979
- Kawczyn, R.A. A 30-kilowatt, 500-microsecond vacuum tube pulser, 1=4588
- Kawczyn, R.A. See Marshall, T., 3=7443
- Kawczyn, R.A. See Marshall, T.C., 0=19693
- Kawski, A. Intermolecular energy transfer and concentration depolarization of fluorescence, 1=15888
- Kawski, A. Investigation of intermolecular energy exchange in fluorescent solutions, 4=2692
- Kawski, A. Comments about the effective range in the theories of concentration depolarization of the fluorescent light, 4=11201
- Kawski, A. On the determination of the absolute directions of transition moments, 4=15321
- Kawski, A. Fluorescence quenching by intermolecular energy-transfer, 4=28287
- Kawski, A. and Połoski, R. Beta-phosphorescence of "plexiglass" luminophors at room temperature, 4=22937
- Kawski, A. and Polacka, B. Absorption and fluorescence spectra of fluorescein in PMAM, 2=12631
- Kawski, A. and Polacka, B. Reflection symmetry of absorption and luminescence bands of dyestuffs, 2=19566
- Kawski, A. and Polacka, B. Fluorescence polarization spectra of some dyestuffs in polymethyl methacrylate, 3=15713
- Kawski, A. and Polacka, B. On the influence of the solvent on the electronic spectra of POPOP, 3=25127
- Kawski, A., Polacka, B. and Czyż, P. Influence of solvent mixture on the absorption and fluorescence spectra of dyestuffs, 3=21378
- Kawski, A., Polacka, B. and Polacki, Z. Concerning the absorption and luminescent spectra of some dyes in mono- and poly-methyl methacrylate, 2=9281
- Kawski, A. and Polacki, Z. The concentration quenching of the fluorescence of anthracene in plexiglas, 1=14645
- Kawski, A. and Skwierz, A. On the determination of the degree of polarization of light by means of the photoelectric compensation method, 0=177
- Kawski, A. and Skwierz, A. Reflection and transmission problem of a pile of plates, 0=19378
- Kawski, A. and Skwierz, A. Measurement of the degree of polarization using a set of compensating glass plates. IV, 1=18620

- Kawski, A. See Bilot, L., 2=22940
 Kawski, A. See Bilot, L.J., 3=2604
 Kawski, A. See Bilot, L., 3=18823
 Kawski, A. See Bilot, L., 3=20010
 Kawski, A. See Bojarski, C., 0=4423
 Kawski, A. See Glowacki, J., 0=2948
 Kawski, A. See Grzywacz, J., 1=148
 Kay, A. E. and Loasby, R. G. The specific heat of plutonium at high temperatures, 4=9849
 Kay, E. Magnetic thin films prepared by sputtering, 1=6325
 Kay, E. Magnetic field effects on an abnormal truncated glow discharge and their relation to sputtered thin-film growth, 3=9750
 Kay, H. F. and Dunn, J. W. Thickness dependence of the nucleation field of triglycine sulphate, 3=6619
 Kay, H. F. See Glaister, R. M., 1=6486
 Kay, I. New equation for the asymptotic field amplitude in a two-dimensional inhomogeneous medium, 1=11810
 Kay, I. Impedances and reflection coefficients for anisotropic media, 4=686
 Kay, I. and Moses, H. E. The determination of the scattering potential from the spectral measure function. V. The Gelfand-Levitan equation for the three-dimensional scattering problem, 2=1661
 Kay, I. and Swerling, P. Statistics of random surfaces, 4=27652
 Kay, J. See Gowenlock, B. G., 4=8623
 Kay, J. G., Kuebler, N. A. and Nelson, L. S. Vacuum ultra-violet absorption spectra of flash-heated lead reacting with various gases, 2=15652
 Kay, L. A Van De Graaff beam as a source of atomic emission spectra, 3=19918
 Kay, M. I. and Behrendt, D. R. The structure factor for a harmonic quasi-torsional oscillator, 3=11256
 Kay, M. I., Frazer, B. C. and Almodovar, I. Neutron diffraction refinement of CaWO_4 , 4=10533
 Kay, M. I., Frazer, B. C. and Ueda, R. X-ray and neutron study on the phase transformation of NaNO_2 , 3=1336
 Kay, M. I. See Almodovar, I., 4=29102
 Kay, R. B. See Hughes, R. H., 3=8208
 Kay, R. H. See Bannister, W. J., 3=9699
 Kay, R. L. See Vidulich, G. A., 2=11379
 Kay, R. M. See Greenler, R. G., 1=10082
 Kay, R. M. See Wycklendt, D. A., 1=6290
 Kayali, A. A. See Page, D. J., 3=861
 Kayama, K. H. f. s. constants of OH ground state, 4=1270
 Kayama, K. See Asano, S., 2=18739
 Kayama, K. See Kotani, M., 0=17819
 Kayama, T. See Suzuki, Y., 3=14022
 Kayano, H., Kamigaki, K. and Koda, S. Ultrasonic attenuation in magnesium at low temperatures, 3=8353
 Kayano, H. See Koda, S., 3=22650
 Kayas, G. See Berley, D., 4=9281
 Kayas, G. See Brandt, S., 3=17324
 Kaye, A. and Saunders, D. W. A concentric cylinder viscometer for the measurement of flow birefringence and viscosity in concentrated polymer solutions, 4=11157
 Kaye, A. and Saunders, D. W. Creep in an anisotropic medium, 4=28951
 Kaye, B. H. Evaluating particle size analysis methods by a random number technique, 4=13659
 Kaye, B. H. and James, G. W. Investigations into the diver method of particle size analysis, 2=17401
 Kaye, G. Temperature effects in domain patterns from single crystals of Haematite ($\alpha\text{-Fe}_2\text{O}_3$), 2=740
 Kaye, G. The effect of titanium on the low temperature transition in natural crystals of haematite, 2=16887
 Kaye, G. See Blackman, M., 0=8209
 Kaye, G. See Blackman, M., 3=1098
 Kaye, G. See Green, L. L., 1=12144
 Kaye, H. See Kronik, K. P. L., 2=14509
 Kaye, J. See Fand, R. M., 0=8755
 Kaye, J. See Freedman, S. I., 3=18854
 Kaye, S. Flat flame burner for burning undiluted premixed hydrogen and fluorine, 1=12676
 Kaye, W. A universal spectrophotometer, 4=8412
 Kaye, W. Polarization modulated excitation spectroscopy, 4=14370
 Kayfosh, J. See Kopecký, J., 4=905
 Kays, T. H. See Beard, C. I., 2=20152
 Kayser, J. Polarization of the fluorescence of organic scintillation crystals for α -ray excitation, 4=20503
 Kayurin, Yu. P. See Broder, D. L., 2=18091
 Kayurin, Yu. P. See Broder, D. L., 3=24675
 Kazachenko, L. P. See Stepanov, B. I., 2=18444
 Kazachevskaya, T. V., Arkhangel'skaya, V. A., Ivanov-Kholodny, G. S., Medvedev, V. S., Razumova, T. K. and Chudaikin, A. V. Measurements of X-ray and ultraviolet radiation by the thermoluminescent phosphor $\text{CaSO}_4\text{:Mn}$, 4=7880
 Kazachevskaya, T. V., Arkhangel'skaya, V. A., Ivanov-Kholodny, G. S., Medvedev, V. S., Razumova, T. K. and Chudaikin, A. V. Measurement of X-ray and ultraviolet radiation by the thermoluminescent phosphor $\text{CaSO}_4\text{:Mn}$, 4=15879
 Kazachevskaya, T. V. and Ivanov-Kholodny, G. S. Continuous solar emission in the X-ray region, 0=18779
 Kazachevskaya, T. V. and Ivanov-Kholodny, G. S. Interpretation of the data of rocket measurements in the upper atmosphere by thermoluminescent phosphor, 4=7881
 Kazachevskaya, T. V. and Ivanov-Kholodny, G. S. Interpretation of the data of rocket measurements in the upper atmosphere by thermoluminescent phosphor, 4=13825
 Kazachevskii, V. M. See Dzhasybekova, E. K., 0=21390
 Kazachkovskii, O. D. On thermal shocks to fuel element containers (cans and cooling surfaces), 2=12269
 Kazachkovskii, O. D. See Andreev, V. N., 2=8036
 Kazachkovskii, O. D. See Bagdasarov, Yu. E., 3=4681
 Kazachkovskii, O. D. See Bagdasarov, Yu. E., 4=25456
 Kazachkovskii, O. D. See Belanova, T. S., 4=3668
 Kazachkovskii, O. D. See Belanova, T. S., 4=22149
 Kazak, B. N. See Alekseevskii, N. E., 3=4909
 Kazak, B. N. See Alekseevskii, N. E., 4=4123
 Kazakov, V. A. See Dvoretzki, A. S., 3=17159
 Kazakova, R. K. See Enseev, T. M., 2=9119
 Kazami, A. See Kinase, W., 4=10108
 Kazankin, O. N., Pekerman, F. M. and Petoshina, L. N. Electroluminescence of ZnS:Cu:Mn phosphors in a constant field, 0=10083
 Kazanskii, G. S., Kuznetsov, A. B., Mikhailov, A. I., Rubin, N. B. and Tsarenkov, A. P. A study of the shaping of a beam of particles in a synchrotron by means of induction electrodes, 3=19387
 Kazanski, G. S., Mikhailov, A. I., Mýznikov, K. P. and Tsarenkov, A. P. Methods of varying the time of interaction between the beam and the target in the 10 GeV proton synchrotron, 3=24416
 Kazanskii, Iu. A. See Belov, S. P., 2=1692
 Kazanskii, M. F. Thermal coefficients of certain Ukrainian clays and their dependence on moisture combined with the solid phase in different ways, 0=8823
 Kazanskii, M. F. See Stadnik, B. N., 4=5312
 Kazanskii, V. B., Pariiskii, G. B., Aleksandrov, I. V. and Zhidomirov, G. M. Electron paramagnetic resonance investigation of the interaction of free radicals with the surface of a solid (silica gel), 4=1321
 Kazanskii, V. B., Pariiskii, G. B. and Burshtein, A. I. Electron paramagnetic resonance study of the properties of hydrogen atoms formed when silica gel is irradiated with γ -rays, 3=3419
 Kazanskii, V. B. and Stepin, L. D. A method of computing the dielectric constants of substances measured by the use of a cylindrical H_{01n} cavity with the samples in axial arrangement, 3=21678
 Kazanskii, V. M. The determination of heat of evaporation of moisture contained in a porous body, 2=9454
 Kazanskii, V. M. Specific heat of moisture evaporation from capillaries of a disperse body, 4=11414
 Kazanskii, Yu. A. The angular and energy distribution of γ -radiation scattered in water and iron, 3=14936
 Kazanskii, Yu. A., Belov, S. P. and Matusevich, E. S. Angular and energy distributions of γ -rays scattered in iron and lead, 1= 5703
 Kazanskii, Yu. A. Conversion of amplitude distributions into energy spectra, 2=1625
 Kazanskii, Yu. A. See Bakov, A. T., 2=20638
 Kazanskii, Yu. A. See Bakov, A. T., 3=22409
 Kazanskii, Yu. A. See Bakov, A. T., 4=19798
 Kazanskii, Yu. A. See Dulin, V. A., 2=18139
 Kazanskii, Yu. A. See Dulin, V. A., 3=2274
 Kazanskii, Yu. A. See Dulin, V. A., 4=3413
 Kazanskiĭ, Yu. A. See Dulin, V. A., 4=6067
 Kazanskii, Yu. A. See Dulin, V. A., 4=27860
 Kazanskii, Yu. A. See Kukhtevich, V. I., 0=9327
 Kazansky, V. B., Pariisky, G. B. and Voevodsky, V. V. Radiation-induced processes on the silica-gel surface, 2=12482
 Kazans'kiĭ, V. N. See Holýk, A. Z., 1=13027
 Kazantsev, A. N. Absorption and electron distribution in the F_2 layer determined from measurements of transmitted radio signals from earth satellites, 1=6625

- Kazantsev, A.P. The motion of a charged particle in a rotating magnetic field, 0=11021
- Kazantsev, A.P. Flow of a conducting gas round a current-carrying plate, 0=15124
- Kazantsev, A.P. Flow of a conducting gas round a current-carrying plate, 1=5541
- Kazantsev, A.P. Stationary plasma flow in a magnetic field, 3=24280
- Kazantsev, A.P. Stationary relativistic flow of a plasma in a magnetic field, 4=16475
- Kazantsev, A.P. and Gilinskii, I.A. Interaction of transverse oscillations in a plasma, 2=202
- Kazantsev, A.P. and Gilinskii, I.A. Interaction of transverse oscillations in a plasma, 2=22235
- Kazantsev, A.P. and Smirnov, V.S. Resonance interaction of electromagnetic radiation with a medium, 4=11784
- Kazantsev, A.P. and Surdutovich, G.I. Radiation from a charged particle flying near a metal screen, 4=8905
- Kazantsev, A.P. See Matskevich, T.L., 3=7631
- Kazantsev, A.P. See Matskevich, T.L., 3=14616
- Kazantsev, V.A. Investigation of the $K\beta_2$ line of the X-ray spectrum in alloys of the Mn-Ni system, 2=705
- Kazantsev, V.A. Investigation of the $K\beta_2$ line of the X-ray spectrum in alloys of the Mn-Ni system, 2=8540
- Kazantsev, V.F., Motion of gas bubbles in a liquid under the influence of Bjerknes forces arising in an acoustic field, 0=4738
- Kazantsev, V.F. Influence of the oscillation amplitude and clamping force on the stresses in a material during ultrasonic machining, 4=2756
- Kazantsev, V.F. A method for measuring ultrasonic stresses in transparent objects, 4=10357
- Kazantsev, V.F. and Tisenbaum, Yu.L. On the motion of the abrasive suspension in ultrasonic machining, 2=15441
- Kazantseva, N.M. See Dekhtyar, M.V., 0=8074
- Kazarinoff, N.D. See Goodrich, R.F., 3=4274
- Kazarinoff, N.D. See Goodrich, R.F., 4=691
- Kazarinov, N.M., Matveev, O.A., Rývkin, S.M., Solov'ev, S.M., Strokan, N.B. and Tarkhin, D.V. Use of semiconductor counter-spectrometer for the measurement of the energy of fission products, 2=16094
- Kazarinov, N.M. See Baranov, I.A., 4=14671
- Kazarinov, N.M. See Blinov, M.V., 2=14149
- Kazarinov, N.M. See Blinov, M.V., 3=6311
- Kazarinov, N.M. See Blinov, M.V., 3=15242
- Kazarinov, N.M. See Blinov, M.V., 4=19851
- Kazarinov, R.F. and Konstantinov, O.V. A theory of the dispersion of the high-frequency exciton conductivity of a crystal, 2=587
- Kazarinov, R.F. and Skobov, V.G. Theory of nonlinear galvanomagnetic phenomena in semiconductors, 2=14527
- Kazarinov, R.F. and Skobov, V.G. The possibility of amplifying ultrasound in semi-metals in an electric field, 2=15684
- Kazarinov, R.F. and Skobov, V.G. The possibility of amplifying ultrasound in semi-metals in an electric field, 3=5495
- Kazarinov, R.F. and Skobov, V.G. Theory of nonlinear galvanomagnetic phenomena in semiconductors, 3=6576
- Kazarinov, R.F. and Skobov, V.G. On the theory of the amplification of ultrasound by semi-metals in electric and magnetic fields, 3=15433
- Kazarinov, R.F. and Skobov, V.G. Theory of the electrical conductivity of ionic semiconductors in strong electric and magnetic fields, 3=25339
- Kazarinov, R.F. See Ipatova, I.P., 2=23125
- Kazarinov, Yu.M. and Kiselev, V.S. Phase-shift analysis of nucleon-nucleon scattering at an energy 630 MeV, 4=16884
- Kazarinov, Yu.M., Kiselev, V.S. and Satarov, V.I. Energy dependence of the phase shifts for nucleon-nucleon scattering in the 23-126 MeV energy range, 4=16883
- Kazarinov, Yu.M., Kiselev, V.S. and Silin, I.N. Phase-shift analysis of nucleon-nucleon scattering at 147 MeV, 4=3397
- Kazarinov, Yu.M., Kiselev, V.S., Silin, I.N. and Sokolov, S.N. Determination of the π -meson-nucleon coupling constant from the differential cross-sections for elastic pp-scattering, 1=19248
- Kazarinov, Yu.M., Legar, F. [Lefar] and Silin, I.N. Application of conformal mapping to the extrapolation into the unphysical region of relations observed in the scattering of high energy particles, 3=22081
- Kazarinov, Yu.M. and Silin, I.N. Phase shift analysis of nucleon-nucleon scattering at 210 MeV, 3=2257
- Kazarinov, Yu.M. and Silin, I.N. Phase-shift analysis of nucleon-nucleon scattering at 40, 95, 147, and 310 MeV, 3=14977
- Kazarinov, Yu.M. and Simonov, Yu.N. Scattering of 200 MeV neutrons by protons, 2=23120
- Kazarinov, Yu.M. and Simonov, Yu.N. Scattering of 200 MeV neutrons by protons, 3=7866
- Kazarinov, Yu.M. See Amaglobeli, N.S., 0=7352
- Kazarinov, Yu.M. See Amaglobeli, N.S., 0=9407
- Kazarinov, Yu.M. See Amaglobeli, N.S., 1=19246
- Kazarnikov, V.V. See Bykov, V.N., 1=20579
- Kazarnovskii, M.V. A calculation of the neutron energy spectrum produced by a pulsed source in a heavy moderator, assuming a constant mean free path, 0=9370
- Kazarnovskii, M.V. On the theory of the resonance interaction of γ -quanta in crystals, 0=15520
- Kazarnovskii, M.V. and Shapiro, F.L. Theory of thermal neutron diffusion with velocity distribution taken into account, 4=15064
- Kazarnovskii, M.V. and Stepanov, A.V. Elastic resonance scattering of slow neutrons in crystals, 1=19707
- Kazarnovskii, M.V. and Stepanov, A.V. Theory of resonance scattering on atomic systems. I. Deduction of general formulae, 2=10226
- Kazarnovskii, M.V. and Stepanov, A.V. Theory of resonance scattering on atomic systems, 2=14216
- Kazarnovskii, M.V. and Stepanov, A.V. Theory of resonance scattering on atomic systems. I. Deduction of general formulae, 3=6368
- Kazarnovskii, M.V. and Stepanov, A.V. The observed probabilities for elastic scattering of neutrons and the Mössbauer effect in degenerate systems and some new possibilities of creating such systems, 3=17286
- Kazarnovskii, M.V. and Stepanov, A.V. Elastic scattering of neutrons and the Mössbauer effect in systems with local degrees of freedom, 4=25403
- Kazarnovskii, M.V. and Stepanov, A.V. The time correlation function technique and its application to the theory of Mössbauer line shifts and deformation, 4=29517
- Kazarnovskii, M.V. and Stepanov, A.V. Recoiless γ emission and absorption by atoms in a magnetic field, 4=30301
- Kazarnovsky, M.V. See Goldansky, V.I., 0=5666
- Kazarov, R.E. and Lyudvigov, R.B. On the penetrating component of extensive air showers (e.a.s.), 0=5634
- Kazarov, R.E. See Andronikashvili, E.L., 0=13087
- Kazarov, R.E. See Andronikashvili, E.L., 3=4505
- Kazarov, R.E. See Andronikashvili, E.L., 3=19731
- Kazas, V.I. The use of a continuous photoelectric device for studying the microstructure of clouds from an aircraft, 4=7839
- Kazavchinskii, Ya.Z., Kessel'man, P.M. and Rabinovich, V.A. The second virial coefficient and its extrapolation into the high-temperature field, 2=11411
- Kazavchinskii, Ya.Z. and Kudashov, V.I. The determination of critical density of a real gas from data on the state of saturation, 2=17508
- Kazavchinskii, Ya.Z. and Tsoiman, G.I. A method of correlating the law of eigenstates for the purpose of determining thermodynamic properties of little-investigated substances, 2=5057
- Kazbekov, E.N. See Bresler, S.E., 4=2138
- Kazes, E. Generalized current conservation and low energy limit of photon interactions, 0=343
- Kazes, E. Meson production in the static charged-scalar theory, 0=1286
- Kazes, E. A soluble model in field theory. I, 0=2482
- Kazes, E. A soluble model in field theory. II. Unstable particle and bound state description, 0=15225
- Kazes, E. On the high energy behavior in field theory, 0=17376
- Kazes, E. Low energy limit of Compton scattering without T, C, P invariance, 1=8433
- Kazes, E. Consequence of the crossing symmetry for a class of π - π scattering diagrams, 1=8493
- Kazes, E. J=I-1, vector mesons and low-energy π -N scattering, 2=20398
- Kazes, E. Soluble models in many-body scattering and complex angular momenta, 3=7125
- Kazes, E. Explicit construction of asymptotic fields, 4=24962
- Kazes, E. and Kaufman, C. On the indefinite metric in the Lee model, 0=17256
- Kazes, E. See Barger, V., 1=16887
- Kazes, E. See Barger, V., 3=15002
- Kazes, E. See Barger, V., 3=15027
- Kazes, E. See Barger, V., 4=848
- Kazes, I. See Boisot, A., 2=13176
- Kazes, I. See Boisot, A., 3=16431
- Kazes, I. See Boisot, A., 3=25983

- Kazi, A.H., Rasmussen, N.C. and Mark, H. Six-meter radius bent-crystal spectrograph for nuclear gamma rays, 0=17283
- Kazimierski, A. See Dabek, W., 1=16815
- Kazinskii, V.A. Approximation of the deflection of the verticals observed in the gravitational field of the earth, 2=21609
- Kazinskii, V.A. The means of development and methods of solving problems of underground gravimetry, 4=4738
- Kazmazovskaya, T.S. See Tatarinova, L.I., 3=13515
- Kazmierowicz, C.W. See Kanter, M.A., 4=12842
- Kazumata, Y. See Yokozawa, Y., 1=14789
- Kazuno, M. Investigation of a high-energy nuclear interaction, 2=13843
- Kazuno, M. See Fujimoto, Y., 1=7296
- Kazuno, M. See Imaeda, K., 0=12741
- Kazuno, M. See Imaeda, K., 1=11028
- Kazuno, M. See Imaeda, K., 3=7949
- Kazzaz, A.A. and Zahan, A.B. Exciton diffusion in naphthalene crystals, 1=14227
- Ke, B., Treharne, R.W. and McKibben, C. Flashing-light spectrophotometer for studying the fast reactions occurring during photosynthesis, 4=16234
- Kê, T.S., Chuang, Y.H. and Wan, Y.K. Metallographic observations and hardness measurements on mixed metal whiskers, 3=20796
- Kê, T.S., Huang, Y.S. and Wang, C.K. Effect of ageing, intermittent loading and resolution treatment upon the fatigue behaviour of aluminium-copper alloys, 3=25611
- Kê, T.S. and Wan, Y.K. Mechanism of growth of metal whiskers by means of vapour reduction, 3=18277
- Kê, T.S. and Wan, Y.K. Growth and strength of metal whiskers containing impurities, 3=20726
- Kê, T.S. and Wang, C.K. Basic processes taking place in aluminium during fatigue loading, 3=25609
- Kê, T.S. and Wang, C.K. Pinning and unpinning of dislocations in Al-4% Cu alloy under fatigue loading, 3=25610
- Kê, T.S. See Chou, N. P., 4=13378
- Kê, T.S. See Ma, Y. L., 4=20685
- Keane, A. Slowing down from an energy distributed neutron source, 2=5674
- Keane, A. and McKay, M.H. A useful approximation in the theory of resonance absorption, 0=20151
- Keane, A. and Pollard, J.P. Slowing down with anisotropic scattering, 2=12248
- Keane, A. See McKay, M.H., 0=13316
- Keane, A. See Wilkins, C.A., 3=12725
- Keane, J.R. Gamma-ray spectrum of short lived fission products, 2=5874
- Keane, J.R. See Peirson, D.H., 3=8024
- Kear, B.H. Antiphase boundaries in the Cu_3Au alloy, 3=18334
- Kear, B.H. Glide polygonization in aluminium strained at elevated temperatures in the electron microscope, 3=22793
- Kear, B.H. Dislocation configurations and work hardening in Cu_3Au crystals, 4=17729
- Kear, B.H. Frictional stress on dislocations in Cu_3Au crystals strained in tension, 4=26507
- Kear, B.H. and Pratt, P.L. Quench hardening in sodium chloride crystals, 0=15852
- Kear, B.H., Taylor, A. and Pratt, P.L. Some dislocation interactions in simple ionic crystals, 0=20803
- Kear, B.H. See Mendelson, S., 3=7351
- Kearney, J.P. and Thaxton, H.M. Interesting anomaly in the propagation of 5 Mc pulses through tantalum rod, 3=1772
- Kearns, C.E. See Humason, M.L., 1=18132
- Kearns, D. Resonance transfer model of electron and hole conduction in anthracene, 2=84027
- Kearns, D.R. Determination of the assignment of triplet states in catacondensed aromatic hydrocarbons, 2=8111
- Kearns, D.R. Generation of charge carriers in organic molecular crystals through multiple exciton interactions, 4=4224
- Kearns, D.R. Photogeneration of charge carriers in anthracene by a single exciton process, 4=15463
- Kearns, D.R. Location of charge resonance states in aromatic molecular crystals with non-dimeric structures, 4=28407
- Kearns, D.R. and Calvin, M. Solid state ionization potentials of some aromatic organic compounds, 1=106/6
- Kearns, D.R. and Calvin, M. Electrical properties of organic solids. IV. Charge carrier diffusivity in metal-free phthalocyanine, 1=11307
- Kearns, D.R. and El-Bayoumi, M.A. Comparison of exciton and molecular orbital calculations on $\text{N} \rightarrow \pi^*$ transitions, 3=12804
- Kearns, D.R., Tollin, G. and Calvin, M. Electrical properties of organic solids. II. Effects of added electron acceptor on metal-free phthalocyanine, 0=6145
- Kearns, D.R. See El-Bayoumi, M.A., 2=16503
- Kearns, G.L. See Crable, G.F., 2=5390
- Kearns, D.R. See Kawaoka, K., 4=30692
- Kearns, D.R. See Tollin, G., 0=6144
- Kearns, W. J. A high efficiency magnetic field design for large ion pumps, 4=18267
- Kearns, W. J. See Seavey, M. H., Jr., 4=28697
- Keary, F.V. See Onstead, C.O., 2=21749
- Kearsley, E. A. Solution of the equation $\Psi_{xx} + \frac{1}{x} \Psi_x + Kx^a e^{\frac{1}{x}} = 0$, 4=8020
- Kearsley, E.A. and Green, M.S. The foundations of mechanics and thermodynamics, 0=14523
- Kearsley, M.J. See Blin-Stoyle, R.J., 0=9497
- Keating, D.T. Interpretation of the neutron or X-ray scattering from a liquid-link binary, 3=11282
- Keating, D.T. and Krasner, S. Mechanical and radiation induced faulting in sodium azide, 1=19796
- Keating, D.T. See Walker, C.B., 2=10828
- Keating, D.T. See Walker, C.B., 3=16105
- Keating, D.T. See Walker, C.B., 3=23465
- Keating, J.D. and Barker, W.A. Calculation of the normalized population distribution of multilevel maser systems by the inspection method, 3=9993
- Keating, J.D. See Barker, W.A., 2=16016
- Keating, J.D. See Barker, W.A., 3=7732
- Keating, K.B. and Drickamer, H.G. Effect of pressure on the spectra of rare earth ions in crystals, 1=3832
- Keating, K.B. and Drickamer, H.G. Effect of pressure on the spectra of crystalline UF_6 and UF_4 , 1=3834
- Keating, P.N. Thermally stimulated emission and conductivity peaks in the case of temperature dependent trapping cross-sections, 2=6299
- Keating, P.N. Hole injection into CdS from Cu_2S , 3=25382
- Keating, P.N. On two-carrier injection currents in insulators, 4=12956
- Keating, P.N. Effect of shallow trapping and the thermal-equilibrium recombination center occupancy on double-injection currents in insulators, 4=28607
- Keating, P.N. See Franks, J., 2=8207
- Keating, P.N. See Woolley, J.C., 1=19881
- Keaton, P.W. See Willen, E.H., 4=12264
- Keaton, P.W. See Tisinger, R.M., Jr., 4=28056
- Keaveney, D.M., Krieger, T.J. and Storm, M.L. Effects of low-lying europium resonances on the temperature defect in water-moderated reactors, 0=13327
- Keay, C.S.L. The distribution of meteors around the earth's orbit, 4=2404
- Keay, C.S.L. The annual variation in the radiant distribution of sporadic meteors, 4=2405
- Keay, C.S.L. Some salient features of the occurrence of meteors, 4=15954
- Keay, C.S.L. Radar investigation of meteors of subvisual magnitudes, 4=30979
- Keay, C.S.L. and Ellyett, C. The latitude dependence of radar meteor shower observations, 2=4844
- Keay, C.S.L. See Ellyett, C., 1=18064
- Keay, C.S.L. See Ellyett, C., 2=4845
- Keay, C.S.L. See Ellyett, C., 3=13873
- Kebarle, P. Primary reactions in the mercury-photo-sensitized decomposition of 1-butyne, propyne, and acetylene at low pressures, 4=4708
- Kebarle, P. and Avrahami, M. Primary reactions in the mercury photosensitized decomposition of butene-2 at low pressures, 3=8971
- Kebarle, P. and Godbole, E.W. Ionization and fragmentation of some molecules by high-energy electrons, 2=2999
- Kebarle, P. and Godbole, E.W. Mass spectrometric study of ions from the α -particle irradiation of gases at near atmospheric pressures, 4=2943
- Keberle, E. Intensity distribution along the "line" of a 180° magnetic spectrometer, 0=7173
- Keberle, E.M. See Vandenbosch, R., 1=16660
- Kebuladze, V.V. and Kiziriya, L.V. Steady short-period variations of earth currents, 2=21677
- Kechin, V.V. See Arkhipov, R.G., 4=1562
- Kechin, V.V. See Likhter, A.I., 4=6926
- Kechin, V.V. See Pospelov, Yu. A., 4=26007
- Keck, D.B. and Hause, C.D. Interferometric observation of flat surfaces and multiple-beam Edser-Butler bands, 4=27326
- Keck, G. The rendering visible of stationary ultrasonic fields and acoustico-optical image conversion, 0=6884
- Keck, G. Ultrasonic investigations on liquid surfaces, 0=14596

- Keck, G. Acoustico-optical picture transformation by means of photographic films, 1=4416
- Keck, J. Statistical investigation of dissociation cross-sections for diatoms, 3=6423
- Keck, J.C. Variational theory of chemical reaction rates applied to three-body recombinations, 0=8299
- Keck, J.C. Current distribution in a magnetic annular shock tube, 2=13362
- Keck, J.C., Allen, R.A. and Taylor, R.L. Electronic transition moments for air molecules, 4=9700
- Keck, J.C. See Allen, R.A., 2=7566
- Keck, J.C. See Allen, R.A., 2=9319
- Keck, J.C. See Koritz, H.E., 4=8588
- Keck, J.C. See Makin, B., 4=2952
- Keck, J.C. See Makin, B., 4=24559
- Keck, J.C. See Woznick, B.J., 4=17852
- Keck, K. Scattering of medium-weight electrons at artificial foils containing heavy metal atoms, 2=10091
- Keck, K. Plastic foils with embedded heavy metal atoms for electron scattering, 4=12210
- Keck, K. and Dieschels, H. The use of single electron lenses as high power energy filters for electron beams, 1=7095
- Keck, M.J. See Kaiser, W., 2=8510
- Keck, P.H., Redmann, J.J., White, C.E. and DeKinder, R.E., Jr. A new condenser for a sun-powered continuous laser, 3=21534
- Keck, P.H., Redmann, J.J., White, C.E. and Bowen, D.E. Performance of a continuous-wave neodymium laser, 3=22014
- Keck, W. and Beyer, R.T. Frequency spectrum of finite amplitude ultrasonic waves in liquids, 0=10661
- Kedem, D. See Goldring, G., 3=4555
- Kedem, D. See Goldring, G., 3=24837
- Kedem, O. See Michaeli, I., 2=5007
- Keddy, R.J. See Mouton, W.L., 3=4564
- Keedy, D.A. See Stein, R.S., 3=10915
- Kedrin, I.D. Substructure of austenitic steel, 4=15807
- Kedves, F.J. and de Chatel, P. Studies of thermopower and resistance variations in gold caused by vacancies, 4=10142
- Kedzie, R.W. and Kestigian, M. P.M.R. determination of transition metal ion sites and multiplicity of rare-earth ion sites in CaWO_4 , 4=4409
- Kedzie, R.W. and Kestigian, M. P.M.R. of Nd^{3+} in CaWO_4 -model for W site substitution, 4=20620
- Kedzie, R.W. See Abraham, M., 0=5655
- Keech, G.H. See Preston, M.A., 0=13194
- Keech, G.L. See Kennett, T.J., 4=9177
- Keedy, D.A., Powers, J. and Stein, R.S. A theoretical calculation of the birefringence of polypropylene crystals, 0=20971
- Keedy, D.A., Volungis, R.J. and Kawai, H. Use of a tensile machine for the determination of stress and strain-optical coefficients, 1=7703
- Keedy, D.A. See Powers, J., 1=12296
- Keefe, D., Kerth, L.T., Noble, C.M., Thresher, J.J. and Wenzel, W.A. A magnetic spectrometer using spark chambers to obtain large solid angle and high resolution in π - π interaction studies, 3=17326
- Keefe, D. and Nolan, P.J. Combination coefficients of ions and nuclei, 2=22164
- Keefe, D., Nolan, P.J. and Rich, T.A. Charge equilibrium in aerosols according to the Boltzmann law, 0=7073
- Keefe, D. See Beall, E.F., 1=19277
- Keefe, D. See Beall, E., 2=16245
- Keefe, D. See Beall, E.F., 3=6083
- Keefe, D. See Beall, E.F., 3=24790
- Keefe, D. See Chamberlain, O., 2=7902
- Keefe, D. See Cook, V., 1=10867
- Keefe, D. See Cook, V., 1=10927
- Keefe, D. See Cook, V., 1=16865
- Keefe, D. See Cook, V., 2=22630
- Keefe, D. See Cook, V., 3=10171
- Keefe, D. See Culhane, L., 1=2097
- Keefe, D. See K⁻-collaboration, 0=1308
- Keefe, D. See K⁻-Collaboration, 0=15430
- Keefe, R.T. Investigation of the fluctuating forces acting on a stationary circular cylinder in a subsonic stream and of the associated sound field, 3=1770
- Keefer, D. and Sosin, A. Effect of low-temperature electron irradiation on Young's modulus of pure Cu, 4=10376
- Keefer, D. and Sosin, A. Thermal depinning of dislocations in electron-irradiated copper, 4=28455
- Keefer, D. and Sosin, A. Electron irradiation hardening of aluminum, 4=28929
- Keefer, D. and Wert, C. The clustering of N in b.c.c. iron, 3=20166
- Keefer, D. and Wert, C. Clustering of N and C in Fe, 3=22759
- Keegan, H.J., Schleter, J.C. and Belknap, M.A. Recalibration of the n.b.s. glass standards of spectral transmittance, 4=8419
- Keegan, H.J., Schleter, J.C. and Belknap, M.A. Recalibration of the n.b.s. glass standards of spectral transmittance, 4=8420
- Keegan, H.J., Schleter, J.C. and Judd, D.B. Glass filters for checking performance of spectrophotometer-integrator systems of color measurements, 2=17582
- Keeler, M.H. Effects of sympathetic neurohumors on differential retinal sensitivity to short and long wave stimuli, 4=20978
- Keeler, R.N. See Joon Sang Moon, 3=1846
- Keeler, R.N. See Purcell, J.R., 0=8341
- Keeley, D.A. See Barrington, R.E., 4=13835
- Keeling, C.D. See Bolin, B., 3=25867
- Keen, B.E., Mathews, P.W. and Wilks, J. The acoustic impedance of liquid He^3 and zero sound, 3=19093
- Keen, B.E., Mathews, P.W. and Wilks, J. The velocity of sound in liquid He^3 , 4=14488
- Keen, B.E. See Betts, D.S., 4=24465
- Keenan, A.G. and Dimitriadis, B. Mechanism for the chloride-catalyzed thermal decomposition of ammonium nitrate, 3=3398
- Keenan, A.G. See Colvin, C.I., 3=20988
- Keenan, P. P. and Kelly, F.L. Microwave diagnostic studies in electrodeless discharge plasmas, 4=14680
- Keene, J.P. Kinetics of radiation-induced chemical reactions, 1=1490
- Keene, J.P. Fatigue and saturation in photomultipliers, 4=3034
- Keene, J.P. The absorption spectrum and some reaction constants of the hydrated electron, 4=20073
- Keene, J.P. Pulse radiolysis apparatus, 4=26763
- Keene, W.H. and Weiss, J.A. The time-resolved spectrum of a neodymium glass laser, 4=21686
- Keepin, G.R. Interpretation of delayed neutron phenomena, 0=7638
- Keepin, G.R. Period-reactivity relations determined directly from prompt-burst neutron decay data, 0=13332
- Keepin, G.R. Neutron data for reactor kinetics, 3=17509
- Keepin, G.R. and Cox, C.W. General solution of the reactor kinetic equations, 1=17221
- Keepin, G.R., Wimett, T.F. and Zeigler, R.K. Delayed neutrons from fissionable isotopes of uranium, plutonium and thorium, 0=7649
- Keer, H.V. See Das, C.D., 4=22448
- Keer, H.V. See Gopala Rao, R.V., 4=6678
- Keer, H.V. See Rao, R.V.G., 2=19538
- Keer, H.V. See Rao, R.V.G., 3=3795
- Keer, H.V. See Rao, R.V.G., 3=8365
- Keer, H.V. See Rao, R.V.G., 4=21350
- Keer, L.M. Stress distribution at the edge of an equilibrium crack, 4=26488
- Keer, L.M. See Himelblau, H., 0=982
- Kees, J. See Barnes, G., 2=21954
- Keesey, U.T. Effects of involuntary eye movements on visual acuity, 0=14343
- Keesey, U.T. and Riggs, L.A. Visibility of Mach bands with imposed motions of the retinal image, 2=15431
- Keesey, U.T. See Riggs, L.A., 1=10355
- Keesing, R.G. See Heddle, D.W.O., 4=25531
- Keesom, P.H. and Seidel, G. Specific heat of gallium and zinc in the normal and superconducting states, 0=8947
- Keesom, P.H. and Van der Hoeven, B.J.C. Jr. Specific heat of lead between 0.3 and 4°K, 3=10601
- Keesom, P.H. See Bryant, C.A., 0=13489
- Keesom, P.H. See Bryant, C.A., 1=11162
- Keesom, P.H. See Bryant, C.A., 1=17420
- Keesom, P.H. See Bryant, C.A., 1=19715
- Keesom, P.H. See van der Hoeven, B.J.C., Jr., 3=12925
- Keesom, P.H. See van der Hoeven, B.J.C., Jr., 4=20215
- Keesom, P.H. See Van Der Hoeven, B.J.C., Jr., 4=25859
- Keet, W. De V. See Lochner, J.P.A., 0=6506
- Keezer, R. Effect of chemisorbed oxygen on photovoltaic and photoconductive processes in rutile, 4=22800
- Keezer, R., Mudar, J. and Brown, D.E. Photovoltaic effects in rutile, 4=22801
- Keffer, F. Study of the Wurtzite-type binary compounds. IV. Theory of double refraction, 0=4397
- Keffer, F. The effective ionic charge in CdS , 0=20724

- Keffer, F. Moriya interaction and the problem of the spin arrangements in β MnS, 2=12796
- Keffer, F. and Loudon, L. Simple physical theory of spin wave interactions, 1=6266
- Keffer, F. and Oguchi, T. Ferromagnetic anisotropy in cubic crystals, 0=6223
- Keffer, F., Oguchi, T., O'Sullivan, W. and Yamashita, J. Theory of the nuclear magnetic resonance shift in paramagnetic crystals, 0=1837
- Keffer, F., Sievers, A. J. III and Tinkham, M. Infrared antiferromagnetic resonance in MnO, 1=6413
- Keffer, F. See Casselman, T. N., 0=11903
- Keffer, F. See Cooper, B. R., 2=4259
- Keffer, F. See Davis, J. A., 3=15838
- Keffer, F. See Oguchi, T., 4=17691
- Keffer, K. and Oguchi, T. Theory of superexchange, 0=1817
- Kegel, W. See Baschek, B., 3=9201
- Kegel, W. H. See Fünfer, E., 4=18919
- Kegel, W. H. See Kunze, H. J., 4=24659
- Kegeles, G. See Faucher, J. A., 3=6932
- Kegeles, G. See Kim, H., 3=5434
- Kegeles, G. See Kirkwood, J. G., 0=19105
- Kegley, T. M., Jr and Leslie, B. C. How to measure hardness of pyrolytic carbon, 4=13400
- Keh, A. S. Dislocation networks in a low-alloy steel, 0=17939
- Keh, A. S. Dislocations in indented magnesium oxide crystals, 0=17940
- Keh, A. S. Imperfections and plastic deformation of cementite in steel, 4=4057
- Keh, A. S. and Johnson, C. A. Ferromagnetic domain structures in cementite, 3=23163
- Keh, A. S., Li, J. C. M. and Chou, Y. T. Cracks due to the piling-up of dislocations on two intersecting slip planes in MgO crystals, 0=17932
- Keh, A. S. See Garofalo, F., 1=14893
- Keh, A. S. See Leslie, W. C., 3=3232
- Keh Tszo-syu [Ho Tso-Hsiu]. Form-factor and probability of leptonic decay of Λ -particles, 0=11227
- Kehlen, H. See Sackmann, H., 2=19578
- Kehoe, B. Isobar production by 910-MeV/c K^+ mesons, 3=22200
- Kehoe, B. See Courant, H., 3=17346
- Keibs, L. Possibility of stereoambiophonic sound transmission on two channels, 2=15703
- Keibs, L. and Kuhl, W. The acoustics of Thomaskirche, Leipzig, 1=223
- Keidel, L. See Cremer, L., 0=19344
- Keiffer, D. See Primak, W., 1=7606
- Keiffer, D. See Primak, W., 4=6889
- Keihn, F. G. See Alper, A. M., 4=20713
- Keil, E. and Zeitler, E. Theory of the magnetic Compton-spectrometer, 2=3304
- Keil, E., Zeitler, E. and Zinn, W. Single and multiple scattering of charged particles, 1=13330
- Keil, E. See Harigel, G., 3=5983
- Keil, G. See Ruge, I., 3=14946
- Keil, G. See Ruge, I., 4=4179
- Keil, K. On the phase composition of meteorites, 3=9186
- Keil, K. See König, H., 2=6999
- Keil, K. See König, H., 2=15327
- Keil, T. H. and Gold, A. Excited states of solid Ar, H, 4=30548
- Keilhacker, M. On the mechanism of the explosive vaporization of copper wires in very intent impulse discharges and the behaviour of copper at the resulting high pressures and temperatures, 0=5214
- Keilhacker, M. See Aberhagen, A., 4=18955
- Keilhacker, M. See Chodura, R., 3=12179
- Keilhacker, M. See Eberhagen, A., 4=18956
- Keilig, W. See Perthel, R., 4=1842
- Keimakh, R. Y. and Kudryavtsev, V. I. Photo-electric method of measuring the angle of rotation of the plane of polarization of light waves, 0=19457
- Keiper, D. A. Dynamic mechanical properties tester for low audio and subaudio frequencies, 3=3783
- Keiper, D. A. See Schmidt, P. F., 0=6340
- Keir, D. L. See Buckner, H. P., 4=29261
- Keirim-Markus, I. B. Investigation of the light-sums in the SrS:Eu:Sm phosphor. I, 0=10074
- Keirim-Markus, I. B. Investigation of light-sums in the SrS:Eu:Sm phosphor. II, 0=10075
- Keirim-Markus, I. B., Kovalev, E. E. and Uspenskii, L. N. Measurement of radiation doses on the second, fourth and fifth [dog-carrying] spaceship-satellites, 3=3634
- Keirim-Markus, I. B., Lushchikhin, A. M., Markelov, V. V. and Uspenskii, L. N. Universal scintillation radiometer RUS-3. II. Gamma- and beta-data transmitters, 2=20190
- Keirim-Markus, I. B., Lushchikhin, A. M., Markelov, V. V. and Uspenskii, L. N. The universal scintillation radiometer RUS-3. I. Control unit, 4=16740
- Keirim-Markus, I. B. See Belov, I. P., 2=3218
- Keirim-Markus, I. B. See Bochvar, I. A., 3=6665
- Keirim-Markus, I. B. See Bochvar, T. A., 4=5892
- Keirim-Markus, I. B. See Ivanov, V. I., 3=3633
- Keirim-Markus, I. B. See Istomina, A. G., 2=13204
- Keisch, B. Yield ratios of isomers produced by neutron activation, 3=6271
- Keiss, H. and Stöckmann, F. New mechanism for saturation of photocurrents, 4=10121
- Keith, D. L. See Dils, R. R., 1=13146
- Keith, H. D. and Padden, F. J., Jr. A phenomenological theory of spherulitic crystallization, 3=23390
- Keith, H. D. and Padden, F. J., Jr. Spherulitic crystallization from the melt. I. Fractionation and impurity segregation and their influence on crystalline morphology, 4=15753
- Keith, H. D. and Padden, F. J., Jr. Spherulitic crystallization from the melt. II. Influence of fractionation and impurity segregation on the kinetics of crystallization, 4=15754
- Keith, J. C. Gravitational radiation and aberrated centripetal force reactions in relativity theory. II. Retarded cohesive forces, 3=21224
- Keith, J. C. Magnetic torques and coriolis effects on a magnetically suspended rotating sphere, 3=21929
- Keith, J. C. Gravitational radiation and aberrated centripetal force reactions in G. D. Birkhoff relativity theory. I, 4=8036
- Keith, J. E. and Turkevich, A. L. Radioactivity induced in Discoverer 17 by solar-flare protons, 3=7951
- Keith, J. R. See Bartlett, A. A., 4=27831
- Keith, J. R. See Kliwer, J. K., 4=9400
- Keith, R. E. and Gilman, J. J. Dislocation etch pits and plastic deformation in calcite, 0=16283
- Keith, R. L. G. See Watt, D. E., 2=5862
- Keith, R. L. G. See Watt, D. E., 3=22351
- Keizer, R. L. See Heymann, G., 4=3364
- Kejriwal, P. K. and Ryba, E. The crystal structure of YCu_2 , 4=4630
- Kek, Ts. See Gërlikh, P., 0=20142
- Kekalo, I. B. and Livshits, B. G. Effect of magnetization on the temperature dependence of damping capacity in nickel, 2=23740
- Kekalo, I. B. and Livshits, B. G. A new magnetodiffusion effect in Invar, studied by the internal friction method. I, 3=3216
- Kekalo, I. B. and Livshits, B. G. Internal friction of Invar: dependence on temperature, carbon content, magnetization and the time factor, 3=3217
- Kekalo, I. B. and Livshits, B. G. On the magneto-diffusion effect in invar, investigation by the method of internal friction, 3=1109C
- Kekalo, I. B. and Livshits, B. G. Dependence of the damping capacity and shear modulus of nickel on the magnetizing field, 3=11141
- Kekalo, I. B. and Livshits, B. G. Magnetic diffusion effect in invar, studied by the damping capacity method. II., 3=15977
- Kekalo, I. B. and Livshits, B. G. Negative ΔG effect and magnetic damping capacity of nickel depending on heat treatment, 4=4476
- Kekalo, I. B. and Livshits, B. G. A reply to K. Mišek's comments, 4=17713
- Kekk, Kh. Calculation of the characteristics of magnetic spectrometers, 3=7652
- Kekk, Kh. See Polikanov, S. M., 3=24984
- Kekhlbarov, T. See Andreychin, R., 4=15870
- Kekhlbarov, T. See Andreychin, R., 4=26794
- Kelarev, V. V., Klyushin, V. V. and Lyashchenko, B. G. The dependence of the magnetic structure of an FePt₃ alloy upon the degree of long-range order, 4=26352
- Kelareva, I. A. and Orlov, A. N. Theory of multiwall dislocations of intercrystalline boundaries, 4=22578
- Kelber, C. Equivalence factors for D₂O, 0=12955
- Kelber, C. and Kier, P. Comments on Bell's approximation to the resonance integral, 0=15614
- Kelber, C. N. Resonance integrals for gold and indium foils, 3=17485
- Kelber, C. N. and Kier, P. Few group analysis of D₂O-U²³⁵ assemblies, 1=17199
- Kelbg, G. Investigations in the statistical-mechanical theory of strong electrolytes. I. Fundamental statistical-mechanical equations, 0=14121

- Kelbg, G. Investigations in the statistical-mechanical theory of strong electrolytes. II. Rigid spheres with point charges at the centres, 0=14122
- Kelbg, G. Long-range intermolecular forces in statistical mechanics, 2=12352
- Kelbg, G. Equation of state of a system of charged particles, 2=12353
- Kelbg, G. Quantum statistics of gases with Coulomb interaction, 4=11226
- Kelbg, G. Theory of the quantum plasma, 4=5085
- Kelch, J. R. See Simonds, J. L., 4=8465
- Keldysh, L. V., Vavilov, V. S. and Bricin, K. I. The influence of a strong electric field on the optical properties of semi-conductors, 2=23554
- Keldysh, L. V. Kinetic theory of impact ionization in semi-conductors, 0=9958
- Keldysh, L. V. Optical characteristics of electrons with a band energy spectrum in a strong electric field, 3=782
- Keldysh, L. V. Effect of ultrasound on the electron spectrum of a crystal, 3=15459
- Keldysh, L. V. Low-lying levels in semiconductors, 4=4125
- Keldysh, L. V. and Kopaev, Yu. V. Energy spectrum of a degenerate semi-conductor with an ionic lattice, 3=20129
- Keldysh, L. V. and Proshko, G. P. Infrared absorption in highly doped germanium, 4=26191
- Keldysh, L. V. See Vul, B. M., 1=3749
- Kelemen, F. The influence of temperature on the motoelectric effect of certain metals and an interpretation of the effect, 2=8923
- Kelemen, F., Bota, F. and Neda, A. Method for measuring the diffusion in gels by means of radioactive isotopes, 4=10666
- Kelkar, M. G. Noise spectra in a low pressure electrodeless discharge in air and the influence of irradiation, 4=468
- Kelkar, M. G. See Kher, V. G., 3=1941
- Kelkar, M. G. See Kher, V. G., 3=1942
- Kelkar, V. B. See Deshpande, L. V., 1=680
- Kelkar, V. N. Size distribution of raindrops, 1=20830
- Kelkar, V. N. Size distribution of raindrops. IV. 3=1435
- Kell, R. C. Modern applications of ferroelectricity, 3=13110
- Keller, A. Some new habit features in crystals of long chain compounds. I. Paraffins, 1=7840
- Keller, A. Investigation of the mode of vibration of a resonance box, 1=16033
- Keller, A. Measurement of the neutron flux of the reaction $C^{12}(d,n)N^{13}$ by means of the activity of the N^{13} , 1=19520
- Keller, A. Proposed electron interferometer for determining crystal phases, 2=10954
- Keller, A. Method for determining the extension of coherent zones in a crystal, 2=17007
- Keller, A. An electron interferometer for the measurement of phases in crystals, 4=2007
- Keller, A. A method of determining the size of ideal lattice regions of medium size on crystal surfaces, 4=13625
- Keller, A. See Agar, A. W., 0=16340
- Keller, A. See Bassett, D. C., 0=4667
- Keller, A. See Bassett, D. C., 1=7841
- Keller, A. See Bassett, D. C., 2=23811
- Keller, A. See Bassett, D. C., 4=4517
- Keller, A. See Bassett, D. C., 4=4518
- Keller, A. See Bassett, G. A., 4=23410
- Keller, A. See Kawai, T., 3=20766
- Keller, A. See Frank, F. C., 0=16333
- Keller, A. On the electron microscopy of crystallinity effects in polymers, 3=20966
- Keller, A. See Kawai, T., 4=8011
- Keller, D. A. See Barrett, P. H., 3=25220
- Keller, D. A. See Grant, R. W., 4=9811
- Keller, D. A. See Shirley, D. A., 2=20498
- Keller, D. L. Predicting burnup of stainless- UO_2 cermet fuels, 1=13880
- Keller, D. V. and Trulio, J. G. Mechanism of spall in Lucite, 3=11180
- Keller, E. L. Deuteron stripping and pickup reactions in oxygen-16, 1=2233
- Keller, F. Measurement of energy distribution of extensional and flexural waves in plates by statistical excitation, 1=15987
- Keller, F. L. and Vette, J. I. A note on contours in B, L space, 4=7932
- Keller, G. E. See Martin, D. W., 4=11536
- Keller, H. and Hillman, H. Iron-cobalt alloys with low coercive force, 2=12767
- Keller, H. and Segmüller, A. Automatized X-ray line profile analysis, 3=19392
- Keller, H. See Goldstein, B., 1=12401
- Keller, H. See Thomas, D. D., 4=4415
- Keller, H. B. and Sachs, D. Calculations of the conductivity of a medium containing cylindrical inclusions, 4=15513
- Keller, J. B. Large amplitude motion of a string, 0=116
- Keller, J. B. Backscattering from a finite cone, 0=17106
- Keller, J. B. Lower bounds and isoperimetric inequalities for eigenvalues of the Schrödinger equation, 1=4258
- Keller, J. B. Determination of a potential from its energy levels and undetectability of quantization at high energy, 2=2632
- Keller, J. B. Geometrical theory of diffraction, 2=2894
- Keller, J. B. Diffraction of polygonal cylinders, 2=7743
- Keller, J. B. Reaction kinetics of a long chain molecule, 3=5157
- Keller, J. B. Reaction kinetics of a long-chain molecule. II. Arends' solution, 3=8951
- Keller, J. B. Conductivity of a medium containing a dense array of perfectly conducting spheres or cylinders or nonconducting cylinders, 3=9711
- Keller, J. B. Geometrical methods and asymptotic expansions in wave propagation, 3=21463
- Keller, J. B. Diffraction theory. A survey of short wavelength, 4=689
- Keller, J. B. A theorem on the conductivity of a composite medium, 4=16416
- Keller, J. B. and Karal, F. C. Jr. Surface wave excitation and propagation, 0=11036
- Keller, J. B. and Karal, F. C., Jr. Geometrical theory of elastic surface-wave excitation and propagation, 4=11273
- Keller, J. B. and Levy, B. R. Scattering of short waves, 4=19226
- Keller, J. B. and Rubinow, S. I. Asymptotic solution of eigenvalue problems, 0=3455
- Keller, J. B., Rubinow, S. I. and Goldstein, M. Zeros of Hankel functions and poles of scattering amplitudes, 3=17053
- Keller, J. B. and Zumino, B. Quantization of the fluxoid in superconductivity, 1=16197
- Keller, J. B. See Buchal, R. N., 4=5541
- Keller, J. B. See Gardner, C. S., 4=713
- Keller, J. B. See Karal, F. C. Jr., 4=16016
- Keller, J. B. See Karp, S. N., 1=5357
- Keller, J. B. See Levy, B. R., 0=2442
- Keller, J. B. See Levy, B. R., 3=7793
- Keller, J. B. See Lewis, R. M., 1=3590
- Keller, J. B. See Lewis, R. M., 3=1962
- Keller, J. B. See Pressman, W., 0=18997
- Keller, J. B. See Rubinow, S. I., 1=6949
- Keller, J. B. See Rubinow, S. I., 3=23765
- Keller, J. B. See Verma, G. R., 2=1122
- Keller, J. B. See Yung Ming Chen, 2=16033
- Keller, J. M. Conduction electrons in sodium tungsten bronze, 0=13518
- Keller, J. M. Resistivity of vacancy-impurity pairs, 3=25320
- Keller, J. M. and Wallace, D. C. Anharmonic contributions to specific heat, 2=12380
- Keller, J. M. See Carlson, B. C., 1=2713
- Keller, J. M. See Townsend, J. R., 3=17562
- Keller, K. W. See Bethge, H., 2=15118
- Keller, M. Electron two-beam interference with high path difference, 1=18933
- Keller, M. A biprism interferometer for electron waves and its application, 2=218
- Keller, M. Influence of electron irradiation on the intensity distribution in the electron shadow projection of thin foils, 4=29160
- Keller, O. L., Jr. See Busey, R. H., 4=26213
- Keller, P. See Avan, L., 1=7926
- Keller, R. The distribution of light in the image space of an optical system in the presence of third-order aberrations of unrestricted size, including the case of the anamorphic image, 1=18575
- Keller, R. Wideband high voltage probe, 4=24521
- Keller, R. Intensity distribution in the image of a point object for an image affected by striae, 4=27293
- Keller, R. See Kim, H., 3=6411
- Keller, R. See Köhler, H., 4=27294
- Keller, R. A. Electronic conductivity in molecular crystals: an alternative to the Bloch-function approach, 3=10710
- Keller, R. A. and Rast, H. E., Jr. Tunnelling model for electron transport and its temperature dependence in crystals of low carrier mobility. Example: anthracene, 2=14510
- Keller, R. A. See Hadley, S. G., 3=23115

- Keller, S.P. Some optical properties of CdSe single crystals, 2=23516
- Keller, S.P. and Pettit, G.D. Optical spectra of rare earth activated BaTiO₃, 0=2950
- Keller, S.P. and Pettit, G.D. Some optical properties of CdSe single crystals, 1=1151
- Keller, S.P. and Pettit, G.D. Visible luminescence of rare-earth yttrium gallium garnets, 1=5055
- Keller, S.P. See Casella, R.C., 0=2932
- Keller, S.P. See Cherooff, G., 0=2907
- Keller, W. Measurement of the specific resistance of semiconductor crystals using high frequency, 0=2855
- Keller, W. See Bethge, H., 0=9899
- Keller, W. See Bethge, H., 1=19787
- Keller, W.E. and Hammel, E.F. Heat transfer by liquid ⁴He II through narrow slits, 0=8910
- Keller, W.E. and Hammel, E.F., Jr. Heat conduction and fountain pressure in liquid He II, 0=14917
- Keller, W.E. See Craig, P.P., 3=7398
- Keller, W.E. See Dash, J.G., 0=17489
- Keller, W.E. See Hammel, E.F., Jr., 2=1330
- Keller, W.E. See Hammel, E.F., 4=21375
- Keller, W.E. See Nagle, D.E., 0=13126
- Kellermann, E.W. and Dickinson, N. On the structure of extensive cosmic ray air showers: the penetrating component, 0=1332
- Kellermann, E.W. and Islam, M.S. On the anisotropy of the cosmic radiation, 0=17449
- Kellermann, E.W. See Bingham, R.G., 4=25238
- Kellermann, K.I. Measurements of the flux density of discrete radio sources at decimeter wavelengths, 4=15960
- Kellermann, K.I., Long, R.J., Allen, L.R. and Moran, M. A correlation between the spectra of non-thermal radio sources and their brightness temperature, 3=1541
- Kellermann, K.I. See Conway, R.G., 3=13930
- Kellers, C.F. See Meyer, D.T., 4=2905
- Kellers, C.F. See Moss, T.H., 4=5489
- Kellers, C.F. See Weinstock, H., 3=315
- Kellers, C.F. See Weinstock, H., 4=14486
- Kellers, C.F. See Weinstock, H., 4=16316
- Kellershohn, C. and Herszberg, B. The gamma-ray intensity from a spherical, homogeneous self-absorbing radioactive source, 2=20564
- Kellett, E.A. and Richards, B.P. The thermal expansion of graphite within the layer planes, 4=28377
- Kellett, E.A. and Steward, E.G. Heating and cooling attachments for X-ray powder diffractometry, 2=14972
- Kellett, E.A. See Steward, E.G., 1=4041
- Kelley, C.M. Thermoelectric properties of a liquid semiconductor system, 4=27466
- Kelley, C.M. See Wiechec, W., 0=10172
- Kelley, C.M. See Wiechec, W., 2=23678
- Kelley, G.G., Lazar, N.H. and Morgan, O.B. A source for the production of large D.C. ion currents, 2=3089
- Kelley, G.G. See Bell, P.R., 3=12203
- Kelley, G.G. See Gauster, W.F., 3=12154
- Kelley, J.G. Measurements on a vibrating conductor in a magnetic field, 4=2754
- Kelley, J.G., Steigert, F.E. and Watson, W.W. Scattering of oxygen ions from argon and xenon, 2=16489
- Kelley, J.G. See Saxena, S.C., 1=15948
- Kelley, J.R. See Toong, T.Y., 4=8476
- Kelley, P.L. Nonlinear effects in solids, 3=15641
- Kelley, P.L. Second harmonic generation in solids, 3=25430
- Kelley, P.L. See Argyres, P.N., 4=14914
- Kelley, R.H. See Kulp, B.A., 0=11648
- Kelley, R.H. See Kulp, B.A., 1=10056
- Kelley, T.G. and Henley, E.M. Finite range interaction effects for the (α , nucleon) reaction, 4=22184
- Kelley, W.D. and Twitty, B.L. An improved procedure for U²³⁵ isotopic ratio analysis in impure materials, 2=23988
- Kelliher, M.G. and Beadle, R. Pulse-shortening in electron linear accelerators, 0=19824
- Kellington, C.M. Resonant harmonic generation in ruby, 2=22327
- Kellington, C.M. See Andresen, H.G., 4=8999
- Kellman, S., Kovacic, W.P. and Romanowski, T.A. Elastic scattering of negative pions by protons at 152 and 226 MeV, 3=4441
- Kellner, G., Czapek, G. and Czapp, B. An example of Σ^- capture with emission of a negative pion, 2=18346
- Kellner, G. See Breitenlohner, P., 4=6046
- Kellner, G. See Cvijanovic, G., 2=22515
- Kellner, G. See Czapek, G., 2=20266
- Kellner, H. Yvon approximation method, 2=11950
- Kellner, H. Yvon approximation method, II, 2=11951
- Kellner, H. Yvon approximation method, III, 2=18125
- Kellner, H.A. An attempted intuitive derivation of the continuous spectrum of the Boltzmann equation, 4=93
- Kellner, H.A. The electronic band structure of diamond, 4=25898
- Kellner, H.A. and Nonnenmacher, Th. Yvon approximation method, IV, 3=22146
- Kellner, L. Alexander von Humboldt and the organization of international collaboration in geophysical research, 0=3339
- Kellner, L. Microwave spectroscopy, 3=21981
- Kellogg, E.M. and Eklund, K.E. Plasma and ion beam characteristics of the dynamag ion source, 3=5717
- Kellogg, P.J. Calculations of cosmic-ray trajectories near the equator, 1=13576
- Kellogg, P.J. Electrons of the Van Allen radiation, 1=15329
- Kellogg, P.J. Source of electrons in the Van Allen Belts, 2=13057
- Kellogg, P.J. Flow of plasma around the earth, 3=9287
- Kellogg, P.J. Auroral X rays, electron bombardment and trapped radiation, 3=13792
- Kellogg, P.J. and Liemohn, H. Instability of contra-streaming plasmas, 0=3777
- Kellogg, P.J. and Winckler, J.R. Cosmic ray evidence for a ring current, 2=4696
- Kellogg, P.J. and Winckler, J.R. Cosmic ray evidence for a ring current, 2=12041
- Kellogg, P.J. See Blackwell, D.E., 0=8504
- Kellogg, P.J. See Freier, P., 1=2147
- Kellogg, P.J. See Ney, E.P., 1=5152
- Kellogg, R.E. See Frost, A.A., 1=14070
- Kellogg, R.E. See Frost, A.A., 0=17829
- Kellogg, R.E. Valence-bond structures and matrix elements for any multiplicity, 3=6382
- Kellogg, W.W. The dynamics of the upper atmosphere and its energy unbalance, 4=13813
- Kellogg, W.W. See Greenfield, S.M., 0=14298
- Kellogg, W.W. I.G.Y. rockets and satellites: A report on the Moscow meetings, August 1958, 1=5172
- Kelly, A. The strength of aluminium silver alloys, 0=4554
- Kelly, A. The temperature dependence of the flow stress of an age-hardened alloy, 0=18263
- Kelly, A., Lassila, A. and Sato, S. The plastic deformation of single crystals of an aluminium-silver alloy, 0=21133
- Kelly, A. and Nicholson, R.B. Precipitation hardening, 3=20893
- Kelly, A. and Nicholson, R.B. Guinier-Preston zones in an aluminium-silver alloy, 4=13640
- Kelly, A. See Baker, C., 2=3926
- Kelly, A. See Baker, C., 2=10371
- Kelly, A. See Baker, C., 3=17705
- Kelly, A. See Bonar, L.G., 3=20894
- Kelly, A. See Byrne, J.G., 1=20602
- Kelly, A. See Freise, E.J., 1=3660
- Kelly, A. See Freise, E.J., 1=20405
- Kelly, A. See Freise, E.J., 3=25627
- Kelly, A. See Groves, G.W., 2=3919
- Kelly, A. See Groves, G.W., 2=8221
- Kelly, A. See Groves, G.W., 3=16000
- Kelly, A. See Groves, G.W., 3=25277
- Kelly, A. See Groves, G.W., 3=25283
- Kelly, A. See Groves, G.W., 3=25310
- Kelly, A. See Kent, K.G., 4=15710
- Kelly, A. See Price, R.J., 3=3222
- Kelly, A. See Price, R.J., 3=23315
- Kelly, A. See Price, R.J., 4=10370
- Kelly, A. See Price, R.J., 4=28932
- Kelly, A. See Washburn, J., 0=17930
- Kelly, A. See Washburn, J., 0=20823
- Kelly, B.T. The elastic constants of polycrystalline carbons and graphites, 4=23132
- Kelly, B.T., Jones, D. and James, A. Irradiation damage to pile grade graphite at 450°C, 3=10433
- Kelly, B.T. See Bridge, H., 4=30599
- Kelly, B.T. See Clare, D.M., 4=19914
- Kelly, C.E. See Morgan, T.N., 2=23311
- Kelly, D. and Margenau, H. High-frequency breakdown of air, 0=16995
- Kelly, D.C. Microwave conductivity of a plasma in a magnetic field, 0=12607
- Kelly, D.C. Dielectric tensor for a quantum plasma, 4=16496
- Kelly, D.C. Plasma equation of state, 4=497

- Kelly, D.H. Systems analysis of the photographic process. I. A three-stage model, 0=3660
- Kelly, D.H. J_0 stimulus patterns for visual research, 1=1618
- Kelly, D.H. Visual signal generator, 1=4451
- Kelly, D.H. Systems analysis of the photographic process. II. Transfer function measurements, 1=4485
- Kelly, D.H. Visual responses to time-dependent stimuli. I. Amplitude sensitivity measurements, 1=6674
- Kelly, D.E. Visual responses to time-dependent stimuli. II. Single-channel model of the photopic visual system, 1=10349
- Kelly, D.H. Flicker fusion and harmonic analysis, 1=12723
- Kelly, D.H. Image-processing experiments, 1=12977
- Kelly, D.H. Visual responses to time-dependent stimuli. III. Individual variations, 2=7076
- Kelly, D.H. Visual responses to time-dependent stimuli. IV. Effects of chromatic adaptation, 2=17326
- Kelly, E. F. See de Klerk, J., 4=28353
- Kelly, E.L. General description and operating characteristics of the Berkeley 88-inch cyclotron, 3=5732
- Kelly, E.M. Maxwell's equations as properties of the vortex sponge, 3=24430
- Kelly, E.M. Electromagnetic behavior of the vortex sponge, 4=27615
- Kelly, E. M. Simple treatment of thermodynamic efficiency, 4=29814
- Kelly, F. See Parker, J.H., Jr., 4=26528
- Kelly, F.J. See Janz, G.J., 3=22663
- Kelly, F. J. See Janz, G.J., 4=8501
- Kelly, F.J. See Janz, G.J., 4=15430
- Kelly, F. L. See Keenan, P. P., 4=14680
- Kelly, F.M. and Tomchuk, E. Isotope shift in the Cd I inter-combination resonance line $\lambda 3261$ A. 0=5877
- Kelly, F.M. and Tomchuk, E. Isotope shift in the Cd I resonance line $\lambda 2288$ A. 2=6093
- Kelly, F. M. and Tomchuk, E. Isotope shift in barium, 4=19952
- Kelly, G.G. and Morgan, O.B. Space-charge neutralized ion beams, 2=224
- Kelly, G. M. See Hammond, R. H., 4=20608
- Kelly, H.C. See Lewis, C.H., 2=7091
- Kelly, H.P. Correlation effects in atoms, 3=19921
- Kelly, H. F. Correlation effects in many fermion systems. II. Linked clusters, 4=18100
- Kelly, H. P. and Sessler, A.M. Correlation effects in many-fermion systems: multiple-particle excitation expansion, 4=5100
- Kelly, H. P. and Taylor, H.S. Second-order perturbation theory in atomic and molecular quantum mechanics (application to the electric dipole and quadrupole polarizabilities and shielding factors of the beryllium atom.), 4=15261
- Kelly, H. P. See Wagmare, Y., 4=15128
- Kelly, J. Reversed field focusing systems for electron beams with appreciable space charge densities, 3=9857
- Kelly, J.C. Electron bombardment apparatus for vacuum evaporation, 0=5065
- Kelly, J.C. Void in resolidified drops of molten metal, 1=20631
- Kelly, J.C. and Heavens, O.S. Measurement of refractive index of a transparent film on a reflecting substrate, 0=19380
- Kelly, J.C. See Tille, J., 3=23853
- Kelly, J.W. A method for extending the life of oxide-coated filaments in hot cathode ionization gauges, 2=19632
- Kelly, J.W. Semiautomatic single crystal orienter, 3=8798
- Kelly, J.W. The texture of hot-pressed beryllium oxide, 3=25648
- Kelly, K.L. Lines of constant correlated color temperature based on Macadam's (u,v) uniform chromaticity transformation of the CIE diagram, 3=10729
- Kelly, M. See Flinn, D.J., 4=15337
- Kelly, M. See Spruch, L., 0=2707
- Kelly, P.E., Hansen, D.R., and Forsyth, P.A. The azimuthal distribution of ultra-high frequency radar echoes from aurora, 2=917
- Kelly, P.M. and Nutting, J. Techniques for the direct examination of metals by transmission in the electron microscope. 0=21255
- Kelly, P.M. and Reed, R. Conference on electron microscopy—Nottingham, July 1961, 1=20703
- Kelly, P.M. See Armitage, W.K., 4=7432
- Kelly, P.S. Transition probabilities in nitrogen and oxygen from Hartree-Fock-Slater wave functions, 4=12370
- Kelly, P.S. Analytic self-consistent field functions for the configurations $1s^2 2s 2p^k$, 4=13273
- Kelly, P.S. and Armstrong, B.H. Theoretical oscillator strength for the $NI\ 2p^2 3s(^4P) - 2p^3(^4S)$ transition, 3=4708
- Kelly, P. S. and Armstrong, B. H. Analytic S. C. F. oscillator strength for the $OI\ 2p^4(^3P) - 2p^3\ 3s(^4S)$ transition, 4=12373
- Kelly, P.S. and Moszkowski, S.A. Calculation of matrix elements in the beta-decays of Sc^{44} and Mn^{52} , 0=7513
- Kelly, P.S. See Roothaan, C.C.J., 3=19942
- Kelly, R. The diffusion of "attached" inert-gas activity, 2=2090
- Kelly, R. Theory of diffusion for discrete media. I. Simple one-dimensional motion, 4=8118
- Kelly, R. See Bergström, L., 3=12608
- Kelly, R.D., Hamilton, J.C. and Beavis, L.C. Pulsed neutron system for reactor measurements, 1=4885
- Kelly, R.E. and Russek, A. Diffraction of a plane electromagnetic wave by cylinders with anisotropic conductivity, 0=15146
- Kelly, R.L. See Gardner, A.L., 2=17821
- Kelly, T.G. See Clayton, C.G., 2=2128
- Kelly, W.H. and Beard, G.B. Nuclear resonance fluorescence measurements on the 845 keV level in Fe^{56} , 1=19367
- Kelly, W.H., Beard, G.B., Chaffee, W.B. and Gonser, J.M. The 85 minute activity of Ba^{135} , 0=20410
- Kelly, W.H., Folen, V.J., Hass, M., Schreiner, W.N. and Beard, G.B. Magnetic field at the nucleus in spinel-type crystals, 1=14745
- Kelly, W. H. and Horen, D. J. Conversion electron measurements in the decay of $11.5\ d\ Ba^{131}$, 4=1048
- Kelly, W.H. See Beard, G.B., 0=11347
- Kelly, W.H. See Beard, G.B., 1=8638
- Kelly, W.H. See Beard, G.B., 2=2256
- Kelly, W.H. See Beard, G.B., 2=3510
- Kelly, W.H. See Beard, G.B., 3=17412
- Kelly, W.H. See Horen, D.J., 3=8001
- Kelly, W.H. See Horen, D.J., 3=17416
- Kelm, S. and Schlüter, D. Measurement of two series limit continua of calcium, 3=12758
- Kel'man, V.M. and Gall', L.N. Mass spectrometers with a two-dimensional magnetic prism, 2=11730
- Kel'man, V.M., Knyaz'kov, L.G. and Vasil'eva, E.K. Application of a double deflection magnet system in mass-spectrometers with high dispersion, 1=4666
- Kel'man, V. M., Levchenko, S. I., Luzyanin, I. D. and Peregud, B. P. The vertical focusing of an electron beam by means of cylindrical magnetic lenses in an axisymmetrical radially increasing magnetic field, 4=14791
- Kel'man, V.M. and Metskhvarishvili, R.Ya. Exact measurement of the ratios of the internal conversion coefficients for $411.8\ keV\ \gamma$ -quanta in Hg^{199} , 0=424
- Kel'man, V.M., Metskhvarishvili, R. Ya., Preobrazhenskii, B.K., Romanov, V.A. and Tuchkevich, V.V. Investigation of conversion electron spectra of neutron-deficient isotopes of lutetium, 0=2648
- Kel'man, V.M., Metskhvarishvili, R. Ya., Preobrazhenskii, B.K., Romanov, V.A. and Tuchkevich, V.V. Multipolarities of gamma transitions in Tm^{169} , 0=9588
- Kel'man, V.M., Peregud, B.P., Dolmatova, K.A. and Luzyanin, I.D. Vertical focusing of a beam of electrons by cylindrical magnetic lenses in an axially symmetrical radially increasing magnetic field, 0=10959
- Kel'man, V.M., Peregud, B.P. and Skopina, V.I. Short magnetic lens with distributed winding, 0=9067
- Kel'man, V.M., Peregud, B.P. and Skopina, V.I. A precision prism beta spectrometer. I. Electron-optical system and construction, 3=19363
- Kel'man, V.M., Peregud, B.P. and Skopina, V.I. A precision prism beta spectrometer. II. Resolving power, effective aperture, accuracy of measurements of energies and relative intensities, 3=19364
- Kelman, V. M., Peregood, B. P. and Skopina, V. I. High precision prism beta spectrometer, 4=25067
- Kel'man, V.M. and Rodnikova, I.V. New schemes for mass spectrometers, 3=453
- Kel'man, V.M. and Rodnikova, I.V. An electrostatic-prism energy analyser for charged particles, 3=4209
- Kel'man, V.M. and Rodnikova, I.V. Mass spectrometer with two-dimensional electric and magnetic fields, 4=3060
- Kel'man, V.M. and Yavor, S.Ya. Achromatic quadrupole electron lenses, 2=17889
- Kel'man, V. M. and Yavor, S. Ya. A quadrupole lens with negative chromatic aberration, 4=596
- Kel'man, V.M., Yavor, S.Ya. and Fishkova, T.Ya. Achromatic magnetic mirrors, 0=10963
- Kel'man, V.M. See Ankudinov, V.A., 3=2092
- Kel'man, V. M. See Ankudinov, V. A., 4=5764

- Kel'man, V.M. See Ankudinov, B.A., 4=15909
 Kelman, V.M. See Dolmatova, K.A., 0=19758
 Kelner, G. See Cviijanovich, G.B., 2=5638
 Keloglu, Yu.P. See Boyarskaya, Yu.S., 0=13919
 Keloglu, Yu.P. See Boyarskaya, Yu.S., 1=4001
 Kelsall, D. An automatic emissivity-compensated radiation pyrometer, 3=7383
 Kelsall, T. Solar proton impact zones, 2=3445
 Kelsch, J.J., Kammerer, O.F. and Buhl, P.A. New technique for the direct investigation of fission events, 1=2246
 Kelsch, J.J., Kammerer, O.F. and Goland, A.N. Electron microscopy of fission fragment damage in aluminium-uranium fuel, 3=13015
 Kelsch, J.J., Kammerer, O.F. and Goland, A.N. Electron microscopy of the effects of the passage of energetic particles through solids, 3=17802
 Kelsch, J.J., Kammerer, O.F., Goland, A.N. and Buhl, P.A. Observation of fission fragment damage in thin films of metal, 2=10426
 Kelsey, C.A. The polarization of neutrons from the $\text{Be}^9(p, n)\text{Be}^9$ reaction, 3=19848
 Kelsey, C.A., Hoop, B., Jr and Vander Maat, P. Polarization of neutrons from the $\text{T}(p, n)\text{He}^3$ reaction from 1.9 to 3.5 MeV, 4=15063
 Kelsey, C.A., Lietz, G.P., Trevino, S.F. and Darden, S.E. Polarization and angular distribution measurements on the neutrons from the $\text{Be}^9(p, n)\text{Be}^9$ reaction, 3=6243
 Kelsey, C.A. See Darden, S.E., 0=11180
 Kelsey, C.A. See Darden, S.E., 1=5911
 Kelsey, C.A. See Walter, R.L., 3=19645
 Kelsey, D.J. and Katz, L. An X-ray survey of the lead chloride-thallium chloride system, 4=26655
 Kelsey, J.F. See Mayer, W.G., 2=7311
 Kelsey, P.A. See Connors, M.M., 1=10357
 Kelso, J.M. The calculation of ionospheric electron density distributions, 0=761
 Kelso, J.M. The determination of the electron density in interplanetary space, 0=14271
 Kelso, J.M. Doppler shifts and Faraday rotation of radio signals in a time-varying, inhomogeneous ionosphere. I. Single signal case, 1=15261
 Kelso, J.M. Doppler shifts and Faraday rotation of radio signals in a time-varying, inhomogeneous ionosphere. II. Two-signal case, 1=20922
 Kelso, J.M. See Sonett, C.P., 0=10390
 Kelso, J.M. See Sonett, C.P., 0=12133
 Kelso, J.R. See Kaufman, F., 0=7737
 Kelso, J.R. See Kaufman, F., 4=15836
 Kelson, I. Variational shell-model methods for deformed orbitals, 4=6186
 Kelson, I. $0^+(T=1)$ state and the residual interaction in odd-odd deformed nuclei, 4=17038
 Kelson, I. and Levinson, C.A. Application of self-consistent field methods to rotational motion in sd shell nuclei, 4=16994
 Kelson, I. and Yekutieli, G. π^0 -production by 4.2 GeV π^- -mesons in emulsion, 4=9239
 Kelton, G., Levy, G.F., Bell, E., Biberman, L.M., Brown, G.E., Hamilton, J.N., Jones, R.C., Lowe, D.S., Paulson, R., Zissis, G.J., Nagel, M.R., Nichols, L., Beardsley, N.E., Wormser, E., Sevadjan, E.M. and Sanderson, J.A. Infrared target and background radiometric measurements—concepts, units, and techniques, 4=358
 Kelusharu, A. and Ionescu, S. Polarographic investigation of catalytically-active products obtained by radiolysis, 4=7775
 Kélusharu, A. See Ionescu, S., 4=4713
 Kel'zon, A.S. See Kan, V.L., 0=6717
 Kemanis, G. and Wang, S. Analysis of high-power effects in ferrimagnetics from the point of view of energy transfer. I. First-order instabilities, 4=20574
 Kembhavi, V.K. Reduced matrix elements in nuclear shell theory, 1=16956
 Kembhavi, V.K. See Swamy, N.V.V., 1=591
 Kémeni, P. See Bédiké, T., 2=22748
 Kemeny, G. Green's function theory of multimode cavities, 4=8967
 Kemeny, G. and Haake, C.H. Activator center in magnesium fluorogermanate phosphors, 0=16087
 Kemeny, G. and Walsh, P.J. Some mathematical generalizations of the Schrödinger equation for two-electron atoms, 4=25486
 Kemeny, G. See Walsh, P., 3=9972
 Kemeny, L.G. Topology of linear neutron kinetics, 1=19557
 Kemeny, L.G. Core kinetics of fission reactors, 2=20702
 Kemeny, L.G. and Murgatroyd, W. Stochastic models for fission reactors, 4=19874
 Kemeny, L.G. and Samaun, Random fluctuations in a nuclear fission reactor, 1=5951
 Kemeny, L.G. and Williams, M.M.R. Nuclear thermalization in pulsed moderators, 2=9858
 Kemmer, N. On the theory of particles of spin 1, 1=12046
 Kemmey, P. See Clark, C.D., 0=16068
 Kemmey, P.G. and Mitchell, E.W.J. Current problems in diamond physics, 2=23382
 Kemmey, P.J. Irradiation of semiconducting diamond, 4=4146
 Kemmey, P.J. and Mitchell, E.W.J. The magnetoresistance of p-type semiconducting diamond, 1=17728
 Kemmey, P.J. See Clark, C.D., 2=12477
 Kemmey, P.J. See Clark, C.D., 2=23558
 Kemoklidze, M. P. and Khalatnikov, I. M. Hydrodynamics of rotating helium II in a ring channel, 4=18513
 Kemoklidze, M. P. and Mamaladze, Yu. G. The irrotational region in rotating He II, 4=11450
 Kemoklidze, M.P. and Mamaladze, Yu.G. The shape of the meniscus of rotating He II, 4=18314
 Kemp, E. L. See Dike, R. S., 4=21446
 Kemp, J.C. Electron spin resonance in neutron-irradiated calcite, 1=1258
 Kemp, J.C. Further notes on the magnetic centers in neutron-irradiated calcite, 1=14791
 Kemp, J.C. Field-swept maser oscillation, 1=16552
 Kemp, J.C. and Neeley, V.I. Optical and e.s.r. spectra of irradiated CaO crystals, 3=13169
 Kemp, J.C. and Neeley, V.I. Wave functions for F centres in MgO, 3=25301
 Kemp, J. C. See Neeley, V. I., 4=7120
 Kemp, J.E. See Hulme, K.F., 0=9920
 Kemp, J.F. Liquid manometer with electromagnetic balance indicator, 0=5043
 Kemp, J.G. See Adhav, R.S., 3=7384
 Kemp, M.A.R. See Astbury, A., 0=2687
 Kemp, M.A.R. See Astbury, A., 1=8472
 Kemp, M.A.R. See Astbury, A., 2=1701
 Kemp, M.A.R. See Astbury, A., 2=1702
 Kemp, M.A.R. See Astbury, A., 2=1708
 Kemp, M.A.R. See Astbury, A., 2=10129
 Kemp, M.A.R. See Barlow, J., 4=17034
 Kemp, M.A.R. See Chadwick, G.B., 3=2261
 Kemp, M.A.R. See Fujii, T., 3=2262
 Kemp, M.A.R. See Galbraith, W., 3=2297
 Kemp, M. K. See Cordes, A. W., 4=23469
 Kemp, N.H. and Petschek, H.E. Theory of the flow in the magnetic annular shock tube, 0=1195
 Kemp, R.F. See Slattery, J.C., 2=11675
 Kemp, R.R.D. On the number of particles in a steady-state universe, 4=15904
 Kemp, W.R.G. and Klemens, P.G. The lattice thermal conductivity of alloys, 1=921
 Kemp, W.R.G., Klemens, P.G. and Tainsh, R.J. Thermal and electrical conductivities of rhodium and iron, 0=2797
 Kemp, W.R.G., Klemens, P.G. and Tainsh, R.J. The use of thermal conductivity measurements to identify the lattice imperfections introduced in a Cu-Zn alloy by plastic deformation, 0=9900
 Kemp, W.R.G., Klemens, P.G. and Tainsh, R.J. The lattice thermal conductivity of copper alloys: effect of plastic deformation and annealing, 0=21131
 Kemp, W.R.G. See Birch, J.A., 0=6025
 Kemp, W.R.G. See Lowenthal, G.C., 0=214
 Kempen, H. van. See van Kempen, H.
 Kempis, E.B. See Talbot, J.H., 1=6557
 Kempis, E.B. See Talbot, J.H., 3=8918
 Kempis, E.B. See Talbot, J.H., 3=16128
 Kemplay, J.R. Measurement of noise pulses generated by SCI corona discharge tubes, 3=21745
 Kempter, C.P., Elliott, R.O. and Gscheidner, K.A., Jr. Thermal expansion of delta and epsilon zirconium hydrides, 0=15817
 Kempter, C.P. and Fries, R.J. Zirconium carbide, 0=10315
 Kempter, C.P. and Fries, R.J. Crystallography of the Ru-B and Os-B systems, 1=10260
 Kempter, C.P. and Nadler, M.R. Thermal decomposition of niobium and tantalum monocarbides, 0=10349
 Kempter, C.P. and Nadler, M.R. Preparation and crystal structures of RuC and OsC, 1=1399
 Kempter, C.P., Storms, E.K. and Fries, R.J. Lattice dimensions of NbC as a function of stoichiometry, 1=6515
 Kempter, C.P. See Fries, R.J., 1=5096
 Kempter, C.P. See McGuire, J.C., 0=21270

- Kempton, C.P. See Nadler, M.R., 0=4627
 Kempton, C.P. See Nadler, M.R., 1=4502
 Kempton, C.P. See Roof, R.B., Jr., 2=23866
 Kempton, C.P. See Storms, E.K., 1=1397
 Kempton, C.P. See Vogel, R.E., 2=10847
 Kemshall, C.D. See Benjamin, P.W., 4=19327
 Kemshall, C.D. See Benjamin, P.W., 4=25469
 Kemsley, D.S. Growth of single crystals of copper, 0=10283
 Kemsley, D.S. Observations on the work-hardening of zinc crystals in alternating tension and compression, 1=6464
 Kemsley, D.S. and Paterson, M.S. The influence of strain amplitude on the work hardening of copper crystals in alternating tension and compression, 1=2515
 Ken Tang Chow. See Barbieri, L.J., 0=13366
 Kenan, R.P. A generalized molecular field theory for anti-ferromagnetism, 4=20561
 Kenan, R.P., Glasser, M.L. and Milford, F.J. Spin-wave contribution to the heat capacity of magnetite, 3=25200
 Kenan, R.P. See Mills, R.L., 1=6377
 Kench, J.R., Chamberlain, J. and Young, A.G. Incremental collapse in α -uranium subjected to thermal cycles while undergoing creep, 3=8908
 Kendall, B.R.F. New method of sample interchange in a solid-source mass spectrometer, 0=9099
 Kendall, B.R.F. Isotopic composition of potassium, 0=13395
 Kendall, B.R.F. Resolving-power multiplier for mass spectrometers, 2=3102
 Kendall, B.R.F. Automatic data processing for a sensitive time-of-flight mass spectrometer, 2=13610
 Kendall, B.R.F. Mass spectrometer output systems for recording changes in gas composition, 4=19136
 Kendall, D.G. Stochastic rectification of non-linear clocks, 0=8533
 Kendall, D.L. Simultaneous indium and cadmium diffusion in gallium arsenide, 4=12792
 Kendall, E. J. M. Structural peculiarities of zinc sulphide, cadmium sulphide, cadmium telluride and gallium phosphide, 4=13508
 Kendall, H. See Bean, R.J., 1=18360
 Kendall, H. See Crannell, H., 1=679
 Kendall, H. See Crannell, H., 1=10965
 Kendall, H. See Gilbert, R.P., 1=18361
 Kendall, H. See Maloy, J.O., 1=8483
 Kendall, H.W. Transistors as high-speed light pulsers, 1=6957
 Kendall, H.W., Friedmann, J.I., Erickson, E.F. and Gram, P.A.M. Measurement of the neutron-proton final-state interaction in the electrodisintegration of deuterium, 2=325
 Kendall, H.W. and Oeser, J. Inelastic electron scattering studies: Cu^{63} , In^{115} , Ta^{181} , Pb^{208} , and Bi^{209} , 3=10333
 Kendall, H.W. and Talmi, I. Inelastic electron scattering from V^{51} , 3=664
 Kendall, H.W. See Burleson, G.R., 0=20112
 Kendall, H.W. See de Pagter, J.K., 4=25371
 Kendall, H.W. See Friedman, J.I., 0=20147
 Kendall, H.W. See Friedman, J.I., 3=10178
 Kendall, L.F., Wheeler, R.G. and Bush, S.H. Reaction kinetics of zirconium and zircaloy-2 in dry air at elevated temperatures, 0=12102
 Kendall, P. See Cusack, N., 0=12419
 Kendall, P. See Cusack, N., 1=8134
 Kendall, P.A. High speed electromechanical shutter for time resolved spectroscopy, 4=21300
 Kendall, P.A. See Amster, A.B., 0=3584
 Kendall, P.C. On the transference of angular momentum by hydromagnetic waves in a primeval nebula, 0=292
 Kendall, P.C. The variational formulation of the magneto-hydrostatic equations, 0=12682
 Kendall, P.C. Geomagnetic control of diffusion in the F2-region of the ionosphere. I. The form of the diffusion operator, 2=24041
 Kendall, P.C. On the detailed shape of the Chapman-Ferraro surface, 3=1476
 Kendall, P.C. Geomagnetic control of diffusion in the F2-region of the ionosphere. II. Numerical results, 3=9093
 Kendall, P.C. C-F hollows for solar streams partially incident on the earth, 3=9120
 Kendall, P.C. See Chapman, S., 1=21095
 Kendall, P.C. See Chapman, S., 3=5826
 Kendall, P.C. See Ferraro, V.C.A., 1=6624
 Kendall, P.C. See Ferraro, V.C.A., 3=13757
 Kendall, P.C. See Gliddon, J.E.C., 0=14243
 Kendall, P.C. See Gliddon, J.E.C., 0=16450
 Kendall, P.C. See Gliddon, J.E.C., 1=20998
 Kendall, P.C. See Gliddon, J.E.C., 3=6986
 Kendall, P.W. Etching polished depressions in glass plates, 4=23985
 Kendall, P.W. and Cusack, N.E. Hall effect in liquid and solid mercury, 1=4356
 Kendall, P.W. See Cusack, N.E., 3=1710
 Kendall, P.W. See Cusack, N.E., 3=9476
 Kendall, W.B. See La Force, R.C., 4=18464
 Kende, I., Gucci, L. and Gál, D. Investigation of the interaction of alkyl iodide vapours with a carbon surface by kinetic and isotopic methods, 0=3304
 Kende, I. See Gucci, L., 0=3305
 Kenderdine, S. A survey of galactic radiation at 38 Mc/s. I. Declinations +10° to +45°, 3=21133
 Kenderdine, S. Radio emission from the Cygnus Loop, 3=21134
 Kenderdine, S. See Turtle, A.J., 2=24177
 Kendig, A.P., Bigelow, R.H., Edmonds, P.D. and Pings, C.J. Comment on absorption and dispersion of sound in critical mixtures, 4=14162
 Kendig, P.M. Factors that determine the equivalent noise pressure, free-field voltage response, and efficiency of a transducer at low frequencies, 1=8179
 Kendig, P.M. Role of equivalent noise pressure and sensitivity in determining signal-to-noise ratio, 1=18536
 Kendig, P.M. See Stumpf, F.B., 3=9567
 Kendig, P.M. See Wilson, G.L., 1=12951
 Kendzioriski, F. See Bennett, S., 2=12070
 Kendzioriski, F. See Delvaille, J., 1=3285
 Kendzioriski, F. See Delvaille, J., 1=3326
 Kendzioriski, F. See Delvaille, J., 1=5802
 Kendzioriski, F. See Delvaille, J., 2=12062
 Kendzioriski, F. See Greisen, K., 1=2132
 Kenefick, R.A. and Sheline, R.K. Energy levels in Sm^{148} and Sm^{150} , 4=9412
 Kenefick, R.A. and Sheline, R.K. Low-lying collective states of Sm^{152} and Sm^{154} , 4=27976
 Kenefick, R.A. See Sheline, R.K., 3=22285
 Kenemuth, J.R. and Stein, P.C. Polarization of the proton from the $\gamma + n \rightarrow p + \pi^-$ reaction, 3=10115
 Keneshea, F.J. and Cubicciotti, D. Vapor pressures of zinc chloride and zinc bromide and their gaseous dimerization, 4=11413
 Keneshea, F.J. and Cubicciotti, D.D. Vapour pressure of cadmium chloride and thermodynamic data for CdCl_2 gas, 4=16144
 Keneshea, F.J., Jr and Fredericks, W.J. Diffusion of lead ions in potassium chloride, 3=15510
 Keng, E. Y. H. and Orr, C., Jr. Light boundary effect in photo-phoresis, 4=18375
 Kenjo, T. and Hatta, Y. Moving striations in the tapered discharge tubes, 3=24234
 KenKnight, C.E. and Wehner, G.K. Sputtering of metals by hydrogen ions, 4=12826
 KenKnight, C. See Wehner, G.K., 3=23667
 KenKnight, C.E. See Wehner, G.K., 4=7975
 Kennard, O. Crystal setting, 2=8808
 Kennaugh, E.M. Scattering and diffraction of transient plane electromagnetic waves, 4=702
 Kennedy, A. and Colburn, C.B. Strength of the N-F bonds in NF_3 and of N-F and N-N bonds in N_2F_4 , 1=19656
 Kennedy, A.J. Possible dislocation gating mechanisms for fatigue extrusion, 1=4000
 Kennedy, A.J. Dislocations and twinning in graphite, 0=12002
 Kennedy, A.J. Characteristics of fatigue-activated creep in an aluminium-magnesium alloy, 3=13365
 Kennedy, A.J. A creep model, 3=23330
 Kennedy, A.J. Modern views of the fatigue processes in metals, 4=13382
 Kennedy, A.J. and Clifton, T.E. A versatile combined creep and fatigue apparatus with programme facilities, 3=18188
 Kennedy, C.A. See Bondelid, R.O., 0=1406
 Kennedy, C.A. See Bondelid, R.O., 0=20246
 Kennedy, C.A. See Bondelid, R.O., 0=20460
 Kennedy, D.P. Minority carrier current in a linearly graded drift field, 0=1632
 Kennedy, D.P. Minority carrier recombination in a cylindrical transistor base region, 0=11679
 Kennedy, D.P. Spreading resistance in cylindrical semiconductor devices, 0=13627
 Kennedy, D.P. Reverse transient characteristics of a p-n junction diode due to minority carrier storage, 2=16740

- Kennedy, D.P. and Murley, P.C. Base region transport characteristics of a diffused transistor, 2=2185
- Kennedy, D.P. and Murley, P.C. Minority carrier injection characteristics of the diffused emitter junction, 2=14567
- Kennedy, D.P. and O'Brien, R.R. Depletion layer properties in double diffused transistors, 2=2186
- Kennedy, G.C., Jayaraman, A. and Newton, R.C. Fusion curve and polymorphic transitions of cesium at high pressure, 2=11544
- Kennedy, G.C. and La Mori, P.N. The pressures of some solid-solid transitions, 2=10778
- Kennedy, G.C. and Newton, R.C. The effect of pressure on the electromotive force of a platinum-bismuth thermocouple, 1=18753
- Kennedy, G.C. See Jayaraman, A., 1=18678
- Kennedy, G.C. See Jayaraman, A., 3=6814
- Kennedy, G.C. See Jayaraman, A., 3=14417
- Kennedy, G.C. See Jayaraman, A., 3=16016
- Kennedy, G.C. See Jayaraman, A., 3=16834
- Kennedy, G.C. See Jayaraman, A., 3=20887
- Kennedy, G.C. See Jayaraman, A., 4=4505
- Kennedy, G.C. See Jayaraman, A., 4=5448
- Kennedy, G.C. See Klement, W., Jr., 3=8795
- Kennedy, G.C. See Klement, W., Jr., 3=18227
- Kennedy, G.C. See Klement, W., Jr., 3=19067
- Kennedy, G.C. See Newton, R.C., 2=17688
- Kennedy, H.P. and Rose, M.E. Determination of multipole mixture parameters from internal pair data, 4=17085
- Kennedy, J. and Spearman, T.D. Singularities in partial-wave amplitudes for two ingoing and two outgoing particles, 2=13743
- Kennedy, J. and Spearman, T.D. Singularities in partial wave amplitudes for two ingoing and two outgoing particles, 2=22420
- Kennedy, J.K. Four point probe for measuring the resistivity of small samples, 2=19830
- Kennedy, J.K. Comments on the theory of continuous zone-melting, 4=20722
- Kennedy, J.K. Continuous zone-refining apparatus, 4=11000
- Kennedy, J.K. See Brooks, M.E., 4=23319
- Kennedy, J.K. and Parke, N.G. Solution and theoretical evaluation of steady-state equations in continuous zone refining, 4=23318
- Kennedy, J.M. The efficiency tracing technique for eliminating self-absorption errors in $4\pi\beta$ -counting. (Appendix), 1=13235
- Kennedy, J.M. See Dyson, P.M., 0=1451
- Kennedy, J.M. See Gabrysh, A.F., 3=23129
- Kennedy, J.M. See Pearce, R.M., 4=19896
- Kennedy, K. See Wells, M., 4=21427
- Kennedy, L.Z. See Wentz, J.L., 4=22785
- Kennedy, P.J. Ionization effects produced in diamonds subjected to mono-energetic β -ray bombardment, 0=9925
- Kennedy, P.J. and Dean, P.J. Photographic method for pulse amplitude analysis, 0=5245
- Kennedy, P.J. See Dean, P.J., 1=1183
- Kennedy, P.M. See Buscombe, W., 2=24137
- Kennedy, R.C., Wilets, L. and Henley, E.M. Energy gap in finite nuclei calculated in the slab model, 4=12109
- Kennedy, R.C. See Henley, E.M., 4=27418
- Kennedy, R.M. and Paolini, A., Jr. A variable three-step sector rotating filter, 3=16756
- Kennedy, R., Wilets, L. and Henley, E.M. Energy gap in nuclear matter. II. B. C. S. theory, 4=12104
- Kennedy, S.W. and Patterson, J.H. Absorption corrections for the precession method, 1=9128
- Kennedy, S.W. and Patterson, J.H. Thermal formation of etch pits after polymorphic transformation, 2=21047
- Kennedy, S.W. and Schultz, P.K. Kinetics of phase growth in the structure change in silver nitrate crystals, 3=13401
- Kennett, B. See Middlehurst, J., 1=16157
- Kennett, T.J. Programmer for a two-dimensional pulse-height analyzer, 4=30125
- Kennett, T.J. and Fritze, K. Search for the (n, β^-) reaction, 2=12206
- Kennett, T.J. and Keech, G.L. An anti-coincidence β -ray scintillation spectrometer, 4=9177
- Kennett, T.J. and Thode, H.G. Diffusion phenomena and isotope effects in the extraction of fission-product xenon and krypton from irradiated U_3O_8 , 0=15620
- Kennett, T.J. See Bollinger, L.M., 0=2623
- Kennett, T.J. See Fritze, K., 1=666
- Kennett, T.J. See Fritze, K., 1=7535
- Kennett, T.J. See Fritze, K., 1=8656
- Kennett, T.J. See Fritze, K., 2=18291
- Kennett, T.J. See Prestwich, W.V., 2=20570
- Kennett, T.J. See Prestwich, W.V., 4=17097
- Kenney, A.S. See Young, J.D., 3=5766
- Kenney, C.N. See Curl, R.F. Jr., 1=3536
- Kenney, G.N., Cameron, J.R. and Zimmerman, D. Thermo-luminescent dosimeter reading system, 3=19511
- Kenney, J.F. and Willard, H.R. Trapped radiation and ionospheric perturbations due to an impulsive neutron source, 4=4794
- Kenney, J.F. See Regener, V.H., 1=3349
- Kenney, J.F. See Willard, H.R., 3=21058
- Kenney, R.W. A multichannel coincidence system, 3=16895
- Kenney, R.W., Knapp, E.A., Perez-Mendez, V. and Perkins, W.A. Photoproduction of mesons from hydrogen and deuterium, 1=8484
- Kenney, R.W. See Caris, J.C., 1=2086
- Kenney, R.W. See Caris, J.C., 1=7270
- Kenney, R.W. See Gates, D.C., 2=5627
- Kenney, R.W. See Gates, D.C., 0=9243
- Kenney, R.W. See Goodwin, L.K., 0=2581
- Kenney, R.W. See Goodwin, L.K., 1=7277
- Kenney, R.W. See Hickman, R.S., 0=2477
- Kenney, R.W. See Perkins, W.A., 0=9426
- Kenney, R.W. See Perkins, W.A., III, 0=11213
- Kenney, R.W. See Swanson, W.P., 1=527
- Kenney, R.W. See Swanson, W.P., 1=531
- Kenney, V.P. Velocity dependence of the bubble density for charged particle tracks in liquid hydrogen, 0=12728
- Kenney, V.P., Dardis, J.G. and Brunhart, G. Multiple pion production by pions and the isobar model, 2=302
- Kenney, V.P., Shephard, W.D. and Gall, C.D. Single neutral pion production by pions at 1100 MeV, 2=9892
- Kenney, V.P., Shephard, W.D. and Gall, C.D. Further evidence for two di-pion resonances in single neutral pion production, 2=11977
- Kenney, V.P. See Biswas, N.N., 3=4434
- Kenney, V.P. See Biswas, N.N., 3=17133
- Kenney, V.P. See Brunhart, G., 2=5547
- Kenney, V.P. See Brunhart, G., 4=3465
- Kenney, V.P. See Fabian, B.N., 3=14836
- Kenney, V.P. See Vittitoe, C.N., 4=21899
- Kenny, M.J. and Caro, D.E. Excited states of ^{64}Zn , 1=17000
- Kenshalo, D.R. Improved method for the psychophysical study of the temperature sense, 3=21601
- Kent, D.W., Puri, S.P., Snowdon, S.C. and Bucher, W.P. Interaction of 3.7 MeV neutrons with medium weight nuclei, 2=1903
- Kent, D.W. See Bucher, W.P., 4=17148
- Kent, G. Perturbation of electron flow, 2=7661
- Kent, G. A particular solution of the linearized Boltzmann equation, 3=14565
- Kent, G.S. High frequency fading observed on the 40 Mc/s wave radiated from artificial satellite 1957 α , 0=15172
- Kent, G.S. The fading of radio waves reflected obliquely from meteor trails, 1=1975
- Kent, G.S. High frequency fading of the 108 Mc/s wave radiated from an artificial earth satellite as observed at an equatorial station, 1=21012
- Kent, G.S. and Koster, J.R. Height of night-time F layer irregularities at the equator, 1=20994
- Kent, K.G. and Kelly, A. Yield points in age-hardening magnesium alloys, 4=15710
- Kent, P. and Brumberger, H. Machine computation of small-angle X-ray collimation corrections, 4=16603
- Kent, P.J.C. See Hatt, B.A., 0=13972
- Kent, R.L. See Badessa, R.S., 0=12361
- Kent, R.P. and Wells, T.C. The creep behaviour of the magnesium-zirconium alloy ZA at 400° and 450°C in carbon dioxide containing ≈ 200 p.p.m. moisture, 3=25629
- Kenty, C. Evidence for a long-lived metastable state of N_2 at about 8 eV, 2=3753
- Kenty, C. Volume recombination, constriction, and voltage characteristics of the positive column, 2=13549
- Kenty, C. Evidence for a long-lived metastable state of N_2 at about 8 eV, 3=2619
- Kenty, C. Dissociative recombination and the construction of the positive column, 3=4059
- Kenty, C. The constriction of weak diffuse discharges by low frequency and d.c. radial electric fields, 4=18940
- Kenty, C. Collisions involving metastable N_2 molecules in discharges and afterglows in a rare gas plus N_2 , 4=24613
- Kenty, C. See Weinstein, M.A., 4=18689

- Kenward, C.J. See Sanders, J.E., 0=7642
 Kenward, C.J. See Skarsgard, H.M., 0=7636
 Kenworthy, D.J. and ter Haar, D. Thermodynamics of dirty superconductors, 1=11883
 Kenworthy, D.J., and ter Haar, D. On the summation of ladder diagrams in the theory of superconductivity, 2=1332
 Kenworthy, D.J., Zuckermann, M.J., Brink, D.M. and ter Haar, D. On the thermodynamics of dirty superconductors, 2=13511
 Kenyon, I.R. Observation of a hyperfragment decay by π^0 emission, 1=9809
 Kenyon, I.R. A photometric device for track profile measurement in nuclear emulsion, 3=534
 Kenyon, I.R. The emission of heavy hypernuclei from 800 MeV/c K^- interactions in nuclear emulsion, 3=24789
 Kenyon, I.R., Ismail, A. Z. M., Key, A. W., Lokanathan, S. and Prakash, Y. Study of hyperfragments produced in 800 MeV/c K^- interactions. II. Nonmesic decays of light hyperfragments, 4=9363
 Kenyon, I.R., Key, A.W. and Lokanathan, S. Unstable fragment emission from 25 GeV/c proton stars in nuclear emulsion, 3=17270
 Kenyon, I.R. See Ismail, A.Z.M., 2=18247
 Kenyon, I.R. See Ismail, A.Z.M., 3=10228
 Kenyon, I.R. See Ismail, A.Z.M., 3=22274
 Kenyon, I.R. See Ismail, A.Z.M., 4=3546
 Kenyon, K.E. See Cook, J.C., 3=14402
 Kenyon, L.C.Jr. See Anderson, R.C., 1=10555
 Keonigsfeld, L. See van der Schueren, A., 4=2201
 Keough, D.D. See Bernstein, D., 4=20334
 Keown, S.R. See Pickering, F.B., 3=18359
 Kepes, J.J., Mikoleit, L.A. and Serenka, R.G. Resonance and total U^{238} activation in thin natural uranium-niobium fuel plates, 2=22874
 Kepler, R.G. Charge carrier production and mobility in anthracene crystals, 0=13620
 Kepler, R. G. Charge carrier mobility and production in anthracene, 4=22528
 Kepler, R. G. Magnetic properties of a new class of highly conductive organic solids, 4=7223
 Kepler, R.G., Bierstedt, P.E. and Merrifield, R.E. Electronic conduction and exchange interaction in a new class of conductive organic solids, 1=2402
 Kepler, R. G., Bierstedt, P. E. and Merrifield, R. E. Electronic conduction and exchange interaction in a new class of conductive organic solids, 4=25995
 Kepler, R.G., Caris, J.C., Avakian, P. and Abramson, E. Triplet excitons and delayed fluorescence in anthracene crystals, 3=18041
 Kepler, R. G. and Merrifield, R. E. Exciton-exciton interaction and photoconductivity in anthracene, 4=15572
 Kepler, R. G. See Avakian, P., 4=4313
 Kepler, R. G. See Siemons, W. J., 4=6912
 Keplin, E. J. See Houska, C. R., 4=10517
 Keppel, E. See Bondar, L., 3=19678
 Keppenne, R. See Gonze, A., 0=15094
 Keppler, E., Ehmert, A., Pfozter, G. and Ortner, J. Sudden increase of radiation intensity coinciding with a geomagnetic storm sudden commencement, 3=11471
 Keppler, E. and Pfozter, G. Radioactive clouds at high altitude, 4=7865
 Keppler, E., Pfozter, G. and Riedler, W. Radioactive debris from nuclear explosions in high altitudes, 4=20854
 Keppler, U. Synthetic single crystals of β - $\text{Ca}_2\text{P}_2\text{O}_7$, 3=6847
 Keppler, E. See Pfozter, G., 2=9023
 Kerala Varma, R. See Mishra, U. C., 4=9431
 Kerbst, W.D. See Ohkawa, T., 2=3044
 Kerecman, A.J. See Cook, C.F., Jr., 3=18411
 Kerecman, A.J. See Gualtieri, J.G., 3=8813
 Keren, J. Associated production of ΔK at the ΣK threshold, 4=9291
 Keren, J. See Eisler, F., 1=16889
 Keren, J. See Eisler, F., 1=19271
 Keren, J. See Eisler, F., 2=22568
 Keres, Kh. The principle of correspondence in the general theory of relativity, 4=18050
 Kerimov, A.M. See Amirkhanov, Kh.I., 1=18395
 Kerimov, A.M. See Amirkhanov, Kh.I., 2=13485
 Kerimov, A.M. See Amirkhanov, Kh.I., 4=14467
 Kerimov, B.K. Energy distribution of bremsstrahlung from longitudinally polarized electrons, 1=3114
 Kerimov, B.K. Longitudinal polarization of particles in weak four-fermion interaction, 2=16137
 Kerimov, B.K. and Arutyunyan, V.M. Polarization of electrons in elastic scattering with an allowance for the finite size of the nucleus, 1=4860
 Kerimov, B.K., Mukhtarov, A.I. and Gadzhiev, S.A. Polarization effects in the $\pi^0 \rightarrow e^- + e^+ + \gamma$ decay, 0=11200
 Kerimov, B.K. and Nadzhafov, I.M. Electron-positron correlation in pair production by a polarized photon, 2=13777
 Kerimov, B. K. and Romanov, Yu. I. Spin correlation in the scattering of the neutrino and antineutrino by the electron, 4=21836
 Kerimov, B.K. and Sadykhov, F.S. Bremsstrahlung from a longitudinally polarized electron with account of the finite size of the nucleus, 1=16743
 Kerimov, B.K. and Sadykhov, F.S. Polarization electron-positron correlation in pair production taking into account finite nuclear size, 2=13778
 Kerimov, B.K. See Sadykhov, F.S., 0=11150
 Kerker, M. [Ed.]. Electromagnetic scattering, 4=7336
 Kerker, M. [Ed.]. Electromagnetic scattering, 4=14392
 Kerker, M., Farone, W.A. and Matijevic, E. Applicability of Rayleigh-Gans scattering to spherical particles, 3=19447
 Kerker, M., Kratochvil, J.P. and Matijevic, E. Light scattering functions for $m = 160$ (0.04)2.08 and $a = 0.1$ (0.1)10.0. I. Mie scattering coefficients, 2=1279
 Kerker, M., Kratochvil, J.P. and Matijevic, E. Light scattering functions for concentric spheres. Total scattering coefficients, $m_1 \pi$ 2.1050, $m_2 = 1.4821$, 2=11500
 Kerker, M. and Matijevic, E. Light scattering of monodispersed polystyrene latexes, 0=10784
 Kerker, M. and Matijevic, E. Mie scattering functions for refractive index of 2.105, 1=2890
 Kerker, M. and Matijevic, E. Scattering of electromagnetic waves from concentric infinite cylinders, 1=8241
 Kerker, M. See Farone, W.A., 4=14395
 Kerker, M. See Levine, S., 4=14393
 Kerker, M. See Matijevic, E., 1=2889
 Kerker, M. See Matijevic, E., 1=11637
 Kerker, M. See Matijevic, E., 3=13626
 Kerkhof, F. Maximum fracture velocity and specific surface energy, 4=4453
 Kerkhoff, F. Photochemical behaviour of complexes containing oxygen in alkali halide crystals, 0=8009
 Kerkhoff, F., Martienssen, W. and Sander, W. Electron spin resonance and photochemistry of the U_2 -centre of alkali halide crystals, 3=10696
 Kerlee, D.D., Krienke, O.K. Jr., Lord, J.J. and Nelson, M.E. Cosmic-ray heavy nuclei at the geomagnetic equator, 0=11264
 Kerlee, D.D., Reynolds, H.L. and Goldberg, E. Elastic scattering of heavy ions by Pb^{206} , Pb^{207} , and Pb^{208} , 2=18362
 Kerlee, D.D. See Reynolds, H.L., 0=17612
 Kerler, W. Investigation of crystal properties using the Fe^{57} Mössbauer effect, 2=10304
 Kerler, W. and Neuwirth, W. Measurements of the Fe^{57} Mössbauer effect in numerous iron compounds at various temperatures, 2=10303
 Kerler, W., Neuwirth, W. and Fluck, E. Isomeric shift and quadrupole splitting in the Mössbauer effect of Fe^{57} in iron compounds, 3=22629
 Kerler, W., Neuwirth, W., Fluck, E., Kuhn, P. and Zimmermann, B. Study of complex and covalent iron bonds using the Fe^{57} Mössbauer effect, 3=12894
 Kerler, W. See Hauser, U., 0=7509
 Kerman, A. See Wilhelmsson, H., 0=15239
 Kerman, A.K. Pairing forces and nuclear collective motion, 1=7310
 Kerman, A.K. and Klein, A. The description of rotating nuclei, 2=18237
 Kerman, A. K. and Klein, A. Generalized Hartree-Fock approximation for the calculation of collective states of a finite many-particle system, 4=2583
 Kerman, A.K., Lawson, R.D. and Macfarlane, M.H. Accuracy of the superconductivity approximation for pairing forces in nuclei, 1=16954
 Kerman, A.K., McManus, H. and Thaler, R.M. The scattering of fast nucleons from nuclei, 0=5739
 Kerman, A. K. and Quang, H. K. Effect of quadrupole collective motions on the giant dipole resonance, 4=27935
 Kerman, A.K., Rodberg, L.S. and Young, J.E. Intermediate structure in the energy dependence of nuclear cross sections, 4=9470
 Kerman, A.K. and Shakin, C.M. Vibrations of spherical nuclei, 2=18235

- Kerman, A.K. See Campbell, L.J., 2=1909
 Kerman, A.K. See Mallman, C.A., 0=11320
 Kerman, W.J. Charge-exchange scattering of negative pions at 150 MeV, 0=13029
 Kermarrec, Y. Infrared absorption spectra of metallic cations with six molecules of water of coordination, 4=28205
 Kern, B. The Si K β -bands of the X-ray emission spectra of elementary Si, SiC and SiO₂, 0=20639
 Kern, B. See Gilberg, E., 3=20499
 Kern, B.D. See Gabbard, F., 3=2476
 Kern, C.D. Desert soil temperature and infrared radiation received by Tiros. III, 3=18493
 Kern, C.W. and Karplus, M. Analysis of charge distributions: hydrogen fluoride, 4=12453
 Kern, C.W. and Lipscomb, W.N. Magnetic shielding constants in heteropolar diatomic molecules, 1=12318
 Kern, C.W. and Lipscomb, W.N. Magnetic shielding in some diatomic molecules, 2=18437
 Kern, C.W. and Lipscomb, W.N. Proton shielding in diborane, 2=18461
 Kern, C.W. See Karplus, M., 4=23069
 Kern, C.W. See Lazdins, D., 4=9769
 Kern, C.W. See Pitzer, R.M., 2=18440
 Kern, C.W. See Stevens, R.M., 2=18462
 Kern, E. Neutron temperature of a moderator composed of small regions at various temperatures, 0=5822
 Kern, E. New method for calculating burn-up in reactors, 2=10168
 Kern, E. Turbulent gas flow in reactors of the pebble-bed type, 2=16449
 Kern, E. Formulae for the fuel charging of reactors, 2=20725
 Kern, E. Effect of the reflector on the temperature coefficients of a reactor, 3=12720
 Kern, E. and Schatz, A. Diffusion of radioactive material in solids with granular structure, 2=12446
 Kern, E. See Schulten, R., 2=10174
 Kern, J. G.M. counter for a beta-ray spectrometer, 2=5504
 Kern, J. G.M. counter for a beta-ray spectrometer, 2=5505
 Kern, J. Determination of the orientation of the oscillation directions of anisotropic adsorbed molecules by means of u.v. and i.r. absorption in polarized light, 2=15097
 Kern, J. Parameters of the Geiger discharge, 3=12365
 Kern, J. and Bäckström, G. The decay of Ir¹⁹⁴, 1=654
 Kern, J. and Dörr, F. Polarization measurements of the absorption spectrum of methylene-blue, 1=11099
 Kern, J. and Huber, O. Improvement in the plateau of argon-alcohol filled g.m. counters, 0=3876
 Kern, J. and Huber, O. Improvement of the plateau of argon-alcohol filled metal-sheath Geiger-Müller counters, 0=7240
 Kern, J. and Schellenberg, L. The disintegration of Ir¹⁹², 2=22752
 Kern, J. See Davis, P.W., 4=27992
 Kern, J. See Dörr, F., 2=10277
 Kern, J.W. Effects of moderate stresses on directions of thermoremanent magnetization, 2=4704
 Kern, J.W. The effect of stress on the susceptibility and magnetization of a partially magnetized multidomain system, 2=4705
 Kern, J.W. Stress stability of remanent magnetization, 2=4706
 Kern, J.W. Solar-stream distortion of the geomagnetic field and polar electrojets, 2=11095
 Kern, J.W. Solar-stream distortion of the geomagnetic field as a mechanism for producing polar auroras and electrojets, 2=13075
 Kern, J.W. A charge separation mechanism for the production of polar auroras and electrojets, 3=1470
 Kern, J.W. A note on the generation of the main-phase ring current of a geomagnetic storm, 3=9131
 Kern, J.W. and Vestine, E.H. Theory of auroral morphology, 1=21047
 Kern, J.W. See Chamberlain, J.W., 1=1560
 Kern, J.W. See Lamar, D.L., 3=9008
 Kern, J.W. See Vestine, E.H., 1=21049
 Kern, J.W. See Vestine, E.H., 2=19267
 Kern, R. On the formation of growth twins, 2=2344
 Kern, R. An electro-optical and electromechanical effect in SbSI, 2=14653
 Kern, R. Gas determination methods in metals, 3=11370
 Kern, R. and Mattern, G. A microscope stage from -35°C to +100°C using Peltier effect thermocouples, 4=8401
 Kern, R. See Bienfait, M., 3=16042
 Kern, R. See Bienfait, M., 4=10476
 Kern, R. See Bienfait, M., 4=13514
 Kern, R. See Boistelle, R., 2=12887
 Kern, R. See Gindt, R., 3=21339
 Kern, R. See Gindt, R., 4=4525
 Kern, R. See Gindt, R., 4=26607
 Kern, R. See Grand-Jean, D., 3=1339
 Kern, R. See Hartmann, P., 4=26582
 Kern, R. See Simon, B., 4=13585
 Kern, S. Magnetic susceptibility of praseodymium oxides, 4=13121
 Kern, S. See Heller, G.S., 3=15906
 Kern, R. See Simon, B., 3=16056
 Kern, S. See Zeiger, H.J., 4=5191
 Kern, W. Estimation of atmospheric activity using an electrostatic filter, 0=6488
 Kern, W. On the radioactive particles in the atmospheric fission product activity, 1=3401
 Kern, W. Neutron-activation study of gallium arsenide contamination by quartz, 3=1274
 Kern, W. See Alvarez, R., 4=25161
 Kern, W. See Alvarez, R., 4=25162
 Kern, W. See Becke, H., 4=22614
 Kern, W. See Riezler, W., 0=2631
 Kernan, A., Powell, W.M., Sandler, C.L., Knight, W.L. and Stannard, F.R. Muonic-decay branching ratio of the lambda hyperon, 4=12073
 Kernan, A. See Birge, R., 3=22192
 Kernan, A. See Culhane, L., 1=2097
 Kernan, A. See Culhane, L., 4=21933
 Kernan, A. See Engler, A., 1=8522
 Kernan, W., Novey, T.B., Warshaw, S.D. and Wattenberg, A. Measurement of the magnetic moment of the Λ^0 hyperon, 3=6084
 Kernan, W. See Crittenden, R., 4=21939
 Kernan, W. See Garwin, E., 0=1296
 Kernan, W. See York, C.M., 0=364
 Kernan, W.J. See Kim, C.O., 0=20169
 Kernan, W.J. See York, C.M., 0=13030
 Kernchen, W. See Hahn, D., 3=23125
 Kernchen, W. See Hahn, D., 3=23126
 Kernel, G. See Bezic, N., 4=19469
 Kernel, G. See Dular, J., 0=5767
 Kernel, G. See Miklavžič, U., 2=11921
 Kerner, B.I. See Averina, L.N., 4=7168
 Kerner, E.H. Hamiltonian formulation of action-at-a-distance in electrodynamics, 2=5437
 Kerner, E.H. Electromagnetism and gravitation: an action-at-a-distance confluence, 2=9150
 Kernohan, R.H. and Wechsler, M.S. Neutron irradiation of Cu-Al at elevated temperatures, 1=19821
 Kernohan, R.H. See Schindler, A.I., 3=22729
 Kernohan, R.H. See Schindler, A.I., 4=28812
 Kernohan, R.H. See Wechsler, M.S., 0=15837
 Kernohan, R.H. See Wechsler, M.S., 3=11291
 Kerns, D.M. Half-round inductive obstacles in rectangular waveguide, 0=15148
 Kerns, D.M. Generalized variational principles for electromagnetic vibrations; application to the theory of waveguide junctions, 4=718
 Kerns, D.M. and Dayhoff, E.S. Theory of diffraction in microwave interferometry, 0=7224
 Kerns, Q. See Koch, L., 0=20886
 Kerns, Q. See Koch, L., 1=3778
 Kerns, Q.A. and Cox, G.C. A triggered nanosecond light source, 2=5267
 Kerns, Q.A. See Baker, S.C., 2=2986
 Kerns, Q.A. See Birk, M., 3=24175
 Kerns, Q.A. See Bjerke, A.E., 2=17993
 Kerns, Q.A. See Bjerke, A.E., 2=19863
 Kerns, Q.A. See Miller, H.W., 2=23434
 Kerns, Q.A. See Schrank, G., 4=29891
 Kerns, Q.A. See Tusting, R.F., 2=18011
 Kerom, E. See Barledzh, S., 1=2823
 Kerps, D. See Dietrich, I., 3=5587
 Kerr, D.E. See Gray, E.P., 2=7592
 Kerr, D.P. and Hogg, B.G. Positron annihilation in some organic compounds, 2=15158
 Kerr, D.R. Effects of gamma radiation on reversed-biased silicon junctions, 4=20388
 Kerr, D.R. and Milnes, A.G. Piezoresistance of diffused layers in cubic semiconductors, 3=10753
 Kerr, D.R. and Milnes, A.G. Piezoresistive strain gages and transducer elements, 4=7058
 Kerr, E.C. Temperatures of the volume minima and stratification regions for Fe³-He⁴ mixtures, 4=16319

- Kerr, E.C. and Taylor, R.D. Molar volume and expansion coefficient of liquid He³, 3=5563
- Kerr, E.C. and Taylor, R.D. The molar volume and expansion coefficient of liquid He⁴, 4=1445
- Kerr, E.C. Bigeleisen, J., 3=21626
- Kerr, E.C. See Taylor, R.D., 0=8881
- Kerr, E.C. See Yarnell, J., 0=8919
- Kerr, F.J. Sydney work on 21-cm observations on the H I galactic disk, 0=10482
- Kerr, F.J. The possibility of detecting a gravitational red shift in 21 cm radiation from the galaxy, 0=18912
- Kerr, F.J. Galactic velocity models and the interpretation of 21-cm surveys, 2=11167
- Kerr, F.J., Hindman, J.V. and Gum, C.S. A 21 CM survey of the Southern Milky Way, 0=4870
- Kerr, F.J. See Gum, C.S., 0=18675
- Kerr, F.J. See Hindman, J.V., 4=10920
- Kerr, H.S. See Lapp, P.A., 2=9073
- Kerr, I.S. Possible structures related to mordenite, 3=20856
- Kerr, I.S. Structure of epistilbite, 4=23440
- Kerr, J.R. See Dean, F.V., 2=9460
- Kerr, J.T. See Todd, B.J., 0=979
- Kerr, L.W., Wilson, J.W.G. and Gillen, C.H. A wide-band electronic integrator, 3=24168
- Kerr, L.W. See Higginson, G.S., 1=8807
- Kerr, N.A. Determination of certain spectral distributions of soft X rays by theoretical analysis of absorption experiments, 1=18969
- Kerr, N.A. See Fultz, S.C., 2=18316
- Kerr, R.J. Plasma density measurements with a molecular beam, 4=8724
- Kerr, R.J. See Ard, W.B., 3=19913
- Kerr, R.J. See Ard, W.B., 4=18929
- Kerr, R.J. See Becker, M.C., 3=12209
- Kerr, R.P. On the Lorentz-invariant approximation method in general relativity. III. The Einstein-Maxwell field, 0=38
- Kerr, R.P. On the quasi-static approximation in general relativity, 0=14501
- Kerr, R.P. Gravitation field of a spinning mass as an example of algebraically special metrics, 4=5044
- Kerr, R.P. and Goldberg, J.N. Einstein spaces with four-parameter holonomy groups, 1=6765
- Kerr, R.P. See Goldberg, J.N., 1=6764
- Kerr, R.P. See Goldberg, J.N., 4=11759
- Kerr, V.N., Hayes, F.N. and Anderson, E.C. Parameters affecting the performance of large liquid scintillation counters, 2=3208
- Kerr, V.N., Williams, D.L., Hansbury, E. and Hayes, F.N. Radio-carbon in plant products: geography, species, and time, 2=11214
- Kerr, V.N. See Hayes, F.N., 0=7499
- Kerr, W. See Stone, J., 0=4144
- Kerr, W. M. M. See Bell, V.J., 4=30333
- Kerridge, D.H. A study of the kinetics of crystallization of copper from liquid bismuth solutions, 0=21162
- Kerridge, J.F. Carbonaceous chondrites in the electron microscope, 4=2107
- Kerridge, J.F., Johnson, A.A. and Matthews, H.I. Dislocation arrangements in molybdenum, 0=1589
- Kerridge, J.F., Sheinin, S.S., Johnson, A.A. and Matthews, H.I. On the mechanism of vacancy annihilation in neutron irradiated molybdenum, 3=2787
- Kerridge, M. See Cooper, P.N., 2=10179
- Kerrigan, J.V. Studies on the transport and deposition of alpha-aluminum oxide, 4=7566
- Kerrigan, J.V. See Kool, C.F., 4=13277
- Kerrigan, M.A. See Gustafson, P.F., 1=6546
- Kerrigan, M.A. See Gustafson, P.F., 3=9058
- Kerrisk, D.J. Potentialities of electron bombardment ion engines for electric propulsion, 2=22232
- Kerry, D.C. See Greaves, C., 4=8605
- Kersey, Y. See Lessoff, H., 0=2914
- Kersnovskii, S.V. See Senchenkov, A.P., 2=20070
- Kerst, D.W. The influence of errors on plasma-confining magnetic fields, 3=9801
- Kerst, D.W. Note on the electron capture process, 4=3075
- Kerst, D.W., Day, E.A., Hausman, H.J., Haxby, R.O., Laslett, L.J., Mills, F.E., Ohkawa, T., Peterson, F.L., Rowe, E.M., Sessler, A.M., Snyder, J.N. and Wallenmeyer, W.A. Electron model of a spiral sector accelerator, 0=19837
- Kerst, D.W. See Ohkawa, T., 1=13091
- Kerst, D.W. See Ohkawa, T., 3=19247
- Kerst, D.W. See Schupp, A.A., 3=21814
- Kersta, L.G. Voiceprint identification, 3=9292
- Kersten, J.A., Went, J.J. and van Zolingen, J.J. Physical aspects of an aqueous homogeneous suspension reactor, 3=2537
- Kersten, J.A.H. An aqueous homogeneous zero-energy suspension reactor. I. Experiments with a subcritical reactor, in which an aqueous suspension of UO₂ particles is circulating, 2=12265
- Kerswell, A.G. See Swanson, K.M., 3=7668
- Kertesz, D.J. See Blytas, G.C., 2=15576
- Kerth, L. See Cook, V., 2=22630
- Kerth, L. See Cork, B., 0=20236
- Kerth, L.T. K-nucleon interaction, 1=16897
- Kerth, L.T. See Beall, E.F., 3=24790
- Kerth, L.T. See Chamberlain, O., 2=7902
- Kerth, L.T. See Cook, V., 1=10867
- Kerth, L.T. See Cook, V., 1=10927
- Kerth, L.T. See Cook, V., 1=16895
- Kerth, L.T. See Cook, V., 3=10171
- Kerth, L.T. See Keefe, D., 3=17326
- Kerth, L.T. See Kycia, T.F., 0=9431
- Kervaldiz, K.N. See Kvartskhava, I.F., 0=15039
- Kervaldiz, K.N. See Kvartskhava, I.F., 1=2974
- Kervaldiz, K.N. See Kvartskhava, I.F., 1=6563
- Kervaldiz, K.N. See Kvartskhava, I.F., 3=12157
- Kervaldiz, K.N. See Plyutto, A.A., 2=196
- Kerwin, E.M., Jr. See Ungar, E.E., 2=17528
- Kerwin, E.M., Jr. See Ungar, E.E., 4=8292
- Kerwin, J. and Burke, E.A. Open-shell calculations of hyperfine splitting for the ground state of Li-like ions, 2=14199
- Kerwin, L. and McGowan, W. Aston bands in atmospheric gases, 3=4020
- Kerwin, L. and Marmet, P. Recent appearance potential measurements using an electrostatic electron selector, 1=1887
- Kerwin, L., Marmet, P. and Clarke, E. The identification of vibrational levels in H₂⁺, 1=19620
- Kerwin, L. See Carette, J.D., 2=1393
- Kerwin, L. See McGowan, W., 0=8722
- Kerwin, L. See McGowan, W., 0=10875
- Kerwin, L. See McGowan, W., 3=7439
- Kerwin, L. See McGowan, W., 3=21719
- Kerwin, L. See McGowan, W., 3=24391
- Kerwin, L. See McGowan, J.W., 4=1222
- Kerwin, L. See McGowan, J.W., 4=20115
- Kerwin, L. See McGowan, J.W., 4=24555
- Kerwin, L. See Marmet, P., 0=10949
- Kerwin, L. See Marmet, P., 0=17732
- Keržar, B. See Agdur, B., 3=383
- Keržar, B. See Agduri, B., 3=19204
- Kesae, I.G. Increase of stability of an arc in a magnetic field and the principle of field maximum, 0=250
- Kesae, I.G. The phenomena of internal instability of an arc with a mercury cathode. I. Spontaneous extinctions of the arc, 0=16989
- Kesae, I.G. Phenomena of internal instability of an arc with a mercury cathode. II. Non-stationary processes in the cathode region of the arc. III. Break-up and re-formation of the cathode spot in conditions of stationary arc, 1=4584
- Kesae, I.G. Minimum potentials of arc discharge and the problem of two forms of the cold-cathode arc, 2=5320
- Kesae, I.G. Minimum potentials of arc discharge and the problem of two forms of the cold-cathode arc, 2=7583
- Kesae, I.G. Stability of metallic arcs in vacuum. I, 4=2965
- Kesae, I.G. Stability of metallic arcs in vacuum. II, 4=2966
- Kesae, I.G. The laws of cathode fall and threshold currents in an arc discharge in pure metals, 4=29898
- Kesae, I.G. and Levshenkova, L.A. Dependence of the [electric] arc stability on the state of the cathode, 0=16987
- Kesae, I.G. and Levshenkova, L.A. Dependence of the [electric] arc stability on the state of the cathode, 1=4585
- Kesamanly, F.P., Klotyn, E.E., Mal'tsev, Yu. V., Nasledov, D.N. and Ukhanov, Yu. I. Nernst-Ettingshausen and Faraday effects in indium phosphide, 4=30622
- Kesamanly, F.P. See Emel'yanenko, O.V., 0=18075
- Kesamanly, F.P. See Emel'yanenko, O.V., 2=2164
- Kesamanly, F.P. See Emel'yanenko, O.V., 2=18706
- Kesamanly, F.P. See Galavanov, V.V., 4=1613
- Kesamanly, F.P. See Gashimzade, F.M., 1=17736
- Kesamanly, F.P. See Goryunova, N.A., 4=1593
- Kesamanly, F.P. See Goryunova, N.A., 4=30629
- Kesava Murthy, M.J. Studies on sporadic-E relationship with thunderstorms and magnetic disturbances, 3=21059

- Kesava Rao, B. See Lakshminarayana, G., 1=9355
- Kessler, K.G. See McNally, J.R., Jr., 0=7730
- Kessler, F.R. Helicons, a precession of eddy currents, 4=6911
- Kesperis, J. See Mandelkorn, J., 2=10543
- Kessel', A.R. Resonance absorption of ultrasound on nuclei, 0=9850
- Kessel', A.R. A resonance effect of acoustic pulses on a nuclear spin system, 1=3387
- Kessel', A.R. The ultrasonically stimulated spin echo effect, 2=4292
- Kessel', A.R. Classical theory of nuclear acoustic resonance, 2=18973
- Kessel', A.R. The theory of the spin echo, 2=23717
- Kessel', A.R. Effect of motion on acoustic resonance, 3=16706
- Kessel', A.R. Nuclear acoustic resonance absorption in metals, 3=20088
- Kessel', A.R. Quantum theory of transient processes in paramagnetic resonance (effective spin 1, equidistant spectrum) [in crystals], 4=10310
- Kessel', A.R. and Kopvillem, U.Kh. A quantum counter of phonons, 3=15424
- Kessel', A.R. and Kopvillem, U.Kh. Theory of two-quantum magnetoacoustic transitions, 4=1390
- Kessel', A.R. and Morocha, A.K. Equations of motion for the effective spin, 3=20667
- Kessel', A.R. and Morocha, A.K. Electrical quadrupole induction effect in electron resonance, 4=1306
- Kessel', A.R. and Ovchinnikov, I.V. Effect of electric dipole induction in electron resonance, 4=1863
- Kesseler, G. and Schlier, C. Bubble density measurement in a diethyl ether bubble chamber, 1=409
- Kessel'man, P.M. Equation of state and thermodynamic properties of oxygen, 4=2723
- Kessel'man, P.M. See Kazavchinskii, Ya.Z., 2=11411
- Kesselring, P. High-sensitivity coaxial bridge for spin resonances in the metre wavelength region, 3=7724
- Kesselring, P., Herlach, F., Itschner, D. and Winteler, H.R. Possibilities of improving methods in quadrupole resonance, 1=10797
- Kessemeier, H. See Dreitlein, J., 1=11493
- Kessenikh, A.V. The Overhauser effect and the electron paramagnetic resonance "secondary signal", 1=14618
- Kessenikh, A.V. Concerning the effect of spin diffusion on the dynamic polarization of nuclear spins, 2=10713
- Kessenikh, A.V. An apparatus for observing the Overhauser effect, 2=17974
- Kessenikh, A.V. The use of methylchlorosilane for determining the resolution of N.M.R. spectrometers, 3=19471
- Kessenikh, A.V., Lushchikov, V.I., Manenkov, A.A. and Taran, Yu.V. Relaxation and dynamic polarization of protons in polyethylenes, 3=20064
- Kessenikh, A.V., Lushchikov, V.I., Manenkov, A.A. and Taran, Yu.V. Proton polarization in irradiated polyethylenes, 4=1899
- Kessenikh, A.V. and Manenkov, A.A. Dynamic polarization of nuclei on saturation of nonuniformly broadened lines of electron paramagnetic resonance, 3=18146
- Kessler, A., Mariani, E. and Paulíny-Tothová, V. The diffusion coefficient of zinc in NaCl crystals, 4=12803
- Kessler, B. See Dayhoff, E.S., 2=15727
- Kessler, D. See Alexander, G., 0=15438
- Kessler, D. See Avni, A., 4=30304
- Kessler, D. See Eisenberg, Y., 0=20219
- Kessler, D. See Eisenberg, Y., 1=9921
- Kessler, D. See Eisenberg, Y., 1=12269
- Kessler, D. See Eisenberg, Y., 1=16866
- Kessler, D. See Eisenberg, Y., 2=319
- Kessler, D. See Eisenberg, Y., 2=22632
- Kessler, D. See Eisenberg, Y., 3=15310
- Kessler, D. See Eisenberg, Y., 3=17547
- Kessler, F.R. The reduction of optical reflection by coating germanium photoresistors, without increasing the rate of surface recombination, 1=10068
- Kessler, F.R. Intraband transitions as free carrier absorption mechanism in semiconductors. I., 4=22831
- Kessler, F.R. Intraband transitions as absorption mechanism of free charge carriers in semiconductors. II., 4=30617
- Kessler, F.R. and Bodinet, E. Transversal arrangement for the determination of the Faraday rotation in semiconductors by means of large aperture, without analyser, from intensity measurement, 2=8490
- Kessler, F.R. and Hauser, H. Mercury emission lines for monochromator calibration in the near infrared, 4=24372
- Kessler, F.R. and Metzger, H.J. Infrared structure analysis of microperiodic impurity inhomogeneities in InSb, 3=22762
- Kessler, F.R. and Sutter, E. Infrared absorption of free carriers for nonparabolic band structures for the example InSb, 2=8536
- Kessler, F.R. and Sutter, E. Contribution to the question of infrared absorption by free carriers in selenium, 3=13188
- Kessler, G. See Kriegsmann, H., 1=833
- Kessler, H.C., Jr. Equivalent Eulerian boundary conditions for finite-amplitude piston radiation, 3=5496
- Kessler, H.C., Jr. Extension of the concept of equivalent Eulerian boundary conditions, 3=21464
- Kessler, J. On the electron optics of electrostatic accelerators in the relativistic region, 2=7666
- Kessler, J. Double scattering experiment with integration over azimuthal angles, 2=7836
- Kessler, J. Results on small-angle scattering of electrons in gases, 4=30393
- Kessler, J. and Lindner, H. Measurement of interference by the scattering of slow electrons by mercury atoms, 4=30392
- Kessler, J. and Ulmer, K. The interpretation of the structure of the tungsten bremsstrahlung-isochromat at the short-wave limit, 0=20593
- Kessler, J. See Fink, M., 3=12256
- Kessler, J. See Fink, M., 3=16984
- Kessler, J. See Jost, K., 4=887
- Kessler, J.O. and Moore, A.R. Measurement of photomagnetic susceptibility by means of a vibrating reed balance, 2=9674
- Kessler, J.O. and Moore, A.R. Long range energy transport and light generated magnetic susceptibility in germanium, 3=3082
- Kessler, J.O., Tompkins, B.E. and Blanc, J. Variable-characteristics p-n-junction devices based on reversible ion drift, 3=20349
- Kessler, J.O. See Harries, W.L., 4=16514
- Kessler, J.O. See Moore, A.R., 0=7929
- Kessler, J.O. See Moore, A.R., 4=4027
- Kessler, J.O. See Sinclair, R.M., 3=19269
- Kessler, J.O. See Yoshikawa, S., 3=19268
- Kessler, K.G. Analysis of the first spectrum of ruthenium (Ru I), 0=7729
- Kessler, K.G. See Barger, R.L., 0=5168
- Kessler, K.G. See Barger, R.L., 0=10758
- Kessler, F.G. See Barger, R.L., 1=10464
- Kessler, K.G. See Bass, A.M., 0=159
- Kessler, K.G. See Madden, R.P., 3=9591
- Kessler, K.G. See Schweitzer, W.G., Jr., 4=6478
- Kessler, M.P. See Jacquemin, A., 2=5700
- Kessler, P. Application of the Weizsäcker-Williams method to muon inelastic scattering, 0=365
- Kessler, P. The method of quasi-real processes in quantum electrodynamics, 0=1240
- Kessler, P. Calculation of the bremsstrahlung radiation from an extremely relativistic particle by the method of quasi-real processes, 0=1266
- Kessler, P. Extension of the method of quasi-real processes, 0=7277
- Kessler, P. Applications of the method of quasi real process, 0=7278
- Kessler, P. The method of quasi-real processes in quantum electrodynamics, 0=12816
- Kessler, P. A simplified method of calculation for relativistic processes in quantum electrodynamics, 0=20021
- Kessler, P. Extension of the method of quasi-real processes to boson-photon interactions, 1=7224
- Kessler, P. Application of the method of real quasi-processes to internal pair production, 1=7220
- Kessler, P. Comparison between the kinematics of the elastic scattering of μ -mesons and of electrons, 1=16756
- Kessler, P. Kinematic study of the electro-production of π -mesons, 1=19238
- Kessler, P. The method of quasi-real processes in high energy physics, 2=18055
- Kessler, P. Experimental applications of the method of quasi-real processes, 3=2193
- Kessler, P. On an experimental possibility of comparing muons and electrons at very high energy, 3=22157
- Kessler, P. and Jacquemin, A. A possible extension of the method of quasi-real processes to meson theory, 1=13354
- Kessler, P. See Abillon, J.M., 1=16835
- Kessler, P. See Abillon, J.M., 4=25126
- Kessler, P. See Bhattacharya, A., 4=30243
- Kessler, T. See Reichardt, H., 3=16798

- Kessler, W. and Jecht, U. A new procedure for quantitative photoelectric emission spectrum analysis, 4=29239
- Kessler, W. See Coetzer, F.J., 4=4724
- Kessler, W. See Jecht, U., 4=11547
- Kessler, W.V. See Christian, J.E., 3=6186
- Kestemont, E. See Bellemans, A., 3=2715
- Kesten, H. On the number of self-avoiding walks, 3=18745
- Kesten, H. On the number of self-avoiding walks. II, 4=27082
- Kester, F. L. See Brewer, R. G., 4=12527
- Kester, J.E. and Minardi, J.E. Thermal radiation from a hemispherical source in contact with an infinite Lambert plane, 3=19059
- Kester, T. See Nechtschein, M., 4=20592
- Kestigan, M., Goldsmith, G. J. and Hopkins, M. A high intensity carbon-arc-image furnace and its application to single crystal growth of refractory oxides, 4=20735
- Kestigian, M. See Holloway, W.W., Jr., 3=23102
- Kestigian, M. See Holloway, W.W., Jr., 4=10219
- Kestigian, M. See Kedzie, R.W., 4=4409
- Kestigian, M. See Kedzie, F.W., 4=20620
- Kestin, J. On intersecting isentropics, 1=8267
- Kestin, J. and Leidenfrost, W. The viscosity of helium, 0=8673
- Kestin, J. and Leidenfrost, W. The effect of pressure on the viscosity of N_2 - CO_2 mixtures, 0=8676
- Kestin, J. and Leidenfrost, W. An absolute determination of the viscosity of eleven gases over a range of pressures, 0=16723
- Kestin, J., Leidenfrost, W. and Liu, C.Y. On relative measurements of the viscosity of gases by the oscillating-disk method, 0=16722
- Kestin, J., Maeder, P.F. and Wang, H.E. Influence of turbulence on the transfer of heat from plates with and without a pressure gradient, 2=7425
- Kestin, J. and Nagashima, A. Viscosity of the isotopes of hydrogen and their intermolecular force potentials, 4=18243
- Kestin, J. and Nagashima, A. Viscosity of neon-helium and neon-argon mixtures at 20° and 30°C, 4=21177
- Kestin, J. and Newell, G.F. Theory of oscillation type viscometer: The oscillating cup. I, 0=16667
- Kestin, J. and Persen, L.N. Application of Schmidt's method to the calculation of Spalding's function and of the skin-friction coefficient in turbulent flow, 2=15770
- Kestin, J. and Persen, L.N. The effect of a standing sound field on a slow stream discharged from a porous wall, 3=23833
- Kestin, J. and Richardson, P.D. Heat transfer across turbulent incompressible boundary layers, 3=11968
- Kestin, J. and Wang, H.E. The viscosity of superheated steam up to 270°C, 1=6876
- Kestin, J. and Whitelaw, J.H. A relative determination of the viscosity of several gases by the oscillating disk method, 3=14189
- Kestin, J., Whitelaw, J. H. and Zien, T. F. The viscosity of carbon dioxide in the neighbourhood of the critical point, 4=8243
- Kestin, J. See Gardner, G.O., 3=11970
- Kestin, J. See Iwasaki, H., 4=8242
- Kestin, J. See Iwasaki, H., 4=18242
- Kestkheli, L. See Dezhi, I., 4=28330
- Kestner, N.R. Obtaining Hartree-Fock orbitals from a many-electron trial wavefunction, 4=1202
- Kestner, N.R. and Sinanoğlu, O. Study of electron correlation in helium-like systems using an exactly soluble model, 3=4703
- Kestner, N.R. and Sinanoğlu, O. Effective intermolecular pair potentials in nonpolar media, 3=12880
- Keszkheli, L. See Berkesh, I., 4=9510
- Keszthelyi, L., Berkes, I., Demeter, I. and Fodor, I. Energy dependence of the cross section of the nuclear reaction $O^{16}(\gamma, n)O^{15}$, 1=5896
- Keszthelyi, L., Berkes, I., Demeter, I. and Fodor, I. Detection of high energy γ -rays by plastic phosphors, 2=5518
- Keszthelyi, L., Berkes, I., Demeter, I. and Fodor, I. Resonance in $F^{19} + p$ reactions at 224 and 340 keV proton energies, 2=5910
- Keszthelyi, L., Berkes, I., Demeter, I. and Fodor, I. Absolute measurement of the number of γ -quanta, 4=876
- Keszthelyi, L., Berkes, I., Dézsi, I., Molnár, B. and Pócs, L. Measurement of the g-factor of the 412 KeV state in Hg^{198} , 4=15170
- Keszthelyi, L. See Berkes, I., 2=11826
- Keszthelyi, L. See Berkes, I., 3=6242
- Keszthelyi, L. See Berkes, I., 3=15193
- Ketelaar, J. A. A. Cohesion of liquid mixtures, 4=27153
- Ketelaar, J. A. A. and Honig, E. P. Ionic mobilities and tracer diffusion coefficients of alkali ions in fused alkali nitrates, 4=27166
- Ketelaar, J.A.A. and Rettschnick, R.P.H. Simultaneous infrared absorption involving rotational transitions of H_2 , 2=3742
- Ketelaar, J.A.A. and Rettschnick, R.P.H. Induced infrared absorption in the spectral region of the first overtone of hydrogen, 3=9512
- Ketelaar, J. A. A. and Rettschnick, R. P. H. The quadrupole moment of nitrogen deduced from the pressure-induced rotational spectrum of nitrogen, 4=9717
- Ketelaar, J.A.A. See Colpa, J.P., 0=493
- Ketelaar, J.A.A. See Colpa, J.P., 0=7749
- Ketelle, B.H. and Brosi, A.R. Radioactive decay of Dy^{149} , 0=1378
- Ketelle, B.H. See Brosi, A.R., 2=16348
- Ketiladze, G.D. See Almanov, G.A., 3=20657
- Ketler, W. and Neuwirth, W. Mössbauer effect of Fe^{57} in various compounds at different temperatures, 4=12609
- Ketola, P. See Hovi, V., 1=14390
- Ketola, P. See Hovi, V., 2=4067
- Ketola, P. See Hovi, V., 4=17580
- Ketova, V.P. and Pavlov, V.A. The effect of elastic vibrations on the internal friction in an alloy of aluminium and 20% magnesium at low temperatures, 1=10208
- Ketskemény, I. On the sensitized fluorescence of mixed solutions, 0=6807
- Ketskemény, I. Intermolecular energy transfer in fluorescent solutions, 2=21915
- Ketskemény, I. Kirchhoff's law for the case of strongly absorbing media, 3=9653
- Ketskemény, I., Dombi, J., Hevesi, J., Horvai, R. and Kozma, L. Experimental proof of the Wawilow [Vavilov] law for the case fluorescent solutions, 2=13346
- Ketskemény, I., Dombi, J. and Horvai, R. The connection of the absorption and fluorescence spectra of solutions, 1=18411
- Ketskemény, I., Dombi, J. and Horvai, R. Fluorescence emission, absorption and temperature radiation of solutions, 2=1156
- Ketskemény, I., Dombi, J. and Horvai, R. Fluorescence, absorption and temperature radiation of solutions, 3=1695
- Ketskemény, I., Gargya, L. and Salkovits, E. A new photoelectric apparatus for the investigation of fluorescence polarization, 1=8128
- Ketskemény, I. See Budó, A., 1=8129
- Ketskemény, I. See Budó, A., 0=10672
- Ketskemény, I. See Budó, A., 0=14661
- Ketskemény, I. See Budó, A., 3=3806
- Kettel, F. See Gerthsen, P., 4=30532
- Ketteringham, J. M. and Barrow, R. F. Rotational analysis of an ultra-violet system of S_2 , 4=9728
- Ketteringham, J.M. See Barrow, R.F., 3=10525
- Ketterson, J. and Eckstein, Y. De Haas-Shubnikov effect in antimony, 4=6945
- Ketterson, J.B. Ultrasonic attenuation in antimony. II. De Haas-Van Alphen oscillations, 3=4818
- Ketterson, J. B. See Eckstein, Y., 4=25846
- Kettunen, P. O. Influence of ageing processes on the fatigue limit of a body-centred-cubic iron, 4=13417
- Ketzlach, N. Nuclear safety of iron-encased fuel elements, 0=15626
- Keulegan, G.E. See Carpenter, L.F., 0=19079
- Keuning, R. Simple high-resolution nuclear resonance spectrometer, 0=15178
- Keussler, V.v. See Dold, B., 3=20433
- Keutel, M. See Meyer, K., 2=4352
- Keutel, M. See Meyer, K., 2=12861
- Keutel, M. See Meyer, K., 3=8785
- Kevan, L. and Libby, W.F. Chemistry of positive ions. II. Ion-molecule reactions on radiolysis of n-hexane at low temperatures, 3=6927
- Kevan, L. and Libby, W.F. Chemistry of positive ions. III. The radiation chemistry of solid n-hexane at 77°K, 3=25838
- Kevan, L., Moorthy, P. N. and Weiss, J. J. Formation of electrons and of atomic hydrogen in γ -irradiated ice, 4=4715
- Kevane, C.J. On antimatter and cosmology, 1=5128
- Kevane, C.J. Oxygen vacancies and electrical conduction in metal oxides, 4=12860
- Kevane, C.J., Holverson, E.L. and Watson, R.D. Electrolytic conduction in calcium-doped solid cerium oxide, 3=17870
- Kevers, H. The theory of the magnetic compression of cylindrically symmetrical plasmas, 2=11654

- Kever, H. Theory of dynamical behaviour of plasmas with internal magnetic fields during magnetic compression: comparison with experiments, 3=12167
- Kever, H. See Beerwald, H., 2=15909
- Kever, H. See Beerwald, H., 3=12164
- Kever, H. See Jordan, H.L., 0=19664
- Kevorkian, H.K. See Passaglia, E., 3=10597
- Kevorkian, J. Uniformly valid asymptotic representation for all times of the motion of a satellite in the vicinity of the smaller body in the restricted three-body problem, 2=13091
- Kevorkian, J. See Lagerstrom, P.A., 3=11493
- Kevorkian, J. See Lagerstrom, P.A., 3=25991
- Kewley, R., Sastry, K. V. L. N. and Winnewisser, M. Microwave and millimeter wave spectra of hydrazoic acid, 4=20067
- Kewley, R., Sastry, K. V. L. N., Winnewisser, M. and Gordy, W. Millimeter wave spectroscopy of unstable molecular species. I. Carbon monosulfide, 4=6561
- Key, A. W., Lokanathan, S. and Prakash, Y. On the analysis of mesonic hyperfragments produced by 1.5 GeV/cK interactions, 4=21992
- Key, A. W. See Ismail, A. Z. M., 2=18247
- Key, A. W. See Ismail, A. Z. M., 3=10228
- Key, A. W. See Ismail, A. Z. M., 3=22274
- Key, A. W. See Ismail, A. Z. M., 4=3546
- Key, A. W. See Kenyon, I. R., 3=17270
- Key, A. W. See Kenyon, I. R., 4=9363
- Keyes, F. G. The second virial coefficient for steam, 2=15636
- Keyes, F. G. and Vines, R. G. The thermal conductivity of steam, 4=8248
- Keyes, R. J. and Quist, T. M. Recombination radiation emitted by gallium arsenide, 2=23393
- Keyes, R. J. and Quist, T. M. Injection luminescent pumping of $\text{CaF}_2: \text{U}^{3+}$ with GaAs diode lasers, 4=14942
- Keyes, R. J. See Lax, B., 0=20968
- Keyes, R. J. See Lax, B., 1=7570
- Keyes, R. J. See Phelan, R. J., 4=8990
- Keyes, R. J. See Quist, T. M., 3=9971
- Keyes, R. T. See Bauer, A., 1=12915
- Keyes, R. T. See Cook, M. A., 0=1133
- Keyes, R. T. See Cook, M. A., 3=1751
- Keyes, R. W. Volumes of activation. II. Pressure dependence of activation parameters, 0=6060
- Keyes, R. W. Low-temperature thermal resistance of N-type germanium, 1=8887
- Keyes, R. W. Hydrogen-like impurity states in axially symmetric crystals, 1=17442
- Keyes, R. W. Trends in the lattice "combination bands" of zinc blende-type semiconductors, 2=16591
- Keyes, R. W. Elastic properties of diamond-type semiconductors, 3=1214
- Keyes, R. W. The thermal conductivity of molecular crystals, 4=28379
- Keyes, R. W. and Pollak, M. Effects of hydrostatic pressure on the piezoresistance of semiconductors: I-InSn, P-Ge, P-InSb, and N-GaSb, 0=9977
- Keyes, R. W. and Price, P. J. Additional spin resonance spectrum in antimony-doped germanium, 1=3930
- Keyes, R. W. and Sladek, R. J. Piezo-thermal conductivity effect in germanium, 2=3854
- Keyes, R. W. See Adams, E. N., 2=16682
- Keyes, R. W. See Bruner, L. J., 1=14846
- Keyes, R. W. See Pomerantz, M., 3=4811
- Keyes, R. W. See Sladek, R. J., 1=7640
- Keyes, R. W. See Sladek, R. J., 2=23317
- Keyes, R. W. See Walker, E. J., 4=20238
- Keys, J. D. Diffusion of silver into bismuth telluride, 2=18607
- Keys, J. D. The use of a pulse-height analyser as a curve plotter, 3=9392
- Keys, J. D. and Dutton, H. M. Diffusion and solid solubility of silver in single-crystal bismuth telluride, 3=12998
- Keys, J. D. and Dutton, H. M. Diffusion and solid solubility of gold in single-crystal bismuth telluride, 3=17781
- Keyston, J. R. G. See Brewer, D. F., 1=18888
- Keyston, J. R. G. See Brewer, D. F., 2=15833
- Keyston, J. R. G. See Brewer, D. F., 4=14482
- Keywell, F. and Dorosheski, G. Measurement of the sheet resistivity of a square wafer with a square four-point probe, 0=15898
- Keywell, F. See Friedland, S. S., 0=5630
- Khaav, A. A. Electron diffraction study of the influence of gases on the structure of sublimated layers of alkali halide salts, 2=23819
- Khabakhnasheva, E. M. See Novikov, I. I., 0=3526
- Khabakhpashev, A. G. The spectrum of neutrons from a Po- α -O source, 2=1688
- Khabakhpashev, A. G. A scintillation spectrometer for fast neutrons, 4=15075
- Khabakhpashev, A. G. and Tsenter, E. M. Measurement of the lifetime of the first excited state of Ne^{21} , 0=11333
- Khabakhpashev, A. G. See Onuchin, A. P., 4=3245
- Khabakhpashev, A. G. See Tsenter, E. M., 0=13207
- Khabakov, A. V. The nature of some characteristic details on the chart of the reverse side of the moon, 2=17249
- Khabakov, A. V. The nature of some characteristic details on the chart of the reverse side of the moon, 3=9176
- Khabarov, E. N. Remarks on the article of P. V. Gul'tyaev and A. V. Petrov "specific heat of some semiconductors", 4=12638
- Khabarov, E. N. and Sharavskii, P. V. Investigation of the properties of limited solid solutions of InSb-CdTe, 4=20373
- Khabbaz, R. See Crandall, H., 4=26465
- Khabibullae, P. K. See Belinskii, B. A., 4=27174
- Khabibullin, B. M. Inelastic magnetic scattering of slow neutrons in metallic cerium, 1=6345
- Khabibullin, B. M. Inelastic magnetic scattering of slow neutrons by phonons, 1=19706
- Khabibullin, B. M. Effect of the spin-phonon interaction on the magnetic properties of paramagnetic substances, 2=18889
- Khabibullin, B. M. Effect of the spin-phonon interaction on the magnetic properties of paramagnetic substances, 2=21293
- Khabibullin, B. M. Influence of spin-phonon interactions in paramagnetic materials on the energy distribution of scattered neutrons, 2=21377
- Khabibullin, B. M. Effect of spin-spin interaction on scattering of neutrons in a paramagnetic, 2=23638
- Khabibullin, B. M. Scattering of slow neutrons by the spin system of a paramagnetic, 2=23639
- Khabibullin, B. M. Effect of spin-spin interaction on scattering of neutrons in a paramagnetic, 3=6694
- Khabibullin, B. M. Scattering of slow neutrons by the spin system of a paramagnetic, 3=6695
- Khabibullin, B. M. See Kopvillem, U. Kh., 4=3248
- Khabibullina, E. M. See Asimov, S. A., 2=9845
- Khabibullina, E. M. See Azimov, S. A., 3=6007
- Khachatryan, B. V. Radiation from cylindrical bunches [of electrons] in a non-uniform medium, 4=19190
- Khachatryan, B. V. See Ter-Mikaelyan, M. L., 0=2142
- Khachatryan, Yu. M. See Sirota, N. N., 4=7288
- Khachatryan, A. G. Theory of X-ray scattering from mosaic crystals, 0=13982
- Khachatryan, A. G. Influence of the size distribution of mosaic blocks on X-ray scattering, 1=4039
- Khachatryan, A. G. The interaction between charge carriers and lattice vibrations in an anisotropic crystal, 2=8163
- Khachatryan, A. G. Application of the method of two-time green functions to the problem of ordering alloys, 3=11292
- Khachatryan, A. G. Nonlinear integral equations and their application to the problem of orderable alloys, 3=18347
- Khachatryan, A. G. Application of the Green's functions method to the thermodynamics of interstitial solutions, 3=18362
- Khachatryan, A. G. The problem of determining the elastic energy of pair interactions of impurity atoms in a crystal lattice, 3=20168
- Khachatryan, A. G. Nonlinear equations of integral type and their application to the study of the crystal symmetries of interstitial solutions, 3=25271
- Khachatryan, A. G. Application of the Green's function method to the analysis of magnetic lattices, 4=1793
- Khachatryan, M. N. and Pantuev, V. S. The total neutron-neutron cross-section at 8.3 BeV, 4=3412
- Khachatryan, M. N. and Pantuev, V. S. Total neutron-proton interaction cross section at 5.5 GeV, 4=9206
- Khachatryan, M. N. and Pantuev, V. S. Total cross-section for interaction between neutrons and protons at 5.5 BeV, 4=9207
- Khachatryan, M. N. See Bekker, B. I., 4=6337
- Khachatryan, M. N. See Bekker, B. I., 4=19717
- Khachatryan, M. N. See Dunaitsev, A. F., 3=24769
- Khachatryan, M. N. See Ozhdyan, L., 2=9841
- Khachatryan, M. N. See Ozhdyan, L., 2=20217
- Khachatryan, M. N. See Ozhdyan, L., 3=6004
- Khachatryan, M. N. See Ozhdyan, L., 3=24338
- Khachatryan, M. N. See Ozhdyan, L., 3=24549
- Khachatryan, M. N. See Pantuev, V. S., 2=16416
- Khachatryan, M. N. See Pantuev, V. S., 3=6257

- Khachatryan, M. N. See Pantuev, V. S., 4=15037
 Khachatryan, M. N. See Pantuev, V. S., 4=30122
 Khachkuruzov, G. A. Determination of corrections for non-rigidity in calculation of higher rotational levels of asymmetric-top molecules, 1=4929
 Khadim, A. H. K. and Nawab, M. A. Kinetic energy correction term in capillary viscometers, 3=109
 Khadzi, P. I. See Moskalenko, S. A., 3=20142
 Khadzhimukhamedov, Kh. Kh. See Arifov, U. A., 0=7167
 Khadzhimukhamedov, Kh. Kh. See Arifov, U. A., 0=19808
 Khadzhimukhamedov, Kh. Kh. See Arifov, U. A., 4=8845
 Khai, D. M. See Berlovich, E. E., 2=18258
 Khaikin, A. S. See Markov, M. N., 1=3812
 Khaikin, A. S. See Vil'ner, L. D., 3=262
 Khaikin, M. S. Cyclotron resonance in tin, 0=11616
 Khaikin, M. S. The problem of cyclotron resonance in tin, 0=17918
 Khaikin, M. S. The oscillatory dependence of the surface resistance of a metal on a weak magnetic field, 0=20874
 Khaikin, M. S. Paramagnetic resonance in monocrystalline tin, 0=21079
 Khaikin, M. S. Direct measurement of the momentum of conductivity electrons in a metal, 2=3865
 Khaikin, M. S. Investigation of the Fermi surface in tin by the cyclotron resonance technique, 2=8188
 Khaikin, M. S. A frequency modulation method for studying the surface impedance of metals, 2=10432
 Khaikin, M. S. An oscillator based on a travelling-wave tube and stabilized by a superconducting cavity, 2=20134
 Khaikin, M. S. Method of frequency modulation for the study of the surface resistance of metals, 2=21100
 Khaikin, M. S. Investigation of the shape of a cross-section of the Fermi surface of tin, 2=22525
 Khaikin, M. S. Direct measurement of the momentum of conductivity electrons in a metal, 3=4835
 Khaikin, M. S. Investigation of the Fermi surface in tin by the cyclotron resonance technique, 3=6493
 Khaikin, M. S. Investigation of the shape of a cross-section of the Fermi surface of tin, 3=8403
 Khaikin, M. S., Edel'man, V. S. and Mina, R. T. Standing magneto-plasma waves in single crystals of bismuth, 4=4029
 Khaikin, M. S., Fal'kovskii, L. A., Edel'man, V. S. and Mina, R. T. Properties of magnetoplasma waves in bismuth single crystals, 4=9927
 Khaikin, M. S. and Mina, R. T. Investigation of the Fermi surface in lead by the cyclotron resonance technique, 2=8189
 Khaikin, M. S. and Mina, R. T. Investigation of the Fermi surface in lead by the cyclotron resonance technique, 3=6494
 Khaikin, M. S., Mina, R. T. and Edel'man, V. S. Cyclotron resonance and quantum oscillations of the surface resistance of bismuth, 3=17697
 Khaikin, M. S. See Edel'man, V. S., 4=6811
 Khaikin, M. S. See Mina, R. T., 4=6794
 Khaikin, S. E. and Kaidanovskii, N. L. A new radio telescope of high resolving power, 1=2643
 Khaikin, S. E. See Korol'kov, D. V., 3=16426
 Khaikina, R. M. See Ust'yanov, V. I., 0=16320
 Khaikovich, I. M. and Khalfin, L. A. The effective dynamical parameters of inhomogeneous elastic media during the propagation of plane longitudinal waves, 0=987
 Khaikovich, I. M. and Khalfin, L. A. The effective dynamic parameters of non-uniform media during propagation of sound waves, 0=988
 Khaimov-Mal'kov, V. Ya. The growth of crystals in systems containing impurities, 0=12004
 Khaimov-Mal'kov, V. Ya. The growth of crystals in porous media, 0=13946
 Khaimov-Mal'kov, V. Ya., Bagdasarov, Kh. S. and Akulenok, E. M. Relation of emission pattern for a ruby laser to defects in the crystal, 4=24931
 Khaimov-Mal'kov, V. Ya. and Perl'shtein, V. A. The effects of a temperature gradient in the oven on the impurity distribution in the growing crystal, 1=20421
 Khaimov-Mal'kov, V. Ya., Zhmurova, Z. I., Bagdasarov, Kh. S. and Akulyonok, E. M. Sectorial growth of crystals, 3=20785
 Khaimov-Mal'kov, V. Ya. See Gvaladze, T. V., 4=20468
 Khaimov-Mal'kov, V. Ya. See Manenkov, A. A., 3=20048
 Khaimov-Mal'kov, V. Ya. See Zhmurova, Z. I., 4=29062
 Khainatskii, S. S. See Dalkhsuren, B., 3=8048
 Khait, Yu. L. The kinetics of ionic conductivity and electrical polarization in solids, 0=18086
 Khait, Yu. L. See Finkel'shtein, B. N., 2=21007
 Khait, Yu. L. See Finkel'shtein, B. N., 2=23166
 Khait, Yu. L. See Roginskii, S. Z., 0=10346
 Khait, Yu. L. See Roginskii, S. Z., 4=9981
 Khakhaev, A. D. See Kagan, Yu. M., 3=24238
 Khakhaev, A. D. See Kagan, Yu. M., 4=5570
 Khakhaev, A. D. See Kagan, Yu. M., 4=14598
 Khakhaev, A. D. See Vagner, S. D., 2=164
 Khakimov, F. Kh. See Vlasov, A. A., 4=23792
 Khakimov, S. Kh. See Gurevich, I. I., 4=30246
 Khalatnikov, I. See Andreev, A., 4=381
 Khalatnikov, I. M. The influence of anisotropy on the thermal conductivity of superconductors, 0=10844
 Khalatnikov, I. M. Absorption of sound in liquid He II below 0.6°K, 4=2908
 Khalatnikov, I. M., Lifshitz, E. M. and Sudakov, V. V. Singularities of the cosmological solutions of gravitational equations, 1=7976
 Khalatnikov, I. M. See Abrikosov, A. A., 0=8930
 Khalatnikov, I. M. See Abrikosov, A. A., 1=16735
 Khalatnikov, I. M. See Abrikosov, A. A., 2=22471
 Khalatnikov, I. M. See Bekarevich, I. L., 1=18692
 Khalatnikov, I. M. See Bekarevich, I. L., 1=18695
 Khalatnikov, I. M. See Kemoklidze, M. P., 4=18513
 Khalatnikov, I. M. See Lifshitz, E. M., 1=4244
 Khalatnikov, I. M. See Lifshitz, E. M., 0=18914
 Khalatnikov, I. M. See Lifshitz, E. M., 2=12
 Khalatnikov, I. M. See Lifshitz, E. M., 3=3724
 Khalatnikov, I. M. See Lifshitz, E. M., 3=23661
 Khalatnikov, I. M. See Patashinsky, A. Z., 4=860
 Khalatnikov, I. M. See Patashinskii, A. Z., 4=3347
 Khalatnikov, I. M. See Patashinskii, A. Z., 4=5969
 Khalatnikov, I. M. See Patashinskii, A. Z., 4=8076
 Khalatnikov, I. M. See Pokrovskii, V. L., 2=226
 Khalatnikov, I. M. See Pokrovskii, V. L., 3=4210
 Khaldeeva, I. V. See Andronikashvili, E. L., 3=19731
 Khaldeeva, I. I. See Andronikashvili, E. L., 3=4505
 Khaldin, N. N. See Kondrashev, L. F., 1=3194
 Khaldin, N. N. See Mironov, E. S., 1=5512
 Khalfin, L. A. New dispersion relations in quantum field theory, 0=9300
 Khalfin, L. A. The relationship between the law of decay and the first moment of the distribution of energy, 0=14487
 Khalfin, L. A. On a new form of the dispersion relations, 0=15289
 Khalfin, L. A. A method of measuring time, possible in principle, 0=18891
 Khalfin, L. A. Asymptotic behaviour of the scattering amplitude at infinite energies, 1=16692
 Khalfin, L. A. The influence of inelastic processes on elastic scattering in the vicinity of thresholds for inelastic reaction modes, 1=19142
 Khalfin, L. A. On the quantum theory of unstable elementary particles, 2=3246
 Khalfin, L. A. The supposed relation between the pole position and residue in the pole for the scattering amplitude, 2=3273
 Khalfin, L. A. On the quantum theory of unstable elementary particles, 2=9771
 Khalfin, L. A. The supposed relation between the pole position and residue in the pole for the scattering amplitude, 3=568
 Khalfin, L. A. The hypothesis of Regge poles in quantum field theory and threshold features of inelastic processes, 4=3345
 Khalfin, L. A. See Khaikovich, I. M., 0=987
 Khalfin, L. A. See Khaikovich, I. M., 0=988
 Khalil, R. B. See Elyutin, V. P., 3=25612
 Khalil, S. A. See Wallace, J. D., 1=12705
 Khalilov, A. Kh., Salaev, E. Yu., Mamedov, A. P., Alieva, T. D. and Isaev, F. K. Comprehensive investigation of the optical and thermo-optical properties of polyactivated alkali-halide crystal phosphors, 2=23601
 Khalilov, K. M. Viscometers for studying liquids at temperatures down to -150°C, 2=1118
 Khalilov, Kh. M. Some results of an investigation of the viscosity of organic liquids, 3=21312
 Khalimonova, I. M. Effect of temperature on the intensity of valency vibrations of the C-H bonds of some simple alcohols in the liquid and solid states, 2=22986
 Khalimonova, I. M. See Lisitsya, M. P., 3=21376
 Khalimonova, I. M. See Lisitsya, M. P., 4=15607
 Khalimonova, I. N. On the role of the symmetry of a vibration in the temperature dependence of absorption band intensity, 3=22577
 Khalimonova, I. N. Frequencies and intensities in the infrared spectrum of tolane, 3=25469
 Khalimonova, I. N. See Lisitsa, M. P., 4=4282

- Khalizev, V.I. See Flevov, G.N., 0=7497
 Khalizev, V.I. See Karnaukhov, V.A., 0=9552
 Khalkin, N.N. See Kondrashev, L.F., 4=16163
 Khalkin, V.A. See Abdurazakov, A.A., 3=10307
 Khalkin, V.A. See Kuznetsova, M.Ia., 0=9633
 Khalkin, V.A. See Selinov, I.P., 0=15532
 Khalkin, V.A. See Strigachev, A.T., 3=10302
 Khalkin, V.A. See Van Yun-yui, 0=20436
 Khalkin, V.A. See Van Yun-yui, 1=3461
 Khalkin, V.A. See Zaitseva, N.G., 2=14001
 Khalkin, V.A. See Zaitseva, N.G., 3=15202
 Khalupovskii, M.D. The effect of temperature on the decay of phosphorescence of boron phosphors, 1=10119
 Khalupovskii, M.D. Phosphorescence of organic molecules with two metastable levels, 2=10627
 Khalupovskii, M.D. Temperature effects in boron phosphors, 2=23590
 Khamdros, L.G. See Lobodyuk, V.A., 4=13483
 Khamrui, S.R. On the oscillation of a circular cylinder in a viscous liquid contained in a coaxial circular cylinder, 1=6840
 Khamrui, S.R. On the slow steady rotation of a spheroid of small ellipticity in a viscous liquid, 1=8095
 Khamrui, S.R. On the slow steady motion of an infinite viscous liquid due to the rotation of a cylinder whose cross-section is an ovaloid, 1=18363
 Khan, A.A. Radial distribution functions of fluid argon, 4=14101
 Khan, A.A. See Deshpande, V.T., 3=25202
 Khan, A.M. See Champeney, D.C., 4=31
 Khan, A.M. See Champeney, D.C., 4=11043
 Khan, A.R. See Inman, M.C., 1=20404
 Khan, A.U. and Kasha, M. Red chemiluminescence of molecular oxygen in aqueous solution, 4=5195
 Khan, A.U. See Oster, G., 3=7213
 Khan, B. See Johnson, A.E., 2=14890
 Khan, I.H. On the polymorphism of the thallium halides, 1=1359
 Khan, I.H., Hobson, J.P. and Armstrong, R.A. Reflection and diffraction of slow electrons from single crystals of tungsten, 3=7645
 Khan, I.H. See Blackman, M., 1=6516
 Khan, I.H. See Hobson, J.P., 1=11978
 Khan, J.M., Braslau, N. and Brink, G.O. Hyperfine structure separation and magnetic moment of K^{42} , 4=15134
 Khan, J.M. and Potter, D.L. Characteristic K-Shell X-ray production in magnesium, aluminium, and copper by 60- to 100-keV protons, 4=15586
 Khan, J.M., Potter, D.L. and Worley, R.D. Characteristic X-ray production in the L_{III} shell of copper by low-energy (100- to 500-keV) protons, 4=15586
 Khan, J.M., Potter, D.L. and Worley, R.D. Characteristic X-ray production in the M shell of ^{144}Nd , ^{147}Sm , ^{148}Gd , ^{149}Tb , ^{150}Dy , and ^{157}Ho by 25- to 100-keV protons, 4=25505
 Khan, J.M., Potter, D.L. and Worley, R.D. Characteristic X-ray production in the M_1 shell in ytterbium by 30-100 keV protons, 4=30385
 Khan, J.M. See Braslau, N., 1=12149
 Khan, J.M. See Jopson, R.C., 4=9652
 Khan, K.A. See Israel, W., 4=24052
 Khan, M.A. MgH bands at 2172, 2100 and 2088 Å and MgD bands at 2172, 2358 and 2364 Å, 2=16514
 Khan, M.A. On the T_e values for the $A^2\Pi \rightarrow X^2\Sigma$ state of MgH and MgD bands, 2=18456
 Khan, M.A. A new band in CaH at 2720 Å and discussion of the hydrides of metals of group II, 2=20801
 Khan, M.A. New band systems of ZnH and ZnD in the far ultra-violet regions, 2=20824
 Khan, M.A. The anisotropy of magnetic susceptibility of some igneous and metamorphic rocks, 3=1493
 Khan, M.H. and Huglin, A.S. Effect of plastic deformation on the Hall coefficient in disordered Cu_3Au , 4=22669
 Khan, M.S. AID band at 2187 Å, 2=10262
 Khan, M.Y. See Chaudhri, R.M., 1=18951
 Khan, M.Y. See Chaudhri, R.M., 2=3970
 Khan, N.A. See Barnard, E., 4=12016
 Khan, Q.H. See Homer, R.J., 4=16933
 Khan, S.A. General purpose four-channel differential delay analyser, 4=22939
 Khan, S.A. Simple negative trigger generator, 4=21436
 Khan, W.K. A molecular beam high power meter, 4=5794
 Khan, Y. and Chaudhri, M.M. Emission of ultraviolet radiation from metals under the impact of high energy positive ions, 4=20487
 Khan, Y. See Chaudhri, R.M., 3=7657
 Khan-Magometova, I.D. See Zhevandrov, N.D., 2=10614
 Khan-Magometova, Sh. D. and Radzievskii, G.B. Effect of the β radiation of tritium on the luminescence and the energy transfer processes in anthracene crystals, 4=28751
 Khan-Magometova, Sh.D., Zhevandrov, N.D. and Gribkov, V.I. Effect of β -radiation on the photoluminescence of molecular crystals, 2=16864
 Khan-Magometova, Sh.D. See Gribkov, V.I., 1=20025
 Khan-Magometova, Sh.D. See Gribkov, V.I., 2=16868
 Khan-Magometova, Sh.D. See Zhevandrov, N.D., 3=2691
 Khandel, P. A new approach to the theory of low-frequency noise in semiconductors, 3=20280
 Khandelwal, D.P. See Pant, D.D., 0=3539
 Khandelwal, D.P. See Pant, D.D., 1=14637
 Khandelwal, G.S. and Merzbacher, E. Displacement cross sections for fast electrons incident on gold, 3=15523
 Khanderek, Ya. I. On the problem of electret polarity reversal, 4=10117
 Khandros, L.G. See Arbuzova, I.A., 2=23824
 Khandros, L.G. See Arbuzova, I.A., 4=20702
 Khandros, L.G. See Kurdyumov, G.V., 2=2396
 Khandros, L.G. See Kurdyumov, H.V., 1=15127
 Khandros, L.H. See Týtov, P.V., 4=7491
 Khangilidin, U.V. Characteristics of active solar regions from observations in the millimeter diapason, 4=23941
 Khanin, Ya.I. See Aleksandrov, A.P., 1=1238
 Khanin, Ya.I. See Fain, V.M., 2=1587
 Khanin, Ya.I. See Fain, V.M., 2=3162
 Khanin, Ya.I. See Fain, V.M., 2=22329
 Khanin, Ya.I. See Fain, V.M., 3=2141
 Khankina, S.I. See Bass, F.G., 3=14746
 Khanna, B.N. Emission spectrum of chlorine excited in the presence of argon. II. The band system in the region 2365-2239 Å, 0=20616
 Khanna, B.N. The emission spectrum of bismuth monochloride molecule: the rotational structure and the electronic transition of the band system 6170-4220 Å, 1=7475
 Khanna, B.N. See Peck, E.R., 2=7343
 Khanna, B.N. See Peck, E.R., 2=10207
 Khanna, B.N. See Perry, C.H., 4=26184
 Khanna, B.N. See Venkateswarlu, P., 0=20615
 Khanna, B.N. See Venkateswarlu, P., 1=14039
 Khanna, F.C. and Rohrlach, F. Gauge invariance and integration rules, 3=24585
 Khanna, F.C. and Tang, Y.C. Neutron strength functions in a surface absorption optical model, 0=7448
 Khanna, F.C., Tang, Y.C. and Wildermuth, K. Li^8 plus neutron configuration in Li^7 , 1=16986
 Khanna, F.C. See Tang, Y.C., 2=16290
 Khanna, F.C. See Wildermuth, K., 2=1763
 Khanna, K.M. On superfluidity and phase transition in atomic nucleus, 4=9349
 Khanna, R.K. Infrared spectra of strontium, barium and lead nitrates, 2=6580
 Khanna, R.K. Polarized infrared spectrum and specific heat of sodium nitrate, 2=8535
 Khanna, R.K. Force constants and thermodynamic functions of iodine heptafluoride, 2=12310
 Khanna, R.K. Molecular structure, force constants and thermodynamic quantities of iodine and bromine pentafluorides, 3=2631
 Khanna, S.M. See Bhawalkar, D.R., 1=6130
 Khansevarov, R.Yu. Investigation of the impurity photoconductivity in germanium irradiated with fast electrons, 4=10128
 Khansevarov, R.Yu. See Rývkin, S.M., 1=6177
 Khansevarov, R.Yu. See Rývkin, S.M., 1=12456
 Khansevarov, R.Yu. See Rývkin, S.M., 1=19905
 Khansevarov, R.Yu. See Rývkin, S.M., 2=8436
 Khansevarov, R.Yu. See Vitovskii, N.A., 4=25984
 Khantadze, D.V. Calculating the volume of a stationary drop, 4=21005
 Khantadze, D.V. See Tabadze, F.N., 4=132
 Khao Bai Lin'. See Hao Pai Lin.
 Khapachev, A.G. See Zakharov, G.M., 0=11654
 Khapachev, A.G. See Zakharov, G.M., 4=16395
 Khapalyuk, A.P. Theory of singular optic axes, 2=23521
 Khapalyuk, A.P. Circular optic axes in absorbing crystals, 3=23033
 Khapalyuk, A.P., Stepanov, B.I. and Sot'skii, B.A. Electromagnetic field within a plane-parallel layer under self-excitation, 3=5843

- Khechalyuk, A.P. See Stepanov, B.I., 3=9605
- Knapov, V.V. See Gol'danskii, V.I., 3=13977
- Kharadly, M.M.Z. A new millimetre-wave method for determination of electron-density profiles in a linear discharge, 3=19229
- Kharadly, M.M.Z., Howatson, A.M. and Brown, R. Millimetre-wave diagnostics of a pinched linear discharge, 3=19230
- Kharadze, G.A. On the influence of the isobaric state of a nucleon on the electron-neutron interaction, 0=12939
- Kharadze, G.A. Scattering of thermal neutrons by polarized nuclei of the atoms of a ferromagnet, 4=20532
- Kharadzhyia, S. See Dzhurdzhyia, M., 0=16900
- Kharaga, K. See Udrya, I., 2=6044
- Kharaga, K. See Udrya, I., 3=25008
- Kharakhash'yan, E.G. See Golenishchev-Kutuzov, V.A., 4=9840
- Kharakhash'yan, E.G. See Sevast'yanov, B.K., 4=16615
- Kharchenko, I. F. Coherent interaction of an electron beam with a plasma, 4=556
- Kharchenko, I. F. Coherent interaction of an electron beam with a plasma, 4=16508
- Kharchenko, I. F., Fainberg, Ya. B., Kornilov, E. A. and Pedenko, N. S. The excitation of oscillations in a plasma by means of an electron beam, 4=24690
- Kharchenko, I. F., Fainberg, Ya. B., Nikolaev, R. M., Kornilov, E. A., Lutsenko, E. A. and Pedenko, N. S. The interaction between an electron beam and a plasma, 0=12619
- Kharchenko, I. F., Fainberg, Ya. B., Nikolaev, R. M., Kornilov, E. A., Lutsenko, E. A. and Pedenko, N. S. The interaction of an electron beam with a plasma in a magnetic field, 2=11665
- Kharchenko, I. F., Fainberg, Ya. B., Nikolayev, R. M., Kornilov, E. A., Lutsenko, E. I. and Pedenko, N. S. Interaction of an electron beam with a plasma in a magnetic field, 4=8782
- Kharchenko, I. F., Hrishayev, I. A. and Nekrashezich, A. M. Energy and phase characteristics of a linear electron accelerator with the wave phase velocity equal to the velocity of light, 3=21908
- Kharchenko, I. F., Nikolaev, R. M., Nekrashevich, A. M. and Z Zeidlits, P. M. Counter-computer for the investigation of the motion of particles in an electron linear accelerator, 0=5367
- Kharchenko, N. P. See Lisitsya, M. P., 4=15607
- Kharchenko, V. F. Polarization of nuclei in the stripping reaction, 1=19518
- Kharchenko, V. F. The scattering of a nucleon by the bound state of two others, 2=22524
- Kharchenko, V. F. The bound state of three nucleons, 2=22700
- Kharchenko, V. F. Polarization of nuclei in direct nuclear reactions, allowing for spin-orbit interaction, 4=6312
- Kharchenko, V. F. See Sitenko, O. H., 2=5654
- Kharchenko, V. F. See Sitenko, A. H., 3=22353
- Kharchenko, V. F. See Sitenko, A. G., 4=9313
- Kharchenko, V. F. See Sytenko, O. H., 1=13780
- Kharchenko, V. N. See Romanenko, P. N., 3=23919
- Khare, H. C., Wallace, P. R., Bach, G. G. and Chodos, A. Annihilation of positrons in liquid helium and the positron-helium bound state, 4=27833
- Khare, L. R. and Roy, R. R. Ionization chamber technique for studies of excited states and angular correlation of fission fragments, 2=3196
- Khare, P. L. Compressibilities of some electrolyte solutions in relation to their stepwise dissociation, 2=9271
- Khare, P. L. Compressibility of dilute solutions of sulphuric acid, 2=9272
- Khare, P. L. Compressibilities of mixtures of electrolytes, 2=11364
- Khare, S. P. and Moiseiwitsch, B. L. The effect of polarization on the angular distribution of electrons scattered by atoms, 4=25547
- Khare, S. P. and Varsini, Y. P. Modified flammersfeld range energy relation for electrons, 1=7100
- Khare, S. P. See Ghosh, S. N., 2=5377
- Khare, S. P. See Ghosh, S. N., 3=7638
- Kharimonov, Yu. I. See Sliv, L. A., 4=19666
- Kharin, G. V. See Demirkhanov, R. A., 4=14699
- Kharin, G. V. See Demirkhanov, R. A., 4=19100
- Kharitonenko, G. P. See Zaring, K. L., 4=13414
- Kharitonov, A. V. An apparatus for measuring internal friction in solids over the range 20-400 kc/s, 1=20310
- Kharitonov, A. V. Study of the luminescence of a constant-acting phosphor as a function of temperature, 2=708
- Kharitonov, A. V. Torsional ultrasonic concentrators, 2=1230
- Kharitonov, A. V. Torsional ultrasonic concentrators, 2=7289
- Kharitonov, A. V. Free-atmosphere spectrophotometric standards. Energy distribution in the spectra of selected stars in C.G.S. units, 3=16316
- Kharitonov, A. V. The dependence of internal friction in metals on the amplitude of vibration, 4=1912
- Kharitonov, A. V. See Dzhasybekova, E. K., 0=21390
- Kharitonov, A. V. See Merkulov, L. G., 0=998
- Kharitonov, E. V. See Antuf'ev, V. V., 2=21375
- Kharitonov, E. V. See Antun'ev, V. V., 3=3178
- Kharitonov, E. V. See Korovin, L. I., 3=20448
- Kharitonov, E. V. See Korovin, L. I., 4=1731
- Kharitonov, V. M. On the degradation of stellar and cosmic neutrinos, 4=2387
- Kharitonov, V. M. See Karabekov, I. P., 4=16723
- Kharitonov, Yu. I., Sliv, L. A. and Sogomonova, G. A. Pairing forces and pair correlation in Ti^{206} and Bi^{210} , 2=1760
- Kharitonov, Yu. I. See Band, I. M., 2=377
- Kharitonov, Yu. I. See Band, I. M., 2=13998
- Kharitonov, Yu. I. See Band, I. M., 3=640
- Kharitonov, Yu. I. See Band, I. M., 4=21977
- Kharitonov, Yu. I. See Guman, V. N., 2=1759
- Kharitonov, Yu. I. See Sliv, L. A., 0=13137
- Kharitonov, Yu. I. See Sliv, L. A., 1=19326
- Kharitonov, Yu. I. See Sliv, L. A., 3=22311
- Kharitonov, Y. Y. and Buslaev, Y. A. Determination of the force constant of the U-O bond in the UO_3^{+} ion, 3=22575
- Kharitonova, L. A. See Vil'dgrube, G. S., 3=2020
- Kharitonova, L. S. See Geguzin, Ya. E., 3=20214
- Kharitonova, O. K. See Antuf'ev, V. V., 2=21375
- Kharitonova, O. P. Spectra of vapours of organic compounds. III. Thionaphthene, 3=15368
- Kharitonova, O. P. The electronic spectra of 2,6-dimethylnaphthalene in solution, 4=5188
- Kharitonova, Z. V. See Meiklyar, P. V., 3=9631
- Khar'kov, E. I. See Vasilenko, T. V., 3=21331
- Khar'kov, Ye. I. and Kuz'menko, P. P. New methods of studying partial diffusion and electrical migration coefficients in binary alloys, 1=14300
- Khar'kov, Ye. I. and Kuz'menko, P. P. Electrical migration of iron and aluminium in iron-aluminium alloys, 1=15163
- Khar'kov, Ye. I. and Kuz'menko, P. P. Electric transfer in Sn, Pb, Ag and Cu, 2=6374
- Khar'kov, Ye. I. See Kuz'menko, P. P., 1=14304
- Khar'kov, Ye. I. See Kuz'menko, P. P., 1=14319
- Khar'kov, Ye. I. See Kuz'menko, P. P., 1=14325
- Khar'kov, Ye. I. See Kuz'menko, P. P., 2=6246
- Kharlamov, A. G. Thermal conductivity of beryllium oxide in the range 1000°-2000°C, 4=9866
- Kharlamov, P. V. Linear integrals of the equations of motion for a solid body subject to gravity [moving] about a fixed point, 2=13294
- Kharlamov, P. V. Linear integrals of the equations of motion for a solid body subject to gravity [moving] about a fixed point, 2=19486
- Kharlamov, S. P. See Adamovich, M. I., 0=13046
- Kharlamov, S. P. See Adamovich, M. I., 2=5713
- Kharlamov, S. P. See Adamovich, M. I., 3=4428
- Kharlamova, T. E. and Kholnyanov, G. F. Electric properties of alloyed silicon carbide p-n junctions, 0=11705
- Kharlova, R. P. See Sukhovarov, V. F., 1=10216
- Kharlova, R. P. See Sukhovarov, V. F., 4=23284
- Khartmann, E. See Esenski, B., 3=20804
- Khartsiev, V. E. A theory of thermally stimulated current, 0=15896
- Khartsiev, V. E. Concerning the parameters of trapping centres which determine the kinetics of photo-thermo-stimulated effects, 2=14705
- Khartsiev, V. E. Properties of the compounds CdSb and ZnSb (answer to V. Frei and B. Velitski), 3=17685
- Khartsiev, V. E. See Gashimzade, F. M., 1=14455
- Khartsiev, V. E. See Gashimzade, F. M., 1=17705
- Khartsiev, V. E. See Gashimzade, F. M., 2=18710
- Khartsiev, V. E. See Nasledov, D. N., 3=17990
- Khartsiev, V. I. Investigation of the symmetry of the energy zones of the compounds CdSb and ZnSb, 2=18552
- Kharsiev, V. I. Investigation of the symmetry of the energy zones of the compounds CdSb and ZnSb, 2=20965
- Kharus, G. I. and Tsidil'kovskii, I. M. Anisotropy of the photomagnetic effect in cubic crystals, 1=5029
- Kharus, G. I. See Sokolov, A. V., 0=2931
- Khar'ytonova, O. P. The near ultraviolet absorption spectra of tolan, 1=14056

- Khasanov, R. M. See Arifov, U. A., 4=19127
 Khash, D. Popescu. See Popescu Khash, D.
 Khaskind, M. D. Propagation of acoustic and electromagnetic waves in a half-space, 0=19266
 Khaskind, M. D. The excitation of waves under a plane ribbed construction, 2=1226
 Khaskind, M. D. The excitation of waves under a plane ribbed construction, 2=7284
 Khaskind, M. D. Scattering of electromagnetic waves by meteor trails, 3=19448
 Khaskind, M. D. Attenuation function of waves scattered by meteor trails, 3=25984
 Khas'minskii, R. Z. On the stability of the trajectory of Markov processes, 3=18736
 Khastgir, S. R. and Murty, Y. S. N. Left-handed ionospheric echo from an equivalent height of $(E + F)$, 1=4124
 Khastgir, S. R. and Singh, R. N. The size of the moving irregularities in the F-region and the spread angle of the radio waves scattered from them, 0=16455
 Khastgir, S. R. and Singh, R. N. Analysis of random fading records, 1=16591
 Khastgir, S. R. and Srivastava, R. S. Energy spectrum of atmospherics and attenuation of different low frequencies with distance, 1=20860
 Khastgir, S. R. and Srivastava, R. S. Fluxmeter studies of slow electric field-changes due to moving thunder clouds, 2=21637
 Khastgir, S. R. See Banerjee, S. K., 4=8953
 Khastgir, S. R. See Banerjee, S. K., 4=8954
 Khastgir, S. R. See Banerjee, S. K., 4=14911
 Khastgir, S. R. See Banerjee, S. K., 4=14912
 Khastgir, S. R. See Manoranjan Rao, 3=13683
 Khastgir, S. R. See Murty, Y. S. N., 0=15159
 Khastgir, S. R. See Murty, Y. S. N., 0=21367
 Khastgir, S. R. See Murty, Y. S. N., 1=378
 Khastgir, S. R. See Murty, Y. S. N., 1=7158
 Khastgir, S. R. See Murty, Y. S. N., 1=20933
 Khastgir, S. R. See Murty, Y. S. N., 2=13025
 Khastgir, S. R. See Murty, Y. S. N., 4=2258
 Khastgir, S. R. See Murty, Y. S. N., 4=30947
 Khastgir, S. R. See Rao, M., 3=9049
 Khastgir, S. R. See Satyanarayana, R., 0=6461
 Khastgir, S. R. See Sen, N. N., 4=11811
 Khastgir, S. R. See Singh, R. N., 0=14240
 Khastgir, S. R. See Srivastava, R. S., 0=18523
 Khastgir, S. R. See Tantry, B. A. P., 0=8423
 Khatanova, N. A. See Zakharova, M. I., 0=14067
 Khatanova, N. A. See Zakharova, M. I., 0=14074
 Khatanova, N. A. See Zakharova, M. I., 3=20906
 Khatinov, D. V. See Krasil'nikov, V. A., 0=995
 Khatkevich, A. G. Elastic constants of crystals, 3=13324
 Khatkevich, A. G. Internal conical refraction of elastic waves, 3=20098
 Khatkevich, A. G. Determination of the elastic constants of crystals by the ultrasonic pulse method, 3=20692
 Khatkevich, A. G. The acoustic axis in crystals, 3=22655
 Khatinskaya, I. M. See Gusev, E. V., 4=28537
 Khatukaeva, Zh. M. and Gutman, L. N. The problem of a cold air mass spilling over a mountain ridge considering air density decrease with height, 3=9032
 Khavin, L. S. See Azimov, S. A., 1=3274
 Khavkin, L. P. A plutonium radioactive ionization gauge, 4=16158
 Khavkin, L. P. See Grigor'ev, A. M., 1=5248
 Khavkin, L. P. See Penchko, E. A., 2=2783
 Khazanov, B. I. Vacuum tube-transistor stages for economical radiometric apparatus, 3=24176
 Khazanov, B. I. Low-energy gamma-radiation of the elements in uranium and thorium series, 4=26249
 Khazanov, B. I. See Gorn, L. S., 2=17753
 Khazanov, B. I. See Bogdanov, A. A., 2=17754
 Khazanov, B. I. See Gorn, L. S., 4=15172
 Khazanov, B. I. See Gorn, L. S., 4=27987
 Khazanova, N. E. and Kal'sina, M. V. Diffusion in three-component solutions near the critical point of phase separation, 4=29618
 Khazanova, N. E. See Krichevskii, I. R., 2=17447
 Khazanovich, T. N. See Korst, N. N., 4=5211
 Khazen, E. M. Theory of turbulence in non-uniform flow, 3=5414
 Khazov, D. See Samson, A. M., 3=19481
 Khazov, Yu. L. See Gvozdev, V. S., 2=16335
 Khazov, Yu. L. See Rusinov, L. I., 1=13733
 Khazov, Yu. L. See Rusinov, L. I., 1=17059
 Khé Tszo-Syu. On the experimental possibility of testing the form factors in the theory of the universal Fermi interaction, 0=11449
 Khé Tszo-Syu [Ho Tso-Hsiu]. Form factor and μ -meson capture by light nuclei with spin $\frac{1}{2}$, 0=20506
 Khé Tszo-Syu [Ho Tso-Hsiu] and Chzhou Guan-Chzhao [Chou Kuang-Chao]. Pion-pion resonance in the P-state, 1=3211
 Khé Tszo-syu [Ho Tso-hsiu] and Chzhu Khun-yuan' [Chu Hung-yuan]. Some consequences of the symmetry of the universal weak Fermi interaction, 1=4766
 Khé Tszo-Syu [Ho Tso-Hsiu]. See Bilen'kii, S. M., 0=7349
 Khé Tszo-Syu [Ho Tsu Hsiu]. See Bilen'kii, S. M., 0=12938
 Khé Tszo-Syu [Ho Tso-Hsiu]. See Smorodinskii, Ya. A., 0=20036
 Khé Tszo-Syu. See Syan' Din-Chan, 1=16711
 Khe Yui-lyan. See Sandulova, A. V., 0=1599
 Kheifets, A. B. See Dmitriev, A. B., 0=3891
 Kheifets, M. I. See Grishaev, I. A., 3=14312
 Kheifets, M. I. See Grishaev, I. A., 3=14813
 Kheifets, S. A. On a possible determination of the sign of muon polarization, 0=13014
 Kheifets, S. A. Particle losses and lifetime of beam in a storage device. Quantum fluctuations of radiation, 4=16584
 Kheifets, S. A. Lifetime of beam in a storage device scattering on residual gas atoms, 4=16585
 Kheifets, S. A. and Baryshev, A. I. Transient processes caused by particle injection in an accelerator, 2=1543
 Kheifets, S. A. and Orlov, Yu. F. Radiative attenuation theory of radial oscillations of an electron in a magnetic field, 4=6021
 Kheifets, S. A., Orlov, Yu. F. and Gendzhoyan, G. V. Particle losses in electronic accelerators due to quantum fluctuations in radiation (Phase oscillations), 2=5420
 Kheifets, S. A. See Alikhanyan, A. I., 4=14772
 Kheifets, S. A. See Baier, V. N., 1=16759
 Kheifets, S. A. See Baier, V. N., 1=19094
 Kheifets, S. A. See Baryshev, A. I., 3=19376
 Kheifets, S. A. See Baryshev, A. I., 3=24397
 Kheifets, S. A. See Bayer, V. N., 3=24694
 Kheifets, S. A. See Orlov, Yu. F., 0=353
 Kheifets, S. A. See Orlov, Yu. F. 3=9891
 Kheifets, S. A. See Orlov, Yu. F., 4=2560
 Kheiker, D. M., Konstantinov, I. E. and Alekseev, V. A. The use of a scintillation counter in X-ray structure analysis, 0=12017
 Kheiker, D. M., Zevin, L. S., Konstantinov, I. E. and Alekseev, V. A. Proportional counter for X-ray diffraction studies, 3=23427
 Kheiker, D. M. See Lube, E. L., 4=10516
 Kheiker, D. M. See Umanskii, M. M., 0=13979
 Kheiker, D. M. See Zevin, L. S., 1=20469
 Kheinman, A. S. Activator distribution in NaI(Tl), 1=17522
 Khellenurme, P. A. An investigation on the N- and O-colour centres in the crystalline phosphor KCl:Ti, 0=15860
 Khemani, L. T. See Biswas, K. R., 3=13669
 Khéne, E. [Höhne]. A more accurate determination of the crystal structure of anhydrite, CaSO_4 , 3=23453
 Khenwar, G. S. See Nene, M. G., 4=29876
 Kher, V. G. and Ayachit, V. G. Increase of breakdown voltage of a low pressure a.c. discharge in air with frequencies from 20 to 15000 Hz, 4=16452
 Kher, V. G. and Hirde, J. P. A linear ohmmeter, 3=16884
 Kher, V. G. and Kelkar, M. G. High frequency electrodeless discharge and the influence of irradiation. I. Mechanism of electrodeless discharge in air at low pressure, 3=1941
 Kher, V. G. and Kelkar, M. G. High frequency electrodeless discharge and the influence of irradiation. II. Mechanism of Joshi effect, 3=1942
 Khera, M. K. See Gill, P. S., 0=15482
 Khera, M. K. See Gill, P. S., 4=16990
 Khermanis, E. Pulse generator based on the tunnel diode and transistor, 4=26083
 Khernov, B. A. See Vernov, S. N., 1=3293
 Khesin, Yu. D. See Moroz, L. S., 0=14055
 Khesin, Yu. D. See Moroz, L. S., 3=18193
 Khesina, A. Ya. Spectroscopy of some pyrene derivatives in frozen solutions, 2=18871
 Kh'eu Nguen Van. See Nguen Van Kh'eu.
 Khien Zui Fam. See Fam Khien Zui.
 Khilko, G. I. See Ryskin, A. I., 4=22875
 Khil'ko, G. I. See Ryskin, A. I., 4=28742
 Khil'ko, G. I. See Tolstoi, N. A., 3=15711
 Khil'mer, W. [Hilmer]. An X-ray investigation of strontium germanate SrGeO_4 , 3=23456
 Khimich, I. V., Lomsadze, Yu. M. and Krývs'kîi, I. Yu. Certain physical consequences of the theory of the quantized field of probability amplitude, 3=19588

- Khimich, I.V. See Kryvskiy, I.Y., 2=7879
 Khimitch, I.V. See Lomsadze, Yu.M., 2=20219
 Khimitch, I.V. See Lomsadze, Yu.M., 3=5361
 Khimitch, I.V. See Lomsadze, Yu.M., 3=14019
 Khimninin, A.S. See Isaev, A.A., 3=14089
 Khirn'yi, Yu.M. A source of negative hydrogen ions, 1=4654
 Khirn'yi, Yu.M. Production of negative hydrogen ions in the passage of protons through gas targets, 2=1386
 Khirn'yi, Yu.M. and Kochemasova, L.N. An injector of negative hydrogen ions, 2=17908
 Khitrova, V.I. Superlattice and disordered phases in the W-N system, 3=23451
 Khitrova, V.I. Thin films of rhombohedral tungsten nitride, 3=13460
 Khitrova, V.I. The chemical crystallography of rhombohedral tungsten nitride II in relation to other nitrides, 3=20842
 Khitrova, V.I. Electron diffraction investigation of hexagonal tungsten nitride δ_1^{II} with constants $a = 2.89$, $c = 10.80$ Å, 4=23494
 Khitrova, V.I. and Pinsker, Z.G. Electron-diffraction investigation of tungsten nitrides, 0=14022
 Khitrova, V.I. and Pinsker, Z.G. An electron-diffraction study of cubic tungsten nitride, 0=14023
 Khitrova, V.I. and Pinsker, Z.G. Synthesis and study of structure II of hexagonal tungsten nitride, 1=15086
 Khitrova, V.I. and Pinsker, Z.G. Chemical crystallography of tungsten nitrides and of some other interstitial phases, 3=13462
 Khizhkovyi, V.P. See Pines, B. Ya., 4=7440
 Khizhniak, N.A. See Tolok, V.T., 2=17909
 Khizhnyak, N.A. Artificial anisotropic dielectrics formed from two-dimensional lattices of infinite bars and rods, 0=11054
 Khizhnyak, N.A. and Kolesnikov, P.M. Theory of electrodynamic acceleration of plasmoids in a coaxial system, 4=14636
 Khizhnyak, N.A., Tolok, V.T., Chechkin, V.V. and Nazarov, N.I. The acceleration of large current pulses in electron linear accelerators, 2=11735
 Khizhnyakov, V.V. See Kristofel, N.N., 4=13008
 Khizhnyakov, V.V. See Rebane, K.K., 3=20077
 Khizhnyakov, V.V. See Rebane, K.K., 3=20456
 Khiznichenko, L.P. See Starodubtsev, S.E., 0=16203
 Khiznichenko, L.P. See Starodubtsev, S.V., 1=14849
 Khiznichenko, L.P. See Starodubtsev, S.V., 1=20306
 Khlebnikov, G.I. See Druin, V.A., 1=19541
 Khlebnikov, G.I. See Druin, V.A., 3=4676
 Khlebnikov, G.I. See Flevov, G.N., 0=7497
 Khlebnikov, G.I. See Perfilov, N.A., 1=5944
 Khlebnikov, G.I. See Perfilov, N.A., 1=11042
 Khlebnikov, G.I. See Ponomarev, A.A., 4=17865
 Khlebnikov, N.S. Progress in photomultipliers for use in scintillation counters (review), 2=20020
 Khlebnikov, N.S., Melamid, A.E. and Kovaleva, T.A. Amplitude distribution of photomultiplier output current pulses, 3=19320
 Khlebnikov, N.S., Melamid, A.E. and Timoshenkov, Yu.A. Photomultiplier sensitive to 1300 Å, 2=20018
 Khlebnikov, N.S. See Ergakov, V.A., 2=20196
 Khlebnikova, L.Ya. See Dvorzhetskaya, L.A., 3=941
 Khlebnikova, V.M. See Morozov, V.P., 2=18446
 Khlebnikova, V.N. and Motozov, V.P. A comparative study of force constants of ammonia in crystalline, liquid and gaseous states, 3=22566
 Khlebnikov, G.I. See Perfilov, N.A., 4=1115
 Khlevnyuk, A.T. Interaction of activators in alkali halide phosphors, 2=23626
 Khlopina, T.N. See Kashtan, M.S., 0=13419
 Khlopina, T.N. See Kashtan, M.S., 2=865
 Khlopina, T.N. See Kashtan, M.S., 3=7469
 Khmelinin, B.A. See Oranovskii, V.E. 0=10080
 Khmelinin, B.A. See Oranovskii, V.E., 2=8554
 Khmel'nitskaya, E.M. See Baru, V.G., 2=23402
 Khmel'nitskaya, E.M. See Baru, V.G., 3=6598
 Kho Yu-Pin [Huo Yu-P'ing], Lyu Chzhi-Yan' [Liu Chih-Yüan] and Chen' Syao-Lan' [Ch'ên Hsiao-Lan]. A model of chemical bonds for valence semiconductors, 4=4126
 Khobos, E.E. See Ivanov, A.P., 0=14846
 Khodadad, P. Evidence of the nature of bonds in the uranium selenides U_2Se_3 , U_3Se_4 , and USe , 2=3771
 Khodakov, A.L. Dielectric properties of finely-dispersed barium titanate, 1=3808
 Khodakov, A.L. and Sholokhov, M.L. Ferroelectric single crystals with large non-linearity, 2=4095
 Khodakov, A.L. and Sholokhov, M.L. Ferroelectric single crystals with large nonlinearity, 2=8464
 Khodakov, A.L. and Sholokhov, M.L. $BaTiO_3$ - $BaSnO_3$ solid solution single crystals, 2=14950
 Khodakov, A.L. and Sholokhov, M.L. Single crystals of ferroelectrics with high piezoelectric moduli, 3=17939
 Khodakov, A.L. See Novosil'tsev, N.S., 0=708
 Khodakov, G.S. On the kinetics of fine grinding of quartz, 0=21151
 Khodakov, G.S. and Rebinder, P.A. The influence of the medium in the amorphisation of quartz in the process of its mechanical dispersion, 0=12058
 Khodakov, G.S. See Ganichenko, L.G., 0=12114
 Khodataev, K.B. See Borzunov, N.A., 4=14691
 Khodeev, Yu. S. See Akishin, P.A., 4=16564
 Khodov, Z.L. The velocity of ultrasound in molten binary eutectic metal systems and elastic properties of such systems, 1=5276
 Khodov, Z.L. Ultrasonic velocity in melts of eutectic binary metal systems and their elastic properties, 2=8866
 Khodov, Z.L. and Il'chenko, V.I. Temperature dependence of Young's modulus and the damping decrement of nichrome alloys with admixtures of tungsten or molybdenum, 1=20308
 Khodov, Z.L. See Polot'skiy, I.H., 1=14853
 Khodovoi, V.A. "Parametric resonance" in luminescence as a multi-photon process, 4=13066
 Khodovoi, V.A. See Aleksandrov, E.B., 3=15296
 Khodovoi, V.A. See Aleksandrov, E.B., 4=6486
 Khodovoi, V.A. See Aleksandrov, E.B., 4=6499
 Khoduleva, Z.K. See Nakhutin, I.E., 1=19418
 Khodyachikh, A.F. See Fogel', Ya.M., 1=4558
 Khodyko, Yu. V. See Anisimov, S.I., 4=18227
 Kyodyrev, Yu.S. See Demirkhanov, R.A., 2=22188
 Khodyrev, Yu.S. See Demirkhanov, R.A., 3=14579
 Khodyrev, Yu.S. See Demirkhanov, R.A., 4=18717
 Khoe Sen'. See Vun Pei-kun', 4=6293
 Khoe, T.K. A method to increase the duty factor of an isochronous cyclotron, 3=5794
 Khofmokl', T. See Belyakov, V.A., 4=27898
 Khofmokl', T. See Van Gan-chan., 1=2099
 Khofmokl', T.K. See Veksler, V.I., 3=22211
 Khofmokl', T. See Wang Kang-Ch'ang, 3=19702
 Khoi Dang Le. See Le Dang Khoi.
 Khoinsatskii, S. See Lavruchina, A.K., 1=17176
 Khokhenberg, P. Anisotropic superconductors with non-magnetic impurities, 4=5511
 Khokhlov, R.V. An approach in non-linear acoustics, 4=5296
 Khokhlov, R.V., Naugolnykh, K.A. and Soluyan, S.I. Waves of moderate amplitudes in absorbing media, 4=27261
 Khokhlov, R.V. and Soluyan, S.I. Propagation of acoustic waves of moderate amplitude through dissipative and relaxing media, 4=27259
 Khokhlov, R.V. See Akhmanov, S.A., 2=21987
 Khokhlov, R.V. See Akhmanov, S.A., 3=7301
 Khokhlov, R.V. See Akhmanov, S.A., 4=5353
 Khokhlov, R.V. See Naugol'nykh, K.A., 4=278
 Khokhlov, R.V. See Naugol'nykh, K.A., 4=5319
 Khokhlov, R.V. See Platonenko, V.T., 4=16685
 Khokhlov, R.V. See Platonenko, V.T., 4=27338
 Khokhlov, R.V. See Polyakova, A.L., 2=21943
 Khokhlov, R.V. See Soluyan, S.I., 1=19009
 Khokhlov, R.V. See Soluyan, S.I., 2=22318
 Khokhlov, R.V. See Soluyan, S.I., 3=14258
 Khokhlov, S.F. and Spektor, E.Z. The possibility of studying liquid, high-melting-point metals by X-ray diffraction, 4=14135
 Khokhlov, V.K. See Zeitlenok, G.A., 0=9114
 Khokhlov, Yu. A. See Glazunov, Yu. Ya., 4=22118
 Khokhlov, Yu.K. On the moment of inertia of a many-particle system. I, 0=334
 Khokhlov, Yu. K. Equilibrium shape of atomic nuclei, 4=25266
 Khokhlova, A.N. See Gusel'nikov, V.S., 4=8813
 Khokhlova, V.L. Formation of K_α and H_β type absorption components on the emission line background of the solar spectrum, 3=9197
 Khokhlova, V.L. See Severnyy, I.A.B., 0=18771
 Khokhlova, Z.S. See Berkovich, I.B., 0=9539
 Khokhlova, Z.S. See Berkovich, I.B., 0=9540
 Khokhlova, Z.S. See Berkovich, I.B., 2=353
 Khokhlova, Z.S. See Berkovich, I.B., 2=22719
 Khokhlova, Z.S. See Berkovich, I.B., 3=24848
 Khokley, W.S. and van Vliet, K.M. Escape mechanism of secondary electrons in polar crystals, 3=2021

- Khoklov, S. F. See Spektor, E. Z., 4=21096
 Khoklov, Yu. K. On the theory of the nuclear moment of inertia, 0=17475
 Khokonov, Kh. B. See Zadumkin, S. N., 3=10573
 Khol, F. See Tykva, J., 1=5106
 Kholev, S. R. and Poltavchenko, D. S. Acceleration of the plasma of a discharge and production of strong shock waves in a camera with coaxial electrodes, 1=18840
 Kholin, S. A. Optical theorem and energy spectrum, 4=3352
 Kholinov, Yu. M. Liquid level indicator for opaque cryostats, 3=24127
 Khollosh, G. See Toma, E., 0=10334
 Kholmogorov, V. E. and Akimov, I. A. Photo-induced E.P.R. absorption signal in silver bromide sensitized with cyanine dyes, 2=21374
 Kholmogorov, V. E. and Baranov, E. V. E.P.R. spectrum of the photo-oxidation products of diphenylamine in frozen solutions at 77°K, 4=7325
 Kholmogorov, V. E. See Baranov, E. V., 3=6751
 Kholmogorov, V. I. Electron paramagnetic resonance signals in crystalline phthalocyanine dyes, 3=20653
 Kholmovskii, J. A. See Arzumanov, A. A., 2=7686
 Kholmovskii, Yu. A. See Arzumanov, A. A., 2=13619
 Kholmovskii, Yu. A. See Arzumanov, A. A., 2=20076
 Kholmovskii, Yu. A. See Arzumanov, A. A., 3=9888
 Kholmovskii, Yu. A. See Babichev, A. P., 2=22286
 Kholmovskii, Yu. A. See Babichev, A. P., 3=21913
 Kholmovskii, Yu. A. See Mescherov, R. A., 1=16455
 Khol'nov, Yu. V. See Voinova, N. A., 3=12601
 Khol'nov, Yu. V. See Dzhelepov, B. S., 2=13764
 Khol'nov, Yu. V. See Dzhelepov, B. S., 2=14063
 Khol'nov, Yu. V. See Dzhelepov, B. S., 2=14064
 Khol'nov, Yu. V. See Voinova, N. A., 2=14057
 Khol'nova, E. A. A mercury gamma-calorimeter, 3=7820
 Kholodenko, L. P. A contribution to the theory of a 90° transition layer between domains in BaTiO₃, 2=673
 Kholodenko, L. P. A contribution to the theory of a 90° transition layer between domains in BaTiO₃, 2=14638
 Kholnyanov, G. F. See Kharlamova, T. E., 0=11705
 Kholodar', G. A. See Lisitsa, M. P., 1=2446
 Kholodar', G. A. See Lisitsa, M. P., 1=6205
 Kholodar', G. A. See Vorob'ev, Yu. V., 3=20403
 Kholodenko, L. P. Theory of domainless, nonhomogeneous, spontaneous polarization of ferroelectric plates near the Curie point, 3=25397
 Kholodenko, L. P. Macroscopic theory of ferroelectric BaTiO₃-type crystals in the form of thick plates, 4=1661
 Kholopov, P. N. See Artyukhina, N. M., 3=9230
 Kholuyanov, G. F. Photoelectric properties of alloy p-n junctions in silicon carbide, 0=20939
 Kholuyanov, G. F. Concerning the radiation for breakdown in silicon carbide p-n junctions, 2=8379
 Kholuyanov, G. F. Concerning the radiation for breakdown in silicon carbide p-n junctions, 2=10500
 Kholuyanov, G. F. Photoconductivity relaxation and the charge carrier lifetime in silicon carbide, 3=15634
 Kholuyanov, G. F. See Fridel', I., 4=569
 Kholuyanov, G. F. See Pasynkov, V. V., 0=15886
 Kholuyanov, G. F. See Porozhnikova, G. N., 2=8441
 Kholuyanov, G. F. See Porozhnikova, G. N., 2=14585
 Kholuyanov, G. F. See Tomashpo'skii, F. G., 2=4044
 Kholuyanov, G. F. See Tomashpol'skii, F. G., 2=6476
 Kholuyanov, G. F. See Violina, G. N., 4=26220
 Khomazyuk, V. G. Determination of the interference-band order using a "monoprism" and a plate, 0=16894
 Khomazyuk, V. G. Single-slit, three-beam interferometry, 2=9402
 Khomazyuk, V. G. Use of Fraunhofer diffraction for measuring light dispersion, 2=19727
 Khomazyuk, V. G. Fresnel diffraction at the edge of a transparent half-plane of finite thickness, 3=24054
 Khomchenko, A. I. See Bezuglyi, P. A., 2=8162
 Khomchenko, A. I. See Bezuglyi, P. A., 3=6469
 Khomeniuk, V. V. See Stepanov, K. N., 2=17944
 Khomenko, L. A. See Kosenko, V. E., 0=15870
 Khomenko, L. A. See Kosenko, V. E., 1=19805
 Khomenyuk, V. V. See Stepanov, K. N., 4=669
 Khomka, B. The influence of ordering on the diffusion of cadmium in MgCd₂ alloy, 4=25965
 Khomskii, D. I. See Nemenov, L. L., 2=16188
 Khomskii, D. I. See Nemenov, L. L., 3=5994
 Khomskii, D. I. See Ovchinnikov, A. A., 4=19969
 Khora, Kh. See Gërlikh, P., 0=19722
 Khorasanov, G. L. Recombination radiation in the diffuse decay of a plasma in a magnetic field, 4=24651
 Khorasanov, G. L. See Alikhanov, S. G., 3=14592
 Khorasanov, G. L. See Alikhanov, S. G., 3=19239
 Khorassanov, G. L. See Demirkhanov, R. A., 3=7522
 Khorenko, B. K. See Lazarev, B. G., 4=13649
 Khorguani, V. G. See Vyal'tsev, V. V., 1=18510
 Khorguani, V. G. See Vyal'tsev, V. V., 2=7283
 Khormushko, S. P. See Goroshkov, G. V., 2=16206
 Khormushko, S. P. See Grebenskii, B. S., 2=16205
 Khoroshev, G. A. Application of the similarity principle to the study of oscillations excited by cavitation, 1=125
 Khoroshev, G. A. Wall-effects in the collapse of cavitation bubbles, 3=23861
 Khoroshev, G. A. Collapse of vapor-air cavitation bubbles, 4=11165
 Khorosheva, O. V. See Feldstein, J. I., 2=15256
 Khorosheva, V. V. The study of a waveguide on a solid two-dimensional model with sharp boundaries, 3=7711
 Khoroshkov, V. S. See Malyshev, I. F., 4=14800
 Khoruzhii, S. S. See Zav'yalov, O. I., 4=5971
 Khosla, P. K. Effect of rotation and a magnetic field on Rayleigh-Taylor stability, 3=24444
 Khosla, P. K. Effect of induced magnetic field on the thermal instability of an electrically conducting fluid in the presence of a uniform magnetic field, 4=21639
 Khosov, G. V. See Berkovskii, F. M., 3=16885
 Khot, C. G. See Chandrashekar Aiyar, S. V., 0=21397
 Khotovich, V. G. See Ositins'ka, T. D., 4=6823
 Khotimskii, B. Z. See Ganichev, A. A., 4=14643
 Khotin, B. A. See Baranov, V. I., 2=14053
 Khotin, B. A. See Bonch-Osmolovskaya, N. A., 3=24912
 Khotin, B. A. See Grigor'ev, E. P., 3=8052
 Khotin, B. A. See Kryukova, L. N., 3=8053
 Khotin, B. A. See Kryukova, L. N., 4=12161
 Khotin, B. A. See Malysheva, T. V., 2=14054
 Khotin, B. A. See Malysheva, T. V., 3=10273
 Khotkevich, V. G. See Blyashenko, G. S., 4=13436
 Khotkevich, V. H. See Pervakov, V. O., 2=6274
 Khotkevich, V. I., Pervakov, B. A. and Merisov, B. A. Temperature dependence of electrical resistance of plastically deformed silver and copper, 1=1020
 Khotkevich, V. I. and Zabara, M. Ya. A new arrangement of the induction method of measuring electrical conductivity, 3=19127
 Khotkevich, V. I. and Zabara, M. Ya. New scheme for measuring electrical conductivity by the induction method, 4=422
 Khotkevich, V. I. See Gindin, I. A., 0=3170
 Khotkevich, V. I. See Gindin, I. A., 3=20945
 Khotkevich, V. I. See Kogan, V. S., 2=15018
 Khotkevich, V. I. See Kogan, V. S., 3=6842
 Khotkevich, V. I. See Pervakov, V. A., 1=3654
 Khotkevich, V. I. See Pervakov, V. A., 1=7577
 Khotkevich, V. I. See Pervakov, V. A., 1=9091
 Khotkevich, V. I. See Pervakov, V. A., 2=23235
 Khotkevich, V. I. See Pervakov, V. A., 3=4862
 Khotkevich, V. I. See Sirenko, G. A., 3=20704
 Khotkevich, V. I. See Sirenko, G. A., 4=6847
 Khotkevich, V. I. See Zaitsev, G. A., 3=4907
 Khotkevich, V. I. See Zaitsev, G. A., 4=1498
 Khotkevych, V. H. and Pervakov, V. O. Investigation of the temperature dependence of the electrical resistance of plastically deformed copper during cooling, 1=14358
 Khotkevych, V. H. See Pervakov, V. O., 2=12928
 Khoury, F. Crystal habits and morphology of n-tetranonacontane (n-C₉₄H₁₉₀), 3=11236
 Khozhainov, A. I. See Ryabinin, A. G., 2=22320
 Khozhainov, A. I. See Ryabinin, A. G., 3=21957
 Khozinskii, O. V. See Arifov, U. A., 4=8824
 Khozov, G. V. See Ryvkin, S. M., 0=20900
 Khozov, G. V. See Ryvkin, S. M., 1=6166
 Khozov, V. G. See Maslova, L. V., 4=11855
 Khrabrov, V. A. See Budyansky, G. M., 1=9655
 Khranov, L. V. and Yaroslavskii, M. I. Frequency characteristics of quartz bars executing flexural oscillations, 2=1222
 Khranov, L. V. See Vasin, I. G., 3=15625
 Khrapko, R. I. Stationary quasi-one-dimensional magnetogasdynamic flow with finite conductivity, 3=17044
 Khrapov, V. V. See Gol'danskii, V. I., 3=2996
 Khrapov, V. V. See Gol'danskii, V. I., 3=8340
 Khrapov, V. V. See Gol'danskii, V. I., 3=10570
 Khrapov, V. V. See Gol'danskii, V. I., 4=3968
 Khrapov, V. V. See Gol'danskii, V. I., 4=25717
 Khrapov, V. V. See Gol'danskii, V. I., 4=25812

- Khropov, V. V. See Gol'danskii, V. I., 4=25821
 Khropov, V. V. See Gol'danskii, R. I., 4=28331
 Khrashanovskii, S.A. Properties of focal surfaces of mirror spectrographs, 1=2870
 Khrashko, P. See Adam, A., 3=24750
 Khrenov, B.A. Investigation of the high energy μ -meson flux of broad air showers, 2=3435
 Khrenov, B.A. Investigation of the high energy μ -meson flux of broad air showers, 3=2338
 Khrenov, B.A. Investigation of the flux of high-energy muons in extensive air showers at sea level, 3=19732
 Khrenov, B.A. See Belyaeva, I.F., 3=19726
 Khrenov, B.A. See Bogoslovskii, G.V., 2=1738
 Khrenov, B.A. See Khristiansen, G.B., 3=4513
 Khrenov, B.A. See Vernov, S.N., 0=9474
 Khrenov, B.A. See Vernov, S.N., 1=3280
 Khrenov, B.A. See Vernov, S.N., 1=16942
 Khrenov, B.A. See Vernov, S.N., 2=13936
 Khrenov, B.A. See Vernov, S.N., 2=20462
 Khrenov, B.A. See Vernov, S.N., 3=4500
 Khrenov, B.A. See Vernov, S.N., 3=6118
 Khrenov, B.A. See Vernov, S.N., 3=19719
 Khrenova, R.A. See Demina, N.V., 3=22162
 Khrgian, A.Kh. Investigation of cloud structures and scientific problems of the international year of the quiet sun, 3=18505
 Khrimian, A.V., Avakian, V.V., Nalbandian, N.A., Egian, K.Sh. and Pleshko, M.P. The composition of the flux of the cosmic ray nuclear-active particles of momenta higher than 1.8 BeV/c at the altitude of 3250, above sea level, 2=12081
 Khrimyan, A.V., Avakyan, V.V., Nalbandyan, N.A., Egian, K.Sh. and Pleshko, M.P. Composition of nuclear active particles with momenta above 1.8 BeV/c in the cosmic radiation at an altitude of 3250 m above sea level, 2=13924
 Khrimyan, A.V., Avakyan, V.V., Nalbandyan, N.A., Egian, K.Sh. and Pleshko, M.P. Composition of nuclear active particles with momenta above 1.8 BeV/c in the cosmic radiation at an altitude of 3050 m above sea-level, 3=6097
 Khrimyan, A. V., Avkian, V. V., Nalbandyan, N. A., Egian, K. Sh. and Pleshko, M. P. Composition of the flux of cosmic-ray nuclear interacting particles with momenta exceeding 1.8 GeV/c at an altitude of 3250 metres, 4=968
 Khrimyan, A.V., Egian, K.Sh., Nalbandyan, N.A., Avakyan, V.V. and Karapetyan, V.A. Measurement of the masses of charged particles by means of scintillation counters, 3=2158
 Khrimyan, A. V., Egian, K. Sh., Nalbandyan, N. A., Avakyan, V. V. and Karapetyan, V. A. Concerning measurements of the mass of charged particles by means of scintillation counters, 4=5994
 Khrimyan, A. V., Egian, K. Sh., Nalbandyan, N. A., Avakyan, V. V. and Karapetyan, V. A. Concerning mass measurements of low-intensity charged particles by different pro-
 Khrimyan, A.V. See Alikhanov, A.I., 0=9454
 Khrilovich, I.B. Restrictions on the asymptotic values of the cross-sections imposed by the Regge poles hypothesis, 4=861
 Khrilovich, I.B. On the mass of a complex vector field, 3=14887
 Khrilovich, I.B. See Baier, V.N., 1=19121
 Khrilovich, I.B. See Baier, V.N., 4=10818
 Khristianovich, S.A. See Ryzhov, O.S., 1=8155
 Khristiansen, G.B. Measuring the resolving time of hodoscopes, 1=13536
 Khristiansen, G.B., Belyaeva, I.F., Abrosimov, A.T., Atrashkevich, V.I. Dmitriev, V.A., Nechin, Yu.A., Khrenov, B.A., Kulikov, G.V. and Soloviyeva, V.I. The structure of extensive air showers at sea-level, 3=4513
 Khristiansen, G.B. See Abrosimov, A.T., 0=7433
 Khristiansen, G.B. See Abrosimov, A.T., 0=11244
 Khristiansen, G.B. See Bekkerman, I.M., 2=1739
 Khristiansen, G.B. See Belyaeva, I.F., 3=19726
 Khristiansen, G.B. See Dmitriev, V.A., 0=9467
 Khristiansen, G.B. See Dmitriev, V.A., 0=11270
 Khristiansen, G.B. See Dmitriev, V.A., 3=22243
 Khristiansen, G.B. See Fomin, Yu.A., 3=22241
 Khristiansen, G.B. See Fomin, Yu.A., 4=27917
 Khristiansen, G.B. See Kulikov, G.V., 1=3283
 Khristiansen, G.B. See Syrovatskii, S.I., 4=6159
 Khristiansen, G.B. See Vedenev, O.V., 3=22240
 Khristiansen, G.B. See Vernov, S.N., 0=9466
 Khristiansen, G.B. See Vernov, S.N., 0=9469
 Khristiansen, G.B. See Vernov, S.N., 0=9473
 Khristiansen, G.B. See Vernov, S.N., 0=9474
 Khristiansen, G.B. See Vernov, S.N., 0=13084
 Khristiansen, G.B. See Vernov, S.N., 0=15478
 Khristiansen, G.B. See Vernov, S.N., 0=20263
 Khristiansen, G.B. See Vernov, S.N., 1=3280
 Khristiansen, G.B. See Vernov, S.N., 1=3287
 Khristiansen, G.B. See Vernov, S.N., 1=3288
 Khristiansen, G.B. See Vernov, S.N., 1=3283
 Khristiansen, G.B. See Vernov, S.N., 1=16942
 Khristiansen, G.B. See Vernov, S.N., 2=13936
 Khristiansen, G.B. See Vernov, S.N., 2=20462
 Khristiansen, G.B. See Vernov, S.N., 3=4525
 Khristiansen, G.B. See Vernov, S.N., 3=4500
 Khristiansen, G.B. See Vernov, S.N., 3=6118
 Khristiansen, G.B. See Vernov, S.N., 3=19719
 Khristiansen, G.B. See Vernov, S.N., 3=19738
 Khristov, Khr. Ya. Diffusion equation for isotropically dispersing neutrons moving with the same velocity, in a one-dimensional stationary case, 4=15067
 Khristov, L.G. and Kirov, K.I. On the temperature dependence of pulse dead time in halogen counters, 1=7164
 Khristov, L. G. See Zlatanov, Z. M., 4=27854
 Khristov, L. G. See Zlatanov, Z. M., 4=27855
 Khristov, L.G. See Zlateva, A.I., 2=9842
 Khristov, V. and Sabéu, M. Self-shielding coefficient for thick gold foils for activation by resonance neutrons, 3=4407
 Khristov, V., Sakalyan, K. and Bocharov, N. Apparatus for the automatic recording of the activity of wires activated in a reactor, 4=1153
 Khristov, V., Sakalyan, K. and Bychvarov, N. Automatic recorder of reactor-activated wires, 4=25468
 Khromchenko, Z.V. See Surkov, Yu.A., 2=14044
 Khromov, G.S. Masses and forms of planetary nebulae, 2=24156
 Khromov, G.S. Masses and forms of planetary nebulae, 3=3608
 Khromov, G.S. Radio emission and the determination of masses of planetary nebulae, 4=13966
 Khromov, L.I. See Valik, I.L., 0=8784
 Khromov, V.A. Generalization of Kirchhoff's theorem for the case of a surface moving in an arbitrary way, 4=20
 Khromov, V.V. Effective boundary condition at the surface of a plane periodic lattice, 2=18375
 Khromykh, N.E. See Kotelnikov, K.A., 3=6096
 Khrushchev, S.N. On the oscillatory parametric control, 0=6545
 Khrushchev, V.G., Margulis, U.Ya. and Stepanov, S.M. Method of increasing the coefficient of effective use of radiation of a γ -installation, 3=2396
 Khrushchev, V.G. See Grammatikati, V.S., 2=6053
 Khrushchov, M.M. and Babichev, M.A. Resistance to abrasion and the elastic moduli of metals and alloys, 0=13917
 Khrustaler, Yu.A. See Sokolina, G.A., 3=20300
 Khrustalev, A.F. A boundary value problem for the Laplace equation, 2=2912
 Khrustalev, A.F. A boundary value problem for the Laplace equation, 2=9434
 Khrustalev, A.F. The steady-state problem of thermal conduction in a solid cylinder, 2=17677
 Khrustalev, A.F. Heat conduction of a continuous cylinder, 3=19043
 Khrustalev, B. A., Kolchenogova, I. P. and Rakov, A. M. Spectral coefficients of tantalum, molybdenum and niobium radiation, 4=16285
 Khrustalev, B.A. See Filimonov, S.S., 0=19497
 Khrustalev, O. A. See Arbuzov, B.A., 4=14048
 Khrustalev, O. A. See Arbuzov, B.A., 4=19434
 Khrustalev, O.A. See Logunov, A.A., 3=17202
 Khrustalev, O.A. See Logunov, A.A., 3=19560
 Khrustalev, O. A. See Logunov, A. A., 4=3336
 Khrustalev, O. A. See Logunov, A. A., 4=5947
 Khrustalev, O. A. See Logunov, A. A., 4=5948
 Khrustalev, O. A. See Logunov, A. A., 4=9131
 Khrustalev, O. A. See Logunov, A. A., 4=9145
 Khrustalev, O.A. See Logunov, A.A., 4=16829
 Khrustalev, O.A. See Okonov, E.O., 2=13876
 Khrustalev, O.A. See Okonov, E.O., 3=6073
 Khrustalev, O. A. See Podgoretskii, M. I., 4=24073
 Khrustalev, O.A. See Todorov, I.T., 0=5601
 Khrustalev, O.A. See Zastavenko, L.G., 2=8067
 Khu Chi [Hu Ch'ih] and Li Pen [Li Pêng]. On the influence of intercrystallite energy barriers on photoconductivity of polycrystalline layers of lead sulphide, 4=4233
 Khu Iuin'. See Baranov, V.B., 4=8919
 Khu Shi-ké. See Barashenkov, V.S., 2=7884
 Khu Shi-Ké. See Barashenkov, V.S., 3=6040
 Khu Shi-ké. See Smorodinskii, Ya.A., 1=19230
 Khu Shi-ke. See Smorodinskii, Ya.A., 2=22555

- Khu Shi-ke'. See Syan 'Din-chan., 1=19229
 Khu Shi-ke. See Syan 'Din-chan, 2=22554
 Khu Shi-ké [Hu Shih-k'ò]. See Wang Tung, 2=3410
 Khu Shi-ké [Hu Shih-k'ò]. See Wang Yung, 3=4467
 Khuan De-Tsyan. See Azhgirei, L.S., 3=4630
 Khuan De-Tsyan. See Azhgirei, L.S., 3=22374
 Khuan Ké-Chzi. [Huang K'o-Chih]. The hardening of a rigid-plastic material, 1=11509
 Khubchandani, P. and Sanatani, S. Scattering of cold neutrons in beryllium oxide, 3=20099
 Khubchandani, P.G. Scattering of thermal neutrons in graphite, 2=3344
 Khubchandani, P.G. and Rahman, A. The asymmetric rotator in quantum mechanics and rotational eigenfunctions for the water molecule, 0=9783
 Khubchandani, P.G. and Rahman, A. Scattering of slow neutrons by the water molecule, 1=19625
 Khubchandani, P.G. and Sharma, R.R. Inelastic scattering of cold neutrons by polycrystals, 2=13807
 Khubchandani, P.G., Sharma, R.R. and Das, T.P. Theory of quadrupole polarizability and antishielding of nuclear quadrupole moments of many-electron ions, 2=10199
 Khubchandani, P.G. See Kothari, L.S., 1=13441
 Khubchandani, P.G. See Kothari, L.S., 2=8037
 Khubchandani, P.G. See Shankar, J., 0=3242
 Khubchandani, P.G. See Shankar, J., 0=3258
 Khubeis, I. and Schopper, H. The circular polarization of external Bremsstrahlung produced by β -rays in a magnetized iron target, 4=15040
 Khubeis, I., Schopper, H. and Weddigen, C. Pair production by 6 MeV linearly polarized γ -rays, 4=9183
 Khuchua, N.P. See Isupov, V.A., 2=18769
 Khudaverdian, A. See Vartapetian, H., 3=17420
 Khudaverdyan, A.G. See Vartapetyan, G.A., 2=3489
 Khudaverdyan, A.G. See Vartapetyan, G.A., 3=4577
 Khudaverdyan, A.G. See Vartapetyan, G.A., 4=9407
 Khudaverdyan, A.G. See Vartapetyan, H.A., 0=20412
 Khudenskii, Yu.K. The application of a conical collimator to the scanning of sections, 0=9247
 Khudenskii, Yu. K. See Tsirlin, Yu. A., 4=775
 Khudzinskii, L.L. Determination of some of the spectral features of layered media, 2=19647
 Khukhareva, I.S. Superconducting properties of freshly deposited mercury films, 1=18719
 Khukhareva, I.S. Superconducting properties of freshly deposited mercury films, 3=327
 Khukhareva, I.S. The superconducting properties of thin aluminium films, 3=14447
 Khukhorev, D.S. See Egorov, Yu. A., 4=16738
 Khukhryanskii, Yu. P. See Ugai, Ya. A., 4=30793
 Khulamkhanov, V.Kh. See Zadumkin, S.N., 3=20073
 Khulelidze, D. E., Chikhladze, V. L., Maksimov, M. Z. and Onufriev, V. G. Excitation functions of (α, γ) and (α, n) reactions of tin isotopes, 4=30357
 Khulelidze, D. E., Chikhladze, V. L., Vartanov, N. A. and Ryukhin, Yu. A. Decay scheme for Te^{117} , 3=24902
 Khulelidze, D. E. See Chikhladze, V. L., 0=13201
 Khulelidze, D. E. See Chikhladze, V. L., 3=2408
 Khulelidze, D. E. See Selinov, I. P., 0=15532
 Khulelidze, D. E. See Selinov, I. P., 1=17010
 Khulelidze, D. E. See Selinov, I. P., 3=10201
 Khulelidze, D. E. See Vartanov, N. A., 1=19398
 Khulelidze, D. E. See Vartanov, N. A., 2=22761
 Khulelidze, D. E. See Vlasenko, V. P., 4=12233
 Khulubei, Kh., Auslender, I., Fridlender, E. and Tsitseika, Sh. [Hulubei, H., Auslender, J., Fridlender, E. and Titeica, S.]. Angular distribution of μ -mesons in π - μ decay, 2=9884
 Khulubei, Kh., Auslender, I., Fridlender, E. and Tsitseika, Sh. [Hulubei, H., Auslender, J., Fridlender, E. and Titeica, S.]. Angular distribution of μ -mesons in π - μ decay, 3=6029
 Khulubei, Kh., Nyamu, I., Frants, I., Martalogu, N., Skýntei, N., Ivashku, M. and Berinde, A. Scattering of low energy protons on S^{32} , 2=16403
 Khulubei, Kh., Nyamu, I., Frants, I., Martalogu, N., Skýntei, N., Ivashka, M. and Berinde, A. Scattering of low energy protons on S^{32} , 3=6240
 Khulubei, Kh., Purika, I., Roshesku, T. and Sabéu, M. Internal thermal columns for increasing the flux of thermal neutrons in reactors with a water moderator, 2=20716
 Khurana, C.S. and Hans, H.S. Measurements of (n, p) , (n, α) and $(n, 2n)$ total cross sections at 14 MeV, 0=5793
 Khurana, C.S. and Hans, H.S. Cross-sections for $(n, 2n)$ reactions at 14.8 MeV, 2=3585
 Khurana, C.S. See Govil, I.M., 3=19787
 Khurana, C.S. See Govil, I.M., 4=9377
 Khurgin, B. See Ofer, S., 4=28777
 Khuri, N.N. A relativistic scattering model satisfying unitarity, crossing symmetry and analyticity, 2=3280
 Khuri, N.N. Extension of the Regge representation, 3=10049
 Khuri, N.N. and Udgankar, B.M. Nucleon as a Regge pole and the $J = \frac{1}{2}$, $T = \frac{1}{2}$ πN phase shifts, 3=14969
 Khuri, N.N. Crossing-symmetric Watson-Sommerfeld transformation, 3=17220
 Khuri, N. N. Regge poles, power series, and a crossing-symmetric Watson-Sommerfeld transformation, 4=850
 Khuri, N. N. and Pais, A. Singular potentials and peratization. I., 4=21725
 Khuri, N.N. and Treiman, S.B. Pion-pion scattering and $K^{\pm} \rightarrow 3\pi$ decay, 0=13052
 Khuri, N.N. See Blankenbecler, R., 0=12849
 Khusainov, A. Kh. See Ryvkin, S. M., 4=30209
 Khutny, P. Permanent barium strontium ferrite magnets, 4=28831
 Khutsishvili, G.R. Orientation of nuclei during saturation of forbidden resonance and double resonance, 0=13116
 Khutsishvili, G.R. The polarization of nuclei in non-metallic ferromagnetics, 0=13825
 Khutsishvili, G.R. The Overhauser effect and related phenomena, 1=3944
 Khutsishvili, G.R. Spin diffusion and magnetic relaxation of nuclei, 2=14846
 Khutsishvili, G.R. Spin diffusion and magnetic relaxation of nuclei, 3=6764
 Khutsishvili, G.R. Spin diffusion, magnetic relaxation and dynamic polarization of nuclei, 3=15957
 Khutsishvili, G.R. Spin structure of hole levels in the degenerate band and saturation of cyclotron resonance [in Ge], 3=17850
 Khutsishvili, G. R. Diffusion and relaxation of proton spin in irradiated polyethylenes, 4=10349
 Khutsishvili, G. R. The role of the diffusion barrier at spin diffusion, 4=23060
 Khutsishvili, G. R. Spin diffusion and polarization of nuclei at forbidden paramagnetic resonance, 4=26372
 Khutsishvili, G. R. On influence of saturation of cyclotron resonance in degenerated zone on nuclear resonance, 4=28430
 Khutsishvili, G.R. See Baramidze, G.A., 3=20150
 Khutsishvili, G.R. See Buishvili, L.L., 0=18214
 Khutsishvili, G.R. See Buishvili, L.L., 1=3922
 Khutsishvili, L.A. See Ab, E.A., 0=6427
 Khutsishvili, L.A. See Ab, E.A., 2=7875
 Khva Don Li. See Li Don Khva.
 Khvashchevskaya, Ya., Khvashchevskii, S. and Dýbovskii, K. Semiconductor α -particles detectors, 2=7911
 Khvashchevskaya, Ya. and Shekhter, A. Silicon detectors of thermal neutrons, 4=9222
 Khvashchetski, S. Interaction of an h.f. electromagnetic field with a plasma cylinder, 3=1981
 Khvashchevskii, S. [Chwaszczewski, S.]. Coaxial plasma gun, 3=12197
 Khvashchevskii, S. The probe measurements of property of plasmoids created in a coaxial plasma gun, 4=18937
 Khvashchevskii, S. See Khvashchevskaya, Ya., 2=7911
 Khvastunov, M.S. See Dvoretzki, A.S., 3=17159
 Khvastunov, M.S. See Vishky, T., 2=1684
 Khvastunov, M.S. See Vishky, T., 2=22512
 Khvatkina, A. N. See Zvonkova, Z. V., 4=20084
 Khvedchuk, I.R. See D'yakov, I.G., 4=17787
 Khvedchuk, I. R. See Gindin, I. A., 4=10430
 Khvedchuk, I. R. See Gindin, I. A., 4=10431
 Khvoshchev, A. N. See Bagaev, V.S., 4=3224
 Khvoshchev, A.N. See Basov, N.G., 2=643
 Khvoshchev, A.N. See Basov, N.G., 3=4924
 Khvoshchev, A.N. See Osipov, B.D., 3=15590
 Khvostenko, V. I. and Sultanov, A. Sh. Formation of negative aluminium, gallium, indium and thallium ions due to the interaction between electrons and the halides of these elements, 4=18674

- Khvostikova, V.D. See Voronov, B.K., 3=25671
 Khyesyuk, V.I. See Kulik, P.F., 4=18241
 Khvashchevskaya, Ya.S. See Stepanov, B.I., 0=158
 Khvostenko, G.I. See Ioffe, V.A., 0=11659
 Khvostenko, V.I. and Dukel'skii, V.M. The negative ion H_2^- , 0=2319
 Khvostenko, V.I. and Dukel'skii, V.M. Formation of negative hydrogen ions on an incandescent tungsten surface, 0=8985
 Khȳzhnyak, N.A. See Berezin, A.K., 1=19038
 Khȳzhnyak, N.A. See Fainberh, Ya.B., 1=19037
 Kiang, D. See Preston, M.A., 3=15097
 Kiang, D. See Preston, M.A., 4=3558
 Kiang, F.S. See Li, J.C.M., 0=13900
 Kiang, N.Y.-S. See Peake, W.T., 2=13212
 Kiang, N.Y.-S. See Peake, W.T., 2=13213
 Kiang, T. The galaxian luminosity function, 1=6288
 Kiang, T. The effect of a resisting medium on elliptical orbits, 2=9049
 Kiang, T. Asteroid counts and their reduction, 2=13112
 Kiang, T. On the usual method of correcting for incompleteness of discovery, 2=17226
 Kiang, T. See Fielder, G., 2=15308
 Kiang Tung-Chen. See Sun Chia-Chung, 3=22613
 Kiang, Y.C. See Nedderman, H.C., 2=23548
 Kiasatpoor, A. See Rubin, V.C., 2=24151
 Kibal'chich, G.A. See Belogurov, Yu.P., 3=24001
 Kibal'chich, G.A. See Ivanchenko, A.M., 2=1359
 Kibal'chich, G.A. See Tsirlin, Yu.A., 3=2162
 Kibardin, V.A. See Myamlin, V.A., 1=11905
 Kibble, B.P. and Series, G.W. Line shapes in the method of intersecting energy levels, 1=12246
 Kibble, B.P. and Series, G.W. Further studies of modulated light in a double resonance experiment, 3=22474
 Kibble, T.W.B. Kinematics of general scattering processes and the Mandelstam representation, 0=7298
 Kibble, T.W.B. The commutation relations obtained from Schwinger's action principle, 0=8555
 Kibble, T.W.B. Lorentz invariance and the gravitational field, 1=4243
 Kibble, T.W.B. Feynman rules for Regge particles, 3=24658
 Kibble, T.W.B. Canonical variables for the interacting gravitational and Dirac fields, 4=2530
 Kibble, T.W.B. See Brown, L.S., 4=9169
 Kibler, L.U. A high-speed point contact photodiode, 3=886
 Kichenassamy, S. A new form for the conservation identities in unified field theory, 1=1696
 Kichenassamy, S. On the coordinate conditions, 2=11262
 Kichenassamy, S. The role of the harmonic coordinate conditions in the energy-tensor method of finding equations of motion, 2=13253
 Kichenassamy, S. A tentative physical interpretation of general relativity. Application to the red shift of spectral lines, 4=14040
 Kichenassamy, S. See Kremer, H., 0=6682
 Kichigin, D.A. See Galkin, A.A., 1=6416
 Kichigin, D.A. See Galkin, A.A., 1=16602
 Kichihin, D.O. The temperature relation of the effect of oxygen on paramagnetic resonance in coal powders, 2=4255
 Kida, K. See Takasaki, H., 4=24397
 Kidd, D.E. See Cox, A.J., 3=5731
 Kidd, J. See Abraham, F., 3=17379
 Kidd, J.M. A study of high-energy gamma rays at the top of the atmosphere, 3=7944
 Kidd, R.G. See Figgis, B.N., 3=148
 Kidd, W., Silverman, H., Whitney, H. and Aarons, J. Scintillations of radio stars and satellites during intense magnetic disturbances, 2=13184
 Kidd, W. See Aarons, J., 1=15549
 Kidd, W. See Aarons, J., 3=13712
 Kidd, W.C. See Aarons, J., 0=6554
 Kidder, J.N. Density measurements in solid ^4He , 4=18523
 Kidder, J.N. and Fairbank, W.M. Critical velocities and boundary interactions in the isothermal flow of superfluid helium, 2=19797
 Kidder, R.E. and DeWitt, H.E. Application of a modified Debye-Eückel theory to fully ionized gases, 1=9543
 Kidder, R.E. See Ree, F.H., 3=19248
 Kidin, I.N. and Shtrmel', M.A. Kinetics of changes of the short-range order in binary alloys, 2=8849
 Kidin, I.N. and Shtrmel', M.A. Kinetics of the variations in short-range order in binary alloys, 2=21550
 Kidin, I.N. and Shtrmel', M.A. The formation conditions of large-angle boundaries, 3=20213
 Kidnay, A.J. See Hiza, M.J., 4=13687
 Kido, K. and Watanabe, T. The magnetic investigation of Mn^{++} , Co^{++} , Ni^{++} , Cu^{++} ammine and anhydrate salts, 0=21027
 Kido, K. See Kanzaki, H., 1=10233
 Kido, K. See Kanzaki, H., 2=3981
 Kido, K. See Kanzaki, H., 2=8423
 Kido, K. See Kanzaki, H., 3=22749
 Kidron, A. and Rudman, P.S. An X-ray diffuse scattering study of local order in an h.c.p. Mg-In alloy, 3=25744
 Kidson, G. and McGurn, J. Self-diffusion in body-centered cubic zirconium, 1=17567
 Kidson, G.V. Some aspects of the growth of diffusion layers in binary systems, 2=2091
 Kidson, G.V. On the anomalous self-diffusion in body-centered cubic zirconium, 4=1520
 Kidson, G.V. and Miller, G.D. A study of the interdiffusion of aluminum and zirconium, 4=28478
 Kieburz, R.B. Scattering by a finite cylinder, 4=706
 Kieda, A. A study of the turbulent boundary layers, 0=14595
 Kieda, A. The velocity-defect laws of the turbulent boundary-layer, 0=14677
 Kiefer, H. and Maushart, R. Large-area flow counters speed radiation measurements, 2=3192
 Kiefer, H. See Dannecker, A., 0=5691
 Kiefer, J.H. See Bauer, S.H., 1=13933
 Kieffer, F. See Lautout-Magat, M., 4=26246
 Kieffer, J. See Fabre, D., 4=7131
 Kieffer, L.J. See Childs, W.J., 1=593
 Kieffer, L.J. See Childs, W.J., 1=7315
 Kieffer, L.J. See Dunn, G.H., 4=6656
 Kiefhaber, E. Calculation of the angular distribution of slow neutrons scattered by water, 2=13812
 Kiefhaber, E. Thermal neutron spectra in H_2O for plane geometry, 4=17223
 Kieger, R. See Clauss, A., 4=1958
 Kiehn, R.M. Some applications of the S_N method, 0=13340
 Kiel, A. Cross relaxation in dilute paramagnetic systems, 0=18223
 Kiel, A. Spin diffusion in inhomogeneously broadened systems, 2=6695
 Kiel, A. Temperature-dependent linewidth of excited states in crystals. I. Line broadening due to adiabatic variation of the local fields, 2=12602
 Kiel, A. Line broadening in the excited state of paramagnetic crystals, 4=26168
 Kiel, A. See Bray, T., 2=18953
 Kiel, A.M. See Westrik, R., 1=10285
 Kiel, R.E. See Gustafson, W.A., 4=16135
 Kielich, S. Semi-macroscopic treatment of the theory of non-linear phenomena in dielectric liquids submitted to strong electric and magnetic fields, 0=5024
 Kielich, S. Molecular interaction in the classical theory of light scattering, 0=6950
 Kielich, S. Molecular theory of light scattering by multi-component systems [of optically anisotropic molecules], 1=243
 Kielich, S. Theory of birefringence induced in a compressed gas mixture by an electric field gradient, 1=4377
 Kielich, S. A molecular theory of light scattering in gases and liquids, 1=6965
 Kielich, S. Rayleigh's ratio and turbidity of imperfect gases, 1=11788
 Kielich, S. The second virial coefficient for polar gas mixtures, 1=15951
 Kielich, S. Supplementary note to the paper: Molecular theory of light scattering by multicomponent systems, 1=16112
 Kielich, S. Second virial coefficients for unlike non-dipolar molecules, 2=11414
 Kielich, S. Influence of intermolecular forces on the magnetic birefringence of imperfect gases and their mixtures, 3=172
 Kielich, S. Molecular refraction of dense mixtures, 3=1709
 Kielich, S. A molecular theory of magnetic birefringence in diamagnetic media, 3=3815
 Kielich, S. Second refractivity virial coefficients for gas mixtures, 3=3835
 Kielich, S. A statistical theory of the Kerr effect in multi-component systems, 3=7249
 Kielich, S. On non-linear light scattering in gases, 3=11834
 Kielich, S. Orientation polarization. I. Dipolar systems, 3=15394
 Kielich, S. Orientation polarization. II. Quadrupolar systems, 3=15395
 Kielich, S. Orientation polarization. III. Octopolar systems, 3=15396

- Kielich, S. Light scattering by a gas in the presence of an inhomogeneous electric field, 3=23931
- Kielich, S. On the scattering of light in the presence of an intense electric or magnetic field, 3=24059
- Kielich, S. Non-linear optical effects in gases. I. Classical calculation for spherical molecules, 4=240
- Kielich, S. Non-linear optical effects in gases. II. Quantum-mechanical calculation, 4=241
- Kielich, S. On the determination of the octopole moment of tetrahedral molecules from investigation of the second virial coefficients, 4=20031
- Kielich, S. Statistical mechanics of hexadecapolar systems, 4=24260
- Kielich, S. Light scattering by an intense light beam, 4=24394
- Kielich, S. Nonlinear light scattering by molecules without a centre of inversion, 4=28161
- Kielich, S. Influence of a strong optical electric field of the molecular scattering of light, 4=30405
- Kielich, S. and Piekara, A. A statistical molecular theory of electric, magnetic and optical saturation phenomena in isotropic dielectric and diamagnetic media, 0=19152
- Kielich, S. See Piekara, A., 0=6813
- Kielich, S. See Piekara, A., 0=14652
- Kiely, D.G. Dielectric waveguides and aerials, 1=7151
- Kienel, G. Investigations on silver-selenium layers, 0=7968
- Kienle, G. Geometrical axioms, models of non-euclidean image formation and the visual space, 4=2493
- Kienle, H. The interpretation of continuous stellar spectra. Remarks on the similarly titled communication by A. Unsöld, 0=14456
- Kienle, P. Recent developments in rare-earth Mössbauer studies. I, 4=19663
- Kienle, P., Kalvius, M., Stanek, F., Wagner, F., Eicher, H. and Wiedemann, W. H. Hyperfine splitting of gamma rays from rare earth nuclides, 4=12589
- Kienle, P., Weckermann, B., Baumgärtner, F. and Zahn, U. Determination of a short-lived molybdenum fission isotope, and the decay of the technetium daughters. I. Decay series: $\text{Mo}^{104}-\text{Tc}^{104}$, 2=21593
- Kienle, P., Weckermann, B., Baumgärtner, F. and Zahn, U. Determination of a short-lived molybdenum fission isotope, and the decay of the technetium daughters. II. Decay series: $\text{Mo}^{104}-\text{Tc}^{104}$, 2=21593
- Kienle, P. and Wien, K. Investigation of the decay of F^{41} , 3=12621
- Kienle, P., Wien, K., Wunderlich, F. and Haas, R. Decay of Cl^{38} isomers, 2=22732
- Kienle, P., Wien, K., Zahn, U. and Weckermann, B. β -decay energy of the technetium isotopes Tc^{103} , Tc^{104} and Tc^{105} , 4=3606
- Kienle, P. See Andrä, H. J., 4=1349
- Kienle, P. See Borg, D. C., 2=4574
- Kienle, P. See Dobler, H., 4=27978
- Kienle, P. See Hüfner, S., 3=24841
- Kienle, P. See Kalvius, M., 2=5811
- Kienle, P. See Kalvius, M., 2=18245
- Kienle, P. See Kalvius, M., 3=2416
- Kienle, P. See Kalvius, M., 3=8006
- Kienle, P. See Steichele, E., 3=24906
- Kienle, P. See Wagner, F. E., 2=5812
- Kienle, P. See Walter, H. K., 3=24839
- Kienle, P. See Wiedemann, W., 3=12568
- Kienle, P. See Wiedemann, W. H., 2=3817
- Kienle, P. See Wiedemann, W. H., 4=16368
- Kienle, P. See Zahn, U., 2=3773
- Kienle, P. See Zinn, W., 3=25522
- Kienzle, F. Scintillation properties of anthracene and naphthalene crystals bombarded by energetic α -particles, deuterons and electrons at low temperatures, 4=26254
- Kienzle, W. F. and Flammersfeld, A. Anisotropy of the scintillation-light yield of organic molecule single crystal w.r.t. α -rays, 2=726
- Kiepenheuer, K. O. On the compression of coronal matter, 0=11
- Kiepenheuer, K. O. The observability of hydromagnetic phenomena on the sun, 0=3416
- Kiepenheuer, K. O. Structure of the perturbed solar atmosphere, 0=3420
- Kiepenheuer, K. O. The optical phenomena forming a solar centre of activity, 1=18071
- Kiepenheuer, K. O. and Rabben, H. H. The Freiburg radio solar spectrograph, (48-165 Mc/s), 0=2076
- Kiepenheuer, K. O. See Deubner, F. L., 1=15402
- Kier, P. See Kelber, C., 0=15614
- Kier, P. See Kelber, C. N., 1=17199
- Kierskowski, Z. See Benisz, J., 0=17165
- Kierys, F. F. See Monk, H., 1=1626
- Kierzek-Pecolt, E. See Chwaszczewska, J., 4=9015
- Kiesewetter, W. Remarks on protection survey by film dosimeters in the German Democratic Republic, 1=19067
- Kiess, C. C. Description and analysis of the second spectrum of tantalum, Ta II, 2=14207
- Kiess, C. C., Corliss, C. I. and Kiess, H. K. High-dispersion spectra of Jupiter, 0=14397
- Kiess, C. C., Karrer, S. and Kiess, H. K. A new interpretation of Martian phenomena, 1=1632
- Kiess, C. C., Rubin, V. C. and Moore, C. E. Faint lines in the arc spectrum of iron (Fe I), 1=4904
- Kiess, C. C. and Thekaekara, M. P. Revised term values of Ti I, 0=13410
- Kiess, H. Saturated photocurrents in CdS single crystals, 4=10120
- Kiess, H. K. See Kiess, C. C., 0=14397
- Kiess, H. K. See Kiess, C. C., 1=1632
- Kiess, N. H. and Broda, H. P. Perturbations and rotational intensities observed in CN bands emitted by reactions of organic molecules with nitrogen atoms, 2=6188
- Kiessler, R. See Banaigs, J., 4=16774
- Kiessling, R. Swedish investigations on UO_2 as a reactor fuel, 1=3480
- Kieu Van Con and Suchet, J. Crystallographic study and electrical properties of some alloys of composition CrTe_x , 3=23464
- Kifune, T. See Kabe, S., 4=25372
- Kigugawa, M. An analysis of the low energy π -N scattering, 4=30259
- Kihara, M. See Muto, J., 3=24936
- Kihara, T. Ion-electron relaxation of plasmas in a strong magnetic field. I, 1=294
- Kihara, T. Magnetohydrostatic equilibrium for plasma in a torus tube, 1=308
- Kihara, T. Multipole interaction stabilizing cubic molecular crystals, 1=12348
- Kihara, T. Self-crystallizing molecular models, 4=4513
- Kihara, T. Unified theory of relaxations in plasmas. III. Quantum effects, 4=11579
- Kihara, T. and Aono, O. Unified theory of relaxations in plasmas. I. Basic theorem, 3=21758
- Kihara, T., Aono, O. and Dodo, T. Quantum theory of the Cerenkov radiation in plasmas, 3=12436
- Kihara, T., Aono, O. and Itikawa, Y. Unified theory of relaxations in plasmas. II. Applications, 4=494
- Kihara, T., Aono, O. and Sugihara, R. Theory of Cerenkov and cyclotron radiations in plasmas, 2=191
- Kihara, T., Aono, O. and Sugihara, R. Energy loss by a sequence of fast charges in a plasma, 4=27508
- Kihara, T. and Midzuno, Y. Irreversible processes in plasmas in a strong magnetic field, 1=5448
- Kihara, T., Midzuno, Y. and Kaneko, S. Transport properties of plasmas in a strong magnetic field, 1=8325
- Kihara, T., Midzuno, Y., Sakuma, K. and Shizume, T. Ion-electron relaxation of plasmas in a magnetic field, II, 1=8319
- Kihara, T., Taylor, M. H. and Hirschfelder, J. O. Transport properties for gases assuming inverse power intermolecular potentials, 0=16735
- Kihara, T. See Hirschfelder, J. O., 1=10527
- Kihara, T. See Honda, N., 3=12103
- Kihlberg, A. A reformation of the wuantal n-particle problem by means of redundant coordinates, 2=17375
- Kihlberg, A. Separation of the rotational degrees of freedom from the N-particle Schrödinger equation, 4=21042
- Kihlberg, A. On a class of explicit representations of the homogeneous Lorentz group, 4=29512
- Kihlberg, L. Studies on molybdenum oxides, 0=18345
- Kihlberg, L. Least squares refinement of the crystal structure of molybdenum trioxide, 4=4614
- Kihlberg, L. Crystal structure studies on monoclinic and orthorhombic Mo_4O_{11} , 4=4615
- Kihlberg, L. Crystal structure studies on Mo_3O_{14} , a compound exhibiting two-dimensional disorder, 4=7628
- Kihlberg, L. The crystal structure of $\text{Mo}_{18}\text{O}_{52}$ and the existence of homologous series of structures based on MoO_3 , 4=7629
- Kihlberg, L. Least squares refinement of the structure of Mo_9O_{23} , 4=7630
- Kihlberg, L. The structural chemistry of the higher molybdenum oxides, 4=7631
- Kihlman, T. See Ingemansson, S., 0=19348
- Kiho, H., Peterlin, A. and Geil, P. H. Polymer deformation. VI. Twinning and phase transformation of polyethylene single crystals as a function of stretching direction, 4=20679

- Kihō, H. See Ishii, K., 3=25658
 Kihō, H. See Ishii, K., 3=25659
 Kiis, V. I., Nym, U. Kh., Paë, A. Ya., and Reëben, V. A. Automatic spectrograph based on the UM-2 monochromator, 4=16231
 Kijewski, L. J., Fanucci, J. B. and Ness, N. Impedance characteristics of an a. c. MHD generator, 4=11503
 Kijewski, L. J. See Ness, N., 3=21776
 Kiker, W. E. See Williams, C. W., 4=28077
 Kikiani, B. I. See Ilyin, R. N., 4=20118
 Kikkawa, K. Generalized ward identities for vector boson field, 2=11899
 Kikkawa, K. Broken symmetries and coupling constants, 4=5946
 Kikkawa, K. A test of the R-reflection invariance, 4=21763
 Kikkawa, K. Mass splittings of the strongly interacting particles, 4=24982
 Kikkawa, K. See Ezawa, H., 2=9796
 Kikkawa, K. See Ezawa, H., 2=20237
 Kikoin, I. K., Babushkina, N. A. and Igoshcheva, T. N. On the magnetic change in resistance of ferromagnetics above the Curie point, 1=1237
 Kikoin, I. K., Babushkina, N. A. and Igoshcheva, T. N. Galvanomagnetic phenomena in the ferromagnetic MnSb alloy, 1=17622
 Kikoin, I. K., Buryak, E. M. and Muromkin, Yu. A. Concerning the anomalously large Hall effect in the ferromagnetic alloy chromium-tellurium, 0=1620
 Kikoin, I. K. and Igoshcheva, T. N. The Hall coefficient and electric resistance of ferromagnetics, 4=12846
 Kikoin, I. K. and Igoshcheva, T. N. Magnetic changes of resistance in ferromagnetics, 4=22982
 Kikoin, I. K. and Kosyrev, Yu. P. Effect of magnetic field on recombination radiation in Ge and its quenching by infrared light, 4=6782
 Kikoin, I. K. and Lazarev, S. D. On the isotropic and anisotropic components of the even photomagnetic effect, 1=3718
 Kikoin, I. K. and Lazarev, S. D. The anisotropy of the even photomagnetic effect in n-germanium at low temperature, 1=5030
 Kikoin, I. K. and Lazarev, S. D. Anisotropy of the odd photomagnetic effect, 2=2194
 Kikoin, I. K. and Lazarev, S. D. Anisotropy of the odd photomagnetic effect, 2=23481
 Kikoin, I. K. and Nikolaev, I. N. Photomagnetic effect in p-n junctions, 2=6503
 Kikoin, I. K. and Nikolaev, I. N. Photomagnetic effect in p-n junctions, 3=2980
 Kikoin, I. K. and Sominskii, M. S. Abram Fedorovich Ioffe (on his eightieth birthday), 1=6759
 Kikoin, I. K. See Alexandrov, I. P., 0=19960
 Kikoin, I. K. See Gokhberg, B. M., 4=2990
 Kikoin, I. K. See Gridin, V. A., 3=17966
 Kikuchi, A. See Sawaguchi, E., 3=4946
 Kikuchi, A. See Sawaguchi, E., 3=17940
 Kikuchi, A. See Sawaguchi, E., 4=23465
 Kikuchi, C. and Azarbajani, G. H. Spin resonance properties of ZnTe: Mn and of other A B compounds, 3=1192
 Kikuchi, C. and Matarrese, L. M. Paramagnetic-resonance absorption of ions with spin $\frac{5}{2}$: Mn⁺⁺ in calcite, 0=13871
 Kikuchi, C. See Borcherts, R. H., 4=20603
 Kikuchi, C. See From, W. H., 4=26412
 Kikuchi, C. See Lambe, J., 0=536
 Kikuchi, C. See Lambe, J., 0=10238
 Kikuchi, C. See Lambe, J., 0=13872
 Kikuchi, C. See Terhune, R. W., 1=11490
 Kikuchi, H. Generalized Appleton-Hartree theory for a hot magnetoplasma, 4=18976
 Kikuchi, K. Deuteron production by nucleons bombarding atomic nuclei, 0=11398
 Kikuchi, K. Classical treatment of nuclear reactions induced by fast nucleons, 1=684
 Kikuchi, K. Excitation of heavy nuclei by fast nucleons, 1=685
 Kikuchi, K. See Fukui, S., 2=3340
 Kikuchi, K. See Fukui, S., 4=24957
 Kikuchi, K. See Hayakawa, S., 4=16894
 Kikuchi, K. See Hayakawa, S., 4=16891
 Kikuchi, K. See Hu, C., 0=20453
 Kikuchi, K. See Kikuchi, S., 1=7113
 Kikuchi, K. See Nakasima, R., 0=13229
 Kikuchi, K. See Nonaka, I., 3=8100
 Kikuchi, K. See Oda, Y., 1=8724
 Kikuchi, K. See Sato, S., 3=25828
 Kikuchi, M. Visible light emission from metal-silicon contact, 0=20909
 Kikuchi, M. Visible light emission and microplasma phenomena in silicon p-n junction. II. Classification of weak spots in diffused p-n junctions, 1=11504
 Kikuchi, M. Coherent oscillation from forward-biased point contact silicon single crystals, 2=10482
 Kikuchi, M. Negative resistance in the forward direction of semiconductor point contact diodes, 3=2935
 Kikuchi, M. Observations of negative resistance and oscillation phenomena in the forward direction of point contact semiconductor diodes, 3=10855
 Kikuchi, M. Continuous oscillation in CdSe observed by local illumination, 4=10125
 Kikuchi, M. Observation of current saturation and oscillation in CdSe single crystals by local illumination, 4=10124
 Kikuchi, M. The interaction of an ionized pair of impurities in semiconductors with a. c. field, 4=28549
 Kikuchi, M. Experimental observations of undamped current oscillations in CdSe single crystals, 4=28641
 Kikuchi, M. and Abe, Y. Observation of coherent oscillation in germanium, 2=10471
 Kikuchi, M. and Abe, Y. The "sogicon"—a new type of semiconductor oscillator, 2=18722
 Kikuchi, M. and Abe, Y. Observations of instability in semiconductors caused by heavily injected minority carriers, 2=23296
 Kikuchi, M., Abe, Y. and Chong Pyong-un. Oscillation phenomena in high resistivity germanium rod, 4=4156
 Kikuchi, M., Abe, Y. and Chong Pyong-un. Further experimental results on the Sogicon characteristics, 4=4193
 Kikuchi, M., Abe, Y. and Chong Pyong-un. Light induced negative resistance in high resistivity n-type silicon, 4=4235
 Kikuchi, M. and Iizima, S. Quenching effect of the photoconductivity decay in CdS, 0=20932
 Kikuchi, M. and Iizima, S. Avalanche electroluminescence in CdS single crystal, 0=21014
 Kikuchi, M. and Iizima, S. Etch-figure in CdS single crystals, 1=1366
 Kikuchi, M. and Iizima, S. Photoconductivity of Cd-ZnS mixed crystal, 1=10061
 Kikuchi, M. and Iizuka, T. Observation of microplasma pulses and electroluminescence in gallium phosphide single crystals, 1=10048
 Kikuchi, M. and Saito, M. Possible evidence for the light induced plasticity in germanium, 1=3974
 Kikuchi, M. See Iizima, S., 2=809
 Kikuchi, R. Variational derivation of the steady state, 2=1076
 Kikuchi, R. Statistical dynamics of crystalline diffusion. II. Vacancy mechanism, 2=3933
 Kikuchi, R. Statistical dynamics of crystalline diffusion. III. Self-diffusion in an order-disorder system, 2=3934
 Kikuchi, R. and Cahn, J. W. Theory of domain walls in ordered structures. II. Pair approximation for nonzero temperatures, 2=10655
 Kikuchi, R. and Gottlieb, P. Path integral in irreversible statistical dynamics, 2=1077
 Kikuchi, S., Sanada, J., Suwa, S., Hayashi, I., Nisimura, K. and Fukunaga, K. Protons from the p + d breakup reaction at proton energies of 14 MeV and 10 MeV, 1=8516
 Kikuchi, S. See Sugie, A., 2=10117
 Kikuchi, M., Suzuki, M. and Shibuya, T. Observations of oscillation in CdSe single crystals compensated with Cu, 3=2936
 Kikuchi, M. and Tachikawa, K. Visible light emission from germanium diffusion p-n junction, 1=1093
 Kikuchi, M. and Tachikawa, K. Visible light emission and microplasma phenomena in silicon p-n junction. I, 1=8949
 Kikuchi, M. See Fukui, T., 3=23722
 Kikuchi, M. See Iizima, S., 1=20050
 Kikuchi, M. See Iizima, S., 1=10060
 Kikuchi, M. See Iizima, S., 3=8532
 Kikuchi, M. See Iizima, S., 4=10076
 Kikuchi, M. See Iizuka, T., 3=20170
 Kikuchi, M. See Iizuka, T., 3=20171
 Kikuchi, M. See Iizuka, T., 3=25667
 Kikuchi, M. See Iizuka, T., 4=1481
 Kikuchi, M. See Nagakura, S., 3=20884
 Kikuchi, M. See Okada, M., 4=29004
 Kikuchi, R. A theory of superconductivity, 0=8944
 Kikuchi, R. Irreversible cooperative phenomena, 0=12369
 Kikuchi, R. Statistical dynamics of crystalline diffusion. I. Exchange mechanism, 1=7589
 Kikuchi, R. Statistical dynamics of boundary motion, 1=7752
 Kikuchi, R. See Hecht, C. E., 3=19086
 Kikuchi, R., Denman, H. H. and Schreiber, C. L. Statistical mechanics of liquid Fe⁴, 0=18934

- Kikuchi, R. and Sato, H. Magnetic contribution to the anomalous γ -loop shear of Fe-Al alloys, 0=3009
- Kikuchi, R. See Cahn, J.W., 1=20086
- Kikuchi, R. See Homma, S., 4=15039
- Kikuchi, R. See Sato, H., 0=3014
- Kikuchi, R. See Sines, G., 3=22697
- Kikuchi, S., Nonaka, I., Ikeda, H., Kumagai, H., Saji, Y., Sanada, J., Suwa, S., Isoya, A., Hayashi, I., Matsuda, K., Yamaguchi, H., Mikumo, T., Nishimura, K., Karasawa, T., Kobayashi, S., Kikuchi, K., Ito, S., Suzuki, A., Takeuchi, S., and Ogawa, H. A 160 cm synchro- and variable energy ordinary cyclotron, 1=7113
- Kikuchi, S. and Oishi, Y. The photographic action of beta-rays, 0=12733
- Kikuchi, S. See Okada, T., 4=7551
- Kikuchi, S. See Suwa, S., 0=19856
- Kikuchi, S. See Suzuki, M., 3=10807
- Kikuchi, S. See Suzuki, M., 4=17621
- Kikuchi, S. See Tsukada, K., 3=6680
- Kikuchi, T. and Shiozawa, K. Observation of fission fragment tracks in sintered UO_2 , 2=18368
- Kikuchi, T. See Block, M.M., 0=1372
- Kikuchi, T. See Block, M.M., 0=17416
- Kikuchi, T. See Block, M.M., 1=15500
- Kikuchi, T. See Block, M.M., 2=9883
- Kikuchi, T. See Block, M.M., 3=12508
- Kikuchi, T. See Block, M.M., 3=12570
- Kikuchi, T. See Gray, L., 3=15042
- Kikuchi, T. See Kuyama, T., 3=16620
- Kikuchi, T. See Kuyama, T., 4=7821
- Kikuchi, T. See Kuyama, T., 4=23725
- Kikuchi, T. See Leitner, J., 1=16901
- Kikuchi, T. T. General rate equations for the two-level pulsed laser, 4=27677
- Kikuchi, T. T. See Marshall, S.A., 2=4263
- Kikuchi, T. T. See Marshall, S.A., 3=1187
- Kikuchi, Y., Hirota, E. and Morino, Y. Second-order quadrupole effect in the microwave spectrum of propargyl bromide, 0=2744
- Kikuchi, Y. See Morino, Y., 4=22382
- Kikuchi, Y. See Shibayama, K., 4=16181
- Kikuchi, Y. See Tokuyasu, T., 3=20955
- Kikushima, L. and Johnson, C. C. A high-current density brillouin focused electron beam, 4=14756
- Kilb, E. See Fthrer, C., 3=11776
- Kilb, R.W., Hurwitz, H., Jr. and Westendorp, W.F. Wall stabilization effects in theta-pinch configurations, 3=412
- Kilb, R.W., Hurwitz, H., Jr. and Westendorp, W.F. Wall stabilization effects in theta-pinch configurations, 3=21798
- Kilb, R.W. See Auer, P.L., 1=11957
- Kilb, R.W. See Auer, P.L., 2=9578
- Kilb, R. W. See Goldman, L. M., 4=18953
- Kilb, R. W. See Goldman, L. M., 4=24619
- Kilb, R.W. See Hurwitz, H., Jr., 1=3051
- Kilby, G.E. Coherent and incoherent scattering of X-rays by H_2 and He, 1=19681
- Kilby, G.E. The scattering of X-rays by N_2 , 3=19985
- Kilby, G. E. Momentum distribution of electrons in metallic lithium, 4=6773
- Kilcher, P. See Bellanger, L., 4=28002
- Kilcher, P. See Jastrzebski, J., 1=9829
- Kilcher, P. See Jastrzebski, J., 1=16992
- Kilcher, P. See Jastrzebski, J., 2=409
- Kilcher, P. See Jastrzebski, J., 2=10012
- Kilcher, P. See Jastrzebski, J., 3=22350
- Kildal, A. Electron oscillations in a magnetized plasma, 0=10920
- Kildal, A. On plasma oscillations with special emphasis on the Landau damping and the gross gaps in the frequency spectrum, 1=8336
- Kildal, A. Energy absorption in a longitudinal wave in a collisionless, magnetized plasma, 1=18904
- Kildal, A. Some comments on the Landau damping, 2=15936
- Kildal, A. On linear and non-linear hydromagnetic fluid motion generated by oscillating solid boundaries. I, 3=5831
- Kildal, A. On the relation between Landau damping and energy absorption, 3=7617
- Kildal, A. On drift instabilities in a collisionless electron-proton plasma from the point of view of energy absorption of resonant particles, 3=21846
- Kilday, B.A. See Michaelis, R.E., 2=4585
- Kilday, M. V. and Prosen, E. J. Heats of solution, transition, and formation of three crystalline forms of metaboric acid, 4=14452
- Kilfoyle, B. P. See Carman, E. H., 4=4787
- Kilfoyle, B. P. See Carman, E. H., 4=7884
- Kilgore, B. F. and Roberts, R. W. Preparation of evaporated silicon films, 3=8926
- Kilgore, B. F. See Roberts, R. W., 4=10481
- Kilgore, E. G. and Day, J. A. Energy dissipation of water drops striking an undisturbed water surface, 4=21086
- Kilgour, A. E. See Scag, D. T., 3=12187
- Kilham, J. K. See Smith, T. J. B., 3=14289
- Kilian, P. The annihilation of positrons in flight, 1=16762
- Kilian, P., Langhoff, H. and Flammersfeld, A. Decay of Nb^{94m} , 2=18301
- Kilian, P. See Langhoff, H., 2=1841
- Kilian, P. See Langhoff, H., 2=1850
- Kilimov, A. P., Nagornaya, L. L. and Zadorozhnyi, B. A. An attachment to an sf-4 spectrophotometer for recording luminescence spectra, 0=10762
- Kilimov, A. P. and Voloshina, V. V. The photoluminescence and absorption of acridone in solution, 3=141
- Kilimov, A. P. See Nagornaya, L. L., 2=2258
- Kilimov, A. P. See Nagornaya, L. L., 4=14962
- Kilimov, A. P. See Nagornaya, L. L., 4=16735
- Kilimov, A. P. See Shimanskaya, N. P., 0=10073
- Kilin, S. F. The duration of photo- and radioluminescence of organic compounds, 3=15716
- Kilin, S. F., Kovyrzina, K. A. and Rozman, I. M. Luminescence of p-terphenyl in a mixture of toluene and carbon tetrachloride, 2=7224
- Kilin, S. F., Mikhelashvili, M. S. and Rozman, I. M. On the radioluminescence of organic substances. III. Specific quenching in fast-electron excitation, 4=28748
- Kilin, S. F., Murguliya, G. E. and Rozman, I. M. Recording of pulsed X-rays with capacitor-type ionization chambers, 3=24420
- Kilin, S. F. and Rozman, I. M. Time spread for some photomultipliers, 4=16525
- Kilin, S. F. and Rozman, I. M. On the radioluminescence of organic substances. II. Luminescence duration in non-luminescent solvents, 4=24221
- Kilin, S. F. See Baroni, E. E., 2=21278
- Kilin, S. F. See Rozman, I. M., 1=2462
- Kilin, S. F. See Viktorov, D. V., 4=16734
- Kiliszek, C. On sorption properties of barium films, 2=12947
- Kilkson, R. See Toth, R. S., 1=7646
- Kilkson, R. See Toth, R. S., 0=10284
- Killeen, J., Gibson, G. and Colgate, S. A. Boundary-layer formation in the pinch, 0=10897
- Killeen, J., Heckrotte, W. and Boer, G. Energy transfer from hot ions to cold electrons in a plasma, 3=12121
- Killeen, J., Hess, W. N. and Lingelfelter, R. E. Electrons from bomb neutron decay, 4=4793
- Killeen, J. and Lippmann, B. A. Circuit dynamics of the pinch, 0=16998
- Killeen, J. See Furth, H. P., 3=12177
- Killeen, J. See Futch, A. H., Jr., 3=1964
- Killeen, J. See Hess, W. M., 2=4685
- Killeen, J. See Hess, W. N., 1=21076
- Killoran, D. R. The effective duration of a linear slow-cool, 2=10413
- Killpatrick, D. H. and Balluffi, R. W. Diffusion rates in face-centered cubic copper-zinc alloys during torsional deformation, 3=12999
- Killpatrick, J. Inside-out horizon scanner, 2=9131
- Killpatrick, J., Gustafson, H. and Wold, L. Alignment characteristics of a helium-neon optical maser, 2=19701
- Kilmister, C. W. and Newman, D. J. The use of algebraic structures in physics, 1=18235
- Kilner, J. R., Diebold, R. E. and Walker, R. L. Photoproduction of negative pions from hydrogen at forward angles, 1=2093
- Kilp, G. R. See Danko, J. C., 2=10547
- Kilp, H. See Hufnagel, F., 4=197
- Kilpatrick, J. E. See Curl, R. F., Jr., 0=5841
- Kilpatrick, J. E. See Hammel, E. F., 0=8873
- Kilpatrick, J. E. See Webster, L. A., 2=5222
- Kilpi, Y. Theory of permutability relations in quantum mechanics, 2=19423
- Kil'yanov, Yu. N. See Bystrov, V. F., 2=7774
- Kim, C. B. and Heine, R. W. Fundamentals of modification in the aluminum-silicon system, 4=23329
- Kim, C. C. and Barnard, A. C. L. Elastic scattering of protons by argon-36, 2=3563
- Kim, C. C. See Barnard, A. C. L., 2=3562
- Kim, C. C. See Bunch, S. M., 4=19514
- Kim, C. C. See Carlson, R. R., 1=7370

- Kim, C. C. See Devins, D. W., 4=19776
- Kim, C. O., Kernan, W. J. and York, C. M. Measurement of the gamma-ray spectrum from radiative muon decay, 0=20169
- Kim, C. O. See Garwin, E., 0=1296
- Kim, C. O. See York, C. M., 0=364
- Kim, C. S. Experimental studies on the hypersonic flow past plane, convex and concave wedges, 0=19187
- Kim, C.-S. See Tamaki, F., 0=19188
- Kim, C. Y., Kaneko, S., Kim, Y. B., Masek, G. E. and Williams, R. W. Single scattering of 2 BeV/c muons in nuclear emulsions, 1=84/1
- Kim, D. J. See Kubo, R., 3=986
- Kim, D. Y. Interaction of two helium atoms, 2=6108
- Kim, E. I. Conditions under which a boundary problem of the thermal conductivity equation can be solved, 2=1294
- Kim, E. I. Conditions under which a boundary problem of the thermal conductivity equation can be solved, 2=7429
- Kim, E. I. and Baimukhanov, B. B. Temperature distribution in a piece-wise continuous, semi-infinite plate, 1=18637
- Kim, E. I. and Baimukhanov, B. B. Temperature distribution in a piece-wise continuous, semi-infinite plate, 2=11518
- Kim, H., Keller, R. and Gwinn, W. D. Dipole moment of formic acid, HCOOH, and HCOOD, 3=6412
- Kim, H., Patel, B. S. and Kegeles, G. Interference optical studies of restricted diffusion, 3=5434
- Kim, H. See Sugata, E., 2=10947
- Kim, H. See Sugata, E., 2=10948
- Kim, H. See Sugata, E., 4=15820
- Kim, H. G. and Burcham, W. E. Resonant depolarization of deuterons during acceleration in a sector-focussed cyclotron, 4=24772
- Kim, H. J. Low energy (p, n) reactions on Mn⁵⁵ and the excited states of Fe⁵⁵, 3=17473
- Kim, H. J. and Shrader, E. F. Neutron-producing reactions by deuteron bombardment of B¹¹, 3=8126
- Kim, H. J. and Shrader, E. F. Angular correlation in the B¹¹(d, n_γ^{15.11} MeV)C¹² reaction, 3=24967
- Kim, J. S. and Kim, H. Y. Atmospheric conductivities over White Sands, New Mexico, 3=6970
- Kim, H. Y. and Kim, J. S. Atmospheric conductivities over Fort Churchill, 4=2260
- Kim, H. Y. See Kim, J. S., 3=6970
- Kim, H. Y. See Kim, J. S., 4=17929
- Kim Hi In. See Belyakov, V. A., 4=3489
- Kim Hi In. See Belyakov, V. A., 4=3491
- Kim, J. A. and Currie, B. W. Further observations of the horizontal movements of aurora, 0=18507
- Kim, J. K. See Ehrlich, R., 4=9290
- Kim, J. S. and Kim, H. Y. A comment on the papers entitled "a theory of ionospheric currents associated with aurorae I and II" by J. T. Weaver and R. Skinner, 4=17929
- Kim, J. S. and Volkman, R. A. Thickness of zenithal auroral arc over Fort Churchill, Canada, 3=21065
- Kim, J. S. See Jarnagin, R. C., 3=23549
- Kim, J. S. See Kim, H. Y., 4=2260
- Kim, J. S. See Silver, M., 4=7078
- Kim, K. H. See Balcarczyk, L., 2=20718
- Kim khi In. See Belyakov, V. A., 3=24764
- Kim Khi In. See Belyakov, V. A., 3=24798
- Kim Khi In. See Belyakov, V. A., 4=19810
- Kim Khi In. See Belyakov, V. A., 4=27898
- Kim Khi In. See Van Gan-Chan [Pang Kang-Chang], 0=15455
- Kim Khi In. See Van Gan-chan., 1=2099
- Kim Khi in. See Van Gan-chan., 1=19284
- Kim Khi-In. See Van Gan-Chan, 3=19709
- Kim Khi In. See Veksler, V. I., 3=22211
- Kim Khi In. See Viryasov, N. M., 0=9364
- Kim-Khi In. See Wang Kang-Ch'ang, 3=19702
- Kim Khi San. See Wang Nai-yen, 4=9537
- Kim Khi San. See Zeliger, D., 4=6359
- Kim Khi San. See Van Nai-yan', 4=25406
- Kim Khi Sang. See Kim Khi San
- Kim, I. D. and Rodichev, G. M. Large Barkhausen jumps in thin ferromagnetic films, 3=11080
- Kim, P. D. See Rodichev, G. M., 2=21323
- Kim, P. H. On the proton resonance of several hexammine complex salts, 1=9073
- Kim, P. H. and Sugawara, T. Low temperature anomaly in the proton resonance of some nickel salts, 0=535
- Kim, P. H. See Kamiyama, M., 4=1776
- Kim, P. H. See Namba, S., 4=6992
- Kim, S. See Henderson, D., 3=11783
- Kim Tse Peng. and Zoellner, W. Pion production at low energies, 2=16219
- Kim, W. H. See Frisch, I. T., 1=10655
- Kim, W. K., Hirai, N., Ree, T. and Eyring, H. Theory of non-Newtonian flow. III. A method for analyzing non-Newtonian flow curves, 0=4988
- Kim, Y. Production of pion pairs by a photon in the Coulomb field of a nucleus, 2=29891
- Kim, Y. B., Hempstead, C. F. and Strnad, A. R. Critical persistent currents in hard superconductors, 3=3951
- Kim, Y. B., Hempstead, C. F. and Strnad, A. R. Magnetization and critical supercurrents, 3=5575
- Kim, Y. B., Hempstead, C. F. and Strnad, A. R. Resistive states of hard superconductors, 4=21410
- Kim, Y. E., Horen, D. J. and Hollander, J. M. Isomeric state in Y⁸⁶, 2=10027
- Kim, Y. B. See Anderson, W. P., 4=21389
- Kim, Y. B. See Dunlap, R. D., 4=3088
- Kim, Y. B. See Hempstead, C. F., 4=3091
- Kim, Y. B. See Hempstead, C. F., 4=14515
- Kim, Y. B. See Kim, C. Y., 1=8471
- Kim, Y. B. See Masek, G. E., 1=7257
- Kim, Y. E. Low-energy states in Y⁹⁰, 3=22304
- Kim, Y. E. and Rasmussen, J. O. Energy levels of Bi²¹⁰ and Po²¹⁰ and the shell-model residual force, 3=24875
- Kim, Y. E. and Rasmussen, J. O. Energy levels of Tl²⁰⁸ and Bi²⁰⁸, 4=22049
- Kim, Y. N. The effects of the nuclear charge polarization on the elastic scattering, 2=3538
- Kim, Y. N. Coulomb disintegration of μ -mesonic atoms, 3=4729
- Kim, Y. S. Dispersion relations for production amplitudes, 1=9736
- Kim, Y. S. Dispersion relations for production amplitudes. I, 2=261
- Kim, Y. S. Dispersion relations for production amplitudes, II, 2=262
- Kim, Y. S. Pion production in the low-energy limit, 2=7881
- Kim, Y. S. Spin rotation coefficients in π -N scattering, 3=6048
- Kim, Y. S. Quasi-deuteron model and the internal momentum distribution of nucleons in C¹², 3=7965
- Kim, Y. S. Anomalous thresholds and three-particle unitarity integral, 4=851
- Kim, Y. S. Three-particle unitarity integral, 4=25026
- Kim, Y. S., Liu, F. F., Loeffler, F. J. and Palfrey, T. R., Jr. High-energy photoprotons from light nuclei, 3=8079
- Kim, Y. S. and Oneda, S. Unitary symmetry in non-leptonic K-decays, 4=12055
- Kim, Y. S. and Oneda, S. Errata: Unitary symmetry and non-leptonic K decays, 4=19586
- Kim, Y. S., Oneda, S. and Pati, J. C. The ϕ - ω mixing angle, 4=27895
- Kim, Y. S. See Jaffe, A. M., 2=20276
- Kim, Y. S. See Jaffe, A. M., 3=10055
- Kim, Y. S. See Liu, F. F., 3=4624
- Kim, Y. W. and France, P. W. Electron paramagnetic resonance absorption studies of neutron-irradiated α , α -diphenyl- β -picryl hydrazine, 3=15371
- Kim, Y. W. and Hearn, D. D. Electron paramagnetic resonance absorption of thermally annealed Cr₂O₃ below Curie temperature, 3=20643
- Kim, Y. W., Kaplan, R. and Bray, P. J. Electron-spin paramagnetic resonance studies of metallic lithium in neutron-irradiated LiF, 0=4511
- Kim, Y. W., Kaplan, R. and Bray, P. J. Resolved hyperfine spectra of electron-spin paramagnetic resonance in irradiated LiF, 1=3555
- Kimball, C., Gerber, W. D. and Arrott, A. Antiferromagnetism in f.c.c. and h.c.p. iron-manganese alloys: Müssbauer effect, 3=15907
- Kimball, D. S. See Akasofu, S. I., 4=17926
- Kimball, D. S. See Bless, R. C., 0=8403
- Kimbel, K. H. and Willenbrink, J. An inexpensive disposable sample container for single phototube liquid scintillation counting, 2=5511
- Kimbell, G. H. and Le Roy, D. J. Effect of nuclear spin on the emission of the forbidden line Hg 6³ P₂-6¹ S₂, 2=14201
- Kimbell, G. H. See Gaydon, A. G., 3=14246
- Kimbell, G. H. See Gaydon, A. G., 4=22428
- Kimel, D. P. Determination of the optimum shape for a shielding barrier, 2=6052
- Kimel', L. P. Determination of the build-up factor in barrier geometry, 4=3724

- Kimel', L.P. and Leipunskii, O.I. Radiation field of a mono-directional point source of γ -rays, 2=13758
- Kimel', L.R., Panchenko, A.M. and Terent'ev, V.P. Calculation of the spectra and angular distribution of scattered γ quanta from a unidirectional point source of Cs^{137} in iron, 4=9155
- Kimel', O.I. See Leipunskii, O.I., 4=6009
- Kimel, S., Ron, A. and Hornig, D.F. Intermolecular potential in solid methane. I. Cohesive energy and crystal structure, 4=22456
- Kimel, S. See Ben-Reuven, A., 1=14030
- Kimel, S. See Hirshfeld, M.A., 0=5927
- Kimel, S. See Jaffe, J.H., 2=3743
- Kimel, W.R., Carey, W.E., Prohammer, F.G. and Baldwin, G.C. Determination of time behavior of neutron density and of reactivity on the Argonaut Reactor, 0=15630
- Kimmel, H. Change of nuclear magnetic interaction in liquids due to the influence of [immersed] solid surfaces, 2=5030
- Kimmel, H. Investigation of the ionic character of mixed covalent-ionic bonds by means of electron resonance, 4=3956
- Kimmitt, M.F. Simple method for stopping a radiation chopper in a preferred position, 0=19419
- Kimmitt, M.F. and Niblett, G.B.F. Infra-red emission from the theta pinch, 4=5643
- Kimmitt, M.F. and Prior, A.C. A photosensitive single crystal p-n junction in lead selenide, 2=8446
- Kimmitt, M.F., Prior, A.C. and Smith, P.G. Observation of far-infrared radiation from shock waves, 1=15944
- Kimmitt, M.F. See Crocker, A., 4=19295
- Kimmitt, M.F. See Harding, G.N., 1=9574
- Kimontovich, Yu.L. and Silin, V.P. The spectra of systems of interacting particles and collective energy losses during the passage of charged particles through matter, 1=2963
- Kimoto, K., Kamiya, Y., Nonoyama, M. and Uyeda, R. An electron microscope study on fine metal particles prepared by evaporation in argon gas at low pressure, 4=4645
- Kimoto, K. See Curzon, A.E., 4=4640
- Kimoto, S., Sato, M. and Shimazaki, H. Specimen current image of electron probe X-ray microanalyzer, 3=23531
- Kimpara, A. Correlation of occurrence of whistlers with geomagnetic activities, 0=12209
- Kimpara, A. Some characteristics of the dispersion of radio electric whistlers, 2=11036
- Kimpara, A. Whistlers and solar activity, 2=11037
- Kimpara, A. Dispersion of whistlers, 2=11038
- Kimpara, A. On a correlation between radio whistlers and solar activity, 2=15201
- Kimpara, A. On some remarkable characteristics of whistler atmospherics, 2=17146
- Kimpara, A. Some characteristics of the dispersion of whistlers, 3=11412
- Kimpara, A. Occurrence of whistlers and solar activity, 3=13682
- Kimura, A., Maddin, R. and Kimura, H. The effect of surface on the recrystallization of gold single crystals, 4=29055
- Kimura, A. See Kimura, H., 2=15066
- Kimpara, A. See Uyeda, H., 0=16412
- Kimura, H. The effect of suprathermal particles on interstellar dust, 3=11508
- Kimura, H. Domain structure of silicon iron at high temperatures, 2=8632
- Kimura, H. and Hasiguti, R.R. Resoftening of quench-hardened copper, 3=8907
- Kimura, H., Hasiguti, R.R. and Maniwa, H. Reduced mobility of divacancies in ordered Cu_3Au type alloys, 3=12961
- Kimura, H., Kimura, A. and Hasiguti, R.R. A resistometric study on the role of quenched-in vacancies in ageing of Al-Cu alloys, 2=15066
- Kimura, H., Kuhlmann-Wilsdorf, D. and Maddin, R. The growth mechanism of stacking-fault tetrahedra in quenched gold, 3=20203
- Kimura, H. and Maddin, R. Concentration of vacancies in gold single crystals deformed at high temperatures, 4=28443
- Kimura, H. and Sasaki, Y. The phase diagram of the niobium-carbon system, 3=18342
- Kimura, H. and Tatsumoto, E. Temperature dependence of magnetoresistance coefficients in silicon-iron, 0=2841
- Kimura, H. and Tatsumoto, E. Technical magnetization of frame-shaped single crystals of silicon iron, 1=14701
- Kimura, H. See Akahori, H., 3=19355
- Kimura, H. See Haga, E., 3=23071
- Kimura, H. See Haga, E., 4=20461
- Kimura, H. See Kimura, A., 4=29055
- Kimura, H. See Tatsumoto, E., 1=14362
- Kimura, H. See Tatsumoto, E., 1=14726
- Kimura, H. See Westdorp, W., 4=17435
- Kimura, I. Amplification of the v.l.f. electromagnetic wave by a proton beam through the exosphere. An origin of the v.l.f. emission, 2=15264
- Kimura, I. See Maeda, K., 0=8428
- Kimura, I. See Maeda, K., 2=13008
- Kimura, I. See Maeda, K., 4=23795
- Kimura, I. See Shibata, T., 0=1516
- Kimura, K. and Bauer, S.H. On the density-intensity calibration in electron diffraction studies, 4=5703
- Kimura, K. and Bauer, S.H. Electron diffraction study of the molecular structures of sulfur tetrafluoride (SF_4) and thionyl tetrafluoride (SOF_4), 4=6603
- Kimura, K. and Hasiguti, R.R. Interaction of vacancies with tin atoms in aluminum, 3=22744
- Kimura, K. and Kimura, M. Application of least-squares method to density-intensity calibration in electron diffraction studies, 0=10791
- Kimura, K. and Kubo, M. Application of least-squares method to gaseous benzene in electron diffraction investigation, 0=15782
- Kimura, K., Uemura, Y., Ishiwari, R., Kokame, J., Fukunaga, K., Katase, A., Muto, J., Kumabe, I., Ogata, H., Ohama, T. and Ohmori, Y. Elastic scattering of protons from B^{11} , Al, P, Co and Cu from 6 to 7 MeV, 2=5898
- Kimura, K., Uemura, Y., Sonoda, M., Shimizu, S., Yanabu, T., Ishiwari, R., Kokame, J., Katase, A., Kumabe, I., Yamashita, S., Takekoshi, H., Miyake, K., Ikegami, H. and Fujita, H. A 105 cm fixed frequency cyclotron of Kyoto University, 2=15970
- Kimura, K. See Bauer, S.H., 3=444
- Kimura, K. See Kawamoto, M., 1=1343
- Kimura, K. See Kimura, M., 4=6592
- Kimura, M. and Kimura, K. The mean-square amplitudes of interatomic distances in hexafluoride molecules, 4=6592
- Kimura, M., Matsuoka, S., Hattori, S. and Senda, K. Fine structure of proton resonance spectra of fluorobenzene derivatives, 1=1757
- Kimura, M. and Ōki, T. Determination of electron temperature from multiply charged ions in an arc discharge, 2=3018
- Kimura, M. and Ozawa, M. Measurement of shock velocity, 3=14252
- Kimura, M. and Ozawa, M. Measurement of shock velocity. II, 4=2772
- Kimura, M., Shoda, K., Mutsuro, N., Tohei, T., Sato, K., Kuroda, K., Kuriyama, K. and Akiba, T. Structure of the giant resonance in the $\text{Al}^{27}(\text{p}, \gamma)$ reaction, 1=5909
- Kimura, M., Shoda, K., Mutsuro, N., Tōhei, T., Sato, K., Kuroda, K., Kuriyama, K. and Akiba, T. Structure of giant resonance in $\text{Al}^{27}(\text{p}, \gamma)$ reaction, 1=12194
- Kimura, M., Shoda, K., Mutsuro, N., Sugawara, M., Abe, K., Kageyama, K., Mishina, M., Ono, A., Ishizuka, T., Mori, S., Kawamura, N., Nakagawa, T. and Tanaka, E. Structure of giant resonance in the $\text{P}^{31}(\text{p}, \gamma)$ reaction, 3=22376
- Kimura, M. See Abe, K., 4=21607
- Kimura, M. See Chiba, R., 1=13531
- Kimura, M. See Ishii, C., 0=9326
- Kimura, M. See Kimura, K., 0=10791
- Kimura, M. See Mutsuro, N., 0=20476
- Kimura, M. See Mutsuro, N., 1=2206
- Kimura, M. See Mutsuro, N., 3=4615
- Kimura, M. See Mutsuro, N., 3=4616
- Kimura, M. See Mutsuro, N., 3=19832
- Kimura, M. See Shoda, K., 1=17082
- Kimura, M. See Shoda, K., 2=426
- Kimura, M. See Shoda, K., 2=12180
- Kimura, M. See Shoda, K., 2=16381
- Kimura, M. See Shoda, K., 3=15172
- Kimura, M. See Sugawara, M., 3=12653
- Kimura, M. See Sugiyama, K., 1=16988
- Kimura, M. See Tohei, T., 1=17070
- Kimura, R., Endo, K. and Ohoyama, T. A partially ordered structure of the Heusler alloy Cu_2MnAl at high temperature, 2=21551
- Kimura, R. and Nosé, H. Spin wave resonance in Ni and its alloy films, 3=1169
- Kimura, R., Ohoyama, T. and Endo, K. On the decomposition of the ferromagnetic phase of the Heusler alloy, Cu_2MnAl , 1=20114
- Kimura, R. See Flock, A., 3=3656
- Kimura, T. Coupling of Dirac particle and gravitational field, 1=9721
- Kimura, T. Fixation of physical space-time coordinates and equation of motion of two-body problem, 2=25
- Kimura, T. On a fixation of gauge and true observables of Yang-Mills field, 2=7806

- Kimura, T. Introduction of true variables and consistency of Hamiltonian formalism, 2=11850
- Kimura, T. Molecular weight distribution of irradiated polymers, 3=8325
- Kimura, T. On the commutation relation for the canonical energy density, 4=19365
- Kimura, T. The convergence of the series representing the molecular size distribution function in irradiated polymers, 4=25795
- Kimura, T. See Nariai, H., 3=39
- Kimura, T. See Nariai, H., 3=11503
- Kimura, T. See Nariai, H., 3=21085
- Kimura, T. See Nariai, H., 4=27742
- Kimura, T. See Saito, S., 4=3218
- Kimura, T. See Saito, S., 4=8981
- Kimura, T. See Saito, S., 4=19278
- Kimura, Y. Formation of zinc ferrite by explosive compression, 4=4701
- Kimura, Y. and Kashihabara, S. Ultrasonic wave propagation velocity in ferrite and its elastic constant, 3=17652
- Kimura, Y. See Kabe, S., 4=25372
- Kimura, Y. See Ogawa, S., 3=8733
- Kin Pong Chik. See Seeger, A., 3=20164
- Kinase, W. On the phase transitions of barium titanate crystals, 1=1134
- Kinase, W. Theory of the dielectric constants of barium titanate, 2=6523
- Kinase, W., Ishibashi, Y. and Matuura, K. On the lattice vibration of cubic BaTiO_3 , 4=20193
- Kinase, W., Ishibashi, Y. and Kurasawa, Y. On ferroelectricity and antiferroelectricity of the AO_3 -type crystal, 4=20416
- Kinase, W., Kobayashi, J. and Yamada, N. Optical anisotropy of tetragonal barium titanate, 0=1720
- Kinase, W., Suzuki, K. and Kazami, A. On surface state and polarization reversal of ferroelectric crystals, 4=10108
- Kinastowski, S. and Pajak, Z. A study of the 'push-pull' effect by n.m.r., 4=208
- Kinbara, A. and Nakao, T. Non-ohmic property of thin metal films, 4=6927
- Kincaid, W.M., Blackwell, H.R. and Kristofferson, A.B. Neutral formulation of the effects of target size and shape upon visual detection, 0=2061
- Kinch, M.A. and Rollin, B.V. Detection of millimetre and sub-millimetre wave radiation by free carrier absorption in a semiconductor, 3=25385
- Kinchin, G.H., Moore, J. and Mossop, I.A. Experimental physics, 4=6436
- Kinchin, G.H. and Thompson, M.W. Irradiation damage and recovery in molybdenum and tungsten, 0=7906
- Kind, A. and Rossi, G. A simplified model for the determination of the thermal neutron spectrum in a fuel element, 3=10408
- Kind, A. and Rossi, G. Coolant temperature coefficient and two-thermal group diffusion model, 3=15259
- Kind, A. See Diana, E., 0=11471
- Kind, E.G. and Lau, E. Advantages of photographic scattered-light pictures, 2=5193
- Kind, E.G. and Schulz, G. Visual threshold and quantum structure, 2=1035
- Kind, E.G. and Schulz, G. The visual threshold and quantum structure, 2=24120
- Kindall, S. M. Treatment of vacuum cryosorption, 4=20815
- Kinder, H. A demonstration experiment of travelling-wave amplification, 3=21191
- Kinder, W. and Torge, R. Self-luminous object investigated in the Mach-Zehnder interferometer, as [its own] light source, 2=5183
- Kinderman, E.M. See Douglas, J.E., 0=4729
- Kindermann, M.R. See Garrod, R.L., 3=1740
- Kindl, B. Investigation on the structure and gettering properties of Zr-Al alloys, 4=21200
- Kindlmann, P.J. See Bennett, W.R., Jr., 2=17603
- Kinell, P.O. A recording Raman spectrograph, 0=5161
- King, A.B. and Gatz, C. Comment on a letter by Kenty: "Evidence for a long-lived metastable state of N_2 at about 8 eV", 3=2618
- King, A.B. See Wood, B.J., 2=158
- King, A.D., Jr. and Robertson, W.W. Solubility of naphthalene in compressed gases, 3=304
- King, A.D., Jr. and Robertson, W.W. Relationship between spectral shifts and solubility for naphthalene in compressed nonpolar gases, 4=6633
- King, A.D., Jr. See Robertson, W.W., 1=8125
- King, A.D., Jr. See Robertson, W.W., 1=11763
- King, A.D., Jr. See Robertson, W.W., 1=12331
- King, A.H. Investigation of small cyclic strains by etch pits at dislocation sites, 3=12984
- King, A.J. See Jackson, R.S., 0=18235
- King, A.J. See Wang, F.E., 3=11266
- King, A.J. See Wang, F.E., 3=20838
- King, A.R. Compensating radiometer, 1=18662
- King, A.R. See Frank, F.C., 0=17929
- King, B. G. and Sharpe, G. E. Measurement of the spot noise of germanium, galliumantimonide, gallium arsenide and silicon Esaki diodes, 4=26080
- King, B.R. See Forstat, H., 0=1559
- King, B.R. See Forstat, H., 1=12356
- King, D. C. A mercury programme for transforming data on the angular distribution of elastically scattered neutrons to one standard form, 4=25103
- King, D. C. Neutron reaction data on aluminium and oxygen for the U.K.A.E.A. nuclear data library; February 1964, 4=28044
- King, D.E.N. See Ehrenberg, W., 3=10701
- King, D.T. See Bugg, W.M., 0=13047
- King, D.T. See Bugg, W.M., 0=15349
- King, E. Accumulation of radiation damage in metastable β -phase plutonium, 4=22680
- King, E. and Lee, J. A. The low temperature resistivity of β -phase plutonium, 4=6930
- King, E., Lee, J. A., Kendelsohn, K. and Wigley, D. A. Self irradiation effects in stabilised δ plutonium, 4=12834
- King, E. See Lee, J.A., 0=11657
- King, E. A. See Garcia, A., 4=22166
- King, E. A. See Sen Gupta, H. M., 4=12277
- King, G. and Ash, E.A. Measurement of klystron cavity gap voltage using a retarding field technique, 3=14645
- King, G.A.M. A convenient method of getting representative ionospheric heights, 0=18484
- King, G.A.M. The ionospheric E-layer at Cape Hallett, 0=18494
- King, G.A.M. Use of logarithmic frequency spacing in ionogram analysis, 1=20907
- King, G.A.M. Analysis of the F_1 - F_2 transition region, 1=21002
- King, G.A.M. The seasonal anomalies in the F region, 2=4648
- King, G.A.M. The ionospheric F region during a storm, 2=15243
- King, G. A. M. Diffusion in the F-region. I. The upper boundary condition, 4=2313
- King, G. A. M. The dissociation of oxygen and high level circulation in the atmosphere, 4=23803
- King, G.A.M. and Lawden, M.D. Two methods of detecting ionospheric disturbances, 2=6946
- King, G.A.M. and Lawden, M.D. Variations of some ionospheric parameters over a solar cycle, 2=24038
- King, G.A.M. and Roach, F.E. Relationship between red auroral arcs and ionospheric recombination, 1=6631
- King, G.A.M. See Cummack, C.H., 0=4798
- King, G.A.M. See Davies, K., 1=12695
- King, G. D. See Hill, D. E., 4=11267
- King, G.J., Carlson, F.F., Miller, B.S. and McMillan, R.C. Evidence of trapped N atoms in X-ray irradiated NaN_3 , 1=8921
- King, G. J. and Miller, B. S. Paramagnetic resonance of Mn^{2+} in NaN_3 , KN_3 , and RbN_3 , 4=23051
- King, G.J., Miller, B.S., Carlson, F.F. and McMillan, R.C. Electron spin resonance of colloidal sodium in sodium azide, 0=8083
- King, G.J., Miller, B.S., Carlson, F.F. and McMillan, R.C. Solid state photochemical processes in sodium azide, 1=17579
- King, G.J. See Carlson, F.F., 1=1269
- King, G.J. See McMillan, R.C., 3=3418
- King, G. J. See Miller, B. S., 4=26566
- King, G.S.D. The space group of β - IN_3 , 2=10874
- King, G.W. Flap-valve for long narrow apertures, 0=19235
- King, G.W. and Moule, D. The ultraviolet absorption spectrum of nitrous acid in the vapor state, 3=6403
- King, G.W. See Gordon, R.D., 1=3546
- King, H. and Katz, L. Fine structure in the $\text{O}^{16}(\gamma, n)\text{O}^{15}$ yield curve, 0=1435
- King, H.J., Cameron, J.A., Eastwood, H.K. and Summers-Gill, R.G. The nuclear spin of indium-115 m, 1=5820
- King, H.J. See Cameron, J.A., 2=18242
- King, H.M. and Weir, J.B. Adjusting device incorporating an ultra-fine movement, 2=2667
- King, H.W. and Massalski, T.B. Lattice spacing relationships and the electronic structure of H.C.P. ζ -phases based on silver, 1=20571
- King, H.W. and Massalski, T.B. The determination of accurate lattice parameters in tetragonal metals and alloys, 3=6637
- King, H. W., Massalski, T. B. and Isaacs, L. L. Axial ratio changes in h.c.p. ζ -phases in the systems Au-In-Cu and Cu-Ge-Au, 4=7618
- King, H.W. See Massalski, T.B., 1=1408

- King, H.W. See Massalski, T.B., 1=1409
- King, H.W. See Massalski, T.B., 1=1746C
- King, H.W. See Massalski, T.B., 2=8837
- King, H.W. See Massalski, T.B., 3=6856
- King, H.W. See Massalski, T.B., 4=12700
- King, H.W. See Vassamillet, L.F., 4=10505
- King, I. The escape of stars from clusters. IV. The retardation of escaping stars, 0=12320
- King, I. The escape of stars from clusters. V. The basic escape rate, 0=12321
- King, I. The shape of a rotating star cluster, 1=5162
- King, I. The structure of star clusters. I. An empirical density law, 2=24153
- King, I.R. Comparison of ionization and electronic excitation in flames, 0=212
- King, I.R. Recombination of ions in flames. Effect of temperature, 1=11914
- King, I.R. Recombination rates of alkali metal ions, 2=5305
- King, I.R. Recombination of ions in flames, 2=17786
- King, J. Sound of change in the American schoolhouse, 3=14297
- King, J.C., Ballman, A.A. and Laudise, R.A. Improvement of the mechanical Q of quartz by the addition of impurities to the growth solution, 2=21481
- King, J.C. and White, D.L. A new high frequency ultrasonic transducer, 2=19650
- King, J.C., Wood, D.L. and Dodd, D.M. Infrared and low-temperature acoustic absorption in synthetic quartz, 0=11764
- King, J.D., Haslam, R.N.H. and McDonald, W.J. The gamma-neutron cross section for F^{19} , 0=17620
- King, J.D., Haslam, R.N.H. and Parsons, R.W. The gamma-neutron cross section for N^{14} , 0=2679
- King, J.D. and McDonald, W.J. The $Mg^{24}(y,n)Mg^{23}$ reaction, 0=20480
- King, J.E. and Terhune, R.W. Operation of a zero field X-band maser, 0=3851
- King, J.G. Search for a small charge carried by molecules, 1=2307
- King, J.G. Experience with solder glass and students, 4=18010
- King, J.H. Effect of anvil material on the generation of high pressures, 4=10992
- King, J.H. See Gebbie, H.A., 1=6160
- King, J.I.F. The Hopf q-function simply and precisely evaluated, 1=80
- King, J.I.F. Meteorological inferences from satellite radiometry. I, 3=25865
- King, J.I.F. Deduction of vertical thermal structure of a planetary atmosphere from a satellite, 2=12993
- King, J.I.F. and Florance, E.T. Moment method for solution of the Schwarzschild-Milne integral equation, 4=10824
- King, J.I.F. See Klein, M.M., 2=3034
- King, J.M. See Boggs, J.E., 1=3535
- King, J.N. and Wilman, H. The nature of the abrasion process in plastically deformable non-metals, 2=800
- King, J.N. and Wilman, H. The compression and rolling textures of AgCl and AgBr, 2=14927
- King, J.S. See Knoll, G.F., 3=17494
- King, J.S. See Olte, A., 2=13575
- King, J.W. Ionospheric self-demodulation and self-distortion of radio waves, 0=5425
- King, J.W. Magnetic effects in the F-region of the ionosphere, 1=21003
- King, J.W. Day-to-day and station-to-station correlation of ionospheric F-region critical frequencies, 1=21004
- King, J.W. International conference on the ionosphere, London, July, 1962, 2=24029
- King, J.W. Investigations of the upper ionosphere deduced from top-side sounder data, 3=13733
- King, J.W. Some relationships between magnetic and ionospheric variations, 3=13759
- King, J.W. and Graham, C. The relationship between f_oF_2 and magnetic phenomena, 2=9005
- King, J.W. and Scott, J.L. Variations in the height of the peak of the ionospheric F2-layer, 2=24039
- King, J.W., Smith, P.A., Eccles, D., Fooks, G.F. and Helm, H. Preliminary investigation of the structure of the upper ionosphere as observed by the topside sounder satellite, Alouette, 4=29331
- King, J.W. See Bergh, E.W., 1=21005
- King, K. See Schüle, W., 1=14249
- King, K. See Schüle, W., 2=23153
- King, K.M. and Thomas, L.H. Analysis of the statistical density matrix, 2=514
- King, L.A. The voltage gradient of the free burning arc in air or nitrogen, 3=4072
- King, L.A., Bissell, C.L. and Duke, F.R. Electric conductivity of fused $LiNO_3-NaNO_3-KNO_3$ eutectic, 4=24233
- King, L.A. and Duke, F.R. Direct current measurement of fused salt conductivity: molten nitrates, 4=24231
- King, L.D.P. See Bidwell, R.M., 0=13370
- King, M.J. See Brice, J.C., 4=16290
- King, M.J. See Wiltse, J.C., 4=3158
- King, N.M. and Walkinshaw, W. Spiral ridge cyclotron particle dynamics applied to conversion of the Harwell synchrocyclotron, 0=19852
- King, R. The diffraction of electromagnetic waves, 0=5402
- King, R. and Harrison, C.W. The half-wave cylindrical antenna in a dissipative medium: current and impedance, 0=12701
- King, R., Harrison, C.W., Jr. and Denton, D.H., Jr. The electrically short antenna as a probe for measuring free electron densities and collision frequencies in an ionized region, 1=12693
- King, R. See Apaydin, P., 4=7021
- King, R.B. The measurement of absolute oscillator strengths for lines of neutral atoms, 4=9622
- King, R.B. See Bell, G.D., 1=5976
- King, R.C. Production of cascade particles, 4=6130
- King, R.C. and Kleppa, O.J. A thermochemical study of some selected Laves phases, 4=10418
- King, R.C., Lanou, R.E., Jr. and Tuan, S.F. Low-energy \bar{K} -nucleon interaction, 1=10928
- King, R.C. See Franklin, J., 2=1724
- King, R.C. See Kleppa, O.J., 3=6872
- King, R.E.J. and Bartlett, B.E. Properties and applications of indium antimonide, 1=7653
- King, R.E.J. See Eaton, G.K., 3=2917
- King, R.F. See Griffiths, D.H., 1=1579
- King, R.F. See Moak, C.D., 4=19138
- King, R.J. Instrument problems in spectropolarimetry, 3=16806
- King, R.J., Middleton, S.P. and Thompson, I.M.G. Sensitive method for measuring small rotations of a distant object, 1=6818
- King, R.J. See Gates, J.W., 2=7411
- King, R.J. See Gillham, E.J., 1=1834
- King, R.J. See Maley, S.W., 2=16037
- King, R.J. See Philipps, L.F., 4=13979
- King, R.T. and Mullins, W.W. Theory of the decay of a surface scratch to flatness, 2=15089
- King, R.W. Neutral lepton currents and neutrino detection, 1=3161
- King, R.W., Peaslee, D.C. and Perkins, J.F. Electron-neutrino and electron-antineutrino scattering, 0=7336
- King, R.W. See Perkins, J.F., 0=13301
- King, R.W.P. Dipoles in a dissipative media, 2=7746
- King, R.W.P. See Gooch, D.W., 3=19453
- King, R.W.P. See Harrison, C.W., Jr., 0=17112
- King, R.W.P. See Iizuka, K., 3=21977
- King, R.W.P. See Jordan, E.C., 2=16049
- King, T.A. See Birks, J.B., 2=18869
- King, V.J. Liquid alloy for making contacts to metallic and nonmetallic surfaces, 2=1371
- King, W.B. See Wynne, C.G., 4=21230
- King, W.G. See Vincent, C.H., 0=19864
- King, W.G. See Vincent, C.H., 0=20005
- King, W.G. See Vincent, C.H., 2=20169
- King, W.H. Comments on the article "peculiarities of the isotope shift in the samarium spectrum", 3=15294
- King, W.H. Isotope shift in the arc spectrum of ruthenium, 4=25508
- King, W.H., Jr. Piezoelectric sorption detector, 4=29197
- King, W.J. See Rolfe, J., 1=11363
- King, W.J. See Wolfson, J.L., 3=24702
- King, W.L. and Gruber, H.E. Moon illustration and Emmert's law, 2=13219
- King, W.L. See Gruber, H.E., 3=11628
- King, W.R. See Horton, C.W., 3=5500
- King, W.T. Quadratic potential function for ammonia, 2=1986
- King, W.T. Electric moments and molecular orbitals for methane, 4=3895
- King, W.T. and Crawford, B., Jr. Group vibrations. I. Methods, 1=4928
- King, W.T. See Levin, I.W., 2=22982
- King-Hele, D.G. Density of the upper atmosphere from analysis of satellite orbits: further results, 0=4787
- King-Hele, D.G. Analysis of the orbits of the Russian satellites, 0=12339

- King-Hele, D.G. Secular and periodic motions of the node of artificial earth-satellite, 0=14475
- King-Hele, D.G. Evaluation of the second, fourth and sixth harmonics in the earth's gravitational potential, 0=16403
- King-Hele, D.G. The earth's gravitational potential, deduced from the orbits of artificial satellite, 1=9181
- King-Hele, D.G. Space-flight and re-entry trajectories, 1=15571
- King-Hele, D.G. Satellites and the earth's outer atmosphere, 2=4683
- King-Hele, D.G. Variations of scale height in the upper atmosphere, 2=15211
- King-Hele, D.G. The earth's gravitational potential, deduced from the orbits of artificial satellites, 2=17114
- King-Hele, D.G. The contraction of satellite orbits under influence of air drag. III. High-eccentricity orbits ($0.2 \leq e \leq 1$), 2=13190
- King-Hele, D.G. Satellite orbits and their geophysical implications, 2=23990
- King-Hele, D.G. Predicting the life-times of artificial satellites in theory and practice, 3=7057
- King-Hele, D.G. Improved formulae for determining upper-atmosphere density from the change in a satellite's orbital period, 4=2219
- King-Hele, D.G. Decrease in upper-atmosphere density since the sunspot maximum of 1957-58, 4=4781
- King-Hele, D.G. Prediction of future sunspot cycles, 4=4905
- King-Hele, D.G. Values of upper atmosphere scale height from the orbits of Vostok 3 and 4, 4=26812
- King-Hele, D.G. The rotational speed of the upper atmosphere, determined from changes in satellite orbits, 4=29308
- King-Hele, D.G., Cook, G.E. and Rees, J.M. Earth's gravitational potential: evaluation of even zonal harmonics from the 2nd to the 12th, 3=13639
- King-Hele, D.G., Cook, G.E. and Rees, J.M. Determination of the even harmonics in the earth's gravitational potential, 4=4735
- King-Hele, D.G. and Leslie, D.C.M. Effect of air drag on the orbit of the Russian earth satellite 1957 β : Comparison of theory and observation, 1=1667
- King-Hele, D.G. and Quinn, E. Table of the artificial earth satellites launched in 1963, 4=30993
- King-Hele, D.G. and Rees, J.M. Scale height in the upper atmosphere, derived from changes in satellite orbits, 3=3480
- King-Hele, D.G. and Rees, J.M. The decrease in upper-atmosphere density between 1957 and 1963, as revealed by satellite orbits, 4=2218
- King-Hele, D.G. and Walker, D.M.C. Variation of upper atmosphere density with a latitude and season: further evidence from satellite orbits, 0=8372
- King-Hele, D.G. and Walker, D.M.C. Density of the upper atmosphere and its dependence on the sun, as revealed by satellite orbits, 0=14201
- King-Hele, D.G. and Walker, D.M.C. Density of the upper atmosphere determined from satellite orbits, and its variation during 1957-61, 1=20881
- King-Hele, D.G. and Walker, D.M.C. Atmospheric densities at heights of 180-700 km, 1=20882
- King-Hele, D.G. See Cook, G.E., 1=52
- King-Hele, D.G. See Cook, G.E., 1=18220
- King-Hele, D.G. See Cook, G.E., 3=25992
- Kingdon, K.H. Enhancement of the evaporation of water by foreign molecules adsorbed on the surface, 4=8517
- Kingery, W.D. Regelation, surface diffusion, and ice sintering, 0=19508
- Kingery, W.D. and Coble, R.L. A review of the effect of micro-structure on mechanical behavior of polycrystalline ceramics, 3=23357
- Kingery, W.D. and Lepie, M.P. Solution-precipitation deformation under an applied stress, 0=10261
- Kingery, W.D. and Meiling, G.E. Transference number measurements for aluminium oxide, 1=7625
- Kingery, W.D. See Cooper, A.R., Jr., 2=15581
- Kingery, W.D. See Cooper, A.R., Jr., 4=18188
- Kingery, W.D. See Oishi, Y., 0=13562
- Kingery, W.D. See Oishi, Y., 0=15873
- Kingery, W.D. See Paladino, A.E., 2=21056
- Kingery, W.D. See Readey, D.W., 4=10381
- Kingery, W.D. See Tokuda, T., 3=20224
- Kingman, J.F.C. Instability of a rotating liquid film with a free surface. Appendix, 0=19084
- Kingman, P.W. and Green, R.E., Jr. Size effects in the deformation of aluminium crystals tested in compression, 4=30762
- Kingsbury, E.P. Transmission dynamometers, 0=3489
- Kingslake, R. Automatic predesign of the Cooke triplet lens, 3=16735
- Kingsley, J.D. Photochemistry of the V_1 center, 1=7602
- Kingsley, J.D. Bleaching and symmetry properties of the V_4 center, 2=18621
- Kingsley, J.D. and Prener, J.S. Spectroscopy and luminescence properties of $\text{CaF}_2:\text{Eu}$, 2=10588
- Kingsley, J.D. and Prener, J.S. Free charge carrier effects in cadmium fluoride, 2=14551
- Kingsley, J.D. See Fenner, G.E., 4=2826
- Kingsley, J.D. See Hall, R.N., 3=4966
- Kingsley, J.D. See Prener, J.S., 2=4128
- Kingsley, J.D. See Prener, J.S., 3=8524
- Kingston, A.E. Refractive indices and verdet constants of inert gases at ultraviolet wavelengths, 4=27223
- Kingston, A.E. Excitation and ionization of hydrogen atoms by electron impact, 4=28141
- Kingston, A.E. Calculation of cross sections for electron ionization of atoms using classical mechanics, 4=28146
- Kingston, A.E. Van der Waals forces for the inert gases, 4=28153
- Kingston, A.E. The populations of the discrete levels of atomic hydrogen in the chromosphere, 4=29449
- Kingston, A.E., Moiseiwitsch, B.L. and Skinner, B.G. The 1s-2s excitation of hydrogen atoms by proton impact, 0=20560
- Kingston, A.E., Moiseiwitsch, B.L. and Skinner, B.G. The 1s-2s excitation of hydrogen atoms by electron impact, 0=20561
- Kingston, A.E. and Skinner, B.G. The elastic scattering of electrons and positrons by hydrogen atoms, 1=9917
- Kingston, A.E. See Bates, D.R., 1=18774
- Kingston, A.E. See Bates, D.R., 2=11620
- Kingston, A.E. See Bates, D.R., 3=364
- Kingston, A.E. See Bates, D.R., 3=21779
- Kingston, A.E. See Bates, D.R., 4=8682
- Kingston, A.E. See Bates, D.R., 4=18808
- Kingston, A.E. See Bates, D.R., 4=18809
- Kingston, A.E. See Dalgarno, A., 1=8164
- Kingston, A.E. See Dalgarno, A., 1=17289
- Kingston, G.L. See Edwards, J.W., 2=22081
- Kingston, J.D. See Perez-Belles, R., 2=12253
- Kingston, R.H. Solid-state microwave devices, 3=6556
- Kingston, R.H. See Dennis, J.H., 4=10184
- Kingston, R.H. See Malmstrom, L.D., 4=8987
- Kingston, W.R. See Wertheim, G.K., 2=20809
- Kington, B.W. See Miller, P.B., 4=18576
- Kington, G.L. and Smith, P.S. A calorimeter and cryostat for measuring heats of physical adsorption, 4=11399
- Kington, G.L. and Smith, P.S. Thermodynamics of adsorption in capillary systems. I. Origin of irreversibility, 4=20818
- Kington, G.L. and Smith, P.S. Thermodynamics of adsorption in capillary systems. II. Heats of capillary condensation and pore shape, 4=20819
- Kington, G.L. See Frohnsdorff, G.J.C., 0=10376
- Kington, J.D. See Macklin, R.L., 1=17165
- Kington, J.D. See Macklin, R.L., 3=2504
- Kinh, V.Q. See Reich, R., 4=1561
- Kinh, V.Q. See Reich, R., 4=1566
- Kinitsky, V.A. Kalantaroff dimension system, 2=4905
- Kinloch, C.D., Lee, D.F. and Ventress, G.B. Automatic helical-spring stress relaxometer for intermittent or continuous relaxation measurements, 3=13339
- Kinloch, C.D. and McMullen, A.I. Improved equipment for the measurement of interfacial potentials, 0=3713
- Kinloch, C.D. and Waters, N.E. Extensometer for semi-rigid materials, 0=8584
- Kinman, T.D. Globular clusters. I. The radial velocities of southern globular clusters, 0=18811
- Kinman, T.D. Globular clusters. II. The spectral types of individual stars and of the integrated light, 0=18812
- Kinman, T.D. Globular clusters. III. An analysis of the cluster radial velocities, 0=18813
- Kinman, T.D. Photoelectric observations of SX Phoenixis, 1=12768
- Kinman, T.D. Limiting radii of stellar systems in the neighbourhood of the galaxy, 3=11581
- Kinmonth, R. See Searle, N.Z., 4=27306
- Kinnear, J.K. See Duffus, H.J., 2=24057
- Kinnear, R.W.N. See Dodd, J.N., 0=7701
- Kinney, C.R. See Polansky, T.S., 0=14058

- Kinney, J.A.S. Factors affecting induced color, 3=11644
 Kinney, J.A.S. Effect of field size and position on mesopic spectral sensitivity, 4=20985
 Kinney, J.A.S. See Connors, M.M., 2=7080
 Kinney, J.A.S. See Sweeney, E.J., 0=3382
 Kinney, R.B. See Sparrow, E.M., 4=16269
 Kino, G. See Crawford, F., 4=8767
 Kino, G.S. Parametric amplifier theory for plasmas and electron beams, 0=15139
 Kino, G.S. Cesium plasma measurements, 4=18790
 Kino, G.S. and Allen, M.A. The effects of fluctuations on propagation through a plasma medium, 3=4134
 Kino, G.S. and Gerchberg, R. Transverse field interactions of a beam and plasma, 4=8720
 Kino, G.S. and Gerchberg, R. Transverse field interactions of a beam and plasma, 4=19008
 Kino, G.S. and Krenz, J.H. Parametric oscillations and harmonic generation in a plasma discharge, 4=557
 Kino, G.S. and Paik, S.F. Circuit theory of coupled transmission systems, 3=503
 Kino, G.S. See Allen, M.A., 1=5441
 Kino, G.S. See Butler, H.S., 3=21800
 Kino, G.S. See Colburn, D.S., 3=21872
 Kino, G.S. See Crawford, F.W., 2=5324
 Kino, G.S. See Crawford, F.W., 3=21803
 Kino, G.S. See Crawford, F.W., 3=21804
 Kino, G.S. See Crawford, F.W., 3=21839
 Kino, G.S. See Crawford, F.W., 4=2973
 Kino, G.S. See Crawford, F.W., 4=19016
 Kino, G.S. See Harp, R., 4=18943
 Kino, G.S. See Harp, R.S., 4=5626
 Kino, G.S. See Jha, S.S., 3=12134
 Kino, G.S. See Pavkovich, J., 4=18942
 Kino, T. Quench hardening in aluminium single crystal plates, I, 0=4570
 Kino, T. and Fujiwara, T. Slip patterns on the stretched single crystal plates of aluminium, 0=3149
 Kino, T. and Fujiwara, T. Recrystallization of the stretched aluminium single crystal plates, 0=4599
 Kino, T. and Kabemoto, S. Quenching vacancies in aluminium, 1=6105
 Kino, T., Kabemoto, S., Maeta, H. and Yamagata, T. Scattering of electrons by stacking faults in aluminium, 4=12772
 Kino, T., Kabemoto, S. and Yoshida, S. An experimental study on vacancy-impurity interaction in aluminum, 3=22746
 Kino, T. See Izui, K., 0=3152
 Kino, T. See Sumizawa, M., 0=3209
 Kino, T. See Yoshida, S., 3=22891
 Kinoshita, A. See Nakano, T., 4=13531
 Kinoshita, K., Suzuki, T. and Misu, A. Measurement of mean laser output power, 4=11817
 Kinoshita, K. See Tsurumi, S., 3=16224
 Kinoshita, K. See Tsurumi, S., 4=13806
 Kinoshita, K. See Tsurumi, S., 4=13807
 Kinoshita, M. See Kuroda, H., 2=4040
 Kinoshita, T. Possible resonances in weak interactions and test of the intermediate boson hypothesis of Tanikawa and Watanabe, 0=11085
 Kinoshita, T. Mass singularities of Feynman amplitudes, 2=20227
 Kinoshita, T. High-energy p-p elastic scattering, 4=27850
 Kinoshita, T. Upper bound on the growth of scattering amplitude at high energy, 4=835
 Kinoshita, T., Loeffel, J.J. and Martin, A. New upper bound for the high-energy scattering amplitude at fixed angle, 3=17221
 Kinoshita, T., Loeffel, J.J. and Martin, A. Upper bounds for the scattering amplitude at high energy, 4=27810
 Kinoshita, T. See Bethe, H.A., 3=2214
 Kinoshita, T. See Contogouris, A.P., 3=22088
 Kinoshita, Y. See Jeffrey, G.A., 3=8868
 Kipling, A.L., Smith, P.W., Vanier, J. and Woonton, G.A. The concentration dependence of paramagnetic relaxation in dilute potassium chromi- and ferricyanides at liquid helium temperature, 2=4271
 Kipling, J. J., Sherwood, J. N., Shooter, P. V. and Thompson, N. R. Factors influencing the graphitization of polymer carbons, 4=23264
 Kipling, J. J., Sherwood, J. N., Shooter, P. V. and Thompson, N. R. The pore structure and surface area of high-temperature polymer carbons, 4=23543
 Kipling, J.J. See Cornford, P.V., 2=8893
 Kipling, J.J. See Gasser, C.G., 0=14149
 Kippenhahn, R. Investigations of rotating stars. IV. State of motion of the hydrogen ionization zone in early spectral types, 1=6719
 Kippenhahn, R. Meridional circulations in the hydrogen convective layer of the sun, 1=18076
 Kippenhahn, R. Differential rotation in stars with convective envelopes, 3=11565
 Kippenhahn, R. and de Vries, H.L. Energy loss of a modulated ion beam in a plasma with a magnetic field, 0=15011
 Kippenhahn, R. and Thomas, H.-C. Integral approximation for the equation of state of a degenerate gas, 4=27112
 Kippenhahn, R. See Baker, N., 0=2086
 Kippenhahn, R. See Baker, N., 2=7013
 Kippenhahn, R. See Biermann, L., 0=2078
 Kippenhahn, B.W. See Glang, R., 0=18327
 Kippenhahn, B.W. See Wajda, E.S., 0=18326
 Kipillin, V.A., Sheindlin, A.E. and Chekhovskoi, V.Ya. Enthalpy and heat capacity of tungsten in the temperature interval 0°-2400°C, 2=12386
 Kirakosyan, Z.A. See Kocharyan, N.M., 0=11246
 Kirakosyan, Z.A. See Kocharyan, N.M., 0=7441
 Kiral, A. Autocorrelation method and cycles of solar activity, 1=18100
 Kiral, A. See Balli, E., 1=18082
 Kirby, C.G.M. See Dauphinee, T.M., 0=7004
 Kirby, G. J. See Hawes, R. I., 4=27219
 Kirby, H.W. See Simpson, F.B., 2=10122
 Kirby, R.C. See Blair, J.C., 2=5490
 Kirchenmayer, A. Approximation of the short time behaviour of reactors through less than six groups of delayed neutrons, 0=4150
 Kirchenmayer, A. The simulation of the station flux distribution of a reactor by the analogue computer, 0=5834
 Kirchenmayer, A. On the kinetics of boiling water reactors, 1=752
 Kirchenmayer, A. A method for the calculation of the thermal utilization in the heterogeneous reactor, 1=774
 Kirchenmayer, A. The thermal utilization of the heterogeneous reactor in terms of the two-group theory, 1=775
 Kirchenmayer, A. Delayed-neutron-groups number reduction, 2=3648
 Kirchenmayer, A. Dynamics of boiling water reactors with natural convection, 2=20705
 Kirchenmayer, A. Effective resonance integral dependence on the moderator slowing down properties, 3=8156
 Kircher, C. J. See Frerichs, R., 4=5523
 Kircher, C. T. See Frerichs, R., 4=18587
 Kircher, J.F., McNulty, J.S., McFarling, J.L. and Levy, A. Irradiation of gaseous and liquid oxygen, 0=18440
 Kirchgässner, K. Instability of the flow between two rotating cylinders, compared with the Taylor-rotation for selected gap-distances, 1=18376
 Kirchhoff, W.H. and Wilson, E.B., Jr. The microwave spectrum and structure of NSF, 3=22563
 Kinoshita, K. Refractive index and pore structure of acid-leached surface layer of glass, 1=14573
 Kinoshita, K. and Kondo, H. Thickness-dependence of stress in vacuum deposited silver films, 1=11440
 Kinoshita, K., Kondo, H. and Sawamura, I. Stress in very thin vacuum-evaporated films of silver, 1=11441
 Kinsel, T. Ultraclean furnace utilizing radiation heating, 4=24421
 Kinsel, T., Lynton, E.A. and Serin, B. Magnetic properties of a superconductor of the second kind, 3=3954
 Kinsel, T., Lynton, E.A. and Serin, B. Magnetic and thermal properties of second-kind superconductors. I. Magnetization curves, 4=18571
 Kinsel, T. See Chang, G.K., 3=19124
 Kinsel, T.S. and Seidel, T.E. Heat treatment of n-type GaAs by radiant energy, 2=8361
 Kinsey, E.L. See Buchanan, R.A., 2=14685
 Kinsey, J.L. See Curl, R.F. Jr., 1=3536
 Kinsey, J.L. See Curl, R.F. Jr., 1=19623
 Kinsey, J.L. See Curl, R.F. Jr., 2=20829
 Kinsey, J.L. See Fröman, A., 1=14139
 Kinsey, J.L. See Tolles, W.M., 2=20831
 Kinsey, K. See Barnes, S.W., 0=3986
 Kinsey, K. See Barnes, S.W., 0=3987
 Kinsey, K. F. See Gotow, K., 4=21608
 Kinsey, K.F. See Knapp, D.E., 3=22178
 Kinsey, K.F. See Miyake, K., 2=13851
 Kinsinger, J.B. See Meyer, V.E., 1=7507
 Kinsinger, J.B. See Yoo, S.J., 2=8139
 Kinsler, L. F. See Breed, W. L., 4=2799

- Kinslow, M. See Potter, J. L., 4=14677
 Kinson, J. See Dodd, P., 2=22508
 Kinson, J. See Rushbrooke, J. G., 4=30227
 Kinson, J. B. See Barnes, V. E., 2=285
 Kinson, J. B. See Bugg, D. V., 4=15055
 Kinson, J. B. See Dodd, W. P., 2=5542
 Kint de Roodenbeke, A. See t'Kint de Roodenbeke, A.
 Kinter, M. L. See Weissman, I., 4=3026
 Kinugasa, M. See Nakagawa, S., 2=8746
 Kinumaki, S. See Watari, F., 2=3744
 Kinumaki, S. See Watari, F., 2=6165
 Kinzer, E. T. and Carr, H. Strong-focusing ion source, 0=5361
 Kinzig, B. J. See Bueche, F., 3=18809
 Kiočki, S. D., Mijatović, A. M. and Simić, J. M. Electron capture of Ba^{133} and excited states of Cs^{133} , 0=17540
 Kiosse, G. A. See Goryunova, N. A., 0=9978
 Kiotan, K. See Purika [Purica], I., 4=1033
 Kip, A. F. Cyclotron resonance in metals. Experimental, 1=17483
 Kip, A. F., Langenberg, D. N. and Moore, T. W. Cyclotron resonance in copper, 1=17489
 Kip, A. F. Cyclotron resonance in solids, 2=23136
 Kip, A. F. See Grimes, C. C., 4=6816
 Kip, A. F. See Grimes, C. C., 4=9934
 Kip, A. F. See Koch, J. F., 2=18561
 Kip, A. F. See Koch, J. F., 4=9933
 Kirchmayr, H. and Leeb, M. Evaluation of X-ray powder photographs using electronic computers, 4=10510
 Kirchmayr, H. R. Calculation of the equilibrium potential of amalgam electrodes, 3=25832
 Kirchner, F. On the streaming in the high vacuum ("Knudsen's molecular streaming") under the influence of adsorption and absorption, 0=2186
 Kirchner, F. On the use of Geiger counters for high sensitivity and rapid response in mass spectroscopic investigations, 1=9646
 Kirchner, F. A simple and quick method to achieve ultra high vacuum, 2=9321
 Kirchner, F. Geiger counters with low pressure fillings and their application in mass spectrometry, 4=3238
 Kirchner, F. Hydrogen molecules with four and five atoms, 4=9740
 Kirchner, F. and Benninghoven, A. On double-focusing counter mass spectrometer, 4=8865
 Kirchner, F. and Benninghoven, A. Mass spectrometric investigations of the energy distribution of sputtered particles, 4=21583
 Kirchner, F. and Wilhelm, W. A new measurement of the gyromagnetic ratio of the proton, 0=20130
 Kirchner, F. See Benninghoven, A., 4=6904
 Kirchner, H. On the field desorption of magnesium, rubidium and silver, 1=5105
 Kirchner, K. A 19 inch diameter bakeable metal ceramic seal, 4=18299
 Kirdina, G. A. See Pereyaslova, N. K., 2=2249
 Kirei, G. G. and Kisitsa, M. P. Effect of temperature on the infrared spectra of silicon-organic compounds. II. Liquid hexaethyldisiloxane, 2=17467
 Kirdina, G. A. and Pereyaslova, N. K. Preparation and properties of large-volume plastic scintillators, 2=2259
 Kirei, G. G. and Lisitsa, M. P. Effect of temperature on the infrared spectra of organosilicon compounds. III. Octa-methyltrisiloxane, 3=14169
 Kir'enin, I. A. See Nikulin, E. I., 4=28528
 Kirenkow, I. I. Thermodynamic and international practical temperature scale, 3=11981
 Kirenskii, L. V. and Afoshin, V. S. Rotational hysteresis of magnetostriction in ferromagnetics, 3=18094
 Kirenskii, L. V. and Buravikhin, V. A. The polarity of domain walls in thin ferromagnetic films, 1=7753
 Kirenskii, L. V. and Buravikhin, V. A. The polarity of domain walls in thin ferromagnetic films, 1=16152
 Kirenskii, L. V., Buravikhin, V. A. and Zvegintsev, A. G. Domain structure and coercivity of thin ferromagnetic films, 2=16912
 Kirenskii, L. V. and Buravikhin, V. A. Influence of the technique of preparation and thickness of thin ferromagnetic films of Fe-Ni-Mo alloy on their domain structure, 2=21318
 Kirenskii, L. V. and Buravikhin, V. A. Domain walls in thin ferromagnetic films, 2=21319
 Kirenskii, L. V., Buravikhin, V. A. and Savchenko, M. K. Cinematographic study of changes in magnetic structure of thin ferromagnetic films in magnetic fields, 2=8636
 Kirenskii, L. V., Buravikhin, V. A. and Savchenko, M. K. Variation of the domain structure of thin ferromagnetic films in a magnetic field, 2=16913
 Kirenskii, L. V., Buravikhin, V. A. and Savchenko, M. K. Filming the processes of the change in the magnetic structure of thin ferromagnetic films in a magnetic field, 2=23661
 Kirenskii, L. V., Drokin, A. I., Dylarov, V. D., Sudakov, N. I. and Zagirova, E. K. Temperature dependence of the first anisotropy constant and the magnetic structure of Fe-Mn ferrites, 3=13273
 Kirenskii, L. V. and Kan, S. V. Behaviour of the domain structure of thin ferromagnetic films in the process of slow magnetization reversal, 2=21322
 Kirenskii, L. V., Kan, S. V. and Degtyarev, I. F. Investigation of the magnetic structure of thin ferromagnetic films by means of the Kerr magnetic-optical effect, 2=21321
 Kirenskii, L. V., Kan, S. V. and Savchenko, M. K. Behaviour of the domain structure of thin ferromagnetic films at different temperatures, 3=11081
 Kirenskii, L. V., Ignatchenko, V. A. and Baklanov, O. G. Ferromagnetic resonance in thin films, 2=14817
 Kirenskii, L. V., Ignatchenko, V. A. and Rodichev, A. M. Behaviour of domain structure under the influence of elastic stresses, 2=741
 Kirenskii, L. V., Laptei, D. A., Drokin, A. I. and Smolin, R. P. Temperature magnetic hysteresis of single crystals of silicon iron, 1=10148
 Kirenskii, L. V., Savchenko, M. K. and Degtyarev, I. F. The practical magnetization of ferromagnetics, 0=1795
 Kirenskii, L. V., Savchenko, M. K. and Degtyarev, I. F. Magnetization process in ferromagnets, 0=10145
 Kirenskii, L. V. and Savchenko, M. L. Configuration of the domains in ferromagnetic crystals, 0=13793
 Kirenskii, L. V. and Veter, V. V. Measurement of the breadth of the boundary layer between domains in ferromagnetics, 0=1796
 Kirenskii, L. V. and Veter, V. V. Measurement of width of the boundary layer in ferromagnetics using the magneto-optical Kerr effect, 0=3039
 Kirenskii, L. V. See Spivak, G. V., 3=13266
 Kirgetov, V. I. The theory of an absolutely elastic impact on material systems, 2=15525
 Kirgetov, V. I. Analytical method of mechanics in the theory of a perfectly elastic impact of material systems, 3=1645
 Kirgintsev, A. N. Motion of an impurity in the zone melting of an infinite ingot, 3=20802
 Kirgintsev, A. N. and Avvakumov, E. G. Investigation of the capture of a nonisomorphous impurity by a crystal growing from the melt, 3=23389
 Kirgintsev, A. N., Kudrin, V. D. and Kudrina, K. N. Electronic computer solution for impurity movement during zone melting of a finite ingot, 3=25674
 Kirgintsev, A. N., Kudrin, V. D. and Kudrina, K. N. Mathematical theory of zone recrystallization of a two-component system, 3=25675
 Kirianenko, A. See Adda, Y., 0=11644
 Kirianenko, A. See Adda, Y., 2=606
 Kirianenko, A. See Adda, Y., 2=18612
 Kirianenko, A. See Adda, Y., 2=18613
 Kirichenko, A. P. Methods of narrowing spectral lines for interference measurements of length, 3=74037
 Kirichenko, A. P. See Bataruchkova, N. R., 2=19708
 Kirichenko, A. P. See Bataruchkova, N. R., 3=16797
 Kirichenko, G. B. See Gabovich, M. D., 2=17854
 Kirichenko, G. S. See Gabovich, M. D., 3=5686
 Kirichenko, G. S. See Gabovich, M. D., 3=14543
 Kirichenko, L. F. See Naidich, Yu. V., 4=8187
 Kirichenko, V. V. See Pokrovskii, N. L., 4=7515
 Kirillin, V. A. Research in the field of high-temperature thermo-physics, 4=18470
 Kirillin, V. A., Sheindlin, A. E. and Chekhovskoi, V. Ya. The experimental determination of the enthalpy of corundum (Al_2O_3) at temperatures from 500° to 2000° C., 2=3839
 Kirillin, V. A., Sheindlin, A. E. and Chekhovskoi, V. Y. Experimental determination of the enthalpy and heat capacity of molybdenum up to 2337°C., 2=8174
 Kirillin, V. A., Sheindlin, A. E., Chekhovskoi, V. Ya. and Peterov, V. A. Experimental investigation of the enthalpy of tungsten in the temperature range 2400-2820° C., 2=18528
 Kirillov, A. D. See Belyakov, A. N., 1=10815
 Kirillov, A. D. See Viryasov, N. M., 0=9364
 Kirillov, D. D. See Ivanov, D. P., 1=5463
 Kirillov, N. I. See Antonov, S. M., 2=17245

- Kirillov, P. L. Generalization of the experimental data on heat transfer in liquid metals, 4=2670
- Kirillov, P. L. Limiting values of the heat exchange coefficient, 4=18458
- Kirillov, P. L., Kolesnikov, V. D., Kuznetsov, V. A. and Turchin, N. M. Instruments for measuring pressures, flow rates and levels of molten alkali metals, 4=8147
- Kirillov, P. L. See Abramova, V. M., 2=17691
- Kirillov, P. L. See Subbotin, V. I., 3=3909
- Kirillov, V. D. Energy lost to radiation in a gas discharge plasma, 0=15024
- Kirillov, V. D. Energy loss by radiation in a gas-discharge plasma, 0=15025
- Kirillov, V. D. Measurement of plasma conductivity during a prolonged passage of current, 1=7038
- Kirillov, V. D. See Bezbatchenko, A. L., 0=5312
- Kirillov, V. D. See Ivanov, D. P., 1=309
- Kirillov, V. S. See Garber, R. I., 2=18810
- Kirillov, V. S. See Garber, P. I., 3=17988
- Kirillov-Ugryumov, V. G., Kotenko, L. P., Kuznetsov, E. P. and Samoilov, A. V. Determination of mass and momentum of charged particles in a bubble chamber by means of multiple scattering measurements, 0=3942
- Kirillov-Ugryumov, V. G., Kotenko, L. P., Kuznetsov, E. P. and Samoilov, A. V. Determination of the masses and momenta of charged particles from multiple scattering measurements in a propane bubble chamber, 0=20090
- Kirillov-Ugryumov, V. G., Kotenko, L. P., Kuznetsov, E. P. and Sergeev, F. M. Elastic scattering of 5-22 MeV positive pions by carbon, 0=2688
- Kirillov-Ugryumov, V. G., Kotenko, L. P., Kuznetsov, E. P., Sergeev, F. M. and Grashin, A. F. Elastic scattering of 5-22 MeV π^+ -mesons on carbon, 0=9693
- Kirillov-Ugryumov, V. G. See Aleksanyan, A. S., 4=30270
- Kirillov-Ugryumov, V. G. See Alikhanyan, A. I., 0=9696
- Kirillov-Ugryumov, V. G. See Demidov, V. S., 2=18344
- Kirillov-Ugryumov, V. G. See Demidov, V. S., 3=6059
- Kirillov-Ugryumov, V. G. See Demidov, V. S., 3=24781
- Kirillov-Ugryumov, V. G. See Demidov, V. S., 4=3444
- Kirillov-Ugryumov, V. G. See Demidov, V. S., 4=19568
- Kirillova, I. V., Veselov, M. G. and Brattsev, V. F. Tables of parameters of analytic wave functions of atoms and ions. II, 4=6459
- Kirillova, I. V., Veselov, M. G. and Brattsev, V. F. Tables of parameters of analytic wave functions of atoms and ions. III. Imposition of a configuration, 4=9621
- Kirillova, I. V. See Veselov, M. G., 2=513
- Kirillova, J. V. See Veselov, M. G., 4=19931
- Kirillova, L. F., Nikitin, V. A., Nomofilov, A. A., Sviridov, V. A., Strunov, L. N. and Shafranov, M. G. Small-angle elastic proton-proton scattering at energies 6 and 10 GeV, 4=12000
- Kirillova, L. F. See Asimov, S. A., 2=9845
- Kirillova, L. F. See Azimov, S. A., 3=6007
- Kirillova, L. F. See Barashenkov, V. S., 0=3966
- Kirillova, L. F. See Barashenkov, V. S., 0=4088
- Kirillova, L. F. See Barashenkov, V. S., 2=1869
- Kirillova, L. F. See Bogachev, N. P., 0=11400
- Kirillova, L. F. See Do In Seb, 2=6540
- Kirillova, L. F. See Do In Seb, 3=4393
- Kirillova, L. F. See Do In Seb, 3=24571
- Kirillova, L. F. See Do In Seb, 3=24727
- Kirillova, M. M. and Charikov, B. A. The optical properties of titanium in the quantum-transitions range, 4=15601
- Kirillova, M. M. and Charikov, B. A. Optical properties of niobium in the infrared range, 4=26209
- Kirillova, M. M., Noskov, M. M. and Charikov, B. A. Effect of heat treatment on the optical properties of metallic layers, 3=13146
- Kirillova, M. M. See Bolotin, G. A., 3=17977
- Kirillova, M. M. See Skorniyakov, G. P., 2=5168
- Kirilyuk, A. L. See Vlasov, M. F., 4=6240
- Kirilyuk, A. L. See Vlasov, M. F., 4=6241
- Kirilyuk, Z. O. and Moroz, L. P. Effect of stray light on the diffraction image of single line objects, 3=9620
- Kirin, I. S. See Bonyushkin, E. K., 4=12292
- Kirin, I. S. See Vlasov, V. A., 4=12293
- Kiritani, M. Formation of voids and dislocation loops in quenched aluminum, 4=22559
- Kiritani, M. and Yoshida, S. A new type aggregation of quenched-in vacancies in aluminum, 4=1473
- Kiritani, M., Yoshida, S. and Mikuriya, N. Impurity substructure in zinc crystal grown from the melt, 4=2095
- Kiritani, M., Yoshida, S. and Shimomura, Y. Quenched-in dislocation loops in aluminium (comment), 4=4052
- Kiritani, M. See Yoshida, S., 3=2804
- Kiritani, M. See Yoshida, S., 3=10667
- Kiritani, M. See Yoshida, S., 3=22891
- Kiritani, M. See Yoshida, S., 3=23407
- Kiritch, D. M. and Yovanovitch, D. K. On the parallelism between ionization and luminescence in crystals of quinine and quinidine by hydration and dehydration, 0=6198
- Kiriyama, H. See Kiriyama, F., 4=20622
- Kiriyama, R., Kiriyama, H., Wada, T., Niizeki, N. and Hirabayashi, H. Nuclear magnetic resonance and X-ray studies of potassium ferrocyanide trihydrate crystal, 4=20622
- Kiriyama, R. See Waku, S., 1=1136
- Kirk, A. See Dalton, A. W., 0=7577
- Kirk, A. See Evans, W. H., 0=3897
- Kirk, A. See Hadden, R. J. B., 2=1218
- Kirk, B. S. See Mullins, J. C., 4=11431
- Kirk, B. S. See Mullins, J. C., 4=14451
- Kirk, C. T., Jr. A theory of transistor cutoff frequency (f_T) falloff at high current densities, 2=14574
- Kirk, D. D. See Stierwalt, D. L., 4=2837
- Kirk, E. S. See Smith, M. J., 0=13606
- Kirk, J. High-pressure hydrogen gas target, 1=16626
- Kirk, J. and McElroy, J. The photo-production of π^+ -mesons from protons, 4=12029
- Kirk, J. See Garcia, A., 3=2493
- Kirk, M. T. Hydrodynamic lubrication of "Perspex", 2=19533
- Kirk, M. T. See Archard, J. F., 1=14930
- Kirk, R. D. and Schulman, J. H. Transparent luminescent films by soluton spraying, 1=14654
- Kirk, R. D. See Hughes, F., 4=13742
- Kirk, R. D. See Schulman, J. H., 0=9241
- Kirk, R. E. Tuning preferences for piano unison groups, 0=135
- Kirkaldy, J. S. The thermodynamic description of heterogeneous dissipative systems by variational methods. I. A formulation of the principle of minimum rate of entropy production with application to certain stationary heterogeneous convective systems, 0=19525
- Kirkaldy, J. S. The thermodynamic description of heterogeneous dissipative systems by variational methods. II. A variational principle applicable to non-stationary (unconstrained) heterogeneous dissipative systems, 0=19526
- Kirkaldy, J. S. Further remarks on the uniqueness of the Boltzmann Matano solution of the diffusion equation, 3=11733
- Kirkaldy, J. S. The thermodynamic description of heterogeneous dissipative systems by variational methods. III. An application of the principle of minimum entropy production to fluid dynamics, 4=27393
- Kirkaldy, J. S. The thermodynamic description of heterogeneous dissipative systems by variational methods. IV. Consequences of a synthesis of the Onsager and Prigogine principles, 4=27394
- Kirkaldy, J. S., Lane, J. E. and Mason, G. R. Diffusion in multi-component metallic systems. VII. Solutions of the multi-component diffusion equations with variable coefficients, 4=6864
- Kirkaldy, J. S. and Purdy, G. R. Diffusion in multicomponent metallic systems. V. Interstitial diffusion in dilute ternary austenites, 2=6363
- Kirkaldy, J. S. and Purdy, G. R. The thermodynamics of dilute ternary austenite solutions, 2=6840
- Kirkaldy, J. S., Weichert, D. and Zia-Ul-Haq. Diffusion in multicomponent metallic systems. VI. Some thermodynamic properties of the D matrix and the corresponding solutions of the diffusion equations, 4=6863
- Kirkaldy, J. S. See Lane, J. E., 4=28475
- Kirkaldy, J. S. See Purdy, G. R., 4=30801
- Kirkby, P. and Kavanagh, T. M. A new isomeric state in Eu^{152} , 4=9413
- Kirkham, D. Exact theory of flow into a partially penetrating well, 0=10634
- Kirkham, D. See Ligon, J. T., 3=7191
- Kirkland, P. C. See Garrison, G. R., 1=5328
- Kirkman, J. R. and Chalmers, J. A. Point discharge from an isolated point, 0=1117
- Kirko, I. M. and Filippov, M. V. Characteristics of a layer of ferromagnetic particles in suspension in a magnetic field, 0=21047
- Kirkpatrick, A. W. See Thompson, M. C., Jr., 0=12205
- Kirkpatrick, E. S., Müller, K. A. and Rubins, R. S. Strong axial electron paramagnetic resonance spectrum of Fe^{3+} in SrTiO_3 due to nearest-neighbor charge compensation, 4=23047

- Kirkpatrick, M.E., Bailey, D.M. and Smith, J.F. The structures of NiZr_2 , NiZr and their hafnium analogs, 2=10879
- Kirkpatrick, M.E., Smith, J.F. and Larsen, W.L. Structures of the intermediate phases and Ni_2Hf , 2=21528
- Kirkpatrick, G.P. See Canty, B.R., 1=13014
- Kirkpatrick, H.A. A 40-ft grazing-incidence vacuum spectrograph, 3=7339
- Kirkpatrick, H.B. See Delavignette, P., 1=11217
- Kirkpatrick, P. Batting the ball, 3=21268
- Kirkwood, J.G. Statistical mechanics of transport processes, 0=16647
- Kirkwood, J.G., Baldwin, R.L., Dunlop, P.J., Gosting, L.J. and Kegeles, G. Flow equations and frames of reference for isothermal diffusion in liquids, 0=19105
- Kirkwood, J.G. and Fitts, D.D. Statistical mechanics of transport processes. XIV. Linear relations in multi-component systems, 0=18964
- Kirkwood, J.G. See Helfand, J.G., 0=5014
- Kirkwood, J.G. See Rice, A., 0=904
- Kirkwood, J.G. See Rice, S.A., 1=18391
- Kirkwood, J.G. See Stillinger, F.H., Jr., 0=14628
- Kirkwood, J.G. See Stillinger, F.H., Jr., 0=19603
- Kirkwood, J.G. See Stillinger, H., Jr., 0=10605
- Kirkwood, J.G. See Wojtowicz, P.J., 0=21233
- Kirmser, P.G. and Wakabayashi, I. Triangulation — a precise method for satellite tracking, 0=2091
- Kirner, K. Diffusion investigations on rhenium-tungsten, 2=8245
- Kiro, D., Low, W. and Zusman, A. E.S.R. spectra of Cr^{3+} and Gd^{3+} in lanthanum aluminate, 4=26386
- Kirochkin, Yu.A. See Sitenko, A.G., 0=15042
- Kirochkin, Yu.A. See Sitenko, A.G., 4=19172
- Kirov, K. Formation of pulses, following the changes of conductivity, in semiconductor counters irradiated parallel to the electric field, 2=11835
- Kirov, K. Method for determining the trapping-level parameters in CdS-type crystals, 3=20326
- Kirov, K. Method of determining parameters of traps with large capture cross-section for electrons in CdS-type crystals, 4=15447
- Kirov, K.I. See Khristov, L.G., 1=7164
- Kirpichnikov, I.V., Ignat'ev, K.G. and Sukhoruchkin, S.I. Interference effects in fission cross-sections, 4=19841
- Kirpichnikov, I.V., Okorokov, V.V. and Sukhoruchkin, S.I. Measurements on the effective number of secondary neutrons emitted by ^{239}Pu over the primary neutron energy range 7-30 eV, 0=7635
- Kirpichnikov, I.V. See Ignat'ev, J.G., 2=1696
- Kirpichnikov, I.V. See Ignat'ev, K.G., 4=6352
- Kirpichnikov, I.V. See Ignat'ev, K.G., 4=17140
- Kirpichnikov, I.V. See Ratynskii, V., 4=6363
- Kirpichnikov, I.V. See Veselov, M.A., 4=14833
- Kirpichnikov, S.N. See Brumberg, V.A., 2=1027
- Kirs, Ya.Ya. and Laisaar, A.I. Effect of hydrostatic compression on the spectral characteristics of alkali halide phosphors, 2=23588
- Kirsanov, V.M., Linev, A.F. and Pustovoit, Yu.M. Measurement of the current-density distribution in the external beam of a cyclotron, 4=14788
- Kirsanov, V.P., Gavanin, V.A. and Marshak, I.S. Luminosity of tubular and spherical pulse lamps, 3=1807
- Kirsanov, V.P., Marshak, I.S. and Epshtein, M.I. New data on spectral characteristics of impulsive lamps, 3=16760
- Kirsanova, T.S. and Shul'man, A.R. Nature of the dependence of the work function of barium oxide-metal systems on the surface coverage, 4=29961
- Kirsanova, T.S., Shul'man, A.R. and Dement'eva, A.V. Work function of thin layers of barium oxide deposited on hot tungsten, 3=19296
- Kirsanova, T.S., Shul'man, A.R. and Gerasimova, A.P. Adsorption of barium oxide on the (110) face of a tungsten single crystal, 3=19297
- Kirsch, J. Doppler-shifted cyclotron resonance and Alfvén wave damping in bismuth, 4=12716
- Kirsch, J. and Miller, P.B. Doppler shifted cyclotron resonance and Alfvén wave damping in bismuth, 3=4854
- Kirsch, L., Plano, R.J., Steinberger, J. and Franzini, P. Test of the validity of $\Delta S = \Delta Q$ rule in K^0 decay, 4=30269
- Kirschbaum, A.J. See Gordon, R., 4=12305
- Kirschbaum, A.J. See Sparks, J.T., 0=11913
- Kirschner, I. On the irreversible thermodynamics of the volta-effect, 0=5249
- Kirschner, F. Vibration and noise control by high efficiency viscoelastic damping materials, 4=5344
- Kirschner, I. Computation of the working cycle of an adiabatic magnetic refrigerating process, 3=14431
- Kirsh, L. See Gelfand, N., 4=9264
- Kirsh, L. See Gelfand, N., 4=9266
- Kirshenbaum, A.D. and Streng, A.G. Molar extinction coefficients of liquid O_2F_2 , O_2F_2 , and O_3 in the visible range, 1=15886
- Kirshenbaum, A.D. See Cahill, J.A., 2=19544
- Kirshenbaum, A.D. See Grosse, A.V., 2=2700
- Kirshenbaum, A.D. See McGonigal, P.J., 2=15572
- Kirshenbaum, M.S. See Cerny, J., 3=17279
- Kirshnits, D.A. On a functional relation in quantum mechanics, 0=2497
- Kirshtein, G. Solution of some electromagnetic problems concerning the motion of conductors in a field of alternating currents, 4=30028
- Kirshtein, G. See Vitolin, A., 4=30070
- Kirson, M.W. Vector-meson fit to nucleon form factors, 4=3396
- Kirson, M.W. and Levinger, J.S. Statistical analysis of electron-proton scattering, 3=14957
- Kirson, M.W. See Levinger, J.S., 4=21845
- Kirste, R. The temperature dependence of the excluded volume in solutions of chain molecules, 4=8175
- Kirste, R. See Schulz, G.V., 4=2669
- Kirsten, F.A. The application of automatic testing to complex nuclear physics experiments, 2=17749
- Kirsten, F.A. See Baker, S.C., 2=2986
- Kirsten, F.A. See Baker, S.C., 2=2987
- Kirsten, F.A. See Evans, F., 2=2990
- Kirstein, P.T. Some solutions to the equations of steady space charge flow in magnetic fields, 0=9079
- Kirstein, P.T. A paraxial formulation of the equations for space-charge flow in a magnetic field, 0=17045
- Kirstein, P.T. On the variation of beam boundaries in linear beam transport elements and the computation of space-charge effects, 3=14654
- Kirstein, P.T. Thermal velocity effects in axially symmetric solid beams, 4=5706
- Kirstein, P.T. and Hornsby, J.S. An investigation into the use of iteration methods for the analysis of axially symmetric and sheet beam electrode shapes with an emitting surface, 4=24739
- Kirsten, C. Plasticity of intermetallic compounds: the deformation of CuAl_2 , 3=20718
- Kirsten, C., Paufler, P. and Schulze, G.E.R. Plastic deformation of intermetallic compounds, 4=28920
- Kirsten, F.A. See Maglič, B.C., 3=2178
- Kirvalidze, I.D. On the influence of heat treatment on the photo-e.m.f. of cuprous oxide, 0=13633
- Kirvalidze, I.D. The effect of pressure on the sign of photo-current through a contact of a metal point with a semiconductor, 0=15992
- Kirvalidze, I.D. and Chernyavskaya, S.G. The effect of heat treatment and ion bombardment on the properties of silicon point-contact diodes, 0=15973
- Kirvalidze, I.D. and Zhukov, V.F. The possibility of producing ohmic contacts on silicon by the dry friction method, 0=1646
- Kirvalidze, I.D. and Zhukov, V.F. The effect of heat treatments on the electrical properties of p-type silicon, 0=13603
- Kirtman, B. Interactions between ordinary vibrations and hindered internal rotation. I. Rotational energies, 3=4736
- Kirtman, B. Interactions between ordinary vibrations and hindered internal rotation. II. Theory of internal rotation fine structure in some perpendicular bands of ethane-type molecules, 4=25701
- Kirtman, B. Vibrational symmetry and selection rules for an ethane-type molecule, 4=9751
- Kirtman, B. See Yaris, R., 3=1700
- Kirton, J. and Newman, R.C. Paramagnetic resonance of trivalent ytterbium ions in calcium tungstate, 4=23058
- Kiruchi, T. See Block, M.M., 4=3467
- Kiryokhatskii, A.S. See Ivanov, R.B., 4=1054
- Kir'yanov, B.S., Smirnov-Averin, A.P., Galkov, V.I. Technetium accumulation in thermal reactors, 4=1163
- Kir'yanova, L.A., Pivovarov, V.M. and Yakovlev, S.A. Excitation of Raman effect in the orange and red spectrum regions, 3=1821
- Kir'yanova, L.A. See Pivovarov, V.M., 0=3619
- Kir'yashkin, S.I. See Bakhrakh, L.E., 3=21875
- Kir'yashkina, Z.I., Nozova, V.A. and Luchanskaya, N.M. Effect of temperature on the electrical conductivity of thin films of CdS, 3=25363

- Kir'yashkina, Z. I., Nosova, V. O., Luchans'ka, N. M., Rokakh, O. G. and Sverdlova, G. M. Peculiarities of the cathode conductivity of CdS films, 4=22709
- Kir'yashkina, Z. I., Nosova, V. O. and Rokakh, O. G. Obtaining photosensitive films of cadmium sulphide by means of alloying 4=26147
- Kir'yashkina, Z. I., Rokakh, O. H. and Volchanin, E. M. The effect of moisture on the conductivity of CdS films with CdCl_2 impurity, 4=22708
- Kir'yashkina, Z. I. See Zhimskaia, N. V., 4=10472
- Kiryukhina, A. I. See Makarova, E. A., 2=972
- Kirz, J., Schwartz, J. and Tripp, R. D. 1 = 2 S-wave $\pi-\pi$ scattering length, 2=9902
- Kirz, J., Schwartz, J. and Tripp, R. D. Reaction $\pi^- + p \rightarrow \pi^- + \pi^+ + n$ from 360 to 800 MeV, 3=17316
- Kirz, J. See Berge, J. P., 1=10932
- Kirz, J. See Chung, S. U., 4=25160
- Kirz, J. See Humphrey, W. E., 1=12121
- Kirzhnits, D. A. The internal structure of super-dense stars, 0=8517
- Kirzhnits, D. A. The energy of a compressed imperfect Fermi gas, 0=11122
- Kirzhnits, D. A. The cause of disappearance of the renormalized charge in the Lee model, 1=16717
- Kirzhnits, D. A. Field theory with nonlocal interaction. I. Construction of the unitary S-matrix, 1=16718
- Kirzhnits, D. A. The cause of disappearance of the renormalized charge in the Lee model, 2=22454
- Kirzhnits, D. A. Field theory with nonlocal interaction. I. Construction of the unitary s-matrix, 2=22455
- Kirzhnits, D. A. Field theory with nonlocal interaction. II. Dynamic apparatus of the theory, 4=3272
- Kirzhnits, D. A. Contribution to field theory with nonlocal interaction. III. Diagram technique, 4=9053
- Kirzhnits, D. A., Fainberg, V. Ya. and Fradkin, E. S. Structure of the Green's function of a photon, 0=5529
- Kirzhnits, D. A. and Polyachenko, V. L. The possibility of macroscopic manifestations of violation of microscopic causality, 4=16022
- Kirzhnits, D. A. and Smolyanskii, S. A. A relativistic field theory model which admits an exact solution, 1=19089
- Kirzhnits, D. A. and Smolyanskii, S. A. A relativistic field theory model which admits an exact solution, 2=22386
- Kirzhnits, D. A. See Alyamovskii, V. N., 4=19924
- Kirzhnits, D. A. See Ginzburg, V. L., 4=14516
- Kirzhnits, D. A. See Vagradov, G. M., 0=20084
- Kirzhnits, D. A. See Vagradov, G. M., 3=15083
- Kisaka, S., Ikegami, S. and Sasaki, H. Dielectric properties of mixed crystals of barium-strontium titanate, 0=20957
- Kisaka, S. See Ikegami, S., 2=23515
- Kisaka, S. See Sasaki, H., 4=17781
- Kisaka, S. See Shibata, T., 0=5365
- Kischel, K. See Hess, H., 1=18786
- Kischel, K. See Hess, H., 2=1405
- Kischel, K. See Morgenroth, H., 1=18785
- Kischel, K. See Morgenroth, H., 1=18787
- Kischel, K. H. and Wilhelm, J. A contribution to the problem of deciding on the validity of a principle of extreme energy dissipation for current flow in a conductor, 1=11895
- Kischel, K. H. and Wilhelm, J. Interpretation of the Steenbeck minimum principle, 2=173
- Kischio, W. See Grimmeiss, H. G., 1=17717
- Kischio, W. See Grimmeiss, H. G., 2=21199
- Kisdi, D. Application of Bogolubov's canonical transformation method to the calculation of space-time correlation function, 2=15496
- Kisdi, D. The space-time correlation function for a system of identical particles at zero temperature, 3=5382
- Kisdi, D. See Gombás, P., 2=9988
- Kisdi, D. See Gombás, P., 4=21978
- Kisdi-Koszó, E. and Turi, L. On a 2 MeV microtron, 1=16466
- Kisdi-Koszó, E. and Turi, L. Phase- and vertical stability of microtrons, 1=18964
- Kisdnasamy, S. See Brooke, G., 2=20469
- Kiscda, J. R. See Seelbach, W. C., 0=9141
- Kisel', A. N. See Kantor, P. B., 1=6074
- Kisel', A. M. See Kantor, P. B., 2=6277
- Kiselev, A. A. Theory of the β -band in the absorption spectrum of the NaCl crystal, 3=20487
- Kiselev, A. A. Calculation of the position of the β -band in the absorption spectrum of a NaCl crystal, 4=9883
- Kiselev, A. A. and Abarenkov, I. V. Optical transitions in a U-centre in a NaCl crystal, 1=4999
- Kiselev, A. A. See Van Chzhi-gan [Wang Chih-kang], 4=9882
- Kiselev, A. V. and Poshkus, D. P. A statistical thermodynamics calculation of the adsorption equilibrium of argon on graphite, 0=21296
- Kiselev, A. V. and Poshkus, D. P. Statistical calculation of thermodynamic functions of an adsorbed substance on graphite. I. Adsorption of monatomic molecules on graphite, 3=13572
- Kiselev, A. V. and Poshkus, D. P. Statistical calculation of thermodynamic functions of a substance adsorbed on graphite. II. Adsorption of benzene on graphite, 3=18398
- Kiselev, A. V. and Poshkus, D. P. Statistical calculations of the thermodynamic functions of substances adsorbed on graphite. III. Heat capacity of argon and benzene on graphite at low coverages, 4=2132
- Kiselev, A. V. See Davydov, V. Ya., 3=8922
- Kiselev, A. V. See Isirikyan, A. A., 2=10944
- Kiselev, A. V. See Isirikyan, A. A., 2=10945
- Kiselev, B. A. and Parshin, P. F. Some distortions in Fourier spectrometry, 2=15729
- Kiselev, K. A. and Lazarev, A. I. The temperature field in an infinite plate when the heat transfer coefficient and the temperature of the environment are variable, 0=16905
- Kiselev, M. I. and Kolosnitsyn, N. I. Calculations for inclined shock waves in magnetogasodynamics, 0=11033
- Kiselev, S. V., Kshnyakina, A. N., Ozerov, R. P. and Zhdanov, G. S. A neutron-diffraction study of the magnetic ordering and atomic displacements in some iron-containing perovskite substances with special dielectric properties, 4=10239
- Kiselev, S. V., Ozerov, R. P. and Zhdanov, G. S. Neutron diffraction detection of magnetic ordering in the ferroelectric BiFeO_3 , 3=5018
- Kiselev, S. V. See Goman'kov, V. I., 4=17805
- Kiselev, S. V. See Ozerov, R. P., 1=11551
- Kiselev, V. A. See Zolototrubov, I. M., 3=1757
- Kiselev, V. A. See Zolototrubov, I. M., 4=24640
- Kiselev, V. F. See Ganichenko, L. G., 0=12114
- Kiselev, V. S., Oganessian, K. O., Poze, R. A. and Flyagin, V. B. New measurements of the spectrum of neutrons formed on bombardment of Be by 680 MeV protons, 0=2550
- Kiselev, V. S. See Kazarinov, Yu. M., 1=19248
- Kiselev, V. S. See Kazarinov, Yu. M., 4=3397
- Kiselev, V. S. See Kazarinov, Yu. M., 4=16883
- Kiselev, V. S. See Kazarinov, Yu. M., 4=16884
- Kiselev, Yu. S. See Kuz'min, A. A., 4=14817
- Kiseleva, K. V. An X-ray diffraction investigation of strontium-bismuth titanates over a wide range of temperatures, 3=25653
- Kiseleva, K. V. and Bogdanov, S. V. Investigation of the structure of $\text{SrTiO}_3-\text{Bi}_2\text{O}_3$, 3TiO_2 solid solutions, 4=10548
- Kiseleva, M. N. See Oksman, Ya. A., 3=17959
- Kiseleva, M. S., Neporent, B. S. and Fursenkov, V. A. Spectral determination of the humidity of air in the upper layers of the upper layers of the atmosphere, 0=4789
- Kiseleva, M. S. See Neporent, B. S., 4=30407
- Kiseleva, N. K. and Pribytkova, N. N. Determination of the optical constants of Ge and CdTe by the reflection method, 1=19943
- Kiseleva, N. K. See Ivanov-Omskii, V. I., 1=20439
- Kiselevskii, L. I. and Sventitskii, N. S. Mechanism of emission of the electrode material in arcs for spectroscopic analysis, 3=24252
- Kiselevs'kyi, L. I. The mechanism of the efflux of anode and cathode material in an arc with constant polarity, 2=17806
- Kiser, K. M. 1/f Noise in thin films of semiconductors, 4=26050
- Kiser, R. W. Maze counters with borosilicate shells, 0=3879
- Kiser, R. W. Characteristic parameters of gas-tube proportional counters. I. Methane, methane-argon and ethanol-argon counters, 0=12722
- Kiser, R. W. Estimation of the ionization potential and dissociation energy of molecular astatine, 0=19607
- Kiser, R. W. Studies of the shapes of ionization-efficiency curves of multiply charged monatomic ions. I. Instrumentation and relative electronic-transition probabilities for krypton and xenon ions, 2=13538
- Kiser, R. W. and Gallegos, E. J. A technique for the rapid determination of ionization and appearance potentials, 2=19896
- Kiser, R. W. See Pannbacker, R. G., 3=14816
- Kiser, R. W. See Storrs, C. D., 1=15196
- Kish, D. See Dorchoman, D., 4=19799
- Kishan, P. See Sinha, J. K., 4=26055
- Kishida, S. and Nakamoto, K. Normal coordinate analyses of hydrogen-bonded compounds. II. Dimeric formic acid and acetic acid, 4=28245
- Kishida, S. See Nakamoto, K., 4=28244
- Kishimoto, A. See Fujita, H., 1=4334

- Kishimoto, A. See Fujita, H., 1=15168
 Kishimoto, T. Ultrasonic absorption in bones, 0=16791
 Kishinevskii, L. M. Cross sections for inelastic atomic collisions, 4=12400
 Kishinevskii, L. M. and Parilis, E. S. Contribution to the theory of ion-electron emission from metals, 4=8798
 Kishinevskii, L. M. See Parilis, E. S., 1=16392
 Kishita, M. See Inoue, M., 3=23374
 Kishkin, S. T. See Bokshtein, S. Z., 2=23778
 Kishkin, S. T. See Bokshtein, S. Z., 3=6801
 Kishkin, S. T. See Bokshtein, S. Z., 4=7435
 Kishko, S. M. Photoelectric determination of the excitation functions of the negative-band system of N_2^+ , 0=15725
 Kishko, S. M. Excitation functions of certain CO and CO^+ bands in the visible region of the spectrum, 2=6174
 Kishko, S. M. and Kuchinka, M. Yu. Excitation functions of certain bands of the second positive system of N_2 , 0=1521
 Kishko, S. M. See Zapesochnyi, I. P., 0=15703
 Kishko, S. M. See Zapesochnyi, I. P., 2=16515
 Kishko, S. M. See Zapisochnyi, I. P., 2=18424
 Kishore, J. See Krishnan, K. G., 2=5325
 Kishore, J. See Krishnan, K. G., 2=16485
 Kisiel, A. Intensity ratios in doublets of the fine structure in the Al III and Si IV spectra, 3=10446
 Kisiel, A. and Niewodniczański, H. A high luminosity quartz spectrograph for the far ultra-violet region λ 2300–1850 Å. U, 0=14822
 Kisiel, A. and Niewodniczański, H. Intensity ratios in doublets of the fine structure in the Al III spectrum, 1=17264
 Kisil', I. M. See Golashvili, T. V., 4=1122
 Kislik, M. D. Path of an artificial earth satellite in the normal gravitational field of the earth, 2=9118
 Kislik, M. D. See Kotel'nikov, V. A., 3=9272
 Kislik, M. D. See Kotel'nikov, V. A., 4=2459
 Kislik, M. D. See Kotel'nikov, V. A., 4=26818
 Kisliuk, P. Calorimetric heat of adsorption — nitrogen on tungsten, 0=3328
 Kisliuk, P. Reflection of slow electrons from tungsten single crystals, clean and with adsorbed monolayers, 1=7000
 Kisliuk, P. and Krupke, W. F. Biquadratic exchange energy in ruby-0.5% Cr_2O_3 , 4=12570
 Kisliuk, P., Krupke, W. F. and Gruber, J. B. Spectrum of Er^{3+} in single crystals of Y_2O_3 , 4=22856
 Kisliuk, P. and Walsh, D. J. The interference between beams from the opposite ends of a ruby optical maser, 2=7393
 Kisliuk, P. See Collins, R. J., 2=16018
 Kisliuk, P. See Geschwind, S., 2=14712
 Kisliuk, P. See Geschwind, S., 4=26236
 Kisliuk, P. See Houston, T. W., 4=7092
 Kislov, A. N. See Vlasov, A. G., 3=459
 Kislov, A. Ya. See Gavrilovskii, B. V., 4=777
 Kislov, M. I. See Rusinov, L. I., 1=1701
 Kislova, G. K. See Ivanov, R. D., 3=8674
 Kislovskii, L. D. Optical properties of water and ice in the infrared and radiowave regions of the spectrum, 0=8665
 Kislyak, G. M. Phosphorescence of certain solvents and their effect on the absorption spectra of organic phosphors, 2=15605
 Kislyak, G. M. Concentration extinction of phosphorescence, 2=18874
 Kislyak, G. M. and Lysenko, G. M. Some luminescent properties of organic dyes, 4=7204
 Kislyak, H. M. and Lisenko, H. M. Phosphorescence of boron-phthalic phosphors, 3=23113
 Kislyak, H. M. and Lisenko, H. M. Effect of temperature on the phosphorescence of phthalic acid in alums, 3=23116
 Kislyakov, A. G. Results of an experimental study of lunar radio emission at 4 mm, 2=1010
 Kislyakov, A. G., Kuzmin, A. D. and Salomonovich, A. E. Radio emission of Venus at 4 mm, 2=24171
 Kislyakov, A. G., Kuzmin, A. D. and Salomonovich, A. E. Radio emission of Venus at 4 mm, 3=3622
 Kislyakov, A. G. and Salomonovich, A. E. Radio emission of solar active regions in the millimetre range, 3=13971
 Kislyakov, A. I. See Afrosimov, V. V., 3=24996
 Kislyakov, A. I. See Berlovich, E. E., 2=13990
 Kislyi, P. S. and Samsonov, G. V. Diffusion of boron in graphite, 0=20841
 Kispéter, J. See Gombay, L., 3=17832
 Kiss, A. E. and Patla, N. Measurement of the quantum efficiency of a proportional counter using X-rays, 0=5439
 Kiss, A. E. and Patla, N. Some results obtained in developing a recording Geiger-counter X-ray intensity monitor, 1=4686
 Kiss, D. See Janossy, L., 0=5579
 Kiss, D. See Kardon, B., 1=6651
 Kiss, I., Matus, L. and Opauszky, I. On the relation between isotope effects on vapour pressure and molecular structure, 3=21632
 Kiss, I. See Pál, L., 0=5825
 Kiss, J. See Jeszenszky, B., 2=8302
 Kiss, J. See Jeszenszky, B., 3=890
 Kiss, L. I. The influence of pressure on the absorption spectrum of electrolytically coloured sodium chloride, 2=4137
 Kiss, Z. See McClure, D. S., 4=7153
 Kiss, Z. See McClure, D. S., 4=20465
 Kiss, Z. J. Energy levels of divalent thulium in CaF_2 , 2=18833
 Kiss, Z. J. Zeeman tuning of the $CaF_2:Th^{2+}$ optical maser, 3=9975
 Kiss, Z. J. Crystal field splitting in $CaF_2:Nd^{3+}$, 3=13167
 Kiss, Z. J. Zeeman tuning and internal modulation of the $CaF_2:Dy^{3+}$ laser, 4=8984
 Kiss, Z. J. Zeeman tuning and internal modulation of the $CaF_2:Dy^{3+}$ optical maser, 4=19301
 Kiss, Z. J. and Duncan, R. C., Jr. Optical maser action in $CaWO_4:Er^{3+}$, 2=23546
 Kiss, Z. J. and Duncan, R. C., Jr. Pulsed and continuous optical maser action in $CaF_2:Dy^{2+}$, 2=23547
 Kiss, Z. J., Lewis, H. R. and Duncan, R. C., Jr. Sun-pumped continuous optical maser, 3=17088
 Kiss, Z. J. and Welsh, H. L. The pressure-induced rotational absorption spectrum of hydrogen. II. Analysis of the absorption profiles, 0=1495
 Kiss, Z. J. and Yocom, P. N. Stable divalent rare-earth-alkaline earth halide systems, 4=29213
 Kiss, Z. J. See Duncan, R. C., Jr., 2=19700
 Kiss, Z. J. See Duncan, R. C., Jr., 3=22016
 Kiss, Z. J. See Van Kranendonk, J., 0=494
 Kiss, Z. J. See Weakliem, H. A., 4=28726
 Kissener, H. R. See Alexander, K. F., 3=15112
 Kissinger, H. E. Diffraction effects from irradiated aluminum single crystals, 4=9941
 Kissinger, H. E. See Mastel, B., 4=10014
 Kissinger, H. E. See Mastel, B., 4=26689
 Kissinger, P. B. and Weidner, R. T. Saturation effects in moderately diluted cesium chromium alum, 2=10697
 Kisslinger, C. Observations of the development of Rayleigh-type waves in the vicinity of small explosions, 0=10382
 Kisslinger, L. S. The effect of spin-dependent forces on collective motion in nuclei, 2=13946
 Kisslinger, L. S. Particle model of scattering from collective states of nuclei, 3=7985
 Kisslinger, L. S. and Sorensen, R. A. Pairing plus long range force for single closed shell nuclei, 0=17458
 Kisslinger, L. S. and Sorensen, R. A. Spherical nuclei with simple residual forces, 4=12123
 Kisslinger, L. S. See Freed, N., 1=13620
 Kistemaker, J. On ion mirrors and rotating plasmas, 0=259
 Kistemaker, J. On ion sources with high efficiency and intensity, 2=5386
 Kistemaker, J. The spheroidal state of a waterdrop. The Leidenfrost phenomenon, 3=7389
 Kistemaker, J. See Babeliowski, T. P. J. H., 3=1875
 Kistemaker, J. See Bannenberg, J. G., 4=18922
 Kistemaker, J. See Boerboom, A. J. H., 4=8523
 Kistemaker, J. See Boerboom, A. J. H., 4=8562
 Kistemaker, J. See de Ilee, F. J., 4=11527
 Kistemaker, J. See Fluit, J. M., 2=227
 Kistemaker, J. See Fluit, J. M., 3=4217
 Kistemaker, J. See Fluit, J. M., 3=10705
 Kistemaker, J. See Fluit, J. M., 4=10018
 Kistemaker, J. See Fluit, J. M., 4=17457
 Kistemaker, J. See Feymann, D., 0=8095
 Kistemaker, J. See Insinger, F. G., 4=662
 Kistemaker, J. See Laranjeira, M. F., 1=6895
 Kistemaker, J. See Rol, P. K., 1=8363
 Kistemaker, J. See Rol, P. K., 1=11987
 Kistemaker, J. See Sluyters, T. J. M., 0=10880
 Kistemaker, J. See Sluyters, T. J. M., 1=275
 Kistemaker, J. See Sluyters, T. J. M., 1=276
 Kistemaker, J. See Van Eck, J., 1=10675
 Kistemaker, J. See Van Eck, J., 3=2003
 Kistemaker, J. See van Eck, J., 3=3035
 Kistemaker, J. See van Eck, J., 3=12770
 Kistemaker, J. See Van Eck, J., 4=22316
 Kistemaker, J. See van Eck, J., 4=25533
 Kister, A. T. See Redlich, O., 2=21897

- Kistiakowsky, G.B. and Klotz, C.E. Kinetics of coordinate bond formation. IV. Kinetic isotope effect in the reaction $\text{NH}_3 + \text{BF}_3$, 1=6568
- Kistiakowsky, G.B. and Klotz, C.E. Kinetics of coordinate bond formation. V. Kinetics of the reaction $\text{P}(\text{CH}_3)_3 + \text{BF}_3$, 1=6569
- Kistiakowsky, G.B. and Lyon, R.K. Gaseous detonations. XIII. Rotational and vibrational distributions of OH radicals, 1=20739
- Kistiakowsky, G.B. and Michael, J.V. Mechanism of chemi-ionization in hydrocarbon oxidations, 4=13713
- Kistiakowsky, G.B. and Richards, L.W. Emission of vacuum ultraviolet radiation from the acetylene-oxygen and the methane-oxygen reactions in shock waves, 2=12963
- Kistiakowsky, G.B. See Bayes, K.D., 0=7758
- Kistiakowsky, G.B. See Bradley, J.N., 1=11617
- Kistiakowsky, G.B. See Bradley, J.N., 1=11618
- Kistiakowsky, G.B. See Gardiner, W.C., 1=8151
- Kistiakowsky, G.B. See Gardiner, W.C.Jr., 1=19671
- Kistiakowsky, G.B. See Glass, G.P., 4=13714
- Kistiakowsky, G.B. See Hand, C.W., 2=23959
- Kistler, A.L. Fluctuating wall pressure under a separated supersonic flow, 4=14195
- Kistler, S.S. See Christiansen, E.B., 1=10664
- Kistner, A.M. and Kistner, O.C. Temperature regulator and sample changer for neutron total cross-section measurements at low temperatures, 3=12478
- Kistner, O.C., Jaccarino, V. and Walker, L.R. Isomer shifts of Sn-119, 4=20164
- Kistner, O.C., Li, A.C. and Monaro, S. Lifetimes of the 22-keV first excited states in Eu^{151} and Sm^{149} , 4=3579
- Kistner, O.C., Monaro, S. and Segnan, R. Recoilless resonance absorption in Ru^{98} , 4=17058
- Kistner, O.C. and Sunyar, A.W. Evidence for quadrupole interaction of $\text{Fe}^{57\text{m}}$, and influence of chemical binding on nuclear gamma-ray energy, 0=11561
- Kistner, O.C., Sunyar, A.W. and Swan, J.B. Hyperfine structure of the 24 keV transition in Sn^{119} , 1=10961
- Kistner, O.C. See Chu, Y.Y., 4=12184
- Kistner, O.C. See Kistner, A.M., 3=12478
- Kita, H. Some considerations on a nonlinear field theory, 0=12847
- Kita, H. An attempt of a nonlinear field theory, 0=15236
- Kita, H. and Kawai, Y. Quantized free unstable particle field, 4=19356
- Kita, H. and Predazzi, E. On the μ -meson mass, 0=20175
- Kita, I. A cloud chamber study of high energy nuclear interactions of cosmic ray particles. I. A possible evidence of successive collisions in carbon nuclei, 1=13539
- Kitaeva, L.P. See Makogon, M.B., 4=1995
- Kitaeva, V.F., Kolesnikov, V.N., Obukhov-Denisov, V.V. and Sobolev, N.N. Structure of the column in an argon arc. I. Local electrical characteristics of the column, 3=14558
- Kitaeva, V.F., Obukhov-Denisov, V.V. and Sobolev, N.N. Concentration of charged particles in the plasma of an arc burning in an atmosphere of argon and helium, 2=17844
- Kitaeva, V.F. and Sobolev, N.N. On broadening of hydrogen lines in the plasma of an arc and a discharge tube, 2=19920
- Kitaeva, V.F. See Alyamovskii, V.N., 0=15659
- Kitaeva, V.F. See Raizer, M.D., 4=11548
- Kitaeva, V.F. See Sobolev, N.N., 0=973
- Kitaeva, V.F. See Sobolev, N.N., 0=8853
- Kitagaki, T. A general theory of mass analysers, 2=3103
- Kitagaki, T. and Nakayama, K. $e^- \mu$ transitions induced by electromagnetic interactions, 3=592
- Kitagaki, T. and Nakayama, K. $\mu^- e$ pair production by $e^+ e^-$ collision, 3=7878
- Kitagaki, T. See Homma, S., 4=15039
- Kitagawa, K. See Hashimoto, K., 2=68
- Kitagawa, N. and Brook, M. A comparison of intracloud and cloud-to-ground lightning discharges, 0=14305
- Kitagawa, N., Brook, M. and Workman, E.J. Continuing currents in cloud-to-ground lightning discharges, 2=8976
- Kitagawa, N. See Brook, M., 0=14306
- Kitagawa, N. See Brook, M., 0=16487
- Kitagawa, N. See Brook, M., 2=8977
- Kitagawa, N. See Workman, E.J., 0=14309
- Kitahara, T. Fresnel diffraction by absorptive wedges, 1=16107
- Kitaigorodskii, A.I. Gas-crystalline state of matter in polymers, 0=1916
- Kitaigorodskii, A.I. The impossibility of distributing centrosymmetric molecules in noncentrosymmetric groups, 0=13923
- Kitaigorodskii, A.I. The Debye approximation for organic crystals, 3=15440
- Kitaigorodskii, A.I. and Fedin, E.I. Change of intensity of nuclear quadrupole resonance in a molecular crystal irradiated with fast electrons, 0=21088
- Kitaigorodskii, A.I. and Mirskaya, K.V. Calculation of the lattice energy of a molecular crystal. I, 3=12897
- Kitaigorodskii, A.I. and Myasnikova, R.M. Concerning the theory of solid solutions of organic substances, 1=14934
- Kitaigorodskii, A.I., Myasnikova, R.M. and Samarskaya, V.D. Mutual solubility of toluene and mercury diphenyl in the solid state, 4=10408
- Kitaigorodskii, A.I. and Tsvankin, D.Ya. One-dimensional X-ray diffraction in the X-ray patterns of polymers, 0=16298
- Kitaigorodskii, A.I. See Aleksandrov, K.S., 4=1957
- Kitaigorodskii, A.I. See Belov, N.V., 0=18286
- Kitaigorodskii, A.I. See Fedin, E.I., 1=20281
- Kitaigorodskii, I.I. and Kopytov, L.N. The influence of environment on the incidence and growth of micropores in deformed glass, 3=18365
- Kitaigorodskii, S.A. Applications of the theory of similarity to the analysis of wind-generated wave motion as a stochastic process, 2=19191
- Kitaigorodskii, S.A. and Strekalov, S.S. Contribution to an analysis of the spectra of wind-caused wave action. I, 3=9012
- Kitaigorodskii, S.A. and Strekalov, S.S. On the analysis of spectra of wind-generated wave motion. II, 4=13777
- Kitamira, N. See Honjo, G., 3=18414
- Kitamura, K., Dondo, A., Turushima, T. and Ichihara, E. Surge current failure in silicon power rectifier diode, 4=7014
- Kitamura, M. On the cosmic ray storms due to the solar corpuscular streams, 0=11251
- Kitamura, M. On the unusual increase of cosmic-ray intensity on February 23, 1956, 0=15481
- Kitamura, M. The mass-accumulating stellar models for application to the secondary components of some close binary systems, 1=9278
- Kitamura, M. On the mechanism of the cosmic-ray storm, 2=12057
- Kitamura, M. Investigations on the mechanism of the cosmic-ray storm, 2=22674
- Kitamura, M. Non-linear integral equations of the Hammerstein type, 4=2524
- Kitamura, M. and Kodama, M. Time variation of the energy spectrum of cosmic ray particles during the Forbush-type decrease, 0=11255
- Kitamura, M. See Hayashi, S., 4=3756
- Kitamura, M. See Hurahata, M., 2=11098
- Kitamura, M. See Kodama, M., 2=12027
- Kitamura, M. See Kodama, M., 2=16279
- Kitamura, N. Variation of electron diffraction intensity with wavelength of electrons, 2=2378
- Kitamura, N. and Harada, J. Structure and phase transition of solid hydrogen sulphide, 3=1325
- Kitamura, N. See Harada, J., 4=20706
- Kitamura, N. See Honjo, G., 2=23939
- Kitamura, N. See Honjo, G., 4=20756
- Kitamura, N. See Kodera, S., 3=18297
- Kitamura, N. See Miyake, S., 2=4510
- Kitamura, N. See Takagi, M., 1=13252
- Kitamura, N. See Tanaka, M., 2=23938
- Kitamura, S. Effect of oxygen upon sintered cadmium sulphide photoconducting films, 1=12458
- Kitamura, S. Effect of heat-treatment upon sintered cadmium sulphide photoconductive films, 1=14505
- Kitamura, S., Kubo, T. and Yamashita, T. Enhancement of photoconductivity upon cadmium sulphide single crystals, 1=14508
- Kitamura, S. Influences of heat-treatment upon cadmium sulphide single crystals, 2=4060
- Kitamura, S. See Matsumoto, M., 3=23752
- Kitamura, T. Search for the "anomalous" scattering of mu-mesons (on the apparatus using a delayed coincidence method), 0=20177
- Kitamura, T. Geomagnetic pulsations and the exosphere, 4=13862
- Kitamura, T. On the propagation of weak hydromagnetic shock waves in the exosphere and the sudden commencement of geomagnetic storm. II. Statistical features of S.S.C. onset time at high latitudes, 4=7945
- Kitamura, T. Geomagnetic pulsations and the exosphere. I. Statistical results, 4=7947
- Kitamura, T. Geomagnetic pulsations and the exosphere. II. Analysis of sliding tones, 4=29340

- Kitamura, T. and Kodama, M. Time variation of cosmic ray intensity in the Antarctic region I. Atmospheric temperature effect, 2=9966
- Kitamura, T. See Burnstein, R., 1=2075
- Kitamura, T. See Fukui, S., 0=13012
- Kitamura, T. See Hasegawa, H., 2=13929
- Kitamura, T. See Higashi, S., 2=3436
- Kitamura, T. See Higashi, S., 2=20457
- Kitamura, T. See Higashi, S., 3=449v
- Kitamura, T. See Higashi, S., 3=4523
- Kitamura, T. See Higashi, S., 3=4530
- Kitamura, T. See Higashi, S., 4=16989
- Kitamura, T. See Namikawa, T., 4=7944
- Kitamura, T. See Namikawa, T., 4=7946
- Kitamura, Z. and Mizutani, H. Stepping diode, 3=10857
- Kitamura, Z. and Terada, H. On a novel class of electro-mechanical transducers for magneto-strictive ultrasonic delay lines, 4=14860
- Kitani, S. Measurement of particle sizes by higher order Tyndall spectra (θ , method), 1=2560
- Kitano, Y. and Nagamiya, T. Magnetization process of a screw spin system. II., 4=13113
- Kitano, Y. See Nagamiya, T., 2=14761
- Kitano, Y. See Nagamiya, T., 3=976
- Kitani, Y. See Tsurumi, S., 4=13807
- Kitao, K. Energy loss and radiation of a gyrating charged particle in a magnetic field — non-ionized medium, 1=3042
- Kitao, K. Coulomb interaction in a plasma with anisotropic temperature, 2=19940
- Kitao, K. Coulomb interaction in a plasma in a uniform magnetic field, 3=386
- Kitao, K. Coulomb interaction in a plasma in a uniform magnetic field, 3=7509
- Kitao, K. See Terashima, Y., 0=13075
- Kitayeva, V. F. and Sobolev, N. N. On the broadening of hydrogen lines in the plasma of arc and shock tube, 3=18861
- Kitazima, S. Role of plastic bending plane in tensile deformation of metallic single crystals at room temperature, 1=10217
- Kitazoe, T. and Ogimoto, T. Subtraction of dispersion relation in multichannel scattering, 3=10063
- Kitchener, J. A. Confirmation of the Gibbs theory of Elasticity of soap films, 2=15561
- Kitchener, J. A. Surface forces in thin liquid films, 4=2648
- Kitching, J. E. See Goodman, R. H., 4=22067
- Kitching, R. See Harlow, R. G., 4=21185
- Kitchingman, W. J. Crystallographic aspects of transformations in the β , β' and ζ phases of the silver-zinc alloys, 2=21542
- Kitchingman, W. J. and Buckley, J. I. Transformations in the β and ζ phases of the silver-zinc alloys, 1=1411
- Kitchingman, W. J. See Harburn, G., 2=14425
- Kite, L. V. Phase velocity of ultrasound in the primary aliphatic amines, 1=18409
- Kito, M. and Kaji, I. Nonlinear stationary plasma waves, 4=18968
- Kito, M. See Kaji, I., 1=10724
- Kito, M. See Ozawa, Y., 3=14611
- Kito, M. See Ozawa, Y., 4=18963
- Kitova, A. I. See Varshavskii, Ya. M., 3=7333
- Kitovskii, N. A., Mashovets, T. V. and Rývkin, S. M. The problem of determining the activation energies of levels of impurity centers and structural defects in semiconductors, 3=20294
- Kitsenko, A. B. Nature of the instabilities in a beam-plasma interaction in an external magnetic field, 2=19945
- Kitsenko, A. B. Interactions of charges with electron plasma in a magnetic field, 3=7534
- Kitsenko, A. B. and Stepanov, K. N. Instability of a plasma with an anisotropic distribution of ion and electron velocities, 1=4601
- Kitsenko, A. B. and Stepanov, K. N. Cyclotron instability in a plasma, 1=7071
- Kitsenko, A. B. and Stepanov, K. N. Excitation of magnetoacoustic waves in a rarefied plasma by a charged-particle beam, 2=22211
- Kitsenko, A. B. See Akhiezer, A. I., 2=201
- Kitsenko, A. B. See Akhiezer, A. I., 3=4171
- Kitsenko, A. D. See Stepanov, K. N., 1=16325
- Kitsenko, O. B. and Stepanov, K. M. The passage of a beam of charged particles through a magneto-active plasma, 2=11648
- Kitt, G. P. See Cuninghame, J. G., 1=17165
- Kitt, G. P. See Cuninghame, J. G., 3=19895
- Kittaka, S. and Kasai, A. Contact charging of irradiated polyethylene, 0=10860
- Kittel, C. Theory of ferromagnetic resonance in rare earth garnets. I. g values, 0=1820
- Kittel, C. Spin waves, 0=2977
- Kittel, C. Theory of ferromagnetic resonance in rare earth garnets. III. Giant anisotropy anomalies, 0=6252
- Kittel, C. Proposal for a method of nuclear magnetic cooling utilizing electron spin resonance, 0=8965
- Kittel, C. Microwave resonance in rare earth iron garnets, 0=10209
- Kittel, C. Magnons and their interactions with phonons and photons, 0=13725
- Kittel, C. Model of exchange-inversion magnetization, 0=18206
- Kittel, C. Phonon masers and the phonon bottleneck, 1=11475
- Kittel, C. Present status of the theory of ferromagnetic relaxation, 3=1162
- Kittel, C. Internal magnetic field in the De Haas-Van Alphen effect in iron, 3=20558
- Kittel, C. Some aspects of the interaction of magnons in ferromagnets, 3=23144
- Kittel, C. and Van Vleck, J. H. Theory of the temperature dependence of the magnetoelastic constants of cubic crystals, 0=10162
- Kittel, C. See De Gennes, P. G., 0=1821
- Kittel, C. Fletcher, P. C., 1=1234
- Kittel, C. See Sparks, M., 0=10200
- Kittel, C. See Sparks, M., 1=7761
- Kittel, J. H., Greenberg, S., Paine, S. H. and Draley, J. E. Effects of irradiation on some corrosion-resistant fuel alloys, 0=12084
- Kittel, J. H., Novick, M. and Buchanan, R. F. The EBR-I meltdown — physical and metallurgical changes in the core, 0=13380
- Kittel, J. H. and Paine, S. H. Effects of high burnup on natural uranium, 0=14044
- Kittinger, G. W. See Jackson, F. L., 0=20369
- Kittl, J. E. and Massalski, T. B. The use of CuK_α radiation for detection of order in CuZn and CuGa alloys, 2=04464
- Kittl, P. and Rodriguez, G. Electron microscopy, by the replica technique, of aluminium deformed by impact, 3=23534
- Kittl, P. and Sabato, J. A. Substructures produced in aluminium by impact, 4=1967
- Kiusalaas, J. and Mura, T. On the elastic field around an edge dislocation with application to dislocation vibration, 4=9958
- Kiv, A. E. See Starodubtsev, S. V., 4=1471
- Kivel, B. Elastic scattering of low-energy electrons by argon, 0=2725
- Kivel, B. Electron scattering by noble gases in the limit of zero energy, 0=2726
- Kivel, B. Uncertainty principle and relativity, 0=10555
- Kivel, B. Ultraviolet radiation from strong shocks, 3=7274
- Kivel, B., Hammeling, P. and Teare, J. D. Radiation from the non-equilibrium region of normal shocks in oxygen, nitrogen and air, 2=2757
- Kivel, B. See Camm, J. C., 2=1180
- Kivel, B. See Taylor, R. L., 4=15299
- Kivel, J. See Prosen, R. J., 3=15840
- Kiveliovitch, M. and Vassy, A. Variations of wind speed and ozone concentration, 1=20824
- Kivelson, D. Theory of e.s.r. linewidths of free radicals, 0=20663
- Kivelson, D. Theory of nuclear hyperfine broadening of E.S.R. lines in liquids, 4=30469
- Kivelson, D., Bayes, K. D. and Wong, S. C. Measurements by cyclotron resonance of molecular cross sections for collisions with thermal electrons, 3=22462
- Kivelson, D. and Collins, G. E. S. R. line widths in liquids, 4=24240
- Kivelson, D. and Lee Sai-Kwing. E.S.R. studies and the electronic structure of vanadyl ion complexes, 4=30468
- Kivelson, D. and Neiman, R. E.S.R. studies on the bonding in copper complexes, 1=11117
- Kivelson, D., Wilson, E. B., Jr and Lide, D. R., Jr. Microwave spectrum, structure, dipole moment, and nuclear quadrupole effects in vinyl chloride, 0=4236
- Kivelson, D. See Bayes, K. D., 2=22947
- Kivelson, D. See Holmes, J. R., 2=16558
- Kivelson, D. See Holmes, J. R., 3=9449
- Kivelson, D. See Ingalls, R. B., 3=15372
- Kivelson, D. See Neiman, R., 1=11479
- Kivelson, D. See Neiman, R., 1=11486
- Kivelson, D. See Schreurs, J. W. H., 2=2=2016
- Kivelson, M. G. See DuBois, D. F., 2=18398
- Kivelson, M. G. See DuBois, D. F., 2=20001
- Kivelson, M. G. See DuBois, D. F., 3=9788
- Kiyama, S. See Kojima, S., 4=5655

- Kiyanskaya, L.A., Kudryashov, P.I. and Sveshnikov, B.Ya. On the extinction by foreign substances of fluorescent solutions in the region of large concentrations of fluorescent materials, 2=16866
- Kiyanskaya, L.A., Kudryashov, P.I. and Sveshnikov, B.Ya. On the extinction by foreign substances of fluorescent solutions in the region of large concentrations of fluorescent materials, 2=19567
- Kiyanskaya, L.A. and Sveshnikov, B.Ya. Quenching of fluorescence in solutions at liquid air temperature by iodides, 2=11377
- Kiyanskaya, L.A. See Sveshnikov, B.Ya., 3=16632
- Kiyono, S., Kanayama, M., Konno, T. and Nagashima, N. The designing of rotating-target X-ray tube and discussion of its maximum safe loading, 3=21918
- Kiyono, S. and Sugiura, C. X-ray K-absorption spectra of chlorine in LiCl, NaCl, KCl, RbCl and CsCl, 3=6660
- Kiyono, S. See Hayasi, T., 2=10610
- Kiyoura, R. See Anthony, A.M., 4=2140
- Kizel', V.A. and Permogorov, V.I. Photoelectric spectropolarimeter, 2=2902
- Kizel', V.A. and Rubinov, V.M. Optical properties of concentrated solutions and melts. I, 0=3529
- Kizel', V.A. See Rubinov, V.M., 4=11200
- Kizhaev, S.A. See Bokov, V.A., 4=28860
- Kiziriya, L.V. See Kebuladze, V.V., 2=21677
- Kizner, W. A method of describing Miss distances for lunar and interplanetary trajectories, 2=11185
- Kjekshus, A. and Pearson, W.B. Thermoelectricity and electrical resistivity of dilute copper alloys of chromium, manganese, iron, and cobalt at low temperatures, 2=4081
- Kjekshus, A. and Pedersen, G. The crystal structures of IrAs_3 and IrSb_3 , 2=10875
- Kjekshus, A. See Furuseth, S., 4=29126
- Kjekshus, A. See Grønvold, F., 2=15041
- Kjekshus, A. See Jan, J.P., 4=7619
- Kjekshus, A. See Westrum, E.F., 1=19718
- Kjelberg, A., Taniguchi, H. and Yaffe, L. Gamma radiation in the decay of Ag^{113} , 0=13205
- Kjelberg, A., Taniguchi, H. and Yaffe, L. Distribution of nuclear charge in the proton-induced fission of Th^{232} . II, 1=5851
- Kjellman, J. Neutron angular distributions from the reaction $\text{B}^{11}(\alpha, n)\text{N}^{14}$ at 13.9 and 13.5 MeV, 2=12219
- Kjellman, J., Dazai, T. and Neiler, J.H. Angular correlations study of the $\text{Be}^9(\alpha, n)\text{C}^{12}$ reaction, 2=5967
- Kjellman, J. and Johansson, B. On the adaptation of an intermediate-image β -spectrometer to pair spectroscopy, 0=5676
- Kjellman, J. and Nilsson, A. Neutron angular distributions from the reaction $\text{Be}^9(\alpha, n)\text{C}^{12}$ at 14.1 MeV, 2=3618
- Kjellman, J. and Nilsson, A. Neutron angular distributions from the $\text{Be}^9(\alpha, n)\text{C}^{12}$ reaction at 12.7, 11.3 and 9.8 MeV, 2=12221
- Kjellman, J., Nilsson, A. and Schwarz, S. Angular distributions of neutrons from the reaction $\text{Li}^7(\alpha, n)\text{B}^{10}$ at 13.5 and 13.9 MeV, 1=19528
- Kjellman, J., Nilsson, A. and Schwarz, S. Angular distributions of neutrons from the reaction $\text{Li}^7(\alpha, n)\text{B}^{10}$ at 13.9 and 13.5 MeV, 2=5969
- Kjellman, J. See Alvåger, T., 4=18373
- Kjellman, J. See Malmfors, K.G., 0=17349
- Kjellman, J. See Nilsson, A., 2=12220
- Kjellman, J. See Nilsson, A., 2=12222
- Kjölleström, B. Calculation of some Slater integrals for argon II with wave functions based on the Thomas-Fermi-Dirac statistical model for the atom, 3=6349
- Klaas, Yu.A. See Alekin, R.O., 2=24198
- Klaassen, F.M. Carrier density fluctuations in a two-level impurity semiconductor, 2=10473
- Klaassen, F.M. and Blok, J. Current fluctuations in PbS cells, 0=7964
- Klaassen, F.M., Blok, J. and Booy, H.C. Generation-recombination noise of Ni-doped Ge in the temperature range 350°-100°K and capture cross-sections of Ni in Ge, 1=8942
- Klaassen, F.M., Blok, J., Booy, H.C. and de Hoog, F.J. On the temperature dependence of the photoconductive decay time of films of the lead salts, 1=7674
- Klaassen, F.M., Blok, J. and de Hoog, F.J. Generation-recombination noise in p-type InSb, 1=8955
- Klaassen, F.M., van Vliet, K.M. and Blok, J. Carrier density fluctuations in semiconductors and photoconductors with one kind of trapping centers, 1=7633
- Klaassen, F.M., Van Vliet, K.M. and Fasset, J.R. Generation-recombination noise in various photoconductive semiconductors, 2=8431
- Klaboe, P. and Nielsen, J.R. Infrared and Raman spectra of fluorinated ethanes. XII. 1, 1, 2, 2-tetrafluoroethane, 0=5938
- Klaboe, P. and Nielsen, J.R. Infrared and Raman spectra of fluorinated ethanes. XIII. 1,2-difluoroethane, 1=3540
- Klaboe, P. and Nielsen, J.R. Infrared and Raman spectra of fluorinated ethanes. XIV. $\text{CF}_2\text{Cl}-\text{CHF}_2$ and $\text{CF}_2\text{Br}-\text{CHF}_2$, 1=8839
- Klaboe, P. and Nielsen, J.R. Infrared and Raman spectra of fluorinated ethanes. XVI. $\text{CF}_3\text{Br}-\text{CCl}_2\text{Br}$, 1=14028
- Klabuhn, J. See Grote, C., 2=16222
- Klabuhn, J. See Grote, C., 2=16223
- Klabuhn, J. See Grote, C., 2=16224
- Klabuhn, J. See Grote, C., 4=25166
- Klabukov, A.M. See Volkov, A.N., 4=16526
- Klabukova, L.S. The use of Fourier transformation for solution of a diffraction problem, 4=18318
- Klabukova, Z.I. and Morozova, A.V. Cathodoluminophors with very short persistence and emission in the blue, yellow and red regions, 2=23616
- Klabunde, C.E. See Blewitt, T.H., 1=1003
- Klabunde, C.E. See Coltman, R.R., Jr., 3=2847
- Klabunde, C.S. See Blewitt, T.H., 4=354
- Klabunde, C.S. See Blewitt, T.H., 4=4094
- Kladitskaya, E.N. See Belyakov, V.A., 3=24764
- Kladnik, R. Diffusion parameters for thermal neutrons, 4=6062
- Kladnik, R. A variational approach to the time-dependent slab, 4=21864
- Kladnik, R. and Kuščer, I. Milne's problem for thermal neutrons in a nonabsorbing medium, 2=5561
- Kladnik, T. and Kuščer, I. Velocity dependent Milne's problem, 2=16201
- Kladnitskaya, E.N. See Arbuzov, B.A., 2=13888
- Kladnitskaya, E.N. See Arbuzov, B.A., 3=6086
- Kladnitskaya, E.N. See Belyakov, V.A., 3=24798
- Kladnitskaya, E.N. See Belyakov, V.A., 4=3489
- Kladnitskaya, E.N. See Belyakov, V.A., 4=3491
- Kladnitskaya, E.N. See Belyakov, V.A., 4=19810
- Kladnitskaya, E.N. See Belyakov, V.A., 4=27890
- Kladnitskaya, E.N. See Belyakov, V.A., 4=27898
- Kladnitskaya, E.N. See Birger, N.G., 2=3391
- Kladnitskaya, E.N. See Van Gan-Chan, 0=9415
- Kladnitskaya, E.N. See Van Gan-Chan [Pang Kang-Ch'ang], 0=15358
- Kladnitskaya, E.N. See Van Gan-Chan [Pang Kang-Chang], 0=15455
- Kladnitskaya, E.N. See Van Gan-Chan., 1=2099
- Kladnitskaya, E.N. See Van Gan-Chan, 1=16902
- Kladnitskaya, E.N. See Van Gan-Chan, 1=19284
- Kladnitskaya, E.N. See Van Gan-Chan [Wang Kang-ch'ang], 3=2302
- Kladnitskaya, E.N. See Van Gan-Chan, 3=19709
- Kladnitskaya, E.N. See Van Yun-chan [Wang Yung-chang], 3=2305
- Kladnitskaya, E.N. See Veksler, V.I., 3=22211
- Kladnitskaya, E.N. See Wang Kang-Ch'ang, 3=22208
- Kladnitskii, V.S. The transit-time factor for proton linear accelerator, 0=19827
- Klages, G. and Langpape, R. Dielectric relaxation of aliphatic chain-molecules in dilute solution, 1=4353
- Klages, G. and Langpape, R. Dielectric relaxation spectra of alkyl chlorides in diluted solutions, 1=12896
- Klages, G. and Obermayer, K. Dipole relaxation and association of decyl alcohol in mixtures with nonpolar liquids, 4=5210
- Klages, G. and Roth, D. The principal dispersion region in the long chain aliphatic alcohols in the liquid state, 0=2171
- Klages, G. and Zentek, A. Microwave absorption and mobility of methylether in dilute solution, 2=7229
- Klages, G. See Hufnagel, F., 0=10664
- Klages, G. See Hufnagel, F., 2=11382
- Klahr, C. Limitations of multigroup calculations, 0=12966
- Klahr, C.N. Calculations of neutron distributions by the methods of stochastic processes, 0=12981
- Klahr, C.N. Scattering shields for nuclear space power, 1=15582
- Klaiber, B. See Cvijanovich, G., 1=16778
- Klaiber, B. See Winzeler, H., 0=15346
- Klaiber, G.S. See Roetling, P.G., 1=2197
- Klamut, J. The quantum theory of the magnetic structure of ferromagnetic single crystals, 4=4344
- Klamut, J. and Zietek, W. On the pseudo-dipolar coupling in the quantum theory of ferromagnetic domain structures, 3=20588
- Klanberg, F., Hunt, J.P. and Dodgen, H.W. Line broadening of the P^{31} n.m.r. absorption in phosphoric acid produced by paramagnetic ions, 3=13316

- Klapisch, P., Pameau, F., Epherre, M. and Gradsztajn, E. Production of Li^0 and Li^+ fragments from various elements at 156 MeV, 4=17150
- Klapka, J. A contribution to the theory of transient processes in waveguides, 2=7759
- Klapukh, M. See Rotter, R., 2=17111
- Klare, H. See Sonntag, H., 4=10667
- Klarmann, H. On the Mössbauer effect, 3=6144
- Klarmann, J. A search for high-energy cosmic γ -rays in emulsions, 2=12086
- Klarmann, J. See Engler, A., 1=8522
- Klarner, B. and Prudhomme, R. O. Ultraviolet spectrum of the sonoluminescence of water, 4=193
- Klarsfeld, S. On the Lagrangian scheme in field theory, 1=12801
- Klarsfeld, S. Extension of a reduction formula for the vertex function, 3=18724
- Klarsfeld, S. See Eftimiou, C., 0=20014
- Klasens, H. A. and Koelmans, H. A tin oxide field-effect transistor, 4=30641
- Klassen, I. F. See Gol'yk, O. Z., 1=11757
- Klassen, I. F. See Golik, A. Z., 2=7210
- Klassen, I. F. See Hol'yk, O. Z., 1=12872
- Klassen-Neklyudova, M. V. Mechanical twinning of crystals, 4=7528
- Klassen-Neklyudova, M. V., Chernysheva, M. A. and Tomilovskii, G. E. The mechanism of kinking, 1=14891
- Klassen-Neklyudova, M. V. and Urusovskaya, A. A. Deformation of rock salt crystals at elevated temperature, 1=14874
- Klassen-Neklyudova, M. V. See Urusovskaya, A. A., 4=26517
- Klauder, J. R. The action option and a Feynman quantization of spinor fields in terms of ordinary c-numbers, 1=2007
- Klauder, J. R. Covariant quantization of the gravitational field, 1=9308
- Klauder, J. R. The calculation of metallic Hall constants: topological aspects and applications to copper, 2=2121
- Klauder, J. R. Covariant quantization of the gravitational field, 2=19392
- Klauder, J. R. Restricted variations of the quantum mechanical action functional, and their relation to classical dynamics, 3=1615
- Klauder, J. R. Continuous-representation theory. I. Postulates of continuous-representation theory, 3=21230
- Klauder, J. R. Continuous-representation theory. II. Generalized relation between quantum and classical dynamics, 3=21231
- Klauder, J. R. Continuous-representation theory. III. On functional quantization of classical systems, 4=11085
- Klauder, J. R. and Anderson, P. W. Spectra diffusion decay in spin resonance experiments, 2=3181
- Klauder, J. R. and Kunzler, J. E. Transverse-even voltage: A high-field galvanomagnetic effect associated with open orbits in metals, 1=7623
- Klauder, J. P. and Kunzler, J. E. Higher order open orbits and the interpretation of magnetoresistance and Hall effect data for copper, 1=19834
- Klauder, J. R. and Kunzler, J. E. Concerning the Fermi surface topology of metals and open orbits from magnetoresistance and Hall effect data, 2=583
- Klauder, J. R., Leutwyler, H. and Schaer, J. γ_5 -ambiguity in the generally covariant spin affine connection, 2=9773
- Klauder, J. R. See Kunzler, J. E., 1=19835
- Klauder, J. R. See McKenna, J., 4=24065
- Klauder, P. The modification of electron energy levels by impurity atoms, 1=14203
- Klaudy, P. A cooled, metallic conductor carrying current of high density and used according to the "Prinzip des Leitersatzes" for the production of strong magnetic fields, 0=15110
- Klaus, H. See Helbig, E., 1=3795
- Klaus, H. See Helbig, E., 1=8343
- Klebanov, Yu. D. and Sinitsyn, V. I. Injection of a plasma from a powerful pulsed discharge into vacuum, 2=3050
- Klebanov, Yu. D. and Sinitsyn, V. I. Injection of a plasma from a powerful pulsed discharge into vacuum, 3=1996
- Klebe, J. Investigation of the effects of errors in thicknesses and separations on the Gaussian properties of an optical system, 0=1027
- Klebe, J. The effect of curvature variations of an arbitrary optical system on its fundamental parameters, 0=3606
- Klebe, J. A study of refractive index tolerances in an optical system with an arbitrary number of surfaces, 1=1809
- Klebe, J. Calculation of supplementary lenses for the achievement of achromatism, 2=7323
- Klebe, J. and Kaufmann, S. Photoelectric measurement of diffraction images, 2=7399
- Klebe, J. and Lehmann, F. Effect of focal length variations on the paraxial back focus and the transverse magnification of an arbitrary optical system in the case of refractive index variations, 4=24346
- Klebe, J. and Nitz, R. Investigations of the effect of refractive index variations on the Seidel surface coefficients of the spherical aberrations, 2=7335
- Klebe, J. and Nitz, R. Study of the effect of changes of refractive index on the spherical aberration of an optical system, 3=1792
- Klebe, J. and Richter, W. Investigation of the aberration of the optimum image conditions for a cemented double lens, 2=7322
- Kleber, E. V. See Vickery, R. C., 0=11824
- Kleber, W. Thermodynamic-kinetic theory of heterotaxial nucleation, 2=16997
- Kleber, W., Peibst, H. and Rheinhold, I. On the absorption of manganese-activated corundum single crystals, 1=10106
- Kleber, W., Peibst, H. and Schroder, W. The electrical conductivity of synthetic rutile monocrystals, 1=1084
- Kleber, W. Some problems of the growth and properties of synthetic crystals, 4=10462
- Kleber, W. and Belov, N. V. Morphology of hopeite, 4=13513
- Kleber, W. and Fricke, P. Polytypism in cadmium iodide, 4=26593
- Kleber, W. and Ickert, L. Epitaxy as a function of surface microstructure (oriented growth of iodoform and benzene), 4=26612
- Kleber, W., Ickert, L. and Vollstädt, H. Epitaxy of camphor on quartz, 3=20805
- Kleber, W. and Witzke, H. D. Spiral growth and polytypical investigations in aluminium nitride single crystals, 3=18255
- Klechkovskii, V. M. Characteristics of the type of electron configuration of atoms, 1=4894
- Klechkovskii, V. M. Justification of the rule of successive filling up of $(n+1)$ -groups, 1=17251
- Klechkovskii, V. M. $(n+1) = -$ groups in the Thomas-Fermi model, 2=22885
- Klechkovskii, V. M. Justification of the rule of successive filling up of $(n+1)$ -groups, 2=22891
- Kleczeck, J. Regular structures in the green solar corona, 4=2440
- Kleczeck, J. Velocity field in the solar chromosphere near quiescent filaments, 4=29450
- Kleczeck, J. and Hansen, R. T. Some associations between rising prominences and the solar corona, 3=16375
- Kleczeck, J. and Krivský, L. Solar limb surges accompanied by X-ray emission, 0=16542
- Kleczeck, J. See Hansen, R., 3=13703
- Kleczeck, J. See Hladý, J., 0=20288
- Klee, G. See Kleimon, E., 1=19051
- Kleef, T. A. M. van. See Fred, M., 3=703
- Kleefstra, M. Z-bands in KCl, 4=15503
- Kleen, R. H. See Rinehart, E. A., 1=5603
- Kleen, W. Fluctuation processes in physics and in communication techniques, 4=8026
- Kleesattel, C. Approximation formulae for some commonly occurring combinations of acoustic conduits, 0=5078
- Kleesattel, C. "Vibrator ampullaceus": a shape vibrating in length for the production of maximum sound velocity and transducer output, 3=5493
- Kleima, D. A Weyl correspondence for angular momentum, 4=16037
- Kleimack, J. J. See Lee, C. A., 4=17395
- Kleiman, H. Interferometric measurement of cesium, I, 2=8063
- Kleiman, H. and Davis, S. P. Hyperfine structures, isotope shifts, and nuclear moments of Hg^{198} , $\text{Hg}^{199\text{m}}$ and Hg^{199} , 3=17529
- Kleiman, Ya. Z. Certain cases of motion of two-component mixtures, 0=6752
- Kleiman, Ya. Z. The propagation of strong discontinuities in a multi-component medium, 1=15940
- Kleiman, Ya. Z. Velocity of sound in mixtures containing suspended particles, 2=7293
- Kleimenov, G. F. See Simonov, V. A., 3=12107
- Kleimenova, N. G. Present ideas regarding the nature of high-frequency variations in the electromagnetic field of the earth (1 cps-1 kcps), 4=23813
- Kleimenova, N. G. See Vladimirov, N. P., 3=9121
- Kleimon, E. and Klee, G. A nuclear resonance spectrometer for broad lines, 1=19051
- Klein, A. Many-particle approach to the one-electron problem in insulators, and semiconductors, 0=1546

- Klein, A. Mandelstam representation for potential scattering, 0=5500
- Klein, A. On the concept of potential in quantum field theory, 0=12855
- Klein, A. Linked cluster expansion applicable to nonspherical situations, 0=14527
- Klein, A. Perturbation theory for an infinite medium of fermions. II, 1=4283
- Klein, A. Perturbation theory for an infinite medium of fermions. III. Derivation of the Landau theory of Fermi liquids, 1=4284
- Klein, A. Theory of fermion systems with attractive interactions: exact solution of the BCS reduced Hamiltonian, 2=13277
- Klein, A. The description of superfluid Fermi systems with anisotropic features, 2=13499
- Klein, A. $1 \neq 0$ coupling in superconductors and the use of field quantization methods in the many body problem, 2=22113
- Klein, A. Invariant operators of the unitary unimodular group in n dimensions, 4=9
- Klein, A. Theory of normal Fermion systems, 4=8106
- Klein, A. and Lee, B.W. A novel dispersion relation for potential scattering, 0=2495
- Klein, A. and McCormick, B.H. Derivation of the two nucleon potential, 0=17321
- Klein, A. See Aaron, R., 0=16631
- Klein, A. See Bludman, S.A., 3=23787
- Klein, A. See Fivel, D.L., 0=17253
- Klein, A. See Giu Do Dang, 3=16553
- Klein, A. See Giu Do Dang, 4=12108
- Klein, A. See Iizuka, J., 1=10906
- Klein, A. See Iizuka, J., 1=15491
- Klein, A. See Kerman, A.K., 2=18237
- Klein, A. See Kerman, A.K., 4=2583
- Klein, A. See Lee, B.W., 4=16802
- Klein, A. See Pearlstein, L.D., 0=9443
- Klein, A. See Tzoar, N., 1=19750
- Klein, A. See Younger, M.C., 2=3289
- Klein, A.F. Measurement of Hall electromagnetic force in air, 2=7563
- Klein, A.F. Some results using optical interferometry for plasma diagnostics, 3=12183
- Klein, A.G. Logarithmic rate meters and period meters. A theoretical study of noise and transient response, 2=6071
- Klein, A.H. See Gerstein, B.C., 4=15431
- Klein, C.A. Electrical properties of pyrolytic graphites, 2=12494
- Klein, C.A. Pyrolytic graphites: their description as semi-metallic molecular solids, 3=826
- Klein, C.A. Electrical properties of pyrolytic graphites, 4=26006
- Klein, C.A. and Debye, P.P. On the statistics of multilevel systems in semiconductors. Application to gold-doped p-type germanium, 2=23324
- Klein, C.A. and Lepie, M.P. Operational performance characteristics of pyrolytic graphite thermocouples, 4=21343
- Klein, C.A. and Straub, W.D. A semiconductor device for fast- and slow-neutron dosimetry, 0=2551
- Klein, C.A. and Straub, W.D. Carrier densities and mobilities in pyrolytic graphite, 1=12447
- Klein, C.A. and Straub, W.D. The Hall effect as an analytical tool in ultrapure silicon and germanium, 4=28571
- Klein, C.A., Straub, W.D. and Diefendorf, R.J. Evidence of single-crystal characteristics in highly annealed pyrolytic graphite, 2=4035
- Klein, C.A. See Guentert, O.J., 3=20778
- Klein, C.A. See Rupprecht, G., 0=1656
- Klein, D. Measurements of Pu and U^{235} fission rates in water-uranium reactor spectra, 1=17164
- Klein, D., Baer, W. and Smith, G.G. Spatial distribution of U^{235} resonance neutron capture in uranium metal rods, 0=13275
- Klein, D., Kranz, A.Z., Smith, G.G., Baer, W. and DeJuren, J. Measurements of thermal utilization, resonance escape probability, and fast effect in water-moderated, slightly enriched uranium and uranium oxide lattices, 0=13339
- Klein, D. See Hardy, J.Jr., 1=15822
- Klein, D. See Hardy, J., Jr, 2=5979
- Klein, D. See Hardy, J.Jr, 2=8000
- Klein, D. See Hardy, J., Jr, 3=6261
- Klein, D. See Hardy, J., Jr, 3=6262
- Klein, D. See Sher, R., 2=16453
- Klein, D. See Smith, G., 2=3601
- Klein, D. See Smith, G.G., 2=5945
- Klein, D. See Volpe, J.J., 0=13344
- Klein, D. See Volpe, J.J., 1=17166
- Klein, D. See Volpe, J.J., 2=8018
- Klein, D.L. and D'Stefan, D.J. Controlled etching of silicon in the HF-HNO₃ system, 2=8779
- Klein, D.L. See Sullivan, M.V., 3=23501
- Klein, E. The theoretical limits of photographic sensitivity, 2=11511
- Klein, E. The theory of the photographic sensitivity, 3=11951
- Klein, E. and Langner, G. Quantum sensitivity of microcrystals in photographic emulsions, 2=17662
- Klein, E. and Matejec, R. Formation and growth of silver nuclei in silver halide micro-crystals, 0=3663
- Klein, E. and Matejec, R. Experiments on the influence of structural surface defects on the developability and light sensitivity of silver halide single crystals, 0=4292
- Klein, E. and Moisar, E. The determination of the distribution of sensitivity in photographic emulsions, 1=9492
- Klein, E. and Moisar, E. Electron microscopic and nephelometric studies on grain growth of silver halide crystals, 3=25839
- Klein, E. See Becker, K., 0=19978
- Klein, E. See Derr, V.E., 4=26980
- Klein, E. See Honerjäger, R., 3=2140
- Klein, E. See Moisar, E., 4=10479
- Klein, F.S. and Friedman, L. Intramolecular isotope effects in the HD-rare gas ion-molecule reactions, 4=29205
- Klein, F.S. and Herron, J.T. Mass-spectrometric study of the reactions of O atoms with NO and NO₂, 4=29215
- Klein, F.S., Persky, A. and Weston, R.E., Jr. Deuterium-isotope effect in the chlorine exchange between hydrogen chloride and chlorine atoms. A study of models for the tunnel effect, 4=29206
- Klein, F.S. and Wolfsberg, M. Competitive reaction rates of hydrogen atoms with HCl and Cl₂. Entropy considerations of the HCl₂ transition state, 1=10294
- Klein, F.S. See Bar-Eli, K., 2=2713
- Klein, F.S. See Herron, J.T., 4=23645
- Klein, G. The magnetic field in magnetohydrodynamic generators, 4=16420
- Klein, H. Thermal emission of metals into semi-infinite space, 3=286
- Klein, H.M. See Milne, T.A., 1=2356
- Klein, J. See Laustriat, G., 3=9470
- Klein, J.J. and Nigam, B.P. Birefringence of the vacuum, 4=27748
- Klein, J.M. See Thomas, D.E., 3=22957
- Klein, L.[Ed.] Dispersion relations and the abstract approach to field theory, 1=19082
- Klein, L.S. and Jackson, J.L. Continuum description of a high temperature plasma, 4=11569
- Klein, L.S. See Jackson, J.L., 4=11582
- Klein, L.S. See Jackson, J.L., 4=11583
- Klein, M. Numerical solutions of the convolution-hypernetted chain integral equation for the pair correlation function of a fluid. II. The hard-sphere potential, 4=120
- Klein, M. Approximations to the pair correlation function for a hard-sphere fluid, 4=14075
- Klein, M. and Green, M.S. Numerical solutions of the convolution-hypernetted chain integral equation for the pair correlation function of a fluid. I. The Lennard-Jones (12,6) potential, 4=119
- Klein, M.A. See Kressel, H., 3=25273
- Klein, M.J. The laws of thermodynamics, 0=16641
- Klein, M.J. The principle of minimum entropy production, 0=16646
- Klein, M.J. Pressure fluctuations, 1=8068
- Klein, M.J. The Onsager conference, 3=7131
- Klein, M.J. and Bauer, A.A. The structure of heat-treated UO₂ crystals, 4=7679
- Klein, M.J., Brimhall, J.L. and Huggins, R.A. Stacking faults in plastically deformed dilute silver alloys, 2=8230
- Klein, M.J., Clauer, A.H. and Maringer, R.E. Influence of thermal and mechanical history on Young's modulus and damping anomalies near 40°C in chromium, 4=26501
- Klein, M.J. and Huggins, R.A. The structure of cold worked silver and silver-magnesium oxide alloys, 2=6817
- Klein, M.J. and Mountain, R.D. Thermal expansion coefficient of solid He³, 0=19546
- Klein, M.J. and Mountain, R.D. A note on negative thermal expansion coefficients, 2=16611
- Klein, M.J. and Mountain, R.D. Adiabatic processes and the equation of state, 4=16049
- Klein, M.J. See Glass, S.J., 0=7015

- Klein, M. L. Anharmonic forces and the vapour-pressure ratio of monatomic isotopic solids, 4=24091
- Klein, M. L. See Barron, T. H. K., 2=20915
- Klein, M. L. See Barron, T. H. K., 3=20081
- Klein, M. L. See Barron, T. H. K., 4=17366
- Klein, M. M. and Brueckner, K. A. Plasma propulsion by a rapidly varying magnetic field, 0=15034
- Klein, M. M., Greyber, H. D., King, J. I. F. and Brueckner, K. A. Interaction of a non-uniform plasma with microwave radiation, 2=3034
- Klein, M. M. See Yu, Kwang., 4=20848
- Klein, M. P. and Barton, G. W., Jr. Enhancement of signal-to-noise ratio by continuous averaging: application to magnetic resonance, 3=19473
- Klein, M. P. and Barton, W., Jr. Enhancement of signal-to-noise ratio by continuous averaging, 4=24859
- Klein, M. P. and Knight, W. D. Nuclear magnetic resonance in metallic potassium, 1=20264
- Klein, M. P. and Waugh, J. S. Cd^{111} - Cd^{113} nuclear moment ratio and hyperfine anomaly, 0=2621
- Klein, M. P. See Blumberg, W. E., 1=14824
- Klein, M. P. See Geschwind, S., 2=14712
- Klein, M. P. See Geschwind, S., 4=26236
- Klein, M. P. See Teaney, D. T., 1=10803
- Klein, M. V. Phonon scattering in sodium chloride containing oxygen, 1=8888
- Klein, M. V. Effect of the precipitation of dissolved MnCl_2 on the low-temperature thermal conductivity of NaCl , 1=14190
- Klein, M. V. A possible magnetic after-effect caused by diffusion of axially symmetric point defects, 2=16901
- Klein, M. V. Phonon scattering by lattice defects, 3=20080
- Klein, M. V. and Kronmüller, H. Contribution of divacancies to the magnetic after effect in nickel, 2=16908
- Klein, M. W. Exchange mechanism between dilute magnetic impurities in copper, 4=6835
- Klein, M. W. Low-temperature properties of dilute ferromagnets in copper, 4=13126
- Klein, M. W. and Brout, R. Statistical mechanics of dilute copper manganese, 4=7299
- Klein, O. On the systematics of elementary particles, 0=5604
- Klein, O. Some remarks on general relativity and the divergence problem of quantum field theory, 1=420
- Klein, O. On the treatment of the gravitational field in connection with the generally relativistic Dirac equation, 1=9307
- Klein, O. Who was Jordanus Nemorarius? Some remarks on an old problem in the history of mechanics and mathematics, 4=27004
- Klein, O. See Alfvén, H., 3=3532
- Klein, P. R., Cindro, N., Swenson, L. W. and Wall, N. S. $\text{Li}^7(\alpha, p)\text{Be}^{10}$ and $\text{Li}^6(\alpha, p)\text{Be}^9$ reactions at 30 MeV, 0=11426
- Klein, P. R. See Groves, T. H., 4=27896
- Klein, R. Adsorption, diffusion and evaporation of carbon monoxide on tungsten, 0=3325
- Klein, R. The variational method for [the calculation of] the transport parameters of electron conductors, 1=11174
- Klein, R. Observations of carbon monoxide and oxygen on tantalum with the field-emission microscope, 4=26727
- Klein, R. and Hölzl, E. M. Isotope exchange processes in solid nitrogen under electron bombardment, 0=6400
- Klein, R. and Leder, L. B. Temperature dependence of electron emission in the field emission region, 1=18909
- Klein, R. and Leder, L. B. Field emission from niobium in the normal and superconducting states, 1=18910
- Klein, R. and Leder, L. B. Field-emission observations of carbon on tantalum, 3=14622
- Klein, R. and Leder, L. B. Field-emission study of carbon monoxide on tantalum, 3=14623
- Klein, R. and Wolfenstein, L. Total muon capture ratios and the universal Fermi interaction, 3=4656
- Klein, R. See Belna, R., 0=2412
- Klein, R. See Gabriel, H., 4=28519
- Klein, R. See McNesby, J. R., 0=14114
- Klein, R. See Scheer, M. D., 2=19154
- Klein, S. Continuous electric current obtained by means of a jet of ionized vapour, 0=19671
- Klein, S. A direct thermal-to-electric energy converter, 1=7020
- Klein, S. Effect of direct conversion of heat into electricity, 2=9519
- Klein, S. The direct conversion of thermal energy into electrical energy, 3=3996
- Klein, S. A conversion procedure to obtain electricity from the ionization energy issuing from a nuclear reactor, 4=18417
- Klein, S. A process of conversion to electricity of ionizing energy from a nuclear reactor, 4=18660
- Klein, S. and Prévê, J. A process for the conversion of ionization energy to electricity, 3=5617
- Klein, S. and Surdin, M. Utilization of the energy of a heated, ionized vapour, 2=19883
- Klein, S. See Ahrabi, R., 4=18934
- Klein, S. See Bacconnet, E., 3=19181
- Klein, S. See Debiesse, J., 2=19894
- Klein, S. See Debiesse, J., 3=7449
- Klein, S. See Debiesse, J., 4=12914
- Klein, S. S. See De Boer, Th. J., 3=19603
- Klein, W. Low-noise microwave input amplifiers, 3=4187
- Klein, W. Positive temperature coefficients of luminescence and the conductivity of ZnS single crystals under 60 keV electron excitation, 4=13091
- Klein, W., Schatz, G. and Seeger, K. Outer photoeffect and delayed electron emission of ultraviolet-irradiated single crystals of KCl and KBr , 1=10069
- Klein, W. See Broser, L., 2=4179
- Klein, W. R. and Hiedemann, E. A. An investigation of light diffracted by wide, high-frequency ultrasonic beams, 3=24057
- Kleinberg, R. and Blatt, F. J. Determination of the mean free path of conduction electrons, 2=6297
- Kleinberg, R. See Spence, R. D., 4=13262
- Kleinberger, R. See Hauptman, A., 2=10835
- Kleine-Tebbe, A. and Spehl, H. Average G-factor of the first excited rotation states of the even Tungsten isotopes in natural Tungsten, 3=19793
- Kleiner, R. See Müller, K. A., 2=14825
- Kleiner, R. See Müller, K. A., 4=26723
- Kleiner, W. H. Symmetry of configurational entropy in lattice statistics, 2=2412
- Kleiner, W. H., Roth, L. M. and Autler, S. H. Bulk solution of Ginzburg-Landau equations for type II superconductors: upper critical field region, 4=11462
- Kleiner, W. H. See Foner, S., 1=19664
- Kleiner, W. H. See Honig, J. M., 4=26716
- Kleiner, W. H. See Honig, J. M., 4=30885
- Kleiner, W. H. See Zwerdling, S., 1=17900
- Kleiner, W. H. See Zwerdling, S., 3=10924
- Kleiner, M., Azarraga, L., and McGlynn, S. P. Emissivity and photoconductivity of organic molecular crystals, 3=3060
- Kleiner, M. and McGlynn, S. P. Photoconductivity of organic molecular crystals and the triplet state, 3=4951
- Kleiner, M. Y. and McGlynn, S. P. Photoconductivity and intermolecular interaction in nonionic aromatic crystals, 4=22810
- Kleinert, P. Investigation of the spinel formation of a mixture of NiO and $\alpha\text{-Fe}_2\text{O}_3$ by differential thermal analysis, 4=1971
- Kleinert, P. See Andrä, W., 4=7273
- Kleinert, P. See Manzel, M., 3=23190
- Kleinheinz, P. See Graham, R. L., 4=9410
- Kleinheinz, P. See Wendt, H. D., 1=3413
- Kleinheinz, K. See Riessler, W., 2=10959
- Kleinknecht, H. P. See Aurich, F., 4=1603
- Kleinknecht, H. P. See Gschwend, F., 4=20382
- Kleinman, D. A. Anharmonic forces in the GaP crystal, 0=10043
- Kleinman, D. A. Laser and two-photon processes, 2=4127
- Kleinman, D. A. Nonlinear dielectric polarization in optical media, 2=14650
- Kleinman, D. A. Theory of second harmonic generation of light, 3=1839
- Kleinman, D. A. Raman effect in the F center, 4=15500
- Kleinman, D. A. and Schawlow, A. L. Corbino disk, 1=1886
- Kleinman, D. A. and Spitzer, W. G. Infrared lattice absorption of GaP , 0=10042
- Kleinman, D. A. and Spitzer, W. G. Theory of the optical properties of quartz in the infrared, 2=4154
- Kleinman, D. A. See Collins, R. J., 0=11767
- Kleinman, D. A. See Spitzer, W. G., 1=3845
- Kleinman, D. A. See Spitzer, W. G., 2=14643
- Kleinman, L. Deformation potentials in silicon. I. Uniaxial strain, 3=1737
- Kleinman, L. Covalent bonding in semiconductors, 3=10566
- Kleinman, L. Deformation potentials in silicon. II. hydrostatic strain and the electron-phonon interaction, 3=17646
- Kleinman, L. Theory of phonon-assisted tunneling in superconductors, 4=5508

- Kleinman, L. and Phillips, J.C. Crystal potential and energy bands of semiconductors. I. Self-consistent calculations for diamond, 0=1629
- Kleinman, L. and Phillips, J.C. Crystal potential and energy bands of semiconductors. II. Self-consistent calculations for cubic boron nitride, 0=4354
- Kleinman, L. and Phillips, J.C. Crystal potential and energy bands of semiconductors. III. Self-consistent calculations for silicon, 0=9970
- Kleinman, L. and Phillips, J.C. Covalent bonding and charge density in diamond, 2=3808
- Kleinman, L., Taylor, B. N. and Burstein, E. Phonon-assisted tunneling in superconductors, 4=21418
- Kleinman, L. See Goroff, I., 4=4020
- Kleinman, L. See Phillips, J.C., 0=1538
- Kleinman, L. See Phillips, J.C., 3=6578
- Kleinman, R. E. Plane wave diffraction by a strip, 4=693
- Kleinmikhel', U. See Skakov, Yu. A., 4=29009
- Klein, W. Determination of the convergence angle of electron-microscopic stereoscopic image pairs using an electron diffraction pattern, 1=20708
- Kleinpaul, W. The real effect of thermal effusion, 0=960
- Kleinpopp, H. Measurement of the Lamb shift of the $3^2S_{1/2}$ state relative to the $3^2P_{1/2}$ state of the hydrogen atom, 1=19583
- Kleinpopp, K., Krugger, H. and Ulmer, R. Excitation and polarization of Balmer α -radiation in electron-hydrogen atom collisions, 2=22918
- Kleinschmidt, H. See Becherer, G., 4=4666
- Kleinstein, G. An approximate solution for the axisymmetric jet of a laminar compressible fluid, 2=11396
- Kleinstück, K. The possibilities of structural investigations with neutrons in the Central Institute for Nuclear Physics at Rossendorf, 3=20822
- Kleinstück, K. See Albrecht, G., 4=2076
- Kleinstück, K. See Betzl, M., 2=19075
- Kleinstück, K. See Sippel, D., 2=21502
- Kleinstück, K. See Sippel, D., 4=15790
- Kleint, C. Recent results in ultra-high vacuum, 1=4381
- Kleint, C. Theoretical consideration of the field emission flicker effect, 4=5691
- Kleint, C. Experiment on the field emission flicker effect and comparison with theory, 4=5692
- Kleint, C. and Fischer, R. Field emission from silicon and tellurium single crystals, 0=1145
- Kleint, C. and Gasse, H. J. Shot and flicker noise associated with cold electron emission, 0=7131
- Kleint, C. and Kreher, K. The measurement of the potential distribution along a solid body by means of an electron beam probe, 0=7042
- Kleint, C., Kuschel, G., Seifarth, H. and Tilgner, J. Electronic amplification of weak intensity field-emission images, 2=15959
- Kleint, C., Neumann, H. and Fischer, R. Field emission from silicon, 1=17650
- Kleint, C. See Bertoldi, W., 0=261
- Kleint, C. See Fischer, R., 1=17649
- Kleint, C. See Syrbe, G., 0=2898
- Kleint, Ch. The temperature-dependence of flicker noise in field emission, 4=24723
- Kleint, Ch. and Kusch, S. The energy distribution of field electrons from silicon, 4=19081
- Kleinwächter, H. and Geerk, J. Production of a free-space gas discharge at the focal point of a spherical standing e.m. wave, 3=7592
- Kleinwächter, H. See Geerk, J., 1=16282
- Kleinwächter, H. See Geerk, J., 3=21726
- Kleist, G. See Berge, O. E., 4=18828
- Kleitman, D. On the parity of K-Baryon vertices, 0=5523
- Kleitman, D. J. See Coleman, S., 4=24981
- Kleitman, D. J. See Glashow, S. L., 4=24994
- Klem, L. See Smith, J. E. K., 1=6666
- Klema, E. D. Preparation of high-resistivity silicon surface-barrier detectors for use at large reverse bias voltages, 4=21702
- Klema, E. D., Mallmann, C. A. and Day, P. Energy levels of even nuclei on the hydrodynamical model with vibration-rotation interaction, 1=13644
- Klema, E. D. See Reich, C. W., 3=19804
- Kleman, B. The near-ultraviolet absorption spectrum of CS_2 , 4=6586
- Kleman, B. See Hartmann, B., 1=5045
- Kleman, M. Internal movements of a relativistic particle, 1=15637
- Klemas, V. See Bomke, H. A., 0=8369
- Klemens, P. G. Deviations from Matthiessen's rule and lattice thermal conductivity of alloys, 0=6019
- Klemens, P. G. Thermal resistance due to point defects at high temperatures, 0=13499
- Klemens, P. G. Thermal expansion of aluminum at low temperatures, 0=17902
- Klemens, P. G. Band structure of monovalent metals and their alloys, 1=927
- Klemens, P. G. A note on the thermoelectric power of monovalent metals, 1=17808
- Klemens, P. G. Localized modes and spin-lattice interactions, 2=8676
- Klemens, P. G. The thermal resistivity of ruby in the optically excited state, 3=10612
- Klemens, P. G. Electron-phonon interactions induced by lattice defects in metals, 3=22674
- Klemens, P. G., Castle, J. G., Jr and Feldman, D. W. Spin-lattice relaxation at defect sites, 4=17341
- Klemens, P. G., Castle, J. G., Jr and Feldman, D. W. Defect sites in vitreous silica, 4=28387
- Klemens, P. G. and Lowenthal, G. C. Deviations from Matthiessen's rule for platinum, 1=19830
- Klemens, P. G. and Maradudin, A. A. Lattice distortion due to isotopes in solid helium, 1=11198
- Klemens, P. G., Tainsh, R. J. and White, G. K. Influence of cold work on the resistivity of dilute copper alloys, 0=9934
- Klemens, P. G. and Tewordt, L. Reduction of the lattice thermal conductivity of superconductors due to point defects, 4=18556
- Klemens, P. G., Van Baarle, C. and Gorter, F. W. Anisotropic conduction properties and zone structure of tin, 4=26015
- Klemens, P. G., White, G. K. and Tainsh, R. J. Scattering of lattice waves by point defects, 2=23048
- Klemens, P. G. See Birch, J. A., 0=6025
- Klemens, P. G. See Castle, J. G., Jr., 3=13009
- Klemens, P. G. See de Klerk, J., 4=22435
- Klemens, P. G. See Jones, C. K., 4=12627
- Klemens, P. G. See Kemp, W. R. G., 0=2797
- Klemens, P. G. See Kemp, W. R. G., 0=9900
- Klemens, P. G. See Kemp, W. R. G., 0=21131
- Klemens, P. G. See Tainsh, R. J., 2=3916
- Klement, A., Jr. See Jayaraman, A., 3=16834
- Klement, E. and Lushchik, Ch. Conference on the physics of alkali-halide crystals, 1=2360
- Klement, F. D. Crystal structure of alkali halide and ammonium halide phosphors, 3=23100
- Klement, F. D. and Teiss, L. A. Effect of isostructure on the spectra of activated mixed crystals, 2=14722
- Klement, W., Jr. Lattice parameters of the metastable close-packed structures in silver-germanium alloys, 2=2400
- Klement, W., Jr. Nickel-rich solid solutions in binary alloys with tin, germanium, and silicon, 2=23890
- Klement, W., Jr. Hexagonal close-packed structures in Bi-Pb alloys and the polymorphism of lead at high pressure, 3=8883
- Klement, W., Jr. Solid solutions in gold-cobalt and copper-cobalt alloys, 4=7468
- Klement, W., Jr., Jayaraman, A. and Kennedy, G. C. Phase transformations in uranium at high pressures, 3=8795
- Klement, W., Jr., Jayaraman, A. and Kennedy, G. C. Transformations in mercury at high pressures, 3=18227
- Klement, W., Jr., Jayaraman, A. and Kennedy, G. C. Phase diagrams of arsenic, antimony, and bismuth at pressures up to 70 kbars, 3=19067
- Klement, W., Jr. See Duwez, P., 0=14077
- Klement, W., Jr. See Duwez, P., 0=14078
- Klement, W., Jr. See Duwez, P., 0=18402
- Klement, W., Jr. See Jayaraman, A., 3=6814
- Klement, W., Jr. See Jayaraman, A., 3=14417
- Klement, W., Jr. See Jayaraman, A., 3=16016
- Klement, W., Jr. See Jayaraman, A., 3=20887
- Klement, W., Jr. See Jayaraman, A., 4=4505
- Klement, W., Jr. See Luo, Huey-Lin, 2=10903
- Klement'ev, V. N. See Berlovich, E. E., 0=9586
- Klement'ev, V. N. See Berlovich, E. E., 1=2181
- Klement'ev, V. N. See Berlovich, E. E., 1=3405
- Klement'ev, V. N. See Berlovich, E. E., 1=17045
- Klement'ev, V. N. See Berlovich, E. E., 3=12595
- Klement'ev, V. N. See Berlovich, E. E., 3=12596
- Klement'eva, A. Yu. See Korolev, F. A., 1=12995
- Klementyev, V. N. See Berlovich, E. E., 1=5852
- Klemm, A. Phenomena involved in the transport properties of pure fused salts, 0=8058

- Klemm, A. Electromigration in ionic melts, 2=15144
 Klemm, A. On the transverse transport coefficient in liquid metals, 3=3814
 Klemm, A. Phenomenology of the isothermal diffusion in electrolytes, 3=5167
 Klemm, A. Isotope separation by a viscous flow of molten lithium, 4=1232
 Klemm, A. See Fischer, W., 0=4161
 Klemm, A. See Fischer, W., 3=5433
 Klemm, A. See Heinzinger, K., 2=7254
 Klemm, A. See Heinzinger, K., 4=171
 Klemm, A. See Herzog, W., 1=15200
 Klemm, A. See Knof, H., 0=5269
 Klemm, A. See Loding, A., 3=21330
 Klemm, A. See Neubert, A., 1=19613
 Klemm, A. See Schirdewahn, J., 1=13976
 Klemm, H. and Wiegmann, K. On the calibration of the Bollenrath type of Leitz dilatometer, 3=14398
 Klemola, A.R. Mean absolute magnitude of the blue stars at high galactic latitude, 3=7034
 Klemperer, D.F. Activation of thermionic and photoelectric cathodes, 2=9615
 Klemperer, D.F. See Anderson, J.S., 0=6130
 Klemperer, D.F. See Anderson, J.S., 0=19720
 Klemperer, D.F. See Caldwell, B.A., 3=7255
 Klemperer, O. Transverse and longitudinal polarization of electron beams, 2=7663
 Klemperer, O. and Shepherd, J.P.G. On the measurement of characteristic energy losses of electrons in metal films, 3=5712
 Klemperer, O. and Shepherd, J.P.G. Characteristic energy losses of electrons in alloys, 3=6508
 Klemperer, O. and Shepherd, J.P.G. Characteristic energy losses of electrons in solids, 4=17414
 Klemperer, O. and Thetford, A. Transmission of slow electrons through thin films, 1=7102
 Klemperer, W. Vibrational frequencies of the mercuric halides, 4=6598
 Klemperer, W. and Norris, W.G. Infrared spectra of the lithium halide dimers, 1=7470
 Klemperer, W., Norris, W.G., Büchler, A. and Emslie, A.G. Infrared spectra of lithium halide monomers, 0=20620
 Klemperer, W. See Brown, R.L., 2=12318
 Klemperer, W. See Büchler, A., 2=14255
 Klemperer, W. See Büchler, A., 4=3876
 Klemperer, W. See Büchler, A., 4=22378
 Klemperer, W. See Freeman, D.E., 4=12504
 Klemperer, W. See Goodisman, J., 3=8169
 Klemperer, W. See James, T.C., 0=5935
 Klemperer, W. See James, T.C., 4=12448
 Klemperer, W. See Kopelman, R., 2=10265
 Klemperer, W. See Leroi, G.E., 1=14028
 Klemperer, W. See Leroi, G.E., 2=14274
 Klemperer, W. See Sage, G., 3=25121
 Klemperer, W. See Wharton, L., 0=20691
 Klemperer, W. See Wharton, L., 2=20796
 Klemperer, W. See Wharton, L., 3=4752
 Klemperer, W. See Wharton, L., 3=10510
 Klemperer, W. See Wharton, L., 3=17570
 Klemperer, W. See Wharton, L., 4=1236
 Klemperer, W. See Wharton, L., 4=1257
 Klemperer, W. See Wharton, L., 4=9360
 Klemperer, W.B. Some properties of Rosette configurations of gravitating bodies in homographic equilibrium, 2=9152
 Klemperer, W.K. Characteristics of spread F at high geomagnetic latitude, 3=21062
 Klemperer, W.K., Ochs, G.R. and Bowles, K.L. Radar echoes from Venus at 50 Mc/sec, 4=13950
 Klems, G.J., Das, B.N. and Azároff, L.V. Single-crystal spectrometers for X-ray absorption spectroscopy, 4=13758
 Klemt, K. Coincidence calibration of β - γ sources by means of a γ -scintillator and a one-channel γ -discriminator (applied to the absolute measurement of the Mn^{56} decay rate), 4=12170
 Klenin, S.I. See Tavetkov, V.N., 0=10654
 Klenin, S.I. See Tsvetkov, V.N., 0=14636
 Klenine, S., Denoit, I. and Daune, M. Diffusion and sedimentation of macromolecular chains in solvent θ , 0=12111
 Klenine, S. See Jacob, M., 3=9454
 Kleopov, I.F., Lagin, S.P., Okorokov, I.S. and Lazarev, N.V. Operation of the 7 BeV proton synchrotron power supply in the initial period, 4=14799
 Kleopov, I.F. and Lazarev, N.V. Supply system of a stand for magnetic measurements, 4=14831
 Kleopov, I.F. See Gol'din, L.L., 4=14823
 Kleopov, I.F. See Sokolovskii, V.V., 4=14838
 Kleopov, I.F. See Vladimirovskii, V.V., 4=14840
 Klepeis, J. Graphite heater for MHD studies, 4=21449
 Klepikov, N.P. Minimal error in the experimental observation of asymmetry, 0=17210
 Klepikov, N.P. Removal of multiplicity in phase shift analysis, 2=259
 Klepikov, N.P. Removal of multiplicity in phase shift analysis, 2=22433
 Klepikov, N.P. "Necessary experiment" in proton-proton scattering, 3=22125
 Klepikov, N.P. Phase shifts of Coulomb pp scattering, 4=3406
 Klepikov, N.P. and Fedorov, V.V. Certain threshold singularities in total interaction cross-sections, 3=14928
 Klepikov, N.P., Rokityanskii, V.R., Rudoi, Yu.G., Saevskii, F.V., Fedorov, V.V. and Yudin, V.A. Threshold singularities in total pion scattering cross-section, 1=19260
 Klepikov, N.P., Rokityanskii, V.R., Rudoi, Yu.G., Saevskii, F.V., Fedorov, V.V. and Yudin, V.A. Threshold singularities in total pion scattering cross-section, 2=22590
 Klepikov, N.P. and Smorodinskii, Ya.A. Spirality inversion in nuclear reactions, 3=15166
 Klepikov, N.P. See Azhgirey, L.S., 3=24723
 Klepikov, N.P. See Azhgirey, L.S., 4=6042
 Klepikov, N.P. See Azhgirey, L.S., 4=16889
 Klepikov, N.P. On the completeness of the "Complete scattering experiment", 4=30193
 Klepp, H.B. Terrestrial, interplanetary and universal expansion, 4=26882
 Klepp, H.B. See Batson, A.P., 0=9356
 Kleppa, O.J. Thermodynamic analysis of binary liquid alloys of group IIB metals. III. The solutions of zinc, cadmium, indium, tin, thallium, lead and bismuth in mercury, 1=2750
 Kleppa, O.J. A note on the heats of fusion of calcium, strontium and barium nitrate, 2=17689
 Kleppa, O.J. Aspects of the thermodynamics of metallic solutions, 3=8885
 Kleppa, O.J., Clarke, R.B. and Hersh, L.S. Studies of fused salts. III. Heats of mixing in silver nitrate-alkali nitrate mixtures, 1=12869
 Kleppa, O.J. and Hersh, L.S. Heats of mixing in liquid alkali nitrate systems, 1=4333
 Kleppa, O.J. and Hersh, L.S. Calorimetry in liquid thallium nitrate-alkali nitrate mixtures, 2=2710
 Kleppa, O.J., Kaplan, M. and Thalmayer, C.E. The volume change on mixing in liquid metallic solutions. II. Some binary alloys involving mercury, zinc and bismuth, 2=2716
 Kleppa, O.J. and King, R.C. Heats of formation of the solid solutions of zinc, gallium and germanium in copper, 3=6872
 Kleppa, O.J. and Meschel, S.V. Thermochemistry of anion mixtures in simple fused salt systems. II. Solutions of some salts of MO_4^- and MO_4^{2-} anions in the corresponding alkali nitrates, 4=10631
 Kleppa, O.J. See Darby, J.B., Jr., 3=16614
 Kleppa, O.J. See Katz, J.L., 1=15860
 Kleppa, O.J. See King, R.C., 4=10418
 Kleppa, O.J. See McCarty, F.G., 4=29622
 Kleppa, O.J. See Reiss, H., 2=1137
 Kleppa, O.J. See Yokokawa, T., 4=11182
 Klepper, D.L. Acoustics of the Jacksonville civic auditorium, 4=2804
 Klepper, D.L. See Beranek, L.L., 2=2854
 Klepper, D.L. See Johnson, F.R., 1=8205
 Kleppner, D., Goldenberg, H.M. and Ramsey, N.F. Properties of the hydrogen maser, 2=6102
 Kleppner, D., Goldenberg, H.M. and Ramsey, N.F. Theory of the hydrogen maser, 2=11785
 Kleppner, D. See Berg, H.C., 2=10225
 Kleppner, D. See Crampton, S.B., 4=3777
 Kleppner, D. See Forston, E.N., 4=30374
 Kleppner, D. See Goldenberg, H.M., 0=19921
 Kleppner, D. See Goldenberg, H.M., 1=11082
 Klerer, J. A method for the deposition of SiO_2 at low temperatures, 2=10936
 Klerer, M. See Frosch, R.A., 2=2841
 Klerk, J.de. See de Klerk, J.
 Kleshchev, G.V. and Vasilevskaya, M.M. Anomalous scattering of X-rays by a crystal of supersaturated solid solution of copper in aluminium (AlCu), 2=15064

- Kleshchev, G.V. and Vasilevskaya, M.M. Anomalous scattering of X-rays by a crystal of supersaturated solid solution of copper in aluminium (AlCu), 2=19103
- Kleshchevnikova, S.I. See Pokrovskii, Ya.E., 0=819
- Klestov, R.A. See Suetin, P.E., 0=8697
- Klett, C. See Hübner, W., 3=5624
- Klevans, E. H. See Burt, P., 4=3000
- Klevans, E.H. See Osborn, R.K., 1=18315
- Klevans, E.H. See Wu Ching-Sheng, 4=11668
- Klevtsov, P.V. and Zamozhskii, V.D. Selective etching of magnetic garnet crystals, 3=18240
- Klevtsov, P. V. and Zamozhskii, V.D. Nature of hydrothermal etch figures on ferrite crystals with garnet structure, 4=2017
- Klevtsova, M.P. See Kuznetsov, V.A., 0=10355
- Klevtsova, R.F. See Belov, N.V., 0=16249
- Klevtsova, R.F. See Belov, N.V., 0=18287
- Klewe, B. See Andersen, P., 4=20761
- Kley, D., Stuhl, F. and Welge, K.H. Flash photolysis apparatus for the Schumann ultraviolet region with high time-resolution, 4=4710
- Kley, W. See Hughes, D.J., 0=80
- Kley, W. See Hughes, D.J., 0=14649
- Kley, W. See Peretti, J., 3=12917
- Klichkova, V.P. See Gus'kov, Yu.K., 2=6485
- Klick, C.C. Mechanism for coloration of alkali halides at low temperatures, 0=17963
- Klick, C.C. Mechanism for coloration of alkali halides at low temperatures, 3=812
- Klick, C.C. and Kabler, M.N. Excited states of the F center, 3=20244
- Klick, C.C. and Patterson, D.A. Low-temperature coloration in KCl and KBr near the fundamental edge, 3=15517
- Klick, C.C., Patterson, D. A. and Knox, R.S. Absorption band shapes for the F center and thallium in KCl, 4=12809
- Klick, C.C., Ritz, V.H. and Patterson, D.A. Radiation effects in alkali halides at low temperatures, 3=22835
- Klick, C.C. See Lambe, J., 0=20914
- Klick, C.C. See Rabin, H., 0=6052
- Klick, C.C. See Rosenstock, H.B., 0=13486
- Kliefoth, W. Dedication of the CERN proton synchrotron, 1=18960
- Klier, E. Negative photoeffect in long-wave-length absorption region of cuprous oxide, 1=6179
- Klier, E. Negative photoeffect in the long-wave-length absorption region of cuprous oxide, 3=2971
- Klier, K. See Barry, T.I., 2=12949
- Klier, M. See Luck, W., 3=13622
- Klier, M. See Luck, W., 3=13623
- Kliger, G. K. See Guzhavin, V. M., 4=19551
- Klíma, K., Pros, Z. and Vanek, J. Ultrasonic attenuation of longitudinal waves in solids, 2=20924
- Klíma, K. See Vanek, I., 3=3429
- Klíma, R. The damping of phase oscillations in a weak-focusing synchrotron, 0=12661
- Klíma, R. On the boundaries of motion in magnetic traps, 4=5645
- Klíma, R. On the motion of a particle in a magnetic trap with a secondary electromagnetic field, 4=5646
- Klíma, R. and Teichmann, J. Damping of the vibrations of particles general field with periodic structure. II. 3=9911
- Klíma, R. See Ďatlov, J., 3=9886
- Klíma, R. See Teichman, J., 1=18959
- Klíma, R. See Teichmann, J., 4=27548
- Klíman, G.B. Calibration of an electromagnetic velocity probe for electrically conducting liquids, 2=19531
- Klímanek, P. See Brümmer, O., 2=3126
- Klímanek, P. See Scharf, H., 4=13152
- Klímanova, L. F. See Dařon, M. I., 4=14959
- Klimecki, V. See Lundström, T., 1=17984
- Klímenko, V.N. See Mel'nichuk, P.I., 1=11500
- Klímenkov, V. I. and Zavgorodnii, A. Ya. Stored energy in the graphite stack of the I. R. reactor, 4=19912
- Klímentov, V.B. and Griaev, V.M. Some neutron resonance-absorption integrals, 0=9666
- Klímentov, V.B. and Griaev, V.M. Models for finding the control response and temperature coefficient of uranium-water reactors operating with intermediate energy neutrons, 2=6054
- Klímentovskaya, M.V. and Chandra, G. Measurement of angular correlation of γ -cascades 298-880 keV and 298-966 keV in DY^{160} , 0=11377
- Klímentovskaya, M.V. and Shavrin, P.I. An investigation of the excited states of Re^{187} , 0=11384
- Klímentovskaya, M.V. See Sorokin, A.A., 2=14066
- Klímesh, B. Investigation of the discrimination of Czech speech in cinema halls by the syllabic method, 1=1604
- Klímin, A.I., Sedýkh, B.N. and Sokol'skaya, I.L. Some laws governing field emission of electrons from semiconductors, 1=316
- Klímin, A.I. See Golovanova, O.V., 2=2192
- Klímin, A.I. See Golovanova, O.V., 2=8438
- Klímin, A.I. See Zubenko, Yu.V., 0=9066
- Klíminshin, I.A. Contribution to the theory of the non-stationary scattering of light, 2=7409
- Klíminshin, I.A. Determination of the radiation intensity increase before the exit of a shock wave to the surface of a star, 3=9228
- Klíminshin, I.A. On the theory of stellar shock waves, 3=23690
- Klíminshin, I.A. and Kravchuk, A.L. The rise in the intensity of radiation before the emergence of a shock wave on the surface of a homogeneous medium, 3=21480
- Klíminshin, I.A. See Kaplan, S.A., 0=18856
- Klíminshin, I.A. See Kaplan, S.A., 0=19448
- Klíminshin, I.A. See Kaplan, S.A., 2=62
- Klíminshin, I.A. See Kaplan, S.A., 4=23888
- Klíminshin, I.A. See Kaplan, S.A., 4=29688
- Klímontović, Ju. L. and Silin, V.P. Spectra of interacting particles and the collective loss in the passage of charged particles through matter, 4=5078
- Klímontovich, Yu.L. On a possible statistical description of systems of particles interacting with the field, 0=2521
- Klímontovich, Yu.L. Relativistic transport equations for a plasma, 0=9031
- Klímontovich, Yu. L. Charged particle energy losses due to excitation of plasma oscillations, 0=10923
- Klímontovich, Yu.L. Relativistic kinetic equation for a plasma. II, 0=12614
- Klímontovich, Yu.L. Kinetic description of quasi-equilibrium turbulent processes in a plasma, 3=396
- Klímontovich, Yu.L. Kinetic description of quasi-equilibrium turbulent processes in a plasma, 3=5662
- Klímontovich, Yu. L. Statistical theory of non-equilibrium processes in a system of electrons interacting with lattice vibrations, 4=6766
- Klímontovich, Yu. L. Contribution to the statistical theory of homogenous isotropic turbulence in a relativistic plasma, 4=8769
- Klímontovich, Yu.L. and Ebeling, V. A hydrodynamic description of the motion of charged particles in a weakly ionized plasma, 2=22218
- Klímontovich, Yu.L. and Silin, V.P. Magnetohydrodynamics for nonisothermal plasma without collisions, 1=18853
- Klímontovich, Yu.L. and Silin, V.P. Theory of fluctuations of particle distribution in a plasma, 2=7610
- Klímontovich, Yu.L. and Silin, V.P. Fluctuations in a collisionless plasma, 3=5653
- Klímontovich, Yu.L. and Silin, V.P. Theory of fluctuations of particle distribution in a plasma, 3=5669
- Klímov, A. P. and Nagornaya, L. L. Effects of the primary activator on the efficiency of a plastic scintillator containing a spectrum shifter, 4=14963
- Klímov, B.M. and Rivin, A.N. Sound absorbing phenopolyurethane wedge coatings, 3=16717
- Klímov, Yu.G. The deflection of light rays in the gravitational fields of galaxies, 3=21119
- Klímov, Yu. G. The use in extra-galactic astronomy of the bending of light in the gravitational fields of galaxies, 4=2382
- Klímov, Yu. G. Screened galaxies and an experimental test of the general theory of relativity, 4=10854
- Klímov, L. A. The absorption and emission spectroscopy of pyrene at 20° and 4°K, 4=10235
- Klíkowski, J. Effect of high hydrostatic pressure on the dielectric properties of $BaTiO_3$ single crystals, 2=10560
- Klíkowski, J. and Pietrzak, J. Effect of hydrostatic pressure on the dielectric properties of $BaTiO_3$, 0=18103
- Klíkowski, J. and Pietrzak, J. Dielectric permittivity variations in $BaTiO_3$ single crystals and ceramics resulting from hydrostatic pressure, 1=12472
- Klímusheva, G.V. Absorption spectra of benzol homologues. VII. Spectral peculiarities of monoalkylbenzols at 20°K, 2=18464
- Klímusheva, G. V., Bragin, O. V., Mikhailova, E. A. and Safonova, I. L. The effect of substituent radicals on the absorption spectra of monoalkylbenzene crystals, 4=7141
- Klímusheva, G.V. See Grum-Grzhimailo, S.V., 0=16061
- Klímusheva, G.V. See Grum-Grzhimailo, S.V., 2=1267

- Klimusheva, H.V. Investigation of the crystallization process of alkylbenzenes, 4=17782
- Kline, D.E. and Jacobs, A. Calculation of the rate of energy deposition in polyethylene by reactor radiation, 0=20531
- Kline, D.E. and Saxton, J.H. Radiation, moisture, and temperature effects in filled epoxy replica flat mirrors, 1=4434
- Kline, D.E. See Saxton, J.H., 0=19389
- Kline, J.M. See Gildart, L., 1=19871
- Kline, J.V. The case of the counting balls, 0=3475
- Kline, M. Electromagnetic theory and geometrical optics, 2=7729
- Kline, M.R. See Waber, J.T., 0=13328
- Kline, R.C. See Newton, R.R., 1=20791
- Kline, R.K. See Jacodine, R.J., 1=6505
- Kling, G. Dynamics of bubble formation in the gassing of liquids under pressure, 2=15562
- Kling, M. See Schneider, R., 1=18597
- Kling, W. See Böhme, G., 4=10597
- Klingberg, C.L. See Onley, J.W., 3=11642
- Klingelhöfer, R. and Lohse, P. Production of fast molecular beams using gaseous mixtures, 4=15389
- Klingelhöfer, R. See Becker, E.W., 0=20709
- Klingelhöfer, R. See Becker, E.W., 2=10291
- Klingelhöfer, R. See Becker, E.W., 3=2678
- Klingelhöfer, R. See Becker, E.W., 4=27497
- Klingen, T.J. and Choppin, G.R. Excitation functions for nuclear reactions between complex nuclei. II. Charged particle emission, 3=15234
- Klingen, T.J. See Choppin, G.R., 3=15233
- Klinkenberg, G. See Mecke, R., 2=17769
- Klinkenberg, G. See Mecke, R., 2=21916
- Klinkenberg, H. Microwave measurements in a T-tube, 4=18832
- Klinkenberg, H. and Meder, E. Measurements by means of 3 cm microwaves on the propagation of a plasma [ionization] front in a T-tube, 4=5610
- Klinkenberg, H. See Jeanmaire, P., 4=271
- Klingensmith, R.W., Hausman, H. J. and Ploughe, W. D. Elastic scattering of He³ at 20 MeV, 4=22183
- Klingensmith, R.W. See Redmond, R.F., 3=4678
- Klinger, D., Langkau, R. and Walter, H. Scintillation and particle discrimination properties of CsBr:Tl and RbI:Tl crystals, 3=24551
- Klinger, H.H. Amplification and generation of coherent light by means of electron beams, 4=5360
- Klinger, M. Quantum theory of non-steady-state conductivity in low mobility solids, 4=6907
- Klinger, M.I. A statistical theory of the electrical conductivity of semiconductors. I, 0=571
- Klinger, M.I. On the statistical theory of kinetic phenomena. II, 0=8561
- Klinger, M.I. The statistical theory of the electrical conductivity of semiconductors. III, 0=11673
- Klinger, M.I. A statistical theory of the kinetic coefficients of a crystal with a strongly degenerate electron gas, 0=15829
- Klinger, M.I. The theory of piezoresistance in Bi₂Te₃, 0=17989
- Klinger, M.I. The use of the damping theory in the calculation of transport coefficients, 1=14196
- Klinger, M.I. The theory of linear irreversible processes in a strong magnetic field, 1=17498
- Klinger, M.I. Deduction of the quantum transport equation in a strong magnetic field, 1=17499
- Klinger, M.I. Correction to "the theory of linear irreversible processes in a strong magnetic field", 2=3886
- Klinger, M.I. A theory of kinetic probability for small mobilities of charge carriers, 2=18628
- Klinger, M.I. Theory of transport phenomena in low-mobility semi-conductors. Derivation of formulae for the principal transport coefficients, 2=21123
- Klinger, M.I. Contribution to the theory of kinetic effects in NiO type semiconductors, 3=8526
- Klinger, M.I. Theory of transport phenomena in semiconductors with low mobility (general approach and criteria of the theory of transport processes), 3=15562
- Klinger, M.I. Theory of transport phenomena in semiconductors with low carrier mobility (singularities of the energy spectrum of the system), 3=15563
- Klinger, M.I. Hall effect in low-mobility semiconductors, 3=15565
- Klinger, M.I. Theory of low-temperature transport phenomena in semiconductors with low mobility, 4=1570
- Klinger, M.I. See Samoilovich, A.G., 1=7553
- Klinger, M.I. See Samoilovich, A.G., 1=7554
- Klinger, M.J. Low mobility transport phenomena in semiconductors 3=10738
- Klinger, O.E. See Kauer, E., 0=4321
- Klingler, E. and Martin, A.V.J. Method of graphical analysis by an approximation function, 2=19372
- Klingman, C.L. Modified chromatograph to record helium content of natural gas streams, 1=11643
- Klingsberg, C. Bubble-induced nucleation and crystal growth in glass, 4=20729
- Klink, W. H. See Fairbairn, W.M., 4=27756
- Klinkenberg, P. F. A. Ground state in the Tb I spectrum, 4=28138
- Klinkenberg, P.F.A. and Tomkins, F.S. Optical hyperfine structure and nuclear moments of promethium 147, 1=5971
- Klinkenberg, P.F.A., van Kleef, T.A.M. and Noorman, P.E. Structure and ionization potential of Hf III and Hf IV, 1=686
- Klinkenberg, P.F.A., Van Kleef, T.A.M. and Noorman, P.E. Spectral structure of doubly and trebly ionized hafnium, 1=19590
- Klinkenberg, P. F. A. See Hassan, G.E.M.A., 4=9644
- Klinkenberg, P.F.A. See Van Kleef, T.A.M., 1=8816
- Klinker, L. and Knuth, B. Variations of electron content in the outer ionosphere deduced from Faraday-fading observations of satellite 1958 delta 2 during the July events, 1959, 2=885
- Klinker, L., Schmelovsky, K.H. and Knuth, R. Annual variation of mean electron concentration between 400 and 1200 km, 0=12147
- Klinov, F. Ya. See Tsvang, L.R., 4=4764
- Klinskikh, N.A. See Rybalko, F.P., 3=20684
- Klinskikh, N.A. See Volkov, S.D., 3=5056
- Klinskikh, N.A. See Volkov, S.D., 4=15687
- Klintsov, Yu.S. See Lebedev, P.P., 0=20486
- Klippert, T. See Johnson, K., 2=9656
- Klippert, T.E. See Porges, K.G.A., 1=13446
- Klipping, G. and Mascher, W. Production of vacuum by condensation on low-temperature surfaces. I. Cryogenic pumps, 3=11841
- Klipping, G. and Mascher, W. Production of vacuum by condensation on low-temperature surfaces. II. The condensation of nitrogen and hydrogen on a defined cooled surface, 4=8259
- Klipping, G. See Broser, I., 2=8413
- Klipsch, P.W. Discussion on "listener reaction to stereophonic reproduction by reflected sound", 0=19744
- Kliutcharev, A.P. See Bolotin, L.I., 1=8705
- Kliutcharev, A.P. See Val'ter, A.K., 1=8706
- Kliwer, J. K., Kraushaar, J. J., Ristinen, R. A., Keith, J. R. and Bartlett, A. A. The level structure of Sc⁴⁺, 4=9400
- Klobuchar, J., Aarons, J., Whitney, H. and Kantor, G. Irregular lunar reflection polarization changes noted in the presence of aurora, 2=6937
- Klobuchar, J. A. See Taylor, G. N., 4=7914
- Klochikhin, A.A. See Stekhanov, A.I., 1=2444
- Klockenkämper, R. See Fraunberger, F., 4=10593
- Klochkov, D.S. See Karamyran, A.S., 1=17155
- Klochkov, V.P. Investigation of the temperature dependence of the interaction by molecules in the vapour state, 2=16567
- Klochkov, V. P. and Korotkov, S. M. Temperature dependence of the structural absorption and fluorescence spectra of solutions of aromatic compounds, 4=30452
- Klochkov, V.P. and Makushenko, A.M. Temperature dependence of the intensity and shape of the absorption and fluorescence spectra of anthracene derivative vapours, 4=6607
- Klochkov, V. P. and Makushenko, A.M. Effect of foreign gases on the spectra and fluorescence yield of the vapors of anthracene derivatives, 4=6608
- Klochkov, V.P. and Neporent, B.S. Polarization of fluorescence and the spectral classification of complex molecules, 2=16506
- Klochkov, V. P. and Neporent, B.S. On the dependence of the degree of polarization of fluorescence on wavelength, 4=5198
- Klochkov, V. P. and Skryshevskii, A. F. X-ray investigation of molecular liquids, 4=21097
- Klochkov, V.P. See Bakhshiev, N.G., 2=21947
- Klock, B. See Rubin, V.C., 2=24151
- Kloholm, E. and Gadziala, C. An electron microscope investigation of Cu-Pd alloys, 3=20870
- Kloholm, E. See Chiou, C., 4=24514
- Klokov, E. F. See Ainbinder, S. B., 4=1922
- Klomp, C. J. See Van Oosterhout, G.W., 2=10664
- Klontz, E.E. and MacKay, J.W. Production and alteration of defects induced by electron irradiation of germanium, 3=22724
- Klontz, E.E. See MacKay, J. W., 4=9945
- Klopfer, A. Achievement and measurement of low pressures, 2=7263

- Klopfert, A. and Ermrich, W. A small getter ion-pump, 1=11795
- Klopfert, A. and Ermrich, W. Properties of a small titanium-ion pump, 2=67
- Klopfert, A. and Ermich, W. Properties of a small titanium ion pump, 2=2789
- Klopfert, A., Garbe, S. and Schmidt, W. Residual gases in vacuum systems, 1=18490
- Klopfert, A. and Schmidt, W. An omegatron for the quantitative analysis of gases, 107924
- Klopfert, A. and Schmidt, W. An omegatron mass spectrometer and its characteristics, 1=16436
- Klopman, G. A semiempirical treatment of molecular structures. I. Electronegativity and atomic terms, 4=25628
- Kloppenburger, E. See Schüler, H., 0=10891
- Klose, G. High resolution paramagnetic proton resonance spectra of some metal-ethyl compounds, 1=12310
- Klose, G. High resolution paramagnetic proton resonance spectra of some metal alkyl compounds, 2=2024
- Klose, G. Theory of indirect spin-spin coupling, across several bonds, between protons and heavy isotopes of spin $\frac{1}{2}$, 3=719
- Klose, G. Exchange integrals between functions of the K-shell and L- and O- shells respectively for the same effective nuclear charge, 3=2589
- Klose, G. High resolution proton resonance spectra of n-propyl compounds of Cd, Sn, Hg and Pb, 3=22598
- Klose, W. The p-n junction in a thermal gradient, 0=15899
- Klose, W. Theory of electrical conductivity of germanium and silicon. I. The electron-phonon matrix element, 1=7641
- Klose, W. The theory of "hot" electrons, 2=631
- Klose, W. The conductivity of thin wires, 2=7550
- Klose, W. Theory of the electrical conductivity in silicon. II. Intermediate range of field strength ("warm electrons"), 2=21147
- Klose, W. Electron-phonon interaction in Ge and Si, calculated with the Nordheim potential, 2=23064
- Klose, W. The symmetry behaviour of hot electrons in cubic semiconductors, 3=13054
- Klose, W. Transport currents in type-2-superconductors, 4=14514
- Kloske, R. and Kauffman, J. W. Quenching studies of a gold-silver alloy, 2=10379
- Kloss, H. G. and Wendel, G. A new phase fluorometer, 1=16071
- Kloss, H. G. and Wendel, G. A new phase fluorometer, 2=2874
- Kloss, H. G. and Wendel, G. Calculation of the centre of gravity of light for an electron beam fluorometer, 3=1804
- Kloss, H. G. and Wendel, G. New phase-sensitive fluorometer, 3=3869
- Kloss, H. G. and Wendel, G. Construction of a phase fluorometer, 3=3870
- Kloss, H.-G. See Hess, H., 3=16920
- Kloss, H. G. See Hess, H., 3=19225
- Klostermann, J. A. and Burgers, W. G. Surface martensite in iron-nickel, 4=15805
- Klot, R. v. See Hellwege, K. H., 4=20587
- Klots, C. E. Interpretation of ion yields in binary mixtures, 4=455
- Klots, C. E. Statistical theory of kinetic energy of fragmentation in certain unimolecular dissociations, 4=25743
- Klots, C. E. and Benson, B. B. Isotope effect in the solution of oxygen and nitrogen in distilled water, 3=9450
- Klots, C. E. and Benson, B. B. Thermodynamic properties of the atmospheric gases in aqueous solutions, 4=159
- Klots, C. E. See Kistiakowsky, G. B., 1=6568
- Klots, C. E. See Kistiakowsky, G. B., 1=6569
- Klotsman, S. M., Timofeev, A. N. and Trakhtenberg, I. Sh. Measurement of diffusion coefficients in oxides, 1=6113
- Klotsman, S. M., Timofeev, A. N. and Trakhtenberg, I. Sh. The possibility of the determination of the intercrystallite boundary thickness in semiconducting bicrystals, 2=8803
- Klotsman, S. M., Timofeev, A. N. and Trakhtenberg, I. Sh. Possibility of finding the thickness of grain boundaries in semiconductor bicrystals, 3=2816
- Klotsman, S. M., Timofeev, A. N. and Trakhtenberg, I. Sh. Investigation of the diffusion properties of monochalcogenides of transition metals. I. Self-diffusion of nickel and sulphur in monocrystals of nickel monosulphide, 3=8451
- Klotsman, S. M., Timofeev, A. N. and Trakhtenberg, I. Sh. Mechanism of impurity diffusion in germanium, 3=20222
- Klotsman, S. M., Timofeev, A. N. and Trakhtenberg, I. Sh. Self-diffusion electron transport in the crystal boundary regions of silver, 4=9991
- Klotsman, S. M., Timofeev, A. N. and Trakhtenberg, I. Sh. Grain-boundary self-diffusion of silver in an electric field, 4=9992
- Klotsman, S. M., Timofeev, A. N. and Trakhtenberg, I. Sh. Diffusion in polycrystals, 4=12780
- Klotsman, S. M., Timofeev, A. N. and Trakhtenberg, I. Sh. A study of the diffusion properties of chalcogenides of the transition metals. IV. The temperature-dependence of self-diffusion of nickel and sulphur in nickel sulphide, 4=12798
- Klotsman, S. M., Timofeev, A. N. and Trakhtenberg, I. Sh. Study of the diffusion properties of monochalcogenides of transition metals. V. The mechanism of diffusion of nickel and sulphur in nickel monosulphide, 4=12799
- Klotsman, S. M., Timofeev, A. N. and Trakhtenberg, I. Sh. Inter-crystalline electrical transport of silver in copper, 4=20307
- Klotsman, S. M. See Arkharov, V. I., 0=4303
- Klotsman, S. M. See Arkharov, V. I., 3=20221
- Klotyn, E. E. See Kesamanly, F. P., 4=30622
- Klotz, A. H. Gravitation and electromagnetism, 0=880
- Klotz, A. H. Invariance of Planck's constant in revised relativity of J. Palacios, 1=18258
- Klotz, A. H. A note on the spin affine connection, 2=11249
- Klotz, A. H. Mie's electrodynamics without potentials, 2=11758
- Klotz, A. H. On the motion of the perihelion of a planet in the electromagnetic theory of gravitation, 3=23737
- Klotz, A. H. On the mathematical foundations of relativistic quantum mechanics of particles with variable mass, 4=21037
- Klotz, A. H. A note on Gao's theory of cosmological models, 4=29347
- Klotzman, S. M. See Arkharov, V. I., 0=11647
- Kloverstrom, F. A., Deck, R. M. R. and Reyenga, A. J. Critical measurements on near-homogeneous BeO-moderated, enriched-uranium fueled systems, 1=17235
- Kloverstrom, F. A. See Kolar, O. C., 2=6038
- Kloza, M. Application of corner mirrors for ultramicrowave interferometers, 4=27651
- Klozenberg, J. P. Energy equipartition in an electromagnetic wave propagation through a fully ionized gas in a uniform magnetic field, 3=7556
- Klüber, O. See Durant, J., 0=19876
- Klucharev, A. P. See Golovnya, V. Ya., 2=22804
- Klucharev, A. P. See Remaev, V. V., 3=15134
- Klucharev, A. P. See Valter, A. K., 4=1101
- Klucharev, A. P. See Vanetsian, R. A., 1=3445
- Klucharyev, O. P. See Val'ter, A. K., 1=13663
- Klucher, T. M. See Morokuma, T., 3=9608
- Kluckow, R. The time dependence of the current in a hydrogen gas discharge, 1=2948
- Kluckow, R. The transient growth of currents in a Townsend gas discharge under uniform field, 1=18795
- Klug, A. A reply to some comments by Karle and Hauptman, 0=6352
- Klug, H. P. See Sears, D. R., 3=6480
- Klug, H. P. See Sumner, G. G., 4=23436
- Klug, N. P. and Zweifel, P. F. An H₂O-D₂O moderated reactor, 1=17187
- Kluge, E. See Engelmann, R., 2=18250
- Kluge, G. Flexural vibrations of square crystal plates, 2=13394
- Kluge, G. Influence of pairing correlations on nuclear level densities, 4=12127
- Kluge, G. and Ullmann, D. Sound propagation in the flow through a channel, 4=24319
- Kluge, J. Nuclear resonance absorption in sulphur-doped silver bromide polycrystals, 2=16940
- Kluge, J., Stasiw, O. and Süptitz, P. A direct proof for the migration of holes in silver chloride, 1=1110
- Kluge, W. and Schulz, A. Departures from the photoelectric proportionality law in gas-filled photocells in the low current and anomalous glow regions, 1=9636
- Kluge, W. and Thielo, W. The use of magnetic probes for the measurement of high-density plasmas, 3=7563
- Kluge, W. See Boersch, H., 3=7354
- Kluge, W. See Höcker, K., 4=5608
- Klugmann, E. and Rozkwitalski, Z. Time decrease of the reversible permeability in nickel under stress, 4=26318
- Klugow, J. See Grote, C., 2=16222
- Klugow, J. See Grote, C., 2=16225
- Klugow, J. See Grote, C., 4=25166
- Kluitenberg, G. A. Thermodynamical theory of elasticity and plasticity, 2=10753
- Kluitenberg, G. A. A note on the thermodynamics of Maxwell bodies, Kelvin bodies (Voigt bodies), and fluids, 2=16957

- Kluitenberg, G.A. On rheology and thermodynamics of irreversible processes, 3=1658
- Kluitenberg, G.A. On the thermodynamics of viscosity and plasticity, 3=18766
- Kluk, E. Dielectric saturation theory for molecules with two axes of internal rotation, 2=3797
- Kluk, E. Theory of electric birefringence for gases consisting of non-rigid molecules, 3=174
- Kluk, E. Kerr's constant of a "gaseous" chain polymer of the $(-CR_2^{(1)}-CR_2^{(2)})_n$ type, 3=5437
- Kluk, E. Application of the representation of rotational groups in the configurational statistics of chain polymers, 4=1332
- Klumpp, R. G. and Leonard, J. L. Observer variability in reading noise levels with meters, 4=2795
- Klumpp, R. G. and Webster, J. C. Intelligibility of time-compressed speech, 1=6661
- Klumpp, R. G. and Webster, J. C. Physical measurements of equally speech-interfering Navy noises, 3=25996
- Klumpp, R. G. See Webster, J. C., 2=17320
- Klumpp, R. G. See Webster, J. C., 3=25997
- Klupsch, T. and Haubenreisser, W. Nonlinear effects of the isolated uniform precession mode in the main ferromagnetic resonance, 3=1170
- Klupsch, T. and Steinert, J. Temperature dependence of uniaxial anisotropy according to the model of akulov, 4=13144
- Klupsch, Th. The contribution of the isolated uniform precession mode to non-linear effects at the principal resonance in ferrite single-crystal spheres, 4=4372
- Klüser, B. Distribution of the discharge energy to the electrodes of a glow discharge, 2=17800
- Klute, C. H. and Fajardo, E. R. Stage interferometer for micro-interferometry, 4=27331
- Kluth, E. L. E., Clarke, H. and Hogg, E. G. Study of first-order phase changes in a number of organic crystals, 4=23300
- Klüver, J. W. Parametric coupling between the transverse waves on o- and m-type beams, 1=10784
- Klüver, J. W. Potential form of the small signal power theorem, 3=434
- Klüver, J. W. See Bobroff, D. L., 1=16598
- Klüver, J. W. See Bobroff, D. L., 3=433
- Kluyver, J. C. See Cooper, W. A., 4=15104
- Kluyver, J. C. See Gelsema, E. S., 4=25157
- Kluyver, J. C. See Goebel, K., 1=8732
- Kluyver, J. C. See Harting, D., 0=368
- Kluyver, J. C. See Harting, D., 0=15419
- Kivaña, F. See Litzman, O., 2=6252
- Klyachkin, V. I. The theory of ferroelectrics and anti-ferroelectrics, 0=10014
- Klyachkin, V. I. Contribution to the theory of phase transitions in molecular crystals, 0=15803
- Klyachkin, V. I. The theory of orientational ordering of polar crystals, 1=2362
- Klyachkin, V. I. The statistical theory of ferro- and antiferroelectrics, 1=14548
- Klyachkin, V. I. Contribution to the statistical theory of ferro- and antiferroelectrics, 2=16771
- Klyachko, L. N. See Zaborov, V. I., 4=29723
- Klyachko, L. S. Relations for the critical state describing transition from laminar to turbulent flow in free convection, 2=19748
- Klyakotko, M. A. The structure of the velocity field of motions in latitude of non-recurring sunspots, 0=8498
- Klyakotko, M. A. The significance of the correlation coefficients of the velocities of latitude displacement of non-recurrent sunspots for several years, 0=18735
- Klyakotko, M. A. The latitudinal motions of non-recurrent sunspots in different years as members of a single aggregate, 2=960
- Klyakotko, M. A. On the period of variations of the characteristic dimensions of circulation on the sun, 4=4903
- Klyakotko, M. A. and Kozhevnikov, N. I. Nature of large-scale motions in the solar photosphere, 3=9196
- Klyakotko, M. A. See Kozhevnikov, N. I., 3=11536
- Klyarfel'd, B. N. and Neretina, N. A. The anode region in a low-pressure gas discharge. III. The appearance of additional plasmas on the anode (anode spots), 0=16984
- Klyarfel'd, B. N. See Neretina, N. A., 0=9037
- Klyarfel'd, B. N. See Pokrovskaya-Soboleva, A. S., 2=9539
- Klyarfel'd, B. N. See Pokrovskaya-Soboleva, A. S., 3=5638
- Klyatskin, I. G. Inconsistency of the integral aerial equation, 4=8948
- Klyavin, O. V. Mechanical properties of solids at 4.2°K and below. V. The effect of preliminary plastic deformation on the mechanical properties of aluminium, copper and nickel, 0=21122
- Klyavin, O. V. Mechanical properties of solids, especially metals, at T = 4.2°K and below. VI. The effect of preliminary [plastic] deformation on mechanical properties of cadmium, Armco iron and tantalum, 2=8721
- Klyavin, O. V. Mechanical properties of solids, particularly metals, at T = 4.2°K and below. VI. Influence of previous deformation on the mechanical properties of cadmium, armco iron and tantalum, 2=23743
- Klyavin, O. V. The effect of strain rate upon discontinuous deformation of aluminium at 1.3°K, 4=20640
- Klyavin, O. V. and Smirnov, V. I. Investigation of the width of X-ray lines in aluminium deformed at 4.2°K, 1=15057
- Klyavin, O. V. and Stepanov, A. V. Investigation of the mechanical properties of solid bodies, especially metals, at temperatures of 4.2°K absolute and below. II. Testing of macrocrystalline aluminium (99.996%) and ultra-strong aluminium alloy V-95 in rupture, 0=1867
- Klyavin, O. V. and Stepanov, A. V. Investigation of the mechanical properties of metals at liquid helium temperatures, 0=6293
- Klyavin, O. V. and Stepanov, A. V. Study of the mechanical properties of solids, particularly metals, at temperatures below 4.2°K. I. Tensile tests on polycrystalline aluminium (99.3% purity), 0=13915
- Klyavin, O. V. and Stepanov, A. V. Investigation of the mechanical properties of solids, especially metals, at temperatures of 4.2°K and below. IV. The mechanical properties of copper, nickel, lead, cadmium, α -brass, and plexiglas at temperatures of 4.2°K and below, 0=18241
- Klyavin, O. V. and Stepanov, A. V. The effect of the surface condition upon the discontinuous deformation of aluminium at 1.3°K, 4=23118
- Klyavin'sh, Ya. See Veze, A., 1=4711
- Klychkova, V. P. See Gus'kov, Yu. K., 4=15824
- Klým, M. M. See Dutchak, Ya. I., 2=17421
- Klým, N. M. See Dutchak, Ya. I., 4=2651
- Klym, N. M. See Dutchak, Ya. I., 4=8167
- Klymentov, V. B. See Pasichnyk, M. V., 2=18387
- Klynning, L. Band spectrum of arsenic oxide, 2=18450
- Klynning, L. and Neuhaus, H. The band spectrum of cobalt deuteride, 4=25639
- Klyshko, D. N. The second moment of e.s.r. lines in ruby, 4=7321
- Klyshko, D. N., Tumanov, V. S. and Ushakova, L. A. Effect of cross-relaxation on the inversion of the level population in ruby, 2=21239
- Klyshko, D. N., Tumanov, V. S. and Ushakova, L. A. Effect of cross-relaxation on the inversion of the level population in ruby, 3=9983
- Klyshko, D. N. and Yarygin, V. P. Multiquantum transitions in the radio wave range, 4=25604
- Klyshko, D. N. See Voskanyan, A. V., 4=5068
- Klyucharev, A. N. See Kaganskii, M. G., 4=24609
- Klyucharev, A. P. Elastic scattering of protons from nuclei, 2=16396
- Klyucharev, A. P. Scattering of 6.9 MeV protons on Mg^{24} , 3=19840
- Klyucharev, A. P., Krivets, G. E. and Rutkevich, N. Ya. The (p, α) reaction at 20 MeV, 4=1071
- Klyucharev, A. P., Nikolaichuk, A. D. and Nazarova, T. S. Obtaining hafnium and germanium foil for nuclear work, 3=19501
- Klyucharev, A. P. and Rutkevich, N. Ya. Elastic scattering of protons by isotopes of chromium at energy 5.40 MeV, 0=7556
- Klyucharev, A. P. and Rutkevich, N. Ya. Elastic scattering of 5.45 MeV protons by Mg isotopes, 3=2450
- Klyucharev, A. P., Ushakov, V. V. and Chursin, G. P. Reactions (n, 2n) on Sn^{112} , Sn^{124} and (n, p) on Sn^{112} , Sn^{117} at 14.1 MeV energy, 4=22157
- Klyucharev, A. P. See Berezhnoi, Yu. A., 3=15235
- Klyucharev, A. P. See Berezhnoi, Yu. A., 4=6380
- Klyucharev, A. P. See Bolotin, L. I., 2=164391
- Klyucharev, A. P. See Bondar, A. D., 2=17978
- Klyucharev, A. P. See Bondar, A. D., 2=19114
- Klyucharev, A. P. See Bondar, A. D., 2=21556
- Klyucharev, A. P. See Bondar, A. D., 2=21563
- Klyucharev, A. P. See Bondar, A. D., 4=16715
- Klyucharev, A. P. See Bondar, A. D., 4=16716
- Klyucharev, A. P. See Chursin, G. P., 3=22410
- Klyucharev, A. P. See Golovnya, V. Ya., 2=444

- Klyucharev, A.P. See Golovnya, V. Ya., 3=24930
 Klyucharev, A.P. See Gritsina, V. T., 4=1072
 Klyucharev, A.P. See Medyanik, V.N., 3=24533
 Klyucharev, A.P. See Rakvinenko, Yu. N., 4=22039
 Klyucharev, A.P. See Remaev, V.V., 2=10018
 Klyucharev, A.P. See Remaev, V.V., 3=6173
 Klyucharev, A.P. See Rutkevich, I. Ya., 0=7563
 Klyucharev, A.P. See Shumilov, S. N., 4=6381
 Klyucharev, A.P. See Skakun, N. A., 4=12005
 Klyucharev, A.P. See Timoshevskii, G. F., 4=9497
 Klyucharev, A.P. See Val'ter, A.K., 0=20431
 Klyucharev, A.P. See Val'ter, A.K., 0=20450
 Klyucharev, A.P. See Val'ter, A.K., 1=13420
 Klyucharev, A.P. See Val'ter, A.K., 2=443
 Klyucharev, A.P. See Val'ter, A.K., 2=22805
 Klyucharev, A.P. See Val'ter, A.K., 3=12559
 Klyucharev, A.P. See Val'ter, A.K., 3=17457
 Klyucharev, A.P. See Val'ter, A.K., 3=22220
 Klyucharev, A.P. See Val'ter, A.K., 4=3649
 Klyucharev, A.P. See Vanetsian, R.A., 1=17095
 Klyucharev, V.A., Val'ter, A.K., Zalubovskii, I.I. and Afans'ev, V.D. Measurement of the gyromagnetic ratio of the W^{182} nucleus in the first excited state, 3=24873
 Klyucharev, V.A. See Walter, A. K., 4=6215
 Klyucharyev, A.P. See Vanetsian, R.A., 2=20610
 Klyucharyev, O.P. See Karyev, V. M., 4=3233
 Klyucharyev, O.P. See Skakun, M.O., 2=20438
 Klyucharyev, O.P. See Val'ter, A.K., 1=19455
 Klyucharev, V.O. See Val'ter, A.K., 2=12167
 Klyuchnikov, Yu. F. and Presnyakov, A. A. On the anomalous changes in the structure of X-ray diffraction patterns of brasses, 4=17756
 Klyuchnikov, Yu. F. See Presnyakov, A.A., 1=6125
 Klyuev, Yu. A. Optical study of phase transformations under [hydrostatic] pressure, 2=23803
 Klyuev, Yu. A. Sodium chloride as a pressure transmitting medium in optical studies, 3=5308
 Klyuev, Yu. A. The effect of pressure on the absorption spectrum of benzene in the near infrared region, 4=22391
 Klyuev, Yu. A. and Oksengorn, B. Influence of pressure on the infrared absorption spectrum of benzene, 3=25116
 Klyukin, I.I. The effect of a vibrometer on the motion of an oscillating surface, 0=117
 Klyukin, I.I. Attenuation of flexural waves in rods and plates by means of resonance vibrating systems, 1=16000
 Klyukin, I.I. A practical method of visualizing time or space distributions of noise or vibration, 1=18537
 Klyushin, V.V. Influence of neutron irradiation of the magnetization curves of iron silicide single crystals, 0=13777
 Klyushin, V.V. and Tsishevskii, R. The crystal and magnetic structure of an ordered Mn_2Pd_3 alloy, 4=13598
 Klyushin, V.V. See Doroshenko, A.V., 3=5019
 Klyushin, V.V. See Kelarev, V. V., 4=26352
 Klyushnikov, V.D. The laws of plasticity for a material with hardening, 1=3978
 Kmetko, E. A. Anomalous thermionic emission of some borides and carbides of rare earth and transition elements, 0=2377
 Kmetko, E. A. Effect of interlamellar bisulfate ions upon the flexural strength and dimensions of polycrystalline graphite, 1=3989
 Kmiotek, E. See Frankowski, W., 2=3652
 Kmiotek, E. See Zmysłowski, A., 4=19917
 Knaap, H.F.P. and Beenakker, J.J.M. The Lennard-Jones 6-12 potential parameters of H_2 and D_2 , 1=11137
 Knaap, H.F.P., Knoester, M. and Beenakker, J.J.M. The volume change on mixing for several liquid systems and the difference in molar volume between the ortho and para modifications of the hydrogenic molecules, 1=8110
 Knaap, H.F.P., Knoester, M., Knobler, C.M. and Beenakker, J.J.M. The second virial coefficients of the hydrogen isotopes between 20 and 70°K, 2=1195
 Knaap, H.F.P., Knoester, M., Varekamp, F.F. and Beenakker, J.J.M. The second virial coefficient of binary mixtures of the hydrogen isotopes and helium at 20.4°K, 1=6898
 Knaap, H.F.P., van Heijningen, R.J.J., Korving, J. and Beenakker, J.J.M. The heat of mixing of the liquid systems H_2 - D_2 , H_2 -HD and HD- D_2 , 2=9268
 Knaap, H.F.P. See Beenakker, J.J.M., 0=8706
 Knaap, H.F.P. See Beenakker, J.J.M., 2=19611
 Knaap, H. F. P. See Brouwer, J. P., 4=24178
 Knaap, H.F.P. See Coremans, J.M.J., 0=8703
 Knaap, H.F.P. See Coremans, J.M.J., 0=8705
 Knaap, H.F.P. See Knobler, C.M., 0=10692
 Knaap, H.F.P. See Knobler, C.M., 1=9384
 Knaap, H.F.P. See Sluijter, C.G., 4=16149
 Knab, O.D. Exoelectronic emission of coloured crystals, 1=18914
 Knab, O.D. Exoelectronic emission of coloured crystals, 2=3065
 Knab, O.D. Stimulated photoeffect in some dielectrics and its relationship with the phenomenon of afteremission, 3=14634
 Knab, O. D. See Buřmýstrov, V. M., 4=3016
 Knable, N. See Cummins, H., 3=7210
 Knable, N. See Cummins, H.Z., 3=21508
 Knable, N. See Cummins, H. Z., 4=5358
 Knable, N. See Cummins, H. Z., 4=14142
 Knable, N. See Davidovits, P., 4=22313
 Knable, N. See Hicks, B.L., 0=12700
 Knaflich, H. See Manring, E., 3=9062
 Knapcz, G. On the conservation laws of the general relativistic Lagrange formalism, 0=14503
 Knapcz, G. Remarks on the canonical energy-pseudo-tensors of general covariant wavefield theory, 0=20013
 Knapp, D.E. and Kinsey, K.F. $\pi \pm - p$ elastic scattering at 31.4 MeV, 3=22178
 Knapp, D.E. See Miyake, K., 2=13851
 Knapp, D.G. Some features of magnetic storms in high latitudes, 1=21097
 Knapp, D.G. and Gettemy, J.W. A new longitude effect in the geomagnetic solar daily variation, 3=25942
 Knapp, E. See Karr, H., 3=12223
 Knapp, E.A. See Caris, J.C., 2=10125
 Knapp, E.A. See Dreicer, H., 3=12122
 Knapp, E.A. See Karr, H.J., 1=5465
 Knapp, E.A. See Kenney, R.W., 1=8484
 Knapp, E.A. See Perkins, W.A., 0=9426
 Knapp, G. See Claassen, H. H., 4=25689
 Knapp, O. Expansion and structure of soda silicate glasses, 3=22668
 Knapp, R. A. Photoelectric properties of lead sulfide in the near and vacuum ultraviolet, 4=5698
 Knapp, R. A. A simple method for preparing layers of sodium salicylate, 4=13675
 Knapp, R. A. and Smith, A. M. Fatigue effects in the luminescent yield of sodium salicylate, 4=20506
 Knapp, R. A. See Kristianpoller, N., 4=28716
 Knapp, V. Equality of velocity of gamma-rays of opposite circular polarization in a transverse magnetic field, 3=12434
 Knapp, V. and Sood, B.S. Polarization of resonantly scattered γ -rays, 0=451
 Knapp, V. See Ilakovac, K., 3=14987
 Knappe, W. Determination of characteristic thermal data of bad thermal conductors by means of a two plate apparatus without guard ring, 1=9500
 Knappe, W. See Eiermann, K., 2=19746
 Knappe, W. See Hellwege, K.H., 0=2276
 Knappwost, A. The particle size dependence of the magnetization of superparamagnetic cobalt precipitates in Cu-Co alloys, 0=3016
 Knappwost, A. Coulomb's friction law and the properties of solids, 3=13388
 Knappwost, A. and Gunsser, W. Paramagnetic resonance and Néel temperatures of $\alpha(Cr, Fe)_2O_3$ mixed crystals, 4=1871
 Knappwost, A., Papadimitrakaki, H. and Thieme, F. Magnetic investigations of the kinetics of precipitation in Hensler alloys of the series Cu_2MnAl - Cu_3Al at low temperatures, 4=20541
 Knappwost, A. and Thieme, F. Magnetization of cobalt films 10 to 100 Å thick, 4=13175
 Knauer, W. Mechanism of the Penning discharge at low pressures, 2=13550
 Knauer, W. Mechanism of the low-pressure penning discharge, 3=7453
 Knauer, W., Fafarman, A. and Poeschel, R. L. Instability of plasma sheath rotation and associated microwave generation in a Penning discharge, 4=5797
 Knauer, W. and Lutz, M.A. Measurement of the radial field distribution in a Penning discharge by means of the stark effect, 3=21730
 Knauer, W. and Stack, E. R. Alternative ion pump configurations derived from a more thorough understanding of the penning discharge, 4=18265
 Knauer, W. See Stack, E.R., 3=14226

- Knauss, H.P. and Breslow, R.A. Current-voltage characteristic of tunnel junctions, 2=23432
- Kneale, S.G. See Marsh, H.W., 1=5333
- Knecht, D.J. See Cladis, J.B., 1=21075
- Knecht, D.J. See Michael, I., 0=2405
- Knecht, R.W. Observations of the ionosphere over the south geographic pole, 0=10414
- Knecht, R.W. Possibility of detecting ionospheric drifts from occurrence of spread F echoes at low latitudes, 0=21363
- Knecht, R.W. Radio, the ionosphere, and IQSY, 4=30950
- Knecht, R.W. and Davies, K. Solar flare effects in the F region of the ionosphere, 1=20997
- Knecht, R.W. and Davies, K. Possible solar flare effects in the F-region of the ionosphere, 2=4653
- Knecht, R.W. and McDuffie, R.E. Solar flare effects in the F-region of the ionosphere, 2=13036
- Knecht, R.W. and Russell, S. Pulsed radio soundings of the topside of the ionosphere in the presence of spread F, 2=15231
- Knecht, R.W., Van Zandt, T.E. and Russell, S. First pulsed radio soundings of the topside of the ionosphere, 2=11053
- Knecht, R.W. See Calvert, W., 3=16246
- Knecht, R.W. See Hirsh, A.J., 2=9003
- Knecht, R.W. See MacDonald, N.J., 2=2499
- Knechtli, R.C. and Wada, J.Y. Generation and measurement of highly ionized quiescent plasmas in steady state, 1=8324
- Knechtli, R.C. and Wada, J.Y. Quiescent cesium plasmas in steady state, 3=4107
- Knechtli, R.C. and Weglein, R.D. Diode capacitors for parametric amplification, 0=13625
- Knechtli, R.C. See Brewer, G.R., 2=7045
- Knechtli, R.C. See Dow, D.G., 0=5322
- Knechtli, R.C. See Wada, J.Y., 2=5354
- Knechtli, R.C. See Wada, J.Y., 3=21821
- Kneer, G. The elastic constants of quasi-isotropic polycrystalline aggregates, 4=4439
- Kneip, G.D., Jr., Betterton, J.O., Jr., Easton, D.S. and Scarbrough, J.O. Superconductivity in heat-treated Nb-Zr alloys, 2=11563
- Kneip, G.D., Jr., Betterton, J.O., Jr. and Scarbrough, J.O. Low-temperature specific heats of titanium, zirconium, and hafnium, 3=15437
- Kneip, G.D., Jr., Betterton, J.O., Jr. and Scarbrough, J.O. Specific heats of zirconium alloys at low temperatures, 3=25199
- Kneip, G.D. See Betterton, J.O., Jr., 1=9513
- Kneisly, J.A., II. Local curvature of wavefronts in an optical system, 4=11327
- Kneller, E. Magnetic moment of Co-Cu solid solutions with 40 to 85% Cu, 2=12740
- Kneller, E., Nagashima, T. and Schmelzer, G. Coercivity in nickel and iron-nickel single crystals with plastic deformation, 1=2474
- Kneller, E. See Gerstner, D., 1=6336
- Kneller, E. See Methfessel, S., 3=15776
- Kneller, E. F. Magnetic and structural properties of metastable Fe-Cu solid solutions, 4=22988
- Kneller, E. F. and Luborsky, F.E. Particle size dependence of coercivity and remanence of single-domain particles, 3=11088
- Kneser, H.O. Principles of mechanical and dielectric relaxation phenomena, 2=13527
- Kneser, H.O. and Roesler, H. Acoustic absorption in CO₂-A mixtures, 1=180
- Kneser, H.O. See Bauer, H.J., 0=20598
- Kneser, H.O. See Breazeale, M.A., 1=9419
- Kneser, H.O. See Danielmeyer, H.C., 3=9458
- Kneser, H.O. See Danielmeyer, H.G., 4=14163
- Knestruck, G.L., Cosden, T.H. and Curcio, J.A. Atmospheric scattering coefficients in the visible and infrared regions, 2=19203
- Knetch, R.W. and Van Zandt, T.E. Some early results from the ionospheric top-side sounder satellite, 3=13734
- Kneubühl, F.K. Line shapes of electron paramagnetic resonance signals produced by powders, glasses, and viscous liquids, 0=21219
- Kneubühl, F.K. Anisotropic spin-orbit coupling in paramagnetic resonance, 2=23699
- Kneubühl, F.K. Unsymmetric G-tensors in paramagnetic resonance, 3=3163
- Kneubühl, F.K. Erratum: anisotropic spin-orbit coupling in paramagnetic resonance, 3=20641
- Kneubühl, F.K. Symmetry and microwave spectra of polyatomic paramagnetic centres, 4=4398
- Kneubühl, F.K. and Natterer, B. Paramagnetic resonance intensity of anisotropic substances and its influence on line shapes, 2=10693
- Knewstubb, P.F., Dawson, P.H. and Tickner, A.W. Mass spectrometry of ions in glow discharges. V. Oxygen, 3=14552
- Knewstubb, P.F. and Sugden, T.M. Mass-spectrometric studies of ionization in flames. I. The spectrometer and its application to ionization in hydrogen flames, 0=19616
- Knewstubb, P.F. and Tickner, A.W. Mass spectrometry of ions in glow discharges. I. Apparatus and its application to the positive column in rare gases, 2=5313
- Knewstubb, P.F. and Tickner, A.W. Mass spectrometry of ions in glow discharges. II. Negative glow in rare gases, 2=5314
- Knewstubb, P.F. and Tickner, A.W. Mass spectrometry of ions in glow discharges. III. Nitrogen and its mixtures with hydrogen and oxygen, 3=5643
- Knewstubb, P.F. and Tickner, A.W. Mass spectrometry of ions in glow discharges. IV. Water vapor, 3=7480
- Knežević, Ž.V. See Ribnikar, S.V., 0=20573
- Knežević, Ž.V. See Zmbov, K.F., 2=2765
- Knibbs, R.H. See Mason, I.B., 0=21095
- Knibbs, R.H. See Mason, I.B., 2=23093
- Knibbs, R.H. See Mason, I.B., 4=1412
- Knibbs, R.H. See Mason, I.B., 4=22505
- Knies, G. See Bartsch, J., 4=30264
- Kniffen, D. A study of uniform isothermal processing of nuclear emulsions, 2=3230
- Kniffen, D. A. See Fichtel, C.E., 3=10189
- Kniffen, D.A. See Naugle, J.E., 1=12701
- Kniffen, D.A. See Naugle, J.E., 2=15265
- Kniffen, D.A. See Naugle, J.E., 4=2247
- Knight, B. See Feates, F.S., 2=3969
- Knight, B.W. and Peterson, G.A. Solvable three-dimensional lattice models, 4=4015
- Knight, B.W., Jr. See Block, H.D., 2=13207
- Knight, C.A. Curved growth of ice on surfaces, 2=12891
- Knight, C.A. Migration of liquid inclusions parallel to the C axis in ice single crystals, 3=8789
- Knight, D.W. See Scoville, J.J., 4=17150
- Knight, H.de B. Electrode contamination and arc formation, 1=10686
- Knight, H.De B. The relation of arc-back to ion density and inverse field in arc-discharge rectifiers, 3=4083
- Knight, H.T. and Rink, J.P. Dissociation energy of cyanogen and related quantities by X-ray densitometry of shock waves, 1=11131
- Knight, H.T. See Rink, J.P., 1=10295
- Knight, H. T. See Wiley, J.S., 4=26102
- Knight, J.A. See Wilkins, B., 1=10288
- Knight, J.D. See Bryant, E.A., 3=12702
- Knight, J.D. See Bunker, M.E., 0=1380
- Knight, J.D. See Bunker, M.E., 2=18292
- Knight, J.D. See Cochran, D.R.F., 3=2497
- Knight, J.J. and Coles, R.R.A. Determination of the hearing thresholds of naval recruits in terms of British and American standards, 0=14336
- Knight, J.M. Strict localization in quantum field theory, 1=10417
- Knight, J.R. Behaviour of magnesium impurity in gallium arsenide, 1=14466
- Knight, J.R. Crystal growth of gallium arsenide using carbon boats, 1=14998
- Knight, K.M. See Griffiths, R.J., 2=20189
- Knight, K.M. See Griffiths, R.J., 4=21957
- Knight, K.R. See Scott, G.D., 2=19537
- Knight, K.V. Range equation for active devices, 0=8843
- Knight, R.D. Equipment for the encapsulation of semiconductor devices, 0=9984
- Knight, R.D. Production of islands and dice in semiconductor slices with an ultrasonic drill, 0=14362
- Knight, R.D. See Jennings, V.J., 0=4724
- Knight, R.E. and Scherr, C.W. Helium atom: a fifth order wave function, 3=4706
- Knight, R.E. and Scherr, C.W. Two-electron atoms. I. Perturbation study of the ground state, 3=6346
- Knight, R.E. and Scherr, C.W. Two-electron atoms. II. A perturbation study of some excited states, 4=22283
- Knight, R.E. See Scherr, C.W., 4=19938
- Knight, R.E. See Scherr, C.W., 4=22284
- Knight, R.E. See Scherr, C.W., 4=28114
- Knight, R.J., Che-Yu Li and Spencer, C.W. Monotectic reaction in the bismuth-selenium system, 3=16107
- Knight, R.J. See Smith, M.J., 2=15050
- Knight, W.D. High level oscillator for nuclear resonance, 1=5605
- Knight, W.D., Berger, A.G. and Heine, V. Nuclear resonance in solid and liquid metals: a comparison of electronic structures, 0=4530

- Knight, W.D. See Androes, G.M., 1=2922
 Knight, W.D. See Androes, G.M., 1=9182
 Knight, W.D. See Hammond, R.E., 0=19562
 Knight, W.D. See Klein, M.P., 1=20264
 Knight, W.D. See Noer, R.J., 4=20627
 Knight, W.D. See Schone, H.E., 3=11122
 Knight, W.L., Stannard, F.R., Oppenheimer, F., Rickey, B. and Wilson, R. A bubble chamber study of the trapping of Λ -hyperons in nuclear matter, 4=19805
 Knight, W.L. See Kernan, A., 4=12073
 Knipe, W.W. See Stokes, C.S., 0=2371
 Knippenberg, W.F. Growth phenomena in silicon carbide, 4=10477
 Knippenberg, W.F. See Greebe, C.A.A.J., 0=15960
 Knippenberg, W.F. See Greebe, C.A.A.J., 2=8386
 Knippenberg, W.F. See van Daal, H.J., 1=17716
 Knippenberg, W.F. See Van Daal, H.J., 3=6633
 Knippenberg, W.F. See Van Daal, H.J., 3=10838
 Knipper, A. A contribution to the experimental study of excited levels in some radioactive nuclei, 1=16979
 Knipper, A. See Gorodetzky, S., 0=15540
 Knipper, A. See Gorodetzky, S., 0=17557
 Knipper, A. See Gorodetzky, S., 1=613
 Knipper, A. See Gorodetzky, S., 1=1880
 Knipper, A. See Gorodetzky, S., 1=16226
 Knipper, A. See Gorodetzky, S., 1=16585
 Knipper, A. See Gorodetzky, S., 1=17038
 Knipper, A. See Gorodetzky, S., 2=365
 Knipper, A. See Gorodetzky, S., 2=382
 Knipper, A. See Gorodetzky, S., 2=12174
 Knissel, G. See Hauser, U., 2=1843
 Knitter, H.H. and Wäffler, H. Radiative capture of deuterons in Be^9 and C^{12} , 1=19515
 Knittl, Z. A note on the divergence of a series for multiple beam interference in a thin metallic film, 0=2245
 Knittl, Z. On the energy balance in the optics of metals, 0=5132
 Knittl, Z. The principle of reversibility and thin-film optics, 2=7376
 Knittl, Z. Synthesis of amplitude and phase achromatized dielectric mirrors, 4=21276
 Knittl, Z. and Král, M. Achromatization of dielectric mirrors by means of a digital computer, 2=17640
 Knittl, Z. See Kard, P.G., 1=16122
 Knittner, G. See Garreta, D., 3=2043
 Knobbout, J.A. The application of analogues to the solution of heat-transfer problems. I. Historical development of analogues based on examples, 1=970
 Knobler, C. See Schoen, L.J., 2=22971
 Knobler, C.M., Beenakker, J.J.M. and Knaap, H.F.P. The second virial coefficient of gaseous mixtures at 90°K, 0=10692
 Knobler, C.M., Honeywell, W.I. and Pings, C.J. Thermal and hydrostatic behaviour of miniature platinum resistance elements, 4=8484
 Knobler, C.M., Knaap, H.F.P. and Beenakker, J.J.M. Measurement of volume contraction and heat of mixing of oxygen-nitrogen mixtures, 1=5384
 Knobler, C.M., van Heijningen, R.J.J. and Beenakker, J.J.M. Excess thermodynamic properties of the liquid systems O_2 -A and O_2 - N_2 , 1=8109
 Knobler, C.M. See Honeywell, W.I., 4=27156
 Knobler, C.M. See Knaap, H.F.P., 2=1195
 Knobloch, J., Riehl, N. and Sizmann, R. Reversible luminescence centre diffusion in ZnS - CdS phosphors. II, 3=6678
 Knobloch, J. See Schön, M., 2=2190
 Knobloch, P. See Hufnagel, F., 2=11382
 Knoche, K.F. Heat diagram of argon-plasma up to 10^5 °K with examples of application, 2=9564
 Knoche, M. See Beckurts, K.H., 4=17169
 Knoepfel, H., Scherrer, P. and Stoll, P. Measurement of some (n, γ) spectra with a pair spectrometer of high sensitivity, 0=459
 Knoepfel, H. See Jarczyk, L., 2=5612
 Knoepfel, H. See Jarczyk, L., 3=6670
 Knoepfel, H. See Linhart, J.G., 3=12173
 Knoepfel, H. See Somon, J.P., 3=12218
 Knoester, M. See Knaap, H.F.P., 1=6898
 Knoester, M. See Knaap, H.F.P., 1=8110
 Knoester, M. See Knaap, H.F.P., 2=1195
 Knof, H. Mass transport in liquid metals perpendicularly to crossed electric and magnetic fields, 1=1966
 Knof, H. and Klemm, A. The temperature dependence of the electro-osmosis of mercury, 0=5269
 Knof, H. and Maisch, W.G. Pressure effect on color centers in RbF , RbCl , RbBr and CsI , 4=15502
 Knof, H., Mason, E. A. and Vanderslice, J. T. Interaction energies, charge exchange cross sections, and diffusion cross sections for N^+-N and O^+-O collisions, 4=22438
 Knoff, J.B. The theory of irreversible processes and plasma physics, 2=22205
 Knoke, F. See Boffi, V. C., 4=21870
 Knoll, A. H. See Kaufman, J. G., 4=20642
 Knoll, G.F., King, J.S. and Parkinson, W.C. $\text{O}^{16}(\text{d}, \text{n})\text{F}^{17}$ and $\text{Ca}^{40}(\text{d}, \text{n})\text{Sc}^{41}$ reactions by time of flight, 3=17494
 Knoll, H. and Macherauch, E. The temperature dependence of the recognition criteria of the early stages in the polycrystalline hardening curves of Al and Cu, 3=3230
 Knoll, H.A. Research tilting haploscope, 0=816
 Knoll, M. and Hartl, M. The energy distribution from tritium β -sources in Zr and Ti carriers, 2=3495
 Knoll, M.E. Active-metal soldering of crystalline quartz, 1=4165
 Knollman, G. C. Wave propagation in a medium with random, spheroidal inhomogeneities, 4=18356
 Knollman, G. C. and Hartog, J. J. Hydroacoustic scattering from a pair of fluid spheres, 4=14292
 Knollman, G. C. See Beardsley, G. F., Jr., 3=14126
 Knollman, G. C. See Gersch, H. A., 3=5388
 Knollman, G. C. See Hartog, J. J., 3=11794
 Knollman, G. C. See Miles, D. O., 4=27131
 Knook, B. The electrical resistance and the magneto-resistance of dilute alloys of gold with rhodium, palladium and molybdenum and of silver with palladium at low temperatures, 0=9942
 Knook, B., Star, W. M., Van Rongen, H. J. M. and Van Den Berg, G. J. The electrical resistance of some dilute alloys of the noble metals and Re at low temperatures, 4=22681
 Knook, B. and van den Berg, G. J. The electrical resistance of pure Au and Ag at low temperatures, 1=7615
 Knook, B. and van den Berg, G. J. The influence of unpaired spins in transition elements on the resistivity of Cu, Ag and Au, 4=20330
 Knop, C. M. Comments on "the transient phenomenon in an isotropic plasma without collision loss", 4=14666
 Knop, C. M. The dispersion properties of air as a possible limitation on the maximum useable bandwidths of coherent optical communication system, 4=27339
 Knop, C. M. and Cohn, G. I. Radiation from an aperture in a coated plane, 4=24825
 Knop, C. M. See Hodara, H., 4=16651
 Knop, G. Contour map of the cross section for photoproduction of Pi -mesons, 3=22167
 Knop, G., Minten, A. and Nellen, B. Energy loss of 1 MeV electrons in very thin films, 2=2076
 Knop, G. See Backenstoss, G., 1=8478
 Knop, G. See Backenstoss, G., 2=22549
 Knop, G. See Backenstoss, G., 3=10097
 Knop, G. See Backenstoss, G., 3=10139
 Knop, G. See Backenstoss, G., 3=17101
 Knop, G. See Feibel, A., 3=17699
 Knop, L. and Kristan, J. A contribution to the study of the change in isotope contents after some transformation processes in normal water, 0=17680
 Knop, L. and Stern, F. Isotope enrichment by the slow evaporation of water, 0=17681
 Knopoff, L. Velocity of sound in two-component systems, 0=8737
 Knopoff, L. Higher order Born approximations for the inversion of Love wave dispersion, 3=5485
 Knopoff, L. The theory of finite strain and compressibility of solids, 3=20705
 Knopoff, L. Dispersion of elastic surface waves in a tapering layered medium, 4=8303
 Knopoff, L. A matrix method for elastic wave problems, 4=11287
 Knopoff, L. and Gangi, A. F. Transmission and reflection of Rayleigh waves by wedges, 1=1782
 Knopoff, L., Gilbert, F. and Pilant, W. L. Wave propagation in a medium with a single layer, 0=12126
 Knopoff, L. and Hudson, J. A. Scattering of elastic waves by small inhomogeneities, 4=8300
 Knopoff, L. and MacDonald, G. J. F. An equation of state for the core of the earth, 0=8353
 Knopoff, L. and MacDonald, G. J. F. Models for acoustic loss in solids, 0=16758
 Knopoff, L. See Ang, D. D., 4=18317
 Knopoff, L. See Fredricks, R. W., 1=1781
 Knopp, A. N. Some comments on thermal etching of silicon surfaces treated in sealed quartz tubes, 3=16030

- Knopp, C.F., Gottschlich, C.F. and Cambel, A.B. The spectroscopic measurement of temperature in transparent argon plasmas, 3=752
- Knopp, C.F. See Drellishak, K.S., 3=21819
- Knopp, R. See Witzmann, K., 3=25479
- Knops, R. J. A reciprocal theorem for a first order theory of electrostriction, 4=7059
- Knor, Z. Low gas pressures obtained by means of sorbents, 3=18866
- Knorn, M. See Bewilogua, L., 3=16472
- Knorn, M. G. See Aulhorn, V. O., 4=20999
- Knorr, G. Numerical integration of the nonlinear Valasov equation, 2=5335
- Knorr, T.G. Fission fragment damage in LiF surfaces, 3=17804
- Knorr, T.G. Surfaces structure resulting from fission fragment damage in LiF crystals, 3=22863
- Knorr, T. G. Fission-fragment tracks and directional effects in the surface of LiF crystals, 4=28511
- Knorr, T. G. See Dettorre, J. F., 4=14225
- Knorr, T.G. See Tuerpe, D.R., 3=821
- Knörzer, G. See Fendler, H.G., 3=17511
- Knott, H.W. See Mueller, M.H., 2=10833
- Knott, H.W. See Mueller, M. H., 4=7648
- Knott, K. See Ehhalt, D., 3=25897
- Knott, R. F., Anderson, R.N., Acrivos, A. and Petersen, E.E. An experimental study of heat transfer to nitrogen-oil mixtures, 0=5201
- Knott, R. G. A. See Dutt, T. L., 4=11641
- Knowles, C.H. See Lagemann, R.T., 0=3524
- Knowles, C. R. A redetermination of the structure of miargyrite, AgSbS_2 , 4=23474
- Knowles, D.R. and Cutts, E. J. Radiation damage to glass surfaces by α -particle bombardment. Appendix: Microscopic examination of the surface of α -bombarded glass, 4=12831
- Knowles, H. B. A graphical first-order treatment of dispersive magnetic particle optics problems, 4=11723
- Knowles, H.B. See Brown, L.B., 2=5968
- Knowles, J.E. Some observations of bitter patterns on polycrystalline "square loop" ferrites, and a theoretical explanation of the loop shape and pulse characteristics of the material, 0=13823
- Knowles, J.E. A temperature compensated magnetizing coil, 1=5527
- Knowles, J.E. A further explanation of the shape of the hysteresis loop of "square loop" ferrites, 1=6360
- Knowles, J.E. The irreversible change of magnetization produced in "square loop" ferrite by pulsed magnetic fields, 1=9038
- Knowles, J.E. The estimation of domain wall velocity in a "square loop" ferrite, and some observations on the reversal process, 1=14736
- Knowles, J. E. The magnetization reversal process in square-loop ferrites, 4=10286
- Knowles, J.K. Large amplitude oscillations of a tube of incompressible elastic material, 0=14712
- Knowles, J.W. Measurement of γ -ray diffraction angles to ± 0.02 second of arc with a double flat crystal spectrometer, 2=5604
- Knowles, J.W. Diffraction angle measurements bearing on the deuterium binding energy and on the X-unit-to-milliångstrom conversion constant, 2=5748
- Knowles, J.W., Manning, G., Bartholomew, G.A. and Campion, P.J. A comparison on the neutron capture γ -ray spectra of Gd^{156} and Gd^{158} , 1=8739
- Knowles, J.W. See Bartholomew, G.A., 1=2030
- Knox, C. F. Cyclotron instabilities in a plasma stream as a mechanism for wave amplification, 4=19041
- Knox, F.B. On the validity of treating a dense plasma as a metal in radio-frequency containment of plasmas, 1=5461
- Knox, F.B. Reflection of an electromagnetic wave from a moving boundary between two independently moving ionized media, 3=5844
- Knox, F.B. A contribution to the theory of the production of field-aligned ionisation irregularities in the equatorial electrojet, 4=17934
- Knox, J. H. and McLaren, L. A new gas chromatographic method for measuring gaseous diffusion coefficients and obstructive factors, 4=24269
- Knox, K., Shulman, R.G. and Sugano, S. Covalency effects in KNiF_2 . II. Optical studies, 3=12892
- Knox, K. See Abrahams, S. C., 4=29133
- Knox, K. See Beckman, O., 1=2464
- Knox, K. See Burbank, R.D., 2=6798
- Knox, K. See Ferguson, J., 2=3812
- Knox, K. See Ferguson, J., 2=16583
- Knox, K. See Ferguson, J., 3=25453
- Knox, K. See Reddy, J. M., 4=13619
- Knox, K. See Shulman, R.G., 0=11955
- Knox, K. See Shulman, R.G., 0=18227
- Knox, K. See Wood, D.L., 3=25454
- Knox, R.S. Configuration interaction in alkali halide phosphors, 0=1758
- Knox, R.S. A note on exciton multiplicities, 1=14223
- Knox, R.S. The fine structure of absorption in $\text{NaCl} : \text{Ag}$, 3=23078
- Knox, R.S. Excited states of cesium halide crystals, 4=6787
- Knox, R.S. Wannier excitons in simple van der Waals crystals, 4=9919
- Knox, R.S. and Bassani, F. Band structure of solid argon, 1=17444
- Knox, R.S. and Inchausti, N. Exciton states in ionic crystals, 0=2810
- Knox, R. S. and Reilly, M. H. Atomic multipole interactions in rare-gas crystals, 4=22453
- Knox, R.S. See Baldini, G., 4=1721
- Knox, R.S. See Burnham, D.C., 0=15994
- Knox, R.S. See Das, T.P., 4=17453
- Knox, R.S. See Gold, A., 2=16826
- Knox, R.S. See Klick, C. C., 4=12809
- Knox, R.S. See Robinson, J.E., 2=23110
- Knox, W.A. A Canadian-built birefringent monochromator, 1=2588
- Knox, W.J., Quinton, A.R. and Anderson, C.E. Evaporation of charged particles from highly excited compound nuclei, 1=734
- Knox, W.J. See Anderson, C.E., 0=4104
- Knox, W.J. See Anderson, C.E., 1=733
- Knox, W.J. See Beringer, R., 1=3383
- Knox, W.J. See Conzett, H.E., 4=16897
- Knox, W.J. See Hubbard, E.L., 1=10749
- Knox, W.J. See Quinton, A.R., 0=664
- Knox, W.J. See Quinton, A.R., 0=17636
- Knox, W.P. See Weiss, M.M., 4=17510
- Knudsen, A.W. See Hahn, B., 0=15199
- Knudsen, D.B. See Haase, E.L., 3=17428
- Knudsen, D.B. See Hill, H.A., 1=12197
- Knudsen, E. and Norinder, H. Different types of musical atmospherics and their relations to lightning discharges, 3=13680
- Knudsen, E. See Norinder, H., 0=16479
- Knudsen, E. See Norinder, H., 0=16480
- Knudsen, E. See Norinder, H., 1=6593
- Knudsen, E. See Norinder, H., 1=10312
- Knudsen, E. See Norinder, H., 3=23599
- Knudsen, E. See Norinder, H., 4=7851
- Knudsen, F.P. See Spinner, S., 3=13331
- Knudsen, F.P. See Spinner, S., 3=23283
- Knudsen, H.K. See Tusting, R.F., 2=18011
- Knudsen, V.O. From architectural acoustics to molecular physics. I. Architectural acoustics and sound absorption in air, 3=14302
- Knudsen, V.O. From architectural acoustics to molecular physics. II, 3=18860
- Knudsen, V. O. Acoustics of music rooms, 4=8363
- Knudsen, W.C. Equations on fluid flow through porous media-incompressible fluid of varying density, 2=9241
- Knudson, A.R. See Schwartz, R.B., 4=17191
- Knudson, A.R. See Wolicki, E.A., 3=5610
- Knunyants, I. L. See Bystrov, V. F., 4=25742
- Knuth, B. See Klinker, L., 2=885
- Knuth, E.L. Use of reference states and constant-property solutions in predicting mass-, momentum-, and energy-transfer rates in high-speed laminar flows, 3=7176
- Knuth, E. L. and Dershin, H. Use of reference states in predicting transport rates in high-speed turbulent flows with mass transfers, 4=5220
- Knuth, R. A high energy particle event observed by Sputnik III, 4=29443
- Knuth, R. See Klinker, L., 0=12147
- Knutsen, A.B. See Bisgard, K.M., 3=10271
- Knutsen, A.B. See Bisgard, K.M., 3=10318
- Knutsen, A.B. See Bjørnholm, S., 3=12604
- Knutsen, J. and Strand, A. Aplanatic points, 4=14339
- Knutson, J. W., Jr. See Bennett, W. R., Jr., 4=19286
- Knyazev, I. N. See Petrash, G. G., 4=5851

- Knyazev, Yu.R. See Borovik, E.S., 2=17810
 Knyazev, Yu.R. See Mitin, R.V., 4=14612
 Knyazeva, L.V. See Pistol'kors, A.A., 1=5592
 Knyaz'kov, L.G. See Kel'man, V.M., 1=4666
 Knyazyatov, A.S. See Afanas'ev, I.I., 3=4206
 Knyazyatov, A.S. See Afanasev, I.I., 3=21892
 Knyazyatov, A.S. See Babichev, A.P., 3=21913
 Knyazyatov, A.S. See Gokhberg, B.M., 4=2990
 Knyeyatov, A.S. See Babichev, A.P., 2=22286
 Ko, H.C. Amplitude scintillation of radio star at ultra-high frequency, 1=9197
 Ko, H.C. Characteristics of cosmic radio radiation, 1=12780
 Ko, H.C. On the reception of quasi-monochromatic, partially polarized radio waves, 3=489
 Ko, H.C. The entropy radiation of a mixture of incoherent beams, 4=5437
 Ko, H.C. Antenna temperature and the temperature of electromagnetic radiation, 4=16660
 Ko, H.C. Radio frequency radiation from Cygnus Y, 4=20951
 Ko, H.C. See Kraus, J.D., 1=6013
 Koba, S. Convex-core model of molecules in crystalline state. II, 1=14142
 Koba, Z. Note on models of multiple meson production at extremely high energy, 0=7396
 Koba, Z. Hypothetical velocity measurements of a Dirac particle, 0=11096
 Koba, Z. Antinucleon annihilation and multiplicity of emitted pions, 0=15344
 Koba, Z. Statistical theory of multiple particle production with angular momentum conservation, 1=13371
 Koba, Z. Statistical theory of multiple particle production with angular momentum conservation, 1=7199
 Koba, Z. On the angular momentum weight factor in the statistical theory of multiple particle production, 1=16676
 Koba, Z. On the angular momentum weight factor in the statistical theory of multiple particle production. II, 2=18062
 Koba, Z. Three pion wave functions, 2=22556
 Koba, Z. Three pion wave functions. Method of "effective angular momentum", 3=4444
 Koba, Z. Recent theoretical considerations on ultra high energy nuclear collisions. Applications of the Regge pole theory and a related phenomenological approach, 4=9121
 Koba, Z. and Krzywicki, A. Remarks on the "effective target mass", 2=255
 Koba, Z. and Krzywicki, A. Remarks on the "effective target mass", 2=9834
 Koba, Z. and Krzywicki, A. On the multi-peripheral model of particle production in superhigh energy nuclear collisions. I, 3=24615
 Koba, Z. and Krzywicki, A. On the multi-peripheral model of particle production in superhigh energy nuclear collisions. II, 3=24616
 Koba, Z. and Krzywicki, A. On the multiperipheral model of particle production at high energy, 4=27844
 Koba, Z., Krzywicki, A., Rączka, R. and Chyliński, Z. Elastic scattering of nucleons and pions at very high energy, 0=17322
 Koba, Z., Krzywicki, A., Rączka, R. and Chyliński, Z. Elastic scattering of nucleons and pions at very high energy, 0=17323
 Koba, Z. and Takeda, G. Antinucleon-nucleon interactions, 0=11156
 Koba, Z. See Grynberg, M., 2=16177
 Koba, Z. See Grynberg, M., 3=12422
 Koba, Z. See Grynberg, M., 3=14999
 Koba, Z. See Grynberg, M., 4=15084
 Koba, Z. See Grynberg, M., 4=15085
 Koba, Z. See Hayakawa, S., 1=3429
 Kobak, J. and Loveridge, D.J. Single tube sedimentation apparatus for the measurement of particle size distribution, 0=14139
 Kobale, M. and Kuny, W. Influence of base conductivity and surface microstructure on the spin damping constant of thin magnetic films, 4=4351
 Kobatake, Y. Transport phenomena in polymer membranes, 1=15848
 Kobatake, Y. and Alder, B.J. Cell potentials and gas solubility theory, 2=15568
 Kobatake, Y. and Fujita, H. Flows through charged membranes. I. Flip-flop currents VS voltage relation, 4=23668
 Kobatake, Y. and Fujita, H. Flows through charged membranes. II. Oscillation phenomena, 4=23669
 Kobayakawa, H. See Hayakawa, S., 4=16834
 Kobayakawa, H. See Hayakawa, S., 4=16981
 Kobayakawa, K. High-energy inelastic collisions and multilinked model, 4=17108
 Kobayakawa, K. and Imamura, T. A field theoretical investigation of multiple meson production. I. Pion-nucleon collisions, 1=3206
 Kobayakawa, K., Mori, K., Daiyasu, K. and Yokomi, H. Some statistical and kinematical comments on high-energy jets, 3=17366
 Kobayakawa, K. See Daiyasu, K., 2=11968
 Kobayakawa, K. See Daiyasu, K., 2=12080
 Kobayakawa, K. See Daiyasu, K., 3=4531
 Kobayakawa, K. See Daiyasu, K., 3=12530
 Kobayakawa, K. See Imamura, T., 0=17406
 Kobayakawa, K. See Kakudo, Y., 0=13059
 Kobayakawa, K. See Yajima, N., 0=11162
 Kobayakawa, K. See Yajima, N., 1=10883
 Kobayakawa, M. See Shinji, K., 3=7644
 Kobayakawa, M. See Titani, T., 3=12785
 Kobayashi, A. Elastocaloric effect in many-valley semiconductors, 3=4832
 Kobayashi, A., Oda, Z., Kawaji, S., Arata, H. and Sugiyama, K. Impurity conduction of cleaned germanium surfaces at low temperatures, 1=1048
 Kobayashi, A., Sugiyama, K., Arata, H. and Oda, Z. Properties of surface imperfections produced on germanium by cleaning treatments, 2=3894
 Kobayashi, A., Sugiyama, K. and Inamura, T. Strain-induced change in conductivity in antimony- and arsenic-doped germanium, 3=22931
 Kobayashi, A. See Oda, Z., 2=23333
 Kobayashi, A. See Sato, S., 4=28591
 Kobayashi, A. See Sato, Y., 4=6783
 Kobayashi, A. See Sato, Y., 4=12904
 Kobayashi, A. See Sugiyama, K., 2=12513
 Kobayashi, A. See Sugiyama, K., 3=13058
 Kobayashi, A. See Tadokoro, H., 1=12279
 Kobayashi, A. See Tadokoro, H., 3=10557
 Kobayashi, H. Low background end-window Geiger-Müller counter, 0=19964
 Kobayashi, H. Measurements of neutron flux by shielded "long counter", 1=16817
 Kobayashi, H. Measurements of neutron intensity by the use of manganese bath, 1=16818
 Kobayashi, H. BF₃ neutron counter, 1=16819
 Kobayashi, H. Measurements of neutron energy by gas recoil counter, 1=19218
 Kobayashi, H. Determination of dew-point by the use of a radioactive α -source, 4=7824
 Kobayashi, H. Measurement of vacuum in image orthicon tubes, 4=18293
 Kobayashi, H. and Haseda, T. The magnetic properties of cupric formate tetrahydrate at low temperatures, 3=15780
 Kobayashi, H. and Haseda, T. Metamagnetic behaviour of ferromagnetic linear chain in CoCl₂·2H₂O, 4=28803
 Kobayashi, H., Haseda, T. and Kanda, E. The superexchange interaction between Cr³⁺ pair in chromium bi-nuclear complex, 1=12517
 Kobayashi, H., Haseda, T., Kanda, E. and Kanda, S. Studies of the linear antiferromagnets: magnetic susceptibilities of cupric quinone complex salts at low temperatures, 3=11103
 Kobayashi, H. and Konno, S. Dependence of window effects upon bias voltage in diffused p-n junction radiation detectors, 4=5891
 Kobayashi, H. See Haseda, T., 0=21028
 Kobayashi, H. See Haseda, T., 3=1060
 Kobayashi, H. See Haseda, T., 4=20512
 Kobayashi, J. and Yamada, N. Optical activity in ferroelectric Ca₂Sr(C₂H₃CO₂)₆, 2=18795
 Kobayashi, J. and Yamada, N. Optical birefringence of ferroelectric Ca₂Sr(C₂H₃CO₂)₆, 3=20445
 Kobayashi, J., Yamada, N. and Nakamura, T. Origin of the visibility of the antiparallel 180° domains in barium titanate, 4=7048
 Kobayashi, J. See Kinase, W., 0=1720
 Kobayashi, K. Chemical remanent magnetization of ferromagnetic minerals and its application to rock magnetism, 0=1791
 Kobayashi, K. An experimental demonstration of the production of chemical remanent magnetisation with Cu-Co alloy, 1=14705

- Kobayashi, K. Magnetization-blocking process by volume development of ferromagnetic fine particles, 3=1096
- Kobayashi, K., Fujita, H., Kawai, T. and Shiga, K. Hall mobility of photoelectrons in CdS, 4=17528
- Kobayashi, K., Hashimoto, H., Suito, E., Shimadzu, S. and Iwanaga, M. Construction of 300 kV electron microscope and its electron-microscopy, 3=11334
- Kobayashi, K. and Kurokawa, M. Small-angle diffraction of polyethylene, 3=5153
- Kobayashi, K. and Nishihara, H. The solution of integral transport equations in cylindrical geometry using the Gaussium quadrature formula, 4=30231
- Kobayashi, K. and Tomiki, T. Absorption band due to a presence of impurity bromine in KCl crystals, 1=10105
- Kobayashi, K. and Tomiki, T. Temperature dependence of the fundamental absorption tail of KCl and of the absorption due to bromine ions in KCl, 2=8517
- Kobayashi, K. and Tomiki, T. Studies on the preparation of pure alkali chlorides, 1=12622
- Kobayashi, K. and Tomiki, T. Temperature dependences of the fundamental absorption tail of KCl and the absorption due to bromines in KCl, 1=14582
- Kobayashi, K. See Hashimoto, H., 3=1285
- Kobayashi, K. See Kumagi, H., 3=460
- Kobayashi, K. See Nagata, T., 3=11479
- Kobayashi, K. See Shoda, K., 1=17082
- Kobayashi, K. See Shoda, K., 2=426
- Kobayashi, M. See Atoda, T., 2=10867
- Kobayashi, M. See Kabe, S., 4=25372
- Kobayashi, M. See Kuroda, H., 2=4040
- Kobayashi, M. See Nagai, K., 2=6816
- Kobayashi, M. See Saburi, Y., 3=12347
- Kobayashi, S. Elastic and inelastic scattering of protons by oxygen and neon, 1=8709
- Kobayashi, S. Thomas-Fermi model of compressed positive ion, 0=20534
- Kobayashi, S. An application of the FA-modified TF model to the singly ionized negative ion, 0=20559
- Kobayashi, M. See Tadokoro, H., 3=10557
- Kobayashi, M. See Tanaka, S., 4=12910
- Kobayashi, N. See Takeuchi, H., 2=4735
- Kobayashi, N. See Takeuchi, H., 2=12990
- Kobayashi, N. See Takeuchi, H., 3=13643
- Kobayashi, R. See Canfield, F. B., 4=11233
- Kobayashi, R. See Durbin, L., 3=1720
- Kobayashi, S. Thomas-Fermi model of positive ion, 0=19608
- Kobayashi, S. Elastic and inelastic scattering of protons by oxygen in the energy region of 6.9 MeV to 15.6 MeV, 1=9853
- Kobayashi, S. Thomas-Fermi-Dirac model of compressed ions, 1=11062
- Kobayashi, S. and Aoki, M. The non-linear behaviour of high power centimeter-wave absorption by carriers in n-germanium silicon crystals, 2=18684
- Kobayashi, S., Asayama, K. and Itoh, J. Nuclear magnetic resonance of Cu in Cu-Pd alloy, 4=7347
- Kobayashi, S. and Hayakawa, S. Fluorescence of solution scintillators with naphthalene as a solvent, 3=18821
- Kobayashi, S., Matsuda, K., Nagahara, Y., Oda, Y. and Yamamuro, N. Elastic and inelastic scattering of protons from nickel isotopes; Ni^{56} and Ni^{58} , in the energy range from 7.0 MeV to 15.3 MeV, 1=9852
- Kobayashi, S., Ohnuma, H., Uchida, A. and Imaizumi, M. Fast neutron time-of-flight system for use with 16" variable energy cyclotron, 4=25116
- Kobayashi, S., Yabuki, S. and Aoki, M. Microwave harmonic generation with hot electrons in n-germanium, 3=21969
- Kobayashi, S. See Asayama, K., 3=15959
- Kobayashi, S. See Hu, C., 0=20453
- Kobayashi, S. See Itoh, J., 3=15960
- Kobayashi, S. See Kamitsubo, H., 4=25385
- Kobayashi, S. See Kikuchi, S., 1=7113
- Kobayashi, S. See Masuda, Y., 4=20619
- Kobayashi, S. See Matsuda, K., 1=17095
- Kobayashi, S. See Muto, T., 4=7352
- Kobayashi, S. See Nisimura, K., 3=24720
- Kobayashi, S. See Oda, Y., 1=8724
- Kobayashi, S. See Sakamoto, M., 3=11172
- Kobayashi, S. See Saji, Y., 4=24188
- Kobayashi, S. See Shigenari, T., 3=25122
- Kobayashi, T. Pion production in nucleon-nucleon collisions in BeV range, 0=13040
- Kobayashi, T. The growth of snow crystals at low super-saturations, 1=20831
- Kobayashi, T., Namiki, M. and Ohba, I. Linked heavy particle model and multiple particle production, 4=25029
- Kobayashi, T., Osada, J. and Tani, S. On the effective coupling strength in the static pion theory, 0=11105
- Kobayashi, T. See Daivasu, K., 3=12530
- Kobayashi, T. See Etoh, K., 2=1888
- Kobayashi, T. See Iso, C., 1=10898
- Kobayashi, T. See Ito, D., 0=11205
- Kobayashi, T. See Ito, D., 1=530
- Kobayashi, T. See Kamei, O., 3=4545
- Kobayashi, T. See Kamei, O., 3=22156
- Kobayashi, T. See Kato, T., 1=15734
- Kobayashi, T. See Miyata, N., 4=7267
- Kobayashi, T. See Otsuka, E., 1=2497
- Kobayashi, T. See Terada, J., 3=529
- Kobayashi, T. See Yoshimatsu, M., 2=15113
- Kobayashi, Y. See Kumagi, H., 3=460
- Kobayasi, K. and Takizawa, E. I. Effect of an isotopic impurity on the energy flow in a system of one-dimensional coupled harmonic oscillators, 4=24108
- Kobayasi, K. See E. I. Takozawa, 4=16047
- Kobayasi, K. See Takizawa, E. I., 3=23986
- Kobayasi, K. See Takizawa, E. I., 4=18025
- Kobayasi, K. See Takizawa, E. I., 3=25638
- Kobayasi, K. See Uchiyama, F., 0=7194
- Kobayasi, M. and Marumori, T. On the collective excitation of spherical nuclei, 1=3384
- Kobayasi, M. See Ikeda, K., 0=15504
- Kobayasi, M. See Ikeda, K., 0=20314
- Kobayasi, S. Quantum-mechanical calculation of the cohesive energy of cuprous sulfide β -Cu₂S crystal, 1=895
- Kobayasi, S. See Muto, T., 2=23718
- Kobe, D. H. Correction and interpretation of Fourier coefficients of X-ray diffraction patterns from very small, distorted crystals, 1=20505
- Kobe, D. H. Spectral representation of the many-time, causal Green's function in nonrelativistic many-body theory, 2=21845
- Kobe, D. H. Green's function derivation of the method of approximate second quantisation, 4=5077
- Kobe, D. H. Absence of zero sound in superfluid Fermi systems, 4=16056
- Kobe, D. H. Self-energy of the Bogolyubov quasi particle, 4=27409
- Kobe, D. H. and Cheston, W. B. Green's functions for fermion systems with pairing correlations, 3=3767
- Kobelev, L. Ya. The effect of correlation on the frequency of plasma oscillations, 1=6092
- Kobelev, L. Ya. Description of an electron-ion plasma, 1=7072
- Kobelev, L. Ya. Calculating the correlation in a system of particles using Green's double-particle function, 1=7557
- Kobelev, L. Ya. The calculation of the after-effect function of a system of interacting particles, 1=17928
- Kobelev, L. Ya., Nikulin, V. K. and Pomortsev, R. V. Representation of the electrical conductivity tensor by means of continual integrals. I, 3=8482
- Kobelev, L. Ya. See Vonsovskii, S. V., 2=8614
- Kobelev, L. Ya. See Vonsovskii, S. V., 2=23645
- Kobelev, L. Ya. See Vonsovskii, S. V., 3=2744
- Kobelev, V. V. Hysteresis loops of uniaxial ferromagnetic films, 2=21316
- Kobelev, V. V. A new method of measuring anisotropy of ferromagnetic films, 3=12284
- Kobelev, V. V. and Korsunskii, A. A. Domain structure of uniaxial ferromagnetic films, 2=18907
- Kobelev, V. V. and Korsunskii, A. A. Domain structure of uniaxial ferromagnetic films, 2=21317
- Kobelev, V. V. and Korsunskii, A. A. Simple null-indicator for a magnetic field using a ferromagnetic film, 3=24425
- Kobelev, V. V. and Nadashkevich, I. I. On the question of the arbitrary cyclic magnetization of Mn-Mg and Ni-Zn ferrites, 0=6242
- Kobes, W. See Wimmer, F. T., 3=15993
- Kobett, D. R. See Jones, G. L., 3=7269
- Kobiashvili, M. Ya. Noncoherent scattering of electrons on nuclei and the magnetic radius of the neutron, 2=3556
- Kobiashvili, M. Ya. Noncoherent scattering of electrons on nuclei and the magnetic radius of the neutron, 3=2438
- Kobiichuk, N. M. See Golik, O. Z., 1=12879
- Kobler, A. L. See Johnson, D. L., 3=5324
- Kobler, H. See Ramsay, J. V., 2=24073

- Kobosew, N.I., Lebedew, W.P. and Malzew, A.N. The determination of the composition number, and absolute activity of catalytically active centres, 2=12967
- Kobozev, A.S. See Vladimirov, V.V., 4=14804
- Kobozev, N.I. See Krylova, I.V., 3=956
- Kobrak, H. Internal pairs from π^- -proton interactions at rest, 1=13477
- Kobryn'ski, M. The structure of the sound field of turbo-jets, 0=6893
- Kobryn'ski, M. and Avezard, L. Acoustic measurement in aeronautics, 2=2842
- Kobsarev, I.Yu. and Okun', L.B. Universal vector interaction model, 2=16144
- Kobsarev, I.Yu. and Okun', L.B. Absence of $q \rightarrow 2\pi$ decays and conservation of space and combined parity, 4=19427
- Kobsarev, I.Yu. See Grashin, A.F., 0=17325
- Kobtsev, Yu.D. See Nekrasov, M.M., 1=19931
- Kobuke, Y. See Uehara, Y., 0=2954
- Kobuke, Y. See Uehara, Y., 0=4445
- Kobuke, Y. See Uehara, Y., 1=6226
- Kobus, G.L. and Radchik, V.S. Influence on wear of elastic deformation in surface friction, 2=4351
- Kobus, G.L. and Radchik, V.S. Influence on wear of elastic deformation in surface friction, 2=12872
- Kobyakov, I.B. See Kopt'sik, V.A., 0=634
- Kobyshev, G.I. Influence of the adsorbent surface on the luminescence of uranyl ions, 2=14738
- Kobyshev, G.I. Luminescence of crystals surface-activated with uranyl ions, 2=21269
- Kobyshev, G.I., Lyalin, G.N. and Terenin, A.N. Evidence of hydrogen bonding with uranyl nitrate hexahydrate in the luminescence spectrum of Mg-phthalocyanine, 4=22935
- Kobyshev, G.I. See Lyalin, G.N., 3=20534
- Kobyshev, G.I. See Lyalin, G.N., 4=5199
- Kobzarev, I.Yu. and Okun', L.B. On the signs of the constants of the strong interaction, 0=20092
- Kobzarev, I.Yu. and Okun', L.B. Which is heavier: the K_1^0 -meson or the K_2^0 -meson? 1=3230
- Kobzarev, I.Yu. and Okun', L.B. On the theory of the vector, 1=16674
- Kobzarev, I.Yu. and Okun', L.B. A model for anomalous muon interaction, 2=299
- Kobzarev, I.Yu. and Okun', L.B. On heavy neutral pseudoscalar mesons, 2=3397
- Kobzarev, I.Yu. and Okun', L.B. Unitarity symmetry and universal weak interaction, 2=16139
- Kobzarev, I.Yu. and Okun', L.B. New particles and the Sakata model, 2=18065
- Kobzarev, I.Yu. and Okun', L.B. On the theory of the vector, 2=22403
- Kobzarev, I.Yu. and Okun', L.B. A model for anomalous muon interaction, 3=593
- Kobzarev, I.Yu. and Okun', L.B. On heavy neutral pseudoscalar mesons, 3=4450
- Kobzarev, I.Yu. and Okun', L.B. New particles and the Sakata model, 3=5928
- Kobzarev, I.Yu. and Okun', L.B. Unitarity symmetry and universal weak interaction, 3=5959
- Kobzarev, I.Yu. and Okun', L.B. Possible decays of new mesons, 3=14992
- Kobzarev, I.Yu. and Okun', L.B. Gravitational interaction of fermions, 3=14068
- Kobzarev, I.Yu., Okun', Yu.B. and Pomeranchuk, I.Ya. Electro-magnetic interaction of a neutral vector meson, 1=16826
- Kobzarev, I.Yu., Okun', Yu.B. and Pomeranchuk, I.Ya. Electro-magnetic interaction of a neutral vector meson, 2=22544
- Kobzarev, I.Yu., Okun', L.B. and Rudik, A.P. A note on the decay of the cascade hyperon, 0=20238
- Kobzarev, I.Yu. and Pontekorvo, B. [Pontekorvo]. Nonconservation of parity and macroscopic rotation, 4=15033
- Kobzarev, I.Yu. See Grashin, A.F., 0=12921
- Kobzarev, I.Yu. See Krestnikov, Yu.S., 0=11192
- Kobzev, V.A., Lukin, Yu.T., Takibaev, Zh.S., Tsadikova, G.R. and Shalagina, E.V. Interaction between 9 BeV protons and protons, 1=19196
- Kobzev, V.A., Lukin, Yu.T., Takibaev, Zh.S., Tsadikova, G.R. and Shalagina, E.V. Interaction between 9 BeV protons and protons, 2=22510
- Kobzev, V.A. See Takibaev, Zh.S., 3=19623
- Koc, S. On the determination of the position of the energy level of surface recombination centres, 1=14399
- Koc, S. Slow non-exponential changes of surface conductivity of germanium, 1=14430
- Koc, S. Characteristic parameters of recombination centres, 1=17657
- Koc, S. Very slow changes in time constant of relaxations of surface conductivity of germanium, 1=17682
- Koc, S. The origin of slow relaxation effects on a germanium surface when studying the a.c. field effect, 1=17683
- Koc, S. New interpretation of slow surface relaxations on germanium, 3=2895
- Koc, S. Unreal accumulation effect during a.c. field effect on germanium, 4=6956
- Koc, S. Temperature and pressure dependence and activation energy of the slow surface conductivity relaxations on Ge, 4=20358
- Koch, A.J.J., Hokkeling, P., v.d. Steeg, M.G. and de Vos, K.J. New material for permanent magnets on a base of Mn and Al, 0=10135
- Koch, A.J.J., van der Steeg, M.G. and de Vos, K.J. Permanent magnets with high coercivity based on Fe-Co-Ni-Al alloys, 1=1235
- Koch, B., Freiwald, H. and Koch, H.W. Microwave investigations of plasma from gaseous explosions, 4=27522
- Koch, B. Reflection of microwaves on weak shocks in air, 4=30048
- Koch, C.v. See v.Koch, C.
- Koch, D. Molecular vibrations and force constants of the molecule SO_2Cl_2 , 4=25684
- Koch, D., Otto, G. and Saur, E. On the superconductivity of V-Si and V-Ga diffusion films and of V_3Si and V_3Ga core wires, 3=16880
- Koch, D. and Vojta, G. Theory of normal coordinate analysis of molecules, 4=15357
- Koch, D. and Vojta, G. Theory of the normal co-ordinate analysis of molecules, 4=17297
- Koch, D. See Vojta, G., 4=25685
- Koch, E.F. See Luborsky, F.E., 3=23412
- Koch, E.F. See Luborsky, F.E., 4=4642
- Koch, E.F. See Walter, J.L., 2=23887
- Koch, E.F. See Walter, J.L., 3=23468
- Koch, E.F. See Walter, J.L., 3=25739
- Koch, F. Some experiments with models illustrating free precession and emission in nuclear magnetic resonance, 4=751
- Koch, F.A. and Hitter, V. Acoustic effects accompanying aperiodic pulse magnetization, 4=10264
- Koch, F.B., Sivertsen, J.M. and Sundahl, R.C. Superparamagnetism in Au-Ni alloys, 2=2411
- Koch, F.B. See Chen, W.K., 0=19870
- Koch, F.B. See Haakana, C.H., 3=14710
- Koch, G. Ultrasonic image conversion using an electron mirror, 1=8195
- Koch, G. Notes on the radiation pattern of parabolic mirrors in conjunction with re-setting of radioastronomical equipments, 1=15529
- Koch, H. Thin film optics in the medium-wavelength infrared [4-25 μ], 2=22042
- Koch, H. Reference flats with low reflection from one side for producing transmission-type multiple beam interference fringes in reflected light, 2=22048
- Koch, H. Electrical studies of impurity-free tin dioxide films of high electron concentration in the temperature region $90^\circ - 290^\circ \text{K}$, 3=17897
- Koch, H. Optical behaviour of semiconducting tin dioxide films in the near infrared at room temperature, 4=1755
- Koch, H. and Schlegel, H. On a simple liquid scintillation counter for the measurement of C^{14} -labelled compounds, 3=5901
- Koch, H. and Schminder, R. Rate of descent of the height of reflection for long waves on the underside of the E-layer at the time of sunrise, 3=3500
- Koch, H., Schminder, R. and Kürschner, D. New automatic recording device for ionospheric drift measurements, 3=18530
- Koch, H.W. and Motz, J.W. Bremsstrahlung cross-section formulas and related data, 0=346
- Koch, H.W. See Koch, B., 4=27522
- Koch, H.W. See Wyckoff, J.M., 0=7328
- Koch, H.W. See Ziegler, B., 4=6016
- Koch, J.C. and Koch, R.H. Light elements of some eclipsing binaries, 2=21717
- Koch, J.F. and Kip, A.F. Azbel'-Kaner resonance in tin with magnetic field perpendicular to the surface, 2=18561
- Koch, J.F., Stradling, R.A. and Kip, A.F. Some new aspects of cyclotron resonance in copper, 4=9933

- Koch, J.W. and Beery, W.M. Observations of radio wave phase characteristics on a high-frequency auroral path, 2=16065
- Koch, J.W. and Petrie, H.E. Fading characteristics observed on a high-frequency auroral radio path, 2=16064
- Koch, J.W. See Van Name, F.W., Jr., 1=16728
- Koch, K.M. See Dannhauser, F., 1=9020
- Koch, K.M. See Schmidt, A.J., 3=20427
- Koch, L. New neutron detector using fission in flowing gases, 0=7384
- Koch, L. Scintillation in noble gases and their mixtures, 0=19160
- Koch, L. Spectral studies of luminescence due to excitation of inert gases by α -rays, 1=8165
- Koch, L., Koehlin, Y., Mouglin, B. and Treguer, L. New studies of the physical properties of organic and mineral scintillators, 0=17151
- Koch, L. and Lesueur, R. Some results on gas scintillators and their condensed states, 0=9234
- Koch, L., Messier, J. and Kerns, Q. Measurement of the coefficient of charge collection in p-n junction particle detectors: new method of measuring life times, 0=20886
- Koch, L., Messier, J. and Kerns, Q. Nuclear method of measurement of diffusion length in p-n junctions, 1=3779
- Koch, L., Messier, J. and Valin, J. N.I.P. silicon junction detectors, 1=3253
- Koch, L., Messier, J. and Valin, J. Description of p-i-n junctions used as detectors of nuclear particles. Spectrometry of high-energy ionizing particles. Detection of γ -rays, 1=5614
- Koch, L., Messier, J. and Valin, J. Measurement of the mean ionization energy in silicon for α and β particles by means of nip junctions, 1=8946
- Koch, L. See Bomal, R., 0=17156
- Koch, L. See Debiesse, J., 4=12914
- Koch, L. See Guyen Van Dong, N., 2=6453
- Koch, L. See Nguyen Van Dong, 2=4013
- Koch, L. See Van Dong, N., 3=2884
- Koch, L.J. Nuclear power plants: the future of fast breeders, 4=6407
- Koch, P. See Ziering, S., 1=1775
- Koch, R.C. and Grandy, G.L. Xenon-krypton separation by gas chromatography, 1=1495
- Koch, R.H. Three-color photometry of AO Cassiopeiae, 0=12310
- Koch, R.H. Photoelectric photometry of AS Eridani, 0=12311
- Koch, R.H. Photometry of R Canis Majoris, 0=14441
- Koch, R.H. Photoelectric light curves of XY Leonis, 0=18804
- Koch, R.H. Times of minimum light for several eclipsing binaries, 1=4205
- Koch, R.H. Departures from the Russell model in TX Ursae Majoris, 1=9281
- Koch, R.H. A three-color photoelectric investigation of Librae, 2=9082
- Koch, R.H. See Koch, J.C., 2=21717
- Koch, W. A method of calibrating two-sphere non-directional radiometers, 2=5213
- Koch, W. Relief-Limited contrast in the emission electron microscope image determined by the position of the aperture, 4=5711
- Koch, W., Eisenberg, Y., Nikolic, M., Schneeberger, M. and Winzeler, H. Interactions of K^- -mesons at rest in nuclear emulsions. VI. The single nucleon capture mode, 0=17414
- Koch, W., Nikolic, M., Schneeberger, M. and Winzeler, H. Decay mode and lifetime of Z^+ in emulsions and some remarks about the Σ^\pm -lifetime, 0=5612
- Koch, W. See Breitenlohner, P., 4=6046
- Koch, W. See Cvijanovic, G., 2=22515
- Koch, W. See Cvijanovich, G., 1=16778
- Koch, W. See Cvijanovich, G.B., 2=5638
- Koch, W. See Dowell, J.D., 2=13890
- Koch, W. See Dyer, J., 0=5562
- Koch, W. See Gorgé, V., 1=4829
- Koch, W. See Jauneau, L., 3=12511
- Koch, W. See Jauneau, L., 3=19708
- Koch, W. See Nikolic, M., 0=9427
- Koch, W. See Nikolic, M., 0=17413
- Koch, W. See Ronne, B., 4=19458
- Kochanov, E.S. Analytical determination of the trajectories of charged particles in plane electrostatic fields, 3=438
- Kochanov, E.S. Determination of trajectories in the plane three-electrode lens, 4=19103
- Kochanova, L.A., Andreeva, I.A., Shchukin, E.D. and Likhtman, I.V. Surface phenomena in processes of brittle rupture of metal crystals, 4=10363
- Kochanova, L.A., Shchukin, E.D. and Likhtman, V.I. Mechanism of brittle rupture of metal crystals, 2=2334
- Kochanova, L.A., Shchukin, E.D., Likhtman, V.I. and Rebinder, P.A. The origin and development of cracks in deformed crystals, 0=16239
- Kochanova, L.A., Shchukin, E.D., Likhtman, V.I. and Rebinder, P.A. The origin and development of cracks in deformed crystals, 1=6478
- Kochanova, L.A. See Bryukhanova, L.S., 0=6316
- Kochanova, L.A. See Shchukin, E.D., 1=6471
- Kochanova, L.A. See Shchukin, E.D., 3=23316
- Kochanovská, A. A study of the influence of the asymmetry of the $K\alpha_1$ X-ray emission line of cobalt and copper on accurate measurements of lattice parameters, 0=3201
- Kochanovská, A. The influence of the spectral asymmetry of X-ray emission lines on the results of studying defects in crystals by X-rays of different wavelength, 0=3202
- Kochanovská, A. The influence of the spectral profile of the $K\alpha_1\alpha_2$ doublet and diffraction broadening on the integrated intensities of high angle diffractions, 1=15050
- Kochanovská, A. Effect of etching on the γ - α transformation of manganese steel, 2=21457
- Kochanovská, A. Use of fluorescent X-rays for contact microradiography, 3=1844
- Kochanovská, A. Influence of plastic deformation on the character of extinction and retained lattice defects in pure powdered aluminium, 3=20195
- Kochanovská, A. Measurement of diffraction intensity of polycrystalline materials particularly at high Bragg angles, 4=26687
- Kochanovská, A., Kraus, I. and Maršák, Z. Contribution to the X-ray measurement of micro-stresses in sintered carbides, 3=25619
- Kochanski, A. Circulation and temperatures at 70- to 100-kilometer height, 3=11394
- Kocharov, G.E. Total ionization produced by alpha-particles in gas mixtures, 3=7424
- Kocharov, G.E. The p-p cycle and solar neutrinos, 4=26942
- Kocharov, G.E. and Korolev, G.A. A high-resolution ionization alpha-spectrometer, 3=12524
- Kocharov, G.E. and Yamshchikov, M.A. Ionization chamber in a magnetic field, 2=16089
- Kocharov, G.E. See Abrosimov, N.K., 3=12525
- Kocharov, G.E. See Damaskinskii, E.A., 2=22356
- Kocharov, G.E. See Komar, A.P., 0=20379
- Kocharov, G.E. See Konstantinov, B.P., 4=20886
- Kocharov, G.E. See Korolev, G.A., 2=1733
- Kocharov, G.E. See Korolev, G.A., 2=16090
- Kocharov, G.E. See Korolev, G.A., 3=7743
- Kocharov, G.E. See Korolev, G.A., 3=19824
- Kocharov, G.E. See Volkov, Yu.M., 3=8023
- Kocharyan, N.M., Kirakosyan, Z.A., Sharoyan, E.G. and Pykalov, A.V. Polarization of cosmic-ray μ^+ -mesons in the high-energy region, 0=7441
- Kocharyan, N.M., Saakyan, G.S. and Kirakosyan, Z.A. Energy spectrum of cosmic radiation protons, 0=11246
- Kochegarov, V.G. See Romanov, A.A., 4=16094
- Kochelaev, B.I. Contribution to the theory of spin-lattice relaxation of nuclear spins in ionic crystals, 0=10244
- Kochelaev, B.I. Effect of crystal defects on the spin-lattice relaxation, 0=16157
- Kochelaev, B.I. The theory of spin-lattice relaxation of paramagnetic ions in XY_n complexes, 0=16158
- Kochelaev, B.I. The longitudinal relaxation of nuclear spins at very low temperatures in a paramagnetic crystal, 1=1278
- Kochelaev, B.I. A contribution to the theory of nuclear spin-lattice relaxation in octahedral complexes, 1=3943
- Kochelaev, B.I. Relaxation absorption of sound in a paramagnetic substance, 1=17404
- Kochelaev, B.I. Resonant rotation of the plane of polarization of sound in a paramagnetic, 2=20928
- Kochelaev, B.I. Relaxation absorption of sound in a paramagnetic substance, 2=23060
- Kochelaev, B.I. Resonant rotation of the plane of polarization of sound in a paramagnetic, 3=2724
- Kochelaev, B.I. Antiferromagnetism due to spin-phonon interaction, 3=23193
- Kochelaev, B.I. See Al'tshuler, S.A., 3=20097
- Kochelaev, B.I. See Aminov, L.K., 2=14840
- Kochelaev, B.I. See Aminov, L.K., 2=21358
- Kochelaev, B.I. See Aminov, L.K., 3=3162

- Kochelaev, B.I. See Aminov, L.K., 3=6756
 Kochelaev, B.L. See Aminov, L.K., 3=17647
 Kochemasova, L.N. See Khirny, Yu.M., 2=17908
 Kochemirovskii, A.S. See Viktorova, E.N., 1=12887
 Kochemirovskii, A.S. See Zhmyreva, I.A., 0=15739
 Kochemirovskii, A.S. See Zhmyreva, I.A., 2=15595
 Kochendörfer, A. Physical problems of the brittle fracture of metals, 2=12864
 Kochendörfer, A. Distribution of stress and the start of creep in notched specimens and associated photoelastic questions, 4=7378
 Kochendörfer, A. and Schürenkämper, A. The state of stress in notched rods and its effect on the creep and the approach to brittle fracture of steels, 1=12589
 Kochenov, A.S. The stability of a nuclear power plant, 1=753
 Kochenov, I.S., Voinov, N.L. and Ershova, N.N. Calculation and analysis of the thermodynamic cycle parameters of a nuclear power plant, 3=2513
 Kocher, C.W. and Brown, P.J. The atomic moments and hyperfine fields in Fe_2Ti and Fe_2Zr , 2=12648
 Kocher, C.W., Mitchell, A.C.G., Creager, C.B. and Nainan, T.D. Disintegration of Te^{119} , 0=20389
 Kocher, C.W. See Creager, C.B., 0=4057
 Kochergin, S. M. and Golikov, G. A. Measurement of the contact potential of a copper and nickel surface treated with electrolyte solutions, 4=26008
 Kochergin, V. P. and Orlov, V. V. Neutron slowing-down lengths, 1=16811
 Kocherov, N. P. See Darovskikh, V. F., 0=9623
 Kochetkov, L. A. See Slyusarev, P. N., 4=3755
 Kochetkov, V. L. See Akkerman, A. F., 4=9401
 Kochetkova, N. M. and Rezukhina, T. N. The specific heat of gallium, antimony, and their intermetallic compound at high temperatures, 3=22659
 Kochetov, B. I. See Konstantinov, L. V., 4=3726
 Kochevanov, V. A. See Gorodinskii, G. M., 2=1361
 Kochin, A. E. See Andreev, O. L., 4=16908
 Kochina, N. N. The dynamical disintegration of equilibrium in some ideal media in absence of any gradient of temperature, 3=16696
 Kochina, N. N. and Mel'nikova, N. S. Strong point-explosion in a compressible medium, 1=1474
 Kochina, N. N. and Mel'nikova, N. S. Unsteady motion of a gas driven out by a piston neglecting the counter-pressure, 1=8148
 Kochina, N. N. and Mel'nikova, N. S. Properties of the solution of the problem of point detonation in compressible matter, 1=11776
 Kochina, N. N. and Mel'nikova, N. S. Properties of the solution of the problem of point detonation in compressible matter, 1=15954
 Kochkin, V. A. See Glazov, A. A., 3=7665
 Kochkin, V. A. See Glazov, A. A., 4=3076
 Kochkina, T. P. See Kalinkin, B. N., 4=19828
 Kochkina, T. P. See Kalinkin, B. N., 4=22195
 Kochnev, V. A. See Simonov, V. A., 3=12107
 Kochneva, N. S. See Gross, E. F., 4=15462
 Kochnov, B. E. and Bayazitov, M. I. Solubility of nitrogen and carbon in cold-rolled transformer steel, 4=26541
 Kochnov, V. E., Gershman, R. B. and Belikov, A. M. Methods of revealing the substructure of metals, 4=29036
 Kochnov, V. E. See Zatsepin, S. V., 4=6853
 Kochowski, C. See Daudin, A., 4=6125
 Kochowski, C. See Daudin, A., 4=30260
 Kochubei, S. M. Peculiarities of the vibronic spectrum of mono-deutero benzene, 4=15605
 Kochubei, S. M. and Stavratski, G. L. Checking the validity of some classical formulae of crystal optics in the exciton absorption region, 4=7098
 Kochurov, B. P. See Belkin, V. F., 4=3723
 Kochurov, B. P. See Galanin, A. D., 4=6411
 Kochurova, N. N. Condensation coefficient, 4=21359
 Kocian, P. New studies of hollow beam discharges, 3=1946
 Kocian, P. and Kracik, J. Conditions of appearance of a low-pressure striated discharge, 1=10684
 Kocian, P. See Kracik, J., 3=7468
 Kocian, P. See Kracik, J., 3=19199
 Kociński, J. On the influence of the demagnetizing field on domain structure, 0=13790
 Kociński, J. Domain structure of nickel and iron crystals, 0=13798
 Kociński, J. On the theory of spin waves in ferrimagnetics, 1=241
 Kociński, J. Scattering of slow neutrons in ferrimagnetic crystals, 1=12545
 Kočiński, J. The decay of thermodynamical fluctuations in magnetisation in the constant coupling approximation for a Heisenberg ferromagnet, 3=23145
 Kociński, J. The decay of thermodynamical fluctuations of magnetization in the constant coupling approximation for Heisenberg ferromagnetism, 4=13150
 Kociński, J. On the temporal behaviour of thermodynamic fluctuations of magnetization in ferromagnets, 4=15636
 Kock, W. E. The Mössbauer radiation, 0=13130
 Kock, W. E. Related experiments with sound waves and electromagnetic waves, 1=199
 Kockarts, G. Effect of thermal diffusion on the distribution of helium in the heterosphere, 4=26805
 Kockarts, G. and Nicolet, M. The aeronomical problem of neutral helium and hydrogen, 3=5209
 Kockarts, G. and Nicolet, M. Helium and atomic hydrogen during a quiet sun period, 4=7872
 Kockel, B. Theoretical calculations on light atoms and molecules using the variation method, 0=5870
 Kockel, B. Wave functions for the atoms lithium to neon, 2=8059
 Kockel, B. A calculation of the methane molecule, 4=1299
 Kocks, U. F. Polyslip in single crystals, 1=1328
 Kocks, U. F. Polarity of work-hardening, 4=26494
 Kocks, U. F. Latent hardening and secondary slip in aluminium and silver, 4=30766
 Kocks, U. F. See Nakada, Y., 4=26512
 Kockzks, J. See Bojtor, I., 2=16098
 Koczks, M. E. See Mátrai, T., 3=259
 Koda, S., Kamigaki, K. and Kayano, H. Low temperature ultrasonic attenuation in magnesium and magnesium alloys, 3=22650
 Koda, S., Matsuura, K. and Takahashi, S. Direct observation of the interaction of dislocations with θ' precipitation in an aluminium-3.8 Wt.% copper alloy, 3=12977
 Koda, S. and Morozumi, S. Behaviour of inclusions in beryllium under compression at room temperature, 2=16969
 Koda, S., Nomaki, K. and Nemoto, M. Stacking faults of copper-germanium alloys, 3=22797
 Koda, S. See Kayano, H., 3=8353
 Koda, S. See Matsuura, K., 1=14876
 Koda, S. See Matsuura, K., 1=14877
 Koda, S. See Matsuura, K., 2=8729
 Koda, S. See Matsuura, K., 3=23305
 Koda, S. See Nakazima, K., 1=20598
 Koda, S. See Watanabe, R., 0=1940
 Koda, T. and Shionoya, S. Optical symmetry of the self-activated luminescence centre in ZnS single crystal, 3=20531
 Koda, T. See Shionoya, S., 3=22705
 Koda, T. See Shionoya, S., 4=28740
 Kodaira, K. [Fe II] lines in the solar spectrum, 4=29440
 Kodama, K. See Suzuki, Y., 3=14022
 Kodama, M. The 27-day recurrence of cosmic-ray intensity at the minimum solar activity, 0=11259
 Kodama, M. The world-wide distribution of cosmic-ray neutron intensity at sea level, 0=11262
 Kodama, M. 27-day recurrence of cosmic-ray intensity at the minimum solar activity, 0=15486
 Kodama, M. Cosmic rays at sea level and the earth's magnetic field, 0=20302
 Kodama, M. Morphology of solar flare effects on cosmic rays and sub-cosmic rays, 2=12059
 Kodama, M. Cosmic-ray latitude knee around Cape Town anomaly, 3=17375
 Kodama, M., Fukushima, S. and Makino, T. Secular variation of the cosmic ray equator and the latitude knee at sea level, 2=12044
 Kodama, M. and Kitamura, M. Geomagnetic storm effect on the solar cosmic-rays in November 1960 and their propagation process in the interplanetary space, 2=12027
 Kodama, M. and Kitamura, M. Some features of November 1960 events as inferred from cosmic rays, 2=16279
 Kodama, M., Kondo, I., Murakami, K., Miyazaki, Y., Wada, M., Ishii, C., Suda, T., Sekido, T. and Yagi, T. On the unusual increase of cosmic-ray intensity of February 23, 1956, 0=15494
 Kodama, M. and Miyazaki, Y. Geomagnetic latitude effect of the cosmic-ray nucleon and meson components at sea level from Japan to the Antarctic, 0=15489
 Kodama, M. and Wada, M. Intensity minimum in cosmic-ray neutrons during The International Geophysical Year, 0=20282

- Kodama, M. and Wada, M. On cosmic ray J-index—as a trial to represent degree of disturbance in time variations, 4=6170
- Kodama, M. See Fukushima, S., 0=20301
- Kodama, M. See Fukushima, S., 1=3359
- Kodama, M. See Fukushima, S., 2=5768
- Kodama, M. See Fukushima, S., 2=9967
- Kodama, M. See Kitamura, M., 0=11255
- Kodama, M. See Miura, M., 2=10794
- Kodama, T. See Kitamura, T., 2=9966
- Kodaras, M. J. and Hansen, R. A. Measurement sound-transmission loss in the field, 4=14291
- Kodera, H. Precipitation of antimony in heavily doped silicon identified by X-ray microanalyser, 3=18361
- Kodera, H. Diffusion coefficients of impurities in silicon melt, 3=18803
- Kodera, H. Constitutional supercooling during the crystal growth of germanium and silicon, 4=4547
- Kodera, H. Solid solubility of gold in germanium, 4=26539
- Kodera, H. Effect of doping on the electron spin resonance in phosphorus doped silicon, 4=28883
- Kodera, H., Iida, S. and Tauchi, S. Diffusion of impurities in the semiconductor melt. III. Experimental determination of thickness of the solute diffusion layer in the melting process, 3=18805
- Kodera, H. and Tauchi, S. Diffusion of impurities in the semiconductor melt. II. Dynamical analysis of impurity redistribution in the melting process, 3=18804
- Kodera, S., Kitamura, N. and Honjo, G. Streak pattern from single crystals, 3=18297
- Kodera, S. See Honjo, G., 2=23939
- Kodera, S. See Honjo, G., 4=20756
- Kodera, Y. See Sawaguchi, E., 3=4946
- Kodera, Y. See Sawaguchi, E., 3=17940
- Kodeš, J., Krocěk, J. and Slavič, J. B. Diffusion effects in selenium rectifiers demonstrated at a thallium-selenium boundary layer, 3=15512
- Kodis, R. D. On the theory of diffraction by a composite cylinder, 1=4722
- Kodis, R. D. On the theory of diffraction by a composite cylinder, 2=7753
- Kodis, R. D. and Wu, T. T. The optical model of scattering by a composite cylinder, 4=5817
- Kodis, R. D. See Caron, P. R., 4=18706
- Kodiukov, V. M. The effect of boundary conditions on the γ -ray build-up factor, 1=7225
- Kodiukov, V. M. See Gorshkov, G. V., 2=11922
- Kodlubik, I. I. See Belenkova, M. M., 1=10214
- Kodoma, M. and Nagata, T. Cosmic-ray increase on July 16-17, 1959, 1=19306
- Kodyukov, V. M. See Gorshkov, G. V., 1=5705
- Kodzhespirov, F. F. Thermal conductivity of BaTiO₃-based manganese niobate solid solutions, 1=17431
- Kodzhespirov, F. F. and Kostylev, S. A. The electroluminescence efficiency of an evaporated ZnS:Mn phosphor, 4=7195
- Kodzhespirov, F. F. See Bartashevskiy, E. L., 4=7287
- Kodzhespirov, F. F. See Kolomoitsev, F. I., 3=8685
- Koeberle, R. and Tati, T. On the light velocity in the theory of finite degree of freedom, 4=14999
- Koehlin, F. See Alidieres, M., 3=9777
- Koehlin, M. See Freymann, R., 0=505
- Koehlin, Y. Measurement of the speed of response of the L.E.P. type 204 photomultiplier, 0=19724
- Koehlin, Y. On a new method of studying ultrashort scintillations, 1=6967
- Koehlin, Y. and Raviart, A. Analysis by sampling of individual photons from fluorescent liquids in the sub-nanosecond region, 4=29638
- Koehlin, Y., Raviart, A. and Furst, M. Study of non-radiative transfer in liquid scintillators, 3=10001
- Koehlin, Y. See Agrinier, B., 3=19525
- Koehlin, Y. See Furst, M., 3=16629
- Koehlin, Y. See Koch, L., 0=17151
- Koedam, M. Sputtering of copper single crystals bombarded with monoenergetic ions of low energy (50-350 eV), 0=19810
- Koedam, M. Cathode sputtering by rare-gas ions of low energy, 1=13136
- Koedam, M. Cathode sputtering by rare-gas ions of low energy, IV-V., 4=609
- Koedam, M. and Hoogendoorn, A. Sputtering of copper single crystals bombarded with A⁺, Kr⁺ and Ne⁺ ions with energies ranging from 300-2000 eV, 1=9647
- Koedam, M. and Kruithof, A. A. Transmission of the visible mercury triplet by the low pressure mercury-argon discharge; concentration of the 6³ P states, 2=12291
- Koedam, M., Kruithof, A. A. and Riemens, J. Energy balance of the low-pressure mercury-argon positive column, 3=19218
- Koedam, M. See Weijnsfeld, C. H., 1=18950
- Koehl, G. B. See Mallett, M. W., 2=19026
- Koehler, A. M. See Calame, G., 0=19853
- Koehler, D. R. and Alford, W. L. Excitation function for Zn⁶⁴(n, 2n)Zn⁶⁵, 0=13288
- Koehler, D. R. and Alford, W. L. Decay of scandium 50, 3=10287
- Koehler, D. R. and Alford, W. L. Cross-sections for the (n, p) reaction on Ti⁴⁶, Ti⁴⁸, and Ti⁵⁰, 4=19794
- Koehler, D. R. and Mann, R. A. Phenomenological potentials and the D(n, p)2n reaction, 4=21958
- Koehler, D. R. See Alford, W. L., 1=12184
- Koehler, D. R. See Alford, W. L., 3=6174
- Koehler, D. R. See Alford, W. L., 3=17441
- Koehler, J. A. See Robinson, B. J., 4=4957
- Koehler, J. A. See Robinson, B. J., 4=13972
- Koehler, J. S., de Long, M. and Seitz, F. Some simple situations described by the equations governing the kinetics of point defects, 3=22719
- Koehler, J. S. and de Wit, G. Influence of elastic anisotropy on the dislocation contribution to the elastic constants, 0=3154
- Koehler, J. S., Langreth, D. and Turkovich, B. Charged dislocations in ionic crystals, 3=798
- Koehler, J. S. and Leibfried, G. The interstitial configuration in the noble metals, 3=22755
- Koehler, J. S. and Seitz, F. Nature of irradiation damage in the noble metals, 2=12474
- Koehler, J. S. See Bauer, W., 3=2846
- Koehler, J. S. See de Jong, M., 3=4864
- Koehler, J. S. See de Wit, G., 0=3153
- Koehler, J. S. See Doyama, M., 0=13549
- Koehler, J. S. See Doyama, M., 2=16646
- Koehler, J. S. See Doyama, M., 4=15468
- Koehler, J. S. See Dworschak, F., 4=10011
- Koehler, J. S. See Parsons, J. R., 3=6553
- Koehler, J. S. See Simmons, R. O., 3=8420
- Koehler, P. F. M., Slack, L. and Gove, N. B. Decay energy of Tb¹⁶¹, 3=12636
- Koehler, P. F. M., Thorndike, E. H. and Cromer, A. H. Quasifree proton-deuteron scattering corrections near 210 MeV, 4=19512
- Koehler, T. R. and Pellam, J. R. Observation of torque exerted by pure superflow, 2=2947
- Koehler, T. R. and Nesbet, R. K. Adiabatic theory of the electron-phonon interaction, 4=25876
- Koehler, T. R. See Goldsborough, J. P., 4=9819
- Koehler, W. C. Neutron diffraction by helical spin structures, 1=6346
- Koehler, W. C. Neutron diffraction by helical spin [magnetic] structures, 1=20497
- Koehler, W. C., Cable, J. W., Wollan, E. O. and Wilkinson, M. K. Neutron diffraction study of magnetic ordering in thulium, 2=12663
- Koehler, W. C., Cable, J. W., Wollan, E. O. and Wilkinson, M. K. Magnetic structures of thulium, 2=14810
- Koehler, W. C., Cable, J. W., Wollan, E. O. and Wilkinson, M. K. Recent progress in magnetic structure determinations of rare earth metals, 3=1108
- Koehler, W. C., Child, H. R., Wollan, E. O. and Cable, J. W. Some magnetic structure properties of terbium and of terbium-yttrium alloys, 3=15742
- Koehler, W. C., Wilkinson, M. K., Cable, J. W. and Wollan, E. O. Single crystal neutron diffraction studies of antiferromagnets at low temperatures in applied magnetic fields, 0=13849
- Koehler, W. C., Wollan, E. O. and Wilkinson, M. K. Neutron diffraction study of the magnetic properties of rare-earth-iron perovskites, 0=10187
- Koehler, W. C., Wollan, E. O., Wilkinson, M. K. and Cable, J. W. Neutron diffraction studies of antiferromagnetic rare earth compounds, 0=10188
- Koehler, W. C., Yake, H. L., Wollan, E. O. and Cable, J. W. A note on the magnetic structures of rare earth manganese oxides, 4=20516
- Koehler, W. C. See Cable, J. W., 1=6348
- Koehler, W. C. See Cable, J. W., 2=8661
- Koehler, W. C. See Cable, J. W., 2=12731
- Koehler, W. C. See Cable, J. W., 2=18927
- Koehler, W. C. See Cable, J. W., 3=6729

- Koehler, W.C. See Cable, J.W., 3=15737
 Koehler, W.C. See Cable, J.W., 4=26354
 Koehler, W.C. See Cable, J.W., 4=29124
 Koehler, W.C. See Cable, J.W., 4=30716
 Koehler, W.C. See Child, H.R., 3=20609
 Koehler, W.C. See Felcher, G.P., 3=23185
 Koehler, W.C. See Felcher, G.P., 4=28829
 Koehler, W.C. See Herpin, A., 1=2482
 Koehler, W.C. See Moon, R.M., 4=13273
 Koehler, W.C. See Wilkinson, M.K., 0=11849
 Koehler, W.C. See Wilkinson, M.K., 1=6347
 Koehler, W.C. See Wilkinson, M.K., 1=9135
 Koehler, W.C. See Wilkinson, M.K., 2=21349
 Koehler, W.C. See Wilkinson, M.K., 3=1107
 Koehler, W.C. See Wollan, E.O., 3=1110
 Koehler, W.C. See Wollan, E.O., 3=25709
 Koehler, W.C. See Yakel, H.L., 3=25722
 Koehler, W.F. See Bennett, H.E., 0=164
 Koelbloed, D. and Kuperus, M. On the electron concentration in a prominence, observed during the total solar eclipse of October 2nd, 1959, 3=16382
 Koelbloed, D. See Houtgast, J., 4=2433
 Koeler, J.S. See de Jong, M., 3=4863
 Koelmans, H. Association and dissociation of centres in luminescent ZnS-In, 1=20018
 Koelmans, H., Engelsman, J.J. and Admiraal, P.S. Low-temperature phase transitions in β -Ca₃(PO₄)₂ and related compounds, 0=8011
 Koelmans, H. and Grimmeiss, H.G. The photoconductivity of CdIn₂S₄ activated with Cu or Au, 1=3786
 Koelmans, H. and Grimmeiss, H.G. The incorporation of Cu in CdIn₂S₄ photoconductors, 1=14501
 Koelmans, H. See Grimmeiss, H.G., 0=1751
 Koelmans, H. See Grimmeiss, H.G., 0=13708
 Koelmans, H. See Grimmeiss, H.G., 1=14631
 Koelmans, H. See Grimmeiss, H.G., 1=17775
 Koelmans, H. See Grimmeiss, H.G., 2=21199
 Koelmans, H. See Klasens, H.A., 4=30641
 Koen, J.W. See Aucamp, A.L., 4=16775
 Koen, J.W. See Meyer, M.A., 2=12097
 Koen, J.W. See Meyer, M.A., 2=13920
 Koen, J.W. See Meyer, M.A., 3=24543
 Koen, J.W. See Wolmarans, N.S., 2=8001
 Koency, J. See Berlad, A.L., 3=9658
 Koenig, J. and Jaffe, B. Barium zirconate modified with lanthanum, a high-temperature capacitor dielectric, 4=20419
 Koenig, J.L. Effect of nonuniform distribution of absorbing material on the quantitative measurement of infrared band intensities, 4=24362
 Koenig, L.R. A note on a method to determine the orientation of crystals within hailstones, 2=12882
 Koenig, L.R. The glaciating behavior of small cumulonimbus clouds, 3=9038
 Koenig, L.R. and Spyers-Duran, P.A. Simple methods of determining water drop sizes by means of photographic emulsions, 1=12853
 Koenig, P., Lynch, D.W. and Danielson, G.C. Infrared absorption in magnesium germanide, 2=4152
 Koenig, S.H. Inter-electron collisions and "temperature" of hot electrons, 0=6092
 Koenig, S.H. The Hall effect in a "many-valley" semiconductor, 2=4005
 Koenig, S.H. Recent developments in transport (experimental), 3=10730
 Koenig, S.H. Piezoresistance of n-type germanium, 4=26046
 Koenig, S.H. Piezoresistance in p-type germanium, 4=26047
 Koenig, S.H. Kohn effect in Na and other metals, 4=28402
 Koenig, S.H. and Brown, R.D., III. Thermal oscillations in n-germanium at low temperature, 0=2877
 Koenig, S.H. and Brown, R.D., III. Far infrared electron-ionized donor recombination radiation in germanium, 0=7930
 Koenig, S.H., Brown, R.D., III. and Schillinger, W. Electrical conduction in n-type germanium at low temperatures, 3=2894
 Koenig, S.H. and Hall, J.J. Low temperature transport in "split P-germanium", 1=3754
 Koenig, S.H., Nathan, M.I., Paul, W. and A.C. Smith. Effect of high pressure on some hot electron phenomena in n-type germanium, 0=11689
 Koenig, S.H. See Aubrey, J.E., 3=15582
 Koenig, S.H. See Brown, R.D., 3=8549
 Koenig, S.H. See Friedman, A.N., 0=9927
 Koenig, S.H. See Jain, A.L., 2=16631
 Koenuma, S. See Itagaki, K., 3=9053
 Koepke, K. See Geisselsoder, J., 4=5898
 Koeppe, W. Joule-Thomson effect for gases and gas mixtures. II, 0=5048
 Koeppe, W. Recent investigations on the Thomson-Joule effect of gases and gaseous mixtures, 0=8708
 Koeppe, W. The Joule-Thomson effect, 1=18681
 Koeppe, W. Shape of the inversion curve for low temperatures, 1=18682
 Koeppe, W. On the use of uncooled thermal shields in low temperature experiments in reactors, 4=12326
 Koerber, B.W. See Crosby, P., 3=6963
 Koertge, N. See Piper, T.S., 0=4415
 Koerts, K. The crystal structure of Cu_{0.65}NbS₂ and some related compounds, 3=16078
 Koerts, L.A.C. On a circularly symmetric magnetic field, 4=16628
 Koerts, L.A.C. The determination of angular distributions in one experiment with two solid-state detectors, 4=16745
 Koerts, L.A.C. See Tjin A Djie, H.R.E., 4=19811
 Koerts, L.A.C. See Udo, F., 4=6375
 Koerts, L.A.C. See Tjin A Djie, H.R.E., 1=19072
 Koerts, L.A.C. See Udo, F., 3=17491
 Koerts, L.A.C. See Ammerlaan, C.A.J., 3=17115
 Koerts, L.A.C. See Van Dantzig, R., 4=3693
 Koerts, W. See Palma-Vittorelli, M.B., 1=7775
 Koester, C.J. Phase shift effects in Fabry-Perot interferometry, 0=14839
 Koester, C.J., Osterberg, H. and Willman, H.E., Jr. Transmittance measurements with an interference microscope, 0=6920
 Koester, K.J., Jr. See Berman, B.L., 3=19716
 Koester, L.J., Jr. Automatic scanning of spark chamber photographs, 1=10825
 Koester, L.J., Jr. See Backenstoss, G.K., 0=15337
 Koester, L.J., Jr. See Beall, E.F., 2=11992
 Koester, L.J., Jr. See Berman, B.L., 4=9319
 Koetre, D. See Block, M.M., 4=3467
 Kofanov, V.I. Critical equation of heat transfer of a liquid suspension, 3=19039
 Koffer, H. See Kortüm, G., 3=13574
 Koffman, L. See Hulthén, E., 1=14012
 Koffyberg, F.P. See Barr, L.W., 2=4400
 Kofink, W. Complete spherical harmonics solution of the Boltzmann equation for neutron transport in homogeneous media with cylindrical geometry, 1=503
 Kofink, W. New forms of solution of the Boltzmann equation for monoenergetic neutron transport in spherical geometry, 1=8804
 Kofoed-Hansen, O. See Wandel, C.F., 2=24014
 Kofoid, M.J. Experimental two-beam excitation of electron oscillations in a plasma without sheaths, 0=15044
 Kofoid, M.J. Experimental two-beam excitation of plasma oscillations, 2=13578
 Kofoid, M.J. Experimental study of the damping of longitudinal plasma electron oscillations, 4=8749
 Kofoid, M.J. Current flow between electrodes immersed in a low gas pressure plasma, 4=18938
 Kofoid, M.J. and Clewa, H.V. Bursting of electron beams with electron trapping, 3=4190
 Kofoed-Hansen, O. Coupling constant determinations from investigations of nuclear beta-decay, 1=8636
 Kofsky, I.L. Effects on the ozonosphere of the thermal flux from nuclear detonations, 2=8955
 Kofsky, I.L. Uses of the thermal flux from nuclear explosions in studying atmospheric glow mechanisms, 2=24043
 Kofstad, P. Oxidation of tantalum in the temperature range 500-700°C, 2=10970
 Kofstad, P. Thermogravimetric studies of the defect structure of rutile (TiO₂), 3=2786
 Kofstad, P. Studies of electrical conductivity of Nb₂O₅ as a function of oxygen pressure at 600-1200°C, 3=2923
 Kofstad, P. and Anderson, P.B. Gravimetric studies of the defect structure of α -Nb₂O₅, 2=8205
 Kofstad, P. and Butera, R.A. Internal friction in the tantalum-hydrogen system, 3=18168
 Kofstad, P., Butera, R.A. and Craig, R.S. Apparatus for continuous recording of internal friction, 2=18986
 Kofstad, P. and Ruzicka, D.J. On the defect structure of ZrO₂ and HfO₂, 3=12957
 Kofstad, P. See Butera, R.A., 3=23286
 Koga, H., Horai, K. and Matumura, O. Electron spin resonance of Mn⁺⁺ in SrCl₂, CdCl₂ and CdBr₂, 1=14802
 Koga, H. See Matumura, O., 2=12466
 Koga, H. See Matumura, O., 3=23239

- Koga, I. Radio-frequency vibrations of rectangular at-cut quartz plates, 3=21470
- Koga, K. See Abe, H., 3=20644
- Koga, K. See Abe, H., 4=10243
- Koga, K. See Abe, H., 4=26390
- Koga, T. Integrated form of the Boltzmann equation and its application to gas dynamics, 0=98
- Koga, T. A model of molecular binary collision, 0=99
- Koga, T. Transport phenomena in a fully ionized gas confined in a strong magnetic field, 1=10674
- Koga, T. Interaction between a radio wave and a plasma, 1=11040
- Koga, T. The structure of strong shock waves of stable monatomic molecules, 2=2752
- Koga, T. Kinetic equations for plasmas, 2=13559
- Koga, T. A radio wave in a plasma in a uniform magnetic field, 3=4133
- Koga, T. Interaction between a radio wave and a high-temperature plasma, 3=7554
- Koga, T. Reply to comments by Pieter Schram, 3=12111
- Koga, T., Everton, J.G. and Wilber, P.C. Electron-heavy particle collision model in a plasma, 1=16318
- Koga, Y. See Mori, S., 3=13073
- Kogan, A. A sensitive two-liquid micro-manometer, 0=913
- Kogan, A. V. A method of reducing the error of a disappearing-filament pyrometer, 4=24416
- Kogan, A. V., Kul'kov, V.D., Nikitin, L.P. and Reinov, N.M. Superconductor magnets for orientation of nuclei, 0=11299
- Kogan, A. V., Kul'kov, V.D., Nikitin, L.P., Reinov, N.M., Sokolov, I.A. and Stel'makh, M.F. Measurement of β - γ correlation from oriented nuclei, 0=2652
- Kogan, A. V., Kul'kov, V.D., Nikitin, L.P., Reinov, N.M., Sokolov, I.A. and Stel'makh, M.F. Polarization of Sc^{46} in iron, 0=20787
- Kogan, A. V., Kul'kov, V.D., Nikitin, L.P., Reinov, N.M., Sokolov, I.A. and Stel'makh, M.F. Polarization of some radioactive isotopes in alloys, 1=14155
- Kogan, A. V., Kul'kov, V.D., Nikitin, L.P., Reinov, N.M. and Stel'makh, M.F. Measurement of the nuclear specific heat of iridium and rhenium in an iron alloy, 4=3994
- Kogan, A. V., Kulkov, V.D., Nikitin, L.P., Reinov, N.M. and Stelmakh, M.F. Determination of nuclear specific heat of the iron alloys with weakly magnetic metals, 4=17331
- Kogan, A. V., Kulkov, V.D., Nikitin, L.P., Reinov, N.M. and Stelmakh, M.F. Asymmetry of β -emission of In^{114} , Re^{186} and Ir^{192} nuclei oriented in iron alloys, 4=20157
- Kogan, A. V., Reinov, N.M., Sokolov, I.A. and Stel'makh, M.F. A device for obtaining very low temperatures and orienting nuclei, 0=10857
- Kogan, A. V., Kul'kov, V.D., Nikitin, L.P., Reinov, N.M., Stel'makh, M.F. and Shott, M. Asymmetry of the β -radiation from some nuclei polarized in an alloy containing iron, 3=2417
- Kogan, B. Ya. See Benderskii, V.A., 4=26155
- Kogan, F.I. See Katsnel'son, L.B., 3=24153
- Kogan, M.N. Flow at high thermal conductivity, 0=5053
- Kogan, M.N. The plane flow of an infinitely conducting fluid with almost parallel velocity and magnetic field vectors, 0=12683
- Kogan, M.N. Equations of motion of a rarefied gas, 1=6902
- Kogan, M.N. On the uniqueness of quasihyperbolic magnetohydrodynamic flows, 1=10778
- Kogan, M.N. On the conservation of vorticity and electric current in magnetohydrodynamics, 2=1565
- Kogan, M.N. On magnetohydrodynamic flows of mixed type, 2=16001
- Kogan, M.N. Three-dimensional magnetohydrodynamic flows, 2=20118
- Kogan, M. N. Hypersonic flows of rarefied gas, 4=219
- Kogan, R.M. Error in measuring the intensity of monochromatic gamma-radiation with a scintillation spectrometer, 4=16860
- Kogan, R.M. See Balyasn'y, N.D., 4=2182
- Kogan, Sh.M. On temperature quantum Green's functions, 0=18947
- Kogan, Sh.M. On thermal quantum Green functions, 0=18949
- Kogan, Sh.M. The electrodynamics of nonlinear media, 2=22308
- Kogan, Sh.M. A theory of photoconductivity based on variation of the carrier mobility, 2=23446
- Kogan, Sh.M. A theory of photoconductivity based on variation of the carrier mobility, 3=6624
- Kogan, Sh.M. The electrodynamics of nonlinear media, 3=7682
- Kogan, Sh.M. Theory of hot electrons in semiconductors, 3=17828
- Kogan, Sh.M. Electron temperature fluctuations and the noise caused by them, 3=17835
- Kogan, Sh.M. Piezoelectric effect on non-uniform deformation and acoustical scattering of carriers in crystals, 4=7057
- Kogan, Sh.M., Lifshits, T.M. and Sidorov, V.I. Optical transitions between neighbouring impurity centres and associated photoconductivity, 4=15569
- Kogan, Sh.M. and Sandomirskii, V.B. Electronic theory of chemisorption on the real surface of a semiconductor, 0=1634
- Kogan, Sh.M. and Sandomirskii, V.B. The theory of the external emission of hot electrons from semiconductors, 1=317
- Kogan, Sh.M. See Bonch-Bruevich, V.L., 0=2860
- Kogan, Sh.M. See Bonch-Bruevich, V.L., 0=3463
- Kogan, Sh.M. See Lifshits, T.M., 2=14583
- Kogan, Sh.M. See Lifshits, T.M., 3=8634
- Kogan, Sh.M. See Sandomirskii, V.B., 4=4133
- Kogan, V.A. and Lyusternik, V.E. An investigation of the heat capacity and melting heat of alloys on a lead base, 2=6271
- Kogan, V.I. The role of the radiation of impurities in the energy balance of a plasma column, 0=1131
- Kogan, V.I. Recombination radiation from a hydrogen plasma, 1=7053
- Kogan, V.I. On the yield of thermonuclear D-D reactions, 1=7410
- Kogan, V.I. The fluctuating microfield and the multiple collisions in a gas of charged (or gravitating) particles, 1=8330
- Kogan, V.I. The fluctuating microfield and the multiple collisions in a gas of charged (or gravitating) particles, 1=11936
- Kogan, V.I. A gas filter for cutting off particles from radiation, 3=24274
- Kogan, V. I. Generalization of the statistical theory of spectral line broadening in a plasma, 4=14650
- Kogan, V. I. On the generalization of the Holtsmark theory taking account of the thermal motion of the "broadening" ions, 4=18858
- Kogan, V. I. See Abramov, V.A., 4=18859
- Kogan, V.I. See Babikov, V.V., 1=7052
- Kogan, V.I. See Vasilev, A.P., 3=12137
- Kogan, V.K. See Adamov, M.N., 4=3776
- Kogan, V.S. Isotope effects in the structural properties of solids, 3=23439
- Kogan, V.S. and Bulatov, A.S. The temperature dependence of the isotopic effect in the nickel lattice, 2=16612
- Kogan, V.S. and Bulatov, A.S. The temperature dependence of the isotopic effect in the nickel lattice, 3=6482
- Kogan, V.S., Bulatov, A.S. and Yakimenko, L.F. On the texture of hydrogen isotope layers condensed on a cold backing, 4=13682
- Kogan, V.S. and Khotkevich, V.I. The temperature dependence of the isotope effect on the lattice parameters in Li, 2=15018
- Kogan, V.S. and Khotkevich, V.I. The temperature dependence of the isotope effect on the lattice parameters in Li, 3=6842
- Kogan, V. S., Krivko, A. I., Lazarev, B. G., Lazareva, L. S., Matsakova, A. A. and Ovcharenko, O. N. Constitution diagram of the system Nb-Sn, 4=13498
- Kogan, V.S., Lazarev, B.G. and Bulatova, R.F. Diffraction of X-rays by polycrystalline samples of hydrogen isotopes, 0=21187
- Kogan, V.S., Lazarev, B.G. and Bulatova, R.F. Different lattice constants of solid neon isotopes, 1=15070
- Kogan, V.S., Lazarev, B.G. and Bulatova, R.F. Phase diagram of solid-liquid systems formed by hydrogen isotopes, 3=21612
- Kogan, V.S., Lazarev, B.G., Ozerov, R.P. and Zhdanov, G.S. Neutron diffraction study of the crystalline structure of solid hydrogen and deuterium, 1=20528
- Kogan, V.S., Lazarev, B.G., Zhdanov, G.S. and Ozerov, R.P. A cryostat for use at liquid hydrogen and helium temperatures in neutron diffraction studies, 1=11865
- Kogan, V.S. and Omarov, T. G. Isotopic effects in the magnitude of the volumes of unit cells of nitrogen isotopes, 4=2085
- Kogan, V.S. See Bulatova, R.F., 0=12099
- Kogan, V.S. See Bulatova, R.F., 1=4043
- Kogan, V.S. See Bulatova, R.F., 4=17842
- Kogan, V.S. See Mikhailov, I.F., 0=16241
- Kogan, V.S. See Ozerov, R.P., 3=18306
- Kogan, V.S. See Vasyutinskii, B.M., 1=985
- Kogan, V.S. See Vasyutinskii, B.M., 1=1436
- Kogarko, B.S. A [possible] model of liquid cavitation, 1=15805
- Kogarko, B.S. One-dimensional transient fluid motion and resulting generation and development of cavitation, 4=18157
- Kogarko, S.M. Investigation of detonation wave pressure by the method of crusher rod compression, 0=10351

- Kogarko, S.M. Intensification of compression waves on interaction with the flame front, 0=14895
- Kogarko, S.M. and Ryzhkov, D.L. A study of the amplification of compression waves during combustion, 1=18665
- Kogarko, S.M. See Evdokimov, G.S., 2=15673
- Kogelnik, H. On electromagnetic radiation in magneto-ionic media, 2=1592
- Kogelnik, H. and Porto, S. P. S. Continuous helium-neon red laser as a Raman source, 4=8437
- Kogelnik, H. and Yariv, A. Considerations of noise and schemes for its reduction in laser amplifiers, 4=14927
- Kogelnik, H. See Boyd, G. D., 4=5848
- Kogelnik, H. See Herriott, D., 4=18415
- Kogelnik, H. See Rigrod, W. W., 2=7346
- Kogelnik, H. See Rigrod, W. W., 3=7318
- Kogelschatz, U. See Berge, O. E., 4=18828
- Kogure, K. See Toda, M., 2=10316
- Kogure, T. The radiation field and theoretical Balmer decrements of Be stars. III, 2=15379
- Kogure, T. Stationary shock waves in a plane stellar atmosphere. II. The propagation, 3=5263
- Kogure, T. and Osaki, T. Stationary shock waves in a plane stellar atmosphere. I. The structure, 2=2544
- Kogure, T. and Osaki, T. Propagation of shock waves in inhomogeneous medium, 3=3848
- Kogure, Y. On the irreversible behavior of coupled oscillators with application to time of flight, 1=12814
- Kogure, Y. On the irreversible behavior of coupled oscillators, 2=4942
- Kogure, Y. See Toda, M., 4=76
- Koh, J. C. Y. Film condensation in a forced-convection boundary-layer flow, 3=300
- Koh, J. C. Y. and Hartnett, J. P. Skin friction and heat transfer for incompressible laminar flow over porous wedges with suction and variable wall temperature, 2=2675
- Koh, P. K. Cube texture in ultrathin molybdenum permalloy tape, 1=6527
- Koh, P. K., Lewis, H. A. and Graff, H. F. Variation in orientation texture of ultrathin molybdenum permalloy tape, 0=3275
- Koh, Y., Miyatake, O. and Watanabe, Y. Angular correlation of internal bremsstrahlung and successive nuclear gamma-ray in the radiative K-capture, 0=9590
- Koh, Y., Miyatake, O. and Watanabe, Y. Angular distribution of internal bremsstrahlung in the capture of orbital electrons, 2=12171
- Koh, Y. See Katoh, T., 1=12175
- Koh, Y. See Katoh, T., 2=18253
- Koh, Y. See Nozawa, M., 1=12174
- Koh, Y. See Ruan, J., 2=5854
- Koh, Y. See Ruan, J., 2=18255
- Kohane, T. and Schlömann, E. D.C. magnetic moment induced by a strong r.f. magnetic field applied parallel to the d.c. field, 3=13280
- Kohane, T. and Silverman, B. D. Electrical conduction in nickel ferrous ferrites, 2=10445
- Kohane, T. and Sirvetz, M. H. Measurement of microwave resistivity by eddy current loss in spheres, 0=5243
- Kohin, B. C. Molecular rotation in crystals of N₂ and CO, 0=15804
- Kohin, R. P., Müller, K. A. and Hoegl, H. Electron spin resonance in the carbazole-chloranil charge transfer complex, 3=8708
- Kohl, D. A. See Bonham, R. A., 0=15778
- Kohl, D. A. See Bartell, L. S., 4=6623
- Kohl, D. A. See Strand, T. G., 3=23732
- Kohl, G. and Kuckelt, G. Apparatus for age determination by the C¹⁴ method, 2=1828
- Kohl, H. Vertical drift in the E-layer of the ionosphere during geomagnetic disturbances, 0=21359
- Kohl, H. Movement of the F-layer of the ionosphere during bay disturbances of the earth magnetism, 1=1539
- Kohl, H. The influence of neutral air on semidiurnal and diurnal drifts in the F-region, 3=13764
- Kohl, H. See Dieminger, W., 2=15223
- Kohler, H. J., Pettig, M. and Scheler, G. A high-resolution nuclear magnetic resonance spectrometer, 0=3865
- Kohl, K. See Böhm-Vitense, E., 4=2375
- Köhler, A. See Dittmar, W., 4=26606
- Köhler, B. and Winsel, A. Diaphragm resistance of porous Ni layers, 4=26758
- Köhler, B. See Helms, G., 3=25012
- Kohler, D. Promotion of cubic growth in 3% silicon iron by control of annealing atmosphere composition, 0=12007
- Kohler, D. See Fulbright, H. W., 2=9759
- Kohler, D. See Paul, P., 3=10383
- Kohler, D. See Paul, P., 4=22009
- Köhler, F. See von Ardenne, M., 3=12786
- Köhler, H. A new coma-free Cassegrain system, 1=17991
- Köhler, H. A new telescope eyepiece with extremely large field of view, 1=18583
- Köhler, H. Experiences and results of testing the coma-free minor telescope at Caracas Observatory, 2=13088
- Köhler, H. and Keller, R. Contrast function of an optical image which is distorted by rectangular striae, 4=27294
- Köhler, H. See Förstner, A., 1=6950
- Köhler, H. See Früngel, F., 4=5909
- Köhler, H. See Witzmann, H., 2=8558
- Köhler, H.-J. See Pettig, M., 3=24496
- Köhler, H. S. Electromagnetic corrections to the ratio $\sigma(p+d \rightarrow H^3 + \pi^0)/\sigma(p+d \rightarrow He^3 + \pi^0)$, 0=11170
- Köhler, H. S. The three-nucleon cluster term energy in nuclear matter, 1=7311
- Köhler, H. S. The many body problem of oxygen-16, 1=19331
- Kohler, H. S. On the separation method for calculating the nuclear reaction matrix, 2=3454
- Köhler, H. S. Reaction matrix theory for a finite nucleus by the separation method, 3=2357
- Kohler, I. Experiments with goggles, 3=1568
- Kohler, J. W. L. The gas refrigerating machine and its position in cryogenic techniques, 1=4511
- Kohler, M. On rotation and deformation velocity in the theory of relativity, 0=2104
- Kohler, M. On the canonical form of dynamics of a particle in a gravitational field, 1=12796
- Kohler, M. The meaning of symmetry in physics, 3=3709
- Köhler, R. Study of the proton magnetic resonance of the crystalline solid phase of azoxyphenol-di-p-n-amyl ether, 1=5076
- Kohler, R. and Thaddeus, R. g of the (5s5p) ³P₁ level of Cd and the (6s6p) ³P₁ level of Hg by high-field double resonance, 4=19954
- Kohler, R. H. Detection of double resonance by frequency change: application to Hg²⁰¹, 1=3515
- Kohler, V. K. and Franke, W. (NH₄)₂Mn₂(SeO₄)₃, a biselenate with langbeinite (K₂Mg₂(SO₄)₃) structure, 4=30843
- Köhler, W. Determination of spectral distribution of epithermal and fast neutrons in the core of a swimming bath reactor, 2=3672
- Köhler, W. A Schlieren optical method for the determination of refractive index gradients in stratified solutions, 4=8380
- Kohler, W. The activation cross-section of A⁴⁰ for thermal neutrons, 4=17165
- Köhler, W. The determination of the energy distribution of fast neutron fluxes in reactors, 4=19909
- Köhler, W. and Romanos, J. Method for using the fission of U²³⁸ and Th²³² by slow neutrons for the measurement of neutron flux, 4=3430
- Köhler, W. See Hammer, W., 4=19908
- Kohlhaas, R. Basic methods of evaluation in calorimetry. Derivation of the thermodynamic functions of pure iron on the basis of measurements on an iron-manganese system by the method of delayed-mix calorimetry, 3=21604
- Kohlhaas, R. and Ballensiefen, G. Fine structure of Weiss domains on {110} faces of FeSi single crystals in terms of magnetic field strength and direction, 1=11436
- Kohlhaas, R. and Lange, H. Thermodynamics of the Curie point of nickel and iron, 3=13244
- Kohlhaas, R. and Lange, H. A large new shielded electromagnet for high field strengths, 4=27610
- Kohlhaas, R. and Müller, S. On the influence of the image effect on the measurement of magnetic saturation by means of a magnetic balance after H. Lange and K. Mathieu, 1=16482
- Kohlhaas, R. See Braun, M., 2=9443
- Kohlhaas, R. See Braun, M., 4=28369
- Kohlhaas, R. See Jaensch, P., 3=13260
- Kohlhaas, R. See Lange, H., 0=9853
- Kohlhaas, R. See Müller, S., 2=16649
- Kohlmaier, G. H. and Rabinovitch, B. S. Collisional transition probabilities for vibrational deactivation of chemically activated sec-butyl radicals. The rare gases, 3=12878
- Kohlmaier, G. H. and Rabinovitch, B. S. Collisional transition probabilities for vibrational deactivation of chemically activated sec-butyl radicals. Diatomic and polyatomic molecules, 3=12879

- Kohlmaier, G.H. and Rabinovitch, B.S. Collisional transition probabilities for vibrational deactivation of chemically activated sec-butyl radicals. Different initial vibrational energy levels, 4=3929
- Kohlmann-Wilsdorf, D. and Wilsdorf, H.G.F. Production of point defects and jogs through dislocation uncertainty, 2=14428
- Kohlmannspenger, J. See Schmillen, A., 4=1787
- Kohman, T.P. See Goel, P.S., 2=17118
- Kohman, T.P. See Macfarlane, R.D., 1=4842
- Kohlmayr, G.F. The Green function for the integro-differential operator of the stationary neutron transport theory, 0=14546
- Kohmura, T. Mu-mesic atom formation of deformed nucleus, 4=25267
- Kohn, H. Electronic determination of isogradients, 3=16727
- Kohn, H. See Behmenburg, W., 4=11347
- Kohn, H. See Behmenberg, W., 4=12375
- Kohn, H. See Hofmann, F.W., 0=5217
- Kohn, H. See Hofmann, F.W., 1=8234
- Kohn, H. See Hofmann, F.W., 1=8815
- Kohn, H. I. See Sinclair, W.K., 4=26983
- Kohn, H.W. Colour centres produced by radiation in silica gel, 0=4299
- Kohn, H.W. Paramagnetic studies of radiation damage in silica gel, 0=21078
- Kohn, J.A. and Eckart, D.W. Aluminum boride, AlB_{12} , 0=6356
- Kohn, J.A. and Eckart, D.W. A new series of "hexagonal ferrite" structures, 3=23458
- Kohn, J.A. and Eckart, D.W. New hexagonal ferrite, establishing a second structural series, 4=13581
- Kohn, J.A. See Artman, J.O., 0=13877
- Kohn, J.A. See Tauber, A., 3=3277
- Kohn, J.A. See Tauber, A., 3=15878
- Kohn, J.M. See Birkhoff, R.D., 1=18947
- Kohn, K. and Iida, S. X-ray diffraction study of twin walls of NiO single crystals, 4=20783
- Kohn, W. Analytic properties of Bloch waves and Wannier functions, 0=521
- Kohn, W. Theory of Bloch electrons in a magnetic field: the effective Hamiltonian, 0=1549
- Kohn, W. Cyclotron resonance and de Haas-van Alphen oscillations of an interacting electron gas, 1=11188
- Kohn, W. Band structure of semiconductors, 2=23264
- Kohn, W. Theory of the insulating state, 4=9897
- Kohn, W. and Luttinger, J.M. Orbital susceptibility of dilute alloys, 3=20556
- Kohn, W. and Luttinger, J.M. Ground-state energy of a many-fermion system, 0=8568
- Kohn, W. and Nettel, S.J. Giant fluctuations in a degenerate Fermi gas, 0=16636
- Kohn, W. and Vosko, S.H. Theory of nuclear resonance intensity in dilute alloys, 0=13891
- Kohn, W. See Ambegaokar, V., 0=5260
- Kohn, W. See Callaway, J., 2=20954
- Kohn, W. See Woll, E.J., Jr., 2=14372
- Kohnke, E.E. Electrical and optical properties of natural stannic oxide crystals, 3=2924
- Köhnlein, D. and Laukien, G. Oscillographic measurements of the Fowler-Nordheim curves, 4=3023
- Kohno, I. Investigation of the reaction $Ar^{40}(p,\gamma)K^{41}$, 4=6340
- Kohno, I. See Kawasaki, K., 3=14224
- Kohno, I. See Kawasaki, K., 4=14227
- Kohno, I. See Sugita, T., 3=18864
- Kohno, N. See Shimoda, K., 3=519
- Kohonen, T. Effect of pulse height selection on time resolution in scintillation counters, 0=17140
- Kohonen, T. Contributions to the study of lifetimes of positrons in solids, 2=6306
- Kohonen, T. On the accuracy of a nanosecond time-to-amplitude converter, 2=9500
- Kohonen, T. Depolarization of arbitrarily polarized electrons and positrons in Møller and Bhabha scattering, 3=14960
- Kohonen, T. On the nature of anomalous lifetime components of positrons observed in some solids, 4=6030
- Kohonen, T., Puolakkka, H. and Vayunyn, H. Investigation of a Siegbahn-Slatis beta-ray spectrometer, 2=11935
- Kohout, F., Ullrich, H. and Weiss, L. Measurement of the Hall voltage of germanium and silicon with the quadrant electrometer, 4=10054
- Kohout, F. and Weiss, L. Review of Hall probes, 1=18970
- Kohra, K. An application of asymmetric reflection for obtaining X-ray beams of extremely narrow angular spread, 2=15975
- Kohra, K., Molière, K., Nakano, S. and Ariyama, M. Anomalous intensity of mirror reflection from the surface of a single crystal, 3=1294
- Kohra, K., Nakano, S. and Yoshimatsu, M. X-ray studies on lattice defects in silicon by diffraction microscopy and double crystal spectrometer, 3=22707
- Kohra, K. and Watanabe, E. Anomalous transmission of electrons in a film of molybdenite, 1=7101
- Kohra, K. and Watanabe, H. Measurement of anomalous absorption coefficients of electrons for MgO crystals, 1=20715
- Kohra, K. and Yoshimatsu, M. X-ray observations of lattice defects in particular, stacking faults in the neighbourhood of a twin boundary in silicon single crystals, 2=16662
- Kohra, K. See Ishii, Z., 1=6451
- Kohra, K. See Ishii, Z., 1=11197
- Kohra, K. See Watanabe, H., 3=1299
- Kohra, K. See Yoshimatsu, M., 1=2509
- Kohra, K. See Yoshimatsu, M., 1=11208
- Kohra, K. See Yoshimatsu, M., 1=14262
- Kohra, K. See Yoshimatsu, M., 2=15113
- Köhrmann, W. The temporal development of Townsend discharges and the influence of space charges, 0=9022
- Köhrmann, W. Current rise in a Townsend discharge under the influence of space charge, 4=21476
- Köhrmann, W. See Dehne, K., 4=8657
- Koi, Y. and Tsujimura, A. Nuclear magnetic resonance of Mn^{2+} in nickel-rich Mn-Ni alloys, 4=7353
- Kōi, Y., Tsujimura, A., Hihara, T. and Kushida, T. Internal magnetic field in iron and iron alloys measured by n.m.r., 1=17949
- Kōi, Y., Tsujimura, A., Hihara, T. and Kushida, T. N.M.R. of Co^{59} in ferromagnetic cobalt alloys, 1=20257
- Kōi, Y., Tsujimura, A., Hihara, T. and Kushida, T. Nuclear magnetic resonance in ferromagnetic metals and alloys, 3=1199
- Kōi, Y., Tsujimura, A. and Kushida, T. N.M.R. of Co^{59} in ferromagnetic hexagonal cobalt metal, 1=20256
- Kōi, Y., Tsujimura, A. and Yukimoto, Y. The temperature and pressure dependence of the nuclear resonance of Co^{59} in face-centered-cubic cobalt metal, 1=11464
- Kōi, Y. See Hihara, T., 3=3198
- Kōi, Y. See Hihara, T., 3=15961
- Koi, Y. See Kushida, T., 2=12644
- Kōi, Y. See Tsujimura, A., 2=18964
- Koicki, A. See Caspari, M.E., 4=28848
- Koicki, A. See Koicki, S., 4=9419
- Koicki, A.M. See Koicki, S.D., 0=17565
- Koicki, S., Koicki, A. and Wood, G.T. Gyromagnetic ratio of 206 keV level in Re^{187} , 4=9419
- Koicki, S. See Caspari, M.E., 4=28848
- Koicki, S.D. and Koicki, A.M. Coincidence studies of gamma-radiations from Yb^{169} and Er^{171} , 0=17565
- Koicki, S.D., Kukoc, A.H., Radojević, M.P. and Simić, J.M. Investigation of 5.5 hours ^{180m}Hf isomeric state decay, 3=6179
- Koicki, S.D., Simić, J.M. and Kukoč, A.H. Gamma-gamma angular correlations in Tm^{169} , 0=20409
- Koidan, W. Microphone diaphragm null method for sound pressure measurement, 0=6887
- Koidan, W. Method for measurement of $|E'/T|$ in the reciprocity calibration of condenser microphones, 0=8758
- Koidan, W. Hydrogen retention system for pressure calibration of microphones in small couplers, 3=11869
- Koidan, W. See Burkhard, M.D., 0=6886
- Koide, F.T. Depth of penetration as a measure of reflectivity of thin conductive films, 1=9482
- Koide, F.T. A computer method of h.f. ionospheric propagation prediction and analysis, 4=8955
- Koide, M. See Lal, D., 0=430
- Koide, S. Calculations of Franck-Condon integrals, 0=7873
- Koide, S. Intensity and fine structure of the main optical absorption bands in hydrated cobaltous salts, 0=16052
- Koide, S. Electrical properties of $Ni_{1-x}O$, Li_xO single crystals, 4=12907
- Koide, S. and Duval, E. Long-range spin-spir interaction between nuclei in the saturated compounds, 4=25735
- Koide, S. and Mizuno, Y. Vibrationally induced electronic transitions in crystals of magnetic compounds. I. Effects of vibrations on the crystal field line spectra, 4=4244
- Koide, S. and Peter, M. Interaction between magnetic ions and conduction electrons, 4=22522

- Koide, S., Sinha, K.P. and Tanabe, Y. On the theory of super-exchange interaction, 0=21058
- Koide, S. and Takei, H. Electrical properties of the Ni_{1-x}O system, 3=13077
- Koidé, S. See Béné, G.J., 4=3915
- Koidé, S. See Duval, E., 4=15381
- Koide, S. See Kamimura, H., 1=10128
- Koide, S. See Kasuya, T., 0=11670
- Koide, S. See Mizuno, Y., 4=10182
- Koide, S. See Sinha, K.P., 1=7741
- Koifman, N. M. See Popil'skii, R. Ya., 4=20788
- Koike, M. Radiation effect in dimethyl-diphenyl siloxane copolymer. II. Effect of temperature on crosslinking during irradiation, 3=10563
- Koike, M. and Danno, A. Radiation effects on dimethyl-diphenyl siloxane copolymer. I. Protective effect of phenyl radical on the cross-linking, 1=11138
- Koike, M., Hisatake, K., Ono, N. and Takashashi, K. Levels in Ru^{100} excited in the decay of Rh^{100} , 4=22032
- Koike, M. See Yagi, K., 4=25305
- Koike, R. and Ueda, R. Crystallite sizes and carrier mobilities in evaporated indium antimonide films, 4=23581
- Koike, T. See Okamoto, F., 2=16698
- Koike, Y. See Nishioka, A., 1=9154
- Koikeda, T., Suzuki, K. and Chikazumi, S. Electron-microscopic observations of "stripe" or "dense-banded" magnetic domains in nickel rich permalloy films, 4=23005
- Koikov, S.M. and Tsikin, A.N. Solution of the problem of thermal sparkover in heterogeneous dielectrics subjected to unsymmetrical boundary conditions, 2=6527
- Koikov, S.N., Kunin, V. Ya. and Tsikin, A.N. Calculation of the change of defect concentration in rutile ceramics on ageing and regeneration, 1=17638
- Koikov, S.N. and Tsikin, A.N. Solution of the problem of thermal breakdown of dielectrics with asymmetrical boundary conditions, 0=3720
- Koikov, S.N. and Tsikin, A.N. The solution of the problem of the thermal breakdown of non-uniform dielectrics, 1=5040
- Koikov, S.N. and Tsikin, A.N. Solution of the problem of thermal spark-over in heterogeneous dielectrics subjected to unsymmetrical boundary conditions, 1=19932
- Koikov, S.N., Kunin, V. Ya. and Tsikin, A.N. Analysis of a hypothesis of the electrical ageing of a rutile ceramic, 2=21215
- Koiranskaya, E. Yu. See Lyubimov, V.N., 3=22992
- Koiwa, M. and Haseguti, R. R. Internal friction peaks at low temperatures in deformed copper, 4=1935
- Koizumi, H., Osaki, K. and Watanabe, T. Crystal structure of cupric benzoate trihydrate $\text{Cu}(\text{C}_6\text{H}_5\text{COO})_2 \cdot 3\text{H}_2\text{O}$, 3=11273
- Koizumi, H. See Niizeka, N., 4=20420
- Koizumi, N. See Hanai, T., 3=3414
- Koizumi, T. and Ohyama, H. Study in the stratification of F region, 3=21063
- Koizumi, T. See Nakahara, I., 1=83
- Kôji Uo, K., Mōri, A., Oshiyama, H., Katô, R. and Ishii, K. Experiment on the spatial confinement of plasma in the heliotron B magnetic field, 3=1990
- Kojima, C. See Kaminishi, T., 2=18271
- Kojima, C. See Kaminishi, T., 3=645
- Kojima, C. See Kaminishi, T., 3=8067
- Kojima, C. See Kaminishi, T., 3=24856
- Kojima, H. and Goto, K. Magnetic domain observation of $\text{BaFe}_{12}\text{O}_{19}$ by Faraday effect, 1=20090
- Kojima, H. and Goto, K. New remanent structure of magnetic domains in $\text{BaFe}_{12}\text{O}_{19}$, 2=14779
- Kojima, H. and Goto, K. Temperature dependence of domain width in thin layers of $\text{BaFe}_{12}\text{O}_{19}$, 3=1014
- Kojima, H., Tebble, R.S. and Williams, D.E.G. Variation with temperature of the magnetic susceptibility of some transition elements, 0=6221
- Kojima, H., Tebble, R.S. and Williams, D.E.G. The variation with temperature of the magnetic susceptibility of some of the transition elements, 1=14679
- Kojima, K. Studies on Z_c -centers in alkali halide crystals, 4=28501
- Kojima, K. and Nishimaki, N. A-centres in potassium chloride crystals, 1=14339
- Kojima, K., Nishimaki, N. and Kojima, T. Structure and properties of A-centers in KCl, 1=19810
- Kojima, K., Nishimaki, N. and Kojima, T. A-centers in alkali halide crystals, 3=22838
- Kojima, K. See Nishimaki, N., 1=17573
- Kojima, M., Hibino, M. and Maruse, S. Variation of image contrast in the electron emission microscope with aperture, 3=24367
- Kojima, M. and Yanada, T. Ultraviolet absorption spectra of lead chloride, 2=10604
- Kojima, M. See Ueta, M., 3=4983
- Kojima, S. and Hagiwara, S. Radiation of plasma oscillation, 1=1096
- Kojima, S., Hagiwara, S. and Takayama, K. Oscillation in a dark plasma, 3=4160
- Kojima, S., Kato, K., Hagiwara, S. and Matsuzaki, R. Oscillations in plasma. II, 0=19701
- Kojima, S., Kato, K. and Kiyama, S. Oscillations in plasma. III. Dipole mode, 4=5655
- Kojima, S., Kawabe, T., Kato, K. and Ogawa, K. Ion oscillations in a plasma, 4=14713
- Kojima, S., Kawasaki, E. and Kato, K. Oscillations in a plasma in a weak magnetic field, 1=18896
- Kojima, S. and Minematsu, M. Nuclear quadrupole resonance of nitrogen in cyanuric chloride, 1=10198
- Kojima, S. See Abe, Y., 2=18487
- Kojima, S. See Abe, Y., 4=13354
- Kojima, S. See Ikegami, H., 4=18930
- Kojima, T. Potential barrier of phenol from its microwave spectrum, 1=7466
- Kojima, T. Microwave spectrum of methyl mercaptan, 1=9929
- Kojima, T., Breig, E.L. and Lin, C.C. Microwave spectrum and internal barrier of methylphosphine, 2=1992
- Kojima, T. See Kasuta, T., 3=10509
- Kojima, T. See Kojima, K., 1=19810
- Kojima, T. See Kojima, K., 3=22838
- Kojima, Y. See Torizuka, Y., 1=6388
- Kojo, E. See Lounasmaa, O.V., 0=5228
- Kok, J.A. On superconductivity, 0=8925
- Kok, J.A. Superconductivity, 0=8945
- Kok, J. A., Poll, J. W. and Van Vroonhoven, C. E. G. M. M. Break-down tests carried out on liquefied gases, 4=5200
- Kok, J. A., Poll, J. W. and Van Vroonhoven, C. E. Electrical breakdown of hydrocarbon oil and liquefied gases, 4=5204
- Kok, J. A. and Van Vroonhoven, C. E. G. M. M. Aspects of Kokado, H. and Schneider, W. G. Thermally stimulated currents and carrier trapping in anthracene crystals, 4=20437
- Kokalas, J.J. See Vratny, F., 1=8981
- Kokalas, J.J. See Vratny, F., 3=13154
- Kokame, J. Inelastic scattering of protons from several light odd-even nuclei in the energy range from 6.0 MeV to 7.5 MeV, 2=1877
- Kokame, J., Fukunage, F., Inoue, N. and Nakamura, H. Excitation of unnatural-parity states in (α, α') scatterings on O^{16} , Ne^{20} , Mg^{24} and Si^{28} at 28.5 MeV, 4=28063
- Kokame, J. See Kimura, K., 2=5898
- Kokame, J. See Kimura, K., 2=15970
- Kökeritz, P. See De Kowalewski, D.G., 0=4210
- Kokes, R.J. The influence of chemisorption of oxygen on the electron spin resonance of zinc oxide, 2=6693
- Kokin, A.A. and Skroyskii, G.V. Theory of paramagnetic resonance in systems containing two kinds of magnetic moments, 0=10219
- Kokin, A.A. See Chirkov, A.K., 2=764
- Kokin, A.A. See Skrotskii, G.V., 0=1355
- Kokin, A.A. See Skrotskii, G.V., 0=10191
- Kokkedee, J.J.J. Anharmonic effects in the coherent scattering of Neutrons by crystals. A formal treatment of shift and width of the peaks in the scattering spectrum, 2=10326
- Kokkedee, J. J.J. Influence of electron-phonon interaction on the scattering of neutrons by conducting crystals, 2=20932
- Kokkedee, J.J.J. On the one-particle green function of a system of interacting phonons, 3=17645
- Kokkedee, J. J. J. and Nijboer, B. R. A. Scattering of slow neutrons in crystals and liquids. II., 4=2063
- Kokkedee, J.J.J. See Nijboer, B.R.A., 3=20829
- Kokochashvili, V.I., Mirianashvili, G.M., Burchuladze, A.A. and Dzhabaridze, K.G. A proportional counter and a system of protection against background for dating by the radiocarbon method, 3=24538
- Kokorev, D.T. Experimental methods applied to the determination of some temperature radiation parameters, 1=16147
- Kokorev, D.T. Method for determining size and shape of optically black emitting systems, 3=287
- Kokorev, D.T. and Kovtonyuk, N.F. Analysis of the homogeneity of semiconductor materials by using the method of the volume photo-e.m.f., 3=15567
- Kokorin, G.A. See Vitkin, A.I., 3=5146
- Kokorish, E. Yu. Use of the Peltier effect for making transistor junctions in a germanium monocrystal pulled from the melt, 1=17786

- Kokorish, E.Yu. Influence of the Peltier effect on the perfection of germanium single crystals grown by pulling from the melt, 2=810
- Kokorish, E.Yu. and Sheftal', N.N. Growing of dislocation-free germanium single crystals, 1=4026
- Kokorish, E.Yu. and Sheftal', N.N. Dislocations in semiconductor crystals, 2=8224
- Kokorish, N.P. See Kurov, G.A., 1=14435
- Kokosh, G.V. and Sinani, S.S. Thermoelectric properties of alloys of the pseudobinary system $Sb_2Te_3-Bi_2Te_3$, 0=16001
- Kokosh, G.V. and Sinani, S.S. The effect of impurities on the thermoelectric properties of a $Sb_2Te_3-Bi_2Te_3$ solid solution, 0=18079
- Kokoshkin, V.A. Qualitative control of the uniformity of AlSb crystals, 4=1587
- Koks, H.L.T. See Geus, J.W., 3=17020
- Koks, H.L.T. See Zwietering, P., 0=4313
- Koksharova, S.F. See Vasilenko, S.S., 1=19401
- Koksharova, S.F. See Vasilenko, S.S., 2=18303
- Kokubu, M. See Izumi, I., 4=29849
- Kokubun, H. See Baba, H., 4=29209
- Kokubun, S. See Nagata, T., 1=15354
- Kokubun, S. See Nagata, T., 2=13069
- Kokubun, S. See Nagata, T., 2=24059
- Kokubun, S. See Nagata, T., 3=9129
- Kokubun, S. See Nagata, T., 4=4827
- Kokurin, Yu.L., Sukhanovskii, A.N., Alekseev, Yu.I. Investigation of a model of large-scale ionospheric inhomogeneities by a radio-astronomical method, 2=4637
- Kokurin, Yu.L. See Grasiuk, A.Z., 4=20908
- Kokurin, Yu.L. See Vitkevich, V.V., 0=21347
- Kokurina, M.V. See Adrianova, I.I., 1=18612
- Kokushkin, O.A. See Baram, A.A., 3=21496
- Kolachevskii, N.N. An experimental study of the effect of elastic stresses, heat treatment and crystal structure of a ferromagnetic sample on the intensity of magnetic noise, 2=8630
- Kolachevskii, N.N. Experimental investigation of the influence of elastic stresses, heat treatment and crystal structure in a ferromagnetic specimen on the intensity of magnetic noise, 3=3104
- Kolakovski, B. The structure of etched surfaces of indium antimonide crystals, 0=13967
- Kolakowski, B. Structure of etching figures on bismuth selenide single crystals, 1=14955
- Kolakovski, B. Structure of rhombohedral complicated modification of boron, 3=13449
- Kofakowski, B. See Auleytner, J., 0=13930
- Kolar, O.C. Mechanism of the reaction $O^{16} + p \rightarrow p + 4\alpha$ at 29 MeV, 1=7378
- Kolar, O.C. and Klovestrom, F.A. Pulsed neutron measurement of control rod worths, 2=6038
- Kolar, Z. See Strohal, P., 4=22153
- Kolasinski, W.A. See Schmidt, F.H., 4=17123
- Kolb, A.C. Magnetic compression of plasmas, 1=5468
- Kolb, A.C. Radiation losses from high-temperature gas discharges, 4=8698
- Kolb, A.C., Faust, W.R. and Anderson, A.D. A parameter study of magnetic compression of plasmas with end losses, 2=17840
- Kolb, A.C., Griem, H.R., Lupton, W.H., Phillips, D.T., Ramsden, S.A., McLean, E.A., Faust, W.R. and Swartz, M. A high energy magnetic compression experiment, 3=12159
- Kolb, A.C. and McWhirter, R.W.P. Ionization rates and power loss from θ -pinches by impurity radiation, 4=16494
- Kolb, A.C. See Elton, R.C., 4=29439
- Kolb, A.C. See Gandy, H.W., 4=8409
- Kolb, A.C. See Griem, H.R., 0=1480
- Kolb, A.C. See Griem, H.R., 2=3696
- Kolb, A.C. See Griem, H.R., 2=3698
- Kolb, A.C. See Griem, H.R., 3=7506
- Kolb, A.C. See Griem, H.R., 3=12158
- Kolb, A.C. See Hain, K., 3=12160
- Kolb, A.C. See Hintz, E., 4=14694
- Kolb, A.C. See McLean, E.A., 1=291
- Kolb, A.C. See McLean, E.A., 1=12917
- Kolb, A.C. See Rostoker, N., 1=18827
- Kolb, A.C. See Rostoker, N., 2=19968
- Kolb, E.D. and Tanenbaum, M. Uniform resistivity p-type silicon by zone leveling, 0=6330
- Kolb, E.D. See Laudise, R.A., 4=20737
- Kolb, G.A. See Sullivan, M.V., 3=23501
- Kolb, J. New developments in the physics and applications of ultrasound, 0=14758
- Kolb, K. and Macherauch, E. Evidence for a macroscopic inhomogeneity of strength in the deformation by tension of pure nickel, 0=6307
- Kolb, K. and Macherauch, E. A texture conditioned surface effect in the drawing of thin polycrystalline specimens, 1=9089
- Kolb, K. and Macherauch, E. The influence of anisotropy on X-ray measurements of lattice extension on nickel, 1=10256
- Kolb, K. and Macherauch, E. The flow stress of surface layers of polycrystalline nickel and its influence on the residual stresses deformed specimens, 2=8730
- Kolb, K. and Macherauch, E. A recovery phenomenon in deformed ferrite between 50° and 70°C, 4=4462
- Kolb, K. and Macherauch, E. On the reliability of X-ray internal stress measurements in heterogeneous materials, 3=13346
- Kolb, K. See Freeman, M.P., 3=20935
- Kolb, K. See Macherauch, E., 2=4325
- Kolb, M. See Brauer, P., 2=2247
- Kolb, W. See Baumgärtel, K., 3=25905
- Kolbanov, I.V. See Butyagin, P.Yu., 4=1885
- Kolbanovskii, Yu.A. See Brodskii, A.M., 2=4558
- Kolbanovskii, Yu.A. See Brodskii, A.M., 2=8927
- Kolbasov, V.A., Mukhina, M.M. and Nazarov, V.P. E.S.R. spectrometer with high-frequency field modulation, 3=14788
- Kolbe, C.L. and Martin, D.L. Hot working of Alnico 5 alloys, 0=10329
- Kolbe, W. and Rinn, F.H. Quantitative evaluation of γ -spectrograms, 4=6010
- Kolbe, W.F. and Smakula, A. Anisotropy of color centers in calcite, 2=2103
- Kolbenheyer, T. The representation of gravitational fields of homogeneous bodies by surface integrals, 4=23
- Kolbenstedt, H. and Olsen, H. Momentum-spin correlations in photo-electric effect and in single quantum positron annihilation, 1=19601
- Kolbin, M.N. See Konorov, P.P., 1=17677
- Kol'chenko, V.G. See Chechernikov, V.I., 2=757
- Kolchenogova, I.P. See Khrustalev, B.A., 4=16285
- Kolchev, B.S. See Kozelkin, V.V., 2=7531
- Kolchin, A.M., Krivko, N.I. and Reinov, N.M. Experimental investigation of a superconducting Nb-Zr alloy at 9250 Mc/s, 3=21666
- Kolchin, A.M., Mikhailov, Yu.G., Reinov, N.M., Rumyantseva, A.V., Smirnov, A.P. and Totubalin, V.N. Destruction of superconductivity in thin tin films, 2=142
- Kolchin, A.M., Mikhailov, Yu.G., Reinov, N.M., Rumyantseva, A.V., Smirnov, A.P. and Totubalin, V.N. Destruction of superconductivity in thin tin films, 3=3966
- Kolchin, A.M. See Panchenkov, G.M., 0=276
- Kolchin, A.M. See Panchenkov, G.M., 0=10934
- Kol'chuzhkin, A.M. and Kolesnikov, N.N. Scattering and radiative capture of Λ -particles, 0=15453
- Koledov, L.A. Calculating the coefficients of self-diffusion in simple metallic liquids from the magnitude of fluctuations of the first coordination number, 4=14153
- Kolegov, G.A. Density variations in the upper atmosphere from data of fluctuations in the circling time of artificial earth satellites, 2=8984
- Kolenko, E.A., Protodopov, Kh.V., Fleishman, D.G. and Yur'ev, V.G. Thermoelectric cooling of photo-multipliers, 0=3731
- Kolenko, E.A., Tauber, A.G., Yur'ev, V.G. and Shcherbina, A.A. A thermoelectric high-vacuum trap for the N-5 pump, 0=16744
- Kolenko, E.A. and Yur'ev, V.G. Hydrometer with thermoelectric cooling, 2=2750
- Kolenko, E.A. See Voitenko, R.M., 0=8284
- Kolerov, G.I. See Kovner, M.A., 4=12011
- Kolers, P.A. Intensity and contour effects in visual masking, 3=3692
- Kolers, P.A. Some differences between real and apparent visual movement, 4=2491
- Kolesar, D.F. See Ehlers, H.H., 3=25772
- Kolesnichenko, K.E. See Varich, N.I., 4=15722
- Kolesnichenko, L.K. See Afanas'ev, N.G., 2=5432
- Kolesnichenko, V.F. See Chechernikov, V.I., 4=17628
- Kolesnik, I.G. and Frank-Kamenetsky, D.A. An analysis of the energy distribution near the Balmer limit of a nonstationary star spectrum, 4=13892
- Kolesnik, L.I. Recombination at edge dislocations in germanium, 2=21134

- Kolesnik, L.I. Recombination at edge dislocations in germanium, 3=2898
- Kolesnik, L.I. and Kontsevoi, Yu. A. Long-term variation of the photoelectromagnetic effect in germanium, 4=10129
- Kolesnik, L.I. and Kontsevoi, Yu. A. Nonlinear photoconductivity in germanium, 4=30664
- Kolesnik, L.I. See Iglitsyn, M.I., 0=18020
- Kolesnikov, A.G. and Belyaev, V.I. The crystallization of super-cooled water clouds by freezing of drops, 0=3361
- Kolesnikov, G.N. and Moiseev, A.I. The equivalence of the physical interpretation of the shape of the stress relaxation curves, 0=16221
- Kolesnikov, K.S. On special properties of a pendulum system, 4=2614
- Kolesnikov, L.Ya. See Valter, A.K., 1=19536
- Kolesnikov, L.Ya. See Valter, A.K., 3=4673
- Kolesnikov, L.Ya. See Vatset, P.I., 1=19537
- Kolesnikov, L.Ya. See Vatset, P.I., 2=5536
- Kolesnikov, L.Ya. See Vatset, P.I., 2=5546
- Kolesnikov, L.Ya. See Vatset, P.I., 2=5549
- Kolesnikov, L.Ya. See Vatset, P.I., 3=4672
- Kolesnikov, N.L. See Krasnushkin, P.E., 3=3492
- Kolesnikov, N.N. On the stability of a free rigid body with a cavity filled with an incompressible viscous fluid, 4=2611
- Kolesnikov, N.N. and Krylova, A.P. The proton subshell $Z = 100$, 0=11316
- Kolesnikov, N.N. and Vedrinskii, R.V. Hypernuclei with two Λ particles and their decay, 4=19646
- Kolesnikov, N.N. See Kol'chuzhkin, A.M., 0=15453
- Kolesnikov, N.N. See Voronkov, V.V., 0=20537
- Kolesnikov, N.V. See Kovrigin, O.D., 2=20032
- Kolesnikov, N.V. See Zhitnikov, R.A., 3=15948
- Kolesnikov, N.V. See Zhitnikov, R.A., 4=13317
- Kolesnikov, N.V. See Zhitnikov, R.S., 3=25575
- Kolesnikov, P.M. See Khizhnyak, N.A., 4=14636
- Kolesnikov, V.D. See Kirillov, P.L., 4=8147
- Kolesnikov, V.I. See Palatnik, L.S., 2=23370
- Kolesnikov, V.I. See Palatnik, L.S., 3=2881
- Kolesnikov, V.N. and Obukhov-Denisov, V.V. Effective electron scattering cross-section on hydrogen atoms, 2=14219
- Kolesnikov, V.N. and Obukhov-Denisov, V.V. Effective electron scattering cross-section on hydrogen atoms, 3=6360
- Kolesnikov, V.N. and Sobolev, N.N. Some features of arc discharges in an inert gas atmosphere, 0=3750
- Kolesnikov, V.N. and Sobolev, N.N. Structure of the column in an argon arc. II. Radius of the column and shape of the radial distributions, 3=14559
- Kolesnikov, V.N. See Palatnik, L.S., 2=8366
- Kolesnikov, V.N. See Palatnik, L.S., 2=21155
- Kolesnikov, V.N. See Kitaeva, V.F., 3=14558
- Kolesnikov-Svinarev, V.I. See Sakharov, V.N., 0=4067
- Kolesnikov-Svinarev, V.I. See Sakharov, V.N., 2=1675
- Kolesnikova, A.N. See Kormer, S.B., 2=14876
- Kolesnikova, A.N. See Kormer, S.B., 3=6787
- Kolesnikova, E.N. See Grinberg, G.A., 1=5593
- Kolesnikova, E.N. See Grinberg, G.A., 1=12017
- Kolesnikova, E.N. See Grinberg, G.A., 0=15076
- Kolesnikova, M.M. See Sokolov, L.A., 0=5503
- Kolesnikova, M.M. See Sokolov, A.A., 1=5687
- Kolesnykov, L.Ya. See Val'ter, A.K., [Walter], 2=10149
- Kolesov, A.K. Continuous spectra of hot stars, 2=21729
- Kolesov, A.K. Continuous spectra of white dwarfs, 4=23861
- Kolesov, A.K. Continuous spectra of helium white dwarfs, 4=26908
- Kolesov, G.M. See Lavrukhina, A.K., 2=14096
- Kolesov, G.M. See Lavrukhina, A.K., 3=15153
- Kolesov, G.V. See Gil'varg, A.B., 2=22007
- Kolesov, I.V. See Dvoretzki, A.S., 3=17159
- Kolesov, V.E. and Stavinskii, V.S. Calculation of the neutron cross-section for U^{238} on the basis of the optical model of the nucleus, 3=4650
- Kolesov, V.E. See Broder, D.L., 4=17042
- Kolesov, V.E. See Denisov, F.P., 1=12187
- Kolesov, V.F. On the dynamics of a spherically symmetric fast impulse reactor, 4=3722
- Kolesov, V.F. Some problems of pulsed reactor dynamics, 4=22251
- Kolesov, V.I. See Ernakov, S.M., 4=11071
- Kolesova, E.B. See Koronkevich, V.P., 1=18595
- Kolesova, R.V. See Fesenko, E.G., 2=4366
- Kolesova, V.A. Infrared absorption spectra of synthetic aluminates of the alkali and alkaline-earth metals, 2=2239
- Kolga, V.V. Compensation of non-linear resonances in a relativistic cyclotron, 3=12273
- Kolga, V.V. See Danilov, V.I., 1=344
- Kolga, V.V. See Dmitrievsky, V.P., 1=18962
- Kol'ga, V.V. See Glazov, A.A., 4=5727
- Kol'ga, V.V. See Glazov, A.A., 4=30003
- Kolganov, V.Z., Lebedev, A.V., Nikitin, S.Ya., Smolianskin, V.T. and Sokolov, A.P. Liquid deuterium bubble chamber, 2=3225
- Kolganov, V.Z., Lebedev, A.V., Nikitin, S.Ya. and Smolyankin, V.T. Liquid-hydrogen bubble chamber, 1=3096
- Kolganov, V.Z. See Belonogov, A.V., 1=3097
- Kolganov, V.Z. See Guzhavin, V.M., 4=19551
- Kolganova, E. See Vaisenberg, A.O., 2=22511
- Kolganova, E.D. and Rabin, N.V. Measurement of the "noise" of the MBI-9 microscope, 4=16217
- Kolganova, E.D. See Rabin, N.B., 2=22579
- Kolganova, E.D. See Vaisenberg, A.O., 0=13016
- Kolganova, E.D. See Vaisenberg, A.O., 1=16839
- Kolganova, E.D. See Vaisenberg, A.O., 1=19223
- Kolganova, E.D. See Vaisenberg, A.O., 1=19228
- Kolganova, E.D. See Vaisenberg, A.O., 2=18042
- Kolgin, N.N. See Moroz, L.S., 4=13430
- Kolin, A. Kinematic stabilization of continuous-flow electrophoresis against thermal convection, 4=29224
- Kolk, A., Douglas, L. and Schrader, G. Switching properties of multilayer thin film structures, 2=13633
- Kolk, A. and White, H. Magnetic properties of 97 Fe-3 Ni thin film electroplate, 3=13259
- Kolk, A.J. and Orlovic, M. Increasing the Kerr magneto-optic effect in thin films, 3=15654
- Kolka, W. Corona stabilizer tube with regulated voltage, 3=9747
- Kolka, W. and Mościcki, W. Corona discharge in air between wire and plate as a voltage stabilizer, 3=5640
- Kolker, H.J. and Karplus, M. Deuteron quadrupole coupling in diatomic "hydrides", 2=6225
- Kolker, H.J. and Karplus, M. Electric polarizability of some diatomic molecules, 4=1256
- Kolker, H.J. and Karplus, M. Theory of nuclear magnetic shielding in diatomic molecules, 4=28259
- Kolker, H.J. See Karplus, M., 2=3770
- Kolker, H.J. See Karplus, M., 3=10494
- Kolker, H.J. See Karplus, M., 4=6451
- Kolker, H.J. See Karplus, M., 4=1172
- Kolkunov, V.A. Positions of the singularities of certain Feynman diagrams, 1=16715
- Kolkunov, V.A. Calculating the invariant phase volume of N particles, 3=14885
- Kolkunov, V.A. Nonrelativistic Regge pole trajectories, I, 4=5992
- Kolkunov, V.A., Okun', L.B. and Rudik, A.P. Singularities of some Feynman diagrams, 0=12876
- Kolkunov, V.A., Okun', L.B., Rudik, A.P. and Sudakov, V.V. Position of the nearest π -scattering amplitude singularities, 1=2089
- Kolkunov, V.A. and Lyagin, I.V. $K_{\pi 2}$ -decay, 4=9273
- Kolkunov, V.A. See Gribov, V.N., 2=3308
- Kolkunov, V.A. See Gribov, V.N., 3=4376
- Kollar, F. and Russell, R.D. Small signal impedance of a solid core inductance, 1=10648
- Kollar, F. See Russell, R.D., 0=10987
- Kollár, G. and Prosz, J. Revision of the classical law of molar boiling point elevation, 1=11608
- Kollár, G. and Prosz, J. Determination of Antoine constants independent of the vapour pressure curve, 2=17695
- Kollár, G. and Prosz, J. Calculation of the latent heat of vaporization of elements and of compounds with homopolar binding by means of the Antoine constants, 4=2896
- Kollath, R. and Simon, K.H. Multiple emission of secondary electrons, 4=27567
- Koller, A. Equations of plasma dynamics, 2=5338
- Koller, A. and Beranek, M. A new result on the degradation of titanates in agreement with the exoemission, 0=10932
- Koller, A. See Hertz, W., 4=11682
- Koller, E.L. and Sachs, A.M. Panofsky ratio for negative pions absorbed in hydrogen, 0=2574
- Koller, E.L., Taylor, S. and Huetter, T. Mean life-time of the neutral pion, 3=10143
- Koller, E.L., Taylor, S., Huetter, T. and Stamer, P. Evidence for $K^+ \rightarrow \pi^+ + \pi^0 + e^+ + \gamma$ decay mode, 3=4455
- Koller, E.L., Taylor, S., Huetter, T. and Stamer, P. Radiative τ^+ decay, 3=7925

- Koller, E.L. See Bjorkland, S., 0=11219
- Koller, L.R. and Coghill, H.D. Formation of phosphor films by evaporation, 1=6560
- Kollmann, F. An equation for sorption isotherms, 2=17075
- Kollmar, W. and Stark, D. Field emission of metals with hexagonal crystal structure, 4=11691
- Kollmitt, W. See Becker, K.A., 4=8521
- Kollrack, R. Induced dipole moments of inorganic complex ions, 4=30443
- Kolltveit, K. On the $A(d, n)(A + 1)$ stripping reactions, 4=30349
- Kolltveit, K. See Kallio, A., 4=19674
- Kolm, H.H. Advances in the generation and use of very high, continuous magnetic fields, 2=3130
- Kolm, H.H. and Mawardi, O.K. Hydromagnet: a self-generating liquid conductor electromagnet, 1=10770
- Kolm, H.H. See Goto, E., 4=964
- Kolmakov, M.V. and Zelentsov, I.A. The construction of induction pick-ups for magnetotelluric investigations, 3=9122
- Kolmer, F. The measurement of the sound absorption coefficient in reverberation rooms, as dependent on the arrangement of the materials, 0=1022
- Kolmer, F. The influence of noise on localization and understanding during three-channel stereophony, 4=7997
- Kolmer, F. and Krňák, M. The influence test material surface on acoustic field diffusion in a resonance box and on the acoustic absorption coefficient, 2=7295
- Kolmer, F., Krňák, M. and Tichý, J. Contribution to the problem of diffuseness of the sound field in a reverberation chamber, 1=16043
- Kolmer, F. and Tichý, J. Energy relations in sound propagation in porous materials with rigid skeleton, 1=16023
- Kolobaev, P.A. See Glotov, V.P., 2=15690
- Kolobkov, V. See Lesauskis, V., 4=8962
- Kolobkov, V.P. See Borgman, V.A., 0=13718
- Kolobkov, V.P. See Borgman, V.A., 2=14740
- Kolobkov, V.P. See Viktorova, E.N., 1=3866
- Kolobkov, V.P. See Zelinskii, V.V., 2=17440
- Kolobkov, V.P. See Zelinskii, V.V., 2=19550
- Kolobkov, V.P. See Zhmyreva, I.A., 2=15595
- Kolobkov, V.P. See Zelinskii, V.V., 4=27180
- Kolobkov, V.P. See Zhmyreva, I.A., 0=10677
- Kolobkov, V.P. See Zhmyreva, I.A., 0=15739
- Kolobova, K.M. See Nemhohov, S.A., 0=1934
- Kolobova, K.M. See Nemnonov, S.A., 0=18399
- Kolobova, K.M. See Nemnonov, S.A., 1=7715
- Kolobova, K.M. See Nemnonov, S.A., 3=20041
- Kolobova, K.M. See Nemnonov, S.A., 4=6679
- Kolobova, K.M. See Nemnonov, S.A., 4=7144
- Kolobneva, L.I. See Sergeev, G. Ya., 4=10410
- Kolobyana, T.N. See Kurnosova, L.V., 2=11085
- Kolobyana, T.N. See Kurnosova, L.A., 2=21674
- Kolodii, B.I. Asymptotic behaviour of the pion form factor at high transmitted impulses, 4=16926
- Kolodin, G.N. See Ivanenko, V.V., 4=8170
- Kołodziejczak, J. Transport of current carriers in n-type indium antimonide at low temperatures, 1=14469
- Kołodziejczak, J. On the theory of transport phenomena in semiconductors, 1=17648
- Kołodziejczak, J. Electrons and holes in indium antimonide, 1=17738
- Kołodziejczak, J. The transport of carriers in n-type InSb between 2 and 100°K, 2=23396
- Kołodziejczak, J. Magneto-optical effects in InSb, 2=23532
- Kołodziejczak, J. and Kowalczyk, R. Effective mass of holes in InSb, 2=14555
- Kołodziejczak, J., Lax, B. and Nishina, Y. Semiclassical dispersion theory of interband magneto-optical effects, 3=4963
- Kołodziejczak, J. and Sosnowski, L. Thermoelectromotive force and Nernst-Ettingshausen effect in InSb, 2=14556
- Kołodziejczak, J., Sosnowski, L. and Zawadzki, W. A theory of thermoelectric and thermomagnetic effects, 3=10892
- Kołodziejczak, J. and Zukotyński, S. On the transport theory for semiconductors with warped energy surfaces, 3=20286
- Kołodziejczak, J. and Zukotyński, S. Galvano- and thermomagnetic effects in semiconductors with non-spherical and non-parabolic energy bands, 4=20344
- Kołodziejczak, J. See Bartenback, M., 3=10898
- Kołodziejczak, J. See Byszewski, P., 4=1700
- Kołodziejczak, J. See Lax, B., 3=10744
- Kołodziejczak, J. See Nishina, Y., 2=21230
- Kołodziejczak, J. See Sosnowski, L., 3=10892
- Kołodziejczak, J. See Zawadzki, W., 4=28394
- Kołodziejczak, J. See Zawadzki, W., 4=28544
- Kołodziejczak, J. See Zukotyński, S., 3=17840
- Kołodziejcki, R. An attempt to calculate the reaction $^{14}\text{N}(d, p)^{15}\text{N}^*$ by the Born first approximation, 1=13850
- Kologrivov, V.N. Illumination of the field image in four-plate interferometers, 4=18418
- Kolomeets, E.V. Small effects of solar flares and the energy spectrum of primary variation of cosmic rays, 0=10502
- Kolomenskii, A.A. Theory of the motion of particles in an accelerator with variable "periodicity" [Kratnost'yu] — the microtron, 1=1949
- Kolomenskii, A.A. A store-injector for a proton synchrotron, 1=11991
- Kolomenskii, A.A. and Fateev, A.P. Determination of tolerances on the magnetic field parameters for accelerators with the help of characteristic functions, 2=5416
- Kolomenskii, A.A. Kuznetsov, A.B. and Rubin, N.B. Steering-focusing system for particle injection in a proton synchrotron, 0=10998
- Kolomenskii, A.A. and Lebedev, A.N. Some properties of orbits in accelerators in conditions of similarity, 0=17058
- Kolomenskii, A.A. and Lebedev, A.N. The suppression of betatron oscillations in strong-focusing electron synchrotrons, 1=9656
- Kolomenskii, A.A. and Lebedev, A.N. Beam stability in stacked orbits, 1=13140
- Kolomenskii, A.A. and Lebedev, A.N. Some properties of orbits in accelerations in conditions of similarity, 1=13142
- Kolomenskii, A.A. and Lebedev, A.N. Autoresonant motion of particles in a plane electromagnetic wave, 3=7681
- Kolomenskii, A.A. and Lebedev, A.N. Use of random modulation of parameters in orbital accelerators and analogous systems, 3=14697
- Kolomenskii, A.A. and Lebedev, A.N. Resonance effects associated with particle motion in a plane electromagnetic wave, 3=21943
- Kolomenskii, A.A. See Barsukov, K.A., 0=9052
- Kolomenskii, A.A. See Barsukov, K.A., 4=3056
- Kolomensky, A.A. See Veksler, V.I., 0=5369
- Kolomets, I.D. and Smirnov, A.A. Theory of the residual electrical resistivity of a binary non-ordering alloy with periodically variable composition. I, 3=20260
- Kolomets, I.D. and Smirnov, A.A. Theory of the electrical resistivity of alloys with periodically varying composition and long-range order, 4=22665
- Kolomic, B.T. Glassy semiconductors, 2=23309
- Kolomic, B.T. [Kolomiets], Nazarova, T.F. and Shilo, V.P. On the short-range order of As_2Se_3 in the glassy and the crystalline state, 3=10802
- Kolomiet', I.D. and Smirnov, A.A. Theory of the residual resistivity of a binary disordered alloy with periodically varying composition, 3=20261
- [Kolomiets] See Kolomic, B.T.,
- Kolomiets, B.G. See Burdian, I.I., 3=25352
- Kolomiets, B.T. and Lin' Tsyun'-tin [Lin Chün-t'ing]. Spectral response of the internal photoeffect in the ZnSe-CdSe system, 0=15996
- Kolomiets, B.T. and Lyubin, V.M. Properties and structure of ternary semiconductor systems. VI. Electrical and photoelectric properties of $\text{Sb}_2\text{S}_3\text{-Bi}_2\text{S}_3$ layers, 0=601
- Kolomiets, B.T. and Lyubin, V.M. Certain features of the photoeffect in amorphous films of arsenic triselenide, 0=6136
- Kolomiets, B.T. and Lyubin, V.M. The mechanism of photoconductivity in amorphous chalcogenide layers, 0=15949
- Kolomiets, B.T. and Lyubin, V.M. Electrical and photoelectric properties of arsenic selenide layers, 2=18692
- Kolomiets, B.T., Lyubin, V.M. and Tarkhin, D.V. Conductivity and photoconductivity of antimony triselenide layers, 0=599
- Kolomiets, B.T. and Mal'kova, A.A. Properties and structure of ternary semiconducting systems. V. The limits of formation of ordered solid solutions in the $\text{CdSe-In}_2\text{Se}_3$ system and the electrical properties of CdIn_2Se_4 , 0=18036
- Kolomiets, B.T. and Mal'kova, A.A. Absorption and photomagnetic effect spectra of Cd, Hg, ... Te solid solutions, 3=17997
- Kolomiets, B.T. and Mamontova, T.N. Glassy semiconductors. VI. Internal photoeffect [photoconductivity] in molten $4\text{As}_2\text{Se}_3\text{-As}_2\text{Te}_3$ glass, 0=15903
- Kolomiets, B.T. and Nazarova, T.F. Glassy semiconductors. V. The role of impurities in the electrical conduction by glassy semiconductors, 0=15902
- Kolomiets, B.T. and Nazarova, T.F. The effect of impurities on electrical conduction in vitreous As_2Se_3 , 0=15944
- Kolomiets, B.T. and Nazarova, T.F. The Hall effect in vitreous materials of the $\text{Te}_2\text{Se-As}_2(\text{Se, Te})_3$ system. II, 0=15964

- Kolomiets, B.T. and Pavlov, B.V. Vitreous semiconductors. VIII. Optical properties of glasses based on the chalcogenides of thallium, arsenic and antimony, 0=13609
- Kolomiets, B.T. and Pozdnev, V.P. Glassy semiconductors. VII. Viscosity of vitreous semiconductors in the As_2Se_3 - As_2Te_3 system, 0=12062
- Kolomiets, B.T., Sheftel', I.T., Kurlina, E.V. and Tekster-Proskuryakova, G.N. Electrical properties of cobalt and nickel oxide semiconducting mixtures, 0=15950
- Kolomiets, B.T. and Zeinaly, A.Kh. Photoconductivity of Sb_2Se_3 , 0=620
- Kolomiets, B.T. See Andreichin, R., 2=18731
- Kolomiets, B.T. See Andriesh, A.M., 3=15635
- Kolomiets, B.T. See Andriesh, A.M., 3=20418
- Kolomiets, B.T. See Burdian, I.I., 0=11706
- Kolomiets, B.T. See Goryunova, N.A., 0=13610
- Kolomiets, B.T. See Ivanov-Omskii, V.I., 0=611
- Kolomiets, B.T. See Ivanov-Omskii, V.I., 0=730
- Kolomiets, B.T. See Ivanov-Omskii, V.I., 0=1726
- Kolomiets, B.T. See Ivanov-Omskii, V.I., 0=15959
- Kolomiets, B.T. See Ivanov-Omskii, V.I., 1=20439
- Kolomiets, B.T. See Ivanov-Omskii, V.I., 2=8360
- Kolomiets, B.T. See Ivanov-Omskii, V.I., 2=10487
- Kolomiets, B.T. See Ivanov-Omskii, V.I., 2=12530
- Kolomiets, B.T. See Ivanov-Omskii, V.I., 2=14559
- Kolomiets, B.T. See Ivanov-Omskii, V.I., 2=18703
- Kolomiets, B.T. See Kolomeic, B.T.
- Kolomiets, B.T. See Vashko, A., 2=18845
- Kolomiichuk, V. N. and Dvoryankin, V. F. An electron diffraction determination of the positions of hydrogen atoms in NH_4Br , 4=30845
- Kolomiichuk, V. N. See Dvoryankin, V. F., 4=30830
- Kolomiichuk, V.N. See Regel', V.R., 1=17539
- Kolomitsov, Yu.V. Comparison of Rayleigh and Jamin interferometers, 0=14840
- Kolomitsov, Yu.V. Contrast of interference fringes of equal inclination in the presence of wave front deformations, 3=24049
- Kolomitsova, T.S. and Novikova, I.V. Photoelectric recording of interference bands in white light, 0=16896
- Kolomijez, B.T. See Gorjunova, N.A., 0=3263
- Kolomin, L.G. See Miryasov, N.Z., 0=11885
- Kolomiyets, I.D. and Smirnov, A.A. Theory of the electrical resistivity of a binary non-ordering alloy with periodically variable composition. II., 4=1556
- Kolomoets, L.A. See Moizhes, B.Ya., 3=2985
- Kolomoets, L.A. See Semenkovich, S.A., 1=20438
- Kolomoets, N. V., Lev, E. Ya. and Sysoeva, L. M. On the problem of the nature of carriers in GeTe, 4=6975
- Kolomoets, N.V. and Popova, E.A. Thermoelectric properties of the intermetallic compound $MnAl_3$, 0=20948
- Kolomoets, N.V. and Vedernikov, M.V. Thermoelectric properties of ferromagnetic metals and their alloys, 1=19914
- Kolomoets, N.V. and Vedernikov, M.V. Thermoelectric properties of ferromagnetic metals and their alloys, 2=6506
- Kolomoets, N.V. See Semenkovich, S.A., 1=20438
- Kolomoets, N.V. See Vedernikov, M.V., 1=5034
- Kolomoitsev, F.I., Izotov, V.P. and Stauer, E.V. Luminescence of powdered phosphors in an electric field, 2=14737
- Kolomoitsev, F.I., Kodzhespirov, F.F., Yakunin, A.Ya. and Sinyakov, E.V. Some possibilities of improving the quality of microwave ferrites, 3=8685
- Kolomoitsev, F. I. and Korsun', V. M. On the combined effect of short electric pulses and sinusoidal voltage on the electroluminescence of ZnS-Cu phosphor, 4=20492
- Kolomoitsev, F. I., Korsun', V. M., Lazorina, S. M. and Stauer, E. V. The red electroluminescence of ZnSe, CdS-Cu phosphors, 4=7190
- Kolomoitsev, F.I. and Stauer, E.V. Effect of the copper concentration on the optical and electrical properties of ZnS:Cu phosphors, 2=18882
- Kolomoitsev, F.I. See Bartashevskiy, E. L., 4=7287
- Kolomoitsev, F.J. and Izhak, I.A. The depolarization charge of barium titanate and its connection with the piezoelectric effect, 0=10019
- Kolonko, N., Lewandowski, Z., Makowska-Rzeszutko, M., Niewodniczanski, H., Wiktor, S. and Wróbel, Z. Energy and angular distributions of the neutrons from the stripping reactions $^{12}C(d,n)^{13}N$, 3=10376
- Kolontsova, E.V. The degree of perfection of aluminium single crystals, 1=15058
- Kolontsova, E.V. and Ignat'eva, L.A. Diffuse scattering of X-rays by quartz crystals before and after neutron irradiation, 1=15058
- Kolontsova, E.V., Krokhnina, A.I. and Vakhomchik, L.P. Selective etching of aluminium crystals, 3=20202
- Kolontsova, E.V. and Kulyavik, A. Effect of X-ray irradiation on the structure of crystals of NaCl type, 3=20185
- Kolontsova, E. V. and Mikhaïlova, L. K. Two-dimensional defects in plastically deformed crystals, 4=22594
- Kolontsova, E.V., Sorokina, Yu.G. and Telegina, I.V. Study of twinning in calcite crystals by means of an X-ray micro-beam and etch figures, 0=13937
- Kolontsova, E.V. and Telegina, I.V. A possible mechanism of twinning in CsI and CsBr crystals, 0=12001
- Kolontsova, E.V. and Telegina, I.V. Study of nonuniformity of plastic deformation in monocrystals by means of X-ray microbeams, 0=18258
- Kolontsova, E.V. and Telegina, I.V. Radiational disturbance in quartz, 3=8473
- Kolontsova, E.V. and Telegina, I.V. Unusual effects in the X-ray patterns of irradiated and deformed monocrystals of LiF, 3=20948
- Kolontsova, E.V. and Zhestovskaya, M.I. The effects of neutron bombardment on lithium fluoride crystals, 1=3702
- Kolontsova, E.V. See Bagaryatskii, Yu.A., 1=20435
- Kolontsova, E. V. See Zhdanov, G.S., 4=1542
- Kolopus, J. L. See Holroyd, L. V., 4=10328
- Kofof, W. On the electron density distribution in molecules, 0=17792
- Kofof, W. On wave functions for the problem of electron and X-ray scattering by helium atoms, 1=3518
- Kofof, W. Approximate wave functions in the calculation of [atomic] electron excitation accompanying the beta-decay of He^6 , 1=13961
- Kolos, W. On the ionization of molecular gases by beta-particles, 2=1383
- Kolos, W. On the various forms of hydrogen atoms appearing in the gamma irradiated aqueous solutions, 4=10651
- Kolos, W. and Bolnevich, L. Nonadiabatic treatment of hydrogen molecule, 4=20041
- Kolos, W. and Kosek, S. Čerenkov radiation in the ^{60}Co gamma irradiation unit, 3=2239
- Kolos, W. and Pecul, K. On the influence of correlation of the atomic electrons on the elastic electron scattering by helium atoms, 2=1965
- Kolos, W. and Roothaan, C.C.J. Correlated orbitals for the ground state of the hydrogen molecule, 0=17811
- Kolos, W. and Roothaan, C.C.J. Accurate electronic wave functions for the H_2 molecule, 0=17813
- Kolos, W., Roothaan, C.C.J. and Sack, R.A. Ground state of systems of three particles with coulomb interaction, 0=17806
- Kofof, W. and Wolniewicz, L. The coupling between electronic and nuclear motion and the relativistic effects in the ground state of the H_2 molecule, 1=14096
- Kolos, W. and Wolniewicz, L. A complete non-relativistic treatment of the H_2 molecule, 2=22965
- Kofof, W. and Wolniewicz, L. Nonadiabatic theory for diatomic molecules and its application to the hydrogen molecule, 4=15334
- Kolos, W. See Baran, J., 2=12314
- Kolos, W. See Budzanowski, A., 0=5912
- Koloshnikov, V. G. The spectroscopic measurement of ion temperatures in "tokamak", 4=14731
- Koloshnikov, V. G., Mazing, M.A., Mandel'shtam, S.L. and Marasanov Yu.P. Use of Fabry-Perot etalon for studying spectral line widths in pulsed discharges, 2=11626
- Koloskova, N. G. Electron spin resonance line broadening by quadrupole-quadrupole interactions, 4=13337
- Koloskova, N.G. Effect of dislocations on the shape of the paramagnetic resonance lines, 3=15933
- Koloskova, N.G. and Kopvillem, U.Kh. The profile of the nuclear acoustic resonance line, 0=13125
- Koloskova, N.G. and Kopvillem, U.Kh. The influence of the internal electric field in non-conducting paramagnetic single crystals on the two-particle spin-spin interaction, 0=18213
- Koloskova, N.G. and Kopvillem, U.Kh., Acoustic excitation of free nuclear induction in cubic crystals, 1=6428
- Koloskova, N.G. and Kopvillem, Yu.Kh. The theory of the line shape of the nuclear magnetic acoustic resonance in cubic crystals, 2=21383
- Kolosnitsyn, N.I. See Kiselev, M.I., 0=11033
- Kolosov, L.E. See Parshin, A.M., 3=23349
- Kolosov, I. V. See Kolosov, I. F., 4=10652
- Kolosov, V.I. See Grishaev, I.A., 0=9202
- Kolosov, V.I. See Er'yshayev, I.O., 1=13126
- Kolosov, S.G. Correlation of earth's and the troposphere's upward radiation field with the temperature field, 3=23585

- Kolosov, Yu.A. See Vil'dgrube, G.S., 3=9586
- Kolosova, I. F. and Kolosov, I. V. Extraction of the radioactive isotope Be^7 from cyclotron targets, 4=10652
- Kolosova, L. P. See Bogomolov, S. G., 2=17472
- Kolosova, V. M. Use of emission analysis in forensic medicine, 3=25853
- Kolosowski, W. Analysis of surface waves over a dielectric guiding surface; the reflection coefficient, 3=24469
- Kolot, V. Ya. See Fogel', Ya. M., 3=14663
- Kolot, V. Ya. See Kozlov, V. F., 3=24380
- Kolotov, O. S. and Lobanov, Yu. N. Amplification of short pulses with pulse powering of the amplifier tubes, 2=17757
- Kolotov, O. S., Lobanov, Yu. N., Obukhov, A. S. and Polev, N. M. A generator of short-duration pulses, 4=16414
- Kolotov, O. S., Lobanov, Yu. N. and Shil'berskii, Z. A source of nanosecond pulses of continuously variable width, 2=19870
- Kolotov, O. S., Lobanov, Yu. N. and Tulinova, N. I. The operation of a betatron with electron injection pulses of short duration, 0=11005
- Kolotov, O. S. and Nikitina, T. N. Nanosecond current pulse generator for investigating the behavior of ferromagnetic films, 2=19865
- Kolotov, O. S. and Nikitina, T. N. Amplification of nanosecond pulses, 2=19866
- Kolotov, O. S., Nikitina, T. N. and Solanskii, N. M. Problem of the anisotropy dispersion in thin ferromagnetic films, 3=20601
- Kolotov, O. S., Sanin, A. A. and Shil'berskii, Z. Instrument for adjustment of pulse apparatus in the nanosecond range, 2=22144
- Kolotov, O. S. See Telesnin, R. V., 3=23173
- Kolotov, O. S. See Telesnin, R. V., 4=10283
- Kolotti, V. A. and Gerchikov, D. S. The effect of the material of the electrodes on ignition of explosive gas mixtures by a spark discharge, 2=10979
- Kolotukhin, V. A. See Gorbunov, A. A., 0=13265
- Koloty, V. V. See Vertebny, V. P., 3=19657
- Koloty, V. V. See Vertebny, V. P., 3=19658
- Kolotygin, V. S. See Fateeva, N. S., 4=8500
- Koloty'i, V. V. See Pasechnik, M. V., 4=1149
- Kolpakov, I. F. Transistorized digital comparator and reversible binary scaler, 3=1917
- Kolpakov, I. F. Transistor decade scaler with 10^{-7} second resolution, 3=24181
- Kolpakov, M. I. See Zhdanov, A. P., 1=3099
- Kolpakov, O. A. and Kotov, V. L. The radiation from a charge traversing a cylindrical resonator, 4=29991
- Kolsky, H. The mechanical testing of high polymers, 1=14882
- Kolsky, H. Stress waves in anelastic solids, 3=21477
- Kolsky, H. Stress waves in solids, 4=11279
- Kolsky, H. and Douch, L. S. Experimental studies in plastic wave propagation, 2=21416
- Kolsky, H. See Lifshitz, J. M., 4=13366
- Kolsrud, M. Semi-classical limits of Dirac's equation, 2=20239
- Kolsrud, M. See Eriksen, E., 1=16660
- Kolsrud, M. See Eriksen, E., 2=20309
- Koltay, E. Electron optical construction of inhomogeneous accelerating tubes, 1=340
- Koltay, E. Ion-optical behaviour of inclined field acceleration tubes, 3=14690
- Koltay, E. Investigation on the excitation function of the nuclear reaction $\text{Be}^9(d, n)\text{B}^{10}$ by artificially accelerated particles in the 0.5—1.6 MeV energy range, 4=1106
- Koltay, E. See Hansen, O., 4=12267
- Koltonski, W. and Malecki, I. Ultrasonic method for the exploration of the properties and structure of mineral layers, 0=16798
- Kolt'sov, V. V. A high-speed spectrometer with spectrum scanning by means of a rotating disk with a spiral cut serving as the exit slit, 0=16860
- Koltun, D. S. Approximation methods in nuclear intermediate coupling applied to the $1p$ shell, 2=358
- Koltun, D. S. and Wilets, L. Nuclear many-body problem with nonuniform density. I. Theory, 3=6131
- Koltun, S. See Frackowiak, D., 3=20492
- Koltunova, L. N. See Roik, I. L., 4=26748
- Kolt'ypin, E. A. Construction of a solid deuterium or tritium target for an electrostatic generator, 4=16714
- Kolt'ypin, E. A. and Yan'kov, G. B. Strength functions of Ni^{62} , Se^{80} , Cd^{114} and Sn^{118} at neutron energies between 50 keV and 400 keV, 4=3678
- Kolt'ypin, E. A. See Zubov, Yu. G., 4=8790
- Kolutkhin, V. A. See Izrailev, I. M., 2=17920
- Kolyadin, K. I. See Gurevich, M. M., 1=2866
- Kolybasov, V. M. See Shapiro, I. S., 3=22411
- Kolybasov, V. N. See Shapiro, I. S., 4=9500
- Kolychev, N. N. See Vinetskii, V. L., 4=1575
- Komai, L. G. See Tamura, T., 0=1347
- Komaki, A., Yano, S., Yoshida, H. and Okamura, S. Effect of free radicals on the proton resonance of irradiated polymers, 2=12837
- Komanichu, N. See Agarbichanu, I. I., 1=19342
- Komanichu, N. See Draganescu, V., 4=22300
- Komar, A. "Minimal property" of electromagnetic interaction for spin $\frac{1}{2}$ particles, 1=2015
- Komar, A. Indeterminate character of the reduction of the wave packet in quantum theory, 2=9196
- Komar, A. Generators of coordinate transformations in the Penrose formalism of general relativity, 2=17354
- Komar, A. Positive-definite energy density and global consequences for general relativity, 3=7106
- Komar, A. Commutators on characteristic surfaces, 4=21032
- Komar, A. Undecidability of macroscopically distinguishable states in quantum field theory, 4=11872
- Komar, A. and Salam, A. Renormalization problem for vector meson theories, 1=4776
- Komar, A. A. The scattering of spin $3/2$ particles by a Coulomb field, 0=2508
- Komar, A. A. See Baldin, A. M., 3=556
- Komar, A. A. See Baldin, A. M., 3=4431
- Komar, A. A. See Komar, A. P., 1=5989
- Komar, A. A. See Komar, A. P., 1=11085
- Komar, A. A. See Komar, A. P., 3=8219
- Komar, A. B. See Bergmann, P. G., 0=10578
- Komar, A. P. Soviet accelerators of heavy charged particles, 0=19839
- Komar, A. P. The fine structure of the photo-proton energy spectrum and the nuclear levels of Li^6 , 1=8584
- Komar, A. P. The kinetic energy of fission fragments from the photo-fission of Th^{232} and U^{238} , 1=8789
- Komar, A. P., Bochagov, B. A. and Fadeev, V. I. U^{238} fission by continuous spectrum ($E_{\gamma\text{max}} = 35$ MeV) photons and 14 MeV neutrons, 3=8143
- Komar, A. P., Bochagov, B. A. and Fadeev, V. I. Fission of Th^{232} induced by 14 MeV neutrons and by photons with a continuous energy spectrum $E_{\gamma\text{max}} = 90$ MeV, 4=9577
- Komar, A. P., Bogachov, B. A. and Solyakin, G. E. Energy distribution of α -particles from the photodisintegration of argon, 2=5892
- Komar, A. P., Bogachov, B. A. and Solyakin, G. E. Energy distribution of α -particles from the photodisintegration of argon, 2=12182
- Komar, A. P. and Komar, A. A. Molecules and molecular and atomic complexes as guides of electronic waves, 1=5989
- Komar, A. P. and Komar, A. A. Molecules and molecular and atomic complexes as guides of electronic waves, 1=11085
- Komar, A. P. and Komar, A. A. Theory of the waveguide properties of metal-like molecules and their complexes, 3=8219
- Komar, A. P. and Korobochko, Yu. S. Two processes contributing to the trapping of electrons in the betatron acceleration range, 0=11002
- Komar, A. P., Korobochko, Yu. S. and Shchebolev, V. T. An investigation of the relative effectiveness of trapping electrons in a betatron for different parts of the injection impulse, 0=11001
- Komar, A. P., Korolyov, G. A. and Kocharov, G. E. Investigation of α -decay of U^{238} , 0=20379
- Komar, A. P. and Kovarzh, Z. Isothermal gamma calorimeter, 1=5706
- Komar, A. P. and Kovarzh, Z. Isothermal gamma calorimeter, 1=10872
- Komar, A. P. and Kruglov, S. P. A quantummeter for measuring the energy flux of bremsstrahlung from betatrons and synchrotrons and its investigation for $E_{\gamma\text{max}} < 100$ MeV, 1=5709
- Komar, A. P., Kruglov, S. P. and Lopatin, I. V. Determination of the sensitivity of a dosimeter in the range from 15 to 300 MeV, 3=5977
- Komar, A. P., Kruglov, S. P. and Lopatin, I. V. Comparison of absolute measurements of the energy in a bremsstrahlung beam made in laboratories of various countries, 4=6013
- Komar, A. P., Kruglov, S. P. and Lopatin, I. V. Measurement of the flux of bremsstrahlung energy using a reference ionization chamber, 4=11966
- Komar, A. P., Kruglov, S. P., Lopatin, I. V. and Mus, K. F. A quantummeter with constant sensitivity for γ -radiation of energy above 15 MeV, 4=16850

- Komar, A.P., Krzhemenek, Ya. and Yavor, I.P. The photo-disintegration of the nucleus N^{14} , 0=13257
- Komar, A.P., Krzhemenek, Ya. and Yavor, I.P. Photodisintegration of Ne^{22} , 1=3436
- Komar, A.P., Krzhemenek, Ya. and Yavor, I.P. Photodisintegration of Ne^{22} , 1=11000
- Komar, A.P., Krzhemenek, Ya. and Yavor, I.P. Photodisintegration of nitrogen, 2=16388
- Komar, A.P., Kulikov, A.V., Chizhov, V.P., Yavor, I.P. and Volkov, Yu.M. Emission of fast deuterons in the photo-disintegration of O^{16} , 3=15178
- Komar, A.P. and Makhnovskii, E.D. The fine structure of the energy spectrum of photoprotons and the levels of Li^6 , 1=5893
- Komar, A.P. and Makhnovskii, E.D. Low energy deuterons and tritons in the photo-fission of Li^6 , 4=25444
- Komar, A.P., Makhnovskii, E.D. and Poddubnov, V.P. Relative escape and energy distribution of photo-deuterons from copper, 0=17619
- Komar, A.P., Makhnovskii, E.D. and Poddubnov, V.P. Relative escape and energy distribution of photo-deuterons from copper, 1=4855
- Komar, A.P., Mikheev, G.F. and Chernov, N.N. A system of extremal regulation of the intensity of γ -radiation of a synchrotron, 1=5515
- Komar, A.P., Mikheev, G.F. and Chernov, N.N. A system of extremal regulation of the intensity of τ -radiation of a synchrotron, 1=11992
- Komar, A.P., Mikheev, G.F., Fominenko, V.P. and Chernov, N.N. A new method of investigating the process of injection of electrons in the betatron, 0=17061
- Komar, A.P., Mikheev, G.F., Fominenko, V.P. and Chernov, N.N. A new method for investigating the process of injection of electrons in the betatron, 1=4683
- Komar, A.P., Mikheev, G.F., Fominenko, V.P. and Chernov, N.N. Investigating electron capture in the stationary mode for betatron acceleration, 2=13618
- Komar, A.P. and Savchenko, V.P. Influence of impurities and dislocations on field emission in metallic crystals, 2=20015
- Komar, A.P. and Savchenko, V.P. Influence of impurities and dislocations on field emission in metallic crystals, 2=22246
- Komar, A.P., Savchenko, V.P. and Shrednik, V.H. Electron field emission microscopy of order-disorder alloys, 0=4700
- Komar, A.P. and Shrednik, V.N. Atomic structure of W micro-crystals with dimensions up to 60 Å, 3=3296
- Komar, A.P. and Stabnikov, M.V. Variation of the pressure in a diffusion cloud chamber during the formation of tracks and possibilities of its use, 0=11072
- Komar, A.P. and Stabnikov, M.V. A study of the effect of plates on the sensitive layer of a diffusion cloud chamber, 2=1635
- Komar, A.P., Stabnikov, M.V. and Yashin, D.A. Controlled diffusion chamber, 2=1636
- Komar, A.P. and Syutkin, N.N. "Hot" ageing and recovery of Ni-Be alloy observed in a field-emission electron microscope, 4=2112
- Komar, A.P., Volkenshtein, N.V. and Fedorov, G.V. Change of sign of the Hall constant during the ordering of atoms in an alloy, 0=1619
- Komar, A.P., Vorob'ev, A.A. and Korolev, V.A. Measurement of the fluctuations of ionization of α -particles in argon, 1=18762
- Komar, A.P. See Bazhanov, E.B., 4=22109
- Komar, A.P. See Bogachov, B.A., 0=15186
- Komar, A.P. See Bochagov, B.A., 0=20510
- Komar, A.P. See Bochagov, B.A., 3=15248
- Komar, A.P. See Bochagov, B.A., 4=6398
- Komar, A.P. See Chizhov, V.P., 2=16389
- Komar, A.P. See Denisov, S.G., 0=19860
- Komar, A.P. See Ivanov, D.P., 0=9129
- Komar, A.P. See Ivanov, D.P., 0=11003
- Komar, A.P. See Ivanov, D.P., 0=11004
- Komar, A.P. See Volkov, Yu.M., 3=8023
- Komar, A.P. See Vorob'ev, A.A., 0=8991
- Komar, A.P. See Vorob'ev, A.A., 0=11345
- Komar, A.P. See Vorob'ev, A.A., 0=11348
- Komar, A.P. See Vorob'ev, A.A., 0=20374
- Komar, A.P. See Vorob'ev, A.A., 1=18756
- Komar, A.P. See Vorob'ev, A.A., 2=14016
- Komar, A.P. See Vorob'ev, A.A., 3=2152
- Komar, E.G. A cyclotron with a radially travelling magnetic wave, 1=9654
- Komar, E.G. See Afrosimov, V.V., 1=9662
- Komar, E.G. See Glukhikh, V.A., 1=4617
- Komar, E.G. See Glukhikh, V.A., 1=5477
- Komar, E.G. See Glukhikh, V.A., 1=9258
- Komar, E.G. See Glukhikh, V.A., 1=9603
- Komar, E.G. See Vladimirovskii, V.V., 2=20081
- Komar, E.G. See Vladimirovskii, V.V., 3=12275
- Komar, E.G. See Vladimirovskii, V.V., 4=14794
- Komarek, K. See Miller, E., 1=17750
- Komarek, K.L. See Eldridge, J., 4=15441
- Komarek, K.L. See Silver, M.D., 4=7471
- Komarov, G.V. and Regel, A.R. A simple method of recording the peltier effect at the boundary between solid and liquid phases, 2=19893
- Komarov, G.V. and Regel, A.R. Oscillation conditions of the boundary between the solid and liquid phases of bismuth, 3=25664
- Komarov, L.I. and Fisher, I.Z. Theory of Rayleigh scattering of light by liquids, 3=14166
- Komarov, L.I. and Fisher, I.Z. Neutron and optical spectra as sources of information on the motion of molecules in liquids, 4=21094
- Komarov, L.I. See Kacharskaya, L.V., 4=24205
- Komarov, N.N. Topology of steady-state plasma configurations in transverse self-consistent fields. I. Spatial-periodic plasma structures, 4=8688
- Komarov, N.N. and Fadeev, V.M. Plasma in a self-consistent magnetic field, 1=18837
- Komarov, N.N. and Fadeev, V.M. Plasma in a self-consistent magnetic field, 2=22209
- Komarov, N.N. and Fadeev, V.M. An investigation of stationary states of a plasma in the kinetic approximation, 2=22215
- Komarov, N.V. See Gastilovich, E.A., 4=20075
- Komarov, R.M. and Petrov, V.I. Investigation of r.f. discharge in a proton source, 2=222
- Komarov, V. Why stellar systems emit radio waves, 4=15962
- Komarov, V.A. See Bochin, V.P., 4=12269
- Komarov, V.D. and Fesenko, E.G. Investigation of the effect of isomorphous replacement of Ti ions on phase transitions in $BaTiO_3$, 2=14633
- Komarov, V.I. See Akimov, Yu.K., 1=1985
- Komarov, V.I. See Akimov, Yu.K., 2=287
- Komarov, V.I. See Akimov, Yu.K., 2=7889
- Komarov, V.I. See Akimov, Yu.K., 3=4390
- Komarov, V.I. See Butslov, M.M., 4=30136
- Komarov, V.I. See Evseev, V.S., 1=19499
- Komarov, V.I. See Evseev, V.S., 2=7872
- Komarov, V.I. See Evseev, V.S., 2=22832
- Komarov, V.V., Kurepin, A.B. and Popova, A.M. The possibility of use of the (n, 2n) reaction in nuclear spectroscopy, 1=4834
- Komarov, V.V., Kurepin, A.B. and Popova, A.M. Possibility of utilizing the (n, 2n) reaction in nuclear spectroscopy, 2=18343
- Komarov, V.V. and Popova, A.M. Energy distribution of reaction products with recoil of some particles, 0=7425
- Komarov, V.V. and Popova, A.M. Direct interaction in reactions with emission of two nucleons, 0=13222
- Komarov, V.V. and Popova, A.M. Investigation of the interaction between the products of reactions in which several particles are emitted, 0=17332
- Komarov, V.V. and Popova, A.M. Investigation of the spectra of neutrons emitted in the disintegration of deuterons by protons, 0=20244
- Komarov, V.V. and Popova, A.M. Investigations of the energy distributions of the products of nuclear reactions involving emission of several particles, 2=18309
- Komarov, V.V. and Popova, A.M. Investigation of deuteron disintegration due to nucleons by the diagram summation technique, 4=3494
- Komarov, V.V. and Popova, A.M. Break-up of a deuteron by a nucleon, 4=21955
- Komarov, V.V. and Popova, A.M. The four body problem at low energies, 4=27914
- Komarov, V.V. See Vasil'ev, S.S., 0=9625
- Komarov, V.V. See Vasil'ev, S.S., 1=16464
- Komarov, V.V. See Vasil'ev, S.S., 2=3619
- Komarov, V.V. See Vasil'ev, S.S., 2=183224
- Komarov, V.V. See Vasil'ev, S.S., 3=2458
- Komarov, V.V. See Vasilyev, S.S., 3=2495
- Komarov, V.V. See Vasil'ev, S.S., 3=4671
- Komarov, V.V. See Vasilyev, S.S., 3=8091
- Komarov, V.V. See Vasil'ev, S.S., 3=10345
- Komarov, W.J. See Yeffseyev, W.S., 1=12035
- Komarov, W.I. See Yeffseyev, W.S., 2=14122
- Komarova, T.I. See Zhuze, V.P., 4=30626
- Komarova, V.A. See Asaturov, A.A., 4=26491

- Komarovskii, A.G. See Buyanov, N.V., 3=25848
- Komarovskii, L.V. A rigorous solution of the equations [governing] three-dimensional non-stationary flow of gases of the double-wave type, 1=4365
- Komarovskii, L.V. A rigorous solution of the equations [governing] three-dimensional non-stationary flow of gases of the double-wave type, 1=10531
- Komarovskikh, K.F. See Gross, E.F., 0=13700
- Komatsu, H., Wakiya, K. and Suzuki, T. Proton magnetic resonance in piled up crystals of cetyl alcohol, 3=15958
- Komatsu, K. Interpretation of the specific heat of various graphites at very low temperatures, 4=25855
- Komatsu, N. and Grant, N.J. Particle coarsening in a copper-silica alloy, 4=30868
- Komatsubara, K. Change of surface recombination velocity of germanium by γ -ray irradiation, 0=4342
- Komatsubara, K. Change of surface state of Ge by electron bombardment, 1=17690
- Komatsubara, K. On the change of surface states of germanium by irradiation, 2=6395
- Komatsubara, K., Inuishi, Y., Edagawa, H. and Shibaike, T. 1/f noise and channel in Ge p-n junction, 1=14485
- Komatsubara, K. and Kurono, H. On the low temperature electrical breakdown of highly compensated germanium, 2=16699
- Komatsubara, K. and Kurono, H. The change of current-voltage characteristics by light illumination on the compensated Ge and Si, at low temperature, 2=16706
- Komatsubara, K. and Kurono, H. The effect of magnetic field on the low-temperature breakdown in highly compensated germanium, 3=20310
- Komatsubara, K., Kurono, H. and Takasugi, N. Stress dependence of the low-temperature breakdown characteristic of the highly compensated p-germanium, 4=22710
- Komatsubara, K., Takasugi, N. and Kurono, H. A new type of oscillations in germanium under the magnetic field, 4=12897
- Komatsubara, K. See Kurata, T., 1=11312
- Komatsubara, T. See Kasaya, M., 4=4177
- Komatsuzawa, A., Nogami, Y. and Sugano, R. Effect of strange particles on the s-wave pion-nucleon scattering, 0=20200
- Komatsuzawa, A., Sugano, R. and Nogami, Y. Coupling constant of kaon-baryon interaction. I, 0=15427
- Komatsuzawa, A., Sugano, R. and Nogami, Y. Coupling constant of kaon-baryon interaction. II, 0=15428
- Komatsuzawa, A., Sugano, R. and Nogami, Y. Low energy kaon-nucleon reactions, 0=15433
- Komatsuzawa, A. See Sugano, R., 1=3239
- Komatuzaki, T. See Kumabe, I., 3=4669
- Komatuzaki, T. See Kumabe, I., 3=24934
- Komatuzaki, T. See Kumabe, I., 3=24935
- Kombarov, A.K. See Borodich, V.D., 3=21667
- Komel'kov, B.S. See Nesterikhin, Yu. E., 4=14603
- Komel'kov, V.S., Meilikhov, E. Z. and Pimoshin, A.A. Pulse breakdown of point gaps in strong magnetic fields, 4=478
- Komel'kov, V.S., Morozova, T.I. and Skvortsov, U.V. The investigation of a powerful electric discharge in deuterium, 1=7037
- Komel'kov, V.S. and Skvortsov, Yu.V. The expansion of a heavy spark channel in a liquid, 0=7104
- Komel'kov, V.S., Skvortsov, Yu. V. and Tereshchenko, V.N. Directed shock waves in intense sparks, 4=8660
- Komel'kov, V.S., Skvortsov, Y., Tereshchenko, V.N. and Zerevitinov, S.S. A dynamical current filament, 3=7560
- Komel'kov, V.S. See Aretov, G. N., 4=19069
- Komel'kov, V.S. See Aretov, G. N., 4=27506
- Komel'kov, V.S. See Skvortsov, Yu. V., 1=5430
- Komel'kov, V.S. See Skvortsov, Yu. V., 4=24719
- Komel'kov, V.S. See Vasil'ev, V.I., 1=2975
- Komesaroff, M.M. Ionospheric refraction in radio astronomy. I. Theory, 0=18655
- Komesaroff, M.M. The galactic radio spectrum down to 19.7 Mc/s, 2=4853
- Komesaroff, M.M. The 19 Mc/s mills cross and absorption in interstellar gas, 4=4930
- Komesaroff, M.M. and Mathewson, D.S. Measuring the linearity of radio astronomy receivers, 3=13918
- Komesaroff, M.M. See Shain, C.A., 2=4852
- Komin, A.V. See Alikhanov, S.G., 3=14592
- Komin, A.V. See Demirkhanov, R.A., 3=7522
- Komissarchik, Ya. Yu. and Mashanskii, V.F. Evaluation of the performance of the UMT-2 ultramicrotome, 3=3696
- Komissarov, L.V. and Tarabanko, V.A. Determination of the relative U^{235} - Pu^{239} conversion factors in lattices of natural uranium and ordinary water, 0=2702
- Komissarov, O.D., Nazarova, T.N., Neugodov, L.N., Poloskov, S.M. and Rusakova, L.Z. Rocket and satellite studies of micro-meteorites, 2=13118
- Komissarov, O.D. See Nazarova, T.N., 4=26928
- Komissarova, L.N. See Spitsyn, V.I., 1=20427
- Komissarova, M. L. See Volkov, S. D., 4=15687
- Komissarova, Z.A. See Baskova, K.A., 1=19755
- Komiya, H. See Ibuki, S., 1=14507
- Komiya, H. See Ibuki, S., 3=13219
- Komiya, H. See Yamashita, H.,
- Komiyama, J. See Yoshino, T., 3=11812
- Komkov, A.I. The structure of natural fergusonite, and of a polymorphic modification, 1=15107
- Komkov, A.I. and Frank-Kamenetskii, V.A. X-ray determination of the orientation of a crystal, 0=13998
- Komljenović, S. and Rychlewski, J. The Cauchy problem for the case of plane plastic strain solved with the use of power series, 4=5118
- Kommandeur, J. Photoconductivity in organic single crystals, 2=8428
- Kommandeur, J. and Hall, F.R. Electronic conduction in complexes of aromatic hydrocarbons with iodine, 1=3775
- Kommandeur, J. See Blomgren, G.E., 1=19866
- Kommandeur, J. See Singer, L.S., 1=3938
- Komnik, S.N., Startsev, V.I. and Tsirlin, Yu. A. The temperature dependence of γ -scintillations in caesium iodide crystals activated by thallium, 0=4459
- Komnik, S.N. See Bengus, V.Z., 2=4364
- Komnik, S.N. See Bengus, V.Z., 2=8769
- Komnik, S.N. See Bengus, V.Z., 3=12971
- Komnik, S.N. See Bengus, V.Z., 3=12982
- Komnik, S.N. See Tsirlin, Yu. A., 0=1760
- Komnik, Yu. F. Measurement of thermal effects during condensation of thin films, 3=19074
- Komnik, Yu. F. An electron-diffraction study of the formation of metal films, 4=13683
- Komnik, Yu. F. See Palatnik, L.S., 0=1943
- Komnik, Yu. F. See Palatnik, L.S., 0=19505
- Komnik, Yu. F. See Palatnik, L.S., 1=5379
- Komnik, Yu. F. See Palatnik, L.S., 1=12443
- Komnik, Yu. F. See Palatnik, L.S., 1=15176
- Komnik, Yu. F. See Palatnik, L.S., 2=23370
- Komnik, Yu. F. See Palatnik, L.S., 3=2881
- Komnik, Yu. F. See Palatnik, L.S., 3=13513
- Komnik, Yu. F. See Palatnik, L.S., 3=20297
- Komnik, Yu. F. See Palatnik, L.S., 4=2066
- Komochkov, M.M. Activation of various materials by irradiation with 660 MeV protons, 4=6251
- Komoda, T. First excited state in Ca^{42} and Ca^{44} , 0=13148
- Komoda, T. Lower levels in Ca^{43} , 1=614
- Komoda, T. M1-transition in V^{51} and configuration mixing, 1=8659
- Komoda, T. Ground states of Ca isotopes, 1=10954
- Komoda, T. M1-transition in V^{51} and configuration mixing, 1=10988
- Komoda, T. Energy levels of $f_{7/2}$ nuclei and configuration interaction, 3=15092
- Komoda, T. Energy levels of Cr^{52} and Ca^{44} , 4=12147
- Komoda, T. Observation of lattice planes of 2.35 Å spacing with an electron microscope, 4=15782
- Komoda, T. On the resolution of the lattice imaging in the electron microscope, 4=15784
- Komoda, T. See Ogawa, S., 0=21235
- Komoda, T. See Tokuyasu, T., 3=20955
- Komolov, A.B. See Andreev, S.I., 2=22184
- Komolova, T.I. and Nasledov, D.N. An investigation of the static current-voltage based on semiconducting titanium oxide, 2=10501
- Komolova, V. Ye. See Kopylov, G.I., 3=24671
- Komor, Z. See Hoffman, Z., 4=9223
- Komori, H. The energy spectrum and the energy balance of cosmic radiation, 2=12045
- Komori, H. The energy spectrum and the energy balance of cosmic radiation, 2=16272
- Komoto, T. See Sparks, J.T., 3=1023
- Komoto, T. See Sparks, J.T., 3=15748
- Komoto, T. See Sparks, J.T., 4=28762
- Komova, E.M. See Mirgalovskaya, M.S., 3=25732
- Kompaneets, A.S. The influence of space charge on auto-electronic emission, 0=3784
- Kompaneets, A.S. Point detonation in an inhomogeneous atmosphere, 0=6863

- Kompaneets, A.S. On the bond in the $C^{12}-C^{12}$ nuclear molecule, 1=17153
- Kompaneets, A.S. Regularization of the classical equations of electrodynamics, 3=17166
- Kompaneets, A.S. Diffusion from an instantaneous source in a gravity field, 3=21427
- Kompaneets, A.S. Classical model of a charged particle with an angular momentum, 4=803
- Kompaneets, A.S. and Lantsburg, E.Ya. Heating of a gas by radiation, 2=2913
- Kompaneets, A.S. and Lantsburg, E.Ya. Heating of a gas by radiation, 3=1855
- Kompaneets, A.S. See Zel'manov, I.L., 2=13623
- Kompaneets, A.S. See Zel'manov, I.L., 2=17914
- Kompaneitsev, N.A. See Sadovskii, V.D., 1=10227
- Kompanejev, A.S. The separation of gaseous mixtures by a vapour current, 1=20781
- Kompanek, A.J., Jr and Tarnuzzer, E.C. Neutron-activated wires plot fluxes in Yan Kee core, 2=12262
- Kompanyets, A.S. Propagation of a strong electromagnetic-gravitational wave in vacuum, 0=6676
- Kompanyets, A.S. and Lantsburg, E.Ya. Analysis of the propagation of a nonequilibrium heat wave by taking into account the finiteness of the velocity of light, 2=19763
- Kompanyets, A.S. and Lantsburg, E.Ya. Analysis of the propagation of a nonequilibrium heat wave by taking into account the finiteness of the velocity of light, 3=7382
- Kompfner, R. See Herriott, D., 4=18415
- Komrská, J., Drahoš, V. and Delong, A. Fresnel diffraction of electrons by a filament, 4=21569
- Komsha, G., Gel'berg, A. and Iosifescu. Variation with temperature of the work function of the ferromagnetic alloy Ni_3Fe , 2=17860
- Komsha, G. and Simionescu, K. Investigation of a demountable ion pump with cathodic sputtering, 1=1773
- Komsha, G. See Gel'berg, A., 1=14693
- Komura, S. and Kunitomi, N. Diffusion of thallium in single crystals of copper, 3=22826
- Komura, S., Kunitomi, N., Hamaguchi, Y. and Sakamoto, M. Ferromagnetism of the intermetallic compound UF_2 , 1=20078
- Komura, S., Kunitomi, N., Tseng, P.K., Shikazono, N. and Takekoshi, H. Mössbauer effect of the intermetallic compound UF_2 , 1=19686
- Komura, S. and Shikazono, N. Hyperfine field in $ZrFe_2-UF_2$ ternary system, 3=15412
- Komura, S. See Hamaguchi, Y., 2=12497
- Komura, S. See Hamaguchi, Y., 3=1113
- Komura, S. See Kunitomi, N., 3=6829
- Komura, S. See Kunitomi, N., 4=29146
- Komura, Y. Stacking faults and two new modifications of the laves phase in $Mg-Cu-Al$ system, 2=18591
- Komura, Y., Tomiie, Y. and Nathans, R. Scattering factor for outer electrons in ordered Fe_3Al , 0=1915
- Komura, Y., Tomiie, Y. and Nathans, R. X-ray measurement of the scattering factor of iron in ordered Fe_3Al , 1=11561
- Komura, Y. See Kakinoki, J., 2=10838
- Kon, A.Z. See Perlin, Yu.E., 1=20034
- Kon, A.Z. See Perlin, Yu.E., 2=4194
- Kon, H. Electron spin resonance of atomic hydrogen in calcium sulfate hemihydrate at room temperature, 4=26401
- Kon, H. See Maruyama, T., 3=23128
- Koňák, C. Some optical properties of cadmium telluride, 3=23067
- Koňák, C. See Höschl, P., 3=20977
- Koňák, C. See Höschl, P., 3=25823
- Koňák, C. See Höschl, P., 4=7547
- Koňák, C. See Höschl, P., 4=15758
- Konakh, V.F. See Nedospasov, A.V., 0=14993
- Konakhovich, Yu.Ya. and Panasyuk, I.S. A plane crystal neutron spectrometer, 0=5572
- Konakhovich, Yu.Ya. and Saksonov, Yu.G. A neutron diffraction study of a manganese-zinc ferrite, 3=23184
- Konakov, P.K. Energy transfer in a grey medium, 4=2609
- Konar, A. Asymptotic covariant conservation laws for gravitational radiation, 2=17344
- Konda, A. See Takasaki, H., 4=14400
- Kondaiah, E. Direct interactions of fast neutrons with fluorine, 2=1899
- Kondaiah, E. and Bradrinathan, C. Spin of the first excited state of B^{12} , 0=7456
- Kondaiah, E., Jhingan, M.L. and Badrinathan, C. Surface direct interaction of 14 MeV neutrons with fluorine, 1=17124
- Kondaiah, E. See Lingappa, N., 3=639
- Kondilenko, I.I. Raman scattering function [for gases], 2=1202
- Kondilenko, I.I. and Korotkov, P.A. The connection between the absorption coefficients and intensity of the Raman lines in the resonance region, 1=12291
- Kondilenko, I.I., Korotkov, P.A. and Strizhevskii, V.L. The Raman scattering indicatrix, 0=19412
- Kondilenko, I.I., Korotkov, P.A. and Strizhevskii, V.L. The intensities of Raman lines, 0=19413
- Kondilenko, I.I., Korotkov, P.A. and Strizhevskii, V.L. An investigation of the Raman indicatrix, 2=6173
- Kondilenko, I.I., Pogoryelov, V.Yu. and Strizhevskii, V.L. Investigations of the intensities of the overtone lines of the Raman scattering of light, 2=18447
- Kondilenko, I.I., Porogelov, V.E. and Strizhevskii, V.L. Intensities of Raman overtones, 3=10486
- Kondilenko, I.I. and Pohoryelov, V.Ye. Application of the internal standard method for investigating the frequency dependence of the intensity of Raman lines, 4=24366
- Kondilenko, I.I. and Strizhevskii, V.L. The frequency dependence of Raman line intensities, 2=10259
- Kondilenko, I.I., Verlan, E.M., Korotkov, P.A. and Strizhevskii, V.L. Raman scattering function for light in a crystal medium, 3=20463
- Kondilenko, I.I. and Vorob'eva, G.A. An annular low-pressure mercury lamp, 1=9480
- Kondilenko, I.I. and Vorob'eva, G.A. Annular low-pressure mercury lamp, 2=17634
- Kondilenko, I.I. See Babich, I.L., 3=10487
- Kondilenko, I.I. See Babich, I.L., 3=21372
- Kondilenko, I.I. See Babich, I.L., 4=12420
- Kondo, A. See Kitamura, K., 4=7014
- Kondo, H. and Miyahara, S. Magnetic properties of some synthetic olivines, 3=23142
- Kondo, H. and Toshioka, K. On the plasma confinement with travelling magnetic field, 4=8734
- Kondo, H. See Kawai, T., 3=4143
- Kondo, H. See Kawai, T., 4=2977
- Kondo, H. See Kawai, T., 4=8733
- Kondo, H. See Kinoshita, K., 1=11440
- Kondo, H. See Kinoshita, K., 1=11441
- Kondo, I. On cosmic-ray intensity increase during geomagnetic storm, 2=12040
- Kondo, I. On cosmic-ray intensity increase during geomagnetic storm, 2=22689
- Kondo, I., Murayama, T., Mori, S., Okuda, H., Sakakibara, S. and Sekido, Y. Intensity distribution of high energy cosmic rays on the celestial sphere, 2=12068
- Kondo, I., Nagashima, K., Yoshida, S. and Wada, M. On worldwide cosmic-ray intensity increases associated with cosmic-ray storms, 0=11256
- Kondō, I. See Kawabata, K., 0=15464
- Kondo, I. See Kodama, M., 0=15494
- Kondo, I. See Sekido, Y., 2=12067
- Kondo, I. See Sekido, Y., 2=12069
- Kondo, J. Band theory of superexchange interaction, 0=11920
- Kondo, J. Superexchange interaction of MnO , 0=18207
- Kondo, J. Superexchange interaction: the four electron model, 0=21059
- Kondo, J. Electron spin resonance of Mn^{++} ion in ionic crystals, 1=3936
- Kondo, J. Spin-lattice relaxation of donor electrons in silicon, 1=11489
- Kondo, J. Internal magnetic field in rare earth metals, 1=20041
- Kondo, J. Anomalous Hall effect and magnetoresistance of ferromagnetic metals, 2=10439
- Kondo, J. Electrical resistivity of ferromagnetic metals, 3=827
- Kondo, J. g-shift and anomalous Hall effect in gadolinium metals, 3=8400
- Kondo, J. Spin-lattice interaction of a Mn^{++} ion in MgO , 3=8724
- Kondo, J. Superconductivity in transition metal, 3=9678
- Kondo, J. Resistance minimum in dilute magnetic alloys, 4=28524
- Kondo, J. and Yamashita, J. Nuclear quadrupolar relaxation in ionic crystals, 0=3142
- Kondo, K. On the analytical and physical foundations of the theory of dislocations and yielding by the differential geometry of continua, 4=26468
- Kondo, K. [Ed.]. R.A.A.G. memoirs of the basic problems in engineering and physical sciences by means of geometry. Vol. II, 0=10548

- Kondo, K., Hirakawa, H., Miyahara, A., Oka, T. and Shimoda, K. Microwave Zeeman effect of formaldehyde, 1=7464
- Kondo, K. and Miyamoto, Y. Magnetic susceptibility of AuMn₃ alloy, 4=15627
- Kondo, K. and Oka, T. Stark-Zeeman effects on asymmetric top molecules. Formaldehyde H₂CO, 1=7465
- Kondo, K. See Hirone, T., 3=11026
- Kondo, K. See Kabe, S., 4=25372
- Kondo, K. See Shimoda, K., 1=14020
- Kondo, M., Yamazaki, T. and Yamabe, S. Angular distribution of (α , p) reactions in some light nuclei, 1=13855
- Kondo, M., Yamazaki, T. and Yamabe, S. Angular distributions of (α , n) reactions on Be and C, 3=10388
- Kondo, M. See Mikumo, T., 1=9881
- Kondo, M. See Mikumo, T., 1=9882
- Kondo, M. See Yamabe, S., 1=12191
- Kondo, M. See Yamabe, S., 2=16399
- Kondo, M. See Yamazaki, T., 3=19883
- Kondo, N. See Zeitlin, H., 4=25711
- Kondo, S. Difference between dynamic and static surface tensions, 0=70
- Kondo, S. A biophysical consideration on radiation mutagenesis, 2=7049
- Kondo, S. and Randolph, M.L. Effect of finite size of ionization chambers on measurements of small photon sources, 0=17136
- Kondo, Y. Spectrophotometric studies on inorganic crystals. I. Absorption spectra of crystalline hexamminecobalt (III) salts, 2=8514
- Kondo, Y. Spectrophotometric studies on inorganic crystals. II. Measurement of thickness of thin crystals by interferometry, 2=8515
- Kondo, Y. Spectrophotometric studies on inorganic crystals. III. Microspectrophotometry of crystalline hexamminecobalt (III) chloride, 2=18825
- Kondoh, H. Antiferromagnetic resonance in NiO in far-infrared region, 1=12557
- Kondoh, H. Multiple twin domains and domain walls in NiO crystal, 3=1146
- Kondoh, H. A new birefringence pattern of antiferromagnetic NiO crystal, 3=18109
- Kondoh, H. Observation on optically biaxial properties in antiferromagnetic NiO, 4=4264
- Kondoh, H., Uchida, E. and Nakazumi, Y. Magnetic anisotropy measurements of annealed NiO crystal, 2=23653
- Kondoh, H. See Takeda, T., 2=21046
- Kondoh, H. See Takeda, T., 2=21471
- Kondoh, H. See Uchida, E., 1=9045
- Kondorskaya, N.V. See Vanek, I., 2=19187
- Kondorskii, E.I. The causes of the anomalous physical properties of the invar-type alloys, 0=10185
- Kondorskii, E.I. Theory of the stability of magnetic states of ferromagnetic materials in the magnetization process, 0=11813
- Kondorskii, E.I. Origins of the Nernst effect in ferromagnetic metals, 1=17628
- Kondorskii, E.I. The theory of the Nernst-Ettingshausen effect in ferromagnetic metals, 4=4114
- Kondorskii, E.I. Theory of the Nernst-Ettingshausen effect in ferromagnetic metals. II, 4=25996
- Kondorskii, E.I., Galkina, O.S. and Chernikova, L.A. On the maximum of the electric resistance of ferromagnetics at their Curie points at low temperatures, 0=11662
- Kondorskii, E.I. and Sedov, V.L. Change of atomic magnetic moments of ferromagnetic metals under uniform compression, 0=11831
- Kondorskii, E.I. and Sedov, V.L. Variation of saturation magnetization and the electrical resistance of Fe-Ni alloys under the effect of an isotropic compression at low temperatures, 0=13775
- Kondorskii, E.I. and Smirnova, L.G. An investigation of the frequency dependence of the permeability of some Ni-Fe and Co-Fe alloys in the frequency range 10^5 - 10^7 c/s, 0=4486
- Kondorskii, E.I. See Galkina, O.S., 2=3985
- Kondorskii, E.I. See Galikina, O.S., 3=4905
- Kondorskii, E.I. See Kostina, T.I., 4=6924
- Kondorskii, E.I. See Shakhov, V.I., 2=14799
- Kondorskii, E.I. See Shakhov, V.I., 2=18918
- Kondorskii, E.I. See Vinokurova, L.I., 4=20567
- Kondorskii, E.I. See Cecernikov, V.I., 0=13757
- Kondorskii, E.J. and Vasil'eva, R.P. Degree of localization of "magnetic electrons" and the Nernst-Ettingshausen phenomenon in ferromagnetic metals, 4=4113
- Kondorskiy, Ye.I. See Bekeshko, N.A., 1=6429
- Kondorsky, E.I., Galkina, O.S., Chernikova, L.A. and Kai-da Chsian. The electrical properties of thin films of nickel at very low temperatures, 3=832
- Kondorsky, E.I. and Sedov, V.L. Antiferromagnetism of iron in face-centered crystalline lattice and the causes of anomalies in invar physical properties, 0=11912
- Kondow, T. See Inokuchi, H., 4=22932
- Kondrashev, A.P. See Broder, D.L., 4=12014
- Kondrashev, L.F., Kurashov, A.A., Linev, A.F., Sidorov, V.A., Sokolov, N.I. and Khaldin, N.N., 1=3194
- Kondrashev, L.F., Rybin, S.N., Sokolov, N.I. and Khalkin, N.N. Thin vacuum-tight walls, 4=16163
- Kondrashev, Yu.D. The crystal structure and composition of crednerite, CuMnO₂, 0=12050
- Kondrasheva, L.D. and Podmoshenskii, I.V. Determination of atomic concentrations in arc plasma by a pulse absorption method, 1=2289
- Kondrashov, A.P. See Broder, D.L., 2=8045
- Kondrashov, A.P. See Broder, D.L., 2=14175
- Kondrashov, N.G., See Ermakov, V.S., 3=10411
- Kondratenko, A.M. Nonlinear theory of ionic cyclotron resonance, 2=20003
- Kondratenko, A.M. Wave excitation in a plasma modulated by a current, 2=20004
- Kondratenko, A.M. Nonlinear theory of a plasma waveguide, 3=19455
- Kondratenko, A.N. Nonlinear theory of a plasma waveguide, 4=14903
- Kondratenko, A.N. On the non-linear theory of a plasma waveguide in a strong magnetic field, 4=19235
- Kondratenko, A.N. A non-linear theory of electron cyclotron resonance, 4=24687
- Kondratenko, A.N. "Decay" instability of the waves in plasma waveguides, 4=24710
- Kondratenko, V.M. See Samoilovich, A.H., 1=11284
- Kondratenko, P.S. Theory of a ferromagnetic Fermi fluid, 4=20531
- Kondrat'ev, B.V. Electron beam in a spiral waveguide (taking account of the geometric dimensions of the spiral), 0=10947
- Kondrat'ev, B.V. Effect of a spiral band width on the amplification in a travelling-wave tube, 4=11809
- Kondrat'ev, B.V. Delay in a spiral waveguide with an anisotropic medium, 4=30060
- Kondrat'ev, B.V. See Shestopalov, V.P., 0=11057
- Kondrat'ev, B.V. See Vishnevetskii, M.Z., 4=14900
- Kondrat'ev, I.G. See Gil'denburg, V.B., 3=24290
- Kondrat'ev, K.Ya. Satellites and meteorology, 3=18492
- Kondrat'ev, K.Ya. Certain problems in the interpretation of measurement data on outgoing radiation obtained with meteorological satellites, 4=26775
- Kondrat'ev, K.Ya. and Fedorova, M.P. An attempt at handling and analysis of some measurements of the components of the radiation balance of the "earth surface-atmosphere" system on the satellite Tiros II, 3=23567
- Kondrat'ev, K.Ya. and Fedorova, M.R. Fluxes of outgoing long wave radiation on to differently orientated surfaces, 3=23569
- Kondrat'ev, K.Ya. and Gaevskaya, G.N. Vertical profile of the radiation balance and its components in the free atmosphere during daytime, 3=23584
- Kondrat'ev, K.Ya., Gaevskaya, G. N. and Nikolskii, G. A. Vertical profile of the radiation balance and its components in the free atmosphere during daytime, 4=7841
- Kondrat'ev, K.Ya. and Fedorova, M. P. An attempt at handling and analysis of some measurements of the components of the radiation balance of the "earth surface-atmosphere" system on the satellite Tiros II, 4=7842
- Kondrat'ev, K.Ya. and Rozenberg, G.V. Convention of actinometry and atmospheric optics, 1=2563
- Kondrat'ev, K.Ya. and Yakushevskaya, K.E. Angular distribution of outgoing thermal radiation in different spectral regions, 3=23564
- Kondrat'ev, K.Ya. See Borisenkov, E. P., 4=26776
- Kondrat'ev, L. N. and Tret'yakov, E. F. New data on the excited levels of W¹⁸², 4=30314
- Kondrat'ev, L.N. See Balats, M.Ya., 0=20567
- Kondrat'ev, L.N. See Balatz, M.Ya., 1=4919
- Kondrat'ev, L. N. See Bede, A. G., 4=19800
- Kondrat'ev, L. N. See Tret'yakov, E. F., 4=9176
- Kondrat'ev, P. A. See Butkevich, L. M., 4=9975
- Kondrat'ev, V. N. Velocity constants of the thermal excitation of sodium in mixtures of sodium vapour with argon and nitrogen, 4=12384

- Kondrat'ev, Yu.N. See Alekseev, A.G., 4=13534
- Kondrat'eva, E.V. Determination of the quantum yield of luminescence of the trivalent terbium ion in solutions, 0=943
- Kondrat'eva, E.V. Variation of the duration of luminescence of trivalent gadolinium and terbium ions with the concentration of components in a sulphuric acid-water system, 0=10673
- Kondrat'eva, E.V. and Lazeeva, G.S. Investigation of the duration and intensity of luminescence of trivalent gadolinium and terbium ions in solutions, 0=10674
- Kondrat'eva, M.A. See Grigorov, N.L., 0=9472
- Kondrat'eva, M.A. See Grigorov, N.L., 2=19276
- Kondrat'eva, M.A. See Grigorov, N.L., 3=9163
- Kondrat'eva, M.A. See Grigorov, N.L., 4=6158
- Kondratiev, N.A. See Grigorov, N.L., 1=3265
- Kondrat'ko, M. Ya. See Petrzhak, K.A., 4=6402
- Kondrat'yev, B.V. Electron beam on a coaxial helical line, 2=5381
- Kondratyev, B. V. Various methods of calculating dispersion in a spiral waveguide with an anisotropic magnetodielectric medium, 4=5827
- Kondurar', V.T. The general case of the translational-rotational motion of a spheroid attracted by a sphere, 2=935
- Kondurar, V.T. Perturbations in the rotational-translation motion of a satellite and planet, resulting from their flatterings, 2=24077
- Kondurar, V.T. Perturbations in the rotational-translational motion of a satellite and planet, resulting from their flattening, 3=3525
- Kondurar, V.T. Presence of resonance phenomena in the motion of a sputnik due to its shape and the form of its orbit, 3=9284
- Kondurar', V.T. Particular solutions of the general problem of the translational-rotational motion of a spheroid attracted by a sphere, 0=18874
- Kondurov, I. A. See Berestovoi, A. M., 4=6236
- Kondýlenko, I.I. and Babých, I.L. Investigation of Raman line intensities over a wide temperature range, 2=8098
- Kondýlenko, I.I., Korotkov, P.A. and Strýzhevsk'yi. Intensities of Raman scattering lines, 2=1203
- Konecny, E., Opower, H. and Ewald, H. Mass spectrographic analysis of ionizing radiation emitted during thermal neutron fission of uranium 235, 4=28079
- Konecny, E. See Ewald, H., 4=28076
- Konecny, J.O. See Hurlbert, R.C., 1=4660
- Konečný, K. See Horváth, P., 4=6080
- Konečný, K. See Juna, J., 1=13846
- Konečný, K. See Juna, J., 4=25427
- Konel'kov, V.S. and Meilikhov, E. Z. Growth in negative Lichtenberg figures in the nano-second time range, 4=14623
- Konenko, L.D. See Ofengenden, R.G., 3=1922
- Konenko, L.D. See Pasechnýk, M.V., 1=16229
- Konenkov, Yu.K. Plate waves and flexural oscillations of a plate, 0=19256
- Konenkov, Yu.K. A Rayleigh-type flexural wave, 1=2808
- Konenkov, Yu.K. Waves in a viscous liquid, 3=14124
- Konenkov, Yu.K. Calculating the plate-wave phase velocities associated with flexural oscillations of an elastic strip, 3=18873
- Konev, V. N., Nesterov, A. F. and Glazkova, I. P. A study of reactive diffusion in metal-complex gas systems. VII. The molybdenum-silicon-boron system, 4=23489
- Konev, V.N. See Arkharov, V.I., 0=17973
- Konev, V.N. See Arkharov, V.I., 1=14310
- Konev, V.N. See Arkharov, V.I., 1=14311
- Konev, S.V. See Katibnikov, M.A., 2=22028
- Kong Chin-ho. See In Tao-lo, 4=17429
- Kong, F. K. and Smyth, C. P. Microwave absorption and molecular structure in liquids. LVIII. Interpretation of the parameters for the dielectric relaxations of 2,6-dimethylanisole and 3, Konieczny, Z. See Bozek, E., 2=20557
- König, A. See Antal, J., 0=5060
- König, D. See Lorenzen, K., 2=3632
- König, E. Splittings of bands in the absorption spectra of asymmetric complexes, MA_3B_3 , 4=12441
- König, E. and Fischer, H. E.S.R. investigation of the anion radical of 2,2'-dipyridyl, 3=20020
- König, F. The slow response of selenium barrier-layer photoelements, 0=2909
- König, H. Ultra-low-frequency atmospheric, 1=4115
- König, H. Solubility of inert gases in sea water, 3=23877
- König, H. and Ankermüller, F. The effect on man of low frequency electrical processes in the atmosphere, 1=15241
- König, H., Keil, K. and Hintenberger, H. Investigations on stone meteorites with extremely high inert gas content. II. The chondrite Tabor, 2=15327
- König, H., Keil, K., Hintenberger, H., Wlotzka, F. and Begemann, F. Investigations on stone meteorites with extremely high inert gas content. I. The Chondrite Pantar, 2=6999
- König, H. and Wänke, H. Estimation of uranium in meteorites by means of neutron activation via the mass 133 and 135 isotopes of xenon, 0=4883
- König, H. and Wlotzka, F. Investigation of stone meteorites with an extremely high inert gas content. III. Location of light primordial inert gases in the chondrite Pantar, 2=19293
- König, H. See Hintenberger, H., 2=15326
- König, H. See Hintenberger, H., 3=13877
- König, H. See Hintenberger, H., 4=15934
- König, H. See Hintenberger, H., 4=23898
- König, H. See Wänke, H., 0=5683
- König, H.L. and Haine, E. Recording of electric signals of a particularly low frequency during the solar eclipse of February 15, 1961, 2=9072
- König, H.L., Haine, E. and Antoniadis, C. Measurement of low-frequency atmospheric in Bonn, 2=11034
- König, H.W. The kinetic power theorem for electrons, 3=5702
- König, K.H., Hoyer, F. and Krebs, E. Scintillation spectrometer for α - and β -rays, 4=15115
- König, K. H. See Gleu, K., 4=12167
- König, L.A., Mattauch, J.H.E. and Wapstra, A.H. Adjustment of relative nuclidic masses. II. $70 < A < 200$, 1=19609
- König, L.A., Mattauch, J.H.E. and Wapstra, A.H. New relative nuclidic masses, 2=9989
- König, L.A., Mattauch, J.H.E. and Wapstra, A.H. 1961 nuclidic mass table, 2=9990
- König, L.A. See Everling, F., 0=9509
- König, L.A. See Everling, F., 0=20570
- König, L.A. See Everling, F., 1=12266
- König, L.A. See Hintenberger, H., 0=19786
- Konijn, J. and Lauber, A. Cross section measurements of the $^{58}\text{Ni}(n, p)^{58}\text{Co}$ and $^{29}\text{Si}(n, \alpha)^{26}\text{Mg}$ reactions in the energy range 2.2 to 3.8 MeV, 4=3677
- Konijn, J., van Nooijen, B. and Wapstra, A.H. Branching ratios of K capture to positron emission in non-unique first forbidden $2^- \rightarrow 2^+$ beta transitions, 0=13198
- Konijn, J. See Girgis, R.K., 0=4066
- Konijn, J. See Malmkog, S., 3=2403
- Konin, A.D. See Golovin, B.M., 2=3361
- Konin, A.D. See Zinov, V.G., 1=4804
- Konin, A.D. See Zinov, V.G., 0=13001
- Konin, A. D. See Zinov, V. G., 4=22329
- Koning, H.N. and van Senden, K.G. Determination of the order of a reaction and calculation of the initial rate by absorption spectroscopy, 3=6906
- Konishi, G. and Yamamoto, K. Baryon number conservation and the Jost-Lehmann-Dyson representation, 3=7786
- Konishi, T., Butler, R.A. and Fernandez, C. Effect of anoxia on cochlear potentials, 1=6664
- Konishi, T. and Yasuno, T. Summating potential of the cochlea in the guinea pig, 4=2487
- Konishi, T. See Fernández, C., 3=3684
- Konisi, G. The mass spectral condition and analytic properties of the vertex function, 2=11901
- Konisi, G. The mass spectral condition and analytic properties of the vertex function II, 3=14890
- Konisi, G. and Ogimoto, T. Quantum theory in pseudo-Hilbert space, 0=14516
- Konisi, G. and Ogimoto, T. Quantum theory in pseudo-Hilbert space. II, 0=18955
- Konisi, G. and Ogimoto, T. On Levinson's theorem in the theory of multi-channel scattering, 0=20071
- Konisi, G. and Ogimoto, T. Analyticity in coupling constant, angular momentum and energy of the S-matrix for potential scattering, 3=19581
- Konisi, G. and Yamamoto, K. A quantitative investigation on the "compositeness" of a particle, 1=10836
- Konisi, G. and Yamamoto, K. Transition amplitudes in perturbation theory and Dyson's integral representation, 1=12063
- Konisi, G. See Abe, H., 4=30188
- Konitzer, J., Longo, J., Jarka, R. and Hersh, H.N. Irradiation control of oxidation state in fluorite crystals containing samarium, 2=6399
- Konitzer, J.D. and Markham, J.J. Experimental study of the shape of the F-band absorption in KCl, 0=6180
- Konitzer, J.D. See Markham, J.J., 1=10017

- Kon'kov, A.A. and Ionov, V.P. Study of radiation spectrum of gases heated by strong shock waves, 3=11835
- Kon'kov, A.A. See Ionov, V.P., 4=14216
- Kon'kov, P.A. See Gross, E.F., 2=18827
- Konks, V. A., Popov, Yu. P. and Shapiro, F. L. Cross-sections for radiative capture of neutrons with energies up to 50 keV by La^{139} , Pr^{141} , Ta^{181} and Au^{197} nuclei, 4=12248
- Konnerth, K. and Lanza, C. Delay between current pulse and light emission of a gallium arsenide injection laser, 4=19305
- Konno, H. See Gondō, Y., 2=8602
- Konno, H. See Gondō, Y., 2=17922
- Konno, H. See Gondō, Y., 3=469
- Konno, H. See Gondō, Y., 3=15919
- Konno, H. See Usami, S., 3=20630
- Konno, S. See Kobayashi, H., 4=5891
- Konno, T. See Kiyono, S., 3=21918
- Konnov, Yu. I. See Astrahantsev, S.M., 4=1996
- Kōno, H. Thermodynamical consideration on the formation of the ferromagnetic phase in Mn-Al system, 2=21541
- Kono, N. Frequency response of probe microphone and its equalizer, 3=1782
- Kono, R. The dynamic bulk viscosity of polystyrene and polymethyl methacrylate, 1=10477
- Kono, R. The dynamic bulk and shear viscosities of polyvinylchloride, 1=18351
- Kono, R. The dynamic bulk and shear viscosity of high polymers. I, 1=20343
- Kono, S. Decay of radioisotope Ga^{68} , 2=16345
- Kōno, T. See Kato, R., 2=13612
- Kono, T. See Kato, R., 3=17122
- Kōno, T. See Takahashi, M., 1=11438
- Kōno, T. See Takahashi, M., 1=12533
- Kono, T. See Takahashi, M., 1=20103
- Kono, T. See Takahashi, M., 3=1068
- Konobeev, Yu. B. See Agranovich, V.M., 2=6558
- Konobeev, Yu. V. Reabsorption in crystals of finite thickness. III, 2=6559
- Konobeev, Yu. V. The role of defects in exciton luminescence of molecular crystals, 3=23099
- Konobeev, Yu. V. The effect of reabsorption in a plane-parallel layer on the decay of molecular luminescence, 4=9686
- Konobeev, Yu. V. See Agranovich, V.M., 0=1742
- Konobeev, Yu. V. See Agranovich, V.M., 1=14187
- Konobeev, Yu. V. See Agranovich, V.M., 1=14224
- Konobeev, Yu. V. See Agranovich, V.M., 2=6491
- Konobeev, Yu. V. See Agranovich, V.M., 3=20139
- Konobeev, Yu. V. See Agranovich, V.M., 4=10090
- Konobeev, Yu. V. See Galanin, M.D., 3=8626
- Konobeevskii, S.T. and Butra, F.P. Diffuse X-ray scattering from irradiated diamond, sapphire, silicon and germanium crystals, 1=3703
- Konobeevskii, S.T. and Chebotarev, N.T. On the structure and thermal expansion of delta- and eta-plutonium, 4=7638
- Konobeevskii, S.T., Levitski, B.M., Panteleev, L.D. and Dubrovin, K.P. Effect of irradiation on phase transformations in Cu-Sn and Cu-Sn-Pu alloys, 2=12926
- Konobeevskii, S.T., Pravdyuk, N.F., Dubrovin, K.P., Levitskii, B.M., Panteleev, L.D. and Golianov, V.M. An investigation of structural changes caused by neutron irradiation of a uranium molybdenum alloy, 0=10332
- Konobeevskii, S.T. See Feinberg, S.M., 3=10421
- Konobeyevskiy, S.T. See Dubrovin, K.P., 2=23769
- Kononenko, S.G. See Ostrovskii, E.K., 4=8870
- Kononenko, S.G. See Z'kov, A.I., 4=8871
- Kononenko, V.A. See Koz'ys'kiy, H.Ya., 1=14895
- Kononenko, V.I. See Adamov, I.Yu., 4=16443
- Kononenko, V.I. See Dush'n, L. O., 4=524
- Kononov, B.A. See Borob'ev, A.A., 1=16453
- Kononov, B.P. Plasma compression in a magnetic trap with opposed fields, 4=8735
- Kononov, B.P., Rukhadze, A.A. and Solodukhov, G.V. Electric field of a radiator in a plasma in an external magnetic field, 2=1453
- Kononov, B.P. and Sarksyian, K.A. A source of plasma for high vacuum, 2=17847
- Kononov, V.N., Stavisskii, Yu.Ya. and Tolstikov, V.A. Radiative capture cross-sections for 25 keV neutrons, 1=4872
- Kononov, V.N. See Stavisskii, Yu.Ya., 3=2478
- Kononova, K. V. See Fialkov, A.S., 4=10624
- Kononovich, A. A., Mitel'man, M. G. and Rozenbliyn, N. D. Design of nuclear sources of direct charging current, 4=21448
- Kononovich, E.V. A nomogram for determination of the parameters of the emission-line profiles with self-absorption, 0=2231
- Kononovich, E.V. Helium excitation and the structure of the lower chromosphere, 2=981
- Kononovich, E.V. Probability of hydrogen ionization by electron impact, 3=7433
- Konopasek, F. and Connor, R.D. An automatic system for beta-ray spectrometer control, 3=24703
- Konopasek, F. See Standing, K.G., 3=5745
- Konopka, J. See Leibler, K., 3=10868
- Konopka, J. See Leibler, K., 3=22986
- Konopka, R. See Piekara, A., 1=4480
- Konoplev, K. A., Pikulik, R. G., Rusinov, L.I., Solov'ev, V. A. and Shustov, V. A. Critical experiments at the WWR-M site, 4=1156
- Konopleva, N. P. See Sokolik, G. A., 4=18035
- Konopleva, R.F., Mashovets, T.V. and R'vkin, S.M. The effect of defects produced by neutron irradiation on the process of recombination in germanium, 0=15925
- Konopleva, R. F., Novikov, S. R. and R'vkin, S. M. Energy levels in germanium produced by fast-neutron bombardment, 4=1433
- Konopleva, R.F., R'vkin, S.M. and Yaroshetskii, I.D. The cross-section of capture of holes by γ -ray produced defects in germanium, 0=15875
- Konopleva, R.F. See R'vkin, S.M., 1=6166
- Konopleva, R.F. See R'vkin, S.M., 0=20900
- Konoplyasova, N.S. See Baranskii, P.I., 1=12435
- Konoplyasova, N.S. See Baranskii, P.I., 1=14439
- Konorov, P.P. and Kolbin, M.N. Investigation of changes in charge-carrier diffusion length and electrode potential of germanium under electrolytic treatment, 1=17677
- Konorov, P. P. and Lyubits, K. Photo-e. m. f. in polycrystalline layers of germanium, 4=30662
- Konorov, P.P. and Romanov, O.V. The electrical conductivity of deposited germanium layers, 0=20897
- Konorov, P.P. and Romanov, O.V. Investigation of the changes in electrical properties of the surface of germanium on etching in hydrogen peroxide, 2=21135
- Konorov, P.P. and Romanov, O.V. Investigation of the changes in electrical properties of the surface of germanium on etching in hydrogen peroxide, 3=2899
- Konorov, P. P. and Romanov, O. V. Physical properties of a germanium surface in nitric acid solutions of various concentrations, 4=6959
- Konorov, P.P. and Shevchenko, I.B. The electrical conductivity and photoelectric properties of cadmium and zinc telluride films, 0=15986
- Konorov, P.P. and Sokolov, A.N. Electrical conductivity and photoconductivity of lead oxide layers treated with sulphur, selenium and tellurium, 1=3770
- Konorov, P. P. See Berlaga, R. Ya., 4=7700
- Konorov, P. P. See Berlaga, R. Ya., 4=26051
- Konorov, P.P. See Romanov, O.V., 3=16027
- Konorova, E.A. Currents in alkali-halide crystals caused by the emission of electrons from a cathode under powerful electric fields, 0=20962
- Konorova, E.A., Krasnopevtsev, V.V. and Skanavi, G.I. On the temperature dependence of the pulsed dielectric strength of some polycrystalline dielectrics, 0=1709
- Konorova, E.A. and Lebedev, D.G. Measurement of conduction currents in dielectrics by means of pulsed voltages, 2=1372
- Konorova, E.A. and Sorokina, L.A. The dependence of dielectric strength of the alkali-halide crystals KBr and KCl on temperature, 0=1707
- Konorova, E.A. and Sorokina, L.A. Photoconductivity induced in colourless alkali halide crystals by strong electric fields, 1=19897
- Konorova, E.A. and Sorokina, L.A. Photoconductivity induced in colourless alkali halide crystals by strong electric fields, 2=8433
- Konorova, E.A. See Afanas'eva, E.A., 1=14392
- Konorova, E.A. See Afanas'eva, E.A., 4=9324
- Konovalenko, B.M., R'vkin, S.M. and Yaroshetskii, I.D. Radiation defects produced by the action of fast electrons in n-type germanium, 2=18578
- Konovalenko, B. M., R'vkin, S. M. and Yaroshetskii, I. D. Investigation of radiation defects in germanium produced by fast electrons of 28 MeV energy, 4=1539
- Konovalenko, B.M. See R'vkin, S.M., 0=11708
- Konovalenko, B.M. See R'vkin, S.M., 2=23339
- Konovalenko, B.M. See R'vkin, S.M., 3=6583
- Konovalenko, B.M. See R'vkin, S.M., 3=10769
- Konovalenko, B.M. See Vitovskii, N.A., 3=1538

- Konovalov, E.G. and Germanovich, I.N. Temperature effect on lifting-height of a liquid in a capillary undergoing high-frequency vibrations, 3=23855
- Konovalov, I.I. See Safronov, B.G., 3=21822
- Konovalov, O.M. See Palatnik, L.S., 2=8366
- Konovalov, O.M. See Palatnik, L.S., 2=21155
- Konovalov, V.G. See Safronov, B.G., 2=15939
- Konovalov, V.H. See Yerko, V.F., 2=19175
- Konovalov, Yu.N. and Magidson, V.V. Electron density and temperature in a water-stabilized plasmatron jet, 3=2000
- Konovalova, L.A. See Kusakov, M.M., 4=21076
- Konovalova, L.P., Okhrimenko, L.S. and Strugal'skii, Z.S. Determination of γ -ray energy in xenon bubble chamber, 3=2174
- Konowalow, D.D. and Hirschfelder, J.O. Morse potential parameters for O-O, N-N, and N-O interactions, 1=7447
- Konowalow, D.D. and Hirschfelder, J.O. Intermolecular potential functions for nonpolar molecules, 1=7503
- Konowalow, D.D., Hirschfelder, J.O. and Linder, B. Low-temperature, low-pressure transport coefficients for gaseous oxygen and sulfur atoms, 0=3565
- Konowalow, D.D., Taylor, M.H. and Hirschfelder, J.O. Second virial coefficient for the Morse potential, 1=6899
- Konowalow, D.D., Taylor, M.H. and Hirschfelder, J.O. Erratum: second virial coefficient for the Morse potential, 2=1976
- Konozenko, I.D., Muzalevskii, E.A. and Shakhovtsova, S.I. Investigation of electric pulse generation by CdSe single crystals at the temperature of liquid nitrogen, 2=18737
- Konozenko, I.D., Muzalevskii, E.A. and Shakhovtsova, S.I. Photoelectric crystal generator of electric pulses of infra-low frequencies, 2=21201
- Konozenko, I.D., Muzalevskii, E.A. and Shakhovtsova, S.I. Investigation of electric pulse generation by CdSe single crystals at the temperature of liquid nitrogen, 2=23451
- Konozenko, I.D., Svyetchnikov, S.B. and Chala, V.H. Some feature of the photo- and X-ray conductivity of CdS single crystals, 2=6497
- Konozenko, I.D. and Ust'yanov, V.I. Crystal CdS gamma-ray [photoconductive] detectors, 0=313
- Konozenko, I.D. and Ust'yanov, V.I. Production of large cadmium sulphide monocrystals for gamma dosimetry, 2=8795
- Konozenko, I.D., Ust'yanov, V.I. and Galushka, A.P. Conditions required for appearance of "gamma-conductivity" in CdS monocrystals, 0=15983
- Konozenko, I.D., Ust'yanov, V.I. and Galushchka, A.P. Gamma-conductivity in cadmium selenide, 2=3968
- Konozenko, I.D., Ust'yanov, V.I. and Galushchka, A.P. Gamma-conductivity in cadmium selenide, 2=8260
- Konozenko, I.D., Ust'yanov, V.I. and Halushka, A.P. The nature of gamma-conductivity of cadmium sulphide crystals, 1=19903
- Konozenko, I.D. See Galushka, A.P., 3=4917
- Konozenko, I.D. See Vinetskii, V.L., 4=10123
- Konrad, M. and Turko, B. Sorting of two coincident pulses according to their amplitudes, 2=5273
- Konstantinavicius, K.V. See Zvirionaitė, S.A., 4=1218
- Konstantinesku, K. Determination of the electron and hole capture cross-sections for atoms in ratios of the copper in germanium, 0=15922
- Konstantinesku, K. See Kalashnikov, S.G., 0=6091
- Konstantinov, A.A. Measurement of the activity of preparations which decay as a result of electron capture, 0=1374
- Konstantinov, A.A., Fomin'kh, V.I. and Yuritsyna, I.A. Absolute measurement of the output of neutron sources by the method of manganese activation, 4=19522
- Konstantinov, A.A. and Perepelkin, V.V. Determination of the relative probabilities for electron capture from the L and K shells in the decay of Cr^{51} , Zn^{65} and Ge^{71} , 2=14045
- Konstantinov, A.A., Sazonova, T.E. and Perepelkin, V.V. Determination of the L fluorescence coefficients of Ga^{71} , Cu^{65} and V^{51} , 2=14213
- Konstantinov, A.A., Sokolova, I.A. and Sazonova, T.E. Determination of the K fluorescence coefficients of V^{51} , Mn^{55} , Cu^{65} and Ga^{71} , 3=7993
- Konstantinov, A.A. See Kusakov, M.M., 4=21076
- Konstantinov, A.I. A maser frequency oscillator and its use in time and frequency service, 2=45
- Konstantinov, B.D. and Ovcharenko, V.I. Beta-transitions in weakly deformed nuclei, 2=16355
- Konstantinov, B.D. See Gurin, Yu.L., 2=13971
- Konstantinov, B.P. and Badenko, L.A. Electrical-diffusion studies of the behaviour of indium and antimony impurities in germanium, 1=13407
- Konstantinov, B.P. and Kocharov, G.E. Interaction between ultrahigh energy cosmic rays and neutrinos in the Universe, 4=20886
- Konstantinov, B.P. and Rylov, V.S. The separation of the isotopes of potassium by evaporation from molten potassium in vacuum, 0=7709
- Konstantinov, B.P. See Afrosimov, V.V., 1=9602
- Konstantinov, B.P. See Anisimov, A.I., 1=293
- Konstantinov, B.P. See Anisimov, A.I., 3=14591
- Konstantinov, B.P. See Anoshkin, V.A., 1=4616
- Konstantinov, B.P. See Dragnev, T.N., 2=10085
- Konstantinov, B.P. See Dragnev, T.N., 3=6226
- Konstantinov, E. See Djakov, E., 4=11504
- Konstantinov, E. See Djakov, E., 4=29865
- Konstantinov, I.E. and Strakhova, V.A. Compton scintillation gamma-spectrometer with increased efficiency, 4=16857
- Konstantinov, I.E. See Kheiker, D.M., 0=12017
- Konstantinov, I.E. See Kheiker, D.M., 3=23427
- Konstantinov, I.O. See Babenko, N.P., 3=22417
- Konstantinov, I.O. See Babenko, N.P., 4=6371
- Konstantinov, I.O. See Babenko, N.P., 4=30277
- Konstantinov, I.O. See Blinov, V.A., 3=531
- Konstantinov, I.P. See Bramson, M.A., 4=16286
- Konstantinov, K.M. See Kornilov, I.I., 4=28536
- Konstantinov, L.V. and Kochetov, B.I. Method of calculating neutron flux in a shut-down reactor with a photoneutron source, 4=3726
- Konstantinov, L.V., Reshetin, L.V. and Serebrennikov, Yu.M. Small fission chamber, 3=17098
- Konstantinov, N.I. See Kuznetsov, V.V., 3=3245
- Konstantinov, O.V. and Perel', V.I. The possibility of electromagnetic waves through a metal in a strong magnetic field, 0=7228
- Konstantinov, O.V. and Perel', V.I. Quantum theory of spatial dispersion of electric and magnetic susceptibilities, 0=9150
- Konstantinov, O.V. and Perel', V.I. A graphical technique for computation of kinetic quantities, 0=20086
- Konstantinov, O.V. and Perel', V.I. Collisions of particles in a high-temperature plasma, 1=4605
- Konstantinov, O.V. and Perel', V.I. On the energy distribution of fast neutral atoms leaving a plasma, 1=9610
- Konstantinov, O.V. and Perel', V.I. A more precise determination of the kinetic coefficients of a plasma, 2=177
- Konstantinov, O.V. and Perel', V.I. A more precise determination of the kinetic coefficients of a plasma, 3=385
- Konstantinov, O.V. and Perel', V.I. Coherence of states in the scattering of modulated light, 4=3806
- Konstantinov, O.V. See Aleksandrov, E.B., 4=6499
- Konstantinov, O.V. See Aleksandrov, E.B., 4=21267
- Konstantinov, O.V. See Gross, E.F., 1=19971
- Konstantinov, O.V. See Kazarinov, R.F., 2=587
- Konstantinov, O.V. See Zaidel', A.N., 3=1999
- Konstantinov, V.D., Korolev, A.M., Ovcharenko, V.I. and Gurin, Yu.L. Calculation of certain properties of weakly deformed nuclei, 1=8604
- Konstantinov, Yu.S. Paramagnetic resonance detected by means of a parametrically excited circuit, 1=10799
- Konstantinov, Yu.S. Application of a synchronized autodyne for studying nuclear magnetic resonance spectra, 1=16605
- Konstantinova, A.F. See Federov, F.I., 2=19731
- Konstantinova, A.F. See Federov, F.I., 2=22066
- Konstantinova, A.F. See Federov, F.I., 3=20447
- Konstantinova, A.G. Connection between the energy of elastic pulses generated in the destruction of solids and the stress and dimensions of the ruptures, 2=19012
- Konstantinova, M.P., Myakinin, E.V., Petrov, A.M. and Romanov, A.M. Angular distribution of protons from the (α, p) -reactions induced by 13-15 MeV α -particles, 3=2500
- Konstantinova, M.P., Myakinin, E.V., Romanov, A.M. and Tsareva, T.V. Elastic scattering of 10-15 MeV α -particles on gold and aluminium, 2=492
- Konstantinova, M.P., Myakinin, E.V., Romanov, A.M. and Tsareva, T.V. Elastic scattering of 10-15 MeV α -particles on gold and aluminium, 2=22852
- Konstantinova, M.P. See Romanov, A.M., 2=374
- Konstantinova, M.P. See Romanov, A.M., 2=22737
- Konstantinova, M.P. See Romanov, A.M., 3=10387
- Konstantinova, V.P. Domain walls and etch pit networks in deuterated triglycine sulphate crystals, 2=18770

- Konstantinova, V.P. The application of selective etching to the study of twin and dislocation structures in triglycine sulphate, 3=22790
- Konstantinova, V.P., Sil'vestrova, I.M., Shuvalov, L.A. and Yurin, V.A. Preparation and some ferroelectric properties of lithium hydroselenite, 2=14620
- Konstantinova, V.P., Sil'vestrova, I.M., Shuvalov, L.A. and Yurin, V.A. Preparation and ferroelectric properties of deuterated triglycine sulphate crystals, 2=16775
- Konstantinova-Shlezinger, M.A. Different types of phosphor crystallochemical systems and their luminescence properties, 2=16845
- Konstantinova-Shlezinger, M.A. Luminescence properties of phosphors as a function of their crystallochemical and physico-chemical nature, 4=1762
- Konstantinova-Shlezinger, M.A. See Gorbacheva, N.A., 2=14713
- Konstantinovic, J. See Hautecler, S., 2=12397
- Konstantinović, J.M. See Živanović, M.D., 1=14987
- Konstantinović, J.M. See Živanović, M.D., 2=3356
- Konstantinović, S. See Gal, O., 2=18372
- Konstanynov, B.D. See Korol'ov, O.M., 2=22847
- Kontaratos, A.N. Another method for recording breakdown phenomena in air, 2=9556
- Kontarev, V.Ya. On the possibility of using cylindrical superconducting films as a memory element in computers, 2=5246
- Kontorova, T.A. On the problem of melting of germanium and silicon, 0=11552
- Kontorova, T.A. Effect of impurities on the mechanical and thermal properties of semiconductors with covalent binding, 3=17664
- Kontorovich, I.E. and Mermel'shtein, Yu.M. Effect of grain size on the diffusion of carbon in iron, 1=5683
- Kontorovich, N.P. See Giterman, M.Sh., 0=4327
- Kontorovich, V.M. Reflection and refraction of sound by shock waves, 0=6872
- Kontorovich, V.M. and Flutsyuk, A.M. Transformation of sound and electromagnetic waves at the boundary of a liquid conductor in a magnetic field, 2=72
- Kontorovich, V.M. and Glutsyuk, A.M. Transformation of sound and electromagnetic waves at the boundary of a liquid conductor in a magnetic field, 3=208
- Kontos, E.G. See Puett, D., 4=13395
- Kontrovich, V.M. Elasticity theory equations and dispersion of sound in metals, 4=6734
- Kontsevoi, Yu.A. The determination of the capture cross-sections for recombination at multiply-charged centres, 0=4330
- Kontsevoi, Yu.A. and Iglitsyn, M.I. Investigation of the stationary photoconductivity and surface recombination velocity of silicon, 1=14518
- Kontsevoi, Yu.A. and Iglitsyn, M.I. Investigation of the stationary photoconductivity and surface recombination velocity of silicon, 1=17804
- Kontsevoi, Yu.A. See Iglitsyn, M.I., 0=13592
- Kontsevoi, Yu.A. See Kolesnik, L.I., 4=10129
- Kontsevoi, Yu.A. See Kolesnik, L.I., 4=30664
- Konuma, M., Miyazawa, H. and Otsuki, S. Two-pion-exchange nuclear potential, 0=12864
- Konuma, M. and Tomozawa, Y. Antiproton-proton collision in the unitary symmetry model, 4=19516
- Konuma, M. and Tomozawa, Y. Proposal of experimental test of the unitary symmetry models with symmetry-breaking interaction, 4=21749
- Konuma, M. and Tomozawa, Y. Decay of baryon resonances in the unitary symmetry model, 4=25189
- Konuma, M. and Tomozawa, Y. Production of baryon resonances in the unitary symmetry model, 4=30171
- Konuma, M., Umezawa, H. and Wada, M. General theory of the gauge transformation for vector meson fields, 2=11888
- Konuma, M. See Nakamura, S., 1=8506
- Konwent, H. See Jaśkiewicz, A., 1=6196
- Konwent, H. See Jaśkiewicz, A., 2=2211
- Konwent, H. See Jaśkiewicz, A., 3=2950
- Kónya, A. On the sequence of quantum states in atoms, 1=19580
- Kónya, A. The statistical atom model in momentum space. I, 3=22465
- Konyaev, Yu.S. Piston pressure gauge measuring to 25 ton/cm², 2=19505
- Konyaev, Yu.S. See Zhokovskii, M.K., 0=3548
- Konyakhin, I.R. and Mitrofanov, B.P. Shear stress under pressure, 3=13354
- Konyakhin, N.V. See Brodskii, V.B., 3=24307
- Konyukhov, V.K., Kulevskii, L.A. and Prokhorov, A.M. The investigation of a ruby optical generator at liquid nitrogen temperatures, 3=19488
- Konyukhov, V.K., Kulevskii, L.A. and Prokhorov, A.M. Ruby laser with generation duration ~ 10 msec, 4=5879
- Konyukhob, V.K., Pashinin, P.P. and Prokhorov, A.M. Investigation on electron paramagnetic resonance and [infrared] optical spectra of the Yb³⁺ ion in CdF₂, 2=14826
- Konyukhov, V.K., Pashinin, P.P. and Prokhorov, A.M. Investigation on electron paramagnetic resonance and [infrared] optical spectra of the Yb³⁺ ion in CdF₂, 2=18948
- Konyukhov, V.K. See Gvaladze, T.V., 4=20468
- Konyukov, M.V. Effect of the processes of disappearance of negative ions on their concentration in a [positive] column, 0=7088
- Konyukov, M.V. Nonlinear Langmuir electron oscillations in a plasma, 0=9051
- Konyukov, M.V. Indirect evaluation of electron attachment cross-sections, 2=17790
- Konyukov, M.V. and Terletskii, Ya.P. Relativistic motion of an electron in an axially symmetric field which moves along the axis of symmetry, 0=1159
- Konyukov, V.K., Kulevskii, L.A. and Prokhorov, A.M. The internal types of oscillation in a ruby optical laser, 4=16707
- Koo, B.Y.C. See Ament, W.S., 4=24850
- Koo, R.C. Observations on the ductility of polycrystalline tungsten as affected by annealing, 3=23307
- Koo, R.C. Effect of purity on the tensile properties of tungsten single crystals from -196°C to 29°C, 3=25617
- Kooi, C.F. Interaction of phonons and spin waves, 3=20569
- Kooi, C.F., Holmquist, W.R., Wigen, P.E. and Doherty, J.T. Surface spin pinning in permalloy by an oxide layer, 3=1168
- Kooi, C.F., Horst, R.B., Cuff, K.F. and Hawkins, S.R. Theory of the longitudinal isothermal Ettinghausen cooler, 3=14408
- Kooi, C.F., Wigen, P.E., Shanabarger, M.R. and Kerrigan, J.V. Spin-wave resonance in magnetic films on the basis of the surface-spin-pinning model and the volume inhomogeneity model, 4=13277
- Kooi, C.F. See Cuff, K.F., 3=22938
- Kooi, C.F. See Seiden, P.E., 0=11896
- Kooi, C.F. See Wigen, P.E., 2=23695
- Kooi, C.F. See Wigen, P.E., 3=15839
- Kooi, C.F. See Wigen, P.E., 4=13285
- Koomen, M.J., Gullledge, I.S., Packer, D.M. and Tousey, R. Night airglow observations from orbiting spacecraft compared with measurements from rockets, 3=18556
- Koonce, C.S. Collective strain splitting of acceptor states in silicon, 4=20239
- Koonce, S.E. See Sylwestrowicz, W.D., 3=23360
- Koontz, R.L. See Greenfield, M.A., 0=12994
- Koontz, R.L. See Greenfield, M.A., 0=12998
- Koontz, R.L. See Greenfield, M.A., 1=11026
- Koontz, R.L. See Greenfield, M.A., 1=13236
- Kooy, C. and Enz, U. Experimental and theoretical study of the domain configuration in thin layers of BaFe₁₂O₁₉, 0=8049
- Koozekanani, S., Ciftan, M. and Krutchkoff, A. Observation of quasi c.w. operation of an optical ruby maser, 3=4283
- Koozekanani, S., Ciftan, M. and Krutchkoff, A. Observation of quasi c.w. operation of an optical ruby maser, 3=5896
- Kopaev, Yu.V. See Keldysh, L.V., 3=20129
- Kopal, Z. Numerical problems of contemporary celestial mechanics, 0=16531
- Kopal, Z. The internal constitution of the moon, 3=3547
- Kopal, Z. The effects of convection in the mantle on the gravitational field of the earth, 3=16188
- Kopal, Z. Gravitational heating of the moon, 4=30973
- Kopal, Z. Convection in planetary interiors, 4=30974
- Kopal, Z. and Rackham, T.W. Excitation of lunar luminescence by solar flares, 4=23891
- Kopaleshvili, T.I. and Dzhibuti, R.I. Investigation of the He⁴(γ , np)D² photonuclear reaction, 3=6093
- Kopaleshvili, T.I. and Jibuti, R.I. Photonuclear reaction (γ , np) and nucleon-nucleon correlations in light nuclei, 3=19834
- Kopaleshvili, T.I., Vashakidze, I.Sh., Mamasakhilov, V.I. and Chilashvili, G.A. Alpha-deuteron model of the Li⁶ nucleus, 1=4824
- Kopaleshvili, T.I., Vashakidze, I.Sh., Mamasakhilov, V.I. and Chilashvili, G.A. Alpha-deuteron model of the Li⁶ nucleus, 1=5818
- Kopaleshvili, T.I. See Jibuti, R.I., 4=15124
- Kopaleshvili, T.I. See Jibuti, R.I., 4=25416

- Kopaleishvili, T.I. See Mamasakhilov, V.I., 0=9629
 Kopaleishvili, T.I. See Mamasakhilov, V.I., 0=13136
 Kopaleishvili, T.I. See Vashakidze, I.Sh., 0=9661
 Kopaleishvili, T.I. See Vashakidze, I.Sh., 0=13112
 Kopaleishvili, T.I. See Vashakidze, I.Sh., 0=20492
 Kopaleishvili, T.I. See Vashakidze, I.Sh., 1=1454
 Kopaleishvili, T.I. See Vashakidze, I.Sh., 1=5856
 Kopaleishvili, T.I. See Vashakidze, I.Sh., 1=17077
 Kopan', V.S. See Hertsriken, S.D., 1=14248
 Kopan', V.S. See Hertsriken, S.D., 1=14525
 Kopanets, E.G. See Antuf'ev, Yu. P., 2=10104
 Kopanets, E.G. See Antuf'ev, Yu. P., 2=16320
 Kopanets, E.G. See Antuf'ev, Yu. P., 3=6246
 Kopanets, E.G. See Antuf'ev, Yu. N., 3=7746
 Kopanets, E.G. See Antuf'ev, Yu. P., 3=8087
 Kopanets, E.G. See Val'ter, A.K., 2=3576
 Kopanets, E.G. See Val'ter, A.K., 2=13997
 Kopanets, E.G. See Val'ter, A.K., 3=2456
 Kopanets, E.G. See Val'ter, A.K., 4=3565
 Kopanets, E.P. See Val'ter, A.K., 3=12586
 Koparanova, N. Some properties of photodielectric loss and heat-stimulated dielectric loss in crystal phosphors of the type $\text{ZnS}:\text{CdS}:\text{Cu}:\text{Ag}$, 1=7686
 Koparanova, N. Investigation of the photodielectric effect in crystal phosphors of the $\text{ZnS}:\text{CdS}:\text{Cu}:\text{Ag}$ type, 2=6518
 Koparanova, N. On the nature of the photodielectric effect in crystal phosphors of the $\text{ZnS}-\text{CdS}:\text{Cu}:\text{Ag}$ type, 4=30647
 Kopchik, R.M. See Shapiro, B.L., 4=9773
 Kopec, U. Determination of the temperature in a high-temperature xenon discharge by the self-reversal of spectral lines, 4=18786
 Kopec, U. Determination of the temperature in a high-temperature xenon discharge by the self-reversal of spectral lines, 4=18787
 Kopec, Z. Investigation of the effective mass of current carriers in GaSb , 0=6119
 Kopec, Z. Density of states, effective mass of electrons in InSb , 1=1074
 Kopec, Z. On the scattering of electrons in InSb -n, 1=2411
 Kopec, Z. Effective mass method in the case of non-quadratic dispersion formula, 1=11274
 Kopec, Z. Effective mass of electrons in InSb , 2=23397
 Kopecký, J., Chalupa, B., Michalec, R. and Kayfosz, J. The beam of polarized neutrons obtained by the method of reflection from a cobalt mirror, 4=905
 Kopecký, J. and Kajfosz, J. The efficiency of a γ -ray summation spectrometer, 0=4039
 Kopecký, J., Kajfosz, J. and Urbanec, J. Radiative capture of thermal neutrons on nucleus. II, 0=13266
 Kopecký, J. See Urbanec, J., 0=4124
 Kopecký, J. See Urbanec, J., 1=7392
 Kopecký, J. See Urbanec, J., 1=17121
 Kopecký, M. Some remarks on the methods of research into the periodicity of sun-spots, 1=15461
 Kopecký, M. The theoretical interpretation of east-west asymmetry of sunspots, 2=21713
 Kopecký, M. See Blaha, M., 0=18759
 Kopecký, V. See Ďatlov, J., 4=16488
 Kopelev, Yu.F. See Vainshtein, E.E., 0=1739
 Kopeliovich, B.L. See Fisher, I.Z., 0=19091
 Kopelman, J. See Block, M.M., 4=3467
 Kopelman, R. Far-i.r. spectrum of dimethylacetylene: internal rotation and evidence for a D_{2h} effective symmetry, 4=28243
 Kopelman, R. and Klemperer, W. Dipole moments of excited electronic states: possible values for CO and CO^+ , 2=10265
 Kopelman, T. See Gray, L., 3=15042
 Kopfermann, H. On optical pumping in gases, 1=11073
 Kopfermann, H. See Bucka, H., 0=11304
 Kopfermann, H. See Bucka, H., 1=2284
 Kopfermann, H. See Bucka, H., 2=348
 Kopfermann, H. See Bucka, H., 2=9996
 Kopfermann, H. See Bucka, H., 2=18243
 Kopfermann, H. See Goodman, L.S., 2=14194
 Kopfermann, H. See Guthöhrlein, G., 0=1356
 Kopfermann, H. See Guthöhrlein, G., 2=1779
 Kopfermann, H. See Bucka, H., 4=6203
 Kopfermann, H. See Fricke, G., 0=401
 Kopfermann, H. See Fricke, G., 0=1485
 Kopfermann, F. See v.Ehrenstein, D., 0=13121
 Kopitzki, K. and Stier, H.-E. The mean velocity of particles emitted during cathodic sputtering of metals, 2=9649
 Kopitzki, K. and Stier, H.-E. Average kinetic energy of particles ejected from metals during cathode sputtering, 2=17902
 Kopitzki, K. and Stier, H.E. Velocity measurements on particles emitted from copper single crystals upon cathode sputtering for investigation of the focusing energies of the crystal, 3=25315
 Kopitzki, K., Stier, H.E., Beer, O. and Beuscher, H. Investigation of sputtering from metal crystals bombarded by Xe^+ ions with energies between 25 and 60 keV, 4=20321
 Kopp, H.J. Synthetic method solution of the transport equation, 4=3736
 Kopp, I. Rotational analysis of a band system of YbH , 2=14278
 Kopp, I. See Barrow, R.F., 2=10244
 Kopp, I. See Barrow, R.F., 3=25090
 Kopp, I. See Edvinsson, G., 4=1258
 Kopp, J.K., Shapiro, A.M. and Erwin, A.R. π^+- Proton scattering at 990 MeV, 1=10907
 Kopp, J.K. See Baltay, C., 3=22209
 Kopp, J.K. See Baltay, C., 3=24805
 Kopp, J.K. See Baltay, C., 4=3484
 Kopp, J.K. See Barnes, V.E., 4=16969
 Kopp, J.K. See Brown, H.N., 2=12013
 Kopp, M. D.C. electrical conductivity of snow, 3=6612
 Kopp, R.A. See Goldberg, L., 4=29445
 Koppe, H. On the theory of particle size distribution in aerosols, 0=3331
 Koppe, H. On a special representation in quantum theory, 3=21241
 Koppe, H. See Lieb, E., 0=1255
 Koppe, H. See von Hagenow, K.U., 2=7497
 Koppe, H. See Von Hagenow, K.U., 4=11572
 Koppel, D. Partition function for a generalized Tonks' gas, 3=16550
 Koppel, D. On the stability of flow of a thermally stratified fluid under the action of gravity, 4=24134
 Koppel, J. Time-dependent neutron spectra, 1=17107
 Koppel, J. See Starr, E., 3=6016
 Koppel, J.U. Time dependent, space independent neutron thermalization, 2=11959
 Koppel, J.U. A method of solving the time dependent neutron thermalization problem, 3=24738
 Koppel, J.U. See Young, J.A., 4=20194
 Koppel, J.U. See Young, J.A., 4=25645
 Koppel, J.U. See Young, J.A., 4=25840
 Koppelman, G. The measurement of small differences in film thickness in non-metallic thin films, 0=12085
 Koppelman, G. The theory of multilayers consisting of weakly absorbing materials and their use as interferometer mirrors, 0=14838
 Koppelman, G. Irregularities in evaporated interference films and their connection with light-scattering, 1=6959
 Koppelman, G. Microwave Fabry-Perot interferometer as a model for the laser resonator, 3=12360
 Koppelman, G. and Krause, H. Magnetic fine adjustment for a Fabry-Perot interferometer, 4=8448
 Koppelman, G. and Krebs, K. The optical properties of interference filters measured in a spectral range of finite width, 0=5172
 Koppelman, G. and Krebs, K. Multi-beam interference in convergent light, 0=5176
 Koppelman, G. and Krebs, K. The optical properties of dielectric films with slight departures from homogeneity, 1=16049
 Koppelman, G. and Krebs, K. Recording method for surveying the relief of highly plane surfaces, 2=2872
 Koppelman, G. and Krebs, K. Technology of the Fabry-Perot interferometer, 2=5181
 Koppelman, G., Krebs, K. and Leyendecker, H. Optical investigation of the structure of cryolite evaporated films, 1=16100
 Koppelman, J. Mechanical and dielectric relaxation in high polymers at ultrasonic frequencies, 4=15419
 Koppelman, J. and Landwehr, G. Elastic constants of germanium under hydrostatic pressures up to 12 000 kg/cm², 0=1844
 Koppen, G. See Engel, A., 3=20957
 Koppenaar, T.J. Slip lines across an f.c.c.-b.c.c. interface, 2=16653
 Koppenaar, T.J. Comments on the Rosenfield and Averbach theory for initial yielding in f.c.c. metals and alloys, 3=11151
 Koppenaar, T.J. Primary and cross slip lines in alpha Cu-Al single crystals, 3=15999

- Koppelaar, T.J. Microstraining in α Cu-Al single crystals, 3=20706
- Koppelaar, T.J. The strain rate dependence of the flow stress in neutron irradiated copper single crystals, 3=20719
- Koppelaar, T.J. The effect of neutron irradiation on the strength of α Cu-Al single crystals, 4=17728
- Koppelaar, T.J. Microstrain yield stress in neutron-irradiated copper single crystals, 4=28942
- Koppelaar, T.J. and Evans, P.R.V. Microstraining in polycrystalline niobium, 4=23192
- Koppelaar, T.J. and Fine, M.E. Acoustical study of quenching in α Cu-Al alloys, 1=12648
- Koppelaar, T.J. and Kuhlmann-Wilsdorf, D. The effect of prestressing on the strength of neutron-irradiated copper single crystals, 4=13398
- Koppelaar, T.J. and Simcoe, C.R. The effect of electric current on the aging of an Al-4 Pct Cu alloy, 4=7407
- Koppelaar, T.J. See Cotterill, R.M.J., 4=20650
- Köppendörfer, W. Hydromagnetic shock waves in linear pinch collapse, 1=16336
- Köppendörfer, W. The compression of a plasma in a hard core pinch experiment by shock waves, 4=18949
- Köppendörfer, W. See Hain, K., 1=2873
- Kopplin, J.O. See Millea, M.F., 2=16712
- Koprov, V.M. The Schwinger effect with a nucleus screened by α atomic electrons, 0=13224
- Koprova, L.I. See Malkevich, M.S., 4=13782
- Koptev, G.S. See Tatevskii, V.M., 2=10243
- Koptov, G.S. See Kotov, Yu.I., 4=12486
- Koptsik, V.A. Dielectric, piezoelectric and of single crystal resorcinol elastic properties, 0=633
- Koptsik, V.A. Polymorphic phase transitions and symmetry, 1=14947
- Koptsik, V.A. Symmetry changes during the direct and inverse piezoelectric responses of a crystal, 3=20390
- Koptsik, V.A. Polar-polar and polar-neutral crystal structures, 4=10493
- Koptsik, V.A. and Ermakova, L.A. Investigation of the temperature dependence of the electric and elastic parameters of cancrinite, 0=11739
- Koptsik, V.A. and Kobayakov, I.B. Dielectric, piezoelectric and elastic properties of cancrinite crystals, 0=634
- Koptsik, V.A. and Sirotin, Yu.I. The symmetry of piezoelectric and elastic tensors and the symmetry of the physical properties of crystals, 3=17948
- Koptsik, V.A., Strukov, B.A. and Ermakova, L.A. Precision laboratory cryostat for the investigation of electrical and elastic properties of crystals, 2=7483
- Koptsik, V.A., Strukov, B.A. and Nevodomskaia, I.K. Investigation of the optical properties of some ferroelectric crystals, 2=14917
- Koptsik, V.A., Strukov, B.A., Sklyankin, A.A. and Levina, M.E. Dielectric and calorimetric investigation of ammonium sulphate and ammonium fluoborates crystals, 2=14916
- Koptsik, V.A. See Chumakov, A.A., 0=641
- Koptsik, V.A. See Sirotin, Yu.I., 4=4320
- Koptsik, V.A. See Strukov, B.A., 2=16784
- Koptsik, V.A. See Strukov, B.A., 2=23499
- Koptsik, V.A. See Strukov, B.A., 3=15621
- Koptsik, V.A. See Strukov, B.A., 3=17941
- Kopvillem, U.Kh. Spin-spin paramagnetic relaxation time in the absence of a static magnetic field for $\text{Co}(\text{NH}_4)_2(\text{SO}_4)_2 \cdot 6\text{H}_2\text{O}$ at helium temperatures, 0=1831
- Kopvillem, U.Kh. Second moment of the paramagnetic absorption curve when the spin magnetism is not pure, 0=3124
- Kopvillem, U.Kh. The second moment of a paramagnetic absorption line with allowance for fine and hyperfine structure, 0=6266
- Kopvillem, U.Kh. The quadrupole moment of the components of the fine structure of the nuclear and electronic paramagnetic resonance lines in magnetically dilute crystals, 1=11471
- Kopvillem, U.Kh. The possibility of observing the fine structure of an electronic and nuclear spin echo, 1=20193
- Kopvillem, U.Kh. The theory of cross relaxation in magnetically dilute crystals, 2=4274
- Kopvillem, U.Kh. Harmonic cross relaxation in crystals, 2=10707
- Kopvillem, U.Kh. Impulse excitation of a system of weakly interacting particles, 2=15499
- Kopvillem, U.Kh. Impulse excitation of a system of weakly interacting particles, 3=5384
- Kopvillem, U.Kh. and Khabibullin, B.M. Paramagnetic counter of elementary particles, 4=3248
- Kopvillem, U.Kh. and Korepanov, V.D. The possibility of the generation and amplification of hypersound in paramagnetic crystals, 2=566
- Kopvillem, U.Kh. and Korepanov, V.D. Generation of hypersound during paramagnetic resonance saturation in crystals, 2=11450
- Kopvillem, U.Kh. and Nagibarov, V.R. Theory of the line contours in optical and microwave absorption, 4=7095
- Kopvillem, U.Kh. and Nagibarov, V.R. Luminous echo of paramagnetic crystals, 4=15608
- Kopvillem, U.Kh. and Nagibarov, V.R. Deformation cooling, 4=18502
- Kopvillem, U.Kh. and Shubina, R.V. The possibility of obtaining absolute polarization of magnetic nuclei by a pulse method, 2=23627
- Kopvillem, U.Kh. and Shubina, R.V. The possibility of obtaining absolute polarization of magnetic nuclei by a pulse method, 3=6886
- Kopvillem, U.Kh. See Bashkurov, Sh.Sh., 3=17648
- Kopvillem, U.Kh. See Kessel, A.R., 3=15424
- Kopvillem, U.Kh. See Kessel, A.R., 4=1390
- Kopvillem, U.Kh. See Koloskova, N.G., 0=13125
- Kopvillem, U.Kh. See Koloskova, N.G., 0=18213
- Kopvillem, U.Kh. See Koloskova, N.G., 1=6428
- Kopvillem, U.Kh. See Nagibarov, V.R., 4=8966
- Kopvillem, V.Kh. and Mineyeva, R.M. Free nuclear induction in the absence of magnetic field, 3=11021
- Kopvillem, Yu.Kh. See Koloskova, N.G., 2=21383
- Kopylov, G.I. Results of a model for the p-p interaction at 100 GeV, 0=12932
- Kopylov, G.I. Identification of particles in high-energy stars, 0=15203
- Kopylov, G.I. In connection with the article by L.G.Yakovlev "Calculation of phase space integrals in the covariant formulation of the theory of multiple production of particles", 1=3149
- Kopylov, G.I. A method for the calculation of the statistical weights and distributions in theories of multiple production, 1=19118
- Kopylov, G.I. The principle of state levelling and calculations of multiple production, 2=22442
- Kopylov, G.I. On the determination of quantum numbers of $\text{K}2\pi$ and $\text{K}3\pi$ resonances, 4=9275
- Kopylov, G.I. On some properties of cascade decay, 4=27769
- Kopylov, G.I. and Komolova, V.Ye. Statistical background of resonance states, 3=24671
- Kopylov, G.I. and Lomakina, Z.D. On the question of direct construction of the elastic scattering amplitude, 0=15298
- Kopylov, G.I. and Ogievetsky, V.I. Forbidden configurations in many-meson decays, 4=9254
- Kopylov, G.I. and Podgoretskii, M.I. Multiple scattering of relativistic particles in an absorber between two collimators, 2=1670
- Kopylov, G.I., Polubarinov, I.V. and Semashko, G.L. Estimate of the cross-section for photo-production of a pair of vector bosons, 4=19403
- Kopylov, G.I. See Belyakov, V.A., 4=27890
- Kopylov, G.I. See Granovskii, Ya.I., 1=13461
- Kopylov, G.N. Laminar flow of a charged liquid through a planar tube under the influence of an external electrostatic field, 4=24801
- Kopylov, Yu.A. A study of the photoconductivity of ether solutions, 0=19151
- Kopylova, D.K., Korolevich, Yu.B., Petukhova, N.I. and Podgoretskii, M.I. The mechanism of capture of stopped K^- mesons, 0=9690
- Kopylova, D.K., Korolevich, Yu.B., Petukhova, N.I. and Podgoretskii, M.I. Determination of the capture frequency of slow mesons by light and heavy nuclei in photo-emulsions, 0=13003
- Kopylova, D.K., Lyubimov, V.B., Podgoretskii, M.I., Rizaev, Kh., Strel'tsov, V.N. and Trka, Z. Problems concerning isolation of events due to interaction with free protons, 4=27842
- Kopylova, D.K., Lyubimov, V.B., Podgoretskii, M.I., Rizaev, Kh. and Trka, Z. Inelastic π^+p interactions at an energy of 7 BeV, 3=24774
- Kopylova, D.K. See Birger, N.G., 2=3391
- Kopylova, D.K. See Bunyatov, S.A., 0=2597
- Kopylova, D.K. See Dzhanelidze, L.P., 0=15445
- Kopylova, D.K. See Dzhanelidze, L.P., 1=19282
- Kopylova, D.K. See Van Gan-ghan [Wang Kang-ch'ang], 3=2302

- Kopylovskii, B.D. and Bogdanov, S.V. The effect of surface recombination on the phase displacement between photoconductivity and the exciting illumination, 3=20393
- Kopylovskii, B.D. See Adirovich, E.I., 2=23424
- Kopylovskii, B.D. See Adirovich, E.I., 3=6606
- Kopylovskii, B.D. See Anufriev, B.F., 4=425
- Kopylovskii, B.D. See Bagaev, V.S., 4=3224
- Kopylovskii, B.D. See Bogdanov, S.V., 1=17704
- Kopylovskii, B.D. See Plotnikov, A.F., 4=424
- Kopylovskii, B.D. See Vavilov, V.S., 0=20984
- Kopystyński, J. See Chojnacki, S., 2=1839
- Kopytin, M.S. See Korzh, I.O., 4=12230
- Kopytin, N.S. See Korzh, I.A., 4=19786
- Kopytina, M.V. See Butusov, Yu.M., 1=14201
- Kopytov, E.I. See Samokhvalov, A.A., 1=5036
- Kopytov, L.N. See Kitaigorodskii, I.I., 3=18365
- Kor, S.K. Elastic constants of trigonal crystal systems (bismuth), 2=23731
- Kor, S.K. and Verma, G.S. Influence of the dielectric constant on the ultrasonic relaxation frequency in MnSO_4 solutions, 1=18404
- Kor, S.K. and Verma, G.S. Relaxation parameters of ultrasonic absorption in mixtures of water and ethyl alcohol, 2=53
- Kor, S.K. See Atkinson, G., 4=29626
- Korablev, L.V., Morozov, A.I. and Solov'ev, L.S. Magnetic surfaces, 2=15979
- Korabliev, L.N. See Belovitsky, G.E., 0=12786
- Koral, M. See LuValle, J.E., 3=11950
- Koravnin, G.S. See Mishin, D.D., 4=1826
- Korbel, H. and Monahan, T.I. Radiant exposure, 3=11990
- Korbel, K. See Kalisz, J., 4=24519
- Korbel, Z. and Rob, L. The meson decay of light hyperfragments, 0=2628
- Korbel, Z. See Gramenitskii, I.M., 1=10820
- Korbel, Z. See Rob, L., 0=5613
- Korbel, Z. See Vishky, T., 2=1684
- Korbel, Z. See Vishky, T., 2=22512
- Korbel, Z.F. See Dalkhazhav, N., 4=25150
- Korbel, Z.F. See Do In Seb, 3=24571
- Körber, W. See Zanker, V., 2=13348
- Körber, W.G. and Röllig, H.E. Examples of the application of photographic line broadening in the determination of trace impurities, 2=23983
- Korchak, A.A. On the possibility of discovering and studying radiation zones at greater distances by the method of radio-astronomy, 4=2254
- Korchak, A.A. and Syrovatsky, S.I. On the composition of primary cosmic rays, 1=2144
- Korchak, A.A. and Syrovatskii, S.I. Polarization of radiation and the structure of magnetic fields in cosmic sources of synchrotron radiation, 2=24183
- Korchak, A.A. See Dagkesanskii, P.D., 4=2453
- Korchevoi, Yu.P. See Morgulis, N.D., 1=16372
- Korchevoi, Yu.P. See Morgulis, N.D., 2=7555
- Korchevoi, Yu.P. See Morgulis, N.D., 3=4000
- Korchevoi, Yu.P. See Morgulis, N.D., 3=12186
- Korchevoi, Yu.P. See Morgulis, N.D., 3=24206
- Korchevoi, Yu.P. See Morgulis, N.D., 4=21497
- Korchevoi, Yu.P. See Morgulis, N.D., 4=21575
- Korchevii, Yu.P. and Hroshev, I.M. Characteristics of the plasma diode energy converter with metallic caesium cathodes at small interelectrode distances, 2=19887
- Korchovai, A., Gika, G. and Greku, D. Distribution of atoms displaced in a solid by a primary atom excited by radiation, 3=17799
- Korchunov, B.N. and Smirnov, B.I. The effect of grain size upon the stress/strain diagrams of iron at various temperatures, 4=20661
- Korda, Yu.S. See Remaev, V.V., 3=15134
- Korda, Yu.S. See Remaev, V.V., 3=24911
- Korde, Yu.S., Timoshevskii, G.F. and Remaev, V.V. Photo-efficiency of the crystal NaI:Tl for uncollimated γ -radiation, 4=874
- Kordes, E. The calculation of ionic radii from interionic distances, 1=11662
- Kordes, E. Calculation of the electron affinities of the halogens from the "ultraviolet eigen-vibrations of crystallized alkali halides", 2=8146
- Kordes, E. A simple relation between the radii and nuclear charges of ions and the wavelengths of the first ultra-violet resonance frequencies of isoelectronic alkali halides, 2=8521
- Kordes, E. Ultraviolet absorption spectrum of the noble gases and the isoelectronic salts LiH , NaF , KCl , RbBr and CsI , 3=13179
- Kore'eda, A. See Nishiyama, Z., 1=14281
- Korenberg, E.B. See Kotel'nikov, V.A., 3=9272
- Korenblit, I.Ya. Magnetolectric effects in Bi_2Te_3 in the case of anisotropic scattering of carriers, 1=5021
- Korenblit, I.Ya. Galvanomagnetic effects in semiconductors with anisotropic electronscattering, 2=12506
- Korenblit, I.Ya. Galvanomagnetic effects in semiconductors with anisotropic electronscattering, 2=14518
- Korenblit, I.Ya. Solution of the transport equation for scattering of electrons on impurities, 2=21118
- Korenblit, I.Ya. Solution of the transport equation for scattering of electrons on impurities, 3=2867
- Korenblit, I.Ya. See Efimova, B.A., 1=19869
- Korenblit, I.Ya. See Efimova, B.A., 2=6462
- Korenblit, I.Ya. See Gurevich, L.E., 4=1571
- Korenblit, I.Ya. See Samoilovich, A.G., 1=17703
- Korenblit, I.Ya. See Samoilovich, A.G., 1=19858
- Korenblit, I.Ya. See Samoilovich, A.G., 2=3893
- Korenblit, I.Ya. See Samoilovich, A.G., 2=6440
- Korenblit, I.Ya. See Samoilovich, A.G., 2=8202
- Korenblit, I.Ya. See Samoilovich, A.G., 2=10454
- Korenblit, L.L. See Samoilovich, A.G., 1=7533
- Korenblit, L.L. See Samoilovich, A.G., 2=10546
- Korenchenko, E.S. See Kunin, N.V., 4=26506
- Korenchenko, S.M. See Andreev, E.M., 2=18041
- Korenchenko, S.M. See Andrejev, S.M., 2=3229
- Korenchenko, S.M. See Zinov, V.G., 0=13001
- Korenchenko, S.M. See Zinov, V.G., 0=13033
- Korenchenko, S.M. See Zinov, V.G., 0=20196
- Korenchenko, S.M. See Zinov, V.G., 0=20197
- Korenchenko, S.M. See Zinov, V.G., 1=4804
- Korendyaseva, Z.V. See Arkharov, V.I., 2=23875
- Korenev, N.A. The temperature-dependence of the intensity of magnetization of chemically deposited nickel films, 4=22997
- Korenev, N.A. See Kotel'nikov, N.V., 2=14791
- Korenev, N.A. See Kotel'nikov, N.V., 3=5013
- Korenman, G.Ya. and Eramzhyan, R.A. Angular distribution of recoil nuclei in the $\mu^+ + \text{He}^3 \rightarrow \text{H}^3 + \nu$ reaction, 4=6144
- Korennoi, E.P. See Zaidel', A.N., 2=866
- Korenskiĭ, I.I. See Kalinovich, D.F., 3=17782
- Korepanov, V.D., Chernitsyn, A.I. and Dautov, R.A. Spin echo in a local field, 4=4421
- Korepanov, V.D., Dautov, R.A. and Fadeev, V.M. Measurements of the transverse proton relaxation time in aqueous solutions of paramagnetic salts by the spin-echo method, 0=12428
- Korepanov, V.D. See Kopvillem, U.Kh., 2=566
- Korepanov, V.D. See Kopvillem, U.Kh., 2=11450
- Koreshkova, V.A. See Venediktov, Yu.P., 3=24193
- Koretskii, Ya.P. See Kagan, Yu.M., 2=8066
- Korevaar, B.M. The resistivity of ordered Au_3Cu , 0=17997
- Korff, D. Zero-mass representations of the proper inhomogeneous Lorentz group, 4=24978
- Korff, S.A. Observations at College, Alaska, of the November, 1960 cosmic ray increases, 2=12028
- Korff, S.A. and Haymes, R.C. High neutron and radiation intensities at balloon altitudes during auroral display, 1=13589
- Korff, S.A. and Haymes, R. Observations of cosmic ray neutrons at the time of the July 1959 event, 1=19307
- Korff, S.A. See Aponte, J.D., 0=9231
- Korff, S.A. See Haymes, R.C., 0=20294
- Korff, S.A. See Haymes, R.C., 2=13896
- Korff, S.A. See Mendell, R.B., 4=3518
- Korff, S.A. See Mendell, R.B., 4=9226
- Korff, S.A. See Reidy, W.P., 2=9973
- Korff, S.A. See Shen, S.P., 4=4776
- Korgaonkar, K.S. and Tarakanath, M.S. Use of the dye methyl orange as a spectrophotometric dosimeter in the range 500-5000 rad, 4=5894
- Korgueva, I. See Martalogu, N., 0=19995
- Korgueva, I. See Martalogu, N., 1=5412
- Korhonen, U. and Linkoaho, M. Experimental structure factors of the AgCl crystal at room temperature, 4=20765
- Korhonen, U. and Vihinen, S. On deformation of electron clouds in some ionic crystals, 1=15071
- Korin, V.I. See Dolbilkin, B.S., 3=24684
- Korinth, E. See Haase, G., 2=8807
- Koritke, H. Measurement of lattice constant in thin layers of γ -iron and nickel, 1=20669
- Koritke, H. and Pitsch, W. The crystallographic mechanism of phase transitions in thin metal foils, 4=15734

- Koritskii, A.T. See Molin, Yu.N., 4=17675
- Koritz, H. E. and Keck, J. C. Technique for measuring the electrical conductivity of wakes of projectiles at hypersonic speeds, 4=8588
- Koritz, H. See Janes, G.S., 0=2310
- Koritz, H. See Janes, G.S., 0=7322
- Korkhmazyan, N.A. See Amatuni, A.Ts., 1=19162
- Korkina, M.P. Processes of the interaction of photons and gravitons in quantum field theory, 2=7117
- Korkina, M.P. Phenomenological theory of the interaction of electromagnetic and gravitational fields, 2=17346
- Korkman, K. See Marklund, I., 2=12160
- Korkowski, V.J. See Overn, W.M., 0=2422
- Kormakova, E. G. Properties of photomultipliers with multi-alkali-metal photocathodes, 4=8812
- Korman, M., See Bariaud, A., 3=9800
- Korman, M. See Bariaud, A., 4=29956
- Kormer, S.B., Funtikov, A.I., Urlin, V.D. and Kolesnikova, A.N. Dynamic compression of porous metals and the equation of state with a variable specific heat at high temperatures, 2=14876
- Kormer, S.B., Funtikov, A.I., Urlin, V.D. and Kolesnikova, A.N. Dynamic compression of porous metals and equation of state with a variable specific heat at high temperatures, 3=6787
- Kormer, S.B. and Urlin, V.D. Interpolated equations of state for metals under very high pressures, 0=11549
- Kormer, S.B., Urlin, V.D. and Popova, L.T. Interpolation equation of state and its application to experimental data on impact compression of metals, 2=10747
- Kormer, S.B. See Al'tshuler, L.V., 0=11550
- Kormer, S.B. See Al'tshuler, L.V., 0=11974
- Kormer, S.B. See Al'tshuler, L.V., 2=2759
- Kormer, S.B. See Al'tshuler, L.V., 3=1756
- Kormer, S.B. See Zel'dovich, Ya.B., 1=16065
- Kormer, S.B. See Zel'dovich, Ya.B., 1=18577
- Korn, D. See Hilsch, R., 2=13515
- Korn, G.A. See Brubaker, T.A., 1=7968
- Korn, T.S. Effect of acoustic environment on loudspeaker response, 2=5121
- Korn, T.S. and Hougardy, J. Measurements of loud speakers in their operating positions, 0=16799
- Korna, G. M. See Shurmovskaya, N.A., 4=19075
- Kornakov, E. V. See Monoszon, N.A., 4=14798
- Kornalewski, T. and Niewodniczański, H. Intensity ratios of spectral lines in the visible triplet of Zn I in the temperature of liquid nitrogen, 4=22312
- Kornbichler, H. Static hydraulic stability of boiling water reactors, 1=17230
- Kornbichler, H. See Bruchner, H.J., 0=7658
- Kornbichler, S. See Christ, J., 4=3762
- Kornblum, H.N. See Freden, S.C., 0=15446
- Korneenko, I.A. Mean values of the parameters of inhomogeneous media, 0=10862
- Korneev, E.I., Skobkin, V.S. and Flerov, G.N. Fission of Th^{232} induced by thermal neutrons, 0=9701
- Korneeva, I.V. See Pashinkin, A.S., 1=4006
- Korneeva, I.V. The hexagonal modification of zinc selenide, 3=16070
- Korneeva, O. G. See Podgaetskii, V. M., 4=30097
- Korneff, T., Chace, W. and Edelson, E. Shunting mechanisms in exploding wires at reduced pressures, 4=18350
- Korneff, T. See Moses, K.G., 3=21672
- Kornegay, R. L. See Bovey, F. A., 4=20103
- Kornegay, R. L. See Helfand, E., 4=27096
- Kornegay, R.L. See Nelson, L.S., 3=18997
- Kornegay, R.L. See Stillinger, F.H. Jr., 4=16288
- Kornegay, W. See Johnston, H.S., 1=18768
- Kornegay, W.M. and Johnston, H.S. Kinetics of thermal ionization. II. Xenon and krypton, 3=14515
- Korneichuk, A. A. See Lyu Yuan', 4=25276
- Korneichuk, A. M. See Solov'ev, V. G., 4=12125
- Kornelis, Y. See Amato, G., 3=17135
- Kornelsen, E. V. The ionic entrapment and thermal desorption of inert gases in tungsten for kinetic energies of 40 eV to 5 keV, 4=13693
- Kornelsen, E. V. See Domeij, E., 4=19119
- Kornelsen, E.V. See Redhead, P.A., 3=3840
- Kornelsen, R.O. The structure of manganese arsenide between 40°C and 120°C, 2=2387
- Körner, H.J., Gerdau, E., Günther, C., Auerbach, K., Mielken, G., Strube, G. and Bodenstedt, E. Magnetic moment of the 2.083 MeV two-proton level of the even-even nucleus Ce^{140} , 3=12560
- Körner, H.J., Radeloff, J. and Bodenstedt, E. Determination of the g_F factor of the 2+ rotational level of W^{182} by differential γ - γ angular correlation measurements in an external magnetic field, 3=8013
- Körner, H.J. See Bodenstedt, E., 0=7540
- Körner, H.J. See Bodenstedt, E., 0=17481
- Körner, H.J. See Bodenstedt, E., 1=632
- Körner, H.J. See Bodenstedt, E., 1=2160
- Körner, H.J. See Bodenstedt, E., 1=8568
- Körner, H.J. See Bodenstedt, E., 1=19410
- Körner, H.J. See Bodenstedt, E., 2=12136
- Körner, H.J. See Bodenstedt, E., 2=16300
- Körner, H.J. See Bodenstedt, E., 3=2391
- Körner, H. J. See Brandão, D. E., 4=27975
- Kornetzki, M. Anhyseretic remanent magnetization, 2=12765
- Kornetzki, M. The spontaneous isoperm loop of manganese-zinc ferrite, 2=23683
- Kornetzki, M., Moser, E. and Röss, E. Manganese-zinc ferrites with spontaneous isoperm-loop, 0=18204
- Kornetzki, M., Röss, E. and Haudek, H. The loss factors of magnetic cores below the gyromagnetic resonance frequency, 4=28861
- Kornetzki, M., Moser, E. and Röss, E. Manganese zinc ferrites with different kinds of magnetisation loops, 1=7767
- Kornetzki, M. and Röss, E. The anhyseretic magnetization curves of ferrites with different hysteresis loops, 1=7764
- Kornetzki, M. See de Kienlin, A., 0=13822
- Kornetzki, M. See Röss, E., 3=13277
- Kornev, A.M. See Gorodetskii, D.A., 1=20701
- Korneva, L.A. Some results of a study of wave attenuation with depth, 3=16199
- Kornfel'd, M.I. Optical dispersion of germanium, 0=16044
- Kornfel'd, M.I. Absorption of light in germanium, 0=16045
- Kornfel'd, M.I. and Lemanov, V.V. Nuclear magnetic resonance in plastically deformed rock salt, 0=21086
- Kornfel'd, M.I. and Lemanov, V.V. Quadrupole nuclear magnetic resonance effects in mixed NaNO_3 - AgNO_3 crystals, 0=21091
- Kornfel'd, M.I. and Lemanov, V.V. Distortions of the NaCl lattice by Ag^+ , Br^- and K^+ impurity ions, 3=2791
- Kornfel'd, M.I. and Lemanov, V.V. Local distortions of a crystal lattice by impurity ions, 3=17713
- Kornfel'd, M.I. and Mirlin, D.N. The temperature dependence of low frequency conductivity fluctuations in germanium, 0=7925
- Kornfel'd, M.I. and Mirlin, D.N. The temperature dependence of low-frequency fluctuations of conductivity in tellurium, 0=15963
- Kornfel'd, M.I. and Mirlin, D.N. Low-frequency fluctuations of the recombination of minority carriers in germanium, 2=23322
- Kornfel'd, M.I. and Sochava, L.S. Conductivity fluctuations in solid and liquid Sb_2S_3 , 0=600
- Kornfel'd, M.I. and Sochava, L.S. Conductivity fluctuations in amorphous semiconductors, 0=615
- Kornfel'd, M.I. and Sochava, L.S. Impurity-ion complexes in strontium chloride crystals, 4=1467
- Kornfel'd, M.I. See Devyatkov, E.D., 2=10324
- Kornfel'd, M.I. See Devyatkov, E.D., 3=6473
- Kornfel'd, M.I. See Devyatkov, E.D., 3=10584
- Kornfel'd, M.I. See Devyatkov, E.D., 3=22644
- Kornfeld, M.L. and Lemanov, V.V. Distortions of the NaCl lattice by Ag^+ , Br^- and K^+ impurity ions, 2=3915
- Kornfeld, P. See Alterman, Z., 4=7815
- Kornfeld, P. See Alterman, Z., 4=23703
- Kornhauser, E.T. Electroacoustic coupling at the boundary of an ionized medium, 2=2823
- Kornhauser, E.T. On the feasibility of phonon diffraction in liquid helium, 2=7489
- Kornhauser, E. T. and Heller, G.S. A soluble problem in duct propagation, 4=3176
- Kornich, V. G. See Gorban, A. N., 4=7193
- Kornienko, A. S. See Zverev, G.M., 2=18944
- Kornienko, E. N. See Ishkhanov, B.S., 4=3641
- Kornienko, E. N. See Ishkhanov, B.S., 4=22117
- Kornienko, E.N. See Yurin, V.A., 2=14622
- Kornienko, L.A. See Lazarev, B.G., 4=13649
- Kornienko, L.C. and Feshchenko, G.A. Calculation of the transfer energy matrix for Fe^{3+} ions in corundum for a special case of practical importance, 3=13230
- Kornienko, L.S. and Feshchenko, G.A. Calculation of matrix elements of transition between levels of Fe^{3+} ion in corundum in a case of practical importance, 3=23230
- Kornienko, L.S., Pashinin, P.P. and Prokhorov, A.M. The spin-lattice relaxation time for the Ti^{3+} ion in corundum, 2=6696

- Kornienko, L.S., Pashinin, P.P. and Prokhorov, A.M. The spin-lattice relaxation time for the Ti^{3+} ion in corundum, 3=6752
- Kornienko, L.S. and Prokhorov, A.M. Electron paramagnetic resonance of the Ti^{3+} ion in corundum, 0=13873
- Kornienko, L.S. and Prokhorov, A.M. Electron paramagnetic resonance of the Fe^{3+} ion in corundum, 2=768
- Kornienko, L.S. and Prokhorov, A.M. Electron paramagnetic resonance of the Fe^{3+} ion in corundum, 3=5039
- Kornienko, L.S. and Prokhorov, A.M. Electron spin resonance and spin-lattice relaxation of Ti^{3+} ion in corundum, 4=26436
- Kornienko, L.S. See Kaminskii, A.A., 4=15613
- Kornienko, L.S. See Kask, N.E., 3=20649
- Kornienko, L.S. See Kask, N.E., 4=1884
- Kornienko, L.S. See Kask, N.E., 4=1890
- Kornienko, L.S. See Zverev, G.M., 3=24505
- Kornilov, A.I. The effect of sunspot magnetic fields on the growth curve, 0=18738
- Kornilov, B.V. Determination of the effective cross-sections for capture of the majority carriers by copper atoms in germanium from the transient impurity photoconductivity, 3=17859
- Kornilov, B.V. Selective inertia of a p-n junction due to deep levels of zinc in silicon, 4=10078
- Kornilov, B.V. Absorption in silicon doped with zinc, 4=10193
- Kornilov, E.A. See Kharchenko, I.F., 0=12619
- Kornilov, E.A. See Kharchenko, I.F., 2=11665
- Kornilov, E.A. See Kharchenko, I.F., 4=8782
- Kornilov, E.A. See Kharchenko, I.F., 4=24690
- Kornilov, I.I. and Matveeva, N.M. The rate of creep of the $MnNi_3$ compound as a function of the equilibrium state, 3=6790
- Kornilov, I.I., Mikhnev, V.S. and Konstantinov, K.M. A study of the electrical resistivity of alloys of the titanium-aluminum system in the 20-1200°C range, 4=28536
- Kornilov, V.A. See Dubovoi, L.V., 3=7614
- Kornreich, P. and Pollack, S.R. Variable delay magnetic strip line, 3=14732
- Kornstein, E. An optical selection device, 3=16745
- Korneyev, O.M. See Horodets'kyi, D.O., 2=11720
- Korobeinikov, V.P. and Chushkin, P.I. A method of calculations for a point explosion in gases, 4=14266
- Korobeinikov, V.P. and Karlikov, V.P. On the interaction of strong shock waves with an electromagnetic field, 0=19911
- Korobeinikov, V.P. and Karlikov, V.P. On the interaction of strong shock waves with an electromagnetic field, 1=5542
- Korobeinikov, V.P. and Karlikov, V.P. Determination of shape and of parameters of shock-wave fronts caused by an explosion in a nonuniform medium, 3=21485
- Korobeinikov, V.P. See Karlikov, V.P., 2=17954
- Korobeinikova, I.E. and Rodigin, N.M. Possibility of measuring plate parameters from a conducting magnet by the eddy current method, 3=9902
- Korobeinikova, I.E. See Rodigin, N.M., 4=17642
- Korobeinikova, I.Ye. and Rodigin, N.M. Eddy current method for the selective measurement of small changes in the parameters of a ferromagnetic cylinder, 4=11743
- Korobkin, I. and Slawsky, Z.I. Effects of electronic exchange on the efficiency of vibrational excitation by molecular collisions. I. Interaction potential, 2=18498
- Korobkin, V.A. See Tereshchenko, A.I., 2=20145
- Korobkin, V.A. See Tereshchenko, A.I., 3=4267
- Korobkin, V.A. See Tereshchenko, A.I., 4=3139
- Korobkin, V.V. and Leontovich, A.M. Coherence and time scanning of the radiation spectrum of a ruby laser, 4=3221
- Korobkin, V.V. and Malyavkin, L.P. Use of the superopticon to obtain a time sweep of a rapidly occurring event, 3=24352
- Korobkin, V.V. and Uspenskii, A.V. Theory of radiation pulsations from a ruby laser, 4=5880
- Korobko, G.V. See Deigen, M.F., 3=17797
- Korobkov, I.I. See Revyakina, B.N., 4=23641
- Korobkov, V.I. See Galinker, I.S., 4=21126
- Korobkov, V.S. On the question of the relation between the frequencies of the symmetric and antisymmetric vibrations of groups of the type XH_2 , 4=6536
- Korobochko, Yu.S. Investigation of electron-capture processes in the betatron, 0=11000
- Korobochko, Yu.S. and Shil'kov, K.S. Model of a cylindrical betatron without iron, 0=17062
- Korobochko, Yu.S. and Shil'kov, K.S. Model of a cylindrical betatron without iron, 1=4684
- Korobochko, Yu.S. and Shil'kov, K.S. Model of a cylindrical betatron (containing no steel) with axial magnetic focusing, 3=14698
- Korobochko, Yu.S. See Denisov, S.G., 0=19860
- Korobochko, Yu.S. See Ivanov, D.P., 0=9129
- Korobochko, Yu.S. See Ivanov, D.P., 0=11003
- Korobochko, Yu.S. See Ivanov, D.P., 0=11004
- Korobochko, Yu.S. See Ivanov, D.P., 0=12658
- Korobochko, Yu.S. See Komar, A.P., 0=11001
- Korobochko, Yu.S. See Komar, A.P., 0=11002
- Korobov, M.A. Dependence of the form factor on the boundary condition criterion for certain potential fields, 3=21207
- Korol', E.N. and Tolpygo, K.B. Dynamics of crystal lattices of ZnS-type with fractional variable charges on ions, 4=1362
- Korol', I.P. Study of viscous flow of rubbers. I. Method of constant deformation, 0=10266
- Korol', I.P. Study of viscous flow of rubbers. II. Flow of rubbers during constant deformation, 0=10267
- Korol', I.P. Study of viscous flow of rubbers. III. Flow of concentrated solutions of some rubbers, 0=10268
- Korol', I.P. Study of viscous flow of rubbers. IV. Flow of natural rubber and polyisobutylene as function of the molecular composition, 0=10269
- Korolenko, Yu.I. See Karal'nik, S.M., 1=14621
- Korolenko, Yu.I. See Neshpor, V.S., 2=8546
- Korolev, A.M. Excitation of collective nuclear levels in stripping reactions, 1=8757
- Korolev, A.M. Excitation of collective nuclear levels in stripping reactions, 2=14128
- Korolev, A.M. Collective interaction of neutrons with spherical nuclei, 3=24943
- Korolev, A.M. See Gurin, Yu.L., 2=13971
- Korolev, A.M. See Konstantinov, V.D., 1=8604
- Korolev, A.N. See Nagibina, I.M., 4=11356
- Korolev, B.M. See Voronkov, R.M., 3=5727
- Korolev, B.M. See Voronkov, R.M., 4=622
- Korolev, E.A. See Anan'ev, Yu.A., 4=30087
- Korolev, E.N. See Zhezherun, I.F., 4=910
- Korolev, F.A., Ershov, A.G. and Kulikov, O.F. Variation of the axial and radial dimensions of an electron cluster during synchrotron acceleration, 2=212
- Korolev, F.A., Ershov, A.G. and Kulikov, O.F. Variation of the axial and radial dimensions of an electron cluster during synchrotron acceleration, 3=4193
- Korolev, F.A. and Gridnev, V.I. A Fabry-Perot interferometer with diffraction mirrors, 4=21310
- Korolev, F.A., Klement'eva, A.Yu. and Meshcheryakova, T.F. Interference light filters with a transmission band of 1.5 Å width, 1=12995
- Korolev, F.A., Kozlov, B.A. and Odintsov, A.I. Investigation of the profile of the cadmium red line [6438 Å], using an atomic beam, 0=11508
- Korolev, F.A., Kromskii, G.I. and Skokov, I.V. The amplitude method of multiple beam interferometry, 3=21564
- Korolev, F.A. and Kulikov, O.F. Investigation of the ratio of intensities of the polarized components of radiation emitted by a "luminous" electron, 0=11142
- Korolev, F.A., Kulikov, O.F. and Ersov, A.G. Quantum excitation and radiational damping of electron oscillations in cyclic accelerators, 1=7112
- Korolev, F.A. and Kvaratskheli, Yu.K. The plasmatron (plasma jet) as a light source for spectroscopy, 2=109
- Korolev, F.A., Odintsov, V.I. and Fursova, E.V. Determination of the transition probability for the neon resonance line at 736 Å, 4=28133
- Korolev, F.A. See Ershov, A.G., 1=5517
- Korolev, G.A. and Kocharov, G.E. Thin α -emitting sources of large area and good uniformity, 2=1733
- Korolev, G.A. and Kocharov, G.E. Investigation of pulses arising on the grid of an ionization chamber, 2=16090
- Korolev, G.A. and Kocharov, G.E. Concerning the operation of proportional counters, 3=7743
- Korolev, G.A. and Kocharov, G.E. Energies of alpha-particles from long-lived Th^{232} and Bi^{210m} , 3=19824
- Korolev, G.A. See Damaskinskii, E.A., 2=22356
- Korolev, G.A. See Kocharov, G.E., 3=12524
- Korolev, G.A. See Volkov, Yu.M., 3=8023
- Korolev, L.M. See Rode, V.E., 4=22984
- Korolev, N.V. See Agroskin, L.S., 0=3595
- Korolev, N.V. See Agroskin, L.S., 4=14343
- Korolev, V.A. See Komar, A.P., 1=18762
- Korolev, V.A. See Vorob'ev, A.A., 0=8991
- Korolev, V.A. See Vorob'ev, A.A., 0=11345
- Korolev, V.A. See Vorob'ev, A.A., 0=11348
- Korol'ev, V.A. See Vorob'ev, A.A., 0=20374
- Korolev, V.A. See Vorob'ev, A.A., 1=18756

- Korolev, V.A. See Vorob'ev, A.A., 2=13895
 Korolev, V.A. See Vorob'ev, A.A., 2=14016
 Korolev, V.A. See Vorob'ev, A.A., 2=17986
 Korolev, V.A. See Vorob'ev, A.A., 2=20186
 Korolev, V.A. See Vorob'ev, A.A., 3=2152
 Korolev, V.N. See Gorbachev, V.M., 3=24192
 Korolev, Yu.M. The structure of alleverdite, 1=15098
 Koroleva, K.P. and Skugarevskaya, O.A. The later stage of the establishment of a magnetic field in a layered medium, 3=2081
 Koroleva, L.I. See Elkina, T.A., 4=23022
 Koroleva, M.I. See Cheremushkina, A.V., 4=1564
 Koroleva, V.P. See Stavisskii, Yu. Ya., 4=9219
 Korolevich, Yu.B. See Bunyatov, S.A., 0=2597
 Korolevich, Yu.B. See Dzhanelidze, L.P., 0=15445
 Korolevich, Yu.B. See Dzhanelidze, L.P., 1=19282
 Korolevich, Yu.B. See Kopylova, D.K., 0=9690
 Korolevich, Yu.B. See Kopylova, D.K., 0=13003
 Korol'kov, A.P. See Stekhanov, A.I., 2=18850
 Korol'kov, A.P. See Stekhanov, A.I., 2=23577
 Korol'kov, A.P. See Stekhanov, A.I., 3=15692
 Korol'kov, D. See Gelfreich, G., 0=18636
 Korol'kov, D.V., Pariiskii, Yu.N., Timofeeva, G.M. and Khaikin, S.E. High-resolution radio-astronomical observations of Venus, 3=16426
 Korol'kov, D.V. and Soboleva, N.S. Results of polarization observations made at centimetre wavelengths during the solar eclipse of April 19, 1958, 2=4837
 Korol'kov, I.Ya. and Burgov, N.A. Automatic system for measuring spectra on a magnetic spectrometer, 4=16877
 Korol'kov, I. Ya. See Daniyan, G.V., 4=6362
 Korol'kov, V.I. and Romanenko, V.N. Concentration dependence of the segregation coefficients of some group III and V impurities in germanium, 4=7556
 Korol'kov, V.S. Dependence of the electron shell dimensions on the atomic number of the atom, 1=13918
 Korol'kov, V.S. Calculation of $r^{-3}(n,l)$ from the fine structure of spectra, 2=6092
 Korol'kov, V.S. Semiempirical method for calculation of atomic properties, 4=19934
 Korol'kov, V.S. and Makhanev, A.G. Gradients of electric fields set up by electrons at the sites of atomic nuclei, 2=16467
 Korol'kov, V.S. and Potapovich, A.K. An analysis of the shape of electron paramagnetic resonance signals from samples containing randomly oriented paramagnetic centers, 4=24861
 Korol'ov, O.M., Konstantinov, B.D. and Ovcharenko, V.I. Deuteron splitting under the action of nuclear forces, 2=22847
 Korol'ov, O.M. See Tszyan-Yu-tai, 2=22846
 Korolyev, A.M. Role of the Coulomb interaction in the (d, p) reaction, 4=1102
 Korolyov, F.A., Kulikov, O.F. and Yarov, A.S. Investigation of the polarization properties of synchrotron radiation from high-energy electrons, 3=14954
 Korolyov, G.A. See Komar, A.P., 0=20379
 Korolyuk, A.P. "Giant" quantum oscillations of the acoustic absorption coefficient of bismuth, 4=9843
 Korolyuk, A.P. and Prushchal, T.A. A new type of quantum oscillation of the coefficient of absorption of ultrasound in zinc, 2=6264
 Korolyuk, A.P. and Prushchal, T.A. A new type of quantum oscillation of the coefficient of absorption of ultrasound in zinc, 3=2723
 Korolyuk, A.P. See Bezuglyi, P.A., 0=13501
 Korolyuk, A.P. See Bezuglyi, P.A., 0=19567
 Korolyuk, A.P. See Galkin, A.A., 0=1567
 Korolyuk, A.P. See Galkin, A.A., 0=11576
 Korolyuk, A.P. See Galkin, A.A., 0=11577
 Korolyuk, A.P. See Galkin, A.A., 0=20758
 Korolyuk, A.P. See Galkin, A.A., 1=3598
 Korolyuk, A.P. See Galkin, A.A., 1=17402
 Korolyuk, A.P. See Galkin, A.A., 2=5123
 Korolyuk, A.P. See Galkin, A.A., 4=16190
 Korolyuk, G.F. See Kushta, G.P., 0=1938
 Korolyuk, S.L. On the theory of exciton thermal conductivity, 2=18537
 Korolyuk, S.L. Phenomenon of exciton drag by charged quasiparticles, 3=17691
 Korolyuk, S.L. See Samoilovich, A.G., 0=1630
 Koroneos, E. See Theocaris, P.S., 4=7458
 Koronkevich, V.P. and Kolesova, E.B. Measurement of the optical density of the blackening of spectral lines using interference microscopy methods, 1=18595
 Koronkevich, V.P. and Lenkova, G.A. On the paper "On the occurrence of Brewster and superposition fringes" by N.A. Vlasenko, V.K. Miloslavskii and I.N. Shklyarevskii, 4=29763
 Koronkevich, V.P., Lenkova, G.A., Babenko, N.S. and Lokmatov, A.I. Photoelectric method of recording an achromatic interference fringe, 2=5184
 Koros, R.M., Deckers, J. and Boudart, M. More experiments on liquid films, 0=14609
 Korostoff, E. Relaxation method for studying vacancies in solids, 2=14429
 Korostoff, E. See Greenberg, S.B., 4=20549
 Korostoff, E. See Matcovich, T., 1=6322
 Korostyleva, L.A. Optical hyperfine structure and magnetic moment of Pu^{239} , 3=15289
 Korostyleva, L.A. Hyperfine and isotopic structure in the spectrum of plutonium, 3=15290
 Korostyleva, L.A. and Striganova, G.A. Isotopic shift in the uranium spectrum, 0=4176
 Korostyshevskii, I.Z. See Gol'denfel'd, I.V., 3=2053
 Korotaev, A.D. and Nikitina, A.K. The effect of quenching conditions and plastic deformation on the kinetics of K-state formation in Ni-Fe-Mo, 3=13531
 Korotaev, A.D. See Bol'shanina, M.A., 4=23285
 Korotin, I. See Pudovkin, M., 2=15278
 Korotkina, M.R. Possible definitions of the concepts of stress and strain in a system of interacting particles, 2=17388
 Korotkov, A.S. See Medvedev, S.A., 2=14937
 Korotkov, A.S. See Medvedev, S.A., 2=19047
 Korotkov, K.A. and Chernikov, A.M. Internal bremsstrahlung accompanying β -decay of P^{32} , 2=14027
 Korotkov, K.A., Kabachenko, A.P., Lysikov, Yu.A. and Dobrov, Yu.V. Internal bremsstrahlung accompanying the beta decay of Ca^{46} , 3=22327
 Korotkov, P.A. See Kondilenko, I.I., 0=19412
 Korotkov, P.A. See Kondilenko, I.I., 0=19413
 Korotkov, P.A. See Kondilenko, I.I., 1=12291
 Korotkov, P.A. See Kondilenko, I.I., 2=6173
 Korotkov, P.A. See Kondilenko, I.I., 3=20463
 Korotkov, P.A. See Kondilenko, I.I., 2=1203
 Korotkov, S.M. See Klochkov, V.P., 4=30452
 Korotkov, S.M. See Neporent, B.S., 3=1703
 Korotkov, V.F. and Titovets, A.V. Determination of sulphur, phosphorous and carbon in low-alloy steels by means of the VCI vacuum quantometer, 4=7795
 Korovin, L.I. Calculation of the refractive index near the fundamental absorption edge of elemental semiconductors, 0=11668
 Korovin, L.I. Magneto-optical absorption spectra in semiconductors with arbitrary form of isoenergetic electron surfaces. The case of closed trajectories, 1=19955
 Korovin, L.I. Refractive index oscillations in a strong magnetic field in the intrinsic absorption edge region in semiconductors, 2=2220
 Korovin, L.I. Magneto-optical absorption spectra in semiconductors with arbitrary form of isoenergetic electron surfaces. The case of closed trajectories, 2=4119
 Korovin, L.I. and Bulashevich, T.Yu. Oscillations of the absorption coefficient of [monocrystalline] tellurium in a magnetic field directed along the crystal optical axis, 1=12495
 Korovin, L.I. and Kharitonov, E.V. Faraday effect in crystals in a strong magnetic field in the fundamental absorption edge region, 3=20448
 Korovin, L.I. and Kharitonov, E.V. Interband Faraday effect in germanium in a strong magnetic field, 4=1731
 Korovin, L.I. See Ansel'm, A.I., 0=13510
 Korovina, L.I. See Ternov, I.M., 2=214
 Korovin, Yu.I. and Lipis, L.V. Use of a hollow-cathode discharge for determination of impurities in ZrO_2 , I, 0=1971
 Korovina, L.I. See Lysov, B.A., 1=17277
 Korovina, L.I. See Ternov, I.M., 3=437
 Korovina, V.M. See Al'perovich, L.L., 3=16627
 Korpel, A. See Free, J., 4=14951
 Körper, K. High-frequency heating of a plasma cylinder in an axial magnetic field, 0=10899
 Körper, K. The impedance of a coil with a plasma as the dielectric, 0=10900
 Körper, K. Oscillation of a plasma cylinder in an axial magnetic field. II, 0=10928
 Körper, K. See Severin, H., 1=7148
 Korpusov, V.N. See Katasev, L.A., 0=18684

- Korringa, J. Dispersion of electron waves in a random lattice, 0=9872
- Korringa, J. Spin waves in an antiferromagnet with $S=\frac{1}{2}$, 2=8662
- Korringa, J. Dynamical decomposition of a large system, 4=11101
- Korringa, J., Motchane, J. L., Papon, P. and Yoshimori, A. Derivation of the modified Bloch equations for spin systems, 4=15663
- Korringa, J. and Papon, P. A contribution to relaxation theory, 4=2526
- Korringa, J., Seevers, D. O. and Torrey, H. C. Theory of spin pumping and relaxation in systems with a low concentration of electron spin resonance centers, 2=20174
- Korringa, J. and Yoshimori, A. Theory of relaxation of a two-spin system, 3=1624
- Korringa, J. See Faulkner, J. S., 1=7550
- Korringa, J. See Mills, R. L., 1=6377
- Korringa, J. See Torrey, H. C., 0=89
- Korringa, J. See Wood, R. F., 1=11258
- Korringa, J. See Yoshimori, A., 3=1623
- Korsching, H. On the "forgotten effect", 4=2630
- Korshak, V. V. See Myl'nikov, V. S., 2=23371
- Korshakevich, I. I. and Turko, M. N. Dynamics and structure of the luminous cloud of an arc discharge, 4=487
- Korshunov, A. V. and Bondarev, A. F. Widths of the low-frequency Raman lines of crystals of some paradihalogenated benzenes, 4=6618
- Korshunov, I. P. See Bartini, G. R., 4=20732
- Korshunov, V. A. and Gel'd, P. V. Electrical properties of the higher manganese silicide $[\text{MnSi}_{1.67}\text{MnSi}_{1.73}]$, 2=8299
- Korshunov, V. A. and Gel'd, P. V. The electrical properties of the higher silicide of manganese, 3=871
- Korshunov, V. A. and Gel'd, P. V. On the nature of defects in the crystal lattice of a higher manganese silicide, 4=17416
- Korshunov, Yu. V. and Melesko, E. A. Magnetic belt for measuring the ion current in beams emerging from cyclotrons, 3=2061
- Korshunov, Yu. V. See Antonov, A. V., 1=4679
- Korshunov, Yu. V. See Antonov, A. V., 1=16457
- Korst, N. N. Macroscopic equations for the magnetic moment in some magnetic resonance problems, 1=14821
- Korst, N. N. and Khazanovich, T. N. Relaxation and shape of paramagnetic resonance lines in highly viscous media, 4=5211
- Korst, N. N., Savel'ev, V. A. and Sokolov, N. D., Averaging over fundamental oscillations to calculate the second moment of a nuclear magnetic resonance signal, 3=10538
- Korst, N. N. See Aleksandrov, I. V., 0=16189
- Korst, N. N. See Karyagin, S. V., 3=1713
- Korst, W. L. See Peterson, S. W., 4=29125
- Korsun, V. M. and Kostylev, S. A. Electroluminescence of an evaporated ZnS-Mn phosphor excited by unipolar electric pulses, 4=22929
- Korsun', V. M. See Kolomoitsev, F. I., 4=7190
- Korsun', V. M. See Kolomoitsev, F. I., 4=20492
- Korsunovskii, G. A. Mechanism of the electrical conductivity rise on illumination of zinc oxide, 2=16759
- Korsunovskii, G. A. Mechanism of the electrical conductivity rise on illumination of zinc oxide, 2=18753
- Korsuns'ka, N. Ye. See Shefinkman, M. K., 4=1598
- Korsunskii, A. A. See Kobelev, V. V., 2=18907
- Korsunskii, A. A. See Kobelev, V. V., 2=21317
- Korsunskii, A. A. See Kobelev, V. V., 3=24425
- Korsunskii, I. L. See Voitoveretskii, V. K., 4=25105
- Korsunskii, M. I. Concerning the nature of a new type of photoconductivity, 1=19908
- Korsunskii, M. I. Concerning the nature of a new type of photoconductivity, 2=6490
- Korsuns'kii, M. I. and Borovikova, G. P. Influence of very small admixtures of antimony on the L series of the X-ray spectrum of Ge, 1=20002
- Korsunskii, M. I. and Genkin, Ya. E. Interpretation of emission band $L\beta_2$ of niobium, 2=12608
- Korsunskii, M. I. and Genkin, Ya. E. Fluorescent L-spectra of niobium in NbB_2 , NbC , NbN and pure niobium, 2=14694
- Korsunskii, M. I. and Genkin, Ya. E. Fluorescent L series of niobium bound in some compounds, 2=14695
- Korsunskii, M. I. and Genkin, Ya. E. Interpretation of emission band $L\beta_2$ of niobium, 2=16841
- Korsunskii, M. I. and Genkin, Ya. E. Relative intensities of the $L\beta_2$, $L\beta_{15}$ and $L\gamma_1$ lines in the L series spectra of substances with an unfilled N shell, 2=21260
- Korsunskii, M. I. and Genkin, Ya. E. Determination of the Fermi level from X-ray emission bands, 3=4838
- Korsunskii, M. I. and Genkin, Ya. E. Corrected $L\beta_2$ emission band in the spectra of pure niobium and its compounds, 3=4978
- Korsunskii, M. I. and Genkin, Ya. E. Computer for correcting the shape of emission spectra, 3=5601
- Korsunskii, M. I., Genkin, Ya. E. and Lukashenko, L. I. L_{III} and L_{II} absorption edges of niobium, 3=23095
- Korsunskii, M. I., Litvinova, L. B. and Borovikova, G. P. The influence of gallium admixture on the position of $L\alpha$, β and $L\beta_2$ emission lines of germanium, 1=17904
- Korsunskii, M. I. and Pastushuk, N. S. Trapping levels in mercury-treated amorphous selenium, 4=1686
- Korsunskii, M. I. and Pastushuk, N. S. Spectral distribution of anomalous photoconductivity in amorphous selenium, 4=30667
- Korsunskii, M. I., Pastushuk, N. S. and Mokhov, G. D. The photoconductivity of layers of sulphur subjected to the action of mercury vapour, 0=18073
- Korsunskii, M. I., Pastushuk, N. S. and Mokhov, G. D. Elimination of the effect of non-photoconductive layers in studies of photoconductivity of mercury-bearing amorphous selenium films, 1=14517
- Korsunskii, M. I., Pastushuk, N. S. and Mokhov, G. D. Elimination of the effect of non-photoconductive layers in studies of photoconductivity of mercury-bearing amorphous selenium films, 1=17803
- Korsunskii, M. I., Pastushuk, N. S. and Mokhov, G. D. A new type of photoconductivity, 1=19907
- Korsunskii, M. I., Pastushuk, N. S. and Mokhov, G. D. A new type of photoconductivity, 2=6489
- Korsunskii, M. I., Zaichik, R. I. and Lembik, L. N. Extension of the range for measuring vacuum by the thermoelectrical method, 2=19633
- Korsunskii, M. I. and Zashkvara, V. V. On the possibility of reducing the aberration coefficients in analysers with non-uniform fields, 0=5364
- Korsunskii, M. I. See Rumyantsev, I. A., 0=13421
- Korsunskii, M. I. See Zashkvara, V. V., 3=7661
- Korsunskii, V. M. and Faidish, A. N. Migration of the energy of the triplet state in crystals of benzophenone, 4=1788
- Korsuns'kii, V. M. and Faidy'sh, O. M. Transmission of energy in anthracene crystals doped with phenazine and acridine, 4=4312
- Korsunskii, V. M. and Lisitsa, M. P. Infrared absorption and structure of the hole band of tellurium, 1=5048
- Kortnyev, A. V. See Lavats'kii, D. Yu. H., 4=15756
- Kortüm, G. Diffuse reflectance spectra of mercuric iodide on different adsorbents, 2=21233
- Kortüm, G. and Delfs, H. Infrared spectra of adsorbed molecules obtained with the aid of reflection measurements, 4=10618
- Kortüm, G. and Koffer, H. Diffuse reflection spectra of adsorbed iodine, 3=13574
- Kortüm, G. and Oelkrug, D. The scattering coefficients of the Kubelka-Munk theory, 4=17556
- Kortum, G. and Reber, H. Conductivity of KCl in hydrocyanic-water mixtures of 0°C, 2=19553
- Kortum, R. L. See Herman, F., 4=9899
- Koruzhi, S. S. See Polivanov, M. K., 4=11932
- Korvezee, A. E. and Pieroen, A. P. On the enthalpy change on formation of a solid compound from a gaseous and a liquid component, 2=17081
- Korving, J. See Knaap, H. F. P., 2=9268
- Korwar, V. M. See Tawde, N. R., 2=20794
- Korwar, V. M. See Tawde, N. R., 4=12442
- Koryagina, Z. V. See Gindilis, L. M., 4=13927
- Koryakina, V. V. See Geguzin, Ya. E., 3=20214
- Koryavov, P. P. A numerical method for high-temperature laminar streams, 4=14196
- Koryavov, V. I. See Andriankin, E. I., 0=993
- Koryavov, V. P. Some properties of crack regions and fronts, 2=21443
- Korytko, L. A. See Bryukhanov, V. A., 3=744
- Korytko, L. A. See Gol'danskii, V. I., 3=8340
- Korytko, L. A. See Gol'danskii, R. I., 4=28331
- Koryupin, V. A. S. See Babykin, M. V., 3=16948
- Korzh, E. D. See Berdyshev, A. A., 2=21343
- Korzh, I. A., Kop'ytin, N. S., Pasechnik, M. V., Pravdivyi, N. M., Sklyar, N. T. and Totskii, I. A. Scattering of 0.5 and 0.8 MeV neutrons by light and medium nuclei, 4=19786
- Korzh, I. A. See Pasechnik, M. V., 4=19787
- Korzh, I. O., Kop'ytin, M. S., Pasechnik, M. V., Pravdyi, M. M., Sklyar, M. T. and Totskii, I. A. Elastic scattering of neutrons with energy 0.65 MeV by atomic nuclei, 4=12230

- Korzh, I. O. and Sklyar, M. T. Angular distribution of neutrons of 0.3 MeV energy elastically scattered by atomic nuclei, 4=12231
- Korzh, I. O., Sklyar, M. T. and Tots'kii, I. A. Differential cross-sections for neutrons elastically scattered on Si, Cr, Zr, Pb and Bi nuclei [300-800 keV], 4=25405
- Kosachevskii, L. Ya. The reflection of sound waves from stratified two-component media, 2=17562
- Kosachevskii, L. Ya. Reflection of magnetoacoustic waves, 4=678
- Kosachevskii, L. Yu. Secondary waves in two-component media, 4=11282
- Kosaganova, M. G. See Kurov, G. A., 2=8791
- Kosaganova, M. G. See Kurov, G. A., 2=10797
- Kosaganova, M. G. See Kurov, G. A., 3=23398
- Kosaki, M. See Ieda, M., 4=1657
- Kosály, G. and Solt, G. On the mass tensor approximation of slow neutron scattering, 4=2735
- Kosály, G. and Turner, R. E. Quasi-classical approximation in neutron scattering, 3=4400
- Kosály, G., Vértes, P. and Weiss, A. Some problems concerning the theory of pulsed neutron experiments, 3=25006
- Kosanke, K. See Kulcke, W., 4=16228
- Kosch, J. See Witzmann, H., 2=12618
- Kosch, J. See Witzmann, H., 2=18860
- Kosek, S. See Kolos, W., 3=2239
- Koseki, T. See Kuriki, I., 3=21054
- Koseki, Y. See Imaeda, K., 0=12741
- Kosenko, V. E. Diffusion and solubility of Cd in Ge, 0=553
- Kosenko, V. E. Two simultaneously acting diffusion mechanisms in germanium, 2=12453
- Kosenko, V. E. "Slow" diffusion of silver in germanium, 2=12454
- Kosenko, V. E. "Slow" diffusion of silver in germanium, 2=14458
- Kosenko, V. E. and Khomenko, L. A. Diffusion of silver on germanium surfaces, 1=19805
- Kosenko, V. E. and Miselyuk, E. G. Certain characteristics of FÉSSU silver sulfide photocells, 4=17539
- Kosenko, V. E., Miselyuk, E. G. and Khomenko, L. A. The effect of an electric field on the diffusion of silver in germanium, 0=15870
- Kosenko, V. E. and Nestarenko, B. A. Vaporization of silicon in tellurium vapours, 1=11859
- Kosenko, V. E. See Ignatkov, V. D., 0=16351
- Kosenko, V. E. See Ignatkov, V. D., 2=21063
- Kosenko, V. E. See Ignatkov, V. D., 3=2825
- Kosenko, V. E. See Ignatkov, V. E., 1=11858
- Kosonkov, O. M. The electromagnetic field of a circular loop at the earth-air boundary, 4=30026
- Kosevich, A. M. Deformation field in an isotropic elastic medium with moving dislocations, 2=6718
- Kosevich, A. M. Dislocation theory of hysteresis phenomena during twinning and slip formation in an infinite medium, 2=10388
- Kosevich, A. M. Some problems in the dislocation theory of twins, 2=19038
- Kosevich, A. M. Some problems in the dislocation theory of twins, 2=23812
- Kosevich, A. M. Equation of motion of a dislocation, 3=799
- Kosevich, A. M. Deformation field in an isotropic elastic medium with moving dislocations, 3=6785
- Kosevich, A. M. and Andreev, V. V. The quantum analogue of the collision integral for electrons in magnetic and electric fields, 0=11653
- Kosevich, A. M. and Natsik, V. D. Elastic field of continuously distributed moving dislocation loops, 4=30561
- Kosevich, A. M. and Pastur, L. A. A dislocation model of a twin, 1=12582
- Kosevich, A. M. and Pastur, A. L. Form of a thin twin inclined at an angle to the surface, 2=2345
- Kosevich, A. M. and Pastur, A. L. A thin twin at the plane surface of an anisotropic solid, 2=21466
- Kosevich, A. M. and Pastur, A. L. A thin twin at the plane surface of an anisotropic solid, 3=3258
- Kosevich, A. M. and Pastur, L. A. Relationship between the dislocation theory of twins and the macroscopic theory of Lifshits, 4=1472
- Kosevich, A. M. and Tanatarov, L. V. Formation of cavities in solids after local melting, 1=12407
- Kosevich, A. M. See Andreev, V. V., 1=5614
- Kosevich, A. M. See Andreev, V. V., 3=2778
- Kosevich, A. M. See Geguzin, Ya. E., 4=1970
- Kosevich, A. M. See Pastur, L. A., 3=17716
- Kosevich, V. M. Detection of dislocation defects in antimony by the etch method, 1=14283
- Kosevich, V. M. Interaction of twin lamellae with obstacles, 1=14952
- Kosevich, V. M. Etch grooves on the (111) plane of antimony single crystals, 2=4368
- Kosevich, V. M. Formation of dislocations on cleavage of a bismuth crystal, 3=12983
- Kosevich, V. M. X-ray diffraction analysis of the cleavage planes of single crystals after cleavage fracture, 4=23314
- Kosevich, V. M. and Bashmakov, V. I. The elastic stages of twinning in metal monocrystals, 0=13936
- Kosevich, V. M. and Bashmakov, V. I. Investigation of the formation of twins produced in metal crystals under the action of concentrated loads, 0=18272
- Kosevich, V. M. and Bashmakov, V. I. Investigation of relaxation in twinned monocrystals, 2=8770
- Kosevich, V. M. and Bashmakov, V. I. A study of the recovery of twinned monocrystals, 2=21465
- Kosevich, V. M., Moroz, N. G. and Bashmakov, V. I. The influence of inclusions on the twinning of zinc crystals, 1=4010
- Kosevich, V. M., Moroz, N. G. and Bashmakov, V. I. Study of the interaction between twin lamellae and obstacles in crystals of NaNO_3 , Sb, Bi, and Sn, 2=4334
- Kosevich, V. M. and Soldatov, V. P. Experiments on the etching of zinc single crystals, 1=19794
- Kosevich, V. M. See Palatnik, L. S., 0=738
- Kosevich, V. M. See Palatnik, L. S., 0=13949
- Kosevich, V. M. See Palatnik, L. S., 0=14080
- Kosevich, V. M. See Palatnik, L. S., 1=14282
- Kosevich, V. M. See Palatnik, L. S., 1=17531
- Kosevich, V. M. See Palatnik, L. S., 2=23865
- Kosevich, V. M. See Palatnik, L. S., 3=12969
- Kosevich, V. M. See Palatnik, L. S., 4=10609
- Kosevich, V. M. See Palatnik, L. S., 4=23333
- Kosevich, V. M. See Palatnik, L. S., 4=23568
- Kosevich, V. M. See Pastur, L. A., 3=17716
- Kosevych, A. M., Andreyev, V. V. and Tanatarov, L. V. Inelastic deforming and residual deformation of a flat layer of solid with polymorphic transformation, 2=6828
- Koshel', O. M. See Romanov, V. A., 4=12990
- Koshel', O. N., Litvinov, R. O. and Frolov, O. S. Effect of water vapour on certain properties of germanium
- Koshel', O. N. See Sytenko, T. N., 1=17686
- Koshelyaev, G. V. Nomograms for calculating tracks in emulsions, 4=16783
- Koshelyaev, G. V. See Vasil'ev, S. S., 0=9625
- Koshelyaev, G. V. See Vasil'ev, S. S., 1=16464
- Koshevnikov, D. A. Temperature dependence of diffusion characteristics of a moderator, 4=3419
- Koshiba, M., Lohrmann, E., Aizu, H. and Tamai, E. Nuclei of the primary cosmic radiation with $Z \geq 2$ at high latitudes, 3=24815
- Koshiba, M. See Abraham, F., 3=17379
- Koshiba, M. See Aizu, H., 0=1338
- Koshiba, M. See Aizu, H., 1=3316
- Koshiba, M. See Aizu, H., 1=3317
- Koshiba, M. See Aizu, H., 1=13548
- Koshiba, M. See Aizu, H., 2=20452
- Koshiba, M. See Aizu, H., 2=22664
- Koshiba, M. See Hayakawa, S., 0=17438
- Koshiba, M. See Hayakawa, S., 1=3329
- Koshinen, H. Two-group analysis of the flux distributions in a subcritical assembly with spontaneous fission source, 2=12242
- Koshino, S. On the electron-lattice interaction in non-polar semiconductors, 0=9957
- Koshino, S. Scattering of electrons by the thermal motion of impurity ions, 1=9992
- Koshino, S. Scattering of electrons by the thermal motion of impurity ions. II, 1=14199
- Koshino, S. On the inelastic scattering of electrons by impurities, 4=4013
- Koshino, S. and Ando, T. Resonance transfer of ionization energy in semiconductors, 1=14408
- Koshino, S. and Ando, T. Resonance transfer of ionization energy in semiconductors, 1=14410
- Koshkarev, D. G. Calculated characteristics of the phase motion of particles in the proton synchrotron, 4=14820
- Koshkarev, D. G. and Orlov, Yu. F. Parametric resonances of phase oscillations in a synchrotron, 2=1537
- Koshkarev, D. G. See Kulakov, F. M., 4=14823
- Koshkarev, D. G. See Vladimirovskii, V. V., 2=1506
- Koshkarev, D. G. See Vladimirovskii, V. V., 2=20081

- Koshkarev, D.G. See Vladimirkii, V.V., 3=12275
 Koshkarev, D.G. See Vladimirkii, V.V., 4=14794
 Koshkarev, D.G. See Vladimirkii, V.V., 4=14840
 Koshkarev, D.G. See Vladimirkii, V.V., 4=16600
 Koshkin, N.I. See Zalivchii, V.N., 1=2825
 Koshkin, N.I. See Gorbunov, M.A., 3=21355
 Koshkin, V.M. See Palatnik, L.S., 1=12443
 Koshkin, V.M. See Palatnik, L.S., 2=23370
 Koshkin, V.M. See Palatnik, L.S., 3=2881
 Koshkin, V.M. See Palatnik, L.S., 3=18350
 Koshkin, Y.M. See Palatnik, L.S., 3=20297
 Koshliakov, V.N. The reduction of the equations of motion of a gyrohorizoncompass, 2=17398
 Koshliakov, V.N. and Liashenko, V.F. A certain integral in the theory of a horizontal gyrocompass, 3=23821
 Koshmarov, Yu. A. On the rarefaction effect on gas dynamic friction with gas blowing on suction through the wall in flow, 4=29651
 Koshmarov, Yu. A. See Kosterin, S.I., 0=8683
 Koshmarov, Yu. A. See Kosterin, S.I., 1=15924
 Kosiachenko, L.A. See Vereščagin, I.K., 3=11014
 Kosiek, R. Energy distribution and angular cross-section of photoprotons from N^{15} , 4=25373
 Kosiek, R., Maier, K. and Schlüpmann, K. Energy distribution and effective cross-section of photoprotons from N^{14} , 4=19750
 Kosiek, R., Schlüpmann, K., Siebert, H. W. and Wendling, R. Energy spectra of photoprotons from C^{13} and O^{18} , 4=19749
 Kosiek, R. See Dosch, H.G., 3=16892
 Kosiek, R. See Finckh, E., 3=17451
 Kosiek, R. See Finckh, E., 3=17452
 Kosiek, R. See Finckh, E., 4=6147
 Kosiek, R. See Fuchs, H., 2=7971
 Kosik, N.A. See Mikhailov, I.F., 0=16241
 Kosinov, G. A. and Nemets, O. F. Measurement of $p-\gamma$ correlation in the $Be^9(d, p)\gamma Be^{10}$ reaction, 4=9553
 Kosinov, G. A., Nemets, O. F., Saltykov, L. S. and Sokolov, M. V. A device for the selection and adjustment of photo-multipliers, 2=7650
 Kositsina, V. K. See Finkel', V. M., 4=20648
 Koskelin, M. On the decay of the Si^{28} levels excited at the 1002 keV, 1024 keV, 1089 keV, 1096 keV and 1117 keV $Al^{27}(p, \gamma)Si^{28}$ resonances, 4=19682
 Koskelin, M. See Simons, L., 3=8097
 Koskelin, M. See Simons, L., 3=12668
 Koski, W. S. See Deal, R. M., 0=4221
 Koski, W. S. See Fehlner, T. P., 4=21460
 Koski, W. S. See Hertel, G. R., 4=24596
 Koski, W. S. See Kaufman, J. J., 4=1272
 Koski, W. S. See Laurita, W. G., 2=14860
 Koski, W. S. See Ring, M. A., 1=17348
 Koski, W. S. See Roberts, E. M., 1=4948
 Koski, W. S. See Weiner, E. R., 4=8627
 Koski, W. S. See Yodzis, P. P., 3=23227
 Koslov, S. See Dickinson, H., 0=12618
 Koslov, S. See Dickinson, H., 2=19952
 Koslov, V. P. and Fedorova, E. O. Effect of the resolving power of a spectral instrument on the accuracy of determining the integral transmission, 2=107
 Koslov, Yu. G. See Egorov, V. S., 4=21469
 Kosmachev, O. S. See Zashkvara, V. V., 4=19135
 Kosmachevsky, V. K. See Alikhanov, A. I., 0=9454
 Kosman, M. S. and Abkevich, I. I. Long-lasting changes of the contact potential and conductivity of germanium caused by the action of light and a transverse electric field, 0=1637
 Kosman, M. S. and Gorodetskii, S. M. Long-term changes of the contact potential of some metals Al, Mg and Zn caused by illumination, 2=8275
 Kosman, M. S. and Gorodetskii, S. M. Long-term changes of the contact potential of some metals Al, Mg and Zn caused by illumination, 2=10431
 Kosman, M. S. and Izvozchikov, V. A. Photoelectric coloring of lead oxide, 1=12462
 Kosman, M. S. and Muravskii, B. S. The creation of current oscillations in silicon at high pulse voltages, 1=19859
 Kosman, M. S. and Muravskii, B. S. The creation of current oscillations in silicon at high pulse voltage, 2=4026
 Kosman, M. S. and Nesmelova, L. I. Negative photoconductivity of cuprous oxide near a point contact, 3=20402
 Kosman, M. S. and A. N. Sozina. Relaxational oscillations in di-electrics, 4=26116
 Kosmarskaya, L. G. See Dmitriev, A. B., 0=5443
 Kosmin, V. N. and Tkachenko, V. M. The influence of a uniform magnetic field on a stationary corona discharge, 4=21489
 Kosodaev, M. S. See Arefyev, A. V., 4=6109
 Kosokawa, T. See Miyoshi, Y., 4=18756
 Kosolapov, T. Ya. See L'vov, S. N., 2=23378
 Kosolapova, T. Ya. See L'vov, S. N., 2=8296
 Kosourov, G. I. The efficiency of a counter immersed in an active medium, 3=24534
 Kosovtsova, N. A. See Shavlo, S. T., 3=3328
 Kosower, E. M. Ultraviolet absorption of tetramethyl-1, 3-cyclobutanedione, 3=17606
 Koss, D. A., Bauer, C. L. and Gordon, R. B. Dislocation pinning by visible illumination in rocksalt, 2=21035
 Koss, D. A. See Goldman, A. J., 4=20709
 Kossakowski, A., Kwiatkowski, S. and Pruski, S. Some notes on the theory of pressure effects on spectral lines, 4=19941
 Kossanyi, P. See Lombard, R., 4=17121
 Kossanyi-Demay, P. and Bishop, G. R. Study of the mechanism of (d, p) reactions at low energy. Interference between the "stripping" process and the formation of compound nuclei, 4=25424
 Kossanyi-Demay, P. See Bishop, G. R., 0=17519
 Kossanyi-Demay, P. See Bishop, G. R., 4=22011
 Kossecki, J. On a certain problem of plane linear visco-elasticity, 4=29576
 Kossel, D. and Schmidt, W. Optical interference and internal photoeffects in thin photoconductive layers, 1=14499
 Kossel, F. and Krebs, K. Dynamic multiplication of secondary electrons in the decimetre wavelength region, 3=428
 Kossel, F. and Krebs, K. Pendulum multiplication of secondary electrons (multipacting effect) as breakdown condition of high-frequency discharges, 3=24264
 Kossler, H. J. The behaviour of square-loop ferrites in electric circuits, 2=10672
 Kössler, H. J. Losses and hysteresis loops of ferrites with rectangular-shaped loops in the frequency range up to 5 Mc/s, 3=15894
 Kossler, H. J. See Berger, W., 1=1261
 Kossoff, G. Calibration of ultrasonic therapeutic equipment, 2=15419
 Kossoff, G. Design of narrow-beamwidth transducers, 3=18919
 Košťál, K. On the transformation of the Schrödinger wave equation into a system of equations of stochastic processes which have first and second mean square derivatives, 4=16046
 Kostanashvili, N. I. and Shakhulashvili, O. A. Production of strange particles in the interaction between 9 BeV protons and emulsion nuclei, 0=13068
 Kostanashvili, N. I. See Dzhanelidze, L. P., 0=15445
 Kostanashvili, N. I. See Dzhanelidze, L. P., 1=19282
 Kostelec, J. Reciprocity failure in ZnO and Se, 0=6956
 Kostelnick, J. J. See Hempstead, C. F., 4=21615
 Kosten, C. W. The mean free path in room acoustics, 1=8209
 Kosten, C. W. The problem of the reverberation method solved, 2=10573
 Kosten, C. W. International comparison measurements in the reverberation room, 1=16044
 Kosten, C. W. and Janssen, J. H. Acoustic properties of flexible and porous materials, 0=14725
 Kostenko, P. P. See Potapenko, A. E., 3=7373
 Koster, D. F. and Danti, A. Proton magnetic resonance studies of diazomethane, 4=28260
 Koster, G. F. Symmetry properties of the gallium energy bands. Effect of spin-orbit interaction, 2=20967
 Koster, G. F. and Statz, H. Probabilities for the neon laser transitions, 4=11825
 Koster, G. F. and Statz, H. Exchange splittings of L-S multiplets of rare earth ions in crystals, 4=25824
 Koster, G. F. See Aisenberg, S., 0=3133
 Koster, G. F. See Rimai, L., 0=6269
 Koster, G. F. See Silverman, B. D., 2=2242
 Koster, G. F. See Slater, J. C., 2=12396
 Koster, G. F. See Statz, H., 0=4418
 Koster, G. F. See Statz, H., 1=6419
 Koster, G. F. See Statz, H., 2=16025
 Koster, G. F. See Statz, H., 3=3167
 Koster, G. F. See Statz, H., 3=22005
 Koster, J. R. Radio star scintillations at an equatorial station, 0=2019
 Koster, J. R. Some measurements on the sunset fading effect, 4=2266
 Koster, J. R. Some measurements of the irregularities giving rise to radio-star scintillations at the equator, 4=2267

- Koster, J.R. and Wright, R.W. Scintillation spread F, and transequatorial scatter, 0=16475
- Koster, J.R. See Kent, G.S., 1=20994
- Köster, W. Conductivity and Hall constants. X. The detection of constitution and closeness of mixing, 0=9928
- Köster, W., Hagmann, D. and Lück, R. The effect of temperature on the magnetic susceptibility of some Pd alloys, 4=4334
- Köster, W. and Speidel, M. The influence of grain size on the yield point of copper alloys, 4=7420
- Kosterin, S.I. and Koshmarov, Yu.A., The turbulent boundary layer on a flat plate in a uniform stream of a compressible fluid, 0=8683
- Kosterin, S.I. and Koshmarov, Yu.A. Turbulent boundary layer on a flat plate in a stream of dissociating gas, 1=15924
- Kosterin, S.I., Yushchenkova, N.I., Belova, N.T. and Kamaev, B.D. An investigation of the performance of pitot tubes in rarefied supersonic flows, 3=14197
- Kostić, V.N. A simple ten channel amplitude analyser, 0=17177
- Kostić, V.N. and Momčilović, M.N. Digital binary-decimal decoder for a Hutchinson-Scarrott-type analyser, 2=5264
- Kostin, A.G. See Shelkov, L.S., 0=3598
- Kostin, M.D. Gas scattering in a strong focusing synchrotron, 0=19846
- Kostin, M. D. Generalizations of Ficks' law, 4=25106
- Kostin, N.F., Lubenets, S.V. and Aleksandrov, K.S. Selective etching of sodium chloride crystals, 3=13408
- Kostin, N.F. See Lubenets, S.V., 3=18242
- Kostin, N.F. See Talashkevich, I.P., 4=17707
- Kostin, V. N. and Tkachenko, V. M. Pulse operation of phototubes, 4=576
- Kostina, T. I., Kozlova, T. N. and Kondorski, E. I. Dependence of the electric and magnetic properties of chromium on the magnetic field strength and temperature, 4=6924
- Kostina, T.I. See Alekseyevskii, N.E., 2=3988
- Kostina, T.I. See Alekseyevskii, N.E., 3=4904
- Kostishin, M.T. and Romanenko, P.F. Investigation of the long-wave edge of the self-absorption band of orpiment, 4=17553
- Kostkowski, H.J. and Bass, A.M. Direct measurement of line intensities and widths in the first overtone band of CO, 2=8091
- Kostkowski, H.J. See Garvin, D., 0=5931
- Kostkowski, H.J. See Garvin, D., 2=16513
- Köstlin, H. Experimental determination of the transition probabilities in the atomic shell and its measurement in the spectrum of calcium, 4=12365
- Kostochkin, O. See Graudinya, L., 2=22819
- Kostochkin, O. I. See Aron, P. M., 4=22248
- Kostochkin, O. I. See Graudinya, L. Ya., 2=10114
- Kostochkin, O. I. See Graudinya, L. Ya., 3=8256
- Kostomarov, D.P. See Dnestrovskii, Yu.N., 0=278
- Kostomarov, D.P. See Dnestrovskii, Yu.N., 0=279
- Kostomarov, D.P. See Dnestrovskii, Yu.N., 1=4729
- Kostomarov, D.P. See Dnestrovskii, Yu.N., 1=18868
- Kostomarov, D.P. See Dnestrovskii, Yu.N., 2=3061
- Kostomarov, D.P. See Dnestrovskii, Yu.N., 2=20028
- Kostomarov, D.P. See Dnestrovskii, Yu.N., 3=2008
- Kostomarov, D.P. See Dnestrovskii, Yu.N., 3=4138
- Kostomarov, D.P. See Dnestrovskii, Yu.N., 3=7642
- Kostomarov, D.P. See Dnestrovskii, Yu.N., 3=21830
- Kostomarov, D. P. See Dnestrovskii, Yu. N., 4=5684
- Kostomarov, D. P. See Dnestrovskii, Yu. N., 4=11630
- Kostomarov, D. P. See Dnestrovskii, Yu. N., 4=18875
- Kostomarov, D. P. See Dnestrovskii, Yu. N., 4=19047
- Kostritsa, A. A. On the diffusion of neutrons in a moving medium, 4=6059
- Kostritsa, A. A. On the diffusion of neutrons in a moving medium, 4=21863
- Kostritsa, A. A. See Bulis, L. A., 2=18373
- Kostrýgin, V. A. Investigation of the delayed discharge in thin single crystals of NaCl, 0=18107
- Kostrýgin, V. A. See Vorob'ev, G. A., 2=6428
- Kostrýgin, V. A. See Vorob'ev, G. A., 2=8304
- Kostrýgin, V. A. See Vorob'ev, G. A., 2=9542
- Kostrýgin, V. A. See Vorob'ev, G. A., 2=16794
- Kostrýgin, V. A. See Vorob'ev, G. A., 2=18779
- Kostrýgin, V. A. See Vorob'ev, G. A., 2=21774
- Kostrýgina, N. P. See Vorob'ev, G. A., 2=6428
- Kostrýgina, N. P. See Vorob'ev, G. A., 2=8304
- Kostryukov, V. N. Platinum thermometer for calorimetric work, 1=10624
- Kostryukov, V. N. See Bykov, V. P., 0=5242
- Kostryukova, M. O. Specific heat of nickel-zinc system ferrites in the low temperature region, 2=571
- Kostryukova, M. O. The specific heat of iron chloride at low temperatures, 4=20213
- Kostur, M. L. See Psar'ov, V. I., 4=4543
- Kostur, N. L. and Psarev, V. I. Notes on the method of doping the CdSb compound with the aid of alloys of the Cd-Sb system, 4=29045
- Kostya, T., Dema, I. and Méntesku, K. Kinetics of the thermal annealing of crystalline defects produced by (n, γ) reactions, 3=17700
- Kostyakova, E. B. Results of a spectrophotometric study of southern Milky Way regions, 4=4872
- Kostyanitsyn, Yu. B. Magnetostriction of hexagonal system ferromagnetics, 0=1801
- Kostyshin, M. T. and Romanenko, P. F. The dispersion of certain semiconductors in the neighbourhood of absorption bands, 2=23520
- Kostyshyn, B., Brophy, J. E., Oi, I. and Roshon, D. D., Jr. External fields from domain walls of cobalt film, 0=8047
- Kostyukov, I. S. The influence of a temperature gradient on diffusion in solid bodies, 2=3951
- Kostyukova, E. P. The relation of spot size to size and angular disorientation of crystallites, 1=14948
- Kostyukova, E. P. See Rovinskii, B. M., 0=13978
- Kostyk, B. M. See Verderber, R. R., 1=9028
- Kostylev, S. A. and Sherstyak, B. N. Electron diffraction study of the structure of sublimated layers of ZnS and ZnS:Mn, 4=15825
- Kostylev, S. A. See Kodzhespirov, F. F., 4=7195
- Kostylev, S. A. See Korsun, V. M., 4=22929
- Kostyrko, I. I. Allowing for the selection rules for the scattering of particles with unequal masses in determining analyticity domains for contributions from diagrams, 3=22080
- Kostyrko, Y. Y. Some analytical properties of the amplitudes of inelastic processes, 4=855
- Kostýshyn, M. T. and Romanenko, P. F. Some optical properties of orpiment and stibnite, 4=7109
- Kostyuk, V. G., Ziling, K. K. and Serebryakov, A. V. Strength of metal whiskers containing impurities, 4=7419
- Kostyuk, V. P. and Shklyarevskii, I. N. Optical properties of chromium mirrors in the visible region of the spectrum, 4=22853
- Kostyukov, N. S. Soret coefficient in two component solids, 3=20217
- Kostyukov, N. S. Thermal diffusion of Fe₂O₃ on the surface of porcelain, 4=30577
- Kostyukova, E. P. and Rovinskii, B. M. On the determination of the substructural characteristics of crystallites in coarse-grained materials, 3=20942
- Kostyukova, E. P. See Rovinskii, B. M., 4=7582
- Kosuge, K., Takada, T. and Kachi, S. Phase diagram and magnetism of V₂O₃-V₂O₅ system, 3=15779
- Kosuge, K. See Kachi, S., 4=12841
- Kosut, B. S. See Bierlein, T. K., 3=22457
- Koswig, H. D. The fluorescence on undoped silver halide crystals, 2=6605
- Koswig, H. D. Optical studies on CdS-doped AgBr crystals at low temperatures, 3=18006
- Koswig, H. D. and Kunze, I. Investigations on Ni doped silver halides. I. Absorption spectra, 3=6654
- Koswig, H. D. and Kunze, I. Studies of Ni-doped silver halides. II. Behaviour of AgBr:Ni, 3=13187
- Koswig, H. D. and Stasiw, O. Spectral location of absorption bands of lattice defect electrons in ion grids, 1=2397
- Koswig, H. D. See Böttger, H., 3=8554
- Kosyachenko, L. A. See Bereshchagin, I. K., 3=20345
- Kosyachenko, L. A. See Pilat, I. M., 0=18401
- Kosyachenko, L. A. See Vereshchagin, I. K., 3=18049
- Kosyak, Yu. G. See Kaipov, D. K., 0=15420
- Kosyak, Yu. G. See Kaipov, D. K., 4=3543
- Kosyakov, V. I. See Isupov, V. A., 0=630
- Kosyakov, V. I. See Zhitnikov, R. A., 3=15948
- Kosyakov, V. I. See Zhitnikov, R. S., 3=25575
- Kosyi, A. I. See Demirkhanov, R. A., 2=9584
- Kosyi, A. I. See Demirkhanov, R. A., 3=5670
- Kosyi, I. A. See Demirkhanov, R. A., 2=19911
- Kosýrev, Yu. P. See Kikoin, I. K., 4=6782
- Koszman, I. See Gavis, J., 2=1164
- Kot, M. V. and Krets, I. V. Anisotropy of some electrical properties of zinc antimonide monocrystals, 0=15967
- Kot, M. V. and Krets, I. V. Electrical properties of ZnSb monocrystals, 3=25373
- Kot, M. V., Týrziu, V. G., Simashkevich, A. V., Maronchuk, Yu. E. and Mshenskii, V. A. Dependence of the activation energy on

- the molar composition of some $A_{II}B_{VI}-A_{III}B_{IV}$ systems in the form of thin layers, 2=21157
- Kot, M.V., Týrziu, V.G., Simashkevich, A.V., Maronchuk, Yu.E. and Mshenskii, V.A. Dependence of the activation energy on the molar composition of some $A^{II}B^{VI}-A^{III}B^{IV}$ systems in the form of thin layers, 3=2882
- Kot, M.V. See Andronik, I.K., 2=641
- Kot, M.V. See Andronik, I.K., 2=8355
- Kot, M.V. See Andronik, I.K., 3=25356
- Kot, M.V. See Simashkevich, A.V., 1=17722
- Kot, M.V. See Symashkevych, A.V., 2=6463
- Kotadia, K.M. The intermediate layer of stratification ($F_{1,s}$) between F_1 and F_2 at Ahmedabad, 0=6462
- Kotadia, K.M. Spread-F in the ionosphere over Ahmedabad during the years 1954-57, 0=21364
- Kotadia, K.M. The equatorial sporadic-E layer and the electrojet, 2=11061
- Kotadia, K.M. Lunar tidal variation of midday critical frequencies of the F2-layer of the ionosphere in low latitudes, 3=3501
- Kotadia, K.M. The great magnetic storm of 11 February 1958 and associated changes in the F2-layer of the ionosphere in low and middle latitudes, 3=3519
- Kotadia, K.M. On the F11-layer of the ionosphere, 3=11444
- Kotadia, K.M. and Ramanathan, K.R. Variation with lunar phase of midday critical frequencies and heights of the F2 layer over Ahmedabad and other low latitude stations, 0=3346
- Kotajima, K. Decay of a new nuclide promethium 153, 3=4595
- Kotajima, K. Effect of radial matrix element on M4 transition probabilities, 4=3557
- Kotajima, K. and Morinaga, H. Isomers in $N = 81$ nuclei, 0=11336
- Kotajima, K. and Vinciguerra, D. Evidence for rotational states up to 14+ in Dy^{180} , 4=12155
- Kotajima, K. See Takahashi, K., 1=17113
- Kotajima, K. See Takahashi, K., 3=8018
- Kotaka, T., Kurata, M. and Onogi, S. The viscoelastic behavior of concentrated polymer solutions, 1=15783
- Kotaka, T., Kurata, M. and Tamura, M. Normal stress effect in polymer solutions, 0=3497
- Kotaka, T. and Osaki, K. Dynamic viscoelastic behavior of concentrated polymer solutions. I. Results of some preliminary tests and comparison of dynamic and steady shear data, 2=15583
- Kotani, K. See Inuishi, Y., 2=2145
- Kotani, M. Properties of d-electrons in complex salts. I. Paramagnetism of complex salts, 2=575
- Kotani, M. Theoretical study on the effective magnetic moments of some hemeproteins, 2=7049
- Kotani, M. On the electronic state of iron in hemo-globins, with a short introduction to problems of quantum biophysics, 4=12546
- Kotani, M., Mizuno, Y., Kayama, K. and Ishiguro, E. Some problems in the theory of homonuclear diatomic molecules, 0=17819
- Kotani, T., Mishima, N. and Monda, M. Observation of the (π, π) resonance in the pion production process, 2=7892
- Kotani, T. and Ross, M. Analysis of K^- absorption in deuterium, 0=13056
- Kotani, T. and Ross, M. The first forbidden β -decay, 0=15544
- Kotani, T. See Adachi, T., 4=30187
- Kotański, A. Consistent formulation of the Chew-Low theory for meson-nucleon scattering, 3=24776
- Kotański, A. and Namysłowski, J. The C.D.D. poles and the agreement of a solution of the low equation with the experimental results, 3=19680
- Kotelchuck, D., McEwen, J.G. and Orear, J. Elastic μ^- scattering in nuclear emulsion, 3=6028
- Kotel'nikov, I.V. See Yablonskii, S.V., 0=16513
- Kotel'nikov, K.A., Ogurtsov, O.F. and Khromykh, N.E. Utilization of plutonium alpha-specimens in "ionization calorimeters", 3=6096
- Kotel'nikov, K.A. See Dobrotin, N.A., 2=13786
- Kotel'nikov, K.A. See Grigorov, N.L., 1=5801
- Kotel'nikov, K.A. See Guseva, V.U., 3=6100
- Kotel'nikov, K.A. See Guseva, V.V., 3=19618
- Kotel'nikov, K.A. See Guseva, V.V., 4=27835
- Kotel'nikov, R.B. See Meerson, G.A., 3=7079
- Kotel'nikov, N.V. and Gachegov, V.I. Magnetic properties of nickel deposits obtained by chemical plating, 2=18910
- Kotel'nikov, N.V., Korenev, N.A. and Ermolina, T.D. The temperature dependence of the saturation magnetization and the magnetic structure of films of nickel produced by a chemical method, 2=14791
- Kotel'nikov, N.V., Korenev, N.A., Malinen, P.A. and Ermolina, T.D. Magnetic properties and structure of layers of nickel produced by a chemical method, 3=5013
- Kotel'nikov, V.A., Dubrovin, V.M., Dubinskii, B.A., Kislik, M.D., Kuznetsov, B.I., Lishin, I.V., Morozov, V.A., Petrov, G.M., Rzhiga, O.N., Sytsko, G.A. and Shakhovskoi, A.M. Radio observations of Venus in the Soviet Union in 1962, 4=2459
- Kotel'nikov, V.A., Dubrovin, V.M., Kislik, M.D., Korenberg, E.B., Minashin, V.P., Morozov, V.A., Nikitskii, N.I., Petrov, G.M., Rzhiga, O.N. and Shakhovskoi, A.M. Radar observations of Venus, 3=9272
- Kotel'nikov, V.A., Dubinskii, B.A., Kislik, M.D. and Tsvetkov, D.M. Accurate determination of the astronomical unit by radar bouncing of the planet Venus in 1961, 4=26818
- Kotel'nikov, V.A., Dubrovin, V.M., Morozov, V.A., Rzhiga, O.N. and Shakhovskoi, A.M. The use of the Doppler effect on the determination of the orbit parameters of artificial earth satellites, 2=11174
- Kotenko, A.A. See Mel'yanovskii, P.A., 2=19877
- Kotenko, L.P., Kuznetsov, E.P., Merzon, G.I. and Sharov, Yu.B. Elastic scattering of 2.8 BeV/c π^- mesons on hydrogen, 2=16232
- Kotenko, L.P., Kuznetsov, E.P., Merzon, G.I. and Sharov, Yu.B. Elastic scattering of 2.8 BeV/c π^- -mesons on hydrogen, 3=6051
- Kotenko, L.P. See Aleksanyan, A.S., 4=30270
- Kotenko, L.P. See Alikhanyan, A.I., 0=9696
- Kotenko, L.P. See Askar'yan, G.A., 0=20104
- Kotenko, L.P. See Bannik, B.P., 2=3602
- Kotenko, L.P. See Bannik, B.P., 3=2481
- Kotenko, L.P. See Kirillov-Ugryumov, V.G., 0=2688
- Kotenko, L.P. See Kirillov-Ugryumov, V.G., 0=3942
- Kotenko, L.P. See Kirillov-Ugryumov, V.G., 0=9693
- Kotenko, L.P. See Kirillov-Ugryumov, V.G., 0=20090
- Kotenko, L.P. See Merzon, G.I., 4=3455
- Kotera, T. Localized vibration and random walk, 4=1375
- Kotera, T. and Toda, M. On the theory of Brownian motion and spin relaxation, 1=70
- Kotera, T. See Toda, M., 2=10316
- Kotera, Y. and Naraoka, K. The Gudden-Pohl effect of $ZnS:Cu$, 0=6209
- Kotera, Y. and Sekine, T. Luminescence of solid solutions $CaWO_4-PbWO_4$ activated by samarium, 4=22919
- Kotera, Y., Sekine, T. and Yonemura, M. On the preparation of calcium tungstate phosphors, 2=8571
- Kotera, Y. and Yonemura, M. Kinetics of the transformation of germanium oxide, 3=13400
- Kotera, Y. See Sekine, T., 4=20479
- Koteswara Rao, N.V. See Srinivasan, S.K., 4=6162
- Kothari, D.S. Persistent currents in a rotating superconductor, 4=21407
- Kothari, D.S. and Auluck, F.C. On the possibility of superconductivity in stellar matter, 2=21725
- Kothari, D.S., Mathur, V.S. and Panchapakesan, N. Effect of small impurities on the superconducting transition temperature, 2=22116
- Kothari, L.S. Scattering of thermal neutrons in aluminium, 0=20777
- Kothari, L.S. Effect of lattice structure on neutron diffusion, 4=19533
- Kothari, L.S. and Duggel, V.P. Scattering of thermal neutrons from solids and their thermalization near equilibrium, 4=25455
- Kothari, L.S. and Khubchandani, P.G. Slowing down of neutrons in graphite close to thermal equilibrium, 1=13441
- Kothari, L.S. and Khubchandani, P.G. Energy distribution of thermal neutrons in a finite beryllium oxide assembly, 2=8037
- Kothari, L.S. and Singwi, K.S. Slowing down of neutrons in beryllium from 1.44 eV to thermal energy, 0=7360
- Kothari, L.S. and Tewary, V.K. Calculations on the low-temperature specific heat of selenium and tellurium, 3=8362
- Kothari, L.S. and Tewary, V.K. Calculations on the low temperature specific heat of bismuth, 4=1395
- Kothari, L.S. See Bhandari, R.C., 0=7359
- Kothari, L.S. See Sanatani, S., 2=5662
- Kothari, L.S. See Singwi, K.S., 0=7374
- Köthe, A. See Görlich, P., 2=2264
- Kotik, J. and Newstein, M.C. Theory of laser oscillations in Fabry-Perot resonators, 1=2853
- Kotik, E.M. See Gol'tsov, V.A., 3=18344

- Kotin, C.M. Calculation of the angular distribution of the $\text{Li}^6(n, \gamma)\text{Li}^7$ reaction by means of the intermediate coupling shell model, 1=9886
- Kotin, C.M. Calculation of the neutron "transmission" coefficients in the case of In^{115} , 4=22156
- Kotin, C.M. Calculation of the neutron capture cross-section of Dy^{164} , 4=22159
- Kotin, L. An acoustic model of diffusion in gases. I, 1=18461
- Kotin, L. and Nagasawa, M. Chain model for polyelectrolytes. VII. Potentiometric titration and ion binding in solutions of linear polyelectrolytes, 2=7206
- Kotin, L. See Hook, L., 3=7356
- Kotin, L. See Yamakawa, H., 3=14158
- Kötitz, G. See Görlich, P., 3=25298
- Kötitz, G. See Görlich, P., 4=4082
- Kötitz, G. See Görlich, P., 4=4295
- Kötitz, G. See Görlich, P., 4=4302
- Kötitz, G. See Görlich, P., 4=27696
- Kotkin, G.L. Contribution to the theory of absorption of ultrasonic waves by metals in a magnetic field, 2=565
- Kotkin, G.L. See Silin, V.P., 4=387
- Kotlarevsky, D.M. See Manjavidze, Z.Sh., 1=3303
- Kotlay-Gyarmati, B. See Gáspár, R., 0=7784
- Kotlensky, W.V., Titus, K.H., Jr and Martens, H.E. Young's modulus of hot-worked pyrolytic graphite, 2=14874
- Kotler, G.R. See Johnston, W.C., 4=5455
- Kotlyar, A.A. See Andreev, Yu.Ya., 2=19497
- Kotlyar, B.I. See Ovrutskaya, R.M., 4=15662
- Kotlyar, B.I. See Vainshtein, E.E., 0=672
- Kotlyar, B.I. See Vainshtein, E.E., 1=6218
- Kotlyar, B.I. See Vainshtein, E.E., 4=6691
- Kotlyar, I.P. See Ermolaev, V.L., 2=14746
- Kotlyar, L.M. A new design of a differential photometer for a solar magnetograph, 1=17989
- Kotlyar, S.M. Heat conduction of a plane parallel layer, 3=19042
- Kotlyar, S.M. Thermal conduction of a two-layer system, 4=5416
- Kotlyar, Ya.M. Approximation of Reynolds' equation, 0=6742
- Kotlyarevskii, D.M. See Anikina, M.Kh., 4=3477
- Kotlyarevskii, D.M. See Anikina, M.Kh., 4=12056
- Kotlyarskii, L.B., Novitskii, B.V. and Fridman, B.M. Cavitation phenomena during the operation of an acoustic hydrodynamic radiator, 4=24312
- Kotlyarskii, L.B. and Shkol'nik, I.É. Ball drop method of determining the piezoelectric modulus, 4=7056
- Koton, M.M. See Adrova, N.A., 0=4447
- Kotoski, R.H. See Beckner, E.H., 2=19872
- Kotousov, L.S. On the problem of the connection of the thermal-diffusion coefficient with the thermodynamic properties of binary mixtures, 2=19612
- Kotousov, L.S. The use of an MT-54 microthermistor as the transducer in analysers based on thermal conductivity, 2=21182
- Kotousov, L.S. On the connection between the thermal-diffusion coefficient and the thermodynamic properties of binary mixtures. I. Calculation of the thermal-diffusion coefficient for dense gases, 2=21939
- Kotov, B.A. See Balabanova, L.A., 2=12407
- Kotov, B.A. See Balabanova, L.A., 2=14418
- Kotov, V.I., Obukhov, Yu.L. and Pushtarik, V.A. The theory of the circular synchrotron with radial sectors, 2=1540
- Kotov, V.I. and Pushtarik, V.A. The effect of a space charge on the motion of particles in accelerators, 0=2408
- Kotov, V.I. and Pushtarik, V.A. The effect of a space charge on the motion of particles in accelerators, 1=10752
- Kotov, V.I. See Benda, F., 2=15971
- Kotov, V.I. See Kolpakov, O.A., 4=29991
- Kotov, V.I. See Zhuravlev, A.A., 3=9889
- Kotov, V.I. See Zhuravlev, A.A., 3=24403
- Kotov, V.I. See Zhuravlev, A.A., 3=24404
- Kotov, Yu.D. and Rozental', I.L. The origin of high-energy cosmic-ray muons and photons and the hyperon hypothesis, 3=15059
- Kotov, Yu.I., Koptov, G.S., Pentin, Yu.A. and Tatevskii, V.M. Infrared absorption spectrum of deuterated hydrazine vapors, 4=12486
- Kotov, Yu.I. and Tatevskii, V.M. The vibrational Raman spectrum of gaseous tetrafluorohydrazine N_2F_4 , 3=22569
- Kotova, A.M. See Predvoditelev, A.A., 4=1477
- Kotova, L.I. Theory of motion of a cylinder on a surface covered by a layer of viscoplastic lubricant, 0=14586
- Kotrbová, M. See Hauptman, Z., 3=5090
- Kottenstette, J.P. See Murgai, M.P., 1=4096
- Kottis, P. and Lefebvre, R. Calculation of the electron spin resonance line shape of randomly oriented molecules in a triplet state. I. The $\Delta m = 2$ transition with a constant linewidth, 3=25135
- Kottis, P. and Lefebvre, R. Calculation of the electron spin resonance line shape of randomly oriented molecules in a triplet state. II. Correlation of the spectrum with the zero-field splittings. Introduction of an orientation-dependent linewidth, 4=25719
- Kottler, F. Turbid media with plane-parallel surfaces, 0=6905
- Kottler, F. The elements of radiative transfer, 4=18119
- Kottler, H. and Kowalski, K.L. Analytic deuteron wave functions, 4=19599
- Kottwitz, D.A. Thermal neutron flux spectrum in a medium with a temperature discontinuity, 1=13434
- Kotyash, T.L. See Fedorov, F.I., 2=15750
- Kotyuk, A.F. See Levchenko, D.G., 4=16612
- Kotyuk, A.F. See Levchenko, D.G., 4=30015
- Kotzebue, K.L. Frequency-selective limiting in YIG filters, 2=9493
- Kou Tsing-tsuang and Huang Shu-shun. The analytic wave functions for atoms, 3=25034
- Koul, O.N. Alpha particles from the interaction of 14 MeV neutrons with calcium, 4=25410
- Kouloumdjian, J. and Lafoucrière, J. Compensation of the earth's magnetic field in an iron-free double focusing spectrometer with a radius of one metre, 3=19399
- Koulikova, J.N. See Akinyan, S.T., 1=18147
- Koumoutsos, N.G. and Kovitz, A.A. Detonation wave structure near the hot boundary, 3=18896
- Kouno, T. See Doi, Ya., 4=24004
- Kounosu, S. See Whetstone, A., 2=11594
- Kouris, M. See Ruck, H., 0=12014
- Koutecký, J. On the theory of surface states, 1=3632
- Koutecký, J. An interpretation of the conditions for the existence of Shockley surface states, 1=17465
- Koutecký, J. The theory of surface states and the quantum chemistry of crystal surfaces, 2=3870
- Koutecký, J. Surface states of a semi-infinite diamond crystal limited by the (100) plane, 2=10367
- Koutecký, J. The Shockley surface states of electrons in the Kronig-Penney model of a linear chain of atoms joined by alternately strong bonds, 2=10368
- Koutecký, J. and Cizek, J. A remark on the general perturbation theory, 3=1614
- Koutecký, J., Hochman, P. and Michl, J. Calculation of electronic spectra of non-alternant conjugated hydrocarbons by the semiempirical method of limited configuration interaction, 4=20087
- Koutecký, J., Paldus, J. and Zahradník, R. Calculation of p-band positions of aromatic polycyclic hydrocarbons by limited configuration interaction method, 2=16538
- Koutecký, J. and Tomášek, M. Study of the surface states of diamond and graphite by a simple MO-LCAO method, 0=20719
- Koutecký, J. and Tomasek, M. Contribution to the theory of the Shockley surface states. I. General formulation and the case of zero deformation of the potential on the Goodwin-Artmann model, 1=941
- Koutecký, J. and Tomášek, M. Shockley surface states for a graphite and diamond model with a delta function potential, 2=6310
- Koutecký, J. and Tomášek, M. Shockley surface states of diamond within the framework of MO method, 2=23381
- Koutecký, J. and Zahradník, R. Calculation of molecular orbital energies of macromolecules with conjugated double bonds, 2=23020
- Koutecký, J. See Tomasek, M., 1=7546
- Kouts, H. Beam-tube design for the high-flux beam reactor, 3=22450
- Kouts, H. See Sher, R., 2=16453
- Kouts, H. [Ed.]. See Henley, E.J., 3=2511
- Koutsikii, Z. See Driml, M., 4=16008
- Kouvel, J.S. Exchange anisotropy in an iron-aluminum alloy, 0=2997
- Kouvel, J.S. Exchange anisotropy in Cu-Mn and Ag-Mn alloys, 0=10121
- Kouvel, J.S. Exchange anisotropy in alloys of composition (Ni, Fe)₂Mn, 1=7742
- Kouvel, J.S. Exchange anisotropy in cobalt-manganese alloys, 1=7744
- Kouvel, J.S. The ferromagnetic-antiferromagnetic properties of copper-manganese and silver-manganese alloys, 2=2275

- Kouvel, J.S. A ferromagnetic-antiferromagnetic model for copper-manganese and related alloys, 3=20585
- Kouvel, J.S. and Graham, C.D., Jr. Exchange anisotropy in disordered Ni₂Mn, 0=2996
- Kouvel, J.S. and Graham, C.D., Jr. Exchange anisotropy in disordered nickel-manganese alloys, 0=11841
- Kouvel, J.S., Graham, C.D., Jr and Jacobs, I.S. Ferromagnetism and antiferromagnetism in disordered Ni-Mn alloys, 0=13853
- Kouvel, J.S. and Hartelius, C.C. Abrupt magnetic transition in MnSn₂, 1=11460
- Kouvel, J.S. and Hartelius, C.C. Anomalous magnetic moments and transformations in the ordered alloy FeRh, 2=12733
- Kouvel, J.S. and Hartelius, C.C. Pressure dependence of the magnetization of cobalt, 4=13170
- Kouvel, J.S., Hartelius, C.C. and Osika, L.M. Magnetic properties and crystal-structure transformation of the ordered alloy (MnRh), 3=15752
- Kouvel, J.S. and Kasper, J.S. Long-range antiferromagnetism in disordered Fe-Ni-Mn alloys, 3=13284
- Kouvel, J.S. and Wilson, R.H. Magnetization of iron-nickel alloys under hydrostatic pressure, 1=5065
- Kouvel, J.S. and Wilson, R.H. Magnetocrystalline anisotropy of Fe-Si alloy crystals under hydrostatic pressure, 1=6279
- Kouvel, J.S. See Jacobs, I.S., 3=1003
- Kouvel, J.S. See Jacobs, I.S., 1=6255
- Kouvel, J.S. See Jacobs, I.S., 1=7768
- Kouvel, J.S. See Kasper, J.S., 0=11922
- Kouvel, J.S. See Pry, R.H., 0=10125
- Kouyoumjian, R. G., Peters, L., Jr, and Thomas, D. T. A modified geometrical optics method for scattering by dielectric bodies, 4=5816
- Kouзов, D. P. Diffraction of a plane hydroacoustic wave on the boundary of two elastic plates, 4=8347
- Kouзов, D. P. Diffraction of a plane hydroacoustic wave at a crack in an elastic plate, 4=21248
- Kováč, A. See Szalay, A., 2=4611
- Kováč, A. See Szalay, A., 4=23771
- Kovach, R. L. See Sutton, G. H., 4=2393
- Kovacik, W. P. See Kellman, S., 3=4441
- Kovacina, T. A. and Miller, R. R. The solubility of nickel in sodium by a tracer technique, 2=5008
- Kovács, A. and Mesler, R. B. Making and testing small surface thermocouples for fast response, 4=14567
- Kovacs, A. See Block, M. M., 1=13500
- Kovacs, A. See Leitner, J., 1=16901
- Kovacs, A. See Pevsner, A., 2=22572
- Kovacs, A. See Shafer, J. B., 3=15028
- Kovacs, A. J. See Rabesiaka, J., 1=20423
- Kovač, B. J., Muždeka, S. D. and Šobajić, M. V. G.M. counters as switching elements in the coincidence and anticoincidence circuit, 3=19155
- Kovács, I. On the structure of multiplet Σ states in diatomic molecules. (With an application to the ${}^7\Sigma$ state of the MnH molecule), 0=496
- Kovács, I. The role of the spin-spin interaction in the multiplet splitting of the ${}^3\Pi$ state of the O₂ molecule, 0=5965
- Kovács, I. Intensities in $\Sigma - \Delta$ and $\Pi - \Delta$ transitions of diatomic molecules, 0=15746
- Kovács, I. Investigation of the $A^3\Pi$ state of the NH molecule, 1=836
- Kovács, I. Investigation of the ${}^3\Pi$ state of the PH molecule, 2=3755
- Kovács, I. Similarity between the spin-spin and spin-orbit interactions in the diatomic molecules, 3=722
- Kovács, I. On the anomalous splittings of the multiplet Σ states in diatomic molecules. I, 3=6388
- Kovács, I. Investigation of an arbitrary screw dislocation in a cylindrical elastic body, 3=6513
- Kovács, I. The critical shear stress needed for the operation of a dislocation segment as a Frank-Read source in anisotropic crystals, 3=6522
- Kovács, I. Electrical resistivity change in silver deformed by torsion, 3=8490
- Kovács, I. On the anomalous splitting of the multiplet Σ states in diatomic molecules. II, 3=12796
- Kovács, I. Intensity formulae for ${}^3\Delta - {}^3\Pi$ bands, 4=3850
- Kovács, I. On the $H^2\Sigma^+ - H^2\Pi$ perturbation of the no-molecule, 4=6575
- Kovács, I. Some new results in the spectroscopic investigation of diatomic molecules, 4=20003
- Kovács, I. and Feltham, P. Determination of the work-hardening characteristics of metals at large strains by means of torsion, 4=7389
- Kovács, I. and Nagy, E. Electrical resistivity change of silver and gold due to large plastic strains, 3=13036
- Kovács, I., Nagy, E. and Feltham, P. Resistivity changes in silver due to plastic deformation, 4=22682
- Kovacs, I. and Weniger, S. Interpretation of the anomalous splitting of the components of the multiplet of the ${}^4\Pi$ state of the ionized oxygen molecule, 2=18458
- Kovacs, J. See Huang, J., 2=13878
- Kovacs, J. S. Statistical model for strange particle and isobar production in proton-antiproton annihilation, 3=7858
- Kovács, P. and Szabó, J. Experiments on the preparation of ZnS monocrystals, 3=6826
- Kovács, P. See Lendvay, E., 3=4989
- Kovacs, P. See Lendvay, E., 3=10997
- Kovács, P. See Petrescu, P., 4=21558
- Koval', A. G. See Fogel', Ya. M., 0=12579
- Koval', A. G. See Fogel', Ya. M., 0=12640
- Koval', A. G. See Fogel', Ya. M., 1=4558
- Koval', A. G. See Fogel', Ya. M., 1=16269
- Koval', I. K. Absolute photometry of Venus in the ultraviolet and infrared, 0=8490
- Koval', I. K. and Morozhenko, A. V. Some properties of the yellow haze observed on Mars in 1956, 2=21701
- Koval', L. R. Note on the effect of dynamic asymmetry on the vibration of cylindrical shells, 3=9432
- Koval'chik, V. S. See Kuz'menko, P. P., 2=18597
- Koval'chuk, B. M. See Kassirov, G. M., 4=18755
- Kovalchuk, D. S. See Morozov, V. P., 2=18446
- Koval'chuk, D. S. See Rybakova, G. I., 0=20600
- Koval'chuk, V. S. See Kuz'menko, P. P., 3=8433
- Koval'chuk, V. S. See Kuz'menko, P. P., 3=22830
- Kovalenko, E. S. A non-isotropic elliptical waveguide, 0=1211
- Kovalenko, E. S. See Didenko, A. N., 2=3121
- Kovalenko, E. S. See Didenko, A. N., 3=21911
- Kovalenko, G. M. See Bogdanov, S. V., 2=14612
- Kovalenko, G. V. See Vlasov, A. Ya., 4=2328
- Kovalenko, N. A. See Miloslavskii, V. K., 0=654
- Kovalenko, S. S., Petrzhak, K. A. and Adamov, V. M. Dependence of the total kinetic energy of fission fragments on the energy of bombarding neutrons, 4=3710
- Kovalenko, S. S., Petrzhak, K. A. and Adamov, V. M. Total kinetic energy of U^{235} and Th^{232} fission fragments, 4=9580
- Kovalenko, S. S. See Adamov, V. M., 2=16446
- Kovalenko, S. S. See Adamov, V. M., 3=6317
- Kovalenko, S. S. See Drapchinskii, L. V., 4=19839
- Kovalenko, V. A. See Borovik, E. S., 3=21456
- Kovalenko, V. A. See Demina, N. V., 3=22162
- Kovalenko, V. S. See Bronshtein, I. M., 3=14659
- Kovalenok, P. B. and Smushkov, I. B. The method and precision of the harmonic analysis of the shape of interference lines, 4=15772
- Kovalev, A. A. and Pozdyak, S. I. The scattering of electromagnetic waves by a randomly corrugated surface of finite conductivity, 2=13694
- Kovalev, A. M. and Krasil'nikov, V. N. Reflection of electromagnetic waves from moving surfaces, 2=22333
- Kovalev, A. N. See Belova, N. A., 1=1091
- Kovalev, E. E. and Popov, V. I. Geometrical correction factor for cylindrical ionization chambers, 0=5445
- Kovalev, E. E. and Popov, V. I. Allowance for multiple scattering in a cylindrical γ -ray source, 0=9591
- Kovalev, E. E., Popov, V. I. and Smirenniy, L. N. The field of radiation of a rectangular source, 0=7488
- Kovalev, E. E. See Ivanov, V. I., 3=3633
- Kovalev, E. E. See Keirim-Markus, I. B., 3=3634
- Kovalev, E. E. See Osanov, D. P., 1=7331
- Kovalev, E. E. See Osanov, D. P., 2=20532
- Kovalev, G. N. See Geguzin, Ya. E., 3=20232
- Kovalev, G. N. See Geguzin, Ya. E., 3=22821
- Kovalev, G. N. See Geguzin, Ya. E., 4=25963
- Kovalev, I. F. Potential functions of molecules of the homologous series $(CH_3)_nSiH_{4-n}$ ($n = 1 - 4$), 1=825
- Kovalev, I. F. Potential functions of molecules of the series $(CH_3)_nSiCl_{4-n}$ ($n = 1 - 4$), 1=9923
- Kovalev, I. F. Potential functions of molecules of the series $(CH_3)_nSiCl_{4-n}$ ($n = 1 - 4$), 1=11086
- Kovalev, I. F. Intensity calculation in the infrared spectra of molecules of type XY_3ZV_3 . Methyltrichlorosilane, 2=22991
- Kovalev, I. F. Potential functions of molecules in the $(CH_3)_nSiF_{4-n}$ ($n = 1 - 4$) series, 3=20011
- Kovalev, I. F. Vibrational spectrum and force field of methyltrifluorosilane, 4=6631

- Kovalev, O.V. Possible changes of the symmetry O_h in phase transitions of the second order, 0=16252
- Kovalev, O.V. Degeneracy of energy levels in crystals, 1=932
- Kovalev, O.V. Calculation of the symmetry of magnetic crystals, 4=10237
- Kovalev, O.V. Possible magnetic structures in crystals having the hexagonal close-packed symmetry of magnetic atoms, 4=10238
- Kovalev, O.V. The symmetry of magnetic crystals with the total [magnetic] moment near the Curie point not equal to zero, 4=22966
- Kovalev, O.V. See Lyubarskii, G.Ya., 0=18343
- Kovalev, V.P. The effect of temperature on the kinetics of the sensitized luminescence of some impurities in naphthalene crystals, 2=21275
- Kovalev, V.P. Methods for producing a plane electromagnetic wave under laboratory conditions, 3=21970
- Kovalev, V.P. and Stavinskii, V.S. Computing the spectra of fission neutrons, 0=2691
- Kovalev, V.P. and Stavinsky, V.S. The systematics of the prompt fission neutron spectrum, 1=17170
- Kovalev, V.P. and Stavinskii, V.S. Correlation between the mean number and mean energy of fission neutrons and the properties of the fissioning nucleus, 2=506
- Kovalev, V.P. and Stavinskii, V.S. Correlation between the mean number and mean energy of fission neutrons and the properties of the fissioning nucleus, 3=686
- Kovalev, V.P. See Stavinskii, V.S., 2=16441
- Kovalev, V.P. See Stavinskii, V.S., 3=6306
- Kovaleva, L.V. See Skorobogatov, B.S., 4=28736
- Kovaleva, T.A. See Khlebnikov, N.S., 3=19320
- Kovalevsky, J. Calculation of apparent positions of circumpolar stars, 3=13898
- Kovalevsky, J. and Barlier, F. Determination of the oscillatory elements of the orbit of an artificial satellite, 1=6749
- Kovalevsky, V.A. On the null modulation method for photometric measurements, 0=3596
- Kovalevsky, J. See Debarbat, S., 3=13863
- Kovalichev, O.F. See Shishkin, N.I., 0=12061
- Koval'ov, O.V. Characters of single-valued irreducible representations of space groups of a hexagonal system I, 2=12898
- Koval'ov, O.V. Characters of two-valued irreducible representations of space groups of a hexagonal system II, 2=12899
- Koval'skii, A.E. and Pivovarov, L.Kh. Variation of the temperature coefficient of the intensity of X-ray lines of cobalt due to dissolution of tungsten carbide, 1=1396
- Koval'skii, A.E. and Pivovarov, L.Kh. Deformation errors in the packing in the cobalt cementing phase in hard alloys, 3=16117
- Koval'skii, A.E. See Ivensen, V.A., 3=6775
- Koval'skii, A.E. See Ivensen, V.A., 3=13497
- Koval'skii, G.A. and Kuchai, S.A. An investigation of small-scale ion pumps, 4=16155
- Koval'skii, G.A. and Rodin, A.M. Separation of isotopes of inert gases in an electromagnetic isotope separator, 4=17266
- Kovalskii, N.G., Luk'yanov, S.Yu. and Podgornyi, I.M. Investigation of behaviour of plasma in the "Orekh" magnetic trap, 3=12148
- Koval'skii, N.G., Podgornyi, I.M. and Stepanenko, M.M. Investigation of fast electrons in powerful pulsed discharges, 0=19650
- Kovaly, J.J. See Hicks, B.L., 0=12700
- Kovalyunaite, V.E. See Kapustin, A.P., 3=25668
- Kovan, I.A., Patruchev, B.I., Rusanov, V.D., Tilinin, G.N. and Frank-Kamenetskii, D.A. Spatial amplification of variable magnetic fields during magnetoacoustic resonance, 2=19953
- Kovan, I.A., Patrushev, B.I., Rusanov, V.D., Tilinin, G.N. and Frank-Kamenetskii, D.A. Spatial amplification of variable magnetic fields during magnetoacoustic resonance, 3=7544
- Kovan, I.A. See Akhmatov, A.P., 1=4628
- Kovan, I.A. See Bartov, A.V., 4=8778
- Kovan, I.A. See Borodin, A.V., 1=18886
- Kovan, I.A. See Borodin, A.V., 2=22223
- Kovan, I.A. See Borodin, A.V., 3=21831
- Kovan, I.A. See Patrushev, B.I., 1=18905
- Kovan, I.A. See Rusanov, V.D., 1=18858
- Kovan, I.A. See Zavoiskii, E.K., 2=3063
- Kovanits, P. Conditions of application of reactor transfer functions, 2=14161
- Kovanova, A.N. See Uvarova, V.M., 3=24064
- Kovar, F.R. Mobility of mercury ions in mercury vapor, 4=8625
- Kovar, F.R. and Varney, R.N. The drift velocity of ions in mercury vapour, 4=14577
- Kovarik, V.J. See Cottingham, J.G., 4=14474
- Kovarskii, V.A. Theory of radiationless transitions in the non-Condon approximation. Low temperatures, 2=20959
- Kovarskii, V.A. Theory of radiationless transitions in the non-Condon approximation. Low temperatures, 3=2747
- Kovarskii, V.A. and Sinyavskii, E.P. Theory of nonradiative transitions in crystals in the "non-Condon approximation". High temperatures, 3=15455
- Kovarskii, V.A. See Perlin, Yu.E., 1=17478
- Kovarch, Z. See Komar, A.P., 1=5706
- Kovarch, Z. See Komar, A.P., 1=10872
- Kovácszay, L.S.G. Plasma turbulence, 1=5451
- Kovácszay, L.S.G. and Fung, F.C.W. Asymptotic solutions for sink flow in a strong magnetic field, 2=13668
- Kovattana, T. and Barker, J.R. Solution of ladder networks containing non-linear resistances, 0=16963
- Kovba, L.M. See Pashinkin, A.S., 3=18233
- Kovbasyuk, L.D. See Kulagin, S.G., 4=29248
- Kovbasyuk, V.P. and Chorna, N.S. Excess conductivity of photosensitive layers of lead sulphide, 4=7072
- Kovbasyuk, V.P. and Chorna, N.S. Slow component of photoconductivity of lead sulphide films, 4=12991
- Kovchik, S.E. See Panasyuk, V.V., 3=6879
- Kovdrya, Yu. Z. See Esel'son, B.N., 4=2910
- Kovelskii, S. See Volodichev, N.N., 2=17919
- Kovenskii, I.I. Diffusion of tungsten in a cobalt-based alloy, 1=14303
- Kovenskii, I.I. Degree of ionization of silver in a silver-palladium alloy, 1=20576
- Kovenskii, I.I. Degree of ionization of silver in a silver-palladium alloy, 2=8838
- Kovenskii, I.I. Electrical transport in interstitial solid solutions, 3=20236
- Kovens'kiĭ, I. I. Investigation of the diffusion of carbon in titanium, 4=1519
- Kovenskii, I.I. Diffusion of carbon in its solid solutions with the iron-group metals, 4=20295
- Kovenskii, I. I. and Samsonov, G. V. Electrical resistivity of certain transition metals at high temperatures, 4=22688
- Kovenskii, I.I. See Frantsevich, I.N., 3=20235
- Kovenskii, I.I. See Frantsevich, I.N., 3=20237
- Kovenskii, I.I. See Kalinovich, D.F., 1=7596
- Kovenskii, I.I. See Kalinovich, D.F., 2=8241
- Kovenskii, I.I. See Kalinovich, D.F., 2=21054
- Kovenskii, I.I. See Kalinovich, D.F., 2=23201
- Kovens'kiĭ, I. I. See Kalinovich, D. F., 4=12788
- Kovenskii, I. I. See Kalinovich, D. F., 4=20302
- Kovenskii, I. I. See Kalinovich, D. F., 4=25968
- Kovenskii, I. I. See Samsonov, G. V., 4=12573
- Kovensky, I.I. See Frantsevich, I.N., 0=732
- Kovensky, I. I. See Frantsevich, I. N., 4=6875
- Kovens'kiĭ, I. I. See Frantsevich, I.N., 1=12655
- Kovens'kiĭ, I. I. See Frantsevich, I.N., 1=12656
- Kovens'kiĭ, I. I. See Frantsevich, I.N., 1=12657
- Koves, G. and Mondolfo, L. F. Solidification of iron-carbon alloys of nearly eutectic composition, 4=21352
- Koves, G. and Pesch, J. On the direct observation of the substructure network in iron, 4=2109
- Kövesy, Zs. See Fodor, L., 4=20906
- Kovitz, A.A. and Hoglund, R.F. Laminar parallel stream mixing with dissociation and recombination, 0=10684
- Kovitz, A.A. See Koumoutsos, N.G., 3=18896
- Kovner, M. A. and Kolerov, G. I. Calculation of elastic scattering cross section for slow neutrons on protons bound in the benzene molecule, 4=12011
- Kovner, M. A. and Krainov, E. P. Vibrational analysis of the fluorescence spectra of a frozen naphthalene solution in pentane and of naphthalene vapours, 4=13102
- Kovner, M.A. See Snegirev, B.N., 0=15720
- Kovner, M.S. Instability of low-frequency electromagnetic waves in a plasma traversed by a beam of charged particles, 1=18864
- Kovner, M.S. Excitation of waves in an infinite nonequilibrium plasma, 2=19960
- Kovpik, O. F. See Mineev, F. I., 4=27584
- Kovrigin, A. I. See Akhmanov, S. A., 4=5353
- Kovrigin, O. D., Andreev, Yu. A., Kartashov, V. M., Latyšev, Sychikov, G. I. and Troitskaya, A. G. Multipole orders of the 208 and 532 keV transitions in Er^{167} , 4=1026
- Kovrigin, O.D., Kolesnikov, N.V. and Latyšev, G.D. A large beta-spectrometer with double focusing, 2=20032

- Kovrizhnikh, A.A. See Antropov, G.P., 1=3454
 Kovrizhnikh, A.A. See Zisin, Y.A., 2=12209
 Kovrizhnikh, L. M., Rukhadze, A. A. and Silin, V. P. Oscillations of a low pressure inhomogeneous plasma, 4=545
 Kovrizhnykh, A.A. See Antropov, G.P., 2=20367
 Kovrizhnykh, L.M. Oscillations of an electron-ion plasma, 0=7125
 Kovrizhnykh, L.M. Effect of inelastic collisions on the velocity distribution of electrons, 0=9044
 Kovrizhnykh, L.M. Velocity distribution of electrons in a strong electric field, 0=9045
 Kovrizhnykh, L.M. Stability of a hollow gas conductor in a [longitudinal] magnetic field, 0=9167
 Kovrizhnykh, L.M. Motion of a plasma loop in an axially symmetric magnetic field, 0=15031
 Kovrizhnykh, L.M. Shock waves in relativistic magneto-hydrodynamics, 1=19013
 Kovrizhnykh, L.M. Effect of perturbations on the structure of a helical magnetic field, 2=9679
 Kovrizhnykh, L.M. Helical magnetic field inside a conducting, slotted-cylindrical shell, 3=5811
 Kovrizhnykh, L.M. Influence of perturbations on the structure of a helical magnetic field, 3=5812
 Kovrizhnykh, L.M. Magnetic surfaces of a toroidal helical field, 3=24427
 Kovrizhnykh, L.M. and Lebedev, A.N. Note on betatron capture, 0=9130
 Kovrizhnykh, L.M., Lovetskii, E.E., Rukhadze, A.A. and Silin, V.P. Hydrodynamical oscillations of a low-pressure non-uniform plasma in a magnetic field, 3=19288
 Kovrizhnykh, L.M. and Rukhadze, A.A. Instability of longitudinal oscillations of an electron-ion plasma, 0=12625
 Kovrizhnykh, L.M. and Tsytovich, V. N. Interaction of longitudinal and transverse waves in a plasma, 4=27530
 Kovrizhnykh, O.M., Likin, O.B. and Yampol'skii, P.A. A study of commercial photomultipliers in forced operation, 4=16527
 Kovrizhnykh, O.M. See Glagolev, V.L., 0=11376
 Kovrizhnykh, O.M. See Likin, O.B., 2=17755
 Kovrizhnykh, Yu. T. See Zavadskii, E.A., 2=635
 Kovrizhnykh, Yu. T. See Zavadskii, E.A., 3=17958
 Kovrizhnykh, Yu. T. See Zavadskii, E.A., 4=30663
 Kovryzhnykh, L.M. The equilibrium distribution of current density in straight high-current discharges, 1=10680
 Kovtanyuk, N. F. The mechanisms of electroluminescence and electrical breakdown in semiconductors, 4=4288
 Kovtanyuk, N. F. Theory of electroluminescence, 4=7175
 Kovtanyuk, N. F. On the frequency dependence of ZnS: Cu luminescence, 4=22928
 Kovtanyuk, N.F. See Kokorev, D.T., 3=15567
 Kovtun, E.F. and Mil'ner, A.S. Temperature dependence of the low-field magnetization of manganese ferrites, 3=13271
 Kovtun, H.P., Kruhlykh and Pavlov, V.S. Determination of the vapour pressure of metals from the rate of evaporation [from cylindrical crucibles], 2=11537
 Kovtun, H.P., Kruhlykh, A.A., and Pavlov, V.S. Vapour pressure and the evaporation coefficient of nickel, 2=19784
 Kovtun, H.P., Kruhlykh, A.A. and Pavlov, V.S. Determination of vapour pressures of metal vapours from the rate of evaporation from a cylindrical crucible, 2=19786
 Kovtun, N.M. and Tereshchenko, A.I. Calculation of propagation constants in an h-mode waveguide with transversely magnetized ferrite plate, 0=19935
 Kovtun, N.M. and Tereshchenko, A.I. The characteristics of ferrite phase shifters consisting of H-waveguides, 2=7758
 Kovtun, N.M. See Tereshchenko, A.I., 2=20145
 Kovtun, R.I. Effect of elastic strains on the electrical conductivity of metals at high temperatures, 2=6407
 Kovtun, R. I. See Dushyn, L. O., 4=524
 Kovtun, S.F. and Ul'yanov, R.A. The effect of alloying on the thermal expansion of titanium, 4=17375
 Kovtun, S.F. See Popov, B.E., 1=6545
 Kovtun, S. F. See Ul'yanov, R.A., 4=22687
 Kovyrzina, K.A. and Rozman, I.M. On the luminescence of certain solvents, 2=15609
 Kovyrzina, K.A. See Baroni, E.E., 2=21278
 Kovyrzina, K.A. See Kilin, S.F., 2=7224
 Kowal, C. See Sandage, A., 4=7992
 Kowalchik, M. See Thurmond, C.D., 0=19119
 Kowalchik, M. See Trumbore, F.A., 4=28999
 Kowalczyk, J. See Damm, J. Z., 4=30584
 Kowalczyk, R. See Kołodziejczak, J., 2=14555
 Kowalczyński, J.K. Spinless interaction of slow neutrons with a particular type of rectangular complex cavity, 3=10352
 Kowalew, A. Some problems of the activation during periodical operation of the reactor, 2=3494
 Kowalewski, D.G. De. See De Kowalewski, D.G.
 Kowalewski, D.G. de. See de Kowalewski, D.G.
 Kowalewski, L. On the theory of magnetic anisotropy of ferromagnetic crystals, 0=16132
 Kowalewski, L. Concerning the quantum theory of antiferromagnetics, 1=20170
 Kowalewski, L. On the dispersion formula in ferrites with spinel structure, 1=20171
 Kowalewski, L. Spin-wave theory of MeFe_2O_4 ferrite. I, 2=8652
 Kowalewski, L. On diagonalization of the free spin-waves Hamiltonian for arbitrary magnetic structure, 4=20523
 Kowalewski, L. Spin-wave theory of magnetoplumbite ferrites, 4=23014
 Kowalewski, V.J. and de Kowalewski, D.G. Nuclear magnetic resonance spectra of the ABX_2 type: field dependence and relative signs of spin-spin coupling constants, 1=3567
 Kowalewski, V.J. and de Kowalewski, D.G. Proton magnetic resonance spectra of 3-pyridines: the unsymmetrical four-spin ABXY and ABKL systems, 2=2023
 Kowalewski, V.J. and de Kowalewski, D.G. Proton magnetic resonance spectra of 2-pyridines. The strong-coupled $\text{AA}'\text{KL}$ system, 3=4780
 Kowalewski, V.J. and de Kowalewski, D.G. Proton n.m.r. spectra of the n,n-dimethylformamide, n-methylformamide, and n,n-dimethylacetamide, 0=11538
 Kowalewski, V.J. and Hoffman, R.A. A nuclear magnetic resonance spectrometer, 1=381
 Kowalewski, V.J., Mayans, C.A. and Hammerschlag, M. On some properties of the radio frequency ion source with longitudinal magnetic field, 0=19772
 Kowalewski, V.J. See de Kowalewski, D.G., 1=14105
 Kowalewski, V.J. See de Kowalewski, D.G., 1=15911
 Kowalewski, V.J. See de Kowalewski, D.G., 2=20873
 Kowaliski, P. Remarks on the three-dimensional geometry of colour representation, 1=18627
 Kowaliski, P. Colour reproduction theory and separation filters, 4=18441
 Kowalska, A. Some remarks on the theory of photo-disintegration of Be^9 and Li^7 , 2=3549
 Kowalska, A. A simple theory of the photodisintegration of ^9Be at low energies, 2=20589
 Kowalska, E., Kowalski, W. and Mazanek, C. Influence of temperature and concentration of acid on the velocity of propagation of ultrasonics in aqueous solutions of sulphuric acid, 4=2679
 Kowalska, E., Kowalski, W. and Sollorz, J. Ultrasonic velocity in aqueous solutions of cobalt dichloride, 4=27172
 Kowalska, K. Multizone reactor calculations, 2=3651
 Kowalski, K.L. Relativistic reaction systems and the asymmetry of time scales, 0=6658
 Kowalski, K.L. Identity effects in multiple-scattering theories, 4=3646
 Kowalski, K.L. and Feldman, D. Transition matrix for nucleon-nucleon scattering, 1=10884
 Kowalski, K.L. and Feldman, D. Elastic nucleon-deuteron scattering, 3=10108
 Kowalski, K.L. and Feldman, D. Transition matrix for nucleon-nucleon scattering. II, 3=14975
 Kowalski, K. L. See Kottler, H., 4=19599
 Kowalski, L. Construction and study of a bismuth fission chamber for the detection of high energy neutrons, 1=13450
 Kowalski, L. A contribution to the study of the fission of heavy nuclei of high energy, 4=28072
 Kowalski, L. and Sébaoun, W. Use of a thin layer of CsI:Tl , obtained by evaporation under vacuum, as a detector of fission fragments, 2=9735
 Kowalski, L. and Stephan, C. Angular distributions and fission cross-sections for uranium, bismuth and gold for 156 MeV protons, 4=17213
 Kowalski, L., Stephan, C., Langevin-Joliot, H. and Radvanyi, P. Kinematical effect in fission induced by 156 MeV protons in the nuclei of U, Bi and Au, 3=10400
 Kowalski, S. See Bertozzi, W., 1=8689
 Kowalski, S. See Bertozzi, W., 3=12513
 Kowalski, S.B. See Baerg, A.P., 0=1451
 Kowalski, T. See Chaloupka, P., 1=16943
 Kowalski, T. See Hladky, J., 0=5636
 Kowalski, T. See Krivsky, L., 0=20275
 Kowalski, V.L. See Lim, E.C., 2=12333
 Kowalski, W. See Kowalska, E., 4=2679
 Kowalski, W. See Kowalska, E., 4=27172
 Kownacki, J. See Ambroży, B., 1=16955

- Kownacki, J. See Ambroz, B., 2=1821
- Kownacki, J. See Choinacki, S., 1=670
- Kownacki, J. See Jasinski, A., 3=10310
- Kownacki, S. Ionization of the atmosphere due to beta particles emitted by fission products, 4=4780
- Koyama, H. See Nagasawa, S., 1=15478
- Koyama, M. See Nishiwaki, Y., 3=2156
- Koyama, K. See White, J. L., 4=4068
- Koyama, R. Flow birefringence of polymer solutions, 1=15878
- Koyama, R. and Cerf, R. Correction to an article on the statistical mechanics of chain macromolecules in a velocity field, 1=19678
- Koyama, R. Y. See Archer, R. J., 4=22848
- Koyama, S. Extreme ultraviolet solar emission lines and the transition layer between the chromosphere and the corona, 3=16386
- Koyano, I. and Tanaka, I. Lyman alpha lamps and reaction of deuterium atoms in the 2P state with molecular nitrogen, 4=13724
- Koyano, I., Tanaka, I. and Omura, I. Chemi-ionization in photo-excited acetylene, 4=23671
- Koyasu, M. On the relation between the reverberant sound absorption coefficient and the normal incidence absorption coefficient of fibrous materials, 1=6930
- Koyasu, M. See Sato, K., 0=5117
- Koyasu, M. See Sato, K., 0=19312
- Koyl, R. Kh. [Cole, R. H.]. Dielectric relaxation in liquid alcohols, alkyl halides and solutions, 0=19139
- Koyrizhn'kh, L. M. Instability of longitudinal oscillations of a plasma of electrons and ions placed in an external electric field, 1=4626
- Koysooko, L. See Borst, L. B., 1=19687
- Koza, R. W. Perspective drawing for optical analysis, 2=95
- Kozachenko, L. S. See Babkin, V. S., 0=10809
- Kozachina, B. S., Kub'yshekin, N. Z. and Nastyukha, A. I. Stabilization of the cyclotron deflecting-system voltage, 4=14787
- Kozachok, I. A. The slowing down of neutrons in an infinite absorbing medium, 2=22534
- Kozachok, I. A. Asymptotic solution to the problem of neutron moderation, 4=25111
- Kozai, Y. The motion of a close earth satellite, 0=6630
- Kozai, Y. Note on the motion of a close earth satellite, 0=6631
- Kozai, Y. Effect of precession and nutation on the orbital elements of a close earth satellite, 1=1663
- Kozai, Y. The gravitational field of the earth derived from motions of three satellites, 1=4189
- Kozai, Y. Note on the motion of a close earth satellite with a small eccentricity, 1=6747
- Kozai, Y. Tesseral harmonics of the gravitational potential of the earth as derived from satellite motions, 1=12740
- Kozai, Y. Mean values of cosine functions in elliptic motion, 2=17313
- Kozai, Y. Second-order solution of artificial satellite theory without air drag, 2=21744
- Kozai, Y. Secular perturbations of asteroids with high inclination and eccentricity, 3=5242
- Kozak, O. V. See Pasechnik, L. L., 4=21529
- Kozak, O. V. See Pasichnyk, L. L., 3=21772
- Kozak, P. P. A high-speed solar photoelectric spectro-photometer, 2=925
- Kozakevitch, P. and Urbain, G. Surface tension of liquid platinum at 1800°C, 2=2692
- Kozalobaev, I. P. Piezoelectric hysteresis in polycrystalline barium titanate, 2=14628
- Kozar, A. O. See Strizhak, V. I., 2=7990
- Kozarzewski, B. A theorem concerning the gravitational field with shear-free, rotation, free and expansion-free geodesic rays, 4=29518
- Kozawa, S. On the flare of flat glass plates and lenses, 3=16801
- Kozawa, S. See Masuda, T., 3=21528
- Koželj, V. The Poynting vector and the velocity of energy propagation, 4=3126
- Kozelkin, V. V. and Kolchev, B. S. Measurement of instability in the accelerating voltage of electron microscopes, 2=7531
- Kožešnik, J. Dimensional analysis of non-linear rheological problems, 3=23843
- Kozhemyakin, N. E. See Popov, L. E., 4=23102
- Kozhevin, V. Ye. See Karhanin, Yu. I., 2=8437
- Kozhevnikov, D. A. Computing the slowing-down length of neutrons in media of high hydrogen content, 4=15069
- Kozhevnikov, D. A. The space-energy distribution of neutrons in media of high hydrogen content, 4=15070
- Kozhevnikov, D. A. See Guberman, Sh. A., 3=18488
- Kozhevnikov, N. I. A graphical analysis of vignetting in astronomical optics, 2=932
- Kozhevnikov, N. I. Form of spreading function of the solar disc edge, 4=13932
- Kozhevnikov, N. I. and Klyakotko, M. A. Determination of large-scale motion parameters in the solar photosphere, 3=11536
- Kozhevnikov, N. I. and Kuz'min'kh, V. D. Structure of a facula, 4=23915
- Kozhevnikov, N. I. and Makarova, E. A. The limits of applicability of Bouguer's method for determining the brightness of a celestial source, 2=923
- Kozhevnikov, N. I. See Klyakotko, M. A., 3=9196
- Kozhevnikov, N. I. See Makarova, E. A., 4=2198
- Kozhevnikova, L. V. See Vasil'ev, D. M., 0=6304
- Kozhikaru, V. and Petrashku, M. Spin of the 1360 keV level in the Sm^{150} nucleus, 4=22041
- Kozhokaru, V. [Cojocar] and Petrashku, M. [Petrascu]. Angular correlation of cascade γ -quanta of the 440-337 keV transition in the Sm^{150} nucleus, 3=24870
- Kozhushner, M. A. and Provotorov, B. N. Quantum-statistic theory of the overhauser effect in metals, 4=10341
- Kozhushner, M. A. and Sayasov, Yu. S. Relation between the cross-sections for elastic and inelastic scattering in non-adiabatic atomic collisions, 4=15305
- Kozhushner, M. A. and Sayasov, Yu. S. The probability of inelastic atomic collision in the case of several points of intersection (or pseudo-intersection) of terms, 4=19986
- Kozhushner, M. A. and Shabalin, E. P. Production of Lepton particle pairs on a Coulomb centre, 1=19159
- Kozhushner, M. A. and Shabalin, E. P. Production of lepton particle pairs on a coulomb centre, 2=22465
- Kozima, H. See Muto, T., 2=23718
- Kozima, K. and Su'etaka, W. "Rotational" isomers of cyclopentane derivatives, 1=19674
- Kozima, K. See Schatz, P. N., 3=16790
- Kozin, F. See Bogdanoff, J. L., 2=17530
- Kozina, G. S., Favorin, V. N. and Anisimova, I. D. Luminance (brightness) waves of electroluminescence under the conditions of simultaneous action of d.c. and a.c. fields, 0=16112
- Kozina, G. S. and Poskacheeva, L. P. Total luminance of luminescence of $ZnS:Cu$ and $ZnS:Cu:Mn$ phosphors in pulsating fields, 0=16111
- Kozina, G. S. See Bakumenko, V. L., 4=13087
- Kozina, G. S. See Favorin, V. N., 0=10081
- Kozina, G. S. See Favorin, V. N., 1=10123
- Kozina, G. S. See Favorin, V. N., 2=16870
- Kozina, L. See Hevesi, J., 4=2691
- Kozina, O. G. and Marakov, G. I. Transient processes in the acoustic fields generated by a piston membrane of arbitrary shape, 1=16014
- Kozina, O. G. and Makarov, G. I. Transient processes in the acoustic fields of special piston membranes, 2=21969
- Kozina, O. G., Makarov, G. I. and Shaposhnikov, N. N. Transient processes in the acoustic fields generated by a vibrating spherical segment, 2=21970
- Kozinets, O. I., Shapiro, F. L. and Shtraniikh, I. V. A linear ion buncher, 3=24378
- Kozinets, V. V. See Gindin, I. A., 2=16960
- Kozinets, V. V. See Gindin, I. A., 2=18998
- Kozinets, V. V. See Gindin, I. A., 3=20945
- Kozirovski, Y. and Folman, M. Surface hydrogen bonds and the elastic properties of a solid adsorbent, 3=6897
- Kozirovsky, Y. and Folman, M. Infrared studies of molecules adsorbed on alkali-halide films, 4=29198
- Kozlenkov, A. I. An investigation of aberrations of a concave grating, 0=14843
- Kozlenkov, A. I. Theory of the fine structure of X-ray absorption spectra. I. Physical basis of the theory of short-range order, 3=6657
- Kozlov, A. A. See Anikina, M. Kh., 4=3477
- Kozlov, A. A. See D'Yakov, G. P., 1=6331
- Kozlov, A. A. See Manjavidze, Z. Sh., 1=3303
- Kozlov, A. F. See Bravinskii, V. G., 2=18975
- Kozlov, B. A. See Korolev, F. A., 0=11508
- Kozlov, B. N. Similarity solutions of plasma equations, 2=175
- Kozlov, B. N. Thermonuclear reaction rates, 2=12239
- Kozlov, E. V. and Popov, L. E. On the theory of hardening of ordered solid solutions, 4=4448
- Kozlov, E. V. See Popov, L. E., 4=26536
- Kozlov, M. M. See Gutkin, A. A., 4=28643

- Kozlov, P.V., Frolova, A.A. and Slesareva, L.F. The influence of mechanical effects on the acceleration of structural transformations in polymers during crystallization, 2=23802
- Kozlov, P.V., Ryzhov, V.B. and Burkanova, N.D. The influence of the rigidity of micromolecules of polymers on the phase transition temperatures and crystalline structure, 4=17742
- Kozlov, V.F. Photographic dosimetry of individual β - and γ -radiation, 4=3254
- Kozlov, V.F. On the influence of a change in vertical mixing on drift currents, 4=13787
- Kozlov, V.F., Fogel, Ya.M. and Stratienco, V.A. Two-electron charge exchange for low-energy protons, 4=464
- Kozlov, V.F., Kolot, V.Ya. and Sun Chzhel'-chein' [Sung Chel'-chin]. Production of silicon and germanium ion beams by means of a high-frequency source, 3=24380
- Kozlov, V.F., Marchenko, V.L. and Vogel', Ya.M. High-frequency ion source with discharge taking place in salt vapours, 1=16431
- Kozlov, V.F. and Rozhkov, A.M. A method of measuring the [effective] double-charging cross-section of singly-charged low-energy [0.1-5 keV] positive ions, 3=21705
- Kozlov, V.F. and Zemlyanskii, M.G. Design details of the VVR-S experimental nuclear reactor, 3=12730
- Kozlov, V.F. See Fogel', Ya.M., 1=18780
- Kozlov, V.F. See Fogel', Ya., 0=10877
- Kozlov, V.F. See Fogel', Ya.M., 0=14978
- Kozlov, V.I. See Fabrikov, V.A., 3=6738
- Kozlov, V.P. On the resolving power of spectroscopic instruments. I. Statement of the problem and the criterion of resolution, 4=24369
- Kozlov, V.P. and Fedorova, E.O. The spatial distribution of brightness in the lower deck clouds, 3=18509
- Kozlov, V.Ya. See Slyusarev, P.N., 4=3755
- Kozlova, M.V. See Rozanova, N.B., 0=1108
- Kozlova, N.V. and Yurova, L.N. Interaction of fast neutrons with uranium and thorium nuclei, 2=20639
- Kozlova, S.S. See Kunin, N.F., 2=21426
- Kozlova, T.N. See Kostina, T.I., 4=6924
- Kozlovskaya, V.M. Determination of the amount and composition of gases adsorbed on the surface of Ge and Si monocrystals by mass-spectrometry, 0=4750
- Kozlovskaya, V.M. and Rubinshtein, R.N. Calculation of solubility and vapour pressure for semiconductor-impurity systems, 2=9452
- Kozlovskii, M.I. Spiral growth and solution of crystals, 0=13957
- Kozlovskii, M.I. Apparatus for microscopic investigation of the growth of crystals from solutions, 0=16269
- Kozlovskii, M.I. The question of the influence of an electric field on the nucleation of crystallization centres, 3=18246
- Kozlovskii, V.F. See Umanskii, M.M., 4=4590
- Kozlovskii, V.Kh. The problem of the existence of entropy of dynamical systems, 0=14905
- Kozlovskii, V.Kh. A dynamic theory of deformable ionic lattices of ferroelectric crystals, 0=20955
- Kozlovskii, V.Kh. Quantum effects in ferroelectrics with hydrogen bonds, 4=10107
- Kozlovskii, V.Kh. Dynamical theory of rigid lattices of anti-ferroelectrics, 4=22778
- Kozłowski, L. and Kubiak, S. Effect of cathodic hydrogen on the magnetic properties of thin electrolytic nickel films, 1=14720
- Kozłowski, L. and Kubiak, S. Influence of cathodic hydrogen on the magnetic moment of electrolytically deposited nickel films, 3=20606
- Kozłowski, L. and Kubiak, S. Changes in the magnetic moment of thin electrolytic nickel films cathodically polarized, 4=4365
- Kozłowski, M.F. Guiding-center approximation in the diamagnetic ring current, 4=2252
- Kozłowski, T.R. See Janz, G.J., 4=180
- Kozłowski, T.R. See Janz, G.J., 4=16115
- Kozłowski, T.R. See Janz, G.J., 4=18204
- Kozłowski, T.R. See Janz, G.K., 4=181
- Kozłowski, Z. See Leleux, F., 4=29711
- Koz'ma, A.A. See Fuks, M.Ya., 4=25952
- Kozma, L. Experimental investigations of the agreement between the laws of fluorescence and thermal radiation, 4=14171
- Kozma, L. See Ketscheméty, I., 2=13346
- Koz'min'kh, M.D. See Mitsuk, V.E., 0=2352
- Koz'min'kh, M.D. See Mitsuk, V.E., 0=19669
- Kozodaev, M.S., Kulyukin, M.M., Sulyaev, R.M., Filippov, A.I. and Shcherbakov, Yu.A. Inelastic interaction of π^\pm -mesons with helium nuclei at an energy of about 300 MeV, 0=9697
- Kozodaev, M.S., Kulyukin, M.M., Sulyaev, R.M., Filippov, A.I. and Shcherbakov, Yu.A. Interaction between 630 MeV protons and He^4 nuclei, 0=12933
- Kozodaev, M.S., Kuliukin, M.M., Sulyaev, R.M., Filippov, A.I. and Shcherbakov, Yu.A. A high-pressure diffusion chamber in a pulse magnetic field, 1=19073
- Kozodaev, M.S., Kulyukin, M.M., Sulyaev, R.M., Filippov, A.I. and Shcherbakov, Yu.A. Angular and momentum distributions of residual nuclei produced in the inelastic scattering of fast pions and protons on helium, 1=19296
- Kozodaev, M.S. See Baiukov, Yu.D., 1=19167
- Kozodaev, M.S. See Baiukov, Yu.D., 1=19168
- Kozolovskii, V.Kh. Quantum effects in phase transitions in ferroelectric crystals, 2=2203
- Kozubowski, J. See Sosnowski, J.J., 2=18526
- Kozubsky, E.V. See Belonogov, A.V., 3=17127
- Kozuka, T. See Hayashi, H., 4=30797
- Kozuka, T. See Hayashi, H., 4=30798
- Kozuka, T. See Hukuo, N., 3=1857
- Kozuka, T. See Kukuo, N., 2=11522
- Kozuka, T. See Nakayama, N., 4=23983
- Kozulin, Yu.N. A reflection method for computing the electromagnetic field above horizontal lamellar structures, 3=21946
- Koz'yakova, K.Ya. Results of the calibration of GAE-3 gravity meters, 2=21610
- Kozyrev, A.P. See Borishanskii, V.M., 4=8509
- Kozyrev, B.M., Yablokov, Yu.V., Matevosyan, R.O., Ikrina, M.A., Il'yasov, A.V., Ryzhmanov, Yu.M., Stashkov, L.I. and Shatrakov, L.F. Electron paramagnetic resonance of substituted diphenylpicrylhydrazyls, 4=15377
- Kozyrev, B.M. See Al'tshuler, S.A., 4=30729
- Kozyrev, B.M. See Avvakumov, V.I., 0=8085
- Kozyrev, B.M. See Fedotov, V.N., 3=15946
- Kozyrev, B.M. See Garif'yanov, N.S., 2=61
- Kozyrev, B.M. See Garif'yanov, N.S., 2=15621
- Kozyrev, B.M. See Garif'yanov, N.S., 3=150
- Kozyrev, B.M. See Garif'yanov, N.S., 3=5451
- Kozyrev, B.P. Basic problems of radiation pyrometry of slightly heated or cooled objects, 4=11394
- Kozyrev, B.P. and Kropotkin, M.A. Study of spectral reflection coefficients of thermal radiation receiver coatings for the wavelength range from 10 to 200 μ , 2=129
- Kozyrev, B.P. and Kropotkin, M.A. Study of diffuse reflection from white coatings which strongly absorb infrared radiation, 3=16786
- Kozyrev, B.P. and Mezenov, A.V. Experimental investigation of the transmission functions of air in the region of the rotational absorption bands of water vapor, 4=12471
- Kozyrev, N. Volcanic phenomena on the moon, 4=4883
- Kozyrev, P.T. The effect of pressure (up to 30000 atm) on the electrical conductivity of selenium. I, 0=613
- Kozyrev, P.T. The effect of pressure on the electrical conductivity of oxygen-free selenium. II, 0=614
- Kozyrev, P.T. Problem of the nature of the acceptor levels in hexagonal selenium, 2=10494
- Kozyrev, P.T. Problem of the nature of the acceptor levels in hexagonal selenium, 2=14561
- Kozyrev, S.P. and Shal'nev, K.K. Destructive abrasion and cavitation, 2=12873
- Kozyrev, Yu.P. Influence of a magnetic field on the photocurrent of a germanium photodiode, 3=20408
- Kozyreva, E.F. Electronic-vibrational spectra of some arylene-alkyl polymers, 4=3886
- Kozyreva, M.S. and Renne, V.T. Use of infrared spectroscopy in the study of capacitor paper, 0=16396
- Kozyrskii, G.Ya. A high-temperature region of the beneficial effect of polygonization on creep, 3=20715
- Kozyrs'k'yi, H.Ya., Kononenko, V.A. and Okrainets', P.M. A study of the structural change of nickel during creep, 1=14895
- Kozyrs'k'yi, H.Ya. See Dan'ylenko, V.M., 1=20695
- Kozyukov, A.V. See Fradkina, E.M., 2=3139
- Kraak, W. The influence of rate of flow values on the determination of the dynamic stiffness of porous damping materials, 0=1017
- Kraak, W. Sound absorption and sound isolation of porous absorbers with very light elastic frameworks, 3=9572
- Kraak, W., Jahn, G. and Fasold, W. A new large reflection-free room for soundwaves, 0=14744
- Kraakevik, J.H. Measurements of current density in the fair weather atmosphere, 2=4602
- Krachino, T.V. See Bol'shov, V.G., 0=7139
- Krachino, T.V. See Matskevich, T.L., 2=22249

- Krachino, T.V. See Matskevich, T.L., 3=7631
 Krachino, T.V. See Matskevich, T.L., 3=14616
 Krächter, H. and Schlömer, H.E. Continuous measurement of the wall thickness of thin-walled tubes using beta-rays, 2=21865
 Kracik, B., Miligui, Z., Brabec, V., Vejs, M., Mastalka, A. and Kucarova, T. Decay of Sm^{153} , 3=12635
 Kracik, B. See Brabec, V., 1=13721
 Kracik, B. See Brabec, V., 1=17029
 Kracik, B. See Brabec, V., 2=7951
 Kracik, J. A note on the explanation of the temperature variation in the positive column, 1=16283
 Kracik, J. Acceleration of shock-wave in plasma, 3=18897
 Kracik, J. Stationary thread glow discharge, 4=14590
 Kracik, J. Theory of the nature of the spiraling arising in low-pressure glow discharges, 4=18732
 Kracik, J. and Kocian, P. The influence of a magnetic field on the rotation and shape of threads in a thread discharge, 3=7468
 Kracik, J. and Kocian, P. The influence of a magnetic field on the rotation and shape of threads in a thread discharge, 3=19199
 Kracik, J. See Bakule, R., 1=16287
 Kracik, J. See Kocian, P., 1=10684
 Kracik, J. See Subertová, S., 4=14594
 Kraciková, T. See Brabec, V., 2=7951
 Kraemer, L.M. Cuprous halide films on alkali halide crystals, 0=20847
 Kraemer, R. See Block, M.M., 1=13500
 Kraemer, R. See Pevsner, A., 2=5719
 Kraemer, R. See Pevsner, A., 2=22572
 Kraemer, R. See Shafer, J.B., 3=15028
 Kraev, M. Positronium in an external field, 0=17317
 Kraev, M. Renormalization of the equation of the two-electron Green's function, 0=20018
 Kraev, M. Analytical wave-functions and energy levels of the state $1S2p^3P$ of two-electron atoms, 0=20535
 Kraev, M. Coulombic corrections of the α_m order of positronium energy levels, 1=16764
 Kraev, M. Analytical wave function and energy value of the ground-state boron atom, 2=6080
 Kraev, M. Influence of a weak magnetic field on the energy spectrum of positronium, 4=25072
 Kraev, O.A. and Stel'makh, A.A. Thermal diffusivity in tungsten at temperatures between 1600° and 2960°C, 4=15495
 Krafft, J. See Bouchez, R., 1=13796
 Krafft, J. See David, J.E., 1=18953
 Krafft, O. See Franke, H.G., 3=23952
 Kraft, L.Jr. See Shapiro, I., 3=18664
 Kraft, L.G. See Pettengill, G.H., 2=13174
 Kraft, L.G. See Pineo, V.C., 0=16432
 Kraft, L.G. See Pineo, V.C., 1=20919
 Kraft, O.E. See Bonch-Osmolovskaya, N.A., 1=19393
 Kraft, O.E. See Bonch-Osmolovskaya, N.A., 2=14035
 Kraft, O.E. See Bonch-Osmolovskaya, N.A., 3=10303
 Kraft, O.E. See Bonch-Osmolovskaya, N.A., 3=24912
 Kraft, R.P. Color excesses for supergiants and classical cepheids. I. Calibration of the G-band photometry, 0=18792
 Kraft, R.P. Color excesses for supergiants and classical cepheids. II. The period-colour relation for classical cepheids, 0=18793
 Kraft, R.P. Exploding stars, 3=1525
 Kraft, R.P., Preston, G.W. and Wolff, S.C. The width of H α as a discriminant of luminosity in the spectra of late-type stars, 4=26914
 Kraft, R.P. and Schmidt, M. Galactic structure and galactic rotation from cepheids, 3=9246
 Kraft, R.P. See Arp, H.C., 1=5159
 Kraft, R.W. See Lemkey, F.D., 2=18976
 Kraftmakher, Ya.A. Vacancy formation in niobium, 4=1463
 Kraftmakher, Ya.A. and Strelkov, P.G. The energy of formation and the density of vacancies in tungsten, 3=15482
 Kraftsova, N.F. Atomic scattering of X-rays and the electron density of chromium, 4=13588
 Krag, W.E. Galvanomagnetic effects in n-type silicon, 0=9969
 Krag, W.E. and Brown, M.C. Galvanomagnetic effects in n-type germanium, 4=17488
 Krag, W.E. and Zeiger, H.J. Infrared absorption spectrum of sulphur-doped silicon, 2=18846
 Krag, W.E. See Galeener, F.L., 3=20542
 Krag, W.E. See Quist, T.M., 3=9971
 Kragelskii, I.V. On the criteria of wear of materials, 0=6323
 Kragelskii, I.V. On a two-term friction law, 1=20396
 Kragelskii, I.V. On a two-term friction law, 2=10774
 Kragelskii, I.V. and Mikhin, N.M. Nature of the initial contact slip in solids, 4=10368
 Kräthmer, W. Investigations on ferroelectrics and their use in dielectric resonance amplifiers, 1=19925
 Kraichman, M.B. Basic experimental studied of the magnetic field from electromagnetic sources immersed in a semi-infinite conducting medium, 0=7222
 Kraichman, M.B. Impedance of a circular loop in an infinite conducting medium, 2=15878
 Kraichman, M.B. Induction in a small loop moving with a magnetostatic dipole toward a conducting half space, 3=5810
 Kraichman, M.B. A dipole approximation of the backscattering from a conductor in a semi-infinite dissipative medium, 3=21976
 Kraichnan, R.H. Dynamics of nonlinear stochastic systems, 1=4267
 Kraichnan, R.H. Erratum: Dynamics of nonlinear stochastic systems, 2=4944
 Kraichnan, R.H. Stochastic models for many-body systems. I. Infinite systems in thermal equilibrium, 2=13272
 Kraichnan, R.H. Stochastic models for many-body systems. II. Finite systems and statistical nonequilibrium, 2=13273
 Kraichnan, R.H. Turbulent thermal convection at arbitrary Prandtl number, 3=1853
 Kraichnan, R.H. Direct-interaction approximation for a system of several interacting simple shear waves, 4=5147
 Kraichnan, R.H. Relation between Lagrangian and Eulerian correlation times of a turbulent velocity field, 4=14107
 Kraichnan, R.H. Decay of isotropic turbulence in the direct-interaction approximation, 4=24136
 Kraichnan, R.H. Direct-interaction approximation for shear and thermally driven turbulence, 4=24137
 Kraichnan, R.H. Approximations for steady-state isotropic turbulence, 4=29595
 Kraichnan, R.H. Diagonalizing approximation for inhomogeneous turbulence, 4=29596
 Kraichnan, R.H. and Spiegel, E.A. Model for energy transfer in isotropic turbulence, 2=11327
 Kraihanzel, C.S. See Cotton, F.A., 3=6397
 Kraiko, A.N. See Katskova, O.N., 4=18230
 Krainer, E. The elastic constants of various steels and their dependence on temperature, 3=13328
 Krainer, E. See Pater, M., 3=16090
 Krainik, N.N. Antiferroelectric and ferroelectric properties of the NaNbO_3 - PbZrO_3 solid solutions, 0=11746
 Krainik, N.N. Comparison of the internal fields acting in certain ferro- and antiferroelectric structures of the perovskite type, 0=13657
 Krainik, N.N. Internal fields in some ferroelectric and antiferroelectric model structures based on BaTiO_3 , 2=16773
 Krainik, N.N. and Agranovskaya, A.I. Antiferroelectric and ferroelectric properties of several solid solutions containing Pb_2MgWO_6 , 0=7978
 Krainik, N.N. See Smolenskii, G.A., 1=12478
 Krainik, N.N. See Smolenskii, G.A., 1=14560
 Krainik, N.N. See Smolenskii, G.A., 3=6614
 Krainov, B.N. See Rode, V.E., 3=20617
 Krainov, E.P. The vibrational spectra of aromatic compounds XIX. Calculation and interpretation of the vibrational spectra of naphthalene and some deuterionaphthalenes, 4=30465
 Krainov, E.P., Prokofeva, N.I. and Sverdlov, L.M. Calculation and interpretation of the vibrational spectra of naphthalenes. VI. Vibrational spectra and structure of cyclobutane, 4=30457
 Krainov, E.P. See Kovner, M.A., 4=13102
 Krainyukov, N.I. See Sysoev, L.A., 2=16989
 Krainyukov, N.I. See Sysoev, L.A., 2=18734
 Krainyukov, N.I. See Sysoev, L.A., 3=20528
 Krajewski, B. Approximate determination of flow and temperature-field in pebble-bed gas-cooled reactor, 3=10414
 Krajewski, B. and Szczurek, J. Approximate determination of the flow and temperature field in a pebble-bed gas-cooled reactor, 4=3751
 Krajewski, T. The effect of flexural stresses on the dielectric properties of polycrystalline barium titanate, 1=12477
 Krajewski, T. The effect of flexural stresses on the piezoelectric properties of polycrystalline barium titanate, 1=12480
 Krakau, J.A. See Protass, I.R., 0=12745
 Kral, M. See Knittl, Z., 2=17640
 Kralik, G. A comparative investigation of exo-electron emission using a Geiger counter and electron multiplier, 3=24329

- Kralina, A. A. See Demchuk, I. G., 4=20738
 Kralina, A. A. See Esin, V. O., 0=18304
 Kralina, A. A. See Esin, V. O., 0=18305
 Kralina, A. A. See Esin, V. O., 3=11223
 Krall, A. D. The microwave measurement of narrow line width ferromagnets by radiated fields, 3=12335
 Krall, A. D. and Hooper, E. T. Jr. Ferromagnetic powders in waveguides at elevated temperatures, 0=10156
 Krall, N. A. and Gerjuoy, E. Upper bound on total electron scattering cross sections in hydrogen, 0=17690
 Krall, N. A. and Rosenbluth, M. N. Stability of a slightly inhomogeneous plasma, 1=2984
 Krall, N. A. and Rosenbluth, M. N. Trapping instabilities in a slightly inhomogeneous plasma, 3=1988
 Krall, N. A. and Rosenbluth, M. N. Low-frequency stability of nonuniform plasmas, 3=9816
 Krall, N. A. and Rosenbluth, M. N. Invariance of the magnetic moment for short wavelength perturbations, 4=24685
 Krall, N. A. See Albares, D. J., 1=11548
 Krall, N. A. See Gerjuoy, E., 0=13401
 Krall, N. A. See Gerjuoy, E., 2=20753
 Krall, N. A. See Rosenbluth, M. N., 3=12151
 Krall, N. A. See Scott, F. R., 4=18821
 Kramarenko, A. V. See Roshchyna, H. P., 3=21364
 Kramarenko, S. A. See Dubrovsky, V. G., 2=15237
 Kramarov, O. P. Rapid procedure for preparing and investigating ferroelectric ceramics, 2=14617
 Kramarov, O. P. Growing ferroelectric single crystals from melts, 2=14952
 Kramer, A. The internal mobility of the cyclohexane ring, 0=15708
 Kramer, B. and Schön, M. The effects of infrared radiation on trapped electrons in excited ZnS-phosphors, 0=18139
 Kramer, B. and Turner, A. Infrared effects on luminescence and conductivity of u.v. excited ZnS phosphors, 3=23110
 Kramer, B. See Kallmann, H., 0=2906
 Kramer, B. See Kallmann, H., 0=7959
 Kramer, B. See Kallmann, H., 1=6181
 Kramer, B. See Kallmann, H., 1=12464
 Kramer, B. See Luchner, K. M., 3=6677
 Kramer, B. See Shionoya, S., 1=5054
 Kramer, D. Finely dispersed phases in uranium-molybdenum ternary alloys, 2=4443
 Kramer, D. and Johnston, W. V. Post-irradiation annealing of uranium-molybdenum ternary alloys, 4=3759
 Kramer, D. See Tannenbaum, I. R., 2=4408
 Kramer, E. N. Results of a study of photographs of the bolide of May 11, 1955, 1=18057
 Kramer, G. Deuteron photodisintegration and P-wave phase shifts in the medium energy range, 0=5624
 Kramer, G. P-wave phase shifts at 210 MeV and the photo-disintegration of the deuteron, 1=2103
 Kramer, G. Measurement of X-ray beam quality with solid-state detectors, 4=19152
 Kramer, G. and Müller, D. Low-energy deuteron photo-disintegration, 0=5623
 Kramer, G. and Nilsson, S. G. The penetration effect in electric dipole internal conversion, 2=14055
 Kramer, G. and Stichel, P. Photoproduction of pions in forward direction and Regge poles, 4=19546
 Kramer, G. and Wernitz, C. Deuteron photodisintegration in the medium energy range, 0=15460
 Kramer, G. See Baily, N. A., 4=19475
 Kramer, G. See Glendenning, N. K., 2=9832
 Kramer, G. See Glendenning, N. K., 2=13787
 Kramer, G. See Joos, H., 4=19582
 Kramer, G. See Stichel, P., 3=12502
 Kramer, H. Dielectric absorption measurements on dilute solutions at millimetre wavelengths, 0=5026
 Kramer, H. The intra-molecular flexibility of amines, 0=7735
 Kramer, H. Dielectric relaxation phenomena and intramolecular dipole motion of anilines in dilute solution, 1=12895
 Kramer, H. The influence of independent mobility of the NH_2 -group in aniline derivatives on their dielectric relaxation properties, 1=15895
 Krämer, H., Porschen, W. and Solari, P. A. Reactivity measurements at the FRJ-1 Merlin reactor, 3=15261
 Kramer, H. See Cuevas, J., 4=3545
 Krämer, H. See Faessler, A., 0=1970
 Kramer, H. H. and Blair, E. J. Digital pulse integrator for flash intensity measurements, 0=8789
 Kramer, H. H., Hanes, M. H. and Barr, E. J. High-resolution kinetic spectroscopy by a multiple-flash method, 1=10586
 Kramer, H. H. See Current, J. H., 0=10778
 Kramer, H. P., Bogert, B. P. and Hagelbarger, D. W. Stability of pressure-supported molten zones in horizontal sheets, 1=7853
 Kramer, I. R. The effect of surface removal on the plastic flow characteristics of metals. II. Size effects, gold, zinc, and polycrystalline aluminum, 4=7430
 Kramer, I. R. Effect of the surface on the activation energy and activated volume for plastic deformation of f. c. c. metals, 4=30763
 Kramer, I. R. and Demer, L. J. Effects of environment on mechanical properties of metals, 2=8742
 Kramer, I. R. and Podlaseck, S. Stress-strain behaviour of aluminium crystals at low temperatures, 3=13340
 Kramer, J. Detection of ionizing radiation with exoelectrons, 3=12229
 Kramer, J. Exo-electron emission from alkali halides, 4=3018
 Kramer, J. J. and Tiller, W. A. Determination of the atomic kinetics of the freezing process. I. Theory, 2=19774
 Kramer, J. J. See Foster, K., 0=10104
 Kramer, J. J. See Foster, K., 3=16108
 Kramer, K. See Berkling, K., 2=6238
 Kramer, K. See Haupt, J., 3=23909
 Kramer, K. See Schmillen, A., 2=6631
 Kramer, K. D. and Müller-Warmuth, W. A 3000 Mc/s electron resonance spectrometer for the determination of concentration of radicals between -160°C and $+120^\circ\text{C}$, 4=8958
 Kramer, K. D. and Müller-Warmuth, W. Dynamic nuclear polarization through the "solid effect" in frozen free radical solutions with high electron spin concentrations, 4=12533
 Kramer, K. D. and Müller-Warmuth, W. Relations between the Overhauser nuclear polarisation and molecular motion, frequency and relaxation in liquids, 4=24245
 Kramer, K. H. and Bernstein, R. B. Sudden approximation applied to rotational excitation of molecules by atoms. I. Low-angle scattering, 4=12541
 Kramer, K. H. See Bennewitz, H. G., 4=6664
 Kramer, K. H. See Bernstein, R. B., 3=17619
 Kramer, L. Calculation of the spectral slit width of the UR 10, 2=11480
 Kramer, L. A measuring equipment for thermal receivers, 3=3920
 Kramer, L. Measurements of the absolute constant light sensitivity, alternating light sensitivity, and time constant of thermal radiation detectors, 4=8498
 Kramer, L. and Spott, S. Linearity testing of infrared spectrophotometers, 4=8416
 Kramer, N. B. and Todd, E. G. End-effect correction for strip beam ion engines, 4=5722
 Kramer, P. Functions classified by symmetry for a system of three particles with different masses, 3=17182
 Kramer, P., Bos, E. C., De Beer, A. and Blok, J. Measurements on electron capture branching ratios in the decay of the nuclides ^{54}Mn , ^{65}Zn and ^{57}Co , 2=16361
 Kramer, P., De Beer, A. and Blok, J. On the K/β^+ ratio in the decay of ^{58}Co , 2=16363
 Kramer, P., De Beer, A., Bos, E. C. and Blok, J. Measurements on the K fluorescence yield of Cr, Mn, Cu and Ga, 2=16362
 Kramer, P., de Ridder, J. and Blok, J. A double proportional counter for absolute measurements on low energy photons and electrons, 2=20307
 Kramer, P. See Alff, C., 3=4432
 Kramer, P. See Alff, C., 3=4433
 Kramer, P. See Dehnhard, D., 2=1833
 Kramer, P. See Dehnhard, D., 2=10038
 Kramer, P. See Dehnhard, D., 3=8061
 Kramer, P. See Dehnhard, D., 4=22092
 Kramer, P. See Kamke, D., 2=16249
 Kramer, P. R. See Colley, D., 3=2322
 Kramer, V. See Bozorth, R. M., 0=10176
 Kramer, V. See Bozorth, R. M., 0=13839
 Kramer, V. See Debevec, L., 0=12124
 Kramer, W. E. See Mazelsky, R., 2=17055
 Kramer, W. E. See Mazelsky, R., 4=26120
 Kramer-Ageev, E. A. and Mashkovich, V. P. Nomograms for the design of water shielding for (α, n) sources, 4=6086
 Kramer-Ageev, E. A. See Stolyarova, E. L., 2=18141
 Kramareva, S. A. and Stafeyev, V. I. An investigation of certain "long" diode properties, 0=7921
 Kramarov, O. P. Production of ferroelectric single crystals by the zone recrystallization method, 0=709
 Kramarov, O. P. See Novosil'tsev, N. S., 0=708

- Kramers, H.C. Some experimental aspects of the flow properties of liquid helium II, 1=5388
- Kramers, H. C. Second sound and dissipative processes in very dilute ^3He - ^4He mixtures, 4=21379
- Kramers, H.C. See Brewer, D.F., 0=8879
- Kramers, H.C. See Niels-Hakkenberg, C.G., 4=14487
- Kramers, H. C. See Wiarda, T. M., 4=18521
- Kramers, H.C. See Wiebes, J., 3=21649
- Kramers, M.H.C. Some experiments on turbulence and internal friction in liquid helium, 2=17710
- Krammer, M. See Bruyant, F., 4=21915
- Kramp, K. See Priester, W., 1=2570
- Krampe, C. Ephemeris for physical observations of Jupiter near conjunction, 0=12266
- Kranendonk, J. Van. See Van Kranendonk, J.
- Kraner, H. W., Schroeder, G. L., Lewis, A. R. and Evans, R. D. Large volume scintillation chamber for radon counting, 4=30329
- Kranitz, M. and Seal, M. A modified platinum-carbon replica technique, 3=18420
- Kranjc, A. Calculation of the orbits of double stars. I, 0=18799
- Kranjc, A. Trigonometrical verification of an optical system by electronic computer, 1=16060
- Kranjc, A. The central line of a total eclipse of the sun at various heights above the earth's surface, 2=4761
- Kranjc, A. Calculation of the orbits of double stars. VI. Smoothing the observations of visual binaries, 2=19320
- Kranjc, A. Calculations of the orbits of double stars. VII. Conveyance of the successive approximations obtained by the method of least squares, 3=13851
- Kranjc, A. Approximate elements for orbits of planets of the solar system, 4=7978
- Kranjc, A. Position and velocity of the centre of gravity of the solar system, 4=13913
- Kranjc, K. Simple demonstration experiments in the Abbe theory of image formation, 2=9374
- Kranjc, K. The quality of X-ray diffraction micrographs of crystal surfaces under different experimental conditions, 2=14983
- Kranz, A.Z. Production of a barium plasma, 3=392
- Kranz, A.Z. See Bernstein, W., 0=1192
- Kranz, A.Z. See Bernstein, W., 1=312
- Kranz, A.Z. See Klein, D., 0=13339
- Kranz, E. Spectral measurements of the carbon arc in the visible and infrared region, 3=21539
- Kranz, E. A recording spectrograph for absolute and relative measurements in the quartz transmission range, 3=24035
- Kranz, E. Design and properties of an impurity-free plasma light source for spectroscopic purposes, 4=8435
- Kranz, E. and Müller, H. Representation of a radiation standard for high temperatures by commercial spectral and projection carbons, 4=21303
- Kranz, F. See Davis, H., 4=29498
- Kranz, F.W. Audiometer: principles and history, 3=16452
- Kranz, J. and Bialas, H. On the origin of image contrast in the imaging of ferromagnetic domains with the electron mirror microscope, 2=2283
- Kranz, J. and Hubert, A. The possibilities of the Kerr technique for the observation of magnetic domains, 3=20590
- Kranz, J., Hubert, A. and Müller, R. Bitter patterns and Bloch walls, 4=26329
- Kranz, J. and Passon, B. Kerr hysteresis: a phenomenon of surface magnetization, 1=11433
- Kranz, J. and Passon, B. Measurement of the magnetization in the surface of silicon-iron single crystals by means of the amplified magneto-optical Faraday effect, 1=11434
- Kranz, J. and Schauer, A. The use of the amplified magneto-optical Kerr effect for rendering visible the magnetic domains in polycrystalline cobalt and nickel, 1=1224
- Kranz, J. and Schauer, A. Increase of the magneto-optical Kerr rotation through interference, 1=19956
- Kranz, J. and Thomas, H.C. Kerr-optical observation of magnetic domains in ferrites, 3=15864
- Kranzer, H.C. Thermalization of a fast ion in a plasma, 1=2960
- Krasavina, L.D. See Lavrukina, A.K., 0=7569
- Krasavina, L.D. See Lavrukina, A.K., 0=7633
- Krasil'nikov, D.D. Increase of the barometric effect with the energy of extensive air showers, 0=393
- Krasil'nikov, D.D. On some properties of extensive air showers obtained by continuous recording of shower frequency near sea level, 0=9459
- Krasil'nikov, D.D. 24 hour intensity variations of cosmic rays of energy 2×10^{14} and 2×10^{15} eV, 1=2151
- Krasil'nikov, D.D. Large bursts under 10.5 cm of lead in ionisation, 3=4524
- Krasil'nikov, D.D. Spectrum of muons at sea level and their production mechanism in the $E_\mu > \sim 10^{11}$ eV region, 4=6172
- Krasil'nikov, D.D., Efimov, N.N. and Nifontov, M.A. Atmospheric effects of extensive air showers of various mean sizes, 3=4502
- Krasil'nikov, D.D., Efimov, N.N., Nifontov, M.A. and Shamsutdinova, F.K. New results of study of the number-of particles spectrum of extensive air showers at sea level and atmospheric effects, 4=6160
- Krasil'nikov, D.D. See Efimov, N.N., 3=4503
- Krasil'nikov, D.D. See Kuzmin, A.I., 1=20877
- Krasil'nikov, D.D. See Kuz'min, A. I., 4=27924
- Krasil'nikov, K.G. See Ganichenko, L.G., 0=12114
- Krasil'nikov, K.G. See Kvilvidze, V.L., 3=11127
- Krasil'nikov, V.A. and Khatinov, D.V. The propagation of ultra-sonic finite amplitude waves in a relaxing liquid, 0=995
- Krasil'nikov, V.A. See Burov, V.A., 3=15426
- Krasil'nikov, V.A. See Gedroïts, A.A., 3=15434
- Krasil'nikov, V.A. See Gedroïts, A.A., 3=25182
- Krasil'nikov, V.A. See Gedroïts, A.A., 3=17654
- Krasil'nikov, V.A. See Kung Hsiu-fen., 4=14161
- Krasil'nikov, V.A. See Zarembo, L.K., 0=3582
- Krasil'nikov, V.N. Effect of a thin elastic layer on the propagation of [low-frequency] sound in a liquid half-space, 1=16021
- Krasil'nikov, V.N. Refraction of flexure waves, 2=21963
- Krasil'nikov, V.N. On the excitation of gravitational flexure waves, 3=1422
- Krasil'nikov, V.N. Scattering of flexure waves on an inhomogeneous elastic plate, 3=14235
- Krasil'nikov, V.N. See Kovalev, A.M., 2=22333
- Krasil'shchikov, L.B. See Brounshtein, A.M., 0=6990
- Krasil'shchikov, L.B. and Brounshtein, A.M. A compensation method for measuring small e.m.f.s by means of photoelectric optical amplifiers, 4=16387
- Krasin, A.K., Minashin, M.E. and Sviridenko, V.Ya. The effect of neutron temperature on charge life and conversion ratio in a high power reactor, 1=770
- Kraska, I.R. See Berger, H., 2=9416
- Krasko, G.L. and Lyubov, B.Ya. Theory of the behaviour of concentration inhomogeneities in regular solid solutions, 2=8860
- Krasko, G.L. and Lyubov, B.Ya. Theory of Cottrell atmospheres, 2=12427
- Krasko, G.L. and Lyubov, B.Ya. Theory of Cottrell atmospheres, 2=14435
- Krasko, G.L. and Lyubov, B.Ya. The theory of the behaviour of concentration imperfections in regular solid solutions, 2=23891
- Krasko, G.L. and Lyubov, B.Ya. A continuum theory of the elastic interaction between atoms in interstitial solid solutions, 3=20177
- Krasnansky, V. J. See Kallmann, H., 4=22811
- Krasnaya, A.R., Nosenko, B.M., Revzin, L.S. and Yaskolko, V.Ya. Exoelectronic emission of the phosphors CaSO_4 , $\text{CaSO}_4\text{-Mn}$, $\text{CaSO}_4\text{-Sm}$, 3=2013
- Krasnaya, A.R. See Nosenko, B.M., 2=23623
- Krasner, S. See De Vries, C., 2=22523
- Krasner, S. See Keating, D.T., 1=19796
- Kraśnicki, S., Pawelczyk, J. and Rapacki, H. The Cracow neutron crystal spectrometer, 3=1281
- Kraśnicki, S. See Bajorek, A., 3=2652
- Krasnicki, S. See Janik, J.A., 2=292
- Kraśnicki, Sz., Wanic, A., Dimitrijević, Ž., Maglić, R., Marković, V. and Todorović, J. Temperature dependence of spin fluctuation scattering of neutrons on pyrrhotite, 4=28828
- Krasnitskaya, N.D. See Viktorova, E.N., 1=12887
- Krasnitskaya, N.D. See Zhmyreva, I.A., 0=10677
- Krasnogorskaya, N.V. Calculation of efficiency of collision of particles of comparable size, 4=17886
- Krasnogorskaya, N. V. and Seredkin, A. A. Space charge of the lower layers of the atmosphere, 4=29302
- Krasnoperov, G.V. and Lapkin, N.I. A study of heat treatment of magnetically soft aluminium-iron alloys, 1=6270
- Krasnoperov, G.V. and Polovnikova, L.A. The kinetics of ordering in the iron-aluminium alloy Yu16, 3=3327
- Krasnopevtsev, V.V. Influence of irradiation by thermal neutrons on the dielectric properties of alkali-halide crystals, 1=12468
- Krasnopevtsev, V.V. Dielectric relaxation in coloured KBr crystals, 2=23491

- Krasnopevtsev, V.V. Dielectric relaxation in coloured KBr crystals, 3=6613
- Krasnopevtsev, V.V. Dielectric properties of KBr single crystals irradiated with fast electrons, 4=1651
- Krasnopevtsev, V.V. See Vodop'yanov, L.K., 2=10183
- Krasnopolsky de Grinberg, D. Low-temperature recovery in cadmium single crystals, 2=10766
- Krasnoshchekov, P.S. On oscillations of a physical pendulum having cavities filled with a viscous liquid, 4=8122
- Krasnov, B.N. Self-similar motion of a cylindrical pinch, 4=539
- Krasnov, K.S. The vibration frequency of the TH molecule, 0=9801
- Krasnov, K.S. and Maksimov, A.I. Calculation of the vibration frequencies of diatomic molecules using the reduced mass, 0=17727
- Krasnov, L.B. See Berlovich, E.E., 1=2181
- Krasnov, L.B. See Berlovich, E.E., 1=3405
- Krasnov, L.V. See Berlovich, E.E., 1=17045
- Krasnov, L.V. See Berlovich, E.E., 3=12595
- Krasnov, L.V. See Berlovich, E.E., 3=12596
- Krasnov, L.V. See Berlovich, E.Ye., 1=5852
- Krasnov, L.V. See Bochin, V.P., 4=12269
- Krasnov, M.E. See Lassetre, E.N., 4=12467
- Krasnov, N.N. A high-frequency cyclotron ion source, 4=16587
- Krasnov, N.V. See Vasil'evskii, V.S., 2=22069
- Krasnova, S.I., Mal'nev, A.F., Puchkiv'ska, H.O. and Sklyar, V.T. Determination of methyl and methylene groups in narrow paraffin-naphthene fractions by infrared absorption spectra, 2=19176
- Krasnovskii, A.A. See Litvin, F.F., 1=3872
- Krasnow, M.E. See Lassetre, E.N., 4=11714
- Krasnow, M.E. See Lassetre, E.N., 4=12396
- Krasnow, M.E. See Lassetre, E.N., 4=12462
- Krasnoyarov, N.V. See Andreev, V.N., 2=8036
- Krasnozhenov, E.P. and Porfir'ev, V.V. Absorption line profiles in spectra of novae, 1=18113
- Krasnushkin, P.E. The boundary problem for the propagation of electromagnetic waves in a spherically-layered, anisotropic, dissipative medium, 1=16578
- Krasnushkin, P.E. Solution of the boundary value problem for propagation of radio waves round the earth, while taking into account general geophysical factors, 1=16590
- Krasnushkin, P.E. The boundary problem for the propagation of electromagnetic waves in a spherically layered, anisotropic, dissipative medium, 1=19040
- Krasnushkin, P.E. Daily and seasonal variations of the field intensity of long radio waves, 1=19043
- Krasnushkin, P.E. The lower layers of the ionosphere (C, D and E) in the light of information theory and the problem of propagation of long and very long radio waves around the earth, 1=20866
- Krasnushkin, P.E. Daily and seasonal variations of the field intensity of long radio waves, 2=11799
- Krasnushkin, P.E. Theory of terrestrial atmospheric, 2=24023
- Krasnushkin, P.E. On the propagation of long and very long radio waves around the earth, 3=19456
- Krasnushkin, P.E. Generalized normal waves in chain-like structures, 4=21657
- Krasnushkin, P.E. and Kolesnikov, N.L. Investigation of the lower ionosphere by means of long radiowaves and low-frequency radiosondes placed on a rocket. Detection of a new ionospheric layer, 3=3492
- Krasnyi, Yu.P. Dispersion of light in the exciton absorption region of ionic crystals containing microdefects, 3=23034
- Krasótkin, A.F. See Bazilevskaya, G.A., 4=19619
- Krasovitskaya, R.M. See Kantor, P.B., 1=6074
- Krasovitskii, V.B. and Stepanov, K.N. The excitation of longitudinal oscillations in a plasma with a nonisotropic velocity distribution of ions, 4=24689
- Krasovskii, V.I. Some results of investigations of aurorae and night air glow during the IGY and IGC, 2=9017
- Krasovskii, V.I. On the night sky hydroxyl emission, 2=11075
- Krasovskii, V.I. Soviet rocket and artificial satellite studies of the ionosphere, 2=13022
- Krasovskii, V.I. Some results of I.G.Y. and I.G.C. research on the aurora and night glow, 3=16282
- Krasovskii, V.I., Kushnir, Yu.M., Bordovskii, G.A., Zakharov, G.F. and Svetlitskii, E.M. Detection of particles with the aid of the third artificial earth satellite, 2=12088
- Krasovskii, V.I., Shklovskii, I.S., Gal'perin, Yu.I. and Svetlitskii, E.M. Detection of ~ 10 keV electrons in the upper atmosphere by means of Sputnik 3, 0=1979
- Krasovskii, V.I., Shklovskii, S., Gal'perin, Yu.I., Svetlitskii, E.M., Kushnir, Yu.M., and Bordovskii, G.A. Detection of electrons with energies of approximately 10 keV in the upper atmosphere, 2=9022
- Krasovskii, V.P. and Fakidov, I.G. The thermoelectric properties of the phosphides of manganese, 0=10008
- Krasovskii, V.P. and Fakidov, I.G. Magnetocaloric effect in the low-temperature range of the transformation of magnetite, 1=3897
- Krasovskii, V.P. and Fakidov, I.G. Investigation of the specific heat of manganese monophosphide MnP, 2=8172
- Krasovskii, V.P. and Fakidov, I.G. The nature of magnetic ordering in manganese monophosphide MnP, 2=8607
- Krasovskii, V.P. and Fakidov, I.G. Investigation of the thermal capacity of the monophosphide of manganese MnP, 2=23073
- Krasovskii, V.P. and Fakidov, I.G. The nature of the magnetic ordering of the monophosphide of manganese MnP, 2=23647
- Kraavskii, V.P. and Fakidov, I.G. The nature of magnetic ordering in manganese monophosphide MnP, 2=8607
- Krasovskii, V.P. See Fakidov, I.G., 0=1674
- Krasovskii, V.P. See Fakidov, I.G., 0=10106
- Krasovskii, Yu.P. Setting up of liquid waves of large amplitudes, 0=6766
- Krasovskii, Yu.P. Existence of aperiodic flow with free boundary, 0=19050
- Krasovskii, Yu.P. Existence of aperiodic flow with free boundary, 1=5259
- Krasovskii, V.I., Gal'perin, Yu.I., Dzordzhio, N.V., Mulyarchik, T.M. and Bolyunova, A.D. Upper-atmosphere research with the Cosmos 3 and Cosmos 5 satellites. II. Soft corpuscles, 4=26820
- Krasovskii, V.I. See Gal'perin, Yu.I., 4=26819
- Krasovskii, Yu.P. Theory of establishing finite amplitude waves, 4=14121
- Krasovýts'kii, V.B. Waveguide properties of a gas-electron beam system, 4=24660
- Krass, A.S. Radiative corrections to electron-proton scattering, 2=9823
- Krass, A.S. Relativistic model field theory, 4=16788
- Krassovskii, V.I. Chemistry of the upper atmosphere, 4=26808
- Krassovsky, V.I. The nature of emissions of the upper atmosphere, 0=18510
- Krassovsky, V.I. Energy sources of the upper atmosphere, 1=6600
- Krassovsky, V.I. Hydroxyl emission in the upper atmosphere, 3=13785
- Krassovsky, V.I., Galperin, G.I., Mironov, A.V., Prokudina, V.S., Shefov, N.N., Fedorova, N.I. and Bagariazky, B.A. Results from studies of the night airglow and aurorae in the U.S.S.R., 0=4808
- Krassovsky, V.I. and Shefov, N.N. Fast photoelectrons and helium emission in the upper atmosphere, 4=13826
- Krassovsky, V.I., Shefov, N.N. and Yarin, V.I. On the OH airglow, 1=21022
- Krassovsky, V.I., Shefov, N.N. and Yarin, V.I. Atlas of the airglow spectrum 3000-12400 Å, 3=9098
- Krassovsky, V.I., Shklovskii, I.S., Galperin, G.I. and Svetlitsky, E.M. On fast corpuscles of the upper atmosphere, 1=3311
- Krástanov, L. and Miloshev, G. On the mechanism of condensation processes in the atmosphere, 4=7835
- Krastanov, L. See Miloshev, G., 4=10718
- Krastev, R. On a relation between the "heat mass", the thermal centre of gravity and the "thermal moment of inertia" in a truncated cone, 4=24407
- Krasucki, Z. See Garton, C.G., 4=24151
- Kratenko, Yu.P. See Azimov, S.A., 1=3274
- Kratky, O. Does the non-conservation of parity give rise to the preferential formation of crystal enantiomorphs, 0=11995
- Kratky, O. Absolute intensity of small X-ray scattering in solid high polymer research, 4=17746
- Kratky, O., Porod, G. and Skala, Z. Smearing and the removal of smearing effects in X-ray small-angle diagrams, 0=8190
- Kratochvíl, B. See Vaughan, W.E., 4=2703
- Kratochvíl, J. Elastic stress around linear dislocation in anisotropic medium, 1=17530
- Kratochvíl, J. Local vibrations of one-dimensional model of dislocation, 4=25935
- Kratochvíl, J. and Indenbom, V.L. The mobility of a dislocation in the Frenkel-Kontorova model, 4=15476

- Kratochvíl, P. The effect of microsegregation on the generation of dislocations in zinc single crystals, 1=17534
- Kratochvíl, P. and Boček, M. Slip lines in deformed zinc single crystals, 4=28991
- Kratochvíl, P., Formankova and Sichova, H. The effect of the orientation of zinc single crystals and of the rate of growth on the direction of cell substructure, 2=2359
- Kratochvíl, P., Lukáč, P. and Valouch, M. The influence of impurities on the fibrous substructure of zinc single crystals, 0=18303
- Kratochvíl, P. and Molčík, M. An electron microscope study of the structure of zinc single crystals, 1=20415
- Kratochvíl, P. and Sichova, H. On the effect of annealing on the dislocation structure of zinc single crystals, 2=14440
- Kratochvíl, P. See Boček, M., 0=11620
- Kratochvíl, P. See Bocek, M., 2=2318
- Kratochvíl, P. See Bocek, M., 2=23745
- Kratochvílová, E. Distribution of Bloch wall energies, 4=7237
- Kratochvílová, E., Krupička, S. Sternberk, J. and Zitka, B. Time development of a rectangular hysteresis loop in Mn-Cu ferrite at liquid nitrogen temperature, 4=28841
- Kratochvílová, E. See Míšek, K., 0=11872
- Kratochvílová, N. and Šesták, B. Slip propagation over the grain boundaries at plastic deformation of Fe-3% Si alloy, 4=20663
- Kratochvíl, J. P. See Dezelic, G., 2=23977
- Kratochvíl, J. P. See Kerker, M., 2=1279
- Kratochvíl, J. P. See Kerker, M., 2=8607
- Kratsik, B. See Brabets, V., 3=8050
- Kratsikova, T. See Brabets, V., 3=8050
- Kratsik, B. See Brabets, V., 4=9417
- Kratsikova, T. See Brabets, V., 4=9417
- Kratsov, V. A. Atomic weight scale $C^{12} = 12$ and new tables of atomic weights of elements and nuclide masses, 4=12408
- Kratz, H. R. See Blackstock, A. W., 4=8014
- Krauklis, P. V. Influence of a thin layer on the wave-field of a reflected wave, 3=16689
- Krauklis, P. V. On some low-frequency vibrations of a liquid layer in an elastic medium, 3=23960
- Krauklis, P. V. See Alekseev, A. S., 4=26779
- Krauklis, P. V. See Molotkov, L. A., 4=13769
- Krauledat, W. G. A mathematical expression of the periodic properties of the elements, 4=25472
- Kraus, C. J. See Itner, W. B., III, 2=15859
- Kraus, D. L., Petrocelli, A. W. and Price, J. C. An inexpensive null reading torsion balance, 1=6814
- Kraus, E. B. The diurnal precipitation change over the sea, 4=10712
- Kraus, G. See Bondar, L., 3=19678
- Kraus, I. See Kochanovská, A., 3=25619
- Kraus, J. The dependence of the dielectric constant of ADP on the temperature, 0=11742
- Kraus, J. D. The Ohio State University 360 ft radio telescope, 0=4877
- Kraus, J. D. Apparent radio radiation at 11 m wavelength from Venus, 0=10479
- Kraus, J. D. A map of the M31 region at 1400 megacycles per second, 4=2464
- Kraus, J. D. Maps of M31 and surroundings at 600 and 1,415 megacycles per second, 4=23952
- Kraus, J. D. and Crone, W. R. Apparent observation of solar corpuscular clouds by direct continuous-wave reflection, 0=4896
- Kraus, J. D., Higgy, R. C. and Crone, W. R. The satellite ionization phenomenon, 0=12338
- Kraus, J. D., Higgy, R. C., Scheer, D. J. and Crone, W. R. Observations of ionization induced by artificial earth satellites, 0=10540
- Kraus, J. D., Nash, R. T. and Ko, H. C. Some characteristics of the Ohio state university 360-foot radio telescope, 1=8013
- Kraus, J. D. and Tiuri, M. E. Observations of satellite-related ionization effects between 1958 and 1960, 3=515
- Kraus, J. D. See Tiuri, M. E., 4=7907
- Kraus, K. On condensation processes in the expanding universe, 1=10371
- Kraus, K. Energy-momentum concepts of the gravitational field, 1=11694
- Kraus, K. Determination of the critical electron energy for the formation of negative ions by electron impact, by means of a retarding-potential-difference method, 2=7559
- Kraus, K. Lorentz invariant gravitation theory, 2=15466
- Kraus, K. On the theory of closed gravitating systems, 4=16024
- Kraus, K. Thermistor as a circuit element in low frequency systems, 4=18641
- Kraus, K., Müller-Duysing, W. and Neuert, H. Charge-transfer collisions of slow negative ions, 2=11616
- Kraus, K., Müller-Duysing, W. and Neuert, H. Charge exchange phenomena of negative ions in some gases, 3=7444
- Kraus, L. See Neuringer, J. L., 1=11544
- Kraus, P. See Debieesse, J., 4=12914
- Kraus, T. Testing the tightness of small air-filled cases in vacuo, 4=8282
- Kraus, T. A new theory on adsorption and desorption of vapors, 4=20814
- Krause, B., Hook, A. B., Wawner, F. and Rosenwasser, H. X-ray powder diffraction studies of hafnium tetraiodide, 0=18358
- Krause, B. H. X-ray induced particle size changes in thallous azide, 3=22873
- Krause, B. H. Diffraction studies of photochemical decomposition of azides. I. X-ray and u. v.-induced lattice constant changes in TiN , 4=1545
- Krause, B. H., Hook, A. B. and Wawner, F. X-ray powder diffraction studies of YI_3 , 3=25714
- Krause, B. H. See Thun, R. E., 0=13974
- Krause, B. R. Device for measuring the change in remanent magnetic moment of rocks with temperature, 3=14708
- Krause, D. Coercive force of nickel single crystals as a function of temperature, orientation and plastic deformation, 2=18904
- Krause, D. Magnetic anisotropy energy of cubic crystals, 4=26287
- Krause, D. See Schwink, C., 2=10653
- Krause, F. Determination of magnetic fields for a fixed-frequency relativistic cyclotron, 4=14785
- Krause, F. The determination of force-free magnetic fields from the value of the field strength, 4=21617
- Krause, F. and Steenbeck, M. On the validity of extremal principles of entropy production for stationary electrical flows, 1=18746
- Krause, F. See Steenbeck, M., 3=16932
- Krause, F. P. See Jackson, F. L., 0=20369
- Krause, G. A simple measurement device of high reproducibility for ionization gauges, 1=18484
- Krause, G. Sensitive current-measuring device with small rise time, 2=7529
- Krause, G. New technique for production of the heating and Wehnelt voltages for 100 kV electron guns, 3=14652
- Krause, G., Menzel-Kopp, C. and Menzel, E. Dislocation structures in evaporated copper on undisturbed copper crystals, 4=25942
- Krause, G. and Meyer, G. Optical absorption and polarization of evaporated nickel films, 2=23514
- Krause, H. and Krebs, K. A pressure regulator for a recording compound Fabry-Perot interferometer, 4=8447
- Krause, H. See Koppelman, G., 4=8448
- Krause, I. Failure criterion for fracture during cleavage, 4=13381
- Krause, I. Y. Nuclear g factor of the first excited state in V^{51} , 3=7994
- Krause, I. Y. and Lüders, G. Experimental verification of relativity using nuclear resonance absorption, 1=10411
- Krause, I. Y. and Lüders, G. Nuclear resonance absorption without a recoil. (Mössbauer effect), 1=10960
- Krause, I. Y., Schmidt-Ott, W. D., Hoffmann, K. W. and Flammersfeld, A. Gamma spectrum of Se^{81} , 0=2658
- Krause, I. Y. See Hoffmann, K. W., 0=414
- Krause, I. Y. See Hoffmann, K. W., 0=17524
- Krause, I. Y. See Schmidt-Ott, W. D., 0=5716
- Krause, I. Y. See Schmidt-Ott, W. D., 1=7359
- Krause, J. F. See Robinson, M. T., 0=13299
- Krause, J. F. See Robinson, M. T., 0=13363
- Krause, J. T. Conical basket heater for high temperature evaporations of metals and oxides, 1=1627
- Krause, J. T. Differential path method for measuring ultrasonic velocities in glasses at high temperatures, 3=7294
- Krause, J. T. Ultrasonic loss in fused silica below 100°K, 4=22436
- Krause, K. See Just, K., 2=19273
- Krause, L. and Neville, R. A. Photoelectric grating spectrometer, 3=18996
- Krause, L. See Chapman, G. D., 4=15289
- Krause, L. See Habib, E. E., 2=9233
- Krause, L. C. See Tolbert, C. W., 4=26968
- Krause, M. O. and Carlson, T. A. Readjustment of the neon atom ionized in the K shell by X rays, 4=9653
- Krause, N. A. See Gibbons, M. G., 2=2487
- Krause, R. Acoustic research at boundary between solid and liquid bodies, 0=2198

- Krause, R. and Hilbert, F. A simple method of production of powder specimens for electron microscope study, 4=20779
- Kraush, L.Ya. See Dokuchaeva, O.D., 3=7361
- Kraushaar, J.J. See Bartlett, A.A., 4=11956
- Kraushaar, J.J. See Brun, E., 2=22709
- Kraushaar, J.J. See Dillman, L.T., 3=12623
- Kraushaar, J.J. See Kliwer, J.K., 4=9400
- Kraushaar, J.J. See Lind, D.A., 3=5735
- Kraushaar, J.J. See McCullen, J.D., 1=7356
- Kraushaar, J.J. See Ristinen, R.A., 3=19812
- Kraushaar, J.J. See Wilson, R.R., 2=7929
- Kraushaar, R.J. See Kronstein, M., 3=11882
- Kraushaar, W.L. and Clark, G.W. Search for primary cosmic gamma rays with the satellite Explorer XI, 2=16263
- Kraushaar, W.L. and Clark, G.W. Some experimental attempts to detect cosmic gamma rays, 2=20446
- Kraushaar, W.L. and Clark, G.W. Gamma-ray astronomy, 3=617
- Kraushaar, W.L., See Clark, G.W., 1=7297
- Kraushaar, W.L. See Ingard, U., 1=6806
- Krauskopf, J. Light distribution in human retinal images, 2=21765
- Krauskopf, J. Effect of target oscillation on contrast resolution, 3=3689
- Krauskopf, J. Effect of retinal image stabilization on the appearance of heterochromatic targets, 3=13975
- Krauskopf, J. Further measurements of human retinal images, 4=20976
- Krauskopf, J., Cornsweet, T.N. and Riggs, L.A. Analysis of eye movements during monocular and binocular fixation, 0=8448
- Krauskopf, J. See Shortess, G.K., 1=9233
- Krauskopf, J. See Speelman, R.G., 3=21176
- Krauss, G. and Pitsch, W. Deformation twins in martensite, 4=13517
- Krauss, G., Jr. Fine structure of Austenite produced by the reverse martensitic transformation, 3=20866
- Krauss, L. and Kremp, H. The fall of temperature of sparks, from 50 000 to 5000°K, 4=8659
- Krauss, M. Use of Gaussian orbitals for atoms-in-molecule calculations, 1=8849
- Krauss, M. Hartree-Fock approximation of CH_4 and NH_4^+ , 3=10534
- Krauss, M. Gaussian wave functions for polyatomic molecules: integral formulas, 4=25621
- Krauss, M. and Ransil, B.J. Some intra-atomic correlation correction studies, 0=17796
- Krauss, M., Reese, R.M. and Dibeler, V.H. Multiple ionization of rare gases by electron impact, 0=7070
- Krauss, M. and Weiss, A.W. Pair correlations in closed-shell systems, 4=12330
- Krauss, M. See Lester, W.A., Jr., 4=28100
- Krauss, M. See Padgett, A., 0=4216
- Krauss, M. See Wacks, M.E., 2=3758
- Krauss, M. See Wallenstein, M.B., 1=5418
- Krausse, J. and Dunker, H. Determination of the molecular oscillations in a crystal lattice from X-ray photographs at various temperatures, 4=30511
- Krausz, A.S. Etching technique to study plastic deformation of ice, 2=794
- Krausz, A.S. The creep of ice in bending, 3=8770
- Krausz, A.S. See Craig, G.B., 4=13520
- Krausz, F. See Martin, R., 4=25691
- Kraut, A. Results in the physics of nuclear fission, 1=3466
- Kraut, A. Results of the physics of nuclear fission, 1=9888
- Kraut, E.A. Advances in the theory of anisotropic elastic wave propagation, 4=262
- Kraut, E.A. Anisotropic elastic wave propagation, 4=5268
- Kraut, E.A. See Harrison, J.C., 3=13637
- Kraut, J. and Jensen, L.H. Refinement of the crystal structure of adenosine-5'-phosphate, 3=8871
- Krauth, E. and Bücklein, R. Proposed model for ascertaining the influence of sound reflectors on audibility, 4=14317
- Krautkopf, D.W. Ultrasonic scattering and attenuation in polycrystalline copper and α -brass, 0=13503
- Krautkramer, J. Determination of the size of defects by the ultrasonic impulse echo method, 0=5109
- Krautkrämer, J. See von Haselberg, K., 1=204
- Krautz, E. and Schulz, H. The influence of lattice defects on the electrical resistivity and the Hall effect of tungsten and tantalum, 3=13037
- Krautz, E. See Caspary, E.K., 4=29178
- Krautz, E. See Danneberg, W., 2=6371
- Krauze, A.R. Preparation of selenium mirrors, 3=24060
- Krauze, Kh. See Gërlikh, P., 0=20142
- Krauze, W. and Gorski, W. A new type of ionization gauge, 1=2796
- Krauze, W. and Pytkowski, S. The resistance leak detector, 1=2797
- Krauzman, N. Measurement of the birefringence $[\Delta n]$ of a crystal of nickel sulphate hexahydrate, in the ultraviolet, visible and near infrared, 3=20446
- Kravchenko, A.F. and Fan, H.Y. Galvano- and thermomagnetic effects of n-type GaAs, 3=10817
- Kravchenko, A.F. and Fan, H.Y. Galvanomagnetic and thermomagnetic effects in N-type GaAs, 4=1601
- Kravchenko, T.K. See Tsvang, L.R., 4=4764
- Kravchenko, V. See Damburg, R., 0=13254
- Kravchenko, V.I. See Baiborodin, Yu. V., 4=24927
- Kravchenko, V.Ya. A contribution to the theory of nuclear spin-lattice relaxation in ionic crystals, 2=23710
- Kravchenko, V.Ya. A contribution to the theory of nuclear spin-lattice relaxation in ionic crystals, 3=6758
- Kravchenko, V.Ya. See Damburg, P.Ya., 0=5325
- Kravchenko, V.Ya. See Vinetskii, V.L., 4=30582
- Kravchuk, A.L. See Klimishin, I.A., 3=21480
- Kravchuk, E.M. Measurements of thermophysical properties by an absolute method in a range of regularity of the third kind with compensation of irregular processes, 4=5414
- Kravtchenko, J. and Sibille, R. Search for approximate explicit solutions in the case of Prandtl's singularity, 4=8127
- Kravtsev, V.V. See Dmitrievskaya, T.I., 4=17083
- Kravtsov, L.A. Optical properties of chlorophyll and pheophytin at low temperatures, 2=15601
- Kravtsov, L.A. and Rubinov, A.N. Effect of impurities on the validity of a universal relationship between the absorption and luminescence spectra of complex molecules, 2=22944
- Kravtsov, N.V. On the possibility of recording high-frequency radiations at lower frequencies, 4=3203
- Kravtsov, N.V., Lazukin, V.N. and Shanditsev, V.A. "Many-quantum transitions" in electron paramagnetic resonance, 3=25559
- Kravtsov, N.V. See Strakhovski, G.M., 1=3036
- Kravtsov, V.A. Empirical regularities in the nucleon pair production energies in nuclei, 0=9513
- Kravtsov, V.A. Spacing of nuclear energy surfaces, 2=3477
- Kravtsov, V.A. Spacing of nuclear energy surfaces, 3=4562
- Kravtsov, V.A. Relative nuclidic masses and binding energies for $84 \leq A \leq 104$ and $111 \leq A \leq 125$, 3=10220
- Kravtsov, V.M. On the magnitude of sound dispersion near phase transition points of the second kind, 4=14289
- Kravtsov, V.V. A method for solution of diffraction problems (case of two dimensions), 4=19220
- Kravtsova, N.F. and Tsvetkov, V.P. Experimental investigation on the atomic scattering factor of nickel, 3=25704
- Kravtsova, N.F. See Tsvytkov, V.P., 3=19934
- Krawetz, A.A. and Tovrog, T. Determination of vapour pressure by differential thermal analysis, 3=9660
- Krawinkel, G.H. On the phenomenon of the continuous circulation of a polar liquid dielectric in an inhomogeneous electric field, 0=3724
- Krawinkel, G.H. The theory of the pressure in polar dielectrics in inhomogeneous electric fields, 1=1754
- Krawinkel, G.H. A contribution to the theory of the displacement of the equipotential lines in polar dielectrics subjected to an inhomogeneous electric field, 1=10658
- Krawinkel, G.H. On the movement of some polar liquid dielectrics in inhomogeneous electric fields, 3=3812
- Krawinkel, G.H. and Zetzmänn, H.J. On a field dependent displacement of the equipotentials in polar liquid dielectrics in inhomogeneous electric fields, 1=9403
- Kraybill, H. See Smith, G.A., 1=3222
- Kraybill, H. See Smith, G.A., 1=13415
- Kraybill, H. See Stonehill, D., 1=12102
- Kraybill, H.L. See Baltay, C., 1=16906
- Kraybill, H.L. See Foelsche, H., 3=7913
- Kraybill, H.L. See Foelsche, H.W. J., 4=19548
- Kraybill, H.L. See Hannum, W.H., 0=9402
- Kraybill, H.L. See Stonehill, D.L., 2=22580
- Krebs, E. See König, K.H., 4=15115
- Krebs, H. See Hosemann, R., 4=23614
- Krebs, J.J. Proton spin polarization of water adsorbed on sucrose chars, 1=5953
- Krebs, J.J. Effect of applied electric fields on the electron spin resonance of Fe^{3+} and Mn^{2+} in $\alpha\text{-Al}_2\text{O}_3$, 4=26406
- Krebs, J.J. and Thompson, J.K. Dynamic nuclear polarization studies of charred carbohydrates, 2=14329
- Krebs, J.J. See Resing, H.A., 4=29193

- Krebs, K. Renormalisation effect in the electronic specific heat of vanadium, 4=1400
- Krebs, K. Dynamical model for lattice vibrations in metals, 4=22430
- Krebs, K., Rieseberg, H. and Soergel, V. Higher-order effects in the allowed β -decay of Li^8 , 0=13197
- Krebs, K., Sandroni, S. and Zerbi, G. Low-frequency vibrations of crystalline biphenyl, 4=22476
- Krebs, K. and Winkler, R. Hyperfine structure of Eu II, 0=17706
- Krebs, K. and Winkler, R. The hyperfine structure of europium. I, 1=4902
- Krebs, K. and Winkler, R. The quadrupole moment of europium, 1=4903
- Krebs, K. and Winkler, R. Fine and hyperfine structure of Am I, 1=7436
- Krebs, K. See Honcia, G., 0=2237
- Krebs, K. See Honcia, G., 2=1251
- Krebs, K. See Honcia, G., 2=2421
- Krebs, K. See Honcia, G., 2=11493
- Krebs, K. See Koppelman, G., 0=5172
- Krebs, K. See Koppelman, G., 0=5176
- Krebs, K. See Koppelman, G., 1=16099
- Krebs, K. See Koppelman, G., 1=16100
- Krebs, K. See Koppelman, G., 2=2872
- Krebs, K. See Koppelman, G., 2=5181
- Krebs, K. See Kossel, F., 3=428
- Krebs, K. See Kossel, F., 3=24264
- Krebs, K. See Krause, H., 4=8447
- Krebs, K.H. A simple method for the automatic recording of pulse height distributions, 2=15870
- Krebs, K.H. Experimental investigations of the distribution function of secondary electrons released by positive ions on metal surfaces, 3=12239
- Krebs, K.H. Investigations on the release of secondary electrons from metal surfaces by positive molecular ions, 4=24736
- Krebs, K.H. and Zilinski, E. Investigation of the ion current from a 2 MeV accelerator, 2=11731
- Krebs, K.H. See Bernhard, F., 1=9707
- Krebs, K.H. See Bernhard, F., 4=614
- Krebs, R.G.F.P. See Bouwers, A., 2=1288
- Krechko, M.S. See Pustovalov, G.E., 1=3527
- Krecker, U. See Engelhardt, H., 1=5620
- Krecker, U. See Grote, C., 0=1312
- Krecker, U. See Grote, C., 2=16224
- Krecker, U. See Grote, C., 4=25166
- Krecker, U. See Grote, L.C., 1=9760
- Krecker, U. See Hauser, I., 2=13715
- Krecker, U. See Hauser, I., 2=20210
- Kregar, M. and Povh, B. The alpha spectrum from (γ, α) on V^{51} , 2=22791
- Kregar, M. and Povh, B. The (γ, α) reactions on medium weight nuclei, 3=15179
- Kregar, M. See Dular, J., 0=5767
- Kreger, W.E. and Brown, R.M. Photofractions for sodium iodide crystals, 2=3212
- Kreger, W.E. and Lynn, R.L. A measurement of the decay of ^{187}W , 1=5869
- Kregzde, J. See Gonser, U., 4=6669
- Krehbiel, H. and Meyer-Berkhout, U. Production of twenty-one new short-lived isomers by photonuclear reactions, 1=19439
- Krehbiel, H. See Engelmann, R., 2=18250
- Kreher, K. See Kleint, C., 0=7042
- Kreielsheimer, K.S. See Currie, D.R., 0=21320
- Kreijci, V. and Popovici, C. Propagation of moving striations in the case of a luminous discharge with two cathodes, 3=4044
- Kreiken, E.A. The fall-out of meteoric iron particles, 1=6705
- Kreiken, E.A. Representation of stellar systems by polytropic gas-spheres, 1=15519
- Kreiken, E.A. Representation of stellar systems by polytropic gas spheres. II, 3=1524
- Kreiken, E.A. The dynamical properties of the spherical system, 3=13911
- Kreiken, E.A. The red variables in the period interval $150 \leq 200$ days, 4=15916
- Kreiken, E.A. and Sier, B. Note on the H-R diagram of binary stars, 0=14443
- Kreimer, G.S. and Alekseeva, N.A. Mechanism of fracture in sintered tungsten-cobalt carbides, 3=11178
- Kreimer, G.S., Tumanov, V.I., Kamenskaya, D.S. and Pavlova, Z.I. The ultimate strength and mechanism of fracture [in compression] of cobalt-bonded tungsten carbide, 4=23221
- Kreimer, G.S., Vakhovskaya, M.R. and Baranov, A.I. Strength and hardness of two-phase cermet alloys of titanium carbide with tungsten carbide and cobalt, 1=6468
- Kreimer, G.S., Vakhovskaya, M.R., Tumanov, V.I. and Pavlova, Z.I. Principal mechanical properties and structure of sintered hard alloys, 3=18184
- Krein, M.G. and Lybarskii, G.Ya. On the theory of transmission bands of periodic waveguides, 2=17962
- Krein, M.G. See Birman, M.Sh., 2=21835
- Krein, O.E. See Zelikman, A.N., 2=4422
- Kreindel', Yu. E. Electron current at the exit of a Penning-type tube, 4=14584
- Kreines, M.A. See Vostretsov, B.A., 2=19377
- Kreines, N.M. Transition from an antiferromagnetic state to a weakly ferromagnetic state in a magnetic field, 2=754
- Kreines, N.M. See Borovik-Romanov, A.S., 0=3103
- Kreines, N.M. See Borovik-Romanov, A.S., 4=4397
- Kreines, N.M. See Katser, Ya., 2=6666
- Kreines, N.M. See Katser, Ya., 3=3098
- Kreingol'd, F.I. Optical properties of black mercuric sulphide, 2=18840
- Kreingol'd, F.I. Photoconductivity of HgS monocrystals, 3=17962
- Kreingol'd, F.I. Investigation of the photoconductivity spectrum of CdS single crystals excited with modulated light, 3=23012
- Kreingol'd, F.I. Investigation of the photoconductivity excitation spectra of CdS and CdSe single crystals, 4=10122
- Kreingol'd, F.I. See Gross, E.F., 2=701
- Kreingol'd, F.I. See Gross, E.F., 2=12583
- Kreingol'd, F.I. See Gross, E.F., 2=14655
- Kreische, W. Internal bremsstrahlung at the beta decay of Y^{90} , 4=6282
- Kreisel, E., Liebscher, E. and Treder, H. Gravitational fields with zeros of the determinant of $g_{\mu\nu}$. II, 4=2529
- Kreiter, T.J. Dating lunar surface features by using crater frequencies, 1=4191
- Kreith, F. and Margolis, D. Heat transfer and friction in turbulent vortex flow, 0=6977
- Kreith, F. See Bunting, L.S., 3=14118
- Kreitman, M. See Cotti, P., 4=15521
- Kreitman, M. See Daunt, J.G., 2=17725
- Kreitman, M. See Milford, F.J., 4=17666
- Kreitman, M.M. Simple diaphragm pressure regulator for cryogenic bath temperatures, 4=18505
- Krejčí, M., Melichar, M. and Zikán, M. Analogue computers in reactor engineering and the simulator at the Czechoslovak Institute of Nuclear Physics, 1=761
- Krejčí, V. The effect of the cathode region on the dynamic properties of a glow discharge in hydrogen, 0=3752
- Krejčí, V. Stability of a glow discharge in small currents, 1=16290
- Krejčí, V. and Popovici, C. The influence of a hollow cathode upon the striation of a glow discharge, 3=7477
- Krejčí, V. See Pekárek, L., 2=1399
- Krejčí, V. See Pekárek, L., 2=15895
- Krejčí, V. See Pekárek, L., 2=19910
- Krejčí, V. See Pekárek, L., 3=4043
- Krejčí, V. See Pakarek, L., 3=9735
- Krejčí, V. See Pekárek, L., 3=12100
- Krejčí, V. See Pekárek, L., 3=19196
- Krejčí, V. See Pekárek, L., 4=14600
- Krekcer, U. See Grote, C., 2=16222
- Krekcer, U. See Grote, C., 2=16223
- Krekcer, U. See Grote, C., 2=16225
- Krell, M. A simplified method of calculation for the optical nuclear model, 4=22143
- Krembs, G.M. Residual tritiated water in anodized tantalum films, 4=7730
- Kremen, J. Proposed pumping scheme for continuous laser, 3=22010
- Kremenchugs'kii, L.S., Mal'nyev, A.F. and Samoilov, V.B. Investigation of the temperature dependence of the current noise of thin metal films, 4=439
- Kremenchugs'kii, L.S. See Mal'nev, A.F., 1=4465
- Kremenchugs'kii, L.S. See Mal'nev, A.F., 1=13013
- Kremenchugs'kii, L.S. See Mal'nyev, A.F., 2=7461
- Kremenchugs'kii, L.S. See Mal'nev, A.F., 2=7462
- Kremenchugs'kii, L.S. and Mal'nyev, A.F. Contactless determination of temperature of bodies below the red-hot temperature, 2=17686
- Kremenchugs'kii, L.S., Mal'nev, A.F. and Roitsina, O.V. Investigation of the dynamic characteristics of vacuum metal bolometers, 3=21610

- Kremenchuhs'k'yi, L.S. See Mal'nyev, A.F., 1=12986
 Kremenchuhs'k'yi, L.S. See Mal'nyev, A.F., 1=13012
 Kremenchuhs'k'yi, L.S. See Mal'nyev, A.F., 2=17262
 Křemének, J., Skřivánková, M. and Šimková, J. Measurement of angular distribution of protons from $Al^{27}(p,p')Al^{27}$, 3=22375
 Kremuntulo, V.V. Application of the second method of Liapunov in the investigation of the steady motion of a gyroscope when elastic properties of the rotor axis are taken into account, 2=19489
 Kremer, H. and Kichenassamy, S. On the singular electromagnetic field in a theory of the Born-Infeld type, 0=6682
 Krehmeller, A. Microscopic observations on electroluminescent phosphors, 0=2966
 Krehmeller, A. Growth and heat treatment of zinc sulfide single crystals, 0=10287
 Krehmeller, A. Ferroelectric materials and their applications, 0=18094
 Krehmeller, A. and Faria, S. Particle growth during zinc sulfide phosphor preparation, 1=1380
 Kremlev, M.G. See Borodich, V.D., 3=21667
 Kremlev, M.G. See Boroditch, V.D., 4=16364
 Kremnev, V.A. and Luk'yanov, A.A. Spatial distribution of the resonance absorption of neutrons in a slug, 4=3424
 Kremnev, V.A. and Luk'yanov, A.A. Spatial distribution of the resonance absorption of neutrons in a slug, 4=22265
 Kreml, H. Thermodynamic balance of spark plasmas, 2=11645
 Kreml, H. See Eichinger, R., 1=283
 Kreml, H. See Krauss, L., 4=8659
 Kreml, E. See Maierhofer, J., 0=14828
 Kreml, H. See Späth, H., 0=5287
 Kreml, H. See Thiel, E., 2=17631
 Kremser, G. Connection between X-radiation in the auroral zone and bay-like magnetic storms, 4=13829
 Krén, E., Pál, L. and Szabó, P. Neutron diffraction investigation of the antiferromagnetic-ferromagnetic transformation in the FeRh alloy, 4=23031
 Krén, E. and Szabó, P. Antiferromagnetic structure of FeGe, 4=28856
 Kren, E. See Sabo, P., 2=16980
 Krén, E. See Szabó, P., 3=11246
 Kren, J.G. See Glang, R., 3=23508
 Krenke, G. See Auth, J., 0=6118
 Krentsel', B.A. See Airapetyants, A.V., 3=20341
 Krentsis, R.P. and Gel'd, P.V. Thermal capacity of iron silicides in the range 55-300°K, 3=8360
 Krentsis, R.P. See Gel'd, P.V., 4=12647
 Krenz, J.H. See Kino, G.S., 4=557
 Kreplin, R.W. Solar X-rays, 1=20878
 Kreplin, R.W., Chubb, T.A. and Friedman, H. X-ray and Lyman- α emission from the sun as measured from the N.R.L.S.R. 1 satellite, 2=19314
 Kreplin, R.W., Friedman, H., Chubb, T.A. and Mange, P. Further comments on the role of secondary scattering in the Lyman- α problem, 2=11072
 Kreplin, R.W. See Acton, L.W., 4=2451
 Kreplin, R.W. See Chubb, T.A., 0=16539
 Kreplin, R.W. See Chubb, T.A., 2=15248
 Kreplin, R.W. See Chubb, T.A., 2=15338
 Kreplin, R.W. See Chubb, T.A., 2=15339
 Kreps, R.E., Cook, L.F., Brehm, J.J. and Blankenbecler, R. π - π scattering with unitarity and crossing, 4=12046
 Kresge, A.J. Proton n.m.r. chemical shifts of hydronium and hydroxyl ions, 4=5212
 Kresin, K. Rectangular loops with ring-shaped elements with thin ferromagnetic layers made by application of mechanical stresses, 3=20598
 Kresin, O.M. See Ankudinov, V.A., 3=2092
 Kresin, O.M. See Iodko, M.G., 0=13212
 Kresin, V.Z. The problem of thermal conductivity and absorption of sound in superconductors, 0=13500
 Kresin, V.Z. The problem of electrodynamics of superconductors, 3=19096
 Kresin, V.Z. See Geilikman, B.T., 0=19558
 Kresin, V.Z. See Geilikman, B.T., 2=141
 Kresin, V.Z. See Geilikman, B.T., 2=1335
 Kresin, V.Z. See Geilikman, B.T., 3=330
 Kresin, V.Z. See Geilikman, B.T., 4=24485
 Kresin, V.Z. See Pitayevskii, L.P., 1=16581
 Kresin, A.A. The polarization of the electrons in bremsstrahlung processes, 0=11147
 Kresnin, A.A. Polarization of γ -quanta in the bremsstrahlung of electrons on protons, 1=19169
 Kresnin, A.A. Generalized model of the nucleus and some questions of β -decay theory, 3=19808
 Kresnin, A.A. See Tishchenko, B.I., 2=20490
 Kresnin, A.A. See Tishchenko, B.I., 3=10203
 Kresnin, A.A. See Tishchenko, B.I., 4=12113
 Kresnin, A.A. See Vysots'k'yi, H.L., 1=10871
 Kresnin, A.A. See Vysots'k'yi, H.L., 1=12973
 Kresnin, A.A. and Tishchenko, B.I. Polarization effects in the scattering of electrons on nuclei, 2=7973
 Kress, R.P. See Karamyan, A.S., 4=16909
 Kressel, H. and Blicher, A. Breakdown voltage of graded gallium arsenide p-n junctions, 3=25376
 Kressel, H. and Klein, M.A. Determination of epitaxial-layer impurity profiles by means of microwave-diode measurements, 3=25273
 Krestnikov, Yu.A. and Shebanov, V.A. The polarization of Λ -hyperons produced from light nuclei by π^- -mesons of momentum 2.8 BeV/c, 1=16869
 Krestnikov, Yu.S., Meshkovskii, A.G., Shalamov, Ya.Ya., Shebanov, V.A. and Kobzarev, I.Yu. The $\mu \rightarrow e + \gamma$ and $\mu \rightarrow e + \nu + \bar{\nu} + \gamma$ decays, 0=11192
 Krestnikov, Yu.S. and Shebanov, V.A. The polarization of Λ -hyperons produced from light nuclei by π^- -mesons of momentum, 2=22583
 Krestnikov, Yu.S. See Barmin, V.V., 1=19273
 Krestnikov, Yu.S. See Barmin, V.V., 3=15007
 Krestnikov, Yu.S. See Barmin, V.V., 3=24792
 Krestnikov, Yu.S. See Barmin, V.V., 4=932
 Krestnikov, Yu.S. See Barmin, V.V., 4=3471
 Krestnikov, Yu.S. See Barmin, V.V., 4=9269
 Krestnikov, Yu.S. See Barmin, V.V., 4=12039
 Krestnikov, Yu.S. See Barmin, V.V., 4=12054
 Krestovnikova, T. See Ouarova, V.M., 0=12749
 Krest'yankin, V.D., Novikov, V.I. and Ostroumov, A.G. A cryostat for studying the anisotropy of the galvanomagnetic properties of crystals, 4=16310
 Kresze, G. See Schrader, B., 0=12484
 Kretschko, J., Harder, D. and Pohlit, W. Absolute measurement of the particle flux density of fast electrons with a Faraday cup, 2=20026
 Kretschmar, G.G. See Potter, R.F., 1=10096
 Kretschmar, G.G. See Potter, R.F., 4=15592
 Kretschmer, C.B. and Petersen, H.L. Recombination kinetics of atomic oxygen at room temperature, 0=18430
 Kretschmer, C.B. and Petersen, H.L. Kinetics of three-body atom recombination, 4=1319
 Kretschmer, C.B. and Petersen, H.L. Use of Langmuir probes to study ion-electron recombination, 4=2950
 Krets, I.V. See Kot, M.V., 0=15967
 Krets, I.V. See Kot, M.V., 3=25373
 Kretschmann, G. See Wetzel, K., 3=715
 Kretschmar, M. Statistical weight for a many-particle system with arbitrary spin, 0=2137
 Kretschmar, M. Group-theoretical investigations in connection with the shell model. I. Mathematical theory of the Hamiltonian, 0=5647
 Kretschmar, M. Group-theoretical investigations in connection with the shell model. II. Translation-invariance problem, 0=7451
 Kretschmar, M. On the theory of the Wigner supermultiplet, 0=7482
 Kretschmar, M. A new Regge representation for potential scattering, 4=21805
 Kreuger, H.H.A. See Berlincourt, D., 4=26123
 Kreutzer, K. The production of temperatures in the region of absolute zero, 1=4521
 Kreye, W.C. Effects of a guardring upon low-energy sputtering yields of flat, single-crystal gold targets, 3=22876
 Kreye, W.C. and Marcus, R.A. Photolysis of diborane at 1849 Å, 2=19157
 Kreymer, G.S., Alekseyeva, N.A. and Vakhovskaya, M.R. Rupture mechanism of hard powder metal alloys, 4=26532
 Krezdorn, W. See Bloss, W., 4=18661
 Krichevskii, I.R., Efremova, G.D., Pryanikova, R.O. and Serebryakova, A.V. The possibility of critical phenomena in three co-existing phases of a three-component system, 4=24442
 Krichevskii, I.R. and Khazanava, N.E. The flick equation of diffusion, 2=17447
 Krichevskii, I.R. and Rott, L.A. Contribution to the theory of Brownian movement in the critical region, 1=12811
 Krichevskii, I.R. and Tsekhanskaya, Yu.V. Convective diffusion in liquid solutions in the region of turbulence, 0=78

- Krieger, H.L. and Groche, D. Occurrence of scandium-46 and cesium-134 in radioactive fallout, 0=7501
- Krieger, I.M. Molecular theory of isotropic turbulence, 1=15800
- Krieger, I.M. and Gans, P.J. First-order stochastic processes, 0=3401
- Krieger, I.M. See Prigogine, I., 1=b353
- Krieger, S. J. and Glassgold, A. E. Magnetic susceptibility of a thin superconducting film, 4=24496
- Krieger, T.J. Influence of ergodic behavior on the scattering of slow neutrons by a harmonic oscillator, 1=4789
- Krieger, T.J. and Porter, C. E. Reduced width amplitude distributions and random sing rules in R-matrix theory, 4=1056
- Krieger, T.J. and Zweifel, P.F. Theory of pulsed neutron experiments in multiplying media, 0=13356
- Krieger, T.J. See Keaveney, D.M., 0=13327
- Kriegler, F. J., Mills, F. E. and van Bladel, J. Fields excited by periodic beam currents in a cavity-loaded tube, 4=24764
- Kriegelstein, W., Pfister, H. and Ziegler, G. The morphology and structure of GaAs and GaP lamellae grown from the gaseous phase, 4=26580
- Kriegsmann, H. and Kessler, G. Vibration spectra of some tin (IV and II) fluorine complexes, 1=833
- Kriegsmann, H. See Schowtka, K.H., 2=7367
- Krienen, F. The tuningfork frequency modulator of the Cern synchro-cyclotron. I. General design, 0=19854
- Krienen, F. The tuningfork frequency modulator of the Cern synchro-cyclotron. II. Mechanics of tuningfork, 0=19855
- Krienen, F. Digitized spark chambers, 2=20214
- Krienen, F. A digitized spark chamber, 3=19527
- Krienen, F. Data analysis of digitized spark chambers, 4=787
- Krienen, F. See Faissner, H., 3=24690
- Krienke, O.K. Jr., See Kerlee, D.D., 0=11264
- Kriessman, C.J., Belson, H.S. and Edelman, F.H. Anisotropy and coercivity in thin films, 0=3055
- Kriessman, C. J. and Goldberg, N. Preparation and crystal synthesis of magnetic oxides, 4=20734
- Kriessman, C.J. and Harrison, S.E. Cation distributions in magnesium-nickel ferrites, 1=6520
- Kriessman, C.J. See Belson, H.S., 0=3110
- Kriessman, C.J. See Belson, H.S., 0=4503
- Kriessman, C.J. See Matcovich, T.J., 0=3076
- Krieve, W. F. See Heindl, C. J., 4=446
- Krigas, T. M. See Schwendeman, R. H., 4=12500
- Krigbaum, W.R., Carpenter, D.K., Kaneko, M. and Roig, A. Theory of dilute high polymer solutions. II, 0=16694
- Krigbaum, W.R. and Kaneko, M. Cubic lattice model chain, 2=2035
- Krigbaum, W. R. and Roe, R. J. Crystallite orientation in materials having fiber texture. II. A study of strained samples of crosslinked polyethylene, 4=29031
- Krigbaum, W. R., Smith, P. and Mark, F. G. Near-ultraviolet light scattering for the determination of molecular dimensions, 4=3938
- Krigbaum, W.R. See Roe, R.J., 1=20406
- Krigbaum, W. R. See Roe, R. J., 4=4485
- Krigbaum, W. R. See Roe, R. J., 4=23304
- Krigbaum, W. R. See Roe, R. J., 4=23616
- Krigbaum, W.R. See Subirana, J.A., 3=10555
- Kriger, L. V. and Haase, K. H. A note on logarithmic conversion, 4=14014
- Krikorian, E. and Sneed, R. J. Deposition parameters affecting epitaxial growth of single crystal films, 4=20807
- Krikorian, E. See Brecher, C., 1=14603
- Krikorian, N. H., Wallace, T. C. and Anderson, J. L. Low temperature thermal expansion of the group 4a carbides, 4=1405
- Krikorian, N.H., Wittman, W.G. and Bowman, M.G. The mutual solid solubility of hafnium carbide and uranium monocarbide, 3=25759
- Krikorian, N.H. See Storms, E.K., 1=1397
- Krikorian, O.H. The vapor pressure of scandium metal, 3=24119
- Krikorian, O.H. See Borg, R.J., 3=22811
- Krikorian, O.H. See Brewer, L., 2=2028
- Krikorian, O. H. See Jackson, D. D., 4=24461
- Krikorian, O.H. See Sands, D.E., 2=21517
- Krikorian, O.H. See Sands, D.E., 3=8839
- Krikorian, O.H. See Zalkin, A., 0=8211
- Kriksunov, V. G. See Vollerner, N. F., 4=416
- Krilova, S. N. See Divari, N. B., 4=2414
- Krimigis, S. M. Solar protons and their geophysical effects, 4=29442
- Krimm, S. Note on the infrared dichroism of axially oriented polymer, 0=6166
- Krimm, S. Approximate isotopic frequency rule and its application to the spectra of complex molecules, 0=15715
- Krimm, S. See Onishi, T., 1=17902
- Krimm, S. See Wilson, P.R., 2=2222
- Krimmel, E. Coherent splitting of an electron beam by magnetic fields, 0=5348
- Krimmel, E. Electron interference in the neighbourhood of the caustic curve of a magnetic quadrupole lens, 1=16413
- Krimmel, E. See Lenz, F., 1=16404
- Krimmel, E. See Lenz, F., 3=24368
- Krimmel, E. See Lenz, F., 4=602
- Krimmel, E. See Möllenstedt, G., 4=2499
- Krimsky, G.F. See Kuzmin, A.I., 1=20877
- Krinberg, I. A. On the theory of the electric arc, burning in conditions of natural convection. I, 4=21492
- Krinchik, G.S. Magneto-optical resonance in ferromagnetics. I. Visible region, 0=6171
- Krinchik, G.S. A method of measuring the magnetic properties of a thin surface layer of a ferromagnetic, 0=18195
- Krinchik, G.S. Magneto-optical properties of rare-earth ions in ferromagnetic crystals, 4=1745
- Krinchik, G.S. Ferromagnetic hall effect at optical frequencies and inner effective magnetic field of ferromagnetic metals, 4=13039
- Krinchik, G.S. and Chetkin, M.V. The Faraday effect in yttrium garnet at infrared frequencies, 0=13677
- Krinchik, G.S. and Chetkin, M.V. The problem of determining the permittivity and permeability tensors of a medium, 0=14946
- Krinchik, G.S. and Chetkin, M.V. Exchange interaction and magneto-optical effects in ferrite garnets, 1=19957
- Krinchik, G.S. and Chetkin, M.V. Magneto-optical properties of garnet ferrites in the infrared region, 2=685
- Krinchik, G.S. and Chetkin, M.V. An infrared electronic transition in the Er^{3+} ion, 2=12604
- Krinchik, G.S. and Chetkin, M.V. Exchange interaction and magneto-optical effects in ferrite garnets, 2=23535
- Krinchik, G.S. and Chetkin, M.V. Exchange interaction and magneto-optical effects in garnets, 3=918
- Krinchik, G.S. and Grobachev, A.A. Magneto-optical resonance in nickel at ultraviolet frequencies, 2=8486
- Krinchik, G.S. and Grobachev, A.A. Magneto-optical resonance in nickel ultra-violet frequencies, 2=23533
- Krinchik, G.S. and Nuralieva, R.D. Magneto-optical resonance in ferromagnetics. II. Near infrared region, 0=6172
- Krinchik, G.S. and Nuralieva, R.D. Magneto-optical resonance in nickel at infrared frequencies, 0=10046
- Krinchik, G.S. and Nuralieva, R.D. Magneto-optical resonance in ordered alloys and the intracrystalline field of a ferromagnetic metal, 2=16807
- Krinchik, G.S. and Nuralieva, R.D. Magneto-optical resonance in ordered alloys and the intracrystalline field of a ferromagnetic metal, 3=6645
- Krinchik, G.S. and Stroganova, I.S. Magneto-optical properties of iron, nickel and cobalt in the ultraviolet region, 0=6173
- Krinchik, G.S. and Tyutneva, G.K. Results of magneto-optical investigation of rare-earth iron garnets, 4=13054
- Krinchik, G.S. and Tyutneva, G.K. Magneto-optics of Eu^{2+} ions in a ferromagnetic crystal, 4=17563
- Krinchik, G.S. See Cecernikov, V.I., 0=13757
- Krindach, N.I., Kudryavtsev, R.M., Sobolev, N.N., Tunitskii, L.N. and Faizullof, F.S. Determination of the electronic transition moments of the Schumann-Runge band system in oxygen. I, 3=19987
- Krindach, N. I., Sobolev, N. N. and Tunitskii, L. N. Determination of the electronic transition moments of the Schumann-Runge bands of the oxygen molecule. II, 4=9722
- Krindach, N. I., Sobolev, N. N. and Tunitskii, L. N. Determination of the electronic transition moments for the Schumann-Runge bands of the oxygen molecule. III, 4=15340
- Krinsky, A. See Parker, R.L., 3=22902
- Kripyakevich, I. N. See Gladyshevskii, E. I., 4=23421
- Kripyakevich, P.I. Metallic structures with high coordination numbers, 1=4032
- Kripyakevich, P.I. The α -Mn and β -Mn structures, 1=4040
- Kripyakevich, P.I. The structures of ThAl, PuNi, ThCo, CaAg and their relation to CrB(TaB) and TiI (yellow modification) structure types, 3=18338
- Kripyakevich, P.I. A structure of the Th_3P_4 type as an arrangement of polyhedra, 3=23450
- Kripyakevich, P.I. and Evdokimenko, V.I. Crystal structures of the compounds $\text{Ba}_2\text{Mg}_{17}$ and $\text{Sr}_2\text{Mg}_{17}$, 3=20837

- Kripyakevich, P.I. and Gladyshevskii, E.I. Crystal structures of some compounds of palladium with magnesium, 1=15077
- Kripyakevich, P.I. and Gladyshevskii, E.I. Crystal structure of compounds in the Nd-Al, Y-Al and Gd-Fe systems, 2=4437
- Kripyakevich, P.I. and Gladyshevskii, E.I. The crystal structures of beryllium-rich compounds in the system Mo-Be and W-Be, 4=17811
- Kripyakevich, P.I., Gladyshevskii, E.I. and Pylaeva, E.N. Compounds of the W_3Fe_7 type in the Ta-Ni and Nb-Ni systems, 3=16093
- Kripyakevich, P.I. and Kuz'ma, Yu.B. Compounds of rhenium and aluminium and crystal structures of some of them, 3=18339
- Kripyakevich, P.I., Terekhova, V.F., Zarechnyuk, O.S. and Burov, I.V. Crystal structures of some intermetallic compounds of gadolinium and neodymium, 4=4605
- Kripyakevich, P.I., Tylkina, M.A. and Savitskii, E.M. Crystal structures of hafnium-beryllium compounds, 2=4436
- Kripyakevich, P.I. See Cherkashin, E.E., 4=23452
- Kripyakevich, P.I. See Evdokimenko, V.L., 4=2081
- Kripyakevich, P.I. See Gladyshevskii, E.I., 1=15082
- Kripyakevich, P.I. See Gladyshevskii, E.I., 2=4466
- Kripyakevich, P.I. See Gladyshevskii, E.I., 3=18313
- Krisch, A.D. Proton-proton scattering and strong interactions, 4=6045
- Krisch, A.D. Simple model for strong interactions, 4=27798
- Krisch, A.D. See Baker, W.F., 4=25093
- Krisch, A.D. See Cocconi, G., 4=9193
- Krisch, H. Effect of metastable atoms on the static breakdown in argon, 4=16453
- Krishchyan, V.M. See Alikhayan, A.I., 3=4519
- Krishchyan, V.M. See Alikhayan, A.I., 3=24824
- Krisement, O. Random walk problem of supersaturated vacancies, 4=1464
- Krisement, O. and Trömel, G. Optical observation of the transformation of cristobalite crystals and statistical evaluation, 0=1878
- Krisement, O. and Trömel, G. The inversion of cristobalite, 0=4582
- Krisement, O. and Trömel, G. Changes of the properties of SiO_2 cristobalite by means of fast-neutron irradiation and the introduction of foreign atoms, 0=15878
- Krisement, O. See Bell, F., 2=10765
- Krisement, O. See Bell, F., 4=6900
- Krisement, O. See Meinhardt, D., 1=2534
- Krisement, O. See Meinhardt, D., 4=7263
- Krisement, O., De Vries, G.F. and Bell, F. Latent hardening in copper single crystals, 4=26503
- Krishan, S. and Kushwaha, R.S. On the limiting mass of a rotating white dwarf, 4=2348
- Krishchyan, V.M. See Asatiani, T.L., 4=9331
- Krishchyan, V.M. See Asatiani, T.L., 4=27929
- Krisher, L. See Thaddeus, P., 0=5921
- Krisher, L.C. Microwave spectrum, barrier to internal rotation, and quadrupole coupling of acetyl bromide, 0=20630
- Krisher, L.C. and Pierce, L. Second differences of moments of inertia in structural calculations: application to methyl-fluorosilane molecules, 0=15777
- Krisher, L.C. and Wilson, E.B., Jr. Microwave spectrum of acetyl cyanide, 0=2763
- Krisher, L.C. See Pierce, L., 0=2762
- Krisher, L.C. See Thaddeus, P., 1=16594
- Krisher, L.C. See Thaddeus, P., 4=9733
- Krisher, L.C. See Thaddeus, P., 4=28206
- Krishna, B. and Srivastava, K.K. Experimental and theoretical aspects of Higasi's equation for a quick determination of electric dipole moment in solution, 0=5019
- Krishna, B. and Srivastava, A.N. Electric dipole moment of n-amylamine and hydrogen bonding in amines, 3=2638
- Krishna, M.G.P. See Venkateswarlu, K., 0=487
- Krishna, P. and Verma, A.R. A new polytype of silicon carbide, 57R. Its structure and growth, 2=10865
- Krishna, P. and Verma, A.R. Anomalies in silicon carbide polytypes, 3=11212
- Krishna, P. and Verma, A.R. A unique transformation of structure in silicon carbide, 4=2089
- Krishna, P. and Verma, A.R. A novel determination of the structure of anomalous polytype of silicon carbide, 4=7640
- Krishna, P. and Verma, A.R. X-ray investigation of long period structures of silicon carbide and their growth from imperfections, 4=23472
- Krishna, P. See Verma, A.R., 4=2009
- Krishna, V.G. and Goodman, L. Solvent effects on $n \rightarrow \pi^*$ transitions in pyrazine, 0=15742
- Krishna, V.G. and Goodman, L. Polarization of $T \rightarrow S$ emission spectra of azines, 2=14265
- Krishna, V.G. and Goodman, L. Polarization of triplet-singlet transitions in polyacenes, 2=20857
- Krishna, V.G. See Goodman, L., 3=8245
- Krishna, V.G. See Goodman, L., 4=12496
- Krishna Gopala, K.V. See Gopala Krishna, K.V.
- Krishna Murthy, P.V. and Prahallada Rao, B.S. An all-metal spectrometer for the isotopic analysis of hydrogen at natural concentration levels, 3=13634
- Krishna Murti, G.S.R. Space group of cyclohexanone at $-180^\circ C$, 0=18367
- Krishna Murti, G.S.R. On the crystal structure of methanol at $-180^\circ C$, 0=21204
- Krishna Murty, B. and Subrahmanyam, B. Elastic constants of crystals by wedge method—electrical detection of resonant frequencies, 1=20284
- Krishna Murty, B. See Satyanarayana Murty, M., 3=9456
- Krishna Murty, G. Absorption of microwaves in certain vapours — ethyl formate, diethyl amine and methyl acetate, 0=19210
- Krishna Murty, V.G. See Krishna Rao, K.V., 1=11354
- Krishna Murty, V.G. See Krishna Rao, K.V., 4=23174
- Krishna Pillai, M.G. Potential energy constants, rotational distortion constants and thermodynamic properties of nitril fluoride and nitril chloride, 2=10240
- Krishna Pillai, M.G. and Curl, R.F., Jr. Microwave spectrum of chlorine dioxide. IV. Determination of centrifugal distortion effects and potential constants, 3=6398
- Krishna Rao, J. Type-N gravitational waves in non-empty space-time, 4=2542
- Krishna Rao, K. See Nagabhushna Rao, C., 4=15794
- Krishna Rao, K. See Nagabhushana Rao, C., 4=26673
- Krishna Rao, K.V. Simple method of determining the thickness or the refractive index of thin films, 0=6941
- Krishna Rao, K.V. Determination of photoelastic constants in the presence of tilt of the axes, 1=19953
- Krishna Rao, K.V. Gratings prepared by photographing double- and multiple-slit Fraunhofer diffraction fringes, 2=5186
- Krishna Rao, K.V. and Krishna Murty, V.G. Variation with temperature of the photo-elastic constants of sodium chloride, 1=11354
- Krishna Rao, K.V. and Krishna Murty, V.G. Photoelastic constants of magnesium oxide, 4=23174
- Krishna Rao, K.V. and Nagender Naidu, S.V. X-ray studies on the thermal expansion of zinc fluoride, manganous fluoride and cobaltous fluoride, 4=9863
- Krishna Rao, K.V., Nagender Naidu, S.V. and Setty, P.L.N. Thermal expansion of magnesium fluoride, 2=14385
- Krishna Rao, K.V. See Lonsdale, K., 0=8248
- Krishna Rao, P. See Fritz, S., 4=23752
- Krishna Rao, S.V., Paddi Reddy, S. and Tiruvenganna Rao, P. New band systems of NiCl in the photographic infrared, 2=6160
- Krishna Rao, S.V., Reddy, S.P. and Tiruvenganna Rao, P. The complex band system of MnF in the near ultra-violet, 2=10261
- Krishna Rao, S.V. and Tiruvenganna Rao, P. The spectrum of CoCl in the photographic infrared and the visible, 2=6157
- Krishna Rao, S.V. and Tiruvenganna Rao, P. The spectrum of CoBr in the visible (λ 4300- λ 4700 Å), 3=12818
- Krishna Swamy Chetty, S.T. See Venkateswara Rao, V., 3=14365
- Krishna Swamy, K.S. Adiabatic gradient for ionizable matter and radiation, 2=9210
- Krishna Swamy, K.S. and Kushwaha, R.S. Opacity means and stellar atmospheres, 2=9094
- Krishna Swamy, K.S. and Kushwaha, R.S. Convection zones in stellar atmospheres, 2=15373
- Krishna Swamy, K.S. and Kushwaha, R.S. Adiabatic gradient in stellar atmospheres, 2=15381
- Krishnaji and Chandra, S. Calculated linewidth due to dipole-quadrupole interaction in the asymmetric top molecule SO_2 , 2=14340
- Krishnaji and Chandra, S. Molecular interaction and linewidth of asymmetric molecule SO_2 . I. SO_2-N_2 collisions, 3=9279
- Krishnaji and Chandra, S. Molecular interaction and linewidth of the asymmetric molecule SO_2 . II. SO_2-CO_2 collisions, 3=12841
- Krishnaji and Chandra, S. Molecular interaction and linewidth of asymmetric molecule SO_2 . III. SO_2-CH_3Br and SO_2-SO_2 collisions, 3=17621
- Krishnaji, Chandra S. and Srivastava, S.L. Quadrupole moment of OCS from self-broadening of microwave spectrum, 4=25678

- Krishnaji and Mansingh, A. Dielectric relaxation and viscosity of liquids, 4=24225
- Krishnaji and Massingh, A. Dielectric relaxation in alkylcyanides, 4=25693
- Krishnaji and Misra, B. N. Electron spin resonance absorption in recrystallized free radicals at low fields, 4=28279
- Krishnaji and Misra, B. N. Spin-lattice relaxation in free-radical complexes, 4=28884
- Krishnamachari, S. L. N. G. and Broida, H. P. Effect of molecular oxygen on the emission spectra of atomic oxygen-acetylene flames, 1=8842
- Krishnamachari, S. L. N. G., Nicholls, R. W. and Broida, H. P. Emission spectra from solids condensed at very low temperatures from the electrical discharge products of nitrogen-carbon monoxide and nitrogen-acetylene mixtures, 2=10251
- Krishnamoorthy, P. N. Inhibition of shrinkage in nuclear emulsions, 0=2468
- Krishnamurthi, M. and Ramakrishna, S. Studies in cosmic radio noise at Bangalore. Spectral index of background radiation, 2=11151
- Krishnamurthi, M., Sastry, G. S. and Seshagiri Rao, T. Sudden cosmic noise absorption at 29 Mc/s, 2=11150
- Krishnamurthi, M., Sivarama Sastry, G. and Seshagiri Rao, T. Velocities of shock fronts in solar corona generating type II radio bursts at metre wavelengths, 2=13133
- Krishnamurthi, M. and Suryanarayana, M. Ultrasonic propagation through aqueous solutions of acetates, 1=6858
- Krishnamurthi, M. and Suryanarayana, M. Ultrasonic studies in chemically active liquid media. II. Aqueous solutions of SO_2 , 2=5012
- Krishnamurthi, M. and Suryanarayana, M. Ultrasonic studies in chemically active liquid media. III. Aqueous solutions of magnesium, calcium and strontium acetates, 2=13334
- Krishnamurthi, M. and Suryanarayana, M. Errata: "Ultrasonic studies in chemically active liquid media", 3=5439
- Krishnamurthi, M. and Suryanarayana, M. Ultrasonic propagation through binary mixtures containing acetic acid, 1=6859
- Krishnamurthi, M. and Suryanarayana, M. Ultrasonic studies in chemically active liquid media. I. Aqueous solution of N_2O_4 , 1=11760
- Krishnamurthi, M. See Bhagavantam, S., 1=18137
- Krishnamurthi, S., Kumar, R., Datta, R. L. and Kuloor, N. R. Correlation of data on bubble formation in viscous liquids, 4=14131
- Krishnamurthi, V. G. Ultra-violet bands of mercury iodide, 1=854
- Krishnamurthy, B. V. and Ramachandra Rao, B. Lunar variations of spread-F, 3=2133
- Krishnamurthy, B. V. and Ramachandra Rao, B. The nocturnal and seasonal variations of spread-F, 3=9087
- Krishnamurthy, B. V. and Ramachandra Rao, B. Effect of magnetic activity and F-region height changes on equatorial spread-F, 3=13766
- Krishnamurthy, B. V. and Ramachandra Rao, B. Fading characteristics of spread-F echoes, 3=18540
- Krishnamurthy, B. V. and Ramachandra Rao, B. Time of onset of spread-F in relation to post sunset h'F variations, 3=18543
- Krishnamurthy, E. V. Digito-analogue computer for solving linear simultaneous equations and related problems, 0=18576
- Krishnamurthy, E. V. See Ramachandran, G. N., 0=8465
- Krishnamurthy, N. Raman spectra of potassium bromide, sodium iodide and cesium iodide, 4=22883
- Krishnamurthy, N. and Krishnan, R. S. Raman spectrum of caesium iodide, 4=1725
- Krishnamurthy, P. G., Kumar, R., Datta, R. L. and Kuloor, N. R. Formation of air bubbles through nozzles at right angles to liquid column, 4=14132
- Krishnamurti, D. The Raman spectra of crystalline sulphates of Ni and Mn, 0=2947
- Krishnamurti, D. The Raman spectra of polycrystalline solids, 0=16072
- Krishnamurti, D. The Raman and infra-red spectra of some solid hydroxides. I. Raman effect data. II. Correlation with crystal structure. III. Discussion of the infra-red data, 1=1171
- Krishnamurti, D. The Raman spectrum of rutile, 2=16840
- Krishnamurti, S., Kumar, R., Datta, R. L. and Kuloor, N. R. Measurement of bubble volume by soap film motion, 3=9435
- Krishnamurti, T. N. A vertical cross section through the "polar-night" jet stream, 0=10406
- Krishnamurty, B. Dispersion of ultrasonic velocity in aqueous solutions of electrolytes, 0=941
- Krishnamurty, B. Ultrasonic studies in electrolytes — effect of conduction on compressibility, 0=19128
- Krishnamurty, B. Dispersion of ultrasonic velocity in electrolytes, 1=4339
- Krishnamurty, B. See Satyanarayana Murty, M., 4=175
- Krishnamurty, B. See Satyanarayana Murty, M., 4=176
- Krishnamurty, B. See Satyanarayana Murty, M., 4=2658
- Krishnamurty, B. See Subrahmanyam, B., 4=23158
- Krishnamurty, B. See Subrahmanyam, B., 4=23217
- Krishnamurty, B. See Subrahmanyam, B., 4=28964
- Krishnamurty, B. See Subrahmanyam, B., 3=23276
- Krishnamurty, B. See Subrahmanyam, B., 3=23277
- Krishnamurty, T. S. G. Fourth-order elastic coefficients in crystals, 4=4437
- Krishnamurty, V. V. G., Dakshinamurty, P. and Venkata Rao, C. Methods for testing the thermodynamic consistency of activity coefficient data of binary solutions, 3=11788
- Krishnamurty, V. V. G., Ramanujam, T. K., Sagar, D. V. and Venkata Rao, C. Liquid-liquid heat transfer: development of calculation techniques, 4=27354
- Krishnamurthy, N. See Krishnan, R. S., 3=25465
- Krishnan, A. A stabilized low voltage power supply, 4=16397
- Krishnan, A. A. and Ramachandran, V. Interface energy studies of some copper-base alloys containing an insoluble liquid phase. I, 1=6522
- Krishnan, A. A. See Dwarakadasa, E. S., 3=13499
- Krishnan, A. A. See Dwarakadasa, E. S., 4=20693
- Krishnan, A. A. See Misra, S. K., 2=10924
- Krishnan, A. A. See Muralidhara Rao, A., 2=15052
- Krishnan, A. A. See Rama Rao, P., 0=1841
- Krishnan, A. A. See Ramana Rao, A. V., 3=13552
- Krishnan, K. The Raman spectra of organic compounds. I. Methyl, ethyl, n-propyl and n-butyl alcohols, 2=8099
- Krishnan, K. Raman spectra of organic compounds. II. Methyl borate, 2=8100
- Krishnan, K. Urey-Bradley potential function for the in-plane vibrations of boric acid, 3=22555
- Krishnan, K. G., Kishore, J. and Rajagopalan, K. The use of the three-electrode trigger in the spectral study of exploding wires, 2=5325
- Krishnan, K. G., Kishore, J. and Rajagopalan, K. The spectrum of exploding wires at different pressures, 2=16485
- Krishnan, K. S. Effect of specular reflexions on the radiation flux from a heated tube, 0=14877
- Krishnan, K. S. Effect of specular reflexions on the radiation flux from a heated tube, 1=2804
- Krishnan, K. S. and Jain, S. C. Quenching of cation vacancies in doped crystals of sodium chloride, 1=17513
- Krishnan, K. S. and Sundaram, R. The distribution of temperature along electrically heated tubes and coils, 0=19474
- Krishnan, K. S. and Sundaram, R. Radiative transfer of energy in the core of a heated tube, 1=1839
- Krishnan, P. V. See Balachandran, C. G., 4=14284
- Krishnan, R. Comments on "Electron microscopic observation of dislocation networks and radiation damage in alpha uranium", 4=12762
- Krishnan, R. See Makram, H., 3=8699
- Krishnan, R. See Makram, H., 3=13274
- Krishnan, R. See Makram, H., 3=20800
- Krishnan, R. See Makram, H., 4=1861
- Krishnan, R. See Makram, H., 4=26679
- Krishnan, R. S. and Balasubramanian, K. Raman spectrum of crystalline α -glycine, 0=4421
- Krishnan, R. S. and Balasubramanian, K. Raman spectrum of di-glycine barium chloride monohydrate, 4=13063
- Krishnan, R. S. and Balasubramanian, K. Raman spectrum of hydroxylamine hydrochloride ($\text{NH}_4\text{OH} \cdot \text{Cl}$), 4=26199
- Krishnan, R. S., Chandrasekharan, V. and Rajagopal, E. S. Elastic and photoelastic constants of crystals, 1=6442
- Krishnan, R. S., Chandrasekharan, V. and Rajagopal, E. S. Elastic behaviour of diamond, 1=14845
- Krishnan, R. S. and Krishnamurthy, N. Raman spectrum of sodium iodide, 3=25465
- Krishnan, R. S. and Narayanan, P. S. Raman spectrum of barium fluoride, 3=23065
- Krishnan, R. S. and Narayanan, P. S. Infra-red and Raman spectra of glycine and its addition compounds, 4=22907
- Krishnan, R. S. and Rajagopal, E. S. The atomistic and the continuum theories of crystal elasticity, 1=20289
- Krishnan, R. S., Venkatasubramanian, V. S. and Rajagopal, E. S. Effect of sound intensity on dispersion and coagulation in ultrasonic emulsification, 0=4737
- Krishnan, R. S. See Chandrasekharan, V., 1=17398
- Krishnan, R. S. See Krishnamurthy, N., 4=1725

- Krishnan, R.S. See Warriar, A.V.R., 4=17582
- Krishnan, S. See Chaulia, P.B., 2=4970
- Krishnan, T. and Labrum, N.R. The radio brightness distribution on the sun at 21 cm from combined eclipse and pencil-beam observations, 1=18165
- Krishnan, T. and Mullaly, R.F. Decimetre radio bursts concurrent with solar type IV radiation, 1=18170
- Krishnan, T. and Mullaly, R.F. The decimetre wavelength radiation associated with type IV solar radio bursts, 2=11157
- Krishnan, T. See Labrum, N.R., 4=4931
- Krishnan, T. See Labrum, N.R., 4=30988
- Krishnan, T. See Mullaly, R.F., 3=11589
- Krishnan, T.S. Raman spectrum of strontianite (SrCO_3), 0=2946
- Krishnaswamy, P.B. Induction flowmeter, 1=6844
- Krishnaswamy, R. See Umamaheswararao, G.V., 0=3335
- Krishtal, M.A. Boundary and volume diffusion, 0=11638
- Krishtal, M.A. Density of vacancies in iron-chromium alloys, 1=4982
- Krishtal, M.A. and Baranova, V.I. Damping capacity and electrical resistivity of iron-chromium alloys, 3=5060
- Krishtal, M.A. and Baranova, V.I. The temperature-dependence of the vacancy concentration in iron-chromium and iron-molybdenum alloys, 4=20268
- Krishtal, M.A., Firsanov, I.A., Vainer, Yu.I., Golovin, S.A. and Maksimov, S.K. The mechanical properties of statically and dynamically deformed alloys, 4=15721
- Krishtal, M.A. and Golovin, S.A. Internal friction in hardened steel, 3=20696
- Krishtal, M.A. and Mokrov, A.P. A method of treating reaction diffusion data, 3=22818
- Krishtal, M.A. and Mokrov, A.P. The diffusion mechanism in body-centred iron, 4=25964
- Krishtal, M.A. See Piguzov, Yu.V., 1=10207
- Krishtal, M.A. See Zhukhovitskii, A.A., 3=20709
- Krispin, P. On the photodielectric effect in ZnS phosphors, 3=13105
- Krispin, P. and Ludwig, W. Photodielectric investigations on ZnS phosphors, 4=22808
- Kristalev, A.F. On the temperature field of a uniform semi-space, 4=5426
- Kristan, J. See Knop, L., 0=17680
- Kristensen, I.K. An experimental study of the two Kelvin relations, 1=1117
- Kristensen, L., Jørgensen, M., Nielsen, O.B. and Sidenius, G. The decay of ^{155}d . Lu-177, 4=12158
- Kristensen, P. On the formulation of the dynamical laws in the quantum theory of fields, 2=15486
- Kristenson, H. The precise timing of the total solar eclipse June 30, 1954, 0=12
- Kristenson, H. Solar limb emission between the Balmer and Paschen limits, 4=29452
- Kristesku, N. Wave propagation in rubber, 1=1780
- Kristian, J. Hydromagnetic oscillations of a fluid sphere about the equipartition state, 3=9912
- Kristian, J. Perturbations of the equipartition state in hydromagnetics: The tensor virial approximation, 3=9913
- Kristian, J. Instability of the equipartition state in a fluid sphere, 4=29358
- Kristianpoller, N. and Dutton, D. Optical properties of "Liumogen": a phosphor for wavelength conversion, 4=13099
- Kristianpoller, N. and Knapp, R.A. Some optical properties of sodium salicylate films, 4=28716
- Kristianpoller, N. See Halperin, A., 0=2971
- Kristianpoller, N. See Halperin, A., 0=4466
- Kristianpoller, N. See Halperin, A., 2=23216
- Kristiansen, G.K. The convergence of the equipoise method, 4=3730
- Kristiansen, L. and Cyvin, S.J. Vibrational mean-square amplitude matrices. XIX. Coriolis coupling coefficients in planar symmetrical XY_3 molecules, 4=3839
- Kristiansen, L.A. See Cyvin, B.N., 4=1240
- Kristiansen, L.A. See Cyvin, S.J., 4=1425
- Kristiansson, K. The spectrum of very heavy nuclei in cosmic radiation and the passage through interstellar matter, 4=15908
- Kristiansson, K., Mathiesen, O. and Stenman, A. The relative abundance of nuclei heavier than lithium in primary cosmic radiation, 3=7942
- Kristiansson, K., Mathiesen, O. and Waldeskog, B. The abundance of nuclei heavier than oxygen in the primary cosmic radiation, 1=566
- Kristiansson, K., Mathiesen, O. and Waldeskog, B. Identification of non-relativistic heavy primaries in cosmic radiation by photometric measurements in nuclear emulsions, 1=567
- Kristiansson, K. See Waldeskog, B., 1=5323
- Kristofel', N.N. A quantum-mechanical calculation of a luminescence centre in KCl:Ti , 0=4448
- Kristofel', N.N. The interaction of an activator with partly symmetrical local vibrations, 1=14627
- Kristofel', N.N. Stability of the caesium chloride and sodium chloride types of structure in TlCl crystals, 2=2038
- Kristofel', N.N. On the theory of the vibrations of a lattice with defects, 2=12370
- Kristofel', N.N. On the theory of the vibrations of a lattice with defects, 2=14367
- Kristofel', N.N. Concerning interaction of the activator with not fully symmetrical local vibrations, 2=14724
- Kristofel', N.N. Calculation of the lattice distortion around an impurity in an ionic crystal, 4=1468
- Kristofel', N.N., Rebane, K.K., Sild, O.I. and Khizhnyakov, V.V. Causes of the difference between the half-widths of the absorption and emission bands of crystal phosphors, 4=13008
- Kristofel', N.N. and Zavt, G.S. Condon's approximation and optical properties of impurity centres, 3=20458
- Kristofel', N.N. and Zavt, G.S. Interpretation of electronic-vibrational transitions in impurities on the basis of a dynamical theory of nonideal lattices, 4=22473
- Kristofel', N.N. See Abarenkov, I.V., 2=608
- Kristofel', N.N. See Petrashen, M.I., 1=14200
- Kristofel', N.N. See Zavt, G.S., 3=3044
- Kristoffel, N.N. and Rebane, K.K. Some questions of the theory of luminescent centres in crystalline phosphors, 3=18018
- Kristofferson, A.B. See Kincaid, W.M., 0=2061
- Kristov, V., Damyanov, D. and Buchvarov, N. Certain results from the study of corona counters of neutrons and their use in reactor measurements, 4=24942
- Krisuk, I.T. See Protopenov, A.N., 1=743
- Krisyuk, I.T. Estimate of the contribution of I and Br isotopes to the process of delayed neutron emission, 4=19847
- Kritikos, H. N. Radiation from an aperture in an infinite conducting wedge, 4=14905
- Kritskaya, V.K., Kurdyumov, G.V. and Osip'yan, Yu.A. On the nature of the variation of Young's modulus during thermal treatment of single-phase, nickel-base alloys, 0=6292
- Kritskaya, V.K. See Batenin, I.V., 0=1917
- Kritskaya, V.K. See Batenin, I.V., 1=3698
- Kritskaya, V.K. See Il'ina, V.A., 2=23931
- Kritskaya, V.K. See Kurdyumov, G.V., 0=728
- Kritz, A.H. and Mintzer, D. Propagation of plasma waves across a density discontinuity, 0=3767
- Kritzinger, C.A.J. An apparatus for measuring the speed of pneumatically transported grains by means of radioactivity, 0=19041
- Kritzinger, C.A.J. See Burgerjon, J.J., 0=19842
- Kritzinger, J.J. Impulse corona and the pre-breakdown mechanism of long sparks, 3=24246
- Kritzinger, J.J. The relation between impulse corona and breakdown, 4=18770
- Kriukova, L.N. See Gnedich, A.V., 2=1512
- Krivchenkov, V.D. See Gershtein, S.S., 1=19575
- Krivchenkov, V.D. and Pil'shchikov, A.I. Magnetostatic types of precession in an anisotropic sphere, 3=1173
- Krivchenkov, V.D. See Gershtein, S.S., 3=4701
- Krivets, G.E. See Klyucharev, A.P., 4=1071
- Krivitskii, V.V. and Leksin, G.A. Transmission of scintillations through plastic scintillators and light-pipes, 2=7791
- Krivitskii, V.V. See Balats, M.Ya., 2=16863
- Krivitsky, V.V. See Ignatenko, A.E., 0=5370
- Krivko, A.I. See Kogan, V.S., 4=13498
- Krivko, A.I. See Lazarev, B.G., 4=13649
- Krivko, N.I. The absorption of high-frequency energy in the Nb-Zr superconducting alloy, 4=27428
- Krivko, N.I. and Reinov, N.M. An experimental determination of the mass of a polaron in copper oxide, 1=3638
- Krivko, N.I. See Gubanov, A.I., 0=7940
- Krivko, N.I. See Guts, Z.A., 3=19115
- Krivko, N.I. See Kolchin, A.M., 3=21666
- Krivnov, V. Ya. See Zvonkova, Z.V., 4=20084
- Krivoglaз, M. The theory of the damping of elastic vibrations in systems containing solute particles or micro-cavities, 3=2727
- Krivoglaз, M.A. The theory of phonon thermal conductivity of imperfect crystals near the critical point on the decay curve or a second-order phase transition, 0=15820
- Krivoglaз, M.A. X-ray and thermal-neutron scattering near a second-order phase transition point, 0=16299

- Krivoglaз, M.A. [Diffuse] scattering of X-rays by highly distorted homogeneous solid solutions, 1=4038
- Krivoglaз, M.A. Static distortions and weakening of line intensities in X-ray of neutron diffraction patterns of solid solutions with face-centred cubic lattices, 1=6524
- Krivoglaз, M.A. A theory of damping of elastic vibrations in two-phase mixtures, 1=1806
- Krivoglaз, M.A. Theory of the Debye attenuation factor for regular reflections in real crystals, 1=15052
- Krivoglaз, M.A. A theory of scattering of X-rays in distorted heterogeneous solid solutions, 1=15153
- Krivoglaз, M.A. Width and shape of Mössbauer lines in solid solutions, 1=19696
- Krivoglaз, M.A. Theory of inelastic scattering of neutrons by imperfect crystals, 1=20501
- Krivoglaз, M.A. Effect of diffusion on the scattering of neutrons and photons by crystal imperfections and on the Mössbauer effect, 2=595
- Krivoglaз, M.A. The influence of the conduction electrons on the scattering of neutrons by crystals, 2=815
- Krivoglaз, M.A. The influence of the conduction electrons on the scattering of neutrons by crystals, 2=8812
- Krivoglaз, M.A. Theory of the diffuse scattering of X-rays, neutrons, and electrons by ionic crystals containing charged defects or impurities, 2=8818
- Krivoglaз, M.A. Broadening of the features of frequency dependent attenuation for elementary excitation in crystals, 2=10307
- Krivoglaз, M.A. Broadening of the features of frequency dependent attenuation for elementary excitation in crystals, 2=14363
- Krivoglaз, M.A. Theory of the diffuse scattering of X-rays, neutrons, and electrons by ionic crystals containing charged defects or impurities, 2=14996
- Krivoglaз, M.A. Theory of the scattering of X-rays by crystals containing defects, 2=21506
- Krivoglaз, M.A. Width and shape of Mössbauer lines in solid solutions, 2=23046
- Krivoglaз, M.A. Effect of diffusion on the scattering of neutrons and photons by crystal imperfections and on the Mössbauer effect, 3=4859
- Krivoglaз, M.A. Theory of the thermal diffuse scattering of X-rays on solid solutions, 3=11250
- Krivoglaз, M.A. Theory of the scattering of X-rays and neutrons by ordered alloys, 4=2062
- Krivoglaз, M.A. Effect of anharmonism on the Mössbauer line intensity, 4=17345
- Krivoglaз, M.A. Anisotropy of diffusion in cubic crystals, 4=17447
- Krivoglaз, M.A. Effect of long-range forces on fluctuations and the scattering of waves in crystals, 4=25836
- Krivoglaз, M.A. and Ryaboshanka, K. P. The theory of X-ray scattering by crystals containing dislocations. The case of randomly distributed dislocation loops, 4=10507
- Krivoglaз, M.A. and Ryaboshanka, K. P. Theory of X-ray scattering by crystals containing randomly distributed [linear] screw and edge dislocations, 4=13564
- Krivoglaз, M.A. and Tekhonova, E.A. Effect of anharmonicity of the Debye factor of line weakening in an X-ray diffraction pattern, 3=13437
- Krivoglaз, M.A. and Tikhonova, E.A. Influence of thermal oscillations in solid solutions on the intensity of regular reflections of X-rays and neutrons and on the intensity of Mössbauer lines, 3=3339
- Krivoglaз, M.A. and Tikhonova, E.A. Theory of the Debye thermal factor in solid solutions, 4=2046
- Krivoglaз, M.A. See Danilenko, V.M., 1=2359
- Krivoglaз, M.A. See Ivanov, M.A., 4=30507
- Krivoglaз, M.A. See Kashcheev, V.N., 1=14731
- Krivoglaз, M.A. See Kashcheev, V.N., 1=17971
- Krivoglaз, M.A. See Kashcheev, V.N., 1=19481
- Krivoglaз, M.A. See Kashcheev, V.N., 1=20502
- Krivoglaз, M.A. See Kashcheev, V.N., 2=8817
- Krivokhatskii, A.S. See Ivanov, R.B., 4=9460
- Krivokhatskii, A.S. See Malkin, L.Z., 4=6387
- Krivokhatskii, A.S. See Malkin, L.Z., 4=6388
- Krivokhatskii, A.S. See Malkin, L.Z., 4=19837
- Krivosova, E.G. and Livshits, B.G. Anisotropy of the hysteresis of deformed silicon iron crystals, 3=20578
- Krivosova, E.G. and Livshits, B.G. Effect of cold work on the coercive force of silicon-iron single crystals, 4=22993
- Krivoruchko, S.M. See Volkov, Ya. F., 4=21526
- Krivosheev, M.V. See Golant, V.E., 1=9688
- Krivosheev, M.V. See Golant, V.E., 1=12019
- Krivosheev, M.V. See Golant, V.E., 1=12020
- Krivosheev, M.V. See Golant, V.E., 4=24608
- Krivov, M.A. See Presnov, V.A., 3=25364
- Krivsky, I.Yu. Matrix elements in the theory of the quantized field of probability amplitude, 3=11692
- Krivsky, I.Yu. See Lomsadze, Yu.M., 2=20219
- Krivsky, I.Yu. See Lomsadze, Yu.M., 3=5361
- Krivsky, I.Yu. See Lomsadze, Yu.M., 3=14019
- Krivsky, L. Cosmic-ray flare of 1961 July 18 and Y-shaped stage of flares development as phase-conditioning ejection, 3=12527
- Krivsky, L., Hladký, J., Mokřý, P., Chaloupka, P. and Kowalski, T. Solar flare connected with an increase of intensity of cosmic rays, 0=20275
- Křivský, L. See Hladý, J., 0=20288
- Křivský, L. See Kleczek, J., 0=16542
- Křiš's'kii, I.Yu. See Lomsadze, Yu.M., 1=13428
- Krivtsova, N.V. and Lun'kin, Yu. P. Excitation of molecular rotations beyond a shock wave, 2=21933
- Kříž, J. See Husa, V., 0=2888
- Krizan, J.E. and Crowell, A.D. Two-dimensional second virial coefficient in physical adsorptions, 4=29190
- Krizan, J.E. and Havas, P. Relativistic corrections in the statistical mechanics of interacting particles, 3=3760
- Křížek, M. Polarization of non-parallel rays of infrared radiation by reflection, 4=5400
- Křížek, M. Some variations of infra-red polarizers using reflection from germanium, 4=5401
- Krizhanskii, L.M., Maliy, Ya., Murin, A.N. and Preobrazhenskii, B.K. The yields of rare-earth isotopes from the fission of ^{239}Pu by pile neutrons, 0=7634
- Krizhanskii, L.M. See Gol'danskii, V.I., 3=8340
- Krizhanskii, L.M. See Gol'danskii, R.I., 4=28331
- Krizhanskii, L.M. See Gorodinskii, G.M., 3=17635
- Krizhanskii, L.M. See Ivanov, R.B., 4=9460
- Krizhanskii, S.M. Theory of the positive column in an arc discharge, 2=19925
- Krizhansky, L.M. and Murin, A.N. The yields of Sr^{90} and Sr^{90} in the fission of Pu^{239} by pile neutrons, 1=7408
- Krjukov, P.G. See Basov, N.G., 3=17073
- Krlin, L. On the uncertainty of semirelativistic circular electron accelerators with constant-time field, 1=10750
- Krlín, L. On the problem of a cyclotron for particles with relativistic increase in mass, 1=16461
- Krmpotic, F. See Bosch, H., 3=19616
- Krmpotic, F. See Bosch, H.E., 4=3569
- Křňák, M. See Kolmer, F., 1=16043
- Krňák, M. See Kolmer, F., 2=7295
- Krochin, O.N. See Basov, N.G., 3=4928
- Krochmann, J. Measurement of diffusion, 1=5361
- Krochmann, J. Maximum value of the photometric equivalent of radiation for scotopic vision, 1=9229
- Krochmann, J. and Schwarzkopf, F. Filter monochromator with graded wavelength interference filter, 1=1822
- Krochuk, A.S. See Brodin, M.S., 2=8527
- Krochuk, A.S. See Brodin, M.S., 3=15678
- Krochuk, A.S. See Brodin, M.S., 3=20494
- Krochuk, A.S. See Brodin, M.S., 4=28681
- Kroczeck, J. See Kodeš, J., 3=15512
- Kroebe, W. Dependence of the visibility of object on contrast, object size, and flux level of adaptation, 0=6520
- Kroebe, W. A method for the quantitative determination of the technical quality of photographic and other similarly produced pictures, 2=7413
- Kroebe, W. and Tiedemann, H.P. Dielectric pressure measurement method for oceanographic applications, 4=13775
- Kroebe, W. and Vanselow, K. The recording of the fine-structure of the heat radiation of human bodies, 0=206
- Kroebe, W. and Vanselow, K. An apparatus for measuring the fine structure of the radiation emitted by the human body, 2=7050
- Kroeger, R.C. See Marin, L., 2=13396
- Kroening, J.L. Ion-density measurements in the stratosphere, 0=10401
- Kroening, J.L. and Ney, E.P. Atmospheric ozone, 2=17127
- Kroepelin, H. Temperature determinations of arcs in hydrocarbon atmospheres, 3=7484
- Kroepelin, H. and Kuthe, R. The pressure dependence of the C_2 -vibration-temperature, 2=5318
- Krogdahl, M.K. Note on the Stark effect for large quantum numbers, 1=7427

- Kroger, F.A. Imperfection equilibria in KBr, 2=23146
 Kröger, F.A. New mechanisms of native atomic disorder in compounds, 3=2788
 Kröger, F.A. Symbols and definitions for normal lattice constituents in compound crystals, 4=10494
 Kröger, F.A., Stieltjes, F.H. and Vink, H.J. Thermodynamics and formulation of reactions involving imperfections in solids, 0=4295
 Kröger, F.A. See Gibson, A.F., 1=5008
 Kröger, F.A. See Gibson, A.F. [Eds.], 2=14513
 Kroger, F.A. See Gibson, A.F. [Ed.], 2=18670
 Kroger, H., Prohofskey, E.W. and Carleton, H.R. Current oscillations and collective waves in CdS, 4=26041
 Kroger, H., Prohofskey, E.W. and Damon, R.W. Anomalous sound propagation in CdS, 4=3987
 Kroger, H. and Tomboulain, D.H. Far ultraviolet absorption spectrum of magnetium, 3=10956
 Kroger, H. See Damon, R.W., 4=30516
 Krogh-Moe, J. The crystal structures of potassium pentaborate, $K_2O \cdot 5B_2O_3$, and the isomorphous rubidium compound, 0=4644
 Krogh-Moe, J. The cation distribution in some crystalline and vitreous cesium borates, 0=4645
 Krogh-Moe, J. On the structural relationship of vitreous potassium pentaborate to the crystalline modifications, 0=5360
 Krogh-Moe, J. The relation of structure to some physical properties of vitreous and molten borates, 0=8252
 Krogh-Moe, J. On the structure of boron oxide and alkali borate glasses, 0=8256
 Krogh-Moe, J. Structural interpretation of melting point depression in the sodium borate system, 3=1361
 Krogh-Moe, J. An X-ray study of barium borate glasses, 3=11269
 Krogstad, R.S., Moss, R.W. and Vali, V. Note concerning the Mössbauer study of the order-disorder transformation in Ni₃Mn, 3=13528
 Kroh, J., Green, B.C. and Spinks, J.W.T. Formation of free radicals in tritiated H₂O and D₂O ice, 1=7488
 Kroh, J., Green, B.C. and Spinks, J.W.T. Tritium as a source of radiation in electron spin resonance studies, 1=11474
 Kroh, J. and Spinks, J.W.T. Tritium as an internal source of radiation in e.p.r. studies of organic materials, 1=12307
 Kroh, J. and Spinks, J.W.T. Tritium as an internal source of radiation in E.P.R. studies of organic materials, 1=15907
 Kroh, J. See Collinson, E., 0=18438
 Kroh, J. See Collinson, E., 2=4555
 Kroh, J. See Collinson, E., 2=4556
 Kroh, J. See Collinson, E., 2=4557
 Krohmer, J.S. See Bonte, F.J., 3=21147
 Krohn, M. See Bethge, H., 1=10278
 Krohn, V.E., Jr. Emission of negative ions from metal surfaces bombarded by positive cesium ions, 3=4205
 Krohn, V.E., Jr. He³-Ne-CH₄ mixtures in a proportional counter for thermal neutrons, 4=21881
 Krohn, V.E. See Burg, M.T., 1=500
 Krohn, V.E. See Egger, C., 0=12999
 Krohs, A. Secondary emission multipliers and image converters, 1=7092
 Krohs, A. See Görlich, P., 0=3790
 Krohs, A. See Görlich, P., 0=3791
 Krohs, A. See Görlich, P., 2=5375
 Krohs, A. See Görlich, P., 4=3033
 Krohs, A. See Görlich, P., 4=19094
 Kroitoru, E. See Manzhern, D., 3=16563
 Kroitoru, N. and Chobanu, G. Hall constant and dependence on magnetic field of the electrical conductivity of thin metallic layers with dual conductivity, 0=17992
 Kroitoru, N. See Chobanu, G., 1=1039
 Kroitoru, N. See Grigorovich, R., 2=6423
 Krokhn, O.N. Negative absorption during indirect recombination of excitons in a semiconductor, 2=18658
 Krokhn, O.N. The correlation regime of plasma heating by radiation from a laser, 4=27544
 Krokhn, O.N. and Popov, Y.M. Retardation times of non-equilibrium current carriers in semiconductors, 0=20885
 Krokhn, O.N. and Popov, Yu.M. Slowing-down times of non-equilibrium current in semiconductors, 2=23274
 Krokhn, O.N. See Basov, N.G., 2=645
 Krokhn, O.N. See Basov, N.G., 2=652
 Krokhn, O.N. See Basov, N.G., 2=23474
 Krokhn, O.N. See Bagaev, V.S., 4=3224
 Krokhn, O.N. See Basov, N.G., 1=1097
 Krokhn, O.N. See Basov, N.G., 1=5013
 Krokhn, O.N. See Basov, N.G., 1=9681
 Krokhn, O.N. See Basov, N.G., 1=17278
 Krokhn, O.N. See Basov, N.G., 1=19848
 Krokhn, O.N. See Basov, N.G., 2=16468
 Krokhn, O.N. See Basov, N.G., 3=2863
 Krokhn, O.N. See Basov, N.G., 3=7467
 Krokhn, O.N. See Basov, N.G., 3=21214
 Krokhn, O.N. See Basov, N.G., 4=442
 Krokhn, O.N. See Basov, N.G., 4=11645
 Krokhn, O.N. See Basov, N.G., 4=24910
 Krokhnina, A.I. and Spivak, G.V. On the problem of the anisotropy of cathodic sputtering of dielectrics, 0=21245
 Krokhnina, A.I. See Kolontsova, E.V., 3=20202
 Krol', L.Ya. See Giterman, M.Sh., 2=18704
 Krol', L.Ya. See Giterman, M.Sh., 2=23391
 Krolevets', K.M. See Androsyuk, N.H., 3=21531
 Krolevets', K.M. See Gorbach, T.Ya., 3=23024
 Krolík, C.C., Mandelberg, H.I. and Condell, W.J. Dependence of absorption frequency on intensity, 4=16241
 Krolíkowski, W. On the intrinsic Pauli principle, 0=17243
 Krolíkowski, W. A general equation for scattering amplitudes of particles in the field theory, 0=5525
 Krolíkowski, W. A possible explanation of the high-energy peaks in pion-nucleon cross-sections, 0=17388
 Krolíkowski, W. On the vector bosons, 1=465
 Krolíkowski, W. A fixed-source approach to scattering of kaons. Supplement, 1=541
 Krolíkowski, W. Effective range approximation for scattering of kaons with scalar coupling, 1=542
 Krolíkowski, W. Scattering of kaons with $\bar{K}K\pi\pi$ coupling in the fixed-source theory, 1=543
 Krolíkowski, W. Fermions and the intrinsic Pauli principle, 1=5644
 Krolíkowski, W. On the conservation of isofermions and the rule $\Delta S = \Delta Q$ in weak processes, 1=9728
 Krolíkowski, W. Pionic gauge, 1=13332
 Krolíkowski, W. A possible mechanism of the high energy maxima in pion-nucleon cross-sections, 1=13486
 Krolíkowski, W. A possible mechanism of the $D_{1/2}$, $T = \frac{1}{2}$ resonance in pion-nucleon scattering, 1=13487
 Krolíkowski, W. Some remarks on global symmetry, 1=13503
 Krolíkowski, W. On weak pion interaction in non-leptonic hyperon decays, 1=13513
 Krolíkowski, W. On single-strange mesons, 1=19220
 Krolíkowski, W. Possible interpretation of the 1815 MeV K^-p resonance as a \bar{K}^*N bound state, 2=9921
 Krolíkowski, W. Universal Fermi interaction and the neutrino flip, 2=11863
 Krolíkowski, W. General formalism obeying intrinsic exclusion principle, 2=11868
 Krolíkowski, W. Search for a rotational symmetry of the universal Fermi interaction, 2=16141
 Krolíkowski, W. About the strangeness of leptons, 2=16178
 Krolíkowski, W. Universal Fermi interaction and rotational symmetry, 3=4333
 Krolíkowski, W. Note on unitary symmetry and leptonic hyperon decays, 3=15035
 Krolíkowski, W. Baryons and leptons and group Su_4 , 4=15009
 Krolíkowski, W. Remarks on Su_3 triplets, 4=27757
 Krolíkowski, W. Some mass relations involving baryons and mesons, 4=11951
 Krolíkowski, W. Cabibbo's transformation and the $\Delta I = \frac{1}{2}$ rule, 4=25008
 Kroll, N.M. Parametric amplification in spatially extended media and application to the design of tuneable oscillators at optical frequencies, 2=19671
 Kroll, N.M., Lamb, W.E., Jr. and Carnahan, C.W. The effect of an ether drift on the oscillation frequency of a beam type maser, 3=12357
 Kroll, N.M. See Denner, P., 1=3127
 Kroll, W. Electronic contribution to the specific heat of metals in a magnetic field, 3=22664
 Kroll, W. and Chung Kai-Yuan. The Van Alphen-De Haas effect for bound electrons, 4=17620
 Kröll, W. See Ecker, G., 3=7604
 Kröll, W. See Ecker, V.G., 3=9804
 Kröll, W. See Ecker, G., 4=11574
 Kröll, W. See Ecker, G., 4=11672
 Kröll, W. See Ecker, G., 4=14725
 Kröll, W. See Ecker, G., 4=18811
 Krom, M.N. See Bljakhman, E.A., 4=8027
 Krömer, H. Negative effective masses in semiconductors, 1=6132
 Kromholtz, K.L. See Sands, D.E., 2=1517

- Kromholtz, K.L. See Sands, D.E., 3=8839
 Kromhout, R.A. See Emerson, M.T., 0=14117
 Kromhout, R.A. See Grunwald, E., 0=14118
 Kromminga, A.J. Some applications of many-time Green's functions to the many-boson problem, 4=14079
 Kromminga, A.J. and Bolsterli, M. Perturbation theory of many-boson systems, 3=3768
 Kromminga, A.J. and McCarthy, I.E. Further interpretation of a medium energy (p,2p) experiment, 0=11404
 Kromminga, A.J. and McCarthy, I.E. Determination of the parity change in inelastic scattering from the angular distribution, 1=5904
 Kromminga, A.J. and McCarthy, I.E. Simplified discussion of backward peaking in direct interactions, 1=8681
 Kromminga, A.J. and McCarthy, I.E. A simple direct reaction model of proton inelastic scattering, 2=12184
 Kromskii, G.I. See Korolev, F.A., 3=21564
 Kromskoi, G.D. See Zýkov, A.I., 4=8871
 Kron, G.E. and Mayall, N.U. Photoelectric photometry of galactic and extragalactic star clusters, 1=1655
 Kronast, B. A very rapid pulsed source for fast neutrons, 3=19659
 Kronast, B. See Fünfer, E., 3=19256
 Kronast, B. See Fünfer, E., 4=18919
 Kronast, B. See Kunze, H.J., 4=24659
 Kronberg, M.L. Atom movements and dislocation structures in some common crystals, 2=3917
 Kronberg, P. See MacDougall, J., 4=4838
 Kronberger, H. AGR research and development programme, 4=6435
 Krone, R.W. and Singh, J.J. Properties of the excited states of Na^{22} from the $\text{Ne}^{21}(\text{p},\gamma)$ reaction, 0=7568
 Krone, R.W. See Neher, D.R., 2=10102
 Krone, R.W. See Prosser, F.W., Jr., 2=3573
 Krone, R.W. See Prosser, F.W., Jr., 3=8094
 Krone, R.W. See Wildenthal, B.H., 4=25429
 Kronenberg, K.J. Magnetism of submicroscopical iron particles, 0=3046
 Kronenberg, K.J. Transmission electron diffraction of Alnico V, 0=10158
 Kronenberg, K.J. Crystal lattice investigation of the permanent magnet precipitate in various Alnico materials, 1=6526
 Kronenberg, K.J. Study of particle arrangements and magnetic domains on the surface of permanent magnets, 2=12727
 Kronenberg, K.J. and Bohlmann, M.A. Long-term magnetic stability of alnico and barium ferrite magnets, 0=18199
 Kronenberg, K.J., Fulton, H.M. and Quear, R.E. An unexpected gross structure in submicron particle magnets, 3=20920
 Kronenberg, S., Nilson, K. and Basso, M. Secondary electron production from metals by 1 MeV protons, 2=1495
 Kronengold, M. See Steinberg, J.C., 2=17576
 Kroner, E. Treatment of quantum-mechanical many-body problems using two-body wave-functions, 0=9304
 Kröner, E. The new conceptions of the continuum mechanics of solid bodies, 2=2319
 Kröner, E. On the stationary basic hypotheses of disorder theory, 4=4046
 Kröner, E. Clausius-Mosotti formula in the theory of dielastics, 4=17705
 Kröner, E. and Hofelich, F. On the treatment of the quantum mechanical many-particle problem with the help of several-particle functions, 0=20087
 Kröner, E. See Pfeleiderer, H., 1=6810
 Kronfli, N.S. Unitarity and analyticity in the complex energy plane of general scattering amplitudes, 4=9126
 Krongauz, A.N., Lyapidevskii, V.K. and Deev, Yu.S. The effect of simultaneous action of light of various wavelengths on the negative and positive photoconductivities of cuprite, 0=15988
 Krongauz, V.G. See Parfianovich, I.A., 3=25303
 Krongauz, V.G. See Vilitis, E.S., 4=7179
 Krongelb, S. and Strandberg, M.W.P. Use of paramagnetic-resonance techniques in the study of atomic oxygen recombinations, 0=2728
 Kronick, P.L., Kaye, H., Chapman, E.F., Mainthia, S.B. and Labes, M.B. Electronic properties of polysulfur nitride, 2=14509
 Kronick, P.L. and Labes, M.M. Organic semiconductors. V. Comparison of measurements on single-crystal and compressed microcrystalline molecular complexes, 1=19887
 Kronick, P.L. and Labes, M.M. Conduction in hexamethyl benzene through the crystalline transition, 3=10873
 Kronick, P.L. and Labes, M.M. Comparison of measurements on single crystal and compressed microcrystalline molecular complexes, 4=22728
 Kronick, P.L., Scott, H. and Labes, M.M. Composition of some conducting complexes of 1,6-diaminopyrene, 4=13062
 Kronick, P.L. See Mainthia, S.B., 3=4936
 Kronig, R. and Boukema, J.I. Non-linear effects in the reflection and refraction of light, 3=11940
 Kronmüller, H. The micromagnetic calculation of the magnetization in the neighbourhood of unmagnetized regions in ferromagnetic substances, 2=18900
 Kronmüller, H. Micromagnetic theory of initial susceptibility and its application to magnetic uniaxial crystals, 3=13225
 Kronmüller, H. and Buck, O. Determination of the domain structure of Ni single crystals from measurements of electric resistance variations in small magnetic field strengths, 4=26317
 Kronmüller, H. and Seeger, A. The approach to ferromagnetic saturation. II. Theory of the approach law in plastically deformed face-centred cubic single crystals, 1=20079
 Kronmüller, H., Seeger, A., Jäger, H. and Rieger, H. Electrical, magnetic and mechanical studies of recovery in nickel, 2=14898
 Kronmüller, H., Seeger, A. and Schiller, P. Ferromagnetic viscosity due to interstitials in neutron irradiated nickel, 0=18185
 Kronmüller, H., Seeger, A. and Wilkens, M. Depolarization and small-angle scattering of neutrons by lattice defects in ferromagnetic crystals, 3=4871
 Kronmüller, H. See Boser, O., 3=20576
 Kronmüller, H. See Essmann, U., 3=20720
 Kronmüller, H. See Klein, M.V., 2=16908
 Kronmüller, H. See Rieger, H., 2=10652
 Kronmüller, H. See Rieger, H., 4=10394
 Kronmüller, H. See Schiller, P., 2=21396
 Kronmüller, H. See Seeger, A., 0=11812
 Kronmüller, H. See Seeger, P., 1=3659
 Kronmüller, H. See Seeger, A., 1=12598
 Kronmüller, H. See Seeger, A., 2=23183
 Kronmüller, H. See Seeger, A., 3=18187
 Kronmüller, H. See Seeger, A., 4=13145
 Kronrod, A.S. The numerical solution of the magnetic-field equation in saturated iron, 0=13778
 Kronsbein, J. and Farber, E.A. Time retardation in static and stationary spherical and elliptic spaces, 0=42
 Kronstein, M., Kraushaar, R.J. and Deacle, R.E. Sulfur as a standard of reflectance in the infrared, 3=11882
 Kroo, N. Measurement of the total neutron cross section of iron as a function of temperature, 2=11945
 Kroo, N., Borgonovi, G., Sköld, K. and Larsson, K.E. Inelastic scattering of cold neutrons by condensed argon, 4=27171
 Krook, M. Continuum equations in the dynamics of rarefied gases, 1=5295
 Krook, M. A perturbation method for non-gray stellar atmospheres, 3=13904
 Krook, M. See Avrett, E.H., 3=13905
 Krook, M. See Avrett, E.H., 4=2352
 Kroon, D.J. Nuclear magnetic resonance, 1=380
 Kroon, D.J. Line shape of proton magnetic resonance in paramagnetic solids, 1=14826
 Kroon, D.J. Some remarks on the profile of resonance lines of protons in paramagnetic solids, 1=14828
 Kroon, J. See Buerskens-Kerssen, G., 4=23479
 Kropf, A., Eyring, E.M., Wahrhaftig, A.L. and Eyring, H. Mass spectrum of propane: Isotope effect and metastable ions, 0=3741
 Kropf, F. See Thun, J.E., 4=12189
 Kropfl, W.J. See Armington, J.C., 1=11665
 Kropholler, H.W. and Carr, A.D. The prediction of heat and mass transfer coefficients for turbulent flow in pipes at all values of the Prandtl or Schmidt number, 3=5411
 Kropin, A.A. See Danilov, V.I., 1=344
 Kropin, A.A. See Glazov, A.A., 4=5727
 Kropin, A.A. See Glazov, A.A., 4=30003
 Kröplin, P. The new pulse-grating spectrograph of Veb Carl Zeiss, Jena, 1=2864
 Kröplin, P. A new plane grating spectrograph, 1=9476
 Kropotkin, M.A. See Kozyrev, B.P., 2=129
 Kropotkin, M.A. See Kozyrev, B.P., 3=16786
 Kropp, J.L. and Burton, M. Effect of added quenchers in organic scintillator solutions: aromatic halides, 3=1699

- Kropp, J.L. and Burton, M. Effect of added quenchers in organic scintillator solutions: organometallics, 3=1700
- Kropp, J. L. and Windsor, M. W. Enhancement of fluorescence yield of rare-earth ions by heavy water, 4=2695
- Kropp, W. R., Jr. See Reines, F., 4=21968
- Kropschot, R.H. and Arp, V. Superconducting magnets, 2=11554
- Kropschot, R.H. and Blatt, F.J. Thermoelectric power of cold-rolled pure copper, 0=1691
- Kropschot, R.H. See Arp, V.D., 1=5513
- Kropschot, R.H. See Arp, V.D., 1=10632
- Kropschot, R.H. See Blatt, F.J., 0=10007
- Kropschot, R.H. See Blatt, F.J., 1=1116
- Kropschot, R. H. See Gyga, S., 4=18575
- Kropschot, R.H. See Gyga, S., 4=14520
- Krori, K. D. On Rumer's invariant theory of gravitational waves, 4=29519
- Kros, A. See Gërlikh, P., 0=20142
- Kross, J. Investigation of local dependence [in image plane] of aberrations, 4=8386
- Kross, J. Aberration description by Chebychev polynomials, 4=29733
- Krotok, P.I. See Finkel', V.M., 2=21442
- Krotikov, V.D. and Shchuko, O.B. Thermal behaviour of the moon's surface layer during a lunation, 3=16331
- Krotikov, V.D. and Troitskii, V.S. Radiation properties of the moon at centimetre wave-lengths, 3=9264
- Krotikov, V.D. and Troitskii, V.S. The thermal conductivity of lunar material from data of precise measurements of lunar radio emission, 3=11512
- Krotkov, R. See Roll, P.G., 4=14027
- Krotnikov, V. D. and Troitskii, V. S. Radio emission and nature of the moon, 4=29471
- Kroto, H.W. See Dixon, R.N., 3=25092
- Krotov, V.I. See Stavitskii, Yu. Ya., 0=12644
- Krotov, V.V. Use of the strong-focusing principle for the shaping of electric deflectors, 0=10993
- Krotova, L.V. See Levshin, V.L., 3=14173
- Krotova, N.A. and Morozova, L.P. Investigation of diffusion processes in the adhesion of polymers by luminescent method, 0=3162
- Krotova, M.D. and Pleskov, Yu.V. Surface conductance the determination of the potential at the boundary between germanium and an electrolyte, 2=10474
- Krotova, M. D. and Pleskov, Yu. V. Investigation of the germanium-electrolyte interface, 4=7762
- Krotova, M.D. See Pleskov, Yu.V., 3=10781
- Krotova, N. A. and Morozova, L. P. A luminescence study of the adhesion bonding of polymers, 4=4455
- Krotova, N. A. and Morozova, L. P. The application of infrared spectroscopy to the study of the interaction of adhesive and substrate (polymer and glass), 4=7728
- Krotova, N.A., Morozova, L.P. and Sokolina, G.A. Investigation of adhesion bonding of solids, 2=10775
- Krotova, N. A. See Morozova, P., 4=7728
- Krotova, N.A. See Polyakov, A.M., 3=24330
- Krotova, N.A. See Sokolina, G.A., 3=20300
- Krotter, W. See Flietner, H., 3=20332
- Krötzsch, M. Pressure dependence of the electric resistance of Ni-Zn ferrites, 3=4940
- Krötzsch, M. Low-frequency dispersion of the dielectric constant and electric conductivity of a polycrystalline ferrite, 4=28608
- Krötzsch, M. See Dietzmann, G., 3=4939
- Kroupa, F. The deformation of a whisker with an edge dislocation, 0=2817
- Kroupa, F. Dependence of bending of a strip on position of edge dislocations, 0=8102
- Kroupa, F. Circular edge dislocation loop, 1=7580
- Kroupa, F. The force between non-parallel dislocations, 2=10387
- Kroupa, F. Continuous distribution of dislocation loops, 2=12430
- Kroupa, F. The interaction between prismatic dislocation loops and straight dislocations. I, 2=23178
- Kroupa, F. Cross-over splitting of a screw dislocation in body-centred cubic metals, 4=9959
- Kroupa, F. and Brown, L.M. Elastic self-and interaction energies of dislocation jogs, 1=19782
- Kroupa, F. and Málek, Z. The influence of plastic deformation by cold rolling on coercivity, 0=6224
- Kroupa, F. and Price, P.B. "Conservative climb" of a dislocation loop due to its interaction with an edge dislocation, 1=3669
- Kroupa, F., Silcox, J. and Whelan, M.J. On the annealing of prismatic dislocation loops in aluminium, 1=19777
- Kroupa, F. and Vitek, V. Splitting of dislocations in b.c.c. metals on {110} planes, 4=25932
- Kroupa, F. See Babuška, I., 1=17500
- Kroupa, F. See Babuška, I., 1=17501
- Kroupa, F. See Baštecká, J., 4=25919
- Kroupa, F. See Šesták, B., 2=14436
- Krouser, H. See Hamilton, J.H., 3=2411
- Krpata, V. See Pekárek, L., 2=7573
- Kruchan, Ya. Ya. See Fritsberg, V. Ya., 2=14632
- Krucheanu, E. X-ray investigation of the cleavage plane of single-crystal ZnTe, 2=8776
- Krucheanu, E. and Chistyakov, Yu. D. Some peculiarities of the structure of zinc selenide crystals, 1=4045
- Krucheanu, E., Nikulesku, D. and Nistor, N. Solid solutions in the pseudobinary systems ZnSe-HgSe and ZnTe-HgTe, 4=15798
- Krucheanu, E. See Chistyakov, I.D., 2=8829
- Kruchek, M.P. See Vol'kenshtein, M.V., 1=2344
- Krueger, A.J. See Venkateswaran, S.V., 1=20812
- Krueger, D. A. and Goldberg, A. Electromagnetic structure of the 3-nucleon system, 4=27911
- Krueger, E.R. and Di Prima, R.C. Stability of nonrotationally symmetric disturbances for inviscid flow between rotating cylinders, 3=1714
- Krueger, H.H.A. and Berlincourt, D. Effects of high static stress on the piezoelectric properties of transducer materials, 1=17856
- Krueger, H.H.A., Cook, W.R. Jr., Sartain, C.C. and Yockey, H.P. Radiation damage and the ferroelectric effect in Rochelle salt, 3=10883
- Krueger, H.H.A. See Austermann, S.B., 3=10884
- Krueger, H.H.A. See Berlincourt, D., 0=1700
- Krueger, H.H.A. See Berlincourt, D., 4=4216
- Krueger, P.J. Performance of the Beckman IR-7 infrared spectrophotometer. I. Frequency reproducibility and accuracy (630-4000 cm⁻¹), 2=17611
- Krueger, P.J. Performance of the Beckman IR-7 infrared spectrophotometer. II. Frequency reproducibility and accuracy (200-800 cm⁻¹), 2=22026
- Krueger, P.J. On the C-N stretching frequencies in para-substituted anilines, 3=2639
- Krueger, P.J. and Schulze, G.H. Beckman IR-7 infrared spectrophotometer modifications, 3=7342
- Krueger, P.J. and Thompson, H.W. Vibrational band intensities and structural factors, 0=7750
- Krueger, T.K. and Margolis, B. The s-wave and p-wave strength functions, 2=3586
- Krueger, T.K. See Czyzak, S.J., 3=25055
- Krueger, T. K. See Czyzak, S. J., 4=25518
- Kruel, M. See Suhrmann, R., 3=13062
- Kruel, M. See Suhrmann, R., 3=20309
- Kruel, M. See Suhrmann, R., 3=25346
- Krug, W. Equi-densitometry. Method of two-dimensional photometry and image analysis, 0=5126
- Krug, W. See Kankelwitz, B., 2=7415
- Krug, W. See Kankelwitz, B., 2=22072
- Kruger, A. Morphology of solar radio bursts in the cm and lower dm range, 2=15401
- Kruger, A. Investigation of solar radio emission bursts in the centimetre and lower decimetre range, 3=25977
- Krüger, A., Krüger, W. and Wallis, G. Time and spectral behaviour of the slowly varying component of the solar radio radiation in the current sunspot cycle, 4=20942
- Krüger, A. See Hachenberg, O., 0=14214
- Krüger, A. See Wallis, G., 4=20941
- Kruger, C.H. and Shapiro, A.H. The axial-flow compressor in the free-molecule range, 2=2033
- Krüger, G. The appearance of carbon steel with square-loop characteristics, 1=2471
- Krüger, G. See Beckurts, K.H., 4=17169
- Krüger, H. and Scheffler, K. Double resonance experiments on the excited state 4²P_{1/2} of the atom Na²³, 0=20552
- Krüger, H. See Kamke, D., 3=12514
- Krugër, H. See Kleinpöppen, K., 2=22918
- Kruger, H. See Sard, R.D., 1=2072
- Krüger, H.G. A new direct reading mirror monochromator for ultraviolet and visible spectral lines, 0=5162
- Krüger, H.G. and Volkmann, H. The detection by infrared spectroscopy of very small amounts of substance by means of a new micro attachment 6:1 for a Leitz infrared spectrograph, 3=11919
- Kruger, J. The oxide films formed on copper single crystal surfaces in water. II. Rate of growth at room temperature, 1=10281

- Kruger, J. and Ambs, W.J. Optical measurements on thin films of condensed gases at low temperatures, 0=740
- Kruger, J. and Ambs, W.J. Reaction between copper and solid oxygen condensed at very low temperatures from a gas discharge, 0=14982
- Krüger, J.E. and Bryden, J.G. An apparatus for combined thermogravimetric and differential thermal analysis, 3=11367
- Krüger, L. Verifying parity conservation in strong interactions by means of β - γ angular correlation and γ - γ correlation, 0=2484
- Krüger, L. and Rothleitner, J. Negative muon decay in the K-shell, 1=1702
- Krüger, L. and Rothleitner, J. The decay of bound muons, 2=1973
- Kruger, O.L. Preparation and some properties of arc-cast plutonium monocarbide, 3=10431
- Kruger, O. L. and Armstrong, J. L. Interchangeable hearth arc furnace, 4=8489
- Kruger, O. L. and Savage, H. Heat capacity of plutonium monocarbide from 400° to 1300°K, 4=22495
- Kruger, P. J. First overtone NH band splitting and intra-molecular NH...X hydrogen bonds, 4=15362
- Krüger, W. See Krüger, A., 4=20942
- Krüger, W. See Wallis, G., 4=20941
- Kruglak, H. Evaluation of high school physics courses by college students, 0=24
- Kruglak, H. Current teaching practices and problems in the general physics laboratory, 1=1671
- Kruglik, G.S. See Apanasevich, P.A., 2=15655
- Kruglov, E.M. See Gorodinskii, G.M., 3=17635
- Kruglov, S.P. Comparison of the ionization and calorimetric measurements of the energy flux of bremsstrahlung from a synchrotron. I, 2=9819
- Kruglov, S.P. A comparison of ionization and calorimetric measurements of synchrotron bremsstrahlung energy flux. II, 2=15972
- Kruglov, S.P. and Lopatin, I.V. The relationship between energy absorption and ionization for γ -quanta with $E_{\gamma\max} = 85$ MeV, 0=11131
- Kruglov, S.P. and Lopatin, I.V. Study of the energy leakage from a beam of bremsstrahlung radiation in an absorption calorimeter. I, 0=15324
- Kruglov, S.P. and Lopatin, I.V. Spectra of electrons formed in light substances by bremsstrahlung radiation with $E_{\gamma\max} = 80$ MeV, 2=5886
- Kruglov, S.P. and Lopatin, I.V. Investigation of the leakage of energy of a bremsstrahlung beam from a calorimeter absorber, 3=14950
- Kruglov, S.P. and Lopatin, I.V. Energy measurements in a bremsstrahlung beam in the interval $E_{\gamma\max} = 15$ -18 MeV by three methods, 4=16864
- Kruglov, S.P. See Komar, A.P., 1=5709
- Kruglov, S.P. See Komar, A.P., 3=5977
- Kruglov, S.P. See Komar, A.P., 4=6013
- Kruglov, S.P. See Komar, A.P., 4=11966
- Kruglov, S.P. See Komar, A.P., 4=16850
- Kruglov, V.I. See Petrusevich, V.A., 2=10476
- Kruglyak, Y. See Gáspár, R., 2=6200
- Kruglyak, Yu. A. and Uitmen, D. P. [Whitman]. Use of ALGOL compiler for molecular structure calculations and for computation of certain auxiliary functions and molecular integrals, 4=20033
- Kruglyak, Yu.A. See Izmailov, N.A., 1=18397
- Kruglyakov, É.P. See Markov, M.N., 1=14515
- Kruglykh, A.A., Pavlov, V.S. and Tikhinski, G.F. Recrystallization of beryllium, 0=16265
- Kruglykh, A.A., Pavlov, V.S. and Tikhinski, G.F. Vapour pressure of solid yttrium, 4=16302
- Kruglykh, A.A. See Ivanov, V.E., 1=12654
- Krugten, H. van. See van Krugten, H.
- Kruh, R.F., Clayton, G.T., Head, C. and Sandlin, G. Structure of liquid mercury, 3=7198
- Kruh, R. F. and Petz, J. I. Determination of the structure of liquid ammonia by X-ray diffraction, 4=24168
- Kruh, R. F. See Cordes, A. W., 4=23469
- Kruh, R. F. See Petz, J. I., 1=5101
- Kruh, R. F. See Sharrach, P. C., 0=3521
- Kruh, R. F. See Standley, C. L., 1=5377
- Kruh, R. F. See Willett, R. D., 3=18314
- Kruh, R. F. See Young Soo Kim, 1=9378
- Kruhlykh, A.A., Pavlov, V.S. and Tykhinski, H. F. Grain growth in [pure] chromium, 2=12445
- Kruhlykh, A.A. See Kovtun, H. P., 2=11537
- Kruhlykh, A.A. See Kovtun, H. P., 2=19786
- Kruidhof, E.W. and Moret, H. Measurement of the electrical resistance of metal layers evaporated on non-conducting foils, 2=7528
- Kruiskamp, M. See Valckx, F. P. G., 2=10124
- Kruithof, A. A. See Koedam, M., 2=12291
- Kruithof, A. A. See Koedam, M., 3=19218
- Kruizinga, J. H. See Mandl, G., 1=6833
- Krull, W. See Gerdau, E., 3=17419
- Krulykh, A. A. See Amonenko, V. M., 2=12936
- Krumbein, A. D. and Ray, J. H. Two methods of calculating fast reactor control rod effect and their agreement with experiment, 2=16458
- Krumbiegel, J., Petzolt, E. and Ruckpaul, K. A polarimetric measuring arrangement with automatic assistance, 3=5534
- Krumbiegel, J. and Rattay, M. On the temperature dependence of the luminescence of air-equivalent emitters, 3=17117
- Krumhansl, J. A. Lattice vibrations in solids, 2=3822
- Krumhansl, J. A. See Conway, J. M., 3=10965
- Krumhansl, J. A. See Guyer, R. A., 4=12621
- Krumhansl, J. A. See Prohovsky, E. W., 4=12620
- Krumhansl, J. A. See Riddiford, A. W., 4=5546
- Krumholz, P. See Stammreich, H., 0=11528
- Krumholz, P. See Stammreich, H., 2=1999
- Krumholz, P. See Stammreich, H., 2=2000
- Krumin', Yu. See Vitolin', A., 4=30070
- Krumm, H. C. Universal-time diurnal variation of the thunderstorm frequency, 2=21632
- Krupchinsky, P. A. The thermal neutron absorption cross-section and resonance absorption integral of ^{240}Pu , 0=7614
- Krupchitskii, P. A. [Ed.]. Soviet progress in neutron physics, 4=9002
- Krupchitskii, P. A. See Abov, Yu. G., 2=18371
- Krupchitskii, P. A. See Abov, Yu. G., 4=16903
- Krupchitsky, P. A. See Abov, Y. G., 2=14031
- Krupenie, P. H., Mason, E. A. and Vanderslice, J. T. Interaction energies and transport coefficients of $\text{Li} + \text{H}$ and $\text{O} + \text{H}$ gas mixtures at high temperatures, 4=3860
- Krupička, S. Magnetic after-effect due to electron diffusion in MgMn ferrites, 0=11892
- Krupička, S. On the theory of permeability disaccommodation in an alternating field, 0=13785
- Krupička, S. Study of magnetic after-effect in magnesium manganese ferrites, 1=14739
- Krupička, S. A note on magnetic after-effect in iron rich ferrites, 1=20138
- Krupička, S. The influence of magnetic after-effect on the rectangularity of the hysteresis loop of MgMn ferrites, 2=6674
- Krupička, S. Study of relaxation spectrum of $\text{Mn}_x\text{Fe}_{3-x}\text{O}_4$ γ ferrites, 3=1037
- Krupička, S. On the origin of the magnetic anisotropy in the $\text{Mn}_x\text{Fe}_{3-x}\text{O}_4$ system, 3=11058
- Krupička, S. On the role of Fe^{2+} ions and cation vacancies in the disaccommodation of ferrites, 4=13237
- Krupička, S. One-ion model for the magnetic anisotropy in the system $\text{Mn}_x\text{Fe}_{3-x}\text{O}_4$, 4=15652
- Krupička, S. and Gerber, R. A contribution to studying the mechanism of permeability disaccommodation in ferrites, 0=13826
- Krupička, S. and Vlím, F. Magnetic relaxation spectrum of ferrites. $\text{Mn}_x\text{Fe}_{3-x}\text{O}_{4+y}$, 1=17976
- Krupička, S. and Závěta, K. The distribution of ions and their valencies in manganese ferrites. I. MnFe_2O_4 γ ferrites, 0=3239
- Krupička, S. See Brož, J., 0=3078
- Krupička, S. See Brož, J., 0=11888
- Krupička, S. See Cervinka, L., 2=3913
- Krupička, S. See Kratochvílová, E., 4=28841
- Krupitskii, E. I. Maximum directivity of aeriels consisting of discrete sources, 2=17964
- Krupka, D. C. and Silsbee, R. H. Electron spin resonance of the R-centre, 4=17452
- Krupke, W. F. and Gruber, J. B. Absorption and fluorescence spectra of $\text{Er}^{3+}(\text{4f}^{11})$ in LaF_3 , 3=25457
- Krupke, W. F. and Gruber, J. B. Energy levels in Er^{3+} in LaF_3 and coherent emission at 1.61μ , 4=28684
- Krupke, W. F. See Kisliuk, P., 4=12570
- Krupke, W. F. See Kisliuk, P., 4=22856
- Krupkowski, A. On the partial thermodynamic functions, 1=18394
- Krupkowski, A. and Golonka, J. Vapour pressures of liquid copper and silver, 4=27384

- Krupnik, L. I. and Shulika, N. G. Plasma investigation using fast particles beams as probes, 4=27534
- Krupnikov, K. K., Brazhnik, M. I. and Krupnikova, V. P. Shock compression of tungsten, 2=13360
- Krupnikov, K. K., Brazhnik, M. I. and Krupnikova, V. P. Shock compression of tungsten, 3=5487
- Krupnikova, V. P. See Krupnikov, K. K., 2=13360
- Krupnikova, V. P. See Krupnikov, K. K., 3=5487
- Krupnikova-Perlina, E. I. See Lainer, D. I., 1=1425
- Krupnikova-Perlina, Ye. I. High-temperature oxidation of copper, 4=23639
- Krupnov, A. F. Flowmeter for small gas discharges, 2=19588
- Krupnov, A. F. and Skvortsov, V. A. Four millimetre beam maser depending on the $1_{01}-0_{00}$ transition in the CH_2O molecule, 4=3206
- Krupnov, A. P. and Skvortsov, V. A. A molecular generator for $\lambda = 4$ mm employing a Fabry-Perot resonator, 4=14921
- Krupp, D. M. See Vlasov, A. G., 3=2028
- Krupp, D. M. See Vlasov, A. G., 4=14334
- Krupp, H., Robens, E., Sandstedt, G. and Walter, G. A new arrangement for the production of thermal gas flows and the measurement of radiometer forces, 4=5260
- Krupp, H. See Böhme, G., 4=10597
- Krus, V. P. See Volosevich, P. P., 4=16139
- Kruschwitz, W. H. Undergraduate college physics research and its sponsorship, 1=2674
- Kruschwitz, W. H. Some aspects of physics research in non-Ph.D. granting institutions, 3=5
- Kruse, F. H. The crystal structure of KI.Hg(CN)_2 , 3=8855
- Kruse, F. H. The crystal structure of KI.Hg(CN)_2 . A correction, 4=7636
- Kruse, F. H. See Scott, D. W., 4=28225
- Kruse, H. W. See Reines, F., 0=3955
- Kruse, O. E. Hearing and seeing beats, 1=11817
- Kruse, O. E. Beats and beat notes, 3=212
- Kruse, P. W. Uncooled I.R. detectors for long wave-lengths, 0=10800
- Kruse, P. W., Blue, M. D., Garfunkel, J. H. and Saur, W. D. Long-wavelength photoeffects in mercury selenide-mercury telluride, and mercury telluride-cadmium telluride, 2=10534
- Kruse, P. W. See Blue, M. D., 2=130
- Kruse, P. W. See Blue, M. D., 2=16728
- Kruse, P. W. See Farber, W. A., 1=9502
- Kruse, T. H., Bent, R. D. and Lidofsky, L. J. Gamma radiations of Na^{23} and Ne^{20} , 0=13206
- Kruse, T. H. See Benczer-Koller, N., 1=10986
- Kruse, T. H. See Nessin, M., 2=3529
- Kruse, T. H. See Nikolic, N., 4=6331
- Kruse, U. E. and Arnold, R. C. Scattering of negative mesons by hydrogen at 130 and 152 MeV, 0=2579
- Kruseman Aretz, F. E. J. A theory of order-disorder phenomena. III, 2=19091
- Kruseman Aretz, F. E. J. A theory of order-disorder phenomena. III, 2=19092
- Kruseman Aretz, F. E. J. and Cohen, E. G. D. A theory of order-disorder phenomena. I, 1=9150
- Kruseman Aretz, F. E. J. and Cohen, E. G. D. A theory of order-disorder phenomena. II, 1=9151
- Krusemeyer, H. J. The influence of light, oxygen and nitrogen on the field effect mobility of zinc oxide crystals, 2=16733
- Krush, I. I. and Tsekhmistrov, Ya. V. Spectrum of elementary excitations of superfluid Fermi systems, 1=12823
- Krushinskaya, N. P. See Baberkin, A. S., 0=18441
- Krushinskii, L. L. Theory of the intensities of Raman lines. III. The classical model (the convergence of the series expansion of the molecular polarizability in powers of the vibrational coordinate), 4=3832
- Krushinskii, L. L. On the theory of the intensities of Raman lines IV. The classical model (expansion of the induced moment in a Fourier series), 4=20007
- Krushinskii, L. L. and Shorygin, P. P. The vibrational structure of electron excitation levels of molecules in the quantum theory of scattering of light, 1=9949
- Krushinskii, L. L. and Shorygin, P. P. The vibrational structure of electron excitation levels of molecules in the quantum theory of scattering of light, 1=11114
- Krushinskii, L. L. and Shorygin, P. P. The theory of line intensities in the spectra of scattered light. I. The quantum model (Condon approximation), 2=6170
- Krushinskii, L. L. and Shorygin, P. P. The theory of line intensities in Raman spectra II. The quantum model (taking account of anharmonicity and deviation from the Condon approximation), 2=6171
- Krushinskii, L. L. and Shorygin, I. I. On the theory of the intensities of Raman lines. V. The classical model (transformation of light by a linear oscillator with periodically varying parameters), 4=20008
- Krushinskii, L. L. See Shorygin, P. P., 1=4479
- Krushinskii, L. L. See Shorygin, P. P., 4=22330
- Kruskal, M. Hydromagnetics and the theory of plasma in a strong magnetic field and the energy principles for equilibrium and stability, 1=15721
- Kruskal, M. Asymptotic theory of systems of ordinary differential equations with all solutions nearly periodic, 1=15722
- Kruskal, M. Landau damping, 1=15723
- Kruskal, M. Asymptotic theory of Hamiltonian and other systems with all solutions nearly periodic, 2=19368
- Kruskal, M. Asymptotic theory of Hamiltonian and other systems with all solutions nearly periodic, 3=11669
- Kruskal, M. D. Maximal extension of Schwarzschild metric, 0=16588
- Kruskal, M. D. and Bernstein, I. B. Runaway electrons in an ideal Lorentz plasma, 4=14635
- Kruskal, M. D. and Zabusky, N. J. Stroboscopic-perturbation procedure for treating a class of nonlinear wave equations, 4=11021
- Kruskal, M. D. See Gardner, C. S., 4=19183
- Kruskal, M. D. See Greene, J. M., 2=20128
- Kruske, A. See Bloess, D., 3=9406
- Kruszewski, A. Polarisation: wavelength dependence and ratio to absorption, 3=24061
- Krutchkoff, A. See Koozekanani, S., 3=4283
- Krutchkoff, A. See Koozekanani, S., 3=5896
- Krutikov, A. S. See Bocharov, E. I., 0=82
- Krutov, V. A. and Gorshkov, V. G. Higher born approximations in pair conversion, 1=3422
- Kruthoff, P. N. See Boersma, S. L., 4=2816
- Kryazhev, F. I. Sound field of a first-order plate wave in a layer of water, 0=19284
- Kryazhev, F. I. and Petrov, N. A. Plate waves in a three-layer medium, 1=16016
- Kryazhev, F. I. See Grigor'ev, V. S., 0=19268
- Kryder, S. J. See Maryott, A. A., 4=27226
- Krylykh, A. A. See Kovtun, H. P., 2=19784
- Krylov, A. I. See Zhrebina, E. A., 4=3610
- Krylov, A. L. Models with a finite number of degrees of freedom for a class of problems of mathematical physics (difference equations with a law of conservation), 2=13234
- Krylov, A. L. Models with a finite number of degrees of freedom for a class of problems of mathematical physics (difference equations with a law of conservation), 2=19365
- Krylov, A. L. Instability of motion of a viscous incompressible fluid, 4=11146
- Krylov, M. K. The selection of an equivalent circuit for determining the resistivity, dielectric constant and magnetic permeability of rocks, 3=19135
- Krylov, N. A. and Chernous'ko, F. L. Method of successive approximations for solution of problems of optimal control, 4=18030
- Krylov, N. V. Existence of ϵ -optical homogeneous Markov strategies for a controlled chain, 4=21050
- Krylov, V. D. Calculation of microdeformations and of block sizes by means of harmonic analysis of the shapes of the X-ray diffraction lines given by polycrystals, 0=16301
- Krylov, V. D. X-ray investigation of changes in the crystalline structure of carbonyl iron powders during annealing, 3=20873
- Krylov, V. S. Distribution of the potential and the electric field intensity in the dense part of the electrical double layer, 3=1392
- Krylov, V. S. See Levich, V. G., 2=12968
- Krylov, Ya. and Iveronova, V. I. Study of plastic deformation of germanium single crystals (by indentation), 3=18186
- Krylova, A. P. See Kolesnikov, N. N., 0=11316
- Krylova, I. V., Shashkov, A. S. and Kobozov, N. I. Investigation of ZnS:Cu crystal phosphors by the exoelectron emission method, 3=956
- Krylova, T. N. Interference light-filters made of multilayer dielectrics, 0=3639
- Krylova, T. N. and Bagdyk'yants, G. O. A study of the optical properties and structure of titanium dioxide layers, 1=10091
- Krylova, T. N. See Sokolova, R. S., 0=3640
- Krylova, T. N. See Sokolova, R. S., 3=14359
- Krylova, T. N. See Sokolova, R. S., 3=19027
- Krylovetskii, A. G. See Rapoport, L. P., 3=16556

- Krylovetskii, A.G. See Rapoport, L.P., 4=3553
 Krylovetskii, A.G. See Rapoport, L.P., 4=386
 Krylovich, B.I. Temperature field of the cooled electrode of a fixed arc heater, 3=24087
 Krylow, J. See Grohman, A., 0=18322
 Krymskii, G.F. See Chirkov, N.P., 4=27923
 Krymskii, G.F. See Kuz'min, A.I., 4=6166
 Krymskii, G.F. See Kuz'min, A.I., 4=27922
 Krymskii, G.F. See Kuz'min, A.I., 4=27924
 Krynicki, K. and Hennel, J.W. Viscosity of liquid ammonia and hydrogen chloride, 4=14147
 Krynicki, K. and Powles, J.G. Proton spin relaxation in liquid hydrogen chloride and hydrogen bromide, 3=21408
 Krynicki, K. and Powles, J.G. Proton magnetic resonance in methyl alcohol and methyl mercaptan, 4=18220
 Krynicki, K. See Blicharski, J., 1=9409
 Krynicki, K. See Blicharski, J.S., 3=11808
 Krynicki, K. See Blicharski, J.S., 3=21416
 Krynicki, K. See Hennel, J.W., 0=14579
 Krynicki, K. See Hennel, J.W., 1=15908
 Krynskiy, J. A. and Garrett, W. D. The use of hydrophobic rings for the measurement of interfacial surface tensions, 4=14128
 Krysmanski, K.H. On the question of thermal equilibrium in the iron arc, 1=4582
 Krýstanov, L. See Iordanov, D., 4=29275
 Krýstanov, L. See Miloshev, G., 4=27163
 Kryszewski, M. See Adamski, P., 4=24226
 Kryter, K.D. Scaling human reactions to the sound from aircraft, 0=813
 Kryter, K.D. Speech bandwidth compression through spectrum selection, 0=8440
 Kryter, K.D. The meaning and measurement of perceived noise level, 1=4421
 Kryter, K.D. Methods for the calculation and use of the articulation index, 3=3651
 Kryter, K.D. Validation of the articulation index, 3=3652
 Kryter, K.D. Exposure to steady-state noise and impairment of hearing, 4=4975
 Kryter, K.D. and Pearsons, K.S. Judgment tests of the sound from piston, turbojet, and turbofan aircraft, 2=13210
 Kryter, K.D. and Pearsons, K.S. Some effects of spectral content and duration on perceived noise level, 3=18674
 Kryter, K.D. and Pearsons, K.S. Modification of noise tables, 4=10971
 Kryter, K.D., Weisz, A. Z. and Wiener, F.M. Auditory fatigue from audio analgesia, 2=11215
 Kryter, K.D., Williams, C. and Green, D.M. Auditory acuity and the perception of speech, 2=24204
 Kryuchkov, N.F. See Pavlov, V.A., 0=1847
 Kryukov, P.G. See Basov, N.G., 3=522
 Kryukov, P.G. See Basov, N.G., 3=7740
 Kryukov, P. G. See Grasiuk, A. Z., 4=20908
 Kryukova, L.N., Murav'eva, V. V., Duda, L., Malysheva, T.V. and Khotin, B.A. Investigation of the conversion electron spectrum of neutron deficient platinum isotopes, 3=8053
 Kryukova, L. N., Murav'eva, V. V., Forafontov, N. V. and Shpinel', V.S. Electron-gamma coincidences in the decay of Pt^{189} , 4=12176
 Kryukova, L. N., Murav'eva, V. V., Shpinel', V. S., Malysheva, T. V. and Khotin, V. A. Levels of Ir^{189} excited in electron capture decay of Pt^{189} , 4=12161
 Kryukova, L.N. See Malysheva, T.V., 2=14054
 Kryukova, L.N. See Gnedich, A.V., 0=13209
 Kryukova, L.N. See Sorokin, A.A., 2=14066
 Kryulov, V.D. Use of the Fourier transforms of the approximating functions in the X-ray analysis of the fine crystal structure of polycrystals, 4=15800
 Krývets', G.E. See Val'ter, A.K., 1=13649
 Krývohlaz, M.O. and Týkhonova, O.O. Effect of geometrical distortions of the crystal lattice on X-ray and thermal neutron scattering by multiconstituent disordered solid solutions, 1=15054
 Krývohlaz, M.O. and Týkhonova, O.O. Theory of X-ray scattering by interstitial solid solutions, 1=20574
 Krývohlaz, M.O. and Týkhonova, O.O. Theory of X-ray scattering by multicomponent ordered solutions, 1=20616
 Krývskiy, I.Y., Lomsadze, Yu.M., Fushchich and Khimich, I.V. The radiative decay of a π^- -meson, 2=7879
 Krývs'kiy, I.Yu. See Khimich, I.V., 3=19588
 Krývs'kiy, I.Yu. See Lomsadze, Yu.M., 4=11874
 Krývulya, S.S. See Lifshýtz, E. V., 4=11625
 Krývýt'skiy, V. P. See Karal'nyk, S.M., 4=4243
 Krýzhanovskii, B.P. Reflection of semiconducting indium oxide films in the infrared spectral region, 2=2219
 Kryzhanovskii, B.P. and Kuznetsov, A.Ia. Refractory stannic oxide film and its uses, 1=20673
 Krýzhanovskii, B.P. and Kuznetsov, A.Ya. Semiconducting layers of cuprous iodide, 2=23379
 Kryzhanovskii, V. P., Kuznetsov, A. Ya. and Pafomova, L. A. Reflection in the long-wavelength region of semiconducting films of silicon monoxide containing silver and gold, 4=22888
 Krzhemenek, Ya. See Komar, A.P., 0=13257
 Krzhemenek, Ya. See Komar, A.P., 1=3436
 Krzhemenek, Ya. See Komar, A.P., 1=11000
 Krzhemenek, Ya. See Komar, A.P., 2=16388
 Krzhivanek, M. See Bzranova, G., 3=8140
 Krzhivanek, M. See Zvara, I., 3=21006
 Krzhizh, I. See Gusa, V., 0=706
 Krzhizhanovskii, R.E. The ratio of the electron and phonon parts of the thermal conductivity in steels, 0=7861
 Krzycki, Z. Measurements of resonance line width of ferrites in a waveguide with diaphragm, 1=20183
 Krzysztan, D. See Maczyński, J., 2=11316
 Krzywicki, A. High-energy pion-nucleon collisions and isotopic properties of the pion-pion interaction, 0=17378
 Krzywicki, A. On the cloud-cloud interaction in high-energy inelastic nucleon-nucleon collisions, 0=20123
 Krzywicki, A. On the possibility of measuring the branching $(\pi^- + p \rightarrow \pi^0 + \pi^- + p)$ ratio $R = \frac{(\pi^- + p \rightarrow \pi^0 + \pi^- + p)}{(\pi^- + p \rightarrow \pi^+ + \pi^- + n)}$ at very high energies, 1=2084
 Krzywicki, A. High-energy pion-nucleon collisions and isotopic properties of the pion-pion interaction, 1=2085
 Krzywicki, A. On the final-state interaction in single-pion production processes, 1=16841
 Krzywicki, A. A possible interpretation of ultra-high-energy experimental data, 4=19615
 Krzywicki, A. and Szymanski, J. A note on the phenomenological theory of unstable particles, 1=5646
 Krzywicki, A. and Wrzecionko, J. On the dispersion theory of pion-nucleon diffraction scattering, 3=10156
 Krzywicki, A. See Koba, Z., 0=17322
 Krzywicki, A. See Koba, Z., 0=17323
 Krzywicki, A. See Koba, Z., 2=255
 Krzywicki, A. See Koba, Z., 2=9834
 Krzywicki, A. See Koba, Z., 3=24615
 Krzywicki, A. See Koba, Z., 3=24616
 Krzywicki, A. See Koba, Z., 4=27844
 Krzywicki, A. See Czyżewski, O., 4=5943
 Krzywoblocki, M.Z. Scattering and attenuation of electromagnetic waves in a turbulent medium, 3=12315
 Krzywoblocki, M.Z.v. See v.Krzywoblocki, M.Z.
 Ksanformaliti, L.V. Choosing the operating mode for a photomultiplier, 3=16977
 Ksendzatskaya, Yu. N. See Karapetyan, G. O., 4=20596
 Ksendzov, Ya.I. See Smolenskii, G.A., 0=16020
 Ksendzov, Ya.M. Influence of admixtures on the electric properties of rutile, 0=1697
 Ksendzov, Ya.M. The mechanism of the electrical conductivity of ferro- and antiferromagnetic semiconductors, 1=5009
 Ksendzov, Ya.M., Ansel'm, L.N., Vasil'eva, L.L. and Latysheva, V.M. Investigation of the carrier mobility in NiO with Li impurity, 3=20337
 Ksendzov, Ya.M. and Stogova, V.A. A note on the mechanism of conductivity in ferromagnetic and antiferromagnetic semiconductors, 2=23303
 Kshnyakin, R.I. See Darevskii, V.M., 0=12387
 Kshnyakin, R.I. See Darevskii, V.M., 0=19013
 Kshnyakina, A. N. See Kiselev, S. V., 4=10239
 Ksienski, A. Equivalence between continuous and discrete radiating arrays, 1=4727
 Ksienski, A. Spatial frequency characteristics of finite aperture antennas, 4=3164
 Ksilyakov, A.G. See Bibinova, V.P., 3=21127
 Ksoll, G. Determination of the concentration profile of diffused films in silicon from measurements of the film conductivity, 2=2155
 Ksoll, G. See Böer, K.W., 0=2355
 Ku Dschl-Yü. See Burck, H., 0=16993
 Ku Fu-Nien. Some properties of operator in electromagnetic theory, 4=659
 Ku Fu-Nien. Method of determining the green tensor functions of an electromagnetic field in anisotropic media, 4=660
 Ku Fu-Nien. About tensor Green's functions in waveguides, 4=8944

- Ku, H. Y. and Ullman, F. G. Capacitance of thin dielectric structures, 4=11498
- Ku, R. C. and Johnston, T. L. Fracture strength of MgO bicrystals, 4=13423
- Ku San-Mei. The preparation and properties of vapor-grown GaAs-GaP alloys, 4=4546
- Ku San-mei and Black, J. F. Injection electroluminescence in GaAs-GaP diodes, 4=1772
- Ku Shu-chao. See Gu Shu-chzhao.
- Ku, T. C. and Pimbley, W. T. Effect of temperature on the emission of electrons from abraded surfaces of beryllium, calcium, aluminum, and magnesium, 1=5489
- Ku Yung-nien. On the calculation of a helically symmetrical magnetic field, 4=646
- Kuan, H. M. See Bonner, T. W., 1=8577
- Kuan, H. M. See Din, G. U., 4=9563
- Kuan, Hsin-Min and Risser, J. R. Excitation function of the $N^{14}(p, n)O^{14}$ total cross section from threshold to 12 MeV, 4=15209
- Kuan, Hsin-Min, Bonner, T. W. and Risser, J. R. An investigation of the $C^{12} + He^3$ reactions at bombarding energies between 1.8 and 5.4 MeV, 4=15240
- Kuan Hsin-min. See Din, G. U., 2=1926
- Kuan Ting-hua. See Guan' Din-khua.
- Kuan Ya-Hsien. See Guan' Ya-Syan', 4=7607
- Kuang-Chao, Chou. See Tso-hsiu, Ho., 3=17319
- Kuang Hao-hwai, Wang Shih-wei and Yuan Yu-kuei. Nuclear interactions of cosmic-ray high-energy particles with liquid scintillator, 4=30286
- Kuang Hao-hwai. See Wang Shih-Wei., 4=967
- Kuang Liu Cheng. Maximum average energy density as the criterion for phase transition in thin superconductive films, 4=14512
- Kuang Wei-yen. See Guan Bei'-Yan', 3=5570
- Kuang Wei-yen. See Chang Yi-Jue, 4=29836
- Kuang Yü-ping and Yi Yü-ping. The quantum theory of ferromagnetism, 4=4335
- Kuháček, L. See Karovič, K., 3=18973
- Kubal, J. Tanning development of nuclear emulsions, 0=192
- Kubal, J. Some factors affecting the sensitivity of nuclear emulsions, 0=12735
- Kubal, J., Beneš, J. and Hrkál, Z. Effect of cadmium ions on the properties of nuclear emulsions, 0=3901
- Kubal, J. See Beneš, J., 1=19079
- Kubanskii, P. N. The effect of acoustic streaming on the process of convective heat exchange, 0=138
- Kubanskii, P. N. Theory of vortex formation near a resonator in an air stream, 0=6828
- Kubanskii, P. N. The coagulation of aerosols by free-flowing gas jets, 0=10365
- Kubanskii, P. N. A theory of acoustic streaming near hot solids, 1=4414
- Kubanskii, P. N. Heat transfer from a surface, with a resonator in the wall, to forced flow, 2=1290
- Kubanskii, P. N. Special cases of the acoustic streaming of heated solids, 2=5117
- Kubanskii, P. N. Heat transfer from a surface with a resonator in the wall, to forced flow, 2=7432
- Kubanskii, P. N. Acceleration of convective heat exchange by acoustic streaming, 2=22078
- Kubarev, A. V. Narrow-band measurement of nuclear absorption line width and magnetic field gradient, 1=4741
- Kubarev, A. V. and Mezenev, Yu. A. Oscillator for observing electron paramagnetic resonance, 4=16673
- Kubarev, A. V. and Mezenev, Yu. A. Apparent change of gyro-magnetic ratio in a weak magnetic field, 4=17311
- Kubarev, A. M. and Piskarev, V. I. Some results of an experimental investigation of the effect of a magnetic field on the radiation spectrum of a ruby laser, 4=16711
- Kubarev, S. I. The absorption of light and luminescence of complex molecules, 0=9791
- Kubarev, S. I. Certain problems in the spectroscopy of complex molecules, 0=20613
- Kubarev, S. I. The influence of vibrations on the limiting polarization of the luminescence of complex molecules, 2=2007
- Kubarev, S. I. Concerning the electronic spectra of complex molecules, 2=14261
- Kubaschewski, O. and Heymer, G. The thermodynamics of the chromium-iron system, 1=2539
- Kubaschewski, O. See Dench, W. A., 3=10998
- Kubát, J. Studies on the stress relaxation in crystalline high polymers. I. Rubber hydrochloride, 3=1133
- Kubát, J. Stress relaxation studies on crystalline high polymers. II. Polyethylene, 4=7375
- Kubát, J. and Laible, R. C. Experimental studies on stress relaxation in crystalline polymers. III. Influence of strain rate and temperature on stress relaxation in polyethylene, 4=20681
- Kubát, J., Palm, A. and Steenberg, B. Electrical noise generated in graphite suspensions during shearing, 4=26765
- Kubátová, J. On the reproducibility of photoconductivity measurements in partly illuminated ZnS single crystals, 2=23476
- Kubátová, J. and Pátek, K. Direct evidence for the presence of delayed recombination in the electroluminescence of ZnS, 3=8631
- Kubátová, J. and Pátek, K. Microscopic observations of electroluminescence of ZnS-Cu single crystals, 3=11016
- Kubátová, J. See Pátek, K., 4=7167
- Kuběna, J. A contribution to measuring the integrated intensities of diffraction lines by photographic methods, 3=9615
- Kubiak, S. See Kozłowski, L., 1=14720
- Kubiak, S. See Kozłowski, L., 3=20606
- Kubiak, S. See Kozłowski, L., 4=4365
- Kubie, G. and Spurný, K. Radioactive labelling of membrane filters for the assay of air-borne material, 0=20364
- Kubikowski, J. The cooling of the [stellar] atmosphere behind the shock-wave front [in pulsating stars], 0=18798
- Kubilyūnene, O. and Ilgūnas, V. The effect of diffraction on the velocity of ultrasound in water measured by an interferometric method, 4=21131
- Kubin, R. F., Rabinovitch, B. S. and Harrington, R. E. Unimolecular decomposition of chemically activated sec-butyl and sec-butyl-d, radicals. The reaction of H and D atoms with transbutene-2 and butene-1, 2=21586
- Kubin, R. F. See Rabinovitch, B. S., 3=8965
- Kubin, R. F. See Simons, J. W., 4=22432
- Kubis, J. T. See Brueckner, K. A., 0=9286
- Kubis, J. T. See Brueckner, K. A., 0=11123
- Kubo, H., Mitani, K., Tanaka, S. and Terumichi, Y. Microwave radiation from a plasma in a magnetic field. II, 4=14655
- Kubo, H. See Mitani, K., 1=8317
- Kubo, H. See Mitani, K., 2=205
- Kubo, H. See Mitani, K., 4=14654
- Kubo, H. See Mitani, K., 4=18848
- Kubo, H. See Tanaka, S., 3=9787
- Kubo, H. See Tanaka, S., 4=5613
- Kubo, I. Crystal growth of zinc-oxide by chemical reaction of zinc-fluoride with air, 2=4383
- Kubo, I. See Shibata, N., 3=25801
- Kubo, K. Radiation induced optical absorptions in crystalline quartz and fused silica, 1=12406
- Kubo, K. Radiation effects in LiF crystals, 2=2108
- Kubo, K. Colloidal Li Metal in neutron-irradiated LiF crystals, 4=6901
- Kubo, K., Hamaguchi, Y. and Motohashi, H. X-ray study on the radiation damage in LiF crystals, 4=28512
- Kubo, K. and Katano, Y. Observations of dislocation network in neutron-irradiated LiF crystal, 1=14274
- Kubo, K. and Motohashi, H. Lattice expansion in LiF crystals by neutron irradiation, 4=10539
- Kubo, K. and Ozawa, K. Radiation effects in LiF crystals, 3=22868
- Kubo, K. and Ozawa, K. The formation of vacancies in LiF crystals by reactor irradiation, 4=9946
- Kubo, M. See Inoue, M., 3=23374
- Kubo, M. See Ito, K., 0=7807
- Kubo, M. See Ito, K., 1=6046
- Kubo, M. See Kimura, K., 0=15782
- Kubo, M. See Nakamura, D., 0=4538
- Kubo, M. See Terada, J., 3=529
- Kubo, R. Electronic properties of small metallic particles, 2=14383
- Kubo, R. Electronic properties of metallic fine particles. I, 2=16627
- Kubo, R. Generalized cumulant expansion method, 2=19375
- Kubo, R. Stochastic Liouville equations, 3=11731
- Kubo, R., Izuyama, T., Kim, D. J. and Nagaoka, Y. Magnetic behaviour of band electrons, 3=986
- Kubo, R. and Nakamura, H. Some notes on the effects of vector meson on the electromagnetic structure of nucleon, 2=9833
- Kubo, R. and Nakamura, H. On a model of nucleon structure and meson-nucleon interaction. III, 2=13781
- Kubo, R. See Fukuda, E., 3=19088

- Kubo, R. See Izuyama, T., 3=25540
 Kubo, R. See Izuyama, T., 4=13130
 Kubo, R. See Miyake, S.J., 2=23250
 Kubo, R. See Suzuki, M., 4=9775
 Kubo, T. See Ando, S., 4=3801
 Kubo, T. See Ando, S., 4=21616
 Kubo, T. See Kitamura, S., 1=14508
 Kubo, U. and Inuishi, Y. Measurement of gaseous discharge plasma with microwave interferometer. I, 2=9600
 Kubo, U. and Inuishi, Y. Measurement of gaseous discharge plasma with microwave interferometer. II, 3=9795
 Kubo, U. and Inuishi, Y. Effect of microwave polarisation on absorption by cylindrical plasma, 4=8711
 Kubo, U. See Matsura, K., 2=23223
 Kudo, Y. See Honda, T., 4=22131
 Kubose, D.A. and Hamill, W.H. Mass dependent ion collection efficiencies in a mass spectrometer, 1=13133
 Kubose, D.A. and Hamill, W.H. Velocity dependence of ion-molecule reaction cross sections in a mass spectrometer, 3=14514
 Kubota, B. and Hirota, E. Electrical resistivity of ferromagnetic chromium dioxide, 1=14395
 Kubota, B., Nishikawa, T. and Yanase, A. Magnetic properties of chromium oxide modified by vanadium oxide, 3=11054
 Kubota, B., Nishikawa, T., Yanase, A., Hirota, E., Mihara, T. and Iida, Y. Modified ferromagnetic chromium dioxide, 4=13174
 Kubota, B., Yanase, A., Tawara, Y., Neichi, Y. and Hirota, E. Induced anisotropy in iron-rich nickel ferrite with a small cobalt substitution, 3=1035
 Kubota, B. See Hirota, E., 1=14759
 Kubota, H. New tables of the interference color, 0=19434
 Kubota, H. Interference colour, 1=18550
 Kubota, H. On the aberration of spectacle lens, 3=11886
 Kubota, H. and Asakura, T. Optics in Japan: with special reference to the study of transfer function and its application in optical industries, 2=13429
 Kubota, H., Miyamoto, K. and Murata, K. Some investigations on the transmission function, 0=19403
 Kubota, H. and Saito, H. Further study on the diffraction images in the polarizing microscope, 0=16827
 Kubota, H. See Nakamura, T., 1=14971
 Kubota, K. Measurements of optical maser oscillation in ruby, 2=16021
 Kubota, K. and Hayashi, K. Observation of optical maser oscillation in ruby, 2=4126
 Kubota, S. Study of breakdown of gases by purely azimuthal electric fields, 2=22195
 Kubota, S. See Makino, S., 4=12966
 Kubota, Y. and Wallace, W.E. Magnetic characteristics of hydrogenated holmium, 2=12736
 Kubota, Y. and Wallace, W.E. Magnetic characteristics of praseodymium, neodymium, and samarium hydrides, 3=15744
 Kubota, Y. and Wallace, W.E. Magnetic characteristics of dysprosium, erbium, and thulium hydrides, 3=25507
 Kubozoe, M. See Akahori, H., 3=19355
 Kubozoe, T. On the azimuthal angular distribution of shower particles in cosmic-ray jets, 4=965
 Kubyshkin, N. Z. See Kozachina, B. S., 4=14787
 Kubyshkin, V. V. See Fomenko, B. D., 4=4790
 Kubyshkina, V. D. See Bulis, L. A., 2=18373
 Kucarova, T. See Kracfk, B., 3=12635
 Kučera, E. Materials for models for three-dimensional photoelastic experiments, 4=2623
 Kučera, J. Diffusion in polycrystalline alloys just below melting point, 3=20231
 Klüch, F. See Hellwege, K. H., 1=8881
 Kuchaev, V. L. and Boreskov, G. K. Catalysis and adsorption of hydrogen on germanium films, 3=3397
 Kuchai, S. A. Optical properties of axially symmetrical magnetic fields with a central source of charged particles, 0=10978
 Kuchai, S. A. Double focusing a beam of charged particles in a wide interplanar gap, 2=1520
 Kuchai, S. A. See Koval'skii, G. A., 4=16155
 Kuchak, G. M. See Golik, A. Z., 2=7210
 Kuchak, G. M. See Romanova, A. V., 4=21099
 Kuchař, K. Remarks on the theory of electroluminescence in ZnS crystals, 0=4463
 Kuchař, K. On the Rainich geometrization of scalar meson fields, 4=5919
 Kuchař, K. and Langer, J. On energy transfer by gravitational waves, 3=21210
 Kuchela, K. N. See Birks, J. B., 1=6865
 Kuchela, K. N. See Birks, J. B., 1=9401
 Kuchela, K. N. See Birks, J. B., 1=9402
 Kuchela, K. S. A fast transistor scaler for decimal counting, 3=351
 Kuchela, K. S. and Peshori, L. H. Application of bidirectional dekatron tubes in low level beta activity measurements by cancellation technique, 1=2176
 Kuchela, K. S. and Prasanna Kumar, A. Simplified linear selection memory for use in nuclear pulse analyzers, 3=24198
 Kucher, T. I. Hole bands in NaCl, 0=2807
 Kucher, T. I. Theory of hole F-centres in alkali halide crystals, 1=14334
 Kucher, T. I. The problem of diffusion in an evaporated solid medium, 1=17550
 Kucher, T. I. The characteristic frequencies of oscillation of silicon and diamond, 2=18517
 Kucher, T. I. The characteristic frequencies of oscillation of silicon and diamond, 2=20919
 Kucher, T. I. Similarity of the dispersion curves of the normal frequencies of diamond-type crystals, 3=17642
 Kucher, T. I. and Tolpýgo, K. B. Structure of hole bands in alkali chlorides, 1=931
 Kucher, T. I. and Tolpýgo, K. B. Structure of hole bands in alkali chlorides, 1=4979
 Kucher, T. I. See Demidenko, Z. A., 1=19699
 Kucher, T. I. See Demidenko, Z. A., 2=3827
 Kucher, T. I. See Demidenko, Z. A., 2=12371
 Kucher, T. I. See Demidenko, Z. A., 2=14368
 Kucherav, R. Ya. See Amirkhonova, I. B., 3=15307
 Kucherenko, E. T. and Fedorus, A. G. The energy distribution of ions from a high-frequency source, 0=1164
 Kucherenko, E. T. and Nazarenko, O. K. Features of electron oscillation discharges in a magnetic field, 0=1112
 Kucherenko, E. T. and Nazarenko, O. K. A hydrogen leakage filler, 1=12405
 Kucherenko, I. V. See Vul, B. M., 4=20365
 Kucherenko, Ye. T. and Hroshev, I. M. Investigation of the energy spectrum of canal rays of anomalous increasing charge, 2=22275
 Kucheriaev, Yu. A. and Panov, D. A. On the cause of the anomalously fast loss of electrons from the plasma in "OGRA", 3=21812
 Kucherov, I. Ya., Zhmudskii, A. Z. and Shiyansovskii, V. I. Some features of the dark conductivity of CdS photoresistors, 2=21189
 Kucherov, I. Ya., Zhmudskii, A. Z. and Shiyansovskii, V. I. Some features of the dark conductivity of CdS photoresistors, 2=23456
 Kucherov, I. Ya. See Zhmudskii, O. Z., 2=5429
 Kucherov, R. Ya. Damping of a longitudinal nonlinear monochromatic wave in a weakly ionized plasma, 4=11664
 Kucherov, R. Ya. and Rikenglaz, L. E. Hydrodynamic boundary conditions for evaporation and condensation, 0=8847
 Kucherov, R. Ya. and Rikenglaz, L. E. Slipping and temperature discontinuity at the boundary of a gas mixture, 0=10691
 Kucherov, R. Ya. and Rikenglaz, L. E. The rapid change of concentration in the case of slow evaporation of a mixture, 0=14889
 Kucherov, R. Ya. and Rikenglaz, L. E. Kinetic theory of the low-density plasma diode, 3=14511
 Kucherov, R. Ya., Rikenglaz, L. E. and Tsulaya, T. S. Kinetic theory of condensation transfer at low temperature difference, 3=14427
 Kucherov, R. Ya. and Shuander, Yu. A. A weakly ionized low density plasma in a plane diode, 4=14626
 Kucherov, R. Ya. and Tsulaya, T. S. Absorption of sound reflected from the plane surface of a solid, 1=18524
 Kucherov, R. Ya. See Kaganov, M. I., 2=11707
 Kucherov, R. Ya. See Karakhanov, V. Ya., 4=14564
 Kucherov, Ya. M. The conversion of oxygen into carbon monoxide on the surface of incandescent tungsten, 2=8911
 Kucheryaev, A. G., Szenov, Yu. K. and Gogichaishvili, Sh. M. Measurements of nuclear magnetic moments in the alkali earths by molecular beam magnetic resonance, 0=9516
 Kucheryaev, V. A. See Egorov, Yu. A., 2=11838
 Kucheryaev, Yu. A. See Bogdanov, G. F., 3=12201
 Kucheryavenko, N. S. Nuclear magnetic resonance in concentrated aqueous solutions of VO²⁺, 3=14187
 Kuchin, I. A. and Usik, P. A. Inelastic nucleon-nucleon interactions, 3=14972
 Kuchin, I. A. and Usik, P. A. Single-meson exchange and the asymptotic behavior of nucleon and pion scattering on nucleons, 4=19500

- Kuchin, V.D. Temperature dependence of dielectric strength of ionic crystals in an electric disruption, 0=1708
- Kuchin, V.D. Further contribution to the temperature dependence of the electric strength of ionic crystalline dielectrics, 0=7987
- Kuchin, V.D. The investigation of the temperature influence on electric strength of ionic crystals. I. One-electron model, 0=20963
- Kuchinka, Yu. Dependence of certain mechanical properties of synthetic polymer fibres on the temperature, 3=23358
- Kuchinka, M.Yu. See Kishko, S.M., 0=1521
- Kuchis, E.V. Selective low-frequency amplifier with a narrow rectangular frequency characteristic, 4=16403
- Kuchitsu, K. and Bartell, L.S. Effects of anharmonicity of molecular vibrations on the diffraction of electrons. II. Interpretation of experimental structural parameters, 2=1981
- Kuchitsu, K. and Bartell, L.S. Effect of anharmonic vibrations on the bond lengths of polyatomic molecules. I. Model of force fields and application to water, 2=14243
- Kuchitsu, K. and Bartell, L.S. Effect of anharmonic vibrations on the bond lengths of polyatomic molecules. II. Cubic constants and equilibrium bond lengths of methane, 2=14244
- Kuchitsu, K. and Bartell, L.S. Study of anharmonic vibrations of polyatomic molecules by gas electron diffraction, 2=22959
- Kuchitsu, K. See Bartell, L.S., 0=20693
- Kuchitsu, K. See Bartell, L.S., 1=17370
- Kuchitsu, K. See Bartell, L.S., 2=20770
- Kuchitsu, K. See Bartell, L.S., 2=22960
- Kuchitsu, K. See Morino, Y., 2=10266
- Kuchitsu, K. See Morino, Y., 2=10267
- Kuchkov, E.M. The mass-spectrum line profile and the role of a pulse ion source in the radio-frequency mass-spectrometer, 0=17049
- Kuchkov, E.M. Relation between ion energy distribution function and the form of lines in the mass-spectrum of a radio-frequency mass-spectrometer, 1=335
- Küchle, M. Neutron temperature measurements in graphite, 0=12971
- Küchle, M. Measurement of the temperature dependence of the diffusion of neutrons in water and diphyl by the pulse method, 1=5733
- Kuchle, M. and Beckurts, K.H. A remark on the transport mean free path of thermal neutrons in graphite, 1=7249
- Küchle, M. Measurements of the temperature dependence of thermal neutron diffusion parameters in water and Dowtherm A, 2=3347
- Kühler, L. and Schlosser, E.G. Study of the mechanism of catalytic CO oxidation on NiO by O¹⁸-marked reaction partners, 4=17862
- Kuchmin, O.I., Malkova, L.V. and Sokolova, L.A. A two-tube acoustic gas analyser, 2=4573
- Kuchnir, M. See Dietzsch, O., 0=15535
- Kuchowicz, B. First forbidden beta transitions for the universal Fermi interaction, 0=5548
- Kuchowicz, B. On a possible isotopic structure of the D-particle, 1=532
- Kuchowicz, B. A tentative explanation of small deviations observed in beta spectra, 1=2184
- Kuchowicz, B. On the shapes of allowed beta spectra, 1=13706
- Kuchowicz, B. A simplified method of obtaining the infinitesimal operators of the homogeneous Lorentz group. I. Physical foundations, 2=15444
- Kuchowicz, B. A simplified method of obtaining the infinitesimal operators of the homogeneous Lorentz group. II. Calculations, 3=13
- Kuchowicz, B. Neutrino gas statistics, 4=4854
- Kuchynka, M.Yu. See Gol'yk, O.Z., 3=20732
- Kuchynka, M.Yu. See Kyshko, S.M., 1=14046
- Kucin, V.D. On the theory of the interaction of radiation with a solid, 4=4087
- Kuckelt, G. See Kohl, G., 2=1828
- Kuckes, A. See Calame, G., 0=19853
- Kuckes, A.F. Effect of collisions upon plasma ion oscillations, 4=16503
- Kuckes, A.F. Convective plasma instability, 2=7600
- Kuckes, A.F., Motley, R.W., Hinnov, E. and Hirschberg, J.G. Recombination in a helium plasma, 1=11924
- Kuckes, A.F. and Wilson, R. Asymmetry in 143 MeV pn scattering, 1=3182
- Kuckes, A.F., Wilson, R. and Cooper, P.F.Jr. On the deuteron as a free nucleon target at 145 MeV, 1=13525
- Kuckes, A.F. See Motley, R.W., 3=4106
- Kuckuck, H. See Czulius, W., 2=16093
- Kuckuck, H. See Czulius, W., 4=3250
- Kucsman, M.E. See Sieglaff, C.L., 3=11192
- Kılıçık, M. An investigation on high frequency ion source efficiency, 2=15963
- Kucz, J.A. See Weller, P.F., 4=23345
- Kuczen, K.D. and Bump, T.R. Measurement of local heat transfer coefficients with sodium-potassium eutectic in turbulent flow, 0=12409
- Kuczkowski, R.L. Sulfur monofluoride: the microwave spectrum of a second isomer, 4=6604
- Kuczkowski, R.L. and Wilson, E.B., Jr. Microwave spectrum, structure, and dipole moment of "cis" -N₂F₂, 3=25111
- Kuczkowski, R.L. and Wilson, E.B., Jr. Microwave and mass spectra of sulfur monofluoride, 4=3879
- Kuczynski, G.C. Anomalous thermionic emission from UC and (ZrC)_{0.8}(UC)_{0.2}, 0=17027
- Kuczynski, G.C., Matsumura, G. and Cullity, B.D. Segregation in homogeneous alloys during sintering, 0=18395
- Kuczynski, G.C. See Ichinose, H., 2=8872
- Kuczynski, G.C. See O'Brien, J.L., 0=16316
- Kuczynski, G.C. See Stablein, P.F., Jr., 4=7688
- Kudashev, E.F. See Cherdyntsev, V.V., 1=3304
- Kudashev, V.I. Determination of critical density of substances according to the data in a single phase region, 4=21365
- Kudashev, V.I. See Borisov, Yu. A., 4=2892
- Kudashev, V.I. See Kazachinskii, Ya. Z., 2=17508
- Kuddu, K.F. See Prokof'ev, A.M., 0=7102
- Kuder, M.L. Electronic scanning microscope for a spectrographic plate comparator, 2=5164
- Kuder, M.L. See Hammond III, H.K., 0=16858
- Kudielka, H. and Müller, H. Production of monochromatic X-radiation of desired frequency from the continuous spectrum, 1=3030
- Kudielka-Artner, E. and Argent, B.B. Magnetic and other properties of some binary palladium alloys, 3=1126
- Kudinov, B.S. See Melioranskii, A.S., 0=13149
- Kudinov, E.K. Investigation of the hole spectrum of Bi₂Te₃, 1=12442
- Kudinov, E.K. Energy spectrum of holes in Bi₂Te₃, 0=7936
- Kudinov, E.K. and Firsov, Yu. A. Inter-band optical transitions in low mobility semiconductors, 4=28396
- Kudinov, E.K. and Pavlov, S.T. One-particle excitations in a non-degenerate electron gas, 2=14420
- Kudinov, E.K. and Pavlov, S.T. One-particle excitations in a non-degenerate electron gas, 3=6502
- Kudinov, E.K. and Samoilovich, A.G. Energy spectrum of current carriers in ferro- and antiferromagnetics, 3=6605
- Kudinova, T.P. See Romanchuk, P.R., 0=18736
- Kudinskaya, L.V. See Gotlib, Yu. Ya., 3=10556
- Kudintseva, G.A., Polyakova, M.D., Samsonov, G.V. and Tsarev, B.M. Preparation and some properties of yttrium hexaboride, 0=1879
- Kudman, I. A nondestructive measurement of carrier concentration in heavily doped semiconducting materials and its application to thin surface layers, 3=17878
- Kudman, I. and Seidel, T. Absorption edge in degenerate p-type GaAs, 2=8528
- Kudman, I. and Steigmeier, E.F. Thermal conductivity and Seebeck coefficient of InP, 4=12662
- Kudman, I. and Vieland, L. Absorption edge in degenerate n-type gallium arsenide, 3=23070
- Kudman, I. See Steigmeier, E.F., 4=1414
- Kudman, I. See Vieland, L.J., 3=12942
- Kudo, K. Plane grating monochromators of Ebert, Pfund and Czerny-Turner types, 2=2885
- Kudo, K. Plane grating monochromator of Littrow type, 2=2886
- Kudo, H. See Johnson, W., 0=6714
- Kudo, S. See Murakami, K., 1=19312
- Kudo, S. See Murakami, K., 3=24826
- Kudo, S. See Murakami, K., 3=24827
- Kudo, S. See Wada, M., 3=12535
- Kudo, Y. See Honda, T., 3=17496
- Kudo, Y. See Honda, T., 4=19817
- Kudrin, L.P. The equation of state of partially ionized hydrogen, 1=18834
- Kudrin, L.P. On the width of spectral atoms line in plasma, 4=18860
- Kudrin, L.P. and Sholin, G.V. Concerning the asymmetry of spectral lines of hydrogen in a plasma, 3=12753
- Kudrin, L.P. and Sholin, G.V. The displacement of the spectral lines of He II in a dense plasma, 4=530

- Kudrin, L. P. and Sholin, G. V. The new methods of plasma diagnostics by the use of spectroscopic data, 4=27533
- Kudrin, L. P. and Tarasov, Yu. A. Energy-level shifts and the equation of state of a plasma, 3=14566
- Kudrin, L. P. See Bat, G. A., 0=7640
- Kudrin, V. D. See Kirgintsev, A. N., 3=25674
- Kudrin, V. D. See Kirgintsev, A. N., 3=25675
- Kudrina, K. N. See Kirgintsev, A. N., 3=25674
- Kudrina, K. N. See Kirgintsev, A. N., 3=25675
- Kudrjavtseva, N. M., See Derjaguin, B. V., 3=3415
- Kudryashov, E. I. See Yurova, L. N., 3=2271
- Kudryashov, O. I. See Ivanova, T. V., 1=15889
- Kudryashov, P. I. and Sveshnikov, B. Ya. The concentration depolarization of phosphorescence of organic phosphors, 0=16100
- Kudryashov, P. I. and Sveshnikov, B. Ya. The depolarization of the fluorescence of solutions by radiative and radiationless excitation-energy transfer, 1=9397
- Kudryashov, P. I., Sveshnikov, B. Ya. and Shirokov, V. I. Kinetics of concentration depolarization of luminescence and intermolecular transfer of excitation energy, 1=2761
- Kudryashov, P. I. See Ivanova, T. V., 1=12888
- Kudryashov, P. I. See Kiyanskaya, L. A., 2=16866
- Kudryashov, P. I. See Kiyanskaya, L. A., 2=19567
- Kudryashov, P. I. See Sveshnikov, B. Ya., 1=2763
- Kudryavtsev, E. M., Gippius, E. F., Derbeneva, S. S., Pechenov, A. N. and Sobolev, N. N. Determination of the matrix element of the dipole moment of the electronic transition of the violet band system of cyanogen. III, 4=30429
- Kudryavtsev, E. M., Gippius, E. F., Pechenov, A. N. and Sobolev, N. N. Determination of the matrix element of the dipole moment for the electronic transition of the violet band system of cyanogen. I, 4=15330
- Kudryavtsev, E. M., Gippius, E. F., Pechenov, A. N. and Sobolev, N. N. Determination of the matrix element of the dipole moment for the electronic transition of the violet band system of cyanogen. II, 4=22349
- Kudryavtsev, E. M. See Faizullof, F. S., 0=102
- Kudryavtsev, E. M. See Faizullof, F. S., 0=19212
- Kudryavtsev, E. M. See Faizullof, F. S., 0=19213
- Kudryavtsev, E. V. and Shumakov, N. V. The effect of dimensions and material of a solid body are the process of non-stationary heat transfer, 2=2908
- Kudryavtsev, I. P. Textures in hot-rolled 50:50 Ni:Fe alloy, 4=13434
- Kudryavtsev, I. P. See Adamesku, R. A., 4=13536
- Kudryavtsev, I. P. See Finkel'shtein, S. D., 4=20785
- Kudryavtsev, N. T. and Golovchanskaya, R. G. On the mechanism of electrodeposition of titanium from aqueous solutions, 3=16176
- Kudryavtsev, R. M. See Krindach, N. I., 3=19987
- Kudryavtsev, V. D. See Fabrikov, V. A., 3=6738
- Kudryavtsev, V. I. See Keimakh, R. Y., 0=19457
- Kudryavtsev, V. S. The electron distribution function in a plasma in a magnetic field, 1=7055
- Kudryavtsev, V. S. On the theory of the motion of charged particles in a strong magnetic field in the presence of a strong transverse electric field, 4=3107
- Kudryavtsev, V. D. See Fabrikov, V. A., 3=8687
- Kudryavtsev, Yu. P. See Myl'nikov, V. S., 2=23371
- Kudryavtseva, A. See Abdumalikov, A., 3=22345
- Kudryavtseva, A. See Dzhelepov, B. S., 2=5865
- Kudryavtseva, A. See Van Fu-tszun', 3=8045
- Kudryavtseva, A. V. See Dzhelepov, B. S., 2=5867
- Kudryavtseva, A. V. See Gromov, K. Ya., 3=10304
- Kudryavtseva, L. A., Panova, L. M., Popov, L. Ye. and Sukhovarov, V. F. Influence of different kinds of atomic defect on the kinetics of the K-state formation in a nickel-molybdenum alloy, 4=23283
- Kudryavtseva, L. A. See Sukhovarov, V. F., 3=20722
- Kudryavtseva, L. A. See Vasil'ev, L. I., 0=13547
- Kudryavtseva, L. A. See Yakovleva, A. V., 3=23581
- Kudryavtseva, N. M. and Deryagin, B. V. A study of slow hydrosol coagulation using the continuous flow ultra-microscope, 4=10661
- Kudryavtseva, N. V. See Karavaev, G. F., 3=22678
- Kudzin, A. Yu. Influence of additions of nickel on the properties of barium titanate single crystals, 2=18774
- Kudzin, A. Yu. Influence of additions of nickel on the properties of barium titanate single crystals, 2=23504
- Kudzin, A. Yu., Guskina, L. G. and Petrushkevich, I. S. Stabilization of domain structure in barium titanate single crystals, 4=30651
- Kudzin, A. Yu. and Shapovalov, V. Effect of heating on the polarization of barium titanate monocrystals, 2=16788
- Kudzin, A. Yu. and Shapovalov, V. Effect of heating on the polarization barium titanate monocrystals, 2=18773
- Kuebler, J. K. See Wiseman, G. G., 3=25403
- Kuebler, N. A. and Nelson, L. S. Radiant energies and irradiances of capacitor discharge lamps, 2=108
- Kuebler, N. A. See Bass, A. M., 4=22359
- Kuebler, N. A. See Kay, J. G., 2=15652
- Kuebler, N. A. See Nelson, L. S., 0=17759
- Kuebler, N. A. See Nelson, L. S., 2=17088
- Kuebler, N. A. See Nelson, L. S., 3=18982
- Kuebler, N. A. See Nelson, L. S., 3=18997
- Kuebler, N. A. See Nelson, L. S., 3=21628
- Kuebler, N. A. See Nelson, L. S., 3=24117
- Kuehl, H. H. Electromagnetic radiation from an electric dipole in a cold anisotropic plasma, 2=22326
- Kuehl, H. H. Excitation of waves in a warm plasma by a current source, 4=511
- Kuehler, J. D. A new electron mirror design, 0=10964
- Kuehlthau, J. L. See Sealey, W. C., 3=12189
- Kuehne, B. M. See Barker, W. A., 4=27945
- Kuehner, J. A. Spin and parity assignments to the 5.63 MeV and 5.80 MeV levels of Ne^{20} , 2=1807
- Kuehner, J. A. Spin and parity assignments to the 5.63 MeV and 5.80 MeV levels of Ne^{20} , 2=7932
- Kuehner, J. A. and Almqvist, E. De-excitation branching and radiative widths of 5.63 and 5.80 MeV levels of Ne^{20} , 2=1813
- Kuehner, J. A. and Almqvist, E. Optical model description of low energy collisions between heavy ions, 4=22201
- Kuehner, J. A. and Almqvist, E. Optical-model description of low-energy collisions between heavy ions, 4=22202
- Kuehner, J. A., Almqvist, E. and Bromley, D. A. Distorted wave effects in stripping, 0=5753
- Kuehner, J. A., Almqvist, E. and Bromley, D. A. Reaction mechanism studies on $\text{Si}^{28}(\text{d}, \text{p})\text{Si}^{29}$. I. Distorted wave effects, 1=2235
- Kuehner, J. A., Almqvist, E. and Bromley, D. A. Reaction mechanism studies on $\text{Si}^{28}(\text{d}, \text{p})\text{Si}^{29}$. II. Interference effects, 1=4875
- Kuehner, J. A., Almqvist, E. and Bromley, D. A. Gamma-ray de-excitation of the low levels of F^{18} , 1=7323
- Kuehner, J. A., Almqvist, E. A. and Bromley, D. A. Reduced width extraction from stripping data, 1=8758
- Kuehner, J. A., Almqvist, E. and Bromley, D. A. Interference effects in stripping, 1=8759
- Kuehner, J. A., Almqvist, E. and Bromley, D. A. Elastic scattering of oxygen ions by carbon, magnesium, and aluminum, 3=19891
- Kuehner, J. A. and Pearson, J. D. New 5- and 6+ states in Ne^{20} , 4=15148
- Kuehner, J. A., Prentice, J. D. and Almqvist, E. High-spin resonances in $\text{C}^{12}(\text{C}^{12}, \alpha)\text{Ne}^{20}$, 3=19889
- Kuehner, J. A., Whalen, B., Almqvist, E. and Bromley, D. A. Quasi-molecular resonances in $\text{C}^{12} + \text{C}^{12}$, 1=8784
- Kuehner, J. A. See Almqvist, A., 0=13251
- Kuehner, J. A. See Almqvist, E., 1=8783
- Kuehner, J. A. See Almqvist, E., 1=16691
- Kuehner, J. A. See Almqvist, E. A., 1=8720
- Kuehner, J. A. See Almqvist, E., 2=1809
- Kuehner, J. A. See Almqvist, E., 2=17906
- Kuehner, J. A. See Almqvist, E., 3=12704
- Kuehner, J. A. See Almqvist, E., 4=22224
- Kuehner, J. A. See Almqvist, E., 4=25298
- Kuehner, J. A. See Bromley, D. A., 0=1398
- Kuehner, J. A. See Bromley, D. A., 0=5756
- Kuehner, J. A. See Bromley, D. A., 0=9648
- Kuehner, J. A. See Bromley, D. A., 1=8754
- Kuehner, J. A. See Bromley, D. A., 1=8755
- Kuehner, J. A. See Bromley, D. A., 1=8782
- Kuehner, J. A. See Bromley, D. A., 1=11039
- Kuehner, J. A. See Evans, J. E., 3=19771
- Kuehner, J. A. See Evans, J. E., 3=22422
- Kuehner, J. A. See Hird, B., 4=9396
- Kuehner, J. A. See Litherland, A. E., 1=13660
- Kuehner, J. A. See Litherland, A. E., 2=1812
- Kuehner, J. A. See McCallum, G. J., 1=2187
- Kuehner, J. A. See Pearson, J. D., 4=15149
- Klemmel, F. Thermodynamic phase changes in an isothermal argon plasma, 2=11637
- Kuenz, C. See Raw, C. J. G., 2=1980

- Kueth, A. M., Ishii, T. and Amick, J. L. Boundary-layer transition on a cooled rough sphere in hypersonic flow, 4=29658
- Kueth, A. M., Willmarth, W. W. and Crocker, G. H. Stagnation point fluctuations on a body of revolution, 0=16728
- Kuether, F. W. and Lachman, J. C. How reliable are the two new high-temperature thermocouples in vacuum? 0=19516
- Kuether, F. W. See Lachman, J. C., 0=14955
- Kuffel, E. Electron attachment coefficients in oxygen, dry air, humid air and water vapour, 0=5277
- Kuffel, E. The basic aspects of dielectric materials, 4=12952
- Kuffel, E., Mulcahy, M. J. and Guelke, C. B. The breakdown voltage between spheres in sulphur hexafluoride and in mixtures of air and sulphur hexafluoride, 3=4095
- Kuffel, E. and Singh, N. The breakdown of thin wire-plane gaps and point-plane gaps in electron attaching gases and non-attaching gases, 4=18748
- Kuffel, E. See Mulcahy, M. J., 3=1870
- Kuffner, R. J. The measurement of dynamic surface tensions of solutions of slowly diffusing molecules by the maximum bubble pressure method, 2=1123
- Kuflewicz, A. and Rytel, M. Force constants of type H_2X hydrogen compounds of oxygen, sulphur and selenium, 3=8277
- Kufner, M. Materials for photoelastic models of joined structures, 3=5396
- Kufner, M. Edge effect in plane photoelastic models made of epoxyresins, 4=8126
- Kugaevskii, A. F. Measuring the complex permittivity and permeability of materials with a Q-meter, 3=14471
- Kugayenko, O. N., Rozenberg, V. M. and Shalimova, A. V. Initial substructure and its influence on, and variation during, creep, 4=23170
- Kugler, E. See Hanle, W., 4=25491
- Kugler, K. See Nikuradse, A., 0=10369
- Kugler, M. Nuclear vibrations, rotations and the shell model. II, 3=4554
- Kugler, M. See Dar, A., 4=15057
- Kugler, M. See Dar, A., 4=27811
- Kugler, P. See Blichert-Toft, P. H., 4=9423
- Kuglin, C. D., Ellett, M. R. and Cuff, K. F. Oscillatory magnetoresistance in n-type PbTe, 1=6162
- Kuglin, C. D. See Cuff, K. F., 1=17748
- Kuglin, C. D. See Cuff, K. F., 3=10830
- Kuglin, C. D. See Herman, F., 4=9899
- Kuhi, L. V. Spectral classification of the late component of stars with composite spectra, 4=23858
- Kuhk, E. See Thiessen, P. A., 2=5292
- Kuhl, W. Effect of edges on the sound absorption of porous materials, 1=8210
- Kuhl, W. and Fischer, H. Vertical, horizontal and inverted microscope in conjunction with a film camera, with a rapid change of function and small weight, 0=1031
- Kuhl, W. and Kath, U. Remarks on the measurement of sound absorption in auditoria having complete diffusivity, 1=9459
- Kuhl, W. and Schröder, F. K. Damping of elastically mounted beams, 0=16755
- Kuhl, W. and Schröder, F. K. Investigations of the damping of structure-borne sound in elastically mounted building structures, 0=19336
- Kuhl, W. and Westphal, W. Difference of loudness in plane-wave and diffuse sound field, 1=12940
- Kuhl, W. and Zosel, J. M. Investigations into pseudostereophony and stereophony with a sphere-loudspeaker and "room-presence" equipment, 0=19320
- Kuhl, W. See Kath, U., 2=82
- Kuhl, W. See Kath, U., 4=11314
- Kuhl, W. See Keibs, L., 1=223
- Kuhlman, C. W. and Weissman, S. I. Nonexponential decay of luminescence of rare-earth chelates, 4=20500
- Kuhlmann, H. H. and Schultz, H. Technique of the quenching of metals in helium II, 4=23997
- Kuhlmann-Wilsdorf, D. Frictional stress acting on a moving dislocation in an otherwise perfect crystal, 0=17945
- Kuhlmann-Wilsdorf, D. Some theoretical considerations on the geometry of low-angle dislocation boundaries, 2=6355
- Kuhlmann-Wilsdorf, D. A new theory of work-hardening in crystals, 3=23342
- Kuhlmann-Wilsdorf, D. and Sezaki, K. Improved method for the experimental determination of smallest density changes, 3=9400
- Kuhlmann-Wilsdorf, D. and Raghavan, K. S. New tensile testing machine for thin specimens, 2=19509
- Kuhlmann-Wilsdorf, D. and Sezaki, K. Precision density measurements as a tool for the investigation of point defects, 3=22722
- Kuhlmann-Wilsdorf, D. and Wilsdorf, H. G. F. On the origin of tangled dislocations and narrow prismatic dislocation loops in deformed metals, 3=17743
- Kuhlmann-Wilsdorf, D. and Wilsdorf, H. G. F. Discussion to "Dislocations and fission damage in platinum foils" by Ruedl, Delavignette and Amelinckx, 3=25275
- Kuhlmann-Wilsdorf, D. and Wilsdorf, H. G. F. Dislocation movements in metals, 4=28917
- Kuhlmann-Wilsdorf, D. See Girifalco, L. A., 3=22741
- Kuhlmann-Wilsdorf, D. See Girifalco, L. A., 4=12728
- Kuhlmann-Wilsdorf, D. See Kimura, H., 3=20203
- Kuhlmann-Wilsdorf, D. See Koppenaal, T. J., 4=13398
- Kuhlmann-Wilsdorf, D. See MacCrone, R. K., 4=17715
- Kuhlmann-Wilsdorf, D. See de Meester, P., 3=1367
- Kuhlmann-Wilsdorf, D. See Wilsdorf, H. G. F., 2=12488
- Kuhlmei, H. See Bartels, H., 3=7557
- Kuhn, A. See Eckstein, J., 3=17704
- Kuhn, B. Oscillographic measurements on high current sparks, 0=249
- Kühn, B. and Schlenk, B. Angular distributions of the reaction $O^{18}(t, p)O^{18}$, 3=19887
- Kühn, B. and Schlenk, B. Angular distributions for the $He^3 + T$ reaction, 4=6148
- Kuhn, E. and Dresner, L. The effect of fluctuations in the reaction widths on resonance integrals, 0=7376
- Kühn, E. and Seeger, K. Mobility anisotropy of hot electrons in n-type germanium at 35 Gc/s, 3=17854
- Kuhn, G. Magnetic and thermal behaviour of the superconducting state of a niobium single crystal, 3=5589
- Kühn, G. J. Symmetry of energy-transfer ratios for elastic waves at a boundary between two media, 4=14248
- Kühn, G. J. and Lutsch, A. Elastic wave mode conversion at a solid-solid boundary with transverse slip, 1=10560
- Kühn, G. J. See du Plooy, N. F., 3=22251
- Kühn, G. J. See Lutsch, A., 4=14250
- Kuhn, H., Huber, W., Handschig, G., Martin, H., Schäfer, F. and Bär, F. Nature of the free electron model. The simple case of the symmetric polymethines, 0=4234
- Kuhn, H. See Bär, F., 0=4235
- Kuhn, H. See Drexhage, K. H., 3=13195
- Kuhn, H. See Huber, W., 2=18441
- Kuhn, H. See Seelig, F. F., 2=18442
- Kuhn, H. See Seelig, F. F., 4=9757
- Kuhn, H. See Zwick, M. M., 2=18872
- Kuhn, H. A., Hughes, W. F. and Gaylord, E. W. Measurements of the viscosity of liquid Wood's metal, 2=21889
- Kuhn, H. G. and Lucas-Tooth, H. J. A modification to the method of recording interference fringes, 0=16878
- Kuhn, H. G. and Ramsden, S. A. Channelled spectra in the double etalon technique, 0=16845
- Kuhn, H. G. and Turner, R. Isotope shift and hyperfine structure in the spectrum of tellurium, 1=19594
- Kuhn, H. G. and Vaughan, J. M. Radiation width and resonance broadening in helium, 4=9634
- Kuhn, P. See Kerler, W., 3=12894
- Kuhn, P. M. Soundings of observed and computed infrared flux, 3=13678
- Kuhn, P. M. See Suomi, V. E., 0=10799
- Kuhn, P. M. See Tanner, C. B., 1=15221
- Kuhn, S. J. See Cook, D., 1=2325
- Kuhn, U. Field strength increases and thunderstorms over decimetre distances without an optical path, 2=17969
- Kuhn, V. V. Side waves, diffracted and refracted at a vertical contact (from modeling data), 3=18477
- Kühn, W. On X-ray fluorescent spectroscopy with radio active isotopes, 2=11002
- Kuhn, W. The optical system of the 200/3000/4000 coronagraph, 3=11490
- Kuhn, W., Block, R. and Moser, P. Ice crystals grown in the freezing of gels, 2=10790
- Kuhn, W., Buchner, P. and Lauger, P. Orientation and elastic deformation, cohesive and geometrically anisotropic particles in linear stream flow, 4=29235
- Kuhn, W. and Toth, I. Reaction and reaction equilibrium of polyvinyl alcohol-Cu⁺⁺ complex, 3=16163
- Kuhn, W. and Thürk, M. The bending of elastic rods through thermal agitation. (The statistical shape of straight fibres, bent by external forces), 2=2663

- Kuhn, W. See Thürkauf, M., 3=23529
 Kühne, C. New method of testing dividing circles, 0=14573
 Kuhne, K. Interferometric testing of the planeness of long beds, 1=4296
 Kühne, K. A review of the importance of different methods of testing objectives in industry, 1=4444
 Kühne, K. Quantitative measurements of Schlieren in glasses, 1=4447
 Kühne, K. See Görlich, P., 0=11759
 Kühne, K. See Görlich, P., 2=2264
 Kühnel, A. A difference between the two approximation methods in general relativity, 4=18047
 Kühnel, A. Equations of motion in the theory of gravitational perturbations, 4=24038
 Kühnert, H. See Gebhardt, W., 4=25970
 Kuhnies, R. and Schaaffs, W. Dependence of the acoustic characteristics of aqueous solutions on the temperature in the region of intersection, 2=19559
 Kuhnies, R. and Schaaffs, W. Study of adiabatically and isothermally measured characteristic lines of sound of binary mixtures and solutions, 4=5177
 Kuhnies, R. See Gobrecht, H., 0=2901
 Kuhnies, R. See Schaaffs, W., 2=19648
 Kuhns, P. W. Microwave measurements of steady-state and decaying plasmas, 2=22229
 Kuhrt, F. See Braunersreuther, E., 1=1077
 Kuik-Van Meerten, E. Van. See Van Kuik-Van Meerten E.
 Kuiper, B. See Giesch, M., 3=17243
 Kuiper, G. P. The Moon, 0=10488
 Kuiper, G. P. Photometry of the infrared spectrum of Venus, 1-2-5 microns, 3=16353
 Kuiper, G. P. Infrared spectra of planets and cool stars; introductory report, 4=29426
 Kuiper, H. Measurement of the hyperfine structure splitting of the metastable 3P_2 state of Kr^{83} by the atomic beam [magnetic] resonance method, 2=1957
 Kuiper, H. and Friedburg, H. Hyperfine structure of the metastable 3P_2 -state of Kr^{83} by the atomic beam resonance method, 1=13927
 Kuiper, H. See Schafer, E. U., 4=1872
 Kuiper, J. W. See Kundu, M. R., 1=2657
 Kuipers, M. On two-dimensional surface waves on a time dependent boundary, 4=18162
 Kujanová - Zentková, A. Correction for energy of large nuclei in Brueckner's theory, 3=10201
 Kujawa, R. v. See v. Kujawa, R.
 Kujawski, A. Reciprocity theorems and Babinet's principle in Kirchhoff's theory of the diffraction of electromagnetic waves, 2=20150
 Kujawski, A. On the Kirchhoff-Young diffraction theory of electromagnetic waves, 3=19445
 Kujawski, A. Boundary diffraction wave for the mutual coherence function, 4=29768
 Kujawski, A. On Kirchhoff's solutions of the electromagnetic diffraction problem, 4=24835
 Kulakov, B. A. See Belyakov, A. N., 1=10815
 Kulakov, B. A. See Viryasov, N. M., 0=9364
 Kulakov, B. A. See Vovenko, A. S., 2=13855
 Kulakov, B. A. See Vovenko, A. S., 3=6042
 Kulakov, B. A. See Vovenko, A. S., 3=14826
 Kulakov, B. A. See Vovenko, A. S., 4=27716
 Kulakov, F. M., Kardash, A. A., Bobovikov, R. S., Spevakova, F. M., Gol'din, L. L., Kleopov, I. F., Koshkarev, D. G., Radkevich, I. A., Sokolovskii, V. V. and Sharnov, B. I. Systems for compensating the magnetic field in proton synchrotrons, 4=14823
 Kulakov, F. M. See Monoszon, N. A., 4=14798
 Kulakov, F. M. See Sokolovskii, V. V., 4=14838
 Kulakov, V. M. See Baranov, S. A., 2=3500
 Kulakov, V. M. See Baranov, S. A., 2=3501
 Kulakov, V. M. See Baranov, S. A., 2=14018
 Kulakov, V. M. See Baranov, S. A., 3=2420
 Kulakov, V. M. See Baranov, S. A., 3=2421
 Kulakov, V. M. See Baranov, S. A., 3=4605
 Kulakov, V. M. See Baranov, S. A., 3=10319
 Kulakov, V. M. See Baranov, S. A., 3=15160
 Kulakov, V. M. See Baranov, S. A., 3=15162
 Kulakov, V. M. See Baranov, S. A., 4=9461
 Kulakov, V. M. See Baranov, S. A., 4=28004
 Kukaarenko, Yu. A. See Aleksandrov, I. B., 3=21263
 Kukabadze, G. M. See Gorshkov, V. K., 0=7648
 Kukanov, A. B. On the quantum theory of the Vavilov-Cherenkov radiation emitted by a particle with a magnetic moment, 1=19170
 Kukanov, A. B. Simple method of calculating Cherenkov losses in a transparent uniaxial crystal, 3=17241
 Kukanov, A. B. On the Cherenkov absorption of electro-magnetic radiation, 4=6015
 Kukanov, A. B. and Tkhai Kuan. The Cherenkov radiation produced by magnetic and electric moments in a transparent uniaxial crystal, 4=10160
 Kukavadze, G. M., Ivanov, R. N. and Zhuraleva, V. G. Production of layers on high melting point materials in vacuum, 2=8885
 Kukavadze, G. M. See Anikina, M. P., 0=11363
 Kukavadze, G. M. See Ivanov, R. N., 0=11455
 Kukavadze, G. M. See Talyzin, A. N., 4=14827
 Kukharchik, M. V. See Semenov, E. I., 3=18325
 Kukhareva, R. P. See Baladin, M. P., 3=17126
 Kukharskii, A. A. See Subashiev, V. K., 1=3687
 Kukhtevich, V. I., Kazanskii, Yu. A., Nikolaishvili, Sh. S. and Tsypin, S. G. The passage of gamma-rays through water, 0=9327
 Kukhtevich, V. I., Matusevich, E. S. and Trýkov, L. A. Spatial distribution of the dose of scattered radiation from a unidirectional source of γ -quanta in an infinite medium near the source, 4=25056
 Kukheevich, V. I. and Shemetenko, B. P. The spatial distribution for the multiple scattering of γ -rays in water from collimated Au^{198} , Co^{60} and Na^{24} sources, 2=11919
 Kukhtevich, V. I., Sinitsyn, B. I. and Degtyarev, S. F. Removal cross-section for fast neutrons of 3 and 15 MeV, 4=12240
 Kukhtevich, V. I., Sinitsyn, B. I. and Tsypin, S. G. Removal cross-sections for 2.9 MeV neutrons, 1=7385
 Kukhtevich, V. I., Tsypin, S. G. and Shemetenko, B. P. The angular distribution of the scattered gamma radiation from a Co^{60} source in water, 2=1674
 Kukhtevich, V. I. See Belov, S. P., 2=1692
 Kukhto, O. L. See Ozerov, R. P., 3=18306
 Kukhvidin, A. Ya. See Tal'roze, V. L., 4=16563
 Kukimoto, H. See Hioko, R., 3=23016
 Kukimoto, H. See Kamiyama, M., 3=2973
 Kukin, V. D. and Frenkin, A. R. "Illusory" states and the condition for crossing symmetry, 0=15277
 Kukin, V. D. and Frenkin, A. R. "Illusory" states and the condition for crossing symmetry, 1=5654
 Kukin, V. D. and Frenkin, A. R. The construction of the scattering matrix in nonlocal theory, 1=19130
 Kukin, V. D. and Frenkin, A. R. The construction of the scattering matrix in nonlocal theory, 2=3275
 Kukin, V. D. and Frenkin, A. R. A model of quantum field theory, 3=4309
 Kukuk, M. See Sundheim, B. R., 2=15594
 Kukuk, M. See Yarmus, L., 4=11215
 Kukoč, A. H. See Koički, S. D., 0=20409
 Kukoč, A. H. See Koički, S. D., 3=6179
 Kukol', V. V. The unsoundness of the method and the results obtained in investigating the substructure of crystals by the Fourier analysis of one diffraction line, 2=19072
 Kukol', V. V. Refinement of some of the formulas and presentations of the theory which lies at the basis of the analysis of Fourier profiles of X-ray interferences, 4=26632
 Kukol', V. V. A simplified method for determining the position of the maximum of the real profile of a broadened X-ray diffraction line from a crystal, 4=29077
 Kukulich, S. G. Ammonia maser with separated oscillating fields, 4=16679
 Kukuda, N., Wada, Y. and Otake, S. Gauge invariance and the Meissner effect, 0=14926
 Kukudzhinov, S. N. See Darevskii, V. M., 0=700
 Kuks, I. M. See Zhdanov, A. P., 1=3260
 Kuks, I. M. See Zhdanov, A. P., 1=13263
 Kuks, I. M. See Zhdanov, A. P., 1=19186
 Kuks, I. M. See Zhdanov, A. P., 3=19729
 Kuksa, L. V. See Gur'yev, A. V., 3=8764
 Kuksenko, B. V. Method for calculating motion of a charged gas, 4=2720
 Kukshas, B., Ilgunas, V. and Barshauskas, K. Influence of magnetic field on the propagation of surface waves in liquids, 4=3119
 Kukurezyanu, I. See Agyrbichanu, I., 2=14220
 Kukurezyanu, I. See Agarbichanu, I., 3=15287
 Kukurs, O. and Gofman, B. Floating device for the exact determination of tensile strength of spun glass, 2=19498
 Kukush, D. See Valotiv, R. A., 2=17951

- Kulakov, Yu.I. Magnetic field at the surface of a cylindrical conductor of elliptical cross-section, 4=3087
- Kulakova, A.F. and Rozman, I.M. Temperature quenching in certain organic scintillators, 0=10077
- Kulakovskii, E.K. See Anton'eva, N.M., 0=7530
- Kulander, J.L. and Emmanuel, C.B. Ionization of Fe XIV by electron impact, 4=8621
- Kulbeda, V.E. The temperature dependence of the Overhauser effect in dilute manganese solutions in low magnetic fields, 4=11219
- Kul'chitskii, L.A. and Presperin, V. Fast photoneutrons from Be^9 , C^{12} and Al^{27} , 0=7598
- Kul'chitskii, L.A. and Presperin, V. Fast photoneutrons from some elements, 1=19437
- Kulchitskii, L.A. and Volkov, Yu.M. Photodisintegration of Li^7 , 3=24921
- Kul'chitskii, L.A. See Bazhanov, E.B., 1=4856
- Kulchitsky, L.A. See Chizkov, V.P., 2=16389
- Kul'chitskii, L.A. See Denisov, V.P., 4=22112
- Kul'chitskii, L.A. See Holkov, Yu.M., 3=6225
- Kul'chitskii, L.A. See Presperin, V., 2=422
- Kul'chitskii, L.A. See Presperin, V., 2=22792
- Kul'chitskii, L.A. See Volkov, Yu.M., 2=7967
- Kul'chitskii, V.A. See Voloshin, V.A., 4=10233
- Kul'chitskii, V.O. See Voloshin, V.A., 4=17612
- Kulcke, W., Harris, T.J., Kosanke, K. and Max, E. A fast digital-indexed light deflector, 4=16228
- Kulda, J. Magnetic field of a conductor embedded in an iron frame, 3=7674
- Kulda, J. Conformal mapping of rotational magnetic fields, 4=21634
- Kulenkampff, H. A simple derivation for the prematurity (Voreilung) of the intensity maximum of X-ray bremsstrahlung, 0=5536
- Kulenkampff, H. and Röss, D. Improved measurement of the X-ray bremsstrahlung spectra from thin anti-cathodes at 34 keV, 1=9745
- Kulenkampff, H., Scheer, M. and Zeitler, E. Generalization of Sommerfeld's theory of continuous X-radiation (Bremsstrahlung), 0=3949
- Kulenkampff, H. and Zinn, W. Polarisation of the X-ray bremsstrahlung from thin anticathodes at 35 and 45 keV, 1=9746
- Kulenkampff, H. See Felbinger, K., 2=3309
- Kuleshov, G.D. See Pavlovskii, A.I., 4=630
- Kuleshov, I.M. See Troitskii, O.A., 4=28989
- Kuleshov, I.M. See Troitskii, O.A., 4=23229
- Kuleshov, V.F. and Rukhadze, A.A. On the theory of the interaction between a beam of charged particles and a non-uniform plasma. I. Potential oscillations, 4=19010
- Kuleshova, K.F. The fine structure of the spot-formation zones, 2=24112
- Kuleshova, L.V. See Al'tshuler, L.V., 0=20730
- Kuleshova, L.V. See Al'tshuler, V.L., 3=18179
- Kulevskii, L.A. See Konyukhov, V.K., 3=19488
- Kulevskii, L.A. See Konyukhov, V.K., 4=5879
- Kulevskii, L.A. See Konyukhov, V.K., 4=16707
- Kul'gavchik, D.S. See Grinkevich, A.Z., 4=28329
- Kul'gavchuk, V.M. and Protopopov, N.A. Powerful current-pulse generator, 4=14558
- Kul'gavchuk, V.M. See Protopopov, N.A., 2=5205
- Kul'gavchuk, V.M. See Protopopov, N.A., 2=9457
- Kul'gavchuk, V.M. See Protopopov, N.A., 2=9458
- Kulgawczuk, D.S. See Bara, J., 3=575
- Kulgawczuk, D.S. See Dézsi, I., 4=15402
- Kulgawczuk, D.S. See Hryniewicz, A.Z., 4=22465
- Kulgein, N.G. Nonequilibrium flow over a reactive surface, 3=21423
- Kulhanek, J. On the Hamiltonian formalism in space-time, 0=14488
- Kulhánek, J. On the theory of De Broglie waves in space-time, 4=14024
- Kuliasko, F. and Mertens, R. On the diffraction of light by standing supersonic waves: Oblique incidence of the light, 1=16109
- Kuliev, A.A. The diffusion of certain impurities in Bi_2Se_3 and ZnSb , 0=6056
- Kuliev, A.A. See Ibragimov, N.I., 2=18611
- Kuliev, A.A. See Ibragimov, N.I., 3=17791
- Kuliev, A.A. See Ibragimov, N.I., 3=25345
- Kuliev, A.A. See Movlanov, Sh., 2=18610
- Kuliev, A.A. See Shakhtakhtinskii, M.G., 0=19201
- Kuliev, A.A. See Shakhtakhtinskii, M.K., 3=24116
- Kuliev, A.A. See Shilkin, A.I., 2=21484
- Kuliev, A.A. See Tagirov, V.I., 2=2356
- Kuliev, A.A. See Tagirov, V.I., 2=6770
- Kuliev, A.A. See Tagirov, V.I., 2=12460
- Kuliev, A.A. See Tagirov, V.I., 2=14465
- Kulik, B.A. See Bogoroditskii, N.P., 1=14537
- Kulik, I.O. The momentum distribution function of a Fermi-particle gas in the high-density limit, 1=18306
- Kulik, I.O. Some features of collective energy losses in an anisotropic plasma, 2=9608
- Kulik, I.O. The momentum distribution function of a Fermi-particle gas in the high-density limit, 3=3766
- Kulik, I.O. Some features of collective energy losses. In an anisotropic plasma, 3=5684
- Kulik, I.O. Heat anomaly of superconductors, 3=14445
- Kulik, I.O. Momentum distribution of electrons and phonons in normal metal, 4=12675
- Kulik, I.O. Dispersion of sound in metals in a magnetic field, 4=25844
- Kulik, I.O. and Gogadze, G.A. Quantum oscillations of the tunnel contact current of two metals in a magnetic field, 3=22908
- Kulik, I.O. and Zil'berman, G.E. Controlled crystallization of melts containing impurities. I, 0=13955
- Kulik, I.O. and Zil'berman, G.E. Controlled crystallization of melts containing impurities. II, 1=14995
- Kulik, I.O. See Belozorov, D.P., 2=3911
- Kulik, I.O. See Geguzin, Ya.E., 1=9158
- Kulik, I.O. See Gogadze, G.A., 4=16517
- Kulik, I.O. See Zil'berman, G.E., 0=17179
- Kulik, I.O. See Zil'berman, G.R., 1=7547
- Kulik, F.P., Panevin, I.G. and Khyesuyuk, V.I. Theoretical calculation of the viscosity, thermal conductivity, and Prandtl number for argon in the presence of ionization, 4=18241
- Kulik, S.I. See Vovk, V.N., 3=25849
- Kulikov, A.V., Chizhov, V.P. and Yavor, I.P. A method of investigating complex nuclear reactions, 1=13240
- Kulikov, A.V. and Volkov, Yu.M. Stabilization of the amplification coefficient of a scintillation counter, 3=3983
- Kulikov, A.V. See Bazhanov, E.B., 4=22109
- Kulikov, A.V. See Chizhov, V.P., 2=16389
- Kulikov, A.V. See Denisov, V.P., 4=22112
- Kulikov, A.V. See Komar, A.P., 3=15178
- Kulikov, A.V. See Volkov, Yu.M., 2=7968
- Kulikov, A.V. See Volkov, Yu.M., 3=6224
- Kulikov, G.B. See Vernov, S.N., 0=15478
- Kulikov, G.S. See Boltaks, B.I., 0=11699
- Kulikov, G.S. See Boltaks, B.I., 1=3756
- Kulikov, G.U. See Vernov, S.N., 1=3288
- Kulikov, G.V., Nesterova, N.M., Nikolsky, S.I., Solovieva, V.I., Khristiansen, G.B. and Chudakov, A.E. Spectrum of extensive air showers in a number of particles at 200 and 3860 meters above sea level, 1=3283
- Kulikov, G.V. See Dmitriev, V.A., 0=9467
- Kulikov, G.V. See Dmitriev, V.A., 0=1270
- Kulikov, G.V. See Khristiansen, G.B., 3=4513
- Kulikov, G.V. See Vernov, S.N., 0=9466
- Kulikov, G.V. See Vernov, S.N., 0=9473
- Kulikov, G.V. See Vernov, S.N., 0=20263
- Kulikov, G.V. See Vernov, S.N., 1=3280
- Kulikov, G.V. See Vernov, S.N., 1=3287
- Kulikov, G.V. See Vernov, S.N., 2=20462
- Kulikov, G.V. See Vernov, S.N., 3=19719
- Kulikov, K.M. See Buryak, E.V., 3=17852
- Kulikov, O.F. and Shoshin, P.B. An experimental investigation of the size of an electron bunch during a special mode of operation of a synchrotron, 2=17916
- Kulikov, O.F. and Shoshin, P.B. An experimental investigation of the size of an electron bunch during a special mode of operation of a synchrotron, 3=5797
- Kulikov, O.F. See Ershov, A.G., 1=5517
- Kulikov, O.F. See Korolev, F.A., 0=11142
- Kulikov, O.F. See Korolev, F.A., 1=7112
- Kulikov, O.F. See Korolev, F.A., 2=212
- Kulikov, O.F. See Korolev, F.A., 3=4193
- Kulikov, O.F. See Korolyov, F.A., 3=14954
- Kulikov, S.A. See Gromova, I.I., 0=3623
- Kulikova, N.M. See Sobolev, N.N., 0=8854
- Kulikovskii, A.G. The structure of shock waves in magnetohydrodynamics with an arbitrary dissipation law, 3=17041
- Kulikovskii, A.G. and Lyubimov, G.A. Magnetohydrodynamic shock waves which ionize a gas, 0=1197
- Kulikovskii, A.G. and Lyubimov, G.A. The simplest problems involving shock waves which ionize gases in an electromagnetic field, 0=3842

- Kukushkin, L.S. Temperature dependence of optical and nonradiative transitions in semiconductors, 3=23032
- Kukushkin, L.S. Theory of optical transitions in local centres, 4=1710
- Kukushkin, L.S. The theory of radiationless transitions in doped molecular crystals, 4=12686
- Kukushkin, L.S. and Nagornaya, L.L. Some concentration effects in plastic scintillators, 2=6638
- Kulagin, S.G. and Kovbasyuk, L.D. Diurnal free nutation from observations made at the Gorky Latitude Station, 4=29248
- Kulikovskii, A.G. and Lyubimov, G.A. On the paper of V.A. Belokon'. "The permanent structure of shock waves with Joule dissipation", 1=361
- Kulikovskii, A.G. and Lyubimov, G.A. On gas-ionizing magnetohydrodynamic shock waves, 1=5570
- Kulikovskii, A.G. and Lyubimov, G.A. On the structure of an inclined magnetohydrodynamic shock wave, 2=16003
- Kulikovskii, A.G. and Lyubimov, G.A. The structure of a magnetohydrodynamic shock wave in a gas with an anisotropic conductivity, 4=11293
- Kulikovskii, A.G. The structure of shock waves, 4=11292
- Kulikovskii, A.G. See Iordanskii, S.V., 4=8770
- Kulikovskii, A.G. See Iordanskii, S.V., 4=21533
- Kulikovskii, A.G. See Iordanskii, S.V., 4=16504
- Kulikovskii, J. Magnetocrystalline anisotropy and magnetic orientation in ferrites of spinel structure containing small quantities of cobalt, 4=10287
- Kulikovskii, J. Some properties of Mn and Ni ferrites with the excess of FeO_3 and small additions of Co^{2+} ions, 4=1843
- Kulikowski, J. See Bragiński, A., 4=13206
- Kulikowski, J. See Bragiński, A., 4=17635
- Kulin, S.A. See Radcliffe, S.V., 4=11286
- Kulish, E.E. See Romyantsev, S.V., 4=9411
- Kulišić, P., Ajdačić, V., Cindro, N., Lalović, B. and Strohal, P. A study of the reactions $\text{Nb}^{93}(\text{n}, \alpha)\text{Y}^{90}$ and $\text{Pr}^{141}(\text{n}, \alpha)\text{La}^{138}$ at 14 MeV, 4=22155
- Kulicic, P. See Cindro, N., 4=1091
- Kulišić, P. See Strohal, P., 4=22153
- Kuliukin, M.M. See Kozodaev, M.S., 1=19073
- Kulka, M. See Hádek, V., 4=25446
- Kulkarni, P.V. An all-sky photometer, 3=18547
- Kulkarni, P.V. and Barnes, J.C. Nocintograph, 4=10744
- Kulkarni, P.V. and Sanders, C.L. Use of a radioactivated light source for the absolute calibration of two-colour night airglow photometer, 4=20862
- Kulkarni, P.V. See Chiplonkar, M.W., 0=14289
- Kulkarni, R.J. and Swamy, N.V.V.J. Brueckner's charge density and electron scattering cross-sections, 3=22367
- Kulkarni, R.N. Comparison of ozone variations and of its distribution with height over middle latitudes of the two hemispheres, 3=5194
- Kulkarni, R.N. Relation between atmospheric ozone and geomagnetic disturbance, 4=4757
- Kulkarni, V.G., Panat, C.V. and Thosar, B.V. Longitudinal polarization of beta electrons from Pm^{147} , 3=653
- Kulkarni, V.G., Panat, C.V. and Thosar, B.V. The longitudinal polarization of beta-electrons from $\text{Cd}^{115\text{m}}$, 4=6284
- Kulkarni, V.G. See Joshi, M.C., 1=641
- Kulkarni, V.M. Number of images produced by multiple reflection, 0=5136
- Kul'kov, V.D. See Kogan, A.V., 0=2652
- Kul'kov, V.D. See Kogan, A.V., 0=11299
- Kul'kov, V.D. See Kogan, A.V., 0=20787
- Kul'kov, V.D. See Kogan, A.V., 1=14155
- Kul'kov, V.D. See Kogan, A.V., 3=2417
- Kul'kov, V.D. See Kogan, A.V., 4=3994
- Kulkov, V.D. See Kogan, A.V., 4=17331
- Kulkov, V.D. See Kogan, A.V., 4=20157
- Kullander, S. A fast coincidence circuit, 4=9025
- Kulmanen, E.V. See Vanicheva, G.V., 4=17743
- Kulonen, G.A. Application of the Kochin-Loitsyanskii method to the problem of the laminar boundary layer with a separation surface, 3=11760
- Kuloor, N.R. See Krishnamurti, S., 3=9435
- Kuloor, N.R. See Krishnamurthi, S., 4=14131
- Kuloor, N.R. See Krishnamurthy, P.G., 4=14132
- Kulp, B.A. Effect of electron bombardment on the near-infrared fluorescence of single crystal CdS, 1=14653
- Kulp, B.A. Displacement of the cadmium atom in single crystal CdS by electron bombardment, 2=8574
- Kulp, B.A. and Detweiler, R.M. Threshold for electron radiation damage in ZnSe, 3=8476
- Kulp, B.A., Detweiler, R.M. and Anders, W.A. Temperature dependence of edge emission in single-crystal cadmium sulfide, 3=25480
- Kulp, B.A. and Kelley, R.H. Displacement of the sulfur atom in CdS by electron bombardment, 0=11648
- Kulp, B.A. and Kelley, R.H. P-type photoconductivity and infrared quenching in electron-bombarded CdS, 1=10056
- Kulp, B.A. See Schulze, R.G., 2=14549
- Kulp, J.L. See Eckelmann, W.R., 0=9553
- Kulp, M. See Geiger, W., 0=11763
- Kulpe, S. Device for the rapid adjustment of single crystals by oscillation or convergence photographs, 4=4584
- Kulshreshtha, A.P. See Dey, K.K., 0=19938
- Kulshreshtha, P.K. Helical flow of an idealized elastico-viscous liquid, 1, 3=18789
- Kulshreshtha, S.M. Hot weather angels associated with high level temperature inversions, 3=1452
- Kulshreshtha, S.M. See Mull, S., 3=13674
- Kulshreshtha, S.M. See Mull, S., 3=16214
- Kulsrud, R. On the necessity of the energy principle of Kruskal and Oberman for stability, 2=5458
- Kulsrud, R. See Backus, G., 1=16410
- Kulsrud, R.M. Hydromagnetic equilibria in a toroid from the particle point of view, 1=4610
- Kulsrud, R.M. The interchange instability in the stellarator, 3=19284
- Kulsrud, R.M. See Bernstein, I.B., 0=7118
- Kulsrud, R.M. See Bernstein, I.B., 1=314
- Kulsrud, R.M. See Bernstein, I.B., 1=11542
- Kulsrud, R.M. See Bernstein, I.B., 2=5362
- Kult, K., Karmasis, M. and Fukátó, T. Acceleration of α -particles in a U-120 type cyclotron, 4=21609
- Kulyavik, A. See Kolontsova, E.V., 3=20185
- Kulýgin, Yu.F. See Bolotin, L.I., 2=16439
- Kulýgin, Yu.F. See Bolotin, L.I., 3=2046
- Kulyukin, M.M. See Falomkin, I.V., 2=20381
- Kulyukin, M.M. See Falomkin, I.V., 3=7881
- Kulyukin, M.M. See Kozodaev, M.S., 0=9697
- Kulyukin, M.M. See Kozodaev, M.S., 0=12933
- Kulyukin, M.M. See Kozodaev, M.S., 1=19296
- Kulyukin, M.M. See Vasilenko, A.T., 4=16763
- Kulyukin, M.M. See Zaimidoroga, O.A., 2=3369
- Kulyukin, M.M. See Zaimidoroga, O.A., 3=4417
- Kulyukin, M.M. See Zaimidoroga, O.A., 3=7883
- Kulyukin, M.M. See Zaimidoroga, O.A., 3=24770
- Kulyukin, M.M. See Zaimidoroga, O.A., 4=1233
- Kulyukin, M.M. See Zaimidoroga, O.A., 4=3436
- Kulyukin, M.M. See Zaimidoroga, O.A., 4=3437
- Kulyukin, M.M. See Zaimidoroga, O.A., 4=9322
- Kulyukin, M.M. See Zaimidoroga, O.A., 4=19484
- Kulyukina, L.A. See Barashenkov, V.S., 4=25367
- Kulyukina, L.A. See Kapýlov, G.I., 4=19494
- Kulyukina, L.A. See Van Gan-Chan, 0=9415
- Kulyupin, Yu.A. and Yatsenko, A.F. Absorption spectrum of sodium nitrite crystals at 20°K, 4=7154
- Kulyupin, Yu.A. and Yatsenko, A.F. Luminescence of KNO_3 irradiated with gamma-rays, 4=10217
- Kulyupin, Yu.A. See Grigor'ev, N.N., 2=729
- Kulyupin, Yu.A. See Grigor'ev, N.N., 2=14755
- Kulyupin, Yu.A. See Yatsenko, A.F., 2=16824
- Kulyupin, Yu.A. See Yatsenko, A.F., 2=18828
- Kumabe, I., Ching Ling Qang, Kawashima, M., Yada, M. and Ogata, H. Excitation functions and angular distributions of the reactions $\text{Al}^{27}(\text{p}, \alpha)\text{Mg}^{24}$ at 12.7 ~ 14.1 MeV and $\text{Cr}^{52}(\text{p}, \alpha)\text{V}^{49}$ at 9.0 ~ 14.2 MeV, 0=20435
- Kumabe, I. and Fink, R.W. The angular and energy distribution of protons from Ni^{58} reactions induced by 14.8 MeV neutrons, 0=9682
- Kumabe, I., Komatuzaki, T., Tomita, S., Yamaki, T. and Yamada, Y. Protons from several elements bombarded with 30-MeV alpha particles, 3=4669
- Kumabe, I., Ogata, H., Inoue, M., Ōkuma, Y. and Muto, J. Elastic and inelastic scattering of 28.5 MeV alpha particles by medium-weight nuclei, 4=15236
- Kumabe, I., Ogata, H., Komatuzaki, T., Inoue, N., Tomita, S., Yamada, Y., Yamaki, T. and Matsumoto, S. (p, α) reactions on the even nuclei Ni^{58} , Ni^{60} and Fe^{58} , 3=24934
- Kumabe, I., Ogata, H., Komatuzaki, T., Inoue, N., Tomita, S., Yamada, Y., Yamaki, T. and Matsumoto, S. (p, α) reactions on the odd-mass nuclei Cu^{63} , Cu^{65} , As^{75} and Rh^{103} , 3=24935
- Kumabe, I., Poulikas, A.D., Preiss, I.L., Gardner, D.G. and Fink, R.W. (n, He^3) reactions of medium weight nuclei induced by 14.8 MeV neutrons, 0=7610

- Kumabe, I. See Kimura, K., 2=5898
 Kumabe, I. See Kimura, K., 2=15970
 Kumabe, I. See Ogata, H., 1=11006
 Kumabe, I. See Ogata, H., 1=11012
 Kumabe, I. See Ogata, H., 2=10099
 Kumada, A. See Nishiyama, Z., 4=17432
 Kumagai, H. On a design of wide range magnet for cyclotron, 1=1941
 Kumagai, H. See Kikuchi, S., 1=7113
 Kumagai, H. See Nishikawa, T., 2=229
 Kumagai, E. See Suwa, S., 0=19856
 Kumagai, M. and Tsukishima, T. Buildup of electron density in neon-argon gas discharges in pulsed microwave fields, 3=12086
 Kumagai, M. See Mori, M., 4=10664
 Kumagai, S. and Matsuo, M. A new type interferometer for measurement of wavelengths at e. h. f., 2=11819
 Kumagai, S., Nakanishi, Y. and Oakamoto, N. The conversion efficiency of ferrite frequency doubler, 2=11788
 Kumagi, H., Yamaguchi, S., Kobayashi, Y., Nishikawa, T., Kamei, T., Ikeda, H., Sasaki, H., Miyahara, A., Tanaka, J., Murata, Y., Horikoshi, G., Yamada, R., Baba, H., Yamakawa, T., Ishii, K., Kakuyama, T., Itô, I. and Kobayashi, K. On the operation of electron synchrotron at the institute for nuclear studies, Tokyo, 3=460
 Kumamoto, J., Ibers, J.A. and Snyder, R.G. Method for manipulating reactive crystals for X-ray analysis, 1=15037
 Kumamoto, J., Powers, J.C., Jr and Heller, W.R. Electrochromism (Stark effect) in solids due to isolated absorbing centers, 2=14664
 Kumamoto, J. See Ibers, J.A., 0=21201
 Kumamoto, J. See Snyder, R.G., 0=20987
 Kumar, C.K. See Sarma, N., 3=17451
 Kumar, D. See Elwell, D., 1=6436
 Kumar, I.J. A problem in heat transfer, 1=16140
 Kumar, I.J. Heat flow induced in a hollow circular cylinder by a periodic surface source, 2=15782
 Kumar, I.J. Heat flow in hollow composite cylinders, 4=14420
 Kumar, K. Validity of the two-particle approximation in the many-body problem, 1=460
 Kumar, K. and Baranger, M. Oblate nuclear deformations, 4=1512
 Kumar, K. and Bhaduri, R.K. Fermi-Thomas type approximation for nuclei, 1=9800
 Kumar, K., Le Couteur, K.J. and Roy, M.K. A Fermi-Thomas type K-matrix method for nuclei, 3=15074
 Kumar, N. See Waghmare, Y., 4=25308
 Kumar, R. Unsteady flow of a viscous liquid contained between two infinite co-axial circular cylinders, 1=15794
 Kumar, R. Propagation of small disturbances in viscous liquid contained between two infinite co-axial cylinders, 1=18357
 Kumar, R. See Krishnamurti, S., 3=9435
 Kumar, R. See Krishnamurthy, P.G., 4=14132
 Kumar, R. See Krishnamurthy, S., 4=14131
 Kumar, R. See Raman, M.S., 4=2159
 Kumar, R. See Weingaertner, E., 1=4915
 Kumar, R.C. The grain diameter and the grain density of Ilford K5 and L5 emulsions, 0=12761
 Kumar, R.C. The question of the existence of ($\Lambda^0 p$), ($\Sigma^+ p$) and ($\Sigma^- n$) hyperfragments, 0=17511
 Kumar, R.C. Decay-modes of the schizon. An isobaric spin analysis, 1=5655
 Kumar, R.C. Elastic proton-proton scattering at high energies. Interpretation of experimental results at 8.5 GeV, 2=9843
 Kumar, R.C. and Stannard, F.R. A search for ($\Sigma^+ p$) hyper-nuclei, 0=2625
 Kumar, R.C. See Danysz, M., 3=22276
 Kumar, R.C. See Danysz, M., 4=9364
 Kumar, R.C. See K⁻-collaboration, 0=1308
 Kumar, S. Thermal expansion of simple ionic crystals, 1=918
 Kumar, S. Viscosity and free volume of fused borates and silicates, 4=2663
 Kumar, S. See Bhanot, V.B., 4=27943
 Kumar, S.S. On gravitational instability. II, 1=15607
 Kumar, S.S. On gravitational instability. III, 1=15608
 Kumar, S.S. The structure of stars of very low mass, 3=16396
 Kumar, S.S. The Helmholtz-Kelvin time scale for stars of very low mass, 3=16397
 Kumar, S.S. On the nature of the planetary companions of stars, 4=10807
 Kumar, S.S. On the nature of red stars of low luminosity, 4=23846
 Kumar, S.S. Model atmospheres for late type stars, 4=29385
 Kumar, S.S. See Kato, S., 1=15606
 Kumar, V. See Piranik, P.G., 3=25087
 Kumar Mahapatra, P. and Charan Ray, B. On the variation of compressibility of water and electrolytic solutions with temperature, 0=6793
 Kumaraswamy, M.P. See Nagaraja, J.V., 2=5095
 Kumazawa, A. See Takizawa, E.I., 3=23986
 Kumazawa, M. A note on the thermodynamic theory of nonhydrostatically stressed solids, 2=6721
 Kumazawa, M. See Imai, Y., 2=6842
 Kume, K. Proton magnetic resonance in pure and doped ice, 1=11498
 Kume, K. and Hoshino, R. Proton magnetic resonance of ice single crystal, 1=12572
 Kume, K. and Kakiuchi, Y. Proton magnetic resonance in hydrogen bonded dimers in solids, 1=9074
 Kume, K. and Kakiuchi, Y. The O-H...O bond in orthoboric acid, 1=14078
 Kume, K. and Sugawara, T. Nuclear magnetic resonance in nickel-fluosilicate between 0.15° K and 4.2° K, 4=23072
 Kume, K. and Yamagishi, H. Nuclear magnetic resonance in ScN and VN, 4=23076
 Kume, S. Variation of remanent magnetization of ferrimagnetic substances under hydrostatic pressures, 2=14808
 Kume, S. See Fukushima, S., 3=10389
 Kume, S. See Kawai, N., 0=14163
 Kumekin, Yu.P., Meshcheryakov, M.G., Nurushhev, S.B. and Stoletov, G.D. Triple scattering of 660 MeV protons. II. Angular dependence of depolarization, 0=20205
 Kumekin, Yu.P., Meshcheryakov, M.G., Nurushhev, S.B. and Stoletov, G.D. Triple scattering of 660 MeV protons. III. Angular dependence of parameter R, 3=14982
 Kumekin, Yu.P., Meshcheryakov, M.G., Nurushhev, S.B. and Stoletov, G.D. Triple scattering of 660 MeV protons. IV. Angular dependence of parameter A, 4=11996
 Kumekin, Yu.P. See Azhgirei, L.S., 3=4630
 Kumekin, Yu.P. See Azhgirei, L.S., 3=15189
 Kumekin, Yu.P. See Azhgirei, L.S., 3=17265
 Kumekin, Yu.P. See Azhgirei, L.S., 3=22374
 Kumekin, Yu.P. See Azhgirei, L.S., 4=6042
 Kumekin, Yu.P. See Azhgirei, L.S., 4=16889
 Kumekin, Yu.P. See Azhgirei, L.S., 3=24723
 Kumekin, Yu.P. See Meshcheryakov, M.G., 4=3411
 Kümmel, F. Calculation of thermodynamic properties of an isothermal hydrogen plasma, 1=18843
 Kümmel, H. Compound pair states in imperfect Fermi gases, 1=5691
 Kümmel, H. On the pairing energy of medium heavy nuclei, 1=8563
 Kümmel, H. Ground state of a Fermi gas with hard-sphere interactions, 2=4964
 Kümmel, H. See Coester, F., 0=17456
 Kümmel, U. Dielectric after-effects in CdS crystals, 1=17817
 Kümmel, U. and Palme, D. A switch free of insulating material, 0=14938
 Kümmel, U. and Palme, D. Apparatus for cinematography of microscopic objects with simultaneous recording of some measured quantities, 3=1845
 Kümmel, U. See Böer, K.W., 0=1664
 Kümmel, U. See Böer, K.W., 0=1768
 Kümmel, U. See Böer, K.W., 0=2355
 Kümmel, U. See Böer, K.W., 0=13662
 Kümmel, U. See Böer, K.W., 0=18109
 Kümmel, U. See Böer, K.W., 2=2158
 Kümmel, U. See Böer, K.W., 2=6464
 Kümmel, U. See Böer, K.W., 2=10561
 Kummer, H. The unequivocal problem in high-resolution photon resonance spectroscopy, 4=8963
 Kummer, J.T. Ortho-para-hydrogen conversion by metal surfaces at 21° K, 3=1128
 Kummer, M. On one-dimensional and quasi-one-dimensional gas models, 3=1631
 Kummer, W. Gauge-transformation and quantization of free electromagnetic field, 1=16647
 Kummer, W. Relativistic Lee model and the interaction representation, 2=22406
 Kummer, W. Production of an additional pion and the one-meson-approximation in the static pion-nucleon model, 3=24765
 Kummer, W. Exact solutions of the Bethe-Salpeter equation for fermions, 4=9091
 Kummer, W. On the iteration procedure in the peratization of weak leptonic interactions, 4=21772

- Kummer, W. See Flamm, D., 3=12442
 Kummer, W. See Flamm, D., 4=3387
 Kummer, W. See Freund, P.G.O., 2=13793
 Kummerer, K. Determination of the D_2O content in heavy water by the float method, 2=19183
 Kummier, R. H. and McCarty, M., Jr. Easily fabricated Toronto arc, 4=24623
 Kump, H.J. and Green, T.G. Magnetization of uniaxial cylindrical thin films, 3=21928
 Kump, P. See Horvat, P., 3=19773
 Kumpf, G. See Donets, E.D., 2=22855
 Kumpf, G. See Donets, E.D., 3=8138
 Kumpf, H. and Donets, E.D. Some transfer reactions occurring during the irradiation of thorium by Ne^{22} ions, 3=24983
 Kumpf, H. and Karnaukhov, V. A. Some features of the decay of compound dysprosium nuclei of high angular momentum, 4=19833
 Kun Huang, The long wave modes of the Cu_2O lattice, 3=2720
 Kun Pal Lee. See Shields, F.D., 3=9506
 Kunaish, H. H. See Dalton, G. R., 4=19490
 Kunakov, Ya. N. and Livshits, B. G. Role of surface energy in the formation of a cubic texture in silicon iron, 4=10582
 Kunakov, Ya. N. and Livshits, B. G. Magnetic properties of transformer steel with cubic texture, 4=13221
 Kunchur, N. R. See Bradley, D. C., 4=20768
 Kunchur, N.R. See Shankar, J., 0=3248
 Kuncir, G.F. See Hinman, G.W., 3=19649
 Kund, G.G. See Zhiglinskii, A.G., 0=13418
 Kund, G.G. See Zhiglinskii, A.G., 1=18607
 Kunda, M.R. and Firor, J.W. Interferometric studies of type IV solar bursts of continuum radiation on 340 and 87 Mc/s, 1=15543
 Kunda, M.R. and Haddock, F.T. Centimeter-wave solar bursts and associated effects, 1=8025
 Kündig, W. Influence of paramagnetism on angular correlation (measurement of the nuclear magnetic moment of Dy^{160} and Er^{160}), 1=9834
 Kündig, W. Measurement of the transverse Doppler effect in an accelerated system, 3=9332
 Kündig, W. See Debrunner, P., 0=17554
 Kundra, K. D. and Parshad, R. Microwave crystals as thermometers in low temperature range, 4=2869
 Kundt, U., Lanius, K. and Lewin, K. On the interpretation of the K^- -meson interaction in nuclear emulsion, 0=5606
 Kundt, U. See Aderholz, M., 4=21914
 Kundt, U. See Aderholz, M., 4=25151
 Kundt, U. See Bartsch, J., 4=21920
 Kundt, U. See Grote, C., 0=1312
 Kundt, U. See Grote, C., 2=16222
 Kundt, U. See Grote, C., 2=16223
 Kundt, U. See Grote, C., 2=16224
 Kundt, U. See Grote, C., 4=25166
 Kundt, U. See Grote, L.C., 1=3760
 Kundt, W. The plane-fronted gravitational waves, 1=8042
 Kundt, W. Exact solutions of the field equations: twist-free pure radiation fields, 3=3732
 Kundt, W. Note on the completeness of spacetimes 3=9343
 Kundt, W. and Thompson, A. Weyl tensor and an associated shear-free geodesic congruence, 2=17352
 Kundt, W. and Trümper, M. Contributions to the theory of gravitational waves, 4=2535
 Kundt, W. See Jordan, P., 2=7127
 Kundt, W. See Jordan, P., 2=7129
 Kundt, W. See Jordan, P., 4=18038
 Kundu, M.R. Structure and properties of sources of solar activity on centimetre waves, 0=4852
 Kundu, M.R. An interferometric study of active solar regions at 3 cm wavelength, 1=6734
 Kundu, M.R. Some studies on the occurrence of type IV solar bursts of continuum radiation, 1=11684
 Kundu, M.R. Solar radio emission on centimeter waves and ionization of the E layer of the ionosphere, 1=15274
 Kundu, M.R. Bursts of centimeter-wave emission and the region of origin of X-rays from solar flares, 2=7007
 Kundu, M.R. The nature of type IV solar radio bursts, 2=13160
 Kundu, M.R. Some relations between centimeter-wave radio bursts and solar cosmic rays and X-rays, 2=13166
 Kundu, M.R. Association of centimeter-wave bursts with different spectral types of meter-wave bursts of solar radio emission, 3=1540
 Kundu, M.R. and Haddock, F.T. A relation between solar radio emission and polar cap absorption of cosmic noise, 0=12257
 Kundu, M.R., Roberts, J.A., Spencer, C.L. and Kuiper, J.W. A comparison of the dynamic spectra of solar radio bursts in the decimeter- and meter-wavelength ranges, 1=2657
 Kundu, M.R. and Spencer, C.L. Spectral characteristics of solar continuum radiation in the 500-1000 Mc/s range, 3=11588
 Kundu, M.R. and Steinberg, J.L. On the polarization of sources of solar activity on 3 cm wavelength, 1=45
 Kundu, S.K. Effect of strange particles on nucleon magnetic moment, 0=5554
 Kundu, S.K. Anomalous magnetic moments of proton and neutron, 0=5555
 Kundu, S.K. Meson production in meson-nucleon interaction, 0=15373
 Kundu, S.K. Resistivity in a fully ionized gas, 3=9811
 Kundu, S.K. On nucleon magnetic moments, 3=10104
 Kundu, S.K. π -meson and photon-proton scattering, 4=15060
 Kundu, S.K. and Yonezawa, M. The η -meson and scalar boson contributions to the photon-proton elastic scattering, 3=17233
 Kumenkov, S.I. Effect of high pressures on the formation of crystal phosphors and their properties, 2=21271
 Kunetz, G. and d'Erceville, I. Certain properties of an acoustic plane compression wave in a stratified medium, 3=9537
 Kunetz, G. See d'Erceville, I., 3=5184
 Kunetz, G. See Labrouste, Y., 4=30916
 Kūnev, S., Pirinchieva, R. and Marinova, K. On the distribution of the potential and the movement of the minority current carriers in CdS single crystals, 4=26037
 Kūnev, S., Sheinkman, M. K. and Fursenko, V. D. A method for the contactless study of the electrical conductivity of semiconductors of the CdS type, 4=26039
 Kūnev, V. and Tim, U. A new rapid method of controlling emission at injection into Desy electron synchrotron, 4=14790
 Kūnev, S. See Kūnev, S., 1=14503
 Kung Hsiu-fen, Zarembo, L. K. and Krasil'nikov, V. A. Measurement of the nonlinear acoustic parameters of liquid nitrogen, 4=14161
 Kung Hsiich-hui. Electromagnetic form factor of the K_0 meson, 3=24785
 Kuni, F. M. and Franke, V. A. Formulation of a theory of low energy scattering of elementary particles based on the spectral and unitarity conditions, 4=30192
 Kuni, F.M. and Terent'ev, I.A. Method of successive extension of the spectral functions in the Mandelstam representation, 1=19153
 Kuni, F.M. See Fok, V.A., 0=9319
 Kunimasa, T. and Ogimoto, J. Anti-shrinkage of the p-p diffraction scattering, 4=21850
 Kunimune, M. See Tsuji, M., 4=6793
 Kunin, N.F. and Afanas'yeva, L.I. The dynamic effect of the [plastic-deformation] induced thermo-e.m.f. of copper, aluminium, and mild steel, 0=15999
 Kunin, N.F., Afanas'eva, L.I. and Kozlova, S.S. Dynamic effect of induced thermal stress at different deformation temperatures, 2=21426
 Kunin, N.F., Kunin, V.N. and Grishkevich, A.E. Thermal ionization in a benzene flame, 3=5623
 Kunin, N. F., Kunin, V. N., Grishkevich, A. E. and Korenchenko, E. S. Absorption of energy by lightly deformed copper, 4=26506
 Kunin, N.F. and Nilov, A.S. Recovery of an induced thermal force in copper deformed at various different rates, 3=8777
 Kunin, N. F. and Usov, A. Ya. The effect of the deformation temperature on the variation of microhardness and deformation-induced thermo-e.m.f., 0=15998
 Kunin, N. F. See Grishkevich, A. E., 4=23145
 Kunin, P., Taksar, I., Shiltere, M. and Shilter, E. On the energy spectrum and oscillator strengths of monovalent atoms, 4=28107
 Kunin, P. See Zapol, B., 4=30383
 Kunin, R. and McGarvey, F.X. Ion exchange, 2=17079
 Kunin, V.N. Device for electrodeless measurement of electric conductivity, 3=1907
 Kunin, V.N. See Kunin, N.F., 3=5623
 Kunin, V. N. See Kunin, N. F., 4=26506
 Kunin, V. Ya., Fomenko, L.N. and Tsikin, A.N. Changes in the electrical conductivity and electric potential distribution in a rutile ceramic during its ageing, 2=18647

- Kunin, V. Ya., Fomenko, L. N. and Tsikin, A. N. Changes in the electrical conductivity and electric potential distribution in a rutile ceramic during its ageing, 2=21209
- Kunin, V. Ya., Sedunov, Yu. N. and Tsikin, A. N. Changes of the type of conduction of ceramic rutile and of rutile single crystals during electrical ageing, 4=6984
- Kunin, V. Ya. and Tsikin, A. N. Change of dielectric properties of rutile ceramics with the passage of a current and with heating, 1=1138
- Kunin, V. Ya. and Tsikin, A. N. Characteristic features of the change in electrical conductivity of rutile ceramics in the process of electrical ageing and regeneration, 1=17637
- Kunin, V. Ya. and Tsikin, A. N. Electrical ageing of rutile single crystals, 3=23000
- Kunin, V. Ya. See Koikov, S. N., 1=17638
- Kunisz, M. D. Applicability of the coulomb approximation to the calculation of transition probabilities in atoms and of oscillator strengths of spectral lines, 3=2548
- Kunisz, M. D. and Séguier, J. The ratios of the triplet component intensities of $(1s2p\ ^3P_{1,1,0}-1s4s\ ^3S_1) \lambda 4713\text{Å}$ and $(1s2p\ ^3P_{1,1,0}-1s4d\ ^3D_{3,3,1}) \lambda 4472\text{Å}$ of helium, under different spectral excitation conditions, 1=17267
- Kunitomi, N., Hamaguchi, Y. and Anzai, S. Fictitious transitions of the crystallographic structure in manganese telluride at high temperatures, 3=23469
- Kunitomi, N., Hamaguchi, Y. and Anzai, S. Neutron diffraction study of manganese telluride, 4=28771
- Kunitomi, N., Hamaguchi, Y., Sakamoto, M., Doi, K. and Komura, S. Neutron diffraction and scattering studies at J. A. E. R. I., 4=29146
- Kunitomi, N., Hamaguchi, Y., Sakamoto, M. and Komura, S. Neutron diffractometer J. A. E. R. I., 3=6829
- Kunitomi, N. See Hamaguchi, Y., 2=12497
- Kunitomi, N. See Hamaguchi, Y., 3=1113
- Kunitomi, N. See Komura, S., 1=19686
- Kunitomi, N. See Komura, S., 1=20078
- Kunitomi, N. See Komura, S., 3=22826
- Kuriyoshi, Y. See Ezoe, H., 4=5725
- Kuriyoshi, Y. See Ezoe, H., 4=21588
- Kunkel, W. B., Remarks on magnetoacoustic waves, 2=20122
- Kunkel, W. B. Hydromagnetic ionizing waves, 3=7684
- Kunkel, W. B., Baker, W. R., Bratenahl, A., and Halbach, K. Boundary effects in viscous rotating plasmas, 3=16934
- Kunkel, W. B. and Gardner, A. L. Free electrons in active nitrogen, 3=1935
- Kunkel, W. B. and Pearson, G. A. On the heating of electrons in crossed electric and magnetic fields, 4=11577
- Kunkel, W. B. See Pearson, G. A., 3=12079
- Kunkel, W. B. See Robben, F., 4=5565
- Kunkis, A. and Ries, G. Apparatus for the measurement and recording of the elements of atmospheric electricity with automatic evaluation of hourly mean values, 4=13801
- Kunkle, A. C. See Eird, G. R., 4=22379
- Kunmann, W. and Ferretti, A. Ceramic double cell for crystal growth by fused salt electrolysis, 4=15757
- Kunmann, W., Ferretti, A. and Wold, A. Flux growth of NiFe_2O_4 crystals by the Czochralski method, 3=16043
- Kunmann, W., Rogers, D. B. and Wold, A. The use of $\text{CO}-\text{CO}_2$ atmospheres for the preparation and free energy determinations of several oxide systems, 4=15840
- Kunmann, W., Wold, A. and Banks, E. Cobalt ferrite crystal growth from the ternary flux system $\text{Na}_2\text{O}-\text{CoO}-\text{Fe}_2\text{O}_3$, 2=12744
- Kunmann, W. See Ferretti, A., 3=11230
- Kuno, H. J. Rise and fall time calculations of junction transistors, 4=20398
- Kunst, B. See Lovreček, B., 1=9520
- Kunstmann, D. See Meyer, E., 4=14320
- Kunstmann, P. See Heiland, G., 4=6680
- Kunte, P. K. See Balasubrahmanyam, V. K., 2=20448
- Kunts, I. D. Jr., Schleyer, P. von R. and Allerhand, A. Long-range $\text{N}^{14}-\text{H}^1$ nuclear-resonance coupling in isonitriles, 1=19669
- Kuntsevich, T. S. See Belov, N. V., 4=4515
- Kuntze, M. See Daniel, H., 1=7350
- Kuntze, M. See Daniel, H., 2=3525
- Kunukasseril, V. X. See Hoppmann, W. H., II, 4=8294
- Kunun, V. Ya. See Koikov, S. N., 2=21215
- Kuny, W. See Kobale, M., 4=4351
- Kunz, C. Angular dependence of the characteristic energy loss of electrons measured for the 15 eV Al-loss and the 17 eV Si-loss, 2=2074
- Kunz, C. Angular dependence of the characteristic energy losses in Al, Si and Ag, 2=8198
- Kunz, C. Measurement of the unsymmetrical angular distribution of the characteristic surface losses at Al (6.3 eV) and Ag (3.6 eV), 4=28429
- Kunz, C. and Raether, H. Layer thickness dependence of characteristic energy loss, measured on Al and Ag, 2=10365
- Kunz, C. and Raether, H. Measurement of unsymmetrical electron scattering by surface plasma oscillations in Al and Ag, 4=9937
- Kunz, C. See Dondes, S., 4=15287
- Kunz, K. S. T.E.M. modes and circular polarization, 3=9936
- Kunz, K. S. Paradoxical features of uniformly distributed random events, 4=21049
- Kunz, P. D. An alpha-particle model for some light nuclei, 1=7309
- Kunz, P. D. Inelastic electron scattering from Be^9 and C^{12} , 3=2437
- Kunz, P. D. Spin-orbit splitting among certain light nuclei due to the two-body spin-orbit potential, 4=6176
- Kunz, P. D. See Henley, E. M., 0=9548
- Kunz, W. E. See Gorbics, S. G., 3=22338
- Kunz, W. E. See Sirkis, M. D., 2=1590
- Kunze, J. F., Romanowski, T. A. and Burgers, A. Recoil proton polarization from 225 MeV π^-p scattering, 0=5589
- Kunze, C. Investigations of Cs-Sb layers, 0=11709
- Kunze, C. See Heimann, W., 3=11996
- Kunze, G. and Wincierz, P. New viewpoint on the occurrence of discontinuous and continuous precipitation, 4=20701
- Kunze, H. On the theory of space dependent neutron spectra in heterogeneous reactors, 3=8157
- Kunze, H. J., Fünfer, E., Kronast, B. and Kegel, W. H. Measurement of the spectral distribution of light scattered by a θ -pinch plasma, 4=24659
- Kunze, H. J. See Fünfer, E., 3=19256
- Kunze, H. J. See Fünfer, E., 4=18919
- Kunze, I. The absorption spectrum of AgBr with added bivalent anions, 2=2228
- Kunze, I. and Stasiw, O. The absorption of the defects in silver bromide with the addition of divalent impurity ions, 1=19968
- Kunze, I. See Koswig, H. D., 3=6654
- Kunze, I. See Koswig, H. D., 3=13187
- Kunze, J. See Barthel, J., 4=29090
- Kunzler, H. Measurement of amplitude and phase of the light modulation in high-pressure mercury arcs at modulation frequencies from 10 to 120 kc/s, 4=8666
- Kunzler, J. E. Superconducting materials and high magnetic fields, 2=13628
- Kunzler, J. E. Superconducting magnets, 4=30021
- Kunzler, J. E., Buehler, E., Hsu, F. S. L., Matthias, B. T. and Wahl, C. Production of magnetic fields exceeding 15 kilogauss by a superconducting solenoid, 1=3037
- Kunzler, J. E., Buehler, E., Hsu, F. S. L. and Wernick, J. H. Superconductivity in Nb_3Sn at high current density in a magnetic field of 88 KGauss, 1=5399
- Kunzler, J. E. and Hsu, F. S. L. Magnetothermal oscillations and the Fermi surface, 1=17457
- Kunzler, J. E., Hsu, F. S. L. and Boyle, W. S. Magnetothermal oscillations. The oscillatory dependence of temperature on magnetic field, 3=2743
- Kunzler, J. E. and Klauder, J. R. The observation of four types of Hall constant anisotropy in copper and their role in the determination of the Fermi surface, 1=19835
- Kunzler, J. E. and Tanenbaum, M. Superconducting magnets, 3=339
- Kunzler, J. E., Walker, L. R. and Galt, J. K. Adiabatic demagnetization and specific heat in ferrimagnets, 0=16143
- Kunzler, J. E. See Boyle, W. S., 0=16123
- Kunzler, J. E. See Hauser, J. J., 4=29826
- Kunzler, J. E. See Hsu, F. S. L., 3=14721
- Kunzler, J. E. See Klauder, J. R., 1=7623
- Kunzler, J. E. See Klauder, J. R., 1=19834
- Kunzler, J. E. See Klauder, J. R., 2=583
- Kunzler, J. E. See Morin, F. J., 2=11570
- Kunzlová, I. See Bohun, A., 1=4998
- Kunzlová, I. See Bohun, A., 3=813
- Kunzlová, I. See Bohun, A., 3=4985
- Kunzlová, I. See Bohun, A., 3=18008
- Kunzmann, R. See Mootz, D., 2=23848
- Kuo Chang-Lin. Two new polytypes of silicon carbide 417R and 453R, 4=26672

- Kuo, C.S. Reactor-calculation short cuts. Maximum temperature in nuclear fuel, 2=3646
- Kuo Chang Wang. Instability of a vortex sheet in nonequilibrium flows, 3=1715
- Kuo Ch'i-Ti., Ratner, B.S. and Sergeev, B.V. An investigation of the $\text{Sn}^{112}(\gamma, n)$ and $\text{Sn}^{124}(\gamma, n)$ reactions, 1=13773
- Kuo Ch'i-Ti. See Go Tsi-di, 1=17083
- Kuo, H.L. Finite-amplitude three-dimensional harmonic waves on the spherical earth, 0=6830
- Kuo, H.L. Convection in conditionally unstable atmosphere, 2=8959
- Kuo, H.L. On the controlling influences of eddy diffusion of thermal convection, 2=15184
- Kuo, H.L. Perturbations of plane Couette flow in stratified fluid and origin of cloud streets, 3=9412
- Kuo-Hsien-Tzou. On the problem of consistency of the field quantization rules, 1=12804
- Kuo-Hsien Tzou. A model of Leptons and of weak interactions, 1=13320
- Kuo-Hsien Tzou. Vector bosons in the theory of mass doublets, 4=9081
- Kuo, J. See Brune, J., 1=6585
- Kuo, J. T. and Nafe, J. E. Period equation for Rayleigh waves in a layer overlying a half space with a sinusoidal interface, 3=193
- Kuo, J. T. See Alsop, L. E., 4=30918
- Kuo, L. G., Murphy, E. G., Petravič, M. and Sweetman, D. R. Experimental and theoretical studies of instabilities in a high-energy neutral injection mirror machine, 4=24715
- Kuo, L.G., Petravič, M. and Turko, B. A dE/dx -E counter telescope for charged particles, produced in reactions with 14 MeV neutrons, 2=3200
- Kuo, L.G. See Ilakovac, K., 1=7250
- Kuo, L.G. See Ilakovac, K., 2=1689
- Kuo, L.G. See Ilakovac, K., 2=1728
- Kuo, L.G. See Ilakovac, K., 2=1729
- Kuo, L.G. See Ilakovac, K., 2=1900
- Kuo, L.G. See Ilakovac, K., 3=4652
- Kuo, L.G. See Ilakovac, K., 3=17350
- Kuo, T.K. Low-energy photoproduction of Λ^0 and K^+ from protons, 3=10175
- Kuo, T.K. Low-energy process $\gamma + p \rightarrow K^+ + \Sigma^0$, 3=17334
- Kuo, T.-S. See Wu, F.-Y., 2=20361
- Kupatt, H. D. Diffusion theory for spinning particles: numerical calculations of relaxation constants for fast electrons, 4=25552
- Kupatt, H.D. See Waldmann, L., 3=23134
- Kupcik, V. and Durovic, S. Influence of the size of the halogen atom on the difference between lattice constants of copper dipyrindine dichloride and dibromide, 0=3257
- Kupčák, V. and Đurovič, S. The crystal structure of copper dipyrindine dibromide $\text{Cu}(\text{C}_5\text{H}_7\text{N})_2\text{Br}_2$, 1=9138
- Kuper, C.G. Mechanism of superfluid flow, 0=8867
- Kuper, C.G. On the properties of helium films and superleaks, 0=8868
- Kuper, C.G. On the properties of the helium film, 0=8897
- Kuper, C.G. Theory of negative ions in liquid helium, 1=8270
- Kupec, P. See Harloff, H.J., 3=19415
- Kuper, A.B. Surface dependence of Ge high-frequency high-gain transistors, 3=13098
- Kuper, A. B. and Christensen, H. Crystallographic and electrical properties of epitaxial germanium, 4=4152
- Kuper, C. G. The structure and mobility of ions in liquid helium, 4=29818
- Kuper, C. G., Jensen, M. A. and Hamilton, D. C. Simple model for the superconductivity of lanthanum and uranium, 4=14523
- Kuperov, L.N. Signal tracking of Sputnik III on Cape Chelyuskin, 2=9125
- Kuperus, J. Low energy proton capture resonances in the chlorine isotopes, 1=7375
- Kuperus, J. Protons from the alpha-particle bombardment of P^{31} , 4=17195
- Kuperus, J., Glaudemans, P. W. M. and Endt, P. M. α particles from the proton bombardment of light nuclei, 4=9509
- Kuperus, J. and Smith, P. B. Yield measurements of alpha particles from the $^{27}\text{Al}(\text{p}, \alpha)^{24}\text{Mg}$ and $^{31}\text{P}(\text{p}, \alpha)^{28}\text{Si}$ reactions, 1=7371
- Kuperus, J., Smulders, P. J. M. and Endt, P. M. Energy measurements of proton resonances in light nuclei, 0=9627
- Kuperus, J. See Smith, P. B., 1=17096
- Kuperus, M. See Koelbloed, D., 3=16382
- Kupfer, D., Tsoucaris, G. and Zelwer, C. A method for determining the structure of molecules having a known geometrical configuration, 4=4581
- Kupfer, D. and Tsoucaris, G. A method for the determination of the structure of molecules with known orientation in the crystal lattice, 4=13559
- Küpper, F. P. Time variation of radial electron density distribution in a theta pinch, 4=537
- Küpper, F.P. See Fünfer, E., 3=12178
- Küpper, F.W. See Matossi, F., 4=1357
- Kupperian, J.E., Jr., Byram, E., Chubb, T.A. and Friedman, H. Extreme ultraviolet radiation in the night sky, 0=4805
- Kupperian, J.E., Jr., Byram, E.T. and Friedman, H. Molecular oxygen densities in the mesosphere at Fort Churchill, 0=14199
- Kupperian, J.E. Jr., Byram, E.T., Chubb, T.A. and Friedman, H. Far ultraviolet radiation in the night sky, 1=6629
- Kupperman, A. and Belford, G.G. Diffusion kinetics in radiation chemistry. I. Generalized formulation and criticism of diffusion model, 2=8932
- Kupperman, A. and Belford, G.G. Diffusion kinetics in radiation chemistry. II. One-radical-one-solute model; calculations, 2=8933
- Kuppermann, A. and Burton, M. Decomposition of n-butane in an electric discharge, 0=975
- Kuppermann, A. and Larson, J.G. Nonmolecular nature of nitric-oxide-inhibited thermal decomposition of n-butane, 1=1469
- Kuppermann, A. and Raff, L.M. Determination of electronic energy levels of molecules by low-energy electron impact spectroscopy, 3=4740
- Kuppermann, A. and Raff, L. M. Differences between low-energy electron impact spectra at 0° and at large scattering angle, 4=3829
- Kuppermann, A. and Raff, L.M. Electron-impact spectroscopy, 4=6520
- Kuppermann, A. See Belford, G.G., 3=424
- Kuppuswamy, J. See Venkoba Rao, H.N., 4=1695
- Kuprevich, N.F. Experiments on the photography of the moon carried out at Pulkovo Observatory at wavelengths 0.8 - 2.3μ , 3=9167
- Kuprevich, N.F. See Derviz, T.E., 2=958
- Kuprevich, V.V. See Vasil'eva, M.A., 2=21280
- Kupriyanov, M.F. and Fesenko, E.G. An X-ray study of the phase transition in $\text{Sr}_2\text{FeTaO}_6$, 3=18226
- Kupriyanov, M.F. and Fesenko, E.G. An X-ray study of the phase transition in $\text{Sr}_2\text{FeNbO}_6$, 3=20773
- Kupriyanov, M. F. and Filip'ev, V. S. An X-ray study of small distortions of complex perovskites, 4=9963
- Kupriyanov, M. F. See Filip'ev, V. S., 4=23448
- Kupriyanov, S. E. Investigation of the dissociation of doubly-charged ions. The dissociation of CO^{++} ions, 4=22429
- Kupriyanov, S. E. and Latýnov, Z. Z. Ionization of positive ions by electrons, 4=5560
- Kupriyanov, S. E. and Latýnov, Z. Z. Detection of long-lived excited ions of the inert gases and mercury, 4=25492
- Kupriyanov, S. E., Latýnov, Z. Z. and Perov, A. A. Long-lived highly excited states of positive ions, 4=25514
- Kupriyanov, S. E. and Perov, A. A. The dissociation of ions from methane, ammonia, and water due to collisions with molecules in the 3.5-100 keV energy range, 4=9783
- Kupriyanov, S. E. and Perov, A. A. The ion dissociation cross-sections of propane for collisions with neon atoms, 4=28274
- Kupriyanov, S.E., Perov, A.A. and Tunitskii, N.N. Cross-sections for dissociation of D^+ ions into D^0 and D^- ions in collisions with deuterium molecules, 3=1931
- Kupriyanov, S.E., Perov, A.A. and Tunitskii, N.N. Cross-section for dissociation of 3.5-100 keV D_2^+ ions in collisions with D_2 molecules, 3=15391
- Kupriyanov, S. E., Tunitskii, N. N. and Perov, A. A. The dissociation of D_2^+ ions with energies from 3.5 to 100 keV on collision with molecules, 4=25752
- Kupriyanova, K.P. See Dzhelepov, B.S., 0=9602
- Kupriyanova, K.P. See Dzhelepov, B.S., 2=14026
- Kupstov, A.V. See Egorov, L.B., 2=22548
- Kupstov, A.B. See Ignatenko, A.E., 2=14232
- Kuptsis, J. D. See Lloyd, J. C., 4=10677
- Kuptsov, A.V. See Egorov, L.B., 1=19226
- Kuptsov, A.V. See Egorov, L.B., 3=2593
- Kuptsov, A.V. See Egorov, L.B., 3=15312
- Kuraev, E.A. and Sannikov, S.S. Coalescence of photons in the Coulomb field of nuclei, 3=24672
- Kuragina, I. A. See Beskrovnyi, I. M., 4=1031
- Kurakevitch, V. A. See Bolotin, A. B., 4=1249

- Kuralova, A.V. See Volkova, L.M., 2=16479
- Kuranov, A.A. Concerning the mechanism of a globular arc, 3=24254
- Kuranov, I.F. See Efros, D.A., 0=14587
- Kurasawa, Y. See Kinase, W., 4=20416
- Kurashov, A.A., Linev, A.F., Rybakov, B.V. and Sidorov, V.A. A multi-channel time-of-flight fast-neutron spectrometer, 1=514
- Kurashov, A.A. and Sidorov, V.A. Millimicrosecond multi-channel time analyser, 3=3984
- Kurashov, A.A. See Glukhov, Yu.A., 3=14497
- Kurashov, A.A. See Kondrashev, L.F., 1=3194
- Kurata, F. See Davis, J.A., 4=5487
- Kurata, F. See Huang, T.S., 4=23989
- Kurata, F. See Rodewald, N.C., 4=14454
- Kurata, K., Shirafuji, J. and Endo, T. Growth of gallium arsenide single crystals by free surface method, 4=7552
- Kurata, M., Fukatsu, M., Sotobayashi, H. and Yamakawa, H. Second virial coefficient of linear polymer molecules, 4=24181
- Kurata, M., Stockmayer, W.H. and Roig, A. Excluded volume effect of linear polymer molecules, 0=15791
- Kurata, M. See Kotaka, T., 0=3497
- Kurata, M. See Kotaka, T., 1=15783
- Kurata, M. See Yamakawa, H., 0=14629
- Kurata, T. and Komatsubara, K. A curious characteristic of P-N-P-N junctions, 1=11312
- Kurata, Y. See Kanazawa, A., 4=9137
- Kurath, D. Magnetic moment calculation for Li^8 , 0=1358
- Kurath, D. Enhancement of E2 transition probability, 0=4022
- Kurath, D. Gamma width in Be^8 pertinent to a test of the conserved vector current theory, 0=7531
- Kurath, D. Magnetic moments of mirror nuclei, 1=16967
- Kurath, D. Strong M1 transitions in light nuclei, 3=12578
- Kurath, D. Ground state of F^{20} , 4=3531
- Kurath, D. Form factors for magnetic-dipole electron scattering, 4=19759
- Kurath, D. and Lawson, R.D. Positive-parity states in mass-13 nuclei, 1=5836
- Kurath, D. and Lawson, R.D. Positive-parity states in mass-13 nuclei, 1=8585
- Kurbanov, O.M. See Lomize, L.G., 2=11780
- Kurbasov, V. V. See Grasiuk, A. Z., 4=20908
- Kurbatov, B.L. and Vilesov, F.I. Distribution of electrons by kinetic energy for the external photo-effect with coatings of dyes, 2=5371
- Kurbatov, B.L. and Vilesov, F.I. Distribution of electrons by kinetic energy for the external photo effect with coatings of dyes, 2=11695
- Kurbatov, B.L., Vilesov, F.O. and Terenin, A.N., Distribution of electrons with respect to their kinetic energy values on photo-ionization of the methyl derivatives of benzene, 2=9527
- Kurbatov, B.L. See Vilesov, F.I., 1=16263
- Kurbatov, B.L. See Vilesov, F.I., 1=18763
- Kurbatov, L.N. See Berezhnaya, I.A., 1=17802
- Kurbatov, L.N. See Erofeichev, V.G., 0=18050
- Kurbatov, L.N. See Erofeichev, V.G., 1=11269
- Kurbatov, L.N. See Erofeichev, V.G., 1=12422
- Kurbatov, L.N. See Galkin, L.N., 2=21266
- Kurbatov, L.V. See Skrotskii, G.V., 1=6390
- Kurchatov, B. V., Lavrenchik, V.N. and Shubko, V.M. Radio-active tungsten in the atmosphere, 4=2212
- Kurchatov, I.V. On the possibility of producing thermo-nuclear reactions in a gas discharge, 0=7676
- Kurchatov, I.V. Research on controlled thermonuclear reactions at the Atomic Energy Institute of the USSR Academy of Sciences, 0=7677
- Kurchatov, I.V. Certain results obtained in research on controlled thermonuclear reactions in the U.S.S.R., 2=8053
- Kurchatova, L.N. See Borisova, N.I., 0=9621
- Kurdgelaidze, D.F. Wave solutions of nonlinear generalizations of relativistic invariant equations [for fundamental particles], 0=2491
- Kurdgelaidze, D.F. On the nonlinear theory of elementary particles, 0=9280
- Kurdgelaidze, D.F. Phenomenological generalization of the Thomas-Fermi-Dirac (TFD) equation in the case of the theory of metals and its periodic solutions, 0=13462
- Kurdgelaidze, D.F. On the solution of nonlinear equations of physical field theory, 1=15386
- Kurdgelaidze, D.F. See Ivanenko, D., 1=16716
- Kurdgelaidze, D.F. See Ivanenko, D.D., 3=22056
- Kurdiani, N.I. Optical constants of indium antimonide in the visible and near-ultraviolet regions, 4=1734
- Kurdiani, N.I. Infrared transmission of neutron-irradiated indium antimonide, 4=1735
- Kurdiani, N.I. See Dzhanelidze, R. B., 4=1969
- Kurdyukova, Z.A. See Vladimirovskii, V.V., 4=14822
- Kurdyumov, G.V., Kritskaya, V.K., Lataiko, P.A. and Osip'yan, Yu.A. The variations of interatomic bond strength in a single-phase solid solution of nickel and aluminium, 0=728
- Kurdyumov, G.V., Lobodyuk, V.A. and Khandros, L.G. The form of martensitic crystals and the orientation of the interphase boundaries in Cu-Al-Ni alloy, 2=2396
- Kurdyumov, G.V. See Arbuzova, I.A., 2=23824
- Kurdyumov, G.V. See Batenin, I.V., 1=3698
- Kurdyumov, G.V. See Il'ina, V.A., 2=23931
- Kurdyumov, G.V. See Kardonskii, V.M., 2=8740
- Kurdyumov, G.V. See Kardonskii, V.M., 2=8741
- Kurdyumov, G.V. See Kardonskii, V.M., 2=23790
- Kurdyumov, G.V. See Kardonskii, V.M., 2=23791
- Kurdyumov, G.V. See Kardonskii, V.M., 4=15806
- Kurdyumov, G.V. See Kritskaya, V.K., 0=6292
- Kurdyumov, H.V., Bil'dzyukevych, I.A., Khandross, L.G. and Chornyi, V.G. Change in the fine crystalline structure on the aging of certain high-temperature alloys [nimonick type], 1=15127
- Kurdyumov, S.P. See Volosevich, P.P., 4=16139
- Kurdyumov, V.G. See Kardonskii, V.M., 2=8740
- Kurdyumov, V.G. See Kardonskii, V.M., 2=23790
- Kurdyumov, V. G. See Vishnyakov, Ya. D., 4=30562
- Kurdyumov, V.N. On reaction forces caused by Cherenkov radiation in crystals, 0=20103
- Kurdyumova, I.H. See Butylenko, O.K., 1=14985
- Kurdyumova, R.N. and Baranova, R.V. An electron-diffraction study of thin films of cuprous iodide, 1=20536
- Kurdyumova, R.N. and Semiletov, S.A. Some aspects of the structure of $\gamma\text{-CuI}$, 3=20835
- Kurdyumova, R.N. See Pinsker, Z.G., 0=14017
- Kurepa, M. See Ajdačić, V., 2=12263
- Kurepa, M. V. Comparison of experimental and theoretical results for ionization cross sections of inert gases, 4=8620
- Kurepa, M.V. See Asundi, R.K., 3=9719
- Kurepa, M.V. See Asundi, R.K., 3=19173
- Kurepa, M. V. See Asundi, R. K., 4=5556
- Kurepin, A.B. and Maduev, V.L. Low pressure proportional counters, 2=22355
- Kurepin, A.B. and Neudachin, V.G. Comparison of the differential cross-sections for the (d,p) and (d,t) reactions, 0=11417
- Kurepin, A.B. See Balashko, Yu.G., 3=22130
- Kurepin, A. B. See Balashko, Yu. G., 4=25211
- Kurepin, A.B. See Komarov, V.V., 1=4834
- Kurepin, A.B. See Komarov, V.V., 2=18343
- Kurgaev, E.F. On the viscosity of suspensions, 0=14578
- Kurganov, G.B. See Karasik, V.R., 1=1046
- Kurghin, I.S. See Derjaguin, B.V., 1=10494
- Kurghin, Yu.S. See Deryagin, B. V., 4=18493
- Kuri, Z., Fujiwara, Y., Ueda, H. and Shida, S. Behavior of the free radicals trapped in gamma-irradiated compounds which contain hydrogen bonds, 1=6056
- Kuri, Z., Ueda, H. and Shida, S. Effects of gases on irradiated polyvinyl chloride as studied by electron spin resonance, 0=4732
- Kuri, Z. See Arai, S., 3=4778
- Kuri, Z. See Ueda, H., 1=20230
- Kuri, Z. See Ueda, H., 2=7232
- Kuriacose, J.C. See Nagarjunan, T.S., 2=8916
- Kurianov, S.E. See Latypov, Z.Z., 4=16433
- Kuridze, R.V. See Andronikashvili, E.L., 3=4505
- Kuridze, R.V. See Andronikashvili, E.L., 3=19731
- Kurihara, K. See Ichinose, N., 4=6951
- Kurihara, K. See Ichinose, N., 4=10289
- Kurihara, K. See Ichinose, N., 4=26359
- Kurihara, K. See Takasu, S., 3=1085
- Kurihara, Y. See Hirai, M., 4=7860
- Kurik, V. M. See Brodin, M.S., 4=28426
- Kuriki, I., Uchikura, K., Koseki, T. and Tanohata, K. Some observations of the V.H.F. pulse wave scattered from the ionosphere, 3=21054
- Kurilko, V.I. On reflection of electromagnetic waves from a moving surface, 0=15141

- Kurilko, V.I. A contribution to the kinetic theory of the reflection of electromagnetic waves from a moving plasma, 1=5455
- Kurilko, V.I. A contribution to the kinetic theory of the reflection of electromagnetic waves from a moving plasma, 1=11928
- Kurilko, V.I. Reflection of electromagnetic waves from a plasma moving in a slow waveguide, 2=9591
- Kurilko, V.I. and Miroshnichenko, V.I. Reflection of electromagnetic waves from a moving plasma, 3=12141
- Kurilko, V.I. See Fainberg, Ya.B., 0=11022
- Kurilko, V.I. See Fainberg, Ya.B., 2=11647
- Kurilko, V.I. See Gorbatenko, M. F., 4=24692
- Kurilko, V.I. See Kalmýkova, S.S., 4=19221
- Kuril'nikov, S.V. See Leont'ev, N.I., 4=16559
- Kuril'nikov, S.V. See Leont'ev, N.I., 4=16611
- Kurilo, P.M. See Baranskii, P.I., 0=11733
- Kurilo, P.M. See Baranskii, P.I., 4=30545
- Kurilov, V.A. Small-size electrometer using sub-miniature tubes, 3=3978
- Kurioka, Y., Satone, H., Nayatani, Y., Hitani, S., Yamanaka, T., Satsutani, T. and Miyawaki, K. The automatic apparatus to measure light intensity distribution, 3=23997
- Kurioka, Y. See Nayatani, Y., 0=14785
- Kurita, Y. Electron spin resonance in a gamma-irradiated single crystal of diglycolic acid monohydrate, 2=6689
- Kurita, Y. and Gordy, W. Electron spin resonance in a gamma-irradiated single crystal of L-cystine dihydrochloride, 1=3937
- Kurita, Y. and Gordy, W. Electron spin resonance in a gamma-irradiated single crystal of thiodiglycolic acid, 1=7787
- Kurita, Y. and Ito, K. Variational calculation of diamagnetic susceptibilities, chemical shifts and electronic polarizabilities, 0=15772
- Kurita, Y. See Kashiwagi, M., 4=12531
- Kurita, Y. See Kashiwagi, M., 4=23044
- Kurita, Y. See Miyagawa, I., 1=2345
- Kurita, Y. See Nakamura, D., 0=4538
- Kuritsyn, V.N. Arbitrary incidence of a plane electromagnetic wave on a conducting disk, 0=15145
- Kuritsyn, V.N. Arbitrary incidence of a plane electromagnetic wave on a conducting disk, 1=4718
- Kuritsyn, V.N. The solution of the "key" problem of diffraction on an ideally conducting strip, 2=17958
- Kuritsyn, V.N. See Grinberg, G.A., 2=9712
- Kuriyama, K. Cross-sections of $Cl^{35}(\gamma, n)Cl^{34}$ and $S^{32}(\gamma, n)S^{31}$ reactions, 3=8071
- Kuriyama, K. See Kimura, M., 1=5909
- Kuriyama, K. See Kimura, M., 1=12194
- Kuriyama, M. X-ray line broadening from the polished surfaces of silver and gold, 1=11557
- Kuriyama, M. and Hosoya, S. X-ray measurement of scattering factors of manganese and oxygen atoms in manganous oxide, 2=17017
- Kuriyama, M. and Hosoya, S. Absolute measurement of X-ray scattering factors of manganese and oxygen atoms in manganous oxide, 4=4587
- Kuriyama, M., Hosoya, S. and Suzuki, T. Electron number of the nitrogen atom in Mn_4N , 3=12890
- Kuriyama, M., Yamanouchi, H. and Hosoya, S. Ferromagnetic resonance absorption of single-crystal thin films of nickel, 1=14770
- Kurkchi, G.A. and Iogansen, A.V. Determination of the solubility of gases and vapours in liquids by gas chromatography, 3=3798
- Kurki-Suonio, K. Determination of the atomic scattering amplitudes in crystals on the basis of experimentally determined structure amplitudes, 0=12025
- Kurki-Suonio, K. Non-approximate analysis of experimental structure amplitudes. I. Method, 2=17012
- Kurki-Suonio, K. Non-approximate analysis of experimental structure amplitudes II. The "correct model" for sodium nitrate, 2=23851
- Kurki-Suonio, K. and Fontell, L. Non-approximate analysis of experimental structure amplitudes. III. The scale, 4=7581
- Kurkin, M.I. Theory of spin waves based on the collective electron model. I. Energy spectrum, 3=25517
- Kurkin, M. I. On the theory of spin waves in a collective electron model. II. The ferromagnetic resonance width, 4=13276
- Kurkin, M.I. Theory of spin waves in a collective electron model. III. The transverse and longitudinal magnetic susceptibilities of antiferromagnetics, 4=17663
- Kurkin, V.P. Sound generated by a gas-jet siren, 2=15682
- Kurkin, V.P. Oblique-shock gas-jet sound radiator, 3=16703
- Kurkin, Yu. L., Kurkina, N.S. and Matsonashvili, R.D. An instrument for measuring the intensity of pulsed magnetic fields, 4=16613
- Kurkin, Yu. L., Kurkina, N.S., Matsonashvili, R.D., Shumskii, A.N. and Shumskaya, S.T. Investigation of an electrodynamical multiplication device, 4=16408
- Kurkina, N.S. See Kurkin, Yu. L., 4=16408
- Kurkina, N.S. See Kurkin, Yu. L., 4=16613
- Kurkjian, C.R. Relaxation of torsional stress in the transformation range of a soda-lime-silica glass, 4=4680
- Kurkjian, C.R. and Buchanan, D. N. E. Mössbauer absorption of Fe^{57} in inorganic glasses, 4=20168
- Kurkjian, C.R. and Douglas, R. W. The viscosity of glasses in the system Na_2O-GeO_2 , 0=8255
- Kurkjian, C. R., Gallagher, P. K., Sinclair, W. R. and Sigety, E. A. The absorption and fluorescence spectra of trivalent europium in silicate glasses, 4=10174
- Kurkjian, C. R. See Berger, S. B., 4=10187
- Kurland, R. J., Robin, M. B. and Wise, W. B. Inversion barrier in singly bridged biphenyls, 4=22422
- Kurlandzki, J. The reduction of initial-boundary-value of elasticity to Fredholm integral equation of the second kind, 2=17527
- Kurlandzki, J. Small perturbations of the elliptic boundary problem, 4=24281
- Kurlina, E.V. See Kolomiets, B.T., 0=15950
- Kurlina, E.V. See Sheftel', I.T., 0=2900
- Kurlina, E.V. See Sheftel', I.T., 1=19883
- Kurlina, E.V. See Sheftel', I.T., 1=19884
- Kurlina, E.V. See Sheftel', I.T., 2=8370
- Kurlina, E.V. See Sheftel', I.T., 2=8371
- Kurnakov, K.V. See Gusev, A.A., 3=14086
- Kurnick, S.W. and Fitzpatrick, R.L. Galvanomagnetic measurements in highly conducting semiconductors, 1=12419
- Kurnick, S.W. and Meyer, C. Determination of the optical parameters of the γ phase of cerium sulfide, 4=13028
- Kurnick, S.W. and Powell, J.M. Optical absorption in pure single crystal InSb at 298° and $78^\circ K$, 0=1727
- Kurnick, S.W., Zitter, R.N. and Williams, D.B. Attenuation of infrared radiation by fogs, 0=10452
- Kurnick, S.W. See Appel, J., 1=17479
- Kurnosova, L.V., Kolobyanina, T.N., Logachev, V.I., Razorenov, L.A., Sirotkin, I.A. and Fradkin, M.I. Discovery of anomalous radiation above the southern part of the Atlantic Ocean at altitudes of 310-340 km, 2=11085
- Kurnosova, L.V., Kolobyanina, T.N., Logachev, V.I., Razorenov, L.A., Sirotkin, I.A. and Fradkin, M.I. Discovery of anomalous radiation above the southern part of the Atlantic Ocean at altitudes of 310-340 km, 2=21674
- Kurnosova, L.V., Logachev, V.I., Razorenov, L.A. and Fradkin, M.I. Investigation of cosmic rays during the flight of the second space rocket to the moon, 2=9947
- Kurnosova, L.V., Logachev, V.I., Razorenov, L.A. and Fradkin, M.I. Energy spectra of various groups of cosmic-ray nuclei according to measurements with Cherenkov counters mounted on spaceship-satellites, 3=2343
- Kurnosova, L.V., Logachev, V.I., Razorenov, L.A. and Fradkin, M.I. Energy spectra of various groups of cosmic-ray nuclei according to measurements with Cherenkov counters mounted on spaceship-satellites, 3=2343
- Kurnosova, L.V., Razorenov, L.A. and Fradkin, M.I. Short-term increases in the intensity of the nuclear component of cosmic rays associated with solar activity, 2=7917
- Kurnosova, L.V., Razorenov, L.A. and Fradkin, M.I. A study of the nuclear component of cosmic rays from the third space rocket, 2=9948
- Kurnosova, L.V., Razorenov, L.A. and Fradkin, M.I. Heavy nuclei in primary cosmic rays, 2=12090
- Kurnosova, L.V., Razorenov, L.A. and Fradkin, M.I. Short-term increases of the cosmic-ray nuclei intensity associated with the solar activity, 2=16273
- Kurnosova, L.V., Razorenov, L.A. and Fradkin, M.I. A study of the nuclear component of cosmic rays from the third space rocket, 2=20475
- Kurnosova, L.V., Razorenov, L.A. and Fradkin, M.I. A short-period increase in the flux of heavy nuclei during the flight of the third spaceship-satellite, 3=2333
- Kurnosova, L.V., Razorenov, L.A. and Fradkin, M.I. A short-period increase in the flux of heavy nuclei during the flight of the third spaceship-satellite, 3=22230

- Kurnosova, L. V., Razorenov, L. A. and Fradkin, M. I. An instance of momentarily increased radiation intensity recorded during the flight of Satellite II 20 August 1960, 4=6155
- Kurnosova, L. V., Razorenov, L. A. and Fradkin, M. I. An instance of momentarily increased radiation intensity recorded during the flight of satellite II, 20 August 1960, 4=15117
- Kurnosova, L. V. See Dragun, G. S., 2=17314
- Kurnosova, L. V. See Ginzburg, V. L., 2=19249
- Kurnosova, L. V. See Ginzburg, V. L., 3=9119
- Kurnosova, L. V. See Ginzburg, V. L., 4=6153
- Kurnosova, L. V. See Veprik, Ya. M., 2=19360
- Kurnosova, L. Y. See Ginzburg, V. L., 2=15166
- Kurobe, T. and Ogawa, Y. Microwave amplification by interaction between electron beam and plasma, 4=685
- Kuroboshi, E. and Hara, Y. On the exchange magnetic moments, 0=13122
- Kuroboshi, E. See Fujita, J., 0=13189
- Kurochkin, A. I. See Zolotov, V. A., 0=1965
- Kurochkin, K. T., Baum, B. A. and Borodulin, E. K. Effect of nitrogen on the surface tension of molten iron, 4=21111
- Kurochkin, S. S. Magnetic measurements using permalloy pickups at a proton synchrotron, 1=5526
- Kurochkin, S. S. and Zel'dovich, M. P. Application of nuclear resonance in magnetic measurements in a proton synchrotron, 1=5519
- Kurochkin, S. S. See Kuz'min, A. A., 4=14817
- Kuroda, C. Time decrease of permeability of substitutional ferromagnetic alloys, 1=14728
- Kuroda, C. Anisotropy of polycrystalline sheets of v-permendum, 1=17963
- Kuroda, C., Miyadal, T., Naemura, A., Niizeki, N. and Takata, H. Magnetic torque curves for a single crystal of thulium orthoferrite (TmFeO_3), 1=7770
- Kuroda, H. Absorption spectra of photo-oxide of mesonaphthodanthrene, 0=21289
- Kuroda, H. and Akamatu, H. Polarised absorption spectrum of a single crystal of pyrene-tetracyanoethylene complex, 4=22909
- Kuroda, H. and Flood, E. A. Effect of oxygen on semiconductivities of mesonaphthodanthrene and mesonaphthodanthrene, 0=18056
- Kuroda, H., Kobayashi, M., Kinoshita, M. and Takemoto, S. Semi-conductive properties of tetracyanoethylene complexes and their absorption spectra, 2=4040
- Kuroda, H. See Akamatu, H., 4=7079
- Kuroda, K. See Caverzasio, C., 4=19511
- Kuroda, K. See Caverzasio, C., 2=291
- Kuroda, K., Kuroda, T., Mutsuro, N., Tohei, T. and Kimura, M. Longitudinal polarization of monochromatized beta rays from the decay of Y^{90} , 2=3517
- Kuroda, K. See Kimura, M., 1=5909
- Kuroda, K. See Kimura, M., 1=12194
- Kuroda, K. See Ōno, K., 0=4103
- Kuroda, P. K. Nuclear fission in the early history of the earth, 0=14323
- Kuroda, P. K. and Crouch, W. H., Jr. On the chronology of the formation of the solar system. II. Iodine in terrestrial rocks and the xenon 129/136 formation interval of the earth, 3=9166
- Kuroda, P. K., Hodges, H. L., Fry, L. M. and Moore, H. E. Stratospheric residence time of strontium-90, 2=21639
- Kuroda, P. K., Hodges, H. L. and Moore, H. E. Fallout from nuclear detonations of February and April 1960, 1=7933
- Kuroda, P. K. and Manuel, O. K. On the chronology of the formation of the solar system. I. Radiogenic xenon 129 in the earth's atmosphere, 3=9165
- Kuroda, P. K. and Menon, M. P. Determination of trace quantities of fission products in nonirradiated natural and depleted uranium salts, 2=5987
- Kuroda, P. K. See Menon, M. P., 4=2214
- Kuroda, S. T. An example of a scattering system in Jauch's sense, 1=16691
- Kuroda, S. T. On a paper of Green and Lanford, 2=22425
- Kuroda, S. T. See Kato, T., 0=4945
- Kuroda, T. See Nagao, S., 3=21734
- Kuroiwa, D. A study of ice sintering, 2=2360
- Kurokawa, K. See Saito, S., 4=19278
- Kurokawa, M. See Kobayashi, K., 3=5153
- Kuroki, K. On a new measuring method of Rockwell hardness, 3=1246
- Kurono, H. See Komatsubara, K., 2=16699
- Kurono, H. See Komatsubara, K., 2=16706
- Kurono, H. See Komatsubara, K., 3=20310
- Kurono, H. See Komatsubara, K., 4=12897
- Kurono, H. See Komatsubara, K., 4=22710
- Kuronusa, E. A new solution of the clock paradox, 1=15619
- Kuropatenko, V. F. A method of calculation of [the propagation of] shock waves, 0=19278
- Kuropatenko, V. F. A method of calculation of [the propagation of] shock waves, 1=5292
- Kuropatenko, V. F. A finite difference method for calculation of shock waves, 4=16169
- Kurosawa, T. Defects in ionic crystals. II. An analysis of F and V_i centers, 0=20831
- Kurosawa, T. Heitler-London approach to electrical conductivity. II. A proof of the hopping motion, 1=11248
- Kurosawa, T. Polarization waves in solids, 1=14160
- Kurosawa, T. Vacancy pairs and dislocations in ionic crystals, 2=3897
- Kurosawa, T. Motion of strongly coupled electron-lattice systems, 3=10587
- Kurosawa, T. An interpretation of the bistable cryosar, 3=13060
- Kurosawa, T. See Yamashita, J., 1=8933
- Kurov, G. A. A further contribution on the structure of thin layers obtained by evaporation of indium antimonide in vacuo, 0=735
- Kurov, G. A. Producing of thin alloy specimens of varying composition, 2=1216
- Kurov, G. A. The mechanism of growth of a monocrystal of germanium from a molecular beam, 2=2355
- Kurov, G. A. Growth of germanium layers from the gaseous phase, 2=10792
- Kurov, G. A. The problem of growth mechanism of germanium layers, 2=21491
- Kurov, G. A. Preparation of germanium layers by the iodide method, 3=23417
- Kurov, G. A. Some aspects of the iodide process of crystallization, 4=4536
- Kurov, G. A. Conditions for the formation of epitaxial germanium films, 4=7574
- Kurov, G. A. Mechanism of the formation of epitaxial films of germanium in the iodide process, 4=10485
- Kurov, G. A., Sheftal', N. N. and Kokorish, N. P. Investigation of coarse-grained germanium layers produced by pyrolysis of gas, 1=14435
- Kurov, G. A., Vasil'ev, V. D. and Kosaganova, M. G. The conditions for the growth of germanium crystals in thin layers [films], 2=8791
- Kurov, G. A., Vasil'ev, V. D. and Kosaganova, M. G. The conditions for the growth of germanium crystals in thin layers [films], 2=10797
- Kurov, G. A., Vasil'ev, V. D. and Kosaganova, M. G. Experiments on the growing of germanium crystals in thin films, 3=23398
- Kurov, G. A. See Tikhonova, A. A., 4=25946
- Kurov, I. E. and Stepanov, V. A. Long-terms strength of metals under torsion, 2=12862
- Kurov, I. E. and Stepanov, V. A. Long term strength of metals under torsion, 2=14900
- Kurov, I. E. and Stepanov, V. A. Life of metals under constant and variable stresses, 4=23124
- Kurova, I. A. and Kalashnikov, S. G. The electrical conductivity of germanium at low temperatures, 0=6108
- Kurova, I. A. and Kalashnikov, S. G. Electrical instability in germanium, 4=10051
- Kurova, I. A., Kalashnikov, S. G. and Tyapkina, N. D. Kinetics of the impurity photoconductivity of n-type germanium containing gold, 2=21194
- Kurova, I. A., Kalashnikov, S. G. and Tyapkina, N. D. Kinetics of the impurity of n-type germanium containing gold, 3=2976
- Kurova, I. A. and Tyapkina, N. D. The electrical conductivity of lithium-doped germanium at low temperatures, 1=3751
- Kurova, I. A. See Il'ina, M. A., 2=634
- Kurova, I. A. See Il'ina, M. A., 2=23346
- Kurova, I. A. See Kalashnikov, S. G., 0=20898
- Kuroyanagi, J. Change in modulus of rigidity of brass wires by cold-working and subsequent annealing, 1=11517
- Kuroyanagi, J. On the relation between the change in modulus of rigidity of brass wires by cold-rolling and rolling textures, 1=20298
- Kuroyanagi, J. Change in modulus of rigidity of brass wires containing small amounts of zinc with cold-working, 2=18978
- Kuroyanagi, T. Decays of photoreaction products of selenium, 1=13756
- Kuroyanagi, T. Decay of As^{79} , 2=3505

- Kuroyanagi, T. Decay of Sr^{83} , 2=3513
 Kuroyanagi, T. and Tamura, T. Nuclear spectroscopy of ^{173}Tm , 4=6295
 Kuroyanagi, T., Tamura, T., Tanaka, K. and Morinaga, H. Potassium-47, 4=12179
 Kuroyanagi, T., Yuta, H., Takahashi, K. and Morinaga, H. New activities in rare earth region produced by the (γ , p) reactions, 2=5844
 Kuroyanagi, T. See Homma, S., 1=13713
 Kuroyanagi, T. See Miyano, K., 4=9454
 Kuroyanagi, T. See Morinaga, H., 1=346
 Kuroyanagi, T. See Morinaga, H., 1=7345
 Kuroyanagi, T. See Takahashi, K., 1=17113
 Kurrey, T. J., Jr. and Roy, R. R. K/(L + M) conversion ratios in the decay $\text{Pm}^{148} \rightarrow \text{Sm}^{148}$, 3=19821
 Kursanov, Yu. B. See Demirkhanov, R. A., 4=14699
 Kursanov, Yu. V. See Demirkhanov, R. A., 4=19100
 Kursanova, N. S. See Abdreeshchev, E. A., 2=23610
 Kürschner, D. See Koch, H., 3=18530
 Kurshev, A. K. See Gol'dman, A. G., 0=1677
 Kurshin, L. M. On the stability of pivots and plates during creep, 2=1098
 Kurshin, L. M. On the stability of pivots and plates during creep, 2=7151
 Kurskii, Yu. A. The distribution of non-equilibrium carriers in the surface layer of the space charge in semiconductors at high surface potentials, 1=12428
 Kurskii, Yu. A. On the nature of the neutralization of surface recombination centres in germanium, 3=22709
 Kurskii, Yu. A. and Selivanenko, A. S. The theory of luminescence quenching in liquid solutions, 0=16708
 Kursunoglu, B. Relativity and quantum theory, 0=14492
 Kursunoglu, B. Complex orthogonal and antiorthogonal representation of Lorentz group, 1=4756
 Kursunoglu, B. Brownian motion in a magnetic field, 2=7591
 Kursunoglu, B. Relativistic plasma, 2=17851
 Kursunoglu, B. Relativistic plasma, 3=7612
 Kursunoglu, B. Brownian motion in a magnetic field, 4=502
 Kursunoglu, B. Brownian motion and "resonance diffusion" in a magnetic field, 4=11596
 Kursunoglu, B. New symmetry group for elementary particles. I. Generalization of Lorentz group via electrodynamics, 4=24977
 Kurt, P. G. and Moroz, V. I. Potential of a metal sphere in interplanetary space, 2=17315
 Kurt, V. G. An investigation of the spectrum of the solar corona in the region of wavelengths 78000-12000 Å obtained during the total solar eclipse of February 15, 1961, 2=24121
 Kurt, V. G. An investigation of the spectrum of the solar corona in the region of wavelengths 7800-12000 Å obtained during the total solar eclipse of February 15, 1961, 3=3580
 Kurt, V. G. On the relative intensities of the coronal lines $\text{Fe XIII } \lambda 10747$ and $\lambda 10798$, 3=23687
 Kurt, V. G. Neutral hydrogen near the earth and in interplanetary space, 4=23773
 Kurt, V. G. and Moroz, V. I. Potential of a metal sphere in interplanetary space, 2=11196
 Kurt, V. G. See Gringauz, K. I., 2=918
 Kurt, V. G. See Gringauz, K. I., 2=9030
 Kurt, V. G. See Kaplan, S. A., 1=18018
 Kurt, V. G. See Shklovskii, I. S., 0=18889
 Kurt, V. G. See Shklovskii, I. S., 2=919
 Kurth, R. Mass-luminosity relation, 0=16549
 Kurth, R. Some remarks on the pulsating gas sphere, 0=16554
 Kurth, R. Criticism of the dynamic mass-estimation of globular clusters, 2=7019
 Kurth, R. On the foundations of celestial mechanics, 2=24074
 Kurth, R. Statistical considerations of the empirical mass-luminosity relationship, 3=16410
 Kurth, R. Dimensional analysis of Stellar radiation, 4=20396
 Kurti, N. Experimental determination of the hyperfine coupling in ferromagnetic metals and alloys, 0=2991
 Kurti, N. Some aspects of the nuclear orientation work at Oxford, 0=8963
 Kurti, N. High energy coil magnets, 0=9145
 Kurti, N. The determination of the hyperfine coupling in ferromagnetic metals by nuclear orientation and low temperature specific heats, 0=13756
 Kurti, N. The lowest temperature in the world, 0=19530
 Kurti, N. Temperatures below 1°K, 4=11429
 Kurti, N. See Grace, M. A., 0=20786
 Kurti, N. See Hobden, M. V., 1=4520
 Kurtmullaev, R. Kh. See Brandt, A. A., 2=1382
 Kurtmullaev, R. Kh., Nesterikhin, Yu. E. and Ponomarenko, A. G. Measurement of the instantaneous velocity of a [plasma] blob, 4=14684
 Kurts, D. C. See Edwards, H. D., 4=13833
 Kurtseva, N. N. See Kashtanova, A. M., 1=14538
 Kurtz, A. D. and Yee, R. Diffusion of boron into silicon, 0=6058
 Kurtz, A. D. See Allen, R. B., 0=6059
 Kurtz, A. D. See Gravel, C. L., 3=20361
 Kurtz, D. R. See Lee, T. H., 3=21453
 Kurtz, R. J. Cathodoluminescent characteristics of Mn-activated KMgF_3 , 2=8587
 Kurtz, S. K. and Nilsen, W. G. Paramagnetic resonance spectra of Cr^{3+} in ZnWO_4 , 3=3169
 Kurtz, S. K. See Geusic, J. E., 3=17936
 Kurtz, S. K. See Geusic, J. E., 4=20464
 Kurtz, S. K. See Nilsen, W. G., 4=30734
 Kurtze, G. Structure-borne sound damping using granular materials, 0=19340
 Kurtze, G. Light weight walls with high transmission loss, 1=220
 Kurtze, G. Relaxation sound attenuator, 2=83
 Kurtze, G. The application of metal sandwiches to noise control, 4=14316
 Kurtze, G. and Bolt, R. H. On the interaction between plate bending waves and their radiation load, 1=193
 Kurtze, G. and Neumann, E. G. A dipole absorber for centimetre waves with reduced reflection for oblique incidence, 0=19933
 Kurtze, G. See Meyer, E., 1=8191
 Kuru, I. See Ikoma, H., 4=17392
 Kuru, I. See Ikoma, H., 4=20370
 Kurushin, A. I. Paramagnetic absorption of rotation of plane of polarization for certain salts in the microwave band, 0=11945
 Kurushin, Yu. N. and Men', A. N. Determination of the temperature and concentration dependences of the short-range order parameters for an n-component unordered solid solution, 4=1981
 Kurushin, Yu. N. and Men', A. N. The determination of the short-range order parameters for a three-component spinel, 4=15727
 Kuruvilla, T. See Tillman, T. W., 4=15975
 Kur'yanov, B. F. Scattering of sound at a rough surface with two types of irregularity, 3=14273
 Kur'yanov, B. F. Spatial correlation of fields emitted by random sources on a plane, 4=24025
 Kurylenko, C. Technique for obtaining absorption and emission spectra of X-rays. II, 0=3952
 Kurylenko, C. Technique for obtaining absorption and emission spectra of X-rays. K, L, M, ... absorption edges of X-rays, 0=9331
 Kurylenko, C. Contribution to the study of titanium. I. Emission and K absorption spectra of X-rays of titanium, 0=20595
 Kurylenko, C. Fringes in the proximity of the K-discontinuity of X-rays in zinc. I. Transition probability of the electrons to the perturbed and unperturbed Brillouin zones, 0=17915
 Kurylenko, C. Technique for obtaining absorption and emission spectra of X-rays, 0=20596
 Kurylenko, C. Contribution to the study of titanium. II. Oxides of titanium, 0=20967
 Kurylenko, C. On the mean potential V_0 in aluminium 1=12350
 Kurylenko, C. Technique for obtaining absorption and emission spectra of X-rays. III. Emission of characteristic lines. IV. Qualitative and quantitative analysis by X-rays, 2=8939
 Kurylenko, C. L-absorption spectrum of silver, 2=21257
 Kurylenko, C. Polymorphic varieties of Fe and the K X-ray absorption spectra, 3=15691
 Kurylenko, C. X-ray K-absorption spectra of rock salt (NaCl) and sylvine (KCl), 4=1753
 Kurylenko, C. Is the $K\beta$ line of the oxide Al_2O_3 (corundum type) simple or complex?, 4=4251
 Kurylenko, C. The L-absorption spectrum of magnesium, 4=13044
 Kurylenko, C. Analysis of the $K\beta$ emission lines of solid and liquid aluminium, 4=13017
 Kurylenko, S. Isolated fringes close to the X-ray K discontinuity of copper, 0=13470
 Kurylko, V. I. and Miroshnychenko, V. I. Reflection of electromagnetic waves by a plasma, 2=11790
 Kur'yo, P. M. See Barans'kyi, P. I., 4=12901
 Kuryshev, V. S. See Lebedev-Krasin, Yu. M., 4=14809
 Kuryshev, V. S. See Strel'tsov, N. S., 4=14796
 Kuryshev, V. S. See Vladimirskii, V. V., 2=20081
 Kuryshev, V. S. See Vladimirskii, V. V., 3=12275

- Kuryshev, V.S. See Vladimirkii, V.V., 4=14794
 Kurz, J. See Barish, C., 4=25138
 Kurz, R.J. See Barish, B.C., 1=8486
 Kurzrok, R.M. See Bossard, B.B., 3=1908
 Kurzweg, U.H. The stability of dissipative Couette flow between rotating cylinders in the presence of an axial magnetic field, 4=16643
 Kusaka, R. See Itoh, J., 2=10719
 Kusakov, M. M., Kononova, L. A. and Konstantinov, A. A. High pressure rotatory viscometer for small amounts of liquid, 4=21076
 Kušcer, I. Reciprocity theorems for thermal neutrons, 3=12466
 Kušcer, I. Thermal diffusion of neutrons, 3=14988
 Kušcer, I. See Kladnik, R., 2=5661
 Kušcer, I. See Kladnik, R., 2=16201
 Kušcer, I. See Strnad, J., 1=15929
 Kusch, P. Note on the magnetic rotation spectrum of CS_2 , 4=6587
 Kusch, P. Notes on resolution in scattering measurements, 4=12410
 Kusch, P. See Rao, V.S., 1=6051
 Kusch, S. See Kleint, Ch., 4=19081
 Kusch, W. Measurements of absorption in graphite of electrons from meson μ decay, 0=15333
 Kusch, W. See Chojnacki, S., 1=670
 Kusch, W. See Yeffseyev, W.S., 1=12035
 Kusch, W. See Yeffseyev, W.S., 2=14122
 Kuschakevich, Iu. P. See Selinov, I.P., 1=17010
 Kuschel, G. See Kleint, C., 2=15959
 Kuschnir, K. R. See Carlson, K. D., 4=25592
 Kuse, D. See Hellwege, K.H., 2=12605
 Kusemegi, A. See Harting, D., 0=15419
 Kusev, V.G. See Belikova, G.S., 3=20399
 Kush, V.Z. See Evseev, V.S., 1=18499
 Kush, V.Z. See Evseev, V.S., 2=7872
 Kush, V.Z. See Evseev, V.S., 2=22832
 Kushakevich, S.A. See Lerinman, R.M., 1=1416
 Kushakevich, Yu. P. See Demin, A. G., 4=6246
 Kushal', M. Ya. The stability of forced oscillations in a self-rotating system, 1=5244
 Kushel', A. Some problems of neutron transport theory, 4=906
 Kushida, T. and Saiki, K. Shift of nuclear quadrupole resonance frequency by electric field, 1=14836
 Kushida, T. and Silver, A.H. Electrically induced nuclear resonance in Al_2O_3 (Ruby), 3=15962
 Kushida, T., Silver, A.H., Koi, Y. and Tsujimura, A. Nuclear resonance in ferromagnetic alloys, 2=12644
 Kushida, T. See Benedek, G.B., 0=10249
 Kushida, T. See Cole, T., 3=17609
 Kushida, T. See Iida, S., 4=16704
 Kushida, T. See Kōi, Y., 1=17949
 Kushida, T. See Kōi, Y., 1=20256
 Kushida, T. See Kōi, Y., 1=20257
 Kushida, T. See Koi, Y., 3=1199
 Kushida, T. See Silver, A.H., 2=6700
 Kushida, T. See Silver, A.H., 3=10541
 Kushida, T. See Uehara, Y., 1=6226
 Kushinskii, E.V. See Bessonov, M.I., 0=6315
 Kushi, I. γ - α transition in Fe_2O_3 with pressure, 0=18376
 Kushner, L.M. See Parker, R.L., 1=20432
 Kushner, L.M. See Ruff, A.W., Jr., 4=28469
 Kushnerev, M. Ya., Linde, V.R. and Roginskii, S.Z. The electrical conductivity of the cobalt-manganese spinels with admixtures of lithium, titanium, and copper oxides, 1=14357
 Kushnerevsky, J.A. See Boenkova, N.M., 2=15234
 Kushneriuk, S.A. Distribution of resonant neutron capture in a natural uranium rod—application to NRX rod 683, 1=783
 Kushneriuk, S.A. and Jirlov, K. The linear extrapolation length and blackness for infinite cylinders, 3=10405
 Kushneriuk, S.A. See Bigham, C.B., 4=1129
 Kushnir, Yu. M. See Der-Shvarts, G.V., 1=4649
 Kushnir, F.F. See Predvoditelev, A.A., 4=1477
 Kushnir, F.F. See Spivak, G.V., 2=23910
 Kushnir, I.P. Observation of dislocations in iron microcrystals by the etch method, 3=15498
 Kushnir, R.M. Charge exchange between caesium ions and atoms, 1=11915
 Kushnir, R.M. Charge exchange between potassium ions and atoms, 1=13070
 Kushnir, R.M. and Buchma, I.M. Further investigation of resonance charge exchange of positive caesium ions, 2=17789
 Kushnir, R.M., Palyukh, B.M. and Sena, L.A. A study of resonance neutralization in monatomic gases and metal vapours, 0=7703
 Kushnir, Yu. M. Soviet electron microscopes (review), 2=1507
 Kushnir, Yu. M. Electron microscopy (a state-of-the-art survey: construction of instruments, some areas of application and related problems of electron optics), 3=21881
 Kushnir, Yu. M., Fetisov, D.V., Raspletin, K.K., Pochtarev, B.L., Spektor, F.U., Kabanov, A.N. and Anisimov, V.F. Scanning electron microscope and X-ray microanalyser, 3=2035
 Kushnir, Yu. M. and Kabanov, A.N. Use of an analyser for investigating the energy distribution of electrons reflected from metals, 3=2040
 Kushnir, Yu. M., Nyrkov, V.G., Butslov, M.M. and Bordovskii, G.A. Application of an image converter to an electron microscope, 1=4648
 Kushnir, Yu. M. See Borovskii, I.B., 0=20763
 Kushnir, Yu. M. See Der-Shvarts, G.V., 3=2038
 Kushnir, Yu. M. See Kabanov, A.N., 2=1513
 Kushnir, Yu. M. See Kabanov, A.N., 3=2039
 Kushnir, Yu. M. See Krasovskii, V.I., 2=9022
 Kushnir, Yu. M. See Krasovskii, V.I., 2=12088
 Kushnirenko, E.A. See Budagov, Yu.A., 1=19297
 Kushnirenko, E.A. See Budagov, Yu.A., 2=16228
 Kushnirenko, E.A. See Budagov, Yu.A., 3=6039
 Kushnirenko, E.A. See Budagov, Yu.A., 3=4474
 Kushnirenko, E.A. See Džhelepov, V.O., 2=10231
 Kushnirenko, E.A. See Džhelepov, V.P., 2=14231
 Kushnirenko, E.A. See Džhelepov, V.P., 3=6371
 Kushniruk, V. F., Ryndina, E. Z., Solov'ev, S.N. and Chuburkova, I.I. The possibility of applying semiconductor detectors with large surfaces for α -spectrometry, 4=9325
 Kushta, G. P., Mikhailuk, I.P. and Korolyuk, G.F. The influence of alloying additions on the strength of interatomic binding in the aluminium lattice. I. The influence of copper, 0=1938
 Kushta, G. P. See Mikhail'chenko, V. P., 4=23390
 Kushta, G. P. See Mikhail'chenko, V. P., 4=25866
 Kushta, G. P. See Mykhal'chenko, V. P., 4=1407
 Kushta, G.P. See Strongin, B.G., 4=17725
 Kushta, H. P. See Heshko, Ye. I., 4=12618
 Kushta, H.V. See Mykhal'uk, I.P., 3=20864
 Kushtan, V.L. Some considerations in favour of the existence of a scalar neutral meson, 3=2288
 Kushtan, V.L., Lomsadze, Yu.M. and Romanko, G.D. A principle of invariance under inversion for each constant in the theory and its consequences, 2=22380
 Kushul', M. Ya. The stability of forced oscillations in a self-rotating system, 1=19461
 Kushwaha, R.S. Decay of shock waves in a stellar atmosphere, 1=1654
 Kushwaha, R.S. Thermally induced convection in a stellar atmosphere, 1=9287
 Kushwaha, R.S. See Anand, S.P.S., 2=4923
 Kushwaha, R.S. See Anand, S.P.S., 2=13249
 Kushwaha, R.S. See Anand, S.P.S., 2=15292
 Kushwaha, R.S. See Anand, S.P.S., 3=1506
 Kushwaha, R.S. See Anand, S.P.S., 3=4255
 Kushwaha, R.S. See Anand, S.P.S., 3=7543
 Kushwaha, R.S. See Anand, S.P.S., 4=2345
 Kushwaha, R.S. See Bhatia, P.K., 2=24138
 Kushwaha, R.S. See Bhatia, P.K., 4=8912
 Kushwaha, R.S. See Bhatia, P.K., 4=29370
 Kushwaha, R.S. See Bhatnagar, M.S., 1=15508
 Kushwaha, R.S. See Bhatnagar, M.S., 2=9093
 Kushwaha, R.S. See Bhatnagar, M.S., 3=9235
 Kushwaha, R.S. See Bhatnagar, M.S., 4=2768
 Kushwaha, R.S. See Bhatnagar, M.S., 4=4863
 Kushwaha, R.S. See Duorah, H.L., 2=9071
 Kushwaha, R.S. See Duorah, H.L., 3=1532
 Kushwaha, R.S. See Duorah, H.L., 3=11563
 Kushwaha, R.S. See Duorah, H.L., 3=11568
 Kushwaha, R.S. See Duorah, H.L., 4=3720
 Kushwaha, R.S. See Gupta, M.M., 3=1535
 Kushwaha, R.S. See Krishan, S., 4=2348
 Kushwaha, R.S. See Krishna Swamy, K.S., 2=9094
 Kushwaha, R.S. See Krishna Swamy, K.S., 2=15373
 Kushwaha, R.S. See Krishna Swamy, K.S., 2=15381
 Kushwaha, R.S. See Nagaratnam, A., 3=11558
 Kusin, N.N. See Vereshchagin, L.F., 1=5001
 Kusin, N.N. See Vereshchagin, L.F., 1=11251
 Kuska, H. A. and Rogers, M. T. Hyperfine splittings in the paramagnetic resonance spectrum of the $[\text{Cr}(\text{CN})_6]^{3-}$ ion, 4=12512

- Kuske, A. Some new [photoelastic] stress-optical methods, 1=11723
- Kuske, A. Agreement with theory in stress birefringence, 2=13464
- Kuskevics, G. See Bosch, S.H., 4=19095
- Kuskowski, R.L., Novey, T.B. and Warshaw, S.D. Design and construction of a system of pulsed magnets, 1=10/61
- Kuskowski, R.L. See Burleson, G.R., 3=17145
- Kuskowski, R.L. See Burleson, G.R., 3=17146
- Kuskowski, R.L. See Burleson, G.R., 3=17149
- Kus'mina, I.P. and Litvin, B.N. Crystallization of cassiterite (SnO_2) under hydrothermal conditions, 4=15766
- Kusmiss, J.H. See Stewart, A.T., 2=23118
- Kusmiss, J.H. See Stewart, A.T., 4=199
- Kusnetsov, E.V. and Shalamov, Ya.Ya. On resonances in the baryon system with strangeness $|S|=1$, 3=17315
- Kusnezov, N. Limiting critical field in thin superconductors, 3=16866
- Kusov, V.A. See Zverev, G.N., 3=19417
- Kusse, B.R. See Staelin, D.H., 4=13959
- Kussmann, A. Jessen, K. Invar-behaviour and magnetic moments of the γ -phase of iron-palladium alloys, 3=998
- Kussmann, A. See Blasas, D., 0=8214
- Kussmaul, G. and Meister, H. Thermal neutron diffusion parameters of heavy water, 4=6064
- Kustaanheimo, P. Time derivatives of the components of proper motion of stars, 0=12290
- Kustaanheimo, P. On the determination of orbits of comets and asteroids, 1=9256
- Kustaanheimo, P. The determination of the osculating orbit of an artificial earth satellite, 1=18217
- Kustaanheimo, P. The determination of an orbit from two observations, 2=4713
- Kustaanheimo, P. On Levi-Civita's theorem of mechanical equivalence, 4=8048
- Kustaanheimo, P. Energetic identities of Keplerian motion, 4=10798
- Kustaanheimo, P. Second approximation of the refraction formula, 4=10799
- Kustaanheimo, P. Spinor regularization of the Kepler motion, 4=27118
- Kustaanheimo, P. and Lehti, R. A new astronomical effect of the general theory of relativity: the dilatation of the sidereal period of orbits with great eccentricity, 3=21221
- Kustaanheimo, P. and Lehti, R. Single-body problem in the various theories of gravitation, 3=23739
- Küster, R. Electrostatic molecular models for the Kerr effect in non-polar liquids, 1=12884
- Küster, R. Measurement of the Kerr effect of dipolar liquids under the action of impulses, 2=17656
- Küster, R. See Maching, O., 3=5546
- Kuster, R. See Machnig, O., 2=10173
- Kusterer, W. See Brackmann, J., 2=8637
- Küstters, H. On the definition of proper "average" number of collisions in the moderation of neutrons, 4=6071
- Küstters, H. and Ott, K. Monoenergetic treatment of neutron transport problems in fuel tests and Wigner-Seitz cells, 2=14169
- Kusuda, H. See Nishikawa, K., 4=27380
- Kusukawa, K. Magneto-fluid dynamical channel flows, 4=11776
- Kusukawa, K. Magneto-fluid dynamical inviscid flows, 4=11777
- Kusukawa, K. On the Kutta-Joukowski condition in magneto-hydrodynamics, 4=27628
- Kusumegi, A. See Goebel, K., 1=8732
- Kusumegi, A. See Harting, D., 0=368
- Kusumegi, A. See Masaike, A., 4=9480
- Kusumoto, H. The effect of deuteron irradiation on the nuclear magnetic resonance in teflon, 1=9072
- Kusumoto, H., Itoh, J., Hirota, K. and Ueda, T. On the proton chemical shift in deuterium substituted p-xylene and toluene, 1=2317
- Kusumoto, H., Lawrenson, I.J. and Gutowsky, H.S. Proton magnetic resonance studies of some silicates, 0=5998
- Kusumoto, H. and Narita, K. A note on G-shift calculation in E.S.R. of ZnS A-centres, 4=10333
- Kusumoto, H. and Shoji, M. Paramagnetic centers produced at the silicon surface by heat-treatment in atmosphere containing no oxygen, 3=5045
- Kusumoto, H. See Narita, K., 4=26443
- Kusumoto, H. See Otomo, Y., 3=23131
- Kusumoto, O. See Kaneko, S., 0=9452
- Kuszell, A. The critical problems for multilayer slab systems, 1=17183
- Kuszell, A. and Mika, J. Thermal utilization factor in water-graphite moderated lattice, 1=19559
- Kuszell, A. See Balescu, R., 4=27509
- Kuszell, A. See Želazny, R., 1=15749
- Kuszell, A. See Želazny, R., 1=16789
- Kuszell, A. See Želazny, R., 1=16803
- Kuszell, A. See Želazny, R., 2=3351
- Kuszell, A. See Želazny, R., 2=3352
- Kutasov, V.A. See Goletskaya, A.D., 2=4079
- Kutasov, V.A. See Goletskaya, A.D., 2=8449
- Kutasov, V.A. See Vinogradova, M.N., 0=6089
- Kutateladze, S.S. Boiling heat transfer, 2=15812
- Kutateladze, S.S. Some problems of heat exchange and frictional resistance in turbulent flows, 3=8490
- Kutateladze, S.S., Borishanskii, V.M. and Novikov, I.I. Heat transfer in liquid metals, 0=8825
- Kutateladze, S.S. and Moskvicheva, V.N. Hydrodynamics of a two-component layer as related to the theory of crises in the process of boiling, 0=8848
- Kutenko, A.M. See Lavats'kiĭ, D.Yu.H., 4=15756
- Kuthe, R. Calculation of the quantities of state of a shock wave with reference to the temperature dependence of the specific heat, 4=11289
- Kuthe, R. See Kroepelin, H., 2=5318
- Kuti, G. and Marx, G. Model with superconducting solution in quantum field theory. II, 4=19347
- Kuti, G. See Marx, G., 4=30139
- Kutikov, I.E. See Apalin, V.F., 0=4137
- Kutikov, I.E. See Apalin, V.F., 2=1941
- Kutikov, I.E. See Apalin, V.F., 2=20693
- Kutikov, I.E. See Apalin, V.F., 3=8151
- Kutikov, I.E. See Apalin, V.F., 3=10401
- Kutikov, I.E. See Apalin, V.F., 3=12713
- Kutikov, I.E. See Apalin, V.F., 3=17502
- Kutikov, I.E. See Apalin, V.F., 4=19853
- Kutikov, I.E. See Apalin, V.F., 4=25442
- Kutikov, I.E. See Erokolimsky, B.G., 0=4135
- Kutikov, I.E. See Sosnovskii, A.N., 0=2546
- Kutikov, I.E. See Sosnovskii, A.N., 0=12937
- Kutikov, I.E. See Spivak, P.E., 0=4134
- Kutikov, I.E. See Spivak, P.E., 1=4791
- Kutikov, I.E. See Spivak, P.E., 2=429
- Kutikov, I.E. See Spivak, P.E., 2=22799
- Kutikov, I.G. See Spivak, P.E., 0=4133
- Kutikov, I.Y. See Apalin, V.F., 3=2509
- Kutikov, I.Ye. See Apalin, V.F., 2=11932
- Kutikov, I.Ye. See Spivak, P.E., 1=5900
- Kutkin, I.A. See Finkel', V.M., 2=8747
- Kutkin, I.A. See Finkel', V.M., 2=12867
- Kutkin, I.A. See Finkel', V.M., 2=14907
- Kutkin, I.A. See Finkel', V.M., 2=19013
- Kutkin, I.A. See Finkel', V.M., 2=21445
- Kutkin, I.A. See Finkel', V.M., 2=23788
- Kutkin, I.A. See Finkel', V.M., 3=3243
- Kutkin, I.A. See Finkel', V.M., 4=10385
- Kutkin, I.A. See Finkel', V.M., 4=20648
- Kutkin, I.O. See Finkel', V.M., 3=3242
- Kutlroff, D. Time dilation derivation, 3=9333
- Kutlu, H. and Ögder, M. Photoelectric effect in Ag-As-S alloys, 1=5025
- Kutoglu, A. See Allmann, R., 4=26677
- Kutsaeva, L.S. See D'yachenko, P.P., 4=3714
- Kutsaeva, L.S. See D'yachenko, P.P., 4=6399
- Kutsaeva, L.S. See Kuz'minov, B.D., 0=9713
- Kutsaeva, L.S. See Kuz'minov, B.D., 0=11457
- Kutsaeva, L.S. See Kuz'minov, B.D., 2=8021
- Kutsaeva, L.S. See Kuz'minov, B.D., 3=6314
- Kutsaeva, L.S. See Smirenkin, G.N., 0=11458
- Kutschabsky, L. and Höhne, E. On the crystal structure of $\text{SrB}_2\text{O}_4 \cdot 4\text{H}_2\text{O}$, 4=29141
- Kutschabsky, L. See Schmidt, G., 1=8173
- Kutschale, H. Long-range sound transmission in the Arctic Ocean, 1=20805
- Kutschale, H. See Hunkins, K., 3=13652
- Kutsenko, A.V. Coincidence circuits in nuclear physics, 4=14983
- Kutsenko, A.V. See Belovintsev, K.A., 0=7181
- Kutsenko, A.V. See Goldanskii, V.I., 0=20137
- Kutsenko, A.V. See Gol'danskii, V.I., 1=4786
- Kutsenko, A.V. See Vasil'kov, R.G., 4=12591
- Kutsko, M. See Lindmayer, J., 3=23043
- Kutsuwada, T. See Fushimi, K., 4=11501

- Kutsyna, L. M., Ogurtsova, L. A., Grekov, A. P. and Shvaika, O. P. Oxadiazole derivatives as scintillation activators in various solvents, 4=1207
- Kutsyna, L. M. and Verkhovtseva, E. T. Effect of 1-methylnaphthalene on the optical characteristics of certain substituted oxazoles and oxadiazoles, 3=18815
- Kuttner, P. Distortion of the epithermal flux by probes of different layers in the fuel element of a heterogeneous reactor, 4=6429
- Kuttner, P. The resolving power of refractometers, 4=14341
- Kuttner, P. On the construction of glan prisms and their application as polarizers in spectro-polarimeters, 4=18391
- Kuttner, P. The optical lay-out of a spectro-polarimeter, 4=24395
- Kuttner, P. New polarizers for the region from ultraviolet to infrared, 4=24396
- Kuttruff, H. Optical analogue of stationary diffusivity in reverberating rooms, 0=16808
- Kuttruff, H. Properties and evaluation of reverberation curves, 0=19319
- Kuttruff, H. Remarks on the concept of the "mean free path" in room acoustics, 2=9354
- Kuttruff, H. Relation between sonoluminescence and cavitation-oscillations in liquids, 2=19571
- Kuttruff, H. Simple correlation measurements of room acoustics, 3=18947
- Kuttruff, H. Sonoluminescence in mercury, 4=5192
- Kuttruff, H. and Carstensen, H. R. Sound distribution in a reverberation chamber at low frequencies, 3=1776
- Kuttruff, H. and Plass, K. Sonoluminescence and bubble oscillation in ultrasonic cavitation (30 kc/s), 2=2725
- Kuttruff, H. and Rischbieter, F. Model research on the sound-reflection from perforated concave surfaces, 2=5114
- Kuttruff, H. and Wille, P. Absolute calibration of various kinds of water-borne transducers in the range 5-250 kc/s, 3=7291
- Kuttruff, H. See Hund, M., 3=7295
- Kuttruff, H. See Meyer, E., 0=2178
- Kuttruff, H. See Meyer, E., 1=8191
- Kuttruff, H. See Meyer, E., 1=9458
- Kuttruff, H. See Meyer, E., 2=13421
- Kuttruff, H. See Meyer, E., 3=5499
- Kuttruff, H. See Meyer, E., 3=23991
- Kuttruff, H. See Meyer, E., 4=296
- Kuttruff, H. See Meyer, E., 4=14320
- Kuttruff, H. See Meyer, E., 4=21258
- Kuttruff, K. H. See Schroeder, M. R., 2=2853
- Kutukov, G. P. See Simonov, V. A., 3=12106
- Kutuza, B. G. See Basharinov, A. E., 4=29475
- Kutuzov, A. A. See Broder, D. L., 0=3971
- Kutuzov, A. A. See Broder, D. L., 1=19213
- Kutuzov, A. A. See Broder, D. L., 2=8045
- Kutuzov, A. A. See Broder, D. L., 2=14175
- Kutuzov, A. A. See Broder, D. L., 2=18091
- Kutuzov, A. A. See Broder, D. L., 2=20357
- Kutuzov, A. A. See Broder, D. L., 3=17515
- Kutuzov, A. A. See Broder, D. L., 3=24675
- Kutuzov, A. A. See Broder, D. L., 4=12014
- Kutuzov, V. A. Paramagnetic absorption in parallel fields at 9.3×10^9 c/s in the salts $\text{Fe}(\text{NH}_4)(\text{SO}_4)_2 \cdot 12\text{H}_2\text{O}$ and $\text{Fe}(\text{NO}_3)_3 \cdot 9\text{H}_2\text{O}$, 0=3130
- Kutuzova, G. See Yiglane, Kh., 1=19105
- Kutzelnigg, W. Symmetry properties of the reduced density matrices and of the natural spin orbitals and spin germinals of natural one and two-electron functions, 4=6455
- Kutzelnigg, W. Direct determination of natural orbitals and natural expansion coefficients of many-electron wave-functions. I. Natural orbitals in the geminal product approximation, 4=22275
- Kutzelnigg, W. and Smith, V. H., Jr. On different criteria for the best independent-particle model approximation, 4=27933
- Kuvshinskii, E. See Lebedev, G. A., 2=6847
- Kuvshinskii, E. V. and Aéro, E. L. Continuum theory of asymmetric elasticity allowance for "internal" rotation, 4=10351
- Kuvshinskii, E. V. and Sidorovich, A. V. Ways of constructing a quantitative theory of vitrification, 3=23491
- Kuvshinskii, E. V. See Aéro, E. L., 0=21093
- Kuvshinskii, E. V. See Antuf'ev, V. V., 1=12659
- Kuvshinskii, E. V. See Bessonov, M. I., 0=6315
- Kuvshinskii, E. V. See Bessonov, M. I., 0=16217
- Kuvshinskii, E. V. See Bessonov, M. I., 1=11519
- Kuvshinskii, E. V. See Bessonov, M. I., 1=12605
- Kuvshinskii, E. V. See Bessonov, M. I., 1=12607
- Kuvshinskii, E. V. See Bessonov, M. I., 1=20387
- Kuvshinskii, E. V. See Lais, L. A., 4=7734
- Kuvshinskii, E. V. See Lebedev, G. A., 0=8117
- Kuvshinskii, E. V. See Lebedev, G. A., 2=8878
- Kuvshinskii, E. V. See Sidorovich, A. V., 0=8261
- Kuvshinskii, E. V. See Sidorovich, A. V., 0=10324
- Kuvshinskii, E. V. See Sidorovich, E. V., 2=8716
- Kuvshinskii, E. V. See Sidorovich, E. A., 2=10745
- Kuvshinskii, E. V. See Volodin, V. P., 2=21392
- Kuwabara, S. Similarity solutions for transient pinched plasma, 3=19263
- Kuwabara, G. and Aoyagi, K. Absorption and excitation bands of $\text{KCl}(\text{Tl})$ in the extreme ultra-violet region, 1=1181
- Kuwabara, G. and Aoyagi, K. Photoconductivity of some alkali halide crystals in the fundamental absorption range, 2=8427
- Kuwabara, G., Misu, A., Watanabe, T. and Nishiyama, Y. Photoconductivity and luminescence of the F and M centers in potassium chloride, 0=20937
- Kuwabara, G. See Aoyagi, K., 1=12494
- Kuwabara, G. See Aoyagi, K., 4=22886
- Kuwabara, S. Accurate determination of hydrogen positions in NH_4Cl by electron diffraction, 0=21189
- Kuwabara, S. Impulsive motion of a circular cylinder in a viscous fluid at small Reynolds numbers, 1=18355
- Kuwabara, S. A new "Gegenfeld" filter for electron diffraction, 2=17890
- Kuwabara, S. Variation of electron diffraction intensities with tilting angle and λH , 3=1295
- Kuwabara, S. Variation of electron diffraction intensities of BiOCl films with tilting angle and λH , 3=1372
- Kuwabara, S. Intensity measurement of electron diffraction by means of "Gegenfeld" filter technique, 4=2060
- Kuwabara, S. See Cowley, J. M., 2=10819
- Kuwahara, K. Magnetoresistance effect in aluminium-iron, 0=4316
- Kuwahara, K. Curie point in thin Ni films determined by electrical method, 1=2477
- Kuwahara, K. and Goto, M. Thickness dependence of domain orientation in thin nickel films, 1=10155
- Kuwahara, K., Goto, T., Nishimura, A. and Ozaki, Y. Domain structure of narrow thin films of Ni-Fe, 4=13203
- Kuwahara, K., Nishimura, A. and Nomura, M. Anisotropy in thin films of Ni-Fe produced by double evaporation source, 4=7270
- Kuwahara, K. See Goto, M., 2=8641
- Kuwahara, K. See Goto, M., 3=21926
- Kuwahara, K. See Nishimura, A., 3=22907
- Kuwahara, K. See Tatsumoto, E., 1=14362
- Kuwahara, K. See Tatsumoto, E., 1=14722
- Kuwahara, K. See Tatsumoto, E., 1=14726
- Kuwahara, K. See Tatsumoto, E., 3=1082
- Kuwahara, N., Kaneko, M., Miyake, Y. and Furuichi, J. On the internal rotation in polymer chains, 2=14249
- Kuwahara, N., Miyake, Y., Kaneko, M. and Furuichi, J. The second virial coefficients of polymer solutions, 2=19556
- Kuwana, T. See Piette, L. H., 2=18476
- Kuyama, T. and Kikuchi, T. The transmission of sound waves in shallow water, 3=16620
- Kuyama, T. and Kikuchi, T. Short-range deep-water transmission, 4=7821
- Kuyama, T. and Kikuchi, T. Short-range shallow-water transmission, 4=23725
- Kuyama, T. and Suzuki, C. Refraction of sound by the sound channel in the ocean, 2=21617
- Kuyatt, C. E. and Jorgensen, T., Jr. Energy and angular dependence of the differential cross section for production of electrons by 50-100 keV protons in hydrogen gas, 3=14641
- Kuyatt, C. E., Mielczarek, S. R. and Simpson, J. A. Energy losses and elastic resonances in electron scattering from H_2 , 4=25644
- Kuyatt, C. E. and Simpson, J. A. Structure beyond the ionization limit in inelastic electron scattering in the rare gases, 4=12393
- Kuyatt, C. E. and Simpson, J. A. Inelastic electron scattering from rare gases; determination of oscillator strengths in the continuum, 4=25516
- Kuyatt, C. E. See Simpson, J. A., 3=12245
- Kuyatt, C. E. See Simpson, J. A., 4=8831
- Kuyatt, C. E. See Simpson, J. A., 4=8832
- Kuypers, J. See Hermans, M. E. A., 3=2538
- Kuzeev, B. I. See Karamyan, A. S., 4=16909

- Kužel, R. The effect of oxygen on the electric conductivity of a cuprous oxide single crystal, 1=17726
- Kuzikova, N.S. See Zoré, V.A., 3=18687
- Kuzin, L.A. See Aleksanyan, A.S., 4=30270
- Kuzin, L.A. See Bannik, B.P., 2=3602
- Kuzin, L.A. See Bannik, B.P., 3=2481
- Kuzin, L.A. See Dolgoshein, B.A., 2=3228
- Kuzin, N.N., Semerchan, A.A., Vereshchagin, L.F. and Drozdova, L.N. Temperature dependence of the electrical resistance of iodine at pressures up to 200 000 kg/cm², 3=8524
- Kuzin, N.N. See Semerchan, A.A., 3=6557
- Kuzin, N.N. See Semerchan, A.A., 4=1616
- Kuzin, N.N. See Semerchan, A.A., 4=10061
- Kuzin, N.N. See Vereshchagin, L.F., 2=618
- Kuzin, N.N. See Vereshchagin, L.F., 2=24233
- Kuzin, N.N. See Vereshchagin, L.F., 3=2902
- Kuzina, M.G. See Vdovenko, V.M., 4=22386
- Kužma, W. Construction and gas-filling of high-pressure BF₃ neutron proportional counters, 3=14817
- Kužma, W. See Andruszkiewicz, J., 1=16615
- Kuz'ma, Ya.B. See Gladyshevskii, E.I., 2=4466
- Kuz'ma, Yu.B. See Gladyshevskii, E.I., 3=18313
- Kuz'ma, Yu.B. See Kripyakevich, P.I., 3=18339
- Kuz'ma, Yu.B. See Lakh, V.I., 4=24417
- Kužma, Z. Instrumental methods for analysis of some indium alloys used in semiconductor technique, 4=15539
- Kuzmak, G.E. The spatial motions of an axially symmetric solid body about a fixed point. Subject to couples which vary slowly with time, 0=14565
- Kuz'menko, P.P. Determination of the effective charge of impurities in a metal by the residual resistance, 2=6402
- Kuz'menko, P.P. Determining the change of ion in a solid pure metal by means of the electrical resistance of its thermal vacancies, 2=8206
- Kuz'menko, P.P. Determination of ion mobility in solid metals by the radioactive tracer method, 2=10406
- Kuz'menko, P.P. Mechanism of mobility and effective charges of ions in metals, 2=18609
- Kuz'menko, P.P. Scattering cross-sections and effective charges of ions in metals, 3=17813
- Kuz'menko, P.P. and Grinevich, G.P. Diffusion and mobility of Sb¹²⁴ in nickel, 3=15511
- Kuz'menko, P.P. and Hrom, V.S. Electrical transport [diffusion] of gold in solid gold, 2=6365
- Kuz'menko, P.P. and Kal'na, H.I. Regularities in the short-range order of alloys of the Cd-Mg system, 1=12643
- Kuz'menko, P.P. and Kal'na, H.I. Kinetics of phase transitions in alloys of the Cd-Mg system, 1=12645
- Kuz'menko, P.P. and Kal'na, H.I. X-ray structural investigations of ordered Mg-Cd alloys, 3=23479
- Kuz'menko, P.P. and Kal'na, H.I. Long-range order parameter and arrangement of atoms on lattice points in Mg-Cd alloys, 3=23480
- Kuz'menko, P.P. and Kal'na, H.I. Thermal effects and ordering kinetics in alloys of the system Mg-Cd, 4=7503
- Kuz'menko, P.P. and Khar'kov, Ye.I. Electrical migration in Cd and Zn, 1=14304
- Kuz'menko, P.P. and Khar'kov, Ye.I. Migration of silver on passing direct current through it, 1=14319
- Kuz'menko, P.P. and Khar'kov, Ye.I. Electrical [diffusion] transport in solid Al [in temperature range 500-570°C], 1=14325
- Kuz'menko, P.P. and Khar'kov, Ye.I. Determination of the degree of ionization of atoms in a crystal lattice using the method of electric transfer, 2=6246
- Kuz'menko, P.P., Khar'kov, Ye.I. and Grinevich, G.P. Diffusion and electrical transfer in AgZn alloy, 2=8247
- Kuz'menko, P.P. and Koval'chuk, V.S. Electrical transfer of antimony in aluminium, 3=22830
- Kuz'menko, P.P., Novikov, N.N. and Gorid'ki, N.Ya. Photomechanical effect in antimony, 3=18218
- Kuz'menko, P.P., Novikov, M.M. and Horýd'ko, M.Ya. The nature of the anomalous properties of antimony, 4=1588
- Kuz'menko, P.P., Novikov, N.N. and Horýd'ko, N.Ya. Photo-mechanical effect in titanium, 4=7396
- Kuz'menko, P.P. and Ostrovskii, L.F. Diffusion of silver in nickel, 2=18608
- Kuz'menko, P.P. and Ostrovskii, L.F. Diffusion of silver in nickel, 2=23209
- Kuz'menko, P.P. and Ostrovskii, L.F. Mobility of Ag¹¹⁰ in magnesium, 3=22831
- Kuz'menko, P.P., Ostrovskii, L.F. and Koval'chuk, V.S. The mobility of Sb, Fe and Co in solid copper, 2=18597
- Kuz'menko, P.P., Ostrovskii, L.F. and Koval'chuk, V.S. Mobility of small tin impurities in copper and silver, 3=8433
- Kuz'menko, P.P. and Ostrov'skyi, L.F. Electric transfer of slight zinc and silver impurities in solid aluminium, 2=10416
- Kuz'menko, P.P. and Petrenko, P.V. Certain anomalies in the properties of ferro-aluminium alloys and their nature, 1=15129
- Kuz'menko, P.P. and Suprunenko, P.A. Effective charges of Ni and Al in NiAl alloy, 2=8839
- Kuz'menko, P.P. and Suprunenko, P.O. Nature of certain anomalous properties of α -Ti, 3=20127
- Kuz'menko, P.P. See Gorid'ko, N.Ya., 2=8757
- Kuz'menko, P.P. See Gorid'ko, N.Ya., 2=14910
- Kuz'menko, P.P. See Khar'kov, Ye.I., 1=14300
- Kuz'menko, P.P. See Khar'kov, Ye.I., 1=15163
- Kuz'menko, P.P. See Khar'kov, Ye.I., 2=6374
- Kuz'menko, P.P. See Ostrovskii, L.F., 4=12785
- Kuz'menko, P.P. See Petrenko, P.V., 1=12412
- Kuzmiak, M. See Skrivaneck, J., 0=2381
- Kuz'michev, Yu.M. and Makarov, V.I. Ultrasonic excitation of a cylindrical shell, 0=1005
- Kuz'min, A.D. Spectra of discrete sources of radio emission observed with the 22 metre radio telescope, 2=21738
- Kuz'min, A.D., Levchenko, M.T., Noskova, R.I. and Salomonovich, A.E. Observations of discrete radio sources on 9.6 cm, 2=1021
- Kuz'min, A.D. and Salomonovich, A.E. 8 mm wavelength radio emission from the region of Taurus-A, 1=18206
- Kuz'min, A.D. and Salomonovich, A.E. Radio emissions from Venus in the 8 mm bandwidth, 2=1011
- Kuz'min, A.D. and Salomonovich, A.E. 8 mm wavelength radio emission from the region of Taurus-A, 2=9115
- Kuz'min, A.D. and Salomonovich, A.E. Results of the observation of radio-emission of Venus in 1961, 2=17304
- Kuz'min, A.D., Salomonovich, A.E. and Udal'tsov, V.A. The radio emission of the planetary nebulae NGC 6853 and NGC 7293, 2=1023
- Kuz'min, A.A. Intensity measurement of proton synchrotron beam, 4=14816
- Kuz'min, A.A., Kurochkin, S.S., Kiselev, Yu.S., Mamaev, V.A., Pligin, Yu.S. and Chernov, P.S. Determination of proton beam position, 4=14817
- Kuz'min, A.A. and Palatnik, L.S. Vapour pressure of titanium over Ti-Mo alloys, 4=8524
- Kuz'min, A.A. See Burshtein, E.L., 4=14811
- Kuz'min, A.A. See Rubchinskii, S.M., 4=14797
- Kuz'min, A.A. See Vasil'ev, A.A., 4=14813
- Kuz'min, A.A. See Vasil'ev, A.A., 4=14819
- Kuz'min, A.A. See Vladimirovskii, V.V., 4=14839
- Kuz'min, A.A. See Vladimirovskii, V.V., 4=14840
- Kuzmin, A.D. and Salomonovich, A.E. Observations of the radio emission of Venus and Jupiter at 8 mm, 3=5273
- Kuz'min, A.D. and Salomonovich, A.E. Determination of the period and direction of rotation of Venus from radio astronomical data, 3=11518
- Kuzmin, A.D. and Salomonovich, A.E. Some conclusions about physical conditions on Venus according to radioastronomical observations at P.N. Lebedev Physical Institute, 3=21128
- Kuz'min, A.D. and Udal'tsov, V.A. Polarization of 10 cm radiation from the Crab Nebula, 1=15567
- Kuz'min, A.D. and Udal'tsov, V.A. Polarization of radio-emission from the crab nebula in the 10 centimetre wavelength range, 4=2467
- Kuz'min, A.D. See Basharinov, A.E., 4=29475
- Kuz'min, A.D. See Bibinova, B.P., 3=9271
- Kuz'min, A.D. See Bibinova, V.P., 3=21127
- Kuz'min, A.D. See Karachun, A.M., 2=1017
- Kuz'min, A.D. See Karachun, A.M., 2=1018
- Kuz'min, A.D. See Kislyakov, A.G., 2=24171
- Kuz'min, A.D. See Kislyakov, A.G., 3=3622
- Kuz'min, A.D. See Vitkevich, V.V., 0=16557
- Kuz'min, A.D. See Vitkevich, V.V., 0=18637
- Kuz'min, A.D. See Vitkevich, V.V., 2=9132
- Kuzmin, A.I. On the relationship between the primary and secondary components of cosmic radiation, 1=3340
- Kuzmin, A.I. Intensity variations of cosmic rays underground, 1=3352
- Kuz'min, A.I., Krasil'nikov, D.D., Krýmskii, G.F., Skrypin, G.V. and Shafer, Yu.G. Investigations of cosmic ray variations in Yakutsk, 4=27924
- Kuz'min, A.I., Krýmskii, G.F., Skripin, G.V., Chirkov, N.P., Shafer, G.V. and Shafer, Yu.G. Some results of studies on the variations of cosmic rays at Yakutsk, 4=6166

- Kuz'min, A. I., Krýmskii, G. F., Skripin, G. V., Chirkov, N. P., Shafer, Yu. G. and Shafer, G. V. Cosmic radiation in July 1961, 4=27922
- Kuzmin, A. I., Shaffer, G. V., Shaffer, Y. G., Krasilnikov, D. D., Krinsky, G. F., Mamrukov, A. P., Smirnov, N. S. and Yarin, V. I. Materials of complex geophysical observations in Yakutsk for July 1959, 1=20877
- Kuz'min, A. I. See Chirkov, N. P., 4=27923
- Kuz'min, R. N. X-ray diffraction study of the structure of IrSb, 0=14016
- Kuz'min, R. N. A simplified method for correcting for the absorption and the temperature factor in formulae for X-ray intensities, 4=2054
- Kuz'min, R. N. and Nikitina, S. V. The structure of compounds of composition AB of rare earth metals with antimony and bismuth, 4=15791
- Kuz'min, R. N., Shuravlev, N. N. and Losievskaya, S. A. The atomic structure of RuSb₂ and OsSb₂, 1=4049
- Kuz'min, R. N. and Zhdanov, G. S. X-ray analysis of the superconductor β BiRh, 1=15087
- Kuz'min, R. N. and Zhuravlev, N. N. Revision of the phase diagram for the Bi-Rh system, 2=4448
- Kuz'min, R. N. See Bryukhanov, V. A., 4=12592
- Kuz'min, R. N. See Bryukhanov, V. A., 4=25820
- Kuz'min, R. N. See Zhdanov, G. S., 0=14009
- Kuz'min, R. N. See Zhdanov, G. S., 3=13518
- Kuz'min, R. N. See Zhuravlev, N. N., 1=15123
- Kuz'min, R. N. See Zimelev, A. G., 4=16717
- Kuz'min, V. A. V-A characteristics of semiconductor devices of the p-n-p-n type in the "on" state, 3=10850
- Kuzmin, V. A., Markov, M. A., Zatsepin, G. T. and Zheleznykh, I. M. On high energy neutrino physics in cosmic rays, 3=4527
- Kuz'min, V. A. See Zatsepin, G. T., 1=16834
- Kuz'min, V. A. See Zatsepin, G. T., 2=5774
- Kuz'min, V. A. See Zatsepin, G. T., 3=4493
- Kuz'min, V. A. See Zheleznykh, I. M., 3=22253
- Kuz'min, V. F. and Matyukhin, S. S. A high-speed electronic counter with a printing adapter, 4=16412
- Kuz'min, V. F. and Rubchinskii, S. M. Automatic frequency and field measurement system of the 7 BeV proton synchrotron, 4=14814
- Kuz'min, V. N. A method for studying elastic scattering at high energies, 2=247
- Kuz'min, V. N. A method for studying elastic scattering at high energies, 2=22376
- Kuz'min, V. N. and Petrov, Yu. K. Adapter for measuring the median surface of the magnetic field in accelerators, 4=3063
- Kuzmin, V. N. See Jdanov, A. P., 0=12738
- Kuz'min, V. N. See Zhdanov, A. P., 1=3099
- Kuz'min, Yu. N. Diffraction of electromagnetic waves on a finite paraboloid (axially symmetric fields), 0=9209
- Kuz'mina, I. P. See Belyaev, L. M., 3=20791
- Kuz'mina, I. P. See Shternberg, A. A., 3=18244
- Kuz'mina, M. F. See Tyutikov, A. M., 4=8823
- Kuz'mina, N. Ya. See Borzunov, N. A., 4=14691
- Kuzminov, A. V. See Kaipov, D. K., 4=1019
- Kuz'minov, B. D. A simple method for measuring the continuous spectra of fast neutrons, 3=17289
- Kuz'minov, B. D. Average number of prompt fission neutrons for U^{238} and Th^{232} , 4=1294
- Kuz'minov, B. D. Average number of prompt neutrons in Pu^{240} fission by 3.6 and 15 MeV neutrons, 4=12295
- Kuz'minov, B. D., Kutsaeva, L. S. and Bondarenko, I. I. The number of prompt neutrons from the fast fission of ^{235}U , ^{238}U , ^{232}Th and ^{237}Np , 0=11457
- Kuz'minov, B. D., Kutsaeva, L. S. and Bondarenko, I. I. Angular anisotropy and energy distribution of Th^{232} fission fragments, 2=8021
- Kuz'minov, B. D., Kutsaeva, L. S., Nesterov, V. G., Prokhorova, L. I. and Smirenkin, G. P. Some features of the spontaneous fission of U^{238} , 0=9713
- Kuz'minov, B. D., Kutsaeva, L. S. and Bondarenko, I. I. Angular anisotropy and energy distribution of Th^{232} fission fragments, 3=6314
- Kuz'minov, B. D. See D'yachenko, P. P., 4=3714
- Kuz'minov, B. D. See D'yachenko, P. P., 4=6399
- Kuz'minov, G. S. See Lyubchenko, A. P., 4=12793
- Kuz'minov, Yu. S., Yamzin, I. I. and Belov, N. V. Neutron diffraction investigation of an yttrium-neodymium ferrite with a garnet structure, 3=23183
- Kuz'minov, Yu. S., Yamzin, I. I. and Belov, N. V. Magnetic structure of yttrium ferrite, 3=23186
- Kuz'minov, Yu. S., Yamzin, I. I., Mal'tsev, E. I. and Belov, N. V. Coherent-scattering amplitude for thermal neutrons and yttrium nuclei, 3=22391
- Kuz'minov, Yu. S. See Yamzin, I. I., 4=4592
- Kuz'minskaya, S. B. See Likht, M. K., 2=7480
- Kuz'minskaya, S. B. See Likht, M. K., 2=21552
- Kuzminskii, A. S., Nikitina, T. S. and Karpov, V. L. Some aspects of the vulcanization of rubber by irradiation, 0=6419
- Kuz'minyh, V. D. The dependence of facula contrast on wavelength. A determination of the spectro-photometric temperature, 4=2430
- Kuz'minykh, V. D. Study of the facula-photosphere contrast in the spectral region $\lambda\lambda$ 3755-6800 Å, 3=9194
- Kuz'minykh, V. D. A model of an average facula, 4=29447
- Kuz'minykh, V. D. and Sitnik, G. F. The Facula-photosphere contrast in the $\lambda\lambda$ 6700-21 000 Å region, 4=10894
- Kuz'minykh, V. D. See Kozhevnikov, N. I., 4=23915
- Kuznets'kii, R. S. Magnetic field in a cylinder with a rotating external radial field, 4=16607
- Kuznetskii, R. S. The magnetic field inside a cylinder with a rotating external radial field, 4=21623
- Kuznetsov, A. A. The mechanical stresses in fixed and in rotating cylinders carrying a uniform electric current, 0=17068
- Kuznetsov, A. A. The mechanical stresses due to radial electro-magnetic forces in a multilayer coil carrying a uniform current, with rectangular cross-section of the winding conductor, 0=17071
- Kuznetsov, A. A. The frequency and temperature dependences of ϵ and $\tan \delta$ of $ZnPuTiO$ polycrystals, 1=2432
- Kuznetsov, A. A. Force-free coils for magnetic fields, of infinite length, 2=11752
- Kuznetsov, A. A. See Belyakov, V. A., 3=24764
- Kuznetsov, A. A. See Belyakov, V. A., 3=24798
- Kuznetsov, A. A. See Belyakov, V. A., 4=3489
- Kuznetsov, A. A. See Belyakov, V. A., 4=3491
- Kuznetsov, A. A. See Belyakov, V. A., 4=19810
- Kuznetsov, A. A. See Belyakov, V. A., 4=27898
- Kuznetsov, A. A. See Van Gan-Chan [Pang Kang-Ch'ang], 0=15358
- Kuznetsov, A. A. See Van Gan-Chan [Pang Kang-Chang], 0=15455
- Kuznetsov, A. A. See Van Gan-chan., 1=2099
- Kuznetsov, A. A. See Van Gan-chan, 1=16902
- Kuznetsov, A. A. See Van Gan-chan, 1=19284
- Kuznetsov, A. A. See Van Gan-Chan, 3=19709
- Kuznetsov, A. A. See Van Yun-chan [Wang Yung-chang], 3=2305
- Kuznetsov, A. A. See Veksler, V. I., 3=22211
- Kuznetsov, A. A. See Wang Kang-Ch'ang, 3=19702
- Kuznetsov, A. A. See Wang Kang-Ch'ang, 3=22208
- Kuznetsov, A. B. On the energy spectrum of protons in a linear accelerator, 4=14779
- Kuznetsov, A. B. and Mýznikov, K. P. Proton beam characteristics in a 10 GeV synchrophasotron, 2=20082
- Kuznetsov, A. B. and Mýznikov, K. P. Proton beam characteristics in a 10 GeV synchrophasotron, 3=7667
- Kuznetsov, A. B. See Kazanskii, G. S., 3=19387
- Kuznetsov, A. B. See Kolomenskii, A. A., 0=10998
- Kuznetsov, A. I. Penetration of rigid dies into a half-space with power-law strain-hardening and with nonlinear creep of the material, 4=1917
- Kuznetsov, A. I. See Kryzhanovskii, B. P., 1=20673
- Kuznetsov, A. K. See Kalinin, P. D., 1=11857
- Kuznetsov, A. M. See Levich, V. G., 3=5426
- Kuznetsov, A. N. See Gladyshev, V. A., 4=3232
- Kuznetsov, A. P. See Yakovleva, A. V., 3=23581
- Kuznetsov, A. S. See Akimov, Yu. K., 2=7542
- Kuznetsov, A. S. See Efimov, B. V., 2=18140
- Kuznetsov, A. S. See Helfer, H., 1=5755
- Kuznetsov, A. S. See Helfer, H., 1=7269
- Kuznetsov, A. S. See Vovchenko, V. G., 1=16855
- Kuznetsov, A. V. The applicability of corrective formulae allowing for secondary extinction, 3=8825
- Kuznetsov, A. V. Correction for secondary extinction in monocystals, 3=20824
- Kuznetsov, A. V. Broadening of X-ray lines due to secondary extinction, 3=25784
- Kuznetsov, A. V. On making allowances for secondary extinction in polycrystals, 4=15776
- Kuznetsov, A. V. and Shvurin, O. N. Mutual interference of X-rays reflected from different mosaic blocks of a crystal-lite, 3=20210
- Kuznetsov, A. V. and Terminasov, Yu. S. The correction for secondary extinction, 2=847
- Kuznetsov, A. V. and Terminasov, Yu. S. The theory of X-ray scattering by mosaic crystals, 2=2437

- Kuznetsov, A.V. and Terminusov, Yu.S. Line displacement caused by the finite size of the mosaic blocks, 2=4406
- Kuznetsov, A.V. and Terminusov, Yu.S. The role of secondary extinction. II, 2=19124
- Kuznetsov, A.Ya. Semiconducting tin dioxide, 0=15965
- Kuznetsov, A.Ya. and Pafomova, L.A. Semiconducting films of ZrO_2 , 1=1088
- Kuznetsov, A.Ya. See Krýzhanovskii, B.P., 2=23379
- Kuznetsov, A.Ya. See Kryzhanovskii, V.P., 4=22888
- Kuznetsov, B.I. See Dorin, V.A., 0=602
- Kuznetsov, B.I. See Kotel'nikov, V.A., 4=2459
- Kuznetsov, B.S. and Silant'ev, A.N. Measurement of the number of gamma-rays per decay of Ba^{140} and Pr^{144} , 3=8039
- Kuznetsov, B.S. See Biryukov, E.I., 2=405
- Kuznetsov, B.S. See Biryukov, E.I., 2=16371
- Kuznetsov, B.S. See Biryukov, E.I., 2=18299
- Kuznetsov, B.S. See Biryukov, E.I., 2=22762
- Kuznetsov, B.S. See Silant'ev, A.N., 3=8041
- Kuznetsov, E.I. Production of a stable high-temperature plasma in an adiabatic trap with a combined magnetic field, 4=5686
- Kuznetsov, E.I. and Velikhov, E.P. International conference on plasma physics and controlled thermonuclear reactions, 2=15908
- Kuznetsov, E.N. See Arkharov, V.I., 4=26542
- Kuznetsov, E.P. See Aleksanyan, A.S., 4=30270
- Kuznetsov, E.P. See Alikhanyan, A.I., 0=9696
- Kuznetsov, E.P. See Askar'yan, G.A., 0=20104
- Kuznetsov, E.P. See Bannik, B.P., 2=3602
- Kuznetsov, E.P. See Bannik, B.P., 3=2481
- Kuznetsov, E.P. See Kirillov-Ugryumov, V.G., 0=2688
- Kuznetsov, E.P. See Kirillov-Ugryumov, V.G., 0=3942
- Kuznetsov, E.P. See Kirillov-Ugryumov, V.G., 0=9693
- Kuznetsov, E.P. See Kirillov-Ugryumov, V.G., 0=20090
- Kuznetsov, E.P. See Kotenko, L.P., 2=16232
- Kuznetsov, E.P. See Kotenko, L.P., 3=6051
- Kuznetsov, E.P. See Kuznetsov, E.V., 2=22637
- Kuznetsov, E.P. See Kuznetsov, E.V., 3=6075
- Kuznetsov, E.S. Temperature distribution in infinite cylinders and spheres when the radiative equilibrium is not monochromatic, 4=18479
- Kuznetsov, E.V., Kuznetsov, E.P., Shalamov, Ya.Ya. and Grashin, A.F. Experimental data on the existence of a resonance in the $K^0 \Lambda^0$ system at the energy of 1650 MeV, 2=22637
- Kuznetsov, E.V., Kuznetsov, E.P., Shalamov, Ya.Ya. and Grashin, A.F. Experimental data on the existence of a resonance in the $K^0 \Lambda^0$ -system at the energy of 1650 MeV, 3=6075
- Kuznetsov, E.V. and Timoshin, I.Ya. A xenon bubble chamber, 2=3226
- Kuznetsov, E.V. See Barmin, V.V., 3=15007
- Kuznetsov, E.V. See Barmin, V.V., 3=24792
- Kuznetsov, E.V. See Barmin, V.V., 4=932
- Kuznetsov, E.V. See Grashin, A.F., 3=22197
- Kuznetsov, E.V. See Ivanovskaya, I.A., 0=20222
- Kuznetsov, E.V. See Ivanovskaya, I.A., 1=19501
- Kuznetsov, E.V. See Ivanovskaya, I.A., 3=2484
- Kuznetsov, E.V. See Ivanovskaya, I.A., 3=24796
- Kuznetsov, F.M. See Dubovskii, B.G., 4=12300
- Kuznetsov, F.M. See Dubovskii, B.G., 4=12316
- Kuznetsov, F.M. See Senchenkov, A.P., 1=771
- Kuznetsov, F.O., Lebedev, N.N., Model', I.Sh. and Tsukerman, V.A. The use of coaxial photocells for recording transient light phenomena, 2=21935
- Kuznetsov, F.O. See Voitenko, A.E., 3=24000
- Kuznetsov, I.A. Experimental investigation of the influence of an electromagnetic field on the flow [of a liquid] past a cylinder, 1=1665
- Kuznetsov, I.A. The thermo-electric properties of chromium steels after various heat treatments, 1=10071
- Kuznetsov, I.V. S.I. Vavilov's works on philosophy and the history of natural science, 3=16482
- Kuznetsov, M.I. See Protopopov, A.N., 0=9702
- Kuznetsov, N.I. Stabilizer of photoluminescence light flux, 3=1806
- Kuznetsov, N.I. See Shapiro, I.P., 2=16874
- Kuznetsov, N.M. The influence of radiation on the ionization structure of a shock wave front, 4=18329
- Kuznetsov, N.M. The kinks in the adiabatic of a shock wave at first-order phase transitions, 4=18491
- Kuznetsov, N.M. See Skvortsov, Yu.V., 1=5430
- Kuznetsov, R.I. and Pavlov, V.A. Position of the jumps on the stress-strain diagram of polycrystalline tin, 3=3218
- Kuznetsov, V.A. Modification of a pickup for measuring the dynamic viscous-elastic parameters of synthetic rubber, 0=10270
- Kuznetsov, V.A. Investigation of surface tension and electrocapillary phenomena in some binary alloys, 4=13670
- Kuznetsov, V.A. Growth rate of corundum faces in hydrothermal conditions, 4=30819
- Kuznetsov, V.A., Aksenov, V.I. and Klevtsova, M.P. Zero-charge potentials in Te-Tl alloys, 0=10355
- Kuznetsov, V.A. See Kirillov, P.L., 4=8147
- Kuznetsov, V.A. See Shternberg, A.A., 3=18244
- Kuznetsov, V.A. See Shternberg, A.A., 4=30818
- Kuznetsov, V.D. and Gribanov, S.A. Low-temperature cyclic heat treatment of metals with hexagonal structure, 2=23776
- Kuznetsov, V.D. and Gribanov, S.A. Low-temperature cyclic heat treatment of metals with hexagonal structure, 3=3233
- Kuznetsov, V.D., Savitskiy, K.V. and Sukharina, N.N. Some features of the structure of white layers [on steel], 4=13653
- Kuznetsov, V.D., Surnacheva, A.I. and Rozhkova, L.P. Influence of the parameters of cyclic heat-treatment on the mechanical and physical properties of zinc, 0=4569
- Kuznetsov, V.E. and Usatov, V.U. Measurement of periodic magnetostriction deformations, 4=1823
- Kuznetsov, V.F. See Blyumkina, Yu.A., 4=6397
- Kuznetsov, V.F. See Blyumkina, Yu.A., 4=17211
- Kuznetsov, V.F. See Dulin, V.A., 2=18139
- Kuznetsov, V.G. Talks on the theory of relativity, 2=19
- Kuznetsov, V.G., Eliseev, A.A., Shpak, Z.S., Palkina, K.K., Sokolova, M.A. and Dimitriev, A.V. Phase diagrams of the Ni-S, Ni-Se and Co-S systems and the electrical conductivity of the different phases, 3=25734
- Kuznetsov, V.M. See Gulyaev, A.I., 3=23555
- Kuznetsov, V.N. Anomalous ΔE effect in nickel ferrite, 4=23186
- Kuznetsov, V.N. See Pravdyuk, N.F., 4=1168
- Kuznetsov, V.N. See Pravdyuk, N.F., 2=18389
- Kuznetsov, V.N. See Pravdyuk, N.F., 2=23765
- Kuznetsov, V.P. On electromagnetic corrections in μ -e decay, 0=11193
- Kuznetsov, V.P. Internal bremsstrahlung and electromagnetic corrections to μ -e decay, 1=16829
- Kuznetsov, V.S. Generalized Langmuir-Child law for an axially symmetric electron optical system with a finite planar cathode, 4=594
- Kuznetsov, V.S. Determination of the shape of a beam of charged particles in a homogeneous electrostatic field, 4=611
- Kuznetsov, V.S. See Vol'kenshtein, F.F., 4=20823
- Kuznetsov, V.V. Production of tritium in lead and aluminium by high-energy protons, deuterons and α -particles, 1=19469
- Kuznetsov, V.V. Production of tritium in lead and aluminium by high-energy protons, deuterons and α -particles, 3=4637
- Kuznetsov, V.V., Konstantinov, N.I. and Frolov, V.A. Influence of electrolytic hydrogen on microhardness in certain metals, 3=3245
- Kuznetsov, V.V. See Balebanov, V.M., 4=534
- Kuznetsov, V.V. See Balebanov, V.M., 4=8903
- Kuznetsov, V.V. See Balebanov, V.M., 4=11646
- Kuznetsov, V.V. See Balebanov, V.M., 4=29938
- Kuznetsov, V.V. See Balebanov, V.M., 4=29939
- Kuznetsov, V.V. See Groshev, A.L., 4=19059
- Kuznetsov, V.V. See Van Yun-yui, J=20436
- Kuznetsov, V.V. See Van Yun-yui, 1=3461
- Kuznetsov, V.V. See Voloshchuk, V.I., 4=16765
- Kuznetsov, Ye.P. See Kuznetsov, Ye.V., 2=22636
- Kuznetsov, Ye.V., Shalamov, Ya.Ya., Grashin, A.F. and Kuznetsov, Ye.P. Evidence for resonances in $K + Y$ (Σ , Λ) system at 1650 and 1920 MeV, 2=22636
- Kuznetsova, E.A. See Levitskaya, M.A., 1=1451
- Kuznetsova, E.M. See Adirovich, E.I., 2=6435
- Kuznetsova, E.M. Electron scattering at a charged dislocation, 2=10453
- Kuznetsova, E.M. See Adirovich, E.I., 2=10455
- Kuznetsova, E.M. See Adirovich, E.I., 3=2865
- Kuznetsova, E.M. See Adirovich, E.I., 3=8500
- Kuznetsova, K.F. See Funke, V.F., 1=9144
- Kuznetsova, L.A., Kuzyakov, Yu.Ya. and Tatevskii, V.M. On the electronic absorption spectrum of the NF_2 radical, 4=28281
- Kuznetsova, L.D. See Panin, V.E., 4=26571
- Kuznetsova, M.Ia., Mekhedov, V.N. and Khalkin, V.A. Secondary nuclear reactions induced in tin by fast protons, 0=9633
- Kuznetsova, M.K. See Dunaev, F.N., 3=3114

- Kuznetsova, M.Ya., Pokrovskii, V.N. and Rybakov, V.N. Investigation of the $Al^{27}(p, p\pi^+) Mg^{27}$ reaction, 2=16412
- Kuznetsova, M.Ya., Pokrovskii, V.N. and Rybakov, V.N. Investigation of the $Al^{27}(p, p\pi^+) Mg^{27}$ reaction, 3=6247
- Kuznetsova, M.Ya. See Borisova, N.I., 0=9621
- Kuznetsova, M.Ya. See Van Yun-yui Wang [Yung-yu], 0=20436
- Kuznetsova, M.Ya. See Van Yun-yui, 1=3461
- Kuznetsova, M.Ya. See Zaitseva, N.G., 2=14001
- Kuznetsova, M.Ya. See Zaitseva, N.G., 3=15202
- Kuznetsova, R.I. See Pines, B.Ya., 1=20670
- Kuznetsova, R.I. See Pines, B.Ya., 2=19108
- Kuznetsova, R.I. See Pines, B.Ya., 2=23916
- Kuznetsova, R.I. See Pines, B.Ya., 3=23510
- Kuznetsova, T.D. and Frank-Kamenetskii, D.A. Radiative thermal conductivity of completely ionized hydrogen plasma, 2=19932
- Kuznetsova, T.I. On the Eigen-function solutions of wave equations for a non-uniform layer, 4=16678
- Kuznetsova, T.I. and Rautian, S.G. The theory of quantum generators [Masers], 3=14796
- Kuznetsova, T.I. and Rautian, S.G. Instability of the conditions of generation of monochromatic radiation in solid-state lasers, 4=3214
- Kuzovkin, S. K. An effective method for electrical compensation of the primary field in the air-borne induction method, 4=20876
- Kuzovnikov, A. A. See Aleksandrov, A. F., 4=5575
- Kuzovnikov, A. A. See Golovanivskii, K.S., 2=1408
- Kuzovnikov, A. A. See Golovanivskii, K.S., 2=7578
- Kuzovnikov, A. A. See Golovanivskii, K.S., 4=16479
- Kuzovnikov, A. A. See Golovanivsky, K.S., 4=27546
- Kuzovnikov, A. A. See Golovanivsky, K.S., 4=27547
- Kuzyakov, Yu. Ya., Tatevskii, V.M. and Tunitskii, L.N. Rotational analysis of boron monoxide bands lying in the vacuum ultraviolet region, 1=2329
- Kuzyakov, Yu. Ya. See Kuznetsova, L. A., 4=28281
- Kuzyakov, Yu. Ya. See Shenyavskaya, E. A., 2=18459
- Kval'vasser, V. I. and Rutner, Ya. F. The expansion of a neutral plasma in an external magnetic field, 4=27519
- Kvaratskheli, Yu. K. See Korolev, F. A., 2=109
- Kvartskhava, I. F., Kervalidze, K. N. and Gvaladze, Yu. S. Some magnetohydrodynamic effects observed on impulsive compression of a plasma, 0=15039
- Kvartskhava, I. F., Kervalidze, K. N. and Gvaladze, Yu. S. Instability of induced pinch, 1=2974
- Kvartskhava, I. F., Kervalidze, K. N. and Gvaladze, Yu. S. Instability of induced [theta-] pinch, 1=9593
- Kvartskhava, I. F., Kervalidze, K. N., Gvaladze, Yu. C. and Kapanadze, B. N. Some new data on self-compressed discharges, 3=12157
- Kvartskhava, I. F., Meladze, R. D. and Suladze, K. V. Experiments on the electrodynamic acceleration of a plasma, 0=15037
- Kvartsov, V. V. High-frequency asymptotic solution of a non-stationary diffraction problem (illuminated region), 4=19223
- Kvasha, N. T. See Morozov, V. P., 4=15347
- Khvashchevskaya, Ya., Dakovski, M., Dombrovski, A., Slapa, M. and Sovin'ski, M. Silicon surface-barrier detector with a guard-ring and its possible applications, 4=19331
- Kvasnica, J. A remark on Bopp-Podolsky electrodynamics, 0=12817
- Kvasnica, J. Radiation losses in completely ionized plasma, 0=15026
- Kvasnica, J. Losses through bremsstrahlung in relativistic and ultra-relativistic region of electron temperatures of plasma, 1=8322
- Kvasnica, J. A possible estimate of the elementary length in electromagnetic interactions, 1=13282
- Kvasnica, J., A remark on the third law of thermodynamics, 1=16180
- Kvasov, V. A. See Bregadze, Iu. I., 2=18033
- Kventse'v, G. F. and Pekar, S. I. Allowance for surface excitons in the theory of electromagnetic waves and crystals, 3=20465
- Kvifte, G. Nightglow observations at Ås [Norway] during the I.G.Y., 0=789
- Kvifte, G. Auroral and nightglow observations at Ås, Norway, 0=14274
- Kvifte, G. Relative population of OH X² II levels, 2=4663
- Kvifte, G. Temperature measurements from OH bands [in atmosphere], 2=4664
- Kvitek, J. See Dlouhy, Z., 3=6017
- Kvitka, S. S. The determination of the orientation of single crystal from Laue diagrams, 0=13977
- Kvitka, S. S. See Belov, K. P., 3=15867
- Kvitka, S. S. See Gerasimova, E. A., 0=13997
- Kvittner, P. See Adam, A., 3=24750
- Kvllivdze, V. L. and Krasil'nikov, K. G. Investigation of the state of water, sorbed on calcium hydrosilicate, by nuclear magnetic resonance, 3=11127
- Kvllivdze, V. I. and Rashkovich, L. N. Nuclear magnetic resonance in various calcium hydrosilicates and in calcium hydroxide, 3=6767
- Kwak, N. and Schneps, J. Hyperon resonance states and K⁻-meson capture on complex nuclei, 3=19871
- Kwak, N. See Davis, D. F., 0=5607
- Kwak, N. See Davis, D. F., 0=5608
- Kwak, N. See Kang, Y. W., 2=7909
- Kwak, N. See Kang, Y. W., 3=15088
- Kwan, S. H. See Hellwege, K. H., 2=16893
- Kwang Yu. See Lomont, J. S., 3=11697
- Kwiatkowski, S. Shape and shift of atomic spectral lines broadened by higher pressures of perturbing atoms, 4=28127
- Kwiatkowski, S. See Kossakowski, A., 4=19941
- Kwei, G. H. and Curl, R. F., Jr. Microwave spectrum of O¹⁸ formic acid and structure of formic acid, 0=13439
- Kwei, G. H. and Herschbach, D. R. Stark effect and dipole moment of CH₃ CHF₂, 0=9808
- Kwei, G. H. See Herschbach, D. R., 1=12336
- Kwei, G. H. See Herschbach, D. R., 4=25772
- Kwei, G. H. See Wilson, K. R., 4=28288
- Kwei, T. K. and Arnheim, W. Linear free-energy relationship in the diffusion of gases through polymer films, 3=2821
- Kwestroo, W. See Braun, P. B., 1=14743
- Kwiatkowski, S. See Woznicki, W., 1=9936
- Kwiecińska, T. See Grochulski, W., 4=22236
- Kwieciński, J. On the theory of (γ, d) reactions, 3=15177
- Kwiecinski, J. and Suranyi, P. On the analytic properties of the pion scattering amplitude in the complex angular momentum plane, 4=21902
- Kwieciński, J. S. See Barashenkov, V. S., 4=11958
- Kwiek, M. Reverberation in coupled halls. II, 3=21504
- Kwiek, M. and Karaśkiewicz, E. Investigations on the optimum reverberation time, 0=6898
- Kwiek, M. See Karashiewicz, E., 2=21985
- Kwiek, M. See Karaskiewicz, E., 3=14293
- Kwo Cheng-Hsiao. Compound model of baryons and strangeness, 3=17173
- Kwo, W. T. Alternant molecular orbital method, 4=22341
- Kwo, W. T. Alternant molecular orbital method, 4=22342
- Kwoh-I Ai, D. Small perturbations in the unsteady flow of a rarified gas based on Grad's thirteen-moment approximation, 2=2736
- Kwok, A. See Edelstein, N., 4=24242
- Kwok, J. and Robinson, G. W. Spectroscopy in liquid-rare-gas solvents. Infrared spectra of CH₄ in argon and of HCl in xenon, 2=17464
- Kwok, K. L. See Herzenberg, A., 4=25556
- Kwok, K. L. See Herzenberg, A., 4=28148
- Kwon, S. I. See Shin, H. M., 0=21300
- Kwun Sook-Il, Ree, T. and Eyring, H. Mobile bond orders of some polyphenyls from SCF-LCAO-MO theory, 4=22413
- Kyaëmbre, Kh. F. See Belkind, A. I., 2=22250
- Kyame, J. J. See Carroll, P. J., Jr., 2=9200
- Kycia, T. F., Kerth, L. T. and Baender, R. G. Interaction of K⁺ mesons with protons, 0=9431
- Kycia, T. F. and Riley, K. K. Some empirical systematics of the pion-nucleon system, 3=22184
- Kycia, T. F. See Baker, W. F., 2=20627
- Kycia, T. F. See Baker, W. F., 3=10169
- Kycia, T. F. See Cool, R. L., 2=20430
- Kycia, T. F. See Diddens, A. N., 4=6133
- Kycia, T. K. See Diddens, A. N., 3=22183
- Kydd, P. See Miyama, H., 1=20740
- Kydd, P. H. Total scattering cross-sections of H₂O and NH₃, 2=23018
- Kydd, P. H. See Lyon, R. K., 1=12677
- Kydd, P. H. See Mullaney, G. J., 1=8167
- Kydd, R. A. See Bree, A., 4=20497
- Kyhl, R. L. See Dresselhaus, M. S., 4=16369
- Kyhl, R. L. See Strandberg, M. W. P., 0=10215
- Kyi, R. Paramagnetic resonance of Mo⁵⁺ in TiO₂, 2=23704
- Kyi Ru-tao. See Axe, J. D., 0=10235
- Kyker, Jr. G. C. and Williamson, R. M. Van Der Graaff energy resolution, 3=457
- Kyle, H. L. and Merzbacher, E. Long range forces between atoms, 0=9754

- Kyle, H.L. and Temkin, A. Nonadiabatic theory of inelastic electron-hydrogen scattering, 4=17257
- Kyle, H. L. and Temkin, A. Nonadiabatic theory of inelastic scattering, 4=25559
- Kyle, L. See Herring, J., 1=18038
- Kylstra, C. D. and Uhrig, R. E. Measurement of the spatially dependent transfer function of nuclear systems by noise analysis, 4=19871
- Kȳmovs'ka, A.I. See Rȳbalka, V.V., 2=8344
- Kynaston, D. and Mulvey, T. The correction of distortion in the electron microscope, 3=9862
- Kynaston, D. and Mulvey, T. Distortion-free operation of the electron microscope, 3=19351
- Kynch, G.J. Sedimentation and effective viscosity, 0=4740
- Kynch, G.J. Sedimentation and effective viscosity, 0=10366
- Kȳnchev, P.I. Method of following the kinetics of a complex dielectric constant, 2=19879
- Kyner, W.T. On a free boundary value problem for the heat equation, 0=6960
- Kyner, W.T. See Diliberto, S.P., 1=6745
- Kyner, K. D. On the excitation, absorption and luminescence spectra of lead activated zinc rhodamide, 4=28739
- Kȳnev, S. [Kȳnev], and Pirinchieva, R. On the role of electrodes and non-symmetrical illumination in the investigation of photoelectric properties of CdS monocrystals, 1=14503
- Kȳnev, S., Pirinchieva, R. and Marinova, K. Potential distribution and motion of minority carriers in CdS monocrystals, 3=17872
- Kȳnev, S. and Sheinkman, M.K. Influence of a strong electric field on kinetics of photoconductivity in CdS monocrystals, 2=10529
- Kȳnev, S. and Stoyanov, V. and Shekeredzhiiski, V. High sensitivity photoresistors and photocells of sintered CdS and some reversible ageing processes, 4=30658
- Kȳnev, S. and Vateva, E. The inner photoeffect and photodesorption of oxygen in zinc oxide, 0=18074
- Kȳnev, S. See Borisov, M., 1=7678
- Kȳnev, S. See Borisov, M., 4=30657
- Kynev, St., Sheinkman, M.K., Shul'ga, I.B. and Fursenko, V.D. Contactless method for measuring the parameters of certain semiconductors, 3=15566
- Kyogoku, H. See Yoshino, T., 3=11812
- Kyrala, A. Matter and point set theory, 0=6643
- Kyrala, A. An approach to the unification of classical quantum and relativistic formulations of electromagnetics and dynamics, 2=5435
- Kȳrȳchenko, G.S. See Gabovȳch, M. D., 4=3002
- Kyser, D. S. and Thompson, J. C. Search for magneto-resistance in sodium-ammonia solutions, 4=27197
- Kyser, D. F. See Wittry, D. B., 4=26242
- Kȳshko, S.M. and Kuchȳnka, M.Yu. Effect of pressure on the excitation functions of certain bands of a negative system of the N_2^+ molecule, 1=14046
- Kȳslyak, G. M. and Lȳsenko, G. M. The law of phosphorescence quenching of organic substances, 4=1763
- Kȳslyak, H.M. See Lȳsenko, H.M., 4=17590
- Kytin, G. See Brandt, N.B., 0=11804
- Kȳtin, G.A. See Astrov, D.N., 2=18926
- Kȳtmanov, A. V. See Bazhenov, V. A., 4=22783
- Kytoniemi, T.K. A method for determining the resistivity of semiconductors with relatively high resistivity, 2=14514
- Kyu Shin Hyung. See Hyung Kyu Shin
- Kyucharev, A. P. See Golovnya, V. Ya., 4=9496
- Kyurkchieva, D.T. See Zlateva, A.I., 3=24726
- Kyun, B., Salatskii, V.I. and Sizov, I.V. Investigation of the $C^{12}(t,p)C^{14}$ reaction, 3=15237
- Kyung Tae Chung. Einstein's connection in terms of $*g^\lambda{}_\mu$, 3=9340
- Kyuntsel, I.A. See Grechishkin, V.S., 3=15968
- Kyuntsel', I. A. See Grechishkin, V.S., 4=4433
- Kyuntsel, I. A. See Grechishkin, V.S., 4=23081
- Kyuntsel, I. A. See Grechishkin, V.S., 4=26456

